





3 1761 07551046 1

UNIV. OF
TORONTO
LIBRARY





INDEX ANIMALIUM
1801—1850

2004
INDEX ANIMALIUM

SIVE

INDEX NOMINUM QUAE AB A.D. MDCCLVIII
GENERIBUS ET SPECIEBUS ANIMALIUM
IMPOSITA SUNT

SOCIETATIBUS ERUDITORUM ADIUVANTIBUS

A

CAROLO DAVIES SHERBORN

APUD OXONIENSES HONORIS CAUSA
SCIENTIAE DOCTORE
CONFECTUS

SECTIO SECUNDA

*A KALENDIS IANUARIIS, MDCCCI
USQUE AD FINEM DECEMBRIS, MDCCCL.*

EPILOGUE, ADDITIONS TO BIBLIOGRAPHY,
ADDITIONS AND CORRECTIONS,
AND INDEX TO TRIVIALIA

LONDON:

PRINTED BY ORDER OF THE TRUSTEES OF THE BRITISH MUSEUM

SOLD AT THE

BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, LONDON, S.W. 7;

AND BY

B. QUARITCH, LTD.; DULAU & CO., LTD.;

AND AT

THE OXFORD UNIVERSITY PRESS

June, 1932.

[*All rights reserved.*]

PRINTED IN GREAT BRITAIN

345138
3.1.38

QL

354

S5

Sect 2

V. 9

EPILOGUE

It is now forty-three years since I issued in *Nature* and *La Feuille des Jeunes Naturalistes* a scheme for an "Index Animalium" and received in reply letters approving that scheme from Professor J. Victor Carus and Professor Sven Lovén.

In the Introduction to this volume I gave an account of the financial assistance I had received during the progress of the work and that I here continue. The whole of this assistance since 1922 has come from the Trustees of the British Museum, who have made themselves responsible for the completion of the work.

1922-3	£140	1927-8	£225
1923-4	£140	1928-9	£225
1924-5	£200	1929-30	£225
1925-6	£225	1930-31	£225
1926-7	£225	1931-32	£250

This final volume of the *Index Animalium* for 1801-1850 contains a note of all books not listed in pp. xv-cxxxi of the Introduction and comprises also in its one alphabet the two separate additional lists published in February 1923 and May 1925 (parts II and VII) together with books examined since the later date.

It prints "Additamenta et Corrigenda" and under this section is included a great number of misspellings recorded in the valuable *Nomenclator Animalium* now being issued by the Berlin Academy. I decided against the inclusion of many of these obvious misspellings, which do not invalidate the originals, merely encumber literature and are moreover as frequently the errors of printers as of authors. Still on the whole they are apt to confuse even though perfectly obvious and I have therefore included them here (up to the end of the letter L) with any other corrigenda that have been kindly sent to me by many friends at home and abroad. As, however, it has not been possible for me to verify these entries I have given the authority for their occurrence, and references and dates must be verified by those who use them.

Then follows an "Index to Generic Names showing the trivial names associated with each from 1801-1850," those from 1758-1800 having appeared in my first volume. This has been a severe labour to prepare and type as owing to the frequent use of the same Generic word in various groups the disentanglement of the entries has been difficult. I therefore ask the indulgence of the reader for any errors.

The advantage of such a list of species will be clear to all and will I hope save much future labour.

I gladly acknowledge the continued help afforded to me by those colleagues whose names I listed in my previous Introduction and to those may be added the following whose assistance has been of great value to me during these later years: J. Ardagh, G. J. Arrow, Maj. E. E. Austen, R. Baker, D. Bannerman, F. Barnett, W. E. Barnett, J. C. Battersby, H. A. Baylis, K. G. Blair, E. Browning, G. E. Bryant, M. Burton, E. A. R. Bush, W. E. China, G. W. F. Claxton, Prof. F. J. Cole, L. R. Cox, F. W. Edwards, W. J. Fox of Philadelphia, A. G. Gabriel, F. J. Griffin, L. Guillaume of Strasbourg, M. J. Hardy, Capt. A. F. Hemming, M. A. C. Hinton, A. S. Hirst, A. T. Hopwood, D. E. Kimmins, N. B. Kinnear, R. Kirkpatrick, F. Laing, W. D. Lang, J. R. Loewe of Berlin, Sir G. A. K. Marshall, C. C. A. Monro, G. H. G. Mower, J. J. Mugford, Baron Nopsca of Vienna, J. R. Norman, H. W. Parker, W. H. Perrett, C. Tate Regan, A. Reeley, F. Reeley, Capt. N. D. Riley, G. C. Robson, A. E. Salisbury, F. C. Sawyer, W. L. Sclater, H. Seely, G. A. Smith, G. F. H. Smith, B. H. Soulsby, H. Stringer, W. E. Swinton, W. H. T. Tams, H. D. Thomas, Capt. A. K. Totton, A. C. Townsend, H. B. Usher, B. P. Uvarov, J. C. Vickery, T. F. Vincent, J. Waterston, R. J. West, E. I. White, G. P. Whitley of Sydney, R. Winckworth, C. Wood.

Sir Sidney Harmer (Polyzoa), G. M. Mathews (Birds) and T. H. Withers (throughout), have read my proofs to my great satisfaction.

As regards the printers all I need say is that hundreds of pages have come to me without a typographical error and of the alterations made by me the bulk have been my own fancies, wrong alphabetical arrangements or additional matter. No words can sufficiently thank the compositors and readers of the Cambridge University Press for the exceptional care shown by them in interpreting my manuscript and I thank them heartily.

Now my work is finished it may be well to glance at the difficulties met with during its compilation. In any well-appointed Natural History Library there should be found every book and every edition of every book dealing in the remotest way with the subjects concerned. One never knows wherein one edition differs from or supplements the other and unless these are on the same table at the same time it is not possible to collate them properly. Moreover for accurate work it is necessary for the student to verify every reference he may find; it is not enough to copy from a previous author; he must verify each reference itself from the original. Bad work, for which there is little excuse, is only too common. This want of every book and every edition has been a serious hindrance and loss of time to

me while working for over forty years in the British Museum (Natural History) and though I have acquired over a thousand volumes for the Libraries there, gaps still remain to be filled. On the whole one has met with a generous response, but the amused smile, real apathy, or the remark "we have no money" which invariably means heavier expenditure later on, have been encountered. In my experience true economy is only secured by immediate purchase when prices are reasonable, and it is false economy in money and in time from every point of view to listen for a moment to any financial argument when the purchase of books for scientific research in a National Institution is involved. And now that rotography has superseded photography as regards cost, a rare tract can be reproduced in a few hours and placed on its proper shelf in any Library for a few shillings.

In conclusion I may add that the whole of my papers, Books of Reference and apparatus will remain at the Museum for my continuator and I trust that arrangements will be made for the permanent indexing of even current literature as the only true method of economizing the time of the working zoologist.

C. DAVIES SHERBORN

LONDON

March, 1932

BIBLIOGRAPHY

No spp. nn. = no specific names.

No nn. spp. = no new species.

n. b. = not consistently binominal.

n. z. = no systematic zoology.

This includes the lists published in February 1923 (pp. cxxxiii-cxxxvi) and May 1925 (pp. cxxxvii-cxxxix) which are here rearranged in one alphabetical list with the later entries.

- A., M. Rudiments of Conchology. 8vo. *Lond.* 1826. [Popular; *Bibl.* Tomlin.]
- Acta nat. cur. *Lond.* (see Fabr., Ent. Syst. III (2) 1794, 300). [Not Tr. Linn. Soc., not Phil. Trans.; B. H. Soulsby suggests it may be a MS.]
- Afzelius, A. Remedia Guineensia. 4to. *Upsala*, 1813-17, 78pp. [Contains *Aranea viperina*.]
- Agassiz, J. L. R. Etudes crit. Moll. [Livr. 2 appeared in two parts, pp. 1-48 in 1842, 49-142 in 1845. (See N. Jahrb. f. Min. 1842, 862).]
- Poissons fossils. [For some correction of dates see Jeannet, Bull. Soc. Neuchât. Sci. Nat. LII (1) 1928, 102 & LIII. 1928, 197.]
- Alt, H. C. De Phthiriasi. 8vo. *Bonn*, 1824. [No nn. spp., teste L. Guillaume.]
- Amyot, C. J. B. Ent. Franç., Rhyncotes. [Mononymic; but "names" quoted as referred to in cases of priority.]
- Augas, G. F. Savage Life. Jan. 1847.
- Annals of Nature. 1 no. 8vo. *Lexington*, 1820. [Ex *Bibl.* Ac. Nat. Sci. Philad., teste W. J. Fox.]
- Anon. Conch. nouvelle et portative... 12mo. *Paris*, 1767. [No spp. nn.; has a list of the contemporary collections in Paris; *Bibl.* Tomlin.]
- [Prof. Nat. Phil.] The Hand-Book of Conchology. 8vo. (5 × 3). *Lond.* 1839, 54pp. [Misprints.]
- Archiv der Naturgeschichte... von Thienemann und Thon. 1 vol. in 6 parts. 4to. *Naumburg*, 1826, 27, 28, 29, 30. [*Bibl.* G. M. Mathews.]
- Armstrong, John. Hist. Island of Minorca. Ed. 2, 8vo. *Lond.* 1761. [u.b.]
- Audebert, J. B. & Vieillot. Oiseaux dorés. [There were 2 issues, one folio, one quarto; the setting and pagination differ.]
- Audubon, J. J. L. Ornith. Biogr. Vol. V. June 1839.
- Augsburg. K.-Franz. R. Acad. Kuenst. u. Wissensch. Erste Forts. Geschenks f. d. Jugend. Pp. 36, 24 pls. 4to. [*Leipzig*], 1785. [u.b.]
- Azara, F. de. Essay. *Edinb.* Ap. 1838.
- Barde, de. Descr. Cat. Water Colour Drawings... at Bullock's Museum... 8vo. *Lond.* 1814. [No spp. nn.]
- Beale, Th. Sperm Whale. Ed. 2, Nov. 1838.
- Beechey, F. W. Voy. Disc. N. Pole. Issued in March.
- Belanger read Bélanger.
- Bell, Th. Brit. Quadr. Completed Aug. 1837.
- Hist. Brit. Stalk-eyed Crust. Pp. 1-48, 1844; 144-240, 1846; 289-326, 1851; 327-386, 1852.
- Bengal Sporting Mag. [Ran to n. s. vol. III. no. 14, Feb. 1846. See India Sporting Review, III. 1846, pp. 28-43 for history.]

- Benoit, L. *Ric. Malac. Svo. Messina*, 1843. [*Ex Farfalletta; Bibl. Tomlin.*]
 Berge, F. Conchylienbuch. 4to. *Stuttgart*, 1847; and with new T.P. 1850.
 Bergstrasser, J. A. B. "Icones" and "Nomenclatur." [For dates see Hemming, Proc. Ent. Soc. Lond. V (3) 1930, 81.]
 Berlin. Gesellsch. nat. Freunde. Sitzungsber. 1839-59. [These were printed in the "Vossischen" and "Spenerschen Zeitungen" and an index to them appeared in the Sitzungsber. for 1860 of 17 pp. [These Periodicals are in the B. M.]]
 Bertolini, J. De duobus insect. Cimo campestris et Pyro malo infensis. 4to. *Bonon.* 1844 [Bibl. Ent. Soc.].
 Bertrand, E. Diet. Univ. des Insectes etc. Another issue reset Svo. *Avignon*, 1763. [No spp. names.]
 Besançon. Soc. Emul. Doubs. Mém. Vols. I. II. Svo. *Besançon*, 1841-50. [*Ex Bibl. Ac. Nat. Sci. Philad., teste W. J. Fox.*]
 Bijdr. tot de natuurk. Wetensch. 7 vols. Svo. *Amst.* 1826-32.
 Blackpool. Hist. & Descr. Guide to Blackpool, Lytham & Southport. 8vo. *Lond.* [post 1839]. [Lists.]
 Blainville, H. M. D. de. Man. Actinol. 1834-7. [There were 2 issues of this book & the pagination differs towards the end.]
 Block, L. H. v. Verz. merkw. Ins. Plauischen Grunde. 1799. [Wrongly attributed to M. E. v. Block in Index Anim. I. p. xv.]
 "Blossom." Issued in August.
 Boie, H. Brief. Ost. Ind. 1832. Is ex N. Staatsbürg. Mag. I (2) 1832, pp. 126-218; 440-500. [Teste C. W. R., Proc. U. S. Nat. Mus. XXXV. 1909, 587.]
 Boissdual, J. B. A. D. de. Gen. et Index meth. Europ. Lepid. [The title is in Latin.]
 — Icones hist. Lepid. Europ. Add. vol. I, pp. 221-251, 1834.
 Bolingbroke, H. Voy. to the Demerary. 4to. *Lond.* 1807. [No nn. spp.; teste T. Iredale.]
 Bonaparte, C. L. Geogr. comp. List. Issued in April.
 — Consp. Gen. Avium. [T. Iredale possesses the first issue of pp. 1-543. This was entirely reset, but beyond a few typographical errors no changes are recognisable. See C. W. Richmond, Proc. U. S. Nat. Mus. LIII. 1917, 579.]
 — Sagg. distr. met. Anim. vert. 8vo. *Roma*, 1831. [*Ex Bibl. F. J. G.*]
 — Icon. Fauna Ital. [See Salvadori, Boll. Mus. zool. Torino, III. 1888.]
 Bonnet, C. Contempl. de la Nature. 2 vols. 8vo. *Amst.* 1764. [No spp. nn.]
 Bouola, G. B. Della Bibliografia Malacologica Italiana. 8vo. *Milano*, 1839. [Bibl. Tomlin.]
 Bousdorff, G. Ath. Dyrflängen i Tavastland. 4to. *Abo*, 1782. [No nn. spp.]
 Born, I. von. Index Mus. Vind. 1778; Iredale, Mem. Queensland Mus. IX (2) 1929, 381, points out that the correct date is 1780 [teste R. W.].
 Boisson, S. Cat. rais. Coll. Min. Mus. H. N. (Turin). 8vo. *Turin*, 1830. [nn. nn. Moll.]
 Bosc, L. A. G. H. N. des Coquilles. 5 vols. 18, *Paris*, 1802.
 — deuxième éd. 1824. Containing a "Table alph. de toutes les espèces...dans cet ouvrage, avec syn. de M. Lamarck." [Bibl. Tomlin.]
 — Hist. nat. Coquilles. 5 vols. 12, *Paris*, 1830. [One of many reissues of Ency. Roret, with a "Table alphabétique"; Bibl. Tomlin.]
 Bouché, F. Naturg. Garten-Insekt. Svo. *Berlin*, 1833. [N. spp.; B. M.]
 Boulton, Daniel. Museum B. alterianum. 8vo. *Lond. & Norwich* [1797]. [No nn. spp.]
 Brander, F. R. Kori Begrep Nat. Hist. C. v. Limes... 8vo. *Wästerås*, 1785. [No nn. spp.]
 Braun, J. A. Stark, J. C. J. De Vermibus in locis insolitis repertis. 8vo. *Jena*, 1804. [Nathung; B. M.]
 Brehm, C. L. Lehrb. Naturg. Europ. Vögel. 8vo. *Jena*, 1823-24.
 — Handb. Stuben-Vögel. 8vo. *Hmeau*, 1832.
 British Almanac. [In 1832 James Kennie contributed "Calender of British Zoology" but there are no nn. spp.]
 British Museum. Publications in Svo. [For exact dates see Sherborn, Ann. Mag. N. H. [9] XVII. 1920, 271, 272.]
 — Synopsis of Contents. [See Iredale, Proc. Malac. Soc. London, X. 1913, 295.]
 Britton, J. Descr. sketches of Tunbridge Wells. 8vo. *Lond.* 1832. [n. z.]
 Bronn, H. G. Ergebn. nat. Reisen. [N.B. Vol. II dates from 1831 not 1832; correct pp. 39, 49, 79 of the Ind. Anim.]

- Bronn, H. G. *Lethaea Geognostica*. [In Sir Sidney Harmer's Library is a T.P. of vol. II "Zweite Auflage", 1838, but as the text is identical with the first edition this appears to be a case of remainder with new T.P.]
- *Lethaea Geognostica*. Ed. 3, fo. *Stuttgart*, 1846-48. 47 pls. & 3 Suppl. 1852, 52, 53. [B. M. (N. H.) *ex Bibl.* G. B. Greenough.]
- Brown, T. Ill. Conch. G. B. I. 4to. *Edinb.* 1827. [See Woodward & K., Proc. Malac. Soc. XVIII (1) 1928, 36 for collation and date.]
- The Book of Butterflies, 1832. [A third vol. was issued in 1834 and this in 1843 was reissued and called "The Book of Butterflies and Moths."]
- Ill. of the American Ornith.... of Wilson & Bonaparte... with additions.... fo. *Edinb.* 1835, 124 pls. Syst. Index 3 pp.
- Conch. Text Book. Ed. 6, Feb. 1845.
- Ill. Foss. Conch. Began in 1837.
- Elem. Foss. Conch. June 1843.
- Illustr. of Genera of Birds. 14 Parts. 4to. *Lond.* 1845-46. [B. M. (N. H.); Z. S.; *Bibl.* Tattersall.]
- Brullé, A. See Audouin & Brullé, p. xix. See also Laporte.
- Brünnich, M. T. Ichthyol. Massil. 1768, contains "Spolia e mari Adriatico."
- Buc'hoz. Dict. vétérinaire... auquel on a joint un Fauna gallicus. 6 vols. 8vo. *Paris*, 1775.
- Buffon. Allgem. Naturgeschichte. 7 vols. 8vo. *Troppau*, 1785. [No spp. nn.]
- Nat. Hist. 10 vols. 8vo. *Lond.* (Symonds), 1807-12. [No spp. nn.]
- Oeuvres complètes. Ed. by M. A. Richard. 32 vols. 8vo. *Paris* (Baudouin), 1825-28.
- Concordance de l'ordre naturel suivi par Buffon dans sa descr. des Animaux etc. 8vo. *Paris*, 1836. [All vernac.]
- Sämmtliche Werke. Vogel. 8vo. *Köln*, 1838. [Vol. 1 seen, no Latin names.]
- Bullock, Wm. A companion to the Liverpool Museum... ed. 5. 8vo. *Liverp.* 1807. [No nn. spp.]
- Comp. to the London Museum. [I have seen the 9, 10, 12-17 (2) eds.]
- See Barde, de.
- Burmeister, C. H. C. Handb. Entom. I. 1832; II (1) 1835; (2) 1838; III. 1842; IV (1) 1841; (2) 1855; V. 1847.
- Burrow, E. I. Elementi Conch. Linn. Trans. from ed. 2 by F. Baldassini da Pesaro with notes by C. G. Malacarne. 8vo. *Milano*, 1836.
- Cabanis, J. Mus. Hein. [Quoted up to p. 106.]
- Cabinet of Natural History and American Rural Sports, etc. 2 vols. 4to. *Philad.* (Doughty), 1830-33. [*Teste* C. W. R.]
- Calcara, P. Mon. gen. Spirorbis e Succinea... Siciliana. 8vo. *Palermo*, 1841. [*Bibl.* Tomlin.]
- "Mem. geogn. e min." [This is the title of a series of *separate* from Atti Acc. Palermo, I. 1845.]
- Cat. Moll. terr. e fluv. Sicilia. 8vo. *Palermo*, 1846, 4 pp. [*Bibl.* Tomlin.]
- Esp. meth. Rocci e Terreni del Globo.... 8vo. *Palermo*, 1847. [*Bibl.* Tomlin; no nn. spp.]
- Calendar of Nature. 8vo. *Lond.* 1839. [Many eds. but no spp. nn.; To n Iredale.]
- Calvert, M. Hist. Knaresbrough. 8vo. *Knaresb.* 1844. [List of plants.]
- Canterbury. Phil. & Lit. Inst., Synopsis of the Museum of. 8vo. *Cant.* 1826.
- Carolina Journ. Med. Sci. 8vo. *Charleston*, 1825.
- Castelin, —. Catal. Gen. Esp. Coll. Coq. Castelin. A vendre. 8vo. *Paris*, 1825. [*Bibl.* Tomlin; 1 n. sp.]
- Catalogue (A) of the Cabinet of Birds and other curiosities now exhib. at the New House facing the Poultry, the corner of Cornhill and Threadneedle Street. 8vo. [*Lond.* 1769], 15 pp.
- Catal. Ois Cab. de Riocour. 8vo. *Nanci*, 1829.
- Catalogue (A) of Birds... Spring Gardens. See Cox (James).
- (Descr.) Chinese Coll. See Dunn (N.).
- Catlow, A. Popular Conch. Nov. 1843.

- Catlow, A. & Reeve. *Conch. Nomencl.* Ap. 1845.
- Cetti, F. *Stor. Nat. Sardegna, 1774-77.* And in German, 8vo. *Leipzig*, 1783-84. [nn. spp.]
- Chaisneau, Charles. *Atlas d'H. N. ou coll. de Tableaux...trois Règnes de la Nature.* 4to. *Paris*, An xi. [*Bibl. Tomlin; vernac.*]
- Charles Alexander (Duke of Lorraine and Bar). *Catal. tant du Cabinet d'Hist. Nat.* 8vo. *Bruxelles*, 1781. [non binom.]
- Children, J. G. Lamarck's Genera of Shells. 1823. [Ex Q. Journ. Sci. (R. Inst.) XIV, XV, XVI, with privately printed T. P. *Bibl. A. S. Kennard.*]
- Chinese Coll. Descr. Cat. Chinese Coll. Hyde Park Corner. Property of M. Dunn. By W. B. Langdon. *See Dunn* (N.).
- Clarke, W. B. *Guide to Hayling.* 8vo. *Hayling*, 1838.
- Clavigero, F. S. *Storia della California.* 4to. *Venezia*, 1789. [No spp. nn.]
- Conrad, T. A. *Mon. Fam. Unionidae.* Date and contents of parts from wrappers: 1, pp. 1-12, Dec. 1835; 2, pp. 13-24, Jan. 1836; 3, pp. 25-32, Feb. 1836; 4, pp. 33-40, Mar. 1836; 5, pp. 41-48, June 1836; 6, pp. 49-56, July 1836; 7, pp. 57-64, Dec. 1836; 8, pp. 65-72, Feb. 1837; 9, pp. 73-80, Mar. 1837; 10, pp. 81-94, iii, iv, May 1838; 11, pp. 95-102, Nov. 1838. ["No. 12 is in press" but I have not seen it. (*Bibl. Tomlin.*)]
- Contarini del fu Bertucci, Nicolo. *Catal. Uccelli e Insetti di Padova e Venezia.* 4to. *Bassano*, 1843, 42 pp. [Mere list; no nn. spp.]
- Copenhagen.*-K. Vidensk. Selskab.
Bekjendtgjørelse fra...1803-14. 4to. 1806(7)-15. [1812 not seen.] Contd. as: Oversigt (1813)-36. 4to. 1816-36. [Kindly lent to me by the Selskab through F. A. Bather, Sept. 1923.]
- Costa, O. G. *Osserv. Zool. test. Pantelleria.* 4to. *Napoli*, 1829. [*Bibl. Tomlin.* *See Proc. Malac. Soc. Lond.* XV. 1922, 91.]
— *Descr. due Lepidott. Ex Dizion. Univ. Agric.* XI (1834-40?).
— *Catal. Lepid. Regno Napoli.* 8vo. *Nap.* (1840). *Ex Dizion. Univ. Agric.* XI (? 1840), 16 pp. [B. M.; *teste* L. B. Prout.]
— *Prolus. al corso di Zoologia.* 8vo. *Napoli*, 1843 [*teste* F. J. G.].
- Cottureau, P. L. *Notes Sangues.* 8vo. *Paris*, 1846.
- [Cox, James]. *A Catal. of Birds, Insects, etc. now exhib. at Spring Gardens.* [Cox's Museum.] 8vo. [*Lond.*], 1765, 19 pp.
- Coxe, Wm. *Trav. Switzerland.* Ed. 2, 1791 & ed. 4, 1801.
- Cramer, P. *Uitland. Kapellen*, 1775-82. *Read* pp. 91-192 (not 164).
- Crespi, T. *Della Taenia.* 8vo. *Pavia*, 1847. [No nn. spp.; *teste* A. Handlirsch.]
- Cristofori and Jan. *Catal. For Milano read Parmac.*
- Cunning, J. G. *Isle of Man.* June 1848.
- Curri, G. *Storia naturale.* 8vo. *Lucerna*, 1846. [No spp. nn.]
- Cuvier. *Vorlesungen vergl. Anat.* By Duméril & G. Fischer. Vols. I and II. 8vo. *Braunschweig*, 1801, 1802.
— *Vorlesungen vergl. Anat.* By Duvernoy & Mechel. Vols. III and IV. 8vo. *Leipzig*, 1810.
— *Règne Anim.* All received by the Geol. Soc. London, 30 Mar. 1817. [With edition 1 of this book should be considered Oken's review in *Isis*, 1817, 1153-85, in view of the latinization of Cuvier's vernaculars.]
— *Das Thierreich.* Voigt's. [The dates are 1831-43 (not -34).]
— *Règne Anim.* (Disciples' edition.) [For dates see *Ann. Mag. N. H.* (9) X (59) Nov. 1922, 555.]
— & Valenciennes. H. N. Poiss. [For monthly dates of the volumes *see Ann. Mag. N. H.* (9) XV. May 1925, 600.]
- Da Costa, E. M. [A note on this author is given by Iredale, *Proc. Malac. Soc. Lond.* XV. 1922, 86.]
- Dalyell, J. G. *Rare Anim.* I issued Sept., II issued Nov.
- Dejean, A. *Spec. gén. Coléopt.* Vol. V issued July [not Sept.] 1831.
- Delisle, V. A. *Diss. Taenia humaine.* 4to. *Paris*, 1812.

- Denham & Clapperton. Narr. Trav. discov. N. & C. Africa. Ed. 3, 2 vols. 8vo. *Lond.* 1828.
- Denny, H. Mon. Anoplur. Issued June.
- Deshayes, G. P. Traité Couch. [It appears from the Bibl. France, 1850, no. 2813 and other sources that pp. 1-16 of the "Atlas" (explic.) were published in 1839 (note by L. C. Cox).]
- Deutsche Naturf. u. Aerzte. See *Germany*, p. lviii.
- Dict. (Nouv.) d'Hist. Nat. Ed. 2, 1816-19. [There appear to have been two settings of this edition as several variants in specific names are known; C. W. Richmond.]
- Dict. (Nouv.) d'Hist. Nat. [Ed. 2, vol. XXV is misdated 1817 on the T. P. The correct date is (Dec.) 1818 as XXVI and XXVII (*teste* G. M. M. and C. W. R.).]
- Dict. Sci. Nat. Vol. XII. [This vol. is dated 1817 in Manchester Museum copy, but I prefer to use 1818 as there was some confusion about this time.]
- Dieffenbach, E. Trav. N. Z. Issued Jan.
- Draparnaud, J. P. R. Syst. Eintheil. Land- und Fluss-Weichthiere. (Aus Draparnaud von Wolf, ed. Voith.) 12mo. [*Muenchen*], 1813, 154 pp. 64 pls. [*Bibl.* Tomlin.]
- Drury, J. H. Hist. Top. Notices of Great Yarmouth. 8vo. *Lond.* 1826. [List plants.]
- Drury, D. Ill. Exot. Entom. Issued Aug.
- Dubois de Montpéreux, F. Voy. Caucase. 6 vols. 8vo. *Paris*, 1839-43.
- Duff, P. Sketch geol. Moray. Issued March.
- Duncan, James. See Westwood, J. O.
- Dunker, W. B. R. H. Ueber d. Norddeutsch. sogen. Waelderthon (Progr. höh. Gewerbe-schule (Cassel)). 4to. *Kassel*, 1843.
- Ueber Kasseler Muschelkalke bis jetzt gefund. Mollusken (Progr. höh. Gewerbe-schule (Cassel)). 4to. *Cassel*, 1848. [Recorded with help of L. R. Cox from "Palaeontologica."]
- [Dunn (Nathan)]. Descr. Cat. Chinese Coll. Hyde Park Corner. By W. B. Langdon. 8vo. *Lond.* 1842, 1843, 1844. [There were many eds. I have seen 5; there is a list of birds.]
- Duperry, L. I. Voy. "Coquille." [N.B. Zool. II (1) pp. 1-24, 1830; 25-240, Nov. 1831; 241-471, Dec. 1831; II (2) 1838. Correct entries on pp. 25, 42, 46, 58, 62, 70, 74.]
- Edinburgh (The) Journal of Natural Science. Edited by Schouler. 1 vol. fo. *Edinb.* 1838-39. [*Sic* Bolton; evidently a muddle as not known in Edinburgh, Glasgow, or London.]
- Edwards, T. Interrogatory Juvenile Introd. Conchology. 8vo. *Lond.* 1839. [No nn. spp.; *Bibl.* Tomlin.]
- Ehrenberg, C. G. Symb. Phys. See Hemprich and E., p. lxvi.
- Ellis, George Alfred. Hist. Antiq. of Weymouth & Melcombe Regis. 8vo. *Weym. & Lond.* 1829. [Lists.]
- Ellis, J. Nat. Hist. Koraaal-Gewassen... 4to. 's *Gravenhage*, 1756. [No. spp. nn.]
- Ellis, Wm. Narr. Voy. Cook & Clerk, in his Maj. Ships Resolution & Discovery, 1776-1780. 2 vols. 8vo. *Lond.* 1782.
- Emden*, —. Naturf. Gesellsch. Jahresb. 1840-50. 8vo. *Emden*, 1840-50. [No new names; ex Bibl. Ac. Nat. Sci. Philad., *teste* W. J. Fox.]
- Emmons, E. The Taconic System. 4to. *Albany*, 1844.
- Encyclopaedia*. The Oxford Encyclopaedia. 7 vols. 4to. *Lond.* 1828-31. [No nn. spp.]
- Ersch and Grube read Gruber.
- Evans, John. New Guide or Picture of Bristol. Ed. 4, 12 *Bristol*, 1828. [Lists.]
- Eyton, T. C. Mon. Anat. Issued June.
- Fabricius, J. C. Syst. Rhyng. 1822. [Not a ghost; there is a copy in the Linn. Soc. N. S. Wales; text exact reprint, with additional indexes of spp. under genera, emendanda and advertisements; *teste* Anthony Musgrave.]
- Férussac, H. N. g. et p. Moll. [A. S. Kennard has "Vol. III" containing the "Tabl. Limaçons," etc. on 4to paper. It is the only part of this 4to issue seen by me.]
- Fischer, J. B. Tent. Consp. Cantharid. 4to. *Monachi*, 1827. [*Teste* L. Guillaume.]

- Fischer de W., G. Line 12 for *Hydromphores* read *Hydromphoræ*.
 — P. liv, line 13 for *Siberia* read *Sibirica*.
 — Lettre à Stroganof...sur le Trogonthérium... 4to. *Moscou*, 1869.
- Fleming, John. Moll. Anim. Issued Nov. 1837.
- Foerster, A. Beitr. Monogr. Pteromal. [See Griffin (F. J.), Ann. Mag. N. H. [10] VII. 1931, 498 for date.]
- Forbes, E. Hist. Brit. Starfish. Completed March 1841.
- Forster, J. R. Indische Zool. 1781. [C. W. Richmond thinks Forster responsible for all new names, not Pennant.]
- Fourcroy, A. F. de. Entom. *Paris*, 1785. [J. H. Durrant says E. L. Geoffroy was the author of the new species.]
- France.—Voyages. The "Faune Océan" often quoted is "Astrolabe."
 — Voy. "Coquille." See Duperry, L. I.
- Fraser, Louis. Zoologica typica. 1849. [For dates and collation of complete set of parts see F. J. Griffin, Proc. Zool. Soc. Lond. 1932.]
- Garner, R. N. H. Stafford. Issued Feb.
- Geoffroy St H. (E.) & Cuvier. Cat. Mamm. Mus. Nat. Hist. Nat. [Paris]. 8vo. *Paris* [1802], 272 pp. [The second known copy of this unpublished work was kindly transferred to me by Mr J. R. Loewe.]
- Gérardin, S. Tabl. élém. Ornith. 2 vols. 8vo. *Paris*, 1822. [No nn. nn.; teste Iredale.]
 — Rec. planches du Tabl. élém. 4to. *Paris*, 1822, 148 pp., 41 pls. 4 tableaux. [Nn. spp.; teste Iredale.]
- Gerin. [Coll. Birds.] See Ornith. meth. digesta, in Index Anim. I. 1902, p. xl.
- Germar, H. F. Syst. Gloss. Prodr. was first issued as "Diss. sist. Bomb. spec." as a Thesis in 1810.
- Güntherthal (B. G.). Zwölf neue Dipteren. 4to. *Riga*, 1847.
- Giornale [Nuovo] d'Italia. Vols. I-IV. 4to. *Venezia*, 1777-80. [No spp. nn.]
- Gistel, Johannes. Wrote under the name G. Tilesius in 1850. See Isis.
- Gistel, J. and Brömmle. Handb. Naturges. 4to. *Stuttgart*, 1850. [? 1847-49.]
- Gléger, C. W. L. Obs. quel. dénom. genres Oiseaux, quoted by Agassiz, Nom. Zool. (Aves) Bibl. vi, is the paper in Froriep, Notizen, 1827, xvi, 1827, 275-279; Férussac, Bull. Sci. 1820, 282.
- Gmelin, C. G. Gemein. Syst. Naturges. Amphibien. 8vo. *Mannheim*, 1815.
- Goldfuss, G. A. Enum. Ins. Eleuth. Cap. Bon. Spei. 8vo. *Erlangen*, 18 Sept. 1804.
 — Eleuth. capitis Bonae Spei. Inaug. Diss. 8vo. *Erlang.* 1804. [Entom. Soc.]
- Gory. Mon. genre Sisyphe. 8vo. *Paris*, 1833.
- Gosse, P. H. Birds of Jamaica. Issued May.
 — Illustr. Birds of Jamaica. Issued July.
- Gould, J. Syn. Birds Austral. [N.B. Dates are (1) Jan. 1837; (2) Ap. 1837; (3 & 4) Ap. 1838.]
 — Syn. Birds of Anstralia. The "Descriptions" date Ap. 1838.
- Gravill, M. de la Paz. Cat. Moll. terr. in España. [There was a second edition in the same year.]
- Granger, —. Egypt. See Riedesel, J. H. v.
- Graves, G. Naturalist's Companion. 8vo. *Lond.* 1824. [Is the Naturalist's Pocket Book, 1818, with new T. P. only.]
- Gray, J. E. Illustr. Indian Zool. [For dates see Kinnear, Ibis [12] I (2) Ap. 1825, 484-489 (Birds only); Calcutta Journ. N. H., *postea* (for complete account). Entries in this Index (A. B. C.) should be verified.]
 — Synopsis of the Genera of Reptiles. [Exists only as 9 8vo. proof pages in the Gray Tracts in the B. M. (N. H.).]
- Gray, S. F. Nat. arrang. of British Plants. 8vo. *Lond.* 1821. [Zool. by J. E. Gray.]
- G. B. & I. Ordnance Survey. Colby, Ord. Surv. County of Londonderry. 4to. *Dublin*, 1835. [No nn. spp.]
- Green, C. Hist. Antiq. Bacton. Issued May.

- Grey, G. Journ. Two Exped. Issued Nov.
- Grimm, Corn. De Mar. noct. luc. emiss. *Hannov.* 1840. [No nn. spp.; teste L. Guillaume.]
- Gronovius, L. T. Zoophylacium. fo. *Lugd.* 1781 with Index by F. C. Meuschen. [Vide Whitley, Rec. Australian Mus. XVII (6) 1929, 297-307.]
- Gruendler, Otto. Diss. parasit. hom. 8vo. *Berl.* 1850. [No nn. spp.; L. Guillaume.]
- Gurft, E. F. Lehrb. path. Anat. 2 vols. 8vo. *Berlin*, 1831-32. [The "generic" and "specific" names in vol. 2 are descriptive terms of monstrosities, not names applied to animals or stages or parts of animals.]
- Gussone, G. Oss. Zool. Test. Pantelleria. 4to. *Napoli*, 1829.
- Guthrie, William. "Geographical Grammar." [Second American edition; vide Ord, G., p. xcvi.]
- Hahn, C. W. Icones et monogr. Cimicum. Fasc. 1. *Nürnberg*, 1826.
- Hamilton, W. J. Res. Asia Minor. Issued Nov.
- Hamner, F. L. Diss. Obs. anat. comp. 4to ? *Argent.* 1816. [Teste M^m Pruvot-Fol.]
- Hanley, S. C. T. Young Conch. Issued June.
- Hargrove (E.), Hist...Knaresbrough. Ed. 6, 8vo. *Knaresb.* 1809; ed. 7, 8vo. *Knaresb.* [1832]. [Lists of plants.]
- Harris, W. Rambles about Dudley Castle. 4to. *Hales-Owen*, 1845. [No nn. spp. (T. Iredale).]
- Hasselquist, F. Reize naar Palestina. 2 vols. 8vo. *Amst.* 1771.
- Haworth, A. H. Lepid. Brit. [In some copies on p. 385 the marginal word "tetragonalis" is defective or reduced to "tet."]
- Herbert, H. W. Frank Forester's Fish. Issued Sept.
- Hermann, J. Tabl. aff. Anim. 1783. [Nom. spec. apud Stresemaun, Novit. Zool. XXVII (1) 1920, 327-332.]
- Hermans, H. jr. Beknopte nat. Ges...Uitl. Vogel... 8vo. *Amsterdam* [c. 1825], 52 pp. & 21 pls. (4to.). [No spp. nn.]
- Herr (G.). Anleit. die deutschen Schmett. 8vo. *Frankf. a/M.*, 1833.
- Herrich-Schaefer, G. A. W. Syst. Bearb. Schmett. Europa, 1843. [For dates see Woodward, Cat. Libr. B. M. (N. H.) Suppl. p. 457.]
- Hist. Nat. Animaux, par un Naturaliste du Muséum. Ed. 2. 8vo. *Tours*, 1842. [Popular; T. Iredale.]
- Holland, Nat. Comm. in Oost-Indie. [The "Land- en Volk" portion was issued (1) pp. 1-64, 1840; (2) — 128, 1841; (3) — 160, 1842; (4) — 224, 1843; (5) — 280, 1845; (6) — 472, 1847.]
- Hombres-Firmas, L. A. d'. Recueil de Mémoires. 4 vols. 8vo. *Nismes*, 1838- . [A collection of papers by the author which had appeared in other publications.]
- Hope, G. F. [i.e. F. W.]. Descr. Ins. foss. 8vo. [*Naples*, 1848.] 7 pp. [Mem. pres. Accad. Aspir. Nat. (Ent. Soc.).]
- Hoppe, D. H. & Hornschuch, F. Tagebuch Reise Küsten adriat. Meers. 8vo. *Regensburg*, 1818. [Few nn. nn. Coleopt.]
- Howson, William. Ill. Guide to...Craven. 8vo. *Lond.* 1850. [List of fossils and plants.]
- Huebner, J. Index exoticorum Lepidopt. 4to. *Aug. Vind.* 22 Dec. 1821. [*Bibl.* L. B. Prout.]
- Tentamen. [See Holland, Exit Huebner's Tentamen, Science, LXVI. 1927, 4 & 5.]
- See Fernald (C. H.) on the dates of Huebner's Sammlung Europäischer Schmetterlinge, and some of his other works. 8vo. [*Amherst, Mass.*], 1905. Also for dates of the plates of the "Papiliones" see A. F. Hemming, Trans. Ent. Soc. Lond. LXXIX. 1931, 493-504.
- Samml. Exot. Schmett. [One of H.'s original circulars has been found in the Library of Cornell Univ. dated 12 März, 1814, in which he gives the plates ready by that date. A rotograph is in the B. M. (N. H.).]
- Epistolae. [K. T. Menke, Zeitschr. f. Malak. V. 1848, 55, 56 gives "Epist. I," 4to. Augsburg, 1810, 2 pp.; "Epist. II," 4to. Augsburg, 1810, 4 pp. The new names *Cylindrodes*; *Exydra*; *Henterum*; *Cinninna* and *Cista* are said to occur all in "Epist. I."]

- Huebner, J. See Sherborn, Essays and proofs by Jacob Huebner. Ann. Mag. N. H. [10] IV. July 1929, pp. 80-82.
 — See Griffin, Unrecorded "Anzeige" by J. Huebner, Entomologist, LXIV. 1931, 251.
 Hull. Lit. & Phil. Soc. at Kingston-upon-Hull Ann. Repts. 1-29. 8vo. Hull, 1825-52. [No zool.] [Continued as Hull Roy. Inst. Ann. Rept. Hull Lit. Phil. Soc. 1864-1879.]
 Hull Lit. & Phil. Miscellany. 9 nos. 8vo. Hull, 1843-44. All pubd. [No zool.]
 Hullmann, C. D. De Cercopibus atque Cyclopibus. Colon, ad Rh. 1826. [No n. spp.; teste L. Guillaume.]
 Humboldt & Bonpland. Recueil. See MacGillivray, Ent. Berichten, VIII (177) 1931, 173-180.

- Ibbetson, L. L. B. Notes Isle Wight. Issued Sept. 1849.
 Ilfracombe. A Guide to New ed. 8vo. Ilfrac. 1841. [List of shells.]
 Iselin, L. R. Unterhaltende Naturg. f. d. Jungend. 8vo. Nuernb. 1827. [Vernac.; teste T. Iredale.]
 Isis. See Munich.—München Ver. Naturk.

- Jaeger, G. F. P. lxxi, the second and fourth entries should read Wuert[emberg].
 [Jan]. Clavis syst. distr. Gen. Testac. Mus. Mediol. 8vo. Mediol. 1844. [28 pp., no new names; ex Bibl. Ac. Nat. Sci. Philad., teste W. J. Fox.]
 Jarocki, F. P. R. Spis ptakow w. Gab. zool. krol. Warsz. Univ. 8vo. Warsz. 1819. [Teste C. W. R.] [A copy in the B. M. (N. H.).]
 Jaussin (L. A.). Mém....avec l'Hist. Nat....de l'Isle de Corse. 2 vols. 12mo. Lausanne, 1758, 1759. [No spp. nn.]
 Jay, J. C. Catal. Ed. 3 issued circa June 1839.
 Jermyn, L. Butterfly collector's Vade mecum. [The author of n. sp. was Rev. R. Sheppard, see p. 2.]
 Johnston, G. Hist. Brit. Zooph. [A second edition appeared July 1847.]
 — Introd. to Conch. Issued June 1850.
 Jukes, J. B. Voy. "Fly." Issued July.

- Keferstein, C. Naturges. Erdkörper. 2 vols. 8vo. Leipzig, 1834.
 King, P. P. et alii. Narr. Voy. Issued August.
 Klug, F. J. C. Doubl. Verz. Senegall. Ins. 8vo. Berlin, 1842, 15 pp. [No title; a copy in Deutsch. Ent. Mus., teste W. Horn.]
 — Some of Klug's papers in the Abh. Berlin seem to have been issued also separately.
 Knorr, G. W. Del. Nat. Selectae. (Ed. Mueller, 1766-67.) [For notes on this work see Iredale, Proc. Malac. Soc. Lond. XV. 1922, 78.]
 Koch, K. L. Deutschl. Crust. Arach. [For dates see Ann. Mag. N. H. XI. 1923.]
 Koenig, C. The "Icones" was issued in April 1825.
 Koller, G. T. Diss. Entom. de Cicindela campestri. 8vo. Gottingae, 1836. [Bibl. Ent. Soc.]
 Krauss for "südafrik." read "südafrik."

- Laborde, L. de. Voy. Arab. Pétrée. fo. Paris, 1830. [Moll. by Deshayes.]
 Ladoucette, —. Stat. des Hautes-Alpes. 1834. [Recorded from Orbigny, Prodr. Paléont. II. 1850, 463. (Corals by Deshayes.)]
 Lamarck, J. B. Hist. Anim. sans Vert. [A note on an unrecorded ed. will be found in Iredale, Proc. Malac. Soc. Lond. XV. 1922, 84.]
 — Hydrogéologie. 8vo. Paris, An x (1802).
 — Philos. Zool. 2 vols. 8vo. Paris, 1809. [vernac.]

- Lamarck, J. B. H. N. An. s. Vert. Ed. 3. 8vo. *Brux.* 1839. [Apparently a mere reprint of ed. 2; I have collated the "Conchifères."]
- Lancet (The). Vols. 1→. 8vo. *Lond.* 1823-50.
- Langdon, W. B. Descr. Cat. Chinese Coll. St George's Place, Hyde Park Corner, London. 25th English ed. 8vo. *Lond.* 1843. [No nn. spp. The Nathan Dunn collection.]
- Laporte, F. L. de. H. N. Anim. artic. [Vol. IV was reissued in May 1850, and it is stated that the "Annélides" were by Laporte.]
- Latreille & Dejean. H. N. Icon. Coléopt. Europe. [For dates see Griffin, Ann. Mag. N. H. [10] VII. 1931, 573.]
- Lebreux, F. L. Entomographie, Hist. nat. des Lépidopt. 12mo. *Paris*, 1827. [*Vernac.*; Bibl. Ent. Soc.]
- Ledermueller, M. F. Mikros. Gemuths, Nachlese, dates from 1762 not 1792.
- Lemaire, C. L. H. N. Oiseaux exot. 8vo. *Paris*, 1836.
- Le Pelletier. *Read* Le Peletier.
- Lesson, P. (=R. P.). Voy. autour Monde "Coquille." 2 vols. 8vo. *Paris*, 1838, 1839. [No. nn. spp.; *teste* Iredale.]
- "Ind. gen. Troch." forms part of "Les Trochilidées."
- Lessons on Shells. [A note on this little book is seen in Iredale, Proc. Malac. Soc. Lond. XV. 1922, 86.]
- Leuchtenberg, M. v. P. Ixxx *pro* Tarskoji *lege* Zarskoji.
- Leymerie, A. Caract. Dist. des Huitres, des Gryphées et des Exogyres.... 20pp. 4to. *Paris*, 1840. [No new names; *ex* Bibl. Ac. Nat. Sci. Philad., *teste* W. J. Fox.]
- Lichtenstein, M. H. C. Verz. südafr., mexican. und europ. Naturalien. 8vo. *Berlin*, 1839.
- Liljeblad, S. Grunderna N. H. för Ekonomien. 9 pts. 4to. *Upsala*, 1806-12.
- Link, H. F. Handb. phys. Erdbeschr. 2 vols. 8vo. *Berlin*, 1830.
- Linnaeus, C. Opera varia. 8vo. *Lucae*, 1758. [No nn. spp.]
- Cent. Ins. rar. 4to. *Upsaliae*, 1763. [B. M. (N. H.); delete note in Index Anim. I. 1902, p. xxxiv.]
- Abrégé du Syst. Nat. de Linné, Hist. des Mammaires ou des Quadr. et Cétacées. By J. E. Gilibert. 8vo. *Lyon*, An xiii, 1805, 497pp.
- Deliciae Naturae. 8vo. *Stockh.* 1816, 42pp.
- Syst. Nat...editio prima reedita, curante A. L. A. Fée. 8vo. *Paris*, 1830.
- London*. Entom. Soc. [1833-]. [The Proceedings date as follows: 1 & 2, 1841; 3, 4 & 5, 1842; 6, 1843; 7, 1844; 8 & 9, 1845; 10, 1846.]
- Linnean Soc. [For dates of issue follow the Official list in Jackson's General Index, 1888.]
- London Museum. Catal. of the princ. obj. of curiosity cont. in the London Museum... ed. 2. 8vo. *Lond.* 1808.
- Loven, N. H. Om Hyrax capensis. 8vo. *Lund*, 1848.
- Low, H. Sarawak. Issued Jan.
- Lubbock, R. Obs. Fauna Norfolk. Issued May.
- Lucas, H. H. N. Lépid. exot. 8vo. *Paris*, 1835.
- Lüdersen, H. C. L. De Hydatibus. 4to. *Göttingae*, 1808, IV, 88pp. [*Ex* Bibl. Ac. Nat. Sci. Philad., *teste* W. J. Fox.]
- Lynch, W. F. Narr. U. S. Exped. Jordan. Issued June.
- Maccary, A. Mém. Scorpion Montagn de Cette. 48pp. 8vo. *Paris*, 1810. [No names; *ex* Bibl. Ac. Sci. Philad., *teste* W. J. Fox.]
- Macgillivray, W. Hist. Brit. Birds. Vol. I issued May; III June; rest unknown.
- Man. Brit. Orn. II issued May.
- Hist. Moll. Anim. Aberdeen. Issued March 1843.
- Maclaren, C. Sketch Geol. Fife. Issued Jan. 1839.
- Macquart, J. Dipt. exot. nouv. Suppl. 4 (to p. 160) ends 1850.
- Magazin der neuesten ausländischen Insecten. Heft 1. 4to. *Erlangen*, 1794. [By Esper, 8pp., 4 pls.]

- Malherbe, A. N. classif. *Poiss.*. [C. W. Richmond says there were two issues of the *separata*, one in July the other in Sept. I have not seen the Sept. issue.]
- Manetti, etc. See *Orn. meth. digesta*. Index Anim. I. 1902, p. xl.
- Mantell, G. A. *Medals of Creation*. Issued June 1844.
- *Thoughts on Animalcules*. Issued April 1846.
- *Wonders of Geology*. Issued March.
- *Pictorial Atlas*. [Delete "no n. nn." A. S. Kennard has pointed out several.]
- Martin, W. Fig. descr. Petrif. Derbysh. 4to. *Wigan*, 1793.
- Martin, W. C. L. N. H. of Quadr. Begun Feb. 1840.
- Martyn, Thos. Univ. Conch. [W. H. Dall, Proc. U. S. Nat. Mus. XXXIII, 1907, 185, dates these volumes I 1784, II 1784, III 1786, IV 1787.]
- Mawe, J. [For notes on the works of this author see Iredale, Proc. Malac. Soc. Lond. XV, 1922, 83.]
- Mayer, A. F. J. C. Anal. vergl. Anat. 2 parts. 4to. *Bonn*, 1835, 1839.
- [Mayo, C.]. *Lessons on Shells*. 8vo. *Lond.* 1832. [Popular.]
- Mayrhofer. *Helminth. Mensch*. 1844. [The correct date of this tract is 1854, so it does not concern this Index.]
- Mease, J. Geol. Account of the U. S. 12mo. *Philad.* 1807. [No nn. spp.]
- Meaux, Soc. Agric. Publications. 1834-51. [Nothing; *teste* L. Guillaume.]
- Meigen, J. W. Syst. Besch. Eur. Schmett. [For dates see Griffin, Ann. Mag. N. H. (10) VIII. Oct. 1931, 421.]
- Mernst, C. *Reed Pyrénées occident.* 8vo. *Pau*, (1843).
- Merrem. *Beytr. Gesch. Voegel*. [C. W. Richmond considers the Latin names were added to unsold copies of Heft 1, and that such names date from 1786 not 1784.]
- Mertens. See Brandt, p. xxix.
- Michelin, H. Fig. de quel. Coquilles de la Coll. de.... See Férussac, Bull. Sci. XI. 1827, 446.
- Middelburg-Zeeuwisch Genoots. der Weten. te Vlissingen*. Verh. I-XV. 1769-92.
- Mikan, J. C. Delect. Brasil. [C. W. Richmond has wrappers of parts 1, 2 & 4 and the dates are (1) 1820, (2) 1822, (4) 1825, while (3) is 1823. For dates of the four parts and contents see Wetmore, Auk, XIII, Ap. 1925, 283.]
- Minas, Aut. Cont. Diss. Stor. Nat.; Diss. seconda...Granchio paguro all' Laura Bassi. 8vo. *Napoli*, 1775. [No spp. nn.]
- Miscellany of Nat. Hist. 8vo. *Edinburgh*. Vol. I. Parrots. By Lauder & Brown. 1833.
- II. Feline species. By Rhind. 1834.
- Mitchell, T. L. Three Exped. Ed. 2 issued Jan.
- Monti, M. Ittol. Prov. di Como. 8vo. *Como*, 1846. 35 pp. [No new names; *ex* Bibl. Ac. Nat. Sci. Philad., *teste* W. J. Fox.]
- Mörén, O. A. L. Fortegnelse over...Min. og Conch. 14 Marts 1848. 8vo. *Kjöb.* 1848, 24 pp. [Sale catalogue with a few names of no interest or value.]
- See *Nykjöbing*.
- Morris, J. Cat. Brit. Foss. Issued July.
- Moscon*. Soc. Imp. Nat. Journal. Nos. 3 & 4. 4to. *Mosc.* 1806. [B. M. (N. H.); 1 & 2 not seen.]
- Soc. Imp. Nat. Mém. Vol. I. 4to. *Mosc.* 1806. [A complete copy now in the B. M. (N. H.) by kindness of J. R. Loewe.]
- Soc. Imp. Nat. Museum Hist. Nat. Caes. Mosq. Pars 1. Animalia. 8vo. *Mosq.* 1822.
- Mueller, Johannes. Vergl. Anat. Myxinoiden. Fo. *Berlin*, 1835, 1838, 1841.
- Muenster, G. v. Braunk. Barr. 1840. See Scudder, Suppl. List, 1882, 154. [Unknown to me; cf. Schafhäutl, N. Jahrb. f. Min. 1848, 641.]
- Munich*. Münchner Ver. Naturk. Isis. 6 Nos. 8vo. *München*, 1850. [On no. 6 is "Redacteur Dr Johannes Gistel, genannt G. Tilesius."]
- Murchison, R. I. etc. Geol. of Russia. The second volume is printed in French.
- Mem. strutt. geol. Apennini e Carpazi. Trad. ed Append. sulla Toscana dei Sav. e Meneghini. 8vo. *Firenze*, 1850. [This Append. is S. & M.'s "Consid. geol. strat. Toscana" and is usually quoted as 1851.]
- Murray, Hugh. Ency. of Geography. 8vo. *Lond.* July 1834; ed. 2, new T. P. & Suppl. 1840.

- Naccari, F. L. Ornitologia Veneta Ossia Catalogo d. Uccelli d. Prov. di Venezia. 8vo. *Treviso*, 1823.
- Nat. Hist. Quadr. & Cetaceous Animals. 2 vols. 8vo. *Bungay*, 1811 [no spp. nn.].
- Naturalist's (The) Pocket Magazine [? by Geo. Shaw]. 7 vols. 12mo. *London*, 1798-1803. [No spp. nn.]
- Naumann, J. F. Taxidermie.... 8vo. *Halle*, 1815.
- New Orleans Med. Surg. Journ. 8vo. *N. Orl.* 1846-50. [No nn. spp.; *teste* C. W. R.]
- Nicolson, —. Essai H. N. de St Domingue. 8vo. *Paris*, 1776.
- Nilsson, S. Hist. Moll. Suec. was not issued until 1823 (B. B. Woodward).
- Icones Petrif. Suec. 1837. [Thus *autt.*; Dr Bathur suggests that these may be the plates 1-XXXVI in Hisinger, Leth. Suec. 1837-41, which may have been prepared by Nilsson.]
- Norfolk. The Norfolk Tour. Ed. 5. 8vo. *Norwich*, 1795. [List of plants.]
- Nuttall, T. Man. Orn. Ed. 2. 8vo. *Boston*, 1840.
- Nykjöbing-Cathedralskole. Indbydelseskraft off. Examen. 8vo. *Nykj.* 1849, 86 pp. [Lists only by Mörch; (*Bibl.* Tomlin).]
- Occhio, L'. [Apparently the only copy yet found is in the Municipal Library of Palermo (see Germain, Voy. zool. Gadeau de K., II. 1921 (Moll. I), 201).]
- Orbigny, A. D. d'. Paléont. Coq. [This work also exists as 8vo. *Paris*, 1855, 392 pp., evidently a remainder with a new T. P.; *Bibl.* Tomlin, 1923.]
- Oriental Sporting Magazine. 5 vols. (20 parts) 8vo. *Bombay*, 1828-33 (reprinted 1873). [No spp. nn.]
- Ornith. Hefte. 1 no. 4to. *Breslau*, 1802. [Popular; *ex* *Bibl.* Ac. Nat. Sci. Philad., *teste* W. J. Fox.] ["Extensive research has been made by ornithologists in Breslau and Berlin, etc. and this work is not now traceable in German Libraries." E. Hartert in *lit.* 2 June 1922.]
- Otto, B. C. De Sternaspidie thalassemoideo et Syphostomate diplochaito, verm. duobus marinis. 16mo. *Vrat.* 1820. [See *Isis* (Oken), *Lit. Anz.* 1820, 462.]
- Pantologia. A new Cyclopedia. By J. M. Good *et alii*. 12 vols. 8vo. *Lond.* 1813. [No nn. nn.]
- Panzer, G. W. F. Fauna Ins. Germ. [For dates see *Ann. Mag. N. H.* XI. 1923.]
- Paris*. Jardin des Plantes. Notice princ. objets d'H. N. conservés dans les Galeries du Mus. des J. des P. 12mo. *Paris*, An ix [1801]. [Said to be by Jaume (J. H.) St Hilaire; *Bibl.* Casey Wood; *vernac.*]
- Soc. Sci. Nat. de France. Bulletin, 7 nos. (pp. 1-116). 4to. *Paris*, 1835. [R. S.]
- Parlby, S. Cat. Coll. Min. Shells, Corals (etc.). 8vo. *Lond.* 1803.
- Passalacqua, J. Catal. antiq. Egypte. 8vo. *Paris*, 1826.
- Passerini, C. Mem. sopra due sp. Ins. nocivi.... 8vo. *Firenze*, 1829. [*Bibl.* Ent. Soc.]
- Oss. sopra larve o Tignole dell' Ulivo. [*Ex Giorn. Agrar. Tosc.* no. 25, 1832 (*Bibl.* Ent. Soc.).]
- Dei vantaggi Agric. stud. Entom. 8vo. *Firenze*, 1846. [*Bibl.* Ent. Soc.]
- Peale, C. W. [Cat. of his Museum] ? an edition in 1796.
- Pennant, T. Brit. Zool. Ed. 4. 1776-77. [For notes on 8vo. & 4to. issues of this work see *Iredale*, *Proc. Malac. Soc. Lond.* XV. 1922, 80.]
- British Zoology. 4 vols. 8vo. *Dublin*, 1818. [? Pirated ed.]
- Pfeiffer, C. Syst. Anordn. u. Beschr. [Is the title which appeared on the wrapper of part 1 of "Naturg. Deutsch. L.-S. Mollusken." *Bibl.* G. K. Gude.]
- Phelsum, M. V. Brief aan Nozemann Zee-egelen, 1774. [As regards the generic names see also Lütken, *Vid. Med.* 1863 (1864), 116.]
- Phillips, John. P. cii. Figs. & descr. Palaeoz. Foss. Cornwall. [Is August 1841 not 1839, a *lapsus calami*; the entry on p. lxiii and the references in the text are correctly dated.]
- Pinnock. A Catechism of Conchology. 12mo. *Lond.* 1824, 72 pp. [No nn. spp.; *Bibl.* Tondin.]

- Poe, E. A. Conch. first book. [There are 2 eds. 1839 (186 pp.) & 1840 (166 pp.).]
 Preuss. Staats Anzeiger. [An official newspaper in which Cabanis printed a Bird-note in 1850.]
- Price, Rees. A treatise on the utility of Sanguis-suction. 8vo. *Lond.* 1822. [T. Iredale.]
- Pritchard, A. Hist. Infus. Issued August.
- Quart. Orient. Mag. 8 vols. 8vo. *Calcutta*, 1824-28.
- Rafinesque, C. S. Princ. fond. Sorniol. 8vo. *Palermo*, 1814. [B. M.; C. W. R.]
- Ramis y Ramis, Juan. Spec. Anim. etc. Minorca. 4to. *Macone*, 1814.
- Ranking, J. Hist. Res. conq. Peru, Mexico...with the remains of Elephants and Mastodontes found in the New World. 8vo. *Lond.* 1827.
- Réaumur, R. A. F. de. See Vallot, J. N.
- [Rebau, Heinrich]. Käfer-Buchlein... 4to. *Reutlingen* [1843]. [Bibl. Ent. Soc.]
- Reeve, L. Elem. Conch. 1846-47. [For notes on this work see Reynell, Proc. Malac. Soc. *Lond.* XV. 1922, 90.]
- Reichenbach, A. B. Bildergallerie der Thierwelt... 4to. *Leipz.* 1835 [in parts 1831-35], 80 pls. [Popular; *Bibl. Tomlin.*]
- Naturg. der dem Menschen schädlichen Thiere. 8vo. *Leipz.* [1846]. [Bibl. Ent. Soc.]
- Die Naturges. Wuermer. 4to. *Leipzig*, 1842. [Same work as "Die L. S. u See-Conch." 1842, with another T. P.; *Bibl. Tomlin.*]
- Reimer, S. A. Tavola. [N.B. Tavole V-XXVI date 1804, correct entries on pp. 35 & 75. See also Iredale, Proc. Malac. Soc. *Lond.* XV. 1922, 87.]
- Rhind, W. See Miscell. Nat. Hist.
- Richardson, J. F. Bor.-Amer. [The birds date from Feb. 1832 (see Mag. N. H., Feb. 1832, 186 & May 1832, 360, not 1831 as stated on the T. P. (see p. 23); Insects issued in October, not Feb. (see p. cxxxvi).]
- Riedesel, J. H. v. Trav. Sicily; Journ. Egypt, by Granger. Transl. by J. R. Forster. 8vo. *Lond.* 1773. [No nn. nn.]
- Ripon. The History of Ripon. Ed. 2. 8vo. *Ripon*, 1806. [Lists of plants.]
- Rivoli, Duc de. See Massena, A., p. lxxxvii.
- Rosso, E. T. Cat. Conch...Gab. Stor. Nat. Acc. studj di Calatagirone Donato. 4to. *Catania*, 1844, pp. 31-52. [Ex *Bibl. Tomlin.*]
- Russell, Geo. Tour through Sicily. 8vo. *Lond.* 1819. [No z.]
- Sark, A. v. Beschr. Reise nach Surinam. 2 vols. 4to. *Berlin*, 1821. [No nn. spp.; teste Iredale.]
- Sagra, R. de la. Hist. Phys. Cuba. [Stejneger (*in lit.*) says that the French ed. was issued in parts and quotes "Rev. Zool." 1838 for reviews. The matter of date needs further investigation.]
- Sahlberg, R. F. In Faunam Insect. Ross. novae ad Ochotsk Carab. spec. 8vo. *Helsingfors*, 1844.
- "Ochotsch. Carab." is latter part of title of "In Faunam Ins. Ross. Symb."
- Saunders, W. W. Ins. Saundersiana. Only pp. 1-75 were issued in 1850.
- Savi, P. & Meneghini, G. Consid. geol. strat. Toscana. 8vo. *Firenze*, 1851. [See Murchison, 1850.]
- Savigny, J. C. The "Syst. des Annelides" formed part of "Descr. de l'Egypte."
- Scarborough. Phil. Arch. Soc. Reports: 5-7, 9, 11-15, 17-22, 25-29, 31-33, 35, 36, 39-49, 52-57, 59-73. 8vo. *Scarb.* 1834-1913.
- Schaffhaeuti. Geogn. Unters. sidbay. Alpengeb. 8vo. *Munchen*, 1850. [Another issue, 1851.]
- Schinz, H. R. Nat. der Mensch. u. Saeugeth. 29 parts, 4to. *Zurich*, 1840.

- [Schlothelm.] Syst. Verz. Petref.-Samml. verstorb. Schlothelm. 8vo. *Gotha*, 1832, 80 pp.
[G. S.; see N. Jahrb. 1833, 372 for list of spp.]
- Schneider, J. G. Besch. Abb. neuen Fledermaus (*V. speoris*). 4to. *Frankf. a/O.* (c. 1817)
4 pp. [Bound up in a copy of Schreber, Saeugth. V (1) in B. M. (N. H.).]
- Schomburgk, R. H. Hist. Barbadoes. Issued Dec. 1847.
- Schrank, F. v. P. Briefe...an B. S. Nau. 8vo. *Erlangen*, 1802.
- Schubert, G. H. v. Lehrb. Naturg. 8vo. *Erlangen*, 1846. [No nn. spp.; *teste* Iredale.]
- Schuelte, J. H. Oryct. Jenensis, 1761. Should be Schuette.
- Schwab, K. L. Die Oestraciden-Bremsen der Pferde, Kinder und Schafe. 4to. *München*,
1840.
- Schweigger, A. F. Prodr. Mon. Chelon. Should be 1814 not 1848.
- Seba, A. [Locupletissimi rerum nat.] Planches de Seba. 45 livr. *Paris*, 1827-8, 448 pls.
& 48 pp. text by Cuvier, Rang & Guérin. [nn. spp.]
- Siebold, C. T. E. v. Obs. ent. de Oxybela uniglume atque Miltogramma conica. 4to.
Erlang. 1841. [Ent. Soc.]
- etc. Beitr. Fauna Preuss. Ex Preuss. Prov. Blaetter, *q.v.*
- Sierra Leone Company. Acc. of Colony of S. L. from 1793 (1794-95). 8vo. *Lond.* 1795,
242 & 31 pp. [No nn. spp.]
- Smith, Andrew. Illustr. Zool. S. Africa. Quarto non Octavo.
- Solito, Domenico. Descr. Conch. e...Tarantola di Puglia. 8vo. *Roma*, 1845. [Not binom.;
chiefly econ., ex *Bibl.* Tomlin.]
- Sonneburg, S. Diss. Infusor. gen. prim. 8vo. *Marburg*, 1840. [No nn. spp.; *teste* G. Guil-
laume.]
- Sowerby, G. B., I. Genera Recent & Foss. Shells. [The following dates have been recovered:
(1) 31 Dec. 1821; (2); (3) 28 Feb. 1822; (4) 30 Mar. 1822; (5) 30 Ap. 1822; (6) 31
May 1822; (7) 29 June 1822; (8) 31 Aug. 1822; (9) 30 Sept. 1822 or 31 Oct. 1822;
(10) 31 Dec. 1822; add to Ann. Mag. N. H. (6) XIII. Ap. 1894, 370.]
- Spencersche Zeitung. See *sub* Berlin.—Ges. nat. Freunde.
- Sprengel, Curt. Comm. de part. quibus Insecta spiritus ducunt. 4to. *Lipsiae*, 1815. [Ent.
Soc.]
- Spry, W. Brit. Coleopt. Issued August.
- Stark, J. C. See Braun, J. A.
- Stephens, J. F. Nom. Brit. Ins. Issued in August 1829 not June. [Correct entries on
pp. 2, 4, 5, 7, 9, 10, 11, 14, 17, 19, 30, 31, 33, 37, 38, 41, 42, 45.]
- Steven, C. Mus. Mosq. II. [I think this must be a MS.]
- Museum Hist. nat. Univ. Caes. Mosquensis. 8vo. *Mosc.* 1829. [mihi non visum.]
- Stoll, C. Index to Locustae dates 1813 not 1833.
- Strickland, H. E. & M. The Dodo. Issued August.
- Strobel, P. Studi Malac. Ungherese. 8vo. *Pavia*, 1850, 62 pp. [*Bibl.* Tomlin.]
- Strzelecki, P. E. v. Phys. descr. N. S. W. Issued May.
- Studer, Samuel. Syst. Verz. Schweiz. Conch. 8vo. *Bern*, 1820. Is ex Nat. Anz. Allg.
Schweiz. Gesellsch. III.
- Sturm, J. Verz. Umtausch oder Verkauf Insecten. 8vo. *Nürnberg*, 1829. [No nn. spp.]
- Sturt, C. Narr. Exped. Issued December 1848.
- Swainson, W. For Two Centuries read Two Centenaries.
- Tasmanian Journ. Sci. [Vol. III (6 parts) bought by B. M. (N. H.) in June 1922.]
- Temminck, C. J. Coup d'œil sur la faune des îles de la Sonde et de l'empire du Japon.
Fo. [*Leyden*], 1835.
- Tench, Watkins. Voy. Baie Botanique. 8vo. *Paris*, 1789. [No nn. nn.; *teste* Iredale.]
- Teschemacher, F. A. De Taenia ac Bothrioceph. 8vo. *Marb.* 1826. [No nn. spp.; *teste*
L. Guillaume.]
- Thompson, J. V. Entries 3 & 4 are by William Thompson.
- Zool. Researches. [The correct dates have been recovered by Sir Sidney Harmer
and are: I (Mem. 1, 2) Sept. 1828; II (Mem. 3, add. 1 & 2) Ap. 1829; III (Mem. 4;
add. *Nebalia*) Jan. 1830; IV (Mem. 5) Dec. 1830; V (Mem. 6) Jan. 1834.]

- Thorpe, C. Brit. Mar. *Cochl.* 12 vol. *Lond.* Ap. 1844.
- Thunberg, C. P. Obs. Hist. Nat. Smolandiae. 4to. *Upsal.* 1802. [No nn. spp.]
- Opatum (*sic*) Ins. Gen. 4to. *Upsal.* 1821, "pp. 27-34."
- Fauna Japonica. 4to. *Upsal.* 1822.
- Fauna Novae Hollandiae. 4to. *Upsal.* 1822. [List only.]
- Fauna Chinensis. 4to. *Upsal.* 1823. [List only.]
- Canis species Scand. inhabit. 4to. *Upsal.* 1824.
- Afh. Amph. och Fiskar som i Bibelen omtalas. 3 pts. 8vo. *Upsal.* 1827. [No nn. spp.]
- Afh. Djur, som i Bibelen omtalas. 9 parts. 8vo. *Upsal.* 1825-27. [No nn. spp.]
- Afh. Foglar, som i Bibelen omtalas. 3 parts. 8vo. *Upsal.* 1827. [No nn. spp.]
- Afh. Insekter, som i Bibelen omtalas. 8vo. *Upsal.* 1828. [No nn. spp.]
- Tilesius, G. Pseudonym of Johannes Gistel in 1850. See Isis.
- Time's Telescope for 1814 (→) to which are prefixed the Elements of British Ornithology. 8vo. *Lond.* 1814-1834. [Contains a few new names by J. Rennie in 1832, 1833.]
- Tram, Jos. Hist. & stat. acc. of the Isle of Man. Pt. 1. 8vo. *Douglas*, [1842].
- Tuomey, M. Rep. Geol. Surv. S. Carolina, 1844. 8vo. *Columbia*, 1844.
- Turn. Acad. des Sci. Mém. From Vol. XXIII the title is in Italian.
- Tyrel, B. W. De Echinosom. 8vo. *Gryph.* 1848.
- Vallet, J. N. Concordance syst. à l'ouvrage de Réaumur. 4to. *Paris*, 1802.
- Vert, O. S. Spec. abcess. Hepatis. 8vo. *Halis*, 1845.
- Villa, A. Insetti carn. adop. a distrugg. spec. dannose Agric. Ex Spettatore (*Milano*), 1845. [Bibl. Ent. Soc.]
- Sulla distr. Moll. terr. Lombardia. 8vo. *Milano*, 1849. [Errore pro 1859 & ex Soc. geol. Milano, I. 1859.]
- Villa (A.) & V. (G. B.). Comparsa periodica delle Eumere nella Brianza. 8vo. *Milano*, 1847, 6 pp. [No nn. spp.: Ent. Soc.]
- Villa, G. B. *Cochl.* e Ins. Isola di Sardegna, 1836. s. sh. 4to. (*Milano*), 1836. [Bibl. Tomlin.]
- Vossische Zeitung. See sub Berlin. Ges. nat. Freunde.
- Vroeg, A. Catalogus. 1764. [The new names are by Pallas.]
- Wagner, J. G. Nat. Syst. Amphib. [Issued in August 1830, teste C. W. Richmond.]
- Wahlberg, G. Petrif. Tellur. Svec. [Acta R. Soc. Sci. Upsal. VIII, tract 1 was received as a separate by the K. Vet. Ac. in 1819, see Handl. 1819, p. 307.] (*Desiderio* Rud. Richter.)
- Wakemid, P. Scilla. Introd. N. H. Insects. 8vo. *Lond.* 1816.
- Wallinius, J. G. De Gigantum reliquiis. 4to. *Upsal.* 1763.
- *Colles ad Uddewalliam Conchaceis.* 4to. *Upsal.* 1764.
- Waldmeyer, G. R. N. H. of Mammalia, I. Aug. 1846; II. (1-304), Aug. 1847.
- Watson, Wm. Cat. Coll. Fossils, etc. To be sold by Auction. 8vo. *Derby*, 1805. [No spp. nn.]
- Wenigermod. Nat. Ver. Harz. 4 Beih. Nördh. & Quell. 1840-49. [Not published for 1850.]
- Westmael, C. Mém. Odyneres Belgique. 8vo. *Brux.* 1833. [B. M.]
- Westwood, J. O. was the author of the names of new Gen. and Spec. in Duncan, Lepidopt. [Nat. Libr.]
- Introd. *invertebr. Classif. Insects.* For collation and dates see Griffin, Proc. Ent. Soc. *Lond.* VI. 1872, 83, 84.
- Whitby. Lit. & Phil. Soc. Reports (1-105). 8vo. *Whitby*, 1824-1926.
- White, Gilbert. N. H. of Selborne. Many eds. of which Herbert's 1833 and Blyth's 1836 contain new names.
- Wiedemann, C. R. W. Dipt. exotica. [Partes 1 & 2 came out as Progr. Acad. Christinae Albertinae (Kiliae) 1820 and are in the B. M. (N. H.) 1931.]

- Wiedemann, C. R. W. *Diptera exotica*. 1820-21. [*See* England, H. W., *Ann. Mag. N. H.* [10] VIII. 1931, 613-615.]
- Wilkinson, J. G. *Second series of Manners and Customs of Ancient Egyptians*. 2 vols. 8vo. *Lond.* Ap. 1841.
- Williams, Robert. *Hist. Antiq. Aberconwy*. 8vo. *Denbigh*, 1835. [T. Iredale.]
- Wilson, J. & Bonaparte. *Amer. Orn.* 4 vols. 8vo. *Edinb.* 1831. [Vols. 68-71 of Constable's *Miscell.*]
- Wilson, T. *The Little Conchologist*. 32mo. *Lond.* [1837]. [Bibl. Tomlin.]
- Winter, Raphael. *Animalcula varia ad nat. lap. illata*. obl.4to. *Karlsruhe*, 1822, 10 pls. (no text) [no spp. nn.].
- Wodarch, C. *Introd. Conch.* [For notes on this book see Iredale, *Proc. Malac. Soc. Lond.* XV. 1922, 83.]
- Wood, W. *Gen. Conch.* 1815. [With a new T. P. 1835. (*Bibl.* Tomlin.) For notes on this book see Iredale, *Proc. Malac. Soc. Lond.* XV. 1922, 91.]
- *Index Entom.* 1833-38. [For dates see Griffin, *Ann. Mag. N. H.* [10] VIII. 1931, 178.]

Yarrell, W. *Hist. Brit. Fishes*. Ed. 2 issued Nov. 1841.

Zieten, C. H. de. *Pétrif. Wurt.* Issued in parallel columns in French and German. *Zoological Journal*. Part 19 of vol. V dates from July 1832; (correct entry on p. 45). *Zoological Miscellany* (Gray's). For 1821-44 read 1831-44.

Those interested will find in G. M. Mathews, *Birds of Australia* (Bibl.), 1925, a mass of bibliographic matter and dates, dealing with a wide field besides Ornithology, its special subject.

Contributors to the following Additions and Corrections:

A. E. S.	= A. E. Salisbury.	H. L. C.	= H. L. Clark.
A. F. H.	= A. F. Hemming.	J. H. D.	= J. H. Durrant.
A. T. H.	= A. T. Hopwood.	J. R. N.	= J. R. Norman.
B. B. W.	= B. B. Woodward.	K. J.	= K. Jordan.
C. H. O'D.	= C. H. O'Donoghue.	L. B. P.	= L. B. Prout.
C. W. R.	= C. W. Richmond.	L. R. C.	= L. R. Cox.
D. S. J.	= D. S. Jordan.	M. S.	= Malcolm Smith.
E. H.-A.	= E. Heron-Allen.	N. D. R.	= N. D. Riley.
E. I. W.	= E. I. White.	R. B. S.	= R. B. Sharpe.
E. R. S.	= E. R. Sykes.	R. L.	= R. Lydekker.
F. A. B.	= F. A. Bather.	R. W.	= R. Winckworth.
F. J. C.	= F. J. Cole.	S. F. H.	= S. F. Harmer.
F. J. G.	= F. J. Griffin.	T. I.	= T. Iredale.
G. M. M.	= G. M. Mathews.	W. H. T. T.	= W. H. T. Tams.
G. P. W.	= G. P. Whitley.	W. L. S.	= W. L. Sclater.

ADDITIONS AND CORRECTIONS

[See remarks in Epilogue, paragraph 4.]

- Aargaunota** *err. pro* Argonauta; in some copies of Montfort, Syst. Conch. II. 1810, 11 [teste B. B. W.].
- Abacion** Rafinesque, Ann. of Nature, 1820, 9.—P.
- Abastus** F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) V. 1842, 84.—Hym. [teste Nomen. anim.].
- abdominalis** Limonattus, Amyot [delendum est].
- aberrans** Phoracanthus; lege P—tha.
- Abida** W. Turton, Man. Shells, 1831, 101 (*in syn.*).—G.
- abietis** Coreus; lege Coccus.
- abietis** Elatiptus, Amyot [delendum est].
- abotii** Sphecodina, E. Blanchard in Brullé, H. N. An. artic. III (Lep.), pl. 20, f. 4.
- Abra** Lamarck (*ex* Leach MS), Hist. An. s. vert. V. 1818, 492 [*in syn.*; teste Nomen. anim.].
- Abramus** L. Agassiz, Nom. Zool. (Pisc. 1843), 1.—P. [? *emend. pro* Abramis, Cuv.; teste Nomen. anim.].
- abrotonoides** Eschara, J. Plancus, De Conchis, ed. 2, 1760, 113 [teste S. F. H.].
- abruptus** Ammonites, Stahl, Wuertt. Landw. Ver. Corr.-Blatt, VI. 1824, 47.
- absinthii** Phalaris, Leach in Risso, H. N. Europ. Mérid. V. 1827, 217.
- abyssinica** Coracias, J. Hermann, Tabl. Aff. Anim. 1783, 197 [teste Stresemann].
- acadica** Muscipeta (Gm.), A. d'Orbigny, Amér. Mérid. (Ois.) 1840, 318.—Muscicapa, 1788.
- Acaenites** Lepeletier & Serville, Ency. Méth. (Ins.) X. 1825, 37.—Hym. [teste Nomen. anim. *pro* Acaenitus, Latr.].
- Acalepha** E. Beyrich, Zeitschr. deutsch. geol. Ges. I. 1849, 439.—Med. [teste Stechow].
- Acalia** Guénée in Duponchel, Cat. méth. Lépid. Europe (2) 1845, 278.—Lep. [teste W. H. T. T.].
- Acamarchis** C. S. Rafinesque, Analyse, 1815, 134.—Verm. [*n. n., inc. sed., teste* Nomen. anim.].
- Acampsis** C. Wesmael, N. Mém. Ac. Brux. IX. 1835, 250.—Hym. [teste Nomen. anim.].
- Acanthacclisis** *non* A—es, Ramb. 1842 [teste Nomen. anim.].
- Acanthagenys** J. Gould, Syn. Birds Austral. (4) Ap. 1838, pl. (69) [teste G. M. Mathews].
- Acanthegonyx** *err. pro* Acantha→, Gould; Fraser, Proc. Zool. Soc. London, VII. 1839, 113 [teste Nomen. anim.].
- Acanthias** W. E. Leach, Mem. Werner. Soc. II (1) 1814, 62.—P. [teste Nomen. anim.].
- Acanthilis** *pro* Acanthis, Borkh. 1797; C. Dumont, Dict. Sci. Nat. I (Suppl.) 1816, 12.—A. [teste Nomen. anim.].
- Acanthineura** L. Agassiz, Nom. Zool. (Dipt.) 1846.—*emend. pro* Acanthonevra, Macq. 1843 [teste Nomen. anim.].
- Acanthinoderus** L. Agassiz, Nom. Zool. (Col.) 1846.—*emend. pro* A—a, Hope [teste Nomen. anim.].
- Acanthisa** *pro* A—za, V. & H.; Lesson, Compl. Buffon, IX. 1837, 120 [teste Nomen. anim.].
- Acanthiulus** P. Gervais, Ann. Sci. Nat. Zool. [3] II. 1844, 70.—Myr. [teste Nomen. anim.].
- Acanthium** L. Agassiz, Nom. Zool. Index, 1846.—*emend. pro* Acanthion, Cuv. [teste Nomen. anim.].
- Acanthocephalos** Goeze, Nat. Eingeweidew. 1782, 141; *emend. pro* A—us [teste Nomen. anim.].
- Acanthochistes** *pro* A—chites, Leach; O. G. Costa, F. Regn. Nap. (Moll.) Chitone, p. 2, May 1841 [teste J. R. Le B. T.].
- Acanthocinus** Dejean, Catal. Coléopt. 1821, 106.—Col.
- Acanthoderus** Gistl, Nat. Thierr. 1848, p. viii; *err. pro* A—cerus, Pal. [teste Nomen. anim.].
- Acanthoessus** L. Agassiz, N. Jahrb. Min. II. 1829, 149.—P. [teste Nomen. anim.].
- Acanthogenys** G. R. Gray, List Gen. Birds, 1840, 15 [teste Nomen. anim.].
- Acantholepis** Krøyer, Danmarks Fiske, III. 1846, 98.—P. [teste Nomen. anim.].
- Acanthomys** J. E. Gray, List Mamm. Coll. B. M. 1843, 108 [*non* Less. 1842; teste Nomen. anim.].
- Acanthonix** O. Costa, F. Regn. Nap., Crust. 1840, 2; *pro* A—nyx, Latr. [teste Nomen. anim.].

- Acanthonotus** F. Leuckart, Diss. Equo bisulco, 1816, p. viii.—M. [*teste* Nomen. anim.].
- Acanthonotus** Swainson in Richardson, F. Bor.-Amer. II. 1831 [1832], 168.—A. [*teste* Nomen. anim.].
- Acanthonyx** Latreille, Ency. Méth. (Ins.) X (2) 1827, 698.—Cr. [*teste* Nomen. anim.].
- Acanthopis** J. E. Gray, Ann. Phil. [2] X. 1825, 205.—R. [*teste* Nomen. anim.].
- Acanthopleurus** P. Egerton, Foss. Fish. Enniskillen [1841], [1].—P. [*n. n.*, *teste* Nomen. anim.].
- Acanthopsis** v. Hasselt in Férussac, Bull. Sci. II. 1824, 376 & 377; *pro* A—topsis, 1823 [*teste* Nomen. anim.].
- Acanthopterus** Guérin-M., Iconogr. (Ins.) 1844, 223.—Col. [*teste* Nomen. anim.].
- Acanthopteryx** G. R. Gray (ex Leach MS.), List Gen. Birds, ed. 2, 1841, 84.—A. [*teste* Nomen. anim.].
- Acanthopus** L. Oken, Lehrb. Nat. III (2) 1816, pp. iii & 122; *pro* A—podus, Lac. [*teste* Nomen. anim.].
- Acanthopus** G. Dahl, Col. u. Lepid. 1823, 45; *pro* Acc—, Dej. [*teste* Nomen. anim.].
- Acanthopus** Latreille in Cuvier, Règne Anim., ed. 2, V. 1829, 38.—Col. [*teste* Nomen. anim.].
- Acanthopus** G. Muenster, Beitr. Petref. (1) 1839, 94.—Ceph. [*teste* Nomen. anim.].
- Acanthorhynchus** J. Gould, Syn. Birds Austral. (2) Ap. 1837.—A. [*Nomen. anim.*].
- Acanthosaura** J. E. Gray in Griffith, Cuvier, Anim. Kingd. IX. 1831, syn. 56.—R. [*teste* Nomen. anim.].
- Acanthus** C. Dumont, Dict. Sci. Nat. I (Suppl.) 1816, 12; *pro* Acanthis, Borkh. 1797 [*teste* Nomen. anim.].
- Acanthygenys** J. Gould, Syn. Birds Austr. (4) 1838, tab. 69; *pro* Acantha— [*teste* Nomen. anim.].
- Acanthyllis** H. Burmeister, Handb. Naturg. (2) 1837, 766; *pro* Acanthyllis [*teste* Nomen. anim.].
- Acanthophis** Berthold in Latreille, Nat. Fam. Thierr. 1827, 100; *pro* Acanthophis, Daud. [*teste* Nomen. anim.].
- Acarda** Rafinesque, Analyse, 1815, 148; *pro* Acardo, Brug. 1789 [*teste* Nomen. anim.].
- Acardia** H. R. Schinz in Cuvier, Thierr. II. 1822, 708.—*inc. sed.* [*teste* Nomen. anim.].
- Acardo** Lamarck, Syst. Anim. 1801, 150.—G. [*teste* Nomen. anim.].
- Acardo** Mejerle, Ges. nat. Fr. Berlin Mag. V. 1811, 69.—L.
- Acasta** Leach; *pro* 17 legs 171.
- Acaste** J. Gisl, Nat. Thierr. 1848, expl. pl. 9, l. 9; *pro* Akaste [*teste* Nomen. anim.].
- Acathina** T. Say, J. Acad. Nat. Sci. Philad. I (2) 1818, 281; *pro* Achatina, Lam. [*teste* Nomen. anim.].
- Acedo** Sherborn, Index Anim. II. 1926, 2212, l. 49; *err. pro* Alcedo.
- Acenites** Rafinesque, Analyse, 1815, 120; *pro* Acaenitus, Latr. [*teste* Nomen. anim.].
- Aceotrichus** J. Macquart, Mem. Soc. Lille, 1849, 470; *pro* Acreotrichus [*teste* Nomen. anim.].
- Acephalocystes** J. C. Zenker, Paras. 1827, 37; *pro* A—tis, Laenn. [*teste* Nomen. anim.].
- Acephalocystus** F. Mérat, Dict. Sci. Méd. LIV. 1821, 229 [*teste* S. & H.].
- Acera** Rafinesque, Analyse, 1815, 142; *pro* Akera, Müll. 1776 [*teste* Nomen. anim.].
- Acera** Lamarck, Anim. s. vert. VI (2) 1822, 28.—G.
- aceris** Papilio, Lepechun, Reise, I. 1774, 203 [*teste* A. F. H.].
- Acestrops** Amyot [*non binom.*].
- aceti** Anguillula, Müll. 1786; [*delendum est, non spec.*]. [*Nomen. anim.*].
- Achamarchis** J. V. F. Lamouroux, Hist. Polyp. 1816, 499; *pro* Acamarchis [*teste* Nomen. anim.].
- Achathina** Latreille, N. Det. H. N. XXIV (Tabl.) 1804, 113; *pro* Achatina [*teste* Nomen. anim.].
- achatina** Bulliana (Q.), J. E. Gray in M. E. Gray, Figs. Moll. Anim. I. 1842, 12.—Buccinum.
- achatina** Phalaena (Noctua), Cramer, Utit. Kapellen, III (23) 1786, 171 [*non* = p. 145, *teste* W. H. T. Tans].
- Achatinigenus** S. Reuter, Favole [1804] viii.—G. [*teste* Nomen. anim., *sed non* 1807].
- Acheloites** H. R. Schinz in Cuvier, Thierr. II. 1822, 582 & 529; *pro* Achelois, Montf. [*teste* Nomen. anim.].
- acherois** Desmozona, Boissudval, S. à Buffon (Lép.) I. 1836, expl. pl. xxi.
- Achillaphis** Amyot [*non binom.*].
- Achiria** v. *sub* Achyria.
- Achlis** J. B. Fischer, Syn. Mamm. 1829, 44.—M. [*teste* Nomen. anim.].

- Achlis** L. Reichenbach, Säugeth. Rumin. III. 1845, 12.—M. [*teste* Nomen. anim.].
- Achlys** J. Gistl, Handb. Naturges. 1850 [1847], 610.—Rot.
- Achoeus** Desmarest, Dict. Sci. Nat. XXVIII. 1823, 259, 266 & 267; *pro* Achaeus, Linné [*teste* Nomen. anim.].
- Achoeus** Guérin-M., Iconogr. (Mamm.) 1844, 26; *pro* Acheus, Cuv. [*teste* Nomen. anim.].
- Acholotes** S. F. Baird, J. Ac. Nat. Sci. Philad. [2] I [1849], 292; *pro* Axolotes, Ow. [*teste* Nomen. anim.].
- Achoreutes** R. Templeton, Tr. Ent. Soc. Lond. III (4) 1843, 306; *pro* Achorutes [*teste* Nomen. anim.].
- Achrus** Dejean, Catal. Coléopt. 1821, 97.—Col. [*n. n.*, *teste* Nomen. anim.].
- Achyria** A. Guénée, Expl. Algér. (Zool.) III. 1849, 404.—Lep. [*teste* Nomen. anim.; *sed* *err. pro* Achiria, *teste* W. H. T. Tams].
- Acicera** H. Burmeister, Handb. Ent. II. 1838, 616; *pro* Akicera, Aud. [*teste* Nomen. anim.].
- aciculosa** Spongia (Tethya), C. G. Ehrenberg, N. Jahrb. f. Min. 1841, 732 [*n. n.*].
- Acidia** Bosc, N. Dict. H. N., ed. 2, II. 1816, 584; *pro* Ascidia, L. [*teste* Nomen. anim.].
- Acigonia** Huebner, Verz. bekannt. Schmett., Anz. 1826, 57; *pro* Acigona [*teste* Nomen. anim.].
- Acinonyx** Brookes, Cat. Mus. 1828, 16 & 33.—M. [*teste* Nomen. anim.]. [*anim.*].
- Acinopus** Ziegler in Dejean, Catal. Coléopt. 1821, 13.—Col. [*Nomen. anim.*].
- Acionaea** G. P. Deshayes, Ency. Méth. (Vers) II. 1830, 6; *pro* Aciona, Leach [*teste* Nomen. anim.].
- Acione** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 148; *pro* Aciona, Leach [*teste* T. L.].
- acis** Polyommatus (Dru.), *var.* aetnaea; Zeller, Isis (Oken), 1847, 148 [*teste* A. F. H.].
- Aclecus** J. Gistl, Nat. Thierr. 1848, 135; *pro* Aceles, Sch. [*teste* Nomen. anim.].
- Acleosoma** F. Baereusprung, Ann. Nat. Hist. XII. 1843, 433; *pro* Aeolosoma, Ehr. [*teste* Nomen. anim.]. [*Nomen. anim.*].
- Aclysia** Latreille in Cuvier, R. Anim., ed. 2, IV. 1829, 290; *pro* Achlysia, Aud. [*teste* Nomen. anim.].
- Acmaea** J. F. Eschscholtz in Kotzebue, Reise, II. App. 1830, 24.—L. [*n. n.*, *teste* Nomen. anim.].
- Acmene** J. Gistl, Handb. Naturges. 1850 [1847], 424.—Col. [*anim.*].
- Acocephalus** H. Burmeister, Handb. Entom. II. 1835, 111.—Hem.
- Acocephalus** Anyot [*non binom.*]. [*Nomen. anim.*].
- Acoenita** E. Blanchard, Hist. An. artic. Ins. III. 1840, 302; *pro* Acaenitus, Latr. [*teste* Nomen. anim.].
- Acoenitus** Griffith in Cuvier, Anim. Kingd. XV. 1832, 302; *pro* Acaenitus, Latr. [*teste* Nomen. anim.]. [*Nomen. anim.*].
- Acoeta** H. Burmeister, Handb. Naturg. (2) 1837, 543; *pro* Acoetes, Aud. & E. [*teste* Nomen. anim.].
- Acoete** A. Valenciennes, N. Ann. Mus. Paris, II. 1833, [502]; *pro* Acoetes, Aud. & E. [*teste* Nomen. anim.].
- Acoetes** L. Agassiz, Nom. Zool. Index Univ. 1840, 4; *pro* Acetes, Edw. [*teste* Nomen. anim.].
- Acoetus** L. Agassiz, Nom. Zool. Index Univ. 1840, 5; *pro* Acoetes [*teste* Nomen. anim.].
- Acomys** I. Geoffroy, Ann. Sci. Nat. (Zool.) [2] X. 1838, 126.—M. [*teste* Nomen. anim.].
- Acontia** J. O. Westwood, Cab. Orient. Ent. 1848, 76.—Lep. [*teste* Nomen. anim.].
- Acontias** G. Troost, Ann. Lyc. N. H. New York, III (3-7) Ap. 1836, 181.—R. [*? non* Cuv.].
- Acorhinus** Latreille, Dict. class. H. N. XIV. 1828, 603; *pro* Acorymus, Dej. [*teste* Nomen. anim.].
- Acoritus** Gistl, Faunus, I. 1832, 47; *pro* Acorius, Zimm. [*teste* Nomen. anim.].
- Acostis** Huebner, Verz. bekannt. Schmett., Anz. 1826, 48; *pro* Ascotis [*teste* Nomen. anim.].
- acraeoides** Castnia, Boisduval, S. à Bufion (Lép.) I. 1836, expl. pl. xiv.
- Acranthus** W. Swainson, Hist. Classif. Fish. II. 1839, 376; *pro* Acrantus, Wagl. [*teste* Nomen. anim.].
- acredulinus** Dermaleichus; *pro* 1841 *lege* 1844. [*anim.*].
- Acrotricus** J. Macquart, Dipt. exot., Suppl. IV. 1850, 351; *pro* A—chus [*teste* Nomen. anim.].
- Acridoteres** C. Dumont, Dict. Sci. Nat. XIX. 1821, 247; *pro* A—theres, Vieill. [*teste* Nomen. anim.].
- Acridothera** L. Vieillot, Aual. Orn. 1816, 69; *pro* A—theres [*teste* Nomen. anim.].
- Acridotherus** Lafresnaye, Dict. univ. Hist. nat. I. 1841, 97; *pro* A—theres [*teste* Nomen. anim.].
- Acrobates** C. L. Bonaparte, Consp. Av. I. 1850, 284.—A.; *pro* Agrobates, Sw. [*teste* Nomen. anim.].
- Acrocera** J. Gistl, Naturg. Thierr. 1848, p. viii; *pro* Arocera, Spin. [*teste* Nomen. anim.].

- Acrochira** J. Gisl, Handb. Naturges. 1850 [1847], 601.—Cor.
- Acrochoeta** J. Macquart, Mém. Soc. Lille, 1838 (II), 198; *pro* A—chaeta [teste Nomen.].
- Acrocidaris** Agassiz, Mon. Ech. I. 1838, 4.—Ech. [teste F. A. B.]. [anim.].
- Acrocladia** L. Agassiz, Mon. Ech. II. 1841, 9.—Ech. [teste F. A. B.]. [1837, 676.
- Acrocordium** *pro* Acrochordium, Meyen; de Blainville, Man. Actinol. 1834, Nonv. Add.
- Acromecia** Amyot [non binom.].
- acronicus** Plaurorbis, Férussac, Essai Méth. Couch. 1807, 105 [u. n.]; de Blainville, Dict. Sci. Nat. XLI. Sept. 1826, 227 [teste B. B. W.].
- Acropeltis** L. Agassiz, Mon. Ech. I. 1838, 4.—Ech. [Nomen. anim.].
- Acropis** Reider & Hahn, Fauna Boica, II (1) 1835, p. xxvii; *pro* Cecropis, 1826 [teste
- Acropora** Oken; lege Cor.
- Acropora** J. F. Krueger, Gesch. Urwelt, II. 1823, 265.—Anthoz. Tab. [teste Nomen. anim.].
- Acroschizus** Amyot [non binom.].
- Acrostigmus** Amyot [non binom.].
- Actaeon** Goldfuss, Handb. Zool. 1820, 681; *pro* Acteon, Montf. [teste Nomen. anim.].
- Actaeon** Hermannsen, Ind. Gen. Malac. I. 1840, 17; *pro* Acteon, Flem. [teste Nomen. anim.].
- Actaeonella** A. E. Reuss, Verst. Boehm. Kreidef. (1) 1845, 50; *pro* Acteon→, d'Orb. [teste Nomen. anim.].
- Actaeonia** Quatrefoiges, 1844; sic Marschall, sed *err. pro* Acteonina.
- Actaeonina** Morris & Lycett (ex d'Orb.), Moll. Gt. Ool. (Pal. Soc.) I. 1850, 103.—G.
- actaeonoides** Ammonites, Savi & Meneghini in Murchison, Mem. geol. Apennini, 1850, 352.
- Actenoda** Erichson, Arch. f. Naturg. IX (1) 1843, 257; *pro* Actenodia, Lap. [teste Nomen. anim.].
- Actenoides** G. R. Gray, Gen. Birds, I. 1849 [1846], 78 & 79.—A. [teste Nomen. anim.].
- Actenoides** G. R. Gray, List Birds B. M. II (1) 1848, 52.—A. [teste Nomen. anim.].
- Actinocephalus** F. Stein, Arch. Anat. Phys. Med. 1848, 196.—Spor.
- Actinoceratites** *autem* Bronn non Brown.
- Actinocrinus** J. de C. Sowerby in Murchison, Silur. Syst. 1839, 673.—Crin.
- Actinodendrum** J. D. Dana, Wilkes, U. S. Exped. (Zooeph.) 1848, 112, 113; *pro* A—dron [teste Nomen. anim.].
- Actinolithis** C. G. Ehrenberg, Ber. Ak. Berlun, 1847, 51.—Rh. [teste Nomen. anim.].
- Actinophora** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 554.—Hexacor [teste
- Actinophyllum** Phil.; *pro* p. 585 lege p. 586. [Nomen anim.].
- Actinorhysa** H. M. de Blainville, Man. Actin. 1834, 329; *pro* A—za [teste Nomen. anim.].
- Actinorhysa** C. G. Ehrenberg, Abh. Ak. Berlin, 1832 [1834], 269 & 379; *pro* Actinorhyza [teste Nomen. anim.].
- Actinota** L. Agassiz, Nom. Zool. (Lep.) 1846, 2; *pro* A—e, Huebn. [teste Nomen. anim.].
- Actites** Cuvier, Règne Anim. I. 1817, 495; *pro* Actitis, Ill. [teste Nomen. anim.].
- Actitus** T. Baker, Orn. Index, 1835, 145; *pro* Actitis, Ill. [teste Nomen. anim.].
- Actocrinus** Tannenbergl, 1839; *err.* Bronn, Ind. Pal. 1848, 355 *pro* Actinocrinites.
- Actodromus** G. R. Gray, Gen. Birds, III. 1849 [1845, VIII], 579; *pro* A—as, Kaup [teste Nomen. anim.].
- Actomys** A. G. Desmarest, Dict. Sci. Nat. LIX. 1829, 342; *pro* Arctomys, Schr. 1780 [teste Nomen. anim.].
- Actonyx** Rannesque, Amer. Month. Mag. IV. 1818, 107.—Coel. [u. n., teste Nomen. anim.].
- Acuaría** [J. G. Bremser], Notitia Coll. Verm. intest. 1811, 26.—Verm.
- Acudia** J. Gisl, Handb. Naturges. 1850 [1847], 601.—Cor.
- aculeata** Holothrips; lege Hoplothrips.
- Acus** W. Swainson, Hist. Classif. Fish. II. 1839, 195 & 333.—P. [teste Nomen. anim.].
- acus** Actinocephalus, F. Stein, Arch. Anat. Phys. 1848, 215.
- acutidens** Geotrypus, A. Pomel, Arch. Sci. Phys. Nat. IX. Oct. 1848, 160.
- acutifrons** Cyamus, O. G. Costa, F. Regno Nap. (Cat. Crost.) 1840, 6 [u. n.].
- acutipennis** Caprimulgus, J. Hermann, Tabl. Aff. Anim. 1783, 230 [teste Stresemann].
- acutirostris** Neomorpha, J. Gould, Syn. Birds Austral. (1) Jan. 1837.
- acutissima** Aeha, J. Gisl, Handb. Naturges. 1850 [1847], 489.
- acuta** Alveolina, Savi & Meneghini in Murchison, Mem. Geol. Apennini, 1850, 482.
- acuta** Dussumieria, Cuvier & Valenci., H. N. Poiss. XX. 1847, p. xviii [teste F. J. G.].

- Acyrocercus** Amyot [*nou binom.*]. [*casus.*]
Acyonea de Blainville, Dict. Sci. Nat. XLVIII. 1827, 13; *pro* Aciona, Leach [*teste* Nomen. anim.].
Acyonium Lamarck, Mém. Mus. Paris, I. 1815, 76; *pro* Alcyonium, Pall. 1766 [*teste* Nomen. anim.].
Acysba G. Dahl in Villa & Villa, Col. Eur. 1833, 18 [*n. n., teste* Nomen. anim.].
Adacantha V. Motschulsky, Käfer Russl. 1850, 36; *pro* O → [*teste* Nomen. anim.].
adamsii Turbo, Maton & Rackett, Trans. Linn. Soc. Lond. VIII. 1807, 185 [*teste* Winckworth].
Adapis A. G. Desmarest (*ex* Cuv. MS), Ency. Méth. (Mamm.) 1822, 545.—M. (Ungul.) [*teste* Nomen. anim.].
Adapis G. Cuvier, Mém. Ac. France (Hist.) V. 1826 [1822], 161.—M. (Prin.) [*teste* Nomen. anim.].
Addax Laurillard, Dict. Univ. H. N. I. 1841, 619.—M. (subg. Antilope) [*teste* Nomen. anim.].
Addephagius J. Gisl. Nat. Thierr. 1848, 216; *pro* Myas, Dej. [*teste* Nomen. anim.].
Adelo J. Gisl. Nat. Thierr. 1848, 148; *pro* Adela, Latr. 1796 [*teste* Nomen. anim.].
Adeone de Blainville, Dict. Sci. Nat. LX. 1830, 396; *pro* Adeona, Lamx. [*teste* Nomen. anim.].
adippe Papilio, L., *var.* cleodoxa; Ochsenheimer, Schmett. Europ. IV. 1816, 118 [*teste* adonidum] Coconidia, Amyot [*delendum est*]. [A. F. H.].
Adontacantha V. Motschulsky, Käfer Russl. 1850, 36; *pro* O → [*teste* Nomen. anim.].
Adoreta J. Gisl. Nat. Thierr. 1848, p. xi; *pro* Strigoderma [*teste* Nomen. anim.].
adrasa Papilio, Illiger in Rossi, Faun. Etrusca, II. 1807, 231 [*teste* A. F. H.].
Adrea T. Brown, Zool. Text Book, I. 1832, 250; *pro* Ardea [*teste* Nomen. anim.].
adriaticus Phasianus, F. L. Naccari, Ornith. Veneta, 1823 (Giorn. Sci. Lett. Venete), 36.
Adrius Dejean, Catal. Coléopt. 1821, 96.—Col. [*n. n., teste* Nomen. anim.].
adpersus Hyletinus, Passerini, Atti Acc. Georgof. XX. 1843, 1 [aspersus, p. 3].
Aecobius C. Walckenaer in W. & Gervais, Hist. Apt. IV. 1847 [1848], 386; *pro* O → [*teste* Nomen. anim.].
Aedmagena Blanchard, Hist. An. artic. Ins. III. 1840, 608; *pro* O → [*teste* Nomen. anim.].
Aedia Duponchel, Hist. Lep. X. 1836, 305.—Lep. [*teste* Nomen. anim.].
Aedicnemus E. Moore, Tr. Plymouth Inst. 1830, 320; *pro* O → [*teste* Nomen. anim.].
Aedigena Gould, 1850; *sic* Marshall, *sed* *err.* *pro* Andi →.
Aedipus R. P. Lesson, Mamm. 1840, 184.—M. [*teste* Nomen. anim.].
Aega F. W. Hope, Col. Man. II. 1838, 61; *pro* Ega, Lap. [*teste* Nomen. anim.].
aegagropiloides Confervites, A. Brongniart, Hist. Végét. foss. I. 1828, 36 [= Spongidae].
Aeglorerus L. Agassiz, Nom. Zool. (Col.) 1846, 4; *pro* A—cerus [*teste* Nomen. anim.].
Aegeria Latreille, N. Dict. H. N., ed. 2, XVIII. 1817, 401; *pro* Egeria, Leach [*teste* Nomen. anim.].
Aegeria T. Say, Amer. Ent. II. 1825, 35.—Lep. [*teste* Nomen. anim.]. [anim.].
Aegeria J. Macquart, Hist. Ins. Dipt. II. 1835, 321; *pro* Egeria, Rob. [*teste* Nomen. anim.].
Aegialatis J. Gisl. Nat. Thierr. 1848, p. xi; *pro* A—lites, Dej. [*teste* Nomen. anim.].
Aegialeles G. R. Gray, Gen. Birds, III. 1849 [1847], 543; *pro* A—lites, Boie [*teste* Nomen. anim.].
Aegiatilis *err.* *pro* Aegialites, Boie, 1822; J. Gisl. Handb. Naturges. 1850 [1847], 303.
Aegimalus J. Gisl. Handb. Naturges. 1850 [1847], 427.—Col.
Ægiretes Amyot [*nou binom.*]. [anim.].
Aegitalus E. Burton, Proc. Zool. Soc. London, III. 1835, 153; *pro* Aegithalus [*teste* Nomen. anim.].
Aegle J. Gisl. Handb. Naturges. 1850 [1847], 586.—Med.
Aeglea A. G. Desmarest, Dict. Sci. Nat. XXVIII. 1823, 295 & 421; *pro* Aegla, Leach [*teste* Nomen. anim.].
Aegocephalus G. R. Gray, List Gen. Birds, 1840, 68.—A. [*teste* Nomen. anim.].
Aegocera A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 61; *pro* E—us, Desm. [*teste* Nomen. anim.]. [Nomen. anim.].
Aegoceros A. Wagner in Schreber, Säugeth. (Suppl.) IV. 1844, 482; *pro* E—us [*teste* Aegopodaphis] C. Amyot, Ann. Soc. Ent. France [2] V. 1848, 479.—Hem. [*teste* Nomen. anim.].
Aegorhinus Dejean, Catal. Coléopt., ed. 3, 1837, 360.—Col. [*n. n., teste* Nomen. anim.].
aegyptius Crossotus, J. Gisl. Handb. Naturges. 1850 [1847], 431.
aegyptiaca Vespa, J. N. Vallot, Concord. à Réaumur, 1802, 170.

- aegypticus** Unio. P. Cailhau, Voy. Méroé. IV. 1827, 263.
- aegyptius** Platystroctus. Annot. [delendum est].
- Aehoetulla** *id.* ac *Ahaetula*, Gray; J. E. Gray, Ill. Indian Zool. 13-14 Mar. 1834, wrapper.
- Aelanus** E. Rueppell, N. Wirbelth. Abyss. [Vogel] 1833, 115; *pro* *Elanus*, Sav. [teste Nomen. anim.].
- Aeleostoma** J. Gisl, Nat. Thierr. 1848, 164; *pro* *Aeolosoma*, Ehr. [teste Nomen. anim.].
- aelia** Papilio, Hoffmannsegg, Mag. f. Insektenk. (Illiger) III. 1804, 184 [teste A. F. H.].
- Aello** C. Gloger, Not. Nat. Heilk. XVI. 1827, 279.—A. [teste Nomen. anim.].
- Aellopus** J. F. Wolff, Icon. Cimic. (5) 1811, p. iv.—Hem. [n. et f.]. [Nomen. anim.].
- Aemoria** [Beck], Ber. Verh. Deutsch. Naturf. XXIV. 1847, 114; *pro* *Cemoria* [teste Aena E. Blyth, J. Asiat. Soc. Bengal, XIV. 1846, 868; *pro* *Oena*, Sw. [teste Nomen. anim.].
- Aenante** d'Orbigny, Voy. Amér. Mérid. I. 1815 [1834], 37; *pro* *Oenanthe*, Vieill. [teste Nomen. anim.].
- Aenas** C. Dumont, Dict. Sci. Nat. XVIII. 1820, 124; *pro* *Oenas*, Vieill. [teste Nomen. anim.].
- aeneus** Repsimus; *lege* Repsimus.
- Aenicura** E. Blyth in Cuvier, Anim. Kingd. 1840, 186; *pro* *E—us*, Temm. [teste Nomen. anim.].
- Aenicurus** Cuvier, Règne Anim., ed. 2. I. 1829, 372; *pro* *E—us*, Temm. [teste Nomen. anim.].
- aenippe** Papilio, Cramer, Vitr. Kapellen, II (16) 1777, 147 [teste A. F. H.]. [anim.].
- Aenone** A. Risso, H. N. Europe, IV. 1826, 424.—Verm. [anim.].
- Aenone** A. H. Haliday, Ent. Mag. I. 1833, 267 [n. n.]; V. 1838, 214.—Hem. [teste Nomen. anim.].
- Aeolia** Anon., Ency. Brit., ed. 8. X. 1817, 332; *pro* *Aeolidia*, Cuv. [teste Nomen. anim.].
- Aeolidella** Bergh, 1847; *teste* Marschall, 1867 *est.*—G.
- Aeolidia** Duméril, Zool. Anal. 1809, 162.—Nud.
- Aepyornis** I. Geoffroy, Ann. Sci. Nat. (Zool.) 3 XIV. 1850, 209.—A. [teste Nomen. anim.].
- aequata** Cylas, Sheppard; Gray in Turton, Man. Conch. 1840, 280 [in syn.].
- aequinociale** Necrophorus, J. Gisl, Handb. Naturges. 1850 [1847], 622.
- aequuplicata** Modiola, A. v. Strombeck, Arch. f. Min. IV. 1832, 401.
- aequivalvis** Pandora, Deshayes in Leymerie, Mém. Soc. géol. France, V. 1842, 4.
- Aeromalon** Rafinesque, Analyse. 1815, 126; *pro* *Anomalon* [teste Nomen. anim.].
- Aeronica** L. Agassiz, Norm. Zool. Index Univ. 1846, 9; *pro* *Aerenica*, Dej. [teste Nomen. anim.].
- Aerope** Deshayes (ex Leach MS), Dict. Sci. Nat. XXVIII. 1823, 361.—Cr. [n. n., teste Aëropus J. Gisl, Handb. Naturges. 1850 [1847], 451.—Orth. [Nomen. anim.].
- aerosus** Nemotelis, Gmelin, Zwölf neue Dipt., Feb. 1847, 10.
- Aeschna** Illiger, Mag. f. Ins.-Kunde, I. 1802, 126; *pro* *Aeshna*, Fab. [teste Nomen. anim.].
- aesculi** Apis, J. N. Vallet, Concord. à Réaumur, 1802, 166.
- Aessus** Deleán, Catal. Coléopt. 1821, 16.—Col. [? ex Leach MS].
- Aethalion** L. Oken, Isis, 1817, 1176; *pro* *Aetalion*, Latr. [teste Nomen. anim.].
- Aethia** C. Dumont, Dict. Sci. Nat. I [Suppl.] 1816, 71.—A. [teste Nomen. anim.].
- Aethiopus** E. Hitchcock, Mém. Amér. Ac., n. s. III. 1848, 165; *pro* *Aethyopus* [teste Nomen. anim.].
- Aethra** Cuvier, Règne Anim. IV. 1817, 174; *pro* *Oethra*, Latr. [teste Nomen. anim.].
- Aethya** C. Dumont, Dict. Sci. Nat. I [Suppl.] 1816, 71; *pro* *Aethia*, Merr. 1787 [teste Nomen. anim.].
- Aethya** C. Gloger, Not. Nat. Heilk. XVI. 1827, 279; *pro* *Aythya*, Boie [teste Nomen. anim.].
- Aethya** C. Gloger, Not. Nat. Heilk. XVI. 1827, 279; *pro* *Aythya*, Boie [teste Nomen. anim.].
- Aetobates** W. Swaugon, Hist. Classif. Fish. II. 1839, 2; *pro* *A—tus*, Bl. [teste Nomen. anim.].
- Aetobatis** de Blainville, Faune Franç. XXVI. 1828, 38; *pro* *A—us* [teste Nomen. anim.].
- Aetus** G. Riemann, Zool. Leitf. 1838, 29; *pro* *Aëtos*, Nitzsch [teste Nomen. anim.].
- Aícidia** M. Sars, Fauna littor. Norveg. I. 1846, 8; *pro* *Ascidia*, L. [teste Nomen. anim.].
- afer** Holocentrus (Bl.), B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 341.—Epine-
- affinis** Flabellina (Gün.), Voutg. Des Thierreich, III. 1834, 124.—Doris. [phelus.
- affinis** Gryphaea, P. Calabara, Atti Acc. Palermo, I. 1845, Mém. geogn. e min., p. 11.
- affinis** Melithreptus, R. P. Lesson, Rev. Zool., June 1839, 167 [teste G. M. M.].
- affinis** Milvus, J. Gould, Syn. Birds Austr. 18 Ap. 1828, pl. 47 [teste G. M. M.].
- affinis** Palaemon, O. G. Costa, Fauna Regno Nap. [Cat. Crost.] 1840, 4 [n. n.].

- affinis** Pardalotus, J. Gould, Syn. Birds Austr. (2) Jan. 1837, pl. 22 [*teste* G. M. M.].
- affinis** Porcellana, Guérin, Bull. Soc. Sci. Nat. France [7] *ineunte* 1836, 116.
- africana** *pro* Caita *lege* Caitia.
- africana** Mutilla, J. Gistel, Handb. Naturges. 1850 [1847], 626.
- africanum** [Poroderma] (Cuv.), A. Smith, Ann. Nat. Hist. I (1) Mar. 1838, 73.—Scyllium.
- africanus** Pteropus, J. Jennings, Ornith. 1828 [1827], 391.
- aga** Mylabis, J. Gistel, Handb. Naturges. 1850 [1847], 413.
- Agacephala** Audinet-S., Ency. Méth. (Ins.) X (2) 1828, 370.—Col. [*teste* Nomen. anim.].
- Agama** P. Gervais, Dict. Univ. Hist. Nat. II. 1842, 205.—Verm. [*n. n.*, *teste* Nomen. anim.].
- agamae** Pterygosoma, W. Peters, Vossisch. Zeitg., June 1849; Inhaltsverz. S. B. Ges. nat. Fr. Berlin, 1860, 13.
- Aganis** H. Link, Handb. phys. Erdbeschr. II (1) 1830, 422; *pro* Aganides, Montf. [*teste* Nomen. anim.].
- Agapete** E. Newman, Zoologist, III. 1845, 1017.—Col. [*teste* Nomen. anim.].
- Agapophyta** Laporte, Mag. Zool. II. 1832, 63.—Hem. [*teste* A. Musgrave].
- Agapophyta** Guérin, 1838, Hem. *est*, *non* Col. [*teste* A. Musgrave].
- Agaricina** L. Oken, Isis, 1817, 1164; *pro* Agaricia, Lam. [*teste* Nomen. anim.].
- agaricina** Tipula, J. N. Vallois, Concord. à Réaumur, 1802, 116.
- agassiz** Echinolampas, Dubois de M., Voy. Caucase, Atlas, V. 1843, Foss., pl. 1 [*n. et f.*].
- Agastica** [*gen. hyp.*], Péron & Lesueur, Ann. Mus. Paris, XIV. 1809, 325.—Scyph. [*teste* Nomen. anim.].
- agathon** Polymmatatus, Godart, Tabl. Méth. Lépid. France, 1823, 55 [*teste* A. F. H.].
- Agathorhipis** Guérin-M., Spec. Iconogr. gén. (I) 1843, 4.—Col. [*teste* Nomen. anim.].
- Agathyrse** Herrmannsen, Ind. Gen. Malac. I. 1846, 25; *pro* A—thyrse, Montf. [*teste* Nomen. anim.].
- Agaum** G. J. Billberg, Enum. Ins. 1820, 98; *pro* Agaon, Dalm. [*teste* Nomen. anim.].
- Agaura** H. Burmeister, Handb. Naturg. (2) 1837, 773.—A. [*teste* Nomen. anim.].
- agavus** Hectoides, J. Huebner, Index exot. Lepid. 1821, 1.—Papilio.
- Agelajus** F. Boie, Isis, 1826, 975; *pro* Agelaius, Vieill. [*teste* Nomen. anim.].
- Agellaea** Chaudoir, Bull. Soc. Moscou, 1846, 522; *pro* Agelaea, Gené [*teste* Nomen. anim.].
- Ageneios** C. Duméril, Zool. anal. 1806, 331; *pro* Ageneiosus, Lac. [*teste* Nomen. anim.].
- Ageneiosus** J. Fleming, Phil. Zool. II. 1822, 387; *pro* Ageneiosus, Lac. [*teste* Nomen. anim.].
- Ageneiosus** W. Swainson, Hist. Classif. Fish. I. 1838, 339; *pro* Ageneiosus, Lac. [*teste* Nomen. anim.].
- Agenius** W. Swainson, Hist. Classif. Fish. I. 1838, 82 & 338 [*teste* Nomen. anim.].
- Agestata** Laporte, Hist. An. artic. Ins. II. 1840, 163; *pro* Agestrata, Esch. [*teste* Nomen. anim.].
- agestis** Polymmatatus (L.) *var.* aestiva, Zeller; Isis (Oken), 1847, 155 [*teste* A. F. H.].
- Agilaius** W. Swainson, Anim. Menag. 1838, 301; *pro* Agelaius, Vieill. [*teste* Nomen. anim.].
- agilis** Monocystis, F. Stein, Arch. Anat. Phys. 1848, 221.
- Aglaiia** p. 147 *lege* Tectibranch *non* Nud. [*teste* C. H. O'D.].
- Aglaiia** L. Agassiz, Nom. Zool. (Acal.) 1842; *pro* Aglaja, Esch. [*teste* Nomen. anim.].
- Aglaja** F. Boie, Isis (Oken), 1833, 878; *pro* Aglaia, Sw. [*teste* Nomen. anim.].
- aglaope** Argynnis, Godart, Ency. Méth. IX (1) (Ins.) 1819, 267 [*teste* A. F. H.].
- Aglaophnia** O. Costa, F. Regn. Nap. An. ragg. Zoofit. Sertular. 1838, 12; *pro* Aglaophenia, Lamx. [*teste* Nomen. anim.].
- Aglatophenia** O. Costa, Corresp. Sicil. 1839, 185; *pro* Aglaophenia, Lamx. [*teste* Nomen. anim.].
- Aglaura** Lamarck (*ex* Sav. MS), H. An. s. Vert. V. 1818, 325.—Verm. [*teste* Nomen. anim.].
- Aglaura** J. Gistel, Nat. Thierry. 1848, pp. xi & 128; *pro* Chrysobothris, Esch. [*teste* Nomen. anim.].
- Aglaura** J. Gistel, Handb. Naturges. 1850 [1847], 419.—Col. [anim.].
- Aglaure** L. Doyère, Dict. Univ. Hist. Nat. I. 1841, 197; *pro* Aglaura, Lam. [*teste* Nomen. anim.].
- Aglena** Amyot [*non* binom.]. [anim.].
- Aglenita** M. Spinola, Mem. Soc. Ital. Sci. XV. 1850, 132.—Hem. [*teste* Marschall].
- Aglia** J. E. Gray, Proc. Zool. Soc. London, 1847, 196; *pro* Aeglia, Sw. [*teste* Nomen. anim.].
- agondas** Dyctis, J. A. Boisduval in d'Urville, Voy. "Astrolabe" (Lep.) 1832, 138.
- Agoniapteryx** L. Agassiz, Nom. Zool. Index Univ. 1846, 11; *pro* Agonopterix, Huebn.

- Agonoderos** F. W. Hope, Col. Man. II. 1838, 88; *pro* A—us, Dej. [teste Nomen. anim.]
- Agonopteryx** J. F. Stephens, Ill. Brit. Ent. (Haust.) IV. 1834, 201; *pro* A—ix [teste Nomen. anim.]
- Agostenus** C. Steven, Mus. Univ. Mosq. 1829, 15.—Col. [teste Nomen. anim.]
- Agoutis** I. E. Gray, London Med. Repos. XV. 1821, 304; *pro* Agouti, Lac. [teste Nomen. anim.]
- Agrapornis** Blyth's Cuvier, Anim. Kingd. 1840, 155; *pro* Agapornis [teste Nomen. anim.]
- agrestis** Jassarus, Amyot [delendum est].
- Agreuter** Lepeletier & S. Ency. Méth. (Ins.) X (2) 1828, 633.—Col. [teste Nomen. anim.]
- Agrilorrhynchus** G. R. Gray *inf.*
- Agrilus** J. F. Stephens, Ill. Brit. Ent. (Mand.) III. 1830, 239.—Col. [teste Nomen. anim.]
- Agroecia** H. Burmeister, Handb. Ent. II (2) i, 1838, 674 & 707; *pro* Agraecia, Aud. [teste Nomen. anim.]
- agrostella** [Tinea], F. v. P. Schrank, Briefe an Nau, 1802, 246. [anim.]
- Agryotypus** Blanchard, Hist. An. artic. Ins. III. 1840, 314; *pro* Agrio→ [teste Nomen.]
- Aguti** G. Fischer v. W., Nat. Mus. Paris, II. 1803, 127; *pro* Agouti, Lac. [teste Nomen.]
- Agyrta** J. Huebner, Index exot. Lepid. 1821, 1.—Lep. [anim.]
- Ahaetulla** Link, Besch. Nat. Samml. Rostock (2) 1807, 73.—R. [teste Nomen. anim.]
- Ahetula** J. E. Gray, Zool. Misc. 1842, 54; *pro* Ahaetulla, 1825 [teste Nomen. anim.]
- Aie-aie** R. P. Lesson, Mamm. 1840, 262; *pro* Aye-aye, Lac. 1799 [teste Nomen. anim.]
- Ailuropis** C. L. Bonaparte, Iconogr. F. Ital. II. Rept., fol. 101; *pro* Ailurophus [teste Nomen. anim.]
- Aipenumia** E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 137; *pro* Aipunemia, Sw. [teste Nomen. anim.]
- Aithya** F. Boie, Isis (Oken), 1828, 359; *pro* Aythya [teste Nomen. anim.]
- Aithya** C. Gloger, Nat. Not. Heilk. XVI. 1827, 279; *pro* Aythya [teste Nomen. anim.]
- Akaste** J. Gistel, Nat. Thierr. 1848, 175.—Verm. [teste Nomen. anim.]
- Akaste** J. Gistel, Handb. Naturges. 1850 [1847], 574.—Ech.
- Alabes** H. Choquet, Dict. Sci. Nat. I. (Suppl.) 1816, 99.—P. [teste G. P. W.]
- Alabis** W. Swannson, Hist. Classif. Fish. I. 1838, 225; *pro* Alabes, Ok. [teste Nomen. anim.]
- Alacorhinus** C. Steven, Mus. Univ. Mosq. 1829, 92.—Col. [n. n., teste Nomen. anim.]
- Alaphagus** F. Walker, List Dipt. Coll. B. M. IV. 1849, 114; *pro* Alcephagus, Gimm. [teste Nomen. anim.]
- Alaphora** F. Rossi, Verz. Zweifl. Ins. Oesterr. 1848, 58; *pro* Alophora, Rob. [teste Nomen. anim.]
- Alaria** Morris & Lycett, Mon. Moll. Gt. Ool. (Pal. Soc.) I. 1850, 15.—G. [teste Nomen. anim.] [June 1851 est].
- Alasmedonta** *err. pro* Alasmidonta, Say; J. E. Gray, Proc. Zool. Soc. XV. 1847, 196 [teste B. B. W.]
- Alasmesodonta** J. E. Gray, Proc. Zool. Soc. London, XV. 1847, 15; *pro* Alasmidonta, Say [teste Nomen. anim.]
- Alasmodon** T. Thomson, Ann. Phil. [1] XVI. 1820, 116; *pro* Alasmidonta, Say [teste Nomen. anim.]
- Alata** J. H. Linck, Index Mus. Linck. I. 1783, 112.—G. [teste Nomen. anim.]
- Alata** Thorbjoernsen, Fortegn. Bogsaml. Fabricius, 1823, 85.—G. [teste E. R. Sykes].
- Alhatros** R. P. Lesson, Man. Orn. II. 1828, 389; *pro* A—us, Briss. 1760 [teste Nomen. anim.]
- Albella** C. T. Wood, Orn. Guide, 1835, 227; *pro* Albellus [teste Nomen. anim.]
- Albia** Tishbein, Ent. Zeit. Stettin, VII. 1846, 75; *pro* Abia, Leach [teste Nomen. anim.]
- albicincta** Diargotaenia, Amyot [delendum est].
- albicollis** Ardea, L. P. Vieillot (ex Lac.), N. Dict. H. N. XIV. 1817, 409 [teste C. W. R.]
- albicollis** Fringilla, T. Brown, Ill. Amer. Orn. 1835, Syst. Index, p. ii.
- albicollis** Glottis, Brehm, Isis (Oken), 1845, 352.
- albicollis** Triarthra, Steph.; *lege* Triarthra.
- albifrons** Anarthynchus, Reichenbach, Grall. pl. civ, f. 658 (1848) [teste Cat. Birds B. M.]
- albifrons** Typhlops, Cuvier; F. Boie, Isis (Oken), 1827, 563.
- Albiger** Amyot [non binom.]
- Albiones** Westwood in Blyth, Cuvier's Anim. Kingd. 1840, 400; *pro* Albione, Sav. [teste albipennis Poliothrix, Amyot [delendum est]. [Nomen. anim.]

- albirostris** Trochilus, Audebert & Vieillot, Oiseaux dorés, I (8) 1801, 88 [603, 107 (11)].
pl. 45 [teste C. W. R.].
- albiatriatus** Oriolus, J. Hermann, Tabl. Aff. Anim. 1783, 204 [teste Stresenmann].
- Albocerus** J. Gistel, Nat. Thierr. 1848, 130; *pro* Allo-, Aud. [teste Nomen. anim.].
- albolinecta** Ancyrosoma, Amyot [delendum est].
- albomaculatus** Conus, G. B. Sowerby, I., Conch. Illustr. (24), f. 2 "large list," *die non del.*
- albomarginatus** Hemizonus, Amyot [delendum est].
[teste Troselin].
- albomarginellus** Schirus, Amyot [delendum est].
- albo-ocellatus** Diplotropus, C. Gloger, Handb. u. Hilfsb. 1842, 382.
- alboostriella** Philogotaenia, Amyot [delendum est].
- albula** Mugil, Forster, Descr. Anim. (ed. Licht.) 1844, 145 [non L.; teste G. P. W.].
- Albunaea** C. Duméril, Zool. anal. 1806, 182 & 331; *pro* Albunea, Web. [teste Nomen. anim.].
- Albunhippe** L. Agassiz, Nomen. Zool. (Crust.) Add. 1845, 1; *pro* A—a [teste Nomen. anim.].
- Albunia** J. Macquart, Hist. Ins. Dipt. II. 1835, 161; *pro* Albinia, Rob. [teste Nomen. anim.].
- alba** Ampelis, J. Hermann, Tabl. Aff. Anim. 1783, 213 [teste Stresenmann].
- albus** Engraulis, W. Swainson, N. H. Fish. II. 1839, 293 [teste G. P. W.].
- alba** Hirudinaria, A. Scacchi, Oss. Zool. 1833, 9.
- alba** Machona, J. Gistel, Handb. Naturges. 1850 [1847], 623.
- albus** Orestias, A. Valenciennes, L'Institut, 1839, 118.
- alcetas** Papilio, Hoffmannsegg, Mag. f. Insektenk. III. 1804, 205 [teste A. F. H.].
- alcetas** Papilio, Hoffm.; J. Huebner, Samml. europ. Schmett. (Zief.) 1805, 51.
- Alceto** *err. pro* Allecto; A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 26 (Aulopora inflata, syn.).
- Alciopé** A. Grube, Arch. f. Naturg. XVI. 1850, 305; *pro* A—a [teste Nomen. anim.].
- Alcis** J. E. Gray, Glean. Menag. Knowsley (Hoof. Quadr.) 1850, 55; *pro* Alces, 1821 [teste Nomen. anim.].
- Alcynia** G. Nardo, Atti Sci. Ital. Riun. V. 1844, 432; *pro* Alcinia [teste Nomen. anim.].
- Alcyonellum** R. Owen, Tr. Zool. Soc. London, III. 1849, 205; *pro* Alcyoncellum, Bl. [teste Nomen. anim.].
- Alcyonidia** Edwards & Haime, Brit. Foss. Cor. (Pal. Soc.) I. 1850, p. lxxviii [in syn.].—Cor. [teste Nomen. anim.].
- Alcyoniolithes** J. F. Blumenbach, Spec. Arch. II. 1816, 24.—? Coel. [teste Nomen. anim.].
- Alcyonium** Rafinesque, Analyse, 1815, 157; *pro* Alcyonium, L. 1758 [teste Nomen. anim.].
- Alcyope** Audouin & Edwards, Ann. Sci. Nat. XXI. 1830, 319; *pro* Alciopa [teste Nomen. anim.].
- Alectaga** E. Blyth in Cuvier, Anim. Kingd. 1840, 115; *pro* Allactaga, F. Cuv. [anim.].
- allecto** Ara, C. J. Temminck, [F. Japon.] Disc. prélim. 1835, p. xvii.
- Alector** B. Merrem, Av. rar. (2) 1786, 40.—A. [teste C. W. R.].
- Alectoris** J. Gistel, Handb. Naturges. 1850 [1847], 407.—Col. [anim.].
- Alectraenas** G. R. Gray, Gen. Birds, III. App. 1849, 23; *pro* A—oenas, 1840 [teste Nomen. anim.].
- Alectryon** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 187 & 564; *pro* Alectriou, Montf. [teste Nomen. anim.].
- Alecturus** C. J. Temminck, Pls. color. III. expl. pl. 155 (1822); *pro* Alectrurus, Vieill. [teste Nomen. anim.].
- Alecturus** W. Swainson, Hist. Classif. Birds, II. 1837, 90; *pro* Alectura, Lath. [teste Nomen. anim.].
- Alepisaures** W. Swainson, Hist. Classif. Fish. II. 1839, 175; *pro* A—us, Lowe [teste Nomen. anim.].
- Alethmia** J. Huebner, Verz. bekannt. Schmett., Reg. 1826, 36; *pro* Atathmia (sic) [teste Nomen. anim.].
- aleuticus** Necrophorus, J. Gistel, Handb. Naturges. 1850 [1847], 622.
- alexanor** Papilio, Esper, Die Schmett., Suppl. 1 Abschn., Tagschm. [1797], 89 [teste A. F. H.].
- alfredana** Paedisca, Dupouchel, Cat. méth. Lépid. Europe, 1845, 300, 469 & 481.
- alfredianus** Leuciscus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, Avis...relieur. [T] [teste F. J. G.].
- algrae** Bulla (Linteria), "Hanley"; A. Adams in G. B. Sowerby, II., Thes. Conch. II (11) 1850, 598 [teste R. W.].
- Algoa** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 113.—G. [n. n.].
- Alia** C. Dumont, Dict. Sci. Nat. VIII. 1817, 393; *pro* Alca, L. [teste Nomen. anim.].

- Alichondria** H. M. de Blainville, Dict. Sci. Nat. LX. 1830, 496; *pro* Halichondria, Flem. [*teste* Nomen. anim.].
- Alidium** L. Oken, Isis, 1829, 1114; *pro* Aplidium, Sav. [*teste* Nomen. anim.].
- Aligator** J. E. Gray, Ann. Phil. [2] X. 1825, 195; *pro* Alligator, Cuv. [*teste* Nomen. anim.].
- Alina** C. A. Récluz, Rev. Zool. (Soc. Cuv.) 1842, 235.—G.
- Alindra** L. Agassiz, Nom. Zool. (Col.) 1846, 6; *pro* Alundria, Erichs. [*teste* Nomen. anim.].
- Alismadon** J. Fleming, Hist. Brit. Anim. 1828, 408 [*et cf.* 417]; *pro* Alasmidonta [*teste* Nomen. anim.].
- allapsa** Phoracanthus; *lege* P=tha. [Nomen. anim.].
- alle** Arctica (L.), Merrem in Ersch & Gruber, Allg. Ency. II. 1819, 406.—Alca.
- alliacea** Entilia; *lege* Entylia.
- allica** Papilio, J. C. Fabricius, Mant. II. 1787, 52 [*teste* A. F. H.].
- Allocutus** H. G. Bronn, N. Jahrb. f. Min. 1841, 182; *err. pro* Allocotus, Fisch. [*teste* Nomen. anim., *sed non est*].
- Allopora** C. G. Ehrenberg, Abh. Ak. Berlin, 1832, Phys. 1834, 303, 371 & tab. 376.—Hydroz. [*teste* Nomen. anim.].
- Alloporina** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 75.—Cnid. [*teste* Nomen. anim.].
- Allophina** L. Agassiz, Nom. Zool. (Col.) 1846, 6; *pro* Allorhina, Burm. [*teste* Nomen. anim.].
- Allucita** G. J. Billberg, Enum. Ins. 1820, 92; *pro* Alucita, L. 1758 [*teste* Nomen. anim.].
- alni** Clethropsylla, Anyot [*delendum est*].
- Alomyia** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 445 & 564; *pro* Alomya, Panz. [*teste* Nomen. anim.].
- Alope** A. White, List Crust. Coll. B. M. I. Ap. 1847, 75.—Cr. [*u. n.*].
- Alopius** W. Swanson, Hist. Classif. Fish. I. 1839, 91; *pro* Alopias, Raf. [*teste* Nomen. anim.].
- Alopus** G. Newport (*ex* G. R. Gray MS), Phil. Trans. 1844 (2), 288.—Or. [*teste* Nomen. anim.].
- Alouata** L. Agassiz, Nom. Zool. (Mamm.) 1842, 2; *pro* Alouatta, Lac. 1799 [*teste* Nomen. anim.].
- Alouate** J. B. v. Spix, Sum. Vesp. Brasil. 1823, 43; *pro* Alouatta, Lac. 1799 [*teste* Nomen. anim.].
- alpa** Chela, J. E. Gray, Ill. Indian Zool. (17–18) Oct. 1834, wrapper; alpar on plate.
- Alphaneura** J. O. Westwood in Griffith's Cuvier, Anim. Kingd. XV. 1832, pl. 111, f. 1; *id. ac* Aphaeura [*teste* Nomen. anim.].
- alpicola** Silpha, Hoppe & Hornschuch, Tageb. Reise adriat. Meers, 1818, 282 [*u. n.*].
- Aplidium** J. Fleming, Edinb. Ency. XIV. 1820, 631; *pro* Aplidium, Sav. [*teste* Nomen. anim.].
- alpina** Rana, J. Gistel, Handb. Naturges. 1850 [1847], 332.
- Alqua** ? Antor, Cat. Ois. Roccour, 1829, 44 [*teste* Nomen. anim.; *sed ? err. typ. pro* Alca].
- Alsoeus** G. R. Gray, Gen. Birds, I (1846), 171; *pro* Alsoecus, Kaup [*teste* Nomen. anim.].
- alternato tuberculatus** Hamites, Leymerie, Stat. Aube, 1846, pl. v, f. 11.
- alticus** Papilio, Herbst in Jablonsky, Nat. Ins. (Schm.) IV. 1790, 75 [*teste* A. F. H.].
- altipinnis** Xyrichthys, E. Rupeppell, Neue Wirbelth. Abyssin. (4) 1835, 22.
- Aluata** Illiger, Prodr. 1811, 70; *pro* Alouatta, Lac. 1799 [*teste* Nomen. anim.].
- Alujonidium** Lamouroux, Ann. Mus. Paris, XX. 1813, tab. 13; *pro* Alcyon→ [*teste* Nomen. anim.].
- Alveolite** L. A. G. Bosc, Hist. Nat. Coq. 1802 [*teste* E. R. S., ? *vernac.*]. [Nomen. anim.].
- Alveolus** Hermannusen (*ex* Luid. 1690), Ind. Gen. Malac. I. 1846, 30.—Ceph. [*teste* Nomen. anim.].
- alveolus** Conus, G. B. Sowerby, L. Conch. Illustr. (28) 1833, f. 11 [*teste* Tomlin].
- Alyce** J. Gistel, Handb. Naturges. 1850 [1847], 427.—Col. [Nomen. anim.].
- Alyselmyntus** C. A. Rudolphi, Entoz. Hist. Nat. II. 1810, 48; *pro* A=minus [*teste* Nomen. anim.].
- Amacosia** M. Spinola, Mem. Soc. Ital. XXV. 1850, 118.—Hem. [*teste* Nomen. anim.].
- Amaiva** H. Kuhl, Beitr. Zool. I. 1820, 115; *pro* Ameiva, Mey. [*teste* Nomen. anim.].
- Amalte** L. Reichenbach, Zool. I. 1828, 99; *pro* Amaltheus, Montf. [*teste* Nomen. anim.].
- Amaltes** T. E. Bowdich, Elem. Conch. I. 1822, 22; *pro* Amaltheus, Montf. [*teste* Nomen. anim.].
- Amalthea** L. Oken, Isis, 1817, 1171; *pro* Amaltheus, Montf. [*teste* Nomen. anim.].
- Amalthea** O. Schmidt, Hand-Atlas Vergl. Anat., tab. ix, f. 2, 1848.—Coel. [*teste* Marschall].
- Amalthites** W. Swanson, Elem. Conch. 1833, 49.—Ceph. [*teste* Nomen. anim.].
- Amalthus** G. B. Sowerby, II. Conch. Man. 1830, 3; *pro* Amaltheus, Montf. [*teste* Nomen. anim.].
- amandus** Papiho, Schneider, N. Mag. Liebh. Ent. IV. 1792, 428 [*teste* A. F. H.].

- Amansites** Brongniart, Hist. Végét. Foss. I. 1828, 70.—Graptol. [*teste* Nomen. anim.].
- Amarigmus** F. W. Hope, Col. Man. III. 1840, 75; *pro* *Amarygmus* [*teste* Nomen. anim.].
- Amarocium** P. Gervais, Dict. Univ. Hist. Nat. II. 1842, 208; *pro* *A—oucium*, Edw. [*teste* Nomen. anim.].
- Amaruvium** Leuckart, Nachr. Ges. Göttingen, 1847, 88; *pro* *A—oucium*, Edw. [*teste* Nomen. anim.].
- Amathes** J. Gistl, Nat. Thierr. 1848, p. ix; *pro* *Leptosomus*.—Lep. Aganaidæ [*teste* Nomen. anim.].
- Amatheus** L. Oken, Lehrb. Nat. III (1) 1815, 333; *pro* *Amaltheus*, Montf. [*teste* Nomen. anim.].
- Amathodes** Erichson, Arch. f. Naturg. XI (2) 1845, 114; *pro* *Anatodes*, Dej. [*teste* Nomen. anim.].
- Amathrsia** L. Oken, Lehrb. Nat. I. 1815, 746; *pro* *Amathusia*, Fab. [*teste* Nomen. anim.].
- Amauroucium** Kölliker & Loewig, Ann. Sci. nat. [3] (Zool.) V. 1846, 221; *pro* *Amar—*, Edw. [*teste* Nomen. anim.].
- Amazilicus** C. L. Bonaparte, C. R. Ac. Sci. Paris, XXX. 1850, 382 [*teste* Nomen. anim.; ? *Amazilius*].
- Ambassus** W. Swainson, Hist. Classif. Fish. II. 1839, 168 & 200; *pro* *Ambassis*, Cuv.
- Amberleya** Morris & Lycett, Moll. Gt. Ool. (Pal. Soc.) I. 1850, 55.—G. [*teste* Nomen. anim., *sed* 1851 *est.*].
- Amberlya** Morris & Lycett, Moll. Gt. Ool. (Pal. Soc.) I. 1850, 54 [*teste* Nomen. anim., *sed* 1851 *est.*].
- ambiguus** Fatuellus, J. Gistl, Handb. Naturges. 1850 [1847], 440.
- Amblioramphus** R. P. Lesson, Cent. Zool. 1830, 159; *pro* *Ambly—* [*teste* Nomen. anim.].
- Ambliis** J. Gistl, Handb. Naturges. 1850 [1847], 403.—Col.
- Amblodon** Rafinesque, Amer. monthly Mag. IV. Dec. 1818, 107.—P. [*teste* Nomen. anim.].
- Amblosis** G. J. Billberg, Syn. Scand., tab. A, 1827; *pro* *Amblothis*, Ill. [*teste* Nomen. anim.].
- Amblothes** W. Swainson, Hist. Quadr. 1825, 391; *pro* *Amblothis*, Ill. [*teste* Nomen. anim.].
- Ambloxus** Rafinesque, Enum. nat. Obj. 1831, 3; *pro* *Ambloxius*, 1818 [*teste* Nomen. anim.].
- Ambluray** Kölliker, Act. Soc. Helvet. XXIX. 1845, 87; *pro* *Amblyura*, Ehr. [*teste* Nomen. anim.].
- Amblycephalus** Zeder, Anleit. Nat. Eingeweidew. 1803, 279; *pro* *Rhytelminthus*, 1800 [*teste* Nomen. anim.].
- Amblycephalus** Boie, Isis (Oken), 1827, 519.—R. [*teste* M. Smith].
- Amblycephalus** Amyot [*non binom.*].
- Amblygnatus** Dejean, Spec. Col. IV. 1820, 4.—Col. [*teste* Nomen. anim.].
- Amblyospitza** C. J. Sundevall, Overs. k. Vet. Ac. Förh. 1850, 98.—A.
- Amblyotus** Amyot [*non binom.*].
- Amblyprosopa** G. Tilesius, Isis (Munich) (5) 1850, 75.—Col.
- Amblyrhamphus** H. E. Strickland, Ann. Nat. Hist. VII. 1841 (Mar.), 31; *pro* *A—ramphus*, Leach [*teste* Nomen. anim.].
- Amblyrhinchus** T. Nuttall, Man. Orn. U. S., Water Birds, 1834, 621; *pro* *A—rhynchus* [*teste* Nomen. anim.].
- Amblyrhincus** Duméril & Bibron, Erpét. IV. 1837, 193-197 & 199; *pro* *A—rhynchus*
- amblystoma** L. Agassiz, Nom. Zool. (Rept.) 1846, 2; *pro* *Ambystoma*, Tsch. [*teste* Nomen. anim.].
- ambrosiacus** Terabius, J. Gistl, Handb. Naturges. 1850 [1847], 428. [anim.].
- americanus** Euthesius (Fab.), J. Gistl, Handb. Naturges. 1850 [1847], 517.—Ixodes.
- americanus** Halpaedisca, J. Gistl, Handb. Naturges. 1850 [1847], 273.
- americanus** Myoxus, [G. Fischer], Mus. Mosq. (Anim.) 1822, 5 [*n. n.*].
- americanus** Regulus, W. Macgillivray, Edinb. Journ. N. H., June 1836, 49.
- americana** Rhizosalenia; *lege* *Rhizosolenia*.
- Ameris** Dejean (*ex* Schoenh.), Catal. Coléopt. 1821, 86 [*teste* Nomen. anim.].
- Amethystina** Schinz, 1825; *err.* Marshall *pro* "Amethystina, Lam."
- Amfitrite** G. Nardo, Prosp. Fauna Veneto, 1847, 12; *pro* *Amphitrite*, Müll. 1771 [*teste* Nomen. anim.].
- Amia** J. Gistl, Nat. Thierr. 1848, p. xiv; *pro* *Pachytes*, Lam. (Moll.) [*teste* Nomen. anim.].
- Amia** J. Gistl, Handb. Naturges. 1850 [1847], 416.—Col.
- Amiculum** T. v. Middendorff, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII [=Sci. Nat. VI (1 & 2)] 1848, 96.—Moll. [quotation on p. 267 is a muddle of Herrmannsen giving title of separate and page of original].

- Amimones** G. J. Billberg, Enum. Ins. 1820, 131; *pro* Amymone, Müll. 1776 [*teste* Nomen. anim.].
- Ammadytes** H. Linck, Mag. N. Phys. Naturg. VI (3) 1798, 38; *pro* Amm→, L. 1758 [*teste* Nomen. anim.].
- Ammatocera** Dejean, Catal. Coléopt., ed. 3, 1827, 348.—Col. [*n. n.*, *teste* Nomen. anim.].
- Ammethus** Amyot [*non binom.*].
- Ammimone** L. Reichenbach, Zool. I. 1828, 99; *pro* Amimones, Montf. [*teste* Nomen. anim.].
- Ammionus** L. Agassiz, Nom. Zool. Index Univ. 1846, 17; *pro* Ham→ [*teste* Nomen. anim.].
- Ammobius** F. E. Guérin-M., Ichnogr. [Ins.] 1846, 121.—Col. [*teste* Nomen. anim., *sed* 1844].
- Ammocaetes** Berthold in Latreille, Nat. Fam. Thierr. 1827, 109; *pro* A—coetus, Dum. [*teste* Nomen. anim.].
- Ammocetes** J. Fleming, Phil. Zool. II. 1822, 175; *pro* Ammocoeus, Dum. [*teste* Nomen. anim.].
- Ammocites** Berthold in Latreille, Nat. Fam. Thierr. 1827, 564; *pro* A—coetus, Dum. [*teste* Nomen. anim.].
- Ammocoetes** G. Cuvier, Règne Anim. II. 1817, 119; *pro* A—tus, Dum. [*teste* Nomen. anim.].
- Ammocoetus** Erichson, Nat. Ins. Deutschl. III (4 & 5) 1847, 791.—Col. [*teste* Nomen. anim.].
- Ammodites** C. Dumeril, Zool. Anal. 1806, 331; *pro* A—dytes, L. 1758 [*teste* Nomen. anim.].
- Ammolpaea** A. H. Schweigger (ex Sav.), Handb. Naturg. 1820, 411.—Anthoz.
- Ammonelliptites** L. Reichenbach, Zool. I. 1828, 100; *pro* A—sites, Park. [*teste* Nomen. anim.].
- Ammonocerates** L. Reichenbach, Zool. I. 1828, 99; *pro* A—tites, Raf. [*teste* Nomen. anim.].
- Ammophila** Kirby & Spence, Introd. Entom., ed. 3, I. 1828, 263.—Hym. [*teste* F. J. G.].
- Ammophilus** Latreille in Cuvier, Règne Anim., ed. 2, V. 1829, 322; *pro* Ammophila, Kirby, 1798 [*teste* Nomen. anim.].
- Ammophylus** Latreille, Hist. Crust. Ins. III. 1802, 332; *pro* Ammophila, Kirby, 1798 [*teste* Nomen. anim.].
- Ammoptyla** L. Agassiz, Nom. Zool. (Aves) 1842, 4; *pro* A—tila, Sw. [*teste* Nomen. anim.].
- Ammorphus** J. Sturm, Cat. Käf.-Samml. 1843, 145.—Col. [*n. n.*, *teste* Nomen. anim.].
- Ammoryctes** J. Gisl, Isis (Munich) (6) 1850, 83.—? Hym.
- amnea** Tellina, Anon., Ency. Britt., ed. 4, VI. 1810, 406 [? *err. typ. pro* amnica, Müll. 1774].
- Amodytes** W. Swanson, Hist. Classif. Fish. I. 1838, 75; *pro* Amm→, L. 1758 [*teste* Nomen. anim.].
- Amonoceratites** Deshayes, Ency. Méth. (Vers) II (1) 1830, 23; *pro* Amm→, Raf. [*teste* Nomen. anim.].
- Amophila** G. J. Billberg, Enum. Ins. 1820, 103; *pro* Amm→, Kirby, 1798 [*teste* Nomen. anim.].
- Amoria** J. E. Gray, 1847; *teste* Marshall. *err. pro* Amoura, Moll. 1842. [*anim.*].
- Amorocicum** L. Agassiz, Nom. Zool. Index Univ. 1846, 17; *pro* Amorocium [*teste* Nomen. anim.].
- Amoroucium** Troschel, Arch. f. Naturg. VIII (2) 1842, 406; *pro* Amar→, Edw. [*teste* Nomen. anim.].
- Amorphocera** W. Haan in Temminck, Verh. Ned. bezitt. (Zool. Ins. Orth.) 1842, 146 & 166; *pro* Amorphopus, Aud. [*teste* Nomen. anim.].
- Amouroucium** Forbes & Hanley, Brit. Moll. I. 1848, 15; *pro* Amar→ [*teste* Nomen. anim.].
- Ampelisia** Krøyer, Voy. Nord. Zool. Crust. 1846, tab. 23, f. 1; *pro* A—sca, 1842 [*teste* Nomen. anim.].
- Ampelocetus** Amyot [*non binom.*]. [*anim.*].
- ampelophaga** Procris, C. Passerini, Sopra due sp. Ins. nocivi, 1820, 4.
- ampelos** Avarus, Rahnesque, Ann. of Nature, 1820, 9.
- Amphacanthus** Cuvier, Règne Anim. II. 1817, 150; *pro* A—thus, Schn. [*teste* Nomen. anim.].
- Amphasius** F. W. Hope, Col. Man. II. 1838, 89; *pro* A—a, Newm. [*teste* Nomen. anim.].
- Amphenoma** P. Gervais, Dict. univ. Hist. nat. I. 1841, 390; *pro* Amphinome [*teste* Nomen. anim.].
- Amphibia** Berthold in Latreille, Nat. Fam. Thierr. 1827, 174 & 564; *pro* Succinea [*teste* Nomen. anim.]. [*anim.*].
- Amphibulimigenus** S. Renier, Tav. Classif. An. VIII. 1807 [i.e. 1804].—G. [*teste* Nomen. anim.].
- Amphicanthus** W. Swanson, Hist. Classif. Fish. II. 1839, 38 & 440; *pro* Amph→ [*teste* Nomen. anim.].
- Amphicore** Wiegmann, Arch. f. Nat. IV (2) 1838, 346; *pro* A—a [*teste* Nomen. anim.].

- Amphicorine** Quatrefages, Ann. Sci. Nat. (Zool.) [3] XIII. 1850, 40 & 41.—Verro. [*teste* Nomen. anim.].
- Amphicten** L. Agassiz, Nom. Zool. (Verm.) 1843, 1; *pro* A—ne, Sav. [*teste* Nomen. anim.].
- Amphictena** Lamarck, Hist. An. s. Vert., ed. 2, V. 1838, 603; *pro* A—ne, Sav. [*teste* Nomen. anim.].
- Amphidasys** Wiegmann & Ruthe, Handb. Zool. 1832, 428; *pro* A—sis, Tr. [*teste* Nomen. anim.].
- Amphinoma** de Blainville, Dict. Sci. Nat. LVII. 1828, 450; *pro* A—e, Brug. [*teste* Nomen. anim.].
- Amphiodon** Rafinesque, Amer. Monthly Mag. IV. Dec. 1818, 107 [*n. n.*, *teste* Nomen. anim.].
- Amphion** J. Gistel, Nat. Thierr. 1848, p. viii; *pro* Axios, Leach [*teste* Nomen. anim.].
- Amphiopomorphites** Broun (*ex* Plott, 1676), Lethaea, I. 1836, 420.—Ceph. [*teste* Nomen. anim.].
- Amphipeplaea** L. Agassiz, Nom. Zool. (Moll.) 1846, 3; *pro* A—lea, Nilss. [*teste* Nomen. anim.].
- Amphisbena** Rafinesque, Analyse, 1815, 78; *pro* A—aena, L. 1758 [*teste* Nomen. anim.].
- Amphisboena** Cuvier, Tabl. élém. 1798, 301; *pro* A—baena, L. 1758 [*teste* Nomen. anim.].
- Amphistome** Lamouroux, Dict. class. Hist. nat. I. 1822, 297; *pro* A—a, Rud. 1801 [*teste* Nomen. anim.].
- Amphistra** J. E. Gray, Proc. Zool. Soc. London, XV. 1847, 162; *pro* Aplustra, Sow. [*teste* Nomen. anim.].
- Amphitectus** Dahlbom, Onychia & Callaspidia, 1842, tab. pp. 2 & 6; *pro* A—thectus, Hart. [*teste* Nomen. anim.].
- Amphiteus** Rafinesque, Analyse, 1815, 222; *pro* A—a [*teste* Nomen. anim.].
- Amphithoe** Rafinesque, Analyse, 1815, 99.—Cr. [*teste* Nomen. anim.]. [Nomen. anim.].
- Amphitoe** Latreille in Cuvier, Règne Anim. III. 1817, 47; *pro* A—thoe, Leach [*teste* Nomen. anim.].
- Amphitoites** J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 82.—Inc. sed. [*teste* Stechow].
- Amphitrita** Rafinesque, Analyse, 1815, 136; *pro* A—e, Müll. 1771 [*teste* Nomen. anim.].
- Amphitritidia** Anon., Ber. Vers. Deutsch. Naturf. XXIV. 1847, 217; *pro* A—dea, Beck [*teste* Nomen. anim.].
- Amphiuma** A. Garden in J. E. Smith, Select Corresp. Linn. I. 1821, 599.—R. [*teste* Nomen. anim.].
- Amphorina** d'Orb.; *lege* 1844. [Nomen. anim.].
- Amphydora** Dejean, Catal. Coléopt., ed. 3, 1834, 210; *pro* Amphi—, Esch. [*teste* Nomen. anim.].
- Amphyginus** A. H. Haliday, Entomologist, I. 1841, 175.—Col. [*teste* Nomen. anim.].
- Amphysa** A. Guénée, Eur. Microlep. 1845, 7; *pro* Amphisa, Curt. [*teste* Nomen. anim.].
- Amphystoma** Rudolphi, Arch. Zool. Zoot. III (2) 1803, 29; *pro* Amphistoma, 1801 [*teste* Nomen. anim.].
- amphytridis** Stephanomia, Péron in Voy. Terres Austral. (Atlas) 1807, pl. xxix [*n. et f.*].
- Ampicora** F. Dujardin, C. R. Ac. Sci. Paris, VII. 1838, 649; *pro* Amphicora, Ehr. [*teste* Nomen. anim.].
- Ampithœ** W. Leach, Edinb. Ency. VII. 1814, 403 & 432.—Cr. [*teste* Nomen. anim.].
- ampliata** Mapheus, Amyot [*delendum est*].
- Amplichus** G. Dahl, Col. u. Lep. 1823, 5; *pro* Amblychus, Gyll. [*teste* Nomen. anim.].
- Amplodon** D. H. Storer, Mem. Amer. Ac. [2] II. 1846, 319 & 537; *pro* Amblodon, Raf. [*teste* Nomen. anim.].
- Ampularia** A. Risso, Hist. nat. Europe, IV. 1826, 152; *pro* Ampull—, Lam. [*teste* Nomen. anim.].
- Ampuliceps** G. R. Gray, Gen. Birds, II. 1845, 330; *pro* Ampeliceps, Blyth [*teste* Nomen. anim.].
- ampulla** Fusus, S. Borson, Cat. coll. min. Mus. [Turin] 1830, 620 [*n. n.*].
- ampullaceum** Purpura, S. Borson, Cat. coll. min. Mus. [Turin] 1830, 614 [*n. n.*].
- Ampullarigenus** S. Renier, Tav. Classif. An. viii (1807) [*i.e.* 1804].—G. [*teste* Nomen. anim.].
- ampullata** Balaena, J. R. Forster in Kalm, Trav. N. Amer. I. 1770, 18 [*teste* S. F. H.].
- Ampullina** T. E. Bowdich, Elem. Conch. (1) 1822, 31.—G.
- Amularia** V. Brera, Mem. Verm. 1811, 9 & 225; *pro* Ham—, Treutl. [*teste* Nomen. anim.].
- Amycterus** C. J. Schoenherr, Isis (Oken), 1823, 1144 [*n. n.*, *teste* Nomen. anim.].
- Amyctus** J. Gistel, Nat. Thierr. 1848, p. x; *pro* Pachymerus, Lep. & S. [*teste* Nomen. anim.].
- Amyda** Oppel, Ordn. Rept. 1811, 7.—R. [*teste* Nomen. anim.].
- Amydala** J. E. Gray, Proc. Zool. Soc. London, XV. 1847, 161; *pro* Amygdala Plancus, 1739 [*teste* Nomen. anim.].

- Amylus** E. Blanchard, Hist. An. artic. Ins. III. 1840, 352; *pro* Ancylus, Hal. [teste Nomen. anim.].
- Amymona** Lamarck (*ex* Sav. MS), Hist. an. s. Vert. V. 1818, 331.—Cr. [teste Nomen. anim.].
- Amynome** Rafinesque, Analyse, 1815, 100; *pro* Anymone, Müll. 1770 [teste Nomen. anim.].
- Anableps** J. Hoeven, Handb. Dierk. II. 1833, 211 & 212; *pro* Anableps, Scop. 1777 [teste Nomen. anim.].
- Anableps** Scopoli (*ex* Art.), Intr. Hist. nat. 1777, 450 [teste Nomen. anim.].
- Anabola** Dejean, Catal. Coléopt. 1821, 98. [n. v.] [teste Nomen. anim.].
- Anabus** W. Swainson, Hist. Classif. Fish. II. 1839, 174, 237 & 440; *pro* Anabas, Cuv. [teste Nomen. anim.].
- Anacalonia** Spinola, Ann. Soc. Ent. France, VIII (3) 1839, 448 [err. *pro* Acanalonia, 1839].
- Anacamptorrhina** E. Blanchard, Cat. Ceton. 1842, 20.—Col. [teste Nomen. anim.].
- Anacanthus** C. G. Ehrenberg in Hoeven, Handb. Dierk. II. 1833, 179.—P. [teste Nomen. anim.].
- Anacanthus** Müller & Heule, Monatsb. Ak. Berlin, 1837, 117.—P. [teste Nomen. anim.].
- Anacholus** *emend. pro* Anaecolus; J. Gistl, Handb. Naturges. 1850 [1847], 427.
- Anactis** C. G. Ehrenberg, Abh. Ak. Berlin, 1832 [1834], 269.—Cor. [teste Nomen. anim.].
- Anadara** Deshayes [*ex* Adams], Ency. Méth. (Vers) II (1) 1830, 37.—L. [teste Nomen. anim.].
- Anadesis** Laporte, Hist. an. artic. Ins. II. 1840, 185; *pro* Anod→, Sol. [teste Nomen. anim.].
- Anadyomene** J. Gistl, Nat. Therr. 1848, 180; *pro* A—a, Lamx. [teste Nomen. anim.].
- Anaema** C. L. Bonaparte, Giorn. Arcad. XLIX. 1831, 21; *pro* Anoema, Cuv. [teste Nomen. anim.].
- Anagcodemus** Motschulsky, Mém. Sav. Etr. Ac. St Pétersb. V. 1845, p. xi.—Col. [teste Nomen. anim.].
- Anaglyptes** J. Gistl, Handb. Naturges. 1850 [1847], 419.—Col.
- Anagnia** F. Walker, List Lepid. Coll. B. M. II. 1845, 446.—Lep. [teste Nomen. anim.].
- Analeptes** J. Gistl, Handb. Naturges. 1850 [1847], 430.—Col.
- Analoponotus** G. Bibron, Dict. univ. Hist. nat. I. 1841, 423.—R. [teste Nomen. anim.].
- Anampsis** J. Hoeven, Handb. Dierk. II. 1833, 218; *pro* Anampses, Q. & G. [teste Nomen. anim.].
- Anaperus** Troschel, Vossian. Zeitg., Dec. 1844; Inhaltsverz. S. B. Ges. nat. Fr. Berlin, 1860, 16.—Ich.
- Anapetes** H. Burmeister, Handb. Ent. II (2) ii, 1839, 824.—Neur. [teste Nomen. anim.].
- Anaphora** Gistl=Coel.
- Anaplomya** F. Krauss, Ber. Vers. Deutsch. Naturf. XX. 1843, 130.—L. [teste Nomen. anim.].
- Anapsis** Stephens (p. 294); *or. pro* Anápsis, Geoffr. [Nomen. anim.].
- Anarhicas** Latreille, N. Det. Tabl. méth. 1804, 103; *pro* Anarhichas, L. 1758 [teste Nomen. anim.]. [Nomen. anim.].
- Anarhyncus** R. P. Lesson, Compl. Buffon, IX. 1837, 427; *pro* A—chus, Q. & G. [teste Nomen. anim.].
- Anarnac** Froiep. Voigt's Mag. f. Naturk. VII. 1804, 447; *pro* Anarnak, Lac. [teste Nomen. anim.]. [anim.].
- Anarnakus** J. E. Gray, Zool. "Ereb. Terr." I. 1846, 29; *pro* Anarnak, Lac. [teste Nomen. anim.].
- Anarrhichas** H. Link, N. Phys. Naturg. VI (3) 1790, 35; *pro* Anarhichas, L. 1758 [teste Nomen. anim.].
- Anarrhicas** C. Dumeril, Zool. anal. 1800, 114 & 331; *pro* Anarhichas, L. 1758 [teste Nomen. anim.].
- Anas** Bruguière [*ex* Klein, 1753], Ency. méth. (Vers) I (2) 1792, 330.—G. [teste Nomen. anim.]. [anim.].
- Anastoma** Cristofori & Jan. Cat. Mus. [2] 1832, 2; *pro* Anostoma, Fisch. [teste Nomen. anim.].
- Anastomus** W. Swainson, Hist. Classif. Fish. I. 1838, 245; *pro* Anos→, Gron. 1763 [teste Nomen. anim.].
- Anatasia** J. Gistl, Handb. Naturges. 1850 [1847], 554.—G. [Nomen. anim.].
- Anatigenus** S. Reuter, Tav. Classif. An. vii. 1807 [1804 *est*].—Cirr. [teste Nomen. anim.].
- Anatinigenus** S. Reuter, Tav. Classif. An. vii. 1807 [1804 *est*].—L. [teste Nomen. anim.].
- Anatreche** G. Tüchsen, Isis (Munich) 35 1860, 75 [pro Oxygona, Mannerh.].
- Anaxarete** J. Gistl, Handb. Naturges. 1850 [1847], 584.—Med. [anim.].
- Ancanthocephalus** Zeder, Andit. Naturg. Entgewidew. 1803, 103; *pro* Ac→ [teste Nomen. anim.].
- Anchenia** P. Lund, Echo Monde sav. (1) V. 1830, 245; *pro* Au→, Ill. [teste Nomen. anim.].

- Anchenilabrus** L. Agassiz, Ann. Sci. Nat. (Zool.) (3) III. 1845, 47.—*[n. n., teste Nomen. anim.]*.
- Anchiterium** A. Pomel, Bull. Soc. géol. France [2] IV. 1847, 586; *pro* Anchith→, Meyer [*teste* Nomen. anim.]
- Ancholeus** Dejean (*ex* Ziegl. MS), Spec. Col. III. 1828, 229.—Col. [*teste* Nomen. anim.]
- Anchomenes** C. H. Burmeister, Arch. f. Nat. II (2) 1836, 307; *pro* A—us, Bon. [*teste* Nomen. anim.]
- Anchorella** A. Nordmann, Mikrogr. Beitr. II. 1830, p. xviii.—Cr. [*teste* Nomen. anim.]
- Anchylorhinus** J. Tschudi, Arch. f. Nat. XI (1) 1845, 364; *pro* Agril→, Bonap. [*teste* Nomen. anim.]
- Anchylorhynchus** C. J. Schoenherr, Gen. Curc. I. 1833, 20 [*teste* Nomen. anim.]
- Ancile** Herrmannsen, Indicis Gen. Malac. I. 1846, 49; *pro* Ancilia, 1787 [*teste* Nomen. anim.]
- Ancilia** v. **Ancilla** (*err.*), Meuschen, 1787. [*anim.]*
- Ancilla** Meuschen, 1787; *lege* Ancilia [*teste* R. W.]
- Ancilligenus** S. Renier, Tav. Classif. An. viii. 1807 [1804 *est*].—G. [*teste* Nomen. anim.]
- Ancistrocerus** C. L. Koch in Hahn, Arach. VII. 1839, pl. 227, f. 561; *pro* Ancistrotus [*teste* Nomen. anim.]
- Ancistrodon** J. Wagler, Syst. Amph. 1830, 176; *pro* Agkis→, Pal. 1799 [*teste* Nomen. anim.]
- Ancistroteuthes** *lege* Ancistroteuthis.
- Anculotus** T. Say, J. Acad. Nat. Sci. Philad. V (1) 1825, 128; *pro* Anculosa, 1821 [*teste* E. R. S.]
- Ancyclodon** H. R. Schinz in Cuvier, Thierr. II. 1822, 482; *pro* Ancyodon, Cuv. [*teste* Nomen. anim.]
- Ancyllus** J. E. Gray, London Med. Repos. XV. 1821, 231; *pro* Ancyus, Müll. 1774 [*teste* Nomen. anim.]
- Ancyloceras** L. Agassiz, Nom. Zool. (Col.) 1846, 10; *pro* A—a, Aud. [*teste* Nomen. anim.]
- Ancylorhynchus** A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 498.—Dipt. [*teste* Nomen. anim.]
- Ancyloscelis** A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 466.—Hym. [*teste* Nomen. anim.]
- Ancyloscelus** A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 565; *pro* A—lis [*teste* Nomen. anim.]
- Ancylostoma** Creplin, Arch. f. Nat. XI (1) 1845, 325; *pro* Agch→, Dub. [*teste* Nomen. anim.]
- Ancyrosoma** Amyot [*non binom.*] [*anim.]*
- Andraea** Hartmann in Pfeiffer, Mon. Helic. II. 1848, 538.—G. [*teste* E. R. Sykes].
- Andraena** Cuvier, Leg. Anat. I. 1800, tab. 8; *pro* Andrena, Fab. 1775 [*teste* Nomen. anim.]
- Androglossus** G. R. Gray, List Gen. Birds, 1840, 52; *pro* A—a, Vig. [*teste* Nomen. anim.]
- Andromeda** L. Agassiz, Nom. Zool. (Polyp.) 1844, 3; *pro* A—des, Montf. [*teste* Nomen. anim.]
- Andropadus** C. J. Sundevall, Overs. k. Vet. Ac. Förh. 1850, 100.—A. [*anim.]*
- androphora** Heteroura, C. T. v. Siebold, Arch. f. Naturg. II (1) 1836, 116.
- Anelcodiscus** J. Leidy, 1848; *teste* Marshall, 1852 *est*. [*anim.]*
- Anerastria** J. Huebner, Verz. bekannt. Schmett., Anz. 1826, 57; *pro* A—tia [*teste* Nomen. anim.]
- Anetes** A. Menge, Schr. Ges. Danzig, IV (3) 1850, 71.—Ar. [*teste* Nomen. anim.]
- Aneurhynchus** A. H. Haliday, Ent. Mag. I. 1833, 275; *pro* Aneurh→ [*teste* Nomen. anim.]
- Angiostoma** L. Agassiz, Nom. Zool. Index Univ. 1846, 22 & 23; *pro* Angy→, Brug. 1792 [*teste* Nomen. anim.]
- Angiostomum** F. Dujardin, Hist. Helminth. 1845, 3 & 653; *pro* A—a [*teste* Nomen. anim.]
- Angistrema** Haldeman, 1841; *err.* Marshall *pro* Angitrema.
- Angistrodon** J. E. Gray, Zool. Misc. 1842, 50; *pro* Agk→ [*teste* Nomen. anim.]
- anglica** Vertigo, Fér. Adde [*n. n.*]
- Angoleus** A. & J. Villa, Col. Europ. 1833, 5; *pro* Ancholeus, Dej. [*teste* Nomen. anim.]
- angouya** Mus, G. Fischer, Zoogn., ed. 3, III. 1814, 71.
- anguilliformis** Protopterus, R. Owen, Trans. Linn. Soc. London, XVIII. 1840, 322.
- Anguilla** Ehrenberg, Symb. Phys. (Evert.) 1831, sign. *a*₂.—Verm. [*non* Müll. 1786].
- angulalus** Derammum, Amyot [*dilectum est*].
- angulosa** Porcellana, Guérin, Bull. Soc. Sci. Nat. France [7] *incurte* 1836, 115.
- angusta** Malthea, p. 334; *err. pro* Malthe.
- Ani** C. Dumont, Dict. Sci. Nat. II., Suppl. 1816, 57.—A. [*teste* Nomen. anim.]

- Ania** J. F. Stephens in Shaw, Gen. Zool. (Aves) XII [2] 1822, 272.—A. [teste Nomen. anim.].
- Anisoceras** F. W. Hope, Col. Man. III, 1830, 293.—Col. Chrys. [n. n., teste Nomen. anim.].
- Anisomera** A. Brullé, Hist. Nat. Ins. 1831, 207.—Col. [teste Nomen. anim.].
- Anisoptera** A. Berthold in Latreille, Nat. Fam. Thier. 1827, 409 [vernac. 1825].—Orth. [teste Nomen. anim.]. [Nomen. anim.].
- Anisopus** E. Hitchcock, Mem. Amer. Ac. s. III, 1848, 167 & 226.—Amph. [teste Nomen. anim.].
- Anisorhina** H. Schaum, Ann. Soc. Ent. France [2] II, 1844, 405; *pro* Anisorrh→, Westw. [teste Nomen. anim.].
- Anisoscelis** A. Berthold in Latreille, Nat. Fam. Thier. 1827, 417 & 565 [vernac. 1825].—Col. [teste Nomen. anim.]. [teste Nomen. anim.].
- Anisteria** Westwood in Wyrill's Cuvier, Anim. Kingd. 1840, 194; *pro* Aristenia, Sav.
- Anlastoma** C. F. Moore, Insect. II, 1831, 200; *pro* Anl→, Moq.-T. [teste Nomen. anim.].
- Anliocephalus** Tschudi, Museum 1832, 73; *pro* Anl→ [teste Nomen. anim.].
- Annarrhichas** Gisl. Nat. Thier. 1845, 187 & 193; *pro* Anarrh→, L. 1758 [teste Nomen. anim.].
- Annatina** Griffith in Curvet, Anim. Kingd. XII, 1834, tab. 22; *pro* Anatina, Schum. [teste Nomen. anim.].
- annectens** Coccinus, Coccin. in Knoch, Germ. Gab. Messina, V, 1844, 21 [teste D. S. J.].
- annularis** Holcerantus? *lege* Holceranthus.
- annularis** Rhynchit. Kallibaque, Ann. of Nature, 1820, 8.
- annulata** Amphidibos, O. G. Costa, Fauna Regno Nap. (Cat. Crost.) 1840, 5 [n. n.].
- annulata** Cassini, J. C. Mikus, Delict. Bussel. [2] 1822 [teste C. W. R.].
- annulata** Cyprina, J. L. Gray, Zool. Journ. I (4) 1828, 318 [n. n.]; IV (13) 1828, 88.
- annulatus** Rataea, Amyot [delendum est]. [teste Tomlin].
- annulatus** Rhinodris, Amyot [delendum est].
- annulatus** Stenoporus, Amyot [delendum est].
- annulicornis** Leucostomus, Amyot [delendum est].
- annulipes** Galeodes, J. Gisl. Handb. Naturges. 1830 [1842], 626.
- Anodon** J. Wagner, Syst. Amph. Rhin. 34; *pro* Aodm. Less. [teste Nomen. anim.].
- Anodonte** Fischer de W. Mus. Demidoff, III, 1807, 250 & 321; *pro* A—tites, Brug. [teste Nomen. anim.].
- Anodonte** Fischer de W. Mus. Soc. Moscov. VI, 1821, 230; *pro* A—a [teste Nomen. anim.].
- Anodontigenus** Reuter, Tax. Classif. An. VII, 1807 [i.e. 1804].—L. [teste Nomen. anim.].
- Anodorhynchos** C. Boettg. Mon. Papag. 1842 [1843], 5; *pro* A—us, Spix [teste Nomen. anim.].
- Anodus** Burmeister (ex King MS), Handb. Ent. V, 1847, 292.—Col. [Scarab.] [teste Nomen. anim.].
- Anolena** C. Karsch, Mem. Stor. Nat. I, 1820, 19.—Cirr. [anim.].
- Anomaeus** J. F. Stephens, Cat. Brit. Ins. 1829, 5; *pro* Anomoeus, Fisch. [teste Nomen. anim.].
- Anomalocardia** Bruguière (ex Kham), Ency. Méth. (Vess) I [2] 1792, 537.—L. [teste Nomen. anim.].
- Anomaloptera** Amyot [non fecit]. [anim.].
- Anomalum** Billberg, Ström. Ins. 1800, 100; *pro* A—lon, Panz. [i.e. Jur.] [teste Nomen. anim.].
- Anomalus** Blanchard, Hist. An. arct. Ins. III, 1849, 328; *pro* A—lon, Panz. [i.e. Jur.] [teste Nomen. anim.].
- Anomia** Perskell, Dent. Anim. 1775, 174.—Pter. [teste Nomen. anim.].
- Anomigenus** S. Reuter, Tax. Classif. An. VII, 1807 [i.e. 1804].—L. [teste Nomen. anim.].
- Anomites** Martini, Berlin Mag. IV, 1766, 49.—Br. [teste Nomen. anim.].
- Anomya** L. Agassiz, Bull. Soc. Moscov. 1839, 173.—L. [teste Nomen. anim.].
- Anonychus** L. Agassiz, Num. Zool. Index Univ. 1846, 24; *pro* Anonychus, Schoen. [teste Nomen. anim.]. [Nomen. anim.].
- Anonyme** L. Agassiz, Num. Zool. Index Univ. 1846, 24; *pro* Anymone, Müll. 1776 [teste Nomen. anim.].
- Anoocerna** Murchison (ex Römer MS), Tr. Geol. Soc. London [2] III, 1832, 285.—M.
- anophthalma** Langlandia; *lege* Langelandia. [n. n., teste Nomen. anim.].
- Anoplax** M. de Serres, Géogr. terr. fr. 1829, 177 [= Anolax, teste E. R. Sykes].
- Anoplocheila** Westwood, Tr. Ent. Soc. London, V (6) 1849, 148; *pro* A—us, MacL. [teste Nomen. anim.].

- Anoplognathus** Macleay, Horae Ent. I (1) 1819, 143.—Col. [*teste* Nomen. anim.].
- Anoplomera** Guérin-M., 1844; *teste* Marshall, *err. pro* A—us.
- Anopthus** Dejean, Catal. Coléopt. 1821, 85.—Col. [*teste* Nomen. anim.].
- Anorthus** H. Loew, Ent. Zeit., Stettin, XI. 1850, 117.—Dipt. [*teste* Nomen. anim.].
- Anostoma** Rafinesque, Analyse, 1815, 88; *pro* A—us, Gron. 1763 [*teste* Nomen. anim.].
- Anothyreus** Dahlbom, Hymenopt. Europ. 1845, 519.—Hym.
- Anourella** Bory de St V., Dict. Class. H. N. II. 1822, 470 [*teste* Nomen. anim.].
- Anphinome** M. Sars, Bidr. Söedyr Naturh. 1829, 31; *pro* Amphinome, Brug. [*teste* Nomen. anim.].
- Anseranus** G. R. Gray, List Gen. Birds, 1840, 72; *pro* A—us, Less. [*teste* Nomen. anim.].
- anta** Rhinoceros, J. Gistl, Handb. Naturges. 1850 [1847], 271. [anim.].
- Antaceus** Heckel & Fitzinger, Ann. Wien. Mus. I. 1836, 269 & 293.—P. [*teste* Nomen.].
- Antafia** Mannerheim (*ex* Leach MS), Mém. prés. Ac. Sci. St Pétersb. I. 1830, 14, 18 & 87.—Col. [*teste* Nomen. anim.].
- Antelopa** Perry, Arcana, 1811, tab. 53; *pro* Antilope, Pall. [*teste* Iredale & Mathews].
- Antelope** Murr, Naturf. VII. 1775, 44; *pro* Antilope, Pall. [*teste* Nomen. anim.].
- antennatus** Caluthus, Amyot [*delendum est*].
- antennata** Macrocera (Panz.), P. A. Latreille, Ency. Méth. (Ins.) X (2) 1828, 528.—Eucera; *non* N. Dict. 1817.
- Anteonus** Rafinesque, Analyse, 1815, 125; *pro* Anteon, Jur. [*teste* Nomen. anim.].
- Anthacotherium** J. E. Gray, Ann. Phil. [2] X. 1825, 343; *pro* Anthrac—, Cuv. [*teste* Nomen. anim.].
- Anthalia** Zetterstedt, Isis (Oken), 1837, 31.—Dipt. [*n. n.*, *teste* Nomen. anim.].
- anthe** Papilio, Hoffmannsegg, Mag. f. Insektenk. (Illiger) V. 1806, 182 [*teste* A. F. H.].
- Anthemethus** Amyot [*non binom.*].
- Antheon** Billberg, Enum. Ins. 1820, 103; *pro* Anteon, Jur. [*teste* Nomen. anim.].
- Anthrophagus** Dejean, Catal. Coléopt. 1821, 45.—Col. [*teste* Nomen. anim.].
- Anthitesia** *id. ac* Antithesia, Steph.; Duponchel, Cat. méth. Lépid. Europe, *errata* 1845.
- Anthobates** J. Gistl, Handb. Naturges. 1850 [1847], 444.—Col.
- Anthochaessa** J. Gistl, Isis (Munich) (6) 1850, 82 [*pro* Andrena, Fab. 1775].
- Anthochaera** Thienemann, Fortpfl. ges. Vög. (3) 1845, 130; *pro* A—chaera, V. & H. [*teste* Nomen. anim.].
- Anthomya** Rafinesque, Analyse, 1815, 131; *pro* A—myia, Meig. [*teste* Nomen. anim.].
- Anthophila** Ochsenheimer, Schmett. Europ. IV. 1816, 93; *pro* Anto—, Huebn. [*teste* Nomen. anim.].
- Anthophora** J. Gistl, Nat. Thierr. 1848, p. viii; *pro* A—pora, Gray [*teste* Nomen. anim.].
- Anthoura** W. E. Leach, Edinb. Ency. VII. 1813–14, 387 & 404.—Cr. [*teste* Nomen. anim.].
- Anthozoon** J. Gistl, Handb. Naturges. 1850 [1847], 594.—Cor.
- Anthrena** J. K. Illiger, Mag. Ins.-Kunde, I. 1801, 127; *pro* Andrena, Fab. 1775 [*teste* Nomen. anim.].
- Anthribus** J. K. Illiger, Mag. Ins.-Kunde, I. 1801, 127; *pro* Anthribus, Fourc. 1780 [*teste* Nomen. anim.].
- Anthrodus** Schoenherr (*ex* Meg. MS), Gen. Curc. I. 1833, 129.—Col. [*teste* Nomen. anim.].
- Anthropsides** E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 502; *pro* A—pöides, Vieill. [*teste* Nomen. anim.].
- [**Anthuris**] (Anthuridis), Rudolphi, Entoz. syst. 1819, 244.—Verm. [*teste* Nomen. anim.].
- Antianira** G. Tilesius, Isis (Munich) (5) 1850, 75 [*pro* Megalouma, Westw.].
- Anticlia** J. Gistl, Handb. Naturges. 1850 [1847], 409.—Col.
- Antigone** J. E. Gray, Proc. Zool. Soc. London, XV. 1847, 15; *pro* A—a, Schum. [*teste* Nomen. anim.].
- Antilocapra** J. Brookes, Cat. Mus. Brookes, 1828, 64; *pro* Antilocapra, Ord [*teste* Nomen. anim.].
- Antilopus** Billberg, Syn. Scand., ed. 2, 1828, tab. A; *pro* A—e, Pall. [*teste* Nomen. anim.].
- Antimachus** J. Gistl, Handb. Naturges. 1850 [1847], 413.
- Antiodontalgicus** Dejean (*ex* Meg. MS), Catal. Coléopt. 1821, 97.—Col. [*teste* Nomen. anim.].
- antipodes** Hesperia, F. E. Guérin in Duperry, Voy. "Coquille" (Zool.) II (2) I., 282 *in syn.* [*teste* N. D. R.].
- antiqua** Cypricardia, Deshayes, Mém. Soc. géol. France, II. 1835, 47 [*n. n.*].
- antiquus** Geotrypus (Bl.), A. Pomel, Arch. Sci. Phys. Nat. IX. Oct. 1848, 160.—Talpa.
- antiqua** Mygale, A. Pomel, Arch. Sci. Phys. Nat. IX. Oct. 1848, 161.

- antiquus** Polliaepes, G. Michelotti, Bull. Soc. géol. France (1) X. 1829, 10 [n. 47]; Nat. Verh. Holland. Maat. Weten. Haarlem [2] III (2) 1847, 74.
- Antitypa** L. Agassiz, Nom. Zool. (Lep.) 1846, 6; *pro* A—e, Huebn. [teste Nomen. anim.].
- Antocephalus** Brenser, Icon. Helm. 1824, 12; *pro* Antho→, Rud. [teste Nomen. anim.].
- Antochaera** Sundevall, K. Svenska Vet. Ak. Handl. 1835 [1836], 99; *pro* Antho→, V. & H. [teste Nomen. anim.].
- Antomyia** Meigen, Syst. Besch. Zweifl. Ins. V. 1820, t. 44; *pro* Antho→ [teste Nomen. anim.].
- Antosoma** Latreille, Tabl. Ency. Meth. (Crust.), expl. t. [ad t. 269–397], p. 8, 1818; *pro* Antho→, Leach [teste Nomen. anim.].
- Antracotherium** Berthold in Latreille, Nat. Fam. Thierr. 1827, 59; *pro* Anthraco→, Desm. [teste Nomen. anim.].
- Antrax** Macquart, Mém. Soc. Lille, 1847, 193; *pro* Anthrax, Scop. 1763 [teste Nomen. anim.].
- Antronius** Zetterstedt (ex Dalm. MS), Ins. Lapp. (2) 1838, 442.—Hym. [teste Nomen. anim.].
- Antychus** v. Meyer, Isis, 1830, 819.—Ceph. [teste Nomen. anim.]. [anim.].
- Anula** Griffith in Cuvier, Anim. Kingd. XII. 1834, 70; *pro* Ovula, Brug. [teste Nomen. anim.].
- Anurella** Ehrenberg, Org. Syst. Inus. 1830, 68; *pro* Anourella, Bory [teste Nomen. anim.].
- Anysodactylus** Laporte, Hist. An. artic. Ins. I. 1835, 92 & 93; *pro* Ani→, Dej. [teste Nomen. anim.].
- Anysopteryx** Duponchel, Cat. Lép. 1845, 235; *pro* Ani→, Dej. [teste Nomen. anim.].
- Aonia** de Blainville, Dict. Sci. Nat. LVII. 1828, 479; *pro* Aonis, Sav. [teste Nomen. anim.].
- Aonix** Lesson, Nouv. Tabl. 1842, 72; *pro* Aonyx, 1827 [teste Nomen. anim.].
- Aoplocnemus** L. Agassiz, Nom. Zool. (Col.) 1846, 13; *pro* A—is, Schoenh. [teste Nomen. anim.].
- Apachya** Audinet-S., Hist. Ins. Orth. 1839, 54; *pro* A—us, 1831 [teste Nomen. anim.].
- Aparhais** [H. Beck], Ber. Vers. Deutsch. Naturf. XXIV. 1847, 116; *pro* Aporrhais, Costa, 1778 [teste Nomen. anim.].
- Apeltes** J. De Kay, N. H. New York, IV. 1842, 68.—P. [teste Nomen. anim.].
- apenninicus** Bombinator, J. Gistl, Handb. Naturges. 1850 [1847], 333. [anim.].
- Aphanes** H. Burmeister, Handb. Ent. II (1) 1835, 166; *pro* Aphaena, Guér. [teste Nomen. anim.].
- Aphanus** J. Gistl, Faunus, n. s. I. 1837, 111.—Hem. (Aphid.) [teste Nomen. anim.].
- Aphelia** Westwood, Proc. Zool. Soc. London, XVII. 1849, 61.—Lep. (Saturn.) [teste Nomen. anim.].
- Aphena** H. Burmeister, Handb. Ent. II (1) 1835, 166; *pro* Aphaena, Guér. [teste Nomen. anim.].
- Aphilocheira** C. G. Berendt, Bernst. Reste, I (1) 1845, 57; *pro* Aphel→, Steph. [anim.].
- Aphioides** C. Rondani, N. Ann. Sci. nat. Bologna, [2] VIII. 1847, 439.—Hem. [teste Nomen. anim.].
- aphirape** Papilio, Huebner, Samml. Eur. Schmett. I. 1799, ff. 23–25 [n. et f., text 1805, teste A. F. H.].
- Aphleбина** A. Grube, Arch. f. Nat. XVI (1) 1850, 329; *pro* Aphlëbine, vernac. Quatr. 1844 [teste Nomen. anim.].
- Aphorais** J. E. Gray, Ann. Nat. Hist. XX. 1847, 270; *pro* Aporrhais, Costa, 1778 [teste Nomen. anim.].
- Aphorrais** Swainson, Treat. Malac. 1840, 309; *pro* Aporrhais, Costa, 1778 [teste Nomen. anim.].
- Aphrodia** Audouin & Edwards, Ann. Sci. Nat. XXVII. 1832, 410; *pro* Aphrodita, L. 1758 [teste Nomen. anim.].
- Aphrodita** I. Lea; lege Aphrodita, Leach in G. B. Sowerby, II., Conch. Man. 1839, 7.—L.
- Aphrodite** Leske, Physiol. an. 1775, p. xv.—Verm. [teste Nomen. anim.].
- Apiaria** E. F. Germar in Muenster, Beitr. Petref. (5) 1842, 84.—Col. [teste Nomen. anim.].
- apicalis** *pro* Elaphoptera lege Elaphroptera.
- Apirhynchus** Latreille, Dict. Class. Hist. Nat. XIV. 1828, 597.—Col. [n. n., teste Nomen. anim.].
- apis** Filaria, J. N. Vallot, Concord. à Réaumur, 1802, 163.
- Apistasia** J. Huebner, Verz. Schmett., Regist. 1826, 27; *pro* A—osia [teste Nomen. anim.].
- Apisurus** Latreille, N. Dict. XXIV. 1804, 81; *pro* Aspisurus, Lac. [teste Nomen. anim.].
- Aplastus** Dejean, Catal. Coléopt. 1821, 90.—Col. [n. n., teste Nomen. anim.].

- Aplectrus** Chevrolat, Dict. Univ. Hist. Nat. II. 1842, 12.—Col. [*teste* Nomen. anim.].
- Aplentrus** Rafinesque, Amer. Month. Mag. IV. 1818, 107.—P. [*n. n.*, *teste* Nomen. anim.].
- Apleurotes** J. Gistel, Nat. Thierr. 1848, 149.—Hein. [*teste* Nomen. anim.].
- Apleurotis** C. S. Rafinesque, Amer. Month. Mag. IV. 1818, 107.—Br. [*n. n.*, *teste* E. R. S.].
- Aplidia** F. W. Hope, Col. Man. I. 1837, 101.—Col. [*teste* Nomen. anim.]. [*anim.*].
- Aplocentrus** J. L. Leconte, Ann. Lyceum New York, IV. 1847, 285.—Col. [*teste* Nomen. anim.].
- Aplocera** L. Agassiz, Nom. Zool. Index Univ. 1846, 29; *pro* Aplocera, Westw. [*teste* Nomen. anim.].
- Aplochelus** J. McClelland, Asiat. Res. XIX (2) 1839, 261 [*ante* A—cheilus, p. 301; *teste* Nomen. anim.].
- Aplocnemius** L. Agassiz, Nom. Zool. (Col.) 1846, 14; *pro* A—mus, Steph. [*teste* Nomen. anim.].
- Aplomus** Erichson, Arch. f. Nat. V (2) 1839, 374; *pro* O—, Spin. [*teste* Nomen. anim.].
- Aplomyia** L. Agassiz, Nom. Zool. Index Univ. 1846, 29; *pro* A—mya, Rob. [*teste* Nomen. anim.].
- Aplopus** Dejean, Catal. Coléopt. 1821, 86.—Col. [*n. n.*, *teste* Nomen. anim.]. [*anim.*].
- Aplosonyx** Chevrolat, Dict. Univ. Hist. Nat. II. 1842, 17.—Col. [*teste* Nomen. anim.].
- Aplustra** G. B. Sowerby, II., Conch. Man. 1839, 7; *pro* Aplustrum, Schum. [*teste* Nomen. anim.].
- Aplustre** G. B. Sowerby, II., Conch. Man., ed. 2, 1842, 70; *pro* Aplustrum, Schum. [*teste* Nomen. anim.].
- Aplydium** P. Gervais, Dict. Sci. Nat., Suppl. I. 1840, 410; *pro* Apli—, Sav. [*teste* Nomen. anim.].
- Apneumea** Quatrefages, Ann. Sci. Nat. (Zool.) [3] XIV. 1850, 286.—Verm. [*teste* Nomen. anim.].
- Apocoptoma** Kirby & Spence, Introd. Entom., ed. 5, III. 1828, 318.—Col. [*teste* F. J. G.].
- Apodes** Bloch, Beschäft. Berlin Ges. Fr. IV. 1779, 65.—P. [*teste* Nomen. anim.].
- Apolectis** Swainson, Hist. Classif. Fish. II. 1839, 440; *pro* Apolectus, Cuv. [*teste* Nomen. anim.].
- Apolectus** Bennett, Proc. Comm. Sci. Zool. Soc. London, 1831 (12), 146.—P. [*non* Cuv. & V., *teste* G. P. W.].
- Apolla** L. Oken, Isis, 1817, 1168; *pro* Apollon, Montf. [*teste* Nomen. anim.].
- Apollo** H. R. Schinz in Cuvier, Thierr. II. 1822, 685 & 829; *pro* Apollon, Montf. [*teste* Nomen. anim.].
- Apophylia** Chevrolat, Dict. Univ. Hist. Nat. II. 1842, 31.—Col. [*teste* Nomen. anim.].
- Apotoma** Gray in Griffith's Cuvier, Anim. Kingd. XIV. 1832, 278; *pro* A—us, Ill. [*teste* Nomen. anim.].
- appendiculata** Pera, Jenyns (*ex* Leach MS), Tr. Cambr. Phil. Soc. IV. 1832, 308, *in syn.*
- approximaria** Calpis, J. Huebner, Index Exot. Lepid. 1821, 1.—Geometra.
- Aptenodites** Lesson, Compl. Buffon, IX. 1837, 542; *pro* A—dytes, Mill. 1778 [*teste* Nomen. anim.]. [*anim.*].
- Aptenodyta** Gmelin, Syst. Nat., ed. 13, I. 1788, 242; *pro* A—dytes, Mill. 1778 [*teste* Nomen. anim.].
- Apteradytes** Bechstein, Gem. Nat. Deutschl., ed. 2, IV. 1809, 1215; *pro* Apteno—, Mill. 1778 [*teste* Nomen. anim.].
- Apterichtes** J. Fleming, Phil. Zool. II. 1822, 389; *pro* A—tus, Dum. 1806 [*teste* Nomen. anim.]. [*anim.*].
- Apterichtys** Schinz in Cuvier, Thierr. II. 1822, 829; *pro* A—tus, Dum. 1806 [*teste* Nomen. anim.].
- Apterix** F. Boie in Ersch & Gruber, Ency. [1] XX. 1829, 378; *pro* A—ryx, Shaw [*teste* Nomen. anim.].
- Apternarchus** Swainson, Hist. Classif. Fish. I 1838, 90; *pro* Sternarchus, Schn. [*teste* Nomen. anim.].
- Apterodytes** J. Hermann, Tabl. Affin. An. 1783, 235; *pro* Apten—, Mill. 1778 [*teste* Nomen. anim.].
- apterus** Pyrrhocoris (Fab.), C. W. Hahn, Icones Mon. Cimicum, 1826, fasc. 1.—Lygaeus, 1794.
- Apterygiornis** R. Owen, Tr. Zool. Soc. London, III (5) 1848, 347; *pro* Apterornis [*teste* Nomen. anim.].
- Aptycus** Deshayes in Lamarck, Hist. Anim. s. Vert., ed. 2, XI. 1845, 228; *pro* A—chus, Mey. [*teste* Nomen. anim.].

- Aquila** *Schizor in Cuvier*, *Thier*. II. 1822, 684 & 829; *pro* Aquilus, Montf. [*teste* Nomen. anim.].
- Aquilla** Endler & Scholz, *Schiltes*, *Naturf.* I. 1809, 50; *pro* Aquila, Br. 1760 [*teste* Nomen. anim.].
- Arabella** A. Grube, *Arch. f. Nat.* XVI [1] 1850, 293.—Verm. [*teste* Nomen. anim.].
- Arachnia** L. Agassiz, *Nom. Zool. Index Univ.* 1846, 31 & 32; *pro* Araschnia, Huebn. [*teste* Nomen. anim.].
- Arachnion** Keyserling, *Wiss. Besch. Petalobra-Lund*, 1846, 153.—Cor. [*teste* Nomen. anim.].
- arachnoides** Sergeest, *G. de Natal*, *Descr. Ploaria*, 1850, 19.
- Arachnopus** Westwood, *T. Ent. Soc. London*, 1842, 58.—Col. [*teste* Nomen. anim.].
- Arachnotera** Lesson, *Man. Orn. II.* 1848, 32; *pro* A—thera, Temm. [*teste* Nomen. anim.].
- Arachnotheres** Burmeister, *Handb. Naturg.* [21] 1837, 768; *pro* A—a, Temm. [*teste* Nomen. anim.].
- Aracnipes** Dejean, *Catal. Ciliop.*, 1821, 852.—Col. [*teste* Nomen. anim.].
- Aracocerus** Nordmann, *Mém. proc. Ac. Sci. St Pétersb.* IV. 1837, 157; *pro* Araeocerus [*teste* Nomen. anim.].
- arada** Myrmorus, J. Hermann, *Tall. Aff. Anim.* 1783, 211 [*teste* Stresemann].
- Araecnemis** Erichson, *Gen. Spec.* Staph. 1840, 301; *pro* A—us, Nordm. [*teste* Nomen. anim.].
- Arantor** J. Gistl, *Syst. Ins.* I. 1838, 116.—Col. [*teste* Nomen. anim.].
- Arapha** Herrich-S. in Hahn & H.-S., *Wanzenart. Ins.* IX. 1850, tab. 315; *pro* Araphe [*teste* Nomen. anim.].
- Araponga** Reichenow, *Av. Syst.* 1850, tab. 89; *pro* A—punga, Less. [*teste* Nomen. anim.].
- Aras** C. L. Brehm, *Vogel Deutschl.* 1831, 829; *err. pro* Anas, L.
- Arbicola** J. Gistl, *Handb. Naturges.* 1850 [1847], 500.—Dipt. [Nomen. anim.].
- Arboriphila** Gray, *Cat. Mammi. B. Nepal* Thibet, 1846, 127; *pro* A—ophila, Hodg. [*teste* Nomen. anim.].
- Arhorocola** G. R. Gray, *Gen. Birds*, 1846, 506; *pro* A—icola, Strickl. [*teste* Nomen. anim.].
- arcadicus** Carabus, J. Gistl, *Handb. Naturges.* 1850 [1847], 622.
- Arcana** Gray, 1838; *err.* Sherborn, p. 427, *pro* Aracana, q. v.
- arcas** Papiho, Rottensburg, *Naturforscher*, VI. 1775, 25 [*teste* A. F. H.].
- d'Arcet** Satyrus, Lefebvre, *Ann. Soc. Ent. France*, I. 1832, 89 [*teste* A. F. H.].
- Archaea** Leonhard & Bronn, *N. Jahrb. Min.* 1845, 871; *pro* Archia, Ber. [*teste* Nomen. anim.].
- Archaiia** L. Agassiz, *Nom. Zool. (Polyp.)* 1844, 3; *pro* Archaias, Montf. [*teste* Nomen. anim.].
- Archarias** L. Agassiz, *Nom. Zool. (Col.)* 1846, 15; *pro* Archarius, Dahl [*teste* Nomen. anim.].
- archiaci** Ostrea, d'Archiac (ex Bellardi MS), *Hist. Progr. Géol.* III. 1850, 273 [*teste* L. R. C.].
- Archibuteo** C. L. Brehm, *Isis (Oken)*, 1828, 1269.—A. [*n. n.*, *teste* Nomen. anim.].
- Archibutes** L. Agassiz, *Nom. Zool. (Aves)* 1842, 6; *pro* A—teo, Brehm [*teste* Nomen. anim.].
- Archigenus** S. Renier, *Tav. Classif. An.* 1807 [*i.e.* 1804] vii.—L. [*teste* Nomen. anim.].
- Archonta** J. Gistl, *Handb. Naturges.* 1850 [1847], 418.—Col.
- Arcomya** L. Agassiz, *Verz. schw. nat. Gesellsch.* XXV. 1838, 104.—L. [*n. n.*].
- Arcotrichias** Cabanis, 1850; *err.* Sherborn *pro* Cercotrichas [*teste* C. W. R.].
- arcticus** Colymbus, T. Brown, *Ill. Amer. Orn.* 1835, *Syst. Index*, p. iii.
- arcticus** Octopus, V. Prosch, *K. Danske Vid. Selsk. Skr.* I. 1849, 59 [*teste* R. W.].
- Arctinurus** Castelnau, *Ess. silur. Amér.* 1843, 21.—Cr. [*teste* Nomen. anim.].
- Arctitis** Burmeister, *Handb. Naturg.* 1837, 817; *pro* Arctictis, Temm. [*teste* Nomen. anim.].
- Arctomis** F. Cuvier, *Mém. Mus. Paris*, IX. 1813, 293; *pro* A—mys, Schr. 1780 [*teste* Nomen. anim.].
- Arctomychia** Scudder, *Nom. Zool.* 1882 (Suppl. List), 31.—*err. pro* Arctonychia, Hermannsen, Jan. 1852, *qui est err. pro* Ambonychia, Hall, 1847.
- Arctomys** H. Small, *Anim. N. Amer.* 1846, 69; *pro* A—mys, Schr. 1780 [*teste* Nomen. anim.].
- arctos** Ursus, L., *varr.* auritus, canus, carpathicus, montanus; G. Tilesius, *Isis (Munich)* (1) 1850, 11.
- Arcturus** Berthold in Latreille, *Nat. Fam. Thierr.* 1827, 283 & 565.—Cr. [*teste* Nomen. anim.].
- Arcturus** J. E. Gray (ex Humphr. MS), *Zool. Beechey's Voy.* 1839, 152.—L. [*teste* Nomen. anim.].
- Arcturus** A. A. Gould, *Rept. Invert. Massach.* 1841, 94 (*in syn.*).—L. [*teste* E. R. S.].
- Arctus** Hahn in Siebold, *F. Japon. (Crust.)* 1849, 238.—Cr. [*teste* Nomen. anim.].
- arcuatus** Medusites, Germar in Keferstein, *Deutschl.* IV. 1825, 108.
- arcuata** Pandora, Hanley, *Recent Shells*, 1842, 49 [*teste* R. W.].
- Arcyra** J. Gistl, *Nat. Thierr.* 1848, p. x.—Lep. [*teste* Nomen. anim.].

- Ardaea** C. Dumont, Dict. Sci. Nat. II. 1804, 467; *pro* Ardea, L. 1758 [teste Nomen. anim.].
- arenacea** Leprelia, G. Johnston (*ex* Bean MS), Hist. Brit. Zooph., ed. 2, 1817, 312 [n. n., *teste* S. F. H.].
- Arenaria** S. Renier, Tav. Classif. An. 1807 [*i.e.* 1804] viii.—Verm. [Moll.] [*teste* Nomen. anim.].
- Arenarius** C. Dumont, Dict. Sci. Nat. [ed. 1] IV. 1805, 189; *pro* A—a, Briss. 1760 [*teste* Nomen. anim.].
- Arenarius** J. Gisl, Nat. Thierr. 1848, p. viii.—*inc. sed.* [*teste* Nomen. anim.].
- arenarius** Tupinambis; Bory de St V. in I. Geoffroy, Descr. Egypte (Rept. 1827), 123 [*teste* Male. Smith].
- Arencola** P. Gervais, Dict. Sci. Nat., Suppl. I. 1840, 339; *pro* Areni—, Lam. [*teste* Nomen. anim.].
- areolatum** Plectropoma, Rueppell, Atlas zu Rueppell, Reise (Senck. Nat. Ges.) Fische, 1831, [193] Index [*teste* G. P. W.].
- Aretharius** F. W. Hope, Col. Man. II. 1838, 89; *pro* A—rea, Say [*teste* Nomen. anim.].
- Arethusa** C. L. Bonaparte, Icon. Faune Ital. (29) [punct. 117], Rana esculenta, 1838, p. 2.—Amph. [*teste* Nomen. anim.].
- Aretia** F. Poey, Cent. Lep. Cuba (2) 1832, tab.; *pro* Arctia, Schr. [*teste* Nomen. anim.].
- Aretomys** Thon in Ersch & Gruber, Ency. I. 1830, 449; *pro* Arctomys, Schr. 1780 [*teste* Nomen. anim.].
- Argeneiorus** Schinz in Cuvier, Thierr. II. 1822, pp. x, 351 & 829; *pro* A—sus, Lac. [*teste* Nomen. anim.].
- Argeniosus** Swainson, Hist. Classif. Fish. I. 1838, 89; *pro* Argeneiosus, Lac. [*teste* Nomen. anim.].
- argenteus** Butirinus, Jerdon, Madras Journ. XV. 1849, 343. [anim.].
- argentea** Sciaena, Cuvier & Val. (*ex* Kuhl & v. Hass. MS), H. N. Poiss. V. 1839, 95 [*teste* G. P. W.].
- argentiflua** Sphinx, [Esper], Mag. n. ausl. Ins. (1) 1794, 3.
- argiades** Papilio, Esper, Die Schmett., Suppl., 1 Abschn., Tagschm. 1793, 49 [*teste* A. F. H.].
- Argicthius** Swainson, Hist. Classif. Fish. II. 1839, 51; *pro* Argyctius, Raf. [*teste* Nomen. anim.].
- Argina** J. Huebner, Index Exot. Lepid. 1821, 6.—Lep. [anim.].
- Argiope** Audouin in Savigny, Descr. Egypte, ed. 2, XXII. 1827, 328; *pro* Argyope, Sav. [*teste* Nomen. anim.].
- Argobuccinum** Bruguière (*ex* Klein), Ency. Méth. (Vers) I. 1792, 531.—G. [*teste* Nomen. anim.].
- Argolis** Boissudal, Spec. gén. Lépid. I. 1836, expl. tab. p. 2.—Lep. [*teste* Nomen. anim.].
- argonensis** Lutraria, Matheron, p. 460; *lege* urgonensis. [anim.].
- Argycthis** Swainson, Hist. Classif. Fish. I. 1838, 37; *pro* Argyctius, Raf. [*teste* Nomen. anim.].
- Argycthius** Swainson, Hist. Classif. Fish. II. 1839, 178 & 440; *pro* Argyctius, Raf. [*teste* Nomen. anim.].
- Argyeeus** Billberg, Enum. Ins. 1820, 77; *pro* Argyreus, Scop. 1777 [*teste* Nomen. anim.].
- Argyneosus** Swainson, Hist. Classif. Fish. I. 1838, 87; *pro* Argyreiosus, Lac. [*teste* Nomen. anim.].
- Argyope** Davidson, Bull. Soc. géol. France [2] VII. 1850, 65; *pro* Argiope, Desl. [*teste* Nomen. anim.].
- Argyopes** Latreille in Cuvier, Règne Anim., ed. 2, V. 1829, 548; *pro* Argyope, Sav. [*teste* Nomen. anim.].
- Argyregosus** Schomburgk, Hist. Barbados, 1848, 678; *pro* Argyreiosus, Lac. [*teste* Nomen. anim.].
- Argyreios** Duméril, Zool. anal. 1806, 332; *pro* Argyreiosus, Lac. [*teste* Nomen. anim.].
- Argyreosus** Swainson, Hist. Classif. Fish. I. 1838, 81; *pro* Argyreiosus, Lac. [*teste* Nomen. anim.].
- Argyreus** Cuvier & Valenc., H. N. Poiss. IX. 1833, pp. xx & 177; *pro* Argyreiosus, Lac. [*teste* Nomen. anim.].
- Argyrites** Westwood, Introd. Classif. Ins. II. 1840, Syn., 151; *pro* A—tis, Latr. [*teste* Nomen. anim.].
- argyromelas** Seriola, Cuvier & Valenc., H. N. Poiss. IX. 1833, pl. 262 [err. 260] [*teste* G. P. W.].
- Argyroplaca** J. Huebner, Verz. bekannt. Schmett., Anz. 1826, 62; *pro* A—e [*teste* Nomen. anim.].

- Argyrostromus** L. ~~Agassiz~~, Nom. Zool. Index Anim. 1846, 33; *pro* A—s, Huebner, [teste Nomen. anim.].
- Argyrus** J. Heckel in Russegger, Reise, II (3) 1849, 348; *pro* Argyreus, 1843 [teste Nomen. anim.].
- Ariadne** L. Agassiz, Nom. Zool. (Arach.) 1843, 2; *pro* Ariadna, Sav. [teste Nomen. anim.].
- ariel** Collocalia, J. Gould, Birds Austr. (9) Dec. 1842 [teste G. M. M.].
- Aries** H. Link [non Briss.], Beytr. Naturg. II. 1795, 96.—M. [Bovidae] [teste Nomen. anim.].
- arimanon** Psittacus, J. Hermann, Tabl. Aff. Anim. 1783, 182 [teste Stresemann].
- aristaea** Papilio, Hoffmannsegg, Mag. f. Insektenk. (Illiger) III. 1804, 183 [teste A. F. H.].
- aristodemus** Papilio, Esper, Mag. neu-ausland. Ins. 1794, 8 [teste A. F. H.].
- aristolochiae** Papilio, Pall.; Esper, Die Schmett. I (2) Fort. Tagschm. 1780, 19 [teste A. F. H.].
- Aritnoema** Guérin-M., Iconogr. Ins., pl. 35 [1829]; *pro* A—meina [teste Nomen. anim.].
- Arkas** J. Gistel, Handb. Naturges. 1850 [1847], 572.—Coele.
- armatus** Mesochastus, J. Gistel, Handb. Naturges. 1850 [1847], 396.
- armatus** Sisyphus, Gory, Mon. gen. Sisyph. 1833, 13.
- Armida** J. Gistel, Handb. Naturges. 1850 [1847], 566.—L.
- Armideus** A. & G. Villa, Coleopt. Eur. 1833, 16.—Col. [teste Nomen. anim.].
- Armidius** F. W. Hope, Col. Man. II. 1838, 94; *pro* Armidus, Boisd. [teste Nomen. anim.].
- Armodillus** P. Wagner, Besch. Bayreuth. Nat.-Kab. 1763, 4.—M. [teste Nomen. anim.].
- arnauta** Prionus, J. Gistel, Handb. Naturges. 1850 [1847], 426.
- Arnica** L. Oken, Isis, 1817, 32; *pro* Arenicola, Lam. [teste Nomen. anim.].
- Aroelius** M. Spinola, Ess. Hémipt. 1837, 344.—Hem. [teste Nomen. anim.].
- Arpactes** H. M. Edwards [Roret's Suite à Buffon], Crust. III. 1840, 609 [Arpacticus, p. 490.—Cr.
- Arquata** J. Gistel, Handb. Naturges. 1850 [1847], 300.—A. [anim.].
- Arricola** E. M. Selvs, Ess. Mon. Campagnola, 1836, tab. 2; *pro* Arvicola, Lac. [teste Nomen. anim.].
- arsilache** Papilio, Huebner, Beitr. Schmett. II. 1790, pl. 1 (u. et f., teste A. F. H.).
- Artaxus** J. Gistel, Nat. Thierr. 1848, 216.—Col. [teste Nomen. anim.].
- Artemia** R. P. Lesson, Rev. Zool. II. 1839, 197; *pro* Artamia, Geoffr. [teste Nomen. anim.].
- Artemiderma** Poil.; H. D. de Blainville, Dict. Sci. Nat. X. 1818, 216 [teste E. R. S.].
- Artemis** Kirby & Spence, Introd. Entom., ed. 3, III. 1828, 248.—Lep. [teste F. J. G.].
- Artemisia** Latreille in Cuvier, Règne Anim. III. 1817, 68.—Cr. [teste Nomen. anim.].
- Arthemidoderma** L. Agassiz, Nom. Zool. Index Univ. 1846, 34; *pro* Arthemiderma, Poli, 1795 [teste Nomen. anim.].
- Artibaeus** J. Brookes, Cat. Mus. Brookes, 1828, 26; *pro* Artibeus, Leach [teste Nomen. anim.].
- artiscon** Dipodina, C. G. Ehrenberg, Vossisch. Zeitg., Nov. 1842; Inhaltsverz. S.B. Ges. Nat. Fr. Berlin, 1860, 5.
- artophis** Conus, G. B. Sowerby, I. [ex Humph. MS], Couch. Illustr. (33) 1833, f. 35 [teste Testelin].
- Arum** Vicia in Cocks, 17 Ann. Rep. R. Cornwall Polyt. Soc. 1840, 90.—Hydroz. [teste arundinacia Ripaerola, J. Rennie, Time's Telescope, 1833, 24. Stechow].
- arvens** Sylvia, W. Macgillivray, Edinb. Journ. N. H., July 1836, 53 [teste C. W. R.].
- arvernensis** Mygale, A. Ponce, Arch. Sci. Phys. Nat. IX. Oct. 1848, 162.
- arvernensis** Palaeomys, Latzer & Parieu, L'Institut, VII. 1839, 34.
- Arvicanthus** *lego* A—s [teste Nomen. anim.].
- Arvicula** S. D. W., The Analyst, IV. 1826, 72; *pro* Arvicola, Lac. [teste Nomen. anim.].
- Arycia** Berthold in Latreille, Nat. Fam. Thierr. 1827, 228; *pro* Aricia, Sab. [teste Nomen. anim.].
- Arythaena** Deshayes, Encyc. Méth. (Vers) II (1) 1830, 75; *pro* Arytene, Ok. [teste Nomen. anim.].
- asari** Corvus; *lego* Corvus.
- Asbolus** Voet, Besch. Ins. II. 1793, 91.—Col. [teste Nomen. anim.].
- Ascaris** Güntherus, Skt. Kloben. Selsk., N. 1778, 173.—Vertu. (Nemert.) [teste Nomen. anim.].
- Ascavis** Rudolphi, Arch. Zool. Zoot. II (2) 1802, 31; *pro* Ascaris, L. 1758 [teste Nomen. anim.].
- Ascedia** L. Basr, Hist. Vers., ed. 2, I. 1827, 119; *pro* Ascidia, L. 1767 [teste Nomen. anim.].

- Ascephasma** de Haan in Temminck, Verh. Nederl. Bezitt. Zool. Mus. Orthopt. 1842, 107 & 113; *pro* Aschip→, Westw. [*teste* Nomen. anim.].
- Asceidea** J. De Kay, Zool. New York, V. 1843, 259; *pro* Ascidia, L. 1758? [*teste* Nomen. anim.].
- Ascidi** McMurtrie in Cuvier, Anim. Kingd. 1834, 271; *pro* Ascidia, L. 1767 [*teste* Nomen. anim.].
- Ascolopax** Bonaparte, N. Ann. Bologna, VIII. 1842, 251; *pro* Ascalopax, K. & B. [*teste* Nomen. anim.].
- Ascra** T. Say, N. Spec. Ins. Barabino, 1832, 8.—Hem. [*teste* Nomen. anim.].
- asellinus** Labroides, J. Richardson, Rept. 12 Brit. Assoc. 1842 (1843), 24; Ann. Mag. N. H. XI. 1843, 426 [n. n., ex Solander MS, *teste* G. P. W.].
- Asidax** J. Gistel, Handb. Naturges. 1850 [1847], 149.—Col. [? = Asida].
- asilus** Trochilus, J. Rennie, Time's Telescope, 1833, 22.
- asinata** Phalaena, J. C. Fabricius, Mant. II. 1787, 204 [*teste* W. H. T. Tams].
- Askaris** Humboldt, Ansicht. Nat. I. 1808, 162; *pro* Ascaris, L. 1758 [*teste* Nomen. anim.].
- asper** Citharus, Reinhardt, Dansk. Vid. Selsk. Afh. VII. 1838, 130 [n. n.].
- Aspergilligenus** Renier, Tav. Classif. An. 1807 [i.e. 1804] viii.—L. [*teste* Nomen. anim.].
- aspersus** Conus, G. B. Sowerby, I., Conch. Illustr. (28) 1833, f. 16 [*teste* Tomlin].
- aspersus** Hylesinus; v. **adspersus**.
- Asphaea** L. Agassiz, Nom. Zool. (Polyp.) 1844, 3; *pro* Aspreum, Raf. [*teste* Nomen. anim.].
- Asphedophorus** Swainson, Hist. Classif. Fish. II. 1839, 181 & 440; *pro* Aspido→, Lac. [*teste* Nomen. anim.].
- Asphidophorus** Swainson, Hist. Classif. Fish. II. 1839, 272; *pro* Aspido→, Lac. [*teste* Nomen. anim.].
- aspidana** Tortrix, Froelich, Tort. Würt. 1828, 96 [aspididana, Huebn.].
- Aspidiformis** Fitzinger, Syst. Verz. (= Limax); *err.* Scudder, Nom. Zool. 1882 (Suppl. List), 34, *pro* Aspidoporus, q. v.
- Aspidiophoroides** D. Storer, Rep. Fish. Rept. B. Massach. 1839, 417; *pro* Aspido→, Lac. [*teste* Nomen. anim.].
- Aspidoclonium** L. Agassiz, Nom. Zool. (Rept.) 1844, 4; *pro* A—ion, Wagl. [*teste* Nomen. anim.].
- Aspidogaster** K. E. v. Baer in Férussac, Bull. Sci. IX. 1826, 124.—Verm. Trem., in 1827 Verm. Turb. [*teste* Nomen. anim.].
- Aspidonota** A. Brullé, Hist. Nat. Ins. IX. 1835, 129.—Or. [*teste* Nomen. anim.].
- Aspidospirus** Ehrenberg, Ber. Ak. Berlin, 1844, 75 [et A—al] [*teste* Nomen. anim.].
- Aspidoura** J. Gistel, Nat. Thierr. 1848, 176; *pro* A—dura, Ag. [*teste* Nomen. anim.].
- Aspistes** J. Gistel, Nat. Thierr. 1848, p. viii; *pro* Apistus, Cuv. [*teste* Nomen. anim.].
- Aspistes** J. Gistel, Nat. Thierr. 1848, p. viii; *pro* Aspistis, Wagl. [*teste* Nomen. anim.].
- Apistus** J. Gistel, Nat. Thierr. 1848, 193; *pro* Apistus, Cuv. [*teste* Nomen. anim.].
- Aspreum** Rafinesque, Analyse, 1815, 157.—? Coel. [n. n., *teste* Nomen. anim.].
- Assilina** A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 48 [*teste* E. H.-A.].
- assimilis** Gryllus, J. Gistel, Handb. Naturges. 1850 [1847], 625.
- Astarte** de Blainville, Dict. Sci. Nat. LVII. 1828, 434.—Verm. [*teste* Nomen. anim.].
- Astathes** J. Gistel, Handb. Naturges. 1850 [1847], 607.—Inf.
- Astenurus** Bonaparte, Giorn. Arcad. XLIX. 1831, 39; *pro* Asth→, Sw. [*teste* Nomen. anim.].
- Asteriacites** Schlotheim, Petrif. Nachtr. I. 1822, 71.—Rh. [*teste* Nomen. anim.].
- Asteriatites** Schlotheim, Taschenb. Min. VII. 1813, 109; *pro* A—cites, 1822.
- Asteriscus** Ehrenberg, Ber. Ak. Berlin, 1842, 266.—? Porif. [*teste* Nomen. anim.].
- Asterocycles** L. Vanuxem, Geol. New York (3rd Distr.) 1842, 136.—Cor.
- asterodactylus** Leptopus, A. F. J. C. Mayer, Anal. vergl. Anat. I. 1835, 34.
- Asteroides** L. Agassiz (ex Blainv. *vernac.*), Nom. Zool. (Polyp.) 1844, 4.—Anth. [*teste* Nomen. anim.].
- Asteropa** L. Agassiz, Nom. Zool. (Lep.) 1846, 9; *pro* A—e, Huebn. [*teste* Nomen. anim.].
- Asterope** J. Huebner, Index Exot. Lepid. 1821, 6.—Lep.
- Asteropora** L. Agassiz, Nom. Zool. (Polyp.) Add. 1845, 1; *pro* Astreo→, Bl. [*teste* Nomen. anim.].
- Asteropteryx** Swainson, Hist. Classif. Fish. II. 1839, 183; *pro* Asteropterix, Ruepp. [*teste* Nomen. anim.].
- Astigerina** F. J. Pictet, Traité Pal. IV. 1846, 515; *pro* Aster→, Orb. [*teste* Nomen. anim.].

- Astraea** L. Oken, *Lectio. Nat.* III (1) 1815, pp. v & 827; *pro* Astrea, Lam. [*teste* Nomen. anim.].
- Astrapetes** L. Agassiz, *Nom. Zool.* (Lep.) 1846, 9; *pro* A—is, Huebn. [*teste* Nomen. anim.].
- Astrapetis** J. Huebner, *Index Exot. Lepid.* 1821, 1.—Lep.
- Astraphidokrates** J. Gistel, *Handb. Naturges.* 1850 [1847], 617.—Prot.
- Astreopora** F. McCoy, *Carb. Foss. Ireland*, 1844, 191.—2 Porif. [*teste* Nomen. anim.].
- Astridium** J. D. Dana, P. Amer. Ac. II. 1849, 61.—Pantop. [*teste* Nomen. anim.].
- Astroblepas** Swainson, *Hist. Classif. Fish.* I. 1838, 342; *pro* A—us, Humb. [*teste* Nomen. anim.].
- Astrocaenia** Edwards & Hatme, *Ann. Sci. Nat. (Zool.)* [3] X., 287; *pro* A—coenia [*teste* Nomen. anim.].
- Astrodactylus** J. Hegg, *Mag. Nat. Hist.*, n. s. III. 1839, 270 & 271; *pro* Astero—, Wagl. [*teste* Nomen. anim.].
- Astrolepis** Eichwald, *Bull. Ac. St. Petersb.* VII. 1840, 79.—P. [*teste* Nomen. anim.].
- Astrophyllia** Ehrenberg, *Abh. Ak. Berlin*, 1832 [1834], 322.—Anthoz. [*teste* Nomen. anim.].
- Astrora** G. Michelotti, *Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem* (2) III (2) 1847, 42.—1 err. *pro* Astrea.
- Asturia** J. E. Gray, *Zool. Misc.* 1842, 58; *pro* Aturia, 1840 [*teste* Nomen. anim.].
- Astuta** Rafinesque, *Analys.* 1815, 125; *pro* Astatus, Latr. [*teste* Nomen. anim.].
- astyanax** Papilio, J. C. Fabricius, *Ent. Syst.* III (1) 1793, 13 [*teste* A. F. H.].
- Astytosternus** F. Werner, *Verh. Ges. Wien*, XLVIII. Abh. 1818, 200.—Amph. [*teste* ataja *Holocanthus*; *lege* *Holacanthus*.]
[Nomen. anim.].
- Atelapha** [Leach], *Ann. Phil.* XVI. 1820, 104; *pro* Atalapha, Raf. [*teste* Nomen. anim.].
- Atelocera** L. Agassiz, *Nom. Zool.* Index Univ. 1846, 39; *pro* Atelocera, Lap. [*teste* Nomen. anim.].
- Ateleptera** J. Dalman [ex Hoffm. MS], *Anal. Ent.* 1823, 34.—Panorp. [*teste* Nomen. anim.].
- Atelicerca** Spinola, *Mem. Soc. Ital.* XXV. 1850, 71; *pro* Atelocera, Lap. [*teste* Nomen. anim.].
- athemis** Papilio, Lang. Verz. Schmett., ed. 2, 1789, 43 [*teste* A. F. H.].
- athene** Papilio, Borkhausen, *Nat. Eur. Schmett.* I. 1778, 71 [*teste* A. F. H.].
- atra** *pro* Elaphoptera *lege* Elaphroptera.
- ater** *pro* Sarochalinus *lege* Sarochalinus.
- aterrima** Hrudé, *Rafinesque, Ann. of Nature*, 1820, 10.
- aterrima** Trachusa; *non* Tachusa. [Nomen. anim.].
- Atax** Latreille in Cuvier, *Règne Anim.*, ed. 2, III. 1830, 289; *pro* Atax, Fab. [*teste* Athes].
- Atheles** Ruessell, *Abh. Mus. Senckenb.* III. 1842, 152; *pro* Ateles, Geoff. [*teste* Nomen. anim.].
- Athene** G. R. Gray, *List Birds Coll. B. M. I.* 1844, 50; *pro* Athene, Boie [*teste* Nomen. anim.].
- Athous** Eschscholtz in Thon, *Ent. Arch.* II (1) 1829, 33.—Col. [*teste* Nomen. anim.].
- Athyrium** Berthold in Latreille, *Nat. Fam. Thierr.* 1827, 359; *pro* Athyreus, MacL. [*teste* Nomen. anim.].
- Atites** Griffith, *Ann. Kingd.* VIII. 1829, 391; *pro* Actitis, Ill. [*teste* Nomen. anim.].
- atlantica** Dadone (Forst.), J. Gistel, *Handb. Naturges.* 1850 [1847], 563.—Glaucus, 1777.
- atlantica** Dermochelis, Lesueur in Cuvier, *R. Anim.*, ed. 2, II. 1829, 14.
- Atolmis** J. Huebner, *Index Exot. Lepid.* 1821, 3.—Lep.
- atomarius** Fatuellus, J. Gistel, *Handb. Naturges.* 1850 [1847], 440.
- atomaria** Muraena, J. Richardson, *Zool. "Ereb.-Terr."* (Fish, 1848), 86 [*teste* G. P. W.].
- Atonia** J. Gistel, *Handb. Naturges.* 1850 [1847], 404.—Col.
- Atrachela** J. Gistel, *Handb. Naturges.* 1850 [1847], 404.—Col.
- Atractocerus** Pallas; *lege* Col. *non* Hym. [Nomen. anim.].
- Atractomerus** Duponchel & Chevrolat, *Dict. Univ. Hist. Nat.* II. 1842, 312.—Col. [*teste* Atractourus].
- Atractourus** Pallas de B., *Décade Phil.* [v. 30] An. IX. Trim. 4 (nr. 36), p. 516, 1802.—Col. [*teste* Nomen. anim.].
- Atramentarius** W. Buckland, *Geol. & Min.* 1830, tab. 44.—Ceph. [*teste* Nomen. anim.; *sed non comp.*].
- atrata** Chernites, J. Gistel, *Handb. Naturges.* 1850 [1847], 553.
- atratus** Papilio, Esper, *Die Schmett.*, Suppl. 1 Abschn., Tagschm. 1793, 60 [*teste* A. F. H.].
- atratus** Picus, E. Blyth, *Journ. Asiatic Soc. Bengal*, XVIII. 1849–50, 803 [*teste* G. P. W.].
- Atremosia** Rafinesque, *Cont. Mon. Shells Ohio*, 1831.—Br. [*teste* Agassiz].
- atricapilla** Anas, B. Merrem in Ersch & Gruber, *Allg. Ency.* XXXV. 1841, 26.

- atricapillus Hydros, Reiauw ; F. Bate, Isis (Oken), 1827, 581.
- atricapilla Philomela, J. Rennie, Time's Telescope, 1833, 22.
- Atricha E. Sladen, Zoologist, III. 1845, 942; *pro* Atrichia, Gould.
- Atrichea E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 447; *pro* Atrichia, Gould.
- Atrichia J. Gould, Birds of Austral. (14) 1 Mar. 1844.
- atricollis Coccythraustes, L. P. Vieillot, N. Diet. H. N. XIII. 1817, 347 [*teste* C. W. R.].
- Atropia Bonaparte, Consp. Avium (1) 1850, 416; *pro* Astrapia, Vieill.
- atten Thyrstites, J. Richardson, Tasmanian J. Sci. I. 1842, 108 [*err. pro* *atim*, C. & V., *teste* G. P. W.].
- attenuatus Hypolithus, Erichson in Klug, Doubl. Verz. Senegall. Ins. 1842, 3.
- Attilus J. Gistel, Handb. Naturges. 1850 [1847], 356.—P.
- atritum Theridion, H. Nicolet in Gay, Chili, III (Arach.) 1849, 542.
- Atya delendum Tr. Linn. Soc. XI (2) 1815, 345.
- Atychia Latreille, Gen. Crust. Ins. IV. 1809, 214.—Cr. [*teste* Nomen. anim.].
- Atymius J. Gistel, Handb. Naturges. 1850 [1847], 404.—Col.
- Atysite Toulouzan & Negrel in Villeneuve, Stat. Bouches-du-Rhône, I. 1824, 356.—? Porif. [*teste* Bronn].
- Aucheria F. Cuvier, Dict. Sci. Nat. LIX. 1829, 512; *pro* Auchenia, Ill. [*teste* Nomen. anim.].
- aucupatorius Boleophthalmus, J. Richardson, Voy. "Sulphur" (Ichth.) 1845, 148 [*teste* G. P. W.].
- daubebartii Melanopsis, C. Prévost, Bull. Sci. Soc. Philom. Paris, 1821, 136.
- Aulachorhinus C. J. Schoenherr, Isis (Oken), 1823, 1142.—Col. [*teste* Nomen. anim.].
- Aulacorynchus Swainson, Hist. Classif. Birds, II. 1837, 138 & 299; *pro* A—rhynchus, Gould.
- Aulascoscelis Chevrolat, Dict. Hist. Nat. II. 1842, 338.—Col. [*teste* Nomen. anim.].
- Aulacostoma Wiegmann & Ruthe, Handb. Zool. 1832, 507.—Verm. [*teste* Nomen. anim.].
- Aulacostomum Grube, Annelida est.
- Aulacostomum Siebold & Stanuius, Lehrb. vergl. Anat. I. 1848, 187; *pro* Aulastoma, M.-T. [*teste* Nomen. anim.].
- Aularodus J. Brookes, Cat. Mus. Brookes, 1828, 52; *pro* Aulacodus, Temm. [*teste* Nomen. anim.].
- Auletes Burmeist., Handb. Naturg. (2) 1837, 714; *pro* Auletris, Wagl. [*teste* Nomen. anim.].
- Aulpio L. Agassiz, Nom. Zool. (Polyp.) 1844, 4; *pro* Aulopium, Raf. [*teste* Nomen. anim.].
- Aulocopium p. 567; *lege* Spongia *pro* Cor.
- Aulopium Rafinesque, Analyse, 1813, 156.—Anth. [*n. n.*, *teste* Nomen. anim.].
- Aulopoma Troschel, Vossisch. Zeitg., Nov. 1846; Inhaltsverz. S. B. Ges. nat. Fr. Berlin, 1860, 16.—G.
- Aulostoma Wiegmann, Arch. f. Naturg. I (1) 1835, 342; *pro* Aulas—, M.-T. [*teste* Nomen. anim.].
- Aulostomum Diesing, Syst. Helm. I. 1850, 461; *pro* Aulastoma, M.-T. [*teste* Nomen. anim.].
- aurantias Picus, Bodd.; *err. pro* aurantina.
- aurantina Picus, P. Boddaert, Table Pl. Enl. 1783, 43.
- auratus Mytilus, G. I. Molina, Sagg. stor. nat. Chili, 1810, 179. [*teste* G. P. W.].
- auratus Trachinotus, J. Richardson, 13 Rept. Brit. Assoc. 1845 (Cambr.) 1846, 270
- aureovittatus Mullus, G. Shaw, Gen. Zool. IV. 1803, 618 [*teste* G. P. W.].
- aurea Tupha (Mont.), J. E. Gray in S. F. Gray, Brit. Plants, 1821, 356.—Spongia.
- auricularis Certhia, [G. Fischer], Mus. Mosq. 1822, 17 [*n. n.*].
- Auriculigenus Renier, Tav. Classif. An. 1807 [1804] viii.—G. [*teste* Nomen. anim.].
- Auriculites 1845 est.
- auritus Mus, G. Fischer, Zoogn., ed. 3, III. 1814, 71.
- aurocapilla Fringilla, T. Nuttall, Man. Orn., ed. 2, I. 1840, 555. [*teste* A. F. H.].
- aurorina Colias, Herrich-S., Syst. bearb. Schmett. Europ. I [?] 1845, tab. 95 [*n. et f.*,
- aurulentus Trochilus, Audebert & V., Ois. dorés, I (2) 1801, 29 (fo.), 34 (4to.), pls. 12, 13 [*teste* C. W. R.].
- australasiae Ardea, Ency. Méth. (Orn. III) 1823, 1130 [*teste* C. W. R.].
- australasiae Myxoides, J. Brookes, Cat. Anat. Mus. J. B. 1828, 52.
- australis Ardea; *err.* Sherborni *pro* australasiae [*teste* C. W. R.].
- australis Cela, Illiger in Archiv der Naturges. I (1) 1826, 33.

- australis** Diprotodon, R. Owen, Ann. Mag. N. H. XIV (61) Oct. 1844, 268.—*Dinotherium*, 1845.
- australis** Pipra, J. Hermann, Tabl. Aff. Anim. 1783, 223 [*teste* Stresemann].
- australis** Senex, J. E. Gray in Jardine & Selby, Ill. Orn., text to pl. xxiv, 1839.
- Autolycus** J. Gistel, Handb. Naturges. 1850 [1847], 426.—Col.
- Automolus** Burmeister, Handb. Ent. IV (2) 1848, 192 & 209.—Col. [*teste* Nomen. anim.].
- Autonomea** Desmarest, Dict. Sci. Nat. XXVIII. 1823, 326 & 421; *pro* A—maea, Risso [*teste* Nomen. anim.].
- Autonomoea** Berthold in Latreille, Nat. Fam. Thierr. 1827, 566; *pro* A—maea, Risso
- Autrochenon** G. R. Gray, Gen. Birds, I. 1840, p. viii; *pro* Autruchon, Temm. [*teste* Nomen. anim.].
- Auxora** J. Gistel, Ins. Doubl. Walworth, 1834, 3.—Col. [*teste* Nomen. anim.].
- Auzea** F. Walker, List Lepid. Coll. B. M. XXVI. 1826, 1487.—Lep. [*teste* Nomen. anim.; sed ? ann.].
- Avahis** P. Gervais, Ros. Mam. 1848 [*teste* Mivart, *apud* "Nomen. anim.," *pro* Avahi, Jourd.].
- averano** Ampelis, J. Hermann, Tabl. Aff. Anim. 1783, 211 & 214 [*teste* Stresemann].
- Averna** J. Gistel, Nat. Thierr. 1848, p. viii.—G. [*teste* Nomen. anim.].
- Avicula** Brug. 1791; Index Anim. I. 101, 1792 est *teste* B. B. W.
- avicularia** Teraphosa, J. Gistel, Handb. Naturges. 1850 [1847], 514.
- aviculina** d'Orbigny in Dubois de M., Reise Caucasus, VI. 1843, 350 [*teste* Scudder].
- Avocettes** G. R. Gray, List Gen. Birds, 1840, 14.—A. [*teste* Nomen. anim.].
- Awahi** Burmeister, Handb. Naturg. (2) 1837, 827; *pro* Avahi, Jourd. [*teste* Nomen. anim.].
- axillaris** Brauchypus, O. G. Costa, Fauna Regno Nap. (Cat. Crost.) 1840, 7 [n. n.].
- Aximea** Griffith in Cuvier, Anim. Kingd. XII. 1834, 103; *pro* Axinaea, Poli [*teste* Nomen. anim.].
- Axinea** Rafinesque, Analyse, 1815, 147; *pro* Axinaea, Poli [*teste* Nomen. anim.].
- Axinopalpus** Redtenbacher, F. Austr., Käfer, 1849, 490 & 502.—Col. (Ceram.) [*teste* Nomen. anim.].
- Axinosophus** Boheman, Ins. Caffr. I (1) 1848, 57; *pro* A—psophus, Chaud. [*teste* Nomen. anim.].
- Axiotheata** Lacordaire in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 387.—Col.
- Axolot** Bonaparte, Giorn. Arcad. XLIX. 1831, 77.—Amph.
- Aygypius** F. Boie, Isis (Oken), 1822, 548; *pro* Aegypius, Sav. [*teste* Nomen. anim.].
- Aymene** Schweigger, Handb. Nat. 1820, 601; *pro* Clymene, Ok. [*teste* Nomen. anim.].
- azarae** Anas, B. Merrem in Ersch & Gruber, Allg. Ency. XXXV. 1841, 27.
- Babirusa** Rafinesque, Analyse, 1818, 56; *pro* Babyrousa, Perry [*teste* Nomen. anim.].
- Bacca** Rondani, N. Ann. Bologna (2) II. 1844, 468; *pro* Baccha, Fab. [*teste* Nomen. anim.].
- Baccinum** Deshayes, Ency. Méth. [Vers II (1) 1830, 141; *pro* Buc—, L. 1758 [*teste* Nomen. anim.].
- Bacis** F. W. Hope, Rev. Zool. IV. 1841, 113.—Col. [*teste* Nomen. anim.]. [anim.].
- Bactria** J. W. Meigen, Syst. Besch. Zweifl. Ins. II. 1820, 307.—Dipt. [*teste* Nomen. anim.].
- bactriana** Entlia; *lege* Eutylia.
- Bactrocera** J. Macquart, Hist. Ins. Dipt. II. 1835, 452.—Dipt. [*teste* Nomen. anim.].
- Baculithes** Schweigger, Handb. Naturg. 1820, 752; *pro* B—tes, Lam. 1799 [*teste* Nomen. anim.].
- Bacyphora** Wiegmann, Arch. f. Naturg. 1844; *err. pro* Baryphora, q. v. [anim.].
- badimottah** Saurus, E. Rueppell, N. Wirbelth. Abyssin. (2) 1837, 77 [*teste* G. P. W.].
- Badismus** Dejean, Catal. Coléopt. 1821, 95.—Col. [n. n., *teste* Nomen. anim.].
- baelatus** Turbo, L., O. A. L. Mörch in Indbydelsesk. off. Exam. Nykjöbing Cathedralskole, 1840, 62 [n. n.].
- Baeonidium** M. Perty, Mitt. Ges. Bern, 1849, 34.—Inf. [*teste* Nomen. anim.].
- Baetamontia** Bonaparte & Schlegel, Mon. Loxiens, 1850, p. xii; *pro* Bustamantia, Bonap. [*teste* Nomen. anim.].
- Bagris** W. Swinhon, Hist. Classif. Fish. I. 1828, 48; *pro* Bagrus, Raf. [*teste* Nomen. anim.].
- Bainopus** G. R. Gray, Cat. Hodgson Coll. B. M. 1840, 91.—A. [*teste* Nomen. anim.].
- bajeri** Mecochirus, E. F. Germar in Kieferstein, Deutschl. IV. 1826, 103. [anim.].
- Balaenopterus** J. Brookes, Cat. Mus. Brookes, 1828, 38; *pro* B—a, Lac. [*teste* Nomen. anim.].

- balanaticus** Mytilus, Desh.; Viquesnel, Mém. Soc. géol. France, V (1) 1842, 88 [err. *pro* balatonica Congeria, Partsch].
- Balanigenus** Renier, Tav. Classif. An. 1807 [i.e. 1804] vii.—Cr. [*teste* Nomen. anim.].
- baldichierensis** Conus, S. Borson, Cat. coll. min. Mus. [Turin] 1830, 606 [n. n.].
- Balearius** G. R. Gray, Gen. Birds, III 1849, 48.—A. [*teste* Nomen. anim.].
- Balenoptera** Duméril, Zool. Anal. 1806, 28; *pro* Balaen→, Lac. [*teste* Nomen. anim.].
- Balenopterus** F. Cuvier, Dict. Sci. Nat. LIX. 1829, 59; *pro* Balaenoptera, Lac. [*teste* Nomen. anim.].
- Baleo** H. Beck, Ber. Vers. Deutsch. Naturf. XXIV. 1847, 116; *pro* Balea, Gray [*teste* Nomen. anim.].
- Balinus** J. Hasselt, Alg. Konst. Letter-Bode, 1823, II. 232; *pro* Bulinus, Scop. 1777 [*teste* Nomen. anim.].
- Ballantia** Serres, Ess. Cavernes, ed. 3, 1838, 201; *pro* Balantia, Ill. [*teste* Nomen. anim.].
- ballus** Polyommatus (Fab.), var. undulatus, Gerhard, Vers. Mon. europ. Schmett. (2) 1850, 5 [*teste* A. F. H.].
- Baloena** Lesson, Man. Mamm. 1827, 425; *pro* Balaena, L. 1758 [*teste* Nomen. anim.].
- Baloenoptera** Lesson, Man. Mamm. 1827, 427; *pro* Balaen→, Lac. [*teste* Nomen. anim.].
- balteatus** Diagramma; *pro* Ruhi lege Kuhl.
- Barbacou** F. Voigt in Cuvier, Thierr. V. 1831, 703.—A. [*teste* Nomen. anim.].
- Barbacu** Berthold in Latreille, Fam. Nat. Thierr. 1827, 75 & 566.—A. [*teste* Nomen. anim.].
- Barbacus** J. Brookes, Mus. Brookes, 1830, 93.—A. [*teste* Nomen. anim.].
- barbatus** Calcecephalus; *err. pro* Calocephalus.
- barbata** Trophonia, Audouin & Edwards in Edwards in Cuvier, Règne Anim. (disciples' ed.) (Ann.) 1848, 46 [n. n.].
- Barbibistes** Lucas, Explor. Algér. (Artic.) III. 1849, 20; *err. pro* Barbitistes, Charp.
- Barbula** Humplreys, Mus. Calonne, 1797, 59; *teste* Deshayes, Ency. Méth. II. 1830, 110; *sic* Scudder [*teste* E. R. S.].
- Bariphonus** Cuvier, Règne Anim., ed. 2, I. 1829, 443; *pro* Bary→ [*teste* Nomen. anim.].
- Barissia** J. E. Gray, Cat. Lizards Coll. B. M. 1845, 46, 54, 55 & 279; *pro* Barisia [*teste* Nomen. anim.].
- barnesii** Voluta, J. E. Gray, Zool. Journ. I. 1825, Add. post Index, [p. 603].
- baro** Ophisurus, J. E. Gray, Ill. Indian Zool. (5) Jan. 1831, plate.
- Barrabandius** Bonaparte, C. R. Ac. Sci. Paris, XXX. Feb. 1850, 133.—A. [*teste* Nomen. anim.].
- Barrita** Swainson, Hist. Classif. Birds, I. 1836, 256; *pro* Barita, Cuv. [*teste* Nomen. anim.].
- Barryphonus** Vieillot, Anal. Orn. 1816, 69; *pro* Bary→ [*teste* Nomen. anim.].
- barthelemyi** Acridium (Gryllus), F. W. Hope, Descr. Ins. foss. [1848], 5.
- barthii** Orcula, Troschel, Vossisch. Zeitg., Feb. 1845; Inhaltsverz. S. B. Ges. nat. Fr. Berlin, 1860, 16.
- Barypus** Laporte, Etud. Ent. (1) 1834, 70; *pro* Baripus, Dej. [*teste* Nomen. anim.].
- Basaris** Rueppell, Abh. Mus. Senckenb. III (2) 1842, 161; *pro* Bassaris, Licht. [*teste* Nomen. anim.].
- Baselaphus** Jardine, Naturalist's Libr. IV (Mamm.) 1836, 177; *pro* Bos→ [*teste* Nomen. anim.].
- Basileuterus** Schomburgk, Guiana, III. 1848 [1849], 666.—A. [*teste* Nomen. anim.].
- Basilicus** Oppel, Ordn. Rept. 1811, 19; *pro* Basiliscus, Laur. 1768 [*teste* Nomen. anim.].
- Basilicus** Salter, Mem. geol. Surv. U. Kingd. (2) 1849, expl. pl. 5.—Cr. [*teste* Nomen. anim.].
- Basilina** Reichenbach, Avium Syst. 1849, tab. 39; *pro* Basiliina, Boie [*teste* Nomen. anim.].
- Basiliscus** Macgillivray, Hist. Brit. Birds, II. 1839, 407.—A. [*teste* Nomen. anim.].
- baska** Emys, J. E. Gray, Ill. Indian Zool. (4) Oct. 1830, plate.
- Bassaris** J. Huebner, Index Exot. Lepid. 1821, 4.—Lep.
- basteroti** Venus, Desh.; lege 1839.
- Basus** Hofmann, Verz. Ins. Latreille, 1834, 12; *pro* Bassus, Fab. [*teste* Nomen. anim.].
- Bathiergus** Rueppell, N. Wirbelth. Abyssin. Säugeth. 1835, tab. 12; *pro* Bathy→ [*teste* Nomen. anim.].
- Bathyrinchus** McClelland, Quart. J. Calcutta Soc. (4) 1837, 531.—A. [*teste* Nomen. anim.].
- Batrachion** Chevrolat, Dict. Univ. H. N. II. 1842, 500.—Col. [*teste* Nomen. anim.].
- Batrachopus** Goldfuss, Handb. Zool. II. 1820, 110.—P. [*teste* Nomen. anim.].

- Batrachopus** Hitchcock, Abstr. Proc. Assoc. Amer. Geol. 1845, 22.—Amph. [teste Nomen. anim.].
- Batrachus** Schaeffer, Epist. Stud. Ichth. 1766, 20.—P. [teste Nomen. anim.].
- Batrachoides** Berthold in Latreille, Nat. Fam. Thierr. 1827, 136; *pro* Batrachoides, Lac. [teste Nomen. anim.].
- Batus** Thunberg, Mém. Ac. St Pétersb. VIII. 1822, 307.—Col. [teste Nomen. anim.].
- batus** Sphinx, J. C. Fabricius, Ent. Syst. III (1) 1793, 377; *err. pro* butus, Cr. 1777 [teste W. H. T. Tams].
- Bdellia** Westwood in Blyth's Cuvier, Anim. Kingd. 1840, 399; *pro* Bdella, Sav. [teste Nomen. anim.].
- Bdeogale** W. Peters, Vossisch. Zeitz., Juno 1850; Inhaltsverz. S. B. Ges. nat. Fr. Berlin, 1860, 13.—M.
- Bdeogale** W. Peters, Spencersche Zeit. 1830, 25.—M. [teste Nomen. anim.].
- bedeguaris** Misocampa [L.], Latreille, N. Dpt. H. N., ed. 2, XXI. 1818, 217.—Ichneumon.
- Belemnita** Rafinesque, Analyse, 1815, 148.—Ceph. [teste Nomen. anim.]. [1758.
- belemnita** Nautilus, Gmelin, 1790; Index Anim. I, 110.—1791 *est* teste B. B. W.
- "Belemnophora"** J. F. Gray, teste Marschall; *sed nom. fam.* 1849, teste Chenu, Man. Conch. 1849, 46.
- Beleophorus** F. Hope, Col. Man. II. 1838, 105.—Col. [teste Nomen. anim.].
- Belerophon** Münster, Beitr. Petref. (4) 1841, 124; *pro* Bell→, Montf. [teste Nomen. anim.].
- bellargus** Papilio, Rottenburg, Naturforscher, VI. 1775, 25 [teste A. F. H.].
- Bellerophina** d'Orléans, Pal. Franç. (Crét.) Gast. 1843, 410 & pl. 236.—G.
- Bellerophon** Conrad, Journ. Ac. Philad. VIII (2) 1842, 268; *pro* Bellerophon, Montf. [teste Nomen. anim.].
- bellidice** Papilio, Ochsenheimer, Schmett. Europa, I (2) 1808, 159 [teste A. F. H.].
- bellii** Uromastix, Gray; *non est* Zool. Journ. III. 1827, 216, *sed* belliana, p. 220 [teste Mac. Smith].
- Belone** Oken, Lehrb. Naturg. III (2) 1816, pp. iii & 102.—P [teste Nomen. anim.].
- Belorhynchus** Schoenherr, Gen. Curc. IV (2) 1838, 868 & 870; *pro* Belorhynchus, Guér. [teste Nomen. anim.].
- Beluga** S. Gmelin, Reise Russl. III. 1774, 240.—P. [teste Nomen. anim.].
- Bembix** Fabricius, Syst. Ent. 1775, p. xi.—Hym. [teste Nomen. anim.].
- Benthophilus** Eichwald, Zool. spec. III. 1831, 77.—P. [teste Nomen. anim.].
- Beprotera** Sodoifsky, Bull. Soc. Moscou, VI. 1837, Etym. Unters., 11.—Lep. [teste Nomen. anim.].
- Bethylus** Panzer, Krit. Revis. II. 1806, 133; *pro* Bethylus, Latr. [teste Nomen. anim.].
- Bethylus** Cabanis, Arch. f. Naturg. XIII (1) 1847, 329; *pro* Bethylus, Cuv. [teste Nomen. anim.].
- betulae** Thecla, var. spinosae; Gerhard, Vers. Mon. europ. Schmett. (1) 1850, 3 [teste A. F. H.].
- betulinus** [Clonoms] (Pall.), G. Tilesius, Isis (Munich) 1850, 28.—Mus, 1779.
- biangulatus** Fusus, G. P. Deshayes in Laborde, Voy. Arab. Pétrée, 1830, 66.
- Biapholius** H. M. de Blainville (ex Leach), Man. Malac. 1825, 574 [= Hiatella].
- Biapillaria** J. Wade, Syst. Zool. 1842, 7; *pro* Bipapillaria, Lam. [teste Nomen. anim.].
- Biblis** Lesson, Rev. Zool. III. 1840, 145.—A. [teste Nomen. anim.].
- biblis** Didonis, J. Huebner, Index Exot. Lepid. 1821, 2.—Papilio.
- biblis** Papilio, Drury, Ill. Nat. Hist. I [1773], Index et p. 9 [teste A. F. H.].
- Bibronia** Comco in Krohn, Giorn. Gab. Messina, V. 1844, 15 [teste D. S. J.].
- bibula** Musca, C. R. W. Wiedemann, Aussereurop. Zweifl. Ins. II. 1830, 672 [n. n.].
- bicaudalis** Ostracien, Cuvier, Planches de Seba (5) 1827, 5.
- bicolor** Conus, G. B. Sowerby, I., Conch. Illustr. (28) 1833, f. 18 [teste Tomlin].
- bicolor** Conus, G. B. Sowerby, I., Conch. Illustr. (37) 1833, f. 56 [teste Tomlin].
- bicolor** Holocanthus; *lege* Holacanthus.
- bicolor** Opatrum, C. P. Thunberg, Opatum Ins. gen. 1821, 32.
- bicolor** Palaestrída, White; *non* Palestrida.
- bicolor** Triarthra, Steph.; *lege* Triarthria.
- Bicornius** Raf. 1815; *non anim.* [teste Nomen. anim.].
- bicostatus** Ammonites, Stahl, Wuertt. Landw. Ver. Corr.-Blatt, VI. 1824, 49.

- bicrenata** Serpularia, G. v. Muenster, Beitr. Petref. (3) 1849, 115.
bifasciatus Chaetodon, G. Shaw, Gen. Zool. IV. 1803, 342 [*teste* G. P. W.].
bifasciatus Pilophorus (Fab.), C. W. Halm, Icones Mon. Cimicum, 1826, fasc. 1.—*Capom.*
bifloccosus Lissomus, Laporte, Rev. Entom. III (4) 1835, 179.
bifurcus Gadus, J. G. Walbaum, Artedi Gen. Pisc. 1792, 137.
biguttata Anaspis; *lege* Anaspis. [Cimex, 1758].
biguttatus Distactus (L.), C. J. B. Amyot, Ann. Soc. Ent. France, III (4) 1846, 433—
bilineata Diptoxops, Rafinesque, Ann. of Nature, 1820, 9.
Bimbidium Boisduval, Voy "Astrolabe" (Ent.) II. 1835, 48; *pro* Bem→ [*teste* Nomen. anim.].
Binoculus Müller, Zool. Dan. Prodr. 1776, pp. xxvii & 200.—Cr. (Cop.) [*teste* Nomen. anim.].
Binoculus Fourcroy, Ent. Paris, 1785, 539.—Cr. (Phyll.) [*teste* Nomen. anim.].
Biphora Bory, Voy. Iles Afr. I. 1804, 134.—Hydroz. [*teste* Nomen. anim.].
bipunctata Phaleria, M. de Serres, Essai Anim. midi France, 1822, 68.
Birrhus Fourcroy, Ent. Paris, 1785, 25; *pro* Byrrhus, Geoffr. 1762 [*teste* Nomen. anim.].
Biseriaria H. M. de Blainville, Dict. Sci. Nat. LX. 1830, 446.—Hydroz. [*teste* Stechow]
Bisnaeus G. B. Sowerby, II., Conch. Man. 1839, 117; *pro* Bisneus [*teste* Nomen. anim.].
bispinator Limia; *lege* Lamia.
Bissonius J. E. Gray, List Mamm. Coll. B. M. 1843, 153; *pro* Bisonus, Hodgs. [*teste* Nomen. anim.].
bistortae Phalaena, Vallot, Concord. à Réaumur, 1802, 20 [*teste* L. B. P.].
bistriolatus Halipilus (Dufts.), J. Sturm, Deutschl. Fauna (Insecten) VIII. 1834, 159.—
Bitis J. E. Gray, Zool. Misc. 1842, 69.—R. [*teste* Nomen. anim.]. [Dytiscus.
bivittatus *pro* Thripobotus *lege* Thripobrotus.
blabera Serville, Hist. Ins. Orth. 1839, 74.—Orth. [*teste* Nomen. anim.].
Blagrus Blyth, J. Asiat. Soc. Bengal, XV. 1846, 369.—A. [*teste* Nomen. anim.].
Blainvillia Chiaje, Mem. Stor. Not. IV. 1829, 204.—L. [*teste* Nomen. anim.].
blandiatrix Eurhipia, J. A. Boisduval, Gen. et Ind. Méth. 1840, 122 [*n. n.*].
Blenitrachus Swainson, Hist. Classif. Fish. II. 1839, 182 & 274; *pro* Blenni→ [*teste* Nomen. anim.].
Blennichis (Blennichus), Swainson, Hist. Class. Fish. II. 1839, 74 & 79; *pro* Blennechis, Val. [*teste* Nomen. anim.].
Blennobdella Blanchard in Gay, Hist. Chili (Zool.) III. 1849, 49.—Verm. [*teste* Nomen. anim.].
Blenocampa Tischbein, Ent. Zeit. (Stettin) VII. 1846, 113; *pro* Blenno→, Hartig [*teste* Nomen. anim.].
Blepharis J. Macquart, Mém. Soc. Lille, 1838, no. 3, tab. 8, f. 1.—Dipt. [*teste* Nomen. anim.].
Blepsis Swainson, Hist. Classif. Fish. II. 1839, 269; *pro* Blepsias, Cuv. [*teste* Nomen. anim.].
Blissus Burmeister, Handb. Ent. II. 1835, 290.—Hem. [*teste* Nomen. anim.].
Bobsus C. Steven, Mus. Univ. Mosq. 1829, 20.—Col. [*teste* Nomen. anim.].
Bodian Latreille, N. Dict. XXIV (Tabl. méth.) 1804, 83; *pro* Bodianus, Bl. [*teste* Nomen. anim.]. [anim.].
Bogmar L. Oken, Lehrb. Naturg. III (2) 1816, 18; *pro* Bogmarus, Schn. [*teste* Nomen. anim.].
bohor Redunca, E. Rueppell, Verz. Mus. Senckenb. (1) 1842, 50 [*n. n.*]; Wagner in Schreber, Säugth. (Suppl.) IV. 1844, 425 [*teste* R. L.].
boiei Leptopus, A. F. J. C. Mayer, Anal. Vergl. Anat. I. 1835, 34.
Bolbocerus Kirby & Spence, Introd. Entom., ed. 5, III. 1828, 328.—Col. [*teste* F. J. G.].
Bolbotina Herrmannsen, Ind. Gen. Malac. I (2) 1846, 117.—Ceph. [*teste* Nomen. anim.].
bolcanus Sparus, Volta, Ittiol. (c. 1800), pl. lix [*teste* G. P. W.].
Boleticola Andersch in Hoppe, Ent. Taschenbuch, II. 1797, 165.—Col. [*teste* Nomen. anim.].
Bolithophilus Gisl, Faunus, I. 1832, 137.—Col. [*teste* Nomen. anim.]. [anim.].
Bolitochara Mannerheim, Mém. prés. Ac. St Pétersb. I. 1831, 489.—Col. [*teste* Nomen. anim.].
Boloniana d'Orbigny, Prodr. 1849 [*teste* Nomen. anim.; *sed triv. non gen. est.*].
Bombicilla Kaup, Entwickgesch. 1829, 191; *pro* Bombycilla, Vieill. [*teste* Nomen. anim.].
Bombycia J. F. Stephens, Ill. Brit. Ent. (Haust. III.) 1829, 57.—Lep. [*teste* Nomen. anim.].
Bomia E. Forbes, Malac. Monen. 1838, 49; *pro* Bornia, Ph. [*teste* Nomen. anim.].

- Bomolocus** H. M. Edwards, H. N. Crust. VI. 1840, 478; *pro* *Bomolochus*, Nordm. [*teste* Nomen. anim.].
- bonapartii** Setophaga, T. Brown, III. Amer. Orn. 1833, Syst. Index, p. 1.
- Bonelia** Blanchard, Ann. Sci. Nat. (Zool.) [3] VIII. 1847, 135; *pro* *Bonellia*, Rol. [*teste* Nomen. anim.].
- Bonnellia** F. Dujardin, Dict. Univ. H. N. II. 1842, 648; *pro* *Bonellia*, Rol. [*teste* Nomen. anim.].
- Bonocephalus** Barrande, Not. prelim. Trilob. 1846, 11; *pro* *Co*→ [*teste* Nomen. anim.].
- Bopyrum** Rafinesque, Analyse, 1815, 100; *pro* *B*→s, Latr. [*teste* Nomen. anim.].
- borbonica** Motacilla, Bory de St V., Voy. Mers Afriq. II. 1804, 400 [*non* Gm., *teste* R. B. S. & W. L. S.].
- borbonica** Phyllida, G. Cuvier, Bull. Sci. Soc. Philom. I (1) 1797, 105 [*teste* B. B. W.].
- bore** Papilio, Esper, Die Schmettt., Suppl. 1 Abschn., Tagschm. 1793, 37 [*teste* A. F. H.].
- borealis** Minotilta, T. Nuttall, Man. Orn., ed. 2, I. 1840, 705.
- borealis** Muscivora, T. Brown, III. Amer. Orn. 1835, Syst. Index, p. 1.
- borealis** Penelope, T. Nuttall, Man. Orn., ed. 2, I. 1840, 780.
- Borelia** L. Agassiz, Nom. Zool. (Polyp.) 1844, 4; *pro* *Borehs*, Montf. [*teste* Nomen. anim.].
- Boreophila** Guenee in Duponchel, Cat. méth. Lépid. Europe (2) 1845, 195.—Lep. [*teste* W. H. T. T.].
- Boreophilus** L. Agassiz, Nom. Zool. Index Univ. 1846, 49; *pro* *Borea*→, Sahlb. [*teste* Nomen. anim.].
- Boreus** Latreille, N. Diet. H. N. IV. 1816, 152.—Neur. [*teste* Nomen. anim.].
- Boridea** Swainson, Hist. Classif. Fish. II. 1839, 172 & 441; *pro* *Boridia*, Cuv. [*teste* Nomen. anim.].
- borsoni** Mastodon, I. Hays, 1834; sep. 1833 *est*. [anim.].
- Bostaurus** MacLeay, Tr. Linn. Soc. London, XVI (1) 1829, 28; *pro* *Bot*→ [*teste* Nomen. anim.].
- Bostrichoides** C. Duméril, Zool. Anal. 1806, 332; *pro* *Bostry*→, Lac. [*teste* Nomen. anim.].
- Bostrichoides** L. Oken, Lehrb. Naturg. III (2) 1816, 21; *pro* *Bostrychoides*, Lac. [*teste* Nomen. anim.].
- Bothirocephalus** Slawikowski, Abh. Wurm. Mensch. 1819, 25; *pro* *Bothrio*→, Rud. [*teste* Nomen. anim.].
- Bothriopterus** L. Agassiz, Nom. Zool. (Col.) 1846, 21; *pro* *B*→pterus, Chaud. [*teste* Nomen. anim.].
- Bothrohaplophilus** Bronn, 1808 [*teste* Nomen. anim.; *sed* ? 1908].
- Bothrydium** Blanchard, Ann. Sci. Nat. (Zool.) [3] X. 1848, 364; *pro* *Bothridium*, Bl. [*teste* Nomen. anim.].
- Bothus** C. L. Bonaparte, Icon. Faun. Ital. (Pesci, Index, 1841), [2].—P. [*teste* J. R. N.].
- Botridium** Leblond, Ann. Sci. Nat. [2] VI. 1836, 304 & 305; *pro* *Bothridium*, Bl. [*teste* Nomen. anim.].
- Botrilloides** P. Gervais, Dict. Sci. Nat. (Suppl.) I. 1840, 409; *pro* *Botryll*→, Edw. [*teste* Nomen. anim.].
- Botrillus** L. Oken, Isis, 1829, 1114; *pro* *Botryllus*, Pall. 1774 [*teste* Nomen. anim.].
- Botrioccephalus** Berthold in Latreille, Nat. Fam. Thierr. 1827, 530; *pro* *Both*→, Rud. [*teste* Nomen. anim.].
- Botrychus** Rafinesque, Analyse, 1815, 91; *pro* *Bostrychus*, Lac. [*teste* Nomen. anim.].
- Botryllis** Porro, Note Bibl. Malac. (3) 1841, 99; *pro* *Botry*→, Pall. 1774 [*teste* Nomen. anim.].
- Botrylus** Kolliker & L., Ann. Sci. Nat. (Zool.) [3] V. 1846, 236; *pro* *Botryllus*, Pall. 1774 [*teste* Nomen. anim.].
- Botrycystis** Kützing, Linnaea, XVII. 1843, 84.—Inf. [*teste* Nomen. anim.]. [1786.
- botryoides** Scypha (E. & S.), J. E. Gray in S. F. Gray, Brit. Plants, 1821, 357.—Spongia,
- bottae** Pleurotoma, Kiener (ex Val. MS), Coq. viv. (Pleur.) 1839-40, 33 [*teste* E. R. S.].
- Botula** Leske, Addit. Klein, Ech. 1778, 25.—Ech. [*teste* Nomen. anim., ? Rotula].
- Bovichthus** Swainson, Hist. Classif. Fish. I 1838, 86; *pro* *Bovichtus*, Val. [*teste* Nomen. anim.].
- Bovichthus** Richardson, Zool. "Ereb.-Terr." (Fish) II. 1844, 56; *pro* *Bovichtus*, Val. [*teste* Nomen. anim.].
- Bovichthus** Richardson, Zool. "Ereb.-Terr." (Fish) II. 1844, 56; *pro* *Bovichtus*, Val.
- bowerbankii** Tropaeum, J. De C. Sowerby, Proc. Geol. Soc. London, II (50) 1837, 535.

- brachiata** Scorpaena, G. Shaw, Gen. Zool. IV (2) 1803, 274 [*teste* G. P. W.].
- brachion** Scorpaena, B. G. E. de Lacepède, H. N. Poiss. III. 1802, 259 [*teste* G. P. W.].
- Brachionus** Schrank, Beytr. Nat. 1776, 102.—Verm. (Trem.) [*teste* Nomen. anim.].
- Brachionus** Anon. (ex Blumenb. MS), Mag. N. Phys. Naturg. VI. 1790, 54.—Coel. [*teste* Nomen. anim.].
- Brachiopa** Rondani, N. Ann. Bologna [2] II. 1844, 459; *pro* Brachy→ [*teste* Nomen. anim.].
- Brachiopoda** Billberg, Enum. Ins. 1820, 131; *pro* Branch→, Lam. [*teste* Nomen. anim.].
- Brachionus** Rafinesque, Analyse, 1815, 155; *pro* Brachionus, Pall. [*teste* Nomen. anim.].
- Brachipalpus** Rondani, N. Ann. Bologna [2] II. 1844, 456; *pro* Brachy→, Macq. [*teste* Nomen. anim.].
- Brachipus** Bonaparte, J. Ac. Philad. IV (2) 1825, 259; Swainson, Birds W Afr. I. 1837, 275; *pro* Brachy→ [*teste* Nomen. anim.].
- Brachirus** W. Swainson, H. N. Class. Fish. II. July 1839, 71.—P. [*non* Brachirus, pp. 187 & 303, *teste* G. P. W.].
- Brachon** Brullé, Expéd. Morée (Zool.) III. 1832, 381; *pro* Bracon, Fab. [*teste* Nomen. anim.].
- Brachurus** Brookes, Cat. Mus. Brookes, 1828, 50; *pro* Brachy→, Spix [*teste* Nomen. anim.].
- Brachydontes** J. E. Gray, Proc. Zool. Soc. London, XV. 1847, 199; *pro* Brachi→, Sw. [*teste* Nomen. anim.].
- brachygnatus** Sorex, A. Pomel, Arch. Sci. Phys. Nat. IX. Oct. 1848, 163.
- Brachylaima** Dujardin, Ann. Sci. Nat. [2] XX. 1843, 341.—Verm. (Trem.) [*teste* Nomen. anim.].
- Brachylophus** C. Steven, Mus. Univ. Mosq. 1829, 89.—Col. [*teste* Nomen. anim.].
- Brachyneura** L. Agassiz, Nom. Zool. (Dipt.) 1846, 5; *pro* Brachi→, Rond. [*teste* Nomen. anim.].
- Brachyornis** Lacordaire, Gen. Col. VI. 1833, 130.—Col. [*teste* Nomen. anim.]. [anim.].
- Brachypote** Waterhouse, 1802 [*teste* Nomen. anim. 1902 est]. [anim.].
- Brachypterix** Brayley, Zool. Journ. III (2) 1827, 399; *pro* B—ryx, Horst. [*teste* Nomen. anim.].
- Brachypternus** Bonaparte, Rev. Mag. Zool. [2] II. 1850, 489; *pro* B—pterus, Less. [*teste* Nomen. anim.].
- Brachypterus** Dejean, Catal. Coléopt., ed. 2, 1835, 289.—Col. (Curc.) [*teste* Nomen. anim.].
- brachypterus** Exocoetus, J. Richardson, 15 Rept. Brit. Assoc. 1845 (1846), 265 [*teste* G. P. Whitley].
- Brachypteryx** R. Owen, Proc. Zool. Soc. London, XVI. 1848, pp. 2 & 7.—A. (Grallae) [*teste* Nomen. anim.].
- Brachypteryx** R. Owen, Trans. Zool. Soc. London, III (5) 1848, 347 & 370.—A. [Rallidae; *teste* C. W. R.].
- Brachypteryx** Bonaparte, Consp. gen. Avium (1) 1850, 30; *pro* B—rus, Less. [*teste* Nomen. anim.]. [anim.].
- Brachypus** J. E. Gray, Ann. Phil. [2] X. 1825, 338; *pro* Brachyurus, Spix [*teste* Nomen. anim.].
- Brachyrhynchus** Dejean, Catal. Coléopt. 1821, 90.—Col. (Curc.) [*teste* Nomen. anim.].
- Brachyrrhinus** Latreille, Hist. Crust. Ins. III. 1802, 200.—Col. [*teste* Nomen. anim.].
- Brachyrynchus** Laporte, Mag. Zool. II. 1833, tab. 54; *pro* B—rhynchus, 1833 [*teste* Nomen. anim.].
- Brachystylus** Chaudoir, Bull. Soc. Moscou, 1838 (1), 17; *pro* B—stilus [*teste* Nomen. anim.].
- Brachyteres** Brookes, Cat. Mus. Brookes, 1828, 50; *pro* B—teles, Spix [*teste* Nomen. anim.].
- Brachyternopicus** Malherbe, Rev. Zool. VIII. 1845, 404; *pro* B—pternopicus [*teste* Nomen. anim.].
- Brachytrema** Morris, 1850 [*teste* Nomen. anim. 1851 est]. [anim.].
- brachyura** Monodelphis (Schr.), Burnett, Q. Journ. Sci. Lit. Art, XXVIII. Jan. 1830, 351.—Didelphis.
- brachyura** Muscicapa, J. Hermann, Tabl. Aff. Anim. 1783, 229 [*teste* Stresemann].
- Bractunia** Stephens, Ill. Brit. Ent. (Haust. IV.) 1834, 205; *pro* Brachmia, Huebn. [*teste* Nomen. anim.]. [Nomen. anim.].
- Bradipus** de Blainville, Bull. Soc. Philom. Paris, 1817, 75; *pro* Bradypus, L. 1758 [*teste* Nomen. anim.].
- Bradupus** Wied, Beitr. Nat. Brasil. II. 1826, tab. 5; *pro* Bradypus, L. 1758 [*teste* Nomen. anim.].
- Bradyterus** Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 136; *pro* B—pterus, Sw. [*teste* Nomen. anim.]. [anim.].
- Braehinus** Laferté, Rev. Mag. Zool. [2] I. 1850, 236; *pro* Brachinus, Weber [*teste* Nomen. anim.].

- Branchelion** *Siebold, Arch. f. Naturg.* XVI (2) 1850, 301; *pro B.—lion, Sav. [teste Nomen anim.]*.
- Branchellia** *de Blainville, Dict. Sci. Nat.* XLVII. 1827, 240; *pro B.—lion, Sav. [teste Nomen anim.]*.
- Branchellio** *de Blainville, Dict. Sci. Nat.* XLVII. 1827, 257; *pro B.—n, Sav. [teste Nomen anim.]*.
- Brancheobdellion** *H. M. Edwards in Lamarck, Hist. An. s. Vert., ed. 2, V. 1838, 529; pro Branchioss., Sav. [teste Nomen anim.]*.
- Branchiarus** *Oken, Iss., 1817, 1574; pro B.—rius, Mont. [teste Nomen anim.]*.
- Branchiobdella** *de Blainville, Dict. Sci. Nat.* XLVII. 1827, 240.—*Verm. (Hirud.) [teste Nomen anim.]*.
- Branchiobdella** *Moq.-T., Mem. Hirud., ed. 2, 1846, 298.—Verm. (Nemert.) [teste Nomen anim.]*.
- Branchiobdellia** *Westwood in Elyth, Cuvier's Anim. Kingd. 1840, 400.—Verm. (Olig.) [teste Nomen anim.]*.
- Branchiodella** *Gervais, Dict. Univ. H. N. II. 1842, 723; pro B.—bdella, Od. [teste Nomen anim.]*.
- Branchyostoma** *Agassiz, Nom. Zool. (Pisc.) 1845, 4; pro Branchi→ [teste Nomen anim.]*.
- Brasiliana** *Ersch & Gruber, Ency. (2) VI. 1835, 185; pro Basilinna, Boie [teste Nomen anim.]*.
- brasiliensis** *Donax [Lam.] G. P. Deshayes, Traité Conch., expl. pl. 15 (1839).—Capsa.*
- brassicae** *Pieris (L.), Herr. Austiva, verna; Zeller, Isis (Oken), 1847, 220 [teste A. F. H.]*.
- bravaisii** *Cyzicus, J. V. Audouin, Ann. Soc. Ent. France, VI. 1837 (Bull.), p. x [n. n.]*.
- brechowi** *Inoceramus, Roullier & Vossynsky, Bull. Soc. Imp. Nat. Moscou, XXII (2) 1849, 349 [teste L. R. C.]*.
- Brenta** *G. R. Gray, List Gen. Birds, 1840, 73.—A. [teste Nomen anim.]*.
- Brenthus** *Illiger, Mag. Ins. Kunde, I. 1801, 130; pro Brentus, Fab. 1787 [teste Nomen anim.]*.
- Brepha** *Billberg, Enum. Ins. 1820, 86; pro Brephos, Huebn. [teste Nomen anim.]*.
- breviceps** *Delphinus, d'Urville in Schreber, Saeguth, VII., pl. 368, 1847.*
- brevicornis** *pro Mycetoporus lege Mycetoporus.*
- brevifrons** *Pandora, Hanley, Recent Shells, 1842, 49 [teste R. W.]*.
- brevimanus** *Delphinus, d'Urville in Schreber, Saeguth, VII., pl. 360 [1844-46].*
- brevipennis** *Locusta, M. de Serres, Essai Anim. midi France, 1822, 70.*
- brevirostre** *Tetracaulodon, J. J. Kaup, Isis (Oken), 1832, 630.*
- breviusculus** *Conus, G. B. Sowerby, I., Conch. Illustr. (37) 1833, f. 55 [teste Tomlin].*
- breweri** *Scapanus (Bach.), A. Pomel, Arch. Sci. Phys. Nat. IX. Nov. 1848, 247.—Scalops.*
- Briaraca** *Busch, Arch. Anat. Physiol. Med. 1847, 180; pro Briareus, Q. & G. [teste Nomen anim.]*.
- Briarea** *Herrmannsen, Ind. Gen. Malac. I. 1846, 122; pro Briareus, Q. & G. [teste Nomen anim.]*.
- Briolophus** *Weaver, Ann. Mag. N. H. VII (44) June 1841, 303. = Bryolophus, Ehrb.*
- Brion** *Fischer de W., Nation. Mus. Paris, II. 1803, 187 & 203; pro Prion, Lac. 1799 [teste Nomen anim.]*.
- Brismaeus** *J. E. Gray, Spicil. zool. I. 1828, 7; pro Brisnaeus [teste Nomen anim.]*.
- Brissus** *Dahl, Col. u. Lepid. 1823, 61; pro Bryssus, Dej. [teste Nomen anim.]*.
- brochi (sic)** *Isodora, J. R. Roth, Moll. spec. 1829, 23.*
- Brontis** *Griffith in Cuvier, Anim. Kingd. XII. 1834, 79; pro Brontes, Montf. [teste Nomen anim.]*.
- Broschus** *Stephens, Ill. Brit. Ent. (Mand. I.) 1827, 67; pro Broscus, Panz. [teste Nomen anim.]*.
- Brosmia** *Swanston, Hist. Classif. Fish. II. 1839, 189 & 441; pro Brosme, Raf. [teste Nomen anim.]*.
- brownii** *Repsenus; lege Repsimus.*
- brumalis** *Boreus, A. Fitch, Amer. J. Agric. Sci. V. 1847, [5].*
- brumalis** *Trichocera, A. Fitch, Amer. J. Agric. Sci. V. 1847, [10].*
- brunneus** *Cyclas; lege Cylas.*
- Bryarea** *Ball, Rept. Brit. Assoc. 1849, Not. 1850, 72; pro Briareus, Q. & G. [teste Nomen anim.]*.
- Bryaxis** *W. E. Leach, Zool. Miscell. III. 1817, 81.—Col [teste Nomen anim.]*.
- Brychaetus** *Agassiz, Rept. Brit. Assoc. 1844 (1845), 308.—P. [n. n., teste Nomen anim.]*.
- bryoniae** *Papilio, Huebner, Samml. europ. Schmett. I. 1805, 62 [teste A. F. H.]*.
- Brysocrypta** *Westwood, Introd. Classif. Ins. II., Syn. 1840, 118; pro Byr→ [teste Nomen anim.]*.
- Bryssus** *Dejean, Catal. Coléopt. 1821, 96 —Col. [teste Nomen anim.]*.
- Brythis** *id. ac Brithys, Huebn.; J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 282.*

- Bubrestis** *err. pro* Buprestis, L.; Cuvier, Règne Anim., ed. 2, III, 1829, 448.
- Bucarda** Rafinesque, Analyse, 1815, 146; *pro* ? Buccardium, Meg. [*teste* Nomen. anim.].
- Buccianops** J. E. Gray, Proc. Zool. Soc. London, XV, 1847, 139; *pro* Buccinianops, d'Orb. [*teste* Nomen. anim.].
- Buccina** Deshayes, Ency. Méth. (Vers) II (1) [1830], 143.—G. [*teste* Nomen. anim.].
- Buccinigenus** Renier, Tav. Classif. 1807 [*i.e.* 1804] viii.—G. [*teste* Nomen. anim.].
- Buccinocochlea** Hermannsens, Ind. Gen. Malac. I, 1846, 129.—G. [*teste* Nomen. anim.].
- Buccinulum** Deshayes, Ency. Méth. (Vers) II (1) 1830, 143.—G. [*teste* Nomen. anim.].
- Buccinus** J. E. Gray, Proc. Zool. Soc. London, XV, 1847, 138.—G. [*teste* Nomen. anim.].
- bucephaloïdes** Pygaera, Ochsenheimer, Schmett. Europa, III, 1810, 238 [*teste* W. H. T. T.].
- Bucephalus** Dejean, Catal. Coléopt. 1821, 5.—Col. [*teste* Nomen. anim.].
- bucephalum** Phylliroides, Péron, Ann. Mus. H. N. Paris, XV, 1810, 65 [*teste* B. B. W.].
- Buceris** Burmeister (*ex* Dupont MS), Handb. Ent. V, 1847, 145.—Col. [*teste* Nomen. anim.].
- Buchannia** J. E. Gray, Proc. Zool. Soc. London, XV, 1847, 15; *pro* Buchanania, Less. [*teste* Nomen. anim.].
- Bucheros** Vieillot, N. Dict. H. N. XXIV. Tabl. Méth. 1804, 40; *pro* Buceros, L. 1758 [*teste* Nomen. anim.].
- bucolus** Achlyodes, J. Huebner, Verz. bekannt. Schmett. [1820], 108.
- Budites** F. Boie, Isis (Oken), 1822, 553; *pro* Budytes, Cuv. [*teste* Nomen. anim.].
- Buffonaria** J. E. Gray, Proc. Zool. Soc. London, XV, 1847, 132; *pro* Bufon→, Sch. [*teste* Nomen. anim.].
- bulbiformis** Pyrus, T. Webster, Trans. Geol. Soc. London, II, 1814, 205 [*n. n.*].
- Bulimigenus** Renier, Tav. Classif. An. 1807 [*i.e.* 1804] viii.—G. [*teste* Nomen. anim.].
- Bulimopsis** Bowdich, Elem. Conch. I, 1822, 29.—G. [*teste* Nomen. anim.].
- Bulimulus** A. Risso, H. N. Europ. IV, 1826, 78.—G. [*teste* E. R. S.].
- Bullae** W. Swainson, Treat. Malac. 1840, 360; ? *err. pro* Bullaea.
- Bullea** Rafinesque, Analyse, 1815, 142; *pro* Bullaea, Lam. [*teste* Nomen. anim.].
- Bulliana** J. E. Gray in M. E. Gray, Fig. Moll. Anim. I, 1842, 12.—G.
- Bullidium** p. 933; *lege* Tectibranch *non* Nud. [*teste* C. H. O'D.].
- Bulligenus** Renier, Tav. Classif. An. 1807 [*i.e.* 1804] viii.—G. [*teste* Nomen. anim.].
- bullockii** Garrulus, T. Brown, Ill. Amer. Orn. 1835, Syst. Index, p. i.
- bullockii** Thalassidroma (*sic*), T. Brown, Ill. Amer. Orn. 1835, Syst. Index, p. ii.
- Bulminis** Sow. 1822 [*teste* Nomen. anim. Bulminis *est*].
- Bulveria** Hartlaub, Isis (Oken), 1845, 900; *pro* Bulweria, Bonap. [*teste* Nomen. anim.].
- burdigalensis** Anatifa, A. d'Orbigny, Cours élém. Paléont. I, 1849, 254 [*n. n.*].
- burdigalensis** Isocardia, G. P. Deshayes, Traité Conch., expl. pl. 23 (1839).
- burdigalensis** Pyrula, G. B. Sowerby, I. (*ex* Deffr. MS), Gen. Shells (24) 1825, Pyrula, [2].
- burgeri** Trigla, Temminck & Schlegel, F. Japon. (Poiss.) 1843, 35 [*teste* G. P. W.].
- burra** Lanius, J. E. Gray, Ill. Indian Zool. (15–16) Ap. 1834, plate.
- burrus** Silago; *lege* Sillago.
- bursaria** Epistomina; *lege* Epistomia.
- Busaetes** Lesson, Traité Orn. 1831, 652; *pro* Butaetes [*teste* Nomen. anim.].
- Butaster** A. Hay, Madras Journ. XIII (2) 1845, 146; *pro* Butastur [*teste* Nomen. anim.].
- Buthotrepis** J. Hall, N. H. New York, VI (1) 1847, 8.—*ine. sedis* ? Plantae; *teste* Nomen. anim.].
- Buthotrepis** Fitch, Tr. New York Agric. Soc. IX, 1849, 863.—Hydr. *inc. sedis* [*teste* Nomen. anim.].
- Butirinus** Cuvier, Règne Anim., ed. 2, II, 1829, 324; *pro* Butyrinus, Lac. [*teste* Nomen. anim.].
- Byrsopages** Dejean, Catal. Coléopt., ed. 2 (4) 1835, 261.—Col. [*teste* Nomen. anim.].
- Byssomia** T. Say, Journ. Ac. Philad. I (2) 1818, 451 & 452; *pro* B—mya, Oken [*teste* Nomen. anim.].
- Byssomya** Goldfuss (*ex* Cuv. *vernac.*), Handb. Zool. I, 1820, 615.—L. [Nomen. anim.].
- byzene** Papilio, J. A. B. Bergsträsser, Ic. Pap. I, 1779, 8 [*teste* A. F. H.].
- Caccopsis** Reichenbach, 1850; *err.* Waterhouse, Index Zool. I, 1902, 406, *pro* Coccoopsis.
- cachinnans** Herpetheres; *lege* Herpetotheres. [Nomen. anim.].
- Cacullanus** Rudolphi, Arch. Zool. Zoot. II (2) 1802, 21; *pro* Cuc→, Müll. 1777 [*teste*

- Cadosus** de Blainville (ex Sav. MS), Man. Actinol. 1834, Nouv. Add., 1837, 673.—Polyz., Chiaje (Coelonytes); Aud.—Cale. Alg. [*teste* S. F. H.].
- Caecilius** J. Curtis, Brit. Ent. XIV, 1837, 648.—Corrod. Copeogn. [*teste* Nomen. anim.].
- Caela** Lessou, Echo Monde savant [2] VI. 1842, 1035; *pro* Cela, Reich. 1852 [*sic, teste* Nomen. anim.].
- coelestina** Lycaena (? Stollj, var. tristis; Gerhard, Vers. Mon. europ. Schmett. (4) 1850, 9 [*teste* A. F. H.].
- Caelidia** Latreille in Cuvier, Règne Anim., ed. 2, V. 1829, 217; *pro* Coelidia, Germ. [*teste* Nomen. anim.].
- Caeliodes** Agassiz, Nom. Zool. (Col.) 1846, 25; *pro* Coeliodes, Schoenh. [*teste* Nomen. anim.].
- Caelocephalus** Agassiz, Ann. Sci. Nat. (Zool.) [3] III. 1845, 31; *pro* Coel→ [*teste* Nomen. anim.].
- Caelogenys** J. E. Gray, Ann. Phil. [2] X. 1825, 341; *pro* Coelogenus, Cuv. [*teste* Nomen. anim.].
- Caeloperca** Agassiz, Ann. Sci. Nat. (Zool.) [3] III. 1845, 28; *pro* Coel→ [*teste* Nomen. anim.].
- Caelopoma** Agassiz, Ann. Sci. Nat. [3] III. 1845, 31; *pro* Coel→ [*teste* Nomen. anim.].
- Caelotes** Blackwall, Ann. Nat. Hist. [2] IV. 1849, 276; *pro* Coel→ [*teste* Nomen. anim.].
- caementarius** Astacus, G. I. Molina, Sagg. stor. nat. Chili, ed. 2, 1810, 188.
- Caenotherium** Agassiz, Nom. Zool. Index Univ. 1846, 57; *pro* Caino→, Brav.
- Caepala** H. Link, Mag. N. Phys. Naturg. VI. 1790, 32; *pro* Cepola, L. 1764 [*teste* Nomen. anim.].
- Caereba** Vieillot, N. Diet. H. N., ed. 2, XXIV. 1818, 117; *pro* Coer→ [*teste* Nomen. anim.].
- caerulatum** *pro* Janthocincla lege Ianthocincla.
- coerulata** Pranzina, p. 958; lege Pranzina.
- coerulescens** Drongo, S. A. Tickell, Journ. Asiat. Soc. Bengal, II. 1833, 573.
- caerulea** Littorina, G. Gussone, Oss. Zool. Test. Pantelleria, 1829, 11 [=Turbo caerulescens, Lam.].
- caeruleus** Mytilus, G. I. Molina, Sagg. stor. nat. Chili, ed. 2, 1810, 179.
- caeruleus** Trochilus, Audebert & V., Ois. dorés, I (7) 1801, 82 (fo.), 99 (4to.), pl. 40
- Caica** Lesson, Traité Orn. 1830, 198.—A. [*teste* Nomen. anim.]. [*teste* C. W. R.].
- caja** Arctorius; lege Arctornis.
- calacephalus** Agelaius, T. Nuttall, Man. Orn., ed. 2, I. 1840, 186. [Nomen. anim.].
- Calamofilus** Wood, Orn. Guide, 1837, pp. 193 & 219; *pro* C—philus, Forst. (Leach) [*teste* Nomen. anim.].
- Calamopleurus** Agassiz, Edinb. N. Phil. Journ. XXX. 1841, 84.—P [*teste* Nomen. anim.].
- Calandra** Zimmermann in Bartram, Reise Carolina, 1793, 286.—A. (Pass.) n. n. [*teste* Nomen. anim.].
- Calapus** Ratnesque, Analyse, 1815, 219; *pro* Calopus [*teste* Nomen. anim.].
- Calcedo** Temminck & Schlegel in Siebold, F. Japon. (Aves) 1850, tab. 38; *pro* Alcedo, L. 1758 [*teste* Nomen. anim.].
- Calcepongia** Lamarck, Hist. Anim. s. Vert., ed. 2, II. 1836, 560; *pro* Calcispongia, Bl.
- Calcocephalus** p. 987; *err. pro* Calocephalus. [*teste* Nomen. anim.].
- Calcodes** J. O. Westwood, Ann. Sci. Nat. [2] I. 1834, 118.—Col.
- calculiformis** Goniatis (Beyr.), d'Archiac & de Verneuil, Tr. Geol. Soc. London [2] VI (2) 1842, 342.—Ammonites.
- Calcytes** Swainson, Birds W. Africa, I. 1837, 98; *pro* Chalcites, Less. [*teste* Nomen. anim.].
- Callianassa** Guérin-M., Ency. Méth. (Zool.) X (2) 1828, 768; *pro* Calli→, Leach [*teste* Nomen. anim.].
- Calichen** Brehm, Isis (Oken), 1845, 354; *pro* Callichen [*teste* Nomen. anim.].
- Calichthys** Scopoli, Introd. Hist. Nat. 1777, 451; *pro* Calli→ [*teste* Nomen. anim.].
- calidus** Hister, Erichson in Klug, Doubl. Verz. Senegall. Ins. 1842, 6.
- Caliga** Illiger, Mag. Ins.-Kunde, I. 1801, 130; *pro* Caligus, Müll. 1785 [*teste* Nomen. anim.].
- Caliomma** Agassiz, Nom. Zool. Index Univ. 1846, pp. 50 & 60; *pro* Calommata, Luc. [*teste* Nomen. anim.].
- Calionymus** Scopoli, Introd. Hist. Nat. (Index) 1777, [2]; *pro* Calli→, L. 1758 [*teste* Nomen. anim.].
- Caliptera** Cecidomyia, A. Fitch, Trans. New York State Agric. Soc. V. 1845, [36] [1846].
- caliptomena** Bonaparte, Giorn. Arcad. XLIX. 1831, 43; *pro* Calli→, Rafil. [*teste* Nomen. anim.].
- Calirrhoe** Reichenbach, Zool. I. 1828, 99; *pro* Callirhoe, Montf. [*teste* Nomen. anim.].

- Caliste** Brehm, Handb. Liebh. Stuben-Vög. 1832, pp. xxi & 392; *pro* Calli→, Hope [teste Nomen. anim.].
- Calistus** Billberg, Enum. Ins. 1820, 27; *pro* Calli→, Bon. [teste Nomen. anim.].
- Calithrix** Andrzejewski, Bull. Soc. Moscou, 1839 (1) 1839, 13; *pro* Calli→, Erx. 1777 [teste Nomen. anim.].
- Callaeus** G. R. Gray, List Gen. Birds, 1840, 38; *pro* Callaeas, Forst. 1788 [teste Nomen. anim.].
- Callaenia** Huebner, Verz. Schmett. (Regist.) 1826, 37; *pro* Callaenia [teste Nomen. anim.].
- Callapa** Megerle, Cat. Ins. I. 1801, [16]; *pro* Calappa, Web. 1795 [teste Nomen. anim.].
- Calleia** F. Klug, Abh. Ak. Berlin, 1832 [1833], 124; *pro* Calleida, Dej. [teste Nomen. anim.].
- Callepteryx** Hagen, Syn. Libell. Eur. 1840, 61; *pro* Cale→, Leach [teste Nomen. anim.].
- Callexix** Flénig, Phil. Zool. II. 1822, 174; *pro* Callithrix, Erx. 1777 [teste Nomen. anim.].
- Calicephalus** Agassiz, Nom. Zool. Index Univ. 1846, pp. 58 & 60; *pro* Callocephalon, Less. [teste Nomen. anim.].
- Callichrus** Swainson, Hist. Classif. Fish. I. 1838, 347 & 353; *pro* Callichrous, Ham. [teste Nomen. anim.].
- Callichthys** Scopoli, Introd. Hist. Nat. 1777, 451.—P. [teste Nomen. anim.].
- Callichthys** Agassiz, Rech. Poiss. Foss. III., 213 [1843].—P. [teste Nomen. anim.].
- Callichtys** Cuvier, Règne Anim. II. 1817, 207; *pro* Callichthys, Gron. 1763 [teste Nomen. anim.].
- Callidrias** Feisthamel, Mag. Zool. [2] I. 1839, explic. tab. 17-19; *pro* Callidryas, B. & L. [teste Nomen. anim.].
- Calligraphapha** Gisl, Nat. Thierr. 1848, 123; *pro* C—grapha, Dej. [teste Nomen. anim.].
- Callimophilus** Selby, Cat. Typ. Birds, 1840, 11; *pro* Calamo→, Leach [teste Nomen. anim.].
- Callimosoma** Gory (ex Hope MS), Mag. Zool. VI. 1836, expl. tab. 166-167, [8].—Col. [teste Nomen. anim.].
- Callinidea** Hoeven, Handb. Zool. I. 1850, 641; *pro* Callianidea, Edw. [teste Nomen. anim.].
- Callinisea** Hoeven, Handb. Zool. I. 1850, 641; *pro* Callianisea, Edw. [teste Nomen. anim.].
- Calliomoris** Rafinesque, Analyse, 1815, 82; *pro* C—us, Lac. 1800 [teste Nomen. anim.].
- Calliongmus** Linck, Mag. N. Phys. Naturg. VI (3) 1790, 34; *pro* C—nymus, L. 1758 [teste Nomen. anim.].
- Calliprasum** Agassiz, Nom. Zool. Index Univ. 1846, 59; *pro* C—son, White [teste Nomen. anim.].
- calliptera** Locusta, Rafinesque, Ann. of Nature, 1820, 10. [anim.].
- Calliptiles** F. Walker, List Hym. Coll. B. M. I. 1846, 99; *pro* Callep→, Hal. [teste Nomen. anim.].
- Calliptorhynchus** Anon., Isis (Oken), 1842, 67; *pro* Callep→, Steph. [teste Nomen. anim.].
- Callirhoe** Newman, Entomologist, I. 1840, 3.—Col. [teste Nomen. anim.].
- Callirhole** Eschscholtz, Syst. Acal. 1829, 96; *pro* C—rhoe, P. & L. [teste Nomen. anim.].
- Calliroe** Hermannsen, Ind. Gen. Malac. I. 1846, 154; *pro* C—rhoe, Montf. [teste Nomen. anim.].
- Callirus** Dejean, Catal. Coléopt. 1821, 86.—Col. [teste Nomen. anim.]. [anim.].
- Callisphyrus** Agassiz, Nom. Zool. (Col.) 1846, 26; *pro* Callisphyris, Newm. [teste Nomen. anim.].
- Calliste** Lepeletier & Serville, Ency. Méth. X. 1825, 253.—Hym. [teste Nomen. anim.].
- Callitriche** Anon., London Ency. XXII. 1845, 736; *pro* Callithrix, Erx. 1777 [teste Nomen. anim.]. [anim.].
- Callitrichoderma** Oken, Isis, 1818, p. 1882; *pro* Callitricod→, Poli, 1795 [teste Nomen. anim.].
- Callitrix** Geoffroy & Cuvier, Cat. Mamm. 1803, 5; *pro* Callithrix, Erx. 1777 [teste Nomen. anim.].
- Calliurus** Rafinesque, Amer. Month. Mag. IV. 1818, 107.—P. [teste Nomen. anim.].
- Callocephalus** J. Wagler, Syst. Amph. 1830, 27; *pro* Calo→, G. & C. [teste Nomen. anim.].
- Calloas** Daudin, Traité Orn. I. 1800, 410; *pro* Callaeas, Forst. 1788 [teste Nomen. anim.].
- Calloenas** Reichenbach, Handb. Orn. Syn. Av. (2) [1847], [3]; *pro* Calaeas, Gray [teste Nomen. anim.].
- Callopteryx** Hagen, Syn. Libell. Europ. 1840, 61; *pro* Calo→, Burm. [teste Nomen. anim.].
- Callorhinchus** Lacépède, H. N. Poiss. I. 1798, 400; *pro* C—rynchus, Gron. 1763 [teste Nomen. anim.]. [Nomen. anim.].
- Callorhincus** Duméril, Zool. anal. 1806, 104 & 333; *pro* C—rynchus, Gron. 1763 [teste

- Callorhynchus** Cuvier, Règne Anim., ed. 2, II. 1829, 382; *pro* C—rynchus, Gron. 1763 [teste Nomen. anim.].
- Callorhyncus** Fleming, Phil. Zool. II. 1822, 380; *pro* C—rynchus, Gron. 1763 [teste Nomen. anim.].
- Callorinchus** Griffith in Cuvier, Anim. Kingd. X. 1834, 97; *pro* C—rynchus, Gron. 1763 [teste Nomen. anim.].
- callosum** Opatrum, C. P. Thunberg, Opatum Ins. gen. 1821, 32.
- callosa** Pleurotoma, Kiener (ex Val. MS), Coq. viv. (Pleur.) 1839-40, 50 [teste E. R. S.].
- Callyodon** Scopoli, Introd. Hist. Nat. 1777, 449.—P. [teste Nomen. anim.].
- Callyonimus** et C—nymus; Gouan, Hist. Pisc. 1770, 11 & 15; *pro* Callionymus, L. 1758 [teste Nomen. anim.].
- Callysaurus** de Blainville, N. Ann. Mus. Paris, IV. 1835, 250.—R. [teste Nomen. anim.].
- Callytrum** G. Tilesius, Isis (Munich) (5) 1850, 75.—Col.
- Calocasia** Ochsenheimer & Huebner, 1816 [teste Nomen. anim. *err. pro* Colocasia].
- Calocochlia** Hartmann, Erd- u. Süssw. Gast (Syst. Uebers.) 1840 = Calocochlea [teste Nomen. anim.].
- Calodora** Anon., Isis (Oken), 1844, 247; *pro* Calodera, Gould [teste Nomen. anim.].
- Caloena** Agassiz, Nom. Zool. (Aves Add.) 1845, 4; *pro* Caloenas, Gray [teste Nomen. anim.].
- Calogenus** J. E. Gray, London Med. Repos. XV. 1821, 304; *pro* Coelogenus, Cuv. [teste Nomen. anim.].
- Calonotus** Agassiz, Nom. Zool. Index Univ. 1846, 59; *pro* Calonotos, Huebn. [teste Nomen. anim.].
- Calophryne** Fitzinger, Syst. Rept. 1843, 33; *pro* Kalophrynus, Tsch. [teste Nomen. anim.].
- calophthalmus** Labrus, J. Richardson, Rep. 12 Brit. Assoc. 1842 (1843), 17 [non Rafin. teste G. P. W.].
- Caloptera** Frivaldszky in Herrich-S., Syst. bearb. Schmett. Europ. II. 1846, 97.—Lep. (Saturn.) [teste Nomen. anim. *aliud* gen. Geom. est].
- Calopteris** J. Gisl, Nat. Thierr. 1848, 137; *pro* Caloptenus, Burm. [teste Nomen. anim.].
- Calorhamphus** Strickland, Ann. Mag. N. H. VIII. 1842, 374; *pro* C—ramphus, Less. [teste Nomen. anim.].
- Calosota** J. Curtis, Brit. Ent. XIII. 1836, 596.—Hym. [teste Nomen. anim.]. [anim.].
- Calospilus** Huebner, Verz. bekannt. Schmett. (Anz.) 1826, 49; *pro* Calospilos [teste Nomen. anim.].
- Calysbeus** Lesson, Compl. Bufton, VI. 1839, 106; *pro* Chalybaeus, Cuv. [teste Nomen. anim.].
- Calydonus** Dejean, Catal. Coléopt. 1821, 83.—Col. [teste Nomen. anim.].
- Calymaena** Berthold in Latreille, Fam. Nat. Thierr. 1827, 289; *pro* Calymena, Desm. [teste Nomen. anim.].
- Calymnation** Desmarest, Dict. Univ. H. N. III. 1843, 81; *pro* Callimation, Dej. [teste Nomen. anim.].
- Calymmene** Koenig, Icon. Foss. sect. 1825, 2; *pro* Calymena, Desm. [teste Nomen. anim.].
- Calyonymus** Swainson, Hist. Classif. Fish. I. 1838, 367; *pro* Callionymus, L. 1758 [teste Nomen. anim.].
- Calyptanolena** C. Ranzani, Mem. stor. Nat. I. 1820, 19.—Cirr.
- Calythorhynchus** Lesson in Bougainville, Journ. Navig. II. 1837, 313; *pro* Calyptorhynchus, Steph. [teste Nomen. anim.].
- Calyptomeina** G. R. Gray, List Gen. Birds, 1840, 34; *pro* C—mena, Raffl. [teste Nomen. anim.].
- Calyptomene** Ranzani, Elem. Zool. III. 1826, 318; *pro* C—a, Raffl. [teste Nomen. anim.].
- Calyptomenes** Voigt in Cuvier, Thierr. I. 1831, 531; *pro* C—a, Raffl. [teste Nomen. anim.].
- Calyptorynchus** Blyth in Cuvier, Anim. Kingd. 1840, 219; *pro* C—rhynchus, V. & H. [teste Nomen. anim.].
- Calyptra** Bruguière (ex Klen), Ency. Méth. (Vers) I (2) 1792, 535.—G. [teste Nomen. anim.].
- Calyptraea** Lamarck, Mém. Soc. H. N. Paris, I. tab. post p. 90, 1799.—G. [teste Nomen. anim.].
- Calyptraeigenus** Renier, Tav. Classif. An. 1807 [i.e. 1804] viii.—G. [teste Nomen. anim.].
- Calyptrea** Rafinesque, Analyse, 1815, 143; *pro* Calyptroea, Lam. [teste Nomen. anim.].
- Camarotus** Schoenherr, Gen. Curc. I. 1833, 185.—Col. [teste Nomen. anim.].
- Camarynychus** Blyth in Cuvier, Anim. Kingd. 1840, 201; *pro* C—rhynchus, Gould [teste Nomen. anim.].

- Cameleopardalis** Bonaparte, Giorn. Arcad. XLIX. 1831, 23; *pro* **Camelo**→, Schr. 1754 [teste Nomen. anim.].
- Carnelius** Bowdich, Anal. Classif. Mamm. 1821, 79; *pro* **Camelus**, L. 1738 [teste Nomen. anim.].
- camelus** Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 443. [anim.].
- Camopsis** Raünèsque, Analyse, 1815, 76.—R. [teste Nomen. anim.]. [anim.].
- Campanula** Westendorf, Ann. Soc. Sci. Bruges, IV. 1843, 304.—Hydroz. [teste Nomen. anim.].
- Campanulina** P. J. v. Beneden, Bull. Ac. Sci. Belg. XIV (1) 1847, 457.—Hydroz. [teste Stechow].
- Campichaeta** Agassiz, Nom. Zool. Index Univ. 1846, 62; *pro* **C**→choeta, Macq. [teste Nomen. anim.]. [Nomen. anim.].
- Campilodon** Cuvier, Règne Anim., ed. 2, II. 1829, 205; *pro* **Kampylodon**, Fab. 1798 [teste Nomen. anim.].
- Campilopterus** Thon in Ersch & Gruber, Ency. [3] VI. 1835, 176; *pro* **Campy**→ [teste Nomen. anim.]. [Nomen. anim.].
- Campilorhynchus** Swainson, Hist. Classif. Birds, I. 1836, 235; *pro* **Campy**→, Spix [teste Nomen. anim.].
- Campilrhynchus** Gistel, Ins.-Doubl. Walworth, 1834, 27.—Col. [teste Nomen. anim.].
- Camponea** Gervais, Ann. Soc. Ent. France, XI (Bull.) 1842, p. xlviii; *pro* **Campodea**, Westw. [teste Nomen. anim.].
- Camportia** Wiegmann, Arch. f. Naturg. I (1) 1835, 343; *pro* **Campontia**, Johnst. [teste Nomen. anim.].
- Camptocerus** Latreille in Cuvier, Règne Anim., ed. 2, V. 1829, 91.—Col. [teste Nomen. anim.].
- Camptognatha** G. R. Gray (ex Leach MS) in Griffith's Cuvier, Anim. Kiugd. XV., expl. pl. 76, 1832.—Hym. [teste Nomen. anim.].
- Camptoneura** Agassiz, Nom. Zool. (Dipt.) 1846, 6; *pro* **C**→nevra, Macq. [teste Nomen. anim.]. [anim.].
- Camptorhynchus** Latreille in Cuvier, Règne Anim., ed. 2, V. 1829, 86.—Col. [teste Nomen. anim.].
- Camptorhynchus** "Eyton," C. L. Bonaparte, Geogr. List Birds Eur. Amer., Ap. 1838, 58 [teste C. W. R.].
- Camptosia** Macquart, Mém. Soc. Lille, 1840, expl. tab. 14, 1841; *pro* **Comptosia** [teste Nomen. anim.]. [Nomen. anim.].
- Campylipus** Laporte, Hist. An. artic. Ins. II. 1840, 160; *pro* **Campulipus**, Kirb. [teste Nomen. anim.].
- Campylodon** Cuvier & Valenc., H. N. Poiss. VIII. 1832, 343; *pro* **K**→, Fab. [teste Nomen. anim.].
- Campylops** Nitzsch, Syst. Pterylogr. 1840, 119.—A. [n. n., teste Nomen. anim.].
- Campylorynchus** M. Wied, Rev. Zool. IX. 1846, 163; *pro* **C**→rhynchus, Spix [teste Nomen. anim.].
- Campylotus** Herrmannsen, Ind. Gen. Malac. I. 1846, 162; *pro* **Campu**→, Guett. 1770 [teste Nomen. anim.].
- Campylus** Lafresnaye, Rev. Zool. VII. 1844, 45; *pro* **Campylorhynchus**, Spix [teste Nomen. anim.].
- canadensis** Harpagonotherium; *lege* Harpagmotherium. [anim.].
- canalicul.** Cychrus, Hoppe & Hornschuch, Tageb. Reise adriat. Meers, 1818, 283 [n. n.].
- Cancellarigenus** Renier, Tav. Classif. An. 1807 [i.e. 1804] viii.—G. [teste Nomen. anim.].
- cancellata** Conferva, Linnaeus, Syst. Nat., ed. 12, 1767, 720 [syn. Vesicularia spinosa; teste S. F. H.].
- cancellata** Cucullaea, Rouillier & Vossynsky, Bull. Soc. Imp. Nat. Moscou, XX (1) 1847, 428.
- cancellata** Scypha (Sow.), J. E. Gray in S. F. Gray, Brit. Plants, 1821, 358.—Spongia.
- cancellata** Stichopora, v. Hagenow in Geinitz, Versteinerungsk. 1846, 622.
- Canchroma** Bonaparte, Giorn. Arcad. XLIX. 1831, 56; *pro* **Cancroma**, L. 1766 [teste Nomen. anim.].
- Cancrites** Herrmannsen, Ind. Gen. Malac. I. 1846, 166.—Ceph. [teste Nomen. anim.].
- Cancrofagus** S. D. W., Analyst, III. 1836, 207; *pro* **Cancrophagus**, Kaup [teste Nomen. anim.]. [anim.].
- Cancromus** Kaup, Classif. Säugeth. Vög. 1844, 35; *pro* **Cancroma**, L. 1766 [teste Nomen. anim.].
- Candela** Herrmannsen, Ind. Gen. Malac. I. 1846, 166.—Ceph. [teste Nomen. anim.].
- Candelabrum** H. M. de Blainville, Dict. Sci. Nat. LX. 1830, 284.—Hydroz. [teste Stechow].
- candens** Polyommatus, Herrich-S., Syst. bearb. Schmett. Europ. I Tab. 49 [1844], tab. 133 [1845] [teste A. F. H.].

- candidus *Plantain*, Oken, *Lehrb. Naturg.* III (2) 1816, 582 [*teste* C. W. R.].
- Candiella J. E. Gray, *Figs. Moll. Ann.* IV. 1850, 100.—G. [*teste* Tomlin].
- Canephorus *Enthous*, *Arch. f. Naturg.* XII (1) 1846, Index (1); *pro* Corephorus, Grube [*teste* Nomen. anim.].
- Canicula Daubenton, *Eury. Méth. (Zool.)* I. 1782, 41.—M. [*teste* Nomen. anim.].
- Canistrum Bruguière (ex Klein), *Eury. Méth. (Vers.)* I [1789], 582.—G. [*teste* Nomen. anim.].
- Canna J. E. Gray, *London Med. Repos.* XV. 1821, 307.—M. [*teste* Nomen. anim.].
- Canoceras G. Fischer de W., *Bull. Soc. Moscou*, XVII. 1844, 757; *pro* Conoceras, Bronn [*teste* Nomen. anim.].
- Canthapleura Sw. = *Acanthopleura*, Guild. [*teste* E. R. S.]. [anim.].
- Canthropus Oken, *Lehrb. Naturg.* III (1) 1815, 335; *pro* C—pes, Montf. [*teste* Nomen. anim.].
- cantonensis Cyprinus, Förster in *Fannula Sinensis* in Osbeck, *Voy. China*, II. 1771, 331 [*teste* G. P. W.].
- canus Larns, T. Brown, *Ill. Amer. Orn.* 1835, Syst. Index, p. ii.
- Caos Brera, *Mon. Veron.* 1811, pp. 9 & 255; *pro* Chaos, L. 1767 [*teste* Nomen. anim.].
- capensis Pictet, J. J. Kapp, *Das Thier.* 1835, 353 [*teste* Palmer]. [anim.].
- Caphiodon Heckel in Rüschger, *Reise*, II (3) 1849, 355; *pro* Scaphiodon, 1843 [*teste* Nomen. anim.].
- capillaris Moenck, *German. in Keferstein*, *Deutschl.* IV. 1825, 108.
- Capisteria J. L. Gray, *Proc. Zool. Soc. London*, XV. 1847, 187.—L. [*teste* Nomen. anim.].
- capitata Flügge, *Diagn. in Brewster's Hist. Stockton*, 1827, 36 [*teste* S. F. H.].
- capito Gobiidae, Lepeletier & Serville, *Ency. Méth. (Ins.)* X (1) 1825, 326.
- Caproea Lessen, *N. Tabl.* 1842, 172; *pro* Caprea, Og. [*teste* Nomen. anim.].
- Capsigenus Reuter, *Tav. Classif. An.* 1807 [i.e. 1804] vii.—L. [*teste* Nomen. anim.].
- Capsularia Cuvier, *Tabl. élém.* 1798, 665.—Hydroz. [*teste* Stechow].
- Capulis Swamson, *Treat. Malac.* 1840, 58 & 243; *pro* Capulus, Montf. [*teste* Nomen. anim.].
- Caracalla Hasselt, *Alg. Konst.* Letter-Bode, 1823 (2), 232; *pro* Carocolla, Schum. [*teste* Nomen. anim.].
- Caracolina Oken, *Isis*, 1823, 737; *pro* Caracollina, Ehr. [*teste* Nomen. anim.].
- Caracolla Bowdich, *Elem. Conch.* I. 1822, 31; *pro* Caraculus, Montf. [*teste* Nomen. anim.].
- Caracolla J. C. Albers, *Heliceen*, 1850, 120.—G.
- Carangus B. Griffith in Cuvier, *Anim. Kingd.* X (Pisces) 1834, 285.—P. [*teste* G. P. W.].
- Caranthia Robinseau-D., *Ann. Soc. Ent. France* 27 VIII. 1850, 191; *pro* Ceranthia, 1830
- caranthus Cyprinus; *lege* carassius. [*teste* Nomen. anim.].
- Carcharias Gisl., *Nat. Thier.* 1848, p. viii [non Rafin. Cuv. *teste* G. P. W.].
- carcini Saadina, J. V. Thompson, *Ent. Mag.* III. 1836, 456.
- Carcinium H. v. Meyer, *N. Jahrb. f. Min.* 1841, 96.—Cr. [n. n.].
- Carcinococcus G. de Natale, *Descr. Plojaria*, 1850, 15.—Cr.
- cardamines *Pyraia* (L.), *Var. turritis*; Ochsenheimer, *Schmett. Europa*, IV. 1816, 156 [*teste* A. F. H.].
- Cardicellus *Milepura*, Cavolini, *Abh. Pflanzen-Th. Mittelmeeres*, 1813, 32 & 33.—Polyz. [*teste* S. F. H.].
- Cardigenus Reuter, *Tav. Classif. An.* 1807 [i.e. 1804] vii.—L. [*teste* Nomen. anim.].
- Cardilla J. Lyrett, *Ann. Mag. Nat. Hist.* (2) II. 1848, 258; *pro* Cardilia, Desh. [*teste* Nomen. anim.]. [anim.].
- Cardiocera Macquart, *Mém. Soc. Lille*, 1846 (1847), 108; *pro* Cardiacera [*teste* Nomen. anim.].
- Cardiodonta Hall, *P. Amer. Assoc.* II. 1850, 349.—Br. [*teste* Nomen. anim.].
- Cardiolithus Hermannsen, *Ind. Gen. Malac.* I. 1846, 179.—L. [*teste* Nomen. anim.].
- Cardiomerus Hope, *Col. Man.* (2) 1838, 73; *pro* C—a, Bassi [*teste* Nomen. anim.].
- Cardiopleurus Motschulski, *Kaf. Russl.*, tab. 1850, no. 10.—Col. [*teste* Nomen. anim.].
- Carditigenus Reuter, *Tav. Classif. An.* 1807 [i.e. 1804] vii.—L. [*teste* Nomen. anim.].
- carditoides *Venerupis*; *lege* *Venerupis*.
- cardui *Hesperia*, Godart, *Tabl. Méth. Lepid. France*, 1823, 63 [*teste* A. F. H.].
- Caregonus Gisl., *Nat. Thier.* 1848, 103; *pro* Coregonus, Lac. [*teste* Nomen. anim.].
- Cariam P. Selby, *Cat. Typ. Birds*, 1840, 54; *pro* Cairina, *Flem. (teste Nomen. anim.)*.
- Caricella T. A. Conrad, *Foss. Shells Tert. Form.* I (4) Oct. 1835, 44.—G.
- Caricus *id. ac* Caribus; A. Cocco, *Giorn. Sci. Lett. Sicilia*, XLII. 1833, 16.—P.
- Carillus Goodish, 1845; *teste* Vosmaer, *Zool. Anz.* VIII. 1885, 218.—Cr. (Cop.).

- Carina** Fleming, Hist. Brit. Anim. 1828, 122; *pro* Cairina, 1822 [*teste* Nomen. anim.].
- carinatus** Hydrus, Cuvier; F. Boie, Isis (Oken), 1827, 554.
- carinata** Terebratula, Leymerie, Stat. Aube, 1846, pl. x, f. 6.
- carinifera** Anodonta, T. A. Conrad, Mon. Fam. Unionidae, wrapper of No. 8, Feb. 1837, 4.
- Cariocatactes** Koch, Syst. Baier. Zool. 1816, 424; *pro* Caryo→ [*teste* Nomen. anim.].
- Cariocrinites** Bronn, Lethaea, 1834, 64; *pro* Caryo→, Say [*teste* Nomen. anim.].
- Cariophyllia** Duméril, Zool. anal. 1806, 308 & 333; *pro* Caryo→, Lam. [*teste* Nomen. anim.].
- Cariophyllus** Slawikowski, Abh. Wurm. mensch. 1819, 56; *pro* Chario→, Bl. 1782 [*teste* Nomen. anim.].
- Carkinodes** Kirby & Spence, Introd. Entom., ed. 5, III. 1828, 705.—Arach. [*teste* F. J. G.].
- Carnifer** G. R. Gray, Gen. Birds, I. 1849, 28; *pro* C→x, Less. [*teste* Nomen. anim.].
- Carocolla** Lamarck, H. N. An. s. Vert. VI (2) 1822, 94.—G.
- Carocolla** W. J. Broderip, Proc. Zool. Soc. London, 1832, 30.—G.
- Carocollina** Beck, Index Anim. p. 1107; *err. pro* Caracollina, Ehr., q. v.
- Carocolus** J. E. Gray, Proc. Zool. Soc. London, XV. 1847, 172; *pro* Caracolus, Montf. [*teste* Nomen. anim.].
- Carocolus** Beck, Index Moll. 1837, 31; *pro* Caracolus, Montf. [*teste* Nomen. anim.].
- Carolina** Engelmann, Bibl. hist.-nat. 1846, 464; *pro* Cavo→, Ab. 1791 [*teste* Nomen. anim.].
- carolina** Papilio Helic., Herbst & Jablonsky, Natursyst. Insekt. (Schmett.) IV. 1790, 131.
- Carpalimus** Kirby & Spence, Introd. Entom., ed. 5, II. 1828, 303.—Col. [*teste* F. J. G.].
- Carpolithus** Ehrenberg, Ber. Ak. Berlin, 1847, 51.—? Rh. [*teste* Nomen. anim.].
- Carpopsis** Rafinesque, Amer. Month. Mag. IV. 1818, 107.—? Coel. [*teste* Nomen. anim.].
- Carracara** F. Boie, Isis, 1822, 548; *pro* Caracara, Cuv. [*teste* Nomen. anim.].
- Carteromerus** Laferté, Mon. Anthic. 1848, 71.—Col. [*teste* Nomen. anim.].
- Cartissa** Herrmannsen, Ind. Gen. Malac. I. 1846, 189.—Lam. [*teste* Nomen. anim.].
- carunculata** Anas, L. P. Vieillot, N. Dict. H. N., ed. 2, V. 1816, 109 [*teste* C. W. R.].
- carunculata** Anas, "Illiger"; Lichtenstein, Abh. ph.-Kl. K. pr. Ak. Wiss. Berlin, 1816-17 [1819], 176 [*teste* C. W. R.].
- carunculus** Xanthornis; *lege* Xanthornus. [Nomen. anim.].
- Carvanica** Blyth, Journ. Asiat. Soc. Bengal, XI. 1842, 788; *pro* Carvanaca, Hodg. [*teste* Nomen. anim.].
- Caryedon** Schoenherr (ex Steven MS), Curc. Disp. 1826, 29.—Col. [*teste* Nomen. anim.].
- Caryocatactes** G. R. Gray, List Gen. Birds, ed. 2, 1841, 65.—A. (Coccygom.) [*teste* Nomen. anim.].
- Caryocathactes** Burmeister in Ersch & Gruher, Ency. XIII. 1840, 144; *pro* Caryocat→ [*teste* Nomen. anim.].
- Caryocistites** d'Orbigny, Prod. Pal. I. 1850, 23; *pro* Caryocys→, Buch [*teste* Nomen. anim.].
- Caryophyllaeus** Lamouroux, Dict. Class. H. N. VII. 1825, 356; *pro* Chariophyllus, Bl. [*teste* Nomen. anim.].
- Caryolithis** Ehrenberg, Ber. Ak. Berlin, 1847, 43.—Rh. [*teste* Nomen. anim.].
- Caryophilla** Rafinesque, Analyse, 1815, 157; *pro* Caryophyllia, Lam. [*teste* Nomen. anim.].
- Caryophyllaeus** Rudolphi, Arch. Zool. Zoot. II. 1801, 51; *pro* C→phyllaeus, Gm. 1790 [*teste* Nomen. anim.]. [Nomen. anim.].
- Caryophilleus** Beneden, Mém. Ac. Belg. XXV. 1850, 22; *pro* C→phyllaeus, Gm. 1790
- Caryophillus** Zeder, Anl. Nat. Eingeweidew. 1803, 245; *pro* Chariophyllus, Bl. 1782 [*teste* Nomen. anim.]. [Nomen. anim.].
- Caryophyllea** Schweigger, Beob. naturh. Reis., tab. vi, 1819; *pro* Caryophyllia, Lam. [*teste* Nomen. anim.].
- Caryophylloeus** Cuvier, Tabl. élém. 1798, 638; *pro* Chariophyllus, Bl. 1782 [*teste* Nomen. anim.].
- Caryophyllus** Abildgaard, Skr. Naturh.-Selsk. I. 1790, 31; *pro* Chario→, Bl. 1782 [*teste* Nomen. anim.].
- Casearius** Rafinesque, Analyse, 1815, 70; *pro* Casuarius, Br. 1760 [*teste* Nomen. anim.].
- Cashmorhynchus** Swainson in Richardson, F. Bor.-Amer. 1831 [1832], 233 & 492; *pro* Casmarchinos, Temm. 1820 [*teste* Nomen. anim.].
- Casida** Agassiz, Nom. Zool. (Moll.) 1846, 17; *pro* Cassida, Brunn. 1772 [*teste* Nomen. anim.].
- Casignathus** Laporte, Hist. An. artic. Ins. II. 1840, 169; *pro* Casignetetus, MacL. [*teste* Nomen. anim.].
- Casmarynchos** Wied, Beitr. Nat. Brasil. III. 1830, 376; *pro* Casmarchinos, Temm. [*teste* Nomen. anim.].

- Casmorhynchus** Swainson, Hist. Classif. Birds, I. 1836, 39; *pro* Casma→ [teste Nomen. anim.].
- Casoarius** G. R. Gray, List Gen. Birds. 1840, 63.—A. [teste Nomen. anim.].
- Caspa** *pro* Capsa, Lam.; L. A. G. Bosc, H. N. Coq. III. 1802, 18 [teste Tondin].
- Cassidarea** Swainson, Treat. Malac. 1810, 299; *pro* C—ria, Lam. [teste Nomen. anim.].
- Cassidix** Bonaparte, Consp. Gen. Avium, I. 1820, 96.—A. [quing. ad Calao, teste Nomen. anim.].
- Cassidula** de Blainville, Dict. Sci. Nat. LX. 1836, 181; *pro* C—us, Lam. [teste Nomen. anim.].
- Cassigenus** Reiner, Tav. Classif. Av. 1827 [ex 1804] VIII.—A. [teste Nomen. anim.].
- Cassiopeia** Gisl. Nat. Thier. 1848, 176; *pro* C—pea, P. & L. [teste Nomen. anim.].
- Cassuarius** Blyth, Journ. Asiat. Soc. Bengal. XVI. 1847, 226; *pro* Casuarius, Br. 1766 [teste Nomen. anim.].
- castanea** Chrysomela, Hoppé & Hirschschuch, Tageb. Reise adriat. Meers, 1818, 282 [n. n.].
- castanea** Terebratula, Schuchardt, Geogn. Unters. südbay. Alpengeb. 1850, 112.
- castanotus** Cinclosoma, J. Gould, Birds Austral. (1) 1 Dec. 1840 [teste G. M. M.].
- Catachysium** H. Link, Handb. phys. Erdbeschr. II. 1850, 441.—G. [teste Nomen. anim.].
- Cataracta** Retzius in Linnæus, F. Suec. 1800, 160; *pro* Cath→, Brunn. 1764 [teste Nomen. anim.].
- Catarhactes** Brandt, Bull. Ac. St Pétersb. Sci. II. 1837, 314; *pro* Catarractes, Br. 1760 [teste Nomen. anim.].
- Catarrhacta** Storch, Ann. Nat. Hist. VII. 1841, 40; *pro* Catharacta, Brunn. 1764 [teste Nomen. anim.].
- Catarrhactes** Odlin, Vet. Ak. nya Handl. VII. 1866, 74; *pro* Catharacta, Brunn. 1764 [teste Nomen. anim.].
- Catatostoma** Saugb.; Marshall, Nom. Zool. [Moll.] 1873, 108; *err. pro* Catautostoma, Saugb. 1842.
- Catatrophorus** Jardine, Contr. Orn. 1849, 84; *pro* Cato→, Bonap. 1827 [teste Nomen. anim.].
- Catenaria** Zoder in Goeze, Nachtr. Naturg. Eingeweidew. 1800, 207.—Verm. [teste Nomen. anim.].
- Catenaria** C. Koening, Icon. foss. sect., unpublished pl. xiii, f. 151.—Cor. [anim.].
- catenatus** Crotulurus, Rafinesque, Ann. of Nature, 1820, 5.
- catenata** Lepraha, G. Johnston (ex Peach MS), Hist. Brit. Zool., ed. 2, 1847, 393 [n. n., teste S. F. H.].
- Caterectes** Agassiz, Nom. Zool. Index Univ. 1846, 68; *pro* Caterectus, Schoenh. [teste Nomen. anim.].
- Cathaphractus** Cuvier, Règne Anim. II. 1817, 207; *pro* Cathaph→, Bl. 1793 [teste Nomen. anim.].
- Catharracta** Bonaparte, Ann. Lyceum New York, II. 1828, 362; *pro* Catharacta, Brunn. 1764 [teste Nomen. anim.].
- Catharthes** d'Orbigny, Voy. Amér. mérid. IX [1835], tab. 1; *pro* Cathartes, Ill. [teste Nomen. anim.].
- Cathartista** d'Orbigny, Voy. Amér. mérid. IV. 1834, 31 & 38; *pro* Catharista, Vieill. [teste Nomen. anim.].
- Cathetura** Swainson, Hist. Classif. Birds, I. 1836, 363; *pro* C—us [teste Nomen. anim.].
- Catinuslactis** Bruguière (ex Klein), Ency. Méth. (Vers) I (2) 1792, 530.—G. [teste Nomen. anim.].
- Catocheitus** Guérin-M., Mag. Zool. (2) IV. 1842, 9; *pro* Catocheilus [teste Nomen. anim.].
- Catogygus** J. Gisl. Nat. Thier. 1848, 175; *pro* C—pygus, Ag. [teste Nomen. anim.].
- Catomisus** lege Catomusinus, Dej.
- caudavittata** Datnia, J. Richardson, Zool. "Ereb.-Terr." (Fish. 1845), 24 [teste G. P. W.].
- caudex** Muscicapa, Desmarest, N. Dict. H. N., ed. 2, V. 1816, 421 [teste C. W. R.].
- caudisetis** Echeneis, C. S. Rafinesque, Précis Somiol. 1814, wrapper [p. 3] [n. n.].
- Caudiverba** J. E. Gray, Phil. Mag., n. s. II. 1827, 56; *pro* C—verbera, Laur. 1768 [teste Nomen. anim.].
- Cayman** M. Graves, Isis (Oken), 1821, 343.—R. [teste Nomen. anim.].
- Cebilepyrus** Swainson, Hist. Classif. Birds, I. 1836, 30; *pro* C—is [teste Nomen. anim.].
- cebreus** Caelenorrlinus; lege Celaen→.
- Cechemus** Agassiz, Ann. St. Nat. [Zool.] (3) III. 1845, 47.—P. [teste Nomen. anim.].
- Cecilia** Rafinesque, Analyse, 1815, 75; *pro* Caecilia, L. 1758 [teste Nomen. anim.].
- Cecilia** Rafinesque, Analyse, 1815, 93; *pro* Caecilia, Lac. 1800 [teste Nomen. anim.].

- cecilia* Papilio, *Cramer*, Utl. Kapellen, II. 1777, 98 [*teste* A. F. H.].
- Ceix* G. Fischer, Nat. Mus. Paris, II. 1803, 178; *pro* Ceyx, Lac. 1799 [*teste* Nomen. anim.].
- Celaena* Doubleday (*ex* Boisd. MS) in D. & Westwood, Gen. diurn. Lepid. (1) 1846, 214.—Lep. (Nym.) [*teste* Nomen. anim.].
- Celaeno* Owen, Phil. Trans. 1844, 84; *pro* Kelaeno, Muenst. [*teste* Nomen. anim.].
- Celano* J. E. Gray, Zool. Journ. II. 1825, 243; *pro* Celaeno, Leach [*teste* Nomen. anim.].
- Celato* Gioeni, Descr. Test. 1783, 25.—Pter. [*teste* Nomen. anim.].
- Celeopicus* Hartlaub, Arch. f. Naturg. XVI (2) 1850, 63; *pro* C—os [*teste* Nomen. anim.].
- Celibe* Laporte, Hist. An. artic. (Ins.) II. 1840, 227; *pro* Cilibe, Dej. [*teste* Nomen. anim.].
- Celina* Westwood, Introd. Classif. Ins. II. 1840, Syn., 102; *pro* Celma, Steph. [*teste* Nomen. anim.].
- celtis* Papilio, Laicharting in Fuessly, Arch. Ins. 1782 [*teste* A. F. H.].
- Cenchraea* Agassiz, Nom. Zool. (Hem.) 1843, 4; *pro* Cenchrea, Westw. [*teste* Nomen. anim.].
- Cenchramus* Zander, Nat. Vög. Meckl. (7) 1849, 552; *pro* Cynchramus, Boie [*teste* Nomen. anim.].
- Cenchreis* Brehm, Isis (Oken), 1839, 773; *pro* Cenchris, 1832 [*teste* Nomen. anim.].
- Cenchrus* Link, Besch. Nat.-Samml. Rostock (2) 1807, 64; *pro* Cenchris, Gron. 1763 [*teste* Nomen. anim.].
- Cenimidium* Lamarck, H. N. An. s. Vert., ed. 2, II. 1836, 612; *pro* Cnemidium, Goldf.
- Centastrea* d'Orbigny, Note Polyp. 1849, 9.—Anthoz. [*teste* Nomen. anim.].
- Centhorus* Schoenherr, Gen. Curc. VIII (1) 1844, 66.—Col. [*teste* Nomen. anim.].
- Centracantha* Rafinesque, Ind. Ittiol. Sicil. 1810, 67; *pro* C—us [*teste* Nomen. anim.].
- Centracantus* Rafinesque, Car. n. gen. 1810, 43.—P. [*teste* Nomen. anim.].
- Centrarchis* Swainson, Hist. Classif. Fish. I. 1838, 80; *pro* C—us, Cuv. [*teste* Nomen. anim.].
- Centrifugus* Bronn (*ex* His. MS), Lethaea, I. 1834, 96.—G. [*teste* Nomen. anim.].
- Centrochila* emend. *pro* C—cheila; G. Tilesius, Isis (Munich) (5) 1850, 75.
- Centrodes* Klug, Mag. Ins.-Kunde, VI. 1807, 217.—Hym. [*teste* Nomen. anim.].
- centrognathus* Zanchus; lege *centrognathos* Zancus.
- Centrolopus* Fleming, Phil. Zool. II. 1822, 395; *pro* C—lophus, Lac. [*teste* Nomen. anim.].
- Centronatus* Swainson, Hist. Classif. Fish. I. 1838, 7; *pro* C—notus, Schn. [*teste* Nomen. anim.].
- Centrophanes* Kaup, Entwickgesch. 1829, 192; *pro* Centro— [*teste* Nomen. anim.].
- Centrophis* Fitzinger (? *ex* Hempr. MS), Syst. Rept. 1843, 24.—R. [*teste* Nomen. anim.].
- Centrophus* Schlegel, Nat. Verh. Haarlem, XIX. 1831, 245; *pro* C—pus, Ill. [*teste* Nomen. anim.].
- Centroplices* S. Mueller, Arch. f. Naturg. XII (1) 1846, 128.—R. [*teste* Nomen. anim.].
- Centropoma* Duméril, Zool. anal. 1806, 333; *pro* C—us, Lac. [*teste* Nomen. anim.].
- Centropistris* Griffith in Cuvier, Anim. Kingd. X. 1834, 117; *pro* C—tis, Cuv. [*teste* Nomen. anim.].
- Centroproctus* C. W. Hahn, Icones Mon. Cimicum, 1826, fasc. 1.—Hem. [anim.].
- Centropus* Oken, Lehrb. Nat. III (2) 1816, 35 & 36; *pro* C—podus, Lac. [*teste* Nomen. anim.].
- Centropyx* Cuvier, Règne Anim., ed. 2, II. 1829, 30; *pro* K—, Spix [*teste* Nomen. anim.].
- Centrosaurus* Fitzinger, Syst. Rept. 1843, 78 & 79.—R. [*teste* Nomen. anim.].
- Centrotus* Megerle, Cat. Ins. II. 1802, [14].—Hem. [*teste* Nomen. anim.].
- Centurus* Audubon, Syn. Birds, 1839, pp. x & 188; *pro* Conurus, Kuhl [*teste* Nomen. anim.].
- cepedianus* Lophotes, Cuvier & Valenc., H. N. Poiss. X. 1835, pl. 301 [*non* 1803, 1809, 1812, 1817 vel 1829].
- Cephalacanthes* Griffith in Cuvier, Anim. Kingd. X. 1834, 138; *pro* C—us, Lac. [*teste* Nomen. anim.].
- Cephalacanthus* Beyrich (*ex* Otto MS), S. B. Ak. Berlin, 1848, 29.—P. (Elasm.) [*teste* Nomen. anim.].
- Cephalacteus* Kolenati, Melet. Ent. V. 1846, 168; *pro* Cephaloc—, Duf. [*teste* Nomen. anim.].
- Cephalates* J. E. Gray in Griffith's Cuvier, Anim. Kingd. XIV. 1832, 276; *pro* Cephalo—, Bon. [*teste* Nomen. anim.].
- Cephalepes* Swainson, Hist. Classif. Fish. LI [=II] 1839, 178 & 258; *pro* C—is, Raf. [*teste* Nomen. anim.].
- Cephalocanthes* Swainson, Hist. Classif. Fish. I. 1838, 80; *pro* Cephalacanthus, Lac. [*teste* Nomen. anim.].

- Cephalocanthus** Griffith in Cuvier, *Anim. Kingd.*, Index, 1835, p. xxxiv; *pro* Cephalo→, Lat. [teste Nomen. anim.].
- Cephalocotyleum** Diesing, *Syst. Holm.* I. 1850, 617.—Verm. [teste Nomen. anim.].
- Cephalocterus** Burmeister, *Handb. Ent.* II. 1835, 376; *pro* C—teus, Duf. [teste Nomen. anim.].
- Cephalolithis** Ehrenberg, *Ber. Ak. Berlin*, 1847, 51.—? Rh. [teste Nomen. anim.].
- Cephalolophus** Wagner in Schreber, *Säugeth.*, Suppl. IV. 1844, 445; *pro* Cephalophus, Sm. [teste Nomen. anim.].
- Cephaloptera** Cuvier, *Règne Anim.* II. 1817, 138; *pro* C—us, Risso [teste Nomen. anim.].
- Cephalopteram** Griffith in Cuvier, *Anim. Kingd.* X. 1834, 617; *pro* C—us, Risso [teste Nomen. anim.].
- Cephalostenus** Dejean, *Catal. Coléopt.*, ed. 3, 1834, 183.—Col. [teste Nomen. anim.].
- Cephalothoptera** Griffith in Cuvier, *Anim. Kingd.*, Index, 1835, p. xlv; *pro* Cephalopterus, Risso [teste Nomen. anim.].
- Cephalotrix** Orsted, *Plattwurm.* 1844, 81; *pro* C—thrix [teste Nomen. anim.].
- Cephalotus** Bonaparte, *Glom. Arcad.* (1) XLIX. 1831, 14; *pro* C—tes, Geoff. [teste Nomen. anim.].
- Cephanodes** Stephens, *Ill. Brit. Ent.* (Haust. IV.) 1835, 405; *pro* Cepho→, Huebn. [teste Nomen. anim.].
- Cephenemya** Robineau D., *Mém. prés. Ac. France*, II. 1830, 26; *pro* C—myia, Latr. [teste Nomen. anim.].
- Cepheus** G. R. Gray, *Gen. Birds*, III (1847), 538; *pro* Cepphus, Wagl. [teste Nomen. anim.].
- Cephus** Oken, *Isis*, 1817, 1184; *pro* Cepphus, Pall. 1769 [teste Nomen. anim.].
- Cepinula** Schaffgöuth, *Geogn. Unters. südbay. Alpengeb.* 1850, 44.—? Rh.
- Cephepyris** Jardine & Selby, *Ill. Orn.* II (5) 1829, tab. 79; *pro* Cephlepyris, Cuv. [teste Nomen. anim.].
- Cepolus** Dumeril, *Zool. anal.* 1806, 333; *pro* Cepola, L. 1764 [teste Nomen. anim.].
- Ceracampa** Kirby & Spence, *Introd. Entom.*, ed. 5, II. 1828, 235.—Lep. [teste F. J. G.].
- Ceraclea** Leach in Brewster, *Edinb. Ency.* IX. 1815, 136.—Trich. [teste Nomen. anim.].
- Ceramianthema** Agassiz (ex Donati), *Nom. Zool.* (Polyp.) 1844, 6.—Coel. [teste Nomen. anim.].
- Ceramites** Hermannsen, *Ind. Gen. Malac.* I. 1846, 206.—L. [teste Nomen. anim.].
- Ceraphoron** C. E. Hofmann, *Verz. Ins. Latreille*, 1834, 13; *pro* Ceraphron, Jur. [teste Nomen. anim.].
- Ceraphron** Gistel & Bromme, *Handb. Nat.* 1850, 468; *pro* Bethylus, Latr. [teste Nomen. anim.].
- Cerapterinus** Westwood, *Ent. Mag.* V. 1838, 501; *pro* C—terus, Swed. 1788 [teste Nomen. anim.].
- Cerapterus** Blanchard, *Hist. An. artic.*, Ins. III. 1840, 276; *pro* C—terocerus, Westw. [teste Nomen. anim.].
- Cerastoma** J. E. Gray, *Proc. Zool. Soc. London*, XV. 1847, 134; *pro* Cero→, Conr. [teste Nomen. anim.].
- Cerastus** Dejean, *Catal. Coléopt.* 1821, 93.—Col. *Nomen ab ipso auctore statim reiectum*; [teste Nomen. anim.].
- Ceratites** Hermannsen, *Ind. Gen. Malac.* I. 1846, 206.—G. [teste Nomen. anim.].
- Ceratoblepharis** Fittinger, *Syst. Rept.* 1843, 71.—R. [teste Nomen. anim.].
- Ceratodon** Wagner, *Nat. Syst. Amph.* 1830, 18 f. n. ? = Kerodon, F. Cuv.].
- Ceratoides** Agassiz, *Nom. Zool.* (Moll.) 1845, 18 [ex Scheuchz. 1702].—Ceph.
- Ceratoides** Hermannsen, *Ind. Gen. Malac.* I. 1846, 207.—G. [teste Nomen. anim.].
- Ceratopachis** Westwood in Hope, *Cat. Hemipt.* II. 1842, 5.—Hem. [teste Nomen. anim.].
- Ceratophora** Gistel, *Nat. Theor.* 1848, p. viii; *pro* Cerophora, d'Orb. [teste Nomen. anim.].
- Ceratophris** Cuvier, *Règne Anim.*, ed. 2, II. 1829, 106; *pro* C—ys [teste Nomen. anim.].
- Ceratophys** Gray in Griffith & Cuvier, *Anim. Kingd.* IX. 1831, Syn. 101; *pro* C—phrys, Wied [teste Nomen. anim.].
- Ceratorhina** G. R. Gray, *List Gen. Birds*, 1840, 76; *pro* C—rhina, Bonap. [teste Nomen. anim.].
- Ceratorhynchus** Sundevall, *K. Vet. Ak. Handl.* 1835 [1836], 130; *pro* Cerorhinca, Bonap. [teste Nomen. anim.].

- Ceratorrhina** Bonaparte, Ann. Stor. nat. IV. 1830, 348; *pro* Cerorhinca, 1828 [*teste* Nomen. anim.].
- Ceratorrhina** Blanchard, Cat. Collect. Ent. I. 1850, 30; *pro* Ceratorrhina, Westw. [*teste* Nomen. anim.]. [Nomen. anim.].
- Ceratorynchus** Blyth in Cuvier's Anim. Kingd. 1840, 254; *pro* Cerorhinca, Bonap. [*teste* Nomen. anim.].
- Ceratotus** Burmeister, Z. Ent. Germar, II. 1840, 39; *pro* Ceroyus, Aud.-S. [*teste* Nomen. anim.].
- Ceratrophis** South, Ency. metrop. VII. 1845, tab. 7; *pro* Ceratophrys, Wied [*teste* Nomen. anim.].
- Ceraunites** Hermannsen, Ind. Gen. Malac. I. 1846, 207.—Ceph. [*teste* Nomen. anim.].
- Cerbera** Burmeister, Handb. Naturg. (2) 1837, 768; *pro* Coereba, Vieill. [*teste* Nomen. anim.].
- Cercarea** Mudge in Blyth, Cuvier's Anim. Kingd. 1840, 660; *pro* Cerearia, Müll. [*teste* Nomen. anim.].
- Cercibus** G. R. Gray, List Gen. Birds, 1840, 67; *pro* Cercibis, Wagl. [*teste* Nomen. anim.].
- Cercocephala** Burmeister, Arch. Naturg. I (2) 1835, 48; *pro* Cerocephala, Westw. [*teste* Nomen. anim.].
- Cercoloptes** Gloger, Handb. Naturg. I. 1841, p. xxviii; *pro* C—leptes, Ill. [*teste* Nomen. anim.].
- Cercopales** C. E. Hofmann, Verz. Ins. Latreille, 1834; *pro* Ceropales, Latr. [*teste* Nomen. anim.].
- Cercopithecus** Brünnich, Zool. Fundam. 1772, 34 & 40.—M. [Lasiopyg.; *teste* Nomen. anim.].
- Cercopsis** Billberg, Syn. Scand. I (2) tab. A, 1828; *pro* Cereopsis, Lath. [*teste* Nomen. anim.].
- Cercopythecus** Lesson, Mamm. 1840, 49; *pro* C—pithecus, Brünn. 1772 [*teste* Nomen. anim.].
- Cercropis** Bonaparte, Giorn. Arcad. XLIX. 1831, 43; *pro* Cecropis, Boie [*teste* Nomen. anim.].
- Cercus** Hogg, Zoologist, III. 1845, 1053 & 1054; *pro* Circus, Lac. 1799 [*teste* Nomen. anim.].
- cerealis** Cecidomyia, A. Fitch, Trans. New York State Agric. Soc. V. 1845, [33] [1846].
- Cerhorhinchus** J. Kaup, Classif. Säugeth. 1844, 29; *pro* Cerorhinca, Bonap. [*teste* Nomen. anim.].
- Cerictes** Swainson, Hist. Classif. Fish. I. 1838, 140 & 165; *pro* C—tus, Raf. [*teste* Nomen. anim.].
- Cerithiigenus** Renier, Tav. Classif. 1807 [*i.e.* 1804] viii.—G. [*teste* Nomen. anim.].
- Cerodon** J. Wagler, Nat. Syst. Amph. 1830, 18.—M. = Kerodon, F. Cuv.
- Ceromyia** Agassiz, Nom. Zool. (Dipt.) 1846, 7; *pro* C—mya, Rob.-D. [*teste* Nomen. anim.].
- Ceroplatus** Schellenberg, Gatt. Flieg. 1803, 16–17, tab. 12.—Dipt. [*teste* Nomen. anim.].
- Ceropleura** d'Orb. 1841; Cossmann (*ex* Fischer), Essai Paléœconch. I. 1895, 133 [*teste* E. R. S., *sed* ? MS Mus. Paris].
- Cerorhinca** G. R. Gray, List Gen. Birds, ed. 2, 1841, 97; *pro* C—rhinca, Bonap. [*teste* Nomen. anim.].
- Cerous** d'Orbigny & Gervais, Voy. Amér. mérid. IX. 1847 (Mamm.), tab. 20; *pro* Cervus, L. 1758 [*teste* Nomen. anim.].
- cerrifoliae** Cecidomyia, Passerini, N. Ann. Sci. Nat. [3] I. 1850, 475. [anim.].
- Certhialauda** Burmeister, Verz. Mus. Halle, 1850, 36; *pro* Certhialauda, Sw. [*teste* Nomen. anim.].
- Cerythus** Hahn, Vög. Asien (1) 1818, expl. tab. 4; *pro* Corythus, Cuv. [*teste* Nomen. anim.].
- Cesio** Rafinesque, Analyse, 1815, 85; *pro* Caesio, Lac. [*teste* Nomen. anim.].
- Cesiomorus** Rafinesque, Analyse, 1815, 85; *pro* Caesiomorus, Lac. [*teste* Nomen. anim.].
- cestulatus** Turdus; v. *ustulatus*. [Nomen. anim.].
- Cetoehylus** Roussel, Ann. Sci. Nat. (Zool.) [2] I. 1834, 336; *pro* C—chilus, p. 333 [*teste* Nomen. anim.].
- Cetocine** Reichenbach, Zool. I. 1828, 99; *pro* Cetocis, Montf. [*teste* Nomen. anim.].
- Cetosia** Latreille, Gen. Crust. Ins. IV. 1809, 200; *pro* Cethosia, Fab. [*teste* Nomen. anim.].
- Ceuthocerus** Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 129; *pro* Ceutocerus, Germ. [*teste* Nomen. anim.].
- Ceux** Mueller in Temminck, Verh. Nederl. bezitt. (Land- en Volk.) 1847, 470; *pro* Ceyx, Lac. [*teste* Nomen. anim.].
- zeylanensis** Sylvia, L. P. Vieillot, N. Dict. H. N., ed. 2, XI. 1817, 232; in some issues cingalensis [*teste* C. W. R.].
- ceylonica** Pandora, Hanley, Recent Shells, 1842, 50 [*teste* R. W.].
- Chaelephthicum** d'Orbigny, Prodr. Paléont. II. Nov. 1850, 284 [*err. pro* Coeloptychium].
- Chaemeza** Swainson, Hist. Classif. Birds, II. 1837, 25 & 231; *pro* Chamaeza, Vig. [*teste* Nomen. anim.].

- Chaenictithys** Richardson, Zool. Voy. "Ereb.-Terr." II (Fish.) 1844, 12; *pro* Channictithys, 1844 [*teste* Nomen. anim.].
- Chaenodelphis** Wagner in Schreber, Säugeth. VII (137) 1847, p. viii; *pro* C—phinus, Eschr. [*teste* Nomen. anim.].
- Chaenoramphus** Thon in Ersch & Gruber, Ency. VII, 1850, 385.—A. [*teste* Nomen. anim.].
- Chaeoripithecus** Schenck, Diss. pith. VIII, 1853, 428.—M. [*teste* Nomen. anim.].
- Chaetophorus** Kirby & Spence, Insect. Briton, vol. 3, II, 1828, 255.—Col. [*teste* F. J. G.].
- Chaetopteros** McMurres in Cuvier, Anim. Kingd. 1829, 280; *pro* C—us, Cuv. [*teste* Nomen. anim.].
- Chaima** Griffith in Cuvier, Anim. Kingd. VII, 1829, 398; *pro* Chauna, Ill. [*teste* Nomen. anim.].
- Chalcides** Rueppell, N. Wirbelth. Abyss. [Vog.] 1852, 52; *pro* Chalcites, Less. [*teste* Nomen. anim.].
- Chalcis** Cuvier, Leg. Anat. I, 1805, tab. 27; *pro* Chalcedes, Laur. 1768 [*teste* Nomen. anim.].
- chalcitis** Phalaena Noctua, Leger, Schmetz. IV, 1789, 447.
- Chalcolampra** Blanchard, Voy. Pol. Ind. [Zool.] IV, 1833, 328.—Col. [*teste* Nomen. anim.].
- Chalcophanes** Temminck, Pl. Indes. II, Gen. Lorient, [p. 2] 1825 (1825).—A. [*teste* Nomen. anim.].
- Chaligidoma** Leach in Arch. f. Naturg. VII (2) 1841, 213; *pro* Chalicodoma, Lep. [*teste* Nomen. anim.].
- Chalis** Kolldon, Journ. Ist. Lomb. Ital. XVI, 1847, 248; *pro* Chalidis, Quatr. [*teste* Nomen. anim.].
- Chalisoma** Swainson, Hist. Charad. Fish. II, 1839, 325; *pro* C—us [*teste* Nomen. anim.].
- Chamaepelea** Tschudi, P. Bern. [Orn.] 1844, 45; *pro* C—lia, Sw. [*teste* Nomen. anim.].
- Chamaepholas** Hermannsen, Ind. Gen. Malac. I, 1846, 219.—L. [*teste* Nomen. anim.].
- Chamaesaura** Schaller, Hist. Amph. II, 1801, 205.—R. [*teste* Nomen. anim.].
- Chamaetrachaea** Agassiz, Nom. Zool. (Moll.) 1846, 18; *pro* C—trachaea, Br. 1792 [*teste* Nomen. anim.].
- Chamaezusa** Burmeister, Verr. Mus. Halle, 1850, 45; *pro* C—zosa, Cab. [*teste* Nomen. anim.].
- Chamba** McClelland, Catalog. Japon. Nat. Hist. II, 1842, 562; *pro* Chanda, Ham. [*teste* Nomen. anim.].
- Charnea** Hartlaub, Arch. f. Naturg. XIV (2) 1848, 17; *pro* Chamaea, Ganib. [*teste* Nomen. anim.].
- Chamelea** Hermannsen, Ind. Gen. Malac. I, 1846, 220; *pro* C—laea, Br. 1792 [*teste* Nomen. anim.].
- Chameleolis** Duméril & Bibron, Erpét. IV, 1837, 168 & 171.—R. [*teste* Nomen. anim.].
- Chameleon** Fleming, Phil. Zool. II, 1822, 272.—R. [*teste* Nomen. anim.].
- Chamelion** J. E. Gray, Ann. Phil., n. s. X, 1825, 200; *pro* C—leon, Gron. 1763 [*teste* Nomen. anim.].
- Chamepholas** Hermannsen, Ind. Gen. Malac. I, 1846, 220.—L. [*teste* Nomen. anim.].
- Chamesaurus** Rafinesque, Analyse, 1815, 76; *pro* Chamaesaura, Schn. [*teste* Nomen. anim.].
- Chametrichaea** Hermannsen, Ind. Gen. Malac. I, 1846, 220; *pro* Chamaetrachaea, Br. 1792 [*teste* Nomen. anim.].
- Chamigenus** Reuter, Tav. Classif. 1807 [i.e. 1804] vii.—L. [*teste* Nomen. anim.].
- Chamoea** G. R. Gray, Gen. Birds, III (App.) 1849, 9; *pro* Chamaea, Gamb. [*teste* Nomen. anim.].
- Chamoelopsis** Gray in Griffith's Cuvier, Anim. Kingd. IX, 1831, Syn., 45; *pro* Chamae→ [*teste* Nomen. anim.].
- Chamoepelia** Lesson, L'ho Monde Savant (2) XI, 1845, 8; *pro* Chamae→, Sw. [*teste* Nomen. anim.].
- Chamoerrhipes** Latreille, Ass. Soc. Ent. France, III, 1834, 169.—Col. [*teste* Nomen. anim.].
- Chamoetrachaea** Deshayes, Ency. Méth. (Vers.) II (1) 1830, 235; *pro* Chamae→, Br. 1792 [*teste* Nomen. anim.].
- Chamoeza** G. R. Gray, Gen. Birds, I (1846), 212; *pro* Chamaeza, Vig. [*teste* Nomen. anim.].
- Chamostraea** Hermannsen, Ind. Gen. Malac. I, 1846, 220.—L. [*teste* Nomen. anim.].
- Champse** Merrem, Syst. Amph. 1820, 36.—R. [*teste* Nomen. anim.].
- Channomuraena** Richardson, Voy. "Ereb.-Terr." (Fish.) 1844, 96.—P. [*teste* Nomen. anim.].
- chapmani** Mastodon, H. G. Bronn, Index Pal. 1848, 706 [*non* Hays sp.].
- Charadias** Scopoli, Insect. Hist. Nat. 1777, 475; *pro* Charadrius, L. 1758 [*teste* Nomen. anim.].

- Charadinus** Dumont, Dict. Sci. Nat. XIX. 1821, 339; *pro* Charadrius, L. 1758 [*teste* Nomen. anim.].
- Charadrus** Fleming, Phil. Zool. II. 1822, 256; *pro* Charadrius, L. 1758 [*teste* Nomen. anim.].
- Charagus** W. Kirby, Tr. Linn. Soc. London, XII. 1818, 447.—Col. [*teste* Nomen. anim.].
- Charanx** Swainson, Hist. Classif. Fish. II. 1839, 176 & 441; *pro* Caranx, Lac. [*teste* Nomen. anim.].
- chariclea** Papilio, D. H. Schneider, Neueste Mag. I (5) 1794, 588 [*teste* A. F. H.].
- charidea** Papilio, Schn. 1794; in Sherborn, Index Anim. I., p. 199 *lege* chariclea.
- Charinotus** Agassiz, Nom. Zool. (Col.) 1840, 34; *pro* C—tes, Aud.-S. [*teste* Nomen. anim.].
- charloni** Anthocaris; *lege* charlonia.
- charmione** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 205.
- charpentieri** Ammonites, Schafhäutl, Geogn. Unters. südbay. Alpengeb. 1850, 142.
- Charta** J. E. Gray, Proc. Zool. Soc. London, XV. 1847, 161.—G. [*teste* Nomen. anim.].
- Chasiampis** G. R. Gray, Gen. Birds, III. 1849, App., 12; *pro* Chasiempis, Cab. [*teste* Nomen. anim.].
- Chasmarhynchus** Burmeister, Arch. f. Naturg. VI (1) 1840, 224; *pro* Casmarrhynchus, Temm. 1820 [*teste* Nomen. anim.].
- Chasmarrhynchus** Burmeister, Handb. Naturg. (2) 1837, 773; *pro* Casmarrhynchus, Temm. 1820 [*teste* Nomen. anim.].
- Chasmatoptera** Berthold in Latreille, Nat. Fam. Thierr. 1827, 363; *pro* C—us [*teste* Nomen. anim.].
- Chasmopterus** Latreille in Cuvier, Règne Anim., ed. 2, IV. 1829, 567; *pro* Chasmatopterus, Dej. [*teste* Nomen. anim.].
- Chauliodes** Oken, Lehrb. Naturg. III (2) 1816, pp. iii & 99; *pro* C—us, Schn. [*teste* Nomen. anim.].
- Chaunosus** G. R. Gray, Gen. Birds, I. 1845, tab. 72; *pro* C—notus, 1837 [*teste* Nomen. anim.].
- Chaussa** Vieillot, N. Dict. H. N., ed. 2, XXIV. 1818, 94; *pro* Chauna, Ill. [*teste* Nomen. anim.].
- Cheilete** Risso, H. N. Europ. mérid. V. 1826, 181; *pro* Cheyletus, Latr. [*teste* Nomen. anim.].
- Cheilnus** Griffith in Cuvier, Anim. Kingd., Index, 1835, 166; *pro* Cheilinus, Lac. [*teste* Nomen. anim.].
- Cheilobus** Rafinesque, Amer. Monthly Mag. II. 1817, 127.—P. [*teste* Nomen. anim.].
- Cheilodactyla** Fleming, Phil. Zool. II. 1822, 393; *pro* C—us, Lac. [*teste* Nomen. anim.].
- Cheilodromus** G. R. Gray, List Gen. Birds, 1840, 64; *pro* C—as, Ruepp. [*teste* Nomen. anim.].
- Cheilostoma** Gistel, Nat. Thierr. 1848, p. xi; *pro* Chelostoma, Latr. [*teste* Nomen. anim.].
- Cheirogallus** J. E. Gray, Ann. Phil. [2] X. 1825, 338; *pro* C—galeus, Geoff. [*teste* Nomen. anim.].
- Cheironectes** J. E. Gray in Griffith's Cuvier, Anim. Kingd. V. 1827, 191; *pro* Chiro—, Ill. [*teste* Nomen. anim.].
- Cheiopachys** Haliday, Ent. Mag. I. 1833, 268; *pro* C—us, Westw. [*teste* Nomen. anim.].
- Cheiopotamus** Ritgen, Nat. Einth. Säugeth. 1824, 45; *pro* Chaero—, Desm. [*teste* Nomen. anim.].
- Cheirotherium** Agassiz, Nom. Zool. (Rept.) 1844, 9; *pro* Chiro—, Kaup [*teste* Nomen. anim.].
- Chelanops** Gervais in Gay, Hist. Chili (Zool. IV.) 1849, 13.—Ar. [*teste* Nomen. anim.].
- Chelidones** Gloger, Not. Nat. Heilk. XVI. 1827, 279; *pro* Chelidis [*teste* Nomen. anim.].
- Chelidoura** Audinet-S., Ann. Sci. Nat. XXII. 1831, 36; *pro* C—dura, Berth. [*teste* Nomen. anim.].
- Chelidra** Bonaparte, Sagg. An. Vert. 1831, 68; *pro* Chelydra, Schw. [*teste* Nomen. anim.].
- Chelio** Duméril, Zool. anal. 1806, 333; *pro* Chelilio, Lac. [*teste* Nomen. anim.].
- Chelisoma** Swainson, Treat. Malac. 1840, 45 & 236; *pro* Chelyosoma, B. & S. [*teste* Nomen. anim.].
- Chelliphaga** Thon in Ersch & Gruber, Ency. [3] XI. 1838, 319; *pro* Meliphaga, Lewin [*teste* Nomen. anim.].
- Chelmo** Oken, Isis, 1817, 1782 [= 1182a]; *pro* Chelmon, Cuv. [*teste* Nomen. anim.].
- Chelochelidon** Brehm, Isis (Oken), 1842, 413; *pro* Gelo—, 1830 [*teste* Nomen. anim.].
- Chelone** Al. Brongniart, Mém. prés. Inst. Paris, I. 1803, 610.—R. [*teste* Nomen. anim.].

- Chelonia** ~~Huebner~~, Verz. bekannt. Schmettt., Anz. 1816, 62; *pro* C—~~lus~~ [teste Nomen. anim.].
- Chelonichthys** Agassiz, Poiss. foss. I. 1840, p. XXXIII.—P. [teste Nomen. anim.].
- Chelonides** Boissduval, Icon. Hist. Lepid. II. 1835, 115.—Lep. [teste Nomen. anim.].
- Chelonites** Billberg, Enum. Ins. 1826, 109; *pro* Celonites, Latr. [teste Nomen. anim.].
- Chelopus** Billberg, Enum. Ins. 1820, 127.—Ar. (*nec. sedis*) [teste Nomen. anim.].
- Chelysoma** Gravenhorst, Vergl. Zool. 1843, 68; *pro* Chelyosoma, B. & S. [teste Nomen. anim.].
- Cheniscus** Vigers, Zool. Journ. II (7) Oct. 1825, 404.—A. [teste Nomen. anim.].
- Cheniskus** Bonaparte, Giorn. Arcad. XLIX. 1841, 59; *pro* Cheniscus, Vig. [teste Nomen. anim.].
- Chenogeranus** T. Brown, Rept. Council Manchester N. H. Soc. 1842, 4.—A. [anim.].
- Chenolopex** Vigers, Zool. Journ. II (7) Oct. 1825, 404; *pro* C—alopex, Steph. [teste Nomen. anim.].
- Chenondopora** Goldfuss, Petrol. Germ. I (4) 1833, 243; *pro* Chenen→ [teste Nomen. anim.].
- Chenopsis** Bonaparte, Icon. Faune Ital. I (Introd. Uccelli) 1841, [16]; *pro* Chenopis, Wagl. [teste Nomen. anim.].
- Cherax** Erichson, Arch. f. Naturg. XII (1) 1846, 88 & 89.—Cr. [teste Nomen. anim.].
- Cheronectis** Fleming, Phil. Zool. II. 1822, 212; *pro* Chir→, Ill. [teste Nomen. anim.].
- Cheropus** Motschulsky, Kaf. Russl., tab. no. 9, 1850; *pro* Cheporus, Dahl [teste Nomen. anim.].
- Chersydrus** Bonaparte, Sagg. An. Vert. 1831, 75; *pro* Chersydrus, Cuv. [teste Nomen. anim.].
- Chersidrus** Oken, Isis, 1817, 1183; *pro* Chersy→ [teste Nomen. anim.]. [anim.].
- Chersis** Latreille, Cours Ent. 1831, 542.—Ar. [teste Nomen. anim.].
- Chersydreas** Gray, Ann. Phil. [2] X. 1825, 207; *pro* Chersydrus, Cuv. [teste Nomen. anim.].
- “Chetis Kaup & Scholl,” Isis (Oken), 1835, 346.—M. [*n. n.*; non 1834, teste Palmer].
- Chetoblemma** Lesson, Rev. Zool. II. 1839, 197; *pro* Chaet→, Sw. [teste Nomen. anim.].
- Chetodipterus** Duméril, Zool. anal. 1806, 333; *pro* Chaeto→, Lac. [teste Nomen. anim.].
- Chetogaster** Gervais, Bull. Ac. Brux. V. 1838, 15; *pro* Chaeto→, Baer [teste Nomen. anim.].
- Chetopterus** Audouin & Edw., Ann. Sci. Nat. XXX. 1833, 416; *pro* Chaeto→, Cuv. [teste Nomen. anim.].
- Cheu** C. L. Bonaparte, Ann. Lyceum N. H. New York, II. 1828, 374 (? *err. pro* Chen].
- Cheuletus** Billberg, Enum. Ins. 1820, 127; *pro* Cheyletus, Latr. [teste Nomen. anim.].
- delle Chiaje** Lygaeus, F. W. Hope, Descr. Ins. foss. [1848], 6.
- Chianopelas** J. J. Tschudi, Arch. f. Naturg. XI (1) 1845, 168.—R. [*nom. MS in syn.*].
- childrenii** Sylvia, T. Brown, Ill. Amer. Orn. 1835, Syst. Index, p. i.
- Chilendri** Agassiz, Nom. Zool. (Col.) 1846, 35; *pro* Chel→, Berth. [teste Nomen. anim.].
- chilensis** Ardea, G. I. Molina, Sagg. stor. nat. Chili, ed. 2, 1810, 205.
- chilensis** Tringa, G. I. Molina, Sagg. stor. nat. Chili, ed. 2, 1810, 206.
- Chilobotrus** Duméril & Bibron, Erpét. VI. 1844, 610; *pro* C—thrus, 1844 [teste Nomen. anim.].
- Chilodorus** Latreille in Cuvier, Règne Anim., ed. 2, IV. 1829, 171; *pro* Chydorus, Leach [teste Nomen. anim.].
- Chilodus** Giebel, Fauna Vorwelt, I (3) 1848, 352.—P. (Elasm.) [teste Nomen. anim.].
- Chilonychia** G. Tilesius, Isis (Münich) (5) 1850, 75.—*emend. pro* C—cha, Lacord.
- Chiloraema** Stein, Arch. f. Naturg. VI (2) 1840, 325; *pro* Chlor→, Duj. [teste Nomen. anim.].
- Chimarra** Stephens, Cat. Brit. Ins. (Mand.) 1829, 318.—Trichopt. [teste Nomen. anim.].
- Chimera** Rafinesque, Analyse, 1815, 92; *pro* Chimaera, L. 1758 [teste Nomen. anim.].
- Chimera** Rafinesque, Analyse, 1815, 147; *pro* Chimaera, Poli, 1791 [teste Nomen. anim.].
- Chimophasia** Agassiz, Nom. Zool. Index Univ. 1846, 75 & 81; *pro* Cheim→ [teste Nomen. anim.].
- Chimpansee** Je Voigt in Cuvier, Thierry. I. 1831, 76.—M. [teste Nomen. anim.]. [anim.].
- Chionella** J. G. Jeffreys in Swainson, Treat. Malac. 1840, 335.—G.
- Chioninia** J. E. Gray, Cat. Lizards Coll. B. M. 1845, 116.—R. [teste Nomen. anim.].
- Chionoda** Huebner, Verz. bekannt. Schmettt., Anz. 1826, 67; *pro* C—des [teste Nomen. anim.].
- Chionopelas** Tschudi, F. Peru. (Herpet.) 1846, 70.—R. [teste Nomen. anim.].
- Chiracanthus** Creplin in Ersch & Gruber, Ency. [1] XXXV. 1841, 82; *pro* Chir→, Dies. [teste Nomen. anim.].
- Chirocera** Latreille in Cuvier, Règne Anim., ed. 2, V. 1829, 295.—Hym. (Chalcid.) [teste Nomen. anim.].

- Chirocerus** Brullé in Lepeletier, Ins. (Hym.) IV. 1846, 57: *pro* C→*ca*, Latr. [*teste* Nomen. anim.].
- Chiroleptus** Swainson, Hist. Class. Fish. II. 1839, 71 & 442; *pro* Pteroleptus [*teste* Nomen. anim.].
- Chironmys** Duméril, Zool. anal. 1806, 18; *pro* Cheir→, Cuv. 1809 [*teste* Nomen. anim.].
- Chiron** A. & G. Villa, Col. Eur. 1833, 18.—Col. (Teneb.) [*teste* Nomen. anim.].
- Chironectus** Swainson, Hist. Class. Fish. II. 1839, 330; *pro* C→*tes*, Raf. [*teste* Nomen. anim.].
- Chironomus** Fabricius, Syst. Antl. 1805, 46.—Rynch. [*non* Dipt.] [*teste* Nomen. anim.].
- Chironosus** Amyot, Ann. Soc. Ent. France [2] IV. 1846, 92.—Rhynch. [*non* biom.] [*teste* Nomen. anim.].
- Chirosaurus** *pro* 1855 lege 1835.
- Chirosciurus** Gervais, Dict. pittor. IV. 1836, 617.—M. [*teste* Nomen. anim.].
- Chitonigenus** Renier, Tav. Classif. An. [1804] viii.—Chit. [*teste* Nomen. anim.].
- Chitonites** Herrmannsen, Ind. Gen. Malac. I. 1846, 230 [*non* Schloth. q. *vernac. est*] [*teste* Nomen. anim.].
- Chizaeris** Swainson, H. Classif. Birds, I. 1836, p. vii; *pro* Chizaerhis, Wagl. [*teste* Nomen. anim.].
- Chizaerrhis** Rueppell, N. Wirbelth. Abyss. (Vogel) 1835 [1839–40], 116; *pro* Chizaerhis, Wagl. [*teste* Nomen. anim.].
- Chladobates** Schinz, Nat. Abb. Säugth. 1824; *pro* Clad→, Cuv. [*teste* Nomen. anim.].
- Chlamidera** Lafresnaye, Rev. Zool. V. 1842, 9; *pro* Chlamy→, Gould [*teste* Nomen. anim.].
- Chlamyphorus** Bonaparte, Giorn. Arcad. XLIX. 1831, 22; *pro* Chlamyphorus, Harl. [*teste* Nomen. anim.].
- Chloë** Agassiz, Nom. Zool. Index Univ. 1846, 82 & 90; *pro* Cloë, Burm. [*teste* Nomen. anim.].
- Chloephila** L. Guilding, Phil. Mag., n. s. VII (39) Mar. 1830, 206.—Lep. [*n. n.*].
- Chlorema** Quatrefages, Ann. Sci. Nat. (Zool.) [3] V. 1846, 379.—Verm. [*teste* Nomen. anim.].
- Chlorium** Billberg, Enum. Ins. 1820, 105; *pro* Chlorion, Latr. [*teste* Nomen. anim.].
- Chlorocala** Kirby & Spence, Introd. Entom., ed. 5, III. 1828, 648.—Col. [*teste* F. J. G.].
- Chlorodius** Rueppell, Besch. 24 Krabben, 1830, 20.—Cr. [*teste* Nomen. anim.].
- Chlorolepis** Dejean, Catal. Coléopt. 1821, 93.—Col. [*teste* Nomen. anim.].
- Chlorolophus** Schoenherr, Gen. Curc. II (1) 1834, 289, 290 & 294.—Col. [*teste* Nomen. anim.].
- Chloronema** H. M. Edwards, Ann. Sci. Nat. (Zool.) [2] X. 1838, 197; *pro* Chloroema, Duj. [*teste* Nomen. anim.].
- Chloropus** Schoenherr (*ex* Esch. MS), Gen. Curc. VI (2) 1842, 131.—Col. [*teste* Nomen. anim.].
- Chlorurus** Sw. 1839; *add.* p. 173 = *subg.* Crenilabrus *et* p. 227 *pro* Chlorogaster [*teste* chlorynothos Porphyrio, L. P. Vieillot, N. Dict. H. N. XXVIII. 1819, 24 [*teste* C. W. R.].
- Choemepelia** G. R. Gray, List Gen. Birds, 1840, 58; *pro* Chaem→, Sw. [*teste* Nomen. anim.].
- Choemorhous** Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 134; *pro* Chaimarornis, Hodgs. [*teste* Nomen. anim.].
- Choerodon** Bleeker, Nat. gen. Arch. Neerl.-Ind. II (3) 1845, 513.—P. [*n. n.*, *teste* Nomen. anim.].
- Choerosoma** Spinola, Ess. Hém. 1837, 222 & 380; *pro* Chorosoma, Curt. [*teste* Nomen. anim.].
- Choetetes** d'Orbigny, Prodr. Paléont. I. 1850, 25; *pro* Chaetetes, Fisch. [*teste* Nomen. anim.].
- Choetia** Desmarest, Dict. Univ. H. N. VI. 1845, 279; *pro* Chaetia, Hill, 1773 [*teste* Nomen. anim.].
- Choetodipterus** Oken, Isis, 1817, 1782 [= 1182a]; *pro* Chaeto→ [*teste* Nomen. anim.].
- Choetogaster** de Blainville, Dict. Sci. Nat. LVII. 1828, 499; *pro* Chaeto→, Baer [*teste* Nomen. anim.].
- Choetonotus** Dujardin, Dict. Univ. H. N. VII. 1846, 52; *pro* Chaeto→, Ehr. [*teste* Nomen. anim.].
- Choetops** Lafresnaye, Rev. Zool. II. 1839, 163; *pro* Chaetops, Sw. [*teste* Nomen. anim.].
- Choetopterus** Griffith in Cuvier, Anim. Kingd. XIII. 1833, 27; *pro* Chaeto→, Cuv. [*teste* Nomen. anim.].
- Cholaepus** J. E. Gray, Ann. Phil. [2] X. 1825, 343; *pro* Choloepus, Ill. [*teste* Nomen. anim.].
- Cholepus** Sélys, Etud. Micromm. 1839, 136; *pro* Choloepus, Ill. [*teste* Nomen. anim.].
- Cholobochyla** Huebner, Verz. bekannt. Schmett., Anz. 1826, 57; *pro* Colo→ [*teste* Nomen. anim.].
- Choncalcyon** G. R. Gray, Gen. Birds, I. 1846, 77 & 78; *pro* Choucalcyon, Less. [*teste* Nomen. anim.].
- Chondrocanthus** Risso, H. N. Eur. mérid. V. 1826, 137; *pro* Chondra→, Delar. [*teste* Nomen. anim.].

- Chondrosteus** Egerton, Foss. Fish Enniskillen, 1841, [1].—P. [*n. n.*, *teste* Nomen. anim.].
- Chordeilus** G. R. Gray, List Gen. Birds, 1840, 7; *pro* C—les, Sw. [*teste* Nomen. anim.].
- Choreus** Walker, List Hym. Coll. B. M. I. 1846, 99; *pro* Choreia, Westw. [*teste* Nomen. anim.].
- Choreutes** Burmeister, Handb. Ent. II (2) i (2) 1838, 449.—Thys. [*teste* Nomen. anim.].
- Choroetypus** Burmeister, Zeitschr. Ent. (Germar) II. 1840, 56; *pro* Chorot→, Aud.-S. [*teste* Nomen. anim.]. [*teste* Nomen. anim.].
- Chorophyllum** Burmeister, Zeitschr. Ent. (Germar) II. 1840, 56; *pro* Chori→, Aud.-S.
- Chorska** G. R. Gray, Cat. Mamm. Birds Nepal, 1846, 126; *pro* Chourtka, Motsch. [*teste* Nomen. anim.].
- Chreostes** Pascoe, Journ. Ent. II (11) 1846, 274.—Col. [*teste* Nomen. anim.].
- Chrisochloris** F. Cuvier, Dict. Sci. Nat. LIX. 1829, 433; *pro* Chryso→, Lac. [*teste* Nomen. anim.].
- Chrius** Dejean, Catal. Coléopt. 1821, 93.—Col. [*n. n.*, *teste* Nomen. anim.]. [anim.].
- Chroeampta** J. F. Brandt, Bull. Ac. St Pétersb. I. 1837, 189—Scyphozoa [*teste* Nomen. anim.].
- Chromatomyia** Hardy, Ann. Mag. N. H. [2] IV. 1849, 300.—Dipt. Agrom.; *gen.* Walkeri Ortal. *est* [*teste* Nomen. anim.].
- Chromileptes** Swainson, Hist. Classif. Fish. II. 1839, 20 & 168.—P. [*teste* Nomen. anim.].
- Chrosopus** Temminck in Siebold, F. Japon. (Mamm.), tab. 5 [1844]; *pro* Crossopus, Wagl. [*teste* Nomen. anim.].
- Chrycodonta** Leuckart in Ersch & Gruber, Ency. [1] XXI. 1830, 124; *pro* Chrysodonta, Mitch. [*teste* Nomen. anim.].
- Cryptophthalmus** *err. pro* Crypto→; O. G. Costa, Fauna Regno Nap. (Cat. Crost.) 1840, 4.
- Chrysalis** Albers, 1850, *delendum est*.
- Chrysalites** Herrmannsen, Ind. Gen. Malac. I. 1847, 233.—Ceph. [*teste* Nomen. anim.].
- Chrysammonites** Herrmannsen, Ind. Gen. Malac. I. 1847, 233.—Ceph. [*teste* Nomen. anim.].
- Chrysaore** Reichenbach, Zool. I. 1828, 99; *pro* Chrysaor, Montf. [*teste* Nomen. anim.].
- chryseis** Polyommatus (Dru.), *var. confluens*; Gerhard, Vers. Mon. europ. Schmett. (2) 1850, 5 [*teste* A. F. H.].
- Chrysemys** J. E. Gray, Cat. Tort. Coll. B. M. 1844, 27.—R. [*teste* Nomen. anim.].
- Chrysoar** G. B. Sowerby, II., Conch. Man. 1839, 23; *pro* Chrysaor, Montf. [*teste* Nomen. anim.].
- Chrysocheoris** McMurtrie in Cuvier, Anim. Kingd. 1834, 55; *pro* Chrysochloris, Lac. [*teste* Nomen. anim.]. [anim.].
- Chrysochlora** Latreille in Cuvier, Règne Anim., ed. 2, V. 1829, 486.—Dipt. [*teste* Nomen. anim.].
- Chrysochlora** de Blainville, Ostéogr. I (Insectiv.) [1840], 111; *pro* C—ris, Lac. 1794 [*teste* Nomen. anim.]. [Nomen. anim.].
- Chrysocloris** Geoffroy & Cuvier, Cat. Mamm. 1803, 75; *pro* C—chloris, Lac. 1799 [*teste* Nomen. anim.].
- Chrysococcix** Lesson, Compl. Buffon, IX. 1837, 269; *pro* C—cyx, Boie [*teste* Nomen. anim.].
- Chrysodeicis** Huebner, Verz. bekannt. Schmett., Anz. 1826, 37; *pro* C—xis [*teste* Nomen. anim.].
- Chrysolites** Herrmannsen, Ind. Gen. Malac. I. 1847, 233; *pro* Chrysolithes, Schr. 1779 [*teste* Nomen. anim.].
- Chrysoloma** Dejean, Catal. Coléopt. 1821, 94.—Col. [*teste* Nomen. anim.].
- Chrysolopus** Germar, Mag. Ent. II. 1817, 341.—Col. [*teste* Nomen. anim.].
- chrysolopus** Dendrocolaptes, Illiger in Lichtenstein, Abb. k. pr. Ak. Wiss. (Berlin) 1818—19 (1820), 203.
- Chrysomma** Blyth (ex Hodgson MS), Journ. Asiat. Soc. Bengal, XII. 1843, 181; XIII. 1844, 370.—A. [*teste* W. L. S.].
- Chrysopelia** Schlegel, Isis (Oken), XX. 1827, 292; *pro* C—lea, Boie [*teste* Nomen. anim.].
- Chrysopicus** Hartlaub, Arch. f. Naturg. XVI (2) 1850, 63; *pro* C—cos, 1849 [*teste* Nomen. anim.].
- Chrysopilus** Macquart, Rec. Trav. Soc. Lille, 1825 (1826), 403.—Dipt. [*teste* Nomen. anim.].
- Chrysopterix** Latresnay, Rev. Zool. II. 1839, 166; *pro* C—yx, Sw. [*teste* Nomen. anim.].
- Chrysosaurus** Gay, Hist. Chili (Zool.) II. 1848, 47.—R. [*teste* Nomen. anim.].
- Chrysostos** Duméril, Zool. anal. 1806, 333; *pro* Chrysotosus, Lac. [*teste* Nomen. anim.].
- Chrysostroma** Latreille, N. Diet. H. N. XXIV (Tab.) 1804, 77; *pro* C—us, Lac. [*teste* Nomen. anim.].

- Chrysotos** Lacepède, Hist. Poiss. IV. 1802, 587; *pro* C—tosus [*teste* Nomen. anim.].
- Chrysotroma** Rafinesque, Analyse, 1815, 83; *pro* C—stromus, Lac. [*teste* Nomen. anim.].
- Chthalamus** J. E. Gray, Ann. Phil. X. 1825, 68 & 104; *pro* Chthalamus, Ranz. [*teste* Nomen. anim.].
- Chthonoergus** Agassiz, Nom. Zool. (Mamm.) 1842, 8; *pro* Chthon→, K. & B. [*teste* Nomen. anim.].
- Chtonotus** Dujardin, Hist. Zooph. 1841, 127; *pro* Chaetonotus, Ehr. [*teste* Nomen. anim.].
- Chychrus** Westwood, Introd. Classif. Ins. I. 1830, 89; *pro* Cychrys, Fab. 1794 [*teste* Nomen. anim.].
- Chyloscyllium** Bleeker, Verh. Batav. Genoot. XXIII. 1850, 12; *pro* Chilo→ [*teste* Nomen. anim.].
- Chylyza** Blanchard, Hist. Ins. II. 1845, 489; *pro* Chyliza, Fall. [*teste* Nomen. anim.].
- Chymatophora** Guenée, Ann. Soc. Ent. France, VI. 1837, 315.—Lep. [*teste* Nomen. anim.].
- Chysoptera** [Zincken], Allg. Lit.-Zeit. 1817 (3), 75.—Lep. [*teste* Nomen. anim.].
- Cibium** Troschel, Arch. f. Naturg. XV (1) 1840, 380; *pro* Cybium, Cuv. [*teste* Nomen. anim.].
- Cichoracea** Oken, Isis, 1817, 1168; *pro* Chicoreus, Montf. [*teste* Nomen. anim.].
- Cichoraceus** Herrmannsen, Ind. Gen. Malac. I. 1847, 234; *pro* Chicoreus, Montf. [*teste* Nomen. anim.].
- Cicilia** Griffith in Cuvier, Anim. Kingd., Index, 1835, 167; *pro* Cecilia, Raf. [*teste* Nomen. anim.].
- Cicindella** G. Tilesius, Isis (Munich) (5) 1850, 75; *pro* Cicindela, L. [*anim.*].
- Cignus** C. Wood, Orn. Guide, 1837, 207; *pro* Cygnus, Bechst. [*teste* Nomen. anim.].
- ciliaris** Holacanthus; *lege* Holacanthus.
- ciliata** Sillago, Cuvier & Val., H. N. Poiss. III. 1829, 415 [*teste* G. P. W.].
- Cilicoea** Leach, Dict. Sci. Nat. XII. 1818, 342.—Cr. [*teste* Nomen. anim.].
- Cilinus** Steven, Mus. Univ. Mosqu. 1829, 14.—Col. [*teste* Nomen. anim.]. [*anim.*].
- Cillocoris** Eversmann, Bull. Soc. Moscou, X. 1837, 35; *pro* Cyllocoris, Hahn [*teste* Nomen. anim.].
- Cimbyrynchus** Blyth, Journ. Asiat. Soc. Bengal, XI. 1842, 203; *pro* Cymbirhynchus, Vig. [*teste* Nomen. anim.].
- Cimoliornis** Gervais, Rem. Ois. foss. 1844, 7 [*non* Owen, *ine. sed. non* Av. *teste* Nomen. anim.].
- cimothoe** Melitaea, Bertolini, Mem. due farfalle Lunese, 1829 [*teste* A. F. H.].
- Cinaras** G. B. Sowerby, I., Gen. Shells, no. 13, 1823; *pro* Cineras, Leach [*teste* Nomen. anim.].
- Cinaylurus** Lund, Echo Monde Savant, V. 1839, 245; *pro* Cynail→, Wagl. [*teste* Nomen. anim.].
- Cincinnurus** [F. Boie] in Ersch & Gruber, Ency. [I] XVII. 1828, 267; *pro* Cicinnurus, Vieill. [*teste* Nomen. anim.].
- cinctimanus** Carpilius, A. White, List Crust. Coll. B. M., Ap. 1847, 14 [*n. n.*]; in Jukes, Voy. "Fly," II. July 1847, 336 [*teste* W. Barnett].
- cincta** Alauda, [G. Fischer], Mus. Mosq. 1822, 16 [*n. n.*].
- cincta** Peredinium; *lege* Peridinium.
- cinerescens** Sciaphila; *lege* Sciophila.
- Cingulla** G. Johnston, Edinb. N. Phil. Journ., July 1828, 80; *pro* Cingula, Flem.
- Cinipsyllum** F. Walker, List Hym. Coll. B. M. I. 1846, 99; *pro* Cinipsillum, Lam. [*teste* Nomen. anim.].
- Cinnicerthia** Hartlaub, Rev. Zool. IX. 1846, 2; *pro* Cinny→ [*teste* Nomen. anim.].
- Cinniricinclus** Hartlaub, Rev. Zool. IX. 1846, 1; *pro* Cinnyri→, Less. [*teste* Nomen. anim.].
- Cintus** Curtis, Guide Brit. Ins. 1829–30, 109; *pro* Cinetus, Jur. [*teste* Nomen. anim.].
- Cinnyra** Billberg, Syn. Scand., ed. 2, I (2) tab. A, 1828; *pro* Cinnyris, Cuv. [*teste* Nomen. anim.].
- Cinthia** Férussac, Tabl. Moll. [1822], p. xlv; *pro* Cynthia, Sav. [*teste* Nomen. anim.].
- Cintia** Chiaje, Descr. Not. An. Sicil. III. 1841, 13 & 17; *pro* Cynthia, Sav. [*teste* Nomen. anim.].
- Cinyris** Jardine in Wilson, Amer. Orn., n. ed. I. 1832, 123; *pro* Cinnyris, Cuv. [*teste* Nomen. anim.].
- Ciprina** Sasso, Giorn. Ligust. 1827, 473; *pro* Cy→, Lam. [*teste* Nomen. anim.].
- Circaetus** Vigors, Zool. Journ. I (3) 1824, 322 & 336; *pro* Circaëtus, Vieill. [*teste* Nomen. anim.].
- Circaëtes** Kaup in Jardine, Contr. Orn. 1849, 109; *pro* C—tus, Vieill. [*teste* Nomen. anim.].
- Circaëtos** Bonaparte, Ann. Lyceum New York, II. 1826, 24; *pro* C—tus, Vieill. [*teste* Nomen. anim.].

- circellatus** Clifton, "Adams & Reeve" in R., Conch. Icon. IV.—Clifton, *ibid.* 1869, Oct. 1847 [teste R. W.].
- Circinata** Herrmannsen, Ind. Gen. Malac. I. 1847, 237.—L. [teste Nomen. anim.].
- circinata** Helix, S. Studer, Syst. Verz. Schweiz. Conch. 1820, 12.
- Circomphalos** L. Agassiz (ex Klein), Nom. Zool. (Moll.) 1845, 28.—L.
- Circomphalos** J. E. Gray, Proc. Zool. Soc. London, XV. 1847, 183; *pro* C—alos, Br. 1792 [teste Nomen. anim.].
- Cirraculus** Audouin & E., Ann. Sci. Nat. XXIX. 1833, 411; *pro* C—tulus, Lam. [teste Nomen. anim.].
- Cir Rathulus** Chiaje, Descr. Not. An. Sicil. III. 1841, 85; *pro* C—tulus, Lam. [teste Nomen. anim.].
- Cirrhatura** Audouin & E., Ann. Sci. Nat. XXIX. 1833, 412; *pro* Cirratulus, Lam. [teste Nomen. anim.].
- Cirrhatus** Edwards in Todd, Cycl. Anat. I. 1836, 165; *pro* Cirratulus, Lam. [teste Nomen. anim.].
- Cirrhatus** de Blainville, Dict. Sci. Nat. LVII. 1828, 489; *pro* Cirratulus, Lam. [teste Nomen. anim.].
- Cirrhbarba** Griffith in Cuvier, Anna. Kingd. X. 1824, 232.—P. [teste Nomen. anim.].
- Cirrhbarbes** Griffith in Cuvier, Anim. Kingd., Index, 1835, p. xxxviii; *pro* C—ba [teste Nomen. anim.].
- Cirrhbarbus** Swainson, Hist. Classif. Fish. II. 1839, 277; *pro* C—ba, Griff. [teste Nomen. anim.].
- Cirrhinera** Lamarck, Hist. An. S. Vert., ed. 2, XI. 1845, 451; *pro* Cirronereis, Bl. [teste Nomen. anim.].
- Cirrhinereis** Audouin & E., Ann. Sci. Nat. XXIX. 1833, 412; *pro* Cirronereis, Bl. [teste Nomen. anim.].
- Cirrhines** Fleming, Phil. Zool. II. 1822, 386; *pro* C—us, Ok. [teste Nomen. anim.].
- Cirrhites** Duméril, Zool. Anal. 1806, 334; *pro* C—us, Lac. [teste Nomen. anim.].
- Cirrhoëda** Agassiz, Nom. Zool. Index Univ. 1846, 87; *pro* Cirroëdia, Guén. [teste Nomen. anim.].
- Cirrhoidia** Agassiz, Nom. Zool. Index Univ. 1846, 87; *pro* Cirroëdia, Guén. [teste Nomen. anim.].
- Cirrholumbricus** de Blainville, Dict. Sci. Nat. LVII. 1828, 383; *pro* Cirro—, Ok. [teste Nomen. anim.].
- Cirrhonereis** de Blainville, Dict. Sci. Nat. LVII. 1828, 382; *pro* Cirro— [teste Nomen. anim.].
- Cirrhostoma** Berthold in Latreille, Nat. Fam. Thierr. 1827, 570; *pro* Cirrhis—, Schinz [teste Nomen. anim.].
- cirrhostomus** Müll. Schneider, Bloch, Syst. Ichth. 1801, 121 [teste G. P. Whitley].
- cirrhosus** Eledone, Férussac, Planches de Seba (5) 1827, 1.
- Cirrhoteuthis** Möller, Ind. Moll. Groenl. 1842, 4; *pro* Cirro—, Esch. [teste Nomen. anim.].
- Cirrhribaba** Swainson, N. H. Classif. Fish. I. 1838, 81; *pro* Cirrhi—, Griff. & S. [teste Nomen. anim.].
- Cirribarbis** Agassiz, Nom. Zool. Index Univ. 1846, 87; *pro* Cirrhi—, Griff. & S. [teste Nomen. anim.].
- Cirrina** Agassiz, Nom. Zool. Index Univ. 1846, 87; *pro* Cirrhina, Val. [teste Nomen. anim.].
- Cirrineris** Grube, Arch. f. Naturg. XVI (1) 1850, 316; *pro* Cirronereis, Bl. [teste Nomen. anim.].
- Cirrinus** Agassiz, Nom. Zool. Index Univ. 1846, 87; *pro* Cirrhinus, Ok. [teste Nomen. anim.].
- Cirrisornus** Bonaparte, Icon. F. Ital. III. 1841; *pro* Cirrhi—, Sw. [teste Agassiz, Nom. Zool.].
- Cirrites** Oken, Lehrb. Nat. III. 1816, pp. iii & 58; *pro* Cirrbitus, Lac. [teste Nomen. anim.].
- Cirrites** Bowdich, Elem. Conch. I. 1822, 35; *pro* Cirrus, Sow. [teste Nomen. anim.].
- Cirrolumbricus** Oken, Isis, 1818, 2067.—Verm. [teste Nomen. anim.].
- Cirrotheutis** Porro, Note Bibl. Malac. 1841, 4; *pro* C—teuthis, Esch. [teste Nomen. anim.].
- Cirtodactylus** Bonaparte, Sagg. An. Vert. 1831, 71; *pro* Cyr—, Gray [teste Nomen. anim.].
- Cisseis** Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 129.—Col. [Coccin.] [teste Nomen. anim.].
- Cissites** Latreille, H. Crust. Ins. X [1804], 364.—Col. [teste Nomen. anim.].
- Cistidia** Agassiz, Nom. Zool. (Lepid.) 1846, 10; *pro* Cys—, Huebn. [teste Nomen. anim.].
- Cistignathus** Andrzejowski, Bull. Soc. Moscou, XII (1) 1839, 21; *pro* Cys—, Wagl. [teste Nomen. anim.].

- Cistudo** Fleming, 1822; *err.* Sherborni, Index Anim. p. 1331, *pro* Cistuda.
- Cistudo** Say, J. Ac. Nat. Sci. Philad. IV. 1825, 214; *pro* C—a, Flem. [*teste* Nomen. anim.].
- Citharus** J. C. H. Reimhardt, Dansk. Vid. Selsk. Ath. VII. 1838, 116.—P.
- Citrinellus** Brehm, Isis, 1845, 348; *pro* C—a, Bon. [*teste* Nomen. anim.].
- Citulus** Griffith in Cuvier, Anim. Kingd., Index, 1835, p. xxxvii; *pro* Citula, Gray, [*teste* Nomen. anim.].
- Cladidoptera** Spinola, Ann. Soc. Ent. France, VIII. 1839, 318; *pro* Cladodip— [*teste* Nomen. anim.].
- Cladocera** de Blainville, Man. Actiu. 1837, 670; *pro* C—cora, Ehr. [*teste* Nomen. anim.].
- Cladocerus** Rafinesque, Amer. Monthly Mag. IV. 1816, 107.—Coel. [n. n., *teste* Nomen. anim.].
- Cladodus** Egerton, Foss. Fish Enniskillen, 1841, [1].—P. [n. n., *teste* Nomen. anim.].
- Cladophora** Gray, Proc. Zool. Soc. London, XV. 1847, 163.—G. [*teste* Nomen. anim.].
- Cladoptera** Amyot & S., Hist. Hém. 1843, 502; *pro* Cladodiptera, Spin. [*teste* Nomen. anim.].
- Clairas** Heckel in Russegger, Reise, II (3) 1849, 319; *pro* Clarias, Scop. 1777 [*teste* Nomen. anim.].
- Clamator** Kaup, Entwickgesch. 1829, 53.—A. [Coccyg.] [*teste* Nomen. anim.].
- Clamphorus** McMurtrie in Cuvier, Anim. Kingd. I. 1834, 164; *pro* Chlamy—, Harl. [*teste* Nomen. anim.].
- clarius** Papilio, Huebner, Samml. europ. Schmett. I. 1803, 62 [*teste* A. F. H.].
- Clarkella** Walcott, 1810; *sic* *teste* Nomen. anim., *sed* ? 1910.
- Classis** Scopoli, Delic. Fl. F. Insubr. II. 1786, 115; *pro* Cassis, 1777 [*teste* Nomen. anim.].
- Clastus** Koch, Uebers. Arachn. I. 1837, 27; *pro* Clastes, Walk. [*teste* Nomen. anim.].
- clathrata** Paludina, G. P. Deshayes, Expéd. Morée (Zool. III.) 1833, 148 [*teste* B. Prashad].
- Clatrus** Férussac, Tabl. Syst. Moll.—gen. [1822], p. xxxiv; *pro* Clathrus, Ok. [*teste* Nomen. anim.].
- claudia** Papilio, Schultze, Naturforscher, IX. 1776, 100 [*teste* A. F. H.]. [anim.].
- Clavelina** Burmeister, Handb. Naturg. (2) 1837, 476; *pro* Clavelina, Sav. [*teste* Nomen. anim.].
- Clavalithes** p. 1347; *delendum* p. 304; *add.* cf. Clavilithes. [anim.].
- Clavatuligenus** Renier, Tav. Classif. An. 1807 [*i.e.* 1804] viii.—G. [*teste* Nomen. anim.].
- clavatus** Belemnites, E. F. v. Schlotheim, Petref. 1820, 49.
- clavata** Tylodophus, Nordmann in Krøyer, Danmarks Fiske, I (2) 1840, 579.
- Clavellina** Savigny, Descr. Egypte, H. N. I (2) [?] 1816, 37, 46, 57 & 58; *pro* Clavelina, 1816 [*teste* Nomen. anim.].
- Clavellithes** Gray, Proc. Zool. Soc. London, XV. 1847, 137; *pro* Clavilithes, Sw. [*teste* Nomen. anim.].
- clavicornis** Melitturga; *lege* Melitturga. [Nomen. anim.].
- clavicornis** Teleas, P. A. Latreille, Gen. Crust. Ins. IV. 1809, 33. [anim.].
- Cleobora** Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 1025; *pro* C—dora [*teste* Nomen. anim.].
- cleodoxa** Papilio, Esper, Die Schmett., Suppl., 1 Abschn., Tageschm. 1789, 3 [*teste* A. F. H.].
- Cleon** Samouelle, Ent. Compend. 1819, 410; *pro* Cloeon, Leach [*teste* Nomen. anim.].
- Clepsidromis** Leuckart, Isis, 1836, 764; *pro* Klepsitromis, 1835 [*teste* Nomen. anim.].
- Clepsines** Westwood in Blyth's Cuvier, Anim. Kingd. 1840, 400; *pro* C—e, Sav. [*teste* Nomen. anim.].
- Cleta** Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 866 & 1096.—Col. [*teste* Nomen. anim.].
- Clethraxis** Amyot, Ann. Soc. Ent. France [2] V. 1847, 480.—Hem. [non binom.] [*teste* Nomen. anim.].
- Clethrionomys** G. Tilesius, Isis (Munich) (2) 1850, 28.—M.
- Clicena** Motschulsky, Mém. prés. Ac. St Pétersb. V. 1845, 85; *pro* Clivina, Latr. [*teste* Nomen. anim.].
- Climacourus** Bonaparte, Consp. gen. Avium, I (1) 1850, 30; *pro* Climacocercus, Cab. [*teste* Nomen. anim.].
- Climena** McMurtrie in Cuvier, Anim. Kingd. 1834, 287; *pro* Clymene, Lam. [*teste* Nomen. anim.].
- Clinocorus** Fallen, Hem. Svec. I. 1829, 141.—Hem. [*teste* Nomen. anim.]. [anim.].
- Clinocranium** Agassiz, Nom. Zool. (Col.) 1846, 39; *pro* C—ion, Sol. [*teste* Nomen. anim.].
- Cliona** Agassiz, Nom. Zool. (Moll.) 1846, 21; *pro* Ciona, Flem. [*teste* Nomen. anim.].
- Clistopya** Blanchard, Hist. An. artic. Ins. III. 1840, 318; *pro* C—pyga, Grav. [*teste* Nomen. anim.]. [anim.].
- Cliton** Deshayes, Ency. Méth. (Vers) II (1) 1830, 246; *pro* Clithon, Montf. [*teste* Nomen. anim.].
- Cloealia** [Beck], Ber. Vers. Deutsch. Naturf. XXIV. 1847, 116; *pro* Cloelia, Lov. [*teste* Nomen. anim.].

- Cloelia** Wagler, Syst. Amph. 1830, 132, 187 & 346; *pro* Clelia, Fitz. [teste Nomen. anim.].
- Cloelia** Agassiz, Nom. Zool. Index Univ. 1846, 89 & 90; *pro* Clelia, R.-D. [teste Nomen. anim.].
- Clonomys** G. Tilesius, Isis (Munich) (2) 1850, 28.—M. [anim.].
- Cloportes** Savigny, Descr. Egypte, H. N. Atlas Crust. [1812-26], tab. 13, f. 1.—Cr. [teste Nomen. anim.].
- Clorema** Chiaje, Descr. Not. An. Sicil. V. 1841, 96; *pro* Chloraema, Duj. [teste Nomen. anim.].
- Clorion** Rafinesque, Analyse, 1815, 125; *pro* Chlorion, Latr. [teste Nomen. anim.].
- Closilia** Spix in d'Orbigny, Syn. Moll. in Mag. de Zool. 1835, 21.—G. [Pupidae].
- Closteroceros** T. Hartig, Ber. nat. Ver. Harzes, 1846-47 (1847), 18.—Hym.
- clunicularis** Clypeus, W. Smith (ex Lhwyd), Strat. Syst. 1817 [2, Obs. on Echini].
- Clupaea** de Blainville, N. Diet. H. N., ed. 2, XXVII. 1818, 321, 343 *etc.*; *pro* Clupea, L. 1758 [teste Nomen. anim.].
- Cluytia** Schweigger, Handb. Nat. 1820, 425; *pro* Clytia, Lamx. [teste Nomen. anim.].
- Clymene** Lamarck [Zoon Oken, 1807], H. N. An. s. Vert. V. 1818, 339.—Verm. [teste Nomen. anim.].
- Clymenia** G. v. Muenster, N. Jahrb. f. Min. 1834, 43.—Ceph. [Nomen. anim.].
- Clymenia** Oersted, Reg. mar. 1844, 79.—Verm. [teste Nomen. anim.].
- Clynis** Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 1023.—Col. [teste Nomen. anim.].
- Clypeosaurus** Gray, Cat. Lizards Coll. B. M. 1845, 166.—R. [teste Nomen. anim.].
- Clypsidella** Gray, Proc. Zool. Soc. London, XV. 1847, 147; *pro* Clypidella, Sw. [teste Nomen. anim.].
- Clytea** Gray, List Brit. An. B. M. I. 1848, 85; *pro* Clytia, Lamx. [teste Nomen. anim.].
- Clythia** Edwards in Lamarck, H. An. s. Vert., ed. 2, II. 1836, 132; *pro* Clytia, Lamx. [teste Nomen. anim.].
- clytie** Papilio, Denis & Schiffermueller, Syst. Verz. Schmett. 1775, 321 [teste A. F. H.].
- Clyto** Macquart, H. Ins. Dipt. II. 1835, 232; *pro* Clytho, R.-D. [teste Nomen. anim.].
- Cnemargus** Motschulsky, Bull. Soc. Moscou, XVIII (1) 1845, 56.—Col. [Scarab. non Schoenh. 1837, Curc.; teste Nomen. anim.].
- Cnodalium** Hope, Col. Man. III. 1840, 133; *pro* Cnodalon, Latr. 1796 [teste Nomen. anim.].
- Coala** Ritgen, Nat. Einth. Säugeth. 1824, 30.—M. [teste Nomen. anim.].
- coalita** Tupha (Gm.), J. E. Gray in S. F. Gray, Brit. Plants, 1821, 355.—Spongia, Müll. 1775.
- Coccalium** Flem. 1825; *sic* Scudder, Suppl. List, 1882, 79, *sed ? err. pro* Caecalium, q. v.
- Coccauthraustes** Lesson, Actes Soc. Linn. Bordeaux, XII (37) 1841, 32; *pro* Cocco→ [teste Nomen. anim.].
- Coccicia** Lesson, Compl. Buffon, IX. 1837, 252; *pro* Coccycua, 1830 [teste Nomen. anim.].
- coccinea** Diplotoxops, Rafinesque, Ann. of Nature, 1820, 9.
- coccineus** Ramphocelus, L. P. Vieillot, N. Diet. H. N. XVI. 1817, 452 [teste C. W. R.].
- Coccinilla** Amyot, Ann. Soc. Ent. France [2] V. 1847, 493.—Hem. [non binom., teste Nomen. anim.].
- Coccionella** A. L. A. Fée in Linnaeus, Syst. Nat., ed. prima reedita, 1830, 75.—Col.
- Coccisus** Drapiez, Dict. Class. H. N. IV. 1823, 34; *pro* Coccyzus, Vieill. [teste Nomen. anim.].
- Coccizura** Blyth, J. Asiat. Soc. Bengal, XIV. 1846, 869; *pro* Coccyzura, Hodg. [teste Nomen. anim.].
- Coccolus** Cocco, Int. Pesci Messina, 1844, 21.—P. [teste D. S. J.]. [Nomen. anim.].
- Coccothraustes** Orbigny & L., Mag. Zool. (Syn. Av.) VII. 1837, 84; *pro* Coccoth→ [teste Nomen. anim.].
- Coccothraustis** Temminck, Man. Orn. 1815, 198; *pro* C→tes [teste Nomen. anim.].
- Coccyus** Temminck, Pls. color. III explic. tab. 440 [1827]; *pro* Coccyzus, Vieill. [teste Nomen. anim.].
- Coccytes** Gloger, Ueber. Schles. Ges. 1832 (1833), 53; Handb. Vög. Eur. 1834, 449.—A. [teste Nomen. anim.].
- Coccyzaea** Hartlaub, Rev. Zool. V. 1842, 204; *pro* Coccycua, Less. [teste Nomen. anim.].
- Coccyzius** Bonaparte, Consp. gen. Avium, I (2) 1850, 111; *pro* Coccyzus, Vieill. [teste Nomen. anim.].
- Coccyzurus** E. Blyth, J. Asiat. Soc. Bengal, XII 1843, 937.—A. [teste Nomen. anim.].
- Cochlicolla** *err. pro* C→cella, Fér.; D. Thon in Ersch & Gruber, Allg. Ency. [2] (5) 1829, 138.
- Cochlodon** G. B. Sowerby, I., Cat. Shells Tankerville, 1825, 40; *pro* C→donta, Fér. [teste Nomen. anim.].

- Cochlostila** Deshayes, Ency. Méth. (Vers) II (1) 1830, 249; *pro* C—styl., Fér. [*teste* Nomen. anim.].
- Cochlycopa** =Cochlicopa, Fér.; W. Swainson, Treat. Malac. 1840, 335.—G.
- Coclodon** Lund, Echo Monde Savant, V. 1839, 245; *pro* Coelodon [*teste* Nomen. anim.].
- Cocorli** G. R. Gray, List Gen. Birds, 1840, 69.—A. [*teste* Nomen. anim.].
- Cocyzus** Drapiez, Dict. Class. H. N. IV. 1823, 49; *pro* Coccyzus, Vieill. [*teste* Nomen. anim.].
- Codites** Sternberg, Vers. Flora Vorwelt (5-6) 1833, 20.—*inc. sed.* [*teste* Nomen. anim.].
- Coecilia** Duméril, Zool. Anal. 1806, 234; *pro* Cae→, Lac. 1800 [*teste* Nomen. anim.].
- Coeliaria** Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 1042.—Col. [*teste* Nomen. anim.].
- Coelodera** Gené, Mem. Acc. Torino, XXXIX. 1836, 190.—Col. [*teste* Nomen. anim.].
- Coelodera** Burmeister, Handb. Ent. III. 1842, 320; *pro* Coilodera, Hope [*teste* Nomen. anim.].
- Coelodes** Erichson, Arch. f. Naturg. XII (2) 1846, 237; *pro* Coilodes, Westw. [*teste* Nomen. anim.].
- Cölogeny** Lenz, Nat. Säugeth. 1831, p. xi; *pro* Coelogenus, Cuv. [*teste* Nomen. anim.].
- Coelorhina** Erichson, Arch. f. Naturg. VIII (2) 1842, 232; *pro* Coelorrhina, Burm. [*teste* Nomen. anim.].
- Coelosis** Kirby & Spence, Introd. Entom., ed. 5, IV. 1828, 282.—Col. [*teste* F. J. G.].
- Coelostomus** Laporte, Hist. An. artic. Ins. I. 1835, 123; *pro* Cael→, MacL. [*teste* Nomen. anim.].
- Coendus** Geoffroy in G. & Cuvier, Cat. Mamm. 1803, 157.—M. [*teste* Nomen. anim.].
- Coenogaster** Agassiz, Nom. Zool. Index Univ. 1846, 70 & 93; *pro* Ceno→, Dum. [*teste* Nomen. anim.].
- Coenurs** Gurlt, Lehrb. path. Anat. I. 1831, 686; *pro* Coenurus, Rud. [*teste* Nomen. anim.].
- Coesio** Duméril, Zool. Anal. 1806, 334; *pro* Caesio, Lac. [*teste* Nomen. anim.].
- Coesiodes** Gray, London Med. Repos. XV. 1821, 308; *pro* Coescoes, Lac. [*teste* Nomen. anim.].
- Coesiomorus** Duméril, Zool. Anal. 1806, 334; *pro* Caes→, Lac. [*teste* Nomen. anim.].
- Coilometopa** Macquart, Mém. Soc. Lille, 1846, 107; *err. pro* Coiloprosopa, Macq. [*teste* Nomen. anim.].
- Colaesus** Bonaparte, Consp. gen. Avium, I. 1850, 384; *pro* Coloeus, Kaup [*teste* Nomen. anim.].
- Colax** Lepeletier & S., Ency. Méth. (Ins.) X (1) 1825, 4.—Hym. [*teste* Nomen. anim.].
- Colchus** Lamouroux, Dict. Class. H. N. IV. 1823, 305; *pro* Cochlus, Zed. [*teste* Nomen. anim.].
- Coleoramphis** Drapiez, Dict. Class. H. N. IV. 1823, 312; *pro* C—us, Dum. [*teste* Nomen. anim.].
- Colias** Brown, Zool. Text Book, I. 1832, 206; *pro* Collus, Br. 1760 [*teste* Nomen. anim.].
- Colimbis** Dumont, Dict. Sci. Nat., ed. 1, II. 1804, 266 & 354; *pro* Colymbus, L. 1758 [*teste* Nomen. anim.].
- Collaris** Swainson, Hist. Class. Birds, I. 1836, 86; *pro* Colaris, Cuv. [*teste* Nomen. anim.].
- Collectes** Rafinesque, Analyse, 1815, 123; *pro* Colletes, Latr. [*teste* Nomen. anim.].
- collinsii** Mastodon, I. Hays, 1834; sep. 1833 *est.*
- Colliurus** Duméril, Zool. Anal. 1806, 194; *pro* Colliuris, Geer, 1774 [*teste* Nomen. anim.].
- Colluiris** Chaudoir, Bull. Soc. Moscou, XXI (1) 1848, 26; *pro* Colliuris, Geer, 1774 [*teste* Nomen. anim.].
- Colluricisoma** Bonaparte, Consp. gen. Avium, I (2) 1850, 366; *pro* Collurisma, Sw. [*teste* Nomen. anim.].
- Collurio** Kaup, Entwicksesch. 1829, 40 & 190.—A. [*teste* Nomen. anim.].
- Colobos** Brookes, Cat. Mus. Brookes, 1828, 49; *pro* Colobus, Ill. [*teste* Nomen. anim.].
- Colobus** Schoenherr (ex Chevr. MS), Gen. Curc. VI (2) 1842, 267, 268 & 269.—Col. [*teste* Nomen. anim.].
- Cololites** Agassiz in Buckland, Geol. & Min. I. 1836, 200.—*inc. sed.* [*teste* Nomen. anim.].
- Colombar** G. R. Gray, List Gen. Birds, ed. 2, 1841, 74; *pro* Columbar, 1840 [*teste* Nomen. anim.].
- Colombella** Cuvier, Règne Anim. II. 1817, 433; *pro* Colum→, Lam. 1799 [*teste* Nomen. anim.].
- "Colombia** de Blainville"; S. Rang, N. Ann. Mus. H. N. (Paris) III (3) *ante* Mar. 1835, 117.—L. [*nom.* MS *pro* Gnatodon, Gray].
- Colon** Illiger, Mag. Ins.-Kunde, I. 1801, 133; *pro* Kolon, Hbst. 1797 [*teste* Nomen. anim.].
- Colonotum** *err.* Sherborni *pro* Cyclonotum.

- Colosama** F. v. Gebler in Ledebour, Reise Altai, II. 1839, 57 [err. pro *Calosoma*].
- Colostygia** Hübner, Verz. bekannt. Schmett., Anz. 1820, 49; pro *Calostygia* [teste Nomen. anim.].
- Colposcelis** Dejean, Catal. Coléopt., ed. 3, 1835, 408.—Col. [Chrys.] [teste Nomen. anim.].
- Colubrinus** Duméril, Zool. Anal. 1806, 334; pro *Colubrina*, Lac. [teste Nomen. anim.].
- Columbar** G. R. Gray, List. Gen. Birds, 1840, 57.—A. [teste Nomen. anim.].
- Columbaria** J. E. Gray, Proc. Zool. Soc. London, XV. 1847, 133; pro *Colubraria*, Schum. [teste Nomen. anim.].
- Columbellarius** Duméril, Zool. Anal. 1806, 334.—G. [teste Nomen. anim.].
- Columbelligenus** Renier, Tav. Class. An. 1807 [i.e. 1804] viii.—G. [teste Nomen. anim.].
- Columbellina** Geinitz, Verstein.-Kunde, 1845, 277; pro *Colomb*→, Orb. [teste Nomen. anim.].
- Columbi-hocco** G. R. Gray, List Gen. Birds, ed. 2, 1841, 108.—A. [teste Nomen. anim.].
- Columbus** Linnaeus, Syst. Nat., ed. 10, 1758, 84.—A. [Impenn.] [teste Nomen. anim.].
- Columbus** Tunstall, Orn. Brit. 1771, [2].—A. [Columb.] [teste Nomen. anim.].
- Columbus** Montfort, Conch. Syst. II. 1810, 590; pro *Columbella*, Lam. 1799 [teste Nomen. anim.].
- Columnastraea** d'Orbigny, Prodr. Paléont. II. 1850, 205; pro *Columastrea*, 1849 [teste Nomen. anim.].
- Columba** *cir.* pro *Columba*, L.; Gmelin, Linnaeus, Syst. Nat., ed. 13, Index, 3949.
- Colyphimus** Lesson in Buffon, Oeuvres compl. Lesson, XX. 1847, 354; pro *Coli*→, Sm. come Chatoëssus; lege Chatoësus [teste G. P. W.].
- cometa** Zygocystis, F. Stein, Arch. Anat. Phys. 1848, 221.
- Cometas** Agassiz, Nom. Zool. (Aves) 1842, 20; pro *Cometes*, Hodg. [teste Nomen. anim.].
- Cometus** Dejean, Catal. Coléopt. 1821, 96.—Col. [teste Nomen. anim.].
- comma** Vanessa, Harris, Rep. Ins. Massach. 1841, 221 [teste A. F. H.].
- commersonii** Hemiramphus, Cuvier, Règne Anim., ed. 2, II. 1829, 286 [teste G. P. W.].
- communis** Anorthura, J. Rennie, Time's Telescope, 1832, 5.
- complanellae** Sigalphus, T. Hartig, Ber. nat. Ver. Harzes, 1846-47 (1847), 17.
- complicata** Scypha (Mont.), J. E. Gray in S. F. Gray, Brit. Plants, 1821, 358.—Spongia.
- composita** Pincina, Schaffhaeuti, Geogn. Unters. südbay. Alpengeb. 1850, 43.
- compressus** Belemnites, Stahl, C.-B. Wuerth. Landwirthsch. Ver. VI. 1824, 33.
- compressa** Leuconia, R. E. Grant, The Lancet, 1833-34 (1) Oct. 1833, 199.
- compressus** Pachyrinites, E. Eichwald, Bull. Sci. Ae. Imp. Sci. St Pétersb. VII. 1840, 88.
- concentrica** Arthemis, Desh.; lege 1839.
- Conchaecia** Dana, Proc. Amer. Acad. II. 1852 [1849], 51.—Cr. [teste Nomen. anim.].
- Conchilium** Oken, Isis, 1817, 1169; pro *Conchy*→, Cuv. [teste Nomen. anim.].
- Concholepa** Deshayes, Ency. Méth. (Vers) II (1) 1830, 256; pro *C*→pas, Lam. [teste Nomen. anim.].
- Conchopatella** Hermannsen, Ind. Gen. Malac. I. 1847, 291.—G. [teste Nomen. anim.].
- Conchoserpula** Oken, Isis, 1818, 2063.—Verm. [teste Nomen. anim.].
- concinata** Arca, Keyserling, Wiss. Beob. Petschora, 1846, 306 f. n.
- Concolepadigenus** Renier, Tav. Class. An. 1807 [i.e. 1804] viii.—G. [teste Nomen. anim.].
- Concolepas** Renier, Tav. Class. An. 1807 [i.e. 1804] viii; pro *Conchy*→, Lam. [teste Nomen. anim.].
- concolor** Conus, G. B. Sowerby, I., Conch. Illustr., "large list," f. 59, *die non det.* [teste Tomlin].
- concolor** Xenopeltis, Reinwardt in F. Boie, Isis (Oken), 1827, 564.
- Concula** Hermannsen (*ex* Tournf. 1742), Ind. Gen. Malac. I. 1847, 292.—L. [teste Nomen. anim.].
- Condylorrhiza** Lederer, 1803 [teste Nomen. anim.; sed ? 1863]. [anim.].
- Condylura** Barnes, Amer. J. Sci. XI. 1826, 278.—Amph. [teste Nomen. anim.].
- Condylurus** de Blainville, Ann. Franç. II. 1838, 219; pro *C*→a, Ill. [teste Nomen. anim.].
- Condylurus** Edwards, H. N. Crust. III. 1840, 553; pro *C*→a, Berth. [teste Nomen. anim.].
- Condytura** Bell in Todd, Cyclop. II. 1839, 996; pro *C*→lura, Ill. [teste Nomen. anim.].
- Confervites** A. Brongniart, Hist. Végét. foss. I. 1828, 35.—Sp.
- confinis** Trachyphaeus; lege Trachyphlaeus.
- confluens** Asteroicyclas, L. Vanuxem, N. H. New York, Geol. IV (3) 1842, 136.
- Conia** Leach, J. Phys. Chim. H. N. LXXXV. 1817, 69.—Cirr. [teste Nomen. anim.].

- conica** Tupha (Mont.), J. E. Gray in S. F. Gray, Brit. Plants, 1827, 356.—*Spongia conica*.
- Coniferus** Dejean, Catal. Coléopt. 1821, 93.—Col. [*n. n.*, *teste* Nomen. anim.].
- Conigenus** Renier, Tav. Class. An. 1807 [*i.e.* 1804] viii.—G. [*teste* Nomen. anim.].
- Conilira** Latreille in Cuvier, Règne Anim., ed. 2, IV. 1829, 134; *pro* Conifera, Leach [*teste* Nomen. anim.].
- coniola** Lithosia, Passerini, Sopra due sp. Ins. nocivi, 1829, 6 [=caniola, p. 1 et Ochsenk.].
- Conites** Hermannsen, Ind. Gen. Malac. I. 1847, 294.—G. [*teste* Nomen. anim.].
- conjugatus** Nematus, Dahlbom, Clavis nov. Hymenopt. 1835, 40 [*teste* J. C. Robbins].
- Conoceratites** d'Archiac & V., Trans. Geol. Soc. London [2] VI. 1842, 349.—Ceph. [*teste* Nomen. anim.].
- Conophaga** Lafresnaye, Echo Monde Savant, II. 1836, 38; *pro* Conopophaga, Vieill. [*teste* Nomen. anim.].
- Conopophagus** F. Boie in Ersch & Gruber, Ency. [1] XIX. 1829, 104; *pro* C—a, Vieill.
- Conops** *err. pro* Oonops, Templ.; Walckenaer & Gervais, Roret's Suite à Buffon (Aptères), IV. 1847, 382.
- conorynchus** Albulia, Bloch, p. 432 non 433 [*teste* G. P. W.].
- Conotrachelus** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 296.—Col. [*teste* Nomen. anim.].
- consors** Conus, G. B. Sowerby, I., Conch. Illustr. (36) 1833, f. 42 [*teste* Tomlin].
- constrictus** Unio, T. A. Conrad, Mon. Fam. Unionidae, wrapper of no. 11, Nov. 1838, 4.
- Contilus** Agassiz, Nom. Zool. (Aves) 1842, 20.—A. [*ine. sed.*, *nom.* Gesneri; *teste* Nomen. anim.].
- contortus** Pristus; *lege* Pristis.
- contractilis** Phthiracarus, M. Perty, Allg. Naturg. III. 1841, 874.
- Conularites** Bowdich, Elem. Conch. I. 1822, 17; *pro* Conularia, Sow. [*teste* Nomen. anim.].
- Copeus** Ehrenberg, Infusionsth. 1838, 441.—Verm. [*teste* Nomen. anim.].
- Cophinosalpinx** Bruguière (ex Klein), Ency. Méth. (Vers) I. 1792, 531.—G. [*teste* Nomen. anim.].
- Copodus** Agassiz, 1843, *err.* Sherborni [*teste* Nomen. anim.]; Morris & Roberts, 1862 [*n. n.*], Davis, 1883 *est.*
- Coracias** Vieillot, N. Dict. H. N., ed. 2, XXIV. 1818, 110; *pro* C—a, Briss, 1760 [*teste* Nomen. anim.].
- Coracias** Hermannsen, Ind. Gen. Malac. I. 1847, 303.—Ceph. [*teste* Nomen. anim.].
- Coracius** Deby, Zoologist, III. 1845, 1021; *pro* C—as, L. 1758 [*teste* Nomen. anim.].
- corallicola** Plesiops, E. Rueppell, N. Wirbelth. Abyss. (Fische) 1835, 5 [*teste* G. P. W.].
- Coranila** Westwood (ex Leach MS), Tr. Ent. Soc. London, III. 1843, 240.—Hym. [*teste* Nomen. anim.].
- Corasia** Huebner, Verz. bekannt. Schmett., Reg. 1826, 27; *pro* Coracia, 1822 [*teste* Nomen. anim.].
- Coratias** Reider & Hahn, F. Boica, II (1) 1835, p. vi; *pro* Coracias, L. 1758 [*teste* Nomen. anim.].
- Coratius** Reider & Hahn, F. Boica, II (1) 1835, p. xxviii; *pro* Coracias, L. 1758 [*teste* Nomen. anim.].
- Corbuligenus** Renier, Tav. Class. An. 1807 [*i.e.* 1804] vii.—L. [*teste* Nomen. anim.].
- corbulo** Caelenorrhinus; *lege* Celaen—, [Nomen. anim.].
- Corcoronis** G. R. Gray, Gen. Birds, III. App., p. 49 (1849); *pro* Cercoronus, Cab. [*teste* Nomen. anim.].
- Corcyra** Dejean, Catal. Coléopt. 1821, 87.—Col. [*n. n.*, *teste* Nomen. anim.].
- cordala** Papilio, Fab.; Ind. Anim. I. p. 244; *lege* cordula [*teste* A. F. H.].
- cordatum** Lathrobium, Dahl; Dejean, Catal. Coléopt. 1821, 24 [*n. n.*].
- cordialis** Margarita; *lege* Margaritia.
- cordiformis** Cypriocardia, G. P. Deshayes, Traité Conch., expl. pl. 24 (1839).
- Cordylia** Kirby & Spence, Introd. Entom., ed. 5, III. 1828, 33.—Col. [*teste* F. J. G.].
- Cordylus** Wagner, Isis, 1828, 859.—Amph. [Urod.] [*teste* Nomen. anim.].
- corensis** Venus; *non comp.*, ? *err. pro* Cyrenoida *supra* [R. W.]. [W. H. T. T.].
- Coremia** Guénée in Duponchel, Cat. méth. Lépid. Europe (2) 1845, 249.—Lep. [*teste* Nomen. anim.].
- Coreoplatys** Amyot & S., Hist. Hém. 1843, 116; *pro* Corioplatus, Wh. [*teste* Nomen. anim.].
- Coricella** *err. pro* Coriocyella, Bl., in Sherborn, Index Anim. 1801–50, 1526.
- Coridius** Illiger in Rossi, F. Etrusca, ed. 2, 1807, 361.—Hem. [*teste* Nomen. anim.].
- Corimija** L. Agassiz in Sowerby, Min. Conch. (German ed. p. 556) (? 1844); Corymya, p. 439 (1843); Corimya (French ed. pp. 548, 642) (? 1844).
- Corina** Schweigger, Handb. Nat. 1820, 409; *pro* Corvne, Gaert. 1774 [*teste* Nomen. anim.].

- Corinia** De Kay, N. H. New York (Fish) IV. 1842, 77.—P. [*teste* Nomen. anim.].
- Corithaix** Bonaparte, Ann. Stor. Nat. IV. 1830, 220; *pro* Cory→, III. [*teste* Nomen. anim.].
- Corniculina** Muenster, 1835, *add.* [1829, 1830, *apud* Herrn.].
- Corniculum** Hermannsen, Ind. Geil. Mahoe. I. 1847, 310.—G. [*teste* Nomen. anim.].
- Cornifex** Amyot, Ann. Soc. Ent. France [2] V. 1847, 483.—Hem. [*non binom.*] [*teste* Nomen. anim.].
- Cornix** G. R. Gray, List Gen. Birds, ed. 2, 1841, 11.—A. [Coccyg.] [*teste* Nomen. anim.].
- Cornix** G. R. Gray, List Gen. Birds, ed. 2, 1841, 71.—A. [Pici] [*teste* Nomen. anim.].
- Cornumutula** Letzner, Ueber Schies. Ges. 1843 (1844), 173.—Col. [*teste* Nomen. anim.].
- cornutus** 1537; *pro* Copodis *lego* Psammodes.
- coromandelicus** Belone, v. Hasselt, Alg. Konst. Letter-Bode, 1823, 130 [? G. P. W.].
- Corona** Récluz, Journ. Conch. 1, 1840, 146.—G. [Nerit.] [*teste* Nomen. anim.].
- coronata** Scypha (f. & S.), J. E. Gray in S. F. Gray, Brit. Plants, 1821, 357.—Spongia, 1786.
- Coronuligenus** Renf., Tay. Class. An. 1807 [i.e. 1804] vii.—Cirr. [*teste* Nomen. anim.].
- Corophrium** Leach in Brewster, Edinb. Ency. VII. 1814, 432; *pro* Corophium, Latr. [*teste* corpulenta Astartid; *lego* Astartid. [Nomen. anim.].
- Corsica** Agassiz, Nom. Zool. Crust. 1843, 8.—Cirr. [*teste* Nomen. anim.].
- Corsice** Huebner, 1816 [*teste* Nomen. anim.; *sed err. pro* Corisce].
- cortes** Papilio, Herbst & Jablonsky, Natursyst. Insekten (Schmett.) VIII. 1796, 260.
- corticis** Holothrips; *lego* Haplothrips.
- Corticus** Latreille in Cuvier, Règne Anim., ed. 2, V. 1829, 24.—Col. [Colyd.] [*teste* Nomen. anim.].
- Corvo** Oken, Lehrb. Nat. III (2) 1816, 38.—P. [*teste* Nomen. anim.]. [anim.].
- Corvus** G. R. Gray, List Gen. Birds, 1840, 80.—A. [Steganop.] [*teste* Nomen. anim.].
- Corycus** Cuvier, Bull. Soc. Philom. 1814, 74.—P. [*teste* Nomen. anim.].
- Corydala** Lesson, Traité Orn. 1831, 424; *pro* Corydalla, Vig. [*teste* Nomen. anim.].
- Corydalis** Latreille, Hist. Crust. Ins. XIII. 1805, 44; *pro* Corydalis, 1802 [*teste* Nomen. anim.].
- corydon** Polyommatus (D. & S.), *var.* apennina; Zeller, Isis (Oken), 1847, 147 [*teste* A. F. H. *sed non comp.*].
- Corydonia** Vögt in Cuvier, Thierr. I. 1831, 700; *pro* C—nyx, Vieill. [*teste* Nomen. anim.].
- Corylaphis** Amyot, Ann. Soc. Ent. France [2] V. 1847, 479.—Hem. [*non binom.*, *teste* Coryna J. F. Wolff, Icon. Cimic. (5) 1811, p. iv.—Hem. [*n. et f.*] [Nomen. anim.].
- Coryna** Walker, List Hym. Coll. B. M. I. 1846, 29; *pro* Coruna, 1833 [*teste* Nomen. anim.].
- Corynesoma** Leuckart, N. Jena. allg. Lit. Zeit. II. 1843, 395.—Verm. [*teste* Nomen. anim.].
- Corynia** Imhof in Labram & I., Ins. Schweiz. I [1836], tab. 23.—Hym. [*teste* Nomen. anim.].
- Corynocera** Blanchard, Hist. Anim. artic. Ins. III. 1840, 264; *pro* C—cere, Nees [*teste* Nomen. anim.].
- Coryphaea** Swainson, Hist. Class. Fish. I. 1838, 76; *pro* Coryphaena, L. 1758 [*teste* Nomen. anim.].
- Coryphaispiza** Bonaparte, Consp. gen. Avium, I (2) 1850, 482; *pro* Coryphasipiza, Gray [*teste* Nomen. anim.].
- Coryphena** Rafinesque, Car. n. gen. 1810, 33 & 103; *pro* Coryphaena, L. 1758 [*teste* Nomen. anim.].
- Coryphilus** Blyth in Cuvier, Anim. Kingd. 1840, 219; *pro* Coriphilus, Wagl. [*teste* Nomen. anim.].
- corythallia** Papilio, Huebner, Beitr. Schmett. II. 1790, 51 [*teste* A. F. H.]. [anim.].
- Corythophanes** Wagler, Syst. Amph. 1830, 151; *pro* Coryto→, Boie [*teste* Nomen. anim.].
- Corythopharus** Wagler, Isis (Oken), 1833, 899 & 901; *pro* Corytophanes, Boie, 1826 [*teste* Nomen. anim.].
- Corythopsis** G. R. Gray, Gen. Birds, I [1846], 210; *pro* Corythopis, Sund. [*teste* Nomen. anim.].
- Corytophanes** H. Boie in Schlegel, Isis (Oken), 1826, 290.—R. [*teste* Nomen. anim.].
- Coryzus** Spinola, Ess. Hém. 1837, 224 & 380; *pro* Corizus, Rohde [*teste* Nomen. anim.].
- Coscinaraea** Edwards & Haime, C. R. Ac. Sci. Paris, XXIX. 1849, 259.—Cor. [*teste* Nomen. anim.].
- Cosmarhynchus** Bonaparte, Giorn. Arcad. XLIX. 1831, 43; *pro* Casmarhinchos, Temm. [*teste* Nomen. anim.].

- Cosmenetta** Kaup, *Entwickgesch.* 1829, 196; *pro Cosmonessa* [teste Nomen. anim.].
- Cosmoseris** d'Orbigny, *Prod. Paleont.* II. 1850, 40.—Cor. [teste Nomen. anim.].
- Cosmotoma** Blanchard, *Hist. Ins.* II. 1845, 155.—Col. [teste Nomen. anim.].
- Cosmus** Dejean, *Catal. Coleopt.* 1821, 93.—Col. [n. n., teste Nomen. anim.].
- Cosmus** d'Orbigny (Amph.) [n. n.] teste Gistl, *Nat. Thierr.* 1848, p. viii [teste Nomen. anim.].
- Cossipha** Smith, III. *Zool. S. Afr.* (10) 1849, explic. pl. 48; *pro Cossypha*, Vig. [teste Nomen. anim.].
- costae** Careinococcus, G. de Natale, *Descr. Plojaria*, 1850, 15. [anim.].
- costae** Cydaus, F. W. Hope, *Descr. Ins. foss.* [1848], 6.
- costata** Lepralia, Hassall, *Ann. Mag. N. H.* VII. 1841, 307 [teste S. F. H.].
- costata** Milleria, F. Hartmann, *Syst. Uebers. Verst. Würt.* 1830, 45 [n. n.].
- costatum** Scutellum, G. G. Pusch, *Geogn. Besch. Polen*, I. 1833, 119 [teste R. Richter].
- costata** Sitonia; *lege* Sitonia.
- Cotylelithus** Hermannsen, *Ind. Gen. Malac.* I. 1847, 312.—Ceph. [teste Nomen. anim.].
- Couas** Lesson, *Compl. Buiton*, IX. 1837, 252; *pro Coua*, Schinz [teste Nomen. anim.].
- Covania** Nardo, Isis (Oken), 1853, 548.—P. [teste Nomen. anim.].
- Coxelus** Latreille in Cuvier, *Règne Anim.*, ed. 2, V. 1829, 31.—Col. [teste Nomen. anim.].
- crabronis** Pediculus, F. v. P. Schrank, *Briefe an Nau*, 1802, 303.
- Craccifex** Amyot, *Ann. Soc. Ent. France* [2] V. 1847, 478.—Hem. [non binom.] [teste Nomen. anim.].
- Crancha** Schweigger, *Handb. Nat.* 1820, 758; *pro Cranchia*, Leach [teste Nomen. anim.].
- Craniolithes** Bronn, *Index Pal.* I. 1848, 343; *pro C—tes*, Schl. [teste Nomen. anim.].
- crapas** Serranus, p. 1500; *lege* crapao.
- Crasedocephalus** J. E. Gray, *Ann. Phil.* [2] X. 1825, 205; *pro Craspedo—*, K. & H. [teste Nomen. anim.].
- Crassatelligenus** Renier, *Tav. Class. An.* 1807 [i.e. 1804] vii.—L. [teste Nomen. anim.].
- crassipes** Echthrus, T. Hartig, *Ber. nat. Ver. Harzes*, 1846–47 (1847), 16.
- crassa** Helminthoida, Schafhaeutl, *Geogn. Unters. südbay. Alpengeb.* 1850, 142.
- crataegi** Polyommatus, Boisduval & L., *Hist. Lépid. Amér. sept.* (15) 1833–37, pl. 37 [n. et f., teste A. F. H.].
- Crataionix** Bonaparte, *Cons. gen. Avium*, I (2) 1850, 333; *pro C—nyx*, Eyt. [teste Nomen. anim.].
- Cratium** de Blainville, *Dict. Sci. Nat.* XI. 1818, 372.—L. [teste Nomen. anim.].
- Cratonychus** Boisduval & Lacordaire, *F. Ent. Paris*, I. 1835, 631.—Col. [teste Nomen. anim.].
- Crauracium** Agassiz, *Nom. Zool. Index Univ.* 1846, 103; *pro Cray—*, Schaeff. 1760 [teste Nomen. anim.].
- Crenatuligenus** Renier, *Tav. Class. An.* 1807 [i.e. 1804] vii.—L. [teste Nomen. anim.].
- crenata** Serpularia, G. v. Muenster, *Beitr. Petref.* (3) 1840, 115.
- crenata** Talamita, E. Rueppell, *Beschr. Abb. Krabben*, 1830, 6.
- crenata** Venerupis; *lege* Venerupis.
- Crepiduligenus** Renier, *Tav. Class. An.* 1807 [i.e. 1804] viii.—G. [teste Nomen. anim.].
- creusa** Thais, Meigen, *Syst. Besch. Europ. Schmett.* I (4) 1829, 161 [teste A. F. H.].
- Creusia** Leach, *J. Phys. Chim.* LXXXV. 1817, 68.—Cirr. [teste Nomen. anim.].
- Cribella** Forbes, *Brit. Starf.* (8) 1840, 100.—Ast. [teste Nomen. anim.].
- Cricomphalos** de Blainville, *Dict. Sci. Nat.* XI. 1818, 410.—L. [teste Nomen. anim.].
- Cridothera** Agassiz, *Nom. Zool. (Aves)* 1842, 22; *pro Acridotheres*, Vieill. [teste Nomen. anim.].
- Crimophylus** Bonaparte, *Giorn. Arcad.* XLIX. 1831, 58; *pro Crymophilus*, Vieill. [teste Nomen. anim.].
- Crino** Lamarck, *Syst. An. s. Vert.* 1801, 339.—Verm. [teste Nomen. anim.].
- Crinocoris** Hahn & H.-S., *Wanz. Ins.* VI (5) 1842, 86; *pro Crinocerus*, Burm. [teste Nomen. anim.].
- Crinops** Gervais, *Dict. Univ. H. N.* IV. 1844, 342; *pro Crinopsis*, Raf. [teste Nomen. anim.].
- Criorchites** Hermannsen, *Ind. Gen. Malac.* I. 1847, 325; *pro Criorcites*, *ibid.* [teste Nomen. anim.].
- Cripiririna** Anon., *Cat. Ois. Riocour*, 1829, 16; *pro Cryp—*, Vieill. [teste Nomen. anim.].
- Crisoptilus** S. D. W., *Analyst*, V. 1837, 206; *pro Chrys—*, Sw. [teste Nomen. anim.].
- crispa** Antilope, C. J. Temminck, [F. Japon.] *Disc. prélim.* 1835, p. xxii.

- Cristiger** *Gestl*, *Nat. Tidssk.*, 1848, 144.—*Hym. [teste Nomen. anim.]*.
- crithoe** *Pieris*, *Boisduval* in *Guérin & Percheron*, *Gen. Ins.* 116, no. 3, pl. 4 (1855).
- critomedia** *Hesperia*, *F. E. Guérin* in *Duperry*, *Voy. "Coquille"* (Zool.) II (2) I., 282 in *syn. [teste N. D. R.]*.
- croceus** *Conus*, *G. B. Sowerby*, I., *Conch. Illustr.* (29) 1833, f. 27 [*teste Tomlin*].
- croceum** *Trombidion*, *Rafinesque*, *Ann. of Nature*, 1820, 9.
- Crocissa** *Panzer*, *Krit. Revis.* II. 1806, 227, 247 & 263; *pro Crocisa [teste Nomen. anim.]*.
- Croesus** *Curtis*, *Brit. Ent.* I (4) expl. pl. xvii; *pro Craesus*, *Leach [teste Nomen. anim.]*.
- Crosarchus** *Schnz*, *Nat. Abb. Saugeth.* [1827], 147; *pro Cross*→, *G. & C. [teste Nomen. anim.]*.
- croscia** *Lacerta*, *id. ac crocea*; *Glückselig*, *Syn. Rept. Bohem.* 1832, 19. [*anim.*]
- Crossachus** *Brookes*, *Cat. Mus. Brookes*, 1828, 38; *pro Crossarchus*, *G. & C. [teste Nomen. anim.]*.
- Crossarchus** *Swainson*, *Hist. Class. Fish.* I. 1838, 234.—*P. [teste Nomen. anim.]*.
- Crossidera** *Wagner*, *Arch. Nat.* VII (2) 1841, 77; *pro Crosso*→, *Gould [teste Nomen. anim.]*.
- Crossodeira** *Gould*, *Mag. Zool. Bot.* I. 1836, 109.—*A. [teste Nomen. anim.]*. [*anim.*]
- Crotomis** *Dumeril*, *Dict. Sci. Nat.* XXIV. 1822, 56.—*Acar. [teste Nomen. anim.]*.
- Crotulurus** *Rafinesque*, *Ann. of Nature*, 1820, 5.—*R.*
- Crymophila** *Voigt* in *Cuvier*, *Thierr.* I. 1831, 870; *pro C*→us, *Viell. [teste Nomen. anim.]*.
- Crymophylus** *Griffith* in *Cuvier*, *Anim. Kingd.* VIII. 1829, 383; *pro Crymophilus*, *Viell. [teste Nomen. anim.]*.
- Cryphaeus** *Leconte* in *Agassiz*, *Lake Superior*, tab. 8, f. 11, 1850; *pro Crymodes [teste Nomen. anim.]*.
- Cryphus** *Burnmeister*, *Ins. Syst.* 1829, 30; *pro Cryptus*, *Fab. [teste Nomen. anim.]*.
- Crypsirrhina** *Reichenbach*, *Av. Syst.* 1850, tab. 80; *pro Crypsirina*, *Viell. [teste Nomen. anim.]*.
- Crypsorhina** *Wagler*, *Syst. Av.* I. 1827, [93]; *pro Crypsirina*, *Viell. [teste Nomen. anim.]*.
- cryptella** *Lucinda*, *d'Orbigny*, *Voy. Amér. mérid.* V (Moll.) 1846, 588.
- Cryptochilus** *Rafinesque*, *Analyse*, 1815, 125; *pro C*→cheilus, *Panz. [teste Nomen. anim.]*.
- Cryptochyle** *Latreille* in *Cuvier*, *Règne Anim.*, ed. 2, V. 1829, 7 [=C→chile] [*teste Nomen. anim.*].
- Cryptodes** *Berthold* in *Latreille*, *Nat. Fam. Thierr.* 1827, 360.—*Col. [n. n., teste Nomen. anim.]*.
- Cryptomera** *Rafinesque*, *Ann. of Nature*, 1820, 7.—*P.* [*anim.*]
- crysanthæana** *Sciaphila*; *lege chrysanthæana*.
- Cryspotoma** *Quoy & Gaimard*, *Voy. "Astrolabe"* (Zool.) VII (2), 221; *pro Cryptostoma*, *Bl. [teste A. E. S.]*.
- Crystallophanes** *Brandt*, *Rec. Act. Ac. St Pétersb.* 1834, 235.—*Hydroz. [teste Nomen. anim.]*. [*anim.*]
- Cryptoplax** *Gray*, *London Med. Repos.* XV. 1821, 234; *pro Cryptoplax*, *Bl. [teste Nomen. anim.]*.
- Ctenites** *Herrmannsen*, *Ind. Gen. Malac.* I. 1847, 330.—*L. [teste Nomen. anim.]*.
- Ctenoblepharis** *Agassiz*, *Nom. Zool. Index Univ.* 1846, 107; *pro C*→rys, *Tsch. [teste Nomen. anim.]*.
- Ctenoides** *Deshayes*, *Ency. Méth. (Vers)* II (2) 1832, 33.—*L. [teste Nomen. anim.]*.
- Ctenolepis** *Egerton*, *Foss. Fish. Eunnisk.* 1839, 1.—*P. [teste Nomen. anim.]*.
- Ctenoplectra** *W. Kirby*, *Introd. Ent.* III. 1826, 681.—*Hym.*
- Ctenosaurus** *Fitzinger*, *Syst. Rept.* 1843, 54 & 55.—*R. [teste Nomen. anim.]*.
- Ctenotomax** *Duvivier*, *Ann. Soc. Ent. Belg.* XXVII. 1833, 179; *pro Ctenomastax*, *Kraatz [teste Nomen. anim.]*.
- Cterissa** *Schiodte & M.*, *Nat. Tidsskr.* [3] XIV. 1833, 325.—*Cr. [teste Nomen. anim.]*.
- Ctimene** *Duponchel*, *Dict. Univ. H. N.* IV. 1844, 445.—*Lep. [Geom.] [teste Nomen. anim.]*.
- Ctinorhynchus** *Agassiz*, *Nom. Zool. Index Univ.* 1846, 107; *pro Ktino*→ [*teste Nomen. anim.*].
- Cucalus** *Cuvier*, *Règne Anim.* I. 1817, 426; *pro Cuculus*, *L.* 1758 [*teste Nomen. anim.*].
- Cucang** *Geoffroy & C.* in *Lesson*, *Mamm.* 1840, 239.—*M. [teste Nomen. anim.]*.
- Cuculis** *Wood*, *Orn. Guide*, 1837, 63.—*A. [teste Nomen. anim.]*. [*anim.*]
- Cuculites** *Herrmannsen* (ex *Schroet.*), *Ind. Gen. Malac.* I. 1847, 333.—*G. [teste Nomen. anim.]*.
- Cucullaeigenus** *Reimer*, *Tav. Class. An.* 1807 i.e. 1804 vii.—*L. [teste Nomen. anim.]*.
- Cucullea** *Rafinesque*, *Analyse*, 1815, 147; *pro Cucullæa*, *Lam. [teste Nomen. anim.]*.
- Cucullea** *H. Michelis*, *Mém. Soc. géol. France*, III. 1838, 102.—*L.*

- Cucullenus** Lamouroux, Dict. Class. H. N. IV. 1823, 105; *pro* C—anus, Müll. 1777 [teste Nomen. anim.].
- Cucullia** [Beck], Ber. Vers. Deutsch. Naturf. XXIV. 1847, 118; *pro* Cucullaea, Lam. [teste Nomen. anim.].
- Cucullites** Hermannsen, Ind. Gen. Malac. I. 1847, 333.—G. [teste Nomen. anim.].
- Cucuma** Kaup in Jardine, Contr. Orn. 1850, 74; *pro* Cuncuma, Hodg. [teste Nomen. anim.].
- Culipeta** G. R. Gray, Cat. Mamm. Birds Nepal, 1846, 67 & 153; *pro* Culicipeta, Blyth [teste Nomen. anim.].
- Cultrunguis** G. R. Gray, List Birds Coll. B. M. (1) 1844, 45; *pro* Cultrunguis, Hodg. [teste Nomen. anim.].
- Cummingia** Gistel, Nat. Thierr. 1848, p. viii; *pro* Cumingia, Sow. [teste Nomen. anim.].
- cuneata** Gregarina, F. Stein, Arch. Anat. Phys. 1848, 222.
- cuneus** Unio, T. A. Conrad, Mon. Fam. Unionidae, wrapper of No. 11, Nov. 1838, 4.
- cuneus** Vaginaria, F. v. P. Schrank, Briefe an Nau, 1802, 379.
- cupidina** Hexuroptera; *lege* H—teris. [F. J. G.].
- cupreus** Emus, A. Villa, Tav. Ins. carn. milanese, ex "Spet^e Indus", 1845" [n. et f., teste Nomen. anim.].
- cupreus** Paecilus, A. Villa, Tav. Ins. carn. milanese, ex "Spet^e Indus", 1845" [n. et f., teste F. J. G.].
- Cupularia** de Blainville (ex Lamx.), Dict. Sci. Nat. LX. 1830, 413.—Polyz. [teste S. F. H.].
- curculionum** Sigalphus, T. Hartig, Ber. nat. Ver. Harzes, 1846-47 (1847), 16.
- Curricula** J. E. Gray, Proc. Zool. Soc. London, XV. 1847, 196; *pro* Cunicula, Sw. [teste Nomen. anim.].
- Currua** Oken, Isis, 1817, 1184; *pro* Curruca, Bechst. [teste Nomen. anim.].
- Cursus** J. E. Gray, Zool. "Samarang," 1849, 20; *pro* Coescoes, Lac. [teste Nomen. anim.].
- Curtebra** Blanchard, Hist. An. artic. Ins. III. 1840, 607; *pro* Cuterebra, Clark [teste Nomen. anim.].
- Curterebra** Blanchard, Hist. Ins. II. 1845, 464; *pro* Cuterebra, Clark [teste Nomen. anim.].
- Curtisimya** Curtis, Edin. N. Phil. Journ. VII. 1829, 296.—Dipt. [teste Nomen. anim.].
- Curvirostra** Hermannsen, Ind. Gen. Malac. I. 1847, 335.—L. [teste Nomen. anim.].
- curvirostris** Rostellaria, Lamarck, An. s. vert., ed. 2, IX. Nov. 1843, 654.
- Cuspidaria** ? olim in Rev. Zool. (Soc. Cuv.) III. Jan. 1840, 30.
- Cuviera** Lesson, Prodr. Médus. 1837, 19; *pro* C—ia, Lesueur & P. [teste Nomen. anim.].
- cuvieri** Holigoctonia; *lege* Holigoclonia.
- cuvieri** Inoceramus, J. Sowerby, Ann. Phil. IV. 1814, 448; in W. Smith, Strata ident., Oct. 1816, 10 [teste L. R. C.].
- cuvieri** Mastodon, I. Hays, 1834; sep. 1833 est.
- Cuvieria** Cuvier (ex Péron MS), Règne Anim. IV. 1817, 22.—Ech. [teste Nomen. anim.].
- Cuvieriana** J. E. Gray (ex Leach MS), Ann. Phil. [2] X. 1825, 101.—Cirr. [teste Nomen. anim.].
- Cyanacorax** Blyth, J. Asiat. Soc. Bengal, XV. 1846, 29; *pro* Cyano→, Boie [teste Nomen. anim.].
- Cyanacula** Gistel, Nat. Thierr. 1848, 91; *pro* Cyane→, Brehm [teste Nomen. anim.].
- cyane** Lycæna, Eversmann, Bull. Soc. Imp. Nat. Moscou, 1837, 22 [teste J. H. D.].
- Cyannippeus** Agassiz, Nom. Zool. (Col.) 1846, 48; *pro* Cyani→, Lap. [teste Nomen. anim.].
- Cyanocephalus** Swainson, Hist. Quadr. 1835, 349; *pro* Cyno→, G. & C. [teste Nomen. anim.].
- cyanocephala** Aptenodytes, G. I. Molina, Sagg. stor. nat. Chili, ed. 2, 1810, 202.
- Cyanogaster** Rud.; *lege* Tectibr. non Nud.
- Cyanogus** Billberg, Enum. Ins. 1820, 136; *pro* Cyamus, Latr. 1796 [teste Nomen. anim.].
- Cyanotus** Selby, Cat. Typ. Birds, 1840, 56; *pro* C—tis, Sw. [teste Nomen. anim.].
- cyanurus** Crotulurus, Rafinesque, Ann. of Nature, 1820, 5.
- Cyathodera** Blanchard, Ann. Sci. Nat. (Zool.) [3] XI. 1849, 183; *pro* Cyathostoma, 1849 [teste Nomen. anim.].
- Cybocephalus** Motschulsky, Bull. Soc. Moscou, XVIII (2) 1845, 364.—Col. [? Hydroph.].
- Cychloris** Lesson, Rev. Zool. II. 1839, 134; *pro* Cyclarhis, Sw. [teste Nomen. anim.].
- Cyclhura** Cuvier, Règne Anim., ed. 2, II. 1829, 45; *pro* Cyclura, Harl. [teste Nomen. anim.].
- Cychreus** Rafinesque, Précis Découv. Somiol. 1814, 26.—Cr. [n. n., teste Nomen. anim.].
- Cycladigenus** Renier, Tav. Classif. An. 1807 [i.e. 1804] vii.—L. [teste Nomen. anim.].
- Cycladius** Cantraine, Bull. Ac. Brux. II. 1835, 399; *pro* Cycladina [teste Nomen. anim.].
- Cyclarius** Swainson, Orn. Draw. (5) [? 1836], tab. 58; *pro* Cyclarhis, 1824 [teste Nomen. anim.].

- Cyclas** Latr. 1802; *err.* Sherborni, Index Anim. II. 1756, *pro* Cylas.
- Cyclidium** Dujardin, Zooph. 1841, 286.—Flagell. [*teste* Nomen. anim.]. [anim.]
- Cycloceros** Rafinesque, Amer. Monthly Mag. IV. 1818, 107.—Col. [*int. add.*] [*teste* Nomen. anim.].
- Cyclocotula** Mudge in Blyth, Cuvier, Anim. Kingd. 1849, 917; *pro* Cynchostyla, Otto [*teste* Nomen. anim.].
- Cyclodon** Lund, Ann. Nat. Hist. III. 1839, 424; *pro* Coelodon, 258 [*teste* Nomen. anim.].
- Cyclonotum** W. F. Erichson, Käfer Mark Brand. I (1) 1837, 212.—Col.
- Cyclopeita** = Cycloperita.
- Cycloperita** Anyot & S., *err.* Sherborni, Index Anim. p. 1755, *pro* Cylhopelia [*teste* Nomen. anim.].
- Cyclophora** Oken, Isis, 1829, 1111; *pro* C—us, Montt. [*teste* Nomen. anim.]. [anim.]
- Cyclophorus** Agassiz (ex Kirby MS), Nom. Zool. (Col.) 1846, 46.—Col. [6, 6,] [*teste* Nomen. anim.].
- Cyclopsitta** Reichenbach, Avium Syst. 1850, tab. 82.—A. [*teste* Nomen. anim.].
- Cycloptera** Swainson, Hist. Class. Fish. I. 1838, 96; *pro* C—us, L. 1758 [*teste* Nomen. anim.].
- Cyclophthalmus** Hope, Cat. Lucan. Col. 1845, 5.—Col. [*teste* Nomen. anim.].
- Cyclorhynchus** Kaup, Entwickelgesch. 1839, 195; *pro* Cyclorh—, 1832 [*teste* Nomen. anim.].
- Cycloris** Bonaparte, Conspectus, gen. Avium, I (2) 1850, 350; *pro* Cyclophorus, Sw. [*teste* Nomen. anim.].
- Cyclorhis** Reichenbach, Avium Syst. 1850, tab. 70; *pro* Cyclophorus, Sw. [*teste* Nomen. anim.].
- Cyclorhynchus** Macquart, Mém. Soc. Lille, 1840 [1841], 401; *pro* C—rhynchus, 1840 [*teste* Nomen. anim.].
- Cyclos** Krüger, Gesch. Urwelt, II. 1823, 460; *pro* Cyclas, Lam. [*teste* Nomen. anim.].
- Cyclostomigenus** Renier, Tav. Class. An. 1807 [*i.e.* 1804] viii.—G. [*teste* Nomen. anim.].
- Cyclotrema** Rafinesque, Amer. Monthly Mag. IV. 1818, 107.—? Col. [*teste* Nomen. anim.].
- Cycocistites** d'Orbigny, Prodr. Paléont. I. 1850, 23; *pro* Sycocystites, Buch [*teste* Nomen. anim.].
- Cylas** P. A. Latteille in Sommi's Buffon (Ins.) III. 1802, 196.—Col. [anim.].
- Cylidrus** Dejean, Catal. Coléopt. 1821, 41.—Col. [*teste* Nomen. anim.].
- cylindrica** Scaphophyllia; *lege* Scapo—.
- cylindrica** Vaguaria, F. v. P. Schrank, Briefe an Nau, 1802, 380.
- Cylindrites** Goepfert, N. Acta Ac. Leop. XIX (2) 1842, 115.—*inc. sed.* [*teste* Nomen. anim.].
- Cylleocoris** Hahn & H.-S., Wanz. Ins. II (6) 1835, 141; *pro* Cyllecoris, 1834 [*teste* Nomen. anim.].
- Cymadura** *err.* Sherborni, Index Anim. II. 1755, *pro* Cymodura, q. v. [anim.].
- Cymadusa** J. C. Savigny, Mém. Anim. s. Vert. I. 1816, 109.—Cr.
- Cymatodes** Kirby & Spence, Introd. Entom., ed. 5, IV. 1828, 279.—Col. [*teste* F. J. G.].
- Cymatopterus** Lacordaire in Boisduval & L., Faune Ent. Paris, I. 1835, 308.—Col. [*teste* Nomen. anim.].
- Cymbides** Erichson, Arch. f. Naturg. IV (2) 1838, 257; *pro* C—us, Spin. [*teste* Nomen. anim.].
- Cymbirynchus** Swainson, Hist. Class. Birds, II. 1837, 261; *pro* C—rhynchus, Vig. [*teste* Nomen. anim.]. [Nomen. anim.].
- Cymbula** J. E. Gray, London Med. Repos. XV. 1821, 235; *pro* Cymbulia, P. & L. [*teste* Nomen. anim.].
- Cymbus** Spinola, Ess. Hém. 1837, 81 & 380; *pro* Cimbus, Hahn [*teste* Nomen. anim.].
- Cymindes** Fleming, Phil. Zool. II. 1822, 234; *pro* Cymindis, Dum. (Cuv.) [*teste* Nomen. anim.]. [anim.].
- Cymodera** Agassiz, Nom. Zool. (Hem.) Add. 1845, 4; *pro* Cymodema, Spin. [*teste* Nomen. anim.].
- Cymodoca** Gistel, Nat. Thierf. 1848, 160; *pro* C—e, Leach [*teste* Nomen. anim.].
- Cymodoce** J. E. Gray, List Brit. An. B. M. I. 1848, 88; *pro* C—cea, Lamx. [*teste* Nomen. anim.].
- Cymodocia** Flemming, Hist. Brit. An. 1828, 551; *pro* C—cea, Lamx. [*teste* Nomen. anim.].
- Cymodyce** Leach, Tr. Linn. Soc. London, XI (2) 1815, 368; *pro* C—doce, 1814 [*teste* Nomen. anim.]. [anim.].
- Cymophylus** Lesson, Compl. Buffon, IX. 1837, 431; *pro* Crymophilus, Vieill. [*teste* Nomen. anim.].
- Cymothoe** Rafinesque, Précis Découv. Somiol. 1814, 26; *pro* C—oa, Fab. 1793 [*teste* Nomen. anim.].
- Cynanthus** Swainson, Hist. Class. Birds, II. 1837, 330 [*nee* Sw. 1827, *teste* Nomen. anim.].
- Cynchramus** Bonaparte, Ann. Lyceum New York, II. 1828, 122.—A. (Gall.) [*teste* Nomen. anim.].
- Cynhia** Beneden, Mém. Ac. Belg. XX. 1847, 59; *pro* Cynthia, Sav. [*teste* Nomen. anim.].

- Cynhyoena** Lesson, N. Tabl. 1842, 38; *pro* Cynhyaena, Cuv. [*teste* Nomen. anim.].
- Cynictes** Gray, List Osteol. Spec. Coll. B. M. 1847, p. x; *pro* Cynictis, Og. [*teste* Nomen. anim.].
- Cynniris** Schinz in Cuvier, *Thierr.* I. 1821, 643; *pro* Cinnyris, Cuv. [*teste* Nomen. anim.].
- Cinnyris** Fleming, *Phil. Zool.* II. 1822, 246; *pro* Cinnyris, Cuv. [*teste* Nomen. anim.].
- Cynodus** Cuvier, *Règne Anim.* II. 1817, 281; *pro* Cynaedus, Gron. 1763 [*teste* Nomen. anim.].
- Cynoedus** Griffith in Cuvier, *Anim. Kingd.* X. 1834, 158; *pro* Cynaedus, Gron. 1763 [*teste* Nomen. anim.].
- Cynohyoena** de Blainville, *Ann. Sci. Nat. (Zool.)* [2] VIII. 1837, 279; *pro* Cynhyaena, Cuv. [*teste* Nomen. anim.].
- Cynomis** Lesson, *Mamm.* 1827, 244; *pro* C—mys, Raf. [*teste* Nomen. anim.].
- Cynopythecus** Lesson, *Mamm.* 1840, 49; *pro* Cynopi→ [*teste* Nomen. anim.].
- Cynoraesthes** Latreille in Cuvier, *Règne Anim.*, ed. 2, IV. 1829, 287; *pro* Cynorh→ [*teste* Nomen. anim.].
- Cynorhaesta** Hermann, *Mém. Aptér.* 1804, tab. 6; *pro* C—es [*teste* Nomen. anim.].
- Cynorhaetes** Gervais, *Hist. Apt.* III. 1844, 235; *pro* Cynorhaestes, Herm. [*teste* Nomen. anim.].
- Cynorhestes** Leach in Brewster, *Edinb. Ency.* VII. 1813, 414; *pro* Cynorhaestes, Herm. [*teste* Nomen. anim.].
- Cynornis** G. R. Gray, *Gen. Birds*, I. 1846, 263 & 204; *pro* Cyornis, Blyth [*teste* Nomen. anim.].
- Cynorrhaestes** Duméril, *Dict. Sci. Nat.* XXIV. 1822, 55; *pro* Cynorh→ [*teste* Nomen. anim.].
- Cynosaura** Gray (*ex* Schlegel MS) in Griffith's Cuvier, *Anim. Kingd.* IX. Syn. 1831, 62.—R. [*teste* Nomen. anim.].
- cynthia** Melitaea, Huebn.; Ochsenheimer, Schmett. Europa, IV. 1816, 103; *var.* leucophryne [*teste* A. F. H.].
- Cynura** Cabanis, *Arch. f. Naturg.* XIII (1) 1847, 318; *pro* Cinura, Brehm [*teste* Nomen. anim.].
- Cyoclosaurus** Wagler, *Isis*, 1833, 903; *pro* Cyclo→ [*teste* Nomen. anim.]. [anim.].
- Cyphagenia** Laporte, *Hist. An. artic. Ins.* II. 1840, 191; *pro* Cypho→ [*teste* Nomen. anim.].
- Cyphonia** J. E. Gray, *Proc. Zool. Soc. London*, XV. 1847, 143; *pro* Cyphoma, Bolt. 1798 [*teste* Nomen. anim.].
- Cyphophorus** G. Fischer, *N. Mém. Soc. Imp. Nat. Moscou*, VIII. 1846, 228 & 254.—Col. [C—ies, p. 253].
- Cyphorinus** G. R. Gray, *Gen. Birds*, I [1847], tab. 47; *pro* C—rhinus, Cab. [*teste* Nomen. anim.].
- Cyphoxis** C. S. Rafinesque, *Amer. Monthly Mag.* IV. 1818, 107.—L. [*teste* E. R. Sykes].
- Cypraedia** G. B. Sowerby, II., *Conch. Man.*, ed. 2, 1842, 134; *pro* Cypraedia, Sw. [*teste* Nomen. anim.].
- Cypraearius** Froriep in Duméril's *Anal. Zool.* 1806, 167; *pro* Cypriarius, Dum. [*teste* Nomen. anim.].
- Cypraeigenus** Renier, *Tav. Class. An.* 1807 [*i.e.* 1804] viii.—G. [*teste* Nomen. anim.].
- cypria** Phalaena Bombyx, J. F. Gmelin in *Lin. Syst. Nat.*, ed. 13, I. 1790, 2403.
- cypris** Argynnis, Meigen, *Syst. Besch. Europ. Schmett.* I (2) 1828, 59 [*teste* A. F. H.].
- Cyprius** J. E. Gray, *Cat. Lizards Coll. B. M.* 1845, 91.—R. [*teste* Nomen. anim.].
- Cyra** Mulsant, *Ann. Soc. Agric. Lyon* [3] II. 1850, 544.—Col. [*teste* Nomen. anim.].
- Cyrcaetus** Geoffroy, *Echo Monde Savant*, II. 1836, 164; *pro* Cir→, Vieill. [*teste* Nomen. anim.].
- Cyrene** Schlueter, *Kurzgef. Verz. Conch.* 1838, 34; *pro* Cyrena, Lam. [*teste* Nomen. anim.].
- Cyriodela** Blanchard, *Cat. Coll. Ent. Mus.* 1850, 19; *pro* C—dera, Burm. [*teste* Nomen. anim.]. [anim.].
- Cyrrhinus** Griffith in Cuvier, *Anim. Kingd.*, Index, 1835, p. xi; *pro* Ci→ [*teste* Nomen. anim.].
- Cyrthia** Buch, *Abh. Ak. Berlin*, 1833 [1834], 38; *pro* Cyrtia, Dalm. [*teste* Nomen. anim.].
- Cyrtocerates** Quenstedt, *N. Jahrb. f. Min.* 1840, 277; *pro* Cyrtoceratites, Goldf. [*teste* Nomen. anim.].
- Cyrtodaria** I. D. Reuss, *Report Comm.* I. 1801, 351; L. Oken, *Lehrb. Nat.* III (2) 1816, p. vii & Index, p. v; Herrmannsen, *Ind. Gen. Malac.* I. 1847, 365.—L. [*omn. n. n.*].

- Cyrtodoria** *Térassac*, Tabl. Syst. Moll. I. 1821, p. xlv; *pro* *C—daria*, Cuv. [*teste* Nomen. anim.].
- Cyrtosoma** *Curtis* [ex Walk. MS], Guide Brit. Ins. 1829, 116.—*Hym.* [*teste* Nomen. anim.].
- Cyrtoma** *Stephens*, Cat. Brit. Ins. (Mand.) 1829, 29.—*Col.* [*teste* Nomen. anim.].
- Cyrtosolen** *Herrmannsen*, Ind. Gen. Malac. II. 1848, 468.—*L.* [*teste* L. R. S.].
- Cyrtosoma** *Burmeister*, Handb. Ent. II (2) ii, 1870, 839.—*Neur.* [*teste* Nomen. anim.].
- Cyrtosoma** *Perris*, Ann. Soc. Ent. France, IX. 1848, 96.—*Hym.* [*teste* Nomen. anim.].
- Cysmopira** *Gervais*, Dict. Univ. H. N. IV. 1844, 502; *pro* *Cymospira*, Bl. [*teste* Nomen. anim.].
- Cysticaercus** *Slawikowski*, Abh. Würm. Mensch. 1819, 25; *pro* *Cysticercus*, Rud. [*teste* Nomen. anim.].
- Cysticerus** *Bischoff*, Med. Ann. VI. 1840, 232; *pro* *Cysticercus*, Rud. [*teste* Nomen. anim.].
- Cystigenus** *Renier*, Tav. Class. An. 1807 [i.e. 1804] vii.—*L.* [*teste* Nomen. anim.].
- Cystignatus** *Bonaparte*, Icon. Faune Ital. II (2) 1838, sign. 1107; *pro* *Cystignathus*, Wagn. [*teste* Nomen. anim.].
- Cysturus** *Oken*, Lehrb. Nat. III (1) 1815, p. xii.—*Verm.* [*teste* Nomen. anim.].
- Cytacis** *de Blainville*, Man. Actin. 1834, 284; *pro* *Cytaeis*, Esch. [*teste* Nomen. anim.].
- Cytalis** *Forbes*, Rep. Brit. Assoc. XVI. 1847, 85; *pro* *Cytaeis*, Esch. [*teste* Nomen. anim.].
- Cytharinus** *Oken*, Isis, 1817, 1182; *pro* *Citharinus*, Cuv. [*teste* Nomen. anim.].
- Cytherigenus** *Renier*, Tav. Class. An. 1807 [i.e. 1804] vii.—*L.* [*teste* Nomen. anim.].
- Dacello** *Billberg*, Syn. Scand. I (2) 1828, tab. A; *pro* *Dacelo*, Leach [*teste* Nomen. anim.].
- Dacimester** *Bonaparte*, C. R. Ac. Sci. Paris, XXX. 1839, 313; *pro* *Docimastes*, Gould [*teste* Nomen. anim.].
- Dactyalotus** *Redtenbacher*, F. Austr., Käfer, 1849, 348.—*Col.* [*teste* Nomen. anim.].
- Dactylonyx** *Bonaparte*, Icon. Faune Ital. II (2) 1838, sign. 131** *Euproctus platycephalus*, [4].—*Amph.* [*teste* Nomen. anim.].
- Dactylophorus** *Swainson*, Hist. Class. Fish. II. 1829, 55 & 262; *pro* *Dactyla*→ [*teste* Nomen. anim.].
- dactylopus** *Callionymus*, Cuvier & Val., H. N. Poiss. XII. 1837, 310 [*teste* G. P. W.].
- Daedelon** *Cuvier*, Règne Anim., ed. 2, I. 1829, 331; *pro* *Daedalion*, Sav. [*teste* Nomen. anim.].
- Daedycorhynchus** *Inhoff* in *Labram* & L., Gen. Curc. II (4) 1843; *pro* *Doydirhynchus*, Dej. [*teste* Nomen. anim.].
- daeta** *Ithomia* (Boisd.), E. Doubleday in D. & Westwood, Gen. 1847, 127.—*Heliconia*.
- daevisi** *Rhodactinia*, L. Agassiz, C. R. Ac. Sci. (Paris) XXV. 1847, 679.
- Dagzya** *Home*, Lect. comp. Anat. I. 1814, 366; *pro* *Dagysa*, B. & S. 1773 [*teste* Nomen. anim.].
- Dalacia** *J. E. Gray*, Ann. Phil. [2] IX. 1825, 139.—*L.* [*teste* Nomen. anim.]. [*anim.*].
- dalhousiei** *Strix*, T. Brown, Ill. Amer. Orn. 1835, Syst. Index, p. i.
- dalhousiana** *Strix*, Anon., Edinb. Jour. Nat. Hist., Aug. 1837, 105 [*dalhousiei* on pl. viii; *teste* C. W. R.].
- Dalmalis** *Brown*, Zool. Text Book, I. 1832, 140; *pro* *Damalis*, Sm. [*teste* Nomen. anim.].
- Dama** *J. E. Gray*, Glean. Menag. Knowsley, 1850, 5.—*M.* [Bovid.] [*teste* Nomen. anim.].
- Damaris** *Swainson* [ex Leach MS], Zool. Ill. III. 1823, expl. pl. 100.—*L.* [*teste* Nomen. anim.].
- Dameus** *Raf.*, Précis, 1814, p. 26; *Crust. est* [*teste* Nomen. anim.]. [*anim.*].
- Damicerus** *Dejean*, Catal. Coleopt., ed. 2 (4) 1835, 308.—*Col.* [*teste* Nomen. anim.].
- damoe cornis** *Chama*, Castelin, Catal. Coq. de Casteln, 1828, 21.
- damoeles** *Lycæna*, Herrich-S., Syst. Bearb. Schmett. Europ. I. 1844, 113 [*teste* A. F. H.].
- danae** *Papilio*, Hufnagel, Berlin Mag. II. 1766, 82 [*teste* A. F. H.].
- dannenbergii** *Gemiatites* (Beyr.), d'Archiac & de Verneuil, Tr. Geol. Soc. London [2] VI [2] 1842, 338.—*Ammonites*.
- Dantalus** *Anon.*, Isis, 1845, 397 & 399; *pro* *Dandalus*, Boie [*teste* Nomen. anim.].
- Daphnaea** *Herrmannsen*, Ind. Gen. Malac. I (4) 1847, 370; *pro* *Daphne*, Polh, 1791 [*teste* Nomen. anim.].
- Daphnoidea** *Agassiz*, Nom. Zool. (Moll.) 1846, 29; *pro* *D—ia*, Hibb. [*teste* Nomen. anim.].
- daplidice** *Papilio*, var. *bellidice*; Oehsenheimer, Schmett. Eur. I. pt. 2, p. 159, 1808; *Brahm*, Insektenkal. pt. 2, p. 362, 1791 [description only, no name].

- daplidice** *Pheris* [L.], *err.* messanensis, messania, neapolitana, mustra, syracusana, vulgaris; Zeller, Isis (Oken), 1847, 226 [*teste* A. F. H.].
- Dapolia** Mulsant, Ann. Soc. Agric. Lyon [2] II. 1830, 1042.—Col. [*teste* Nomen. anim.].
- Dasalus** Steven, Mus. Univ. Mosqu. 1829, 19.—Col. [*teste* Nomen. anim.].
- Dasalys** Blanchard, Hist. An. artic. Ins. III. 1840, 282; *pro* Basalys, Westw. [*teste* Nomen. anim.].
- Dascinus** Gray, Figs. Moll. An. IV. 1850, 91; *pro* Dasanus, Raf. [*teste* Nomen. anim.].
- Dascirus** Dejean, Catal. Coléopt. 1821, 93.—Col. [*n. n.*, *teste* Nomen. anim.].
- Dasiornis** Swainson in Richardson, F. Bor.-Amer. II. 1831 [*i.e.* 1832], 197; *pro* Dasyornis, V. & H. [*teste* Nomen. anim.].
- Dassyrus** Goldfuss, Handb. Zool. II. 1820, 448; *pro* Dasy→, Geoff. 1796 [*teste* Nomen. anim.].
- Dasurus** Anon., London Ency. XXII. 1829, 743; *pro* Dasy→, Geoff. 1796 [*teste* Nomen. anim.].
- Dasycephalus** Swainson, Birds W. Afr. I. 1837, 271; *pro* D—a, Sw. 1832 [*teste* Nomen. anim.].
- Dasyglossa** Illiger, Mag. Ins.-Kunde, VI. 1807, 217.—Hym. [*teste* Nomen. anim.].
- Dasyneura** Agassiz, Nom. Zool. (Dipt.) 1846, 11; *pro* Dasi→, Rond. [*teste* Nomen. anim.].
- Dasyporca** J. E. Gray, Ann. Phil. [2] X. 1825, 341; *pro* D—procta, Ill. [*teste* Nomen. anim.].
- Dasyprocla** Lund, Echo Monde Savant, 1840, 191; *pro* D—procta, Ill. [*teste* Nomen. anim.].
- Dasyramphus** G. R. Gray (ex Hombr. & Jacq.), Gen. Birds, III [1846], 640.—A. [*teste* Nomen. anim.].
- Dasyrhampus** Reichenbach, N. Syst. Av. 1850, no. 4, [1]; *pro* Dasyramphus, Gray [*teste* Nomen. anim.].
- Dasyrus** Lund, Echo Monde Savant, V. 1839, 244; *pro* Dasybus, L. 1758 [*teste* Nomen. anim.].
- Dasytrichius** Brants, Gesl. Muizen, 1827, 186.—M. [*teste* Nomen. anim.].
- daubentoni** Tarsius, C. J. Temminck, [F. Japon.] Disc. prélim. 1835, p. xvi [*n. n.*].
- Daysypus** Burnett, Q. Journ. Sci., n. s. 1829 (2) 1830, 351; *pro* Dasybus, L. 1758 [*teste* Nomen. anim.].
- Dazenus** Steven, Mus. Univ. Mosqu. 1829, 19.—Col. [*teste* Nomen. anim.].
- Dearthus** Leconte, 1801; ? *err.* Nomen. anim. *pro* 1861.
- debenedicti** Helix, P. Calcara, Atti Acc. Palermo, I. 1845, Moll. Palermo, p. 18.
- Debis** Westwood (ex Boisd. MS) in Doubleday & W., Gen. diurn. Lep. (2) 1849, 338.—Lep. [*teste* Nomen. anim.].
- Decacnemus** Agassiz, Nom. Zool. Index Univ. 1846, 117; *pro* D—os, Bronn [*teste* Nomen. anim.].
- Decameria** Lepeletier & S., Ency. Méth. (Ins.) X (2) 1828, 571.—Hym. [*teste* Nomen. anim.].
- Decameria** Erichson, Arch. f. Naturg. IX (2) 1843, 194; *pro* D—ra, Muls. [*teste* Nomen. anim.].
- Decatria** Stephens, Ill. Brit. Ent. (Mand. VII.) 1835, 94.—Hym. [*teste* Nomen. anim.].
- decemguttatus** Pompilus, L. Jurine, N. Méth. class. Hyménopt. 1807, 122 [*n. et f.*].
- Decholophus** Fleming, Phil. Zool. II. 1822, 251; *pro* Di→, Ill. [*teste* Nomen. anim.].
- decipiens** Sapyge; *lege* Sapyga. [1820–21 (1822), 263.]
- decumanus** Dendrocolaptes, Illiger in Lichtenstein, Abh. K. pr. Ak. Wiss. (Berlin)
- decussata** Lucina, G. Gussone, Oss. Zool. Test. Pantelleria, 1829, 8.
- Dedalion** Des Murs, Icon. Orn. (1) Aigle, [4] [1845]; *pro* Daedalion, Sav. [*teste* Nomen. anim.].
- Dedaloea** Quoy & G., Voy. Astrol. (Zool.) IV. 1834, 299.—Polyz. [*teste* Nomen. anim.].
- defensor** Portunus, G. I. Molina, Sag. stor. nat. Chili, ed. 2, 1810, 187.
- deflectens** Distoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 677.
- deformis** Ricinula, L. Reeve, Conch. Icon. III.—Ricinula, no. 44, Oct. 1856.
- Defranceia** H. G. Bronn, Index Pal. 1848, 405.—Polyz.
- Deilephila** *err. pro* Deilephila, Lasp.; Delessert, Voy. Inde (2) 1843, 80.
- Deirus** Motschulsky, Mém. prés. Ac. St Pétersb. V. 1845, p. iv.—Col. [*teste* Nomen. anim.].
- dekayi** Arvicola, Audubon & Bachman, Quad. N. Amer. III. 1854, 287.
- Dellephila** Rousin, Ann. Soc. Ent. France [2] IV (Bull.) 1846, p. xxvii; *pro* Deil→, Lasp [*teste* Nomen. anim.].
- Delphinaptera** Anon., London Ency. XXII. 1845, 753; *pro* D—aptera, Lac. [*teste* Nomen. anim.].
- Delphinaptera** Bowdich, Anal. Classif. Mam. 1821, 86.—M. [*teste* Nomen. anim.].

- Delphinaster** J. E. Gray, London Med. Repos. XV. 1821, 110.—M. [*teste* Nomen. anim.].
- Delphinopterus** F. Cuvier, Dict. Sci. Nat. LIX. 1826, 317; *pro* Delphina→, Lac. [*teste* Nomen. anim.].
- Delphinuligenus** Renier, Tav. Class. An. 1807 [*i.e.* 1804] VIII.—G. [*teste* Nomen. anim.].
- Delphiraptenus** Schinz, Nat. Abh. Saugeth. 1827, 400; *pro* D—napterus, Lac. [*teste* Nomen. anim.].
- delta** Ostrea, J. Sowerby, Min. Conch., cover of pt. 26, Dec. 1816 [*err. pro* "deltoidea, Lam."; *teste* L. R. C.].
- Deltamerus** V. v. Mochulski, Kaetzer Russl., *post* May 1850, 71.—Col.
- Deltathyris** Hermannsen, Ind. Gen. Malac. I (4) 1847, 376; *pro* Delthyris, Dalm. [*teste* Nomen. anim.].
- Delthiridaea** J. E. Gray, Ann. Nat. Hist. [2] II. 1848, 438; *pro* Delthyridae, McC. [*teste* Nomen. anim.].
- Delthyridea** Agassiz, Nom. Zool. (Moll.) 1846, 29; *pro* D—dae, McC. [*teste* Nomen. anim.].
- deltoidea** Venus, G. P. Deshayes, Traité Conch., expl. pl. 19 (1839). [anim.].
- Dematurus** Brandt, 1850; (*or*) Sherborni, Index Anim. p. 913; *pro* Dermat→ [*teste* Nomen. anim.].
- Demetrius** Motschulski, Mém. prés. Ac. St Pétersb. V. 1845, 15, 55 & 56; *pro* D—as, Bon. [*teste* Nomen. anim.].
- Demitrias** Sturm, Cat. Kat. Samml. 1843, 5; *pro* Demet→, Bon. [*teste* Nomen. anim.].
- Demosia** d'Orbigny, Voy. Amér. mérid. I. 1835, 96; *pro* Nemosia, Vieill. [*teste* Nomen. anim.].
- Dendoris** J. E. Gray, Proc. Zool. Soc. London, XV. 1847, 164; *pro* Dendrodoris, Ehr. [*teste* Nomen. anim.].
- Dendrocalptes** F. Boie, Isis (Oken), 1822, 547 & 554; *pro* Dendroco→, Herm. [*teste* Nomen. anim.].
- Dendrocoelem** *err.* Sherborni, Index Anim. p. 1839; *pro* D—um, Orst. [*teste* Nomen. anim.].
- Dendrocopus** Kaup, Entwickgesch. 1829, 160 & 193; *pro* D—pos, Koch [*teste* Nomen. anim.].
- Dendrocygnus** Swanson, Annu. Menag. 1838, 157; *pro* D—na, 1837 [*teste* Nomen. anim.].
- Dendrodea** Lesson, Bull. Sci. Nat. VII. 1826, 205; *pro* D—doa, MacI. [*teste* Nomen. anim.].
- Dendrodromus** G. R. Gray, List Gen. Birds, 1840, 17; *pro* D—dramus, Gould [*teste* Nomen. anim.].
- Dendronotus** Alder & Hancock, Mon. Brit. Nud. (Ray Soc.) (1) 1845, 47.—Nud.
- Dendropemon** Agassiz, Nom. Zool. Index Univ. 1846, 119; *pro* D—paemon, Perty [*teste* Nomen. anim.].
- Dendrositta** Swanson, Hist. Class. Birds, II. 1837, 97 & 375; *pro* D—citta [*teste* Nomen. anim.].
- Denritina** Nicolucci, N. Ann. Bologna [2] VI. 1846, 204; *pro* Dendritina, d'Orb. [*teste* Nomen. anim.].
- Dentalina** Risso, Hist. Eur. mérid. IV. 1826, 16.—Rh. [*teste* Nomen. anim.].
- Dentaliopsis** J. G. Jeffreys, Ann. Mag. N. H. [2] I (3) Mar. 1848, 240.—G.
- Dentalis** Hermannsen, Ind. Gen. Malac. I. 1847, 379.—Moll. [*teste* Nomen. anim.].
- Dentalius** Forbes, Hist. Brit. Starf. 1841, 253; *pro* D—m, L. 1758 [*teste* Nomen. anim.].
- Dentator** Amyot, Ann. Soc. Ent. France [2] III [1846], 480.—Hem. [*non binom.*] [*teste* Nomen. anim.].
- Dentatus** J. E. Gray, Proc. Zool. Soc. London, XV. 1847, 181.—G. [*teste* Nomen. anim.].
- dentatus** Fucoides, A. Brongniart, Hist. Végét. foss. I. 1828, 70 [= Graptol.].
- Dentex** Cuvier, Mém. Mus. H. N. (Paris) I. 1815, 456 & 487.—P. [*teste* G. P. W.].
- depressus** Cirrus, J. Sowerby in W. Smith, Strata Ident., Oct. 1816, 10 [*teste* L. R. C.].
- Dera** Bory, Dict. Class. H. N. XI. 1827, 426; *pro* Dero, Ok. [*teste* Nomen. anim.].
- Dermestae** Latreille, Hist. Crust. Ins. III. 1802, 135; *pro* Dermestes, L. 1758 [*teste* Nomen. anim.].
- Derocorystes** Burmeister, Zeitschr. Ent. (Germar) II. 1840, 48; *pro* Dericorys, A.-S. [*teste* Nomen. anim.].
- Deropteryx** Amyot & S., Hist. Hem. 1843, p. xxxi; *pro* Dorep→, White [*teste* Nomen. anim.].
- Derostenus** Chevrolat, Mag. Zool. [2] V. 1843, tab. 108; *pro* Dere→ [*teste* Nomen. anim.].
- Derostomas** Orsted, Plattwürm. 1844, 74; *pro* D—a, Dugès [*teste* Nomen. anim.].
- Derostomeum** Schmidt, Rhabd. Strudelw. 1848, 35; *pro* D—a, Dugès [*teste* Nomen. anim.].
- Derostomum** Schmidt, Rhabd. Strudelw. 1848, 63 & 66; *pro* D—a, Dugès [*teste* Nomen. anim.].

- derripes** Pompilus; *lege serripes*.
- desertosa** Psammochora, J. Gistel, Isis (Munich) [5] 1850, 75.
- deshayesii** Venus, S. Hanley, Cat. Rec. Biv. Shells, 1844, expl. p. 13 of pl. xvi [*teste* L. R. Cox].
- Desmana** Gùldenstaedt, Beschäft. Berhu. Ges. Fr. III. 1777, 108.—M. [*teste* Nomen. anim.].
- Desmarestia** Hermannsen, Ind. Gen. Malac. I. 1847, 383; *pro* Demarestia, Hartm. [*teste* Nomen. anim.].
- Detracia** J. E. Gray in Turton, Man. Shells, ed. 2, 1840, 20.—G. [*teste* Nomen. anim.].
- Deucalion** Pander, Beitr. Geogn. Russ. 1830, 137.—Cr. [*teste* Nomen. anim.; *sed* ? *vernac.*].
- Diabathrius** Agassiz, Nom. Zool. (Col.) 1846, 54; *pro* Diabathrarinus, Schoenh. [*teste* Nomen. anim.].
- Diacanthos** Grundler in Brenser, Traité Vers intest. 1824, 330; *pro* Dy→, Stieb. *Pedicellus Baccæ vitis* [nec. Verm., *teste* Nomen. anim.].
- Diacanthus** Rudolphi, Entoz. Syn. 1819, 184; *pro* Dyacanthos, Stieb. [*teste* Nomen. anim.].
- Diacanthus** Swainson, Hist. Classif. Fish. II. 1839, 190 & 442.—P. [*teste* Nomen. anim.].
- Diacona** Reichenbach, Zool. I. 1828, 85; *pro* Diazona, Sav. [*teste* Nomen. anim.].
- Diagoma** Wade, Syst. Zool. 1842, [7]; *pro* Diazona, Sav. [*teste* Nomen. anim.].
- Diagonus** Schoenherr, Gen. Curc. VIII (1) 1844, 240.—Col. [*teste* Nomen. anim.].
- Diamena** Dahlbom, Hym. Eur. I. 1843 [1844], 225.—Hym. Spheg. [*teste* Nomen. anim.].
- Dianoea** Lesson, Hist. Acal. 1843, 187; *pro* Dianaea, Lam. [*teste* Nomen. anim.].
- Dianthaphis** Amyot, Ann. Soc. Ent. France [2] V. 1848, 477.—Hem. [non binom., *teste* Nomen. anim.].
- diaphanus** Aleyonidium, Lamouroux, Ann. Mus. H. N. (Paris) XX. 1813, 285 [*teste* S. F. H.].
- Diapris** Billberg, Enum. Ins. 1820, 108; *pro* Diapria, Latr. [*teste* Nomen. anim.].
- Diatopsis** Laporte, Hist. An. artic. Ins. II. 1842, 242; *pro* Die→, Sol. [*teste* Nomen. anim.].
- Diatropha** Gray in Turton, Man. Shells, ed. 2, 1840, 315; *pro* Diastropha, 1840 [*teste* Nomen. anim.].
- Diaugea** Agassiz, Nom. Zool. (Dipt.) 1846, 11; *pro* Diaugia, Perty [*teste* Nomen. anim.].
- Dibathryorhynchus** Mùdie in Blyth's Cuvier, Anim. Kingd. 1840, 649; *pro* Diboth→, Blainv. [*teste* Nomen. anim.].
- Dibothriorhynchus** de Blainville, Dict. Sci. Nat. LVII. 1828, 589.—Verm. [*teste* Nomen. anim.].
- Dibothriorynchus** Agassiz, Nom. Zool. (Verm.) 1843, 4; *pro* D—rhynchus, Bl. [*teste* Nomen. anim.].
- Dibothrydus** [? Gervais], Dict. Univ. H. N. IV. 1844, 735; *pro* Dibothrius, Rnd. [*teste* Nomen. anim.].
- Dibothryorynchus** Nordmann in Lamarck, Hist. An. s. Vert., ed. 2, III. 1840, 585 & 586; *pro* Dibothriorhynchus, Bl. [*teste* Nomen. anim.].
- Dicastes** Burmeister (ex Kirby MS), Handb. Ent. V. 1847, 211.—Col. [*teste* Nomen. anim.].
- Diceras** Rudolphi, Entoz. Hist. Nat. I (1) 1808, 124; *pro* Ditrachyceras & Dytrachiceros, Herm. [*teste* Nomen. anim.].
- Dicerata** Rafinesque, Analyse, 1815, 148; *pro* Diceras, Lam. [*teste* Nomen. anim.].
- Diceratigenus** Renier, Tav. Classif. An. 1807 [*i.e.* 1804] vii.—L. [*teste* Nomen. anim.].
- Diceum** Schinz in Cuvier, Thierr. I. 1821, 537; *pro* Dicaeum, Cuv. [*teste* Nomen. anim.].
- Dicheles** G. R. Gray in Griffith in Cuvier, Anim. Kingd. XIV. 1832, 488; *pro* Dichelus, Lep. [*teste* Nomen. anim.].
- Dicheleston** Berthold in Latreille, Nat. Fam. Thierr. 1827, 286; *pro* D—thium, Herm. [*teste* Nomen. anim.].
- Dichelestium** Latreille in Cuvier, Règne Anim. III. 1817, 65; *pro* D—thium, Herm. [*teste* Nomen. anim.].
- Dichella** Bonaparte, 1846.—P. [*teste* Nomen. anim.; *sed. sine cit.*].
- Dichelytium** Latreille, Tabl. Ency. Méth. 1818, explic. t. [ad t. 269-397], p. 8—*cfr. et* t. 335; *pro* Dichelestium, Herm. [*teste* Nomen. anim.].
- Dichobuna** Bonaparte, Giorn. Arcad. (1) XLIX. 1831, 24; *pro* D—e, Cuv. [*teste* Nomen. anim.].
- Dichocrinites** Geinitz, Grundr. Verst. 1846, 560; *pro* D—crinus, Muenst. [*teste* Nomen. anim.].
- Dicholopus** Boie, Isis (Oken), 1826, 975 [969]; *pro* D—phus, Ill. [*teste* Nomen. anim.].
- dichotoma** Tupa (L.), J. E. Gray in S. F. Gray, Brit. Plants, 1821, 355.—Spongia, 1767.

- Dichroa** Stephens ~~1848~~ Kirby MS), Cat. Brit. Ins. (Mand.) 1829, 179.—Col. [*teste* Nomen. anim.].
- Dicoeum** Lesson, Cont. Zool. 1831, tab. xxvii; *pro* Dicaeum. [anim.].
- Dicolophus** Lesson, Mau. Orn. I. 1828, 43; *pro* Dicholophus, Ill. [*teste* Nomen. anim.].
- Dicotyle** Cuvier, Règne Anim. I. 1817, 237; *pro* Dicotyles [*teste* Nomen. anim.].
- Dicranoccephalus** C. W. Hahn, Icones Mon. Cimicum, 1820, fasc. 1.—Henn.
- Dicranoceros** McMurtrie in Cuvier, Anim. Kingd. I. 1834, 196; *pro* D—us, Sm. [*teste* Nomen. anim.].
- Dicranopygia** Burmeister, Zeitschr. Ent. (Germar) II. 1840, 79.—Orth. [*teste* Nomen. anim.].
- Dicroatus** Agassiz (*ex* Klein), Nom. Zool. (Av.) 1842, 25.—A. [*teste* Nomen. anim.].
- Dicrolophus** Swainson, Hist. Classif. Birds, II. 1837, 346; *pro* Dicho—, Ill. [*teste* Nomen. anim.].
- Dicronochilus** Guérin, Rev. Zool. IX. 1846, 428; *pro* Dicrochile, 1846 [*teste* Nomen. anim.].
- Dicrourus** Schinz in Cuvier, Thierr. I. 1821, 496; *pro* Dicurus, Vieill. [*teste* Nomen. anim.].
- Dictophyme** Chiaje, Elmint. uman., ed. 4, 1844, 8; *pro* Diotophyme, Coll. [*teste* Nomen. anim.].
- Dicturus** Anon., Cat. Ois. Riocour, 1829; *pro* Dicurus [*teste* Nomen. anim.].
- Dictyocha** Ehrenberg, Ber. Ak. Berlin, 1837, 61.—Rh. [*teste* Nomen. anim.].
- Dictyolithis** Ehrenberg, Ber. Ak. Berlin, 1847, 51.—Rh. [*teste* Nomen. anim.].
- Dictyospiris** Ehr. 1847; *err.* Sherborni, Index Anim. p. 1909, *pro* D—sypiris [*teste* Nomen. anim.].
- Dictyospyris** Ehrenberg, Ber. Ak. Berlin, 1816, 385.—Rh. [*teste* Nomen. anim.].
- Didactylis** Bonaparte, Giorn. Arcad. LII. 1831, 198; *pro* D—les, Cuv. [*teste* Nomen. anim.].
- Didelphys** Schreber, Säugeth. III. 1776, 532 [*teste* G. G. Simpson].
- Didemnum** Cuvier, Règne Anim. II. 1817, 501; *pro* Didemnum, Sav. [*teste* Nomen. anim.].
- Didemnium** Schinz in Cuvier, Thierr. II. 1822, 779, 781 & 831; *pro* Didemnum, Sav. [*teste* Nomen. anim.].
- Didemnus** Chiaje, Descr. Not. An. Sicil. V. 1841, 92; *pro* D—m, Sav. [*teste* Nomen. anim.].
- Didemum** Goldfuss, Isis (Oken), 1818, 1021; *pro* Didemnum, Sav. [*teste* Nomen. anim.].
- Didernum** Lamarck, Hist. An. s. Vert. III. 1816, 96; *pro* Didemnum, Sav. [*teste* Nomen. anim.].
- Didunculus** Jardine, Ann. Nat. Hist. XVI. 1845, 176.—A. [*teste* Nomen. anim.].
- digitata** Tupa (Mont.), J. E. Gray in S. F. Gray, Brit. Plants, 1821, 355.—Spongia, Esp. 1797.
- Digramma** Cuv. 1829; *err.* Sherborni, Index Anim. p. 1919, *pro* Diagramma [*teste* Nomen. anim.].
- Diklibothrium** Kollar, Ann. Wiener Mus. I (1) 1836, 81; *pro* Dicy—, Leuck. [*teste* Nomen. anim.].
- dilatatus** Opis, G. P. Deshayes, Traité Conch., expl. pl. 23 (1839). [anim.].
- Dillacerus** Solier, Ann. Soc. Ent. France, III. 1834, 497.—Col. [*teste* Nomen. anim.].
- diluta** Promecothera; *lege* P—theca.
- diluvii** Proteocordylus, Cuvier in Eichwald, Zool. spec. III. 1831, 165.
- Dimeriseis** Solier, Ann. Soc. Ent. France, III. 1834, 530.—Col. [*teste* Nomen. anim.].
- dimidiata** Pachyptera; *lege* Pachyteria.
- Dimorphicrinus** d'Orb. 1850; Nomen. anim. *dict.* Crin. et Blast., p. 155.
- Dinamena** Costa, F. Reg. Napoli (An. ragg.), Zoofit., Anisoc., p. 20, 1838; *pro* Dynamena, Lamx. [*teste* Nomen. anim.].
- Dinantha** Erichson, Arch. f. Naturg. XII (2) 1846, 284.—Dipt. [*teste* Nomen. anim.].
- Dinao** Desmarest, Dict. Sci. Nat. XXVIII 1823, 421; *pro* Dinoa, Raf. [*teste* Nomen. anim.].
- Dinectur** Rafinesque, Amer. Monthly Mag. IV. 1818, 107; *pro* Dinectus q. est *pro* Dinoctus, 1818 [*teste* Nomen. anim.].
- Dinidor** Latreille in Cuvier, Règne Anim., ed. 2, V. 1829, 195.—Hem. [*teste* Nomen. anim.].
- Dinodor** Gistel, Nat. Thierr. 1848, 148; *pro* Dinidor, Latr. [*teste* Nomen. anim.].
- Dinura** Nordmann, Mikrogr. Beitr. II. 1832, 32; *pro* Dinemurus, Raf. [*teste* Nomen. anim.].
- Dinuris** Nordmann, Mikrogr. Beitr. II. 1832, 32; *pro* Dinemura, Raf. [*teste* Nomen. anim.].
- Dioctophyme** Agassiz, Nom. Zool. (Verm.) 1843, 4; *pro* D—phyme, Coll. [*teste* Nomen. anim.].
- Dioctophyma** Lamouroux, Dict. Class. H. N. V. 1824, 515; *pro* D—e, Coll.—M. [*teste* Nomen. anim.].
- Diodesma** Latreille in Cuvier, Règne Anim., ed. 2, V. 1829, 97.—Col. [*teste* Nomen. anim.].

- Diodontolobus** Solfer in Gay, Chili (Zool. IV.) 1849, 367.—Col. [*teste Nomen. anim.*].
- Diodontus** Laporte, Hist. An. artic. Ins. II. 1840, 185; *pro* Diodontes, Sol. [*teste Nomen. anim.*].
- Diomaedeae** Lesson, Traité Orn. 1831, 608; *pro* Diomedea, L. 1758 [*teste Nomen. anim.*].
- Diomedaea** Lesson, Ann. Sci. Nat. VI. 1825, 95; *pro* Diomedea, L. 1758 [*teste Nomen. anim.*].
- diommata** Dictyocha, C. G. Ehrenberg, Ber. Verh. K. pr. Ak. Wiss. 1845, 76.
- Dioptatre** Edwards in Lamarck, Hist. An. s. Vert., ed. 3, II. 1839, 460; *pro* D—a, A. & E. [*teste Nomen. anim.*].
- Diopplon** J. Brookes, Cat. Mus. Brookes, 1828, 62.—M. [*teste Nomen. anim.*].
- Diorhiza** Loew, Progr. Realsch. Meseritz, 1850, 32.—Dipt. [*teste Nomen. anim.*].
- Dioriche** Laporte, Hist. An. artic. Ins. I. 1840, 123; *pro* Dioryche, MacL. [*teste Nomen. anim.*].
- Dioza** Agassiz, Nom. Zool. (Hym.) 1846, 11; *pro* Diosus, Curt. [*teste Nomen. anim.*].
- Diphidia** J. E. Gray, Phil. Mag., n. s. VI. 1829, 29; *pro* Diphylla, Spix [*teste Nomen. anim.*].
- Diphilla** d'Orbigny & G., Voy. Amér. mérid. IX. Mamm. 1847, tab. 9; *pro* Diphylla, Spix [*teste Nomen. anim.*].
- Diphyites** Hermannsen, Ind. Gen. Malac. I. 1847, 390.—Br. [*teste Nomen. anim.*].
- Diphyllidia** v. sub **Dyphyllidia**, p. 2058.
- Diphyllidia** de Blainville, Dict. Sci. Nat. XIII. 1819, 299.—G. [*teste Nomen. anim.*].
- Diphylocera** Erichson, Arch. f. Naturg. X (2) 1844, 280; *err. pro* Diphyllo-morpha, Hope [*teste Nomen. anim.*].
- Diplax** Burmeister, Handb. Ent. II (2) iii, 1839, 848 [*ex* Charp. MS; *teste Nomen. anim.*].
- Diplerodon** Swainson, Hist. Class. Fish. II. 1839, 15; *pro* Dipterodon, Lac. [*teste Nomen. anim.*].
- Diplodonta** Philippi, Arch. f. Naturg. VI (1) 1840, 192 & 193; *pro* D—us, Dugès [*teste Nomen. anim.*].
- Diplonichus** Laporte, Mag. Zool. [2] IX (Ins.) 1832, 83; *pro* D—nychus [*teste Nomen. anim.*].
- Diplonycha** Spinola, Ess. Hém. 1837, pp. 53 & 380; *pro* D—us, Lap. [*teste Nomen. anim.*].
- Diploporus** L. v. Buch, Vossisch. Zeitg., Dec. 1846; Inhaltsverz. S. B. Ges. nat. Fr. Berlin, 1860, 3.—Ech.
- Diploptiser** Gambel, Journ. Ac. Philad. [2] I (3) 1849, 217; *pro* Diplopterus, Boie [*teste Nomen. anim.*].
- Diplorhina** Hawle & Corda, Prodr. Böhm. Trilob. 1847, 174; *pro* Diplorr. [*teste Nomen. anim.*].
- Diplotes** Cuvier, Règne Anim., ed. 2, III. 1830, 208; *pro* Diplotis, Mont. [*teste Nomen. anim.*].
- Diplotis** Garner, Tr. Zool. Soc. London, II (2) 1838, 95 & 99.—Verm. [*teste Nomen. anim.*].
- Diplotoxops** Rafinesque, Ann. of Nature, 1820, 9.—? Ar.
- Dipsaccus** Deshayes (*ex* Klein), Ency. Méth., Vers, II (2) 1832, 89.—G. [*teste Nomen. anim.*].
- Dipsada** Griffith in Cuvier, Anim. Kingd. XII. 1834, 106; *pro* Dipsas, Leach [*teste Nomen. anim.*].
- Dipsus** J. E. Gray, London Med. Repos. XV. 1821, 303; *pro* Dipus, Zimm. 1780 [*teste Nomen. anim.*].
- Dira** E. Mulsant, Anu. Soc. Agric. Lyon [2] II. 1850, 849 & 1095.—Col. [*teste Nomen. anim.*].
- Dirapha** Lepeletier & S., Ency. Méth. (Ins.) X (1) 1825, 229; *pro* D—ia, Ill. [*teste Nomen. anim.*].
- Dirhynchus** A. Nordmann, Mikrogr. Beitr. II. 1832, 50 & 107.—Cr. [*teste Nomen. anim.*].
- Dirphya** Huebner, Verz. bekannt. Schmett., Regist. 1826, 28; *pro* Dirphia, 1820 [*teste Nomen. anim.*].
- Dirrhinus** Hermannsen, Ind. Gen. Malac. I. 1847, 393; *pro* Dirinus, McCoy [*teste Nomen. anim.*].
- Dirus** Dejean, Catal. Coléopt. 1821, 88.—Col. [*n. n., teste Nomen. anim.*].
- discolor** Aphodius, Erichson in Klug, Doubl. Verz. Senegall. Ins. 1842, 7.
- discolor** Passerina, L. P. Vieillot, N. Dict. H. N. XXXIV. 1819, 552 [*teste C. W. R.*].
- Discorbis** Férussac, Tabl. Syst. Moll., gén. p. xxi [1822].—Ceph. [part.] [*teste Nomen. anim.*].
- Discorbitus** Rafinesque, Analyse, 1815, 140; *pro* D—tes, Lam. [*teste Nomen. anim.*].
- discors** Modiolaria, H. H. Beck in Robert, Comm. Sci. Islande, Atlas Moll., pl. 17 (1838).

- discors** Pandora, Hanley, Recent Shells, 1842, 49 [*teste* R. W.].
- Discranomerus** Kolenati, Melet. Ent. (2) 1845, 55; *pro* Dicrano→, Hahn [*teste* Nomen. anim.].
- Dislephila** Guérin-M., Iconogr. III (Ins.) [1844], 494; *pro* Deilephila, Lasp. [*teste* Nomen. anim.].
- Disparganum** Amyot, Ann. Soc. Ent. France [2] IV. 1846, 159.—Hem. [*non binom.*] [*teste* Nomen. anim.].
- Dispinotus** Rafinesque, Analyse, 1815, 91.—P. [*teste* Nomen. anim.].
- Disporus** F. Boie, Isis, 1826, 980; *pro* Dysporus, Ill. [*teste* Nomen. anim.].
- Dissosternum** Hope, Proc. Zool. Soc. London, 1833, 64.—Col. [*teste* Nomen. anim.].
- distans** Venerupes; *lege* Venerupus.
- Disteria** J. E. Gray, Ann. Phil. [2] X. 1825, 207; *pro* Disteira, Lac. [*teste* Nomen. anim.].
- Distichus** Heckel in Russegger, Reise, II (3) 1849, 321; *pro* Distichodus, M. & T. [*teste* Nomen. anim.].
- Disticipora** Costa, Corresp. Sicil. 1839, 188; *pro* Disticho→, Lam. [*teste* Nomen. anim.].
- Distomum** Nitzsch, N. Schr. Ges. Halle, III. 1817, 7; *pro* Distoma, Retz. 1786 [*teste* Nomen. anim.].
- Distomum** Troschel, Arch. f. Naturg. VIII (2) 1842, 406; *pro* Distoma, Sav. [*teste* Nomen. anim.].
- Distomus** Laennec, Bull. Fac. méd. Paris, I. 1807, 11.—Verm. [*teste* Nomen. anim.].
- Ditrachyceros**, Ditrachycerosoma etc. [*teste* Nomen. anim.; *fructus* Mori sunt].
- Ditropidus** Erichson, Arch. f. Naturg. VIII (1) 1842, 120.—Col. [*teste* Nomen. anim.].
- diversana** Schaphila, Duponchel [non Tr.], Hist. Nat. Lépid. France, IX. 1836, 559.
- Doclaea** Latreille, Ency. Méth. (Ins.) X (2) 1828, 699; *pro* Doclea, Leach [*teste* Nomen. anim.].
- Docmius** Dujardin, Hist. Helin. 1845, 114; *pro* Dochmius [*teste* Nomen. anim.].
- Dodo** Bronn, Index Pal. 1848, 424 & 434; *pro* Didas, L. 1766 [*teste* Nomen. anim.].
- Doedalion** Cuvier, Règne Anim. I. 1817, 319; *pro* Daedalion, Sav. [*teste* Nomen. anim.].
- Dolichogyne** Agassiz, Nom. Zool. Index, 1846, 128; *pro* D—a, Macq. [*teste* Nomen. anim.].
- Dolichonix** Bonaparte, Giorn. Arcad. XLIX. 1831, 51; *pro* D—nyx, Sw. [*teste* Nomen. anim.].
- Dolichurus** Latreille, Gen. Crust. Ins. IV. 1809, 387.—Hym. [*teste* Nomen. anim.].
- Doligenus** Renier, Tav. Classif. An. 1807 [i.e. 1804] viii.—G. [*teste* Nomen. anim.].
- Dollabella** Gisl, Nat. Thierr. 1848, 171; *pro* Dolabella, Lam. [*teste* Nomen. anim.].
- Dolphinus** McMurtrie in Cuvier, Anim. Kingd. I. 1834, 184; *pro* Del→, L. 1758 [*teste* Nomen. anim.].
- Dolychus** Chaudoir, Bull. Soc. Moscou, XXIII (1) 1850, 376; *pro* Dolichus, Bon. [*teste* Nomen. anim.].
- Domax** Anon., Hand-Book Conch. 1839, 46; *pro* Donax, L. 1758 [*teste* Tomlin].
- domesticus** Gallus, var. monstrosotetrapodicus; J. T. Schneider, Abh. nat. Ges. Görlitz, I. 1827, 159 [*teste* C. W. R.].
- Donacigenus** Renier, Tav. Classif. An. 1807 [i.e. 1804] vii.—L. [*teste* Nomen. anim.].
- Donacina** Menke, Syn. Moll. 1828, 69.—L. [*teste* Nomen. anim.; in Sherborn, Index Anim. p. 1997, *gen.* L. *non* G. est].
- Donocobius** Swainson in Richardson, F. Bor.-Amer. II. 1831 [i.e. 1832], 157; *pro* Dona→, 1831 [*teste* Nomen. anim.].
- Donus** Dejean, Catal. Coléopt. 1821, 88.—Col. [*teste* Nomen. anim.].
- Dorippus** Rafinesque, Précis Découv. Somiol. 1814, 21; *pro* Dorippe, Web. 1795 [*teste* Nomen. anim.].
- Doripus** Rafinesque, Analyse, 1815, 97; *pro* Dorippe, Web. 1795 [*teste* Nomen. anim.].
- Doris** Partington, Brit. Cyclop. III [1835–7], 93 [*teste* A. E. S. = Doris].
- Doris** Koch, Deutschl. Crust. XXXV. 1844, no. 3.—Cr. [*teste* Nomen. anim.].
- dorsatus** Spirifer, G. B. Sowerby, I., Gen. Shells (36) 1831 [*n. et f.*, *teste* R. W.].
- Doryanthos** Muenster, Beitr. Petref. VII. 1846, 58.—Ceph. [*teste* Nomen. anim.].
- Dorydium** Schinz in Cuvier, Thierr. IV. 1825, 586; *pro* Doridiun, Meck. [*teste* Nomen. anim.].
- Doryppe** Leach in Brewster's Edinb. Ency. VII. 1813, 385; *pro* Dorippe, Web. 1795 [*teste* Nomen. anim.].
- Doto** L. Oken, Lehrb. Nat. III (1) 1815, 278 [= Doris, *teste* E. R. Sykes].
- douaei** Anthocaris, Pierret, Ann. Soc. Ent. France, V (2) May 1836, 367 [*teste* A. F. H.].

- Drachystetus** Spinola, Mem. Soc. Ital. XXV. 1852, 72 [sep. 1850]; *pro* B→, Lap. [*teste* Nomen. anim.].
- draco** Peggassus, W. Swainson, N. H. Fish. II. 1839, 332 [= P. draconis, L., *teste* G. P. W.].
- Dracryomia** A. Gressly, Obs. géol. Jura Soleurois (sep. 1838), 85; *err. pro* Dacryomia.
- Dragonne** Oken, Isis, 1817, App., p. 1183.—R. [*teste* Nomen. anim.].
- Draximenus** *pro* 1845 *lege* 1829.
- Drepanis** Temminck, Man. Orn., ed. 2, I. 1820, p. lxxxvi.—A. [*teste* Nomen. anim.].
- Drepanis** Bonaparte, Giorn. Arcad. I. II. 1831, 172; *pro* Drepane, Cuv. [*teste* Nomen. anim.].
- Drepanostoma** Porro; ? *err. pro* Drepanostoma, 1836 [*teste* E. R. S.].
- Drimophilus** Blyth in Cuvier, Anim. Kingd. 1840, 182; *pro* Drymophila, Temm. [*teste* Nomen. anim.].
- Drioscopus** Bonaparte, Giorn. Arcad. LII. 1831, 263; *pro* Dry→, Boie [*teste* Nomen. anim.].
- Droelis** Gervais, Dict. Univ. H. N. XII. 1848, 65; *pro* Dicelis, Duj. [*teste* Nomen. anim.].
- Dromajus** Thienemann, Fortpfl. ges. Vög. (1) 1845, 3; *pro* Dromaius, Vieill. [*teste* Nomen. anim.].
- Dromeochora** G. Tilesius, Isis (Munich) (5) 1850, 75 [Dromochora, p. 76; *emend. pro* Dromochorus, Guér., *teste* C. W. R.].
- Dromias** Anon., Isis (Oken), 1844, 247; *pro* Dromas, Payk. [*teste* Nomen. anim.].
- Dromicejus** Wagler, Syst. Amph. 1830, 128; *pro* D—ceius, Vieill. [*teste* Nomen. anim.].
- Dromiceus** Wagler, Syst. Amph. 1830, 82; *pro* D—ceius, Vieill. [*teste* Nomen. anim.].
- Dromilites** Leonhard & B., N. Jahrb. f. Min. 1837, 494; *pro* D—e, Edw. [*teste* Nomen. anim.].
- Dromoeus** Ranzani, Elem. Zool. III (1) 1821, 96; *pro* Dromiceius, Vieill. [*teste* Nomen. anim.].
- Dromus** Selby, Cat. Typ. Birds, 1840, 45; *pro* Dromas, Payk. [*teste* Nomen. anim.].
- Drosillus** Dejean, Catal. Coléopt., 1821, 96.—Col. [n. n., *teste* Nomen. anim.].
- Drusus** Stephens, Nom. Brit. Ins., ed. 2, 1833, 120.—Trichopt. [*teste* Nomen. anim.].
- Drycoetis** Huebner, Verz. bekannt. Schmett., Anz. 1816, 49; *pro* Dryocoetis [*teste* Nomen. anim.].
- Drymonax** Lesson, Rev. Zool. II. 1839, 167.—A. [*teste* Nomen. anim.].
- Drymophyla** Lesson, Rev. Zool. II. 1839, 136; *pro* D—phila, Sw. [*teste* Nomen. anim.].
- Dryophis** Dalman, Anal. Ent. 1823, 7; *pro* Dryinus, Merr. [*teste* Nomen. anim.].
- Dryptocephalus** Burmeister, Handb. Ent. II (1) 1835, 348 & 370; *pro* D—a, Lap. [*teste* Nomen. anim.].
- Dugongidus** J. E. Gray, London Med. Repos. XV. 1821, 309; *pro* Dugong, Lac. [*teste* Nomen. anim.].
- Dujardinia** Quatrefages, Ann. Sci. Nat. (Zool.) [3] I. 1844, 20.—Verm. [*teste* Nomen. anim.].
- Dulus** Swainson, Hist. Classif. Birds, II. 1837, 21; *pro* Dulus, Vieill. [*teste* Nomen. anim.].
- Dulichethys** Swainson, Hist. Classif. Fish. I. 1838, 85; *pro* Dulichthys, Bonap. [*teste* Nomen. anim.].
- Dumerilia** Macquart, Hist. Ins. Dipt. II. 1835, 79; *pro* D—llia, Rob.-D. [*teste* Nomen. anim.].
- Dumicola** Swainson in Richardson, F. Bor.-Amer. II. 1831 [1832], 206; *pro* Dumec→ [*teste* Nomen. anim.].
- duodenalis** Oestrus, Schwab, Die Oestrac. 1840, 35.
- dussumieri** Leuciscus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, Avis...Relieur [ii] [*teste* F. J. G.].
- Dyacanthos** Stiebel; *pedicellus* Baccae Vitis *nec* Verm. [*teste* Nomen. anim.].
- Dycirtoma** Lucas, Rev. Zool. IX. 1846, 255; *pro* Dicyrt→, Bourl. [*teste* Nomen. anim.].
- Dycotiles** Geoffroy & C., H. N. Mamm. IV (26) 1821, 2; *pro* Dicotyles, Cuv. [*teste* Nomen. anim.].
- Dycotyles** Kaup, Thierr. Hauptform. I. 1835, 451; *pro* Dicotyles, Cuv. [*teste* Nomen. anim.].
- Dyctyopteryx** Gistel, Nat. Thierr. 1848, p. xi; *pro* Dicty→, Steph. [*teste* Nomen. anim.].
- dymus** Papilio, Borkhausen, Nat. Eur. Schmett. I. 1788, 177 [*teste* A. F. H.].
- Dynya** Rouault, Mém. Soc. géol. France [2] III. 1850, 460.—L. [n. n., *teste* Nomen. anim.].
- Dynamena** Edwards, H. N. Crust. III. 1840, 215 & 619; *pro* D—e, Leach [*teste* Nomen. anim.].
- Dynamene** Oken, Isis, 1817, 1541; *pro* D—a, Lamx. [*teste* Nomen. anim.].
- dynamina** Agassiz, Nom. Zool. (Lep.) 1846, 23; *pro* D—e, Huebn. [*teste* Nomen. anim.].
- Dynastes** Kirby (*ex* MacL. MS), Tr. Linn. Soc. London, XIV (3) 1825, 567.—Col. [*teste* Nomen. anim.].
- Dynastor** Westwood in Doubleday & W., Gen. diurn. Lepid. (2) 1849, 346.—Lep. [*teste*

- Dynomene** Desmarest (*et* Latr. MS), Dict. Sci. Nat. XXVIII. 1823, 249 & 422.—Cr. [*teste* Nomen. anim.].
- Dynops** Lesson, Dict. Class. H. N. XVI. 1830, 579; *pro* Dinops, Savi [*teste* Nomen. anim.].
- Dyonysius** Amyot, Ann. Soc. Ent. France [2] V. 1847, 165.—Hein. [*non binom.*] [*teste* Nomen. anim.].
- Dyphillidia** Verany, 1846; *teste* Scudder = Diphylidia, *teste* E. R. S. [Nomen. anim.].
- Dyschirius** Hofmann, Verz. Ins. Latreille, 1834, 1; *pro* Dyschirius, Bon. [*teste* Nomen. anim.].
- Dyschirius** Panzer (*ex* Bon.), Index Entom. 1813, 67.—Col.
- Dyschirius** Billberg, Enum. Ins. 1820, 27; *pro* Dyschirius, Bon. [*teste* Nomen. anim.].
- Dysidea** Johnston, Brit. Spong. 1842, 251; *pro* Dusceideia [*teste* Nomen. anim.].
- Dysopus** Billberg, Syn. Scand. I (1) tab. A, 1827; *pro* D—pes, Ill. [*teste* Nomen. anim.].
- Dystoma** Bojanus, Mém. Soc. Moscou, V. 1817, tab. ix; *pro* Distoma, Retz. 1786 [*teste* Nomen. anim.].
- dytiscorum** Sporadina, A. v. Frantzius, Arch. f. Naturg. XIV (1) 1848, 195.
- Dyttrachyceros** Plantae, *tractus* Mori est [*teste* Nomen. anim.].
- Earhinus** Blanchard, Hist. An. artic. (Ins.) III. 1840, 338; *pro* Earinus, Westw. [*teste* eburneus Larus, T. Brown, Ill. Amer. Orn. 1835, Syst. Index, p. ii. [Nomen. anim.].
- Eburnigenus** Renier, Tav. Classif. An. 1807 [*i.e.* 1804] viii.—G. [*teste* Nomen. anim.].
- Ecanus** Stephens, Man. Brit. Col. 1839, 134.—Col. [*teste* Nomen. anim.].
- Echemys** Anon., London Ency. XXII. 1829, 745; *pro* Echimus, Cuv. [*teste* Nomen. anim.].
- Echidea** Schinz, Naturg. Mensch. Säugeth. 1830, 86; *pro* Echidna, Cuv.
- Echidna** Link, Voigt's Mag. Nat. XII. 1806, 290, 296 & 299.—R. [*teste* Nomen. anim.].
- echinata** Pleurostoma; *lege* Pleurotoma.
- Echinites** Mueller & T., Arch. f. Naturg. X (1) 1844, 180.—Ast. [*teste* Nomen. anim.].
- Echinobotrium** v. Beneden, Bull. Ac. Belg. XVI (2) 1850, 282; *pro* E—thrium, 1849 [*teste* Nomen. anim.].
- Echinocrinites** Troost, Amer. J. Sci. [2] VIII. 1849, 420; *pro* Echinoencrinites, Meyer [*teste* Echinocrinus Volborth, Bull. Ac. St Pétersb. (Sci.) X. 1842, 298; *pro* Echinoencrinites, Meyer [*teste* Nomen. anim.].
- Echinocyamus** d'Orbigny, Prodr. Paléont. II. 1850, 399; *pro* E—cyamus, Leske, 1778 [*teste* Nomen. anim.].
- Echinopterix** Huebner, Verz. bekannt. Schmett. (Anz.) 1826, 67; *pro* Epichno→ [*teste* Echinopus Schoenherr, Gen. Curc. III (1) 1836, 457.—Col. [*teste* Nomen. anim.].
- Echinorhyncus** Nordmann in Lamarck, Hist. An. s. Vert., ed. 2, III. 1840, 641 [*teste* Nomen. anim.].
- Echinorinchus** Bosc, Hist. Vers. II. 1802, 1; *pro* E—rynchus, Goeze, 1776 [*teste* Nomen. anim.].
- Echinoroccus** Rudolphi, Bemerk. Naturg. I. 1804, 32; *pro* E—coccus, 1801 [*teste* Nomen. anim.].
- Echinorhinus** Muller & H., Arch. f. Naturg. III (1) 1837, 399; *pro* Echinorhinus, Bl. [*teste* Nomen. anim.].
- Echinostome** Gervais, Dict. Univ. H. N. V. 1844, 193; *pro* E—a, Rud. [*teste* Nomen. anim.].
- Echinotoma** Mudie in Blyth, Cuvier's Anim. Kingd. 1840, 647; *pro* E—stoma, Rud. [*teste* Nomen. anim.].
- Echinous** Brandt, Ann. Sci. Nat. (Zool.) [2] V. 1836, 187; *pro* Echiurus, Guér. [*teste* Nomen. anim.].
- Echioderma** Gray, Ann. Phil. [2] X. 1825, 244; *pro* Echionoderma, Poli, 1795 [*teste* Nomen. anim.].
- Echiurus** Lucas, Hist. An. artic. (Ann. Cr.) 1840, 36; *pro* Echiurus, Guér. (Brandt) [*teste* Nomen. anim.].
- Echtrus** Blanchard, Hist. An. artic. III. 1840, 329; *pro* Echthrus, Grav. [*teste* Nomen. anim.].
- Echynorinchus** Rafinesque, Analyse, 1815, 151; *pro* Echinorynchus, Goeze, 1776 [*teste* Nomen. anim.].
- Ecphimotes** Cuvier, Règne Anim., ed. 2, II. 1829, 47; *pro* Ecphy→, Fitz. [*teste* Nomen. anim.].
- Ecpyrrhorrhoea** Huebner, Verz. bekannt. Schmett. (Anz.) 1826, 57; *pro* Ecpyrrhorrhoe [*teste* Nomen. anim.].

- Ecthrus** Westwood, *Introd. Classif. Ins.* II. Syn. 1840, 61; *pro* Ecthrus, Gray. [*teste* Nomen. anim.].
- Ederessa** Agassiz, *Nom. Zool.* (Lep.) 1846, 23; *pro* Ederesa, Curt. [*teste* Nomen. anim.].
- Edramonia** G. Tilesius, *Isis* (Munich) (5) 1850, 75 [*pro* Euryoda, Lacord.].
- edwardii** Anser, *T. Brown*, *Ill. Amer. Orn.* 1835, Syst. Index, p. iii.
- edwardsii** Codonites, Audouin in Savigny, *Egypte*, 1828 ed., p. 59, Planches Polypes [*teste* S. F. H.].
- eeltenkee** Myliobatis, E. W. Rueppell, *N. Wirbelth.* (Fische) 1835-40, 70 [*teste* G. P. W.].
- Egesta** Conrad, *Foss. Med. Tert. U. S.* [3] 1845, 70.—L. [*teste* Nomen. anim.].
- Egina** Macquart, *Hist. Ins. Dipt.* II. 1835, 299; *pro* Eginia, Rob.-D. [*teste* Nomen. anim.].
- Egotheles** Jardine & S., *Ill. Orn.* II., expl. pl. 89 [1830]; *pro* Aegotheles, V. & H. [*teste* Nomen. anim.].
- Eidopsaris** Swainson, *An. Menag.* 1838, 344 & 371; *pro* E—us, 1837 [*teste* Nomen. anim.].
- Eidotea** Agassiz, *Nom. Zool.* (Crust.) 1843, 11; *pro* Eidothea, Scoul. [*teste* Nomen. anim.].
- Elachistus** Villa (*ex Hoffmannsegg* MS), *Col. Eur.* 1833, 14.—Col. [*teste* Nomen. anim.].
- Elachistus** Nees, *Hym. Mon.* II. 1834, 135; *pro* Elachertus, Spin. [*teste* Nomen. anim.].
- Elaeophorus** Eichwald, *Zool. spec.* III. 1831, 78.—P. [*teste* Nomen. anim.].
- Elagatis** Agassiz, *Nom. Zool. Index Univ.* 1846, 135; *pro* Elacates, Cuv. [*teste* Nomen. anim.].
- Elanophorus** Dahl, *Col. Lep.* 1823, 41; *pro* Elen—, Dej. [*teste* Nomen. anim.].
- Elaphantopes** Lesson, *Hist. Acal.* 1843, 473.—Hydroz. [*teste* Nomen. anim.].
- Elaphus** Laporte, *Hist. An. artic.* (Ins.) I. 1835, 147; *pro* Elaphrus, Fab. 1775 [*teste* Nomen. anim.].
- Elays** Walckenaer in W. & Gervais, *Hist. Apt.* I. 1837, 40; *pro* Eylais, Latr. [*teste* Nomen. anim.].
- Electus** P. Selby, *Parrots* (Nat. Libr. XV.) 1836, 112; *pro* Eclectus, Wagl. [*teste* Nomen. anim.].
- Eledon** L. Oken, *Isis*, 1817, 1171.—Ceph. [*n. n.*, *teste* Nomen. anim.]. [*anim.*].
- elegans** Corbis, G. P. Deshayes, *Traité Conch.*, expl. pl. 15 (1839).
- elegans** Isocardia, G. P. Deshayes, *Traité Conch.*, expl. pl. 24 (1839).
- elegans** Lucapina, G. B. Sowerby, *II.*, *Conch. Illustr.* (80) June 1835 (Fissurella, p. 4).
- elegans** Pteromys, C. J. Temminck, [F. Japon.] *Disc. prélim.* 1835, p. xii [*n. n.*].
- elegans** Trochilus, Audebert & V., *Ois. dorés*, I (3) Ap. 1801, 32 (fo.), 37 (4to.), pl. 14 [*teste* C. W. R.].
- elegantulus** Brachinus, Erichson in Klug, *Doubl. Verz. Senegall. Ins.* 1842, 4.
- Eleothreptes** Gray, *Gen. Birds*, I (1847), pl. 17; *pro* E—us, Gould [*teste* Nomen. anim.].
- Eleotris** Bloch, *Schneider*, *Syst. Ichth.* 1801, 65.—P. [*teste* G. P. W.].
- Elephalces** Brookes, *Descr. Cat. Mus.* 1830, 62; *pro* Elaphalces, 1828 [*teste* Nomen. anim.].
- Elephorus** Paykull, *Fauna Svec.* I. 1798, 240; *pro* Elo—, Fab. [*teste* Nomen. anim.].
- Elethra** O. Costa, *F. Reg. Nap.* (Zool.) 1842, 1 & 5; *pro* Electra, Lamx. [*teste* Nomen. anim.].
- eligius** Caelenorhinus; *lege* Celaen—.
- elisa** Argynnis, Godart, *Tabl. Méth. Lépid. France*, 1823, 64 [*teste* A. F. H.].
- Ellegnus** Dejean, *Catal. Coléopt.* 1821, 88 —Col. [*n. n.*, *teste* Nomen. anim.].
- Elleschus** Stephens, *Ill. Brit. Ent.* (Mand. IV.) 1831, 103; *pro* Ellescus, Dej. [*teste* Nomen. anim.].
- Ellipsolithus** Hermannsen, *Ind. Gen. Malac.* I. 1847, 417; *pro* E—es, Montf. [*teste* Nomen. anim.].
- elliptica** Pincina, Schaffhaeutl, *Geogn. Unters. südbay. Alpengeb.* 1850, 42. [*anim.*].
- ellisii** Flustra, J. Fleming, *Mem. Werner. Soc.* II (1) 1814, 251 [*teste* S. F. H.].
- elongata** Bulla, M. de Serres, *Essai Anim. midi France*, 1822, 59.
- elongata** Emarginula, G. Gussone, *Oss. Zool. Test. Panteiera*, 1829, 10.
- elongata** Gregarina, A. v. Frantzius, *Arch. f. Naturg.* XIV (1) 1848, 195.
- elongatum** Nematosomum, G. Tilesius, *Isis* (Munich) (3) 1850, 42.
- elongatus** Tropidosaura; *non* T—us.
- Elphia** Robineau-D., *Ann. Soc. Ent. France* [2] VIII. Bull. 1850, p. cxix.—Dipt. [*teste* Nomen. anim.].
- Elyais** Leach in Brewster, *Edinb. Ency.* VII. 1814, 413 & 437; *pro* Eylais, Latr. [*teste* Elydiptera Spinola, *Ann. Soc. Ent. France*, VIII. 1839, 203; *pro* Eli— [*teste* Nomen. anim.].
- Elysia** Hemprich, *Grundr. Naturg.* 1820, 120.—R. [*teste* Nomen. anim.].
- Emarginuligenus** Renier, *Tav. Classif. An.* 1807 [*i.e.* 1804] viii.—G. [*teste* Nomen. anim.].

- Emberisa** Bonnaterrre, Tabl. Ency. Méth. I. [1791], p. xcii; *pro* E—iza, L. 1758 [*teste* Nomen. anim.].
- Emberizza** Tarragon, Rev. Zool. VII. 1844, 83; *pro* Emberiza, L. 1758 [*teste* Nomen. anim.].
- Emberizza** Lacepède, Tabl. Mamm. Ois. [1799], 6; *pro* E—iza, L. 1758 [*teste* Nomen. anim.].
- Embia** Latreille in Cuvier, Règne Anim., ed. 2, V. 1829, 257.—Neur. [*teste* Nomen. anim.].
- Embibus** G. R. Gray in Griffith's Cuvier, XV. 1832, 786.—Neur. [*teste* Nomen. anim.].
- Emblemus** Dejean, Catal. Coléopt. 1821, 87.—Col. [*teste* Nomen. anim.].
- Emerobius** Costa, Cenni Zool. 1834, 72; *pro* Heme→, L. 1758 [*teste* Nomen. anim.].
- Empicoris** J. F. Wolff, Icon. Cimic. (5) 1811, p. v.—Hem. [u. et f.].
- Empomorphus** Temminck, Mon. Mamm. II. 1841, 360.—M. [*teste* Nomen. anim.].
- Emyda** J. E. Gray, Syn. Rept. 1831, 8 & 49 [*teste* M. S.].
- Emys** Agassiz, Nom. Zool. Index Univ. 1846, 137; *pro* Emus, Sam. [*teste* Nomen. anim.].
- Enacanthus** Germar, Rev. Ent. (Silberm.) I. 1833, 174–184; *pro* Eva→, L. & S. [*teste* Nomen. anim.].
- Enallagma** Charpentier, Libell. Eur. 1840, 21.—Neur. [*teste* Nomen. anim.].
- Enarthrus** Desmarest, Diet. Sci. Nat. XXVIII. 1823, 389; *pro* Eun→, Raf. [*teste* Nomen. anim.]. [anim.].
- Encapripodus** Lesson, Echo Monde Savant [2] IX. 1844, 925; *pro* Eu→ [*teste* Nomen. anim.].
- Encelis** Stephens, *ubi*? *teste* Waterhouse, Index Zool. I. 1902, 122; *pro* Eucelis, Huebn.
- Encephalus** Brême, Ess. Cossyph. I. 1842, 23.—Col. [Tenebr.] [*teste* Nomen. anim.].
- Encera** Olivier, Ency. Méth. (Ins.) VIII (1) 1811, 375 & 377; *pro* Eucera, Scop. 1770 [*teste* Nomen. anim.]. [teste Nomen. anim.].
- Encheliopus** Richardson, Rep. Brit. Assoc. XII. 1843, 16; *pro* Enchely→, Gron. 1760
- Enchelydium** Agassiz, Nom. Zool. Index Univ. 1846, 137; *pro* Encheli→, Ehr. [*teste* Nomen. anim.]. [Nomen. anim.].
- Enchelys** Nitzsch, N. Sehr. Ges. Halle, III (1) 1817, 125; *pro* Enchelis, Müll. 1773 [*teste* Nomen. anim.].
- Enchytracus** Baerensprung, Ann. Mag. Nat. Hist. XII. 1843, 432; *pro* E—eus, Henle [*teste* Nomen. anim.].
- Encoelia** Voigt in Cuvier, Thierr. III. 1834, 618; *pro* Eucoelium, Sav. [*teste* Nomen. anim.].
- Encoelium** Blainville, Diet. Sci. Nat. XIII. 1819, 366; *pro* Eucoelium, Sav. [*teste* Nomen. anim.].
- Encopripodus** Bonaparte, Consp. gen. Avium, I. 1850, 60; *pro* Eucap→, Less. [*teste* Nomen. anim.].
- Encrotus** Gistel, Nat. Thierr. 1848, p. ix.—P. [*teste* Nomen. anim.]. [anim.].
- Endendrium** Gistel, Nat. Thierr. 1848, 182; *pro* Eu→, Ehr. [*teste* Nomen. anim.].
- Endromias** Brehm, Isis (Oken), 1845, 349; *pro* Eu→, Boie [*teste* Nomen. anim.].
- Endromius** Gistel, Nat. Thierr. 1848, p. ix; *pro* Eu—ias, Boie [*teste* Nomen. anim.].
- Endydrina** J. E. Gray, Cat. Coll. Snakes B. M. 1849, 47.—R. [*teste* Nomen. anim.].
- Engyommasaurus** Agassiz, Nom. Zool. (Rept.) 1844, 17; *pro* Engyoma→, K. & S. [*teste* Nomen. anim.].
- Enhydria** Temminck, Tijdschr. nat. Gesch. V. 1839, 285; *pro* E—dra, Flem. [*teste* Nomen. anim.].
- Enhydus** Rafinesque, Analyse, 1815, 77; *pro* E—ris, Latr. [*teste* Nomen. anim.].
- Enicura** Lesson, Rev. Zool. II. 1839, 134; *pro* E—rus, Temm. [*teste* Nomen. anim.].
- Enlotoma** Rafinesque, Amer. Monthly Mag. IV. 1818, 107.—Moll. [u. n., teste E. R. S.].
- Ennomus** Wiegmann & Ruthe, Handb. Zool. 1832, 427; *pro* Ennomos, Tr. [*teste* Nomen. anim.].
- Enocelis** Brullé, Expéd. Morée, III (1) 1833, 109.—Hein. [*teste* Nomen. anim.].
- Enomphalus** E. Bennett in Hoare's Wiltshire, Cat. Org. Rem. 1831, 3; *pro* Eu→, Sow. [*teste* Nomen. anim.].
- Enoplosis** Duméril, Zool. Anal. 1806, 335; *pro* E—sus, Lac. [*teste* Nomen. anim.].
- Ensifer** Dejean, Catal. Coléopt. 1821, 84.—Col. [*teste* Nomen. anim.].
- Entale** Herrmannsen, Ind. Gen. Malac. I. 1847, 423.—Scaph. [*teste* Nomen. anim.].
- Entalis** Sowerby, 1839; *non* Scaph. *sed* Verm. [*teste* Nomen. anim.].
- Entalis** J. E. Gray, Proc. Zool. Soc. London, XV. 1847, 158.—Scaph. [*teste* Nomen. anim.].
- Entalites** Herrmannsen, Ind. Gen. Malac. I. 1847, 423.—Scaph. [*teste* Nomen. anim.].
- Entelites** Keferstein, Deutschl., Zeit. Geogn. Geol. (9) 1829, 72.—Br. [*teste* Nomen. anim.].
- Entelus** Westwood, Introd. Classif. Ins. II. 1840, Syn., 71; *pro* Eu→, Walk. [*teste* Nomen. anim.].

- entilotus Brachypus, p. 2160; *lege eutilotus*.
- Entobdella Lamarck, Hist. An. s. Vert. I. 1815, 444 [*teste* Nomen. anim.; *sed non est*].
- Entolmaëtus Blyth, J. Asiat. Soc. Bengal, XIX. 1850, 317; *pro* Eu→, 1845 [*teste* Nomen. anim.].
- Entomastacites Lovén, Ofv. Ak. Forh. II. 1845, 109; *pro* Entomos→, Wahl. [*teste* Nomen. anim.].
- Entomyza Swainson, Hist. Classif. Birds, II. 1837, 383; *pro* E—mizon, 1825 [*teste* Nomen. anim.].
- Entomyza G. R. Gray, List Gen. Birds, 1840, 16; *pro* E—miza, Sw. [*teste* Nomen. anim.].
- Enygris J. E. Gray, Zool. Misc. 1842, 42; *pro* E—grus, Wagl. [*teste* Nomen. anim.].
- eos Colias, Herrich-S., Syst. Bearb. Schmett. Europ. I. 1848, Tab. 81, 82 [*n. et f.*, *teste* A. F. H.].
- Epactius D. H. Schneider, N. Mag. Liebh. Ent. I (1) 1791, 23.—Col. [*teste* Nomen. anim.].
- Epapoge Huebner, Verz. bekannt. Schmett., Anz. 1826, 63; *pro* Epagoge, 1826 [*teste* Nomen. anim.].
- Eperlanus Yarrell, Hist. Brit. Fish. II. 1836, 75.—P. [*teste* Nomen. anim.].
- ephemeræ Zygyocotis, A. v. Frantzius, Arch. f. Naturg. XIV (1) 1848, 194.
- Ephialitis Ridgway, 1847 [*teste* Nomen. anim. 1874 *est*]. [Nomen. anim.].
- Ephiaties Blanchard, Hist. An. artic. (Ins.) III. 1840, 319; *pro* Ephialtes, Schr. [*teste* ephippium Pedalion, Dillwyn (*ex* Sol. MS), Descr. Cat. Shells, 1817, 283 & Index.
- Ephradus Dejean, Catal. Coléopt. 1821, 96.—Col. [*n. n.*, *teste* Nomen. anim.].
- Epiblemma Huebner, Verz. bekannt. Schmett., Anz. 1826, 63; *pro* Epiblema, 1826 [*teste* Nomen. anim.].
- Epibolus Fleming, Phil. Zool. II. 1822, 392; *pro* Epibulus, Cuv. [*teste* Nomen. anim.].
- Epicorallium Agassiz, Nom. Zool. (Polyp.) 1844, 10; *pro* E—lum, Lam. [*teste* Nomen. anim.].
- Epicosmus Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1846, 512.—Col. [*teste* Nomen. anim.].
- Epidromis Bruguière [Epidromus, Klein], Ency. Méth. (Vers) I (2) 1792, 532.—G. [*teste* Nomen. anim.].
- Epidromus Agassiz (*ex* Klein), Nom. Zool. (Moll.) 1846, 34.—G. [*teste* Nomen. anim.].
- Epileustia Stephens, Ill. Brit. Ent. (Haust. IV.) 1834, 203; *pro* Epe→, Huebn. [*teste* Nomen. anim.].
- epione Phalaena, Cramer, Uitl. Kapellen, II (9) 1777, 9 [*teste* A. F. H.].
- epiphania Polyommatus, Boisduval, Bull. Soc. Ent. France, 1848, 29 [*teste* A. F. H.].
- Episcinius Spinola, Ann. Soc. Ent. France, VIII. 1839, tab. 13; *pro* Episcius [*teste* Nomen. anim.].
- Episcorsia Huebner, Verz. bekannt. Schmett., Anz. 1826, 57; *pro* Epicorsia, 1818 [*teste* Nomen. anim.].
- Epistelis Ehrenberg, Abh. Ak. Berlin, 1830, 41.—Inf. [*teste* Nomen. anim.].
- epistygne Phorcis, J. Huebner, Verz. bekannt. Schmett. 1818, 62 [*teste* A. F. H.].
- Epistyla Swainson, Treat. Malac. 1840, 331; *pro* Epistyllia [*teste* Nomen. anim.].
- Epoina Gray, Cat. Mamm. Birds Nepal, 1846, 124; *pro* Epomia, Hodg. [*teste* Nomen. anim.].
- Epomis Lesson, Hist. Acal. 1843, 262.—Scyphoz. Cubemed. [*teste* Nomen. anim.].
- Epopterus Chevrolat, Dict. Univ. H. N. V. 1845, 380.—Col. [*teste* Nomen. anim.].
- equinus Cervus, Cuvier, Oss. Foss., ed. 2, IV. 1823, 45 [*teste* C. B. Kloss].
- Equula Cuvier, Mém. Mus. H. N. Paris, I. 1815, 462 *et seq.* & 487.—P. [*teste* G. P. W.].
- Eratopsis p. 2180; *lege* **Eratopis** [*teste* Nomen. anim.].
- Eratus Dejean, Catal. Coléopt. 1821, 96.—Col. [*teste* Nomen. anim.].
- Ereba Billberg, Enum. Ins. 1820, 78; *pro* Erebia, Dalm. [*teste* Nomen. anim.].
- Eremeus Walckenaer & Gervais, Hist. Apt. IV. 1847, 548; *pro* Eremaeus, Koch [*teste* Nomen. anim.].
- Eremiaphilus Gistel, Nat. Thierr. 1848, 137; *pro* E—a, Lef. [*teste* Nomen. anim.].
- Eremophilus Bonaparte, Comp. List Birds, 1838, 37; *pro* E—a, Boie [*teste* Nomen. anim.].
- Erethison F. Cuvier, Dict. Sci. Nat. LIX. 1829, 484; *pro* Erethizon, 1823 [*teste* Nomen. anim.].
- Eretison McMurtrie in Cuvier, Anim. Kingd. — Not. I. 1831, 154; *pro* Erithizon, Cuv. [*teste* Nomen. anim.].

- Ereunectes** Billberg, Syn. Scand. I (2) tab. A, 1828; *pro* Ereunetes, Ill. [teste Nomen. anim.].
- Ergasilus** Edwards, H. N. Crust. III. 1840, 476; *pro* E—lus, Nordm. [teste Nomen. anim.].
- herichsonii** Odontomya, F. W. Hope, Descr. Ins. foss. [1848], 7.
- Erichthonius** Burmeister, Handb. Naturg. (2) 1837, 569; *pro* Erieth—, Edw. [teste Nomen. anim.].
- Erichtonius** Lucas, Hist. An. artic. (Ann.) 1840, 231; *pro* Erieth—, Edw. [teste Nomen. anim.].
- Erichthus** Gistel, Nat. Thierr. 1848, 159; *pro* Erichthus, Latr. [teste Nomen. anim.].
- Ericius** Tilesius, Mém. Soc. Moscou, II. 1809, 243.—P. [teste Nomen. anim.].
- Eriesthes** p. 2186; *err. pro* Eriesthis [teste Nomen. anim.].
- Erilimella** Forbes & McAndrew, Athenaeum, 1846, 1027.—G. [teste Nomen. anim.].
- Eriophorus** Dejean, Catal. Coléopt. 1821, 94.—Col. [teste Nomen. anim.].
- Erioproctus** Zeller, Isis (Oken), 1839, 169.—Lep. [teste Nomen. anim.].
- Eriopteryx** W. E. Leach in Brewster's Edinb. Ency. XII (1) 1817, 156.—*emend. pro* Erioptera, Meig.
- Eriphis** Latreille, N. Dict. H. N., ed. 2, X. 1817, 405; *pro* Eriphia [teste Nomen. anim.].
- eris** Argynnis, Meigen, Syst. Besch. Europ. Schmett. I (2) 1828, 64 [teste A. F. H.].
- Eristicus** Wesmael, N. Mém. Ac. Bruxelles, XVIII. 1844, 13.—Hym. [teste Nomen. anim.].
- Erithrospiza** Lesson, Compl. Buffon, VIII. 1837, 227; *pro* Ery—, Bonap. [teste Nomen. anim.].
- Erodes** Bonaparte, Giorn. Arcad. [1] XLIX. 1831, 13; *pro* Eriodes, Geoff. [teste Nomen. anim.].
- Erodias** J. E. Gray, Proc. Zool. Soc. London, XV. 1847, 191; *pro* Herodias, Boie [teste Nomen. anim.].
- Erodora** Burmeister, Handb. Naturg. (2) 1837, p. xii.—A. [teste Nomen. anim.].
- Erosa** W. Swainson, N. H. Class. Fish. II. July 1839, 61.—P. [teste G. P. W.].
- Erpetrodryas** Wagler, Syst. Amph. 1830, 180; *pro* Erpeto—, Boie [teste Nomen. anim.].
- Erpichthys** Swainson, Hist. Classif. Fish. II. 1839, 443; *pro* Erpichthys, 1839 [teste Nomen. anim.].
- Erpobdellis** Westwood in Blyth's Cuvier, Anim. Kingd. 1840, 399; *pro* E—lla, Bl. [teste Nomen. anim.].
- Erranis** Huebner, Verz. bekannt. Schmett., Anz. 1826, 49; *pro* Erannis [teste Nomen. anim.].
- Ersaae** Lesson, Hist. Acal. 1843, 426; *pro* Ersaae, Esch. [teste Nomen. anim.].
- Ervilia** F. Dujardin, C. R. Ac. Sci. XI. 1840, 286.—Inf. [n. n., teste Nomen. anim.].
- Ervillia** Fleming, Hist. Brit. An. 1828, 409; *pro* Ervilia, Turt. [teste Nomen. anim.].
- Erybia** Guérin-M., Iconogr., tab. 80, 1829, 38; *pro* Eurybia, Huebn. [teste Nomen. anim.].
- Erycidinus** Blanchard, Hist. An. artic. Ins. III. 1840, 275; *pro* Erycydnus, Hal. [teste Nomen. anim.].
- Erycinigenus** Renier, Tav. Classif. An. 1807 [i.e. 1804] vii.—L. [teste Nomen. anim.].
- erycinoides** Venus, G. P. Deshayes, Traité Conch., expl. pl. 19 (1839).
- Erycths** Swainson, Hist. Classif. Fish. II. 1839, 172.—P. [teste Nomen. anim.].
- eryssus** Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) X. 1800, 316 [teste A. F. H.].
- Erythraea** G. B. Sowerby, Conch. Man. 1839, 43.—G. [teste Nomen. anim.].
- Erythrichthys** Swainson, Hist. Classif. Fish. I. 1838, 90; *pro* Erythrichthys, Bonap. [teste Nomen. anim.].
- Erythrinella** Ehrenberg, Infusionsth. 1838, 148.—Rot. [teste Nomen. anim.].
- Erythroeus** Dugès, Ann. Sci. Nat. (Zool.) [2] I. 1834, 40; *pro* E—deus [teste Nomen. anim.].
- Erythrogonus** Gould, Syn. Birds Austral. (4) 1838, tab. 73; *pro* E—ys [teste Nomen. anim.].
- erythrolophus** Opaethus, L. P. Vieillot, N. Dict. H. N. XXXIV. 1819, 306 [teste C. W. R.].
- erythropoda** Locusta, Rafinesque, Ann. of Nature, 1820, 10.
- erythroptera** Muraena, J. Richardson, Zool "Ereb.-Terr." (Fish, 1848), 86 [teste G. P. W.].
- erythrorhynchos** Acedo, p. 2212; *err. pro* Alcedo.
- Erythrospiza** C. L. Bonaparte, Sulla 2 ed. Regno Anim. Cuv. 1830 [1831], 80.—A.
- Erythrostermia** Reichenbach, Av. Syst. 1850, tab. 67; *pro* E—na, Bonap. [teste Nomen. anim.].
- Erythrynella** Turpin, Dict. Sci. Nat., Pls. Bot. t. nr. d'Ordre 11, f. 17, 1828.—Rot. [teste Nomen. anim.].

- Estrela** Swainson, Hist. Classif. Birds, I. 1836, 224; *pro* Estrilda, 1827 [*teste* Nomen. anim.]. [anim.].
- Eteles** Swainson, Hist. Classif. Fish. II. 1839, 168 & 202; *pro* Etelis, C. & V. [*teste* Nomen. anim.].
- Etenoides** Bruguère, Ency. Méth. (Vers) 1 (2) 1792, 536.—L. [*teste* Nomen. anim.].
- Ethaeria** Agassiz, Bull. Soc. Moscou, XII. 1839, 418; *pro* Etheria, Lam. [*teste* Nomen. anim.].
- Etheriigenus** Renier, Tav. Classif. An. 1807 [i.e. 1804] vii.—L. [*teste* Nomen. anim.].
- Etiona** Westwood in Blyth in Cuvier, Anim. Kingd. 1840, 395; *pro* Eteone, Sav. [*teste* Nomen. anim.].
- Eubeus** Dejean, Catal. Coléopt. 1821, 100.—Col. [*teste* Nomen. anim.].
- Eucaelium** Cuvier, Règne Anim. II. 1817, 501; *pro* Eucoelium, Sav. [*teste* Nomen. anim.].
- Eucamptus** F. E. Guérin-M., Mag. de Zool. II. 1832, Ins., no. 42, f. n. on Pericalus [*teste* F. J. G.].
- Eucamtognathus** Sturm, Cat. Käf.-Samml. 1843, 23; *pro* Eucampto→, Chaud. [*teste* Nomen. anim.].
- Eucelium** Goldfuss, Isis (Oken), 1818, 1624; *pro* Eucoelium, Sav. [*teste* Nomen. anim.].
- Eucesta** Huebner, Verz. bekannt. Schmett., Anz. 1826, 67; *pro* Eucestis [*teste* Nomen. anim.]. [anim.].
- Eucestix** Agassiz, Nom. Zool. Index Univ. 1846, 146; *pro* E—ia, Huebn. [*teste* Nomen. anim.].
- Euchino-Encrinites** H. v. Meyer, Arch. ges. Naturf. VIII. 1826, 232; *pro* Echinoencrinites [*teste* Nomen. anim.].
- Euchirus** Kirby & Spence, Introd. Entom., ed. 5, IV. 1828, Index, 636.—Col. [*teste* F. J. G.].
- Euchraea** Blanchard, Cat. Coll. Ent. Paris, I. 1850, 19; *pro* Euchroea, Burm. [*teste* Nomen. anim.].
- Euclaeium** Johnston, Intro. Conch. 1850, 560; *pro* Eucoelium, Sav. [*teste* Nomen. anim.].
- Euclidia** Ochseneheimer, Schmett. Eur. IV. 1816, 96.—Lep. [*teste* Nomen. anim.].
- Euclistis** Huebner, Verz. bekannt. Schmett., Anz. 1826, 57; *pro* Euclystis [*teste* Nomen. anim.].
- Eucoelium** Lesson, Voy. "Coquille" (Zool.) II (2) 1838, 131.—Porif. [*teste* Nomen. anim.].
- Eucollium** Oken, Isis, 1829, 1114; *pro* Eucoelium, Sav. [*teste* Nomen. anim.].
- Eucoryssus** Agassiz, Nom. Zool. (Hem. Add.) 1845, 5; *pro* E—es, A. & S. [*teste* Nomen. anim.].
- Eucrostis** Huebner, Verz. bekannt. Schmett., Anz. 1826, 283; *pro* E—es, 1825 [*teste* Nomen. anim.].
- Eudinamys** Blyth, Journ. Asiat. Soc. Bengal, XI. 1843, 913; *pro* Eudynamys, V. & H. [*teste* Nomen. anim.].
- Eudocinus** Dejean, Catal. Coléopt., ed. 2 (4) 1835, 276.—Col. [*teste* Nomen. anim.].
- Eudopsarus** Bonaparte, Consp. gen. Avium, I. 1850, 395; *pro* Eid→, Sw. [*teste* Nomen. anim.].
- Eudoxio** Eschscholtz, Isis (Oken), 1825, 743.—Hydroz. [*teste* Nomen. anim.]. [anim.].
- Eudynamis** Lesson, Man. Orn. II. 1828, 123; *pro* E—ys, V. & H. [*teste* Nomen. anim.].
- Eudytes** Oken, Isis, 1817, 1184a; *err. pro* Budytes, Cuv. [*teste* Nomen. anim.].
- Eugenysa** Gistel, Nat. Thierr. 1848, 123; *pro* E—nysa, Dej. [*teste* Nomen. anim.].
- Euglesa** Gray in Turton, Man. Shells, ed. 2, 1840, 284; *pro* Euglesia, Leach [*teste* Nomen. anim.].
- Eugnostus** Schoenherr, Gen. Curc. III. 1836, 608.—Col. [n. n., *teste* Nomen. anim.].
- Eugrapha** Huebner, Verz. bekannt. Schmett., Regist. 1826, 37; *pro* E—e [*teste* Nomen. anim.].
- Eulabes** Gistel, Nat. Thierr. 1848, 190; *pro* Eulabis, Esch. [*teste* Nomen. anim.].
- Eulabus** Jerdon, Madras J. Sci. XIII. 1845, 134; *pro* E—es, Cuv. [*teste* Nomen. anim.].
- Eulais** Wiegmann & Ruthe, Handb. Zool. 1832, 433; *pro* Eylais, Latr. 1796 [*teste* Nomen. anim.]. [anim.].
- Eulimena** Fleming, Edinb. Phil. Journ. VIII. 1823, 302; *pro* E—nes, P. & L. [*teste* Nomen. anim.].
- Eulopa** Latreille in Cuvier, Règne Anim., ed. 2, V. 1829, 222; *pro* Ulope, Rohde [*teste* Nomen. anim.].
- Eulophus** Illiger, Mag. Ins.-Kunde, VI. 1807, 192.—Hym. [*teste* Nomen. anim.].
- Eulymene** de Blainville, Dict. Sci. Nat. LX. 1830, 252; *pro* Eulimenes, P. & L. [*teste* Nomen. anim.].

- Eulya** Huebner, Verz. bekannt. Schmett., Anz. 1826, 49; *pro* Eulype [teste Nomen. anim.].
- Eumele** J. E. Gray, Proc. Zool. Soc. London, XV. 1847, 178; *pro* Eumelus, Raf. [teste Nomen. anim.].
- Eumeres** Gervais, Dict. Univ. H. N. V. 1844, 495; *pro* Eumerus, Geoff. [teste Nomen. anim.].
- Eumerus** Meigen, Classif. Eur. Ins. Dipt. I (1) 1804, p. xx; *pro* Eumeros, 1803 [teste Nomen. anim.].
- Eumolope** Kaup, Thierr. Hauptf. III (2) 1837, 137; *pro* Eumolpe, Ok. [teste Nomen. anim.].
- Eumolpus** Kug. 1798; *lege* **Eumolpus** [teste Nomen. anim.].
- Eumphalus** Férussac, Tabl. syst. Moll.-gén. I. 1822, p. xxxiv; *pro* Euom→, Sow. [teste Nomen. anim.].
- Euneoctonus** Selys, Faune Belg. (1) 1842, 65; *pro* Enn→, Boie [teste Nomen. anim.].
- Eunicea** Dana, Wilkes, U. S. Expl. Exped. VII. 1846, 455; *pro* Eunicea, Lamx. [teste Nomen. anim.].
- Eunice** Cuvier, Règne Anim. II. 1817, 524.—Verm. [teste Nomen. anim.].
- Eunicea** Bosc, N. Dict. H. N. X. 1817, 541; *pro* Eunice, Cuv. [teste Nomen. anim.].
- Eunonia** Verany, Cat. An. invert. 1846, 10; *pro* Eunomia, Lamx. [teste Nomen. anim.].
- Eunycea** Duchassaing, An. rad. Antill. 1850, 20; *pro* Eunicea, Lamx. [teste Nomen. anim.].
- Euomphales** Rafinesque, Amer. Monthly Mag. IV. 1818, 107; *pro* E→us, Sow. [teste Nomen. anim.].
- Euomphalites** Bowdich, Elem. Conch. I. 1822, 35; *pro* E→lus, Sow. [teste Nomen. anim.].
- Eupalamus** Schmidt-G., Faun. Col. Birm., Umschl. 1846, 4.—Col. [teste Nomen. anim.].
- Eupartus** Schoenh. 1823; *err.* Sherborni *pro* Euparius *passim* [teste Nomen. anim.].
- euphanes** Papilio [Esper], Mag. n. ausl. Ins. (1) 1794, 7.
- Euphanistus** Agassiz, Nom. Zool. (Col.) 1846, 68; *pro* E→es, Lac. [teste Nomen. anim.].
- Euphemia** Selby in Jardine, Parrots (Nat. Libr. XV.) 1836, 177 & 181; *pro* E→ma, Wagl. [teste Nomen. anim.].
- euphene** Zegris (Esp.), Boisdual, H. N. Ins. Lépid. (Roret) 1836, 553 [teste G. Talbot].
- Euphones** Billberg, Syn. Scand. I (2) 1828, tab. A; *pro* E→nia, Desm. [teste Nomen. anim.].
- Euphrocine** Fleming, Phil. Zool. 1822, 603; *pro* E→sine, Lam. [teste Nomen. anim.].
- Euphrosyna** Audouin & Edwards, Ann. Sci. Nat. XXVIII. 1833, 28; *pro* E→sine, Lam. [teste Nomen. anim.].
- Euphyja** Huebner, Verz. bekannt. Schmett., Anz. 1826, 49; *pro* E→ia [teste Nomen. anim.].
- Eupistenus** Agassiz, Nom. Zool. (Dipt.) 1846, 14; *pro* Eupeitenus, Macq. [teste Nomen. anim.].
- Euplephoris** Bonaparte, Saggio An. Vert. 1831, 71; *pro* Eublepharis, Gray [teste Nomen. anim.].
- Eupologon** Sherborn, p. 2240; *err. pro* Eulopogon, Glog., q. v. [teste Nomen. anim.].
- Euptilia** Guérin-M. (ex Westw. MS), Spec. Iconogr. gén. (6) 1843, 2 & 3.—Col. [teste Nomen. anim.].
- Eupupa** T. Forster, Syn. Cat. Brit. Birds, 1817, 8; *pro* Upupa, L. 1758 [teste Nomen. anim.].
- Eurenetes** Oken, Isis, 1817, 1184 a; *pro* Ereumetes, Ill. [teste Nomen. anim.].
- Eurhodesthes** Amyot, 1846; *err. pro* Eurhod→ [teste Nomen. anim.].
- Eurhynchus** Kirby, *emend. pro* Eurhinus; Kirby & Spence, Introd. Entom., ed. 5, III. 1828, 324.—Col. [teste F. J. G.].
- Eurialia** Péron & Lesueur, Ann. Mus. Paris, XIV. 1810, 354.—Scyphoz. [teste Nomen. anim.].
- Euridice** Oken (Isis), 1817, 1174; *pro* Eurydice, Leach [teste Nomen. anim.]. [anim.].
- euridice** Papilio, Rottenburg, Naturforscher, VI. 1775, 28 [teste A. F. H.].
- Eurilaymus** Beneden, Rev. Zool. II. 1839, 142; *pro* Eurylaimus, Horsf. [teste Nomen. anim.].
- Eurilenus** Anon., Cat. Ois. Riocour, 1820, 19; *pro* Eurylaimus, Horsf. [teste Nomen. anim.].
- Eurinome** Costa, Fauna Regno Nap. (Crosc.) Cat. 1840, 2; *pro* Eury→, Leach [teste Nomen. anim.].
- Eurinorhynchus** Griffith in Cuvier, Anim. Kingd. VIII. 1829, 531; *pro* Eurynorhynchus, Nilss. [teste Nomen. anim.].
- Eurinorhynchus** Cuvier, Règne Anim., ed. 2, I. 1829, 528; *pro* Eury→, Nilss. [teste Nomen. anim.].
- Eurinorynchus** Pearson, Asiat. Res. XIX. 1836, 69; *pro* Eurynorhyuchus, Nilss. [teste Nomen. anim.].

- Euristomus** Schinz in Cuvier, *Thierr.* IV. 1825, 565; *pro* Eury→, Vieill. [*teste* Nomen. anim.].
- europaeus** Agonus, Cuvier, *Planches de Seba* (5) 1827, 5. [*anim.*].
- europaeus** Nyctichelidon, J. Rennie, *Time's Telescope*, 1832, 28. [*anim.*].
- Eurorynchus** Lesson, *Traité Orn.* (8) 1831, 654; *pro* Eurhynchus, Berth. [*teste* Nomen. anim.].
- Eurrhodope** Agassiz, *Nom. Zool. (Lep.)* 1846, 29; *pro* Eurh→, Huebn. [*teste* Nomen. anim.].
- eurybia** Argynnis, Meigen, *Syst. Besch. Europ. Schmett.* I (3) 1828, 67 [*teste* A. F. H.].
- Eurycerus** Kaup, *Classif. Säugeth.* 1844, 48; *pro* E—os, Less. [*teste* Nomen. anim.].
- Eurycoelus** Schaum, *Arch. Naturg.* XV (2) 1849, 137; *pro* E—coleus, Chaud. [*teste* Nomen. anim.].
- Eurydon** Lund, *Echo Monde Savant*, V. 1839, 244; *pro* Euryodon, 1838 [*teste* Nomen. anim.].
- Eurylophus** Schoenherr, *Gen. Curc.* III. 1836, 417.—Col. [*teste* Nomen. anim.].
- Eurymus** Horsfield, *Descr. Cat. Lep. Mus. E. I. C.* 1829, 134.—Lep. [*teste* Nomen. anim.].
- Eurynoma** Latreille in Cuvier, *Règne Anim.*, ed. 2, IV. 1829, 57; *pro* E—e, Leach [*teste* Nomen. anim.].
- Eurynone** Haan in Siebold, *F. Japon. (Cr.)*, Tab. G, 1849; *pro* E—ne, Leach [*teste* Nomen. anim.].
- Eurynorhynchus** Lafresnaye, *Rev. Zool.* V. 1842, 402; *pro* E—rhynchus, Nilss. [*teste* Nomen. anim.].
- Eurynotus** Agassiz, *Poiss. Foss. I.*, 17 (1834).—P. [*teste* Nomen. anim.].
- Eurypiga** Dumont, *Dict. Sci. Nat.* XIX. 1821, 474; *pro* E—pyga, Ill. [*teste* Nomen. anim.].
- Eurypogon** p. 2248; *err.* Sherborni *pro* Eurypygon [*teste* Nomen. anim.].
- Eurypygia** Swainson, *Ill. Classif. Birds*, II. 1837, 359; *pro* E—ga, Ill. [*teste* Nomen. anim.].
- Euryrhynchus** Nitzsch, *Observ. Av. Carot.* 1829, 18; *pro* Euyno→, Nilss. [*teste* Nomen. anim.].
- Eurysoma** Agassiz, *Nom. Zool. (Col.)* 1846, 69; *pro* Euro→, Gistl [*teste* Nomen. anim.].
- Eurystoma** Raf. 1818; *n. n.*, *teste* E. R. S.
- eurytus** Papilio, Fab., *Ind. Anim.* I. 341; *lege* eurytris [*teste* A. F. H.].
- Euryzona** Haliday, *Ent. Mag.* V. 1838, 213.—Hym. [*n. n.*, *teste* Nomen. anim.].
- Eusarchus** Walckenaer & Gervais, *Hist. Apt.* III. 1844, 111; *pro* Eusarcus, Perty [*teste* Nomen. anim.].
- Eusarcoris** Burmeister, *Handb. Ent.* II (1) i, 1835, 377 & 378; *pro* Ey→, Hahn [*teste* Nomen. anim.].
- Euscelium** Guérin-M., *Iconogr.* 1844, 54; *pro* Eucoelium, Sav. [*teste* Nomen. anim.].
- Eustrophus** Latreille, *Gen. Crust. Ins.* IV. 1809, 379.—Col. [*teste* Nomen. anim.].
- Eutalia** Westwood in Blyth's Cuvier, *Anim. Kingd.* 1840, 395; *pro* Eulalia, Sav. [*teste* Nomen. anim.].
- Eutermes** Heer, *Ins.-Fauna Oeningen*, II. 1849, 32.—Hym. [*teste* Nomen. anim.].
- Euteropha** Desmarest, *Dict. Univ. H. N.* VI. 1845, 30; *pro* Enteroplea, Ehr. [*teste* Nomen. anim.].
- Eutheia** Stephens, *Ill. Brit. Ent. (Mand. III.)* 1830, 59 & 115.—Col. [*teste* Nomen. anim.].
- Eutrachelus** Berthold in Latreille, *Nat. Fam. Thierr.* 1827, 575; *pro* Entrachelus [*teste* Nomen. anim.].
- Eutranclus** Forbes, *Malac. Mon.* 1838, tab. 1; *pro* Eubranclus [*teste* Nomen. anim.].
- Evaniosamus** Laporte, *Hist. An. artic. (Ins.)* II. 1840, 192; *pro* E—somus, Guér. [*teste* Nomen. anim.].
- Evasterium** Rafinesque, *Analyse*, 1815, 157.—? Tun. [*teste* Nomen. anim.].
- eversmanni** Hipparchia, Eversmann, *Bull. Soc. Imp. Nat. Moscou*, XX (3) 1847, tab. 2 [*n. et f.*, *teste* A. F. H.].
- evias** Satyrus, Godart, *Tabl. Méth. Lépid. France*, 1823, 22 [*teste* A. F. H.].
- Evistalis** Latr.; W. E. Leach in Brewster, *Edinb. Ency.* XII (1) 1817, 159 [*err. pro* Eristalis, 1804, *q. v.*].
- Evonymaphis** Amyot, *Ann. Soc. Ent. France* [2] V. 1848, 478.—Aphid. [*non binom.*, *teste* Nomen. anim.].
- Evrychora** Thunberg, *Peric. ent.* 1789, 9.—Col. [*teste* Nomen. anim.].
- excrucians** Heteromorpha, W. Kirby, *Trans. Linn. Soc. (London)* XIV (1) 1823, 109.
- Exegyra** E. Bennett in Hoare, *Wiltshire, Cat. Org. Rem.* 1831, 3; *pro* Exogyra, Say [*teste* Nomen. anim.].

- exertis** Halleore, G. D. Brinio, Mem. R. Acc. Sci. Torino [2] I. 1839, 160.
- Exobranchia** J. E. Gray, Cat. Amph. Coll. B. M. II. 1850, 66.—R. [*teste* Nomen. anim.].
- Exocallus** Pylaie de F., Congr. Sci. France, II (1834) 1835, 532.—P. [*teste* Nomen. anim.].
- Exotechus** Blanchard, Hist. Anim. artic. (Ins.) III. 1840, 342; *pro* Exothecus, Wesm. [*teste* Nomen. anim.].
- exotica** Venerupēs; *lege* Venerupis. [anim.].
- Eyrilaimus** Schinz in Cuvier, Thierr. IV. 1825, 539; *pro* Eury→, Horsf. [*teste* Nomen.].
- Eyromphala** J. E. Gray, Proc. Zool. Soc. London, XV. 1847, 174; *pro* Eyr→, Beck [*teste* Nomen. anim.].
- faba** Modiolaria, H. H. Beck in Robert, Comm. Sci. Islande, Atlas Moll., pl. 17 (1838).
- Fabera** J. F. Brandt, Bull. Ac. St Pétersb. Sci. I (24) 1837, 189.—Scyph. [*teste* Nomen. anim.].
- Fabricia** Latreille (*ex* Desv. MS) in Cuvier, Règne Anim., ed. 2, V. 1829, 510.—Dipt. [*teste* Nomen. anim.].
- faenoides** Systropus, J. O. Westwood, Magasin de Zool. (2) IV. 1842, text to pl. 90.
- Faiciola** O. F. Müller, Verm. I (2) 1774, 70; *pro* Fasciola, L. 1758 [*teste* Nomen. anim.].
- Falaropus** C. Wood, Orn. Guide, 1837, 203 & 225; *pro* Phalaropus, Briss. 1760 [*teste* Nomen. anim.].
- Falcinellus** Illiger, Prodr. 1811, 260 & 296.—A. [Cicon.; *teste* Nomen. anim.].
- Falcinellus** Cuvier, Règne Anim. I. 1817, 486.—A. [Grall.; *teste* Nomen. anim.].
- Falcobaenus** Lafresnaye, Rev. Zool. II. 1839, 196; *pro* Phalcobaenus, Orb. 1834 [*teste* Nomen. anim.].
- falgetrum** Conus, G. B. Sowerby, I., Conch. Illustr. (56, 57) 1834, f. 82 [*teste* Tomlin].
- fallax** Caranx, Cuvier, Planches de Seba (5) 1827, 5.
- Falx** A. Gouan, Hist. Pisc. 1770, 7 & 153.—P. [*teste* Nomen. anim.].
- fasciatus** Angulus, Rafinesque, Ann. of Nature, 1820, 6.
- fasciatum** Buceinum, G. I. Molina, Sagg. stor. nat. Chili, ed. 2, 1810, 178.
- fasciatus** Dentex, J. Richardson, 15 Rept. Brit. Assoc. 1845, 211 [*ex* Solander MS; *teste* Nomen. anim.].
- fasciatus** Hologymnus, L. Oken, Lehrb. Nat. III (2) 1816, 48.—P. [G. P. W.].
- fasciata** Sciophila, Gümmerthal, Zwölf neue Dipt., Feb. 1847, 9.
- fasciculata** Contervites, A. Brongniart, Hist. Végét. foss. I. 1828, 35 [= Spongidae].
- fasciipennis** Megalyra, J. O. Westwood, Trans. Ent. Soc. London, III. 1843, 269 [Shegalyra, Griff. 1832].
- fasciipennis** Shegalyra, Griffith's Cuvier, Anim. Kingd. XV. 1832, 418 [*err. pro* Megalyra, Westw. MS, *typo* 1843].
- Fasciola** Lumè, F. Suec., ed. 2, 1761, 505.—Verm. [Acanth.; *teste* Nomen. anim.].
- Fasciolarigenus** Renier, Tavole [1804] viii.—G. [*teste* Nomen. anim.].
- fastidita** Peronia, Dejean, Spec. gén. Coléopt. III. 1828, 323.
- Favus** Schafhaeuti, Geogn. Unters. südbay. Alpengeb. 1850, 44.—? Rh.
- Fectaria** *err. pro* Tectaria, R. A. Philippi, Abb. u. Beschr. Conch. II. 1846, 139 [*teste* Hermannsen, p. 530].
- Felix** Voigt, Uebers. Naturg. 1818, 412; *pro* Felis, L. 1758 [*teste* Nomen. anim.].
- Fenestrella** J. E. Gray, Proc. Zool. Soc. Lond. XV. 1847, 201; *pro* Fenestella, Bolt. 1798 [*teste* Nomen. anim.].
- ferentina** Ageronia (God.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 46.—Nymphalis.
- ferox** Stomus, Reinhardt, Overs. K. Danske selsk. Forh. 1842 (1843), 84.
- Ferrussacia** Risso, Hist. Eur. mérid. IV. 1826, 434; *pro* Ferrussacia [*teste* Nomen. anim.].
- fervens** Pepsis (L.) J. C. Fabricius, Syst. Piezat. 1804, 209.—Sphex, 1758.
- festivus glacialis** Papho Danans (*sic*), F. v. P. Schrank & Moll, Nat. Briefe Oestreich, I. 1785, 102.
- Festus** Dejean, Catal. Coléopt. 1821, 92.—Col. [*n. n.*, *teste* Nomen. anim.].
- Fibula** Leske, Add. Klein Echinod. 1778, 19.—Ech. [*teste* Nomen. anim.].
- ficulnea** Cinnyris, W. Macgillivray, Edinb. Journ. N. H., May 1836, 45.
- Fidela** Risso, H. Nat. Eur. mérid. I. 1826, 154 & IV. 1826, 435.—G. [*teste* Nomen. anim.].

- filamentosus** Krolnius, Cocco in Kroln, Giorn. Gab. Messina, V. 1844, 1 [*teste* D. S. J.].
- Filaria** Rudolphi, Entoz. H. N. II (1) 1809, 69; *pro* Filaria, Müll. 1787 [*teste* Nomen. anim.].
- filaria** Vibrio, F. v. P. Schrank, Briefe an Nau, 1802, 369.
- Filistata** Latreille, Consid. gén. Anim. 1810, 121; *non* Filistrata, *err.* Sherborni [*teste* Nomen. anim.].
- Filistrata** Sherborn, 1926; *err. pro* Filistata, Latr. [*teste* Nomen. anim.].
- Filograna** Oken, Lehrb. Nat. III (1), p. xiii & Reg. p. vi, 1815.—Verm. [*teste* Nomen. anim.].
- Filomela** C. Wood, Orn. Guide, 1837, 191 & 219; *pro* Philomela, Blyth, 1833 [*teste* Nomen. anim.].
- Filoria** Nordmann, Mikrogr. Beitr. I. 1832, 11; *pro* Filaria, Müll. 1787 [*teste* Nomen. anim.].
- Filuria** Creplin, Arch. f. Nat. XII (1) 1846, 150; *pro* Filaria, Müll. 1787 [*teste* Nomen. anim.].
- fimbriatus** Balistes, J. Richardson, Voy. "Sulphur" (Fish) 1845, 128 [*ex* Forster MS; *teste* G. P. W.].
- fimbriatum** Dolium, G. B. Sowerby, II., Gen. Shells (29) 1827, 242 [*teste* R. W.].
- Fissilabria** J. E. Gray, Proc. Zool. Soc. Lond. XV. 1847, 138; *pro* Fissilabia, Brown, 1836 [*teste* Nomen. anim.].
- Fissurelligenus** Renier, Tavole [1804] viii.—G. [*teste* Nomen. anim.].
- Fistulana** Megerle, Ges. Nat. Fr. Berlin, Mag. V. 1811, 69.—L.
- Fistulanigenus** Renier, Tavole [1804] viii.—L. [*teste* Nomen. anim.].
- flabellata** Chalcis, M. de Serres, Essai Anim. midi France, 1822, 72.
- flabellicornis** Tetralobus (Fab.), Lepeletier & Serville, Ency. Méth. X (Ins.) 1828, 594.—Elater, L. 1767.
- flavescens** Al(cyonidium), Lindley in Loudon, Ency. Plants, 1829, pl. 928, no. 15046 [*teste* S. F. H.].
- Flaviceps** Mudie in Blyth's Cuvier, Anim. Kingd. 1840, 649; *pro* Floriceps, Cuv. 1817
- flavidalis** Margarita; *lege* Margaritia. [*teste* Nomen. anim.].
- flavipes** Pleuroloma, Rafinesque, Ann. of Nature, 1820, 8.
- flaviventris** Motacilla, Verreaux, Cat. Rivoli Coll. 1846, 9 [*teste* Sharpe, Cat. Birds B. M. 1893, 496].
- flavo-lineata** Aganosoma; *lege* Agonosoma. [X. 496].
- flavulum** Cyclostoma, G. B. Sowerby, Gen. Shells, pl. 176 (1831) [*n. et f.*].
- floccatus** Conus, G. B. Sowerby, I., Conch. Illustr., "large list," no. 112, *die non det.* [*teste* Tomlin].
- flosculosa** [Linza] (L.), F. v. P. Schrank, Briefe an Nau, 1802, 103.—Vorticella, Müll. 1773.
- flustracea** Terebratula, L. v. Buch (*ex* Schloth. MS), Mém. Soc. géol. France, III. 1838, 167.
- fluviatilis** Ancylus [? Muell.], *var. rupicola*; N. Boubée, Bull. H. N. France (3) 1833, 7 [*teste* C. W. R.].
- foliaceus** Hippocampus, J. Richardson, Rept. Brit. Assoc. (Manch. 1842) 1843, 28 [*teste* G. P. W.].
- foliacea** Scypha, J. E. Gray in S. F. Gray, Brit. Plants, 1821, 358. [G. P. W.].
- foliatus** Hippocampus, G. Perry, Arcana, May 1810, pl. xviii [*teste* G. P. W.].
- Fondulus** Duméril, Zool. Anal. 1806, 336; *pro* Fundulus, Lac. 1803 [*teste* Nomen. anim.].
- Foraminella** G. B. Sowerby, II. (*ex* Guilding MS), Conch. Illustr., Fissurella (1835), 4.—G. [*teste* E. R. S.].
- forbesianus** Hemipecten, Adams & Reeve, Proc. Zool. Soc. London, 1848, Ap. 1849, 133 [*teste* L. R. Cox].
- forceps** Selista, Rafinesque, Ann. of Nature, 1820, 7.
- foriorum** Aphodius (Panz.), J. Sturm, Deutschl. Fauna (Insecten) I. 1805, 146.—Scarabaeus foriorum, 1798.
- Formicaleo** Leach in Brewster, Edinb. Ency. IX. 1815, 138.—Neur. [*teste* Nomen. anim.].
- formicarius** Cycas; *lege* Cylas.
- Formicina** Shuckard in Swainson & S., Hist. Ins. 1840, 172.—Hym. [*n. n.*, *teste* Nomen. anim.].
- Fornax** Bruguière (*ex* Klein), Ency. Méth. (Vers) 1792, 531.—G. [*teste* Nomen. anim.].
- Forsar** *err. pro* Fossar; J. E. Gray, Proc. Zool. Soc. Lond. XV (178) 1847, 151 & 206.
- forskali** Helix, Ehrenberg in Hemprich & E., Sym. Phys. (Evert.) 1831, Moll., sign. C2 [*teste* F. J. G.].
- forskillii** Siganus, W. Swainson, N. H. Fish etc. II. July 1839, 247 [*teste* G. P. W.].
- Forulina** Schaffhaeuti, Geogn. Unters. südbay. Alpengeb. 1850, 44.—? Rh.

- Fragrum** J. E. Gray, Proc. Zool. Soc. Lond. XV. 1847, 185; *pro* *Fragum* Bolt. 1798 [teste Nomen. anim.].
- fratercula** Pyrgoma, Michelotti, Descr. Foss. Terr. Phioc. Italie sept. 1847, 22.
- freiia** Papilio, Thunberg, Dissert. II. 1791, 34 [teste A. F. H.].
- fritidicus** Achylodes; *lege* Achylodes.
- Frigillauda** Blyth, J. Asiat. Soc. Bengal, XIII. 1844[45], pl. 22; *pro* *Fringalauda*, Hodgs. 1838 [teste Nomen. anim.].
- Fringalauda** Hodgson, Asiat. Res. XIX. 1836, errata; *pro* *Fringalanda* [teste Nomen. anim.].
- Friola** Menke, Syn. Moll., ed. 2, 1830, 9; *pro* *Friola*, Brug. 1791 [teste Nomen. anim.].
- Fritillaria** Quoy & Gaimard, Voy. "Astrolabe" (Zool. IV.) 1834, 306 [? Tun.; teste Nomen.].
- frivalszbyi** (*sic*) Helix, P. Calcare, Cat. Moll. Sicilia, 1846, [2 & 4]. [anim.].
- Fucoides** A. Brongniart, Hist. végét. foss. I. 1828, 70.—Graptol.
- Fucomyia** Haliday in Curtis, Guide Brit. Ins., ed. 2, 1837, App., p. 280; Ann. Nat. Hist. II. 1838, 186.—Dipt. [teste Nomen. anim.].
- fulgurator** [Papilio], J. E. I. Walch, Naturforscher, VII. 1773, 113.
- fuliginosus** Lycodon, H. Boie in F. Boie, Isis (Oken), 1827, 551.
- fulvicapilla** Vermivora, W. Swainson, N. H. Class. Birds, II. 1837, 245 [teste C. W. R.].
- fulvicollis** Amphasis; *lege* Amphasia.
- fulvicollis** Rachicerus, F. Walker (ex Hal. MS), List Dipt. Coll. B. M. (1) 1848, 124 [n. n.].
- fulvivent** Coluber, Rafinesque, Ann. of Nature, 1820, 6.
- fulva** Tanagra, Beddaert, Table Pls. Enlum. 1783, 50.
- funckii** Carabus, Hoppe & Hornschuch, Tageb. Reise adriat. Meers, 1818, 283 [n. n.].
- Fungitus** Rafinesque, Analyse, 1815, 157; *pro* *Fungia*, Lam. 1801 [teste Nomen. anim.].
- funiculata** Pleurotoma, Kiener (ex Val. MS), Coq. viv. (Pleur.) 1839-40, 24 [teste E. R. S.].
- Furcuria** G. R. Gray, List Gen. Birds, 1840, 33; *pro* *Furcaria*, Less. 1837 [teste Nomen. anim.].
- Fusarium** Link, Handb. phys. Erdbeschr. II. 1830, 438; *pro* *Fusus*, Brug. 1792 [teste fuscata Atalapha, Rafinesque, Ann. of Nature, 1820, 2. [Nomen. anim.].
- fuscens** Anapsis; *lege* Anapsis.
- fuscens** Curatulus; *lege* Cirratulus.
- fuscocinereus** Lipaugus, Gray; *lege* Lipangus.
- fuscus** Gobius, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Fische, 1830 del 1831, 137 [teste G. P. W.].
- fuscus** Pecten, G. B. Sowerby, L., Gen. Shells (31) 1828 [n. et f., teste R. W.].
- fuscus** Pelecanus, T. Brown, Ill. Amer. Orn. 1835, Syst. Index, p. iii.
- fuscus** Siganus, E. Griffith in Cuvier, Anim. Kingd. X (Pisces) 1834, pl. opp. p. 359 fusca Tartare, Gray; *lege* Tartare. [[teste G. P. W.].
- fusiformis** Spirifera, Sow.; J. Phillips, Geol. Yorksh. II. 1836, 217.
- Fusigenus** Renier, Tavole [1804] viii.—G. [teste Nomen. anim.].
- Gabula** Bonnaterrae, Tabl. Ency. Méth. (Orn.) I. 1823 [1791], p. xcvi; *pro* *Galbula*, Briss. 1760 [teste Nomen. anim.].
- Gadius** Swainson, Hist. Classif. Fish. I. 1838, 93; *pro* *Gadus*, L. 1758 [teste Nomen. anim.].
- gadoides** Sciaena, J. Richardson in Dieffenbach, Voy. N. Z. II. 1843, 206 [ex Solander MS; teste G. P. W.].
- Gadus** Dejean, Catal. Coléopt. 1821, 96.—Col. [n. n.; teste Nomen. anim.].
- Gaiderop** Deshayes, Ency. Méth. (Vers) II (2) 1832, 163.—L. [teste Nomen. anim.].
- Galaolaria** Lucas, Hist. An. artic. (Ann.) 1840, 25; *pro* *Galeolaria*, Lam. 1818 [teste Nomen. anim.].
- galatea** Hipparchia (L.), var. syracusana; Zeller, Isis (Oken), 1847, 142 [teste A. F. H.].
- galatea** Muscicapa, Bodd.; *err. pro* *galeata*.
- Galateigenus** Renier, Tavole [1804] vii.—L. [teste Nomen. anim.].
- Galathaea** Bory, Tabl. Ency. Méth. (Vers) 1827, 151; *pro* *Galatea*, Brug. 1797 [teste Nomen. anim.].
- Galbalcyorhynchus** G. R. Gray, Gen. Birds, III. App. 1849, 5; *pro* *Galbalcyrhynchus*, Des Murs, 1845 [teste Nomen. anim.].

- galeata** Muscicapa, P. Boddaert, Table Pls. Enl. 1783, 11.
- Galeoides** Schneider in Bloch, Syst. Ichth. 1801, 19.—P. [*teste* Nomen. anim.].
- Galeolaria** de Blainville, Dict. Sci. Nat. LX. 1830, 113.—Hydroz. [*teste* Nomen. anim.].
- Galerida** F. Boic, Isis (Oken), 1828, 321.—A. [*teste* Nomen. anim.].
- Galerita** Selys, Faune Belge (1) 1842, 84; *pro* Galerida, Boie [*teste* Nomen. anim.].
- Galex** F. Meyen, N. Acta Ac. Leop. XVI (2) 1833, 574.—M. [n. n., *teste* Nomen. anim.].
- Galielis** Brookes, Cat. Mus. Brookes, 1828, 32; *pro* Galictis, Bell, 1826 [*teste* Nomen. anim.].
- Gallichthys** Agassiz, Nomen. Zool. (Pisc.) 1845, 26; *pro* Gallichtys, Cuv. 1833 [*teste* Nomen. anim.].
- gallichthys** Blepharichthys, W. Swainson, N. H. Fish etc. II. July 1839, 250 [*teste* G. P. W.].
- Gallina** Vieillot, Anal. Orn. 1816, 68; *pro* Grallina [*teste* Nomen. anim.].
- Galopithecus** E. Rueppell, Abh. Mus. Senck. III (2) 1842, 153; *pro* Galeopithecus, Pall. 1783 [*teste* Nomen. anim.].
- Gammasus** Leach, Tr. Linn. Soc. Lond. XI. 1815, 396; *pro* Gamasus, Latr. 1802 [*teste* Nomen. anim.].
- Gampsia** Gistel, Nat. Thierr. 1848, 126; *pro* Campsia, L. & S. 1828 [*teste* Nomen. anim.].
- Gampsonix** Lesson, Bull. Sci. Nat. VII. 1826, 106; *pro* Gampsonyx, Vig. 1825 [*teste* Nomen. anim.].
- ganesa** Bombyx, A. Lefebvre, Zool. Journ. III (10) July [*i.e.* Sept.] 1827, 211.
- Ganga** Vigors (*ex* Vieill. MS), Zool. Journ. II (7) 1825, 400.—A. [*teste* Nomen. anim.].
- Ganga** Drapiez (*ex* Vieill.), Résumé Orn. (Ency. port.) 1829, plates, p. 12.—A. [*teste* C. W. R.].
- Ganulaxis** Jerdon, Madras Journ. X. 1839, 255; *pro* Garrulax, Less. 1831 [*teste* Nomen. anim.].
- Ganymedes** Gistel, Nat. Thierr. 1848, 175; *pro* Ganymeda, Gray, 1834 [*teste* Nomen. anim.].
- Garrulaxis** Lafresnaye, Rev. Zool. I. 1838, 181; *pro* Garrulax, Less. 1831 [*teste* Nomen. anim.].
- Gasteracantha** Sundevall, Consp. Arach. 1833, 14 [*ex* Latreille *vernac.*, *teste* A. Musgrave].
- Gasterobranthus** Fleming, Phil. Zool. II. 1822, 375; *pro* Gastro→, Bloch, 1795 [*teste* Nomen. anim.].
- Gasterochaena** Goldfuss, Naturh. Atl. IV. 1832, 93; *pro* Gastro→, Spengl. 1788 [*teste* Nomen. anim.].
- Gasterochaeta** Diesing, Syst. Helminth. I. 1850, 10, 120 & 661; *pro* Gastrochoeta, Duj. 1840 [*teste* Nomen. anim.].
- Gasteropelicus** Fleming, Phil. Zool. II. 1822, 384; *pro* G—leucus, Gron. 1763 [*teste* Nomen. anim.].
- Gasteroplecus** Rafinesque, Analyse, 1815, 88; *pro* G—pelecus, Gron. 1763 [*teste* Nomen. anim.].
- Gasteropleucus** Duméril, Zool. Anal. 1806, 144 & 336; *pro* G—pelecus, Gron. 1763 [*teste* Nomen. anim.].
- Gasteropoda** J. E. Gray (*ex* Belon), Proc. Zool. Soc. Lond. XV. 1847, 201.—L. [*teste* Nomen. anim.].
- Gastracanthus** Westwood, Tr. Ent. Soc. Lond. I. 1835, p. lxxiii; *pro* Gasteracantha, Sund. 1833 [*teste* Nomen. anim.].
- Gastrica** Péron & Lesueur, Ann. Mus. Paris, XIV. 1810, 332.—Scyph. [Gen. hyp.; *teste* Nomen. anim.].
- gastricus** Oestrus, Schwab, Die Oestrac. 1840, 31 (major), 40 (minor).
- Gastrocerus** Schoenherr, Gen. Curc. I (1) 1833, 23.—Col. [*teste* Nomen. anim.].
- Gastrochena** Fleming, Phil. Zool. II. 1822, 507; *pro* G—chaena, Spengl. 1783 [*teste* Nomen. anim.].
- Gastrochoena** Lamarck, An. s. vert. V. 1818, 446 [G—aena, Speng. 1783] [*teste* E. R. S.].
- Gastrochoeta** Dujardin, C. R. Ac. Sci. Paris, XI (2) 1840, 285.—Cil. [n. n., *teste* Nomen. anim.].
- Gastroptera** Oken, Lehrb. Nat. III (Reg.) 1815, p. vii; *pro* Gastropteron, Kosse, 1813 [*teste* Nomen. anim.].
- Gastropteron** Agassiz, Nom. Zool. (Index) 1846, 160; *pro* Gastropteron, Kosse, 1813 [*teste* Nomen. anim.].
- Gaudryna** Orbigny in Sagra, Hist. Cuba, II (Foram.) 1839, 219; *pro* Gaudryina [*teste* Nomen. anim.].
- Gauialis** Merrem, Vers. Syst. Amph. 1820, 37, 38 & 190; *pro* Gavialis, Opp. 1811 [*teste*

- Gazorycta** Huebner, Verz. Bekannt. Schmett. (Anz.) 1826, 28; *pro* Gazorycta [teste Nomen. anim.].
- Gecarcoides** Agassiz, Nom. Zool. Index Univ. 1846, 160; *pro* G—dea, Edw. 1837 [teste anim.].
- Gecco** Ritgen, N. Acta Ac. Leop. XIV (1) 1828, 275; *pro* Gekko, Laur. 1766 [teste Nomen. anim.].
- Gecko** Brongniart, Bull. Soc. Philom. II. 1800, 90; *pro* Gekko, Laur. 1766 [teste Nomen.].
- Geko** Rafinesque, Analyse, 1815, 70; *pro* Gekko, Laur. 1766 [teste Nomen. anim.].
- Gelasima** Latreille, Tabl. Ency. Méth. (Crust. explic.), tab. 269-397, 1818, 1; *pro* G—us, Latr. 1817 [teste Nomen. anim.].
- gelatinosus** Polynemus, McClelland, Calcutta Journ. Nat. Hist. III. 1843, 181 [teste G. P. W.].
- Gelichelidon** Gray, List Birds Coll. B. M. III. 1844, 176; *pro* Gelo→, Brehm, 1830 [teste Nomen. anim.].
- gemmatus** Monitor, Guérin-M., Iconogr. (Rept.), pl. 3 [1830-44]. [Nomen. anim.].
- Gempylus** Swainson, Hist. Classif. Fish. II. 1839, 174; *pro* Gempylus, Cuv. 1829 [teste anim.].
- Gena** J. E. Gray, Proc. Zool. Soc. XV (173) June 1847, 146.—G. [teste E. R. S.].
- Genomys** Brookes, Cat. Mus. Brookes, 1828, 53.—M. [teste Nomen. anim.].
- Genucus** "Mac Leay," Dejean, Catal. Coléopt., ed. 2 (2) 1833, 169.—Col. [teste Nomen. anim.].
- Geoboenus** Laporte, Hist. An. artic. I. 1840, 86; *pro* Geobaenus, Dej. 1829 [teste Nomen. anim.].
- Geocinclia** Blyth, Mag. Nat. Hist. IX. 1836, 507; *pro* Geocichla, Gould, 1836 [teste Nomen. anim.].
- Geodromus** O. Heer, F. Coleopt. Helvet. I (3) 1841, 572.—Col. (Staph.) [teste Nomen. anim.].
- geographica** Muraena, J. Richardson, Zool. "Ereb.-Terr." (Fish) 1848, 94 [ex Banks & Sol. MS; teste G. P. W.].
- Geopicus** Hartlaub, Arch. f. Nat. XVI (2) 1850, 63; *pro* Geopicos, Malh. 1849 [teste Nomen. anim.].
- Georyclus** Gray, London Med. Repos. XV. 1821, 303; *pro* Georychus, Ill. 1811 [teste Nomen. anim.].
- Geragoi** Bruguière, Ency. Méth. (Vers) I. 1792, 532.—G. [teste Nomen. anim.].
- Geranopus** Kaup, Isis (Oken), 1848, 758.—A. [teste Nomen. anim.].
- Geranospiza** Kaup, Isis (Oken), 1848, 758; *pro* G—za, 1847 [teste Nomen. anim.].
- Gerbellus** Gray, London Med. Repos. XV. 1821, 303; *pro* Gerbillus, Desm. 1804 [teste Nomen. anim.].
- germanicum** Polyzonium, J. F. Brandt, Isis (Oken), 1834, 704.
- Gerranus** J. W. Bennett, Fish Ceylon (4) Feb. 1830, no. 19 in text.—P. [teste G. P. W.].
- Gerrhopygus** J. E. Gray, Cat. Lizards Coll. B. M. 1845, 150.—R. [teste Nomen. anim.].
- Gerteronemas** Joh. Mueller, Vossisch. Zeitg., Mar. 1845; Inhaltsverz. S. B. Ges. nat. Fr. Berlin, 1860, 12.—P.
- Geryonie** Lesson, Prodr. Méduses, 1837, 39; *pro* G—a, Péron & Lesueur, 1810 [teste Nomen. anim.].
- gesilla** Pithecus. In Ostéogr. ("Publication posthume" [p. 5], Sept. 1855) Pls. I bis & V bis are referred to as "left behind by M. Blainville" & it is stated that gesilla is *err. typ. pro* gorilla.
- gesion** Papilio, Quensel, K. Vet. Ac. N. Handl. XII. 1791, 254 [teste A. F. H.].
- geticus** Papilio, Esper, Die Schmett., Suppl. 1 Abschn., Tagschm. 1793, 51 [teste A. F. H.].
- Getulus** J. E. Gray, London Med. Repos. XV. 1821, 304.—M. [teste Nomen. anim.].
- Gevillia** Dubois de M., Voy. Caucase, VI. 1843, tab. p. 350; *pro* Gervillia, Deffr. 1820 [teste Nomen. anim.].
- geyeri** Satyrus, Herrich-S., Syst. Bearb. Schmett. Europ. I. 1846, 163 [teste A. F. H.].
- Ghalcophana** Gistel, Nat. Thierr. 1848, 123; *pro* Chalco→, Dej. 1835 [teste Nomen. anim.].
- Ghilianella** Spinola, Mem. Soc. Ital. XXV. 1852, 142 (sep. 1850).—Hem. [teste Nomen. anim.].
- Giaenia** Anon., Ency. Brit., ed. 5, X. 1817, 333; *pro* Gioenia, Brug. 1792 [teste Nomen.].
- gibba** Terebratula, G. I. Molina, Sagg. stor. nat. Chili, ed. 2, 1810, 180. [anim.].
- Gibbia** Latreille, Tabl. Ency. Méth. (Crust.), explic. tabl. 269-397, p. 9 (1818); *pro* Gebia, Leach, 1815 [teste Nomen. anim.].

- gigantea** Didymophyes, F. Stein, Arch. Anat. Phys. 1848, 223. [Nomen, anim.].
- Ginglimostoma** Agassiz, Poiss. foss. III. 1838, 85; *pro* Gingly→, M. & H. 1837 [teste Nomen, anim.].
- Giroidina** Guérin, Iconogr. II (Moll.) 1844, t. 2, f. 81 & III. 1844, 9; *pro* Gyroidina, Orb.
- glabratum** [Stronbus]; *lege* **glabratus**. [1826 [teste Nomen, anim.].]
- Gladiator** Gistl in G. & Bromme, Handb. Nat. 1850, 381.—Col. [teste Nomen, anim.].
- Gladius** Bruguière (*ex* Klein), Ency. Méth. (Vers) I (2) 1792, 533.—G. [teste Nomen, anim.].
- glandon** Papilio, Prunner, Lep. Pedemont. 1798, 76 [teste A. F. H.].
- Glanis** Rafinesque, Amer. Month. Mag. III. 1818, 447.—P. [teste Nomen, anim.].
- Glanis** Dejean, Catal. Coléopt. 1821, 88.—Col. [*n. n.*, teste Nomen, anim.].
- Glareola** *err. pro* Glareola; C. D. Degland, Orn. Europ. II. 1849, 110.
- glareolus** [Clathrionomys] (Schr.), G. Tilesius, Isis (Munich), 1850, 28.—Mus. [anim.].
- glareola** Pratincola, C. Degland, Orn. europ. II. 1849, 107.
- Glariola** Fleming, Phil. Zool. I. 1822, p. xxxiv; *pro* Glareola, Briss. 1760 [teste Nomen, anim.].
- glaucescens** Conus, G. B. Sowerby, I., Conch. Illustr. (54) 1834, f. 60 [teste Tomlin].
- Glaucia** Sherborn, Ind. Anim. 1801–50, 272; *err. pro* Glaucis, *q. v.* [teste Nomen, anim.].
- Glaucium** G. R. Gray, List Gen. Birds, 1840, 75.—A. [teste Nomen, anim.].
- Glaucomya** Bronn, Lethaea, II. 1838, 807.—L.; *pro* Glauconome, Gray, 1828 [teste Nomen, anim.].
- Glaucopes** G. R. Gray, List Gen. Birds, 1840, 14.—A. [teste Nomen, anim.].
- Glaucopterix** Huebner, Verz. bekannt. Schmett. (Anz.) 1826, 49; *pro* G—ryx [teste Nomen, anim.].
- Glaucopus** Stephens in Shaw, Gen. Zool. XIV. 1826, 73; *pro* Glaucopis, Gm. 1788 [teste Nomen, anim.].
- glaucus** Larus, T. Brown, Ill. Amer. Orn. 1835, Syst. Index, p. ii. [Nomen, anim.].
- Glicebus** Lesson, Mamm. 1840, 291; *pro* Gliscebus [teste Nomen, anim.].
- Glicimeris** Bruguière (*ex* Klein), Ency. Méth. (Vers) I (2) 1792, 538.—L. [teste Nomen, anim.].
- Glyphysodon** Duméril, Zool. Anal. 1806, 336; *pro* Glyphisodon, Lac. 1802 [teste Nomen, anim.].
- gliscens** Eichelis, F. v. P. Schrank, Briefe an Nau, 1802, 367. [anim.].
- Globicephala** Lesson, Compl. Buffon, I. 1828, 441.—M. [teste Nomen, anim.].
- globosa** Latericia, Schafhaeuti, Geogn. Unters. südbay. Alpengeb. 1850, 44.
- globosa** Pincina, Schafhaeuti, Geogn. Unters. südbay. Alpengeb. 1850, 42.
- Globularia** Rolando, Atti Acc. Siena, X. 1841, 10.—Verm. [teste Nomen, anim.].
- Globus** Deshayes (*ex* Klein), Ency. Méth. (Vers) II (2) 1832, 170.—L. [teste Nomen, anim.].
- glomerinus** Nileus, Dalman, Aarsberätt. K. Vet. Ac. 1828, 136.
- Glomerites** Rafinesque, Atlant. Journ. I (2) 1832, 71.—Cr. [teste Nomen, anim.].
- Glossiphania** Gérard, Diet. Univ. H. N. VI. 1845, 160; *pro* G—phonia, Johns. 1816 [teste Nomen, anim.].
- Glossipora** Thompson, Ann. Nat. Hist. VII. 1841, 482; *pro* Glossopora, Johns. 1817 [teste Nomen, anim.].
- Glossophonía** Gistel, Nat. Thierr. 1848, 164; *pro* Glossi→, Johns. 1816 [teste Nomen, anim.].
- Glossoporis** Westwood in Blyth's Cuvier, Anim. Kingd. 1840, 400; *pro* G—pora, Johns. 1817 [teste Nomen, anim.].
- Glycemeris** Parkinson, Org. Rem. III. 1811, 193.—L. [teste Nomen, anim.].
- Glyceres** Griffith in Cuvier, Anim. Kingd. XIII. 1833, Ann. tab. 4; *pro* Glycera, Lam. 1818 [teste Nomen, anim.].
- Glyceris** Westwood in Blyth's Cuvier, Anim. Kingd. 1840, 395; *pro* Glycera, Lam. 1818 [teste Nomen, anim.].
- Glycimerigenus** Renier, Tavole [1804] vii.—L. [teste Nomen, anim.].
- Glycimeris** Schum.; *lege* **Glycimeris** [vide Herrn.].
- Glycyphila** Agassiz, Nom. Zool. Index Univ. 1846, 163; *pro* Glyci→, Gould, 1838 [teste Nomen, anim.].
- Glycyphocus** Walckenaer & Gervais, Hist. Apt. IV. 1847, 557; *pro* Glycyphagus, Hering, 1838 [teste Nomen, anim.].
- Glyphorhynchus** Anon., Isis (Oken), 1832, 59; *pro* G—rynchus, Wied, 1831 [teste Nomen, anim.].
- Glyptosteus** L. Agassiz, Poiss. foss. I. 1840 [*i.e.* 1844], p. xxxiv [teste Nomen, anim.].
- Gnamptodon** Blanchard, Hist. An. artic. III. 1840, 330; *pro* Gnamptodon, Hal. 1833 [teste Nomen, anim.].
- Gnaptodon** Haliday, Ent. Mag. IV. 1837, 220; *pro* Gnamptodon, 1833 [teste Nomen, anim.].

- Gnata** Dahl, Col. u. Lep. 1823, 41.—Col. [*teste* Nomen. anim.]. [anim.].
- Gnathocerus** Agassiz, Nom. Zool. (Col.) 1846, 73; *pro* Gnato→, Th. 1814 [*teste* Nomen. anim.].
- Gnathodon** L. Oken, Lehrb. Nat. III (2) 1816, pp. iv & 140.—P. [*teste* Nomen. anim.].
- Gnathoxus** L. Agassiz, Nom. Zool. Index Univ. 1846, 164 & 267.—Col. [*teste* Nomen. anim.]. [anim.].
- Gnoma** Latreille (*ex* Sav. MS), Mém. Mus. Paris, VI. 1820, 112.—Verm. [*teste* Nomen. anim.].
- Gobileptes** Swainson, Hist. Classif. Fish. II. 1839, 183 & 443.—P. [*teste* Nomen. anim.].
- godmani** Mastodon, I. Hays, 1834; sep. 1833 *est.*
- Göera** Leach in Brewster, Edinb. Ency. IX. 1815, 136.—Trich. [*n. n.*, *teste* Nomen. anim.].
- Goetzia** de Blainville, Dict. Sci. Nat. LVII. 1828, 534.—Verm. [*teste* Nomen. anim.].
- Goldfussia** Castelnau, Essai Silur. Amér. sept. 1843, 43.—L. [*teste* E. R. S.].
- Goliath** Latreille, Gen. Crust. Ins. II. 1807, 126; *pro* Goliathus, Lam. 1801 [*teste* Nomen. anim.].
- Gompetyryx** W. Wood, Index Ent. 1833, p. iii of 1st issue of Preface [*err. typ. pro* Gonepteryx, Leach; *teste* F. J. G.].
- Gomphosis** Swainson, Hist. Classif. Fish. I. 1838, 310; *pro* G—sus, Lac. 1802 [*teste* Nomen. anim.].
- Gonabacia** Orbigny, Prodr. Paléont. I. 1849, 321; *pro* Gen→, Edwards & Haime [*teste* Nomen. anim.].
- Goneplat** [Leach] in Brewster, Edinb. Ency. VII. 1814, 393 & 430.—Cr. [*teste* Nomen. anim.].
- Goniaphaea** Gray, List Gen. Birds, 1840, 42; *pro* G—phea, Bowd. 1825 [*teste* Nomen. anim.].
- Gonichthys** J. Gisl. Isis (Munich) (5) 1850, 71.—P. [anim.].
- Goniclis** C. S. Rafinesque, Amer. Month. Mag. IV [?] 1818, 107.—G. [*teste* E. R. S.].
- Goninada** Edwards in Todd, Cycl. Anat. I. 1836, 165; *pro* Goniada, Aud. & Edw. 1838 [*teste* Nomen. anim.].
- Goniodactylus** J. E. Gray [*non* Kuhl], Zool. Miscell. 1842, 58.—R. [*teste* Malcolm Smith].
- Goniodera** Laporte, Hist. An. artic. II. 1840, 238; *pro* Gonia→, Perty, 1830 [*teste* Nomen. anim.].
- Goniostoma** Villa (*ex* Meg. MS), Disp. Conch. 1841, 29.—G. [*teste* Nomen. anim.].
- Goniostomus** Herrmannsen, Ind. Gen. Malac. I (4) 1847, 487; *pro* Gony→, Beck, 1837 [*teste* Nomen. anim.].
- Gonocephalum** Chevrolat, Dict. univ. Hist. nat. VI. 1845, 274.—Col. [*teste* Nomen. anim.].
- Gonorincus** Rahnnesque, Analyse, 1815, 88; *pro* G—rynchus, Gron. 1763 [*teste* Nomen. anim.].
- gonostoma** Turritella; 1832 *est.* [anim.].
- Gonyasoma** Wagler, Descr. Amph. (1) 1828, expl. tab. 9; *pro* G—osoma [*teste* Nomen. anim.]. [Nomen. anim.].
- Gonychorus** Blanchard, Hist. An. artic. III. 1840, 332; *pro* Gany→, Hal. 1835 [*teste* Nomen. anim.].
- Gordia** Emmons, Taconic Syst. 1844, 24.—*inc. sed.* [*teste* Nomen. anim.].
- gorge** Papilio, Esper, Die Schmett., Suppl. 1-4 Theils [*ante* 1805], 14 [*teste* A. F. H.].
- Goriatites** Reichenbach, Zool. I. 1828, 99; *pro* Gonia→, Haan, 1825 [*teste* Nomen. anim.].
- Gossypha** Lesson, Man. Orn. II. 1828, 432; *pro* Cossypha, Vig. 1825 [*teste* Nomen. anim.].
- Gracaulus** Jardine, Edinb. J. Nat. Geogr. Sci. III. 1831, 211; *pro* Graucalus, Cuv. 1816 [*teste* Nomen. anim.].
- Graccvlvs** Forster, Syn. Cat. Brit. Birds, 1817, 48; *pro* Cornix [*teste* Nomen. anim.].
- gracilis** Cucullaea, Rouillier & Vossynsky, Bull. Soc. Imp. Nat. Moscou, XX (1) 1847, 428.
- gracilis** Linsang, S. Mueller, Verh. nat. Ges. Ned. overs. bezitt., Zool. I. 1839, Tafel [3] [*n. n.*].
- Gramistes** Fleming, Phil. Zool. II. 1822, 393; *pro* Gramm→, Schn. 1801 [*teste* Nomen. anim.].
- Grammenus** Dejean, Catal. Coléopt. 1821, 93.—Col. [*n. n.*, *teste* Nomen. anim.].
- Grammicosomum** Agassiz, Nom. Zool. (Col.) 1846, 74; *pro* G—cosum, Blanch. 1846 [*teste* Nomen. anim.].
- grandipinnis** Plesiosaurus, R. Owen in Reed, Guide to Whitby, ed. 3, 1855, 86 [? *ed. prior. teste* W. E. Swinton].
- granulata** Oeme, H. G. Bronn, Index Pal. 1848, 839.
- Graphiptera** Hope, Col. Man. II. 1838, 50; *pro* G—us, Latr. 1802 [*teste* Nomen. anim.].
- Grateloupia** Anon., Jahrb. f. Min. 1830, 133; *pro* Glupia, Desm. 1828 [*teste* Nomen. anim.].

- Grauculus** Hodgson, Ind. Rev. I (8) 1837, 327; *pro* Graucalus, Cuv. 1816 [*teste* Nomen. anim.].
- gravesii** Cyrena, G. P. Deshayes, *Traité Conch.*, expl. pl. 18 (1839).
- Greslya** Orbigny, *Prodr. Paléont. I.* 1850, 234; *pro* Gresslya, Ag. 1843 [*teste* Nomen. anim.].
- Grillioora** Hodgson, J. Asiat. Soc. Bengal, X. 1841, 28; *pro* Gryllivora, Sw. 1831 [*teste* Nomen. anim.].
- Grimotea** Desmarest, *Dict. Sci. Nat.* XXVIII. 1823, 296 & 423; *pro* G—taea, Leach, 1820 [*teste* Nomen. anim.].
- Grimothea** Edwards, H. N. Crust. II. 1837, 277; *pro* G—taea, Leach, 1820 [*teste* Nomen. anim.].
- Gristes** Cuvier, *Règne Anim.*, ed. 2, II. 1829, 145.—P. [*teste* Nomen. anim.]. [anim.].
- Grithagra** Gay, *Hist. Chilli (Zool.) I.* 1847, 361 & 496; *pro* Cri→, Sw. 1827 [*teste* Nomen. anim.].
- Grive** Oken, Isis (Oken), 1817, 1184b.—A. [*teste* Nomen. anim.]. [anim.].
- groenlandicus** Serupes, Chemn.; H. Beck, *Amtl. Ber.* 24 Vers. Deutsch. Naturf. 1847, 115 & 217 (Serripes).
- Gromia** Dujardin, *Ann. Sci. Nat. (Zool.) [2] IV.* 1835, 345.—Rh. [*teste* Nomen. anim.].
- gronovii** Tetraodon, Cuvier, *Règne Anim.*, ed. 2, II. 1829, 369 [*n. n.*, *teste* G. P. W.].
- Gryfalco** Jardine, *Birds Gt. Brit. (Nat. Libr.) I.* 1841, 107; *pro* Gyr→, Flem. 1828 [*teste* Nomen. anim.].
- Grygallus** G. R. Gray, *List Gen. Birds*, 1840, 62.—A. [*teste* Nomen. anim.].
- Gryphaeigenus** Renier, *Tavole [1804] vii.*—L. [*teste* Nomen. anim.]. [anim.].
- Gryphoea** Bosc, *Hist. Coq. II.* 1802, 307 & 310; *pro* Gryphaea, Lam. 1801 [*teste* Nomen. anim.].
- Gryporrhynchus** Creplin in Ersch & Gruber, *Ency. I (32)* 1839, 293; *pro* Gryporh→, Nordm. 1832 [*teste* Nomen. anim.].
- guacari** Hypostomus, Cuvier, *Planches de Seba (5)* 1827, 6. [anim.].
- Guan** Fischer v. W., *Nat. Mus. Paris, II.* 1803, 183; *pro* Gouan, Lac. 1799 [*teste* Nomen. anim.].
- Guandira** Gray, *List Mamm. Coll. B. M.* 1843, pp. xviii & 194.—M. [*teste* Nomen. anim.].
- Gubernates** Gray, *Gen. Birds, I.* 1847, tab. 61; *pro* G—netes, Such, 1825 [*teste* Nomen. anim.].
- Guidia** Koch, *Uebers. Arach. II.* 1839, 21.—Ar. [*teste* Nomen. anim.]. [anim.].
- gussoni** Ancylus, G. Gussone, *Oss. Zool. Test. Pantelleria*, 1829, 10.
- guttata** Certhia, Audubert & Vieillot, *Ois. dorés*, 1802, 93 (fo.), 120 (4to.), pl. 57 [*teste* C. W. R.].
- guttatus** Stenodactylus, Cuvier, *Règne Anim.*, ed. 2, III. 1829, 58 [*teste* Malcolm Smith].
- Gutturnium** Bruguière, *Ency. Méth. (Vers)* 1792, 532.—G. [*teste* Nomen. anim.].
- Gymnanolena** C. Ranzi, *Mem. stor. Nat. I.* 1820, 19.—Cirr.
- Gymnetus** Swainson, *Hist. Classif. Fish. I.* 1838, 95; *pro* Gymnetrus, Bloch, 1795 [*teste* Nomen. anim.].
- Gymnocorax** J. Kaup, *Classif. Säugeth* 1844, 44; *pro* G—corvus, Less. 1831 [*teste* Nomen. anim.].
- Gymnoder** Lesson, *Traité Orn. (5)* 1831, 361; *pro* G—us, Geoffr. 1809 [*teste* Nomen. anim.].
- Gymnoderes** Fleming, *Phil. Zool. II.* 1822, 240; *pro* G—us, Geoffr. 1809 [*teste* Nomen. anim.]. [anim.].
- Gymnogenis** Lafresnaye, *Rev. Zool. II.* 1839, 196; *pro* G—nys, Less. 1830 [*teste* Nomen. anim.].
- Gymnomastyx** *err.* Sherborni, *Ind. Anim.* 1801–50, 4032, *pro* Gymnomystax mexicanus
- Gymnomurena** Rafinesque, *Analyse*, 1815, 93; *pro* G—raena, Lac. 1803 [*teste* Nomen. anim.].
- Gymnops** Cuvier, *Règne Anim.*, ed. 2, I. 1829, 381.—A. [Passer.] [*teste* Nomen. anim.].
- Gymnopteron** Agassiz, *Nom. Zool. (Col.)* 1846, 75; *pro* G—rion, Schr. 1798 [*teste* Nomen. anim.]. [anim.].
- Gymnorius** Gray, *Gen. Birds, III.* 1849, App., p. 51; *pro* G—ris, Blyth, 1845 [*teste* Nomen. anim.].
- Gymnorrhina** Reichenbach, *Handb. Orn. (Vög. Neuhollands)*, I. 1845, 61; *pro* G—rhina, Gray, 1840 [*teste* Nomen. anim.].
- Gymnorhynchus** Reichenbach, *Zool. I.* 1828, 53; *pro* G—rhynchus, Rud. 1819 [*teste* Nomen. anim.].
- Gymnotrion** Gistel, *Ins.-Doubl. Walworth*, 1834, 27.—Col. [*teste* Nomen. anim.].
- Gypagos** Schinz in Cuvier, *Thierr. I.* 1821, 454; *pro* G—us, Vieill. 1816 [*teste* Nomen. anim.].
- Gypeatos** Stephens in Shaw, *Gen. Zool. XIV (1)* 1826, 345; *pro* Gypaëtas, Storr, 1784 [*teste* Nomen. anim.].

- Gypeatus** Hutton, J. Asiat. Soc. Bengal, III. 1834, 522; *pro* Gypætus, Storr, 1784 [*teste* Nomen. anim.].
- Gypogaranus** Schinz in Cuvier, Thierr. IV. 1825, 562; *pro* Gypogaranus, Borkh. 1797 [*teste* Nomen. anim.].
- Gypogaranos** Brehm, Isis (Oken), 1837, 368; *pro* G—us, Borkh. 1797 [*teste* Nomen. anim.].
- gyrans** Pilidium, J. Mueller, Arch. Anat. Phys. 1847, 159. [Nomen. anim.].
- Gyrophyllites** Glocker, N. Acta Ac. Leop. XIX (2) 1841, 322.—Porif. non Plant. [*teste* Nomen. anim.].
- Gyrostoma** Kirby & Spence, Introd. Entom., ed. 5, III. 1828, 36.—Hym. [*teste* F. J. G.].
- Habia** Blyth (*ex* Vieill.) in Cuvier, Anim. Kingd. 1840, 184.—A. [*teste* Nomen. anim.].
- Haemalostor** Walckenaer & Gervais, Hist. Apt. IV. 1847, 352; *pro* H—lastor, Koch, 1844 [*teste* Nomen. anim.].
- Haemantopus** Forster, Syn. Cat. Brit. Birds, 1817, 26; *pro* H—matopus, L. 1758 [*teste* Nomen. anim.].
- Haematobia** J. B. Robincau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 388.—Dipt.
- Haematobia** *err.* Sherborni, Ind. Anim. II (12) 2887, *pro* Hoematobia [*teste* J. H. D.].
- Haematopos** Schinz in Cuvier, Thierr. I. 1821, 892; *pro* H—pus, L. 1758 [*teste* Nomen. anim.].
- Haematorhoea** A. Agassiz, Proc. Boston Soc. III. 1850, 191 [*teste* Nomen. anim.; *sed* ? 1851].
- Haemodis** Gistl, Faunus, n. s., I. 1837, 95; *pro* Haemopis, Sav. 1822 [*teste* Nomen. anim.].
- Haemopsis** McMurtrie in Cuvier, Anim. Kingd. 1834, 288; *pro* Haemopis, Sav. 1822 [*teste* Nomen. anim.].
- Haemorrhous** Gray, List Gen. Birds, 1840, 48; *pro* H—orhous, Sw. 1837 [*teste* Nomen. anim.].
- Haemulon** Swainson, Hist. Classif. Fish. II. 1839, 171; *pro* Haemulon, Cuv. 1829 [*teste* Nomen. anim.].
- Haeratula** Hermannsen, Ind. Gen. Malaë. I. 1847, 495; *pro* Heretula [*teste* Nomen. anim.].
- Halcedo** Burmeister, Handb. Nat. (2) 1837, 760; *pro* Alcedo, L. 1758 [*teste* Nomen. anim.].
- Halcion** Bonaparte, Giorn. Arcad. XLIX. 1831, 40; *pro* Halcyon, Sw. 1831 [*teste* Nomen. anim.].
- Halcyonidia** Agassiz, Nom. Zool. Index Univ. 1846, 13 & 170; *pro* A—, Edw. & H. 1850 [*teste* Nomen. anim.].
- Halcyonium** Esper, Pflanzenz. III. 1805, 3; *pro* A—, L. 1758 [*teste* Nomen. anim.].
- Halenus** Stephens, Ill. Brit. Ent. (Mand. VI.) 1836, 208; *pro* Halesus, 1836 [*teste* Nomen. anim.].
- Haliaethus** Lesson, Traité Orn. (8) 1831, 654; *pro* Haliaeetus, Sav. 1809 [*teste* Nomen. anim.].
- Haliaeus** Schinz in Cuvier, Thierr. IV. 1825, 570; *pro* Halieus, Ill. 1811 [*teste* Nomen. anim.].
- Halichoerus** Wiegmann, Arch. f. Nat. II (2) 1836, 237; *pro* H—choeres, Ruepp. 1835 [*teste* Nomen. anim.].
- Halichondra** Johnston, Mag. Nat. Hist. VII. 1834, 492; *pro* H—dria, Flem. 1828 [*teste* Nomen. anim.].
- Haliclona** R. E. Grant, Outl. Comp. Anat. 1841, 5.—Sp. [*teste* M. Burton].
- Halicon** F. Cuvier, Dict. Sci. Nat. LIX. 1829, 515; *pro* Halicore, Ill. 1811 [*teste* Nomen. anim.].
- Halicondria** Lamarck, Hist. An. s. Vert., ed. 2, II. 1836, 607; *pro* H—chondria, Flem. 1828 [*teste* Nomen. anim.].
- Halicone** Goldfuss, Handb. Zool. II. 1820, 338; *pro* Halicore, Ill. 1811 [*teste* Nomen. anim.].
- Halicora** Fleming, Phil. Zool. II. 1822, 204; *pro* Halicore, Ill. 1811 [*teste* Nomen. anim.].
- Halicores** Swainson, Hist. Classif. Fish. II. 1839, 173; *pro* Halichöres, Ruepp. 1835 [*teste* Nomen. anim.].
- Halicorne** Geoffroy & Cuvier, Hist. Nat. Mamm. IV (27) 1821, 4; *pro* Halicore, Ill. 1811 [*teste* Nomen. anim.].
- Halicus** Griffith in Cuvier, Anim. Kingd. VI. 1829, 591, 592; *pro* Halieus, Ill. 1811 [*teste* Nomen. anim.].

- Halina** de Blainville, Dict. Sci. Nat. LX. 1830, 497; *pro* *Alebonidia*, 1830 [teste Nomen. anim.].
- Haliotus** Lesson, Act. Soc. Linn. Bordeaux, XII. 1841, 19; *pro* *Haliaeetus*, Sav. 1809 [teste Nomen. anim.].
- Haliotus** Schlueter, Kurzgef. Verz. Conch. 1838, 25; *pro* *Haliotis*, L. 1758 [teste Nomen. anim.].
- Haliotidigenus** Renier, Tavole [1804] viii.—G. [teste Nomen. anim.].
- Haliotites** Hermannsen, Ind. Gen. Malac. I. 1817, 449.—? G. [teste Nomen. anim.].
- Hallirhoa** Bronn, Syst. urwelt. Pflanzenth. 1825, 15, 42 & 46; *pro* *Hallirhoa*, Lamx. 1821 [teste Nomen. anim.].
- Halis** Rafinesque, Analyse, 1815, 119; *pro* *Halys*, Fab. 1803 [teste Nomen. anim.].
- Halithaea** de Blainville, Dict. Sci. Nat. LVII. 1828, 384; *pro* *H—thea*, Lam. 1818 [teste Nomen. anim.].
- Halithus** Westwood in Blyth's Cuvier, Anim. Kingd. 1840, 396; *pro* *Halithes*, Lam. 1818 [teste Nomen. anim.].
- Hallirhoe** de Blainville, Dict. Sci. Nat. LX. 1830, 503; *pro* *H—a*, Lamx. 1821 [teste Nomen. anim.].
- Hallodroma** Schinz in Cuvier, Thierr. IV. 1825, 570; *pro* *Hala—*, Ill. 1811 [teste Nomen. anim.].
- Halmathurus** M. de Serres, Ess. Cavernes, éd. 3, 1838, 201; *pro* *H—turus*, Ill. 1811 [teste Nomen. anim.].
- Halodactyle** Beneden, Bull. Ac. Belg. XVI (2) 1850, 657; *pro* *H—lus*, Farre, 1837 [teste Nomen. anim.].
- Halteria** Dujardin, C. R. Ac. Sci. Paris, XI. 1840, 285.—Cil. [n. n., teste Nomen. anim.].
- Haltomene** Agassiz, Nom. Zool. Index Univ. 1846, 172; ? *pro* *Hallomenus*, Panz. 1794 [teste Nomen. anim.].
- Halyaetus** d'Orbigny & Lafresnaye, Mag. Zool. VII. 1837, Syn. Av., p. 3; *pro* *Haliaeetus*, Sav. 1809 [teste Nomen. anim.].
- Halychaerus** J. Brookes, Cat. Mus. Brookes, 1828, 87; *pro* *Halichoerus*, Nilss. [teste Nomen. anim.].
- Halycherus** Lesson, N. Tab. 1842, 82; *pro* *Halichoerus*, Nilss. [teste Nomen. anim.].
- Halycon** Smith, S. Afr. Q. J. II. no. 21, 1834, 143 & 144; *pro* *Haleycon*, Sw. [teste Nomen. anim.].
- Halycore** Bonaparte, Giorn. Arcad. XLIX. 1831, 26; *pro* *Halicore*, Ill. [teste Nomen. anim.].
- Halyotis** Cuvier, Tabl. élém. 1798, 393; *pro* *Haliotis*, L. [teste Nomen. anim.].
- Halythea** Chiaje, Descr. Not. An. Sicil. V. 1841, 56; *pro* *Halithea*, Lam. [teste Nomen. anim.].
- Hamadryas** Mikan, Del. Brasil. ? 1821, expl. pl. [12].—Lep. [teste Nomen. anim.].
- Hamatobium** Dejean, Catal. Coléopt. 1821, 35.—Col. [teste Nomen. anim.].
- Hamellus** Hermannsen (*ex* Luidius), Ind. gen. Malac. I. 1847, 499.—? Ceph. [teste Nomen. anim.].
- Hammaticherus** Dejean, Catal. Coléopt., ed. 2, 1835, 321 & 322; *pro* *Hamat—* [teste Nomen. anim.].
- hampstediensis** Papilio, L. Jermyn, Butt. Coll. Vade Mecum, 1824, 50 [Hipparchia, ed. 2, *est*].
- Hamus** Bruguière (*ex* Klein), Ency. Méth. (Vers) I (2) 1792, 530.—G. [teste Nomen. anim.].
- hanifer** Satyrus, Herrich-S., Syst. Bearb. Schmett. Europ. I. 1850, Tab. 100 [n. et f., teste A. F. H.].
- hannibal** Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VIII. 1796, 48 [teste A. F. H.].
- Hapelophus** Jardine & Selby, Ill. Orn., n. s. IV (3), expl. pl. 27 (1838); *pro* *Hapal—* [teste Nomen. anim.].
- Haplodon** Braun, Verz. Petref. 1840, 74.—P. [n. n., teste Nomen. anim.].
- Haplorus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Aplomus*, Spin.
- Haplooderus** Erichson, Käfer Brand. I (2) 1839, 597; *pro* *Aploderus*, Steph. [teste Nomen. anim.].
- Haplysia** Gistel, Nat. Thierr. 1848, p. x; *pro* *Aplysia*, L. [teste Nomen. anim.].
- hardwickii** Chloropsis, Jardine & Selby, Ill. Orn., Add. to vol. II [p. 1] 1829.
- Harpactes** R. Templeton, Zool. Journ. V (20) 1834, 401.—Ar. [*divis. nov. pro* *Dysdera*] [teste C. W. R.].
- Harpactes** Dahlbom, Hym. Eur. I. 1844, 147; *pro* *Arpactus*, Panz. [teste Nomen. anim.].
- Harpactor** Burmeister, Verz. Mus. Halle-Witt. 1850, 56; *pro* *H—tes*, Sw. [teste Nomen. anim.].
- Harpactus** Shuckard, Ess. foss. Hym. 1837, 221; *pro* *Arpactus*, Panz. [teste Nomen. anim.].

- Harpactus** Chaudoir, Bull. Soc. Moscou, XXIII (1) 1850, 448; *pro* Harpactes, Ménétr. [*teste* Nomen. anim.].
- Harpeia** F. Boie, Isis (Oken), 1822, 548; *pro* Harpyia, Cuv. [*teste* Nomen. anim.].
- Harpigenus** Renier, Tavole [1804] viii.—G. [*teste* Nomen. anim.]. [anim.].
- Harpodon** Cuvier, Règne Anim., ed. 2, II. 1829, 314; *pro* Harpadon, Les. [*teste* Nomen. anim.].
- Harpognatus** Wesmæl, Recu. enc. Belge, I. 1833, 119.—Col. [*teste* Nomen. anim.].
- harpula** Pleurotoma, Kiener (ex Val. MS), Coq. viv. (Pleur.) 1839-40, 58 [*teste* E. R. S.].
- Harpynthiaetos** Agassiz, Nom. Zool. (Aves Add.) 1845, 10; *pro* H—tus, Lafr. [*teste* Nomen. anim.].
- Harpyja** Illiger, Abh. Ak. Berlin, 1804-11 [1815], 90; *pro* Harpyia, 1811 [*teste* Nomen. anim.].
- harrisi** Cremastochilus, W. Kirby, Zool. Journ. III (10) Sept. 1827, 152. [anim.].
- Harrovia** White, List Crust. Coll. B. M. I. 1847, 51.—Cr. [*teste* Nomen. anim.].
- Hartigia** Schiodte, Nat. Tidsskr. II. 1838, 332.—Hym. [*teste* Nomen. anim.].
- hasselquistii** Helix, Ehrenberg in Henrich & E., Sym. Phys. (Evert.) Moll., sign. C₂ [*teste* F. J. G.].
- hausmanni** Pollicipes, Koch & Dunker; F. A. Roemer, Verst. N.-Deutsch. Oolith. Geb. (2) 1836, 211.
- Haustellaria** W. Swainson, Treat. Malac. 1840, 296.—G. [anim.].
- Haustellum** Bruguière (ex Klein), Ency. Méth. (Vers) I (2) 1792, 533.—G. [*teste* Nomen. anim.].
- Havelda** Selby, Ill. Brit. Orn. II. 1833, 312 & 381; *pro* Harelda, Steph. [*teste* Nomen. anim.].
- Hecalem** J. Wagler, Abh. Bayer. Ak. I. 1832, 691.—A. [*teste* Nomen. anim.].
- Hecatocotylus** Creplin in Ersch & Gruber, Ency. XXXII. 1838, 290; *pro* Hectocotyle, Cuv. [*teste* Nomen. anim.].
- heckelii** Peloria, Cocco in Krohn, Giorn. Gab. Messina, V. 1844, 21 [*teste* D. S. J.].
- hecta** Gazorycta (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 198.—Phalaena.
- Hectocotyle** Cuvier, Ann. Sci. Nat. XVIII. 1829, 148 [*teste* Nomen. anim.].
- hectorides** Papilio, [Esper], Mag. n. ausl. Ins. (1) 1794, 5.
- Hedypna** Cabanis in Antinori, Cat. Ucc. Afr. 1846, 36 [*teste* Nomen. anim.].
- helenä** Colias, Herrich-S., Syst. Bearb. Schmett. Europ. I. 1844, tab. 45 [*n. et f.*] & 1845, 162 [*teste* A. F. H.].
- helenä australiæ** Muraena, J. Richardson, Zool. "Ereb.-Terr." (Fish, 1848), 80, pl. xlix [pl. only; *teste* G. P. W.].
- Helenchus** *err. pro* Heléuchus, Herin.; J. E. Gray, Proc. Zool. Soc. Lond. XV (178) 1847, 145 & 206.
- Heleomyza** Perty, Del. An. artic. Brasil. (3) 1833, 167.—Dipt. [*non* Fallen] [*teste* Nomen. anim.].
- Heliactis** Lesson, Compl. Buffon. IX. 1837, 154; *pro* Heliactin, Boie [*teste* Nomen. anim.].
- Heliartus** *emend. pro* Helartos, Gistel; G. Tilesius, Isis (Munich) (1) 1850, 11.
- Heliasus** Griffith in Cuvier, Anim. Kingd. X. 1834, 191; *pro* Heliases, Cuv. [*teste* Nomen. anim.].
- Helicena** *err. pro* Helicina, Lam.; J. E. Gray, Proc. Zool. Soc. Lond. XV (178) 1847, 145 & 206.
- helichta** Colias, Freyer, N. Beitr. Schmett. IV (50) 1840, 23 [*teste* A. F. H.].
- Helicigenus** Renier, Tavole [1804] viii.—G. [*teste* Nomen. anim.].
- Helicingenus** Renier, Tavole [1804] viii.—G. [*teste* Nomen. anim.].
- Helicites** Schlothheim, Taschen. Min. VII. 1813, 35, 71 & 102.—G. [*teste* Nomen. anim.].
- Helicoceras** Koenig, Icon. foss. sect. 1825, tab. 19.—G. [*teste* Nomen. anim.]. [anim.].
- Helicon** Gray, Syn. Cont. Brit. Mus., ed. 44, 1842, 67; *pro* Helcion, Montf. [*teste* Nomen. anim.].
- Helicoplegma** Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 147; *pro* H—phlegma, Orb. [*teste* Nomen. anim.].
- Helinaea** Hartlaub, Rev. Zool. VIII. 1845, 342; *pro* Helinaia, Aud. [*teste* Nomen. anim.].
- Helinaja** Anon., Isis (Oken), 1844, 718; *pro* Helinaia, Aud. [*teste* Nomen. anim.].
- Heliohora** Michelin, Icon. Zooph. 1841, 27.—Polyz. [*teste* Nomen. anim.].
- Heliotarsus** Anon., Isis (Oken), 1844, 247; *pro* Helotarsus, Sm. [*teste* Nomen. anim.].
- Heliothreptus** Agassiz, Nom. Zool. Index Univ. 1846, 175; *pro* Eleothreptus, Gray [*teste* Nomen. anim.].
- Heliotrix** Lesson, Echo Monde Savant [2] VIII. 1843, 22; *pro* Heliothryx, Boie [*teste* Nomen. anim.].

- Heliotryx** Thon in Ersch & Gruber, Ency. [3] VI. 1835, 178; *pro* Heliotryx, Boie [teste helle Papilio, Bergstraesser, Nom. Ins. III. 1779, 48 [teste A. F. H.]. [Nomen. anim.].
- helli** Anmonites, Schafhaeuti, Geogn. Unters. südbay. Alpengeb. 1850, 107.
- Helminthodichnites** Fitch, Trans. N. Y. Agric. Soc. IX. 1849, 866 & 868.—*ine sed.* [teste Nomen. anim.].
- Helobium** Leach in Brewster, Edinb. Ency. IX (1) 1815, 83.—Col. [teste Nomen. anim.].
- Helocentrus** Fleming, Phil. Zool. II. 1822, 393; *pro* Holo→, Gron. [teste Nomen. anim.].
- Helodroma** Kaup, Entwickgesch. 1829, 195; *pro* H—s, 1829 [teste Nomen. anim.].
- Helodromus** Gray, Gen. Birds, III. 1849, 572; *pro* H—mas, Kaup [teste Nomen. anim.].
- Helomyia** Meigen, Syst. Besch. Zweifl. Ins. VII. 1838, 283; *pro* Elomyia, Macq. [teste Nomen. anim.].
- Helophilus** W. E. Leach in Brewster, Edinb. Ency. XII (1) 1817, 159.—*emend.* *pro* Eophilus, Meig.
- Helotis** Swainson, Hist. Classif. Fish. I. 1838, 80; *pro* Helotes, Cuv. [teste Nomen. anim.].
- Heluo** Blainville, Dict. Sci. Nat. XLVII. 1827, 258; *pro* Helluo, Ok. [teste Nomen. anim.].
- helveticus** Tetrao, Thienemann, Fortpfl. Vögel Eur. (3) 1829, 95 [teste C. W. R.].
- Hemeroptena** Agassiz, Nom. Zool. Index Univ. 1846, 176; *pro* Hemera→, Sod. [teste Nomen. anim.].
- Hemicardia** J. Fleming (*ex* Cuv. *vernac.*), Ency. Brit. (Suppl. 4-6 eds.) III (1) 1818, 304.—L. [teste R. Stewart].
- Hemicardium** Schweigger (*ex* Cuv. *vernac.*), Handb. Naturg. 1820, 707.—L. [teste R. Stewart].
- Hemicycloclonta** Deshayes, Traité Conch. I (2) 1850, 251.—L. [teste Nomen. anim.].
- Hemidactylus** Oken, Isis, 1817, 1183.—R.
- Hemipalma** Griffith in Cuvier, Anim. Kingd. VIII. 1829, 303; *pro* Hemipalama, Bon. [teste Nomen. anim.].
- Hemiprocnes** Nitzsch, Obs. Av. Carot. 1829, 15.—A. [teste Nomen. anim.].
- Hemipterix** Thienemann, Fortpfl. ges. Vog. (5) [1850], 223; *pro* H—yx [teste Nomen. anim.].
- Hemirhamphus** F. S. Voigt in Cuvier, Das Thierr. II. 1832, 383.—P. [teste G. P. W.].
- hemispherica** Ananchytes, S. Woodward, Geol. Norf. 1833, 37 & 47.
- Hemitriton** v. d. Hoeven, Handb. Dierk. II (2) 1833, 305.—Amph. [teste Nomen. anim.].
- Hemiulus** Agassiz, Nom. Zool. (Pisc.) 1845, 30; *pro* Hemiulis, Sw. [teste Nomen. anim.].
- Henicurus** Nitzsch, Syst. Pterylogr. 1840, 117; *pro* Enicurus, Temm. [teste Nomen. anim.].
- heos** Apatura, Meigen, Syst. Besch. Europ. Schmett. I (3) 1828, 94 [teste A. F. H.].
- Hepale** Ritgen, Nat. Einth. Säug. 1824, 32; *pro* Hapale, Ill. [teste Nomen. anim.].
- hepburni** Perdix, J. E. Gray, Ill. Indian Zool. I (8) Oct. 1831 (pl. 55).
- hephele** Saperda; *lege* **nephele**.
- Hepiscope** G. Tilesius, Isis (Munich) (5) 1850, 75 [*pro* Phyllodroma, Lacord.].
- Heptadonta** Lacordaire, Mém. Soc. Liège, I (1) 1843, 107; *pro* Hepto→, Hope [teste Nomen. anim.].
- Heptaphyllus** Dejean, Catal. Coléopt. 1821, 98.—Col. [teste Nomen. anim.].
- Heptastomum** Diesing, Syst. Helminth. I. 1850, 289 & 418; *pro* Hepto→, Schom. [teste Nomen. anim.].
- Heptatremus** Swainson, Hist. Classif. Fish. II. 1839, 197 & 338; *pro* Eptatretus, Cloq. [teste Nomen. anim.].
- Hercyna** Stephens, Cat. Brit. Ins. (Haust.) 1829, 140.—Lep. (Geom.) [*n. n.*, teste Nomen. anim.].
- hercynianus** Echthrus, T. Hartig, Ber. nat. Ver. Harzes, 1846-47 (1847), 16.
- Herecula** Gervais, Dict. Univ. Hist. Nat. V. 1844, 192; *pro* Haerucula, Pall. [teste Nomen. anim.].
- Heremites** Gray, Cat. Lizards Coll. B. M. 1845, 113.—R. [teste Nomen. anim.].
- Heretula** Hermannsen, Ind. Gen. Malac. I. 1847, 495.—L. [teste Nomen. anim.].
- Herias** Oken, Isis, 1817 [117b]; *pro* Heriades, Spin. [teste Nomen. anim.].
- herichsoni** v. **erichsoni**.
- Herminea** Soderovsky, Bull. Soc. Moscou, 1837, no. 6, Ent. Unters. 1837, 18; *pro* Herminia, Latr. [teste Nomen. anim.].
- heros** Asaphus, Dalman, Aarsberätt. K. Vet. Ac. 1828, 135.

- Herpethoteres** Lafresnaye, Rev. Zool. II. 1839, 196; *pro* Herpetotheres, Vieill. [teste Nomen. anim.].
- Hersé** Lesson, Compl. Buffon, VIII. 1837, 496.—A. [teste Nomen. anim.; *vernac.*].
- herse** Papilio, Hufnagel, Berlin Mag. II. 1700, 84 [teste A. F. H.].
- Hesiona** Guérin-M., Iconogr. III. 1844, 10; *pro* Hesione, Lam. [teste Nomen. anim.].
- Hesperanthias** Lowe, Proc. Zool. Soc. Lond. XI. 1843, 14.—P. [teste Nomen. anim.].
- Hestesis** Agassiz, Nom. Zool. (Col.) 1846, 78; *pro* Hesthesis, Newm. [teste Nomen. anim.].
- Hetamys** [? Autor], London Ency. XXII. 1829, 746.—M. [teste Nomen. anim.].
- Hetara** Billberg, Enum. Ins. 1820, 79; *pro* Hartera, Fab. [teste Nomen. anim.].
- Heterarthron** Gistel, Nat. Thierr. 1848, 190.—Col. (Tenebr.) [teste Nomen. anim.].
- Heterelus** C. S. Rafinesque, Poësis Sondol. 1814, wrapper [p. 3].—Cr. [n. n.].
- Heterilos** Rafinesque, Ann. Phil. IV. 1814, 449.—Cr. [n. n.].
- Heterobranchus** Cuvier, Règne Anim. II. 1817, 205.—P. [teste Nomen. anim.].
- Heterodon** Latreille in Sonnini's Buffon (Rept.) III. 1802, 102; *pro* Heterodon [teste Nomen. anim.].
- Heterodon** Bleeker, Nat. gen. Arch. Ned.-Indie, II. 1845, 523.—P. [teste Nomen. anim.].
- Heterolepis** A. Smith, Ill. Zool. S. Afr. (25) 1847, Rept. pl. IV.—R. (Oph.) [teste Nomen. anim.].
- Heteroneura** Fallen, Agromyz. Sæc. 1823, 2.—Dipt. (Acalypt.) [teste Nomen. anim.].
- Heterornis** Bonaparte, Cons. gen. Avium, I. 1850, 418; *pro* Hetaornis, Gray [teste Nomen. anim.].
- Heteroscelis** Latreille in Cuvier, Règne Anim., ed. 2, V. 1829, 194.—Hem. [teste Nomen. anim.].
- Heterostilum** Macquart, Mém. Soc. Lille, 1847 (1848), 231; *pro* H—stylum [teste Nomen. anim.].
- Heterotoma** Lepeletier & S., Ency. Méth. X (1) 1825, 326.—Hem. (Geocor.) [teste Nomen. anim.].
- Heterusia** Doubleday, Zoologist, II. 1844, 468.—Lep. (Agan.) [teste Nomen. anim.].
- Heterodon** Latreille in Sonnini's Buffon, III. 1802, 88.—R. [teste Nomen. anim.].
- Hexagrammos** Tilesius, Mém. Ac. St Pétersb. II. 1810, 535.—P. [teste Nomen. anim.].
- Hexanchias** Swainson, Hist. Classif. Fish. I. 1838, 148; *pro* Hexanchus, Raf. [teste Nomen. anim.].
- hexapterata** Pterapherapteryx, J. Curtis, Brit. Entom. II. 1825, 64 [n. n.].
- Hexastoma** Kuhn, Mém. Mus. Paris, XVIII. 1829, 358.—Verm. (Trem.) [teste Nomen. anim.].
- Hexastoma** Rolando, Atti Acc. Siena, X. 1841, 4.—Verm. (Nem.) [teste Nomen. anim.].
- Hexatricha** White, Zool. "Ereb.-Terr." II. (Ins.) 1846, 21.—Col. [teste Nomen. anim.].
- Hexuroptera** Huebner, Index exot. Lep. 1821, 3; *pro* H—teris, 1816 [teste Nomen. anim.].
- Hyaena** F. Cuvier, Dict. Sci. Nat. LIX. 1829, 447; *pro* Hyaena, Briss. [teste Nomen. anim.].
- hians** Amphidesme; *lege* Amphidesma.
- hibisci** Papilio, Boeber in Ochsenheimer, Schmett. Europa, IV. 1816, 158 [teste A. F. H.].
- Hidatula** Diesing, Syst. Helm. I. 1850, 485; *pro* Hy—, Abild. 1790 [teste Nomen. anim.].
- hiera** Satyrus (Huebn.), J. B. Boisduval, Icon. Lépid. Europ. I., 220 (1833).—Papilio.
- Hieraspizia** Kaup in Jardine, Contr. Orn. 1850, 63; *pro* H—za, 1844 [teste Nomen. anim.].
- Hilobates** F. Cuvier, Dict. Sci. Nat. LIX. 1829, 396; *pro* Hy— [teste Nomen. anim.].
- Himanthopoda** Latreille 1825 [teste Nomen. anim.; *vernac. est*].
- Hinas** F. Boie, Isis (Oken), XIX. 1826, 970; *pro* Hians, Lac. [teste Nomen. anim.].
- Hinulus** Dejean, Catal. Coléopt. 1821, 94.—Col. [teste Nomen. anim.].
- Hipdys** Rafinesque, Car. n. gen. 1810, 41; *pro* Hypodis [teste Nomen. anim.].
- Hipehaphus** [Hodgson], Journ. Asiat. Soc. Bengal, IV. 1835, 523.—M. [teste Nomen. anim.].
- Hiperantha** Mannerheim (ex Gistel MS), Bull. Soc. Moscou, 1837, 99 *nota*.—Col. [teste Nomen. anim.].
- Hipogymna** Huebner, Tentamen 1806, 1.—Lep. [teste Nomen. anim.].
- Hipollaetis** Laporte, Etud. Ent. (2) 1835, 153; *pro* Hipoloetis [teste Nomen. anim.].
- Hipparionix** Vanuxem, N. H. New York (Geol. 3 distr.) 1842, 124 [teste Nomen. anim.; *non* H—yx teste Sherborn, Ind. Anim., p. 2995].
- Hipparionyx** King, Ann. Nat. Hist. XVIII. 1846, 37; *pro* H—ix, Van. [teste Nomen. anim.].
- Hippasterias** Agassiz, Nom. Zool. (Ech.) 1842, 8; *pro* H—ia, Gray [teste Nomen. anim.].
- Hippeutes** J. E. Gray, Figs. Moll. Anim. IV. 1850, 119 [—Hippentis, Ag., teste E. R. S.].
- Hippocrenas** Reichenbach, Zool. I. 1828, 91; *pro* H—chrenes, Montf. [teste Nomen. anim.].
- hippocrepis** [Linza], F. v. P. Schrank, Briefe an Nau, 1802, 104.

- Hippolaetis** Agassiz, Nom. Zool. [Col.] 1846, 80; *pro* H—loetis, Lap. [*teste* Nomen. anim.].
- hippolais** Trochilus, J. Rennie, Time's Telescope, 1833, 24. [A. F. H.]
- hippolytus** Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VIII. 1776, 126 [*teste* Nomen. anim.].
- hippomedusa** Hipparchia, Ochsenheimer, N. Auz. Allg. Schweiz. Ges. IV (2) 1820, 15.
- Hipponae** McMurtrie in Cuvier, Anim. Kingd. 1834, 282; *pro* Hipponoe, Aud. & Edw. [*teste* Nomen. anim.].
- hipponoe** Papilio, Bergstraesser, Nom. Ins. II. 1779, 52 [*teste* A. F. H.].
- hipponoe** Papilio, Esper, Die Schmett. I. Bd. 2, Forts. Tagschm. [1780], 68 [*teste* A. F. H.].
- Hippopigenus** Renier, Tavole [1804] vii.—L. [*teste* Nomen. anim.].
- Hippopoda** Blainville, Man. Actin. 1834, 121; *pro* Hippopodius, Q. & G. [*teste* Nomen. anim.].
- Hippopothamus** Boddaert, Elench. 1784, 52 & 165; *pro* H—tamus, L. [*teste* Nomen. anim.].
- Hipporitherium** Pomet, Bull. Soc. géol. France [2] IV. 1847, 586; *pro* Hippar→, Christol [*teste* Nomen. anim.].
- Hippoterium** Lesson, N. Tabl. 1843, 166; *pro* Hippoth→, Kaup [*teste* Nomen. anim.].
- Hippothoe** Blainville, Dict. Sci. Nat. LX. 1830, 427; *pro* H—a, Lam. [*teste* Nomen. anim.].
- Hipterus** Hermannsen, Ind. Gen. Malac. I (5) 1847, 539; *pro* Hypterus, Raf. [*teste* Nomen. anim.].
- Hirudinaria** Scacchi, Oss. zool. (1) 1833, 9 —L. [*teste* Nomen. anim.].
- Hirudinella** Blainville, Dict. Sci. Nat. LVII. 1828, 586; *pro* Hirudinelle (*vernac.*) 1824 [*teste* Nomen. anim.].
- Hirundigenus** Renier, Tavole [1804] vii.—L. [*teste* Nomen. anim.].
- hirundinacea** Muscicapa, C. J. Temminck (*ex* Reinw. MS) in T. & Laugier, Pls. color. (20) June 1824.
- Hirundinapus** Gray, Cat. Manm. Nepal. 1846, 54; *pro* Hirundapus, Hodg. [*teste* Nomen. anim.].
- hirundinis** Stenopteryx (L.), W. E. Leach in Brewster's Edinb. Ency. XII (1) 1817, 162.—Hippobosca, 1758.
- Hirundo** [? Autor], London Ency. XXII. 1829, 783; *pro* Hirudo, L. [*teste* Nomen. anim.].
- hirundo** Dactylopterus, Cuvier, Planches de Seba (5) 1827, 5.
- hispidus** Planorbis, F. v. P. Schrank, Briefe an Nau, 1802, 366.
- Histiophorus** Agassiz, Nom. Zool. Index Univ. 1846, 183 & 197; *pro* Istio→, Gray [*teste* Nomen. anim.].
- Histiurus** Wiegmann, Herp. Mex. 1834, 14; *pro* Istiurus, Cuv. [*teste* Nomen. anim.].
- Histrix** G. B. Sowerby, II., Conch. Man., ed. 2, 1842, 164; *pro* Hystrix, Humph. [*teste* Nomen. anim.].
- hochhuthi** Volucella, Ginmerthal, Zwölf neue Dipt., Feb. 1847, 10.
- Hoematobia** Lepeletier de S. F. (*ex* Rob. MS), Lepeletier & Serville, Ency. Méth. (Ins.) X (2) 1828, 499 [*non* Haem→; *teste* J. H. D.].
- Hoematornis** Lesson, Echo Monde Savant [2] VII. 1843, 36; *pro* Haem→, Vig. [*teste* Nomen. anim.].
- Hoemocharis** Moquin-T., Mon. Hirud. 1827, 22; *pro* Haem→, Sav. [*teste* Nomen. anim.].
- Hoemosolen** Lonsdale in Dixon, Geol. Sussex, 1850, 307 [*teste* Nomen. anim.; *err. pro* Homeosolen, *q. v.*].
- Hoffmanseggia** Kolenati (*ex* Leach MS), Gen. Trichopt. I. 1848, 101 [*teste* Nomen. anim.].
- Holconotus** Schmidt-G., F. Coleopt. Birm. 1846, Umschl. [4].—Col. [*teste* Nomen. anim.].
- Holiptilus** Laporte, Mag. Zool. 1832 (Ins.), 50; *pro* Holop→, L. & S. [*teste* Nomen. anim.].
- Holocenthrus** J. A. Scopoli, Introd. Hist. Nat. 1777, 449.—P. [= Holocentrus].
- Holochyse** Lesson, N. Tabl. 1842, 137; *pro* Holochilus, Brandt [*teste* Nomen. anim.].
- Holoderma** Gray in Griffith's Cuvier, Anim. Kingd. IX. 1831, Syn., 28; *pro* Helo→ [*teste* Nomen. anim.].
- Holophora** Amyot, Ann. Soc. Ent. France [2] V. 1847, 182; *pro* Hoplophora, Germ. [*teste* Nomen. anim.].
- Holopterus** Brehm, Isis (Oken), 1845, 349; *pro* Hoplop→, Bonap. [*teste* Nomen. anim.].
- Holostoma** Cuv., p. 3029; *lege* Helostoma [*teste* G. P. W.].
- Holustus** Steven, Mus. Univ. Mosqu. 1829, 21.—Col. [*teste* Nomen. anim.].
- Holymenia** Burmeister, Rev. Ent. (Silberm.) II. 1834, 12; *pro* Holhymenia, L. & S. [*teste* Nomen. anim.].
- Holyotis** Schinz in Cuvier, Thierr. IV. 1825, 588; *pro* Haliotis, L. [*teste* Nomen. anim.].

- Homalaxon** Bronn, Index Pal. 1848, 842; *pro* Omalalaxis, Herm. [*teste* Nomen. anim.].
- Homaloderes** Solier, Ann. Soc. Ent. France, III, 1834, 502 *nota*.—Col. [*n. n.*, *teste* Nomen. anim.].
- Homalops** Burmeister, Gen. Quaed. Ins. I (5) Opson. 1840, *nota*; *pro* Opshomala [*teste* Nomen. anim.].
- Homalopus** Solier, Ann. Soc. Ent. France, V, 1836, 78 *nota*.—Col. Tenebr. [*teste* Nomen. anim.].
- Homalysus** Gistel, Nat. Thierr. 1848, p. xiv; *pro* Omalisus, Geoff. 1762 [*teste* Nomen. anim.].
- Homatonotus** Emmerich, N. Jahrb. f. Min. 1845, 32 [= Homalonotus].
- Homeosaurus** Sherborn, Index Anim. 1927, 3032; *err. pro* Homoeosaurus, H. v. Meyer, 1850 [*teste* Nomen. anim.].
- Homoeocerus** Agassiz, Nom. Zool. (Hem.) 1843, 10; *pro* Homoeocerus, Burm. [*teste* Nomen. anim.].
- Homoeosaurus** H. v. Meyer, N. Jahrb. f. Min. 1845, 280.—R. [*teste* Nomen. anim.].
- Homoeotelus** Lacordaire, Mon. Erotyl. 1842, 506; *pro* Omoiotelus, Hope [*teste* Nomen. anim.].
- Homolonotus** Emmerich, N. Jahrb. f. Min. 1845, 29 [= Homalonotus]. [*anim.*]
- Homolopsis** Bonaparte, Sagg. An. Vert. 1831, 74; *pro* Homal→, K. & H. [*teste* Nomen. anim.].
- Homonolotus** Murchison (? Koenig MS), Proc. Geol. Soc. Lond. II, 1834, 13, table.—*ine. sed.* [*n. n.*, *teste* Nomen. anim.].
- Hoockeria** Burmeister, Arch. f. Naturg. I (2) 1835, 48; *pro* Hockeria, Walk. [*teste* Nomen. anim.].
- Hopalophus** Bonaparte, Consp. gen. Avium, I, 1850, 360; *pro* Hapalophus, Gray [*teste* Nomen. anim.].
- Hoplocephalus** Wagler, Syst. Amph. 1830, 172 *nota* 2.—R. [*teste* Nomen. anim.].
- Hoplognathus** Agassiz, Nom. Zool. Index Univ. 1846, 185 & 262; *pro* Oplegnathus, Rich. [*teste* Nomen. anim.].
- Hoplurus** Wiegmann, Herp. Mex. 1834, 18; *pro* Oplurus, Cnv. [*teste* Nomen. anim.].
- Horiates** Bonaparte, Consp. gen. Avium, I, 1850, 281; *pro* Horeites, Hodgs. [*teste* Nomen. anim.].
- Hormopeza** Zetterstedt, Isis (Oken), 1837, 31.—Dipt. [*n. n.*, *teste* Nomen. anim.].
- horrida** Protonopsis, J. E. Gray, Cat. Amph. Coll. B. M. 1850, 53.
- hortensis** Philomela, J. Rennie, Time's Telescope, 1833, 32.
- Hortacula** S. D. W., Analyst, IV, 1836, 83; *pro* Horticola, Blyth [*teste* Nomen. anim.].
- hudsonicus** Parus, T. Brown, Ill. Amer. Orn. 1835, Syst. Index, p. i.
- hudsonius** Numenius, T. Brown, Ill. Amer. Orn. 1835, Syst. Index, p. ii.
- Hughuea** Gistel, Nat. Thierr. 1848, 181; *pro* Hughea, Lamx. [*teste* Nomen. anim.].
- humboldtii** Orestias, A. Valenciennes, L'Institut, 1839, 118.
- Huppifer** Burmeister, Handb. Naturg. (2) 1837, 756.—A. [*teste* Nomen. anim.].
- Hurrias** Oken, Isis, 1817, 1183; *pro* Hurria, Daud. [*teste* Nomen. anim.].
- huttuinus** Papilio, Müller in Linnaeus, Syst. Nat. V (1) 17—, 620 [*teste* A. F. H.].
- hyacinthus** Lycaena, Herrich-S., Syst. Bearb. Schmett. Europa, I, 1847, tab. 72 [*n. et f.*, *teste* A. F. H.].
- Hyaenea** Schinz, Nat. Abb. Säug. 1827, 152; *pro* Hyaena, Br. [*teste* Nomen. anim.].
- Hyalaea** Lamarek, Syst. Anim. 1801, 139.—Pter.
- Hyalia** Swainson, Elem. Conch. 1835, 55; *pro* Hyalaea, Lam. [*teste* Nomen. anim.].
- Hyamonus** Rafinesque, Ann. Phil. IV, 1814, 449.—Cr. [*n. n.*].
- Hyans** Fischer de W., Nat. Mus. Paris, II, 1803, 195; *pro* Hians, Lac. [*teste* Nomen. anim.].
- Hyanthina** Porro, Note Bibl. Malac. 1841, 87; *pro* Janthina, Bolt. 1798 [*teste* Nomen. anim.].
- Hyaris** Bechstein, Gemein. Nat., ed. 2, 1809, 1217; *pro* Hians, Lac. [*teste* Nomen. anim.].
- Hyberna** Burmeister, Ins. Syst. 1829, 27; *pro* Hybernia, Berth. [*teste* Nomen. anim.].
- Hybnotus** Leach, Zool. Misc. III, 1817, 100; *pro* Hybonotus, Klug [*teste* Nomen. anim.].
- Hyboclipus** Desor in Agassiz, Mon. Ech. IV, 1842, 7; *pro* H—clypus, Ag. [*teste* Nomen. anim.].
- hybris** Anas, G. I. Molina, Sagg. stor. nat. Chili, ed. 2, 1810, 198.
- Hybusa** Erichson, Arch. Naturg. X (2) 1844, 298.—Orth. [*teste* Nomen. anim.].
- Hyclaeus** Latreille in Cuvier, Règne Anim. III, 1817, 317.—Col. [*teste* Nomen. anim.].

- Hydalus** Gervais, Dict. Univ. Hist. Nat. X. 1847, 74; *pro* Hydatis, Virey [teste Nomen. anim.].
- Hydorchthon** Gray in Griffith's Cuvier, Anim. Kingd. IX. 1831, Syn., 108; *pro* Hypochthon [teste Nomen. anim.].
- Hydotina** Bory, Dict. Class. Hist. Nat. XVII. 1831, 53; *pro* Hydatina, Ehr. [teste Nomen. anim.].
- Hydrachne** Latreille, Hist. Crust. Ins. III. 1802, 76; *pro* H—a (Dytisc.), Fab. [teste Nomen. anim.].
- Hydraechus** Stephens, Man. Brit. Col. 1839, 88.—Col. [teste Nomen. anim.].
- Hydrarchus** J. Mueller, Foss. Zeugl. Nord-Amer. 1849, 2; *pro* Hydrargos, Koch [teste Nomen. anim.].
- Hydrargos** Koch, Descr. Hydrargos, 1845, 3.—M. [teste Nomen. anim.].
- Hydrargyra** Rafinesque, Analyse, 1815, 88; *pro* H—gira, Lac. [teste Nomen. anim.].
- Hydrax** Berthold in Latreille, Nat. Fam. Thierr. 1827, 59; *pro* Hyrax, Herm. [teste Nomen. anim.].
- Hydrechis** Ritgen, N. Acta Ac. Caes. XIV (1) 1828, 262.—R. [teste Nomen. anim.].
- Hydrocharis** Hope, Col. Man. II. 1838, 125; *pro* H—ra, Berth. [teste Nomen. anim.].
- Hydrocharus** Gray, Ann. Phil. [2] X. 1825, 341; *pro* Hydrochoerus, Br. [teste Nomen. anim.].
- Hydrochiledon** Blyth, Journ. Asiat. Soc. Bengal, XV. 1847, 373; *pro* H—chelidon, Boie [teste Nomen. anim.].
- Hydrochoenus** Gray, London Med. Repos. XV. 1821, 304; *pro* H—choerus, Br. [teste Nomen. anim.].
- Hydrophora** Parrot, Mém. Ac. St Pétersb. [6] IV. 1836, 87; *pro* Hydno→, Fisch. [teste Nomen. anim.].
- Hydropsis** Oersted, Region. mar. 1844, 81.—Polyz. [teste Nomen. anim.].
- Hydrosplaeus** Leuckart, Isis (Oken), 1821, Litt. Anz., 259.—Amph. [teste Nomen. anim.].
- Hydrotidassum** *emend.* *pro* H—son, Gistel; G. Tilesius, Isis (Munich) (3) 1850, 44.
- Hydrurus** Agardh, Syst. Alg. 1824, 24.—Flagell. Euf. [teste Nomen. anim.].
- hyemalis** Culex, Amer. Journ. Agric. Sci. V. 1847, [8].
- Hyena** Desmarest, N. Dict. XXIV. 1804, tabl. p. 18; *pro* Hyæna, L. [teste Nomen. anim.].
- Hyerofalco** Lesson, Compl. Buffon, VII. 1836, 127; *pro* Hi→, Cuv. [teste Nomen. anim.].
- Hygina** J. E. Gray, Cat. Snakes Coll. B. M. 1849, 39 & 75; *pro* Higina, 1842 [teste Nomen. anim.].
- Hygrobates** M. H. C. Lichtenstein, Verz. Samml. neuhöll. Nat. 1837, 6.—*emend.* *pro* Hydrobates, Temm. [teste C. W. K.].
- Hylactis** Burmeister, Verz. Mus. Halle-Wittenb. 1850, 45; *pro* Hylactes, King, 1831 [teste Nomen. anim.].
- Hyladactyla** Tschudi, Mém. Soc. Neuchâtel, II (4) 1839, 85; *pro* H—s, 1838 [teste Nomen. anim.].
- Hylaedactylus** Duméril & Bibron, Erpét. VIII. 1841, 732; *pro* Hyla→, Tsch. 1838 [teste Nomen. anim.].
- hylassus** Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) X. 1800, 266 [teste A. F. H.].
- Hyledactylus** Casto de Elera, Cat. Fauna Filipinas, I. 1845, 453; *pro* Hyla→, Tsch. 1838 [teste Nomen. anim.].
- Hyleisnus** Rafinesque, Analyse, 1815, 220; *pro* Hylesinus, p. 78 [teste Nomen. anim.].
- Hyleus** Spinola, Ins. Ligur. I. 1806, 114; *pro* Hylæus, Fab. 1793 [teste Nomen. anim.].
- Hyllomys** Pomel, Arch. Sci. phys. nat. IX; 1848, 163; *pro* Hylo→, Müll. 1839 [teste Nomen. anim.].
- Hylobates** King, Zool. Journ. IV. 1828, 100; *pro* Hydro→, Temm. 1826 [teste Nomen. anim.].
- Hylocariss** Lesson, Echo [2] VIII. 1843, 758; *pro* H—charis, Boie, 1831 [teste Nomen. anim.].
- Hylophila** Kirby & Spence, Introd. Entom., ed. 5, I. 1828, 107.—Dipt. [teste F. J. G.].
- Hylorynchus** Gay, Chile (Zool. I.) 1847, 369; *pro* Sty→, Less. 1844 [teste Nomen. anim.].
- Hylurgus** Brullé in Webb & B., Hist. Canaries, II (2) Ent. 1840, 71.—Col. (Curc.) [teste Nomen. anim.].
- Hymenopa** Serville, Hist. Ins. Orth. 1839, 162; *pro* H—pus, 1831 [teste Nomen. anim.].
- Hymenosoma** Desmarest, Dict. Sci. Nat. XXVIII. 1823, 259 & 275 [teste Nomen. anim.].
- Hyoena** Lesson, N. Tabl. 1842, 37; *pro* Hyæna, Br. 1762 [teste Nomen. anim.].

- Hyoenodon** Lessm., N. Tabl. 1842, 38; *pro* Hyae→, L. & P. 1835 [*teste* Nomen. anim.].
- Hypolithus** Herrmannsen, Ind. Gen. Malac. I. 1847, 547; *pro* H—thus, Ebnw. 1840 [*teste* Nomen. anim.].
- Hypacantha** Rafinesque, Ind. Ittiol. Sicil. 1810, 66 & 67; *pro* H—tus, 1810 [*teste* Nomen. anim.].
- Hypania** Kupffer (ex Pander MS), Ann. Sci. Nat. XXII 1831, 245.—L. [*teste* Nomen. anim.].
- Hypanthocrinus** J. Morris, Cat. Brit. Foss. 1843, 54 [*teste* Nomen. anim.]. [anim.].
- Hypanus** Rafinesque, Amer. Month. Mag. III. 1818, 272.—P. [*teste* Nomen. anim.].
- Hypaspidium** Villa, Col. Eur. 1833, 31.—Col. [*teste* Nomen. anim.].
- Hypatina** Stephens, Ill. Brit. Ent. (Haust. IV.) 1835, 422; *pro* H—tima, Huebn. 1826 [*teste* Nomen. anim.].
- Hypercompa** Billberg, Enum. Ins. 1820, 91; *pro* H—e, Huebn. 1806 [*teste* Nomen. anim.].
- Hyperdordons** Gray, London Med. Repos. XV. 1821, 310; *pro* Hyperoodon, Lac. 1804 [*teste* Nomen. anim.].
- Hyperia** Desmarest (ex Latr. MS), Dict. Sci. Nat. XXVIII. 1823, 347.—Cr. [*teste* Nomen. anim.]. [anim.].
- Hypermnestra** Ménétriers, Mém. Ac. St Pétersb. [6] VI. 1848, 174.—Lep. [*teste* Nomen. anim.].
- Hyperotus** Herrmannsen, Ind. Gen. Malac. II [6] 1849, 671; *pro* Uperotus, Gaett. 1770 [*teste* Nomen. anim.].
- Hyphaerion** Erichson, Arch. f. Naturg. V (2) 1839, 317; *pro* H—reon, MacL. 1825 [*teste* Nomen. anim.].
- Hyphanthornis** Sundevall, Öfvers. Ak. Forh. VII (4) 1850, 97; *pro* H—tornis, Gray, 1844 [*teste* Nomen. anim.].
- Hypheus** Gisl. Syst. Ins. I (1) 1838, 131.—Col. [*teste* Nomen. anim.].
- Hypnaxis** J. E. Gray, Proc. Zool. Soc. Lond. XV. 1847, 185; *err. pro* Hypanis, Kupff. 1831 [*teste* Nomen. anim.].
- Hypobdelle** Cuvier, Règne Anim., ed. 2, III. 1830, 214; *pro* Hippobdella, Bl. 1827 [*teste* Nomen. anim.].
- Hypochalcea** Huebner, Verz. bekannt. Schmett. 1826, Anz., p. 58; *pro* H—ia [*teste* Nomen. anim.].
- Hypochton** Tschudi, Mém. Soc. Neuchâtel, II (4) 1838, 97; *pro* H—thon, Merr. 1820 [*teste* Nomen. anim.].
- Hypocnemus** Gray, Gen. Birds, III. 1849, App., p. 9; *pro* H—is, Cab. 1847 [*teste* Nomen. anim.].
- Hypocrita** J. Huebner, Exot. Schmett. (Lep.), pl. 180 & 184; *pro* Hipocrita. [anim.].
- Hypodaeus** Schinz, Act. Soc. Helvet. (Lausanne, 1843) 1843, 325; *pro* Hypu→, Ill. 1811 [*teste* Nomen. anim.].
- Hypodis** Rafinesque, Caratt. n. gen. 1810, 41.—P. [*teste* Nomen. anim.].
- Hypogastrurus** Walckenaer & Gervais, Hist. Apt. III. 1844, 399; *pro* H—ra, Bourl. 1839 [*teste* Nomen. anim.].
- Hypoloxias** Bonaparte (ex Licht. MS), Consp. gen. Avium, I (2) 1850, 518.—A. [*teste* Nomen. anim.].
- Hypolymnas** Huebner, Verz. bekannt. Schmett. 1826, Anz., p. 6.—Lep. [*teste* Nomen. anim.]. [anim.].
- Hypomorphinus** Gray, Gen. Birds, I. 1845, 14; *pro* H—phnus, Cab. 1844 [*teste* Nomen. anim.].
- Hypopthalmus** Swannson, Hist. Classif. Fish. I. 1838, 89 & 346; *pro* H—phthalmus, Ag. 1829 [*teste* Nomen. anim.].
- Hypothyms** Nitzsch, Syst. Pterylogr. 1840, 110; *pro* H—mis, Temm. 1828 [*teste* Nomen. anim.].
- Hypotymis** Temminck, Pls. color., Gen. Hypotime, 1828, [p. 2] [*teste* Nomen. anim.].
- Hypocampus** Duvernoy, Ann. Sci. Nat. (Zool.) [3] I. 1844, 320; *pro* Hipp→, Raf. 1810 [*teste* Nomen. anim.].
- Hyppolais** Brehm, Isis (Oken), 1843, 498 & 505; *pro* Hipp→ [*teste* Nomen. anim.].
- Hypolyte** Leach, Tr. Linn. Soc. Lond. XI (2) 1815, 346; *pro* Hipp→ [*teste* Nomen. anim.].
- Hypopotamus** Eaton, Zool. Textb. 1826, 59; *pro* Hipp→ [*teste* Nomen. anim.].
- Hypsa** Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 860 & 1096.—Col. [*teste* Nomen. anim.].
- Hypselonotus** C. W. Hahn, Icones Mon. Cimicium, 1826, fasc. 1.—Hem.
- Hypselophus** Agassiz, Nom. Zool. (Hem.) 1843, 11; *pro* H—pus, Burm. 1835 [*teste* Nomen. anim.].

- Hypsiprimnus** Serres, Ess. Cavernes, ed. 3, 1838, 201; *pro* H—primnus, Ill. 1811 [teste Nomen. anim.].
- hypsipyle** Papilio, Schulze, Naturforscher, IX. 1776, 221 [teste A. F. H.].
- Hypsirina** Gray, Ill. Indian Zool. II [1833–34], tab. 87; *pro* H—rhina, Wagl. 1839 [teste Nomen. anim.].
- Hypsyprymnus** Cuvier, Règne Anim. I. 1817, 180; *pro* Hypsip→ [teste Nomen. anim.].
- Hyptyopus** Blyth, J. Asiat. Soc. Bengal, XI. 1842, 11; *pro* Hypliopus, Hodg. 1841 [teste Nomen. anim.].
- Hypudoeus** Anon., Zool. Journ. III. 1827, 463; *pro* II—daeus, Ill. 1811 [teste Nomen. anim.].
- Hysia** Gistel, Nat. Thier. 1848, 100; *pro* Elysia, Heinpr. 1820 [teste Nomen. anim.].
- Hyspibatus** p. 3093; *lege* **Hypsibatus**.
- Hysteroconcha** Hermannsen (*ex* Lang, 1722), Ind. Gen. Malac. I (5) 1847, 549.—L. [teste Nomen. anim.].
- i-album** Papilio, Esper, Die Schmett., Suppl., 1 Abschn., Tagschm. 1793, 14 [teste A. F. H.].
- Iacchus** Desmarest, Mamm. Descr. (1) 1820, 31; *pro* Jacchus, Geoff. 1812 [teste Nomen. anim.].
- Iaculus** Wagner in Schreber, Säug. Suppl. III. 1843, 292; *pro* Jaculus, Erx. 1777 [teste Nomen. anim.].
- Ialmenus** Doubleday, List Lepid. Coll. B. M. II. 1847, 28; *pro* Jalmenus, Huebn. 1826 [teste Nomen. anim.].
- Ianthina** Fischer de W., Mus. Dénid. III. 1807, 221; *pro* Janthina, Bolt. 1798 [teste Nomen. anim.].
- Ianthocyncla** Lafresnaye, Rev. Zool. III. 1840, 207; *pro* I—cincla, Gould, 1835 [teste iapygia Papilio, Cyrrilli, Ent. Neap. I. 1787, pl. 3, f. 5 [teste A. F. H.]. [Nomen. anim.].
- Ibiba** Gray, Ann. Phil. [2] X. 1825, 209.—R. [teste Nomen. anim.].
- Ibidirhyncha** Selby, Cat. Typ. Birds, 1840, 42 & 67; *pro* Ibido→ [teste Nomen. anim.].
- Ibidorhynchus** Gray, List Birds B. M. III. 1844, 95 & 201; *pro* I—a, Vig. 1832 [teste Nomen. anim.].
- Ibijan** Gray (*ex* Azara), List Gen. Birds, ed. 2, 1841, 9.—A. [teste Nomen. anim.].
- icarius** Papilio, Esper, Die Schmett., Suppl., 1 Abschn., Tagschm. 1793, 35 [teste A. F. H.].
- Ichnestema** Agassiz, Nom. Zool. Index Univ. 1846, 193; *pro* I—stoma, G. & P. 1833 [teste Nomen. anim.].
- Ichtelis** Rafinesque, Ichth. Ohiens. 1820, 89; *pro* Ichthelis, 1820 [teste Nomen. anim.].
- Ichthiobdella** H. M. Edwards in Lamarck, Hist. An. s. Vert., ed. 2, V. 1838, 526; *pro* Ichthy→, Bl. 1827 [teste Nomen. anim.].
- Ichthiosarcolithes** Agassiz, Nom. Zool. (Moll.) 1844, 44; *pro* Ichthyosarcolithes, Desm. 1817 [teste Nomen. anim.].
- Ichthyetus** Lafresnaye, Dict. Univ. Hist. Nat. II. 1843, 432.—A. [teste Nomen. anim.].
- Ichthyorhachis** Agassiz, Nom. Zool. (Polyp. Add.) 1845, 3; *pro* I—rachis, McCoy, 1844 [teste Nomen. anim.].
- Ichthyosarcolithes** Blainville, Dict. Sci. Nat. XXXII. 1824, 191; *pro* I—tes, Desm. 1817 [teste Nomen. anim.].
- Ichthyosiagon** Hermannsen, Ind. Gen. Malac. I. 1847, 555; *pro* I—gones, Bourd. 1822 [teste Nomen. anim.].
- Ichthyobdella** Orsted, Reg. Mar. 1844, 80; *pro* Ichthy→, Bl. 1827 [teste Nomen. anim.].
- Ichthelis** Rafinesque, Ichth. Ohiens. 1820, 27 & 88.—P. [teste Nomen. anim.].
- Ichthiobdella** Westwood in Blyth, Cuvier's Anim. Kingd. 1840, 400; *pro* Ichthy→, Bl. 1827 [teste Nomen. anim.].
- Ichthiosaurus** Gray, Ann. Phil. [2] X. 1825, 195; *pro* Ichthy→, Koen. 1818 [teste Nomen. anim.].
- Ichthyaëtus** Blyth, J. Asiat. Soc. Bengal, XI. 1842, 110; *pro* Ichthiaetus, Lafr. 1839 [teste Nomen. anim.].
- Icthyoborus** Bonaparte, Consp. gen. Avium, I (1) 1849, 17; *pro* Ichth→, Kaup, 1845 [teste Nomen. anim.].

- Ichthyocrinus** Conrad, J. Ac. Nat. Sci. Philad. VIII. 1842, 279.—Ech. [*teste* Nomen. anim.].
- Ichthyosarcolites** G. B. Sowerby, II., Couch. Man. 1839, 53 [Ichthy→, Desm.].
- Ichthyosaurus** Conybeare, Tr. Geol. Soc. Lond. V (2) 1821, 564; *pro* Ichth→, Koen. 1818 [*teste* Nomen. anim.].
- Ichthyosomus** Dejean, Catal. Coléopt., ed. 2, 1835, 327.—Col. [*teste* Nomen. anim.].
- Ictinea** Swainson, Hist. Classif. Birds, I. 1836, 302 & 504; *pro* Ictinia, Vieill. 1816 [*teste* Nomen. anim.].
- Ictis** Schinz, Nat. Abb. Säug. 1824 [1827], 110.—M. [Viverr.] [*teste* Nomen. anim.].
- idalia** Papilio, Drury, Ill. Nat. Hist. I. Index (1773) et 25 (1770) [*teste* A. F. H.].
- Idioceris** J. Curtis, Guide Brit. Ins., ed. 2, 1837, 221.—Dipt.
- Idiocerus** J. Curtis, Brit. Entom. XVI (183) Mar. 1839, no. 733.—Dipt.
- Idiococcyx** Temminck, Pls. color. (91) Calobates, 1832, [1]; *pro* I—cyx, Boie, 1832 [*teste* Nomen. anim.].
- idmon** Papilio, Linnæus, Syst. Nat., ed. 10, 1758, 486; *err.* Sherborni, Index Anim. I., 477, non idmone usque ad ed. 12, 1767, 781.
- Idotea** Dana, Am. J. Sci. [2] VIII. 1849, 426; *pro* Idotea, Web. 1795 [*teste* Nomen. anim.].
- Idotoea** Deshayes in Lamarck, Hist. An. s. Vert., ed. 2, VI. 1835, 218; *pro* Idothea, Schum. 1817 [*teste* Nomen. anim.].
- ilia** Apatura (Cr.), *var.* bunea; Herrich-S., Syst. Bearb. Schmett. Europ. I. 1844, 45 [*teste* A. F. H.].
- ilicioides** Thecla, *var.* maculatus; Gerhard, Vers. Mon. europ. Schmett. (1) 1850, 3 [*teste* A. F. H.].
- Ilisha** Richardson, Rept. Brit. Assoc. XIV (1844) 1845, 306.—P. [*teste* Nomen. anim.].
- Ilisia** Fitzinger, Class. Rept. 1826, 25; *pro* Elysia, Hempr. 1820 [*teste* Nomen. anim.].
- Iluocaetes** Guichenot in Gay, Chile (Zool. II.) 1849, 287; *pro* I—coetes, Jen. 1842 [*teste* Nomen. anim.].
- Ilyas** Leach, Edinb. Ency. VII. 1814, 394 & 431.—Cr. [*teste* Nomen. anim.].
- Ilyiria** Fleming, Phil. Zool. II. 1822, 506.—L. [*teste* Nomen. anim.].
- Ilyornis** Kaup, Entwicklgesch. 1829, 195; *pro* Iliornis [*teste* Nomen. anim.].
- Ilysia** Fitzinger, Class. Rept. 1826, 26 & 54; *pro* Elysia, Hempr. 1820 [*teste* Nomen. anim.].
- Ilythia** Stephens, Cat. Brit. Ins. (Haust.) 1829, 213; *pro* Ilithyia, Berth. 1827 [*teste* Nomen. anim.].
- imbricatum** Buccinum, G. I. Molina, Sagg. stor. nat. Chili, ed. 2, 1810, 178. [anim.].
- imbutiformis** C[adosus], de Blainville (ex Chiaje MS), Man. Actinol. 1834, Nouv. Add. 1837, 675.
- Imisigenus** Renier, Tavole [1804] vii.—L. [*teste* Nomen. anim.]. [G. P. W.].
- immaculata** Dracoep, Cuvier & Val. (ex Q. & G. MS), H. N. Poiss. II. 1828, 430 [*teste* Nomen. anim.].
- immaculatus** Papilio, *var.* iris; Esper, Die Schmett. I (9) 1779, 314 [*teste* A. F. H.].
- Inaures** Munding, Geogr. Vertheil. 1829, 74.—M. [*teste* Nomen. anim.].
- incerta** Tellina, Thurmann in F. A. Roemer, Verst. nordd. Oolithen-Geb. (2) 1836, 121 [n. n. 1833].
- Indalma** Schmidt-G., F. Col. Birm. [Umschl.] 1846, [4].—Col. [*teste* Nomen. anim.].
- indica** Papilio, *var.* atalanta; Herbst in Jablonsky, Nat. Ins. (Schmett.) VII. 1794, pl. 180, f. 1, 2 [n. et f., *teste* A. F. H.].
- indicus** Picus, L. P. Vieillot (ex Gerin), N. Dict. H. N. XXVIII. 1819, 327 [*teste* C. W. R.].
- indicus** Uranoscopus, Bleeker, Verh. Batav. Gen. XXII. 1849, Scleroparei 10 in syn. [ex Kuhl & v. H. MS; *teste* G. P. W.].
- inermis** Macrobrutus, O. Schmidt, Vossisch. Zeitg., Ap. 1846; Inhaltsverz. S. B. Ges. nat. Fr. Berlin, 1860, 15.
- ines** Papilio, Hoffmannsegg, Mag. f. Insektenk. (Illiger) III. 1804, 205 [*teste* A. F. H.].
- inflata** Gervillia, Schaffhaeuth, Geogn. Unters. südbay. Alpengeb. 1850, 134.
- Innus** Geoffroy & C., H. N. Mann. I (2) 1819, 4; *pro* Inuus, G. 1812 [*teste* Nomen. anim.].
- Innuus** Berthold in Latreille, Nat. Fam. Thierr. 1827, 37; *pro* Inuus, Geoff. 1812 [*teste* Nomen. anim.].
- Inoceramos** Menke, Syn. Moll., ed. 2, 1830, 101; *pro* I—us, Park. 1819 [*teste* Nomen. anim.].
- Inoceramus** J. Sowerby, Ann. Phil. IV. 1814, 448; in W. Smith, Strata ident., Oct. 1816, 10.—L. [*teste* L. R. Cox].
- Inoculia** McCoy, 1844; sic Fischer, Man. Conch. 1887, 1174, ? *err.* *pro* Isocardia.
- insignis** Conus, G. B. Sowerby, I., Conch. Illustr. (28) 1833, f. 17 [*teste* Tondin].

- intermedia** Aquila, P. Boitard, H. N. Ois. *Proie Europe*, 1824 [1825] [*teste* E. Hartert *per* C. W. R.].
- Iodopleurus** Parzudaki, *Rev. Zool.* X. 1847, 180; *pro* I—a, Less. 1829 [*teste* Nomen. anim.].
- ioides** Papilio, Ochseuheimer, Schmett. Europa, I (1) 1807, 109 [*teste* A. F. H.].
- iphigenia** Lyaena, Herrich-S., Syst. Bearb. Schmett. Europ. I. 1847, tab. 73 [*n. cf.*, *teste* A. F. H.].
- iphigenia** Papilio, Schulze, Naturforscher, IX. 1776, 108 [*teste* A. F. H.].
- Ipheus** Dejean, Catal. Coléopt., ed. 3, 1834, 203.—Col. (Tenebr.) [*teste* Nomen. anim.].
- Ipsidina** Kaup, Verh. nat. Ver. Hessen (2) 1848, 72; *pro* Isp—, 1848 [*teste* Nomen. anim.].
- irasata** Gena (Dufo), A. Adams, Proc. Zool. Soc. London, XVIII (203) Nov. 12, 1850, 38.—Stomatella, v.p. 3247.
- Irene** Boie, Isis (Oken), XIX. 1826, 976; *pro* I—a, Horsf. 1821 [*teste* Nomen. anim.].
- iris** Papilio, L.; Bergstrasser, Nouv. Ins. III. 1779, 29, *var.* linnæi; 30, *var.* roeselli [*teste* A. F. H.].
- irregularis** Helminthoida, Schafhaeuti, Geogn. Unters. südbay. Alpengeb. 1850, 142.
- Isaurus** Agassiz, Nom. Zool. (Polyp.) 1844, 14; *pro* Isaura [*teste* Nomen. anim.].
- Ischnoceles** Wagner, Arch. f. Naturg. XII (2) 1846, 169; *pro* I—sceles, Strickl. 1844 [*teste* Nomen. anim.].
- Ischnocerus** Dejean, Catal. Coléopt., ed. 3, 1834, 234.—Col. [*n. n.*, *teste* Nomen. anim.].
- Ischnoscelis** Agassiz, Nom. Zool. (Aves Add.) 1845, 11; *pro* I—des, Strickl. 1844 [*teste* Nomen. anim.].
- Ischyia** Agassiz, Nom. Zool. (Lep.) 1846, 38; *pro* Ischyja, Huebn. 1826 [*teste* Nomen. anim.].
- Ischyroceras** Dana, Amer. J. Sci. [2] VIII. 1849, 138; *pro* I—us, Kroy. 1838 [*teste* Nomen. anim.].
- Iscordia** Fleming, Phil. Zool. II. 1822, 506 & 507; *pro* Isocardia, Lam. 1799 [*teste* Nomen. anim.].
- Ismarus** Haliday, Ent. Mag. II. 1835, 467.—Hym. [*teste* Nomen. anim.].
- ismenias** Papilio, Hoffmannsegg, Mag. f. Insektenk. (Illiger) III. 1804, 184 [*teste* A. F. H.].
- Isocarda** Rafinesque, Analyse, 1815, 146; *pro* Isocardia, Lam. 1799 [*teste* Nomen. anim.].
- Isocardigenus** Renier, Tavole [1804] vii.—L. [*teste* Nomen. anim.].
- Isochirus** Desmarest, Dict. Sci. Nat. XXVIII. 1823, 421 [*teste* Nomen. anim.].
- Isocrinus** Agassiz (ex Meyer MS), Mém. Soc. Neuchâtel, I. 1835 (1836), 195 [*teste* Nomen. anim.].
- Isocrinus** Meyer, Institut, III. 1835, 425 [*n. n.*, *teste* Nomen. anim.].
- Isoculia** McCoy, Syn. Carb. Foss. Ireland, 1844, t. 8, f. 15.—L. [*teste* Nomen. anim.].
- Isoculia** Tryon, Man. Conch. III., 190; sic E. R. Sykes in litt. sed *err.* *pro* Inoculia, Fisch., *q. est err.* *pro* Isocardia.
- Isodactylus** Gray, Cat. Lizards Coll. B. M. 1845, 259.—R. [*teste* Nomen. anim.].
- Isodora** Ehrenberg in J. R. Roth, Moll. spec. 1839, 23.—G.
- Isoea** Lucas, Hist. Anim. artic. (Ann. Crust.) 1840, 230; *pro* Isaea, Edw. 1830 [*teste* Nomen. anim.].
- isognomon** Pedalion, Dillwyn (ex Sol. MS), Descr. Cat. Shells, 1817, 282 & Index.
- Isotoma** Blanchard, Hist. Ins. II. 1845, 39.—Col. (Lagriid.) [*teste* Nomen. anim.].
- Itaginis** Reichenbach, Handb. Orn. (Syn. Av.) (3) 1848, [3]; *pro* Ithaginis, Wagl. 1832 [*teste* Nomen. anim.].
- Iteophila** Zetterstedt, Isis (Oken), 1837, 31.—Dipt. [*n. n.*, *teste* Nomen. anim.].
- lthyporus** Dejean, Catal. Coléopt., ed. 2, 1835, 284.—Col. [*n. n.*, *teste* Nomen. anim.].
- Ithys** Hartlaub, Rev. Zool. V. 1842, 204; *pro* Itys, Wagl. 1831 [*teste* Nomen. anim.].
- Iuida** Reichenbach, Avium Syst. 1850, tab. 56; *pro* Juida, Less. 1831 [*teste* Nomen. anim.].
- Iunx** Morris, Naturalist, II (9) 1837, 124; *pro* Jynx, L. 1758 [*teste* Nomen. anim.].
- Iynx** Blumenbach, Handb. Nat. 1779, 194; *pro* Jynx, L. 1758 [*teste* Nomen. anim.].
- Jacamarcion** Dumont, Dict. Sci. Nat. XXIV. 1822, 77; *pro* J—cyon, Less. 1830 [*teste* Nomen. anim.].
- Jaccocua** Swainson, Mag. Zool. Bot. I (5) 1837, 433; *pro* Taccocua, Less. 1830 [*teste* Nomen. anim.].
- Jaceifex** Amyot, Ann. Soc. Ent. France [2] V. 1847, 475.—Hem. [*non binom.*] [*teste* Nomen. anim.].
- Jachus** Schinz, Nat. Abb. Säug. 1824, 51; *pro* Jacchus, Geoff. 1812 [*teste* Nomen. anim.].

- Jacobines** Gray [for Less. MS], List Gen. Birds, 1840, 14.—A. [*teste* Nomen. anim.].
- Jaculator** Schlosser, Phil. Trans. LIV, 1765, 89-91.—P. [*teste* Nomen. anim.].
- Jaculum** Hermannsen, Ind. Gen. Malac. I, 1847, 550.—Ceph. [*teste* Nomen. anim.].
- jahuilma** Psittacus, G. I. Molina, Sagg. stor. nat. Chili, ed. 2, 1810, 217 [jag→, 1782].
- Jaminea** Gray, Proc. Zool. Soc. Lond. XV, 1847, 179; *pro* J—ia, Risso, 1826 [*teste* Nomen. anim.].
- janirula** Papilio, Esper, Die Schmett., Suppl., 1 Abschn., Tagschm. [1799], 103 [*teste* A. F. H.].
- Janthia** Hartlaub, Arch. f. Naturg. XVI (2) 1850, 58; *pro* Ianthia, Blyth, 1847 [*teste* janthian Helix, Anon., Hand-Book Conch. 1839, 21 [*teste* Tomlin]. [Nomen. anim.].
- janthinigenus** Reimer, Tavole [1804] viii.—G. [*teste* Nomen. anim.].
- Janthocinclia** Wiegmann, Arch. f. Naturg. II (2) 1836, 264; *pro* I—, Gould, 1835 [*teste* Nomen. anim.].
- Jasus** Megerie, Cat. Ins. IV, 1804, 12; *pro* Iassus, Fab. 1803 [*teste* Nomen. anim.].
- Jataronus** Bruguière [for Adams], Ency. Méth. (Vers I.) 1792, 546.—L. [*teste* Nomen. anim.].
- javanica** Perdx, C. J. Temminck, [F. Japon.], Disc. prélim. 1835, p. xiii [n. n.].
- Jbis** Selys, F. Belge (1) 1842, 49; *pro* Ibis, Temm. 1815 [*teste* Nomen. anim.].
- Jcteria** Vieillot, Ois. Amér. sept. I, 1807, tab. 55; *pro* Icteria, 1807 [*teste* Nomen. anim.].
- Jecaridea** Burmeister, Verz. Mus. Halle-Witteub. 1850, 26; *pro* Ieracidea, Gould, 1838 [*teste* Nomen. anim.].
- jeffersoni** Mastodon, I. Hays, 1834; sep. 1833 *est.*
- Jerafalco** Kaup, Arch. f. Nat. XVI (1) 1850, 31; *pro* Hierofalco, Cuv. 1816 [*teste* Nomen. anim.].
- Jetroproma** Boie, Isis (Oken), XIX, 1826, 975; *pro* Petrodroma, Vieill. 1816 [*teste* Nomen. anim.].
- Jlicura** Reichenbach, Avium Syst. 1850, tab. 63.—A. [*teste* Nomen. anim.].
- Joera** Gerbe, Dict. Univ. H. N. VII, 1846, 152; *pro* Jora, Horsf. 1821 [*teste* Nomen. anim.].
- Johnnius** Griffith in Cuvier, Anim. Kingd. X, 1834, 152; *pro* Johnius, Bl. 1793 [*teste* Nomen. anim.].
- johnstoni** Lepraha, G. Johnston (*ex* Bean MS), Hist. Brit. Zooph., ed. 2, 1847, 316 [n. n., *teste* S. F. H.].
- Johnstonia** Jay, Cat. Shells, ed. 4, 1850, 95.—G. [n. n., *teste* Nomen. anim.].
- johnstonia** Pachynatisma, G. Johnston, Hist. Brit. Sponges, 1842, 244.
- Johonius** Rafinesque, Analyse, 1815, 85; *pro* Johnius, Bl. 1793 [*teste* Nomen. anim.].
- Juanetia** Orligny, Amér. mérid. V (3) 1846, 737; *pro* Jouannetia, Desm. 1828 [*teste* Nomen. anim.].
- Juglandifex** Amyot, Ann. Soc. Ent. France [2] V, 1847, 481.—Hem. [*non binom.*] [*teste* juli Sporadina, A. v. Frantzius, Arch. f. Naturg. XIV (1) 1848, 195].
- julia** [Papilio] Cramer, Sherborn, Index Anim. 1758-1800, 504; *teste* [Phalaena] [*teste* A. F. H.].
- Jullus** Risso, Hist. Eur. mérid. V, 1826, 148; *pro* Julius, L. 1758 [*teste* Nomen. anim.].
- Julodimorpha** Saunders, 1817; *sic* Nomen. anim.; *sed* ? 1870.
- Julodus** Dejean, Catal. Coleopt. 1821, 95.—Col. [*teste* Nomen. anim.].
- Julus** Swamson, Hist. Class. Fish. II, 1839, 232; *pro* Julius, Cuv. 1814 [*teste* Nomen. anim.].
- Juniperifex** Amyot, Ann. Soc. Ent. France [2] V, 1847, 481.—Hem. [*non binom.*] [*teste* Nomen. anim.].
- junonia** Papilio, var. itis; Borkhausen, Nat. Eur. Schmett. I, 1788, 6 & 194 [*teste* A. F. H.].
- jurensis** Pollitipes, F. A. Roemer, N. Jahrb. f. Min. 1836, 359.
- Kacatua** Schinz in Cuvier, Thierr. I, 1821, 683; *pro* Cacatua, Vieill. 1817 [*teste* Nomen. anim.].
- Kallaspidia** Dahlbom, Skand. Hym., Fauna, 1846, 7; *pro* C→, 1842 [*teste* Nomen. anim.].
- Kalodera** Lafresnaye, Rev. Zool. IV, 1841, 4; *pro* C→, Gould, 1837 [*teste* Nomen. anim.].
- Kalysis** Gervais, Dict. Univ. H. N. VIII, 1840, 334; *pro* H→, Zed. 1803 [*teste* Nomen. anim.].
- Kanguru** Illiger, Prodr. 1811, 80; *pro* K—us, G. & C. 1795 [*teste* Nomen. anim.].

- Karyophyllites** *Gaddus* (ex Knorr MS), Petref. Germ. I (2) 1829, 162.—*Clin. Quat. Nouv.* anim.].
- Kattacincla** Gistel, Nat. Thier. 1848, p. ix; *pro* Kitta→, Gould, 1836 [*teste* Nomen. anim.].
- Kelidocoris** Kolenati, Melet. Ent. (2) 1845, 102.—Hem. [*teste* Nomen. anim.].
- Kellea** De Kay, N. H. New York, V. 1843, 232; *pro* Kellia, Turt. 1822 [*teste* Nomen. anim.].
- Keneus** Cocteau, Ann. Sci. Nat. (Zool.) [2] VII. 1837, 125.—R. [*non binom.*] [*teste* Nomen. anim.].
- Keratoplatus** Latreille, Hist. Crust. Ins. III. 1802, 425; *pro* Kerop→, Bosc, 1792 [*teste* Keromya *lege* Kercomya. (Nomen. anim.)].
- Khoyak** Geoffr. & Cuvier, 1795; *sic* Lesson, Mamm. 1840, 245 [*teste* Nomen. anim.].
- kienerii** Astur; *lege* G. de Sparre *non* Geoffroy.
- Kinkaju** Ritgen, Nat. Einth. Säug. 1824, 28; *pro* K—jou, Lac. 1799 [*teste* Nomen. anim.].
- Kinyxis** Bonaparte, Chilon. Tab. 1836, 5; *pro* Kinixys, Bell, 1827 [*teste* Nomen. anim.].
- Kladyodon** Plieninger, Jahresh. Ver. Württ. II. 1846, 151; *pro* Cladeiodon, Owen, 1841 [*teste* Nomen. anim.].
- Kleidocerus** Burmeister, Handb. Ent. II (1) 1835, 292 & 306; *pro* K—rys, Steph. 1829
- Klio** Mertens, Mém. Ac. St Pétersb. [6] I. 1830, 206; *pro* Clio, L. 1767 [*teste* Nomen. anim.].
- Kola** Gray, London Med. Repos. XV. 1821, 309.—M. [*teste* Nomen. anim.].
- kolenati** Dasypogon, Gimmerthal, Zwölf neue Dipt., Feb. 1847, 10.
- Kolmis** Lesson, Comp. de Buffon, VIII. 1837, 340 & 361; *pro* Nolmis, Boie, 1826 [*teste* Nomen. anim.].
- Kostera** S. Gmelin, Reise Russl. III. 1774, 239 & 240.—P. [*teste* Nomen. anim.].
- Krohnus** Cocco in Krohn, Giorn. Gab. Messina, V. 1844, 1.—P. [*teste* D. S. J.].
- Kroicocephalus** Jameson, Journ. Asiat. Soc. Bengal, VIII. 1839, 243; *pro* Chroi→, Eyt. 1836 [*teste* Nomen. anim.].
- kuhlji** Cervus, C. J. Temminck [F. Japon.], Disc. prélim. 1835, pp. viii & xi [*n. n.*].
- Kuphus** Guettard, 1770; *vide* p. 3329 *non* Cuphus.
- Labigaster** Macquart, Hist. Ins. Dipt. II. 1835, 164; *pro* L—tera, 1834 [*teste* Nomen. anim.].
- Labio** Swainson, Hist. Class. Fish. II. 1839, 185 & 284.—P. [*teste* Nomen. anim.].
- Labis** G. B. Sowerby, II., Conch. Man., ed. 2, 1842, 168.—G. [*teste* Nomen. anim.].
- labradoricus** Anaperus, Troschel, Vossisch. Zeitg., Feb. 1845; Inhaltsverz. S. B. Ges. nat. Fr. Berlin, 1860, 16.
- lacertarum** Ricinus, Contarini, Cat. Uccelli Padova, 1843 [*teste* L. Sambon, *sed n. n.*].
- Lachnaphis** Amyot, Ann. Soc. Ent. France [2] V. 1847 [1848], 483.—Hem. [*non binom.*] [*teste* Nomen. anim.].
- Lachnodaphis** Amyot, Ann. Soc. Ent. France [2] V. 1847 [1848], 483 [*non binom.*] [*teste* Nomen. anim.].
- Lachnolobus** Fries, 1825; *err.* Sherborni *pro* Lachnobolus [*teste* Nomen. anim.].
- Lachryma** L. Reeve (ex Humph. MS), Conch. Syst. 1842, 261 [*in syn.*].—G.
- Lacinea** G. B. Sowerby, II., Conch. Man., ed. 2, 1842, 168; *pro* L—ia, Humph. 1797 [*teste* Nomen. anim.].
- Lacinularia** Schweigger, Handb. Nat. 1820, 408.—Rot. [*teste* Nomen. anim.].
- lactipennis** Tipula, Lindemann in Gimmerthal, Zwölf neue Dipt., Feb. 1847, 9.
- Laemosthenes** Agassiz, Nom. Zool. (CoL) 1846, 87; *pro* L—stenus, Bon. [*teste* Nomen. anim.].
- Laeus** Agassiz, Nom. Zool. Index Univ. 1846, 199 & 200; *pro* Laius, Guér. 1838 [*teste* Nomen. anim.].
- laevigatus** Battus, Dalman, Aarsberätt. K. Vet. Ac. 1828, 136.
- laevissima** Bulliana (Q.), J. E. Gray in M. E. Gray, Figs. Moll. Anim. I. 1842, 12.—Buccinum.
- Lafea** Gray, List Brit. An. Coll. B. M. I. 1848, 85 & 88; *pro* Lafoea, Lamx. 1821 [*teste* Nomen. anim.].
- Laganus** Blainville, Dict. Sci. Nat. LX. 1830, 181; *pro* L—a, Gray, 1825 [*teste* Nomen. anim.].
- Lagocheles** Owen in Todd, Cycl. Anat. III. 1847, 330; *pro* Lagorchestes, Gould, 1841 [*teste* Nomen. anim.].

- Lagomis** Fleming, Phil. Zool. II. 1822, 191; *pro* L—mys, Cuv. 1800 [*teste* Nomen. anim.].
- Lagopsis** Rafinesque, Analyse, 1815, 219; *pro* L—sys; *non* Lagopis, Sherborn [*teste* Nomen. anim.].
- Lagurium** Herrmannsen, Ind. Gen. Malac. I. 1847, 571.—Ceph. [*teste* Nomen. anim.].
- Lampra** Lacordaire in Boisduval & L., F. Ent. Paris, I. 1825, 595.—Col. [*teste* Nomen. anim.].
- Lampratornis** Schinz in Cuvier, Tigerr. I. 1821, resp. 1825, 327 & IV., 563; *pro* Lampro→, Temm. 1820 [*teste* Nomen. anim.].
- Lamproglene** Wiegmann, Arch. f. Nat. II [2] 1836, 223; *pro* L—a, Nordm. 1832 [*teste* Nomen. anim.].
- Lampromorphus** Gray, List Gen. Birds, 1840, 57; *pro* L—a, Vie. 1831 [*teste* Nomen. anim.].
- Lamprospilus** Geyer, 1832; *non* L—silus, *err.* Sherborn [*teste* Nomen. anim.].
- Lamprothornis** Kittlitz, Kupfertaf. Nat. Vögel [2] 1838, 11; *pro* L—tornis, Temm. 1820 [*teste* Nomen. anim.].
- Lamyrus** Radermacher, Verh. Batav. Genoot. I. 1779, 69; *pro* Lampr→, L. 1767 [*teste* Nomen. anim.].
- Lanaria** Bonaparte (ex Blyth MS), Censp. gen. Avium, I [2] 1850, 317.—A. [*teste* Nomen. anim.].
- Lanatica** Gray, Proc. Zool. Soc. Lond. XV. 1847, 143; *pro* Lu→, Bolt. 1798 [*teste* Nomen. anim.]. [G. P. W.].
- lanatus** Clupea, Forster in Fann. Sinensis in Osbeck, Voy. China, II. 1771, 331 [*teste* Nomen. anim.].
- lanceolatus** Seemüller, Cuvier & Val., H. N. Poiss. VIII. 1841 [Jan. 1842], 204 (ex Forster MS) [*teste* G. P. W.].
- Langhaha** Ritgen, N. Acta Ac. Leop. XIV. 1828, 202; *pro* Langaha, Lac. 1789 [*teste* Nomen. anim.].
- Langurius** Herrmannsen, Ind. Gen. Malac. I. 1847, 575.—Ceph. [*teste* Nomen. anim.].
- Lanirius** Gray (ex Briss. MS), List Gen. Birds, 1840, 3.—A. [*teste* Nomen. anim.].
- Lanisoma** Lafresnaye, Rev. Zool. N. 1847, 182; *pro* Lanisoma, Sw. 1832 [*teste* Nomen. anim.].
- Laniste** Guiling, Zool. Journ. III. 1828, 358; *pro* L—tes, Montf. 1810 [*teste* Nomen. anim.].
- Laodice** Guérin-M., Iconogr. (Ann.) 1844, 3; *pro* Leodice, Lam. 1818 [*teste* Nomen. anim.].
- Laorneda** Rafinesque, Analyse, 1815, 220.—P. [n. n., *teste* Nomen. anim.].
- Laorneda** Cocks, Ann. Rep. Cornwall Soc. XVII. 1849, 93; *pro* Laomedea, Lamx. 1812 [*teste* Nomen. anim.].
- Laomedes** Templetin, Mag. Nat. Hist. IX. 1836, 466; *pro* L—dea, Lamx. 1812 [*teste* Nomen. anim.].
- Laomedea** Hassall, Ann. Nat. Hist. VII. 1841, 281; *pro* L—dea, Lamx. 1812 [*teste* Nomen. anim.].
- lapidescens** Eschara, Pallas (ex Baster), Elench. Zoophyt. 1766, 39 [*teste* S. F. H.].
- Laplyzia** Radermacher, Verh. Batav. Genoot. I. 1779, 103; *pro* Laplysia, L. 1767 [*teste* Nomen. anim.].
- lapponica** var. dia; Papilio, Esper, Die Schmett., Suppl., 1 Abschn., Tagschm. 1793, 21 [*teste* A. F. H.].
- Laptotrachelus** Laporte, Hist. Anim. artie. (Ins.) I. 1840, 27; *pro* Lep→, Latr. 1829 [*teste* Nomen. anim.].
- Larchesis** lege Lachesis. [Nomen. anim.].
- Larinus** Dejean, Catal. Coléopt. 1821, 97.—Col. [n. n., *teste* Nomen. anim.].
- lasinassa** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 127 [*teste* A. F. H.].
- Lasiocampus** Contarini, Catal. Uccelli e Insetti Padova, 1843, 37; *err. pro* Lasiocampa.
- Lasioderus** Griffith in Cuvier, Ann. Kingd. XV. 1832, 789; *pro* L—a, Gray, 1832 [*teste* Nomen. anim.].
- Lasiophorus** Haliday, Ent. Mag. V. 1838, 213.—Hym. [*teste* Nomen. anim.].
- Lasiopterix** Agassiz, Nomen. Zool. (Dipt.) 1846, 10; *pro* L—yx, Steph. 1829 [*teste* Nomen. anim.].
- Lasiopus** Sahlberg, Peric. Entom. (3) 1823, 35.—Col. [*teste* Nomen. anim.].
- Lasiotata** Laporte, Hist. Anim. artie. (Ins.) II. 1840, 181; *pro* L—stola, Dej. 1834 [*teste* Nomen. anim.].
- Lasyopyga** Bonaparte, Giorn. Arcad. LIX. 1831, 12; *pro* Lasio→, Ill. 1811 [*teste* Nomen. anim.].

- Latericia** Schafhaeuti, Geogn. Unters. südbay. Alpengeb. 1850, 44.—? Rh.
- Lathires** Bowdich, Elem. Conch. I. 1822, 36; *pro* Latirus, Montf. 1810 [*teste* Nomen. anim.].
- Lathyrus** Schinz in Cuvier, Thierr. IV. 1825, 588; *pro* Latirus, Montf. 1810 [*teste* Nomen. anim.].
- laticostata** Astarte, Desh.; *lege* 1839. [anim.].
- Latos** Heckel in Russegger, Reise, II (3) 1849, 291; *pro* Lates, Cuv. 1828 [*teste* Nomen. anim.].
- Lazius** Olivier, Ency. Méth. (Ins.) VIII. 1812, 375; *pro* Lasius, Panzer [*teste* Nomen. anim.].
- Lecolepis** Gray in Griffith's Cuvier, Anim. Kingd. IX. 1831, Syn., p. 62.—R. [*teste* Nomen. anim.].
- ledereri** Lycæna, Boisdual, Bull. Soc. Ent. France, 1848, 29 [*teste* A. F. H.]. [anim.].
- Leia** Hope, Col. Man. II. 1838, 61; *pro* Leja, Dejean [*teste* Nomen. anim.].
- Leias** Gray, 1832; *lege* Leia, Meig. non Lia.
- Leides** Rafinesque, Analyse, 1815, 119; *pro* Neides, Latr. [*teste* Nomen. anim.].
- Leiobatis** de Blainville, Faun. Franc. (Poiss.) 1825, 43; *pro* Leiobatus, 1816 [*teste* Nomen. anim.].
- Leiolepis** Bonaparte, Sagg. An. Vert. 1831, 70; *pro* Leiolepis, Cuv. [*teste* Nomen. anim.].
- Leiolepisma** Fitzinger, Syst. Rept. 1843, 22; *pro* Leiopisma, D. & B. [*teste* Nomen. anim.].
- Leionotus** Kirby in Richardson, F. Bor.-Amer. IV. 1837, 76.—Col. [*teste* Nomen. anim.].
- Leionotus** Koch, Übers. Arach. III. 1842-43, pl. x, f. 51.—Ar. [*teste* Nomen. anim.].
- Leiopathes** Haine, Ann. Sci. Nat. (Zool.) [3] XII. 1849, 225.—Cor. Octocor. [*teste* Nomen. anim.].
- Leioptrix** Lesson, Rev. Zool. II. 1839, 198; *pro* Leiiothrix, Sw. [*teste* Nomen. anim.].
- Leioselama** Bonaparte, Sagg. An. Vert. 1831, 75; *pro* Leioselasma, Lac. [*teste* Nomen. anim.].
- Leiothrix** Lafresnaye, Rev. Zool. II. 1839, 166; *pro* Leiiothrix, Sw. [*teste* Nomen. anim.].
- Leiuris** non Leiurus, *err.* Sherborni; Leuckart, 1850 [*teste* Nomen. anim.].
- Leiurus** Ehrenberg in Hemprich & E., Symb. Phys. (Evert.), pl. 1 (1828), ff. 4-6 [*teste* Nomen. anim.].
- Lejobatus** Rafinesque, Car. n. gen. 1810, 103; *pro* Leiobatus [*teste* Nomen. anim.].
- Lembulis** [Beck], Ber. Vers. D. Naturf. XXIV. 1847, 114; *pro* Lembulus, Risso [*teste* Nomen. anim.].
- Lembulus** Risso; *pro* 1820 *lege* 1826. [Nomen. anim.].
- Leminitis** Rennie, Consp. Butt. 1832, 11; *pro* Limenitis, Fab. [*teste* Nomen. anim.].
- Lemmus** Gray, Ann. Phil. XXVI. 1825, 342; *pro* Lemmus, Link [*teste* Nomen. anim.].
- Lenticularia** Gray, 1840; *err.* *pro* Lentillaria, Schum. 1817 [*teste* E. R. S.].
- Leodicea** Valenciennes, N. Ann. Mus. Paris, II. 1833, 486 [502]; *pro* Leodice, Lam. 1818 [*teste* Nomen. anim.].
- Leodicæ** Bory, Dict. Class. H. N. XVII. 1831, 116; *pro* Leodice, Lam. 1818 [*teste* Nomen. anim.].
- Leonia** Gray, 1840; *add.* Baird, Nom. Moll. Coll. B. M. 1850, 34 [*teste* E. R. S.].
- Leonice** [Anon.], Not. Nat.-Heilk. XXIV. 1829, 186; *pro* Leodice, Lam. 1818 [*teste* Nomen. anim.].
- Lepadogasterus** Duméril, Zool. Anal. 1806, 108 & 337; *pro* Lepadogaster, Gouan, 1770 [*teste* Nomen. anim.].
- Lepidodus** Erichson, Arch. f. Naturg. VIII. 1842, 234; *pro* L—des, Westw. 1842 [*teste* Nomen. anim.].
- Lepidogenis** Lesson, Rev. Zool. II. 1839, 133; *pro* L—nys, Gould, 1838 [*teste* Nomen. anim.].
- Lepidolepris** Swainson, H. N. Class. Fish. II. 1839, 47 & 179; *pro* L—prus, Risso, 1810 [*teste* Nomen. anim.].
- Lepidonota** de Blainville, Dict. Sci. Nat. XXVI. 1823, 34; *pro* L—tus, Leach, 1816 [*teste* Nomen. anim.].
- Lepidoplurus** Costa, Fauna Regno Napoli (Chiton, 1841), 2; *pro* L—pleurus, Risso, 1826 [*teste* Nomen. anim.].
- Lepidosiren** Fitzinger, Not. Nat.-Heilk. L. 1836, 90.—R. [*teste* Nomen. anim.].
- Lepisina** Radermacher, Verh. Batav. Genoot. I. 1779, 104; *pro* Lepisma, L. 1758 [*teste* Nomen. anim.].
- Leplotherium** Lund, Echo Monde Savant, V. 1839, 245; *pro* Lepto— [*teste* Nomen. anim.].
- Leposaura** Bonaparte, Sagg. An. Vert. 1831, 70; *pro* Leposoma, Spix, 1825 [*teste* Nomen. anim.].

- Lepostomus** Gervais in Walckenaer & G., Hist. Apt. III. 1844, 127; *pro* Lipotomus, Nitzsch, 1820 [teste Nomen. anim.].
- Leptaus** Steven, Mus. Univ. Mosqu. 1829, 92.—Col. [n. n., teste Nomen. anim.].
- Leptobatus** *err. pro* Leiohatus, Walb. 1792; Sherborn, Index Anim. I. 1902, 527 [teste Nomen. anim.].
- Leptocercus** Cabanis in Tschudi, F. Peru. (Orn.) 1846, 164.—A. [teste Nomen. anim.].
- Leptocerus** P. W. J. Mueller, Mag. Ent. (Germar) II. 1817, 274.—Col. (Lathr.) [teste Nomen. anim.].
- Leptochirus** Troschel, Vossisch. Zeitg., Dec. 1844; Inhaltsverz. S. B. Ges. nat. Fr. Berlin, 1860, 16.—Ech.
- Leptochirus** Dana, Amer. J. Sci. [2] VIII. 1849, 137; *pro* L—cheirus, Zadd. 1844 [teste Nomen. anim.].
- Leptoclinium** Gervais, Dict. Sci. Nat. (Suppl.) I. 1840, 411; *pro* L—num, Edw. 1841 [teste Nomen. anim.].
- Leptoclynum** Chiaje, Descr. Not. An. Sicil. V. 1841, 91; *pro* L—clinum, Edw. 1841 [teste Nomen. anim.].
- Leptonix** Swainson, Zool. Ill. [2] III. 1833, expl. pl. 117; *pro* Leptonyx [teste Nomen. anim.].
- Leptonix** Lesson, N. Tabl. 1842, 72; *pro* Leptonyx, 1842 [teste Nomen. anim.].
- Leptophilos** Jardine, Contr. Orn. 1850, 19; *pro* L—ptilos, Less. 1831 [teste Nomen. anim.].
- Leptophina** Bonaparte, Sagg. An. Vert. 1831, 74; *pro* Leptophis, Bell, 1825 [teste Nomen. anim.].
- Leptophylla** Agassiz, Nom. Zool. (Col.) 1846, 91; *pro* L—us, Hope, 1842 [teste Nomen. anim.].
- Leptoptena** F. Walker, List Dipt. Coll. B. M. (4) 1849, 1148; *pro* Lipoptena, Nitzsch [teste Nomen. anim.].
- Leptopterix** F. Boie, Isis, 1822, 547; *pro* L—ryx, Horsf. 1821 [teste Nomen. anim.].
- Leptotila** Bonaparte, Proc. Zool. Soc. Lond. V. 1837, 113; *pro* Leptotila, Sw. 1837 [teste Nomen. anim.].
- Leptotila** Gloger, Handb. Naturg. I. 1842, 417; *pro* L—los, Less. 1831 [teste Nomen. anim.].
- Leptorhynchus** Du Bus, L'Institut, III. Ap. 1835, 138.—A. [teste G. M. M.].
- Leptornis** G. R. Gray (ex Hombr. & Jacq. MS), Gen. Birds, I. 1840, 124 & 125.—A. [teste Nomen. anim.].
- Leptorynchus** Lesson, Compl. Buffon, IX. 1837, 77; *pro* L—rhynchus, Mén. 1835 [teste Nomen. anim.].
- Leptorynchus** Swainson, H. N. Class. Birds, II. 1837, 300.—A. [teste Nomen. anim.].
- Leptosammia** Edwards & H., Ann. Sci. Nat. (Zool.) [3] X. 1848, 90.—Cor. [teste Nomen. anim.].
- Leptoscelis** Agassiz, Nom. Zool. (Dipt.) 1846, 20; *pro* L—les, Hal. 1833 [teste Nomen. anim.].
- Leptosomatus** Nitzsch, Obs. Av. Carot. 1829, 15; *pro* L—mus, Vieill. 1816 [teste Nomen. anim.].
- Leptosomus** Gistel, Nat. Thierr. 1848, p. ix; *pro* L—a, Nardo, 1827 [teste Nomen. anim.].
- Leptosomus** Gistel, Nat. Thierr. 1848, p. ix; *pro* L—a, Boisd. 1832 [teste Nomen. anim.].
- Leptosonnus** Lesson, Compl. Buffon, IX. 1837, 247; *pro* L—mus, Vieill. 1816 [teste Nomen. anim.].
- Leptosternon** J. E. Gray, Ann. Phil. XXVI. 1825, 204; *pro* Leposternon, Wagl. 1824 [teste Nomen. anim.].
- Leptostoma** Rafinesque, Amer. Month. Mag. IV. 1818, 107.—P. [teste Nomen. anim.].
- Leptotaena** Blanchard, H. An. artic. (Ins.) III. 1840, 631; *pro* Lipoptena, Nitzsch, 1818 [teste Nomen. anim.].
- Leptoterix** Bonaparte, Ann. Stor. nat. IV. 1830, 220; *pro* Leptopteryx, Horsf. 1821 [teste Nomen. anim.].
- Leptourus** Swainson, Birds W. Afr. II. 1837, 184.—A. [teste Nomen. anim.].
- Lepturus** Leuckart, Arch. f. Naturg. XIV. 1848, 26; *pro* Leptodera, Duj. 1844 [teste Nomen. anim.].
- Lernaemyzon** Nordmann, Mikr. Beitr. II. 1832, 54, 102 & 116; *pro* Lerneozon, Bl. 1822 [teste Nomen. anim.].
- Lernaepenna** Nordmann, Mikr. Beitr. II. 1832, 54 & 121; *pro* Lerneozon, Bl. 1822 [teste Nomen. anim.].
- Lerneomizon** Desmarest, Cons. gén. Crust. 1825, 347 & 444; *pro* L—myzon, Bl. 1822 [teste Nomen. anim.].
- Lerva** Reichenbach, Avium Syst. 1849, tab. xxvii; *pro* Lerwa, Hodg. 1837 [teste Nomen. anim.].

- Lesbia** Rafinesque, *Analyse*, 1818, 109 & 221; *pro* Lebia, Latr. 1802 [*teste* Nomen. anim.].
- lescombiana** Pholadidea, E. Warne (*ex* Turt.), *Journ. de Phys.* XCV. 1822, 391.
- Lestiva** Samouelle, *Ent. Compend.* 1819, 175; *pro* Lesteva, Latr. 1796 [*teste* Nomen. anim.].
- Leucartia** Pack. 1804; *err.* Nomen. anim. p. 1827, *pro* 1904.
- Leucasps** Burmeister, *Arch. f. Nat.* I (2) 1835, 47; *pro* Leucospis, Fab. 1775 [*teste* Nomen. anim.].
- Leucidia** Doubleday & Westwood (*ex* Boisd. MS), *Gen. diurn. Lep.* (1) 1847, 77.—Lep. [*teste* Nomen. anim.].
- leucoblepharides** Sylvia, L. P. Vicillot, *N. Dict. H. N.*, ed. 2, XI. 1817, 206 [1—phara in some issues; *teste* C. W. R.].
- leucocephala** Xenopeltis, Reinwardt in F. Boie, *Isis* (Oken), 1827, 564.
- Leucocerca** Strickland, *Ann. Nat. Hist.* VII (41) 1841, 28; *pro* Leucocirca, Sw. 1838 [*teste* Nomen. anim.].
- Leucocircus** Bonaparte, *Consp. gen. Avium*, I, 1850, 323; *pro* L—circa, Sw. 1838 [*teste* Nomen. anim.].
- leucogenys** Petaurista, C. J. Temminck, [F. Japon.] *Disc. prélim.* 1835, p. xxii.
- Leucolopus** Dejean, *Catal. Coléopt.*, ed. 3, 1835, 261.—Col. [*teste* Nomen. anim.].
- Leucon** Schoenherr (*ex* Besser MS), *Gen. Curc.* II (1) 1834, 285 & 286.—Col. [*teste* Nomen. anim.].
- Leuconia** Grant; *lege* Nov. non Oct [*teste* W. L. Schmitt].
- Leucopteron** Huebner, *Verz. Schmett. (Anz.)* 1826, 68; *pro* Leucoptera, 1826 [*teste* Nomen. anim.].
- leucopterus** Larus, T. Brown, *Ill. Amer. Orn.* 1835, *Syst. Index*, p. ii.
- leucoptera** Loxia, T. Brown, *Ill. Amer. Orn.* 1835, *Syst. Index*, p. i.
- Leucophthalmia** Huebner, *Verz. Schmett.* 1826, 302.—Lep. [*teste* Nomen. anim.].
- Leucopus** Billberg, *Enum. Ins.* 1820, 102; *pro* Leucospis, Fab. 1775 [*teste* Nomen. anim.].
- Leucorrhina** Brittinger, *S. B. Ak. Wien.* IV. 1850, 333.—Odon. [*teste* Nomen. anim.].
- leucorrhous** Typhlops, Cuvier; F. Boie, *Isis* (Oken), 1827, 564.
- Leucothoea** Lesson, *Hist. Acal.* 1843, 85; *pro* Leucothea, Mert. 1833 [*teste* Nomen. anim.].
- leucurus** Lagopus, T. Brown, *Ill. Amer. Orn.* 1835, *Syst. Index*, p. ii.
- leucurus** Milvus; *pro* 556 *lege* 563 (*err. pag.*) [*teste* C. W. R.].
- leucurus** Orthorhynchus, [G. Fischer], *Mus. Mosq.* 1822, 17 [*n. n.*].
- lewis** Picus, *Dray.*; G. R. Gray, *Gen. Birds*, III. 1849, App., p. 22 [*teste* C. W. R.].
- Lexocrepis** Griffith in Cuvier, *Anim. Kingd.* XIV. 1832, 272; *pro* Loxocrepis, Esch. 1829 [*teste* Nomen. anim.].
- Lia** Laporte, *Etud. Ent.* (1) 1834, 47; *pro* Leja, Dej. 1821 [*teste* Nomen. anim.].
- Liagora** Gistel, *Nat. Thierry.* 1848, p. ix; *pro* Liagore, Haan, 1833 [*teste* Nomen. anim.].
- Liban** Bonaparte, *Sagg. An. Vert.* 1831, 74.—R. [*teste* Nomen. anim.].
- Libia** Laporte, *Etud. Ent.* (1) 1834, 52; *pro* Lebia, Latr. 1802 [*teste* Nomen. anim.].
- Libythaeus** Boitard, *Man. Ent.* II. 1828, 299; *pro* Libythea, Fab. 1807 [*teste* Nomen. anim.].
- Lichanatus** Kaup, *Thierr. Hauptform.* I. 1835, 449; *pro* Lichanotus, Ill. 1811 [*teste* Nomen. anim.].
- Lichostrotion** Lamarck, *Hist. An. s. Vert.* II. 1836, 342; *pro* Litho→, Park. 1808 [*teste* Nomen. anim.].
- Licina** Agassiz, *Nom. Zool. (Moll.)* 1846, 47; *pro* Licina, Browne, 1789 [*teste* Nomen. anim.].
- Licinia** J. E. Gray, *Proc. Zool. Soc. Lond.* XV. 1847, 15; *pro* Lacinia, Humph. 1797 [*teste* Nomen. anim.].
- Licinius** Gistel, *Isis*, 1829, 1069; *pro* Licius, Latr. 1802 [*teste* Nomen. anim.].
- liciria** Papilio, Herbst in Jablonsky, *Nat. Ins. (Schmett.)* V. 1792, 63 [*teste* A. F. H.].
- Licmetes** G. R. Gray, *Gen. Birds*, III (App.) 1849, 20; *pro* Licmetis, Wagl. 1832 [*teste* Nomen. anim.].
- Licmus** Schmidt-G., *Ent. Zeit. Stettin*, VII. 1846, 388.—Col. [*teste* Nomen. anim.].
- Licoris** Lamarck, *Hist. An. s. Vert.*, ed. 2, V. 1838, 548; *pro* Lycoris, 1818 [*teste* Nomen. anim.].
- Lida** [Beck], *Ber. Vers. D. Naturf.* XXIV. 1847, 115; *pro* Leda, Schum. 1817 [*teste* Nomen. anim.].
- Ligea** Illiger, *Mag. Ins.-Kunde*, I. 1801, 140; *pro* Ligia, Web. 1795 [*teste* Nomen. anim.].
- ligeriensis** Peripora, d'Orbigny, *Prodr. Paléont.* II. Nov. 1850, 266.
- Ligniperda** P. S. Pallas, *Spic. Zool.* (9) 1772, 7.—Col.
- Ligniperda** Hermannsen, *Ind. Gen. Malac.* I. 1847, 587.—L. [*teste* Nomen. anim.].
- ligulata** Bibronia, Cocco in Krohn, *Giorn. Gab. Messina*, V. 1844, 15 [*teste* D. S. J.].
- Ligumea** Swainson, *Treat. Malac.* 1840, 263; *pro* Ligumia [*teste* Nomen. anim.].

- Ligurnus** Bonaparte, *Connsp. gen. Avium*. 1850, 440; *pro* *Liburgus*, Reich, [teste Nomen. anim.].
- Lilurella** Bory, *Dict. Class. H. N. II*. 1822, 470.—Cr. [teste Nomen. anim.]. [anim.].
- Limbrus** [Anon.], *London Ency. XXII*. 1829, 783; *pro* *Lumbricus*, L. 1758 [teste Nomen. anim.].
- Limigenus** Renier, *Tavole* [1804] vii.—L. [teste Nomen. anim.].
- Limnaetus** Lesson, *Echo Monde Savant* [2] VII. 1843, 13; *pro* *Limnaëtus*, Vig. 1830 [teste Nomen. anim.]. [Nomen. anim.].
- Limnaetos** Hartlaub, *Verz. Samml. Bremen*, 1844, 2; *pro* *Limnaëtus*, Vig. 1830 [teste Nomen. anim.].
- Limnephila** Blanchard, *Hist. Ins. II*. 1845, 445; *pro* *Linnophila*, Macq. 1834 [teste Nomen. anim.].
- Limnocryptes** Boie, *Isis*, XXI. 1828, 355; *pro* *Lym-*, 1826 [teste Nomen. anim.].
- Limnoderma** Hermannsen, *Ind. Gen. Malac. I*. 1847, 605; *pro* *Limnaeoderma*, Poli, 1795 [teste Nomen. anim.].
- Limnoeus** Beck, *Ind. Moll.* 1837, 109; *pro* *Limneus*, Drap. 1801 [teste Nomen. anim.].
- Limnostracites** Hermannsen, *Ind. Gen. Malac. I* (5) 1847, 608.—L. [teste Nomen. anim.].
- Limnostrita** Hermannsen, *Ind. Gen. Malac. I* (5) 1847, 607.—L. [teste Nomen. anim.].
- Limnotis** Gérard, *Dict. Univ. H. N. VII*. 1845, 160; *pro* *Limnatis*, Moq.-T. 1827 [teste Nomen. anim.].
- Limodromus** Motschulsky (ex Esch. MS), *Käf. Russl.* 1850, 70.—Col. [teste Nomen. anim.].
- limosa** Callytrum (Saund.), *G. Tilesius, Isis (Munich)* (5) 1850, 75.—Cicindela.
- Limulites** Krueger, *Gesch. Urwelt, II*. 1823, 567.—Cr. [teste Nomen. anim.].
- Linaria** de Blainville, *Dict. Sci. Nat. LVII*. 1828, 377; *pro* *Lineus*, Sow. 1806 [teste Nomen. anim.].
- Linkia** E. Forbes, *Mem. Werner. Soc. VIII*. 1839, 7.—Ech. [non *Linkia*, Nardo; teste Nomen. anim.].
- Linconus** Steven, *Mus. Univ. Mosq.* 1820, 16.—Col. [teste Nomen. anim.].
- lincta** Artenis, *G. P. Deshayes, Traité Conch.*, expl. pl. 20 (1839).
- lineola** Papilio, Ochs.; *lege* 1808 [teste A. F. H.].
- Linguella** Ferrussac, *Tabl. Syst. Moll.-gén.* 1822, p. xxix; de Blainville, *Dict. Sci. Nat. XXVI*. 1823, 512.—G. [teste Nomen. anim.].
- Lingula** Latreille, *N. Diet. XXIV*. 1804, 202; *pro* *Ligula*, Bl. 1782 [teste Nomen. anim.].
- Lingurius** Hermannsen, *Ind. Gen. Malac. I* (5) 1847, 610.—Ceph. [teste Nomen. anim.].
- Linnemyia** Macquart, *Hist. Ins. Dipt. II*. 1835, 81; *pro* *Linnaemyia*, Rob. 1830 [teste Nomen. anim.].
- Linomus** Steven, *Mus. Univ. Mosq.* 1820, 16.—Col. [teste Nomen. anim.].
- Linthuria** Agassiz, *Nom. Zool. Polyp.* 1844, 15; *pro* *Linthuris*, Montf. 1808 [teste Nomen. anim.].
- linusae** Helix, P. Calcare, *Cat. Moll. Sicilia*, 1846, [2 & 4]. [anim.].
- Linx** Kaup, *Entwickgesch.* 1829, 43 & 73; *pro* *Lynx*, Kerr, 1792 [teste Nomen. anim.].
- Linza** F. v. P. Schrank, *Briefe an Nau*, 1802, 91.—Rot.
- Liodera** Fitzinger, *Syst. Rept.* 1843, 73; *pro* *Liodeira*, 1843 [teste Nomen. anim.].
- Liodira** Agassiz, *Nom. Zool. Index Univ.* 1846, 212; *pro* *Liodeira*, Fitz. 1843 [teste Nomen. anim.]. [anim.].
- Lionsia** Brown, *Ill. Conch. G. B. I.*, ed. 2, 1844, 137; *pro* *Lyonsia*, Turt. 1822 [teste Nomen. anim.].
- Liopterum** Agassiz, *Nom. Zool. Index Univ.* 1846, 212; *pro* *Liopteron*, Perty, 1833 [teste Nomen. anim.]. [Nomen. anim.].
- Liorhynchus** de Blainville, *Journ. Phys. XC*. 1820, 231; *pro* *Liorhynchus*, Rud. 1801 [teste Nomen. anim.].
- Liostomum** Grube, *Arch. f. Naturg. XVI* (1) 1850, 358; *pro* *Liostoma*, Wagl. 1831 [teste Nomen. anim.].
- Liparis** Bosq., *Hist. Crust. I*. 1802, 79.—Cr. [teste Nomen. anim.]. [Nomen. anim.].
- Lipaujus** Burmeister, *Verz. Mus. Halle-Wittenb.* 1850, 48; *pro* *Lipangus*, Boie, 1828 [teste Nomen. anim.].
- Liphunculus** Chiale, *Mem. Stor. Nat. I*. 1824, 124; *pro* *Sipun-*, L. 1767 [teste Nomen. anim.].
- Lipoa** Bonaparte, *Oss. Zool. Eur.* 1842, 5; *pro* *Leipoa*, Gould, 1840 [teste Nomen. anim.].
- Lipotena** Latreille in Cuvier, *Règne Anim.*, ed. 2, V. 1829, 544; *pro* *Lipoptena*, Nitzsch, 1818 [teste Nomen. anim.].
- Lirhynchus** Rudolphi, *Arch. Zool. Zoot. II* (2) 1802, 18; *pro* *Liorhynchus*, 1801 [teste Nomen. anim.].
- liriope** Papilio, Borkhausen, *Nat. Eur. Schmett. I*. 1778, 39 [teste A. F. H.].

- Liriozoaria** *[err. Sherborni pro Liriozaria]*; Beneden, Bull. Ac. Belg. XVI. 1849, 656 [*teste* Nomen. anim.].
- Liriozoum** J. P. C. Moll, Eseh. ex Zooph. 1803, 8.—Crin. [*teste* S. F. H.].
- Lisaea** [Beck], Ber. Verz. D. Naturf. XXIV. 1847, 116; *pro* Lasaea, Brown, 1827 [*teste* Nomen. anim.].
- Liscurus** McMurtrie in Cuvier, Anim. Kingd. 1834, 78; *pro* Lipurus, Goldf. 1817 [*teste* Lissonotus Gistel, Nat. Thierf. 1848, p. ix; *pro* L.—a, Grav. 1829 [*teste* Nomen. anim.].
- Listronites** Hermannsen (*ex* Luidius, 1699), Ind. Gen. Malac. I. 1847, 610.—L. [*teste* Nomen. anim.].
- Lithidaphus** *err. pro* Lithedaphus, Ow.; Seudder, Suppl. List, 1883, 191 [*teste* E. R. S.].
- Lithocardites** Hermannsen, Ind. Gen. Malac. I. 1847, 611.—L. [*teste* Nomen. anim.].
- Lithocardium** Desmarest, Dict. Sci. Nat. XXVII. 1823, 66.—L. [*teste* Nomen. anim.].
- Lithochlypus** Porro, Note Bibl. Malac. 1841, 34; *pro* Lithoglyphus, Hartm. 1821 [*teste* Nomen. anim.].
- Lithofalco** Reider & Hahn, F. Boica, II (1) 1835, expl. pl. 14 f. b.—A. [*teste* Nomen. anim.].
- Litholepas** J. E. Gray, Proc. Zool. Soc. Lond. XV. 1847, 157; *pro* Lithodaphus, Ow. 1843 [*teste* Nomen. anim.].
- Litholepes** Swainson, H. N. Class. Fish. II. 1839, 187 & 297; *pro* Litholepis, Raf. 1818
- Lithophilus** Schneider, N. Mag. Liebh. Ent. I (1) 1791, 23.—Col. (Carab.) [*teste* Nomen. anim.].
- Lithophytum** Agassiz, Nom. Zool. (Polypi) 1844, 14; *pro* L.—ton, Forsk. 1775 [*teste* Nomen. anim.].
- Lithostreon** Hermannsen, Ind. Gen. Malac. I. 1847, 614.—L. [*teste* Nomen. anim.].
- Lithostrocion** d'Orbigny, Prodr. Paléont. I. 1850, 159; *pro* L.—tion, Park. 1808 [*teste* Nomen. anim.].
- Litriolites** Swainson, Elem. Conch. 1835, 52; *pro* Lituolites, Lam. 1804 [*teste* Nomen. anim.].
- Littea** Forbes & McAndrew, Athenaeum, 1846, 1027; *pro* Lepeta, Gray, 1842 [*teste* Nomen. anim.].
- Littorinella** Hermannsen, Ind. Gen. Malac. I. 1847, 616; *pro* Litor—, Braun, 1843 [*teste* Nomen. anim.].
- Littorinida** *err. pro* Littoridina, Soul. 1852; Marshall, Nom. Zool. 1873, 124 [*teste* E. R. S.].
- Litulies** Reichenbach, Zool. I. 1828, 100; *pro* Lituites, Gm. 1793 [*teste* Nomen. anim.].
- Litumena** Nardo, Isis, 1834, 716; *pro* Lita—, 1833 [*teste* Nomen. anim.].
- Lituus** Costa, Elem. Conch. 1776, 159.—Ceph. [*teste* Nomen. anim.].
- livia** Lyeana, Klug in Ehrenberg, Sym. Phys. (Ins.) IV. 1834, sign. h [*teste* A. F. H.].
- Llacma** Illiger, Abh. Ak. Berlin, 1804–11 [1815], 48; *pro* Lama, Cuv. 1800 [*teste* Nomen. anim.].
- Lobatus** [Swainson], Cat. Shells Manchester N. H. Soc. 1837, 75.—G. [*teste* Tomlin].
- Lobularia** Costa, Atti Acc. Napoli, IV. 1838, 186.—Rh. [*teste* Nomen. anim.].
- Loesthia** Walker, List Hym. Coll. B. M. I. 1846, 23 & 99; *pro* Laesthia, Hal. 1833 [*teste* Nomen. anim.].
- Logarus** Motschulsky, Käfer Russl. 1850, 51 & tab. no. 9; *pro* Lagurus, Chaud. 1838 [*teste* Nomen. anim.].
- Lolius** Hermannsen, Ind. Gen. Malac. I. 1847, 623.—Ceph. [*teste* Nomen. anim.].
- Lomatocera** Bronn, Index Pal. 1848, 667.—Ins. [*non comp. ante; inc. sed.*].
- Lombricus** Verany, Cat. An. invert. 1846, 10; *pro* Lumbricus, L. 1758 [*teste* Nomen. anim.].
- Lombrinera** Guérin-M., Iconogr. III (Ann.) 1844, 10 & 13; *pro* Lumbrineris, Bl. 1828 [*teste* Nomen. anim.].
- Lombrinereis** Westwood in Blyth's Cuvier, Anim. Kingd. 1840, 395; *pro* Lumbrineris, Bl. 1828 [*teste* Nomen. anim.].
- Lombrineris** Lamarck, An. s. vert., ed. 2, V. 1838, 566; *pro* Lumbrineris, Bl. 1828 [*teste* Nomen. anim.].
- Lomwia** G. R. Gray, List Gen. Birds, 1840, 77; *pro* Lomvia, Gunn. 1765.
- Lonchophorus** Eschscholtz, Isis, 1825, 734.—Cr. [*teste* Nomen. anim.].
- Loncophorus** Laporte, Hist. An. artic. II. 1840, 79; *pro* Loncho—, Germ. 1824 [*teste* Nomen. anim.].
- longicauda** Pyrrhula, L. P. Vieillot, N. Dict. H. N. XXVIII. 1819, 327 [*sp. alt.* 1816, *teste* C. W. R.].

- longicaudus** *Sternarius*, L. P. Vieillot (ex Briss.), N. Dict. H. N. XXXII. 1819, 157 [teste C. W. R.].
- longirostris** *Trochilus*, Audubert & V., Ois. dorés, I. 1801, 107 (fo.), 128 (4to), pl. 59
- longiseta** *Vaginaria*, F. v. P. Schrank, Briefe an Nau, 1802, 383. [teste C. W. R.].
- longispinis** *Equula*, Cuvier & Valenciennes, H. N. Poiss. X. 1835, 94 [teste G. P. W.].
- lopadasae** *Clausilia*, P. Calcare, Cat. Moll. Sicilia, 1846, [3 & 4].
- Lophaythya** Bonaparte, N. Ann. Bologna, VIII. 1843, 428; *pro* Lophai→, Kaup, 1829 [teste Nomen. anim.].
- Lophirus** Rafinesque, Analyse, 1815, 75; *pro* Lophyrus, Dum. 1805 [teste Nomen. anim.].
- Lophirus** Anon., Cat. Ois. Riocour, 1829, 30; *pro* Lophyrus, Vieill. 1816 [teste Nomen. anim.].
- Lophoaetus** G. R. Gray, Gen. Birds, III. App. 1849, 1; *pro* Lophæctus, Kaup, 1847 [teste Nomen. anim.].
- Lophoctenium** Richter, Zeitschr. D. geol. Ges. II. 1850, 199.—Coel. [teste Nomen. anim.].
- Lophoktenium** Richter, Zeitschr. D. geol. Ges. II. 1850, 200; *pro* Lophoc→, 1850 [teste Nomen. anim.].
- Lophorhina** Wagler, Syst. Avium, I. 1827, [99]; *pro* Lophorina, Vieill. 1816 [teste Nomen. anim.].
- Lophorhynchus** Vieillot, Anal. Orn. 1816, 70; *pro* L—chus, 1816 [teste Nomen. anim.].
- Lophorrhynchus** Streubel in Ersch & Gruber, Ency. XVII. 1842, 94; *pro* Lophorhynchus, Sw. 1837 [teste Nomen. anim.].
- Lophorus** Billberg, Syn. Scand. I. 1828, tab. A; *pro* Lophophorus, Temm. 1813 [teste Nomen. anim.].
- Lophorus** Vigors, Zool. Journ. IV. 1829, 345; *pro* Lophyrus, Vieill. 1816 [teste Nomen. anim.].
- Lophuriderma** Poli, 1795; J. E. Gray, Proc. Zool. Soc. London, 1847 (15), 168.—Moll.
- loricatus** *Glonichthys* (Lowe), J. Gistel, Isis (Munich) 1850, 71.—Alysia.
- loricata** *Sertularia*, Linnaeus, 1758; 1767, 1314, lege [loriculata].
- loriculata** *Cellularia*, Pallas, Elenchus Zooph. 1766, 64. [anim.].
- Lorrheum** Shuckard (ex Leach MS), Ess. Foss. Hym. 1837, 18.—Hym. [teste Nomen. anim.].
- loscombi** Linnaeus, G. B. Sowerby, I., Gen. Shells (17) 1823 [teste R. W.].
- Lostena** J. E. Gray, Proc. Zool. Soc. Lond. XV. 1847, 196; *pro* Lastena, Raf. 1820 [teste Nomen. anim.].
- Lotus** Fleming, Phil. Zool. II. 1822, 388; *pro* Lota, Oken, 1817 [teste Nomen. anim.].
- Loutra** Schinz, Nat. Abb. Säug. 1824, 118; *pro* Lutra, Briss. 1762 [teste Nomen. anim.].
- Loxoncus** Schmidt-G., F. Col. Birm. 1846, wrapper, p. [4].—Col. (Carab.) [teste Nomen. anim.]. [anim.].
- Lubeo** Blanchard, Hist. Anim. artic. III. 1840, 282; *pro* Labeo, Hal. 1833 [teste Nomen. anim.].
- Lubrinereis** Oersted, Annul. Dan. Consp. 1843, 15; *pro* Lumbrinereis, Bl. 1828 [teste Nomen. anim.].
- Lucapina** G. B. Sowerby, II., Conch. Illustr. (80) June 1835 (Fissurella, p. 4).—G.
- lucilla** Neptis (Esp.), var. ludmilla; Boisdual, Bull. Soc. Ent. France, 1848, 29 [teste Nomen. anim.].
- Lucinigenus** Renier, Tavole [1804] vii.—L. [teste Nomen. anim.]. [A. F. H.].
- Lucio** Laporte; *pro* 1837 lege 1833.
- Lucioperca** Schinz, Cuvier's Thier. II. 1822, 475.—P. [teste Nomen. anim.].
- ludovicianus** Anthon, T. Brown, Ill. Amer. Orn. 1835, Syst. Index, p. i.
- ludoviciana** Merula, T. Brown, Ill. Amer. Orn. 1835, Syst. Index, p. i.
- Lumbricellus** Chiaje (ex Fab. MS), Elmint. um., ed. 4, 1844, 4.—Veru. [teste Nomen. anim.].
- Lumbricina** Burmeister, Handb. Nat. (2) 1837, 543; *pro* Lumbrinereis, Bl. 1828 [teste Nomen. anim.].
- Lumbricites** Goldfuss, Petref. German. I (4) 1833, 222.—inc. sed. [teste Nomen. anim.].
- Lumbricogordius** Noll (ex Heyden MS), Arch. f. Naturg. X (1) 1844, 207 & 211.—Verm. [teste Nomen. anim.].
- Lumbricus** Rafinesque, Précis som. 1814, 32; *pro* L—cus, L. 1758 [teste Nomen. anim.].
- Lumbrinera** Guérin-M., Iconogr. III. 1844, 10; *pro* L—neris, Bl. 1828 [teste Nomen. anim.].
- Lumbrinereis** Chiaje, Descr. Not. An. Sicil. III. 1841, 83; *pro* L—neris, Bl. 1828 [teste Nomen. anim.].

- Lumbrinerus** Chiaje, Mem. stor. Not. III. 1828, pp. iv & 178; *pro* L.—ueris, Bl. 1826 [teste Nomen. anim.]. [Nomen. anim.].
- Lumbriscus** Gervais, Dict. univ. Hist. nat. V. 1844, 332; *pro* Lumbricus, L. 1758 [teste Nomen. anim.].
- Lumphus** Agassiz, Nom. Zool. (Pisc.) 1846, 36; *pro* Lumpus, Ok. 1817 [teste Nomen. anim.].
- lurida** Anapsis; *lege* Anaspis. [anim.].
- Luscus** Illiger, Abh. K. pr. Ak. Berlin, 1804–11, 1815, 42; *pro* Cuscus, 1811 [teste Nomen. anim.].
- Lutaria** Reichenbach, Zool. I. 1828, 86; *pro* Lutraria, Lam. 1799 [teste Nomen. anim.].
- luteus** Papilio, *var.* iris; Esper, Die Schmett. I (9) 1779, 314 [teste A. F. H.].
- Luthres** Latreille, Hist. Crust. Ins. III. 1802, 144; *pro* Lethrus, Scop. 1777 [teste Nomen. anim.].
- Lutrigenus** Renier, Tavole [1804] vii.—L. [teste Nomen. anim.]. [anim.].
- Lybithea** Oken, Lehrb. Nat. III (1) 1815, 731; *pro* Libythea, Fab. 1807 [teste Nomen. anim.].
- lycaon** Papilio, Rottensburg, Naturforscher, VI. 1775, 17 [teste A. F. H.]. [anim.].
- Lycastes** Burmeister, Handb. Nat. (2) 1837, 542; *pro* Lycastis, Sav. 1822 [teste Nomen. anim.].
- Lycastris** Gervais, Dict. Univ. H. N. VIII. 1846, 621; *pro* Lycastis, Sav. 1822 [teste Nomen. anim.].
- Lycastys** Audouin, Diet. Class. H. N. IX. 1826, 550; *pro* Lycastis, Sav. 1822 [teste Nomen. anim.].
- Lyceus** Gistel, Nat. Thierr. 1848, 161; *pro* Lynceus, Muell. 1776 [teste Nomen. anim.].
- Lycidice** Blyth's Cuvier, Anim. Kingd. 1840, 394; *pro* Lysidice, Lam. 1818 [teste Nomen. anim.].
- Lycidus** Laporte, Etud. Ent. (2) 1835, 121; *pro* Lycidius, Dej. 1833 [teste Nomen. anim.].
- Lycogenis** Kuhl & v. H. in Cuvier & Valenc., H. N. Poiss. V. 1830, 346 in syn. [teste Nomen. anim.].
- Lycophydion** Agassiz, Nom. Zool. (Rept.) 1844, 27; *pro* Lycophi—, Fitz. 1843 [teste Nomen. anim.]. [Nomen. anim.].
- Lycos** Boie, Isis, 1828, 360.—A. [teste Nomen. anim.].
- Lycosa** Latreille, N. Dict. XXIV. 1804, 135.—Ar. [teste Nomen. anim.].
- Lyctaea** Stephens, Cat. Brit. Ins. (Haust.) 1829, 64.—Lep. [teste Nomen. anim.].
- Lygaeomorphus** Blanchard, Hist. Anim. artic. III. 1840, 116.—Hem. [teste Nomen. anim.].
- Lygeus** Rafinesque, Analyse, 1815, 119; *pro* Lygaeus, Fab. 1794 [teste Nomen. anim.].
- Lygophilus** Steven, Mus. Univ. Mosq. 1829, 89.—Col. (Curc.) [teste Nomen. anim.].
- Lygyrium** Herrmannsen, Ind. Gen. Malac. I (6) 1847, 634.—Ceph. [teste Nomen. anim.].
- Lyma** Selby, Cat. Typ. Birds, 1840, 35; *pro* Syma, Less. 1827 [teste Nomen. anim.].
- Lymneigenus** Renier, Tavole [1804] viii.—G. [teste Nomen. anim.].
- Lymnella** Rafinesque, Amer. Month. Mag. III. 1818, 272.—G. [teste Nomen. anim.].
- Lymneum** J. E. Gray, Proc. Zool. Soc. Lond. XV. 1847, 196; *pro* Lymnium, Ok. 1815 [teste Nomen. anim.].
- Lymnias** Oken, Lehrb. Nat. III. 1815, Reg., p. x; *pro* Linnias, Schr. 1803 [teste Nomen. anim.].
- Lymnocharis** Risso, Hist. Eur. merid. V. 1826, 185; *pro* Limnocharis, Latr. 1796 [teste Nomen. anim.].
- Lymnoderma** J. E. Gray, Proc. Zool. Soc. Lond. XV. 1847, 196; *pro* Limnaeoderma, Poli, 1795 [teste Nomen. anim.].
- Lymnula** Rafinesque, Amer. Month. Mag. IV. 1818, 107.—G. [n. n., teste Nomen. anim.].
- Lyncaeus** Duméril, Zool. Anal. 1806, 176 & 338; *pro* Lynceus, Muell. 1776 [teste Nomen. anim.].
- lynceus** Thecla (Esp.), *var.* bischoffii; Gerhard, Vers. Mon. europ. Schmett. (1) 1850, 3 [teste A. F. H.].
- Lyncurius** Herrmannsen, Ind. Gen. Malac. I (6) 1847, 635.—Ceph. [teste Nomen. anim.].
- Lyngurium** Herrmannsen, Ind. Gen. Malac. I (6) 1847, 635.—Ceph. [teste Nomen. anim.].
- Lyogenis** Blanchard, Hist. Ins. I. 1845, 215; *pro* Liogenys, Guérin, 1838 [teste Nomen. anim.].
- Lyonnetia** Gistel, Nat. Thierr. 1848, pp. ix, 148 & 198; *pro* Lyonetia, Huebn. 1826 [teste Nomen. anim.]. [Nomen. anim.].
- Lyponix** Bonaparte, Giorn. Arcad. XLIX. 1831, 38; *pro* Lypornix, Wagl. 1827 [teste Nomen. anim.].
- Lyriostoma** Swainson, Treat. Malac. 1840, 329; *pro* Lystostoma [teste Nomen. anim.].
- Lysidia** Schweigger, Handb. Nat. 1820, 597; *pro* Lysidice, Lam. 1818 [teste Nomen. anim.].
- Lythotrya** Sowerby, Gen. Shells (8), expl. tabl. 1822; *pro* Lithotrya [teste Nomen. anim.].

- machaon** Papilio, L., *varr.* aestivus, vernus; Zeller, Isis (Oken), 1847, 216 [teste A. F. H.].
- machlis** Alces, W. Ogilby, Proc. Zool. Soc. London, 1836, 136.
- macroceras** Ceratium, F. v. P. Schrank, Briefe an Nau, 1802, 374.
- Macrocerus** Nitzsch; *lege ex* Hill, 1752 [teste F. J. C.].
- Macrogastra** J. D. W. Hartmann, Erd- u. Stüssw. Gast. 1840 *vel* 1841, 48.—G. [n. n., teste E. R. S.].
- macropterus** Semionotus, Schaffhaeuti, Geogn. Unters. südbay. Alpengeb. 1850, 25 & 98.
- macrourus** Galeopithecus, C. J. Temminck, [F. Japon.] Disc. prélim. 1835, p. ix.
- maculata** Ardea, L. P. Vieillot, N. Dict. H. N. XIV. 1817, 434 [non Gm. teste C. W. R.].
- maculiferus** Conus, G. B. Sowerby, I., Conch. Illustr. (29) 1833, f. 23 [teste Tomlin].
- maculipennis** Ephydra, Gimmerthal, Zwölf neue Dipt., Feb. 1847, 12.
- maculosus** Conus, G. B. Sowerby, I., Conch. Illustr. (24) 1833, f. 3, 3* [teste Tomlin].
- maculosa** Helix, Born, Index Mus. Caes. Viind. 1778 [1780], *errata*; *pro* maculata, p. 380; v. et Born, Test. Mus. 1780, 371 [teste R. W.].
- maculosa** Salamandra, Glückselig, Syn. Rept. Bohem. 1832, 56.
- magnevillana** Cellepora; *lege* mangnevillana.
- magnicornis** Kleidogetya; *lege* Kleidocerys.
- magona** Cryptura; *lege* magoua [teste C. W. R.].
- maguntina** Helix, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 252 (II*).
- major** Cervus, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 27 [teste C. W. R.].
- major** Mainatus, L. P. Vieillot, N. Dict. H. N. XVIII. 1817, 410 [teste C. W. R.].
- major** Venus (Sow.), G. P. Deshayes, Traité Conch., expl. pl. 22 (1839).—Tethis.
- major** Vulsella, J. F. Bolten, Mus. Bolten. (2) 1798, 156.
- Malletia** C. Des Moulins, Actes Soc. Linn. Bordeaux, V (26) 1832, 85.—L.
- Malletra** p. 389; *lege* Malletia. [teste A. F. H.].
- malvarum** Hesperia (? Ochs.), *varr.* australis, nostras; Zeller, Isis (Oken), 1847, 285.
- malvarum** Papilio, Hoffmannsegg, Mag. f. Insektenk. (Illiger) III. 1804, 198 [teste A. F. H.].
- mamillata** Larchesis; *lege* Lachesis.
- Mancipium** T. Horsfield, Descr. Cat. Lepid. E. I. C. 1829, 141.—Lep. [? non Huebner].
- magnevillana** Cellepora; *vide sub* magnevillana [teste S. F. H.]; *sed ex nom.* H. de Magne-
- marginatus** Serranus (Bl.), Cuvier, Planches de Seba (5) 1827, 5.—Holocentrus. [ville].
- marginipennis** Condylura, Gimmerthal, Zwölf neue Dipt., Feb. 1847, 11.
- maugaeus** Trochilus, Audebert & V., Ois. dorés, I (7) 1801, 77 (fo.), 93 (4to.), pl. 37 [teste C. W. R.].
- maura** Pleurotoma, Kiener (ex Val. MS), Coq. viv. (Pleur.) 1839-40, 59 [teste E. R. S.].
- maxima** Loligo, Schneider, Samml. verm. Abh. 1784, 110 [teste B. B. W.].
- mediscaste** Papilio, Hoffmannsegg, Mag. f. Insektenk. (Illiger) II. 1803, 181 [teste A. F. H.].
- medius** Pecten, Lamarek, H. N. An. s. Vert. VI (1) 1819, 163 [teste L. R. Cox].
- megaera** Hipparchia (L.), *var.* australis; Zeller, Isis (Oken), 1847, 140 [teste A. F. H.].
- Megorima** C. S. Rafinesque, Amer. Month. Mag. IV. 1818, 107.—Br. non L. [n. n., teste E. R. S.].
- melancholica** Erebia, Herrich-S., Syst. Bearb. Schmett. Europ. I. 1846, 163 [teste A. F. H.].
- melanocephala** Muscicapa, J. Latham, Index Orn., Suppl. 1801, p. lii.
- melanocephalus** Psittacus, Kuhl, N. A. Ac. Caes. Leop. Car. X. 1820, 53.
- melanopa** Anapsis; *lege* Anaspis.
- melanurus** Picus, Wagler, Syst. Avium, 1827, 117 [teste C. W. R.].
- melinus** Strymon, Huebner, Zuträge Schmett. I. 1818, 22 [teste A. F. H.].
- Melliturga** Latreille, Gen. Crust. Ins. IV. 1809, 177; *pro* Melitturga.
- melotes** Hesperia; *lege* melotis.
- melusina** Erebia, Herrich-S., Syst. Bearb. Schmett. Europ. I., tab. 77, 1847 [n. et f., teste A. F. H.].
- meone** Papilio, Esper, Die Schmett., Suppl., 1 Abschn., Tagschm. 1793, 9 [teste A. F. H.].
- merope** Melitaea, Freyer, N. Beitr. Schmett. I (3) 1831, 25 [teste A. F. H.].
- Merou** Bonaparte, Saggio, 1831, 101.—P. [teste D. S. J.].
- Mesomphix** Rafinesque, Amer. Month. Mag. IV. 1818, 107 [n. n., teste E. R. S.].
- meta** Thais, Meigen, Syst. Besch. Europ. Schmett. I (1) 1827, 6 [teste A. F. H.].
- metallicus** Diacope, Bleeker, Nat. Geneesk. Arch. Ned. Ind. II. 1845, 524 [teste Weber & B.].
- mexicanus** Gynnomastix; *lege* Gynnomystax.

- Micropteryx** P. C. Zeller, Isis (Oken), 1839, 185 [M—rix, Huebn.].
- miles** Scorpæna, J. Richardson, 12 Rept. Brit. Assoc. 1842 (1843), 18 [err. *pro militaris*.
Rich. 1842, *non miles*, Bemm. 1828, *teste* G. P. W.].
- milii** Sparus, Bory de St V., Dict. Class. H. N. XVII. 1831, 130 [*teste* G. P. W.].
- Mines** Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 130.—Lep. [= *Myne*].
- minimus** Picus, [G. Fischer], Mus. Mosq. 1822, 11 [n. n.].
- minor** Caprinulgus, Forster, 1771 [*non n. n.*, *teste* C. W. R.].
- minor** Panzeria, Gimmerthal, Zwölf neue Dipt., Feb. 1847, 11.
- minutus** Papilio, Esper, Schmett., Suppl. I. 1805, 71 [*teste* A. F. Hemming].
- minyas** Rusticus, Huebner, Exot. Schmett. I. Tab. Rusticus, 1806—c. 1809 [n. et f., *teste*
A. F. H.].
- mirabilis** Cristatella, Dalysell, Edinb. N. Phil. Journ. XVII (34) Oct. 1834, 414 [*teste*
S. F. H.].
- Misilus** Montf.—Rhizopod *est*.
- Mniotilla** L. P. Vieillot, N. Dict. H. N. XXIV. 1818, 116 [err. *pro* Mniotilta, *teste* C. W. R.].
- modestus** Pecten, Bosc = modesta Ostrea, Gm. 1790 [*teste* L. R. Cox].
- Modulus** Gray, Figs. Moll. Anim. IV. 1850, 78.—G. [*teste* E. R. S.].
- moniliger** Anampses, Cuvier, Planches de Seba (5) 1827, 6.
- monile** Pleurotoma, Kiener (ex Val. MS), Coq. viv. (Pleur.) 1839-40, 52 [*teste* E. R. S.].
- Monitor** de Blainville, Bull. Sci. Soc. Philom. Paris, 1816, 111 [err. *pro* 119].—R. [*teste*
L. Stejneger].
- Monodonta** A. Risso, Hist. Europ. mérid. IV. 1826, 132.—G. [*teste* E. R. S.].
- morbillosus** Amycterus, Erichson, Arch. f. Nat. VIII (1) 1842, 191 [*teste* S. Schenckling].
- Moretsia** ? err. *typ. pro* **Mouretia** [*teste* E. R. S.].
- Mulinia** J. E. Gray, Mag. Nat. Hist., n. s. I. 335 & 375.—L. [*teste* E. R. S.].
- mülleri** Carcharias (Physon), Müller & Henle (ex Val. MS), Syst. Plag. (2) 1839, 30.
- Mulloides** Bleeker, Verh. Batav. Gen. XXII. 1849, Percoid., 6.—P. [*non* Rich. 1843,
teste G. P. W.].
- muricatus** Pecten, S. Woodward, Geol. Norf. 1833, 38 & 48.
- muriculatus** Conus, G. B. Sowerby, I., Couch. Illustr. (24) 1833, f. 1, 1* [*teste* Tomlin].
- Mycterophis** Sherborn, Index Anim. 1800-1850, 4224; err. *pro* Mycteropus.
- Mycteropus** Herrich-S., Syst. Bearb. Schmett. Europ. II (37-40) 1849, 191; II (—) 1850,
- Myctonome** Anon.; v. sub **Nyctinomus**, p. 4447. [242.—Lep.]
- myrissa** Argynnis, Godart, Ency. Méth. IX (2) (Ins.) 1824, 806 [*teste* A. F. H.].
- mystacalis** Pica; lege G. de Sparre *non* Geoffroy.
- naevius** Coccyzus, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 271 [*non* Temm. 1820,
teste C. W. R.].
- nana** Tachys, A. Villa, Tav. Ins. carn. milanese, ex "Spet^e Indus^e, 1845" [n. et f., *teste*
F. J. G.].
- napaea** Papilio, Hoffmannsegg, Mag. f. Insektenk. (Illiger) III. 1804, 196 [*teste* A. F. H.].
- nastes** Colias, Boisduval, Icon. List Lépid. Europe, I (3 & 4) tab. 8, 1832 [n. et f., *teste*
A. F. H.].
- Navicula** J. B. v. Spix, Test. Brasil. 1827 [usu gen. pl. xv, *teste* E. R. S.].
- nelamus** Papilio, var. cassiope; Boisduval, Europ. Lépid. Index [1828], 22 [*teste* A. F. H.].
- neleus** Papilio, Freyer, Neuere Beitr. Schmett. I (14) 1832, 148 [*teste* A. F. H.].
- nemausiaca** Papilio, var. arge; Esper, Die Schmett., Suppl., 1 Abschn., Tagschm. 1793,
15 [*teste* A. F. H.].
- neocides** Papilio, Hoffmannsegg, Mag. f. Insektenk. (Illiger) III. 1804, 201 [*teste* A. F. H.].
- neomiris** Satyrus, Godart, Tabl. méth. Lépid. France, 1823, 9 [*teste* A. F. H.].
- nephele** [Argynnis], Herrich-S., Syst. Bearb. Schmett. Europ. I. 1847, tab. 76 [n. et f.,
teste A. F. H.].
- nephele** Papilio, Hufnagel, Berlin Mag. II. 1766, 78 [*teste* A. F. H.]. [242.—Lep.]
- nephele** Saperda, O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 168.
- Nesognatha** T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 107.—Col.
- niambu** Perus; lege Pezus. [*teste* C. W. R.].
- nigricollis** Tanagra, L. P. Vieillot, N. Dict. H. N. XXXII. 1819, 412 [*non* Gm. nec Bodd.,

- nigropunctatus *Halictus*, Forster in Faun. Sinensis in Osbeck, Voy. China, II. 1771, 331 [*teste* G. P. W.].
- nigro-punctata Eupithecia, Chant, Ent. Mag. I. 1833, 184 [*teste* L. B. P.].
- nippon Cervus, C. J. Temminck, [F. Japon.], Disc. prélim. 1835, p. xxii.
- niso Cadenorrhinus; *lege* Celaen=.
- nitens Ervilia; *lege* Ervilia.
- nivalis Nemoura, A. Fitch, Amer. J. Agric. Sci. V. 1847, [6].
- nivicola Perla, A. Fitch, Amer. J. Agric. Sci. V. 1847, [5].
- nivicola Podura, A. Fitch, Amer. J. Agric. Sci. V. 1847, [10].
- nivoriundus Boreus, A. Fitch, Amer. J. Agric. Sci. V. 1847, [4].
- nivoriundus Chironomus, A. Fitch, Amer. J. Agric. Sci. V. 1847, [9].
- nobilis Sparus, Forster in Faun. Sinensis in Osbeck, Voy. China, 1771, 331 [*teste* G. P. W.].
- no-japonicum Papilio, Siebold, H. N. Japon. Diss. 1824, 20 [*teste* A. F. H.].
- northumbicus Gymnetrus, Timpel, Year-Book of Facts, 1850, 229 [*teste* G. P. W.].
- novae hollandiae Ardea, L. P. Vieillot, N. Dict. H. N. XIV. 1817, 436 [*non* Lath. 1790, *teste* C. W. R.].
- novae zelandiae Myiothera, Lesson, Man. Orn. I. 1825, 248 [*teste* G. M. M.].
- novae zealandiae Myiothera, Lesson & Garnot, Voy. "Coquille" (Zool. I.) Feb. 1829, 415 [*teste* G. M. M.].
- novempunctata Sapromyza, Gimmerthal, Zwölf neue Dipt., Feb. 1847, 12.
- abscurus Mus, p. 4491; *lege* obscurus. [C. W. R.].
- obscurus Trochilus, Audubert & V., Ois. dorés, I. 1801, 72 (4to.), pl. 28 [*non* Gm.; *teste* occitanica Papilio, var. arge; Esper, Die Schmett., Suppl., 1 Abschn., Tagschm. 1793, 17 [*teste* A. F. H.].
- occulata Halictona, R. E. Grant, Outl. Comp. Anat. 1841, 5 [*teste* M. Burton].
- octosetaceus Mergus, L. P. Vieillot, N. Dict. H. N. XIV. 1817, 222 [*teste* C. W. R.].
- oebalus Papilio, Hofmannsegg, Mag. f. Insektenk. (Illiger) III. 1804, 185 [*teste* A. F. H.].
- oenea Volucella, M. de Serres, Essai Anim. midi France, 1822, 78.
- oeneivittata Hydrophorus, J. Macquart, Rec. Trav. Soc. Sci. Lille, 1826-7, 1827, 1828, Oikopleura *non* M. sed ? Med. [250].
- Oleacina J. E. Gray, Figs. Moll. Anim. IV. 1850, 117.—G.
- olfersii Pleurothyris, R. T. Lowe, Hist. Fishes Madeira (3) 1843, 64 [*teste* J. R. N.].
- Oliorhynchus Villa in Cattaneo, Notiz. Nat. Lombard. 1844, 457.—Col.
- Olisthoena Fairmaire, Rev. et Mag. Zool. (2) I. Sept. 1849, 451.—Col.
- Oliva Cuvier, Tabl. élém. 1798, 409.—G.
- Oplophorus H. M. Edwards, S. à Buffon (Crust.) II. 1837, 423.—Cr. [*teste* A. T. H.].
- orbitulus Lycæna (Pr.), var. aquila, araraticus; Gerhard, Vers. Mon. europ. Schmett. (5) 1850, 11 [*teste* A. F. H.].
- ornatus Conus, G. B. Sowerby, I., Conch. Illustr. (29) 1833, f. 22 [*teste* Tomlin].
- Ovatella Bivonia, 1832; G. est.
- Oxisma Rafinesque, Amer. Month. Mag. IV. 1818, 107.—L. [*teste* E. R. S.].
- palaeno Colas; *varr.* europomene; Ochsenheimer, Schmett. Europa, IV. 1816, 157
- pallida Anapsis; *lege* Anapsis. [[*teste* A. F. H.].
- pallipes Galeruca, A. G. Olivier, Entom. VI. 1808, 633 [*teste* S. Maulik].
- pamphilus Hipparchia (L.), var. sicula, Zeller, Isis (Oken), 1847, 146 [*teste* A. F. H.].
- Pancrates Gistel, Nat. Thierr. 1848, p. x.—? Verm. [*teste* G. P. W.].
- Panopaea Lamarck, H. N. Anim. s. vert. V. 1818, 456.—L.
- Panopoea Lamarck, H. N. Anim. s. vert. V. 1818, 457.—L.
- pantherina Cypraea, Solander; add. p. 50 [*teste* R. W.].
- paphioides Papilio, Leperchin, Tagebuch Reise Russ. I. 1774, 4 [*teste* A. F. H.].
- papillaris Conus, G. B. Sowerby, I., Conch. Illustr. (37) 1833, f. 54 [*teste* Tomlin].
- papilliferus Conus, G. B. Sowerby, I., Conch. Illustr. (56, 57) 1834, f. 79 [*teste* Tomlin].

- paradiseus Polynemus, Cuvier, Planches de Seba (5) 1827, 5.
 Parmophorus Blainville, 1817.—G. *non* M.
 parthenie Papilio, Borkhausen, Nat. Europ. Schmett. I. 1788, 33 [teste A. F. H.].
 passerinii Ramphocelus, Bonaparte, Antologia (130) Oct. 1831 [teste F. J. G.].
 patula [Littorina], Thorpe, Brit. Mar. Conch. 1844, 259 [teste R. W.].
 pauperculus Conus, G. B. Sowerby, I., Conch. Illustr. (56, 57) 1834, f. 78 [teste Tomlin].
 pectinata Terebratula, J. Sowerby, Min. Conch. II (24) Aug. 1816, wrapper [teste L. R. C.].
 pectinata Terebratula, W. Smith, Strat. Syst. Org. Foss. 1817, 32 [teste L. R. C.].
 pectoralis Caprimulgus, "Cuvier"; Vieillot, N. Dict. H. N., ed. 2, X. 1817, 233 [teste C. W. R.].
 Pedalion L. W. Dillwyn (*ex* Sol. MS), Descr. Cat. Shells, 1817, 282.—L. [teste E. R. S.].
 Pedites Gistel, 1843; *lege* 1848.
 pelagica Jassa, W. E. Leach in Brewster, Edin. Ency. VII (2) 1814, 433.
 Pelamys Cuvier & Valenc., H. N. Poiss. VIII. 1831, 149 [= Pelamis, Daud.; teste J. R. N.].
 pelopus Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett., X. 1800, 270 [teste A. F. H.].
 Peloria Cocco in Krohn, Giorn. Gabin. Messina, V. 1844, 21.—P. [teste Facciola].
 Peltellina Gray, 1847; *sic* Tryon, Struct. Syst. Conch. III. 1884, 57 [teste E. R. S., *sed* *prim. non comp.*].
 Pemphredron v. d. Linden, N. Mém. Ac. R. Brux. V. 1829, 78; *pro* Pemphredon, Latr. 1796.
 Peristoma Krynicki; Gast. *non* Col. [teste E. R. S.].
 perna Pedalion, Dillwyn (*ex* Sol. MS), Descr. Cat. Shells, 1817, 281 & Index.
 "Pteroptera Fisch."; J. Gistel, Nat. Thierr. 1848, p. x.—P. [teste J. R. N.].
 phaaenoleuca Muscicapa, L. P. Vieillot, N. Dict. H. N. XXI. 1818, 448 [teste C. W. R.].
 phalenoides Eurypyga; *pro* ? Fab. *lege* Vieill. *et vid.* Additamenta.
 phalenoides Helias, L. P. Vieillot, N. Dict. H. N. V. 1816, 423 [teste C. W. R.].
 Phanerotenus *err.* Marshall, 1873, *pro* P—tinus, Sow. 1843.
 pheretes Papilio, Hoffmannsegg, Mag. f. Insektenk. (Illiger) III. 1804, 187 [teste A. F. H.].
 Phidiano *err.* Marshall, 1873, *pro* Phidiana, Gray, 1850.
 philea Papilio, J. Huebner, Samml. Eur. Schmett. I., fig. 254 [teste A. F. H.].
 phileus Satyrus, Godart, Tabl. méth. Lépid. France, 1823, 30 [teste A. F. H.].
 Philonexus *non* Gray *sed* d'Orbigny, Voy. Amér. mérid. (Moll.) 1835, 17 [teste E. R. S.].
 phleas Polyommatus (L.), *varr.* aestivus, vernus; Zeller, Isis (Oken), 1847, 158 [teste A. F. H.].
 phloas Polyommatus, *var.* schmidtii; Gerhard, Vers. Mon. europ. Schmett. (3) 1850, 7 [teste A. F. H.].
 phoebe Melitaea, *var.* melanina; Bonaparte, Var. farf. Melitaea (in Antologia, 1831, no. 125) [teste A. F. H.].
 phoenicocephalus Psittacus, Kuhl, N. Acta Ac. Caes. Leop. Car. X. 1820, 88 [teste G. M. M.].
 Phonygamus Lesson & Garnot in Férussac, Bull. Sci. Nat. VIII. Mar. 1826, 110 [teste Phyllida].
 Phyllida G. Cuvier, Bull. Sci. Soc. Philom. I (1) 1797, 105.—Nud. [teste B. B. W.].
 Phymesoda *lege* 1820.
 Phymosoma Sherborn, Index Anim. p. 4933; *non* Agassiz *sed* Hainae 1853 [teste H. L. C.].
 Physella Hald 1843; *delendum* [*gen. caelebs*].
 Physodon Müller & Henle (*ex* Val. MS), Syst. Plag. (2) 1839, 30.—P. [teste E. I. W.].
 Physodon Hald. 1843; *delendum* [*gen. caelebs*].
 pinthoris Papilio, Linnaeus, 1758; *err.* Sherborni, Index Anim. I. 754, *pro* pinthous, q. v.
 pinthous Papilio, Linnaeus, Syst. Nat., ed. 10, 1758, 488.
 Pipillo L. P. Vieillot, N. Dict. H. N. XXIV. 1818, 107 [teste C. W. R.].
 pirata Papilio, Esper, Die Schmett., Suppl., 1 Abschn., Tagschm. 1793, 39 [teste A. F. H.].
 Plagiostoma J. Sowerby, Ann. Phil. IV. 1814, 449.—L.
 planata Puschia (Sow.), Rouillier & Vossynsky, Bull. Soc. Imp. Nat. Moscou, XX (1) 1847, 418.—Astarte.
 planicostatus Conus, G. B. Sowerby, I., Conch. Illustr. (28) 1833, f. 15 [teste Tomlin].
 platessoides Citharus (Fab.), Reinhardt, Dansk. Vid. Selsk. Afh. VII. 1838, 116.—Pleuronectes.
 Platinites Rafinesque, Amer. Month. Mag. IV. 1818, 107 [*n. n.*, teste E. R. S.].
 Platystomos Hellwig, N. Mag. Lieb. Entom. I (4) 1792, 393.—Col. [teste K. J.].

- plebeius *Chaetodon*, Cuvier & Valenc., H. N. Poiss. VII. 1831, 58 [*var. testé G. P. W.*].
- Pleurothyris R. T. Lowe, Hist. Fishes Madeira (3) 1843, 64.—P. [*teste* J. R. N.].
- plicularia *Helix*, Born, Index Mus. Caes. Vind. 1778 [1780], *errata*; *pro* plicata, p. 403 [*teste* R. W.].
- plomidis *Hesperia*, Herrich-S., Syst. Bearb. Schmett. Europ. I. 1845, 153 [*teste* A. F. H.].
- pluto *Papilio*, Prunner, Lep. Pedemont. 1798, 20 [*teste* A. F. H.].
- Pocilloptera Huebn. 1826; *err. pro* Poeciloptilia, *q. v.*
- podalirius *Papilio* (L.), *var. zancleus*; Zeller, Isis (Oken), 1847, 213 [*teste* A. F. H.].
- polidamas *Papilio*, Prunner, Lep. Pedemont. 1798, 69 [*teste* A. F. H.].
- polii Cleonus, F. W. Hope, Desm. Ins. foss. [1848], 5.
- polima *Papilio*, Ochsenheimer, Schmett. Europa, I (1) 1807, 134 [*teste* A. F. H.].
- Porphyron L. P. Vieillot [*ex* Buss.], N. Dict. H. N. XXIV. 1818, 128 [*teste* C. W. R.].
- Proscennia Perry, 1811; *lege* Proscenula.
- provincialis *Papilio*, *var. artemis*; Boisduval, Europ. Lepid. Index, 1828, 17 [*teste* A. F. H.].
- Pseudodactylus Hermannsen, Ind. Gen. Malac. I (2) 1848, 467.—G. [*teste* E. R. S.].
- pseudoptiletes Argus, Boisduval & Leconte, Hist. Lépid. Amér. sept. (13) 1833-37, 114
- Psiloceras Menke, 1844; *lege* Nud. [*teste* A. F. H.].
- psittacus *Lycæna*, Herrich-S., Syst. Bearb. Schmett. Europ. I. 1845, 129 [*teste* A. F. H.].
- psyche *Satyrus*, *var. phersusa*; Lefevre, Ann. Soc. Ent. France, I. 1832, 88 [*teste* A. F. H.].
- Pteronotus Swainson, Zool. Ill. (2) III. 1833, expl. pl. 122.—G. [*teste* E. R. S.].
- Pterosoma Lesson, 1827 [*Heteropoda est teste* E. R. S. *ex* Hedley].
- punctatus *Gobius*, Yarr [*err. pro* tripunctatus]; Cuvier & Valenc., H. N. Poiss. XII. 1837, 48 [*teste* G. P. W.].
- punctatus *Gobius*, Cuvier & Valenc., H. N. Poiss. XII. 1837, 100 [*ex* Sol. MS, *teste* G. P. W.].
- punctatus *Heterilis*, Rafinesque, Ann. Phil. IV. 1814, 449 [*n. n.*].
- punctatus *Trochilus*, Audebert & V., Ois. dorés, I (2) Mar. 1801, 21 (fo.), 24 (4to.), pl. 8 [*teste* C. W. R.].
- punctillatus *Gobius*, Rueppell, Atlas zu Reise (Pisces) 1830-31, 138 [*teste* G. P. W.].
- punctum-album *Papilio*, Ochsenheimer, Schmett. Europa, IV. 1816, 128 [*teste* A. F. H.].
- Pupillaea G. B. Sowerby, II., Conch. Ill. (Fissurella) 1835, 2.—G. [*teste* E. R. S.].
- Pupillia J. E. Gray, Proc. Zool. Soc. London, XV (173) 1847, 147.—G. [*teste* E. R. S.].
- purpureus *Ramphocelus*, L. P. Vieillot, N. Dict. H. N. XVI. 1817, 451 [*teste* C. W. R.].
- Puschia Reullier & Vossynsky, Bull. Soc. Imp. Nat. Moscou, XX (1) 1847, 418.—L.
- pusio Conus, G. B. Sowerby, I., Conch. Illustr. (55) 1834, f. 69 [*teste* Tomlin].
- pyronia *Papilio*, Huebner, Samml. europ. Schmett. I [1804], pl. 114 [*teste* A. F. H.].
- pyronia *Papilio*, Huebner, Samml. europ. Schmett. I. 1805, 7 [*teste* A. F. H.].
- quadralis *Margarita*; *lege* Margaritia. [A. F. H.].
- quercus *Thecla* (L.), *var. bellus*; Gerhard, Vers. Mon. europ. Schmett. (1) 1850, 4 [*teste*
- radiata Pandora, Hanley, Recent Shells, 1842, 50 [*teste* R. W.]. [*teste* A. F. H.].
- rapae *Peris* (L.), *var. messanensis*, syracusana, verna; Zeller, Isis (Oken), 1847, 221
- regularis Conus, G. B. Sowerby, I., Conch. Illustr. (29) 1833, f. 29 [*teste* Tomlin].
- Rescephalus *err. typ. pro* Piescephalus [*teste* G. P. W.].
- Rhamphidiona *delendum* p. 90, *q. est* Ramph-, *q. v.*
- Rhinoptera Voigt [*ex* Cuv. *renac.*], Das Thierr. II. 1832, 525 [*teste* G. P. W.].
- Risella J. E. Gray, Proc. Zool. Soc. London, XV (173) 22 June 1847, 195.—G. [*teste* E. R. S.].
- Röslertammia *err. pro* Roeslerstammia, Zell.; Bruand, Mém. Soc. Emul. Doubs, Vol. III [Tom. 3] (5 & 6) 1850, 42.
- rosaceus Conus, G. B. Sowerby, I., Conch. Illustr. (54) 1834, f. 55 [*teste* Tomlin].
- Rosalina Rhizopod *est*. [*teste* G. P. W.].
- rostratus *Ophisurus*, Quoy & Gaimard, Voy. "Uranie" et "Phys." (Zool.) 1824, 342
- rostrata Raja, Mueller & Henle (*ex* Banks MS), Plagiost. (3) 1841, 123 [*teste* G. P. W.].

- rubiginosus** Labrus, Temminck & Schlegel, F. Japon. (Siebold's) Poiss. 1845, 163 [non Risso, 1826; *teste* G. P. W.].
- rubra** Muscicapæ, L. P. Vieillot, N. Dict. H. N. XXI. 1818, 457 [*teste* C. W. R.].
- ruda** Cucullæa, Rouillier & Vossynsky, Bull. Soc. Imp. Nat. Moscou, XX (1) 1847, 428.
- rüppellii** Peloria, Cocco in Krohn, Giorn. Gab. Messina, V. 1844, 21-30 [*teste* Facciola].
- rufescens** Tringa, J. M. Bechstein, Gemein. Nat. Deutschl. IV (1) 1809, 332 [*teste* C. W. R.].
- rufescens** Tringa, L. P. Vieillot [non Bechst.], N. Dict. H. N. XXXIV. 1819, 470 [*teste* C. W. R.].
- ruficollis** Nucifraga, [G. Fischer], Mus. Mosq. 1822, 15 [n. n.].
- rufirostris** Bucco, [G. Fischer], Mus. Mosq. (Anin.) 1822, 10 [n. n.].
- rufus** Trogon, L. P. Vieillot, N. Dict. H. N. VIII. 1817, 313 [*teste* C. W. R.].
- rufus ater** Icterus, Lesson & Garnot, "Coquille" (Zool. I.) pl. xxiii, f. 1, Jan. 1830 [*teste* G. M. M.].
- Sabanea** Gray: Nov. 1847 [*teste* R. W.].
- Sagitella** Megerle MS; Scudder, Suppl. List, 1882, 298.—Ceph. [*teste* E. R. S.].
- Sapromuza** Gimmerthal, Zwölf neue Dipt., Feb. 1847, 11; *pro* S—myza, Fallen, 1810.
- Scapharca** lege 198 & 206, non 708 [*teste* E. R. S.].
- Scaradon** Temm. & Schlegel, F. Japon. (Siebold's), Poiss. 1845 [err. *pro* Scarodon, *teste* G. P. W.].
- Schizostoma** Bronn; *pro* L. lege G.
- selenis** Argynnis, Eversmann, Bull. Soc. Imp. Nat. Moscou, 1837 (1) 1837, 10 [*teste* A. F. H.].
- senegalensis** Tetrao, Shaw & Nodder, Nat. Misc. XXII., pl. 933 & Index [*teste* W. L. S.].
- Senilia** Gray, Proc. Zool. Soc. London, XV (173) June 1847, 198.—L.
- Senoclitæ** *pro* L. lege Cr.
- sexmaculata** Sapromuza, Gimmerthal, Zwölf neue Dipt., Feb. 1847, 11.
- sibiriana** Anapera, Gimmerthal, Zwölf neue Dipt., Feb. 1847, 12.
- signata** Cucullæa, Rouillier & Vossynsky, Bull. Soc. Imp. Nat. Moscou, XX (1) 1847, 428.
- silus** Argentina (Asc.), S. Nilsson, Obs. Ichth. 1835, 3.—Salmo, 1775.
- simpsoni** Gyrestes; lege Gyrestes.
- simularia** Carythea; lege Corythea.
- sinapis** Leucophasia (L.), var. diniensis; Boisduval, Gen. Ind. Europ. Lepid. 1840, 6 [*teste* A. F. H.].
- Siphonomphix** Rafinesque, Atlantic Journ. 1833; *sic* Scudder, *sed* ? err. *pro* Siphonomphix.
- smithii** Nucula, R. I. Murchison, Silur. Syst., Jan. 1839, 653 [n. n.].
- solidus** Conus, G. B. Sowerby, I., Conch. Illustr. "large list," no. 76, die non det. [*teste* Tomlin].
- spermologus** Corvus, "Frisch"; L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 40 [*teste* C. W. R.].
- statidinus** Hipparchia (Hufn.), var. apenninus, australis; Zeller, Isis (Oken), 1847, 133 [*teste* A. F. H.].
- swainsonii** Psittacus, Lauder & Brown, Misc. Nat. Hist. I. Parrots, 1833, 146 [*teste* C. W. R.].
- Synallaxis** Vieillot, p. 309, non 310 [*teste* C. W. R.].

- tesselloides** Hesperia, Herrich-S., Syst. Bearh. Schmett. Europ. I. 1845, 154 [*teste* A. F. H.].
- testudinarius** Coccinella, Fourcroy, Ent. Paris. I. 1785, 151 [*teste* S. Schenkling].
- thalassiarchus** Conus, ? Gray non Reeve [*teste* A. E. S.].
- Thelidomus** E. R. Sykes says ? two genera, one not molluscan.
- tigrina** Polycesta, Laporte & Gory, H. N. Coléopt. II. 1837, 6.
- Tinimogaster** Bonaparte (ex Cocco MS), Cat. Met. Pesci Eur. 1846, 68*.—P.
- Todarus** Rafinesque, The Good Book, 1840, 64.—Ceph. [*teste* E. R. S.].
- Toxophorus** J. L. R. Agassiz, Nom. Zool. (Pisces) 1846, 65.—P. [n. n.].
- Toxostoma** Rafinesque, Amer. Month. Mag. IV. 1818, 107.—G. [n. n., *teste* E. R. S.].

- Tralia** *vide et* Gray, Proc. Zool. Soc. Lond. XV (173) 1847, 179 [*teste* E. R. S.].
- Trichis** B. G. E. Lape  de (*ex* Plum. MS), H. N. Poiss. V. 1803, 448 *in syn.*—P.
- Trichonotus** C. S. Rafinesque, Analyse, 1815, 88.—P. [*teste* D. S. J.].
- Trichophasia** Swainson, N. H. Fishes etc. II. July 1839, 61 [*err. pro* Trichosomus; *teste* J. R. N.].
- Trichophora** Desh. 1830; *sic* Tryon, Man. Conch. IX. 1887, 40, *sed non comp.*
- tristis** Erebia, Herrich-S., Syst. Bearb. Schmett. Europ. I. 1848, tab. 80 [*n. et f., teste* A. F. H.].
- trochiloidea** Motacilla, L. P. Vieillot in Audebert & V., Ois. dor  s, 1802, Pr  f., p. 3 [*teste* C. W. R.].
- Tropidophis** Bibron; Stejneger *in lit. dict.* 1838.

valteri *var.* *walteri*; *lege* **valteri** Tabanus, J. Macquart, M  m. Soc. R. Sci. Lille, 1838 (3 1839, 300 [*in animo est* *vautieri*]).

PART II.

INDEX

TO

GENERIC NAMES

SHOWING THE TRIVIAL NAMES ASSOCIATED WITH
EACH, FROM 1801 TO 1850

(An asterisk signifies that the word will be found in the Additamenta; a double hyphen [e] signifies that a hyphen forms part of the specific name as printed in Part II.)

- A** tricolor.
Aades cultratus.
Abacetus cordatus, corvinus, crenatus, gagates, pubescens, tenebrionis.
Abacion tessellatum.
Abaeis agave, arethusa, brigitta, mexicana, unicippe, proterpia.
Abaris aenea.
Abastor erythrogrammus.
Abathmodon fossilis.
Abax africana, americanus, arator, beckenhaupti, carinatus, chalybeus, coracinus, corsicus, depressus, dilatatus, dissimilis, exaratus, fossula, frigidus, inapertus, italicus, laevigatus, latus, metallicus, ovalis, parallelipipedus, parallelus, platysma, podolicus, porcatus, quadricollis, rendschmidt, saxatilis, schmidt, schueppeli, spectabilis, striola striolatus, transversalis, turcica, unicolor, violaceus.
Abbotia georgiana, paykulliana.
Abdera bifasciata, picea, quadrifasciata.
Abebaea costella, immella, fisella, sylvella, vulgella.
Abella limnioides.
Abernus albus.
Aberodon aureus.
Abia brevicornis, fasciata, nigricornis, nitens, sericea.
Abida secale.
Abispa australiana.
Abilabera emarginiceps, fuscipennis, hirsuta, infuscata, intermedia, lalandaei, luridipennis, nigrita, rufipes.
Ablaberoidea aeneus.
Ablabia argentana, insolatana, magnana, pratana, quadripunctana.
Ablepharis kitabeli, leschenault.
Ablepharus bivittatus, cupreus, lineosocellatus, menestriesi, pannonicus, peroni, poecilopleurus.
Abra boyi, fragilis, listeri, prismatica, profundissima, sinuosa, tenuis.
Abracrinus pusillus, simplex.
Abraeus aciculatus, atomarius, consobrinus, exiguus, fimetarius, globosus, globulus, granulum, laevigatus, minutus, nigricornis, obliquus, parvulus, punctum, rombophorus, seminulum, simplex.
Abralia armata, morisi.
Abramis argyreus, balleropsis, ballerus, blicca, brama, buggenhagen, carassias, chryso-prasius, cotis, elongatus, erythropterus, frivaldszkyi, gibbosus, heckeli, latus, leuckarti, media, melaenus, melanops, microlepidotus, micropteryx, persa, sapa, schreibersi, tenellus, terminalis, versicolor, vetula, vimba.
Abranchus (Nud.) glaucoleucus.

Abranchus (Rept.) *alleghaniensis*.

Abraxas *grossularia*, *grossulariata*, *pantaria*, *ribearia*, *ulmaria*.

Abrobapta *chrysoptera*, *viridinitens*.

Abrocoma *benuetti*, *cuvieri*.

Abronia *deppii*, *taeniatus*.

Abropus *splendidus*.

Abromis *affinis*, *castaneocephs*, *chloronopus*, *chloronotus*, *crochroa*, *flaveolus*, *lugubris*, *nitidus*, *pulchralis*, *schisticeps*, *tenuiceps*, *tristis*, *trochiloides*, *viridana*, *xanthogaster*.

Abroscelis *longipes*.

Abrostola *asclepiadis*, *consona*, *illustris*, *modesta*, *triplasia*, *urticae*, *virgo*.

Abrostomus *capensis*, *umbratus*.

Abrothrix *arenicola*, *brachyotis*, *caesareus*, *longipilis*, *micropus*, *obscurus*, *olivaceus*, *rupestris*, *xanthorhinus*.

Abryna *caenosa*, *comosa*, *eximia*, *fausta*, *notha*.

Absia *lesueurii*.

Abyla *pentagona*, *quadrilatera*, *trigona*.

Acacallis *procax*.

Acaena *sambucaria*.

Acaenitus *decorus*, *dubitator*, *melleus*, *stigmapterus*.

Acalanthis *quadrisingata*.

Acalepha *deperdita*.

Acalla *ciliata*, *hystera*, *ophthalmica*, *scabrana*.

Acallapisus *villosus*.

Acalles *abstersus*, *acerosus*, *amplicollis*, *angulicollis*, *apicalis*, *argillosus*, *aubei*, *barbarus*, *bullatus*, *camelus*, *chaudoiri*, *cicatricosus*, *couifer*, *cunctans*, *denticollis*, *dromedarius*, *echinatus*, *errans*, *extensithorax*, *fallax*, *fasciculatus*, *frivulus*, *ganglionicus*, *grandicollis*, *granellus*, *granulifer*, *griseocaudatus*, *hypocrita*, *immansuetus*, *impressicollis*, *latocollis*, *lenur*, *magnicollis*, *menetriesi*, *misellus*, *naviesi*, *nocturnus*, *nodulosus*, *nudiusembus*, *obesus*, *opilio*, *parvulus*, *perjurus*, *pertusus*, *plagiatofasciatus*, *ptinoides*, *punctaticollis*, *pyrenaeus*, *quercus*, *roboris*, *rolleti*, *rubetis*, *rufirostris*, *rusticanus*, *squabidus*, *subfasciatus*, *sulcatus*, *sycophanta*, *teter*, *turbatus*, *uracus*, *variegatus*.

Acallopistus *curvirostris*, *fallax*, *guttatus*, *malvae*, *pardalis*, *vellicosus*.

Acallus *emarginatus*.

Acalypta *carinata*.

Acalyptus *alpinus*, *carpini*, *rufipennis*, *sericeus*.

Acamarchis *bertholleti*, *brasiliensis*, *dentata*, *geoffroyi*, *jolloisi*, *multiserialis*, *neritina*, *plumosa*, *tridentatus*.

Acamas *polyteratus*.

Acamatus *scutellatus*.

Acanalonia *servillei*.

Acanonicus *planiventris*, *rubiginosus*.

Acantha *jousseliini*, *octopunctata*, *pistrina*.

Acanthaclises *baetica*, *brachygaster*, *distincta*, *longicollis*, *longicornis*, *oxcitana*.

Acanthagenys *rufogularis*.

Acanthalepis *jamesi*.

Acanthalophus *spinulosum*.

Acantharhinus *dregeri*.

Acanthaspis *sexguttatus*.

Acanthasporgia *siluriensis*.

Acanthastrea *brevis*, *grandis*, *hirsuta*, *spinosa*.

Acanthia *agilis*, *aterrima*, *bicolor*, *blainvillei*, *capitata*, *carpini*, *ciliata*, *cocksii*, *confluenta*, *dimidiata*, *echii*, *elegantula*, *erruginea*, *hemiptera*, *hirta*, *humilis*, *interstitialis*, *intrusa*, *lateralis*, *ligata*, *lugubris*, *marginalis*, *marginata*, *pilosa*, *pulchella*, *quadrinaculata*, *saltatoria*, *scotica*, *stellata*, *striata*, *tricornis*.

Acanthias *acanthias*, *americanus*, *assieri*, *bicarinatus*, *fernandinus*, *maculatus*, *major*, *marginatus*, *microcephalus*, *nicaragensis*, *negrescens*, *philippii*, *rotundatus*, *spinax*, *squamosus*, *uyaris*, *vulgaris*.

Acanthicus (Hem.) *desmaresti*, *stolli*.

- Acanthicus** (P.) *histrix*.
Acanthidium *calceus*, *pusillum*.
Acanthina (Ceph.) *costata*, *imbricata*, *laevigata*.
Acanthina (Dipt.) *aurata*, *elongata*, *hieroglyphica*, *longa*, *ornata*.
Acanthion *glaucus*, *orbicularis*, *rhomboides*.
Acanthinomonus *spinicornis*.
Acanthinula *aculeata*, *lamellata*.
Acanthinus *aequinoctialis*, *histrion*, *rugosus*, *spinicollis*, *striatopunctatus*, *trifasciatus*.
Acanthion *cuvieri*, *daubentoni*, *flemingi*, *hodgsoni*, *javanicum*.
Acanthis (A.) *borealis*, *canescens*, *carduelis*, *holbolli*, *rufescens*, *spinus*.
Acanthis (L.) *pellucida*.
Acanthisitta *chloris*, *citrina*, *longipes*, *punctata*, *teuistrois*.
Acanthiza *albifrons*, *albifrons*, *albugularis*, *apicalis*, *arrogans*, *brevirostris*, *brunnea*,
buchanani, *chloronotus*, *chrysorrhoa*, *chrysorrhoea*, *culicivora*, *diemenensis*, *ewingi*,
flaviventris, *frontalis*, *fusca*, *igata*, *inornata*, *laevigata*, *lineata*, *longirostris*, *macularia*,
magnirostra, *nana*, *olivacea*, *pusilla*, *pyrrhopygia*, *reguloides*, *sagittata*, *striata*,
teuistrois, *trochiloides*, *unicornis*, *uropygialis*.
Acanthobdella *peledina*.
Acanthobothrium *bifurcatus*, *coronatum*, *dajardini*, *eschrichti*, *leuckarti*.
Acanthobrama *arrhata*, *centisquama*, *cupida*, *marmid*.
Acanthocephala *compressipes*.
Acanthocephalus *octacanthus*, *syringodes*.
Acanthocera *longicornis*.
Acanthocercus (Cr.) *curvirostris*, *rigidus*, *sordidus*.
Acanthocercus (R.) *cyanogaster*.
Acanthocerus (Col.) *aeneus*, *antiquus*, *aphodioides*, *brunnipes*, *globosus*, *indigaceus*,
laevistriatus, *leprieuri*, *macleayi*, *muricatus*, *nitens*, *plicatus*, *posticus*, *puncticollis*,
pusillus, *rugatus*, *rugiceps*, *rugosus*, *semituberculatus*, *senegalensis*, *sticticus*, *striatus*,
tibialis.
Acanthocerus (Hem.) *crucifer*, *nebulosus*, *sanctus*.
Acanthochaetes *biramosus*, *hookeri*, *violaceus*, *vulgaris*, *zelandicus*.
Acanthohermes *quercus*.
Acanthochetes *fascicularis*, *monticularis*, *zelandicus*.
Acanthochites *aeneus*, *carinatus*, *communis*, *fascicularis*, *garnoti*, *hastatus*, *hirundini-*
formis, *lesueuri*, *polychetus*, *roseus*, *scaber*, *strigatus*, *violaceus*.
Acanthocinus *aculeatus*, *aculifer*, *acuminatus*, *adpersus*, *aedilis*, *affinis*, *albifrons*, *albi-*
latera, *albisignatus*, *albovarius*, *apiatus*, *apicalis*, *aquilinus*, *araneiformis*, *armatus*,
aspera, *assimilis*, *atomarius*, *australis*, *bicornis*, *bifidator*, *bimaculatus*, *bisignatus*,
boryi, *brevis*, *calceatus*, *caliginosus*, *calvinarius*, *cinereodorsis*, *cinereus*, *cingulatus*,
circumflexus, *colonus*, *confusus*, *congener*, *conspersus*, *corticalis*, *costatus*, *crocogaster*,
crucifer, *cylindricus*, *depressus*, *didymus*, *fastidiosus*, *fuliginosus*, *flavitaris*, *fuscatus*,
glaucus, *griseofasciatus*, *griseus*, *heros*, *hieroglyphicus*, *hollandicus*, *humeralis*,
illyricus, *incrassatus*, *inermis*, *lacerta*, *lateralis*, *lineaticollis*, *litigiosus*, *lituratus*,
maculicollis, *marginicollis*, *melancholicus*, *modicus*, *multiguttatus*, *mundus*, *nigricans*,
nigromaculatus, *nivosus*, *nodosus*, *oblitus*, *obsoletus*, *ophthalmicus*, *papulosus*, *peni-*
cillatus, *piliger*, *praemorsus*, *pruinus*, *pubicornis*, *punctatus*, *pusillus*, *pustulatus*,
quadrigibbus, *rhombus*, *ruficornis*, *rusticus*, *scaber*, *scenicus*, *scopifer*, *scorpio*,
scriniarius, *scutellaris*, *sellatus*, *sericeus*, *signaticollis*, *signatipennis*, *signatus*, *signi-*
ferus, *simplex*, *sparsus*, *speculifer*, *spinifer*, *spinipennis*, *stellio*, *tesselatus*, *triangularis*,
undulatus, *varius*, *virens*.
Acanthocladia *anceps*.
Acanthoclinus *fuscus*.
Acanthocnemis *glabra*, *sulcata*, *verrucosa*.
Acanthocoenia *rathieri*.
Acanthocoris *scabrator*.
Acanthocottus *aeneus*, *groenlandicus*, *hexacornis*, *labradoricus*, *mittilli*, *ocellatus*, *patris*.
polaris, *polyacanthocephalus*, *porosus*, *psittilliger*, *scorpioides*, *virginianus*.
Acanthocrinus *brevispina*, *longispina*.

- Acanthocyathus grayi*, hastingsi.
Acanthocyclus grayi.
Acanthodactylus belli, capensis, boschianus, boskianus, inornatus, lineomaculatus, savignyi, scutellatus, velox, vulgaris.
Acanthoderes araneiformis, daviesi, funesta, fuscicornis, griseus, leucogaeus, monacha, phixi, pictus, satellinus, triangulifer, varius.
Acanthoderma ovale, spinosum.
Acanthoderus (Col.) albitarsis, araneiformis, betulina, daviesi, inglorius.
Acanthoderus (Or.) auritus, cornutus, dumerili, perfoliatus, scabrosus, spinosus.
Acanthodes bronni, pusillus, sulcatus.
Acanthodis albomarginata, aquilina, arenosa, brachyptera, circumcincta, consanguinea, coronata, femorata, fenestrata, formidabilis, glabrata, humilis, immaculipennis, microptera, ochracea, perspicillata, rugosa, scariosa, scops, specularis, ululina, vulturina.
Acanthodon (Ar.) petiti.
Acanthodon (M.) ferox.
Acanthodoris pilosa.
Acanthoessus bronni.
Acanthogenius biguttatus, bisignatus, cruciatus, distractus, dorsalis, grandis, impictus, labrosus, scapularis.
Acanthogramma speciosa, verruculosa.
Acantholabrus couchi, imbricatus, palloni, romeritus, romerus, viridis.
Acantholis leysiana.
Acantholoma conradi.
Acantholophus (Ar.) aculeatus, dentiger, ephippiatus, hispidus, horridus, palpalis, terricola.
Acantholophus (Col.) echinatus.
Acanthomera (Col.) dentipes, gratilla.
Acanthomera (Dipt.) crassipalpis, flavipes, heydeni, immanis, magnifica, picta, seticornis, tabanina, vittata.
Acanthomerus anomalus, calcaratus, dentipes, gibbosus, gratilla, helopioides, mamillatus, obsoletesignatus, servillei, striatus, substriatus.
Acanthomus perfossus, sulcicollis.
Acanthomys alexandrinus, cahirinus, hispidus, perchal, platythrix, setifer.
Acanthonemus bertrandi, filamentosus.
Acanthonevra fuscipennis.
Acanthoniscus spiniger.
Acanthonotus (Ar.) niger.
Acanthonotus (Cr.) cristatus, inflatus, nordmanni, tricuspis.
Acanthonotus (M.) myrmecophagus.
Acanthonotus (P.) hardwicki.
Acanthonyx dentatus, elongatus, emarginatus, glabra, lunulata, macleai, petiveri, quadridentatus, scutellatus, viridis.
Acanthophis antarctica, browni, cerasinus, palpebrosa, tortor.
Acanthophorus confinis, longipennis, maculatus, natalensis, palini, serraticornis.
Acanthophthalmus fasciatus, javanicus.
Acanthopleura aculeatus, aselloides, asellus, bicolor, brevispinosa, carmichaelis, gigas, hennahi, longicymba, magnifica, nobilis, oweni, picea, spinigera, spinosus, truncata, undulatus, watsoni.
Acanthopleurus (Chit.) cinereus, crinitus, peruvianus, serratus.
Acanthopleurus (P.) brevis.
Acanthopodus argenteus, boddaerti.
Acanthopora icaunensis, mitra, neocomiensis, spinosa.
Acanthops erosa, fuscifolius, mortuifolia, sinuata, tessellata.
Acanthopsis (P.) angustus, linea, taenia.
Acanthopsis (R.) cerastinus.
Acanthoptera argentata, aurantia, budensis, cylindrica, desfontaini, elegans, elegantula, flavipes, gracilis, gummosa, guttata, hieroglyphica, infirma, kaehleri, multisignata, oblita, sexguttata, spinicornis, testacea, undata, vinculata, violascens.

Acanthopterus bideusis, tripunctatus.

Acanthopus (Col.) *caraboides*, *cupreus*, *dentipes*, *goryi*, *orientalis*, *rugosus*.

Acanthopus (Hym.) *splendida*.

Acanthopyga striata.

Acanthopyge leuchtenbergi, *pulchra*, *speciosa*.

Acanthorhinus acanthias, *americanus*, *assieri*, *blochianus*, *centrina*, *epedianus*, *ferdinandinus*, *granulosus*, *microcephalus*, *nicensis*, *norwegianus*, *spinax squamosus*.

Acanthorhynchus (A.) *dubius*, *superciliosus*, *tenuirostris*.

Acanthorhynchus (Verm.) *horridus*, *reptans*.

Acanthoscelis ruficornis.

Acanthosoma (Cr.) *hystrix*.

Acanthosoma (Hem.) *affinis*, *agathina*, *bispinus*, *borealis*, *clypeata*, *cornutum*, *gladiator*, *grisea*, *haematogaster*, *haemorrhoidalis*, *hamata*, *impluviata*, *lineatum*, *litrata*, *lutea*, *luteicornis*, *megacephalum*, *picolor*, *picta*, *stolli*, *uniguttata*, *variolora*.

Acanthosoma (P.) *carinatum*.

Acanthosoma (Verm.) *chrysalis*.

Acanthoteuthis acuta, *angusta*, *brevis*, *ferussaci*, *gigantea*, *lata*, *lichtensteiui*, *orbignyana*, *semistriata*, *speciosa*, *subconica*, *subovata*, *subsagittata*, *tricarinata*.

Acanthothorax (Col.) *longicoruis*.

Acanthothorax (Hem.) *sanguineus*, *siculus*.

Acanthotrachelus ventricosus.

Acanthurus (Col.) *pictus*.

Acanthurus (P.) *achilles*, *aliala*, *altivelis*, *annularis*, *argenteus*, *armiger*, *blochi*, *carinatus*, *chirurgus*, *coeruleus*, *ctenodon*, *delisiani*, *desjardini*, *dorensis*, *dussumieri*, *elongatus*, *eparai*, *flavescens*, *flavoguttatus*, *fraterculus*, *fuliginosus*, *gatum*, *gemmaus*, *glaucois pareius*, *grammoptilus*, *guttatus*, *harpurus*, *hemipterus*, *hepatus*, *hirudo*, *humeralis*, *ketlitzii*, *kingi*, *lamarii*, *leucosternon*, *lineatus*, *lineolatus*, *litratus*, *marginatus*, *mata*, *matoides*, *melanurus*, *melas*, *meleagris*, *militaris*, *nasus*, *nigricans*, *nigro fuscus*, *nigroris*, *nummifer*, *orbicularis*, *ovalis*, *pentazona*, *phlebotomus*, *pyroferus*, *rasi*, *rhombeus*, *rubropunctatus*, *rupepeli*, *scopas*, *sohal*, *striatus*, *strigosus*, *subarmatus*, *suillus*, *tenuis*, *theuthis*, *triangulus*, *tristegus*, *umbratus*, *undulatus*, *unicornis*, *velifer*, *vittatus*, *xanthopterus*, *zebra*.

Acanthylis acuta, *albifrons*, *brachyura*, *brunnitorques*, *caudacuta*, *cinereocauda*, *ciris*, *collaris*, *coracinus*, *gigantea*, *montivagus*, *nudipes*, *oxyura*, *pelasgia*, *polioura*, *sabini*, *senex*, *spinicauda*, *sylvatica*, *vauxi*.

Acantischium maculatum.

Acanopsis dialuzona.

Acanus arcuatus, *minor*, *oblongus*, *ovalis*, *regley*.

Acara brasiliensis, *cognatus*, *crassipinnis*, *desfontainii*, *diadema*, *dimerus*, *dorsiger*, *gronovii*, *heckeli*, *margarita*, *marginatus*, *nassa*, *niloticus*, *ocellatus*, *pallidus*, *punctatus*, *surinamensis*, *taenia*, *tetramerus*, *unicolor*, *viridis*, *vittatus*.

Acarauna longirostris.

Acardo crustularius, *edentulum*, *lithuanus*, *orbicularis*, *umbella*.

Acarus ambulantium, *amictus*, *ampelos*, *anidens*, *artemisiae*, *aruaticus*, *basteri*, *bicolor*, *brachypus*, *cadaverinus*, *canis biunguiculatus*, *caraborum*, *cellaris*, *chelopus*, *ciliatus*, *coccineus*, *corbicula*, *cubicularis*, *eulicis*, *dimidiatus*, *equi*, *favorum*, *femoralis*, *flavicans*, *foenarius*, *folliculorum*, *hexapus*, *hirundinis*, *horridus*, *hortensis*, *hyalinus*, *infusionum*, *lari*, *lemnae*, *limosae*, *luridus*, *maculatus*, *manicatus*, *musculi*, *oblongulus*, *oleae*, *oscinum*, *pachypus*, *passularum*, *pectinatus*, *phaseoli*, *picae*, *pictus*, *piscium*, *planicornis*, *plumbeus*, *plumiger*, *pygoceras*, *resinosus*, *respirans*, *savignyi*, *setosus*, *spinirtarsus*, *talpae*, *tendens*, *testudinarius*, *truncatus*, *vesparum*, *vestium*, *viperinus*, *xanthopus*, *xylariae*, *xylocopae*.

Acasis viretaria, *viretata*.

Acasta glandiola, *glans*, *laevigata*, *montagni*, *nana*, *spinulosa*, *spongites*, *sulcata*, *tubulosa*.

Acaste conophthalmus, *downingiae*, *extensus*, *jordani*, *microps*, *rotundifrons*, *sclerops*, *tetragonocephalus*.

- Acavus* adpersa, alonerata, austriaca, constantina, haemastoma, hortensis, lactea, melanotragus, nemoralis, nicensis, splendida, vermiculata.
- Acca* agatha, auris, blandina, columena, heliodora, hera, leucostige, lucilla, matuta, ophione, sulphitia, valentina, venilia.
- Accanthopus* caraboides.
- Accentor* alpinus, altaicus, atragularis, atrogularis, cacharensis, calliope, camtschatkensis, collaris, familiaris, himalayanus, immaculatus, major, modularis, modularis-rubidus, mollis, montanellus, moritanus, nipalensis, pinetorum, strophiatius, subalpinus.
- Accia* lucida.
- Accinopus* minutus, subquadratus.
- Accipenser* bituminosus, macrostomus, ohienensis, platyrhynchus, serotinus, thompsoni, toliapicus. *Vide et* *Acipenser*.
- Accipiter* aeruginosus, affinis, approximans, astur, ater, badius, besra, brachydaetylus, brachypterus, luteo, carbonarius, circus, cirrhocephalus, cooperi, cruentus, dukh-nensis, dussumeri, erythrorhynchus, francesi, fringillarius, fringillaroides, fringilloides, fuscus, gabar, haliaetus, luogaster, hypoleucus, lacertarius, lagenarius, lagopus, leucauchen, madagascariensis, magnirostris, melanoleucus, mexicanus, minullus, monogrammicus, musicus, niger, nisoides, nisosimilis, palumbarius, pennsylvanicus, pileatus, polygonoides, polyzonus, radiatus, regalis, ruficaudus, rufiventris, scutarius, sexfasciatus, solonensis, sphenurus, stanleyi, striatus, subtypicus, tachiro, tinus, torquatus, tinotatus, variabilis, velox, virgatus, xanthothorax.
- Accompisia* alacella, apodistrigella, coronilella, kindermannella, luculella, nanella, peliella, proximella.
- Acedes* lapella, lutarella.
- Acedo* (*err. pro* *Alcedo*) erythrorhynchus.
- Acemya* myoidea, oblonga, subrotunda.
- Acentria* nivosa.
- Acentrolophus* maculosus.
- Acentroptera* cucullata, dejeani, norrisi, praeusta, suturalis.
- Acentropus* garnonsi, niveus.
- Acentrus* histrio.
- Acephalocystis* ansa, armatus, communis, cystifera, endogena, eremita, exogena, globula, granosa, granulosa, humana, intersecta, monroi, ovoidea, plana, prolifera, racemosa, simplex, socialis, sterilis, surciligera, uterina, volvox.
- Acephalocystites* suilla.
- Acera* aplysiaformis, carnosa, marmorata, meckeli.
- Aceratodes* cruentus, ruficornis.
- Acercus* chloropus, electus, decoratus, geminus, margine-punctatus, novem-maculatus, obscuratus, ornatus, podagricus, sagulatus, trifurcalis, vatrax.
- Acerina* (Cr.) fulva, zillii.
- Acerina* (P.) acerina, cernua, pallasi, rossica, schraitzer, vulgaris.
- Aceros* nipalensis.
- Acerotherium* goldfussi, incisivus, minutus.
- Acerus* davus, phyllis.
- Acervularia* ananas, baltica, goldfussi, pentagona, roemerii.
- Acestrus* ornatus.
- Acetabularia* acetabulum, caliculus, crenulata, diluviana, integra, mediterranea.
- Acetabulum* antiquum, calycubus, caribaeum, diluvianum, mediterraneum, microcythera.
- Acetes* indicus.
- Achaea* ezea, ino, melicerta, mezentia.
- Achaetula* belli.
- Achaeus* cranchi, japonicus.
- Achamarchis* spiralis.
- Achanius* anthicoides.
- Achanthurus* vulnerator.
- Acharia* brunus, coras.
- Acharnes* speciosus.
- Achatia* atriplicis, distincta, piniperda.

Achatina aberrans, accincta, achatina, acicula, aciculoides, acuta, adamsi, adamsoni, adusta, aequatoria, alba, albolineata, algira, allisa, amatistina, amentum, anais, anglostoma, anomala, antoniana, assimilis, bacilliformis, balanus, balteata, bicarinata, bicolor, blandiana, bohollensis, boreti, borniana, buccinula, bulimoides, byroni, californica, calista, camelopardalis, carinata, cassiaca, castanea, ceylanica, chilensis, cincinniformis, cincinnus, clavata, clavus, cochlea, columna, columnaris, concentrica, concinna, conifera, consimilis, consobrina, cornea, coronata, corusca, costulata, costulosa, couroupa, crassilabris, crassula, crenata, crotallaria, cubaniana, cuspidata, cyanostoma, cylindracea, dactylus, decora, dennisoni, dentiens, diaphana, dilatata, donellii, dysoni, elegans, elongata, emarginata, erecta, erythrostoma, exarata, exilis, exulata, fasciata, flammigera, floccosa, folliculus, fraseri, frumentum, fulminea, fulva, fulvescens, funcki, fusco lineata, fusiformis, gayana, gemma, glabra, glaus, goodali, gossei, gouldi, gracilior, gracilis, gracillima, griffithsi, gundlachi, hohenwarti, hopii, huegeli, idotata, immaculata, incerta, ingallsiana, inornata, intermedia, inusitata, involuta, iota, isabellina, javanica, jerdoni, kercadonis, knorri, krausii, lactea, lamarciana, lamellata, lamellosa, largillierti, lattrei, leaiana, levis, liebmanni, ligata, lignaria, lindoni, lineata, longispira, lubrica, lubricella, lubricoides, lugubris, maculata, magnifica, mandralisci, marginata, marmini, marmorea, mauritiana, melampoides, melastoma, micans, michaudiana, minima, minuta, monile, monilifera, moulinsi, mucida, muelleri, murrea, nigricans, nilagarica, nitens, nitida, nitidissima, nympha, oahuensis, obeliscus, obtusa, octona, oleacea, oreas, orophila, orysacea, osculaus, ottonis, ovuliformis, pallida, paludinoidea, panthera, papyracea, paritura, paroliniana, papillus, pellucens, pellucida, perdis, perplexa, perroteti, peruviana, peifferi, philippiana, philipsi, picta, poireti, polita, portoricensis, priamus, procera, propinqua, prunum, puella, pulchella, purpurascens, purpurea, pusilla, pygmaea, rangiana, reeveana, regina, reticulata, rhodostoma, richi, rillyensis, risso, rosea, saleana, sandbergeri, sandwicensis, saulcyi, sayea, selovi, semidecussata, semisculpta, semisulcata, semitarum, serpentina, sideratus, similis, sinistrorsa, solida, solidula, sordida, sowerbyana, stewarti, stopi, streptostyla, striata, striatella, strigata, striosa, subulcosa, subula, subulata, subulatoides, sulcata, sultana, suturalis, sylvatica, tenera, tenuis, tenuispira, terebraster, terveri, tineta, tornatellina, torrida, tortillana, triticea, trochlia, truncata, turbinata, turricula, turris, turrita, turritellata, undulata, unicolor, unilamellata, unizonata, ustulata, vanuxemensis, variegata, ventricosa, venusta, vexillum, vialaii, vicina, virginea, vitraea, vittata, vivipara, voluta, yucatanensis, zebra.

Achatinella abbreviata, acicula, acuminata, acuta, adusta, alba, bacca, bella, bicolor, bilineata, brevis, bulimoides, castanea, cerealis, cingula, citrina, clara, colorata, corneola, decepta, dimondi, ellipsoidea, fuliginosa, guttula, livida, lorata, lubrica, lubricoides, magna, marmorata, microstoma, mighelsiana, modesta, mustelina, nubilosa, nucleola, olivacea, pallida, perdix, perversa, pica, picta, plicata, prasinus, producta, pulcherrima, pyramis, radiata, reevei, rohi, rosea, rubens, seminigra, simulans, stewarti, straminea, striatula, suffusa, taeniolata, tappaiana, textilis, tristis, turbinata, unilamellata, variegata, ventulus, venusta, vestita, virgulata, viridans, vittata, vulpina.

Achatinia perversa.

Achatium elegans, fasciatum, perversum, virgineum, zebra.

Acheles arachnipodus.

Achelois pyramidans.

Achelous crassimanus, ruber.

Achenium aequatum, anale, angustatum, basale, caucasicum, debile, depressum, distinctum, ephippium, haemorrhoidale, humile, ieiunum, planum, striatum, tenellum.

Acherontia atropos, chionanthi, morta, satanas.

Acherusia (Col.) childreni.

Acherusia (Cr.) dentipes, dumerili.

Acheta agricola, aptera, arvensis, bipunctata, bordigalensis, chinensis, ciliata, dalmatina, digitata, exigua, hispanica, hybrida, longicauda, longicornis, marginata, marginipennis, maurus, melas, membranacea, monstrosa, nigra, obscura, sedgwicki, subulata, varia, vastatrix, vittata.

Acheus ai, communis, torquatus, ustus.

Achias dispar, ~~lehnemodens~~, lobularis, maculipennis, oculatus.

Achilleus bicinctus.

Achilleum anriformis, ~~cancellatum~~, cariosum, cheirotomum, ~~clavatum~~, ~~conoidem~~, costatum, deformis, dubium, expansum, faundeli, formosum, fungiforme, globosum, glomeratum, granulatum, informis, manus, milleporatum, morchella, muricatum, obscurum, officinale, orbiculatum, parasiticum, patellare, perreticulatum, polymorphum, poraceum, punctatum, radiceforme, reticulare, roemerii, rubicundum, rugosum, subcariosum, truncatum, tuberosum, verrucosum, voluta, waltheri.

Achillides achates, alcandor, alcanor, bianor, ~~dephobus~~, helenus, hypenor, paris, severus.

Achilus flammeus.

Achirus albus, apoda, arel, barbatus, bilineatus, cynoglossus, fasciatus, japonicus, lineatus, macrolepidotus, maculatus, marmoratus, nigricans, ornatus, pavoninus, pellucidus, plagusia, spinosus.

Achloa cafra, helvola.

Achlyodes bucolus*, busiris, fridericus, thraso.

Achlys carniun, clavus, cometa, pediculus.

Achlysia dytisci, mannerheimi.

Achoreutes albellus, bilineatus, maculatus, nigra, pallipes, plicatum, rubripes, rufescens

Achorutes affinis, agaricinus, agaricorum, aquatica, aquaticus, armatus, bielansensis, cellaris, cyanocephalus, dubius, fuscoviridis, larvatus, maritimus, murorum, muscorum, purpureus, similatus, similis, tuberculatus.

Achrochaeta elegans.

Achroia alvearia, cinereola, petreola, saxeola.

Achryson circumflexum, lineolatum.

Achtheres percarum.

Achthophora alma, tristis.

Acicnemis variegatus.

Acicula (G.) acicula, eburnea, fusca, lineata, miliaris, pellucida, simoniana, striata.

Acicula (Verm.) ebulra.

Acicularia pavantina.

Acidalia adippe, adjunctaria, adumbrata, affectata, affiniaria, aglaja, albiceraria, albidentaria, albimacularia, albulata, alpestrata, ancipitata, annotinata, antiquaria, appensata, aquata, asellaria, aureolaria, aversaria, aversata, bassaria, bilineata, bilunulata, bistrigata, blandiata, blomeraria, boreata, brumata, byssinata, candidaria, candidata, canteneraria, centaureata, certata, cirtanaria, consentaria, coraciata, cordata, corticulata, curata, cybele, decolorata, degeneraria, deversaria, dilutata, distinctaria, dubitata, electata, elongaria, extensaria, filacearia, filaria, filicata, flavellaria, floslactata, fluviata, frustata, fuliginata, fumata, geminata, gypsaria, hexapterata, holosericata, hydrata, immorata, impluviata, inciliata, incomptaria, inconspicuaria, inornaria, inornata, inustaria, irriguata, lactata, lignata, litigiosaria, lobulata, lutearia, luteata, marginepunctaria, marginepunctata, mutataria, nebulosaria, nibe, niphe, nitidaria, numidaria, nyctemeraria, obsoletaria, ochrearia, ochroleucaria, ornatoria, ossearia, osseata, pallidaria, pallidata, pepussillaria, perfluaria, perochraria, perpusillaria, petrificaria, polygrammata, pulchraaria, punctaria, punctularia, pusillaria, pygmaearia, relicata, remutaria, remutata, rhamnata, riguata, rivulata, ruberata, rubricaria, rufaria, rupestrata, rusticata, sabaudiaria, salicaria, scabraria, scripturata, sexalata, sexualata, stramentata, straminata, strigaria, strigilaria, subpunctaria, subsericearia, subsericeata, sulphuraria, sylvaria, sylvata, sylvestraria, sylvestrata, tersata, turbidaria, undulata, varians, vetulata, viretata, virgularia, vitalbata, viciaria.

Acidaspis bispinosus, brighti, spiniger, trentonensis, tuberculatus.

Acides burnesieri.

Acidia artemisiae, cognata, guerini, zoe.

Acidota alpina, ornata, cruentata, heydeni, hirtella, patruelis, rufa, subcarinata, tenuis.

Acies palpebrans.

Acigona cicatricalis, mantalis.

Acilius abbreviatus, brevis, caliginosus, canaliculatus, cinctatus, cinereus, circumscriptus, duponti, fasciatus, incisus, interruptus, laevisulcatus, laportei, musculatus, margine-

guttatus, mediatus, nigrofasciatus, ornaticollis, scoticus, subimpresus, spicinctus, sulcatus, sulcipennis, tomentosus, variegatus.

Acinacea notha.

Acineria acuta, incurvata.

Acineta cothurnata, ferrumæquinum, lyngsbyi, mystacina, tuberosa.

Acinia absinthi, annulata, arcti, chilensis, claripennis, comma, confusa, corniculata, eluta, fimbriata, flavicauda, guttata, guttularis, heraclei, hyoseyami, irrorata, jaceae, laticauda, leontodontis, lineata, millefolia, pallida, parietina, pediculariarum, plantaris, pupillata, radiata, rufa, stellata, terminata, urvillei.

Acinipe hesperica, microptera, monticola.

Acinocoris calidus, cornutus.

Acinonyx venator.

Acinopus ambiguus, ammophilus, australis, bucephalus, clypeatus, elongatus, emarginatus, eurycephalus, giganteus, grandis, gutturosus, laevigatus, lepeletieri, maculipennis, mauritanicus, megacephalus, microcephalus, nitidus, obesus, pasticus, picipes, rufitarsis, sabulosus, scaritoides, spinipes, striolatus, tenebrioides.

Aciona scalaris.

Acipenser aleutensis, brevirostrum, carbonarius, cataphractus, chinensis, glaber, gmelini, guldenstadti, heckeli, helops, hospitus, husoniformis, kostera, ladanus, laevis, latirostris, lichtensteini, maculosus, naccarii, nudiventris, orientalis, pygmaeus, rhynchaesus, rubicundus, rupertianus, sinensis, thompsoni, transmontanus. *Vide et Accipenser.*

Acipitilia galactodactyla, pentadactyla, theiodactyla.

Acis danica, elegans, hybrida.

Acisoma ascalaphoides, panorpoides.

Acispa wiedemanni.

Aciura discoidea, femoralis, lychnidis, tibialis.

Aclees cribratus.

Acleris aquilana, aspersana, autumnana, bifidana, cerusana, comparana, favillaceana, ferrugana, gnomana, logiana, scabrana, schalleriana, subtripunctulana, triana, tripunctulana.

Aclesia cirrigera, euclorur, ocellata, rufa, striata.

Aclis ascaris, nitidissima, supranitida, unica.

Aclopus brunneus, intermedius, vittatus.

Aclytia halys, heber.

Acmaea acuta, albescent, ancyllus, cassis, circinnata, compressiuscula, concentrica, digitalis, dimidiata, elegans, exilis, gussonei, inornata, laevigata, laevis, leucophaea, lineata, mammillata, marmorea, mitella, mitra, nisoria, orbis, parvula, patina, pelta, persona, pileata, plana, plauensis, punctatissima, radiata, reussi, scurra, scutum, subcentralis, subrugosa, tenuicosta, virginica.

Acmaeodera acuminipennis, adpersa, adpersula, affinis, antoniae, arabica, aurifera, barbara, bifossa, bipunctata, boryi, chevrolati, childreni, chilensis, coarctata, congener, croceonotata, cruenta, cuprifer, cuprina, cyanescens, cyanipennis, cylindrica, decimguttata, dermestoides, discoidea, dispar, dorsalis, elevata, erythroloma, feisthamelli, flavolineata, flavomarginata, flavonotata, flavopunctata, flavosignata, flavovittata, foudrasi, gibba, gibbosa, gibbulosa, gracilis, grandis, hirsutula, hirtula, hyacinthina, impluviata, inamoena, intricata, irrorella, jamaicensis, lanuginosa, lateralis, leprieuri, limbata, lugens, mauritanica, melanosoma, melanosticta, mima, modesta, multipunctata, mutabilis, nigrita, nodosa, octodecimguttata, octodecimpunctata, ornata, ottomana, ovis, pectoralis, persica, pictipennis, pilosellae, planiuscula, polita, posticalis, postverta, producta, prunneri, puberula, pulchra, quadrifasciata, quattuordecimguttata, repercuta, rubromaculata, rubronotata, ruithorax, rufo-marginata, sanguineosignata, saxicola, scalaris, sexpustulata, signata, stellaris, stictica, stictipennis, suturalis, taeniata, trifoveolata, tristis, tubulus, varians, vetusta, vicina, violacea, viridescens, viridissima, vulvulus, vulnerata, xanthosticta, xanthotaenia, zonella.

Acmaeops ater, discoideus, fusciceps, longiceps, longicornis, militaris, nigripennis, proteus, quadrivittatus, strigilatus, subpilosus, thoracicus, varians.

Acme fusca, lineata, minuta, moutoni.

- Acmea** acicula, gaultina, inflexa, latilabris, picta, truncata.
Acmene sphondylioides.
Acnocera compressa.
Acnephalum breve, dorsale, nilicola, olivieri.
Acocephalus bimaculatus, costatus, striatus, trifasciatus.
Acoenites arator, fulvicornis, incisurator, nigripennis, rufipes, saltaris, tristis.
Acoenitus lividus.
Acoetes pleii.
Acolasia hiuna.
Acolasis funebris, phasis, tanais.
Acolobus albimanus, sericeus.
Acomia costata, cyclidium, ovata, varians, vitrea, vorticella.
Acompsia ardiella, cinerella, depressella, flavella, fuscella, lineatella, tinctella, tripunctella, unitella.
Acomus purpureus.
Acomys cahirinus, subspinosus.
Aconophora flavipes, imbellis, ingumbens, laminata, pugionata, pugnax, telegera.
Aconthea alankara, apaturma, cocytina, francae, lubentina, nicea, primaria.
Acontia cerinthia, cretacea, doubledayi, graellsii, luctuosa, malvae, nigrirena, pulchra, solaris, titania, unocula, urania.
Acontias atrofusus, coecus, leucostoma, meleagris, plumbea, punctatus, reticulatus.
Acontistes gladiator, rectirostris.
Acopsis viridicans.
Acordulecera dorsalis.
Acorynus morbillosus, striatus, sulcirostris.
Acosmetia arcuosa, caliginosa, fuscula, lineola, lutescens, morrissi, rufula.
Acosminthus cahirinus, dimidiatus.
Acotherulum saturatum.
Acoura argentata, cinerea, obscura.
Acraea aedea, amazeula, andromache, anomala, aspasia, brassolis, caecilia, camaena, carmentis, cephus, circus, claudina, cynthia, dice, doubledayi, egina, eutoria, eponina, ethosea, eurita, euryta, gea, liorta, hova, hypatia, igati, jalema, janisca, jodutta, judith, lycea, lycoides, mabela, mandane, manjaca, medea, menippe, natalica, nataliensis, nelea, neobule, nerissa, nobara, obeira, ozomene, pasiphae, perenna, persephone, petraea, phlegetontia, punctatissima, quirina, rahira, rakel, ranavalona, serena, servona, severina, sganzini, stictica, stratonice, triplichore, thalia, umbra, valeria, vesta, violae, violarum, zenobia, zetes, zethea, zidora, zitja, zosteria.
Acrantus teyou.
Acratrichis diluta, fuscicola, grandicollis, lata, minima, quadrata, rotundatum, taurica, volans.
Acredula caudata, trivirgata.
Acreotrichus fucicornis, gibbicornis.
Acrhelia horrescens, sebae.
Acria emarginella.
Acrias nileus.
Acrida bingleyi, dorsalis, varia, virescens.
Acridites carbonatus.
Acridium abbreviatum, aeruginosum, affine, afrum, agrionoides, alacre, albipes, anaenum, ambulans, arcuatum, arthritium, asperum, assectator, atrum, barbarum, barthel-emyi*, bicolor, biguttulum, bimaculatum, binotatum, bisignatum, brachypterum, breve, brevipenne, caeruleus, calceatum, caliginosum, cancellatum, carbonarium, carneipes, carolinianum, carolinum, cephalicum, chloropum, clavuliger, coelestre, coeruleus, coeruleum, coloratum, consanguineum, cornutum, coxale, crenatum, cribratum, cruciatum, cruentatum, cyclopterum, debilitatum, declivum, dilatatum, dimidiatum, dispar, dorsatum, electum, elegans, emarginatum, fascipes, flaviventre, foedatum, fuliginosum, furcifer, gibbosum, giornae, gracile, haematototum, haematopterum, hagenbachii, hemipterum, herbaceum, hexodon, hieroglyphicum, hilare, hispidulum, humerale, humile, hyla, immaculatum, impunctatum, infuscatum,

lobatum, loetum, longipenne, lucasi, luteicorne, luteolum, macula, ~~maculatum~~, marginatum, melanocorne, micropterum, milberti, miniatum, moestum, ~~moestum~~, novae guineae, obscurum, ochraceum, olfersi, olivaceum, omnicolor, ~~pallidum~~, peregrinum, permistrum, phyllocerum, platypterum, plorans, praetor, quadris maculatum, ranaceum, reticulatum, robustum, rubellum, rusticum, saucium, scriptum, sebetium, semifasciatum, semirubrum, septemfasciatum, sparsum, speciosum, stigmaticum, stollii, subfasciatum, surinamensis, tarsatum, thalassinum, unistriatum, ventrale, violaceum, vittatum, vitticeps, vulneratum, xyphothyreum, zonatum. *Vide et Acrydium.*

Acridopeza reticulatus.

Acridotheres ater, calvus, cinereus, cristellatus, dominicanus, fuliginosus, fuscus, gallinae-cus, ginginianus, gracilirostris, griseus, leucocephalus, malabaricus, melanopterus, nigricollis, ochrocephalus, pagodarum, philippensis, roseus, sericeus, tricolor, tristis, turdoides.

Acris gryllus, nigrita.

Acrobasis amoenella, bythinella, clusinella, sodalella.

Acrobates pygmaeus.

Acrocephalus arundinaceus, australis, brunnescens, fluviatilis, lacustris, longirostris, montanus, pallidus, palustris, phragmitis, salicaria, stagnalis.

Acrocera alipes, bicolor, borealis, bulla, calida, crassa, fasciata, funipennis, gibba, gibbosa, globulus, nigritina, nigro-femorata, orbiculus, sanguinea, subfasciata, trigramma, tumida, unguiculata.

Acrochaeta aleus, fasciata.

Acrochordium album.

Acrochordus dubius, fasciatus, granulatus, javensis.

Acrocidaris censoriensis, formosa, minor, nobilis, striata, tuberosa.

Acrocinus accentifer, longimanus, trochlearis.

Acrocladia blainvillei, hastifera, mammillata, trigonaria.

Acrocoris circumcinctus.

Acroculia angusta, angustata, canaliculata, carinata, compressa, contorta, erecta, neritoides, ornata, prisca, sigmoidalis, striata, triloba, tubifer, vetusta, zinckeni.

Acrocyathus floriformis.

Acrodactyla degener, laricis, linguarius, madida, sericornis.

Acrodon brunneus, contempta, subaenea, uralensis.

Acrodus acutus, affinis, althausi, angustus, anningiae, brauni, bronni, cretaceus, falsus, gaillardoti, gibberulus, guilliardetti, hirudo, illingworthi, immarginatus, larva, lateralis, latus, leiodus, leiopleurus, leirus, minimus, nobilis, polydictios, rugosus, semirugosus, transversus, undulatus.

Acrodytes venulosa.

Acroea seis.

Acrogaster parvus.

Acrognathus (Col.) cephalotes, mandibularis, palpalis.

Acrognathus (P.) boops.

Acrolepia autumnitella, betulella, marcidella.

Acrolepis acutirostris, angustus, asper, dunkeri, exsculptus, gigauteus, intermedius, reticulata, sedgwicki.

Acrolia varia.

Acrolophus vitellus.

Acromis spinifex, venosa.

Acronicta aceris, alni, auricoma, bradyporina, cuspis, euphorbiae, euphrasiae, favillacea, leporina, ligustri, megacephala, menyanthides, psi, rumicis, strigosa, tridens. *Vide et Acronyctia.*

Acronolepia quadricolor.

Acronotus bubalis, caama, lunatus.

Acronyctia abscondita, acuta, euphorbiae, euphrasiae, paradoxa, psi, salicis, similis. *Vide et Acronicta.*

Acronyctia aceris, caenobita, ereptricula, fraudatricula, glandifera, leporina, ligustri, ludifica, megacephala, orion, perla, raptricula, rumicis, spoliatricula, strigosa, tridens.

- Acropeltis** aequituberculata.
- Acrophylla** acheron, briareus, chronos, enceladus, goliath, japetus, osiris, roseipennis, titans, typhus, violascens.
- Acropis** tuberculiferus.
- Acropora** damicornis, muricata, porites.
- Acroporites** damicornis, muricatus.
- Acrops** metallicus.
- Acropteris** comprimaria, grammearia.
- Acropteron** aeneum, rufipes.
- Acropteryx** rufipes.
- Acrosalenia** aspera, complanata, conformis, laevis, rarispinia, spinosa, tuberculosa.
- Acrosema** bucephala, bucephaloides.
- Acrosmilia** acaulis, cenomana, cernua, conica, corallina, cornucopiae, elongata, granulata, similis, varusensis, vasiformis.
- Acrosoma** aculeatum, affine, armatum, armigerum, aureolum, bifurcata, crassispinum, digitatum, excavatum, fissispinum, flaveolum, gilvulum, hexacantha, kirbyi, matronale, militare, patrule, pictum, planum, saccatum, schreibersi, scutatum, sexspinosa, spinosum, swainsoni, transitorium, triangulare, trivirgulata, vigorsi.
- Acrossus** apicalis, bipaginat, connexus, cyclocephalus, depressus, discus, gagatinus, informis, interpunctatus, intricarius, juvenilis, lateralis, luridus, nigrosulcatus, oblongus, pecari, planus, rufipes, rufitarsis, variegatus.
- Acrostoma** amni.
- Acrotemnus** faba.
- Acrotreta** disparirugata, recurva, subconica.
- Acrotretis** (*non* -cha, -chia) acuminata, alpina, atomaria, atomus, atrata, attenuata, bovina, brevis, chevrieri, chevrolati, clavipes, convexuscula, elevata, fascicularis, fenestrata, fucicola, grandicollis, guerini, intermedia, lata, longicornis, marina, melanaria, minima, minuta, minutissima, munda, parallelogramma, picicornis, plumigera, pusilla, pusilla, quadrata, sericans, sitkaensis, taurica, titan, volans.
- Acroua** agassiz, cornueliana, cottaldina, prisca, serrata, subnuda.
- Acrucocercus** niger.
- Acrydium** acropyrrhon, affine, alutaceum, armatum, bifasciatum, bispinosum, brevipenne, citrinum, compressicornis, compressum, crista flammea, cristatus, decorum, dorsale, dorsatum, ephippium, femur rubrum, flavidum, flavovittatum, gohieri, granulatum, haemorrhoidalis, laterale, latreillei, longicorne, lunulatum, megacephalum, miniatum, minus, modestum, nigricans, ornatum, parapleurum, pinula, quadrimaculatum, salinum, scabrum, smilaceum, strepens, tarsatum, undulatum, vulturinum. *Vide et* Acridium.
- Acrypeza** reticulata.
- Actaea** carcharias, nodulosa, pinguis.
- Actaeon** andersoni, angulatus, aplysiformis, australis, biplicatus, glaber, glans, globosus, granulatus, humeralis, laevis, maculatus, magnoplicatus, milium, nitens, parvus, petchorae, retusus, sculpturatus, sculptus, simplex, simulatus, striatulus, truncatulus, turbinatus, viridis. *Vide et* Acteon.
- Actaeonella** faba.
- Actea** sphinx.
- Actebia** praecox.
- Actenodes** cyanura.
- Actenodia** guttata.
- Actenoides** actenoides, hombroni.
- Actenonyx** bembidioides.
- Acteocina** wetherelli.
- Acteon** acicula, acutus, affinis, albensis, astieriana, bidentatus, biplicatus, bulimoides, cabanetiana, cincta, conovuliformis, convoluta, corallina, costellata, crenatus, curculio, cuspidatus, denticulatus, dubia, dupiniana, elegans, elevatus, elongatus, forbesiana, frearsiana, fusiformis, gracilis, heteroclita, hordeolum, idoneus, incerta, intermedia, laevigata, levidensis, lineatus, lineolatus, marginata, melanellus, melanoides, minimus, moutoniana, nereis, nitidula, noae, novellus, ornata, ovoides, ovum, peroskiana,

pomilius, pseudoauricula, punctatus, pygmaea, pygmaeus, reussi, rugens, tabaudianus, sedgwicki, semen, simulata, spina, staszyci, striatus, subacutus, subafricanus, subinflatus, substriatus, subsulcatus, subulatus, subumbilicata, sulcatus, suturale, tenellus, terebralis, tornatalis, tornatella, trifidus, triplicatus, vibraycana, wetherelli. *Vide et Actaeon.*

Acteonella abbreviata, conica, crassa, dolium, gigantea, goldfussi, lacryma, laevis, lamarecki, lefebvreana, minima, prisca, renauxiana, subglobosa, toucasiana, voluta.

Acteonina corrugata, senestra.

Acteonina abbreviata, acuta, alpina, carbonaria, caumonti, cincta, concava, cylindracea, deslongchampsii, dormoisiana, eparcyensis, fragilis, glabra, hordeum, humeralis, miliola, olivaeformis, orbignyana, ovata, parvulum, peroskiana, pulchella, pulla, pupoides, sarthacensis, scalaris, sparsisulcata, spirata, subabbreviata, subquadrata, tumidula, ventricosa.

Actephilus picipennis, pumilus, vernalis.

Actia albipennis, cingulata, leucoptera, pilipennis, zonaria.

Actias luna, maenas, selene. *Vide et Astias.*

Actina tibialis, vallata.

Actinacis martiniana, scutellata.

Actinantha florida.

Actinaraea granulata.

Actinastrea geminata

Actinecta flava, olivacea, tuberculosa, ultramarina, viridula.

Actineda cornigera, flaveola, hilaris, pallescens, pini, rabuscula, ribis, triangularis.

Actineria villosa.

Actinhelix elegans.

Actinia achates, adhaerens, adpersa, alba, alcyonidea, amethystina, andrzejewski, anemone, anemonoides, anguicoma, annulata, arborea, artemisia, atra, atrimaculata, aurantiaca, aurora, azurea, bicolor, bimaculata, biserialis, brevicirrha, brevitentaculata, caerulea, candida, capensis, carcinopados, carcinopodos, cari, caryophyllus, cavernata, cerasum, cereus, chalybea, chaneleon, chilensis, chiococca, chlorodactyla, chrysanthellum, chrysosplenium, clavata, clavigera, clavipes, clavus, clematis, cleopatrae, concentrica, conchicola, corallina, costulata, crassicornis, crispa, crucifera, cruentata, crystallina, curta, cylindrica, decora, decorata, denticulosa, depressa, diadema, diaphana, dorensis, dubia, edulis, effeta, ehrenbergi, elegans, elegantissima, elongata, erythraea, erythrosoma, erythrospilota, euchlora, explorator, farcimen, filiformis, flagellifera, flava, florida, flosculifera, forskali, fucoideus, fuegiensis, fuscorubra, gemma, gigantea, gigas, glandulosa, globifera, globulosa, gracilis, grammea, granulifera, helianthus, holsatica, hyalina, hydraster, impatiens, lacerata, laurenti, lineolata, macloviana, magnifica, mamillaris, margaritifera, marginata, mertensi, mesembryanthemum, minias, minutissima, mollis, monile, monilifera, mutabilis, nivea, novae hybernicae, nymphaea, ocellata, olivacea, osculifera, pallasi, papaver, papillosa, papuana, parasitica, parvitentaculata, paumotensis, pelagica, peruviana, picta, platostoma, pluvia, pretiosa, primula, prolifera, pulchella, purpuriphaga, pustulata, quadricolor, radiata, rapiformis, reclinata, reticulata, rhododactylus, rhodora, rondeleti, rosea, rosula, rubens, rubripunctata, rubroalba, rubus, rufa, sanctae catherinae, sanctae helenae, sanguineopunctata, sexdentata, simplex, solifera, stellula, striata, strigata, subfusca, tabella, tapetum, templetoni, tongana, tricolor, troglodytes, tuberculosa, tuediae, ultramarina, undulosa, vagans, varians, vas, vasa, veratra, vermicularis, vestita, viduata, villosa, violacea, viridescens, viridis, viridula, xanthogrammica, zebra, zonata.

Actinina jarocki

Actinobolus radians.

Actinocamax blainvillei, fusiformis, lanceolatus, mulleri, paxillosa, quadrata, simplex, subventricosa, verus.

Actinocephalus acus*, lucani (Stein, Arch. Anat. Phys. 1848, 196), octacanthus.

Actinoceras beaumonti, beudanti, bigsbyi, blainvillei, cordieri, cribriseptum, cuvieri, deshayesi, dufresnoyi, giganteum, gracile, lyoni, nobilis, nummularis, pyramidatum, richardsoni, simmsi, tenuifilum.

- Actinocereus** aster, calendula, calyciformis, intestinalis, pedunculata, ~~repens~~, sulcata.
- Actinocoenia** compressa, dumasiana.
- Actinocoenchus** paradoxus.
- Actinocrinites** aculeatus, agassizi, arthriticus, cataphractus, cingulatus, cornutus, crassus, decadactylus, elephantinus, expansus, fibula, gibbosus, granulatus, humboldti, icosaedactylus, laevis, laevissimus, longispinosus, moniliferus, moniliformis, mortoni, muricatus, nashvillae, nodulosus, polydactylus, quadragintadactylus, regularis, retiaris, simplex, striatus, tesseracontadactylus, tesseratus, triacontadactylus, triaconta dactylus, urna, verneuili.
- Actinocrinus** atlas, concavus, constrictus, costus, evansi, gilbertsoni, globosus, laevis, olla, plumosus, pusillus, sp. ind., tenuiradiatus, tenuistriatus, tessellatus, unicornus.
- Actinocyathus** balticus, crenulare, heinrichi, philipsi.
- Actinocyclus** fragilis, velutinus, verrucosus.
- Actinodactylus** boscii
- Actinodendron** aleyonoidea, arborea, ledigo.
- Actinodonta** cuneata.
- Actinodoris** cuneata, flammulata, fumosa, maculosa, mauritiana, punctata, scabra, sordida, tuberculosa.
- Actinodura** egertoni, graciis, nigripes, nipalensis, pinodes, strophiatas.
- Actinogonium** septenarium.
- Actinolepis** tuberculatus.
- Actinoloba** dianthus, nodosa.
- Actinometra** imperialis.
- Actinopeltis** caroli alexandri.
- Actinophorus** (Dufschmid, F. Austriae, I. 1866, 182), cantbarus, variolosus.
- Actinophrys** difformis, digitatus, eichhorni, marina, ovata, pedicellata, sol, viridis.
- Actinophyllum** phcatum.
- Actinoporus** elegans.
- Actinopus** aedificatorius, algerianus, audouini, cafrus, longipalpis, loricatus, pertyi, tarsalis, venatoria, walckenaeri.
- Actinoseris** cenomaneensis, provincialis.
- Actinosmia** cembuana.
- Actinospongia** ornata.
- Actinostella** fumosa.
- Actinote** anthesis, antea, callianira, epaea, eurita, hylonome, laverna, pellene, thalia.
- Actinotia** lyncea, perspicillaris.
- Actinotrocha** branchiata.
- Actinotus** coccineus.
- Actinurus (Cr.)** boltoni.
- Actinurus (Rot.)** neptunius.
- Actita** muensteriana.
- Actites** lapponica.
- Actitis** bartramii, cinclus, empusa, hypoleucos, limosa, macularia, macularis, pugnax, stagnatilis, totanus.
- Actiturus** bartramius.
- Actochelidon** cantica.
- Actodromas** minuta.
- Actora** aestuum, buccata, extrema, ferruginea, flaviceps.
- Actorus** fessularum.
- Acucephalus** adustus, bicinctus, cardui, fasciatus, obscurus, rugosus, striatus, subrusticus, tricinctus, unicolor.
- Aculea** angulata, lineata, magnifica, pallida.
- Acupalpus** amabilis, arcobasis, atratus, bifossulatus, bisignatus, brunnipes, circumcinctus, chilensis, cognatus, collaris, columbianus, conjunctus, consimilis, consputus, cordicollis, debilipes, difficilis, dimidiatus, discicollis, distinctus, dorsalis, elongatulus, ephippium, exiguus, flavipennis, loveicollis, gracilis, guttula, harpalinus, humeralis, humilis, impressifrons, indistinctus, longulus, lugubris, luridus, lusitanicus, marginatus, mauritanicus, meridianus, metallescens, niger, minimus, misellus, nigripes, nitidus,

- obsoletus, ornatipennis, pallidus, pallipes, partarius, pauperulus, piceus, placidus, quadrillum, quadrinotatus, quadripustulatus, quadrisignatus, rotundicollis, ruficollis, rufulus, rupestris, scapularis, silaceus, similis, sparsus, striatulus, suturalis, tantillus, testaceus, tibialis, unistriatus, vespertinus, viduus, vittipennis, vulneratus.
- Acus** dimidiatus, strigilatus, subulatus.
- Acutalis** anticonigra, balteata, biguttula, binaria, flavipennis, flavozonata, fusconervosa, litterata, tripunctata.
- Acylophorus** alirensi, femoralis, glabricollis, longicornis, picipes, pronus, wagenschieberi.
- Acyphoderes** crinitus.
- Ada** (A.) commersoni, cyanirostris, nigerrima, perspicillata.
- Ada** (R.) crocodilinus, crocodilurus, dracaena, guianensis.
- Adacna** colorata, laeviuscula, plicata, protracta, vitrea.
- Adacne** plicata.
- Adactyla** frankeniae, meridionalis, metzneri, paralia.
- Adactylotis** contaminaria, gesticularia, linearia, sparsaria.
- Adactylus** benneti, huebneri.
- Adalia** alpina, angulifera, bipunctata, bothnica, deficiens, fasciata, punctata, flavo-maculata, hopei, hyperborea, inquinata, maritima, oblitterata, ophthalmica, rufocincta, signifera, stictica, undecimnotata.
- Adamsia** maculata, palliata.
- Adapis** cuvieri, parisiensis.
- Adapsilia** coarctata.
- Addax** nasomaculata.
- Adela** abalienella, adamantella, aemulella, aeneella, aethiopella, aglaella, albicostella, ammannella, anderschella, associatella, aurifrontella, auropulverella, basella, bimaculella, bohemianella, bracteella, calthella, canalella, canescella, capitella, christiella, chrysitella, cicatricella, circulella, congruella, crinitella, cuprella, cuspidella, cyanella, cygnella, cypriacella, degeerella, denisella, dimidiella, dipoltella, donzeella, dumeriella, faganella, fasciella, fibulella, flavimitrella, francella, frischella, geoffrella, humerella, inauratella, laminella, laqueatella, latreillella, leucatella, ligulella, luzella, majorella, masculella, maurella, mazzolella, metaxella, minimella, molella, naezenella, obscuella, ochsenheimerella, oehlmanniella, oppositella, paludicolella, pantherella, panzerella, pilella, pilipennella, pilulella, podevinella, prelatella, pulchella, pullella, raddella, reaumurella, regulatella, robertella, rufifrontella, scabiosella, schafferella, schiffermuellerella, schoenherrella, scopolella, solierella, stelliferella, stipella, sulzella, swammerdamella, tristella, unimaculella, unipunctella, variella, vetulella, violella, viridella.
- Adelges** laricis.
- Adelidea** fuscipennis.
- Adelina** (Col.) depressa, plana.
- Adelina** (G.) elegans.
- Adelium** abbreviatum, angulicolle, calosomoides, caraboides, catenulatum, cisteloides, cupreum, deplanatum, diaticolle, dilaticollis, elongatum, harpuloides, helopioides, hopei, licinoides, parallelum, punctipenne, rugicolle, simulatum, tenebrioides, virescens.
- Adelius** subfasciatus.
- Adelobium** brachypterum.
- Adelocera** brasiliensis, brevicornis, caliginosa, chabannii, conspersa, fasciata, fusca, granulata, lepidoptera, marmorata, ovalis, pennata, pruinosa, senilis, squalida, varia.
- Adelocoenia** castellum, corallina, lanceolotti, moreana, tubulosa.
- Adelocrinus** hystrix.
- Adelops** hirtus.
- Adelosia** findeli, latibula, oblongopunctata.
- Adelosina** laevigata, pulchella, semistriata, soldani, striata.
- Adelostoma** carinatum, cordatum, cristatum, parvum, rugosum, sulcata.
- Adelotopus** fortunei, gyrinoides, haemorrhoidalis, inquinatus, ipsoides, scolytides.
- Adelpha** basilis, bredowi, cocala, cytherea, elea, iphica, mesentina, phiasa, plesaura, syma.
- Adelphus** laeicollis, nigerrimus.
- Adelus** cupreus, indigena.

Ademon decrescens.

Adenota kob.

Adeona cribriformis, elongata, foliacea, foliifera, grisea.

Adeone lamellosa, retiporiformis.

Adeorbis planorbularis, pulchralis, scaber, striatus, subcarinatus, subimbricatus, supra-nitidus, tricarinatus.

Adeps utriculus.

Aderus boleti, nigricollis.

Adesma spinifera.

Adesmia aenea, affinis, antiqua, audouini, biskreensis, candidipennis, carinata, clathrata, coucyi, dejeani, devechii, douei, dubia, ehrenbergi, elevata, faldermanni, faremonti, fischeri, gebleri, goryi, karelini, klugi, langi, latreillei, lefebvrei, lehmanni, longipes, macropus, maille, marginipennis, metallica, microcephala, nodulosa, ovata, panderi, pariseti, porcata, pulcherrima, ramburi, reticulata, servillei, solieri, spinosa, strophium, tenebrosa, villae.

Adesmus luctuosus.

Adexius scrobipennis.

Adia oralis.

Adiaerotoma eupelicoidea.

Adicranus corticinus, fumetarius.

Adimonia alii, angusta, barbara, brachyptera, circumcincta, confinis, florentina, glabra, haematidea, halensis, jucuuda, littoralis, marginata, monticola, nigricornis, nigro-lineata, oelandica, orientalis, pallidipennis, rufa, sanguinea, sardoa, scutellata, silphoides, spectabilis, violacea.

Adioristus angustatus, conspersus, punctulatus, simplex, subdenudatus.

Admete crispa.

Admetus fuscianus, marginemaculatus, palmatus, pumilio.

Adna anglica, sulcata.

Adolias aconthea, adonia, alcimeda, alpheda, apaturina, arcadius, boisduvali, cocytia, cocytus, coenus, confucius, coresia, damalis, derma, dirtea, dunya, euthymius, evelina, franciae, godarti, hesperus, japis, lubentina, monina, nesimachus, nicea, patala, pelea, phemius, sangaris, sinope, siva, sophus, tenta.

Adolus brunneus.

Adonia amoena, arctica, bipunctata, doubledayi, lurida, mutabilis, parenthesis, undecim-notata.

Adophoneus nisoria, orphea

Adoreta pallescens, pretiosa.

Adoretosoma elegans, fulviventre.

Adoretus aegrotus, aenescens, aeruginosus, boops, caliginosus, capicola, cinerarius, clypeatus, comptus, concolor, convexipennis, costalis, cribratus, discolor, duvauceli, elongatus, femoratus, giganteus, hirtellus, ictericus, indutus, lanuginosus, latifrons, latissimus, limbatus, luridus, luteipes, murinus, obscurus, ovalis, pallens, pallidus, pubipennis, pulverulentus, pumilio, ranunculus, rugulosus, scutellaris, syriacus, tibialis, umbrosus, vagapunctatus, vestitus, villosicollis, villosus.

Adorium anale, australe, basale, bipunctatum, concolor, decempunctatum, diardi, duvauceli, fasciatum, ferrugineum, flavum, lividum, maculatum, melanocephalum, nigripes, olivieri, palteatum, palliatum, pallidum, posticale, posticum, scutellatum, subhemisphaericum, testaceum, vittatum.

Adornis hortensis.

Adranes coecus.

Adrastus axillaris, bicolor, cruciellus, fuscus, humilis, lacertosus, lateralis, limbatus, luteipennis, pallens, pallidus, piceus, praecox, praevis, pumilus, pusillus, rutilipennis, terminatus, testaceus.

Adrisa nigra.

Adrosoma fasciculata.

Aeacis ephialtes.

Aecanthus pellucens, pullucens.

Aechmia desideratella, equitella, fischeriella, linneella, loricatella, lucasella, metallica,

oculata, perdicella, poeyella, roeslerstammella, saltatricella, subdentella, thrasonella, transversella.

Aechmioides unigutella.

Aedemera caerulea, ruficollis.

Aedemonus cminentepunctatus, erichsoni.

Aedes cinereus, rufus.

Aedia coenobitella, echiella, fasciolaris, funerella, haemorrhoidella, leucomelas, limbolaris, luctuosa, pniella.

Aedicnemus colombianus, cumanensis, vocifer.

Aedilis atomaria, despectus, grisea, griseofasciata, montana, signata.

Aedionychis abdominalis, biarcuata, bipunctatus.

Aedipoda liturata, maculata, pellarini.

Aedon familiaris, galactodes, leucophrys, leucoptera, luscini, minor, paena, pectoralis, rubiginosus, tinniens.

Aedonis atricapilla, garrula, hortensis, luscini.

Aedophronus setosus.

Aega affinis, bicarinata, edwardsi, emarginata, hirta, monophthalma, serripes, tridens.

Aeglocerus mirabilis.

Aeger elegans, longirostris, spiniipes, tenuimanus, tipularius.

Aegeria apiformis, asiliformis, caudata, chrysidiformis, craboniformis, cucurbitae, culiciformis, cynipiformis, ephemeraeformis, exitiosa, formiciformis, fulvicornis, fulvipes, ichneumoniformis, omphale, plumipes, pyri, spheciformis, stomoxyformis, syringae, tibialis, tipuliformis, tricineta, vespiformis.

Aegialia arenaria, cornifrons, globosa, lacustris, plicata, rufa, sabuleti.

Aegialites pyrrhothorax, semipalmatus, vociferus, wilsonius.

Aegialitis albigularis, bicinctus, cantianus, canus, fluviatilis, hiaticula, melodus, miuor, monachus, montanus, nigrifrons, septentrionalis.

Aegidium columbianum, guianense, haedulus, parvulus.

Aegilops subcarinata.

Aegimalus denticornis.

Aegina (Coel.) carolinarum, citrea, coronna, nivea, rosea.

Aegina (Cr.) longicornis, longispina.

Aeginopsis horensis, laurenti.

Aegionomus aegagrus, ammon, ibex.

Aegires lessoni, maura, punctilucens.

Aegithaliscus erythrocephalus, jouchistos, melanotis.

Aegithalus capensis, caudatus, flammiceps, flaviceps, pendulinus, pensilis, punctifrons, smithi.

Aegithina atricapilla, quadricolor.

Aegithus andreae, brummipennis, bulla, burmeisteri, cardinalis, cassideus, chalybeus, cinctipennis, cinctus, clathratus, cribrus, discoideus, geminatus, guadeloupensis, hemisphaericus, lateritius, leachi, lebasii, lineola, luteus, maculata, maculicollis, marginatus, monochrous, nigrocinctus, ornatocollis, punctatissimus, quadrinotatus, rufipennis, satellitius, scurra, surinamensis, suturella, torquatus, uva, varicollis, walckenaeri.

Aegla laevis.

Aegle (Cr.) cythera, rueppelli, rufospunctata, rugata.

Aegle (Lep.) flavida, lutea, pallida.

Aegle (Pter.) cucullata.

Aeglea denticulata.

Aeglia ovata.

Aegocera amalthea, rectilinea, venulia.

Aegoceros aegagrus, ammon, argali, beden, burrhel, capra, caucasicus, cyprius, falconeri, hircus, ibex, montanus, musimon, nakoor, orientalis, ovis, pallasi, pyrenaica, sibiricus, skyn, tragelaphus, tubericornis, vignei, wallie.

Aegocerus leucophaeus.

Aegoides peruanus.

Aegoidus earli, peruvianus.

- Aegolius* tengmalmi.
Aegomorphus decipiens.
Aegopis verticillus.
Aegoprosopus flabellicornis.
Aegopsis curvicornis.
Aegorhinus phaleratus.
Aegosoma mutica, scabricorne.
Aegotheles cristatus, leucogaster, lunulata, novae hollandiae.
Aegus acuminatus, aequalis, caneroides, chelifer, cicatricosus, distinctus, inermis, interruptus, lunatus, obscurus, obtusatus, platycephalus.
Aegyptius cenchris, niger, tinnunculus.
Aegythus cyanipennis, frenatus, globosus, lineatus.
Aelia acuminata, acutissima*, aegyptiaca, albivittis, amethystina, assimilis, atricornis, bifida, caenosa, conspicua, crucifera, depressa, elliptica, erosa, fuliginosa, furcata, gambiensis, glandulosa, gracilis, hastata, histeroideus, inflexa, infuscata, juvenis, klugi, lanceolata, lobata, mactans, melanoleuca, nasalis, nubila, rostrata, sanguinea, senegalensis, sparsa, spiniceps, spinicollis, strigosa, varicornis, virgata.
Aello cuvieri.
Aellopos (Lep.) fadus, tantalus, titan.
Aellopos (P.) elongata, wagneri.
Aelurus abdominalis, clypeatus, moerens, nasutus.
Aemalodera dentomaculata, limbata.
Aemidius gigas.
Aenanthe straticauda.
Aenas bicolor, crassicornis, unicolor.
Aenictomorpha analis, varipes.
Aenictus ambiguus, certus, inconspicuus.
Aenigma cyanipenne, iris, unicolor.
Aenippe cristata.
Aenone (Hym.) marginalis.
Aenone (Verm.) lithophaga.
Aeolida habessinica.
Aeolides squamatus.
Aeolidia bodoensis.
Aeolis lesliana, lineata, murrayana, papillosa, pennata.
Aeolodon priscus.
Aeolonais decorum, hemprichi, quaternarium.
Aeolosoma decorum, ehrenbergi, hemprichi, quaternarium, venustum.
Aeolothrips albicincta, fasciata, obesa, vittata.
Aeolus calizonus, inscriptus, maculatus, scriptus, variegatus.
Aeonia concinna, dops, ebonina, ovulum.
Aephnidius adelioides, fasciatus, fuscipennis, quadrimaculatus, simplex.
Aepus fulvescens, robbi.
Aepyornis maximus.
Aequorea allantophora, amphicurta, atlantica, bunogaster, campanulata, carolinarum, chata, citrea, cyanea, cyanogramma, cyanostyla, danica, euchroma, eurodina, forskalea, forskalina, globosa, grisea, groenlandica, malabaricus, marsupialis, mesonema, mitra, mollicina, mucilagmosa, octocostata, phosperiphora, pleuronota, punctata, purpurea, radiata, rhodoloma, risso, rissoana, rosea, semirosea, sphaeroidalis, stauroglypha, thalassina, undulosa, violacea, viridula.
Aerenica canescens.
Aeria aegle, asarica, gazoria, indola, nasica, recki, vocula.
Aernauta machaon, podalirius.
Aesalon aesalon.
Aesalon cylindricus, scarabacides, scarabaeoides.
Aeschna aenea, affinis, alpina, amazili, ampla, anguina, arctica, azurea, bonariensis, borealis, brevistyla, brodiei, caucasica, charpentieri, chrysophthalmus, confusa, costalis, diffinis, dorsalis, ephippigera, eudore, flavipes, forcipata, formosa, gigantea,

gigas, *gracilis*, *guttata*, *hamata*, *ingens*, *jaspidea*, *longialata*, *lunulata*, *luteipennis*, *marchali*, *mediterranea*, *metallica*, *metis*, *microstigma*, *minor*, *mixta*, *muensteri*, *obscuripennis*, *papuensis*, *pentacantha*, *picta*, *pilosa*, *polydore*, *quadriguttata*, *reticulata*, *septentrionalis*, *serpentina*, *tyche*, *uncata*, *virens*, *viridis*.

Aeschrotes planus.

Aeschrus inaequalis

Aeshna affinis, africana, anglicana, annulata, antiqua, clepsydra, cognata, constricta, dalei, formosa, fraterna, furcillata, janata, juncea, junia, irene, liassina, maculatissima, mediterranea, mixta, multicincta, obliqua, parthenope, perampla, phyllura, rufescens, spectabilis, stigmata, teretiuscula, tetraphylla, tricolor, unguiculata, vernalis, vinosa, viridis, viridula.

Aesmia strophium.

Aetalion cornutus.

Aetalon minutum.

Aetea anguina, anguinea.

Aethales brunnicornis.

Aethalia reticulata.

Aethalion (Hem.) albinervosum, reticulata, scutellaris, servillei.

Aethalion (P.) angustissimus, inflatus, parvus, subovatus, tenuis.

Aethecerus discolor, dispar, exilis, frontatus, longulus, nitidus, placidus.

Aetheius archytas, meris, pretus.

Aetheocerus aquaticus, cinctus, crystallinus, dimidiatus, griseus, pulchricornis, quinquefasciatus, rubrofasciatus, rufescens.

Aetheodactyla lateralis.

Aetheomorpha cryptocephaloides, fallax, nematoidea, pumilio, seminigra, sodalis.

Aetherinus aurichalceus.

Aetheria denhami, tubifera.

Aethia circularis, emortualis.

Aethiessa aethiopica, bagdadensis, barbara, elongata, feralis, floralis, inhumata, leucospila, mesopotamica, rugipennis, squamosa.

Aethina pubescens.

Aethiops canicapillus.

Aethon quadratus.

Aethopyga eximia, goalpariensis, gouldae, horsfieldi, ignicauda, miles, nipalensis, saturata, siparaja, temminckii.

Aethra scruposa.

Aethria eage, glauca, haemorrhusa, leucaspis, serena.

Aethyopus lyellianus, minor.

Aetobates convexus, marginalis, rectus, subconvexus.

Aetobatis arcuatus, guttata, irregularis, narinari, subarcuatus, sulcatus.

Aetobatus filicaudatus, flagellum, forsteri, hamatus, lobatus, narinari, nichofi, obtusus, ocellatus, sinensis, vulgaris.

Aetoglaux nipalensis.

Aetophorus imperialis.

Aetoplatea tentaculata.

Aetotriorchis novae zeelandiae.

Aetus aquila, pygargus.

Afedula rosea, sonans.

Agabus abbreviatus, adpressus, oeruginosus, affinis, agilis, alpestris, altaicus, ambiguus, americanus, angustus, arctus, assimilis, bifarius, biguttatus, binotatus, bipunctatus, bipustulatus, chalconotus, congener, crowi, cupreolus, decemnotatus, dilatatus, dubius, elongatus, erythropterus, femoralis, fimbriatus, frigidus, fuscipennis, gagates, gaudichaudi, glacialis, gory, guttatus, haefneri, hypomelas, infuscatus, kotschy, lepieuri, lineatus, luniger, maculatus, melanarius, melas, nebulosus, neglectus, nigerrimus, nigricollis, nigroaeneus, oblongus, obtusus, olivaceus, opacus, pallidiventris, paludosus, parallelus, parvulus, paykulli, peruvianus, propinquulus, pulchellus, punctatus, punctulatus, reichei, reticulatus, rufipennis, rufipes, rugulosus, semipunctatus, serricornis, silesiacus, sinuatus, solieri, spilopterus, stagninus, striatus,

striola, striolatus, sturmi, submaculatus, subnebulosus, subtilis, taeniatus, terminalis, tristis, truncatipennis, uliginosus, undecimguttatus, wasastjernae.

Agacephala dupontii, furcata, goryi, mannerheimi.

Agagles amicus.

Agallia consobrina.

Agallissus melaniodes

Agalma alba, alveolata, intermedia, mertensi, okeni, pontocardia.

Agalmopsis elegans.

Agama aculeata, agilis, angulata, aralensis, armata, aspera, atra, atricollis, aurita, azurea, barbata, brasiliensis, caelaticeps, caerulea, calotes, capensis, catenata, caudivolvula, collaris, colonorum, cornuta, coronata, cristata, cristatella, cyclura, cyclurus, deserti, dorsalis, douglassi, fasciata, flavigularis, furcata, gemmata, gigantea, grandoculis, grisea, gularis, guttata, gutturosa, haragnensis, helioscopa, hispida, indica, inermis, instans, jacksoniensis, leucostygma, lineata, loricata, macrocephalus, marmorata, minor, molinae, moluccana, muricata, nigrocollaris, nigrofasciata, nupta, occipitalis, ocellata, ophiomachos, oxiana, pallida, paraguensis, picta, pipiens, plica, pondicerana, prehensilis, rosi cauda, rudrata, savignyi, scarpina, scutata, scutellata, semi-taeniata, sinaita, spinipes, spinosa, stellaris, stello, subspinosa, superciliosa, taraguira, tiedemanni, tigrina, torquata, tuberculata, unbra, undulata, uralensis, versicolor, vultuosa.

Agamerion gelo.

Agami crepitans.

Aganais australis, borbonica, caricae, doryca, insularis, strigosa.

Aganides acutus, aequabilis, aequilobatus, ammon, angustiseptatus, angustus, arcuatus, armatus, atratus, barbotanus, bavariensis, beaumonti, becheri, belvalianus, bicostatus, bidorsalis, bidorsatus, biferus, biimpressus, bisulcatus, bronni, buchi, bucklandi, calculiformis, calyx, canalifer, cancellatus, carbonarius, carina, carinatus, ceratitoides, cinctus, clymeniformis, complicatus, contiguus, costatus, costulatus, cotta, coyanus, cucullatus, cyclolobus, dannenbergi, decoratus, deshayesi, diadema, divisus, duforenyi, eryx, evexus, expansus, falcifer, fasciculatus, friesei, furcatus, gibsoni, gilbertsoni, glaucus, globosus, haidingeri, haueri, henslowi, hoeninghausi, hybridus, incertus, infurcatus, insignis, intercostalis, intermedius, interruptus, intumescens, iris, jossae, iugleri, kingianus, klipsteini, koninckianus, latestriatus, latiseptatus, linearis, histeri, looneyi, marianus, maximus, micronotus, mixolobus, multilobatus, multi-septatus, muensteri, mutabilis, naeggerathi, nitidus, nummularius, obtusus, orbicularis, orbiculus, orbignyanus, obscurus, ornatus, ovatus, paucilobus, paucistriatus, pessoides, pisum, planidorsatus, planus, platylobus, presli, primordialis, princeps, quadripartitus, radiatus, retrorsus, roemeri, rosthorni, rotatorius, semistriatus, simplex, sinuosus, soboleskianus, solaroides, speciosus, sphaericus, spirorbis, spurius, strangulatus, striatulus, striatus, striolatus, subarmatus, subbilobatus, subcarinatus, subfurcatus, subinvolutus, sublaevis, sublinearis, subnautilinus, subsulcatus, sulcatus, suprafurcatus, tenuistriatus, transitorius, tripartitus, truncatus, tuberculatus, uchtensis, undulosus, ungeri, verneuili, vesica, vittiger, wissmanni, wurmi.

Aganisthos orion.

Agaocephala bicuspid, cornigera, curvicornis.

Agao paradoxum.

Agaosoma californicum.

Agapanthia alternans, angusticollis, annularis, asphodeli, bicornis, caerulea, cardui, chalybea, consobrina, cornuta, cynariae, irrorata, lixoides, marginalis, marginella, nigroaenea, octomaculata, smaragdina, suturalis, trivittata, violacea.

Agapanthida pulchella.

Agapete carissima.

Agapetus azureus, comatus, funereus, fuscipes, laniger, ochripes, setiferus.

Agapophyta bipunctata.

Agapophytus australasiae.

Agapornis cyanopterus, guianensis, malaccensis, swinderianus.

Agaricia agaricites, ampliata, apennina, boletiformis, circularis, convexa, crassa, crispa, cristata, cucullata, diffuens, elegans, elegantula, elephantotus, explanulata, flabellina,

fragilis, gibbosa, graciosa, granulata, infundibuliformis, irregularis, labota, levicollis, lima, lobata, ludovicina, neocomiensis, papillosa, pileus, plana, planulata, purpurea, radiata, ramosa, ramulosa, rotata, rugosa, salinensis, soenningeri, speciosa, sulcata, swinderiana, tuberosa, undata.

Agaricocrinites tuberosus.

Agaricophagus cephalotes, conformis.

Agaricophilus reflexus.

Agarista angasi, behri, belangeri, echione, haemorrhoidalis, leach, leonora, luctifera, megisto, novaehibernicae, octomaculata, pales, picta, praslini, stellata.

Agaronia hiatula.

Agasma semicrudum.

Agassisia scrobiculata.

Agassizia excavata, scrobiculata.

Agassizocrinites dactyliformes, gracilis.

Agasta formosa.

Agastus lineatus.

Agathidium affine, atomarium, atratum, atrum, badium, brunneum, carbonarium, discoideum, exiguum, ferrugineum, flavicorne, gibbulum, globulus, globus, haemorrhoum, laevigatum, mandibulare, marginatum, megacephalum, minutum, nigrinum, nitidum, oniscoides, orbiculare, orbiculatum, pallidum, piceum, plagiatum, punctatum, punctulum, revolvens, rotundatum, ruficollis, ruficorne, rufipes, seminulum, striatum, thoracicum, varians, vittatum.

Agathina pellucida.

Agathirses furcellus.

Agathis aethiops, albitarsis, amoena, anceps, baetica, bicolor, bovaei, breviseta, brullaci, caesia, calculator, clathrata, concinna, costata, coxalis, deflagrator, dichrea, dimidiata, elegans, erythromelas, esenbecki, flavipennis, foveola, fuscipennis, glaucoptera, haematodes, imitator, inculcator, ischioxantha, laeta, latreillei, lepida, liberator, lutea, maculipennis, major, malvacearum, melanopleura, nigra, nigricornis, nominator, ornata, polita, purgator, rufimana, rufipalpis, semifusca, semirubra, stigma, subfasciata, syngenesiae, terminalis, thoracica, tibialis, tripartita, umbellatarum, urinator, variegata, vesmaeli.

Agathomerus azureipennis, bifasciatus, bivittatus, cyanopterus, discoideus, egregius, elegans, ehippium, fasciatus, flavomaculatus, humeralis, maculatus, marginatus, nobilis, pictus, pulcher, rufus, sellatus, signatus, subfasciatus, succinctus, testaceus.

Agatidium piceum.

Agatina fuscata, variegata.

Agatus fasciata.

Agchylostoma duodenale.

Agcylopus melanocephalus.

Agdistes benneti.

Agdistis adactyla.

Agelacrinites buchianus, hamiltonensis.

Agelaea fulva.

Agelaia fuscicornis, lineolata, rufithorax.

Agelaius aeneus, assimiles, aterrimus, badius, bicolor, brevirostris, calacephalus*, castaneus, chopi, chrysopterus, coronatus, curaeus, cyanopus, fringillarius, frontalis, furcatus, griseus, gubernator, guirahuro, japacani, longipes, longirostris, melancholius, melaniecterus, militaris, niger, olivaceus, phoeniceus, phoenicus, pustulatus, pyrrhogaster, pyrrhopterus, ruber, ruficapillus, ruficollis, sulcirostris, thilius, tibialis, tricolor, unicolor, virescens, xanthocarpus, xanthocephalus, xanthornus.

Agelasta tetrica, transversa, trifasciata.

Agelastes meleagrides.

Agelastica alni, halensis.

Agelaus longipes, pacoris, phoeniceus.

Agelena brunnea, canariensis, celans, coloripes, elegans, familiaris, gracileus, labyrinthica, lentiginosa, lycosina, montana, naevia, nava, obscura, orientalis, pennsylvanica, plumbea, potteri, proupta, syriaca, timida.

- Ageneiosus** armatus, brevifilis, childreni, inermis, militaris, minor.
- Agenia** (Hem.) lamii.
- Agenia** (Hym.) bifasciata, caerulescens, carbonarius, fallax, fulviceps, hircana, intermedia, variegata, varipes.
- Agenius** clavus, flavipennis, rufipennis.
- Agenor** purpureus.
- Ageria** scitula.
- Agerocha** eone.
- Ageronia** aenoe, amphichloe, amphinome, arete, arethusa, chloe, epinome, februa, ferentina, feronia, fornax, laosamia, lirissa.
- Agestrata** chinensis, gages, luconica, nigrita, splendens, withili.
- Agetocera** mirabilis.
- Agetus** typicus.
- Aghatina** helicoides, oleacea.
- Agina** purpurea.
- Aglae** caerulea.
- Aglaeactis** caumatonotus, cupripennis, pamela.
- Aglaiia** (A.) caeruleocephala, chilensis, chrysoptera, citrinella, cucullata, cyanicollis, cyanocephala, cyanoptera, cynocephala, erythrotus, fanny, flava, gyrola, igniventris, melanotis, melanotus, montana, nigroscincta, peruviana, schranki, vittata, wilsoni, yeni.
- Aglaiia** (Nud.) depicta, granosa, tricolorata.
- Aglais** antiopa, atlanta, C-album, cardui, jo, polychloros, urticae.
- Aglaisma** baeri.
- Aglaja** (Med.) baeri.
- Aglaope** (Cr.) seriatu.
- Aglaope** (Lep.) americana, americani, infausta, plumipes.
- Aglaophenia** acinaria, amathioides, angulosa, arcuata, atlantica, catharina, crucialis, cupressina, echinata, echinulata, elegans, elongata, falcata, fascis, flexuosa, frutescens, gainardi, glutinosa, gracilis, hypnoides, myriophyllum, myrophyllum, pelagica, pennaria, pennatula, pinnata, pluma, secundaria, setacea, speciosa, spicata.
- Aglaura** (Ann.) fulgida.
- Aglaura** (Med.) conica, funeraria, hemistoma, lutea, penicillata, pocillum, rotunda.
- Aglena** ornata.
- Aglenita** bipunctata.
- Aglenus** brunneus.
- Aglia** cytherea, erythrinae, tau, tirrorhea.
- Aglophema** maculata, phoca.
- Aglossa** capreolatus, cuprealis, dilucidalis, dimidiatus, egregialis, farinalis, gilvalis, pinguinalis, streathfieldi.
- Agnathus** decoratus.
- Agnia** casta, clara.
- Agnomonina** quadrifilaris, sequestriaris.
- Agnostus** latus, lobatus, pisiformis, radialis, trinodus, tuberculatus.
- Agnotherium** antiquum.
- Agnus** egenus.
- Agoniates** halecinus.
- Agonioneurus** albidus, basalis, subflavescentis.
- Agonium** dejeani, distinctum.
- Agonocheila** guttata, trimaculata.
- Agonodemus** picimanum.
- Agonoderus** discipennis, dorsalis, infuscatus, lineola, oblongus, pallipes, suturalis.
- Agonopterix** aegopodiella, alstroemerella, cicutella, pudridella, scriptella, signella.
- Agonoscelis** indica, nubila.
- Agonosoma** (Dipt.) fasciata, maculipennis, spectabilis.
- Agonosoma** (Hem.) flavolineata, bicolor, dichroum, reichel.
- Agonostomus** telfairi.
- Agonothorax** planipennis.

Agonum aeruginosum, afer, affiue, afrum, albicus, aleyroaeum, alpinum, ambiguum, anchomenoides, angulatum, angustatum, anthracinum, atramentarium, atratum, austriacum, badium, basale, bifoveolatum, bipunctatum, bogenanni, brevicolle, brunnipes, cancellipes, carbonarium, castaneipennis, chalconotum, chalcum, chalybeum, chilense, clandestinum, coeruleescens, consimile, convexiseulum, convexum, eordicolle, corvinum, cupratum, cupreum, cuprinum, cupripenne, cursitor, dalmatinum, decipiens, deplanatum, elongatum, elongatum, emarginatum, ericeti, errans, erythropum, excavatum, extensum, famelicum, femoratum, feronioides, ferreum, flavipes, formosum, fossiger, foveicollis, foveolatum, fulgens, fuliginosum, fuscipenne, gayi, gracilis, grandicollis, harrisi, impressum, inauratum, laeve, laticolle, lehmanni, lenum, limbatum, lineatopunctatum, livens, longicollis, longicorne, longipenne, longulum, luctuosum, lugens, lugubre, maculicollis, marginatum, maurum, melanarium, melas, menetriesi, metallescens, micans, minutum, modestum, moerens, moestum, molestum, molle, morosum, mundum, nigriceps, nigroaeneum, nigrum, nitidulum, nitidum, nutans, oblongum, obscurum, obsoletum, ocreatum, octopunctatum, olivaceum, orbicollis, palliatum, parumpunctatum, pelidnum, piceum, picipenne, picipes, pleiicollis, prasinum, puellum, pullatum, pullum, punctiforme, pusillum, quadripunctatum, quinquepunctatum, retractum, rotundatum, rotundicollis, rufipes, rugicollis, saltuum, scitulum, seminitidum, sexspunctatum, sibiricum, simile, simpsoni, sismonda, sordens, sordidum, spinipenne, spinosum, striatissimum, striatopunctatum, striatum, sturmi, subaeneum, subcyaneum, suturale, thoreyi, triste, unicolor, vafer, versutum, viduum, vivale.

Agonus accipenserinus, cataphractus, decagonus, dodecaedron, europaeus*, japonicus, laevigatus, monopterygius, rostratus, segaliensis, stegophthalmus.

Agouti acuschy, aperea, cobaya, cyanus.

Agra acuminata, aenea, alternata, aterrima, attelaboides, attenuata, aurovittata, brentoides, brevicollis, brunipennis, buqueti, cajennensis, cancellata, catenulata, chaleea, chalcopetra, chevrolat, clavipes, cuprea, cupreola, cupripennis, cyanosticta, cynthia, erythroceras, erythropus, exarata, excavata, feisthameli, femorata, filiformis, foveolata, foveolata, gemmata, geniculata, goryi, hypolasia, immersa, infusata, klugi, lampropyra, leprieuri, lycisca, metallescens, mexicana, multiplicata, nigripes, oblongopunctata, pachycnema, parvula, pennsylvanica, picipes, puncticollis, pusilla, quadricipes, regularis, rufescens, ruficornis, rufipes, rufoaenea, rutilipennis, scrobiculata, spinipennis, splendida, stictica, surinamensis, tridentata, tristis, variolosa, vicina.

Agraecia punctata.

Agramma atricapilla, gibba, laeta, nigra, ruficornis.

Agrapha aerea, abenea.

Agraphus leucophaeus.

Agraulis delila, juno, moneta, pberusa, vanillae.

Agraulos carinata, ceticephalus, delpinocephalus, lobulosus, porosus.

Agraylea multipunctata, sexmaculata.

Agria affinis, albida, albifrons, argentea, aurulenta, bella, bipunctata, brunicans, campestris, erythroceras, floralis, fuscipennis, gesnerioidea, grisea, griseus, latifrons, luteifrons, notata, pallipalpis, punctata, punctulata, pusilla, rufipes.

Agridades admetus, adonis, agestis, argiolus, caju, cissus, corydon, daphnis, dorylas, eumedon, golgus, icarius, ladon, orbitulus, panoptes.

Agrias aedon, bella, claudia.

Agriolorhinus bonapartei, humeralis, olivaceus, personatus, sittaceus.

Agrilus aculeatus, aculeipennis, acuminatus, acutipennis, advena, aeneicollis, aeneus, albivittis, albugularis, aleus, almenus, amabilis, ametbystinus, angustula, angustus, anxius, arcuatus, argutulus, armata, armus, assimilis, astutus, ater, atripennis, aubei, aureus, aurichalceus, auricollis, auripennis, auritus, aurocephalus, aurolineatus, aurovittatus, australasiae, baroni, basalis, baxi, beskei, betuleti, bicolor, bifasciatus, biguttatus, binotatus, bivittatus, blandulus, brasiliensis, brevicornis, brunnipennis, cascbmirensis, caudalis, caudatus, cavatus, cerinoguttatus, ehalcoderes, ehalcoventris, chevrolati, chrysocephalus, cbrysopbanus, cbrysostictos, colombianus, conformis, conicus, convexicollis, crassus, ctenocerus, cupai, cuprescens, cupreus, eupricollis,

cupriventris, cyaneus, cyanipennis, cylindraceus, decemnotatus, deplanus, derao-fasciatus, dimidiis, distinguendus, egenus, elatus, elongatulus, episcopalus, ethlius, eupalanus, evinadus, exiguus, fagi, faldermannii, fallax, fasciolatus, ferrugineo-guttatus, filiformis, filum, fissifrons, flaveolus, flavo lineatus, frenatus, frigidus, frontalis, funestus, furcatipennis, furcillatus, fuscipennis, geminatus, graminis, grandis, granulatus, granulicollis, granulatus, hastulifer, humerosus, hyperici, ichthyocera, imbricatus, impressicollis, indignus, ineditus, infelix, insanus, integerrimus, klugi, laeodairei, lacustris, lactefrons, languidus, latebrus, lateralis, laticornis, leucostictus, linearis, lineellus, longiusculus, longulus, lonicornis, lucidicollis, maculicollis, maculifrons, marginicollis, melliculus, mendax, metallicus, mexicanus, miliaris, modestus, modicus, morosus, mucronatus, multinotatus, nanulus, niger, nigricans, novemmaculata, nugator, obscuripennis, obsoletoguttatus, obsoletus, occipitalis, octosignatus, otioeus, owas, pauperculus, pavidus, penicillatus, perlucidus, peruvianus, pictipennis, piscus, pisiuoe, pistaciinus, politus, posticalis, prionurus, productus, prolongatus, propinquus, pruinatus, pullus, pulverosus, purpuratus, purpureocollis, pusillus, putillus, pygmaeus, pyrosurus, quadriguttatus, quadriimpressus, quadri-notatus, quercinus, reicheti, roberti, rubi, ruficollis, rugicollis, rugosicollis, sahlbergi, salzmanni, scaberrimus, senegalensis, setipes, sexguttatus, sexnotatus, sinuata, siren, solieri, sophorae, spiniger, spinimajor, spinosus, subauratus, subcinctus, subfasciatus, subuliformis, sulcatulus, sulcicollis, taeniatus, tauricus, tenuis, thoracellus, thoracicus, tribulus, tridentatus, trimaculatus, trispinosus, umbrosus, undatus, unicolor, unipunctatus, varians, variegatus, venosus, versicolor, violaceicollis, virens, virescens, viridipennis, viridis, vitticollis, westermanni, zemes.

Agrio cellaris, corallinus, cyaneus, fulgipennis, oeneus, virescens.

Agriodius auritus.

Agriomyia abdominalis, affinis, maculata, marginilabris, spinolae, westwoodi.

Agrius aglae, aglaope, aglaopheme, albicans, amalia, amazon, analis, angulata, annulare, anomalum, antennata, aquisextanum, apicalis, armatum, aurantiaca, australis, bicolor, brevis, brightwelli, brunnea, buckmani, caerulescens, cafrum, caja, capillare, cerinum, charpentieri, chinensis, chloridion, chlordium, cingulatum, coquata, colchicus, concinnum, correa, croceum, cyathigerum, decorum, denticolle, discolor, dispar, distinctum, dorsale, elegans, elegantulum, ezonata, fasciatum, fatime, ferrugineum, festiva, filuda, fonscolombeii, forcipula, fulvipes, fumipenne, furcatum, furcigerum, furvum, fusca, geneti, glabrum, glaucum, gracile, graellsii, haemorrhoidalis, hastata, hastulatum, heterostictum, hyalinata, interruptum, kingi, lacteum, latreillei, leucopsalis, leucosa, ligea, lincolniensis, lindeni, longicaudum, lucretia, lunulatum, maci-leutum, macrostigma, macurum, maculata, mercuriale, microcephalum, minimum, najas, neaeneus, nitidula, nobilitate, nymphea, oedipus, orbicularis, ornatum, paedisca, parthenias, parthenope, peisinoe, perforatus, phallatum, picteti, plagiatum, platypoda, prunosum, pulchella, pulchrum, pumilio, punctum, pupa, pupilla, pygmaeus, rhomboidalis, rubella, rubens, rubidum, rufescens, rufipes, rufovittatum, sanguinea, sanctum, scitulum, scoticum, senegalense, sophia, speciosum, sponsa, tessellatum, tibia, tuberculatum, tullia, variegata, venerinotata, vernale, verticalis, vesta, vetustum, virens, virgatum, virginica, virgo, viridis, viridulum, xanthopterus, xanthostoma, zonata.

Agriopsis aprilina, bajaria, leucophaearia, nigricaria, sordidaria.

Agriopus alboguttatus, hispidus, leucopaecilus, peruvianus, spinifer, torvus, unicolor, verrucosus.

Agriornis gutturalis, leucurus, livida, maritimus, micropterus, striatus.

Agriotes brunnicornis, collarifer, cribratus, gallicus, gilvellus, graminicola, karabachensis, lapicida, minuticollis, obscurus, pilosus, pubescens, ruficornis, segitis, sputator, striatulus, truncatus, vilis.

Agriotherium sivalense.

Agriotypus armatus.

Agriphila aqualis, bistrialis, delialis, exoletalis, perstrialis, pratalis, selasalis.

Agrius amyntor, anchemolus, cingulatus, convolvuli, eremitus.

Agrobates brunnescens, galactotes.

Agrochola dolosa, lychnidis, pistacina.

Agrodes elegans, ianthinus.

Agrodoma agilis, rufescens, rufula, similis.

Agrodroma australis, bistriata, campestris, rufescens.

Agroecia lateralis.

Agromyza abbreviata, abiens, acuticornis, aenea, aeneosventris, affinis, albicornis, albigennis, albitarsis, albohyalinata, ambigua, amoena, annulipes, anthracina, apicalis, atra, atricornis, basilaris, bicolor, bimaculata, blanda, calceata, capitata, carbonaria, cinerascens, cingulata, confinis, coxata, cunctans, curvipalpis, denticornis, elegautula, elongata, errans, exigua, exilis, fasciola, femoralis, flava, flaveola, flaviceps, flavifrons, flavipes, flavonotata, flavoscutellaris, frontalis, fulvipes, fuscipes, geniculata, geomyzina, glabricula, gracilis, gyrans, haemorrhoidalis, heraclei, hilarella, holosericea, hyalipennis, imbuta, incisa, infusata, lacteipennis, laevigata, lappae, lateralis, laterella, latipes, leucocephala, limbatella, lineella, luctuosa, lutea, M atrum, M nigrum, maura, minuta, mobilis, morionella, morosa, muscaria, muscina, nana, nigra, nigrimana, nigripes, nigritarsis, niveipennis, nudiceps, obscurilla, obscuripennis, occulta, orbona, ornata, pallida, pallipes, pascuum, pectinata, pellitarsis, perpusilla, pinguis, posticata, pratensis, protogaea, puella, pulicaria, pulla, pumila, punctella, pusilla, pusio, pygmaea, reptans, ruficeps, ruficornis, rufifrons, rufimana, rufipes, scatophagina, scutellata, securicornis, signata, sordida, spinicornis, strigata, tarsata, tarsilla, thapsi, thoracica, tibialis, vagans, variegata, varipes, verbasci, violae, virgo, vittata, vittigera.

Agronoma exclamationis.

Agronomae cornea, crassa, valligera.

Agrophila flavida, numerica, sulphurea, unca.

Agrophilus superciliosus.

Agrotera costalis, flammealis, nemoralis.

Agrothereutes abbreviata, hopei.

Agrotis abdita, adumbrata, aequa, aethiops, agricola, annexa, aquillina, autumnalis, biconica, birivia, budensis, cataleuca, celta, cinerea, confusa, corticea, corrosa, cos, crassa, cuneigera, cursoria, decora, dedecora, deleta, deplana, deserticola, desertorum, desillii, devastator, dilucida, dimidia, dubia, elegans, encausta, erupta, exclamans, exclamationis, exigua, fennica, fimbriola, flammatrix, flavitarsis, florigera, forcipula, fugax, fumosa, fusca, gilva, graslini, gricescens, hastifera, heydenreichi, hilaris, honnoratina, hortorum, ignicola, immunda, incurva, inermis, infecta, intersita, lata, latens, lidia, lipara, livia, lucipeta, lueuebergensis, lunigera, lutescens, lutulenta, monostigma, multangula, murina, nagyagensis, nebulosa, nyctimera, obelisca, obscura, ocellina, paneratii, pascuea, plaga, puta, pyrophila, quadrangula, rectangula, renigera, ripae, ruris, rustica, sabuletorum, sagittifera, saucia, segetis, segetum, seliginis, senna, sricula, signifera, simplonia, sincerii, subterranea, suffusa, telifera, templi, tenebrosa, terrana, tessellata, tetrastigma, transylvanica, trifurca, tripuncta, tritici, trux, unicolor, vallesiaca, valligera, velum, venosa, villiersi, vitta.

Agrumenia hedysari, meliloti, onobrychis, phacae.

Agrylus sulcipennis.

Agrypnia pagetana, picta.

Agrypnus atomarius, caliginosus, coenosus, conspersus, crenicollis, cribrus, fasciatus, fuscipes, grandis, granulosus, histrio, laticollis, luridus, moerens, murinus, notodonta, orientalis, ornatocollis, pictipes, pruinus, ruber, senegalensis, squalidus, tomentosus, tropicus, varius.

Agyrta auxo, caelestina.

Agyrtes bicolor, castaneus, pilosus, subniger.

Ahaetula caudolineata.

Ahaetulla decorus, punctulatus, sagittalis.

Ahuautlea mexicana.

Aia galericulata.

Aibryas arctica.

Aidonis bildis*.

Aidos amanda.

Aigoceras harrisi, niger.

Aigocerus ellipsiprymnus, niger.

Ailia beugleri.

Ailurophis vivax.

Ailurops cavifrons, *chrysothrix*, *maculata*, *quoyi*, *ursina*.

Ailurus fulgens, *ochraceus*, *refulgens*.

Aimophila rufescens, *supercilliosa*.

Aipysurus laevis.

Aix falcaria, *galericulata*, *sponsa*.

Ajantis antiocha, *hecale*, *sappho*.

Ajax ajax, *eupetes*.

Akaste okeniana.

Akera aperta, *flexilis*.

Akicera carinata, *grisea*, *longicornis*.

Akiptera semilava.

Akis abbreviata, *algeriana*, *angustata*, *aurita*, *barbara*, *bayardi*, *bilineata*, *bufo*, *carinata*, *caspica*, *chinensis*, *collaris*, *deplanata*, *depressa*, *discoidea*, *elevata*, *elongata*, *filiformis*, *funesta*, *genei*, *gibba*, *glabella*, *glabra*, *goryi*, *granulifera*, *grossa*, *hegeter*, *hispanica*, *italica*, *laevigata*, *latreilli*, *leucographa*, *limbata*, *lineata*, *longicornis*, *lucifuga*, *lusitanica*, *marginata*, *minuta*, *muricata*, *nitida*, *octocostata*, *olivieri*, *orbiculata*, *otoes*, *planata*, *planifolia*, *plicata*, *punctata*, *salzei*, *sansi*, *rugipennis*, *sepulchralis*, *silphoides*, *solieri*, *subtricostrata*, *torricola*, *truncata*, *verberata*, *zablotzki*.

Akodon boliviense.

Akrostomum stanni.

Alabes cuveriae.

Alabonia aemulella, *bracheella*, *geoffroyella*.

Alactaga acanthium, *cyrenica*, *deceunanus*, *elater*, *indica*, *jaculus*, *platyurus*, *pygmaeus*, *speculum*, *tetradactylus*, *vexillaris*.

Alaea annaensis, *antivertigo*, *cylindrica*, *edentula*, *inornata*, *marginata*, *millium*, *minutissima*, *nitida*, *palustris*, *paredesi*, *pitcairnsensis*, *pygmaea*, *revoluta*, *substriata*, *vulgaris*.

Alaemon desertorum.

Alaptus ruscus, *minimus*.

Alario alario.

Alasmidonta costata, *undulata*.

Alasmodon atropurpureum, *badium*, *corrugata*, *crispata*, *falcata*, *hians*, *margaritiferus*, *papyraceum*, *ponderosum*, *rugosum*, *scriptum*, *sulcatum*, *unadilla*, *vertustas*, *viridis*.

Alasmodonta ambigua, *arcuata*, *complanata*, *compressa*, *confragosa*, *edentula*, *hians*, *marginata*, *polita*, *purpurea*, *radiata*, *rugosa*, *sculptilis*, *undulata*, *zollingeri*.

Alastor atropos, *clotho*.

Alata luluana.

Alauda agrestis, *albescens*, *albigularis*, *albofasciata*, *anthirostris*, *apiata*, *arborea*, *arenaria*, *arenicolor*, *bicornis*, *bifasciata*, *bilopha*, *bimaculata*, *brachyactyla*, *brachyura*, *breviunguis*, *bugiensis*, *cantarella*, *champii*, *chelicuti*, *chendoala*, *chiu*, *chrysolaeina*, *chuana*, *cincta**, *clamosa*, *codea*, *coelipeta*, *compestris*, *complanatum*, *conirostris*, *cornuta*, *crassirostris*, *crepitans*, *cristata*, *crocea*, *cunicularia*, *curvirostris*, *deserti*, *desertorum*, *deva*, *dorso-rubra*, *dukhunensis*, *dulcivox*, *duponti*, *erythronotos*, *ferruginea*, *fissirostris*, *fringillaria*, *fringillaris*, *galeridaria*, *galerita*, *gracilis*, *grandior*, *gulgula*, *guttata*, *hamgazy*, *isabellina*, *japonica*, *kollyi*, *lapega*, *leiopus*, *lineiventris*, *locustella*, *longipennis*, *lulu*, *magnirostris*, *matutina*, *melanocephala*, *minor*, *mirafra*, *montana*, *nemorialis*, *nigra*, *nigricans*, *nigro fasciata*, *nivalis*, *nudata*, *percutiens*, *persica*, *pickerlin*, *pieta*, *pileo-rubra*, *pispoletta*, *planicola*, *praestigiatrix*, *pratorum*, *pyrrhonota*, *raytal*, *robusta*, *rostrorubra*, *rubescens*, *rufescens*, *ruficapilla*, *ruficeps*, *rufipilex*, *rufocapilla*, *rufopalliat*, *salicaria*, *setegum*, *sepiaria*, *sinensis*, *spraguei*, *tartarica*, *tenuirostris*, *tracal*, *triborhyncha*, *variolata*.

Alaudus penicillata.

Alauna audouini, *edwardsi*, *rostrata*, *trispinosa*.

Alaus flammula, *interruptus*, *irroratus*, *moerens*, *myops*, *oculatus*, *sculptus*, *sordidus*.

Alausa argyrochloris, *chapra*, *coerulea*, *dorsalis*, *eba*, *maculata*, *melanosticta*, *melanura*, *menhaden*, *microlepis*, *palasah*, *pilchardus*, *schrammi*, *scombrina*, *striata*, *toli*, *vulgaris*.

Alazonia cydippe, *penthesilea*, *symbilis*.

- Albana** grisea.
Albellus maculosus.
Albertia pedemontana, vermiculus.
Albinia buccalis.
Albione areolata, indica, muricata, squalorum, verrucata.
Albula chinensis, conorynchus, erythrocheilus, forsteri, goreensis, neogulata, parrae, seminuda.
Albunea microps, oxyophthalmus, personata, symnistrata.
Alburnhippa spüosa.
Alburnus acutus, alborella, alburnoides, alburnus, avola, hipunctatus, capito, caudimacula, coeruleus, hebes, iblis, lucidus, megacephalus, mento, microlepis, mossulensis, obtusus, pallidus, rubellus, scheytan, scoranza, sellae, strigio.
Alca camtschatica, canogularis, clupea, glacialis, islandica, maior, minor, monocerata, vulgaris.
Alce americanus.
Alcedo abessinica, advena, aenea, afra, alcyon, asiatica, australasia, azurea, azureus, baboucardus, beryllina, bicolor, biru, caeruleocephala, cancropagus, capistrata, castanea, chilensis, chloris, cinereifrons, coerulescens, collaris, coromanda-major, coromanda-minor, cristata, cryzona, cyanea, cyanocephala, cyanoleuca, cyanostigma, cyanotis, cyanoventris, diophthalmus-rufo-ventro, diops, erythrogaster, erythrorhynchus, europaea, euryzonia, flavescens, grandis, guacu, gularis, guttatus, ispida, ispida-bengalensis, javana, javanica, lazuli, lepida, leucogaster, leucorhyncha, lugubris, luzoniensis, macroura, melanoptera, melanorhyncha, melanura, meninting, moluccensis, nais, natalensis, nigricans, nitida, uovae guineae, uotans, omnicolor, onocrotalus, pisidia, pusilla, rubescens, rufidorsa, rufirostris, semitorquata, solitaria, splendens, stellata, striolata, subispida, todina, torotoro, tribachis, tribrachys, tricolor, ultramarina, vagans, variegata, verreauxi, vestita, vintsioides, viridis.
Alcelaphus alce, bubalis, camaa, suturosa.
Alcemerops amictus, paleazureus.
Alcephagus pallidus.
Alces leptocephalus, machlis*, palmatus, platycephalus, resupinatus, savinus, vulgaris.
Alceste latissima.
Alcides albuguttatus, alholineatus, angulus, arcuatus, armiger, australis, brevirostris, hubo, chaudoiri, chiliarchus, dealhatus, dentipes, elegans, excavatus, exilis, fabricii, fallax, fasciculatus, ferrugineus, gihhus, haemopterus, hypocrita, interruptus, karelini, lacunosus, laniger, leopardus, leucogrammus, leucospilus, u neglectus, orontaria, pauper, paykulli, pectoralis, pictus, praeustus, raptorius, reticulatus, rufus, senex, signatus, signifer, simulatus, sparsus, subfasciatus, sulcatulus, trilohus, trinotatus, vestitus, waltoni, westermanni.
Alcidion sublineatum.
Alcidis orontaria.
Alcimus (Col.) dilatatus.
Alcimus (Dipt.) longipes.
Alcinoe (Coel.) norwegica, papillosa, rosea, rotunda, schweiggeri, smithi.
Alcinoe (Col.) helopioides.
Alciopa edwardsi.
Alciope heterochelus, lepidota, reynaudi.
Alcippe (A.) affinis, atriceps, bicolor, dumetoria, phayrei, poioccephala, sepiaria, solitaria.
Alcippe (Cirr.) lampas.
Alcis abietaria, australaria, fimbriaria, muraria, piperitaria, sericearia.
Alcmena amabilis, pallida, psittacina.
Alcopus annectens, capistratum, gracilis, nigriceps, picoides.
Alcurus melanocephalus, nipalensis, striatus.
Alcyon bengalensis, hiru, calipyga, capensis, collaris, guttata, madagascariensis, meninting, omnicolor, rudis, smyrnensis, vestita.
Alcyoncellum gelatinosum, speciosum.
Alcyone australis, azurea, cyanipictus, cyanopectus, diemenensis, lepida, lessoni, pulchra, pusilla, ruficollaris, solitaria.

Alcyoneis *almyra*, asterie.

Alcyonella *articulata*, *campanulata*, *flabellum*, *fluviatilis*, *fungosa*, *savignyi*, *stagnorum*.

Alcyonia *fungioidea*, *monilia*.

Alcyonidium *bullatum*, *circumvestiens*, *defractum*, *diaphanum*, *echinatum*, *flavescens**, *gelatinosum*, *glomeratum*, *hirsutum*, *incrastans*, *mytili*, *nostoch*, *parasiticum*, *ramosum*, *subviride*.

Alcyonites *asterolatus*, *boletiformis*, *clavatus*, *globatus*, *madreporatus*, *manayus*, *parasiticum*, *rugosus*, *stellatus*, *striatus*, *texturatus*.

Alcyonium *album*, *andegavensis*, *boletiformis*, *boletus*, *brachycladum*, *bulbiforme*, *bulbosum*, *cerebrites*, *chonoides*, *cidaris*, *clathrum*, *clavicula*, *compactum*, *confertum*, *coralloides*, *coriaceum*, *cribrarium*, *cucumiforme*, *cuspidiferum*, *cydonium*, *cylindricum*, *diffusum*, *discus*, *distomum*, *distortum*, *echinatum*, *elegans*, *ensiferum*, *epiphytum*, *favosum*, *fenestratum*, *ficiforme*, *figus*, *fistulosum*, *flabellum*, *flavum*, *flexibile*, *floridum*, *floriformis*, *foratum*, *fungiforme*, *gigas*, *globulosum*, *glomeratum*, *granulatum*, *granulosum*, *hirsutum*, *incarnatum*, *incrastans*, *infundibulatum*, *infundibulum*, *juncum*, *laciniosum*, *latum*, *lobularioides*, *lumbricoides*, *lycoperdites*, *manus*, *marginale*, *medullare*, *melongaena*, *membranaceum*, *mica*, *mineaceum*, *molle*, *monticulare*, *murale*, *mutabile*, *nervosum*, *opuntoides*, *orbiculatum*, *panicum*, *parasiticum*, *parasitus*, *pauciflorum*, *pelasgicum*, *phalloides*, *plexaureum*, *plicatum*, *polydactylum*, *priapolithus*, *pulmo*, *purpureum*, *putridosum*, *pyramidale*, *pyriforme*, *pyrum*, *quercinum*, *radians*, *radiatum*, *radicatum*, *rigidum*, *ruberrimum*, *sanguineum*, *sceptrum*, *seriatoporum*, *serpens*, *sinuosum*, *spherophora*, *spongioides*, *spongiosum*, *stalactiticum*, *stellata*, *stercorarium*, *striatum*, *tessellatum*, *testudinarium*, *tomentosum*, *tricanthum*, *trigonum*, *truncatum*, *tuberculosum*, *tuberosum*, *tubulosum*, *vesparium*.

Alcyonium *amicorum*, *aurantiacum*, *clavellinum*, *glaucum*, *imbricatum*, *imperati*, *punctatum*, *ramosum*, *setaceum*, *terminale*, *tuberculosum*, *variabilis*, *viride*.

Alcyope *candida*.

Aleria *modesta*.

Aldonus *hylobioides*.

Alecthelia *lineata*, *urvilii*.

Alecto (A.) *albirostris*, *dinemelli*, *erythrorhynchus*.

Alecto (Crin.) *adeonae*, *alticeps*, *bennetti*, *brachiolata*, *carinata*, *echinoptera*, *elongata*, *eschrichti*, *europaea*, *fimbriata*, *flagellata*, *horrida*, *inflata*, *japonica*, *milleri*, *multifida*, *novae guineae*, *palmata*, *parvicirra*, *peltasus*, *phalangium*, *polyarthra*, *purpurea*, *reticulum*, *rosea*, *rotalaria*, *sarsi*, *savignyi*, *solaris*, *tessellata*, *timorensis*, *tubaeformis*, *wahlbergi*.

Alecto (Polyz.) *acaulis*, *bajocensis*, *calloviensis*, *calypso*, *corallina*, *dichotoma*, *dichotomoides*, *dilatans*, *divaricata*, *eburnea*, *fascicularis*, *gracilis*, *granulata*, *incrassata*, *intermedia*, *major*, *nummulitorum*, *parvula*, *ramea*, *ramosa*, *reticulata*, *rupellensis*, *serpens*, *smithi*, *vesiculosa*.

Alecto (R.) *leptocephalus*.

Alecton *discoidalis*.

Alectoris *petrosa*.

Alectrion *papillosus*.

Alectro *dentata*.

Alectroenas *francaiae*.

Alectrophasis *crawfurdi*, *erythrophthalmus*, *leucomelanos*, *muthura*, *purpureus*, *pyro-notus*.

Alectrurus *tricolor*.

Alectryon *erythrophthalmus*, *pyronotus*.

Alectryonia *acrodonte*, *defraucei*, *deshayesi*, *ferussaci*, *frons*, *hyotis*, *parasitica*, *rara*, *serra*.

Alectura *azarii*, *lathamii*.

Alecturus *flaviventris*, *leucocephalus*, *yetapa*.

Alegoria *dilatata*.

Aleimma *ameriana*, *contaminana*, *forskaleana*.

Aleiodes *alternator*, *armatus*, *bicolor*, *brevicornis*, *circumscripatus*, *crypticornis*, *geniculator*, *heterogaster*, *irregularis*, *nigriceps*, *nigricornis*, *nigripalpis*, *procerus*, *pulchriceps*, *rugulosus*, *tristis*, *unicolor*, *vittiger*.

Aleochara abdominale, aeeris, acuminata, adnota, aenescens, aethiops, affinis, agareci, agaricola, agilis, albipes, alpicola, alternans, amplicollis, analis, angulata, angusta, angustata, angustula, annularis, antennata, apicalis, arenaria, assimilis, aterrima, atra, atramentaria, atrata, atricapilla, atriceps, atricollis, atricornis, attenuata, auricula, axillaris, basella, bicolor, bifoveolata, biguttata, bilimpessa, bilimeata, bilobata, binaculata, bipunctata, bisignata, boleti, borealis, brachyptera, brassicae, brevicollis, brevicornis, brevipennis, brevis, breviscula, bruniceps, brunipes, caerulea, caliginosa, callicera, canaliculata, carbonaria, carnivora, castaneipennis, castanipes, castanoptera, cayennensis, celer, chrysorrhoea, cincta, cingulata, cinnamomea, circellaris, collaris, complana, complicans, compressa, concinna, confinis, consimilis, consobrina, contigua, convexiuscula, coracina, corticalis, crassa, crassicornis, crassiuscula, cursitans, cursor, curvipes, daltoni, decorata, deplanata, depressa, depressiuscula, deserta, dichroa, dilatata, dimidiata, divisa, dorsalis, dubia, duplicata, elegantula, elongata, elongatula, emarginata, erosa, erythroceros, erythroptera, erythropus, euryptera, evanescent, excavata, excusa, exigua, exilis, falsifica, fasciata, faveola, faveolata, femorata, festinans, filiformis, fimetaria, flavicornis, flavipes, flavitarsis, flavomaculata, forticornis, foveata, foveatocollis, foveicollis, foveolaris, foveolata, fracticornis, frontalis, fulgida, fulvicornis, fulvipes, fumata, funesta, fungi, fusca, fuscicornis, fuscipennis, fuscipes, fuscula, gentilis, glauca, globosa, graminicola, graminicollis, grandicollis, griseus, haemorrhoea, haemorrhoidalis, haworthi, humeralis, humilis, immaculata, immunis, impressa, impressifrons, inconspicua, indentata, infusca, inguinalis, inquilina, inquilina, insignita, intractabilis, intricata, kirbyi, laevicollis, laevigata, laevis, lanuginosa, lata, lateralis, laticollis, latissima, leucopus, liliputana, limbata, linearis, lineolata, littoralis, liturata, livida, lividipennis, livipes, longicornis, longitarsis, longiuscula, longula, loricata, lucida, lugens, lugubris, lunicollis, lunulata, lurida, luripes, lustrica, luteiventris, macilenta, maculipennis, mannerheimi, marginalis, marginata, maura, melanaria, melancholica, melanocara, melanocephala, micans, microcephala, minima, minuta, minutissima, minutula, moerens, moesta, molesta, monticola, morion, morosa, murina, nana, nigra, nigricornis, nigricollis, nigricornis, nigrina, nigripalpis, nigrifrons, nigrofusca, nitida, nitidicollis, nitidiuscula, nitidula, notula, obfuscata, oblongus, obscura, obscurata, obscurella, obscuricollis, obscuripennis, obscuriuscula, ochropa, ochropus, opaca, pallicornis, pallidicornis, pallidipennis, pallidula, pallipes, pallitarsis, parva, parvula, pectoralis, pedicularis, pellucida, peltata, phaeopus, picata, picea, picipennis, picipes, pilicornis, pilosella, pilosula, polita, praetexta, procerula, proluxa, propera, puberula, pulchella, pulchra, pulla, pumila, pumilio, punctata, puncticollis, punctulata, pusilla, pusillina, pusillum, pusio, pygmaea, pyrrhoceras, pyrrhopus, quadripunctata, quisquiliarum, reptans, restricta, rivularis, rubripennis, rufa, rufangula, rufescens, ruficollis, ruficornis, ruficrus, rufilabris, rufipennis, rufipes, rufitarsis, sanguinea, scabra, scapularis, sculpta, scutellaris, semicarinata, sericans, sericata, sericea, sericoptera, sheppardi, similis, simplicicollis, simsi, socialis, solida, sordida, sparsa, speculifera, spissicornis, striola, strumosa, subpubescens, subsericea, subtilis, subulata, sulcata, sulcatula, sulcicollis, sulcifrons, sulcilabris, suturalis, tachyporoides, taeniata, tenella, tenera, tenuior, tenuis, teres, terminalis, terminata, testacea, testaceipes, thoracica, transversa, tricolor, tristis, umbrata, unicolor, vaga, validicornis, velox, verberans, verna, vicina, villosa, villosula, vulgaris, vulnerata, xanthoptera, xanthopus, zonalis.

Alephas lessoni, minuta, parasita, squadricola.

Alepes melanoptera.

Alepisaurus azureus, ferox.

Alepocephalus rostratus.

Alesa prema, priolas.

Alesia annulata, bohemani, guerini, hamata, inclusa, larvalis, striata, torquata, univittata.

Alestes alleni, dentex, kotschy, niloticus, nurse, sethente.

Aletia argillacea, conigera, turca, vitellina.

Aletis helcita.

Aleuces pictaria.

- Aleurodes** ~~abutilonis~~, aceris, chelidoni, corni.
Aleurostictus nobilis, octopunctatus.
Aleuterus laevis, maculosus, paragaudatus, velutinus.
Aleuterius baueri, browni, trossulus, variabilis.
Alexia (Col.) globosa, laevigata, laevissima, pilifera, pilosa.
Alexia (G.) denticulata.
Aleyrodes bifasciata, chelidoni, dubia, gigantea, immaculata, ~~proctella~~.
Algira cuvieri, dumerili, punctata.
Algyra algyra, capensis.
Algyroides moreoticus.
Alibrotus chauseicus.
Alicula cylindrica, lichtensteini, okeni, volhynica.
Aligena laevis, striata.
Alima aphrodite, edwardsi, forceps, gracilis, hyalina, incisa, laticauda, longirostris, tetracanthura.
Alina meridionalis.
Alindria cylindrica, grandis, spectabilis.
Alisia aphidivora.
Alispa angustella.
Alitropus typus.
Allactaga arundinis.
Allajulus albicornis, molybdinus, occultus, punctatus, pusillus, similis.
Allantus abdominalis, aethiops, agilis, albicincta, albicornis, albonotatus, analis, annulatus, antennatus, apicalis, arcuatus, ater, aterrimus, aucupariae, balteatus, bardus, bicinctus, bicolor, bifasciatus, bimaculatus, bipunctulus, blandus, cestus, cinctus, cingulatus, colon, conspicuus, coryli, costalis, cylindricus, decipiens, dimidiatus, dispar, duodecimpunctatus, ephippium, epicera, externus, ferrugineus, ferus, flavicornis, fulvicornis, goniphorus, haematopus, hellmanni, lateralis, laticinctus, leucostoma, lividus, mandibularis, marginatus, marginellus, maurus, melanocephalus, morio, nassatus, neglectus, nigrilus, nitidus, obscurus, omissus, ovatus, pallipes, pannosus, pavidus, pictus, punctulatus, punctum, quadrimaculatus, quinquecinctus, rapae, rillas, rossi, rubi, ruficornis, rufipes, rufiventris, rusticus, sambuci, scalaris, scrophulariae, scutellaris, solitarius, spinarum, stigma, strigosa, sturmi, tarsata, tenulus, tentonus, thompsoni, tiliae, tricornis, velox, ventralis, vespiformis, viennensis, viridis, xanthogaster, zona, zonatus, zonula.
Allarithmia palpata.
Alle carbo, nigricans.
Allecula americana, apiata, aterrima, australis, bicolor, brevicollis, brunnea, canescens, carbonaria, castanea, catopina, cayennensis, contracta, cylindrica, cylindricollis, debilis, erythrocnemis, fastigiata, ferruginea, flavipes, fortipes, foveicollis, fulvipes, fuscata, fuscula, geniculata, gouldi, helopina, holosericea, impressa, impressipennis, inculta, livida, melancholica, morio, nigricans, omophiloides, pallida, pellicornis, picea, pilosa, pineloides, rotundicollis, rugulosa, sanguinicollis, solieri, spadicea, sugillata, sulphurea, tristis, umbrosa, varians, velutina.
Allelidea stenostomoides.
Alleloplasis darwini.
Alligator cowiei, cuvieri, cynocephalus, fissipes, hantonensis, lucius, missisipensis, palpebrosus, punctulatus, selenops, trigonatus.
Alliocera graeca.
Allocerus dilaticornis, spencei.
Alloctops flexuola.
Allodape rufogaster.
Alloietelus discoideus.
Allomorphina trigona.
Allopora flabelliformis, gemmascens, infundibulifera, norwegica, rosea.
Alloporina oculina.
Allorisma audax, constricta, curvatum, elegans, elongata, muensteri, regularis, sulcata, undata, urei.

Allorrhina affinis, concolor, ~~senilis~~, menetriesi, trisulcata.

Allothea megathyra.

Allotria (Hym.) victrix.

Allotria (Lep.) elonympha.

Allotrius (A.) acnobarbus, flaviscapis, quadricollis.

Alocorhinus clericus, comprimatus.

Aloeides pierus, thyra.

Aloidis guineensis.

Alomya cruentator, debellator, moerens, nigra, ovator, ~~seniliflava~~, stercorator victor.

Alona ovata.

Alope palpalis.

Alopecias superciliosus, vulpes.

Alopecophis chalybeus.

Alopecurus steedmani.

Alphora albipennis, atropurpurea, aurulans, basalis, biguttatus, bluephala, carbonaria, ciurea, corinna, fasciata, ferruginea, fuscipennis, hamata, hemiptera, hyalipennis, muscaria, nana, nebulosa, nervosa, nubeculosa, nubilipennis, obesa, obscuripennis, pilosa, pusilla, pygmaea, semiciurea, subcoleopratus, umbripennis, violacea.

Allophus agrestis, alternatus, armeniacus, cirriger, humeralis, leucon, lineatus, nictitans, quadriguttatus, rudis, subguttatus, triguttatus.

Alopias macrourus, vulpes.

Alponotus ricordi.

Alopus trinotatus, vau.

Alosa aestivalis, alosa, apicalis, bishopi, brevis, champole, chapra, communis, cyanonoton, elongata, futa, formosa, ilisha, immaculata, kelce, lineata, matowaka, mattowacca, menhaden, palasah, pectinata, praestabilis, reevesi, sadina, senegalensis, teres, tyrannus, vernalis.

Allostoma heliciformis, laevigata.

Alouatta beelzebut, seniculus. *Vide et Aluatta.*

Alpaeus angusticollis, castaneus, ferrugineus, gagates, orsinii, tibialis.

Alphaeus spinus, trisulcatus.

Alphestes afer, gembra.

Alpheus aculeatus, alope, amethysta, amethystea, amphitrite, armillatus, astacinus, bidens, brevirostris, ceramote, chiragricus, cougneti, dentipes, digitalis, dispar, doris, doto, edwardsi, elegans, elongatus, emarginatus, flavescens, forceps, formosus, frontalis, galathea, gambarelloides, heterochaelis, laevigata, laevigatus, laevis, lobidens, lottini, marmoratus, minor, minus, monopodium, neptunus, pelagicus, pinnophylax, polaris, punctulatus, rhode, ruber, scriptus, sivado, spinifrons, thetis, triton, tyrhenus, tyrrenus, ventrosus, villosus, viridis, vittatus.

Alphitobius ovatus, picipes, punctatus.

Alphitophagus quadripustulatus.

Alphocoris larinoides, lixoides.

Alpidium ficus.

Alpismaris marmoratus, risso.

Alseonax latirostris, rufescens, ruficauda, terricolor, undulata.

Alsodes monticola.

Alsoecus leucopogon.

Alsophila aescularia, difformaria, hippocastanaria.

Alsophis antillensis.

Alteutha depressa.

Altica abbreviata, abdominalis, aenea, aeneicollis, aeneipennis, aeraria, aerea, aeruginosa, affinis, ahenata, ahrensi, albomarginata, amethystina, analis, anglica, annulata, antennata, aridella, atra, atrata, atricilla, aulica, aurata, azurea, basalis, bicincta, bimaculata, bimarginata, bisnotata, bipustulata, bivittata, brassica, brunnea, caerulea, caeruleipennis, calcarata, cardui, centralis, ceracollis, cervina, chalybea, chalybeipennis, chevrolati, chlorotica, chrysis, chrysoptera, ciliata, cincta, cinctipennis, circumcincta, circumdata, clathrata, coarctata, collata, concinna, confusa, con-

glomerata, conjugata, consobrina, copalina, crenicollis, cretacea, cretacea, cruciata, crysanthæma, maculata, cuprea, cyanea, cyanipennis, cyparissæ, decemguttata, decemnotata, decempunctata, decorata, deleta, dentipes, dimidiata, dorsalis, dulcamaræ, elongata, erucæ, eumolpus, euphorbiæ, exapta, fasciata, fasciolata, femoralis, femorata, ferruginea, fervida, flavicans, flavipes, flexuosa, forticornis, fossulata, fontalis, fulgida, fulvicornis, fulvipes, fluscicornis, fuscipes, gagatina, geminata, geniculata, gibbitarsa, glabrata, glauca, granaria, hederae, hemisphaerica, herbigradus, hippophæes, horticola, ianthinipennis, impressa, incerta, iris, jaceæ, janthina, javanica, laeta, langsdorfi, lepida, lepidii, leucoptera, limbata, lineata, lineolata, liturata, lucidicollis, lunata, lurida, luteicornis, lutescens, lythri, marginella, maura, melanocephala, melanura, mellicollis, mercurialis, merdivora, metallica, miniata, monticola, nana, napi, nasturtii, nigriceps, nigricornis, nitida, nitidula, oblonga, obscura, obscuricollis, obsidiana, ochripes, ochroleuca, ocreata, octodecim guttata, orbicularis, ovata, ovoides, pabescens, pallens, pallida, pallipes, parvula, petaurista, peyrieri, picta, pilosa, plutus, poeciloeas, polita, prasina, pubescens, pulchra, pulicaria, pumila, punctata, punctipennis, purpurea, pusilla, quadrimaculata, quadrinotata, quadri signata, quadrivittata, quattuorpusculata, quercata, quinquefasciata, quinquelineata, quinquevittata, reticulata, rhois, rivularis, rotundata, rubi, rubicunda, rufa, ruficollis, ruficornis, rupeis, rugosa, rugulosa, salicariæ, sanguinicollis, sanguinolenta, scripticollis, scutata, scutellaris, sogetum, senilis, sexguttata, sexmaculata, sex notata, sex punctata, smaragdula, speciosa, spargulae, striolata, subglobosa, suturalis, taeniata, taniata, tetrastigma, thapsi, thoracica, tibialis, transversa, triangularis, triscincta, tricolor, trilineolata, tristes, troglodytes, ulmi, umbratica, undecimpunctata, unicolor, uniguttata, unpunctata, venosa, venusta, verbasci, vians, violaceipennis, virescens, virgata, viridissima, vittata, volkameri.

Alticopus galeazzii.

Aluatta nigra, rufa. *Vide et Alouatta.*

Alucita acanthodactyla, acanthodactyla, adactyla, brachydactyla, carphodactyla, cosmodactyla, dentata, didactyla, dodecadactyla, ephippium, erxbella, frischella, graphodactyla, griseodactyla, hellerella, hexadactyla, icarodactyla, ischnodactyla, lithodactyla, lunaedactyla, migadactylus, nemorum, nephelodactyla, nivella, obsoleta, pallidactyla, palodactyla, parvidactyla, pelidnodactyla, pentadactyla, petradactyla, phaeodactyla, poecilodactyla, polydactyla, porrectella, psodactyla, pterodactyla, ptilodactyla, punctidactyla, scarodactyla, septodactyla, tephradactyla, tesseradactyla, tetradactyla, trigonodactyla, ulodactyla, uvella, vindella, vitella, vittatus, xanthodactyla, xylostei, zonodactyla.

Alucitina graumodactyla, hexadactyla, polydactyla.

Aluco (A.) flammea, stridula, tengmalmi.

Aluco (G.) aculeatus, auritus, fuscus, granulatus, radula.

Alurnus alternans, apicalis, brunneus, circumdatus, corallinus, crassidens, cruciatus, cyaneus, cyanipennis, dichrous, ferrugineus, lansbergi, marginatus, nigripes, okeni, orbigny, quadrimaculatus, rostratus, testaceus, thoracicus, uadatus, vicinus, vigorsi.

Alutarius barbatus, laevis, oblitteratus.

Alutera cinerea, cryptacanthus, monoceros, nasicornis, punctata.

Aluteres berardi, cuspidata, pareva, personatus.

Aluterus kleini, monoceros.

Alvania acinus, albella, arcuata, ascaris, boria, costata, costulosa, cranchi, crassicosata, discors, discrepans, dufrœnei, europea, ferruginosa, freminvillea, interrupta, lineata, mamillata, mediterranea, nodulosa, plicatula, pyramidata, reticulata, sardea, striata, sulzeriana, supranitida, textilis, verrucosa, zetlandica.

Alvarinus hilarii, pallidipennis, submetallicus, subsericeus.

Alveolina acuta*, bosci, bulloides, compressa, cretacea, cylindrica, depressa, elliptica, elongata, fusiformis, haueri, intermedia, irregularis, longa, melo, oblonga, oliva, ovoidea, ovum, pulchra, quoyi, subpyrenaica, trinodis.

Alveolites buchiana, celloporatus, cellulosa, cepularis, cervicornis, clavata, confertus, dichotoma, dubia, escharoides, fibrosa, fibrosus, fungiformis, funiculina, glomeratus, goldfussi, gracilis, hemisphaerica, heteropora, incrustans, infundibuliformis, irre-

gularis, larva, lensdalei, madreporacea, massiliensis, megastomus, micropora, milleporacea, parisiensis, polymorpha, producti, quinquialis, ramosus, reticulata, sabra, sociatus, spongites, squamosus, subfibrosus, suborbicularis, tuberosa, tubiporacea, tumida, vermicularis.

Alveopora brevicornis, dedalaea, elegans, fenestrata, incrustata, microsolenia, octoformis, racemosa, retepora, rubra, spongiosa, tuberosa, viridis.

Alvis octopus.

Alycaeus gibbus, strangulatus.

Alycus devius, roseus.

Alydus abdominalis, acantharis, acicularis, aeneus, affinis, albidens, annulatus, annulicornis, apterus, areuatus, atratus, brevipes, caffer, calcaratus, consobrinus, costatus, crenulatus, cruentus, dentatus, dentipes, diversipes, fimbriatus, fuscus, gerani, gracilipes, hirsutus, histrio, hyosciami, ichneumoniformis, lateralis, limbatus, linearis, maculatus, marginatus, melaleucus, melanocephalus, muricatus, notatus, obscurus, parvus, pedestris, pellucidus, pilosulus, pristinus, puugens, quadrispinosus, recurvus, rufipes, scaber, serripes, simplex, sinuatus, tarsatus, tibialis, torridus, tragacanthae, undulatus, valgus, ventralis, vespiformis.

Alypia maccullochi, octomaculalis, quadriguttatus

Alyscum saltans.

Alysia (Hym.) abdita, abominator, adducta, affinis, agarici, agricolator, albipes, ampliatrix, aneeps, ancilla, angustula, annulata, apicalis, apii, aptera, areolaris, astarte, atra, aurora, basalis, bicolor, brevicornis, castanea, cayennensis, cephalotes, cincta, cingulata, cingulator, circe, claudestina, compressa, concinna, concolor, confluent, conjungens, conspurcator, contracta, depressa, diremta, distracta, elegans, eugenia, eunice, exserens, ferruginea, flavipes, flaviventris, florimela, foveola, frequentator, frigida, fucicola, fuliginosa, fulvicornis, fuscicornis, fuscipennis, fuscipes, galatea, gilvipes, gracilicornis, gracilis, lians, incongrua, isabella, jaculans, lateralis, leptogaster, limicola, livida, loripes, lucia, lucicola, lugens, lymphata, macrospila, maculipes, mandibularis, mandibulator, manducator, marginalis, maria, maritima, megacephala, minor, minuta, minutissima, naiadum, navicularis, nephele, nereidum, nervosa, nigra, nina, nitida, nitidulator, oculator, olivieri, orbitalis, orchesia, pallida, pallipes, pectoralis, pellucida, perdita, petiolata, phoenicura, piceator, picina, picinervis, pilicornis, podagrica, postica, pratellae, procera, pubescens, pullata, pumila, pumilio, punctigera, pusilla, ridibunda, ringens, rubriceps, ruficeps, ruficornis, rufidens, rufinotata, rufipes, rufiventris, semirufa, semirugosa, senilis, similis, sopliae, speculum, stercoraria, stramineipes, striatula, sylvia, tabida, talaris, temula, testacea, tipulae, triangulator, tristis, truncator, uliginosa, venusta, vidua, vitripennis.

Alysia (P.) loricata.

Alyson ater, kennedyi, melleus, oppositus, ratzeburgi, tomentosum, tricolor.

Alysson bimaculatus, fuscata, spinosus, tumidus.

Alytes australis, obstetricans.

Amadina acuticauda, annulosa, atricollis, bichenovii, bicolor, calida, cana, cantans, castaneothorax, castanotis, cincta, cucullata, erythrocephala, fasciata, ferruginea, flaviprymna, fringilloides, fuscata, gouldiae, guttata, indica, javensis, larvata, lathamii, leucocephala, leucogaster, leucotis, maja, malabarica, malacca, melanictera, melanoleuca, minuta, modesta, molucca, nitens, nitida, orizyvorae, pectoralis, personata, poensis, prasina, punctularia, punctulata, quinticolor, ruficauda, sanguinolenta, sinensis, squamifrons, striata, temporalis, undulata, variegata, verreauxi.

Amalactus aterrimus, nigratus.

Amallocerus spinosus.

Amallopodes seabrosus.

Amalocera picta.

Amaloplia ruficula.

Amalthea conica, maxima.

Amaltheus margaritatus.

Amalthocera tiphys.

Amalus castaneus, scortillum.

Amandava punctata.

Amara acuminata, adamantina, aerata, aeruginosa, affinis, agilis, alpicola, alpina, anachoreta, angustata, antennata, anthobia, anthracina, apicaria, assimilis, atra, atrocoerulea, attenuata, aulica, aurata, aurichalcea, avida, basillaris, biarticulata, bicolor, bifrons, borealis, brevicollis, brevicornis, brevis, brunnea, brunnicornis, brunnipennis, californica, cardui, castanea, cephalotes, chalea, chlorophana, communis, complanata, concinna, concolor, confinis, confusa, consularis, contractula, contrusa, convexa, convexilabris, convexior, convexuscula, cordicollis, crassa, crenata, emiculina, cursor, curta, cylindrella, dalei, dalmatina, depressa, deserta, difficilis, dilatata, discors, discrepans, distincta, dolosa, domidua, dorsalis, dubia, elegans, elongata, equestris, erratica, erythrope, eurinota, exarata, eximia, fallax, famelica, familiaris, ferrea, ferruginea, flavipes, floralis, fodinae, formosa, fulva, fulvipes, furtiva, fusca, gebleri, gemina, gibba, glabrata, graculus, granaria, grandicollis, grossa, harpaloides, helopioides, hyperborea, impressa, impunctata, impuncticollis, inaequalis, incisa, indistincta, intima, ingenua, insignis, intermedia, interstitialis, iridipennis, laevigata, laevipennis, lapidicola, lapponicus, lata, latescens, laticollis, lenticularis, lepida, levis, limbata, linearis, littoralis, livida, lucida, lucidula, luctuosa, lunicollis, maculipes, mancipium, marginella, maritima, megacephala, melancholica, melanogaster, melanogastrica, metallescens, mexicana, micans, modesta, mongolica, montana, monticola, montivaga, morio, municipalis, musculus, nigripes, nigrita, nitida, nobilis, obscura, obscura, obsoleta, obtusa, ollivieri, orientalis, orizabae, ougsbergeri, ovalis, ovata, pallens, pallida, pallipes, parvula, pastica, patrata, patricia, patruelis, perplexa, persica, petri, picei, planiuscula, plebeja, poeciloides, polita, pratensis, propinqua, puncticollis, punctulata, pyrenaea, quenseli, remota, remotestriata, rotundata, rubrica, ruficornis, rufilabris, rufipes, rufoaenea, rufocincta, rustica, sabulosa, saphyrea, scitula, septentrionalis, sera, sicula, signata, silvicola, simillata, simplex, sinuata, spinipes, splendida, spreta, strenua, striatopunctata, subaenea, subolivacea, tibialis, torrida, tricolor, tricuspidata, trivialis, unctulata, vagabunda, varicolor, vectensis, viatica, violacea, viridis, vulgaris, zabroides, zimmermanni.

Amareucium edentatum.

Amaroucium albicans, argus, aureum, conicum, incrustatum, mutabile, nordmanni, pomum, proliferum.

Amarula amarula.

Amarygmus amethystinus, bicolor, carbonarius, columbinus, cuprarius, cupreus, cupripennis, cyanopterus, fastuosus, fervens, hydrophiloides, iodicollis, laevis, micans, mutabilis, paykullii, purpureus, resplendens, rugosus, smaragdulus, speciosus, tristis, tuberculiger, velutinus, viridicollis.

Amarynthia menaria, micalia, sagaris.**Amaryssus machaon.**

Amasis dilatata, jurinae, laeta, lateralis, obscura, subpuuctatus.

Amata cerbera, passalis.**Amathes baja, litura.****Amathia (Cr.) carinata, rissoana.****Amathia (Lep.) certata, hexapterata, lobulata, sexualata.**

Amathia (Polyz.) acervata, alternata, biseriata, convoluta, cornuta, lendigera, praecatoria, scoparia, semi-convoluta, spiralis, unilateralis.

Amathitis aegyptia.

Amathus cambricus, concinnus, fuliginosus, maculatus, picicornis, pyrrhocerus, subnebulosus.

Amathusia (Lep.) amthaon, ganescha, inachis, lntea, nacar, nivea, patelena, phidippus, philarches.

Amatodes geminata, hirsuta, hirsutula.**Amaura (G.) candida.****Amaura (Lep.) phaedone.****Amauris echeria, egialia, niavia.**

Amaurobius atrox, claustrarius, cryptarum, ferox, montanus, roscidus, subterraneus, sylvicolus, terrestris, tetricus, tigrinus.

Amauronia subaenea.

- Amaurosetia** albifrontella, albinella, atrella, cerusella, knockella, megerdilla, montentella, oppositella, quadripunctella.
- Amaurus** (Col.) senegalensis.
- Amaurus** (Hem.) brevicornis, cupreus, dentatus, serratus, spinosus.
- Amazilius** aglaiae, amazili, arsinoe, corallirostris, dumerili, edward, erythrorhynchus, flavescens, haematorhynchus, norrisi, riefferi, sophiae, viridissimus.
- Amazona** dufresniana, icterocephala, levaillanti, lilacina, pulverulenta.
- Ambassis** alta, baculis, barlovi, bogoda, commersoni, dussumieri, indica, lala, nalua, nama, oblonga, phula, ranga, thermalis, vachelli, wolffi.
- Ambates** apricans, caecus, caesus, circumdata, clitellatus, eumerus, griseolus, immundus, maerkeli, pictus, pusio, quadrilineatus, schäumi.
- Amblacrinus** inaequidactylus, rosaceus.
- Amblasmodon** hians.
- Amblema** antrosa, costata, gibbosa, olivaria, ovalis, torulosa.
- Amblis** litura.
- Amblochilus** bicolor.
- Amblocyathus** bowerbanksi, conicus, neocomiensis.
- Amblodon** bubalus, grunniens, niger.
- Amblophyllia** cretacea, obtusa, rupellensis.
- Amblotis** fossor.
- Amblycephalus** (Hem.) acuminatus, germari, interruptus, irroratus, maculipes, nervosus, viridis.
- Amblycephalus** (R.) boa, laevis.
- Amblyceras** rittbergensis.
- Amblycerus** guinaeensis, japonicus, nebulosus, reticulatus, robiniae, scabrosus, scriptus, varius.
- Amblycheila** cylindriciformis, picolomiuii.
- Amblychus** peltatus, pustulatus.
- Amblyderus** scabricollis, truncatus.
- Amblygaster** clupeioides.
- Amblygnathus** cephalotes, corvinus, janthinus, lucidus, niger, obscuricornis, philippensis, suturalis.
- Amblymerus** albitarsus, amaeus, campestris, dubius, fulvipennis, fulvipes, fuscipes, hebes, humilis, iners, latus, linearis, mirus, modestus, nanus, nitescens, pusillus, ruralis, stenomerus, stupidus, temperatus, tenebricus, tenellus, tenuicornis, trossulus, truncatellus, validus.
- Amblyonema** adpersum, americanum, annulipes, aureolatum, cayennense, confine, decoratum, denticulatum, dissimile, elephantinum, exornatum, fimbriatum, hebraeum, helvolum, hippopotami, histrio, hydrosauri, iguanae, indum, infestum, infumatum, irroratum, latum, lineatum, maculatum, marmoreum, mixtum, nausificum, oblongoguttatum, oblongum, ovale, ovatum, punctatum, rhinoceratis, rhinocerinus, rotundatum, rubripes, sanguisugum, striatum, sylvaticum, tenellum, testudinarium, tigrinum, triguttatum, triste, varium, venustum.
- Amblyophis** ovum, pygmaea, viridis.
- Amblyopone** australis.
- Amblyopsis** spelaeus.
- Amblyopus** (Col.) cinctipennis, melanostomus, rusticus, senegalensis, testaceus, vittatus.
- Amblyopus** (P.) caeculus, eruptionis, gracilis, hermannianus, lacepedi, mayenna, roseus, rugosus.
- Amblypneustes** formosus, griseus, ovum, pallidus, scalaris, serialis, textilis.
- Amblypodia** anthelus, apidanus, bazalus, centaurus, dodonaea, epimuta, erylus, etolus, eumolpus, helus, hercules, hypomuta, jalindra, jangala, lada, lapithis, lohita, longinus, mycale, narada, perimuta, pseudocentaurus, pseudolonginus, querceti, quercetorum, rochana, silhetensis, sugriva, syama, vidura, vivarna, vulcanus.
- Amblypterus** (A.) anomalus.
- Amblypterus** (P.) agassizi, decipiens, duvernoy, eupterygius, latemanus, lateralis, latus, macropterus, nemopterus, olfersi, ornatus, portlocki, punctatus, rankinei, striatus.
- Amblypteryx** nigripalpis, ruipalpis.

- Amblyptilia* *acanthothactyla*, *chrysodactyla*, *cosmodactyla*, *didactyla*, *phaeodactyla*, *trichodactyla*.
- Amblypygus* *apheles*, *arnoldi*, *dilatatus*.
- Amblyramphus* *bicolor*, *holosericeus*, *prevosti*.
- Amblyrhinus* *poricollis*, *prorifer*.
- Amblyrhynchus* (A.) *ruber*.
- Amblyrhynchus* (R.) *cristatus*, *delicatissima*, *demarlii*.
- Amblyrrhynchotus* *glaucus*.
- Amblyrynchus* *subcristatus*.
- Amblysemsius* *gracilis*.
- Amblysona* *latreillei*.
- Amblyteles* *camelinus*, *equitatorius*, *fossorius*, *funereus*, *fuscipennis*, *gravenhorsti*, *indoeilis*, *inspector*, *latebricola*, *natatorius*, *negatorius*, *panzeri*, *speciosus*, *spoliator*, *viridatorius*.
- Amblytelus* *curtus*.
- Amblyterus* *geminatus*.
- Amblyura* *gordius*, *serpentulus*.
- Amblyurus* *macrostomus*.
- Ambonychia* *amygdalina*, *bellistriata*, *carinata*, *mytiloides*, *obtusa*, *orbicularis*, *radiata*, *sp. ind.*, *undata*.
- Ambrostoma* *quadriimpressa*.
- Ambystoma* *carolinae*, *episcopus*, *erythronotum*, *fasciata*, *frontale*, *haldemani*, *jeffersonianum*, *lurida*, *macrodactyla*, *mavortia*, *opaca*, *punctata*, *punctulatum*, *subviolacea*, *talpoideum*, *tigrina*, *venunosa*.
- Amedea* *scutellaris*.
- Ameiva* *argus*, *auberi*, *bimaculata*, *boskiana*, *caelestis*, *dorsalis*, *fuscata*, *guttata*, *lemniscata*, *lineata*, *lineolata*, *longicauda*, *maculata*, *major*, *marmorata*, *murina*, *murinus*, *nigrofasciata*, *oculata*, *plei*, *punctata*, *scutata*, *sexlineata*, *sloanei*, *surinamensis*, *teju*, *tessulata*, *undulata*, *undulatus*, *vulgaris*.
- Amelia* *lienana*, *rhombana*, *steineriana*.
- Amenia* *imperialis*, *leonina*.
- Amerhinus* *anthribiformis*, *bohemani*, *dufresnei*, *fahraei*, *figuratus*, *olivieri*, *pardus*, *pavo*, *sarcinatus*, *schoenherri*, *ynca*.
- Ameris* *dufresnei*, *pardalis*, *pardus*, *pavo*, *variegata*, *ynca*.
- Ameroda* *lasmampsis*.
- Amerucium* *rubicundum*.
- Amesia* *sanguiflua*.
- Amesoda* *similis*.
- Ametalla* *spinolae*, *stenodera*.
- Amethysa* *fasciata*.
- Ametrida* *centuria*.
- Ametris* *netricaria*, *nitocritaria*, *punicearia*, *vulpenaria*.
- Amia* (Col.) *linearis*.
- Amia* (P.) *canina*, *cinerea*, *ignota*, *immaculata*, *indica*, *lentiginosa*, *lewesiensis*, *marmorata*, *occidentalis*, *ocellicauda*, *subcoerulea*.
- Amiba* *anas*, *anser*, *bracheata*, *crassa*, *cydonea*, *cygnus*, *divergens*, *gleicheni*, *guttula*, *jobloti*, *lacerata*, *limax*, *marina*, *muelleri*, *multiloba*, *ochrea*, *olor*, *princeps*, *ramosa*, *rappanella*, *roeseli*, *solea*.
- Amictus* *heteropterus*, *oblongus*, *pulchellus*, *variegatus*.
- Amicula* *amiculatus*, *monticularis*, *vestita*.
- Amieva* *trilineata*.
- Amimonus* *elephantinus*.
- Amina* *parisiensis*.
- Aminta* *brunipennis*, *floralis*, *grisea*, *ludibunda*, *rivularis*.
- Amisallus* *nodosus*, *tuberosus*.
- Amitrus* *alutaceus*, *coriaceus*.
- Amitus* *aleurodinus*.
- Amizilis* *latirostris*.

Ammaecius rugifrons.

Ammidium ciliatum.

Ammiralis atalanta.

Ammobates (Dipt.) insignis, notatus, plumipes.

Ammobates (Hym.) bicolor, muticus, rufiventris.

Ammochares assimilis, ottonis.

Ammocoetes bicolor, borealis, concolor, lamproyon, unicolor.

Ammocoetus branchialis, ruber.

Ammodramus bimaculatus, caudacuta, henslowi, macgillivrayi, maninbe, maritimus, palustris.

Ammodromus aestivalis, bachmani, lecontei, passerinus, ruficeps, varius.

Ammodytes americanus, argenteus, cicerculus, hexapterus, lancea, lanceolatus, serpentinus, sculus.

Ammoecius brevis, edentulus, elevatus, fusciventris, gibbus, lusitanicus, nitidus, transsilvanicus, vittatus.

Ammonceratites conradi.

Ammonites aalensis, aballoeensis, abruptus*, abyssinus, acanthococcus, acanthoides, acanthopsis, acanthus, accipitris, achelous, achilles, acis, acostae, actaeon, actaeonoides*, aculeatus, acuta, acuticosta, acuticostatus, acuto-costatus, acutus, adela, adonis, aeduensis, aegion, aeneus, aeolus, aequabilis, aequatorialis, aequicosta, aequinodosus, aeropus, affinis-globosus, affinis-obliquatus, affinis-perobliquatus, affinis-subobliquatus, affinis, agassizianus, agenoi, ajax, alexandrinus, allasi, alpina, alpinus, altenensis, alternans, alternatus, aluco, amaltheus, ambiguus, ambrosianus, americana, ammonius, amoenus, anceps, andraei, angiolinus, anguiformis, angulatus, angulicostatus, anguliferus, angustatus, angustilobatus, angustiseptatus, angustistriata, angustus, annularis, annulato-affinis, annulato-bicompressus, annulato-cidaris, annulato-liquescens, annulato-minimus, annulatus, antiqua, anus, aon, aonis, apertus, aphioides, arbustigerus, arciacianus, arcigerens, arcus, arcuosus, arduennensis, argonis, arietis, armato-angulatus, armatus, armiger, arquatus, arbriticus, articulatus, asperimus, astierianus, athleta, atralus, aureus, auritus, ausseanum, babeanus, bajocensis, bakeriae, balduri, balmatianus, balteatus, banksi, beani, beaumonti, beaumontianus, becbei, becheri, belcheri, bellicosus, belus, belvalianus, benettianus, beotus, bergeri, beskidensis, biarmatus, bicarinatus, bicarinoides, bicostatus, bicrenatus, bicrenulatus, bicristatus, bicurvatus, bidenticulatus, bidelicotomus, bidorsatus, bifer, bifida, biflexuosus, biformis, bifrons, bifurcata, bifurcatus, binodosus, binus, bipartitus, biplex, biplicatus, bipunctatus, birchi, birdi, bispinosus, bisulcata, blagdeni, boblatei, bodleyi, bogdoanus, bogotensis, bollensis, bonnardi, bonnetianus, borealis, boucaultianus, boucardianus, bouei, bougieri, boubiensis, bourgeoisianus, bourritianus, boussingaulti, brackenridgei, brahma, braunianus, bravaisianus, breunneri, brevispina, brigbt, britannicus, brocchii, brodiaei, brongniarti, brongniartianus, bronni, brooki, brotbeus, brottianus, browni, bruguierae, buchi, buchiana, bucki, bucklandi, buckmani, buddha, bullatus, busiris, buvigieri, cadomensis, caecilia, caesareus, caffa, caillaudianus, cala, calcar, calculiformis, calisto, calix, calloviensis, calvus, calypso, camat-teanus, camelinus, canalifer, candollianus, canteriatu, capax, capellinus, capitani, capricornus, caprinus, caprotinus, caracbtheis, carbonarius, carina, carinata, carinatus, carlavanti, carolinus, carteroni, carusensis, cassianus, castellanensis, castor, catena, catenatus, catenulatus, catillus, catinus, caumonti, causonianus, cenomanensis, centauroides, centaurus, ceratitoides, cesticulatus, cbabreyanus, chamusseti, cbar-massei, cbarpentieri, chauvinianus, cbeltiensis, chrisbna, cinctus, cingulatus, circularis, circumtentus, clavatus, clementinus, cleon, clevelandicus, clymeniaeformis, clypei-formis, coarctatus, colesi, colinarius, colladoni, collenoti, colligatus, colubratus, colubrina, columbianus, columbellus, comensis, communis, complanata, complanatus, complicatus, compressissimus, compressus, comprinatus, comptoni, comptus, concavus, concinnus, conradi, consobrinus, constanti, constrictus, contiguus, contractus, contrarius, convolutus, conybearei, cooki, cordata, cordatus, cordieri, coregnensis, cornucopia, cornuelianus, cornuoides, cornutus, corona, coronatus, coronella, corrugatus, costatus, costellatus, costulata, costulatus, cotta, cotta, couloni, coupei, coynarti, crassicostatus, crassicostulatus, crassulus, crassus, credneri,

crenata, crenatus, crenularis, crenulatus, crispus, cristallus, cristatus, crosbeyi,
 cryptoceras, cultellus, cultratus, euniliffei, curvatus, curvirostris, cuvieri, cycloides,
 cylindricus, cymbiformis, cymodoce, dalmanni, danae, dannenbergi, davoei, debilis,
 decheni, decipiens, decoratus, decussatus, deductus, defossus, defrancei, deglabratus,
 delaruei, delawarensis, deluci, demidoffi, denarius, dendriticus, dennyi, dentatus,
 carinatus, dentatus, denticulata, denticulatus, depressa, depressus, deshayesi, deslong-
 champi, desplacei, deverianus, diartianus, dichotomus, didayanus, difficilis, dignesi,
 dilatatus, dimorphus, diopsis, diphyloides, diphyllus, diptychus, discoides, discretus,
 discus, dispar, dissimilis, diversusulcatus, diversus, divinus, domatus, domeykus,
 dontianus, doricus, dorrigerans, dorsilatus, dorsuosus, doublieri, dubius, dudressieri,
 dufronoyi, dumasianus, duncani, dupinianus, duplicatus, durga, dutempleanus,
 duvalianus, edouardianus, edwardsianus, egeroni, elegans, elegantulus, elephanti-
 nus, elizabethae, ellipticus, emaciatus, engelhardti, engersianus, enodis, erato, erinus,
 erratus, erugatus, eryx, eseragnolles, eucharis, eudesianus, eudoxus, eugenisannulatus,
 eugenisanomalus, eugenisatuberculatus, eugeniscancellatus, eugeniselegans, eugenis-
 impressus, eugenisquadratus, eugenisrotula, eugeniserpentinus, eugenisubtuber-
 culatus, eugenisbenettianus, eugenisbicristatus, eugenisdeformis, eugenisquadri-
 spinosus, eugenisretropressus, eumelus, eupalus, evexus, ewaldi, exaequatus, exarata,
 exaratus, excavatus, expansus, exsertus, falcatus, falcifer, falcula, fasciatus, fasci-
 ularis, ferandianus, fibulatus, fibulosbicristatus, fibulosecontortus, filus, fimbriatus,
 fischerianus, fissicostatus, fissus, fittoni, flavus, fleuriausianus, flexicostatus, flexi-
 sulcatus, flexuosa, flexuosus, floridus, fluctuosus, fonticola, forbesianus, forficatus,
 formosus, fornix, fourneli, fowleri, franconicus, frearsi, freieslebeni, frontalis, funatus,
 funiferus, furcatus, furcellus, gagateus, galdrynus, galeatus, galeiformis, galliennei,
 garesa, garantianus, gargasensis, garuda, gastaldianus, gaudama, gaytani, gazola,
 genitzi, gemmatus, gentoni, geometricus, germani, germari, gervillei, geslinianus,
 geyvillianus, gibboniana, gibbosulus, gibbosus, giganteus, gigas, glabella, glaucus,
 golosus, goldfussi, goliathus, gollevillensis, goodhalli, gossianus, goupillianus,
 gowenianus, gracilicosta, gracilis, grandis, granella, granulata, granulosestriatus,
 gravenius, gravesianus, greenoughi, grenouillouxi, guadalupae, guaduasensis, guber-
 nator, guerimannus, guersanti, guettardi, guettardoreniformis, giubalianus, guidoni,
 guidoni, hagenowi, halecis, hambrovi, hamiltoni, hastatus, haueri, hawskerensis,
 hectici, heliacus, helius, helli*, henleyi, henrici, henslowi, heptangularis, hercules,
 hermonia, hesilia, herveyi, heterogenes, heterogeneus, heterometra, heterophyllus,
 hildensis, hildrethi, himalayae, hippocastanum, hippocrepis, hircinus, hoeninghausi,
 hoffmanni, holmannianus, holandrei, hommairei, honoratianus, hopkinsi, hornesi,
 horridus, hoberianus, hugardianus, humboldti, humphriesiana, huntini, hutonianus,
 hyacinthus, hybrida, hybridus, hystrix, ibex, ignobilis, illatus, impendens, imperator,
 impressus, inaequalicostatus, inaequalis, inca, incertus, indra, inflata, inflatus, in-
 flatibulum, ingens, inornatus, insignis, instabilis, intermedius, interrupta, interruptus,
 intumescens, involutus, irius, ishmae, itierianus, ixion, jacquemonti, jallabertianus,
 jamesoni, jarbas, jason, jaubertianus, jeannoti, johannis austriacae, johnstoni, josephinus,
 jugosus, juilleti, juliae, julii, jurensis, jurinianus, juvenescens, kayei, kirghisensis,
 kisteleini, koenigi, kridion, labiatus, lacordairei, lacunatus, laevigata, laevigatus,
 laevis, laevissimus, laeviusculus, lafresnayeanus, lalandeanus, lamberti, lamellosus,
 lamoroti, largilliertianus, larva, lataecosta, latescens, lateseptatus, latidorsatus,
 latilabellatus, latus, laurensi, lautus, laeviae, layeri, laxicosta, leachi, leai, lectus,
 leigneleti, lenticularis, leopoldinus, lepidus, levesquei, levisoni, lewesiensis, liasicus,
 ligatus, limatus, lindi, lineatus, linguiferus, lingulatus, linneanus, listeri, longicaudatus,
 longicostulatus, longispinus, lonsdalei, looneyi, loscombei, lucretius, ludovicus,
 humbricalis, lunula, lyelli, lynx, lythensis, macandrus, macdonnelli, macilentus,
 macracanthus, macrocephalus, macroplocus, maculatus, maltonensis, mamillatus,
 mammillatus, mandanensis, mandelslohi, mantelli, marantianus, marcoussianus,
 margaritatus, marginatus, mariae, marshallani, martini, martinsi, masseanus,
 matheroni, maugenesti, maya, mayorianus, maximiliani, maximus, menu, metternichi,
 meyerendorfi, meyeri, michelianus, michelinianus, micraulax, microstoma, milletianus,
 mimatensis, minimus, minutus, mirabilis, mirapelianus, nitreanus, modestus, modio-
 laris, monetella, monieriana, monile, monophyllus, moreaunus, morelianus, morloti,

moseusis, mosquensis, moutonianus, mucronatus, muensteri, muigravius, multicastrata,
 multicostulatus, multifidus, multilobatus, multiplicatus, multiseptatus, murchisoniae,
 murleyi, mutabilis, muticus, myrioplocus, natrix, nautiliformis, nautilus, nautiloides,
 nautiloideus, navicularis, naviculatus, neocomiensis, nepaulensis, neptuni, nera,
 nicolasianus, nicolleti, niortensis, nissus, nitescens, nitidus, nodifer, nodocostatus,
 nodosa, nodosocostatus, nodosus, nodotianus, nodulosocostatus, nodulosus, noricus,
 normanianus, notatus, nouelianus, numismalis, nutfieldensis, nux, obliquatus,
 oblique costatus, oblique interruptus, obliquus, oblonga, obscurus, obsoletus, obtusus,
 occidentalis, oculatus, okensis, omphaloides, oolithicus, ophideus, ophioides, ophiurus,
 opis, orbicularis, orbiculus, orbignyanus, orbula, ornatus, orthocera, ottonis, ovatus,
 owenensis, oxynotus, pailletteanus, pallasianus, panderi, pausus, papalis, papiraceus,
 paradoxus, parallelus, parandieri, parcus, parkinsoni, partschi, parvicristatus, parvus,
 paucicostula, pauciseptatus, pavana, pedernalis, peramplus, perarmatus, perezianus,
 personatus, perspectivus, peruvianus, petechialis, petraeus, pettos, phillipsi, pickeringi,
 pickeringius, pictaviensis, pietetianus, picturatus, pierdenalis, pinguis, placenta,
 placentula, planatella, planicosta, planidorsatus, planorbis, planorbula, planula,
 planulatus, planus, plicata, plicatilis, plicomphalus, poeschli, pollux, polygonius,
 polygyrus, polymorphus, polyopsis, polyphyllus, polyplocus, polyptychus, polystoma,
 ponticuli, pottingeri, presli, pretiosus, primordialis, princeps, priscus, proboscideus,
 prosperianus, prosti, provincialis, pseudoaries, psilonotus, ptychomphalus, pulchellus,
 pumilus, punctatus, puschi, pustulatus, pustulifer, puzosianus, pygmaeus, quadratus,
 quadrifidula, quadrilabatus, quadripartitus, quadriseriatus, quadrisulcatus, quen-
 stedti, querefolius, quinquecostatus, radiata, radiatus, radisensis, raquinianus, rare-
 striatus, raresulcatus, raricostatus, raspaili, raulinianus, razoumovskyi, reconditus,
 recticostatus, redcaensis, refractus, reginaldi, regnardi, regnis, regularis, reinecki,
 reineckianus, rembda, renauxianus, reniformis, requienianus, resupinianus, reticularis,
 reticulatus, retrorsus, retroversus, rhotomagensis, ribourianus, ricordeanus, rimosus,
 rioi, ripleyi, robini, robinsoni, rogoznicensis, roissyanus, romeri, roppei, rostratus,
 rota, rotatorius, rotella, rotifer, rotiformis, rotula, rotundatus, rotundus, roubaudianus,
 rouxianus, rouyanus, rowlstonensis, royerianus, rudis, rueppeli, rugosa, rugulosa,
 rupellensis, rusticus, rutilans, sabaudianus, sabinus, sabulosa, sacer, sacya, sagei,
 salinarius, sampsoni, sandlingensis, santafecinus, santonensis, sartousianus, sauperi,
 sauzeanus, sauzei, scaber, scapha, scarburgensis, schaffariensis, schlotheimi, scipio-
 nianus, scoliaeformis, scordiae, scoresbyi, scutatus, sedgwicki, selliguius, selliguius,
 semicelatus, semicostatus, semiornatus, semipartitus, semiplicatus, semistriatus,
 semisulcatus, senebierianus, senequieri, septipinnis, seranonis, serpentinus, serratus,
 serrodens, sigmifer, sillimani, silphouensis, similis, simonyi, simplex, simpulus, simpsoni,
 sinemuriensis, sinuosus, siphuncularis, sismondade, siva, smithi, solaris, soma, sowerbyi,
 spatosus, speciosus, spetonensis, sphaericus, sphaerophyllus, spicatus, spinata,
 stellaris, sternalis, stobaei, stobiecki, stokesi, strangewaysi, strangulatus, striati-
 sulcatus, striatofalcatus, striatulus, striatus, strictus, striolaris, stutchburyi, subal-
 pinus, subarmatus, subbilobatus, subbullatus, subcapricornu, subcarinatus, subcin-
 gulatus, subclavatus, subcomplanatus, subconcaus, subcordatus, subcristatus,
 subdenticulatus, subdiscus, subexvexus, subfascicularis, subfimbriatus, subgaleatus,
 subglobosus, subinterruptus, subinvolutus, sublaevis, sublinearis, subnautilus, sub-
 nodosus, subpartitus, subplanus, subquadratus, subradiatus, subspinosa, subsulcatus,
 subtriangularis, subtricarinatus, sugata, sulcata, sulcatus, supraurensis, surya,
 sussexiensis, sutherlandiae, symmetricus, syriacus, syrtalis, syssolae, talavignesi,
 talitzianus, tardefurcatus, tarentina, taticus, taylori, tchekini, telfer, tenuicostatus,
 tenuistriata, terebratus, terveri, tessonianus, tetrammata, texanus, theodosia, thety,
 thouarsensis, timotheanus, tocainaensis, tollotianus, tornatus, torquatus, tortilis,
 tortisulcatus, torulosus, torus, toueasianus, transversarius, trapezoidalis, tri-
 carinata, tricarinatus, tricostulatus, trifasciatus, trifurcatus, trinodosus, tripartito-
 informis, tripartitus, triplicatus, triplocus, triserialis, trisulcosus, triton, trivialis,
 truellei, tuberculata, tuberculatus, tuberculifera, tucuyensis, tumidus, turneri,
 turoniensis, umbilicaris, umbilicatus, undatus, undulatus, undulosus, ungeri, uni-
 serialis, upsilon, uralensis, valdani, vandecki, vanuxemensis, vanuxemi, variabilis,

varians, varicosus, variocostatus, varuna, veformis, velledae, velthami, ventricosus, ventrocinctus, venustus, verneuili, verneuillianus, vernoni, verrucosus, versicostatus, vertebralis, vespertinus, viator, vibrayeanus, villersensis, villiger, virgatus, vishnu, vittatus, volutus, walcoti, wallichi, wengensis, williamsoni, wogauanus, woodwardi, woollgari, woollgari, wosnenskii, yama, ygnoni, yo, youngi, zetes, zieteni, zignodianus, zignoi, zigzag, ziphus, zuppani.

Ammonoceratites compressa, glossoidea.

Ammonophila abbreviata, apicalis, arenaria, argentata, arvensis, bonae-spei, campestris, capensis, concolor, cyanipennis, cyaniventris, dives, ebenina, elongata, erythrocephala, eximia, fera, ferrugineipes, gracilis, heydeni, hirsuta, holosericea, intercepta, kirbyi, klugi, melanaria, melanopus, mucronata, mutica, nasuta, nigra, nigricans, nitida, opulenta, procera, pubescens, pulvillata, rubiginosa, rubripes, rufipes, rugicollis, tydei, urnaria, violaceipennis, wahlbergi.

Ammonophilus apicalis, foeniformis, fumigatus.

Ammonophorus hifoveatus, costatus, galapagoensis, obscurus, peruvianus, rubripes, spinolae.

Ammonoptila charadroides.

Ammonothea (Coel.) phalloides, pycnogonoides, ramosa, thyrsoides, virescens.

Ammonothea (Cr.) carolinensis.

Ammotragus tragelaphus.

Ammotrypane aulogaster, limacina, oestroides.

Amnicola antipodanum, attenuata, badia, ciliata, cincinnatiensis, cincta, decisa, egena, galbana, grana, integra, lapidaria, limosa, lustrica, nickliniana, orbiculata, pallida, parva, porata, sayana, tenuipes, zelandiae.

Amniscus albescens, alpha, collaris, commixtus, interruptus, lateralis, marginellus, perplexus, punctatus, variegatus, vicinus.

Amnistes chameleon.

Amnosia decora.

Amobia conica.

Amoea subcostatus.

Amoeba diffluens, haematobia, longipes, princeps, radiosa, vermicularis, verrucosa.

Amoebe badiata, berberata, derivata, olivata, pectinata, poseata, rubidata, ruptata.

Amoebea gengivalis.

Amomphus concinnus, dohrni.

Amonia chloropus, cruciata, latirostris, leucocephala, megacephala.

Amorbaius infestus.

Amorpha juglandis, populi.

Amorphocephalus (Col.) coronatus.

Amorphocephalus (P.) granulatus.

Amorphocerus aureospilosus, rufipes, setosus, talpa, zamiae.

Amorphopus (Orth.) notabilis.

Amorphosoma albiventris, bispinosum, cornutum, crocatum, cucullatum, cuprescens, exasperatum, fasciatum, grisator, hirundo, hydropica, inaequale, iris, leucogaster, nigro-fasciatum, penicillata, piciformis, productum, rugosum, tasmanicum, tuberculatum, verrucosum.

Amorphospongia acutemarginatum, alveolites, angustata, byssoides, cancellata, capitatum, capulus, carantonensis, cervicornis, cherotonum, corallina, crassa, crispa, dactylus, deformis, digitata, dubia, dumosa, echinata, faundeli, favosa, fungiformis, gaudryna, glomerata, gracilis, heteromorpha, hippocastanum, informis, klipsteini, laevis, macrocaulis, multiporella, os ranae, pertusa, pisiformis, poracea, porosa, radiformis, ramosa, sanguisuga, spongiosa, subsulcata, suprajurensis, trisacia, truncatum, tuberosum, tubulosa, vola, waltheri.

Ampedus apicalis, auricollis, auripennis, balteatus, brunnicornis, carbonicolor, chalusi, cingulum, collaris, concinnus, eribrarius, crocatus, cyanicollis, cyanocephalus, discoideus, dorsalis, dorsiger, elegantulus, elongatulus, ephippium, erythrogonus, ferripes, iris, limbalis, luctuosus, lugens, lugubris, lutosus, lythropterus, megerlei, melanopygus, melanurus, militaris, nigricans, nigricollis, nigrinus, obsidianus, pedalis, perpulcher, phoenicopterus, pomorum, praestus, pullus, pusio, rubricollis, rufilabris, sanguineus,

astagei, scitulus, scrofa, semicinctus, semiflavus, seyfriedi, sinuatus, sparsus, subcarinatus, suturalis, tristis, xanthomus.

Ampeliceps coronatus.

Ampelion rufaxilla.

Ampelis alba, americana, arcuata, atropurpurea, aureola, aurospectus, averano, caerulea, caeruleus, calvus, carnifex, carolinensis, cayennensis, cedrorum, chrysoptera, cincta, cinctae, cinerea, cucullata, elegans, fasciata, foetida, formosa, fusca, grandis, grisea, hypopyrra, japonica, lamellipennis, melanocephala, merremi, mexicanus, militaris, nattereri, nengeta, nivea, nudicollis, nudus, phaenicoptera, porpyrio, purpurea, riefferi, rubra, rubricollis, rubrocristata, rufaxilla, rufocristata, sanguinicollis, sialis, superba, viridis.

Ampelisca eschrichti.

Ampelita alecto, clotho, labrella, lancula, madagascariensis, xytera, zodiaca.

Amphacanthus abhortani, adscensionis, albopunctatus, argentatus, argenteus, auran-tiacus, canaliculatus, concatenatus, corallinus, doliatus, dorsalis, firmamentum, fuscescens, guamensis, guttatus, gymnoparcus, javus, lineatus, luridus, maculosus, margaritiferus, minoratus, mertensi, nebulosus, notostictus, nuchalis, olivaceus, ovatus, punctatus, rostratus, russeli, siganus, stellatus, sutor, tumifrons, vermiculatus, virgatus, vulpinus.

Amphasia fulvicollis.

Amphichinus arvernensis.

Amphelia oculata, venusta.

Ampheres asper, serratus, spinipes.

Ampheristus toliapicus.

Amphesis fulvicollis.

Amphiarctos sivalensis.

Amphibina oblonga, putris.

Amphiblestrum membranaceum.

Amphibola australis, avellana, obvoluta.

Amphibolia valentina.

Amphibolidina megalotrocha.

Amphibolocorynus varius.

Amphibolura flavirostris.

Amphibolus (Col.) atricapillus.

Amphibothrium kroeyeri.

Amphibulima cucullata, gayana, macrostoma, oblonga, patula, rubescens, succinea, tigrina, unguis.

Amphibulina oblonga, putris.

Amphiceras adriaticum, dentatum, spelta, torile, verrucosum.

Amphichaena kindermanni.

Amphicoma abdominalis, alpina, amethystina, anemonina, apicalis, arctos, bicolor, binaaculata, bombyliiformis, bombylius, chalybaea, chloridicollis, chrysonota, chryso-pyga, ciliata, cupripennis, devota, distincta, fulgida, fulvipennis, goudoti, hirsuta, hirta, humeralis, lasseri, lineata, melis, metallica, ochraceipennis, oxyptera, papa-veris, pareyssei, psilotrichius, romana, rufipennis, sciurus, scutellata, smyrnensis, syriaca, vittata, vulpes, vulpina.

Amphicora sabella.

Amphicranus thoracicus.

Amphicrossus bipunctatus, ciliatus, concolor, discolor, filiformis, lateralis.

Amphictels gunneri.

Amphictene aegyptia, auricoma, capensis.

Amphicyllis globiformis, globus.

Amphicyon blainvillei, elaverensis, eseri, giganteus, gracilis, intermedius, lemanensis, major, minor.

Amphicyrta chrysomelina, dentipes.

Amphidasis alpinaria, betularia, congeneraria, extinctaria, fabellaria, hirtaria, hispidaria, liquidaria, pilosaria, pomonaria, prodromaria, zonaria.

Amphidees nubilosus.

Amphiderites formosus, vilis.

Amphidesma aequalis, aequata, albella, album, australe, axiniforme, bellastrata, boysi, cancellatum, carbonaria, carinata, carnicolor, caspia, compressum, constricta, convexum, corbuloides, cordiforme, cornea, corrugatum, crenulatum, croceum, decisa, declive, decurtatum, decussatum, deforme, delafieldi, deltoidea, depressa, distortum, donaciformis, donacilla, donacina, duplicatum, ellipticum, exarata, flexuosa, formosum, glabella, hians, intermedia, jayanum, lactea, laeve, lamellosum, lenticulare, lepidula, lineata, lucinalis, lunulata, minimum, mississippiensis, multicosatum, nitens, nucleola, nuculoides, obovale, orbiculata, ovale, ovata, pallidum, perovata, phaseolina, physoides, portlocki, praetenuis, prismaticum, pristina, protecta, pubescens, pulchrum, punctata, purpurascens, radiata, recurvum, reticulatum, roseum, rotundatum, rubrolineata, rupium, scabrum, securiforme, siculum, simplex, solida, subovata, subreflexa, subtrigona, subtruncata, tellinella, tenuis, tenuistriata, transversum, trigonella, truncatum, variable, variegata, zebuense.

Amphidesmus nieti, quadridens, westermanni, xanthomelas.

Amphidetes cordatus, depressus, gibbosus, goldfussi, gothicus, mediterraneus, ovatus, pusillum, sartoris, sebae, subcentralis, virginianus.

Amphidonte aquila, auricularis, blainvillei, columba, conica, cornuvarietis, crassa, halioidea, humboldti, undata.

Amphidora littoralis, squalida.

Amphidotus cordatus, roseus.

Amphiglosse astrolabi.

Amphileptus anser, fasciola, folium, longicollis, margaritifera, meleagris, moniliger, ovum, papillosus, viridis, vorax.

Amphimalla falleni, solstitialis.

Amphimallon africanum, suturale.

Amphimallus aurantiacus, bicolor, dahuricus, fulvicollis, fuscus, lateralis, marginata, pini, pygialis, rufescens, schimperi, suturalis, ustulatifemina.

Amphimonas brachiata, caudata, dispar.

Amphimorphina haueriana.

Amphinome aeolides, carunculata, chermesina, coccinea, complanata, flava, rostrata, savignyi, vagans.

Amphiodon alvicoles.

Amphion (Col.) vittatum.

Amphion (Cr.) beaumonti, brongniarti, fischeri, frontiloba, gelatinosus, multisegmentatus, odontoccephala, pseudarticulatus, renaudi.

Amphion (Lep.) brevis, nesus.

Amphionycha clathrata, consobriua, dimidiata, flammata, luctuosa, venusta.

Amphiope bioculata, perspicillata.

Amphiops globus, lucidus.

Amphioxus belcheri, lanceolatus.

Amphipeplea ampullacea, cumingiana, glutinosa, involuta, lacustris, luconica.

Amphiperas cumingi.

Amphipneus cinereus, cuchia.

Amphipogon spectrum.

Amphiporus albicans, neesi.

Amphiprion americanus, argenteus, bicinctus, bifasciatus, carinatus, chrysargyrus, chrysogaster, chrysopterus, clarkii, ephippium, fusciventer, intermedius, japonicus, laticlavus, leucurus, matejuelo, melanostolus, melanurus, ocellaris, percula, polymnus, rubrocinctus, scansor, sogo, testudineus, trifasciatus, tunicatus, xanthurus.

Amphipyra cinnamomea, confusa, effusa, honoratina, livida, perflua, phantasma, pyramidea, pyramides, spectrum, tetra, tragopogonis, valesiaca.

Amphirene epaphus.

Amphiroa abbreviata, beauvoisi, charoides, continua, crassa, cuspidata, cyathifera, decora, desmoulini, dilatata, foliacea, fragilissima, fusoides, gailloni, gallioides, interrupta, jubata, laurenti, longa, lucida, radiata, rigida, tribulus, verrucosa.

Amphisa gerningiana, pectinana, pectinata, walkerana.

- Amphisbaena** caeca, cinerea, darwini, elegans, flavescens, kingi, langaha, leucura, oxyura, pachyura, pretrei, punctata, rubra, rufa, scutigera, vermicularis, wiegmanni.
- Amphiscaurus** fuscus.
- Amphiscepa** malina, nodipennis.
- Amphisile** longirostris, scutata, velitaris. *Vide et Amphisyle.*
- Amphisorex** alpinus, ciliatus, lesueuri, linneana, palustris, pennanti.
- Amphisorus** hemprichi.
- Amphisphyra** globosa, hyalina, pellucida.
- Amphistegina** bilobata, fleuriausi, gibba, gibbosa, hauerina, lessoni, madagascariensis, mamillata, quoyi, rugosa, trilobata, vulgaris.
- Amphisternus** inaequalis, tuberculatus.
- Amphistium** paradoxus.
- Amphistoma** anatis querquedulae, anatis tadornae, asperum, attenuatum, clavata, clavatum, clavigerum, conicum, cornu, cornutum, cylindricum, denticulatum, emarginatum, erraticum, excavatum, fabaceum, falconis palumbarii, falconis palumbi, falconis peregrini, ferrum equinum, giganteum, gracile, grande, hirudo, isostomum, juli, lari glauci, longicollae, lunatum, macrocephalum, megacotyle, microcephalum, microstomum, oxycephalum, pileatum, platycephalum, pyriforme, rhopaloides, serpens, sphaerocephalum, sphaerula, striatum, subclavatum, subtriquetrum, tadornae, tanagrae, tenuicollae, truncatus, unciforme, unguiculatum, urnigerum, variegatum.
- Amphistomum** crumeniferum, explanatum, scleroponum.
- Amphistoros** affinis, afzelii, bidens, trivittatum, varians.
- Amphistrate** madagascariensis.
- Amphisyle** heinrichi, longirostris. *Vide et Amphisile.*
- Amphithecus** dahlbohmi.
- Amphitherium** broderipi, prevosti.
- Amphithoe** annulata, bicuspis, carinata, costata, creucilata, cristata, edwardsi, femorata, filosa, hystrix, inda, inermis, jurinei, laeviuscula, marionis, norvegica, obtusata, panopla, pausilipae, pelagica, picta, podoceroides, podura, prevosti, punctata, ramondi, rathkei, reynaudi, serra, swammerdamiae, tenuicornis, truncatipes, vaillanti, viridis. *Vide et Amphithoe.*
- Amphitoe** chilensis, gaimardi, gaudichaudi, gayi, gibba, pelagica, pontica.
- Amphitoites** desmaresti.
- Amphitragulus** communis, elegans.
- Amphitrite** actinoides, alveolata, arenosa, argentea, armorica, ceto, cribraria, dentata, dubia, egeana, flexuosa, gunneri, hastata, infundibulum, josephina, magnifica, meckeli, mulleri, neapolitana, nesidensis, offeri, phorceys, ramosa, rosea, taurica, tondi, trispinosa, ventricosa, vesiculosa, viridis, purpurea, volutacornis. *Vide et Amphitrite.*
- Amphitrites** conchylegus.
- Amphitryon** munchisoni.
- Amphiuma** didactylum, means, tridactylum.
- Amphiura** chiajii, florifera, neglecta, pratti.
- Amphonyx** duponchel.
- Amphoracrinus** gilbertsoni.
- Amphorina** alberti.
- Amphoroidea** typa.
- Amphorotheus** brambyi.
- Amphoteromorphus** peniculus.
- Amphotis** bella, marginata.
- Amphrisius** nymphales.
- Amphycoma** martes.
- Amphystoma** loliginis.
- Amphytrite** alata, bicornis, spiralis. *Vide et Amphitrite.*
- Amphithoe** punctata, rubricata, serrata. *Vide et Amphithoe.*
- Amplexis** crenellus, paludosus.
- Amplexus** annulatus, arundinaceus, coralloides, flexuosus, nodulosus, serpuloides, sowerbyi, spinosus, tortuosus.
- Amplorhinus** multimaaculatus.

Anaideiria flagellata, rotundata.

Anais (*Proterus*) bubastes, ganascus, panopus.

Anais (*Cria*) antiqua, depressa, sulcata.

Anaitis x angusticollis, canaliculata, compressa, compressiventris, fasciata, guerinii, formosylvanicus.

Analcipuscera fragilis, quoyana, tabulata.

Analcis (*Cria*) acuminata, acuta, ambulacrum, angulata, angustata, aperta, archimedes,

Analeptameri, australis, avellana, balanoidea, bolteniana, borealis, brownii, bruguieri,

Analestecinoidea, bulimoides, canaliculata, canalifera, carinata, castanea, cecilli, celebensis,

Analgetta, cingulata, cochlearia, columellaris, compressa, conica, cornuarietis, corrugata,

Analecrassa, crassatina, cubensis, cumingi, cyclostoma, decussata, deformis, depressa, dubia,

Anellusa, elegans, elongata, excavata, fasciata, fasciolata, ferruginea, figulina, flagellata,

fragilis, galloprovincialis, gevesensis, gigantea, gigas, globosa, globulosa, guineensis,

guniaca, guyanensis, helicoides, hopetonensis, hybrida, imperforata, insularum,

intermedia, intorta, laevigata, largillierii, leucostoma, libyca, lineata, malleata,

marginata, maxima, media, megastoma, millepunctata, minuta, mutabilis, naticoides,

neritoides, nilotica, nobilis, obesa, oblonga, obtusa, oceani, ochracea, olivacea, olivieri,

orientalis, ornoccensis, ovata, oviformis, pachycheila, pachystoma, pallens, paludoides,

paludosa, papyracea, parvula, patula, pealiana, peristomata, perovata,

perusta, platae, polita, ponderosa, ponti, proboscidea, pulchella, puncticulata, purpurea,

pygmaea, pygmaea, quercina, reflexa, roissyi, rosea, rugosa, scalariformis, scalaris,

scutata, sigaretina, sinamarina, sordida, speciosa, spirata, spixi, storeria, striata,

striatula, subcarinata, subdepressa, subspirata, sulcata, taeniata, tasmaniae, teres,

viridis, violacea, virens, vitrea, vulcani, willemeti, zonata.

Ampullarina avellana.

Ampullarius urceus.

Ampullina striata.

Ampulloidea platae.

Ampusa pauperata.

Ampycophora tarsata.

Ampyx austini, baccatus, bohemiensis, brueckneri, caractaci, fimbriatus, granulatus, latus,

leoydi, mannillatus, nudus, parvulus, platyrrhinus, portlockii, radiatus, rostratus,

sarsi, tessellatus, tumidus.

Amularia infatica.

Amusium magellanicum, oblitteratum.

Amycteres paradoxus.

Amycter admirabilis, aureolus, basalis, bivittatus, bohemani, boisduvali, brunnipes,

bubalus, bucephalus, carinatus, coenosus, collaris, costatus, dolens, dunosus, echinatus,

elongatus, exasperatus, excavatus, granosus, hopei, hypoleucus, hystricosus, hystrix,

impressus, insculptus, kirbyi, lacrymosus, lateralis, maculosus, manglesi, mannerheimi,

marshami, mirabilis, mirabundus, mirus, morbillosus, morosus, nodipennis, obtusus,

pastillarius, posticus, reticulatus, roei, rugifer, scaber, schoenherri, scorpio, semispinosus,

spencei, squalidus, sublineatus, suturalis, tomentosus, tristis, tuberculatus, urvillei,

verrucosus, westwoodi.

Amycus flavolineatus, igneus, spectabilis, subfasciatus.

Amyda aegyptiaca, ferox.

Amydetes apicalis, fastigiata, flabellicornis, praeusta, vigorsi.

Amydosaurus lugubris.

Amygdalites calabra.

Amygdalum dendriticum.

Amymone coeca, thyone.

Amynthia leachiana, swainsoni.

Amystes ehrenbergi.

Amytis leucopterus, macrourus, prismatica, striatus, textilis.

Anabacerthia striaticollis.

Anabacia bajocina, normaniana, parkinsoni. *Vide et Anabatia et Anabracia.*

Anabaenus rufescens.

Anabaina pulchra.

Anabarthynchus fasciatus. latifrons, ruficornis, rufipes, rufiventris.

Anabas scandens, spinosus.

Anabates adpersus, amaurotis, aradoides, atricapillus, aurita, badius, brasiliensis, caniveti, certinioides, cinuamomeus, coraya, cristatus, erythropterus, fernandinae, ferruginolentus, figulus, flammulatus, fringillaris, griseus, guianensis, gutturalis, gutturatus, leucophrus, leucophthalmus, macrourus, maculatus, melanorhynchus, montanus, nigropectus, poliocephalus, puncticollis, pusilla, pyrrhodes, ruficaudatus, ruficaudis, rufifrons, rufus, squamiger, striatus, striolatus, subulatus, sulphurascens, tibicen, turdoides, unirufus.

Anabatia orbulites.

Anabazenops fuscus, superciliatus.

Anableps coarctatus, elongatus, gronovii, surinamensis.

Anabolia annulata, dubia, flavipennis, lurida, nervosa, nigricornis, testacea.

Anaborthynchus fulvipes, nitidifrons, nitidus.

Anabracia bajociana. *Vide et Anabacia.*

Anacalonia servillei.

Anacamptis affinis, albigulea, alceia, alternella, angustella, annulicornis, aspera, asteripunctella, atra, bagrioteila, betulea, bifasciella, blattariae, cautella, cinerea, cinerella, clemateia, contigua, costella, decorella, diffinis, distinctella, dodacella, dodecea, domestica, dubrensella, fulvescens, fusciscens, gallinella, guttifera, hortuella, huebneri, ignipes, instabilella, interrupta, interruptella, juniperella, juniperi, lacteella, lanceolella, laticinctella, listerella, listeri, longicornis, lophyrella, luctuella, luculella, lutarella, lyellella, maculea, maculella, marmorea, mouffetella, nana, nebulea, nigra, nivea, nivella, parviocellatella, pimpinella, pinguinella, pupulella, populi, proxima, punctifera, quadripuncta, rhombea, rhombella, rustica, rusticella, sarcitea, sarcitella, scintillella, sequax, solutella, spurcella, subcinerea, subocellea, subrosea, tephritidella, terrella, tremella, tricolorella, zephyrella.

Anacamptoides simplicicella.

Anacanthus (Col.) costatus.

Anacanthus (P.) africanus, asperrimus, barbatus, electricus.

Anacerastes lepidus.

Anachalcos belial.

Anacharis ensifer, eucharoides, immunis, tinctus, typicus.

Anacolus bimaculatus, lividus, lugubris, menetriesi, nigricollis, praeustus, pygmaeus, quadrimaculatus, quadrinotatus, quadripunctatus, sanguineus, scapularis.

Anacypta punctata.

Anadaenus ruficauda.

Anadara antiquata.

Anadetia barbella, hesperidella, lobella, vitella.

Anadia ocellata.

Anadonta carinifera, irina, splendens.

Anadontina turgida.

Anadyomena flabellata.

Anaea acidalia, halice, laertias, leonida, otre, phidile, riphea, troglodita, verticordia.

Anaema gracilis.

Anaemerus fuscus, peregrinus, tomentosus, variegatus.

Anaera calcarata.

Anaerea carcharias, griseus.

Anaeretes elongata.

Anaesthetis lepida, testacea.

Anaetia gilvipes.

Anaglyptes merianus.

Anaglyptus gibbosus, hieroglyphicus, mysticus, scriptus.

Anagoga cararia, cognataria, commutataria, dilectaria, inspersaria, pulveraria.

Anagoge pulveraria.

Anagrus albiscapus, atomus, atricapillus, concinnus, debilis, flavus, incarnatus, pallidus, subfuscus, ustulatus.

Anaides *foliatus*.

Anais (A.) *clementiae*, *clementiae*.

Anais (Coel.) *quadrilocostata*.

Anaitis *hirsutivaliata*, *coarctata*, *donckieraria*, *plagiaria*, *plagiata*, *praeformaria*, *praeformata*.

Analcipus *pusillus*, *sanguinolentus*, *trailli*.

Analcis (Col.) *aereus*.

Analeptes *trifasciatus*.

Analestes *bicolor*, *testacea*.

Analgus *bifidus*, *chelopus*, *fuscus*, *gracilis*, *passerinus*, *pinnatus*.

Analgotes *discoideus*.

Anamnensis *macleari*.

Anampses *caeruleopunctatus*, *cuvier*, *diadematus*, *geographicus*, *lineolatus*, *meleagrides*, *moniliger**, *viridis*.

Ananchites *carinatus*, *concava*, *eudesi*, *globosa*, *minor*, *ovatus*, *quadriradiatus*, *rotundatus*, *stella*, *striata*, *tuberculatus*.

Ananchytes *analis*, *bicordata*, *carinata*, *cinctus*, *conica*, *conoideus*, *coravium*, *corculum*, *cordata*, *crassissima*, *cruciferus*, *depressus*, *elliptica*, *fimbriatus*, *gibba*, *gravesi*, *hemisphaerica**, *intumescens*, *latissimus*, *miplica*, *ovatus*, *perconicus*, *pillula*, *pustulosa*, *pyramidalis*, *pyramidatus*, *semiglobus*, *spatangiformis*, *spatangus*, *striata*, *sulcata*, *veronensis*.

Anancylus *unbrifer*.

Anania *dividualis*, *funeralis*, *guttalis*, *luctualis*, *octomaculata*, *quinqualis*.

Ananta *abdominalis*, *albovillosa*, *aurulans*, *flaviventris*, *lateralis*, *nebulosa*, *nigra*, *ornata*, *punctata*.

Anaora *tentaculata*.

Anapera *kirbyanum*, *pallida*, *sibiriana*, *tangeri*.

Anaperus *carolinus*, *cigaro*, *fuscus*, *labradoricus*, *peruanus*.

Anaphaeis *chloris*, *coronea*, *creona*.

Anaphes *auripes*, *autumnalis*, *brevis*, *collinus*, *flavipes*, *foersteri*, *fuscipennis*, *latipennis*, *longicornis*, *parvus*, *pratensis*, *regulus*.

Anaphia *pallida*.

Anaplecta *dorsalis*, *lateralis*, *minutissima*, *unicolor*.

Anapsis *biguttata*, *fuscescens*, *lurida*, *melanops*, *pallida*. *Err. pro Anaspis, q.v.*

Anarchichas *fusellus*.

Anarete *albipennis*, *candidata*.

Anarhichas *orientalis*. *Vide et Anarrhichas.*

Anarhynchus (A.) *albifrons*, *frontalis*, *sumatrensis*.

Anarhynchus (Col.) *scutellaris*.

Anarnacus *groenlandicus*.

Anarnak *groenlandicus*.

Anarolius *jubatus*.

Anarrhichas *denticulatus*, *leopardus*. *Vide et Anarhichas.*

Anarsia *decolorella*, *lineatella*, *spatiella*.

Anarta *algida*, *amissa*, *arbuti*, *cincta*, *cora*, *cordigera*, *funebri*, *funesta*, *heliaca*, *jocosa*, *melaleuca*, *melanopa*, *melaxantha*, *myrtilli*, *nigrita*, *radiosa*, *rupicola*, *schoenherri*, *vidua*.

Anarthrus *crystallinus*.

Anartia *amathea*, *arsinoe*, *chrysoplea*, *fatima*, *jatrophae*, *lytraea*.

Anas *albipennis*, *angustirostris*, *archiboscas*, *arcuata*, *assimilis*, *atra*, *atricapillus**, *atricilla*, *azurae**, *balbul*, *barrowi*, *bicolor*, *bimaculata*, *bisinuata*, *breweri*, *canagica*, *candidus*, *capeusis*, *carbo*, *carunculata**, *caudacuta*, *caudata*, *chalconotus*, *cheneros*, *chiloensis*, *chlorotis*, *cinerascens*, *collaris*, *columbianus*, *colymbis*, *conboschas*, *coromandelina*, *crecca*, *creccoides*, *crena*, *cristata*, *cucullata*, *cuthberti*, *cyanea*, *cyanoptera*, *cyanorostris*, *dinidiata*, *dircaea*, *erythrophthalma*, *erythropterus*, *facialis*, *falcata*, *fasciata*, *feroensis*, *fistularis*, *flavirostris*, *formosa*, *fretensis*, *fuliginosa*, *ganta*, *gera*, *gibberifrons*, *girra*, *glaucon*, *grisea*, *havelda*, *hornschuchi*, *hudsonica*, *humeralis*, *hutchinsi*, *huthera*, *hybris**, *hyemalis*, *icariotis*, *inornata*, *ipecutiri*, *jacquini*, *jaspidea**,

javana, javanica, javensis, pubata, juncea, kasarkoides, leucocephala, leucogenis, leucophrys, leucopsis, leucostigma, leucotis, lobata, longicauda, lepyrra, luzonica, maculirostris, mail, marmorata, media fera, melanocephala, melanocorypha, melanoleuca, membranacea, metopias, montana, muralis, naevosa, obesa, oxyptera, oxyura, parvirostris, paturi, peposaca, pileata, platea, poecilorhyncha, pollicaris, polycomos, pteneres, pullata, puna, punctata, purpureo-viridis, pyrrhogaster, pyrrhorhyncha, radjah, rafflesi, recurvirostra, religiosa, rhenana, rhodopus, rhynchotis, rubidoptera, rubidus, rufa, rufitorques, rustica, sinuata, skoorra, soncroua, specularis, specularoides, spinicauda, spinosa, strepera, subboschas, sylvatica, tadoroides, terraeleuwin, testacea, torquata, tizithoa, undulata, urophasianus, valisueria, varia, virgata, vitticeps, xaleuani, xanthoryncha.

Anasa apicalis, cornuta.

Anaspis antica, arctica, badia, bifasciata, biguttata, bimaculata, bipunctata, brunnea, clavicornis, depressa, dimidiata, discicollis, fasciata, filiformis, flava, flavipennis, frontalis, fusca, fuscescens, fuscicollis, geoffroi, humeralis, lateralis, lurida, maculata, melanops, nigra, nigracollis, obscura, orientalis, pallescens, pallida, phalerata, picimana, poecila, pulcra, pygmaea, quadriguttata, quadrimaculata, quadrinotata, quadripunctata, quadripustulata, quadripustulatus, rubricollis, rufa, ruficeps, ruficollis, rufilabris, scapularis, sericea, subfasciata, subulcata, subtestacea, testacea, thoracica, trifasciata, triloba, variegata, ventralis, verticalis.

Anastomus (A.) albus, cinereus, coromandelianus, lamelligerus, melampygus, oscitans, pondiceriana, typus.

Anastomus (P.) gronovii.

Anastrus obscurus.

Anathrotus angularis, elongatus, haemorrhoidalis, longicollis, niger, nigrinus, pubescens, ruficaudis, subfuscus, varius, vittatus.

Anatifa aculeata, anserifera, burdigalensis*, cancellata, carinata, convexa, crassa, dorsalis, elongata, engonata, fascicularia, fascicularis, hirsuta, leporina, muricata, obliqua, ovalis, parasita, pelagica, radula, scapellum, serratus, sessilis, spiuosa, striata, striolata, substriata, sulcata, tricolor, truncata, tubulosa, univalvis, vitrea.

Anatifier mauritiana.

Anatifera cretae, laevis, sulcata, turgida, vulgaris.

Anatina actaea, aegae, agassizi, antiopa, antiqua, arcuata, argentaria, asperrima, astieriana, attenuata, baugieri, bellona, bidentata, bipartita, brevirostris, brevis, carinata, carteroni, claubornensis, colombiana, convexa, cornueliana, costata, crassa, crispata, cuneata, declivis, delia, deltoidea, dilatata, distorta, elegans, elliptica, elongata, expansa, fragilis, globosa, globulosa, harpa, helvetica, imperfecta, inflata, intermedia, lanceolata, laterna, leana, lenticularis, liautaudi, longa, longirostris, marullensis, membranacea, muensteri, myalis, nasuta, nicobarica, oblonga, ovalis, pandoriformis, papyratia, parlatoris, pellucida, plana, planiuscula, praetenuis, pretenera, prisca, prismatica, pubescens, pusilla, radiata, robinaldina, royana, rugosa, rupellensis, rupicola, scalprum, sinuata, spatulata, striata, subrostrata, subrugosa, subsinuosa, subtenuis, tellinoides, trapezoides, truncata, undata, undulata, villosiuscula.

Anatinella candida, dilatata, sibbaldi, ventricosa.

Anatis mobilis, ocellata, quindecimpunctata.

Anatista lafetei.

Anatium edule.

Anatola humboldti.

Anatole erostratus, penthea, zygia.

Anatolica abbreviata, albovittis, angulosa, angustata, audouini, besseri, conica, stricta, coriacea, corpulenta, cyclothorax, denticulata, depressa, elongata, eremita, gibbosa, impressa, lata, lineata, maillei, nasuta, rugulosa, saisanensis, strigosa, subquadrata, suliceps, tartarica, thoracica, torulosa, tristic, typonota, undulata, ventralis.

Anatomus indicus.

Anatona alboguttata, flavoguttata.

Anaulacus sericipennis.

Anaulax ampla, buccinoides, canalifera, cinnamomea, olivula, subulata.

Anax *exiguus, formosa, gibbosa, immaculifrons, imperator, junia, maculatus, magnus, mauritanus, melittarum, parisinus, parthenope, senegalensis, spiniferus.*

Anaxarete *fusca.*

Anaxyrus *melanochlorus.*

Anceus *elongatus, forficularis, forficularius, maxillaris, maxillosus, rapax, vorax.*

Anchinia (Lep.) *brevispinella, aneorella, daphnella, schlaegeriella.*

Anchitherium *aurehense, dunast, ezquerra.*

Anchocelis *lunosa, pistacina. Vide et Anchocelis.*

Anchomenus *aenepennis, aeneus, aeruginosus, alacer, albipes, alpinus, alpestris, ambiguus, anachoreta, augulatus, angusticollis, apicestriatus, azureus, bicolor, bipunctatus, bogemanni, brachyderus, brasiliensis, brullei, brunneomarginatus, caeruleus, californicus, carbonarius, cayennensis, chalconotus, chalciopterus, chalybeus, chilensis, cincticollis, circumdatus, colensois, collaris, coracinus, corruscus, corvinus, cuprinus, cyaneus, cyanicollis, cyminoides, decentis, decorus, deplanatus, depressus, dimidiatus, discophorus, discopulatus, distinctus, elegans, elevatus, elongatus, elongatus, eremita, ericeti, extensicollis, ferruginosus, fulgidicollis, fuliginosus, fuscicornis, fuscipennis, gagates, gracilis, grandicollis, haemorrhous, hexacaetus, impressus, jaegeri, janthinus, krynicki, laetus, laticollis, lecontei, livens, longhi, longicorne, longiventris, luctuosus, luzoti, lugubris, lunatus, mannerheimi, marginalis, marginatus, marginellus, maurus, melanocephalus, melanarius, memnonius, menetriesi, micans, minutus, modestus, moestus, molestus, mollis, monticola, morio, natalensis, nigerrimus, nigroaeneus, nitidus, novae zelandiae, numidicus, obconicus, oblongus, obscuratus, obscurus, olivaceus, ophiurus, ovipennis, pallipes, parumpunctatus, pelidnus, picipes, picticornis, praedus, pubescens, pusillus, quadricollis, quadripunctatus, quadripustulatus, quinquepunctatus, riparius, rubicollis, rufipes, rufoaeneus, rugiceps, rugicollis, sahlbergi, scabellatus, senegalensis, sexpunctatus, sibiricus, sinuatus, sordidus, stenoderus, striatus, subtilis, sulcatus, taeniatus, tenuicollis, thoracicus, tristis, uliginosus, versutus, viduus, viridatus, viridis.*

Anchonoderus *apicalis, binotatus, concinnus, myops, rugatus, subaeneus, undatus, unicolor.*

Anchonus *abnormis, callosus, carinatus, caveatus, celsis, clathratus, columbiacus, cornutus, cribricollis, elongatus, galapagoensis, guildingi, hopei, impressus, inaequalis, indus, interruptus, lafertei, morbillosus, nodiferus, ocellaris, planus, porcatus, serietuberculatus, serratus, setipes, subspinosus, sulcus, variolosus.*

Anchorella *brevicollis, emarginata, ovalis, rugosa, stellata, uncinata.*

Anchocelis *agrotoides, haematidea, humilis, litura, nitida, pistacina. V. et Anchocelis.*

Anchylomera *blossevillae, hunteri.*

Anchylopera *biarcuata, concavata, cuspidata, derasata, diminutana, fractifasciana, fumata, lundana, lyellana, obtusana, retusana, siculana, subarcuata, subuncana, uncana, unguata, ustomagula.*

Anchylothorax *aegrotus, mutabilis, parvus, variabilis.*

Anchyrtarsus *ater.*

Ancilla *alba, albisulcata, ampla, australis, aveniformis, brunea, buccinoides, bullata, canalifera, cinnamomea, coerulea, fasciata, fulgeus, inflata, laevigata, lineata, maculata, mauritiana, obsoletum, olivula, pallida, rubiginosa, subulata, turritella.*

Ancillaria *achatina, albifasciata, albisulcata, altile, aperta, australis, balteata, buccinoides, canalifera, candida, castanea, cingulata, cinnamomea, conica, conformis, conoidea, conus, dubia, eburnea, effusa, elongata, exigua, fulminea, fulva, fusiformis, glabrata, glandiformis, glandina, inflata, lineata, lynceoides, lynceoides, mamillata, marginata, mauritiana, mucronata, nana, nivea, oblonga, obsoleta, obtusa, olivula, papyracea, plicata, rubiginosa, scamba, sowerbyi, spisia, staminea, subglobosa, subulata, tankervillei, tenera, tricolor, variegata, ventricosa, volutella.*

Ancillarites *subulatus.*

Ancilus *sinuosus.*

Ancinus *depressus.*

Ancistria *retusa.*

Ancistrocheirus *lesueuri.*

Ancistropterus *quadrispinosus.*

- Ancistrosoma* *farinosa*, *flavovittata*, *klugi*, *rufipes*, *vittigera*.
Ancistrota *flavifuscula*, *plagia*.
Ancistroteuthis *dussumieri*, *krohni*, *lichtensteini*.
Ancistrotus (Ar.) *bifurcatus*, *conspersus*, *hexacanthus*, *squalidus*.
Ancistrotus (Col.) *hamaticollis*.
Ancodon *velaunum*.
Ancognatha *castanea*, *lutea*, *scarabaeoides*.
Ancorella *uncinata*.
Ancula *eristata*.
Anculus *affinis*, *bella*, *carinata*, *crassa*, *dentata*, *flaminata*, *foremani*, *fusca*, *gibbosa*, *griffithiana*, *incisa*, *littorina*, *pieta*, *praerosa*, *rubiginosa*, *solida*, *squalida*, *tintinnabulum*, *troostiana*, *tuberculata*, *variabilis*.
Anculotus *angulatus*, *carinatus*, *costatus*, *dentatus*, *kirtlandianus*, *melanoides*, *monodontoides*, *nigrescens*, *pictus*, *plicatus*, *pumilus*, *rustica*, *subglobosus*, *taeniatus*, *trivittata*.
Ancyla *oraniensis*.
Ancylecha *luuuligera*.
Ancylis *falcata*, *harpana*, *lanceolata*, *mitterbacheriana*, *siculana*, *tinea*, *uncana*.
Ancylocera *bicolor*, *cardinalis*, *rugicollis*.
Ancyloceras *agassizi*, *arduennensis*, *armatus*, *astierianus*, *baugieri*, *beani*, *bispinatus*, *brevis*, *buchianus*, *calloviensis*, *cinctus*, *conformis*, *cornuelianus*, *costatus*, *dilatatus*, *distans*, *duvalianus*, *emeri*, *furcatus*, *gigas*, *humboldtiana*, *laevigatus*, *matheronianus*, *moreausianus*, *niortensis*, *nodosus*, *obliquus*, *orbignyanus*, *ornatus*, *perezianus*, *phillipsi*, *pulcherrimus*, *puzosianus*, *rarispinus*, *renauxianus*, *saussureanus*, *sauzeanus*, *sexnodosus*, *simplex*, *spinatus*, *spiniger*, *subannulatus*, *tenuis*, *tuberculatus*, *varians*, *waltoni*.
Ancylocerus *tenuisulcatus*.
Ancylocheilus *subarquata*.
Ancylocheira *flavostrigata*, *lherminieri*, *maculiventris*, *nuttalli*, *villosiventris*.
Ancylochira *cupressi*, *deleta*, *flavomaculata*, *gracilis*, *haemorrhoidalis*, *heydeni*, *octoguttata*, *punctata*, *rustica*, *rusticana*, *sefriedi*, *strigosa*.
Ancylodon (M.) *anarnak*, *spurius*.
Ancylodon (P.) *jaculidens*, *parvipinnis*, *surinamense*.
Ancylognathus *lugubris*.
Ancylolomia *disparalis*, *palpigeralis*, *tentalis*.
Ancylonotus *tribulus*.
Ancylonycha *afflicta*, *angusta*, *austera*, *brevicollis*, *capillata*, *cinnamomea*, *columbiana*, *crassissima*, *crenaticollis*, *cribricollis*, *denticulata*, *fragilipennis*, *fulvipennis*, *glaberrima*, *guadalupe*, *hogardi*, *holoserica*, *holosericea*, *lanata*, *laticeps*, *lebasii*, *leporina*, *leprieuri*, *longicornis*, *menetriesi*, *mexicana*, *neglecta*, *nitidicollis*, *parallela*, *pectoralis*, *plaei*, *profunda*, *pruinosa*, *puncticollis*, *punctipennis*, *punctulata*, *ravida*, *rugosa*, *rugulosa*, *sancti-pauli*, *scutellaris*, *sericata*, *stipitalis*, *subfasciata*, *testaceipennis*, *umbrosa*, *uniformis*.
Ancylopus *melanocephalus*.
Ancyloscelis *ursinus*.
Ancylosis *anguinosella*.
Ancylosternus *albicornis*.
Ancylyris *iphinoe*, *periandra*, *pyrete*, *tedea*.
Ancylus (G.) *aculeus*, *acutus*, *aduncus*, *bahiensis*, *barilensis*, *caffer*, *calcarius*, *compressus*, *concentricus*, *costatus*, *crassus*, *culicoides*, *deperditus*, *depressus*, *diaphanus*, *elegans*, *fabrei*, *filosus*, *fluviatilis*, *rupicola*, *frayssianus*, *fuscus*, *gayanus*, *gussonii*, *havanensis*, *hermanni*, *irroratus*, *marginatus*, *matheroni*, *moricandi*, *muricatus*, *nuttalli*, *obliquus*, *oblongus*, *obscurus*, *obtusus*, *orbicularis*, *parallelus*, *pileolus*, *pilosus*, *radiatus*, *riparius*, *rivularis*, *rotundatus*, *sayanus*, *spinaerosae*, *stagnalis*, *striatus*, *strictus*, *tardus*, *tinei*, *vappana*, *vitaceus*, *vitreus*.
Ancylus (Hym.) *cuspidatus*.
Ancyra *appendiculata*.
Ancyracanthus *pectinatus*, *pinnatifidus*.
Ancyrocephalus *paradoxus*.
Ancyronyx *variegatus*.

Ancyropus heteroclitus.

Ancyrosoma albolineatum.

Ancystrosoma farinosum.

Andigena bailloni, cucullatus, hypoglaucus, nigrirostris.

Andoceras bisiphonatum, duplex.

Andraena argentata, cinerea, diinidiata, dorsalis, fimbriata, ~~monte~~ pallens, pallidicincta, quadricincta.

Andrena abbreviata, acicincta, aestiva, aethiops, affinis, afzeliiella, albicans, albicus, albipes, albo-cincta, albobiplosa, alternans, amethystina, analis, angulosa, angusta, angustior, annulata, annulatus, annulipes, apicatus, aprica, aprilina, aprina, armata, articolata, atra, atriceps, australis, austriaca, barbarae, barbata, barbatula, barbilaris, bidentata, bimaculata, bipartita, calendarum, cetii, chalcogaster, chalybeata, chrysosceles, chrysura, ciliandricus, cincta, cineraria, cinerascens, cineripes, cingulata, cirtana, clarkella, clypearis, clypeata, coarctata, coitana, collaris, collinsonana, combinata, compta, conjunctor, connectens, consimilis, constrictus, contigua, convexiuscula, cornuta, cunicularia, cupraea, cyanescens, dasystoma, dasyura, decorata, denticulata, digitalis, discors, dispar, distincta, divisa, dorsalis, dorsata, elongata, ephillium, exigua, eximia, extricatus, fasciata, femoralis, ferox, filipes, fimbriata, flavipes, flessae, fodiens, fortipes, frontalis, fucata, fulva, fulvago, fulvescens, fulvicrus, fulvipes, fulvitaris, fulvonigra, fusca, fuscata, fuscescens, fuscipes, fuscosa, gibba, grvida, grisipes, grisola, gwynana, haemorrhoea, hattoriana, hirtipes, holomelaena, holomelana, humeralis, humilis, impuncta, infima, interruptata, interruptus, kirbiella, kirbyi, labialis, lacinia, lagopus, lanifrons, lanuginosa, lapponica, lathamana, lepeletieri, leucophaea, leucostoma, leucozonia, lewinella, listerella, lobata, lucida, lugubris, mactae, megacephala, melanocephala, melanosoma, mesoxantha, minuta, minutula, niellii, mouffetella, muraria, mystacina, nana, nanula, nidulans, nigriceps, nigriplantis, nigrita, nigroaenea, nitida, nitidiuscula, nitidula, numida, oblongata, obsoleta, oraniensis, orbiculata, ovatula, ovina, papaveris, parallela, parvula, picicornis, piopipes, pilosula, plebeja, polita, postica, potentilla, praecox, pratensis, proxima, pruinosa, puber, pubescens, pulchella, pulla, punila, punctulata, pygmaea, quadrinotata, quadristrigata, reptans, rosae, rubricata, rubripes, ruficrus, rufitaris, rufiventris, rufizona, russula, rutila, sardoa, savignyi, schrankella, scoparia, seladonia, separata, sexcinctus, shawella, similis, sinuata, smithella, soluta, sordida, spencella, spinigera, splendens, stictica, stragulata, subaurata, subdentata, subopaca, subuncana, subnotata, superciliosa, tarsata, tetragramma, thoracica, tibialis, torvula, tricineta, tridentata, trimmerana, troglodyta, valida, varians, velutina, ventralis, vestita, vetula, viles, vitrea, vulpina, wilkella, xanthina, xanthopyga, xantosecelis, zonalis.

Andrenomyia albofasciata.

Andria vinula.

Andrias scheuchzeri.

Andricus albipes, curvata, fuscicornis, hyalinus, inflator, moniliatus, noduli, pallicornis, petioli, quadrilueatus, testaceipes, trilineatus.

Androactonus ornatus.

Androctonus aeneas, agamemnon, ajax, biaculeatus, bicolor, capensis, caucasicus, citrinus, clytoneus, diomedes, dufourei, eupeus, eurialus, eurilochus, funestus, granulatus, halius, hector, iros, leiosoma, leptochelys, libycus, liosoma, macrocentrus, margarelon, melanophysa, nigroscinctus, occitanus, pandarus, panopeus, paris, peloponnensis, priamus, quinquestriatus, scaber, stenelus, thebanus, thersites, thessandrus, thoas, troilus, tunetanus, variegatus.

Andropadus familiaris, gracilirostris, importunus, latirostris, vociferus.

Anelastes barbarus, druryi.

Anelia numida, thirza.

Anemia granulata.

Anemonia aedulis, cereus, cinerea, vagans.

Anenichelum breviceps, dorsale, glarisianum, heteropleurum, isopleurum, latum, longipeune,

Anonomia vagans.

Anerastia ablutella, deliquella, dignalis, farrella, indecoralis, lignalis, lotalis, lotricella, limbella, punctella.

- Anereuthina* renosa.
Anesychia dodecea, echiella, funerella, lithopernella, pusiella, sequella, vittella.
Anetia numidia.
Aneure nuda, rhiphicerus, scutellaris.
Aneurhynchus galesiformis.
Aneurus avenius, laevis, politus, subdipterus.
Angela (Coel.) cytherea.
Angela (Orth.) brachyptera, infumata, quinquemaculata, versicolor.
Angerona prunaria.
Angia excavata, rubeola, smithi, verreauxi.
Angiostoma entomelas, limacis.
Angitrema armigera.
Anglearia antennata.
Angoleus crenatus, infuscatus, picipes, puncticollis, purpurascens.
Anguilla acutirostris, arracana, aterrita, aucklandi, australis, avisotis, bicolor, blephura, branchiostegalis, brevicula, brevirostris, callensis, canariensis, chrysipha, clathrata, cloacina, conger, dieffenbachii, elphinstonei, gigas, interspinalis, japonica, labrosa, laticauda, latirostris, latispina, leptoptera, lutea, macrocephala, macroptera, marmorata, mauritiana, mediorostris, migratoria, moa, multiradiata, myrus, nebulosa, nilotica, oceanica, ophis, pachyura, rostrata, septembrina, serpens, serpentina, sinensis, tenuirostris, variegata, ventralis, vulgaris, xanthomelas.
Anguillina monilis.
Anguillula brassicae, coluber, dongalana, fluviatilis, glutinis, inflexa, intestinalis, linea, marinis, minina, mucronata, oculata, recticauda.
Anguinaria (Polyz.) anguina, spatulata.
Anguinaria (Verm.) obtusa, rubra.
Anguinella (Polyz.) palmata.
Anguinella (Verm.) ornata, virginiana.
Anguinus fasciatus.
Anguis bessi, bicolor, brachyura, cinereus, crocotatus, gamma, gronovianus, helluo, incerta, jamaicensis, latrans, leucomela, manullaris, melanostictus, oxyrhynchus, petromizatus, punctatissimus, ruber, rufa, schneideri, septemstriatus, surinamensis, vermicularis, xiphura.
Anguisaurus bipes.
Angulus lanceolatus, oblongus, roseus, virgatus.
Angystoma resupinata.
Ania emarginaria, emarginata, limbaria, limbata.
Aniara sepulchralis.
Anilios ater, australis, leachi, nigrescens, ruficauda, squamosa.
Anilius corallinus, latta, maculatus, melanostictus, melanotis, rufus, scytale.
Anilocra bivittata, capensis, cuvieri, frontalis, laticauda, mediterranea, physodes, rissoniana, saucii, trichiura, vittatus.
Anisarthria atomaria, brunnea, melas, minutissimus, nitida, nitidulus, perpusilla, pilosella.
Anisarthron barbipes.
Anisobas rebellis.
Anisocalyx hyalinus, myriophyllum, pinnarium, pinnatum, pluma, secundarius.
Anisocelis gonagra.
Anisocera spireae.
Anisocerus scopifer, tristis.
Anisochelus hilaris, inornatus, neglectus.
Anisocnemus validus.
Anisoctus bicolor, punctatus.
Anisodactyla cordicollis.
Anisodactylus agricola, baltimoriensis, binotatus, caenus, caffer, californicus, carbonarius, concinnus, crassus, dejeani, dilatatus, discoideus, elatus, ellipticus, flavicinctus, gilvipes, gravidus, heros, intermedius, interpunctatus, javanus, laetus, laticollis, luctuosus, lugubris, melanarius, merula, microthorax, nemorivagus, nigerrimus,

nigricornis, nigrita, nonsignatus, obscurus, obtusus, pinguis, pseudoaeneus, rufipennis, rusticus, spumaticornis, striatus, subaeneus, tristis, virens, winthemi, xanthopus.

Anisodera ferruginea, lucidiventris.

Anisognatha discors, hyacintha.

Anisomelus luteus.

Anisomera affinis, bicolor, fuscipennis, gaedii, longicornis, lucidipennis, nigra, obscura, succini, vittata.

Anisomorpha buprestoides, ferruginea, flavomaculata.

Anisonema acinus, sulcata.

Anisonotus falklandicus.

Anisonyx (Col.) abdominalis, cinerea, crinitum, fasciatus, guttatus, hirtum, jucundus, lepidota, lynx, nasua, nigromaculatus, pilosum, proboscium, senilis, setosus, tristis, ursus.

Anisonyx (M.) brachiura, rufa.

Anisopelma belgicum.

Anisophyllum agassizi.

Anisophysa albipennis, scutellaris.

Anisoplia abdominalis, adiecta, agricola, ambigua, apicalis, aprica, arcuata, arenaria, arvicola, austriaca, baetica, basalis, bifasciata, bipunctata, bouaei, bromicola, campestris, campicola, capensis, cincta, cincticollis, connexa, coreyrensis, crucifer, curvipunctata, dalmatina, defectiva, deleta, depressa, depressicollis, deserticola, dispar, donovani, evanida, excutellata, fallax, farraria, fasciata, fasciculata, flavipennis, flavicola, fruticola, funerea, glabra, grisea, hirtella, histrio, horticola, immarginata, inculta, interrupta, laeta, lanuginosa, lata, lineata, lineolata, maculata, marginata, marietti, maura, monticola, obscura, orientis, pallidipennis, peruviana, podagrica, praeusta, pulvipennis, puncticollis, punctum, pygmaea, quadrata, quadrimaculata, rasa, rumeliaca, sabulicola, scutellaria, scutellata, scythia, segetis, signata, straminea, subarcuata, succincta, sulcata, sulcipennis, suturalis, sycophanta, syriaca, tempestiva, tenebralis, theicola, tricolor, trimaculata, unicolor, unifasciata, unipunctata, ustulipennis, velutina, villosa, zoubkovi, zwickii.

Anisops nivea.

Anisoptera (Neur.) egregia, notha.

Anisoptera (Orth.) brachyptera.

Anisopteryx aescularia, leucophaeria, pometaria.

Anisopus (Col.) arachnoides, granulatus.

Anisopus (Cr.) dubius.

Anisopus (Dipt.) fuscus, nebulosus.

Anisopus (R.) deweyanus, gracilis.

Anisorhynchus aratus, bajulus, barbarus, costatus, monachus, sculus, sturmi.

Anisorrhina bicolor, bimaculata, natalensis, trivittata, umbonata.

Anisosceles affinis, hymeniphera.

Anisoscelis abdominalis, albicinctus, alipes, antica, bellicosus, bilineata, caeruleipennis, cincta, compressipes, corculus, curvipes, declivis, dilatatus, divisus, fasciata, fastuosus, femoratus, flavipes, flaviscutellata, foliaceus, fraterna, fulvicornis, grossipes, haemorrhoidalis, indocta, infumatus, latifolia, macromerus, membranacea, nasulus, oppositus, phasianus, phyllopa, phyllopus, profanus, pulverulentus, quadricollis, ruficornis, rufiventris, scripta, serrulatus, suratus, tenebrosus, tibialis, tragus, valgus.

Anisostrophia ficus.

Anisota senatoria, stigma.

Anisotamia centralis, eximia, ruficornis.

Anisotarsus brevicollis, laeviusculus.

Anisotelus bimaculatus, bipilotus, lividus.

Anisotoma aciculata, alpinum, assimilis, axillare, badium, bicolor, bipustulatum, brevipes, brunneum, calcarata, carbonaria, castanea, ciliaris, cinnamomea, clavicornis, clavipes, collaris, consobrina, convexum, crassipes, curvipes, dentipes, edentata, exigua, femorata, flavescens, foveolatum, furva, glabra, globiformis, humeralis, hybrida, immunda, indistincta, laevicollis, laevigata, latipes, livida, lividum, longipes, minuta, minutum, moesta, multistriatum, nemoralis, nigripennis, nigrita, nitidula, nitidum, obesa, oblonga, orbicularis, orbiculatum, ovalis, pallens, pallescens, pallidum, parvula,

pauxilla, picea, piceum, plagiatum, polita, punctatum, punctulata, punctulum, pusilla, pygmaea, rhaetica, rotundata, rotundatum, rubiginosa, rufa, ruficeps, rufipes, rugosa, scita, sericornis, signatum, simplices, spinipes, spinula, staphylaeum, strigata, subrufa, subtestaceum, suturalis, sylvicola, tarsale, thoracicum, triepkii, xanthopus.

Anistoma americanum, atrum, thoracicum.

Anisus (Col.) auriculatus.

Anisus (G.) carinatus, complanatus, marginatus, vortex.

Ankistrodesmus convolutus.

Anna masseua.

Annularia aurantiaca, fimbriata.

Annulipora dentata, pilosa.

Anoaema oenigensis.

Anobium abietinum, acutangulum, aeneicolle, aeneum, angulare, angusticolle, bidentatum, bipagiatum, bistriatum, bruneum, bruneum, bucephalum, carinatum, cervicornu, cinnamomeum, convexifrons, cornicularium, costatum, crenatum, crenulatum, cylindricum, damicome, elevatum, emarginatum, errans, erythropum, excisum, exile, explanatum, fasciatum, ferrugineum, foveatum, fucatum, fulvicorne, fumosum, gentile, gibbosum, inmarginatum, imperator, ireos, laeve, longicorne, lunatum, maculatum, minutum, morio, nanum, nigrinum, nigrum, nitidum, notatum, oblongum, obseum, paniceum, parallellum, peltatum, pertinax, pictum, pini, plumbeum, politum, ptnoides, pubescens, punctatum, pusillum, pygmaeum, rufipenne, rufum, sericans, sericatum, sericeum, serricorne, spinolae, striatellum, striatum, sulcatus, tenuistriatum, thoracicum, tomentosum, tricastellum, variabilis, variegatum, villosum.

Anochila republicana.

Anochilia cingulata, pratensis, princeps, scapularis, stupida, variabilis.

Anodesis cleryi.

Anodocheilus maculatus.

Anodon alatus, anatinus, anserinus, areolatus, avonensis, clappertoni, cognata, crassus, cygneum, cygneus, edentula, elongatus, ensiformis, excurvata, feminalis, georginae, gibbum, giganteus, glaucus, implicata, inocularis, magnifica, obtusus, ovatus, paludosus, parishi, pencillatus, longinus, lurulentus, pictus, plicatus, porcifer, purpurascens, pygmaeum, radiatus, rotundatus, rotundus, rugosus, salweniana, siliquosus, sinuosa, susannae, tenuis, trapezeus, typus.

Anodonta (Col.) albilinea, cyanipennis, flaviventris, pulchella, roei, rugosa.

Anodonta (L.) abyssina, adansoni, anataria, anatina, anatinoides, angulata, anserina, anseriostris, antiqua, aperta, aquensis, arcuata, arealis, argentea, atra, atrovirens, attenuata, aurata, benacensis, benedictensis, blainvilliana, buchanensis, burroughiana, callosa, cariosa, cataracta, cellensis, chaiziana, charpentieri, chinensis, coarctata, complauata, confervigera, cordieri, cornea, corpulenta, couperiana, cowperiana, crassa, crispata, cristata, cuneata, cygnea, cylindracea, cymbula, declivis, decora, dentiens, digonota, dubia, dunlapiana, dupuyi, edentula, elongata, ensiformis, excentrica, exilis, exotica, exulcerata, ferruginea, ferussaciana, fluviatilis, footiana, fragilis, gibbosa, gigantea, glauca, globosa, grandis, gratelupeana, guillaini, harpethensis, heldi, herculea, houstonica, imbecilis, imbecillis, implicata, impura, incerta, inflata, inornata, intermedia, iridea, iridina, jobae, kletti, lata, latissima, latomarginata, leprosa, longina, lugubris, lusitana, luxata, macilenta, magnifica, marginata, maryattiana, maxima, membranacea, middendorffii, milleti, minima, montezuma, mortoniiana, moulinsiana, navicularis, newtoniensis, nicaraguae, nilssoni, normandi, nuttalliana, oblonga, obtusa, ohiensis, opalina, oregonensis, ovata, palua, palustris, patagonica, pavonia, pennsylvanica, pepiniana, piscinalis, plana, platyrhyncha, polita, ponderosa, purpurea, ranarum, rayi, regularis, rossmassleriana, rostrata, rotunda, rubens, salmonia, scaldiana, sedakowi, selenoides, siliqua, siliquosa, sinuata, sinuosa, soleniformis, solenoides, solida, solidula, sondermanni, splendens, sternalis, stewartiana, subcylindrica, subluxata, suborbiculata, subponderosa, subvea, sulcata, tawahi, tenebriosa, tenella, tenera, tenuis, tenuissima, teres, tetragona, trapesialis, trapezea, trigona, tumida, undulata, uniopsis, variabilis, ventricosa, virgata, wahlammatensis, wardiana, woodiana, zellensis.

- Anodontes** *antiqua*, *chiquitana*, *cordieri*, *ferrarisii*, *linnoica*, *lucida*, *pueblana*, *serinus*, *solenifera*, *spixi*.
- Anodontia** *alba*.
- Anodontites** *anatina*, *cygnaea*, *radiatus*.
- Anodontostoma** *hasselti*.
- Anodontyra** *tricolor*.
- Anodorhynchus** *hyacinthinus*, *maximiliani*.
- Anodus** (P.) *alburnus*, *amazonum*, *ciliatus*, *cyprinoides*, *elongatus*, *falcifer*, *laticor*, *messor*, *notatus*, *taeniurus*.
- Anoema** *oeningensis*.
- Anogcodes** *dorsalis*, *flaviventris*, *nigra*, *viridipes*. *Vide et Anoncodes*.
- Anolax** *gigantea*, *inflata*, *obsoleta*, *plicata*.
- Anolis** *aeneus*, *alligator*, *auratus*, *bimaculatus*, *bullaris*, *caninus*, *carbonarius*, *carolinensis*, *cepedi*, *chamaeleonides*, *chlorocyanus*, *chrysoleps*, *cristatellus*, *cuvieri*, *edwardsi*, *equestris*, *fuscescens*, *goudoti*, *gracilis*, *iodurus*, *latifrons*, *leachi*, *lineatopus*, *lineatus*, *loysiana*, *lucius*, *maculatus*, *marmoratus*, *nasicus*, *nebulosa*, *occipitalis*, *opalinus*, *planiceps*, *podagrius*, *porcatus*, *principalis*, *pulehellus*, *punctatus*, *reticulatus*, *richardi*, *ricordi*, *sagraei*, *sebae*, *similis*, *sputator*, *stenodactylus*, *valenciennesi*, *velifer*, *vermiculatus*, *violaceus*, *viridis*, *viridissimus*.
- Anolius** *bimaculata*, *bullaris*, *carolinensis*, *cuvieri*, *equestris*, *flavescens*, *grahami*, *principalis*, *radiatus*, *rhodolaemus*, *velifer*.
- Anomaeocera** *spiraeae*.
- Anomala** *aeneipennis*, *anoguttata*, *antiqua*, *atripilis*, *atrocyanea*, *aulax*, *aurata*, *aureola*, *auriculata*, *auricollis*, *ausonia*, *bicolor*, *bimaculata*, *binotata*, *bipunctata*, *bourgueti*, *brunipennis*, *caffa*, *campestris*, *cantori*, *chalcopetra*, *chalcosoma*, *chalybaea*, *chloroptera*, *chloropyga*, *cincta*, *circumcincta*, *collaris*, *communis*, *concinna*, *contraversa*, *corruscans*, *crassa*, *cupricollis*, *cyanicollis*, *dasyphyga*, *daurica*, *devota*, *dichroa*, *dimidiata*, *donovani*, *dorsalis*, *doublieri*, *ebenina*, *elata*, *errans*, *exarata*, *exoleta*, *flaveola*, *flavescens*, *flavicans*, *flavipennis*, *flavipes*, *fraterna*, *frischii*, *fulgidicollis*, *gemella*, *granulata*, *halosericea*, *horticola*, *humeralis*, *inconstans*, *innuba*, *insularis*, *irrorata*, *irroredella*, *julii*, *junii*, *jurini*, *laevigata*, *lateralis*, *latreillei*, *lepida*, *limbata*, *limbaticollis*, *lucasi*, *luciae*, *lucicola*, *lucida*, *lucidula*, *luculenta*, *lunata*, *maculata*, *marginalis*, *marginata*, *mexicana*, *micans*, *microcephala*, *minuta*, *mixta*, *mongolica*, *nigritula*, *nitens*, *notata*, *oblonga*, *octo costata*, *oleaginea*, *olivacea*, *osmanlis*, *pagana*, *pallida*, *peruana*, *pinicola*, *porcata*, *prasina*, *praticola*, *profuga*, *punctatipennis*, *punctipennis*, *pupillata*, *pyritosa*, *rhizotrogoides*, *rufiventris*, *rugatipennis*, *scutellaris*, *signaticollis*, *smaragdina*, *solida*, *splendens*, *splendida*, *sticticoptera*, *strigata*, *strigidiodes*, *sulcata*, *sulcatula*, *sulcipennis*, *surata*, *surinama*, *tarsalis*, *tessellatipennis*, *testacea*, *testaceipennis*, *thoracica*, *tingitana*, *trivittata*, *undulata*, *vagans*, *valida*, *varians*, *varicolor*, *variegata*, *vespertilio*, *violacea*, *violaceipennis*, *viridicollis*, *viridis*, *vitis*, *vittata*, *ypsilon*.
- Anomalina** *chersonesica*.
- Anomalina** *ariminensis*, *auricula*, *austriaca*, *badenensis*, *elegans*, *elliptica*, *laevis*, *nautioides*, *orbicularis*, *punctulata*, *romulea*, *rotula*, *truncata*, *variolata*.
- Anomalipes** *dentipes*.
- Anomalocardia** *rugosa*.
- Anomalocera** (Col.) *glaberrima*, *mearesi*.
- Anomalocera** (Cr.) *patersoni*.
- Anomalocheilus** *singularis*.
- Anomalodon** *incisus*.
- Anomalon** *affine*, *amictum*, *anomeles*, *anxious*, *aphidum*, *armatum*, *arquatum*, *attractus*, *auriculatus*, *bellicosus*, *biguttatus*, *brevitatorius*, *brevicollis*, *brevicornis*, *canaliculatus*, *cerinops*, *cinctus*, *circulator*, *circumflexus*, *circumflexus*, *clandestinum*, *clathratum*, *coarctatum*, *cruentatus*, *curvator*, *debile*, *delarvatum*, *delusor*, *densatus*, *divaricatus*, *ejuicidus*, *elevator*, *enecator*, *excavatum*, *ferrugator*, *fibulator*, *flaveolatum*, *flavicornis*, *flavicornis*, *flavipes*, *flavitarso*, *giganteum*, *glaucopeterum*, *heros*, *humeralis*, *laetatorius*, *laterale*, *latro*, *liberatorius*, *lineatulus*, *mandator*, *mandibulator*, *marginatum*, *megarthrum*, *melanobatum*, *mellipes*, *nigricorne*, *nigrovarium*, *obscurus*, *ovulorum*,

pallidum, perspicillator, perspicuum, praecatorius, procerum, protogaeum, ramulosus, recurvus, ruficorne, ruspator, serratorius, sexlineata, signatum, sponsorius, tarsatorius, venicorne, tenuitarsum, tricolor, unicolor, uniguttatum, variegatum, varitarsum, vesparum, villosa, villosum, vindicator, virescens, vulnerator, xanthomelas, xanthopus.

Anomalurus derbianus, fraseri.

Anomia achaeus, aconites, adamas, aenigmatica, alectus, alternans, amabaeus, ampulla, angusta, anomalus, antiqua, arcuata, argentaria, argentea, aspera, asperella, aurea, australis, belesis, bipartita, biplicata, burdigalensis, carnea, chinensis, complanata, compressa, convexa, coronata, costata, costulata, cruenta, cymbiformis, cymbium, cytaeum, decollata, dentata, distorta, dryas, electrica, elegans, elyros, excissa, fidenas, fornicata, fragilissima, gracilis, granulosa, gryphoides, hamillus, imperforata, inaequalis, inaequilatera, inflata, intusiriata, jugosa, jurensis, laevigata, lamellosa, lampe, larbas, lens, lineata, lupina, macrochisma, marginata, membranacea, naviformis, neocomiensis, norwegica, oblitterata, obsoleta, orbiculata, ostrealoides, ostreoides, ovalis, ovata, pacilus, pallida, papyracea, parvula, patellaris, pellis-serpentis, pellucida, pera, personata, peruviana, plana, planata, plicata, polymorpha, producta, pulchella, pyriformis, radians, radiata, retusa, rosea, rostrata, rotunda, rotundata, rubicunda, ruffini, rugata, rugosa, sanguinea, scabrella, semiglobosa, semistriata, sinistrorsa, sinuosa, sphaeroidalis, squamata, squamosa, striata, subradiata, substriata, sulcata, tellinoides, tenuis, tenuistriata, terebratula, transversa, trilatera, truncata, turbinata, univalvis, venosa, venusta, zelandica.

Anomiopsis aelianus, dentifrons, dioscorides, heteroclytus, sterquilinus.

Anomiopus nigricans, virescens.

Anomis erosa, exacta.

Anomites aculeatus, acuminatus, acutus, anomalus, conchidium, costatus, crassus, crumena, cuspidatus, exporrectus, giganteus, glaber, jugatus, lacunosus, lenticularis, lineatus, longirostris, noricus, novemradiatus, obsoletus, paradoxus, pecten, plicatella, pretiosus, productus, psittacinus, pugnus, punctatus, resupinatus, reticularis, rhomboidealis, rotundatus, sacculus, scabriculus, semireticulatus, spathulatus, squamatus, striatus, subconicus, terebratulinus, thecarius, transversalis, triangularis, trigonalis.

Anomma arcens, burmeisteri, rubella.

Anommatus duodecimstriatus, terricola.

Anomodon snyderi.

Anomoeca humerigera, laticlavica, mutabilis, rufifrons, sanguiniformis, sphacelata.

Anomoepus barratti, scambus.

Anomoerus cruciatus, dorsalis.

Anomognathus filiformis.

Anomoia goedii.

Anomophyllum muensteri.

Anomus reticulatus.

Anomya elliptica, kimmeridgensis, portlandica, pseudo-radiata, sublaevigata, substriata, subtruncata.

Anoncodes adusta, alpina, amoena, azurea, coarctata, fulvicollis, geniculata, ruficollis, rufiventris, sibirica, turcica, ustulata, viridipes. *Vide et Anogcodes.*

Anonica hirundo, margaritifera.

Anonyx ampulla, appendiculosus, edwardsi, eschrichti, gulonis, holholli, kroyeri, lagena, litoralis, minutus, nanus, ornatus, plautus, sceletator, tumidus, vahli, velatus.

Anopheles albimanus, argyritarsis, bifurcatus, crucians, ferruginosus, griseus, maculipennis, minuta, nigripes, pictus, plumbeus, punctipennis, pygmaeus, quadrimaculatus, sinensis, villosus.

Anopherura minutissima.

Anophthalmus bilimeki, schmidtii, stomoides.

Anoplis rustica.

Anoplistes (Col.) ephippium, halodendri, sellatus.

Anoplitus breinii, semitestacea.

Anoplitis vinula.

Anoplum pubescens, punctum, unicolor.

- Anoplius** albigena, apicalis, bidens, bifasciatus, caeruleus, cinctellus, ~~cochineus~~, cyaneus, diffinis, distinctus, elongatus, fallax, funereus, haematopus, hyalinatus, inermis, labiatus, miscoides, niger, nobilis, notatus, oblitus, petiolatus, rabidus, regius, richardi, sanguinolentus, sexpunctatus, speculifer, submarginatus, tibialis, unimacula, unio-cellatus, variegatus, virescens.
- Anoplocephala** pectinata, perfoliata.
- Anoplocheila** argentifera, brunneo-aenea, caenosa.
- Anoplocheilus** spinifer, tomentosus.
- Anoplochilus** castanopterus, cicatricosus, germari, odiosus, rusticus, setosus, terrosus, variabilis.
- Anoplocnemus** aeratus, alces, bicolor, burneisteri.
- Anoplodera** biguttata, exclamationis, fuscipes, lurida, rufipes, sexguttata.
- Anoploderma** bicolor.
- Anoplognatha** compressa.
- Anoplognathus** analis, boisduvali, browni, brunnipennis, caesareus, duponti, dytiscoides, femoratus, grayianus, hirsutus, impressifrons, impressus, inustus, latreillei, manicatus, oliveri, pallidicollis, pectoralis, porosus, pulchriceps, reticulatus, rhinastus, rubiginosus, rugosus, suturalis, viriditarsis.
- Anoplomerus** rotundicollis.
- Anoplomya** lutraria.
- Anoplonycha** diffinis.
- Anoplophora** lucipor, stanleyana.
- Anoplopus** cepedeanus, inunguis, ornatus.
- Anoplosiagum** pallidulum, sulcatulum, villosicolle.
- Anoplosomatum** utriculus.
- Anoplosternus** lamprimoides, opalinus.
- Anoplostethus** opalinus, roseus.
- Anoplosthaeta** lactator.
- Anoplosthetia** lactator.
- Anoplotherium** arvernensis, cervinum, commune, dichobune, gracilis, grande, latiusculum, leporinum, medium, minimum, minus, murinum, obliquum, posterogenium, postgenitum, secundarium.
- Anoplos** (Col.) atratus, nitidulus, plantaris.
- Anops** (Cr.) radiatus.
- Anops** (Lep.) phaedrus, thetys.
- Anops** (R.) kingi.
- Anopsites** urocera.
- Anormurus** macrolepidotus.
- Anorops** obliquatus.
- Anortha** gracilis.
- Anorthura** communis*, troglodytes.
- Anosia** archippe, erippe, erisima, megalippe, menippe, misippe, vincedoxiei.
- Anosmius** solandri.
- Anostoma** boysi, depressa, globulosa, hexodon, octodentata, ringens, spixi, tomigera.
- Anostomus** anostomus, gronovii, salmoneoides.
- Anostostoma** australasiae, cuniculator, herbsti, monstrosa.
- Anotia** bonneti, coccinea.
- Anoura** (M.) geoffroyi.
- Anoura** (Thys.) albipes, atra, chilensis, granaria, maritima, muscorum, rosea, tuberculata.
- Anous** cinereus, fuscatus, gracilis, herminieri, inca, leucocapillus, leucoceps, melanogenys, melanops, niger, parvulus, pileatus, plumbea, senex, spadicea, stolidus, tenuirostris, tereticollis, unicolor.
- Anoxia** africana, australis, flavo-scutellata, matutinalis, occidentalis, occitanica, orientalis, pilosa, scutellaris, vespertina, villosa.
- Ansates** pellucida.
- Anser** albifrons, anser, antarcticus, anticola, arvensis, beringi, borealis, brachyptera, brachyrhynchus, brenta, brevirostris, bruchi, canagicus, candidus, canus, casarca, cineraceus, cinereus, coscoroba, cygnoides, edwardi*, gambensis, griseus, hauaiensis,

hawaliensis, hutchinsi, indica, inornatus, jubatus, leucopareius, ~~leucopterus~~, melanocephalus, melanoleucos, melanopterus, minutus, montana, montanus, nigricans, niveus, obscurus, palustris, phoenixcopus, pictus, platyuros, pulchricollis, punctulatus, rubrirostris, rufescens, semipalmatus, sylvestris, temminckii, varius, vulgaris.

Anseranas melanoleuca.

Antaceus guldenstadti, schypa.

Antaea juturna, lucorina.

Antaeon excisus.

Antapistis mixtalis.

Antarchaea numisma.

Antarctia (Col.) aenea, andicola, annulicornis, blanda, caerulea, carnifex, chilensis, circumfusa, coquimbana, femorata, flavipes, gilvipes, lata, laticollis, latigastrica, lurida, malachitica, marginata, nitida, quadricollis.

Antarctia (Lep.) brunnea, flava, fusca, metabus, vulpina.

Antechinus affinis, apicalis, flavipes, leucogaster, leucopus, minimus, stuarti.

Antedia punctata, sinuata.

Antedon (Col.) goryi.

Antedon (Crin.) decameros, gorgonia.

Antelopa bharatensis, dama, glauca, minuta, montana, orcas. *Vide et Antilope.*

Antennarius chironectes, commersoni, hispidus, histrio, laevigatus, raninus.

Antennularia antennina, arborescens, cyathifera, indivisa, janini, ramosa.

Antenor diaphaneus.

Anteodactylus signatus.

Anteon flavicorne, jurineanum, tibialis.

Anteos cleobule, cleopatra, maerula, rhanni.

Anteros (Col.) renaldus.

Anteros (Lep.) achaeus, formosus.

Anthalia albipennis, furcata, gyllenhalii, nigra, pallida, rostrata, schoenherri.

Anthaxia adelaidae, aenea, aeneogaster, anatolica, aurata, auriceps, auricolor, azurescens, bannatica, basalis, bella, bicolor, bimaculata, binotata, bivittata, brevis, candens, chanomillae, chevrieri, chlorocephala, cichorii, concinna, confusa, contempta, craesa, cuneiformis, cuprea, cupripennis, cyanella, cyanescens, cyanicornis, cyanipennis, discicollis, dorsalis, ephippiata, facialis, ferulae, flavimana, fortunumi, fulgidipennis, gemmata, gigas, godeti, gracilis, graminea, hilaris, humilis, inculta, istriana, laeta, lata, lucidiceps, luctuosa, maculicollis, manca, marginata, marginicollis, melancholica, metallica, morio, nitens, nitida, nitidicollis, nitidula, olivieri, optata, parallela, passerinii, pechiolii, podolica, praeclara, praticola, pygmaea, quadrata, quadri-punctata, quercata, rotundicollis, rugicollis, salicis, scoriacea, scutellaris, semireticulata, sex-punctata, signaticollis, spinolae, splendida, subsinuata, suturalis, thunbergi, triangularis, trivialis, umbellatarum, viminalis, viridicornis, viridifrons, viridis, vittaticollis.

Anthea cereus, forficula, tuediae.

Anthelephila mutillaria, ruficollis.

Anthelephilus fulvicollis, imperator.

Anthelia desjardiana, domuncula, glauca, pulposa, purpurascens, strumosa.

Anthemis poliana.

Anthemoisia umbricola.

Anthene calista, galathea, larydas, livula, pythagoras, sylvanus.

Anthenea chinensis, granulifera, tuberculosa.

Anthenus tomentosus.

Antheraea jana, mylitta, paphia.

Antherophagus ferrugineus, glaber, maculipennis, nigricornis, ochraceus, pallens, silaceus, similis.

Anthes scarabaeoides.

Anthia actaeon, agilis, alveolata, amabilis, angustata, atra, atrata, biguttata, bimaculata, binotata, burchelli, cailliaudi, cephalotes, cicindeloides, cinctipennis, costata, cruci-collis, cursor, cursoria, decemguttata, decemsulcata, delegorguei, depressa, duodecim-guttata, effugiens, elongata, errans, exarata, exclamationis, fereti, fimbriata, formi-

caria, formosini, foveolata, foveata, galinieri, gracile, graphipteroides, guttata, hedenbergi, homoplata, humilis, intermedia, interrupta, lefebvrei, limbata, macilenta, maculicollis, mannerheimi, marginata, marginipennis, massilicata, massilicatzii, maxillosum, melanaria, nellyi, multiguttatus, natalensis, nimrod, notata, obsoleta, octoguttata, oxygona, pulosa, polioluma, quadriguttata, rubiginosa, rugosa, rugosopunctata, saturata, septemguttata, sexcostata, sexguttatus, sexmaculata, sexnotata, spuria, striata, striatopunctata, sulcata, suturata, tabida, tatumana, tenebrioides, tetrastigma, thoracica, thumbergi, tomentosa, trilineata, truncatipennis, umbraculata, variegata, venator, villosa.

Anthias boops, buphthalmos, caballerote, clierna, ciliaris, clarkii, grunniens, hamur, jocu, rubescens, saponaceus, supplinio, surinamensis.

Anthicus abdominalis, aequinoctialis, affinis, agilis, albicinctus, albitarsis, ambulator, amictiae, amoenus, andalusiacus, andreae, anguliceps, angustatus, angusticollis, antherinus, antoniae, apicicornis, arenarius, armiger, assimilis, ater, atronitidus, aubei, axillaris, bajulus, balteatus, basalis, basillaris, bengalensis, bicinctus, bicolor, bifasciata, bifasciatus, biguttatus, bijubatus, binaculatus, binotatus, biplagiatus, bipunctatus, bombidioides, bremeri, breviceps, brevis, brunneus, brunnipennis, caeruleipennis, californicus, caliginosus, callosus, calycinus, capito, carbonarius, castaneus, centurio, cervinus, chaudiiri, cinctellus, cinctus, coeruleus, collaris, compressicollis, comptus, concinnus, consentaneus, constrictus, cornutus, corsicus, crassipes, creberrimus, crinitus, cruciger, cyaneus, dauricus, debilis, dejeani, delicatulus, depressus, dentatus, dichrous, difficilis, dorsalis, dresdensis, dromedarius, ebeninus, elegans, elongatissimus, elongatus, ephippiger, ephippium, equestris, euphraticus, exilis, fasciatus, fenestratus, flavomaculatus, flavopictus, flavus, floralis, floreus, fornicarius, fossicollis, friwaldskyi, fugax, fuliginosus, fulvicollis, fulvipes, fulvonotatus, fulvus, funosus, fusca, fuscicornis, fuscipennis, fuscus, genei, genistae, ghilianii, gibbicollis, giganteus, goebeli, gracilis, granularis, guttatus, helwigi, hillaris, hirsutus, hirtellus, hispidulus, hispidus, histrio, horsfieldi, humeralis, humilis, ibericus, immaturus, impressus, imeditus, inermis, infernus, inflatus, infuscatus, insignis, instabilis, interamnis, invalidus, karelini, klugi, kolenatii, labiatus, langsdorfi, lateralis, lateripunctatus, laticeps, leptostemma, limbatus, lividus, loetus, longiceps, longicollis, longipennis, lucidulus, luctuosus, lugubris, luridus, luteicornis, major, mauritanicus, medius, melanarius, melanocephalus, melanophthalmus, minor, minutus, misellus, modestus, monodon, monogrammus, morio, muripennis, murinus, mylabrinus, nebulosus, nectarinus, niger, nigriceps, nigrinus, nigripennis, nobilis, nysti, obscurus, oceanicus, ocellatus, ocreatus, oculatus, olivaceus, optabilis, ottomanus, pallens, pallidus, partuelis, pauperculus, paykulli, pechiolis, pedestris, perplexus, piceus, picipes, platycerus, plumbeus, populeus, populneus, posticus, praedator, pubescens, pulchellus, punctatus, pusillus, pygmaeus, pyrrhonius, quadriguttatus, quadrillum, quadrilunatus, quadrimaculatus, quadri-notatus, quadrioculatus, quadriplagiatus, quadripustulatus, quadrisignatus, quinque-maculatus, rectipennis, rhinoceros, rigidus, riparius, rodrigui, ruficollis, rufipes, rufithorax, rugosus, sabuleti, sagitta, sanguineus, sanguinicollis, sardous, scabriceps, scabricollis, scapularis, schmidtii, scrobicollis, sellatus, sericeus, serricornis, setosus, setulosus, sexmaculatus, solbrinus, solers, sollicitus, spectabilis, spinicollis, squamosus, striatopunctatus, strictus, sturmi, stygius, subfasciatus, subtilis, suturalis, tenellus, tenuicollis, tenuipes, terminalis, terminatus, testaceus, thoracicus, tibialis, transversalis, trifasciatus, trigonocephalus, tringuttatus, tristis, truncatellus, umbrinus, unicolor, unifasciatus, unipunctatus, ustulatus, validicornis, varians, variolosus, velox, velutinus, venator, venustus, vicinus, vinctus, vinculatus, vittatus, zonatus.

Anthidium aculeatum, afrum, albiventre, alternans, annulatum, auritum, barbarum, bellicosum, bicolor, bilineatum, cinctum, cingulatum, comptum, contractum, costatum, diadema, discoidale, dorsale, dufouri, echinatum, fasciatum, ferrugineum, fischeri, flavilabre, flavum, florentinum, fontanesi, frontale, fulvipes, fuscipenne, grobmanni, guttatum, helvolum, infuscatum, interruptum, ireos, klugi, laterale, latreillei, lepeletieri, limbatum, lineolatum, lituratum, luteipes, manicata, manicatum, marginatum, melanurum, minus, nasutum, notatum, numida, oblongatum, obtusatum, oranienae, ornatum, parvulum, paulinieri, posticum, productum, provinciale, pulchellum,

punctatum, quadridentatum, quadrilobum, rotundatum, rubiginosum, rubiventre, scapulare, scutellare, septemdentatum, septemspinosum, siculum, signatum, sinuatum, spirale, sticticum, strigatum, subspinosum, sulphurum, taeniatum, tarsatum, tessellatum, thoracicum, variegatum, waltli, xanthopygum.

Anthilaria lavandulae, spicae.

Anthipes gularis, moniliger.

Anthipna abdominalis, carcelii.

Anthipora pullulatus.

Anthobaphes violacea.

Anthobium abdominale, anale, angustum, assimile, atrocephalum, bruneum, canaliculatum, confusum, consimile, dimidiatum, excavatum, fimetarium, flavipenne, grossum, impressicollis, inflatum, lapponicum, limbatum, longipenne, longulum, luteicornis, luteipenne, luteum, melanocephalum, minutum, montanum, mucronatum, nigricorne, nigriventre, nigrum, nitidum, obsoletum, ophthalmicum, paligerum, picuum, picipenne, pothos, puberulum, rauunculi, rhododendri, ruficorne, scutellare, simplex, sorbi, subsulcatum, sulculum, tectum, tempestivum, torquatum, triviale, ulmariae, umbellatarum, unicolor, ventrale.

Anthobius testaceus.

Anthobosca australasiae.

Anthobothrium cornucopia, musteli.

Anthocaris charlonia, douaei*, gallo-algirus.

Anthocephalus elongatus, giganteus, gracilis, granulum, interruptus, macrourus, paradoxus, rudicornis, scombri.

Anthochaera carunculata, inauris, lewini, lunulata, mellivora.

Anthocharis archue, antevippe, antigone, arethusa, ausonia, belemia, belia, cardamines, cebrene, charlonia, chilensis, creusa, daira, damone, danae, delphine, douei, eione, ephyra, etrida, eucharis, eulimene, eupheno, eupompe, evagore, evanthe, evarne, evippe, exole, genutia, glauce, levailanti, liagore, nonna, ocale, omphale, phlegetonia, simplonia, subfasciata, tagis, thegone.

Anthocitta capensis, sulima.

Anthocomus aemulus, amictus, analis, atropennis, basalis, byssinus, calcitrans, cardiacae, circumscriptus, coarctatus, constrictus, dimidiatus, equestris, fasciatus, granularis, iocosus, labilis, lateralis, laticollis, lobatus, melanopterus, minimus, otiosus, pallidulus, parallelus, parietariae, pictus, sanguinolentus, scincetus, scurra, seminulum, sericans, stigma, terminalis, ulcis.

Anthocopa papaveris.

Anthocoris albipennis, albofasciatus, ater, bicuspis, coleoprata, compressicornis, cursitans, elongatus, exilis, fasciatus, formictorum, fruticum, fuscus, galactinus, lavaterae, limbatus, longiceps, lucorum, minuta, minutus, nemoralis, nemorum, nigrella, nigricornis, obscurella, obscurus, parvicornis, picicoruis, pulchella, pusilla, pygmaea, reduvius, rufescens, stigma, stigmatella, subtilis, sylvestris, tenella, truncatulus, vittatus.

Anthodiaeta chloropygia, collaris.

Anthodromius variabilis.

Anthoecia cardui, cognata.

Anthometra plumularia.

Anthomiza caeruleocephala.

Anthomya chorea, flavescens, floralis, gagatea, mollis.

Anthomyia abdominalis, acra, aemene, aenescens, aequalis, aerea, aestiva, agromyzina, agrorum, alaba, albiceps, albicincta, albipennis, albolineata, albulu, alcathoe, allotalla, alma, alone, amabilis, ambigua, anane, ancilla, angelicae, angustifrons, annulipes, ansoba, anthracina, anthrax, antiqua, apicalis, apina, aprica, arcuata, argyrocephala, armata, armillata, arripes, asella, assimilis, atavina, aterrima, atra, atramentaria, atricolor, badia, barpana, basilaris, betuleti, bibax, bicolor, bicornis, bidens, bimaculata, bina, blanda, blepharopteroides, boletina, brassicae, brixia, brunipennis, buccata, bysia, cadaverina, calceata, calens, calthae, caua, canache, canicularis, capensis, carbonaria, cardui, ceparum, chalcogaster, chalybea, chilensis, chlorogaster, chorea, ciliata, cilipes, cinerascens, cinerea, cinerella, cinerosa, clara, coarctata,

compuncta, comata, concava, confinis, conformis, conica, conjuncta, consimilis, consors, constantina, corelia, crassirostris, cunctans, curvipes, cutilia, cyanea, daicles, decolor, denigrata, dentimana, dentipes, depuncta, desjardini, determinata, diadema, diaphana, dichroma, discreta, dispar, dissecta, distincta, diversa, divisa, donuca, dubia, dubitata, duplicata, egens, errans, erratica, esuriens, exigua, exilis, exoleta, favillacea, felsiua, femorata, flava, flaveola, flavescens, flavipes, flexa, floralis, floricola, friesiana, frontalis, fugax, fulgens, fulvipes, fumigata, fumosa, furcata, fuscata, fuscipennis, fuscula, geldria, gemina, geniculata, geruana, gibbera, glabrilcula, gnava, gracilis, heydeni, hilaris, hirticeps, honesta, hortorum, hyoscyami, idyla, immaculata, impressitarsis, impuncta, inanis, incana, incompta, infirma, intermedia, intersecta, irritans, isura, labiata, lactucae, lactucarum, laeta, lardaria, laticornis, latipennis, lepida, leucoprocta, leucosticta, leucostoma, limbata, linnigi, linogrisea, lipsia, litorea, liturata, longicornis, longipes, longula, lucorum, luctuosa, ludibunda, lugubris, lutea, lysinoe, macra, macrophthalma, maculosa, manicata, marginalis, marshani, meditata, megerlei, melania, melanura, mervinia, metallica, meteorica, militaris, minuta, mitis, modesta, mollicula, monilis, morio, munda, muscaria, mutata, myoidea, mystica, narina, narona, nigella, nigra, nigricolor, nigricornis, nigriifrons, nigrimana, nigrina, nigripennis, nigrita, nitida, notata, obelisca, obliqua, obscura, obscurata, obscuripes, obtusipennis, occulta, ocyperata, omisa, omole, opalia, operosa, orata, ornata, pacifica, pagana, palaestrica, pallida, palposa, pantherina, paradoxalis, partita, parva, parvula, pedella, perdita, peregrina, peroe, perrima, personata, pertusa, picipes, platara, plumbea, plurinotata, pluvialis, polystigma, populi, posticata, praepotens, pratensis, praticola, promissa, pronuba, pruinosa, puella, pullula, puncto-striata, punctipennis, pusilla, pusio, pylone, quadrata, quadrimaculata, quadrinotata, quadri-punctata, quadrum, querceti, quinque-maculata, radicum, raphani, regens, riparia, ruficeps, rufipes, rugia, rumicis, ruralis, saeva, scalaris, semiaenea, semicincta, separata, sepia, serena, sergia, sericata, serva, setaria, setia, sigma, signata, silacea, silvestris, similis, simplex, singularis, soccata, socia, sociata, solennis, sordida, soror, spinigera, spinosa, sponsa, spreta, stigmatica, strenua, strigosa, striolata, stygia, subcuneinervis, subvittata, tabida, tarsalis, teate, temperata, tempestatum, tersa, tessellata, testacea, tetra, tetrastigma, thoracica, tibialis, timia, tonitru, transversa, trigonula, trigonalis, trilinea, trimaculata, trina, triplacia, tripunctata, triquetra, troen, troene, tyana, uliginosa, umbratica, urbana, uxania, vagans, varia, variabilis, variegata, varicolor, variegata, versicolor, vespertina, viana, vicina, virgata, virginea, viridescens, vittata, vulgaris, winthemi, xanthopus.

Anthomyza (Dipt.) abbreviata, abdominalis, aethiops, albatella, albisbasalis, albimana, ambulans, anceps, angulicornis, anilis, annosa, antennata, anxia, arctica, atritarsis, basalis, bilineella, billbergi, bi-notata, biocellata, borealis, brevicornis, brunneifrons, calceolata, calyptrata, canescens, capucina, ciliatocosta, cincta, cineraria, cingulipes, consobrina, consors, contractifrons, coronata, cuneicornis, dealbata, decipiens, denigrans, denticauda, denudata, depressuscula, depressiventris, deprinata, depuncta, deserta, detrita, didyma, distimulipes, dorsalis, epluippium, erythrostoma, exsul, ferrugineo-vittata, flavicornis, flavimana, flavipalpis, flavipes, flavo-scutellata, flavo-tibiala, fratercula, frigida, fringorum, frontalis, frontata, frontella, fulvicornis, fuscinervis, fuscipes, genarum, gemulata, gilva, gracilis, graminicola, graminum, grandaeva, grisea, griseola, guttiferus, haemorrhous, hamata, hians, hirsutula, hirtula, histrio, humerella, humilis, ignobilis, immatura, impar, impura, incerta, incisurata, incispicua, mermella, innocua, inquirenda, intermedia, inuncta, invisa, irritans, lacteipalpis, lacteipennis, laminata, lanceolata, lasciva, latipennis, latitarsis, leptogaster, leucogaster, limatiferus, limbatella, lineatipes, lineatocollis, litoralis, longicornis, lugubrina, lurida, maculiferus, maculipes, maculiventris, magnicornis, means, meditata, metallipennis, mimula, moereus, monticola, morionella, murina, myopina, nana, nigricans, uigrifemur, nigratarsis, nigritella, nivalis, niveipennis, notabilis, obscuripennis, obtusa, ochreata, octopunctatus, olivacea, palliceps, pallicornis, pallipalpis, pallipennis, pedella, pinguicola, postica, protuberans, pubipes, pubiseta, pulicaria, pumila, punctiventris, pygmaea, quinque-lineata, rotundicornis, rubricornis, ruficeps, rufo, rugulosa, sahlbergi, salicis, scambus, scapularis, scatophagina, scutellaris, scutellata, senilis, sex-maculata, sex-notata, socculata, solitaria, sororia, spinicosta,

spinaipes, spuria, squalens, strigella, strigilata, strigipes, stupida, subfasciatus, subtessellata, sundervalli, tarsella, tenera, tergina, tigrina, tincta, tirosia, transgressa, triangula, triangulifera, trianguligera, tricolor, trigonata, trigonifera, trilineata, tristola, troglodytes, tunicata, turpis, unilineata, unistriata, varius, verna, verticella, verticina, veterana, vetula, vicina, viduata, vilis, vittifera, vittigera, vittipes, zonata.

Anthomyza (Lep.) heliconides.

Anthonomus alboannulatus, anthracinus, argentatus, ater, australis, avarus, bidentatus, bisignatus, brunnipennis, calceatus, capensis, clavatus, contaminatus, convexicollis, cyanicolor, dentatus, dorsalis, druparum, elegans, elongatulus, erythopterus, fasciatus, ferrugineus, flavescens, flavicornis, flavus, gigas, grandis, haematopus, haemorrhoidalis, helvolus, homunculus, incurvus, infirmus, languidus, longulus, macromalus, macropus, melanocephalus, mexicanus, modicellus, musculus, nanus, obscurus, oxyacanthae, pallidulus, pallidus, partiaris, pedicularius, philocola, pomonae, pomonum, pomorum, pubescens, pulicarius, punctipennis, pusio, pyri, quadrigibbus, rubens, rubi, rubripes, rufirostris, rufus, scutellaris, scutellatus, signatus, sorbi, spilotes, spinolae, suturalis, suturellus, tenebrosus, terreus, testaceus, tuberosus, ulmi, undulatus, varius, varicolor, variegatus, xanthopus.

Anthophaga podagra.

Anthophagus (A.) cinnamatus, olivaceus.

Anthophagus (Col.) abbreviatus, aemulus, alpestris, alpinus, armiger, arpedinus, austriacus, bicolor, bimaculatus, brunneus, canaliculatus, caraboides, dichrous, fallax, forticornis, globulicollis, gracilis, hispanicus, intermedius, kunzei, lapponicus, laticollis, mandibularis, maxillosus, melanocephalus, memnonius, muticus, nigrifrons, nigrita, obscurus, palustris, piceus, plagiatus, praeustus, punctulatus, rotundicollis, scutellaris, spectabilis, sudeticus, testaceus, verticalis, villosus.

Anthophila aenea, albida, amasina, amoena, argentula, argillacea, atratula, caliginosa, communimacula, concinnula, cretula, fabricii, flavida, fuscula, glarea, inamoena, infida, kindermanni, lenis, litorea, lutosa, malvae, minuta, mylleri, numida, oxyacanthae, palustris, panonica, par, parallela, paula, polygramma, porphyrina, punctosa, purpurina, pusilla, ragusana, recta, rosina, sanctiflorentis, sulphurea, unca, velox, vespertina, virginia, wimmeri.

Anthophilax viridis.

Anthophilina bicolor, curvinervis, flavella, flavipes, frontalis, gracilis, grisea, laeta, nigrina, pallida, puberula, sordidella.

Anthophilus gibbosus, hellmanni, politus

Anthophora abdominalis, acanthura, acervorum, adunca, aenea, affinis, albigena, albisepta, analis, angustula, anthoecia, argutata, aterrima, atricilla, atroalba, atrocincta, aurulenta, balneorum, barbata, biciliata, bicincta, bicolor, bidentata, bihamata, bimaculata, binotata, bomboides, brevis, bucephala, byssina, calcarata, calens, campanularum, caescens, centuncularis, cinerascens, cingulata, circumcincta, conica, conoidea, continua, corollarum, crassipes, cyanea, cylindrica, disjuncta, dispar, domingensis, dufouri, epeolina, ephippium, femorata, ferruginea, flabellifera, flavescens, flavifrons, floralis, florea, florentina, florisomnis, frontalis, frontata, fronticornis, fuliginosa, fulvipes, fulvitaris, fulviventris, furcata, fusca, gastrica, gilvipennis, globosa, grisea, guineensis, guttata, haematoda, haemorrhoidalis, haworthana, hirsuta, hispanica, histrio, holosericea, inermis, intermedia, interrupta, ireos, labiata, laevigata, lagopoda, lanata, lepida, leporina, leptura, leucomelaena, ligniseca, limbata, liturata, maculicornis, manicata, maritima, maxillosa, melaleuca, meliturga, mixta, monilis, mystacea, nasuta, nidulans, nigrilabris, nigriventris, nigroscincta, nigro fulva, nigromaculata, nivea, niveata, notata, nubica, nyctanthes, oblongata, ochracea, oraniensis, pacifica, papaveris, parietina, pennata, personata, petalina, phaeoptera, pilipes, poecilia, pubescens, quadricolor, quadridentata, quadrimaculata, retusa, romandi, rotundata, rotundatum, rufa, rufipennis, rufipes, rufiventris, saropoda, savignyi, schotti, scopipes, semicincta, seminuda, senescens, senilis, sexcincta, sicula, spinulosa, squalida, stictica, strigata, subcaerulea, subdentata, subterranea, tarsata, taurea, tricolor, tridentata, trispinosa, truncorum, tunensis, vara, variegata, ventilabris, ventralis, versicolor, violacea, willughbyella, xanthomelaena, zonata.

Anthophorabia retusa.

Anthophorites *mediana*, *titania*, *tonsa*, *vetera*ua.

Anthophylax *malaciticus*, *quadrinaculata*, *viridis*.

Anthophyllea *pyathus*, *ficus*, *grandis*, *hippuris*, *tuberosa*.

Anthophylulum *anthophilites*, *astreatum*, *atlanticum*, *bicostatum*, *blauit*, *caespitosum*, *calyculare*, *clavus*, *compressus*, *conicum*, *cuspidatum*, *cyathus*, *cylindraceum*, *decipiens*, *denticulatum*, *detritum*, *dispar*, *distortum*, *esperii*, *excavatum*, *expensum*, *explanatum*, *fasciculare*, *fasciculatum*, *flexuosum*, *gracile*, *granulosum*, *guettardi*, *hystrix*, *inaequale*, *incrustans*, *lamellosum*, *lineatum*, *mammillare*, *musicale*, *nanum*, *obconicum*, *patellatum*, *pateriforme*, *piriforme*, *proliferum*, *pygmaeum*, *rude*, *rugosum*, *sessile*, *speciosum*, *sphaerula*, *sulcatum*, *truncatum*, *turbinatum*, *venustum*.

Anthophysa *rosea*.

Anthopora *cucullata*, *elegans*.

Anthornis *melanocephala*, *melanura*.

Anthoscopus *capensis*, *minutus*.

Anthosoma *bajae*, *rajae*, *smithi*.

Anthothreptes *malaccensis*.

Anthoxenus *subaeneus*.

Anthozanthus *parasiticus*.

Anthracia (Dipt.) *funebis*, *lugubris*.

Anthracia (Lep.) *epialtes*, *undularis*.

Anthracida *xylotoma*.

Anthracina *camuaria*.

Anthracophora *atrosmaculata*, *bohemanii*, *gracilis*, *rusticola*.

Anthracotherium *alsaticum*, *cyclognathum*, *gergovianum*, *lembronicum*, *magnum*, *minimum*, *minus*, *minutum*, *neostadense*, *onoideum*, *parisense*, *silistrense*, *velaunum*.

Anthracothorax *grauineus*, *holosericeus*, *mango*, *violaceus*.

Anthraxus *consputus*.

Anthrasomus *chevolati*.

Anthrax *abbreviata*, *absalon*, *acacus*, *aegina*, *affinis*, *albifacies*, *albipectus*, *albo fasciata*, *albo vittata*, *aleyon*, *alexon*, *alterna*, *alternans*, *alternata*, *amasia*, *analis*, *angustipennis*, *anus*, *apicalis*, *arabica*, *argentifera*, *argentofrons*, *argyrocephala*, *argyropyga*, *assiduis*, *astarte*, *aurantiaea*, *aurata*, *aygulus*, *basalis*, *basifascia*, *bastardi*, *belzebuth*, *bicincta*, *bicingulata*, *bifasciatus*, *biguttata*, *bimacula*, *bimaculata*, *binotata*, *bi-punctata*, *bistella*, *bombucoformis*, *bombiliformis*, *brunnipennis*, *cafra*, *caliptera*, *canis*, *capensis*, *casca*, *catta*, *celer*, *cephus*, *chalcoides*, *cingulatus*, *cingulum*, *circe*, *circumdata*, *clotho*, *cognata*, *collaris*, *concinna*, *concisca*, *confluens*, *conifacies*, *coniocephala*, *consanguinea*, *conspurecata*, *coraculum*, *costalis*, *costata*, *cyanoptera*, *cypris*, *daubei*, *decedens*, *decrepita*, *delicatula*, *demogorgon*, *dia*, *diana*, *difficilis*, *diffusa*, *dimidiata*, *diminutiva*, *disiuncta*, *distigma*, *distincta*, *ditaenia*, *dives*, *dorsalis*, *dorycnus*, *dubia*, *duvauceli*, *dux*, *edititia*, *egyptiaca*, *elegans*, *emarginata*, *epilais*, *erebus*, *erythrocephala*, *extensa*, *fasciata*, *fasciatus*, *fascipennis*, *fasciventris*, *faunus*, *fenestella*, *fenestrata*, *fenestratus*, *ferrea*, *ferruginea*, *fervida*, *fimbriatus*, *flammigera*, *flava*, *flavella*, *flaviceps*, *floridana*, *fulvianus*, *fulvoshirta*, *fulvula*, *fumipennis*, *funebis*, *funesta*, *fusta*, *fuscicostata*, *fuscipennis*, *gayi*, *georgica*, *germari*, *gideon*, *gorgon*, *gracilis*, *gradata*, *grandis*, *griseola*, *harpyia*, *hela*, *heros*, *hesperus*, *hessi*, *hilarii*, *hippolyta*, *humilis*, *hyalacra*, *hyalina*, *hypomelas*, *hypoxantha*, *igneae*, *ignifer*, *imbuta*, *maurata*, *megana*, *melisuralis*, *inclusa*, *incompta*, *indecisa*, *insularis*, *interrupta*, *ioptera*, *irroratus*, *irrorella*, *isis*, *italica*, *jacchus*, *klugi*, *lacera*, *lasia*, *lateralis*, *latona*, *latreillei*, *letho*, *leucogaster*, *leucopyga*, *leucostoma*, *leucothoa*, *limatulus*, *livida*, *longipennis*, *longirostris*, *luctuosa*, *lutea*, *lynx*, *maculata*, *maculipennis*, *maculosa*, *madagas-carensis*, *maimon*, *mata*, *margaritifer*, *marginalis*, *marginicollis*, *massinissa*, *megaera*, *megerlei*, *meigeni*, *melaleuca*, *melanoptera*, *merops*, *midas*, *miegi*, *minus*, *minerva*, *minor*, *minos*, *minuta*, *modesta*, *monacha*, *morioides*, *mucida*, *mucorea*, *muscaria*, *mutua*, *nemesis*, *nero*, *nigriceps*, *nigricosta*, *nigrifrons*, *nigrocostalis*, *nivea*, *notiflo*, *noctiluna*, *noctula*, *notabilis*, *nox*, *nycthemera*, *obliqua*, *obscura*, *occulta*, *ocyale*, *oedipus*, *orcus*, *pallasi*, *pandora*, *paniscus*, *patula*, *pegasus*, *pennipes*, *perimele*, *persica*, *phaeoptera*, *phlegethon*, *picta*, *pictipennis*, *pithecius*, *plana*, *plena*, *pluto*, *polyphenus*, *praeargentatus*, *primitiva*, *proserpina*, *punctata*, *punctipennis*, *punctulatus*, *punctum*,

purpurata, pusilla, pygmalion, quadrinotatus, quadripennis, quinquefasciata, rhadamanthus, rivularis, rubiginipennis, rufa, rufescens, ruficeps, ruficollis, rufipes, rutila, scripta, scrutata, scutellata, semialba, semiargentea, semiatra, semilimpida, seminacula, seniculus, senilis, serpentiger, sexfasciata, sicala, simplex, simson, singularis, sinuatus, sisypheus, sobria, spilopecta, stellifer, sthenos, stictica, stigmula, stria, stupida, stympthalis, subannulus, subfascia, submacula, subnotata, suffusa, tabaniformis, tegminipennis, tendens, tenuirostris, terminalis, terminus, testacea, thomae, trifasciatus, trinacula, trimaculata, tripunctata, trivittata, umbra, umbrifer, undans, uncinata, unicingulata, unifasciata, urvillei, valida, variegata, varipennis, velutina, venosa, venusta, vespertilio, vestita, vetula, vicina, vitricosta, volitans.

Anthreneida coronata.

Anthrenus albidus, apicalis, australis, bifasciatus, capensis, castanae pumiliae, castaneae, cinereus, claviger, destructor, elongatulus, fulvicornis, fulvipes, glabratus, gloriosae, grandis, gravidus, haemorrhoidalis, hirtus, irroratus, isabellinus, museorum, niger, nitidulus, obscurus, pacificus, pello, pictus, pustulatus, ruficorne, rufipes, signatus, sparsutus, thoracicus, villosulus.

Anthreptes flavigaster, fraseri, hypogrammica, javanica, lepida, leucosoma, longuemarei, macularia, melasoma, modesta, nucalis, phaenictus.

Anthribites moussoni, pusillus.

Anthribus aculeatus, acuticornis, adpersus, aeneus, aequaloides, affinis, agarici quercini, albiceps, albicornis, albidus, albifrons, albiguttatus, albocinctus, alternans, alternatus, ancora, atricornis, attelaboides, barbicornis, bilineatus, bisignatus, bispinus, bostrichoides, brevicornis, capillicornis, cervinus, cinctus clavicornis, coffeae, collaris, compressicornis, confusus, cordiger, cornutus, coronatus, costatus, crassicornis, crenatus, curvipes, cylindricus, dama, distinctus, dorsalis, elongatus, ephippiger, ephippium, fasciatus, fascicularis, ferrugatus, ferrugineus, flavitarsis, frenatus, funebris, gigas, glaucus, gracilicornis, griseomaculatus, heros, imperialis, incertus, leucostictus, limbatus, longicornis, lugubris, lunatus, marmoratus, marmoreus, mixtus, modestus, moestus, nebulosus, nigellus, nigripennis, nigroangulatus, nodicornis, notatus, obscurus, pallinosus, parallelus, perfoliatus, pilicornis, pubescens, pubicornis, pustulatus, pygmaeus, quadrinotatus, quadrituberculatus, reconditus, resurgens, retusus, ruficornis, rufipes, scapularis, scoparius, semigriseus, senilis, sepicola, sericeus, spinosus, squamiger, stigma, sugillatus, sulphureus, suturalis, tenuicornis, tessellatus, tomentosus, variegatus, variipes, varius, westermanni, zebra. *Vide et Anthribus.*

Anthrobia monmouthia.

Anthrocera filipendulae, hippocrepidis, loniceriae, loti, meliloti, peucedani, scabiosae, trifolii.

Anthrophora abrupta.

Anthropoides paradisea, pavonia, pavonina, rugulorum, stanleyanus, virgo.

Anthropopithecus troglodytes.

Anthrostomus semitorquatus.

Anthura carinata, gracilis.

Anthus acuticaudatus, acurostris, africana, agilis, agrestis, agrorum, alaudarius, alpinus, alticeps, ameliae, aquaticus, arboreus, arvensis, australis, bistratus, boarula, brachycentrus, brachyurus, brasiliensis, brevicaudus, brevirostris, caffer, campestris, capensis, cecili, cervinus, cbii, cbloris, cinnamomeus, correndera, coutellii, danicus, desertorum, erythronotus, eunyx, filiformis, flavescens, flavigaster, foliorum, fortipes, fuliginosus, fulvus, furcatus, fuscus, gouldi, barbarum, hiemalis, hortulanus, hydrophilus, hypogaeanus, immutabilis, juncorum, leucophrys, lberminieri, lichtensteini, limicola, littoralis, longipes, ludovicianus, macronyx, maculatus, malayensis, massiliensis, minimus, montana, montanellus, montanus, muscus, nigropunctata, novae zealandiae, obscurus, obtusipennis, pallescens, palustris, paytensis, pelopus, pensylvanicus, petrosus, petrosus, pipiens, poecilopterus, pratensis, pratorum, rabirrubia, richardi, roseaceus, rubens, ruber, rufa, rufescens, ruficollis, rufogularis, rufulus, rupestris, sepiarius, similis, sordidus, spinoletta, stagnatilis, striolatus, subarquatus, tenuirostris, tenuis, tristis, trivialis, turdinus, ubiquitarius, virescens.

Anthypna arctos, bombyliiformis, crinita, cyanipennis, birta, lynx, ursus, vulpes.

- Antiblemma** ~~accusalis~~, ~~comitalis~~, flavipunctalis, octalis.
- Anticarsia** gemmatalis, ~~oliqualis~~.
- Anticheira** bicolor, chrysis, clavata, fucata, lucida, sinaragdula, splendida, tetradactylus, virens.
- Antichira** coerulescens, concinna, concoloripes, melanaria, mixta, pantochloris, pubiventris.
- Antichloris** alecton, caca, eriphia, pbeimonoe.
- Antichus** coeruleus, deustus, flavus.
- Anticlea** albana, asseclana, badiaria, berberaria, berberata, bilunana, derivaria, derivata, fimbriana, harpana, incarnana, mitterbacheriana, naevana, nigromaculana, paykulliana, rubidaria, rubidata, sinuaria, sinuata, sociana, subocellana.
- Anticus** elegans.
- Anticyra** ciliaris, gracillipes, latipes, phaeopa.
- Antigona** lamellaris.
- Antigonia** capros.
- Antigonus** erosus, ustus.
- Antilocapra** americana, mazama, montana, palmata, tememazama.
- Antilope** acuticornis, addax, addra, adnota, albipes, americana, annulipes, arabica, barbata, beisa, bennetti, bubalina, burchelli, caama, caerulea, capensis, capreolus, capricornis, chifara, chicarra, chickara, chiru, cristoli, clavata, coerulea, colus, cora, cordieri, crista, cuvieri, decula, defassa, deperdita, depressicornis, dichotoma, doria, dorsata, duvauceli, eleotragus, ellipsiprymnus, equina, eurycerus, forfex, frederici, fulvo rubescens, fulvorufula, furcifer, gibbosa, goral, gorgon, grandicornis, grisea, hazenna, hemprichiana, bodgsoni, ibex, interscapularis, isabellina, ixalus, jenkinsia, kemas, klipspringer, kop, korrigum, laevipes, lalandia, lanata, lanigera, leptocera, lindermayeri, lunata, madoka, madoqua, maquinensis, maxwelli, mazama, melampus, melanotis, mergens, mihorr, montana, monticola, mytilopes, nanguer, nasouaculata, natalensis, niger, nunni, ogilbyi, orcas, palmata, pasan, pediotragus, perpusilla, personata, pbalerata, pbilantomba, picta, platous, ptoox, pudu, quadricornis, quadriscoipa, recticornis, rubroalbescens, rufa, rufescens, ruficollis, rupestris, saliens, saltiana, scoparia, silvicultrix, singsing, soemmeringi, spinigera, subquadricornutus, subulata, suturosa, tao, tartarica, taurina, temamazama, tbar, torticornis, traguloides, tragulus, truteri, unctuosus, villosa, zebra. *Vide et Antelopa.*
- Antimachus** cornutus, furcifer.
- Antinomia** angulata, angusta, deltoidea, dilatata, diphyia, triquetra.
- Antiope** splendida.
- Antipa** maxillosa, signatifer
- Antipalus** varipes.
- Antipathes** anguina, arborea, bosci, corticata, cupressina, eupteridea, foeniculum, hirta, lacera, lacerata, magica, mimosella, pectinata, pinnatifida, pyramidata, radians, scoparia, serialis, signata, simplex, triangularis, vetusta.
- Antiphrisson** trifarius.
- Antirrhoea** arcbaea, pbiloctetes.
- Antispila** albifrontella, ammanella, anderschella, augustella, aurella, freyerella, goldegella, gummedla, helwigella, jurinella, megerella, pagenstecherella, stadtmuellerella.
- Antithesia** betuletana, corticana, gentianaeana, marginana, oblongana, pruniana, pullana, salicana, salicella, tripunctana.
- Antitype** cappa, chi.
- Antliarhinus** coriaceus, dregei, rectirostris, signatus, zamiae.
- Antodon** burmeisteri.
- Antophagus** alpinus, bi-notatus, laticollis, suturalis, variegatus.
- Antophila** dilucida, oblitterata, purpurina.
- Antophora** binotata.
- Antribus** fulvitaris. *Vide et Anthribus.*
- Antrimpos** angustus, bidens, decemdens, dubius, nonodon, senidens, speciosus, tridens, trifidus.
- Antrostomus** albicollis, bifasciatus, californianus, carolinensis, cayanaensis, decussatus, dominicus, guianensis, longirostris, ocellatus, odontoptera, parvulus, rufus, sericeus, caudatus, vociferus.

- Anumbius acuticaudata*, anthoides, frontalis, ruber, rufifrons, scolopaceus, striaticeps, striaticollis.
- Anuraea aculeata*, acuminata, biremis, curvicornis, divaricata, falculata, foliacea, leptodon, inermis, longicornis, octoceras, palea, quadridentata, serrulata, squamula, stipitata, striata, testudo, valga.
- Anurophorus ambulans*, certus, dubius, finetarius, laticis.
- Anyphaena accentuata*.
- Anypotactus exilis*.
- Anystis cornigerum*.
- Aodon dalci*.
- Aomus pubescens*.
- Aonis caeca*, foliosa, vittata, wagneri.
- Aonychus hopei*.
- Aonyx aurobrunnea*, delalandi, horsfieldi, indigitata, leptonyx.
- Aoplocnemis rufipes*.
- Aora typica*.
- Aorus ferrugineus*, spadiceus.
- Aosseterus argentatus*.
- Aotus humboldti*, trivirgata.
- Apachyus depressus*.
- Apaelecticus bellicosus*, flammeolus.
- Apalis thoracica*.
- Apalochrus azureus*, femoralis, festivus, flabellicornis, laetus, nobilis, pectinicornis, variegatus.
- Apaloderma narina*, reinwardi.
- Apalone hudsonica*.
- Apalonychus waterhousei*.
- Apalus binotatus*, bipunctatus, fasciatus, quadrimaculatus, rufipennis, sexmaculatus.
- Apamea airae*, aquila, argillacea, basilinea, basimacula, bella, bicoloria, bipartita, captiuncula, cespitis, chenopodiphaga, connexa, cuprea, didyma, erratricula, erupta, fibrosa, fucosa, furca, furuncula, graminis, haworthi, infesta, I-niger, jlltria, latiuncula, leineri, leucographa, litigiosa, lucens, moderata, morio, nickerli, nictitans, oclusa, oclea, ophiogramma, rava, rubeuncula, strigilis, suffuruncula, testacea, tripuncta, umbrosa, unanimis, vinctuncula.
- Aparallactus capensis*.
- Apatania vestita*.
- Apatе anchoreta*, appendiculata, aspericollis, aterrima, aurita, barbatus, basilaris, bicaudatus, bicornis, bispinosa, bivittata, brevicornis, brunnipennis, brunnipes, capillata, carmelita, castanea, castanoptera, chevrieri, chilensis, coenobita, collaris, cornutus, costata, crinitarsis, curta, cylindrica, dominicana, dufouri, femorata, flavipes, fossulata, francisca, fronticornis, furcata, gallica, gigantea, glabrata, granulosa, humeralis, longula, luctuosa, minutus, monacha, muricatum, niger, nigri-ceps, nigri-ventris, obscura, obsipa, pectinata, picea, politus, praeusta, producta, pumila, punctatus, pusilla, pustulata, rejecta, religiosa, religiosae, retusa, rufa, rufipennis, rufitarsis, rufiventris, rugosa, scabricollis, serrata, serricollis, sexden-tata, striatus, terebrans, thoracica, tonsa, torquata, tuberculosa, uncinata, varia, vittatus.
- Apatela americana*, bradyporina.
- Apatele aceris*, longipes.
- Apateon pedestris*.
- Apatetica lebioides*.
- Apateum calceatum*.
- Apatheon pedestris*.
- Apathus barbutellus*, campestris, nemorum, rupestris.
- Apatomyza nigra*, punctipennis.
- Apatura* (Col.) appendiculata, auricollis, caudata, croceo signata, decolorata, decostigma, discopunctata, drummondi, inflammata, notata, octospilata, purpurea, purpureo signata, rarik, tarda, viridisobscura.

- Apatura** (Lep.) *agathina*, *alimena*, *ambica*, *aracynthis*, *archesia*, *basaltide*, *bolina*, *celtis*, *cleonthe*, *clyton*, *cyane*, *dichroa*, *druryi*, *egesta*, *erminea*, *gembrausius*, *heos*, *idyja*, *ilia*, *iphibita*, *iris*, *itya*, *jucunda*, *karaimoku*, *kraimoku*, *laura*, *laurentia*, *leodice*, *lucasi*, *lysianassa*, *metis*, *morgiana*, *namouna*, *osteria*, *parisatis*, *pavonii*, *pelarga*, *sabina*, *terea*, *thoe*, *tragia*, *vacuna*, *zunilda*.
- Apaustis** *heliophila*.
- Apaustus** *menes*.
- Apeistus** *rondani*.
- Apelesis** *ciurea*.
- Aper** *arvernensis*.
- Aperioptus** *pictorius*.
- Aperostoma** *blanchetianum*, *mexicanum*, *volvulus*.
- Aphacitis** *dyndima*, *lusca*.
- Aphaena** *atomaria*, *delicatula*, *discolor*, *farinosa*, *fuscata*, *haemoptera*, *leucostictica*, *nigromaculata*, *nigropunctata*, *pulchella*, *rosea*, *variegata*.
- Aphalara** *artemisiae*, *exilis*, *flavipennis*, *innoxia*, *uervosa*, *polygoni*, *sonchi*, *subfasciata*, *subpunctata*, *ulicis*.
- Aphana** *amabilis*, *atomaria*, *aurantia*, *aurora*, *confucius*, *corticina*, *farinosa*, *imperialis*, *lanata*, *scutellaris*, *submaculata*.
- Aphanasium** *australe*.
- Aphaneura** *rufescens*.
- Aphania** *cerusana*, *lineana*, *mulzeriana*, *niveana*.
- Aphanisticus** *angustatus*, *ater*, *auriculatus*, *bicornutus*, *canaliculatus*, *cylindricus*, *elongatus*, *emarginatus*, *exiguus*, *goudoti*, *gracilis*, *impressus*, *lamotei*, *lineola*, *pusillus*, *pygmaeus*.
- Aphanus** *fasciatus*, *nanus*.
- Aphanobius** *acutipennis*, *corvinus*, *flabellatus*, *furvus*, *hepaticus*, *infuscatus*, *longicollis*, *pubescens*, *ruficollis*, *setosus*, *simplex*, *sturni*, *thoreyi*, *vanus*, *velutinus*.
- Aphanopus** *carbo*.
- Aphanosoma** *italicum*.
- Aphanostoma** *diversicolor*, *griseum*, *latum*, *virescens*.
- Aphanus** *chiragra*, *echii*, *erythropterus*, *insignis*, *luscus*, *marginipunctatus*, *pallipes*, *pedestris*, *pini*, *quadri punctatus*, *rolandi*, *solandri*, *sylvestris*, *urticae*.
- Aphareus** *caerulescens*, *rutilans*.
- Aphelia** *egenana*, *egestana*, *expallidana*, *flexana*, *pauperana*, *plagana*, *senecionana*, *suttneriana*, *viburnana*, *viridana*.
- Aphelinus** *acaetes*, *argiope*, *asychis*, *basalis*, *chaonia*, *euthria*, *flavus*, *idaeus*, *inara*, *lycimnia*, *moeris*, *obscurus*, *proelia*, *scutellinus*.
- Aphelocheira** *flavomaculata*, *subaurata*.
- Aphelocheirus** *aestivalis*.
- Aphelomera** *italica*.
- Aphelopus** *atratus*, *melaleucus*.
- Apheloetia** *auritella*, *biatomella*, *cygnipennella*, *floslactis*, *fulvescens*, *inulella*, *lucidella*, *marginata*, *obscuripunctella*, *oleella*, *rhynchoporella*, *rufipennella*, *rufoscinerea*, *semialbella*, *subocella*, *triatomea*.
- Aphelotherium** *duvernoyi*.
- Aphelotoma** *tasmanica*.
- Aphidileo** *resolutus*.
- Aphidius** *abjectus*, *aceris*, *ambiguus*, *angelicae*, *aphidium*, *arundinis*, *asteris*, *auctus*, *avenae*, *basalis*, *brevicornis*, *caricis*, *centaureae*, *cirsii*, *constrictus*, *crepidis*, *deltiger*, *dimidiatus*, *diminuens*, *dissolutus*, *dorsalis*, *eglanteriae*, *enervis*, *ephippium*, *ervi*, *exiguus*, *exoletus*, *flavidens*, *flavinodis*, *flavipes*, *fumatus*, *heraclei*, *infirmus*, *infulatus*, *lactosus*, *laricis*, *letifer*, *leucopterus*, *lutescens*, *matricariae*, *melanocephalus*, *minutus*, *nervosus*, *obscurator*, *obsoletus*, *pallidinotus*, *pallidus*, *parvicornis*, *picipes*, *pictus*, *plagiator*, *planistipes*, *protaeus*, *resolutus*, *restrictus*, *ribis*, *rosae*, *rosarum*, *salicis*, *tuberculatus*, *urticae*, *validus*, *varius*, *volucris*, *vulgaris*, *wissmanni*, *xanthostoma*.
- Aphiodes** *costata*.

Aphirape amabilis, ancilla, brunnescens, incomta, obfuscata, rapida.

Aphis abducta, abietina, abietis, abnobae, acantha, acaroides, acericola, acerrua, addita, adjecta, advena, agilis, alba, alni, alterna, ambrosia, amerinae, amygdali, annulatus, annulipes, antennata, anthrisci, aparines, apposita, aquilegiae:canadensis, aquilegiae flava, aquilegiae nigra, arabis:mollis, aralia:bispida, armata, artemisiae, assidua, assueta, asteris, atomaria, aucta, aurantia, avellanae, bartsiae, bellula, berberidis, betularia, betulicola, bicolor, bifrons, borealis, brassica:napus, bufo, bumeliae, butoni, cadiva, callipterus, camelliae, campanula:riparia, campanulae, capsellae, carduina, castanea:vesca, cerasina, cerastii, cerealis, certa, chelidonii, chenophyllum:canadense, chenopodii, cnici, confusa, consona, conspersa, consumpta, contermina, convecta, convisa, convolvuli, cornus:stricta, coryli, costata, crataegaria, crataegi, crataegus:coccinea, cyperi, cytisorum, derelicta, despecta, detracta, devecta, dianthi, diervilla:lutea, diminuta, diplepha, dipsaci, dirhoda, discolor, dissita, dryophila, egressa, epilobii, epilobiina, erigeron:canadense, erigeron:philadelphicum, erigeron:strigosum, eriophori, erysimi, euphorbiae, euphrasiae, extranea, exul, fabae, farinosa, flaginis, flaveola, fragariae, fumariae, furcipes, furcula, fusciclava, fuscipennis, galaeopsidis, galii, gibbosa, glandulosa, glyceriae, gnaphali, grossulariae, hederae, helichrysi, hibernaculorum, hieracii, hieracium:paniculatum, hieracium:venosum, hirtellus, hirticornis, humuli, hyoscyami, ilicis, illata, impacta, incerta, inculca, incumbens, indecisa, indistincta, inducta, inserta, insessa, insita, internata, introducta, inulae, isatidis, jacobaeae, jacobaeae:balsamita, juglandicola, juglandina, laburni, lanata, laniger, lanigera, laricis, lata, lavatae, ligustri, littoralis, longipes, loniceriae, lythri, mactata, maculata, maidis, mali, malvae, marginipennis, melampyrum:latifolium, meridionalis, montana, morae, myricae, napelli, nasturtii, nepetae, nerii, nervosa, nigraris, nociva, nutricata, oblonga, onobrychis, ononidis, onopordi, oreaster, oxyacanthae, pallida, pallipes, pelargonii, persicae, persicariae, persorbens, piceae, piceae, picea, picta, pilicornis, pilosa, pimpinellae, pinicola, pinicola, piniphila, piperis, pisi, piana, platanicola, polanisia:graveolens, pollinosa, polygalae:senega, pomi, populea, populeti, populi albae, populus:grandidentata, populus:trepida, potentillae, praeterita, prunaria, prunicola, pruni mahaleb, prurina, pteris:aquilinoides, punctipennis, pyri, quadri-tuberculata, quaerens, quercea, quercus:monticula, radicum, ranunculi, rapae, raphani, redundans, relata, rhamni, rhodryas, ribicola, robusta, rosarum, rosa:suaveolens, rubecula, rubi, rufipes, rufula, rumicis, saliceti, salicina, salicis minor, salicivora, saliceti, sanguiforbae, scirpi, secunda, sedi, serratae, serratulus, setosa, solani, sonchi viridifurca, sorbi, spinarum, striata, submacula, symphyta, tanacetaria, tanaceticola, tanacetina, taraxaci, terminervis, tenuior, terricola, tertia, tetrahoda, thlaspeos, tincta, tragopogonis, transiens, translata, transmutata, transposita, tremulae, tribulus, trirhoda, tritici, truncata, tuberculata, tuberosa, tulipae, tussilaginis, ulmariae, urticae, urticaria, vacillans, valdensis, verbasci, verbenas:astata, verticolor, viberum:acerifolium, viburnum:opulus, viciae, villosus, viminalis, viuae, vitellinae, xanthelis, zeae.

Aphnaeus antijarbas, certhii, epijarbas, isocrates, melampus, orcas, perion, pindarus, vulcanus, xenophon.

Aphodius abditus, adelaidae, aestivalis, affinis, aleutus, alpestris, alpicola, alpinus, ambiguus, amplificatus, anachoreta, analis, angularis, angustatus, anthracinus, antiquus, anxius, appendiculatus, arcuatus, argillicolor, asiaticus, asper, asphaltinus, assimilis, aterrimus, atramentarius, atricapillus, atricollis, auctus, aurantiacus, axillaris, badipes, badius, baseolus, bicolor, binotatus, bipunctatellus, bipustulatus, bisignatus, bonariensis, bonellii, borealis, brasiliensis, brumalis, brunneus, bubulcus, caenosus, caffer, caliginosus, caminarius, carbonarius, carinatus, carpetanus, carthusianus, caspius, castaneus, catenatus, caudatus, centrolineatus, ciliaris, ciliatus, cincticulus, circumcinctus, clypeatus, clypeolatus, coecus, coenobita, coloratus, concavus, conflagratus, confusus, conjugatus, conjunctus, connexus, consentaneus, conspurcatus, constans, constatus, contaminatus, contractus, convexus, copronymus, cornutus, corvinus, costalis, costulatus, crenatus, cribellatus, cribrarius, cribratus, cribricollis, cruciatus, crux, curtus, cylindricus, dalmatinus, deletus, denigratus, denticulatus, deplanatus, desertus, diadema, dichrous, dilatatus, discicollis, discolor*, discus, egenus, elegans, elevatus, elongatulus, elongatus, emarginalis, emarginatus,

equinus, eticus, exclamationis, exiguus, exilis, exoletus, faldermanni, fallax, fasciatus, femoralis, ferrugineus, filiformis, fimbriolatus, flagrans, flavidulus, flavidus, fortiorum*, fortunatus, fulvicollis, fulvicrus, fulvus, fumosus, fuscicollis, fuscipes, futuralis, gagates, gagatinus, germanus, gibbus, gilvus, gonagricus, granarius, granum, graphicus, griseus, guineensis, guttatus, haemorrhoidalis, haemorrhoides, haemorrhous, hamatus, hemicyclus, hieroglyphicus, hirtellus, hirtipennis, hirtipes, howetti, hydrochoeris, hyperboreus, hypocophus, hypocyphus, hypopygialis, ictericus, imbricatus, immaturus, imperfectus, impudicus, impunctatus, indagator, indecorus, indicus, indigens, innexus, insubidus, interruptus, intricatus, irregularis, laetus, laevigatus, lapponum, lateralis, leucopterus, limbatus, limbicola, limicola, lineatus, lineolatus, lividus, longulus, lucens, lucidus, lugens, lunatus, luridus, lutulentus, macry, macularis, maculipennis, marginalis, marginatus, marginellus, martialis, maurus, melanarius, melanopleurus, melanopus, melanostictus, melanotus, melinopus, mendicus, menetriesi, meridionalis, metallescens, metallicus, meyeri, mirandus, mixtus, moestus, montanus, monticola, montivagus, muticus, nemoralis, niger, nigricans, nigricollis, nigrita, nigrolineatus, nitidulus, nitidus, nodifrons, nomas, nubilus, obliteratus, oblongus, obscurus, obsoletus, ocellatus, ochraceus, omissus, ophthalmicus, orientalis, ornatus, orobius, orophilus, pallescens, pallidus, pallipes, parallelus, parcepunctatus, pauper, pellucidus, pensvallensis, peruanus, phaeopterus, piceus, picmanus, pictus, pinguis, pini, plagiatu, plicatus, pollicatus, porcatus, porcicollis, praecox, procerus, prodromus, prolongatus, pubescens, pulcherrimus, punctatellus, punctatosulcatus, punctulatus, pusillus, putidus, putridus, quadriguttatus, quadripunctatus, quadrisignatus, quadrituberculatus, rapax, reflexus, rhenus, rhononum, rhinoceros, rubens, rubidus, rufescens, ruficornis, ruficrus, rufitarsis, rufopustulatus, rufulus, rufus, rugulosus, rupicola, ruricola, rusicola, russatus, rutilus, sanguinipennis, sanguinolens, sanguinolentus, scapularis, schmidtii, sculptus, scutellaris, scutellatus, senegalensis, septemmaculatus, sericatus, serotinus, serval, sexmaculatus, sexpustulatus, sorex, sphacelatus, spilopterus, spretulus, spretus, stercorator, stercorosus, sticticus, striatulus, strigatus, striolatus, suarius, subalpinus, subannulatus, subcinctus, subluteus, submaculatus, sulcatus, sulcicollis, suturalis, syriacus, syriacus, tasmaniae, tenella, terminalis, terrenus, tessulatus, testaceus, thoracicus, tibialis, tristis, truncatus, turbidus, tyrolensis, uliginosus, umbrosus, unicolor, ursinus, vaccinaris, varians, variegatus, vernus, vespertinus, vicinus, villosus, vinaceus, vitellinus, vittatus, vulneratus, zenkeri.

Apholidemys granosa, sublaevis.

Aphomia colonialis, socialis.

Aphophora caput ranae.

Aphrastrea deformis.

Aphrastus taeniatus.

Aphredoderus gibbosus.

Aphria abdominalis, longirostris, servillei.

Aphritis (Dipt.) analis, angustus, apiformis, aurifex, auropubescens, aurulentus, crassitarsis, cyaeiventris, fulgens, globosus, ignobilis, micans, mutabilis, pauper, pictipennis, superbus, violaceus, vittatus.

Aphritis (P.) porosus, undulatus, urvillei.

Aphrizia townsendi, virgata.

Aphrodes bicincta, bifasciata, cardui, concinna, craticula, flavostriata, insularis, juvenca, lata, lineata, maculipennis, maculipes, marmorata, melanopsis, nitida, obscura, pallida, pallidipennis, puella, pulverulenta, rivularis, rugosa, sabulicola, serratae, spiloticephala, striata, sulphurea, taeniola, testudo, trifasciata, unimacula, variegata.

Aphrodita (L.) greenlandicum.

Aphrodita (Verm.) annulata, armadillo, audouini, borealis, clava, clavigera, heptakera, hirta, hystrix, mediterranea, scolopendra, sericea, viridis.

Aphrodite (L.) columba.

Aphrodite (Lep.) achine, antevippe, eborea, eupompe, evarne, evippe.

Aphrodite (Verm.) aurata.

Aphrodyte aculeata.

Aphrophora abbreviata, albiciucta, angulata, apicalis, bifasciata, bilineata, coleoptrata, dimidiata, flaviceps, goudoti, lateralis, leucophthalma, lineata, marginella, obtusa, oenotherae, ornata, parallela, quadrangularis, quadrinotata, salicina, spumaria.

Aphrozeta cinerea, semiglauc.

Aphthartus ornatus.

Aphthona coerulea, gracilis, lacertosa, nigritarsis, rubicunda, subglobosa, sublaevis.

Aphyoramphus rugosus.

Apiaria antiqua, dubia, lapidea.

Apiocera asilica, fuscicollis, moerens.

Apioceras recurvum, trochoides.

Apiocrinites dipentis, ellipticus, elongatus, flexuosus, granulosus, incrassatus, milleri, obconicus, obscurus, parkinsoni, punctatus, rotundus, scriptus.

Apiocrinus elegans, exutus, insignis, magnificus, meriani, murchisonianus, ratbieri, roissyanus, similis.

Apicystites pentrematoides.

Apiodera annulipes, crispa, elongata, flavipes, funcki, geniculata, inaequalis, incerta, insignis, lacordairei, maculicornis, marginestriata, plicaticollis, quadrimaculata, quadrisignata, rufipes, rugicollis, tuberculata, varicornis.

Apiomeris apicalis, capucinus, crinipes, cylindripes, erythromelas, flavipennis, flaviventris, geniculatus, hirtipes, incisus, integer, lampes, lunatus, pictipes, pilipes, rubrocinctus, sanguineomaculatus, stollii, vulneratus.

Apion acanthi, aciculare, acium, aeneocephalum, aeratum, aestivum, aethiops, afer, affine, africanum, albicans, albobilosum, alcyoneum, amplipenne, angulicollis, angustatum, angusticollis, angustum, antiquum, apicans, aquilinum, assimile, astragali, aterrimum, atomarium, atratum, atratum, atrirostre, atritarse, auratum, basicorne, betulae, bifoveolatum, bohemani, boops, breve, brevicorne, brevirostre, brunniipes, caeruleopenne, caeruleus, cafferum, caliginosum, canescens, carbonarium, carduorum, carpi, castaneum, caucasicum, chevrolati, chloris, cinerascens, clivicum, columbinum, compressicorne, confluentum, coracinum, corniculatum, cracca, crassirostre, crenatum, croceifemuratum, crotalariae, cruentatum, cuneatum, cuprescens, cupreum, curtisi, curvirostre, cyanellum, cyanescens, cyaneum, cyanipenne, cylindricollis, difforme, dispar, dissimile, ebeninum, elegantulum, elongatum, ervi, facetum, fagi, faldermanni, fasciatum, fasciculatum, femorale, femoratum, ferrugineum, figulina, filirostre, flavescens, flavicorne, flavimanum, foraminosum, foveolatum, frumentarium, fulvirostre, fulvofemuratum, fuscirostre, geniculatum, genistae, germari, gibbirostre, glabratum, glaucinum, globulipenne, gracilicollis, grande, gravidum, griesbacchi, griseum, gyllenhalii, baematodes, bedysari, barbarum, birsutum, holosericeum, bookeri, humile, hydrolapathi, ilicis, immune, impressicollis, inaequale, incanum, incisum, incrassatum, indistinctum, intermedium, interstitiale, intrusum, juniperi, kirbyi, kunzei, laevicollis, laevigatum, laevithorax, laeviusculum, languidum, lapathi, latbyri, leacchi, lebasii, leptocephalum, limbatum, limoni, lineare, livescerum, longirostre, loti, lythri, malvae, malvarum, marshami, mecops, melanopus, meliloti, millum, miniatum, minutum, modestum, morio, motschulskyi, neglectum, nigrescens, nigrinum, nigritirostre, nigritarse, oblongum, obscurum, ochropus, oculare, onoides, ononis, onopordi, opticum, orbitale, oxurum, pallicorne, pallidactylum, pallidicorne, pallidulum, pallipes, palpebratum, pavidum, penetrans, pennsylvanicum, periscelis, perplexum, picicornis, piliferum, pilosellum, pilosum, pisi, plateale, plebejum, plumbeum, pomonae, porcatum, pubescens, pullum, puncticollis, punctifrons, punctiger, punctigerum, punctirostre, pusillum, radiolus, reconditum, recticorne, reflexum, rostrum, rotundicollis, rubens, rubicundum, rubiginosum, rufescens, ruficornis, rufipenne, rufipes, rufitarse, rufomanum, rugicollis, rumicis, russeolum, rutae, sahlbergi, salicis, sanguineum, sayi, scabricollis, schoenherri, scrobicollis, scutellare, sedi, segnipes, semivittatum, seniculus, setiferum, siluricum, simile, sinum, sparti, spencei, squamulatum, steveri, stolidum, striatum, subcaeruleum, submetallicum, subsulcatum, subulatum, subulirostre, sulcifrons, sulcipenne, sumdevalli, superciliosum, tamarisci, tenue, tenuius, translaticium, tricarinarum, trifolii, triste, troglodytes, tubiferum, tumidum, ulicicola, ulicis, unicolor, validirostre, validum, varipes, velox, vestitum, viciae, vicinum, violaceipenne, violaceum, waltoni, waterhousei, xanthopus.

Apipterina orbigny.

Apis abdominalis, adansonii, aesculi*, aestivalis, aestuans, albiuella, alternans, alternata, amalthea, antennata, apum, arctica, arenaria, arvorum, atra, atricornis, banksiana, barbarica, barbata, barbutella, basimacula, beekwithella, bicolor, bifasciata, burrellana, caespidium, caffra, calendarum, campanularum, campestris, capensis, capreae, carduorum, catula, caulicola, cespitum, cinerea, circulata, circumcincta, compressipes, connexa, contracta, coruigera, cullumana, curtisella, curvicornis, curvipes, cyanea, cylindrica, dallingeri, daurica, delesserti, derhamella, donovanella, druriella, ephippiata, erictorum, eriophora, fabriciella, fasciata, fasciventris, flava, flavicollis, flavilabris, flavoguttata, flavospicta, floriformis, fodiens, foliorum, forsterella, francillonella, francisana, frontalis, frutetorum, fucata, fulvescens, fulvicornis, fusca, glabriventris, globosa, glutinans, goodeniana, griseus, gronovii, haematoda, harrisella, hattorfiana, haworthana, hillana, ibicicornis, inermis, iricolor, jacobaeae, jonella, laevigata, lathburiana, latreillella, leaiana, leeana, leucomelana, leucophthalma, lignisea, lineola, lineolata, linnaeella, liturata, luctuosa, maritima, marshamella, maura, meridiana, metallica, miniutior, montana, moschata, mucorum, neutra, nigella, nigra, nigricornis, nigripennis, nigritarum, nigrocapilla, obscura, ochrostoma, pallicincta, pallida, palmata, peroni, perrotteti, phaloptera, picipes, picta, pollinaris, punctulatissima, quadrinotata, raiella, rhaeados, rossiella, rotundata, rubescens, ruficrus, rufiventris, rufocincta, rufospicta, saltuum, saxatilis, schaefferella, scrimshirana, scutellata, segmentaria, semirufa, sheppardana, socialis, solidaginis, sowerbyana, sphecoidea, spinulosa, spiralis, striata, strigata, subcornuta, subglobosa, subinterrupta, sylvestris, taurus, tibialis, triangulatus, tunstallana, uncatu, unicolor, varia, vespa, vestalis, vinculata, willughbyella, xanthogastra, xanthomelana, zonaria, zonata.

Apista albicosta, albicostella, astragalella, auricella, bilineatella, caelebipennella, colutella, conspicuella, coronillae, crocinella, currucipennella, ditella, eulalia, fuscociliella, gallipennella, haworthi, ibipennella, incanella, leucapennella, murinella, onobrychiella, oriolella, palliatella, partitella, pyrrhulipennella, serenella, stramentella, tiliella, trifariella, valesianella, vibicella, vibicigerella, vicinella, virgatella, vulnerariae.

Apistes depressifrons, inermis, leucogaster, multicolor, panduratus, tasmanensis.

Apistis fellearis, gemmifera, jocosa, macarea, thomyris, wedelina.

Apistosis judas, liboria, umber.

Apistus alatus, amblycephalus, australis, barbatus, belengeri, binopterus, bougainvillei, carinatus, cottoides, dracaena, fusco virens, israelitarum, longispinis, marinoratus, melas, niger, rubripinnis, taenianotus, trachinoides, zollingeri.

Apisus albitarse, figulus, fuscipennis.

Aplasta (Col.) dichroa, lutulenta.

Aplasta (Lep.) faecataria, ononaria, sudataria.

Aplax oberndorferi.

Aplecta advena, clandestina, empyrea, herbida, jodea, lucipara, nebulosa, occulta, scita, serratilinea, tincta.

Aplectrus clytoides.

Aplemonus gibbipennis.

Apleuotis pectenoides, pusilla.

Aplexa abbreviata, elongata, hypnorum, maugeriae, peruviana, rivalis, suturalis, ventriosior.

Aplexus hypnorum.

Aplidia transversa.

Aplidium areolatum, caliculatum, cerebriforme, crystallinum, effusum, fallax, ficus, gibbosulum, gibbulosum, lobatum, nutans, pedunculatum, sublobatum, tremulum.

Aplisina putrescens.

Aploa picta.

Aploactis milesi.

Aplocentrus calliops.

Aplocera caesiata, flavicincta, plagiata, polata.

Aploceras cinctum, dentaloideum, geineri, paradoxicum, puzosianum, tessellatum, verneuillianum.

Aplocheilus affinis, carnaticus, chrysostigmus, melastigmus, panchax, rubrostigma, vittatus.

- Aplochile* pygmaeus.
Aplochiton taeniatus, zebra.
Aplocnemis nubila.
Aplocnemus floralis, impressus, quadripustulatus, tuberculifer.
Aplocrinus mespiliformis.
Aplocyathus armatus, conulus, cycloplitoides, harveyanus, magnevillianus, michelini.
Aplodactylus arctideus, guttatus, punctatus, regina, vermiculatus.
Aplodema angustata, magellauica.
Aploderus brachypterus.
Aplodinotus grunniens.
Aplodon inerme, nodosum.
Aplodontia leporina.
Aploglossa collaris, marginata, sallei.
Aplomera gayi.
Aplomya nitens, zonata.
Aplonis australis, fusca, marginata, nigroviridis, novae hollandiae, obscurus, zelandicus.
Aplophyllia dichotomum.
Aploopsis lineoligera.
Aplopus angulata, micropterus.
Aplora fusca, nodosa, rugosa, striatula.
Aplosastrea elegans, geminata, neptuni, stylophora.
Aploscelis atratus.
Aplosmilias aspera, buvignieri, nuda, semisulcata.
Aplosterna virescens.
Aplota palpellus, robertsonella.
Aplotarsus maritimus, ochropterus, quercus, rufipes, testaceus.
Aplothorax burchelli.
Aplurus simplex.
Aplustra pulchella.
Aplustrum fasciatum.
Aplysia (Nud.) alba, argus, ascifera, brasiliensis, brasiensis, brugnatei, camelus, cirrhifera, citrina, concava, cuvieri, dactylomela, deperdita, depressa, dumortieri, ecaudata, fasciata, ferussaci, fimbriata, gelatinosa, gigas, grandis, guttata, hasselti, hybrida, inca, juliana, keraudreni, laevis, leporina, lepus, lessoni, limacina, lineolata, livida, longicauda, longicornis, lutea, maculata, marginata, marmorata, mustelina, neapolitana, nexa, nigra, nigromarginata, nodifera, nudata, oahuensis, ocellata, oculifera, peroniana, petalifera, petersoni, pleii, poli, poliana, protea, punctata, putrescens, quadrata, radiata, ramea, rangiana, rondeleti, rosea, rufa, rumphi, saltator, savignana, scutellata, sicala, sores, stellata, striata, terenudi, tigrina, tigrinella, tongana, truncata, unguifera, unicolor, varians, virescente, viridis, vulgaris, webbi.
Aplysia (Sp.) aerophoba, cancrinidula.
Aplysiopsis neapolitanus.
Apneumona anguina.
Apoblema appendiculatum.
Apocellus albipes, ferrugineus, sphaericollis, ustulatus.
Apocheima alpinaria, flabellaria, hispidaria, pilosaria, pomonaria.
Apoclea fuscana, pallida.
Apocrypha anthicoides.
Apocryptes bato, changua, dentatus, glyphisoda, henlei, lanceolatus, madurensis, nextipennis, pectinirostris, rictuosus.
Apocryptus erichsoni.
Apocyrus acutipennis, adspersus, aeneus, bifasciatus, bispinosus, caeruleonotatus, chevrolati, concinnus, conicus, cuneiformis, densus, elegans, geniculatus, germari, gibbistrostris, hopei, immeritus, impius, inflatus, laevicollis, metallicus, nanus, picipennis, profanus, pulverulentus, quadrulifer, rufescens, ruficollis, rufipes, schoenherri, subcuneiformis, subfasciatus, subquadrulifer.
Apoda testudo.
Apodemus agrarius.

- Apoderus** abdominalis, ardea, assamensis, avellanae, biguttatus, canelus, coryli, cyaneus, cygneus, dromas, dumosus, echinatus, fallax, festivus, flavicornis, flavipes, fuscicornis, gemmatus, haemorrhoidalis, horridus, humeralis, hystrix, inaequalis, indicus, intermedius, kamtschaticus, languidus, longicollis, melanopterus, morio, nigripennis, notatus, pectoralis, politus, quadrimaculatus, quadripunctatus, rudis, ruficollis, rufus, sanguineus, scutellaris, sexspinosus, spiculatus, spinosus, submarginatus, tranquebaricus, unicolor, uniformis, westermanni.
- Apodiphus** hellenicus, spinosulus.
- Apoeona** glacialis.
- Apogogus** expulsoria.
- Apogon** annularis, aprion, argenteus, auritus, axillaris, balinensis, bifasciatus, carinatus, coccineus, cupreus, enneastigma, fasciatus, fraenatus, fucatus, fuscus, glaga, guamensis, lateralis, latus, leptastrygona, lineatus, lineolatus, macropterus, maculosus, meaco, melas, moluccensis, multitaeniatus, nigripennis, novae guineae, novae hollandiae, novemfasciatus, novemstriatus, orbicularis, poecilopterus, punctulatus, quadri-fasciatus, rex-mullorum, roseipinnis, ruber, semilineatus, spinosus, taeniatus, taenio-pteris, thermalis, trimaculatus, variegatus, vinosus, vittiger, zeylonicus.
- Apogonia** aenescens, aerea, africana, brunnea, conspersa, cupreicollis, cuprescens, dilatata, emarginata, gemellata, metallica, nigricans, obscura, pusilla, uniformis, villosella.
- Apogonoides** macassariensis.
- Apoica** lineolata, pallida.
- Apolectus** immunis, stromateus.
- Apoemia** edwardsi, gettiana, lesueuria, prolifera, quoyi, uvaria.
- Apolemiopsis** dubia.
- Apollon** gyrimus, leucostomum, vexillum.
- Apolopha** reichi.
- Apoma** elongata.
- Apomatus** ampulliferus.
- Apomecyna** adspersa, albuguttata, basalis, capra, cristata, dorcadioides, dromedaria, gibbera, histrio, humilis, leucoloma, omoplata, opaca, proba, scalaris, signatifrons.
- Apopestes** spectrum.
- Apophyllus** apterus, synaspis.
- Aporhina** bispinosa.
- Aporia** crataegi, monuste, quadrimaculata.
- Aporocera** apicalis, bicolor, catoxantha, chalybea.
- Aporocrinites** gyratus.
- Aporomera** flavipunctata, ocellata, ornata.
- Aporophyla** australis.
- Aporosa** fuscana, maculipennis.
- Aporrhais** occidentalis, pes-carbonis, pespelicani. *Vide et Aporrhais.*
- Aporus** bicolor, dubius, femoralis, inermis, sericeus, unicolor.
- Apostasimerus** serrirostris.
- Apotraphia** brassolis, charitonia, ricini.
- Apotamus** pruniana, rufus.
- Apotomella** impressifrons.
- Apotomis** capreana, fasciana, gentianana, turbidana.
- Apotomoderes** lateralis.
- Apotomopterus** prodigus.
- Apotomorphinus** cribratus, submaculatus.
- Apotomus** lateralis, ovatus, rufithorax, testaceus.
- Appasus** natator.
- Appendicularia** flagellum.
- Appias** achine, zelmira.
- Aporrhais** senegalensis. *Vide et Aporrhais.*
- Aprasia** pulchella.
- Aprepes** micans.
- Aprilus** confinis.
- Aprion** semivitreum, virescens.

- Apristus** aeneomicans, subaeneus.
Aproctomus sbromus.
Aprosmictus erythropterus, scapulatus.
Aprosopus buqueti.
Aprosterna fulgens, nigricans, polita, striolata.
Aprostocetus caudatus.
Aprostoma filum.
Apsectra duplicata.
Aspendsia cerebriformis, cristata, fasciculata. *Vide et Apseudesia et Aspendsia.*
Aspeudes ligioides, tarpa, tropicus.
Aspeudesia cerebriformis, dianthus. *Vide et Aspendsia et Aspendsia.*
Apsilus fuscus.
Apsis capensis, complicata, complicatus, incrassata.
Aptema denticollis.
Aptenodytes antarctica, brasiliensis, chilensis, chiloensis, cretata, cyanocephala*, flavi-larvata, forsteri, hirsutus, lanatus, longicauda, magnirostris, maxima, pennanti, praecincta, saltatrix, taeniata, undina.
Apterichthus caecus.
Apterichthys coeca, risso, serpa.
Apterina pedestris.
Apternus americanus, arcticus, tridactylus.
Apteroessa grossa.
Apterygyna ehrenbergi, globularis, latreillei, olivieri, savignyi.
Apterornis bonasia, caerulescens, otidiformis, solitarius.
Apterurus brachyurus, carapo, fabroni, hirsutus.
Apterygia raneolata.
Apterygida pedestris.
Apteryx australis, oweni.
Aptes aphoptera, assimilis, brachyptera, formosa, hemiptera, microptera, nigrocincta, sudetica, vestigialis.
Aptinus africanus, alpinus, americanus, angulatus, atratus, ballista, binaculatus, capicola, complanatus, cordicollis, costatus, displosor, halteri, infuscatus, italicus, jaculus, janthinipennis, marginatus, mutilatus, uigripennis, occipitalis, pygmaeus, pyrenaeus, ruficeps, senegalensis, verticalis.
Aptolemus rufipes.
Aptopus ephippiger, tibialis.
Aptus apterus.
Aptychus acutus, beaumonti, blainvillei, bullatus, complanatus, costatus, crassicauda, cuneatus, cuneiformis, depressus, didayi, elasma, elegans, elongatus, gigantis, grassi, heteropora, imbricatus, laevis, lamellosus, latifrons, latissimus, longus, meyeri, obliquus, ovatus, praelongus, profundus, provencalis, punctatus, radicans, roveredo, rugulosus, seranoni, speciosus, striatolaevis, subtetragonus, theodosia, thurmanni, vetustus, zietenii.
Apus (A.) apus, melba, sinensis.
Apus (Cr.) affinis, canceriformis, dubius, glacialis, guildingi, longicaudatus, montagui, obtusus, productus, prolongatus, viridis.
Aquaria imbricata, radiata.
Aquatilis cinclus, undulatus.
Aquias luctus, trifoliatus.
Aquila albens, albicans, albicilla, albirostris, americana, antillarum, armigera, audax, bacha, balbuzardus, bellicosus, bifasciatus, blagra, bonellii, borealis, braccata, brachydactyla, carolina, choka, chrysaetos, clanga, colsoni, coronata, crassipes, cuneicaudata, cygneus, daphanea, destructor, dicronyx, ecaudata, fasciata, fluviatilis, fossilis, fucosa, fusca, gallica, groenlandica, haliaetus, harpyia, hastata, heliaca, imperialis, intermedia*, isidori, islandica, leucamphomna, leucocephala, leucopsis, linnaetus, maculosa, malayana, malayensis, megaloptera, melanaeetes, milviformis, minuta, morphnoides, naevia, naeviformis, naeviformis, nipalensis, nobilis, novaezelandiae, nudicollis, occipitalis, ossifraga, pelagica, pennata, pernigra, pezopora, picta, piscatrix, planga, pomarina,

ponticeana, pygargus, rapax, regia, senegalla, sinensis, spadicea, urubitinga, uru-
taurana, verreauxi, vindhiana, vittata, vocifera, vulturina, wahlbergi.

Aquila bifasciata, fulvescens, fusca, imperialis, punctata.

Aquillus cutaceus.

Ara alecto*, aracanga, ararauna, ater, caninde, castaneifrons, glauca, hyacinthina, macao,
makawuanna, maracana, militaris, pachyrhyncha, rubrogenys, severus, spixi, tricolor.

Araba argyrocephala, assimilis, fastuosa, fulva, grisea, leucocephala, minuta, obscura,
philanthi, squamipallens.

Arachnactis albida.

Arachne familiaris, timida.

Arachnechthra currucaria, lotenia.

Arachnipes grimmeri.

Arachnis aulaea.

Arachnobas gazella, striga.

Arachnocebus lori.

Arachnodes nitidum.

Arachnoides orbicularis, placenta.

Arachnoidius fasciatopunctatus.

Arachnophyllum baltica, typus.

Arachnopus striga.

Arachnothera affinis, armata, chrysogenys, chrysopus, flavigastrea, inornata, latirostris,
longirostra, longirostris, magna, modesta, novae-guineae, robusta, uropygialis.

Aradasia canaliculata.

Aradus acuminatus, acutus, aequalis, affinis, albipennis, albopunctatus, americanus,
annulicornis, australis, avenius, betulae, betulina, brevicollis, cinnamomeus, com-
planatus, cordatus, corticalis, crenaticollis, crenatus, depressus, dilatatus, dissimilis,
elevatus, ellipticus, emarginatus, erosus, flavicornis, granulatus, griseus, hystrix,
laevis, lanceolatus, leptopterus, lobatus, lugubris, lunatus, melaenus, membranaceus,
muricatus, nigricornis, obscurus, ornatus, pallescens, parrisi, perryi, planus, quadri-
lineatus, rectus, rugosus, signaticornis, similis, spinosus, tremulae, tristis, tuberculifer,
varius, versicolor.

Araeacis auvertiaca, michelini.

Araecerus coffeae, fallax, rhodopus, sambucinus, simulatus.

Araeocerus niger, suturalis.

Araeocnemus flagellicornis, fulgens, pubescens.

Araeopus crassicornis.

Aramides caesius, cayanensis, chiricote, gigas, immaculatus, maculatus, plumbeus,
ruficeps, ruficollis, sanguinolentus, sarracura, ypecaha.

Aramus carau, guarana, scolopacea.

Aranea (Ar.) acalypha, accentuata, adianta, aenea, aeronautica, agelena, agilis, agrestis,
agretica, aliodroma, aloma, alsine, amarantha, annulata, antriada, apha, apoclis, a-
arborea, argentata, atomaria, audax, benigna, bicolor, bicornis, bilineata, bituber-
culata, bivittata, callida, calophylla, campestris, carolina, cellaria, ceropodia, cespitum,
chalybeia, chalybeia, citrea, civilis, cuici, coarctata, compressa, corticalis, cratera,
cruciata, crypticola, cuprea, dauci, delicatula, denticulata, depressa, diana, diodia,
dromaderia, drypta, durandi, edulis, emarginata, encarpata, epimela, erratica,
erythrina, erythrina, floricola, folium, formicarum, frontalis, fucata, fulgens, fulva,
gibbosa, globosa, guyoni, haemastoma, heterophthalma, inclinata, irregularis, jejuna,
lapidicola, lapidosa, lepida, litterata, livida, longipes, lucifuga, lugubris, lunulata,
macululata, marginata, melanogaster, mellitrage, mellittagria, menardi, mirabilis,
murina, muscorum, myabara, myagria, nidicolens, nigra, notacantha, nutrix, oblonga,
obscura, ocellata, oculata, ornata, perflua, phalangioidea, picta, pigra, pomatia, psylla,
pulchella, purpurata, quadrata, quattuordecimpunctata, relucens, rhomboidea, rotun-
data, rubricata, ruderalis, rufa, savi, scalaris, serratipes, signata, sisyphia, spinicrus,
spithamea, stabularia, subterranea, tardigrada, tentaculata, terrestris, tetracantha,
thoracica, tigrina, tincta, triangularis, triangulosa, tribulus, trimeris, truncatus,
tubulosa, unicolor, urticae, variegata, velox, venusta, violacea, viperina, virgulata,
vorax, walcknaeria.

Aranea (G.) aculeata, cluerea, conspicua, denudata, fasciata, gracilis, pallida.

Arapaima gigas, pirarucu.

Arapunga carunculata, nudicollis.

Arara auricapillus, buffoni, carolineusis, cayana, erythrofrous, hyacinthinus, macrognathus, marginata, militaris, patagonica, prasina, purpureodorsalis, severus, tricolor.

Araschnia hippodrome, laciua, levana, marua, prorsa.

Aratea costata.

Arathymus parallelus.

Aratinga acutirostris, aereginosus, aureus, aurifrons, buccalis, caixana, canicularis, carolinae-augustae, carolinensis, chrysocephalus, cyanogularis, fasciatus, flaviventris, gnarouba, guianensis, haemorrhous, ludovicianus, luteus, melanurus, ninus, nobilis, perlatus, pertinax, rufirostris, solstitialis, sosove, virescens, xanthopterus.

Araxes aheneila, lotella, miniosella, ocella.

Arbacia alutacea, conica, conjuncta, depressa, globulosa, globulus, granulosa, hieroglyphica, inflata, monilis, nodulosa, pilos, punctulatus, pusilla, pustulosa, radiata, spadae, sulcata.

Arbelorhina brevipes, brevirostris, caerulea, cyanea, eximia, longirostris.

Arboricola olivacea, rufipes.

Arborophila javanica, olivacea, sphenura, torqueola.

Arbusculites argentea.

Arca aalensis, abrupta, acuminata, acutirostris, aegyptiaca, aemula, aequatorialis, aequicostata, affinis, alabameusis, alana, alata, albertina, alternata, ambigua, americana, anygdalina, amygdalum, angicostata, angulata, anomala, antiqua, antroa, appendiculata, arabica, arata, araucana, arcacea, archiaciana, argenvillei, arguta, aspasia, aspera, astieriana, auriculata, auriculifera, aurita, austeni, avellana, aviculaeformis, aviculoides, barbae-jovis, barbatula, baugieri, beaumonti, biangula, biangulata, bicarinata, bicolorata, bicornis, bicors, biñda, bipartita, bisulcatus, bixa, bonnania, bonplandiana, brahminica, brauderi, brandti, brasiliiana, breislaki, brevidesma, brevifrons, britannica, buccula, buchiana, buckmani, bullata, callifera, callipleura, cancellaria, cancellata, cancellina, cardiiformis, cardissa, carinata, carteroni, castaneus, caudata, cawdori, cayennensis, cecillii, cenomanensis, centenaria, cepoides, chalcanthum, chauviniana, cistula, clathrata, clellandi, coelata, cometa, compacta, complanata, compressiuscula, concentrica, concinna, concinnata*, consobrina, contracta, contraria, cor, corbarica, corbula, cordata, cornea, cornueliana, costata, cottaldina, crassatina, craticulata, crebricostata, crenata, cretacea, cruciata, cucullaeaeformis, cucullaris, cucullata, cuculoides, cumingiana, cunealis, cuneata, cunliffei, curta, cylindracea, cylindrica, cymbaeformis, danae, dannenbergi, daphnae, dealbata, declivis, decussata, dejanira, delia, delila, densa, depressa, deprima, derasa, deshayesi, deusta, devincta, diana, dictyophora, dilatata, diluviana, diluvii, disparilis, dissimilis, dissimilivalvis, divaricata, divisa, domingensis, donaciformis, drya, duchasteli, dulmanensis, dupiniana, duplicata, dydima, eastnori, eburnea, echinata, echion, echo, edentula, edouardi, edusa, egaea, elathea, elea, electra, elegans, elegantula, elevata, elongata, elongatula, emarginata, erato, erina, eudora, euryta, exaltata, expansa, exsculpta, extincta, faba, fasciata, faxoensis, ferruginea, fibrosa, filigrana, fimbriata, fischeriana, flammulata, formosa, formosissima, fracta, fulva, funiculosa, furcifera, fusca, gabrielis, gaimardi, galactodes, galactoides, galathea, galiciana, galliennei, galloprovincialis, gamana, gambiensis, gea, geinitzi, gibbosa, gigantea, glabra, glacialis, glaucus, globosa, glycerie, gnoma, goldfussi, gradata, grandis, granulata, granulato-radiata, grata, gravesi, gregaria, grenophia, gualtieri, gubernaculum, guerangeri, halie, hankeyana, hardingi, harpax, harpya, hausmanni, hecabe, hector, hedonia, helecta, helena, hemicaedium, hemidesmos, hemisphaerica, hersilia, hians, hironsonis, hispida, hoffmanni, holoserica, hugardiana, hyantula, hybrida, hylla, idalia, idmone, idonea, illota, imbricata, imperatoria, imperialis, impolita, impressa, improcera, inaequalis, incerta, incile, inclinata, incongrua, incrassata, indurata, inflata, iniaca, inscripta, insubrica, interrupta, iridina, irregularis, isopleura, janassa, janias, janira, janthe, japetica, japonica, jason, kingiana, klipsteiniana, kocki, kraussii, labiata, labiosa, lacerata, lacordairiana, lactana, lactea, laevigata, laevis, lamarcki, lanceolata, largil-liertiana, lasii, lata, lateralis, latesulcata, latissima, laura, leda, legumen, leopoliensis,

haema, hienosa, higerensis, lima, limula, lineare, lineata, lineolata, linter, listeri, lithaenus, litoralis, lobata, loftusiana, longirostris, loricata, lorieriana, lucensis, luvula, luzonica, lydia, lyelli, m'coyana, maculata, maculosus, magellanoides, magnifica, maileana, marceana, margaritacea, marticensis, marullensis, matheroniana, maxillata, maxima, mediosjurenensis, mellevilleana, mellevillei, merope, michelini, miniua, minor, minuta, minutissima, mississippiensis, modioliformis, modiolina, modioloides, moreana, montoniana, muesteri, multicostata, multistriata, mutabilis, myristica, mytiloidea, mytiloides, nana, natalensis, navicella, neglecta, neocomiensis, nitens, nitida, nivea, nodosa, nodulosa, norvegica, noueliana, nucleata, nuculoides, nuda, nux, obes, obliqua, obliquaria, obliquata, oblonga, oblongata, obscura, obtusa, obtusoides, occidentalis, occulsa, oceanica, ocellata, octavia, olisiponensis, olivacea, optata, orbiculus, orbignyana, orelliana, ovalis, ovata, pacifica, pandorae, papillosa, parallelogramma, parva, parvicornis, parvula, passayana, patricia, pecten, pectinata, pectiniformis, pectinoides, pectunculoides, pennaceus, penuanti, pennata, perforaus, permiana, pernulla, perobliqua, pertusa, pexata, phaedra, philippiana, philipsiaua, pholadiformis, pilula, pinguis, pisolina, pistachia, pisum, planicosta, plicata, plicatura, polifasciata, polydonta, ponderosa, portlockiana, poststriata, primitiva, prisca, priscata, problematica, producta, profunda, propatula, protracta, pulchella, pumila, punctata, punctifera, punctulata, pusilla, pygmaea, quadrata, quadrilatera, quadrisulcata, quoyi, radians, radiata, ranvilliana, raridentata, raspaillei, raulini, reeveana, regularis, renauxiana, repanda, requieniana, reticulata, reticulosa, retusa, reussi, reussiana, reversa, rhombea, rhombiformis, rhomboidalis, rhomboidella, robinaldina, rogersiana, romulea, rosea, rostellata, rostrum, rotundata, rotundicostata, rotundita, rouaultiana, rouillieri, royana, rubens, rubra, rudis, rudiuscula, rufescens, rugosa, sagittata, santonensis, saratofeensis, sarthacensis, scabrosa, scalaris, scapha, scapulina, schmidti, schourovskii, schuebleri, schusteri, scitula, sculptata, sculptilis, secticostata, setigeris, semicostata, semidentata, semisulcata, semitorta, serrata, setigera, setigericosta, siberica, sinuata, sobria, solida, sowerbyi, speciosa, squamosa, staminea, stellata, stiliicidium, striata, striatella, striatissima, striatularis, strigilata, subacuta, subalata, subangulata, subangusta, subantiqua, subcardiiformis, subclathrata, subconcentrica, subconcinna, subdecussata, subdepressa, subdinnensis, subelegans, subelongata, subformosa, subglabra, subgranulata, sublaevigata, sublanceolata, sublata, subliasina, sublimatea, subminuta, subovata, subparvula, subpectinata, subplicata, subquadragula, subradiata, subreticulata, subrostellata, subrostrata, subrotundata, subrudis, subrugosa, subsinuata, subtetragona, subtilis, subtruncata, subtumida, sulcata, sulcicosta, supracretacea, symmetrica, taeniata, tälburgensis, tellinoides, tenebrica, tenella, tenera, tenuis, tenuistriata, tessellata, texata, texta, textilis, texturata, torta, torulosa, transversa, transversalis, trapezia, trapezina, trapezium, trapezoidea, triangularis, triasina, tricarinata, tricenicosta, tridentata, trigona, trigonella, trinchinopolitensis, triquetra, trisulcata, triundulata, truncata, tuberculosa, tumida, turgida, turgidula, turonica, umbonata, undulatus, unilateralis, uropigimelana, variegata, varusensis, velata, vellicata, vendinensis, ventricosa, venusta, verneuiliana, vetusta, violascens, virescens, virgata, volucris, vulgaris, xanthe, zanzibarensis, zebra, zebuensis, zonalis.

Arcacites anomalus, antiquus, circularis, corbularius, glycimeris, lineatus, natica, noae, oblongus, orbiculatus, pectinatus, pectunculatus, rhombiformis, venericardius.

Arcania belcheri, bispinosa, brevimana, bucklandi, erinaceus, leachi.

Arcas imperialis, sibilatrix.

Arcella aculeata, americana, caudicola, constricta, dentata, disphaera, eornis, globulus, granulata, hyalina, lunata, nidus fundulus, pileus, stellaris, uncinata, viridis, vulgaris.

Arceus niger.

Archaea paradoxa.

Archaeocarabus bowerbanki.

Archaeocidaris verneuiliana.

Archaeoniscus brodiei.

Archaeotherium moutoni.

Archaeus brevis, glarisianus.

Archaias spirans.

- Archarias** angulatus, circumductus, compressus, concinnatus, giganteus, humeralis, hystrix, lateralis, laticollis, miliaris, scolopax, sulcatus, tristis, verrucosus, vittatus.
- Archaster** angulatus, hesperus, typicus.
- Archegonus** aequalis, globiceps.
- Archegosaurus** decheni, latirostris, medius, minor.
- Archiacia** cornuta, sandalina.
- Archibuteo** alticeps, cryptogeuys, ferrugineus, hemiptilopus, lagopus, planiceps, regalis, sancti johannis, strophiatius.
- Archicorax** albicollis.
- Archiearis** notha, parthenias, spuria.
- Archimedipora** archimedes.
- Archimedi**us delta.
- Archimerus** acutangulus, armatus, brunnicornis, lineolatus, lunatus, luteus, muticus, rubiginosus, squalus.
- Archips** oporana.
- Archolestes** hypopyrrhus, icterus.
- Archon** (Col.) emarginatus.
- Archonias** marcias, nimbece.
- Archonta** (Col.) gigantea.
- Archonta** (?) exploratus.
- Arcinella** antiquata, calyculata, laevis, spinosa.
- Arcis** scolopacea.
- Arcites** cancellata, rostratus.
- Arcomya** acuta, brevis, calceiformis, elongata, ensis, gracilis, helveticus, inaequalis, lateralis, latissima, oblonga, plicata, quadrata, robusta, sinistra, sinuata.
- Arcomytilus** pectinatus.
- Arcompagia** alta, branderi, carinatulata, cenomanensis, circinalis, concentrica, corbisoides, costulata, crassa, elegans, erycinoides, gibbosa, hantoniensis, inaequalis, lamellosa, lamottensis, levesquei, lucinalis, lunulata, numismalis, obovata, ovata, patellaris, pustula, radiata, rauliniana, rotundata, semiradiata, sinuata, solida, strigata, subconcentrica, subdecussata, subrotunda.
- Arcompagus** bulbifer, clavicornis, glabricollis, puncticollis, rugicollis.
- Arcos** pulchra.
- Arctaelurus** fulgens.
- Arcte** polygrapha.
- Artia** americana, arge, aulica, caja, chrysorrhoea, ciliaris, curialis, dejeani, dominula, fuliginosa, grammica, hebe, hera, indica, jussiae, lapponica, latreillei, lubricipeda, luxeri, maculosa, matronula, mauritia, mendica, menea, menthastri, montana, nais, parasita, parthenos, phaeorrhoea, plantaginis, pseuderminea, purpurea, quenseli, rivularis, rubricosa, russula, textor, urticae, villica.
- Arctibeus** falcatus, fimbriatus, fuliginosus, leucomus, lobatus, perspicillatus, verrucatus.
- Arctibius** floresii.
- Arctica** alle*, cassini, cirrocephalus, vulgaris.
- Arctictis** aurea, binturong.
- Arctiscon** tardigradum.
- Arctocephalus** australis, cinereus, falklandicus, hookeri, lobatus, ursina.
- Arctocoris** fuliginosus, lanatus, maculiventris, plagiatus, tomentosus, villosus.
- Arctocyon** primaevus.
- Arctoe** fulva, lineolata, nitidissima, parkinsonia, punctata, reticulata.
- Arctogale** bocamela, erminea.
- Arctomys** alpinus, altaicus, asiatica, bahamensis, baibak, beecheyi, brachyura, caligata, canadensis, caudatus, circassiae, columbianus, concolor, douglasi, flaviventer, flaviventer, franklini, fulvus, griseus, guttatus, hemachalanus, himalayanus, hoodi, laibacina, lateralis, latrans, leptodactylus, ludovicianus, marmota, melanopus, mugosaricus, okanaganus, parryi, primigenia, richardsoni, rufa, rufescens, spelaeus, tibetensis, tridecimlineata, tscherkessicus, turcomanus, undulatus, uralensis, vigil, viscaccia, zizel.
- Arctomyscis** aceris, cyparissiae, esulae, euphorbiae, euphrasiae, megacephala.

Arctonyx collaris.**Arctopithecus** blainvilliei, flaccidus, gularis, marmoratus, problematicus.**Arctopsis** armata, lanata, nodipes, styx, tessellata, tetraodon.**Arctornis** aulica, auriflua, bicolora, caja, casta, chrysorrhoëa, fuliginosa, grammica, hebe, jacobaeae, leporina, lobulina, lubricepeda, luctifera, maculosa, matronula, mendica, menthastris, nivea, plantaginis, purpurea, russula, salicis, selenitica, urtica, villica.**Arctosa** cinerea, cingara, farinosa, latreillei, lynx, picta, variana.**Arcturus** (Cr.) desbayesi, gracilis, intermedius.**Arcturus** (Lep.) sparshalli.**Arcuata** vitrea.**Arcuatus** coeruleus.**Arcularia** coronata, gibbosula, pullus.**Arcybites** rhombifera.**Arcyonia** consignata, venosata.**Ardea** adpersa, affinis, albicollis*, algala, ardesiaca, asba, atra, atricapilla, atricollis, audax, australis, bicolor, bilineata, brag, brevipes, brunnescens, bubulcus, bullaragang, caboga, caeruleus, calceolata, callocephala, candida, candidissima, chalybea, chilensis*, cineracea, cinerea, cocoi, concolor, coruuta, coromandelensis, coromandelica, coronata, cubensis, cucullata, cyanura, deaurata, egrettoïdes, erythrobromela, fasciata, ferruginea, flavimana, flavirostris, fusca, fuscicollis, gazza-bianca, goliath, goliath, grayi, gularis, gutturalis, heliosyla, hohou, hudsonicus, humilis, insignis, intermedia, javanica, jugularis, lactea, lentiginosa, lepida, lessoni, leuce, leucogaster, leuconotus, leucophaea, leucops, leucoptera, ligtbula, longicollis, lucida, ludoviciana, macrobryncha, macularia, mahonica, marmorata, matook, melanocephala, melanolopha, melanopus, melanorhynchus, minor, modesta, mokobo, monticola, naevia, nebulosa, nigerrima, nigrirostris, nobilis, occidentalis, orientalis, pacifica, palearis, palliata, patruelis, pealli, pbioma, picata, picta, pinnata, plumbea, poeciloptila, pumila, purpurascens, purpurea, pusilla, radiolata, rectirostris, rubicunda, rufescens, ruficapilla, ruficentris, russata, scapularis, schistacea, sexsetacea, sibilatrix, soco, sparmani, speciosa, sturmi, sumatrana, tayazuguira, thalassina, timorensis, typhon, veranyi, vulgaris, xanthodactyla, zilatat.**Ardeola** bubulcus, comata, exilis, leucoptera, minuta, ralloides.**Ardetta** cinnamomea, exilis, flavicollis, javanica, macrorhyncha, minuta, punctata, pusilla, scapularis, sinensis, stagnatilis, sturmi, thalassina, virescens.**Ardistomis** annona, brasiliensis, coerulea, constricta, cordicollis, deleta, dubia, dyschirioides, fasciolata, flavipes, labialis, leprieuri, mannerheimi, obliquata, ovata, oxygnatha, pallipes, puncticollis, rostrata, semipunctata, seriepunctata, soror, tropicalis, tuspanensis, unicolor, vicina.**Ardoptera** guttata, irrorata, nivalis.**Areacis** sphaeroidalis.**Arenaria** (A.) calidris, grisea, interpres, vulgaris.**Arenaria** (L.) gaditana.**Arenicola** boeckii, branchialis, clavatus, ecaudata, marinus, piscatorum.**Arenocoris** aegyptius, dalmanni, falleni, nubilus, spinipes, tibialis.**Areoda** banksi, kirbyi, leachi, maculata, mutabilis.**Arescon** dimidiatus.**Arescus** bicolor, buqueti, cordatus, labiatus, quadrimaculatus, variabilis.**Aretharea** belluonis.**Arethusa** (Cr.) konincki, nitida.**Arethusa** (Moll.) corymbosa, lactea, newnhamiana.**Arethusa** (Nud.) caravella.**Argala** migratoria.**Argaleus** attenuatus, cursor, nitens.**Argalia** marmorata, olivacea.**Argas** erraticus, fischeri, bermanni, marginatus, mauritanus, miniatus, persicus, pipistrellae, reflexus, reticulatus, savignyi, talaje, testudineus, transgariëpinus, tricornis, trogluoides.**Arge** (Hym.) berberidis, bicolor, ciliaris, enodis, ustulata.

- Arge (Lep.)** amphitrite, cleante, clotho, galathea, ines, inis, ixora, lachesis, lissa, pberusa, psyche, rosincola, sicula.
- Argentina** aphla, bomik, carolina, cuvieri, imperialis, leioglossa, retropinna, yarrelli.
- Arges (Cr.)** anglicus, armatus, bimacronatus, planospinosus, quadrimacronatus, radiatus, speciosus.
- Arges (P.)** cyclopum, sabala.
- Arges** labruscae, pandion.
- Argia** gomphoides, impura, obscura, quadrimaculata.
- Argina** crotalariae, pylotis.
- Argis** lar.
- Argiva** fluctuosa, harmonia, hieroglyphica, macrops.
- Argobuccinum** argus.
- Argocetus** leucas.
- Argoides** minimus.
- Argonauta** anguinus, auritus, bullata, caecilia, cornu, cornutus, crassicosta, cymbium, gondola, grandiformis, grauosus, haustum, hians, navicula, nitida, nodosa, oweni, rotunda, rufa, serpentinus, striata, sulcata, tuberculata, tuberculosa, uniumbilicatus, zborzewskii.
- Argopus** bicolor, nigratarsis, testaceus.
- Argozoom** disporidigitatum, minimum, paridigitatum, redfieldianum.
- Argulus** alosae, argulus, catostomi, foliaceus, giganteus.
- Argus (Ar.)** abnoruis, acuminatus, affinis, albertinae, anticus, apicata, ater, benignum, bicoruis, bicuspidatus, bifrons, bituberculatus, brevis, ceciliae, celans, cheliferus, comatus, cornutus, crassipalpus, cristatus, cucullatus, dentatum, dubius, dysderoides, elongatus, episinoides, errans, formivorus, fuscipalpus, germanica, gibbosus, gracilis, graminicollis, humilis, latens, lichenis, longimanus, longipalpus, longipes, mathildae, minimus, monoceros, montanus, mundus, navus, nemoralis, occitanica, ochropus, parallelus, parvipalpe, parvus, picinus, poeta, pseudoptiletes*, pullus, pumilus, pusillus, quaternus, rufus, sulcifrons, terrestris, tuberosus, vagans, variegatus, viarius, viridissimus.
- Argus (Aves)** argus, giganteus, pavoninus, pavonius.
- Argus (Lep.)** abencerragus, admetus, alcon, alsus, aquila, artaxerxes, calliopis, comyntas, corydon, cupido, dolus, donzeli, dorylas, endymion, erebus, eros, escheri, euphemus, filenus, icarius, iolas, ledereri, lysimon, lysippus, marchandi, melanops, meleager, melibeus, pseudargiolus, ripperti, rubi, sebrus, vulgaris.
- Arguta** calathoides.
- Argutor** abaxoides, alpestris, anthracinus, antiquus, badius, barbarus, bicolor, brevicollis, brevicornis, brevis, breviusculus, brunneus, cincticollis, crenatus, cursor, delgens, depressa, dilatatus, diligens, dubius, eruditus, erythropus, femoralis, fulvescens, gibbicollis, heyeri, hispanicus, inaequalis, intermedius, interstinctus, longicollis, lucidus, lusitanicus, maeoticus, major, mandibularis, nanus, neglectus, negligens, nitidulus, nivalis, ochoticus, ochropus, orientalis, ornatus, picipes, piciventris, politus, pullulus, pullus, pusillus, rotundicollis, rubripes, rufipes, rufomarginatus, rugicollis, satyrus, scalesi, sedulus, silvanus, strenuus, striatocollis, subsinuatus, subtilis, testaceus, unctulatus, unipunctatus, vaporariorum, velocissimus, vernalis, wiedemanni.
- Argya** acaciae, froenata, rubiginosa, ruppelli, squamiceps.
- Argyctius** quadrimaculatus.
- Argylepes** indica.
- Argynnis** aceste, adippe, aglaja, aglaope*, alciope, alexandra, amasia, amathusia, aphirape, arctica, arduinna, arsilache, artemis, athalia, atronasmus, bellona, boisduvali, briarea, carichlea, carioletta, casmilla, cethosia, chariclea, childreni, cinxia, clagia, clara, claudia, columbina, cybele, cynara, cyuthia, cypris*, cytheris, daphne, daphnis, desfontaini, dia, diana, dictynna, didyma, egestina, egista, elisa, emalea, eris*, erymanthis, eugenia, euphrosyne, euryale, eurybia*, flavia, freija, freja, freya, frigga, gaberti, becate, hegemon, hegesia, hermes, ichnea, idalia, ino, iole, isis, jaegeri, jantho, lado, lampetia, laodice, lathonia, latonia, liriop, lucina, maia, maturna, merope, methea, morphi, myrina, myrissa*, napaea, nephele*, niobe, niphe, oscarus, ossianus, pales, pandosa, paphia, parthenie, pelops, peria, phaetonea, phalantia,

phoebe, polaris, pygmaea, robinsi, sagana, sakontala, selene, selenia, selenis, sericea, siga, splendida, teleboas, teletusa, tephnia, thais, tharossa, thore, thyelia, triclaria, tritonia, vanillae.

Argyope (Ar.) aurantia, aurelia.

Argyope (Br.) detruicata.

Argyopes argentata, clathratus, fenestrinus, gonygaster, prelatus, sericeus, tridentatus.

Argyra annulata, argentata, diaphana, festiva, flaviventris, fraenata, fulvipes, quadrifasciata, vestita.

Argyreus capillaris, unimaculatus, vomer. *Vide et* **Argyriosus**.

Argyresthia abdominalis, albistria, arceuthina, aurulentella, brockeella, conjugella, curvella, dilectella, ephippella, fuscilina, glaucinella, goedartella, illuminatella, inauratella, literella, micella, nitidella, praecocella, pruniella, pulchella, purpurascens, pygmaeella, retinella, semifusca, semitestacella, spinorella.

Argyreus rubripinnis.

Argyria nummulalis, pusillalis.

Argyriosus mauricei, setifer, triacanthus. *Vide et* **Argyreus**.

Argyritis (Lep.) argentea, artemisiae, filia.

Argyroides vinetella.

Argyrogramma omega.

Argyrolepis aeneana, amiantana, audouinana, baumanniana, bentleyana, bistrigana, cnicana, decimana, flagellana, geminana, gueneana, hoffmanseggiana, lathoniana, loriculana, margaritana, margarotana, maritima, perfusana, posticana, purana, rubigana, sanguinana, schreibersiana, teiserana, turionella, virginiana.

Argyromiges argentipunctella, autumnella, blanchardella, boyerella, cerasifoliella, comparella, corylifoliella, cramerella, crataegifoliella, cuculipennella, cydoniella, demaryella, harrisella, klemannella, loganella, mespilella, nivella, obscura, omisella, padifoliella, quercetella, rajella, rhannifoliella, roborella, rufipunctella, salicicolella, schreberella, scitella, securiferella, sircomella, spartifoliella, sylvella, tenella, trifasciella, tristrigella, ulmifoliella, viminella. *Vide et* **Argyromyges**.

Argyromis alnifoliella, blanchardella, corylifoliella, cramerella, cuculipennella, cydoniella, harrisella, hortella, klemannella, mespilella, myllerella, rayella, rufipunctella, schreberella, semiaurella, spartifoliella, sylvella, trifasciella, tristrigella.

Argyromyges acerifoliella, clerckella, obscura, ulmifoliella, unipunctella. *Vide et* **Argyromiges**.

Argyroneta aquatica, bicolor, palustris.

Argyronome columbina, lampetia, laodice, orthosia, pandora, paphia.

Argyropeleus aculeatus, emigymnus, hemigymnus, olfersi, urvillei.

Argyrophenga antipodum.

Argyrophis bicolor, brancus, horsfieldi, lumbricalis, polygrammicus, reticulatus, truncatus, vermicularis.

Argyroploce arbutana, rosetana.

Argyrops spinifer.

Argyroptera adamantana, diploptana, gouana, lathoniana, locupletana, margaritana, parreysiana, pratana, zebra.

Argyrosetia aurifasciella, aurivittella, brockella, cornella, goedartella, literella, pygmaeella, semifasciella, sorbiella, stilbella, Vella, Wella.

Argyrosphaera maculata, orontii.

Argyrosticta amoenita, venatrix.

Argyrostrotis amussis, anilis, olvea.

Argyrotaenia adipalis, alpicolalis, dumetalis, enemoralis, ensigeralis, ericalis, falsalis, pascualis, pratensis, saltalis.

Argyrotosa parryana.

Argyrotoza audouinana, bergmanniana, conwayana, daldorfiana, hoffmanseggiana, permixtana, subaurantiana.

Arhaphe carolina.

Arhenodes perforatus.

Arhines languidus, postumus.

Arhopala meander, phryxus.

Arhopalus ambiguus, charus, decorus, discoideus, fulminans, ignicolis, infaustus, licatus, longicornis, mixtus, nobilis, rusticus, rutilans, sericeus, undatus.

Aria (A.) Iouvia. *Vide et Uria.*

Aria (Dipt.) fulvicrus.

Ariadna insidiatrix, pallida.

Ariadne coryta, wedah.

Arianta arbustorum, bipartita, cingulatum, fraseri, fruticum, pallens, prunum, querna, vittata, xatarii.

Arica (Ann.) arnigera, cuvieri, latreillei, muelleri.

Arica (Cr.) septemdentata.

Aricia (Ann.) sertulata.

Aricia (Dipt.) abbreviata, aculeipes, aeneiventris, aerea, agromyzina, albescens, albicincta, albidella, albifrons, albinervis, albipuncta, albitarsis, albo-lineata, albula, alpica, alpicola, ambigua, angustiventris, anilis, annosa, antiqua, areuosa, argyrata, armata, arnipes, arrogans, articulata, aterrima, atomaria, atra, atricrida, barbiventris, biguttata, billbergi, bisbiniotata, bispinosa, bivittata, blondeli, borealis, brevicornis, brevivillosa, brunnea, brunneilinea, brunneisquama, brunnescens, buccata, candens, canescens, canicularis, capucina, carbonella, ciliatocosta, cinerea, cinereiventris, cinerella, cinerosa, claripennis, compuncta, confidella, conifrons, consobrina, contractifrons, cordiformis, cristata, cuneicornis, curvicauda, curvipes, cyrtoneurina, decolor, decrepita, denticauda, dentipes, depressiuscula, depressiventris, depressula, didyma, discoidea, dispar, dissecta, dissitinervis, dorsalis, dorsata, duplaris, duplicata, errans, erratica, exoleta, extensicornis, festiva, flaviceps, flavipennis, flavisquama, floralis, floricola, florilega, foveolata, frontata, frontella, fulvisquama, fumipennis, fusciceps, fuscinervis, glabricula, glacialis, glaucescens, globuliventris, grisea, hilarella, hilaris, hirsutula, hirticeps, hirtula, histrio, humeralis, humerella, ignobilis, impunctata, incava, incisurata, inermella, informis, innocens, innocua, intersecta, inuncta, irritans, lacteipennis, laeta, laminata, lardaria, lasciva, lasiophthalma, latifrons, latipennis, lepida, lepturoides, leucogaster, leucostoma, lineariventris, litorea, lividiventris, longicornis, longipes, longisquama, longula, lucdiventris, lucorum, lugens, lugubrina, lugubris, luteipes, luteisquama, macquarti, macula, maculifrons, maculigera, maculipennis, manicata, marginalis, melanaria, melanogaster, meteorica, modesta, moerens, moriens, morio, morionella, mucronatella, murina, muscaria, mutica, myopina, naso, nigricans, nigrinervis, nigratarsis, nigritlella, nigriventris, nivalis, notata, nudipes, obscurata, obscuripennis, obtusa, obtusipennis, occulta, octoguttata, odontogaster, orichalcea, orthonevra, pagana, palaestrica, pallida, pallidisquama, parva, parvula, perdita, perpendicularis, pictiventris, pilifera, piligera, platura, platyptera, plumbea, pluvialis, populi, practicola, pratincola, pruinosa, pubipes, pullula, punctata, quadricuspidata, quadricuspis, quadrimaculata, quadrinotata, quadrum, quatuor punctata, quinque-lineata, radicum, rapida, remotella, riparia, rotundiventris, ruipalpis, ruralis, rustica, scalaris, scambus, scatophagina, scoparia, scrupulosa, semicinerea, seminitida, semipellucida, senilis, separ, sepiia, sepiella, septemnotata, serena, serva, signata, silvestris, simplex, sociella, solitaria, sordiventris, sororcula, spatulata, spinipes, spoliata, squalens, staegeri, stigmatella, strigilata, striolata, stygia, subfuscinervis, subpellucens, subpubescens, subrostrata, suillorum, sulciventris, surda, testacea, transversalis, trapezina, trapezoides, triangula, triangulifera, trianguligera, trigonata, trigonifera, triquetra, tristiola, trolli, tuberculata, turpis, uliginosa, umbratica, umbripennis, unilineata, unistriata, urbana, vagans, variabilis, variata, variegata, velutina, verticina, vespertina, veterana, veterina, vetula, villana, villipes, viridiventris, vittata, vitticollis.

Aricinella sanguinolenta.

Aries aegagrus, argali, caucasicus, ibex, pudu, strepsiceros.

Arilus amoenus, angulatus, auctus, aurantiacus, australis, collaris, denticulatus, elevatus, guttifer, nigriceps, nigricollis, quadrata, ramentaceus, rhombus, serratus, spiniceps, stramineus, tuberculatus.

Arina obscura.

Arion (Cr.) ceticephalus.

Arion (G.) albus, alpinus, ascensionis, ater, circumscriptus, empiricorum, flavus, ful-

gineus, fuscatus, himalayana, hortensis, lactescens, lineatus, marginatus, melanocephalus, rangianus, rufus, subflavus, subfuscus, succineus, sulcatus, timidus.

Arionellus ceticephalus.

Arionides ceticephalus.

Arionius servatus.

Arriophanta cicatricosa, jaus, laevipes, nicobarica, trifasciata.

Ariphron bicolor.

Arisba agacles.

Arisbe panope, similis.

Aristenia conspurcata.

Aristes bucephalus, trogossitoides.

Aristeus antennatus.

Aristotelia decurtella.

Aristus capito, eremita, nitidulus, obscurus, punctulatus, sphaerocephalus, sulcatus.

Ariteus flavescens.

Arius marius.

Arius acutivelis, acutus, aequibarbis, albicans, angulatus, arenatus, argyroleuron, arius, belaugeri, caelatoides, caelatus, chondropterygius, clypeaster, clypeastroides, cous, crossocheilos, dussumieri, falcarius, fissus, gagera, gageroides, grandicassis, granosus, hamiltonis, hastatus, heckeli, hendeloti, laeviceps, leiotetocephalus, leptonotacanthus, luniscutis, macrocephalus, macronotacanthus, macruopterygius, manillensis, manjong, melanopterygius, microgastropterygius, micronotacanthus, micruopterygius, milberti, militaris, molliceps, moroti, nasutus, nigricans, nodosus, obesus, ocellatus, oetik, oncina, papillosus, parmocassis, parvimaculatus, parvimentatus, phrygiatus, pidada, polystaphylodon, punctulatus, quadriscutus, rita, ritoides, rostratus, rugispinis, sinensis, spixi, striticassis, subrostratus, tonggol, truncatus, utik, variolosus, venosus, viviparus.

Arizostus gymmurus.

Arkys cordiformis, flavescens, gayi, inflatus, lancearius, liliputianus, limbatus, nigri-ventris, parvulus, piriformis, reticulatus, spiculator, variabilis.

Arma bidens, custos, didyma, geometrica, lurida, nigridens.

Armadillidium affine, brunneum, commutatum, conspersum, decipiens, decorum, depressum, ehrenbergi, fallax, granulatum, grubii, hemprichi, isurum, klugi, pallasi, pictum, pulchellum, pustulatum, sulcatum, variegatum, vulgare, zenckeri.

Armadillo armadillo, astriger, atratus, convexus, distinctus, galbineus, granarius, guttatus, lauinatus, longicornis, luctuosus, maculatus, marmoratus, marmoreus, medius, melanocephalus, morbillosus, officinalis, opacus, pilularis, pulchellus, pulcherrimus, punctissimus, pustulatus, rupestris, saxicola, tenebrosus, testudinatus, thoracicus, trivialis, variegatus, vulgaris, willi.

Armenistarius vellela.

Armida binarginata, pustulata, viridissima.

Armiger cristatus.

Armia maculata, tigrina.

Arnia nervosalis.

Arnica lewesiensis.

Arnidius marginatus.

Arocatus melanocephalus.

Arocera aurantiaca.

Aroeacis sphaeroidalis.

Aromia ambrosiaca, eyamicornis, moschata, nitidicollis, rosarum.

Arotes albicinctus.

Arpacticus chelifer, nobilis.

Arpactus arenarius, belgicus, campestris, carceli, chauseica, concinnus, consobrinus, cruentus, dissectus, elegans, formosus, laevis, mystaceus, quadrifasciatus, quinque-ductus, quinquefasciatus, tunidus.

Arpedium brachypterum, humile, limbatum, maculicolle, myops, quadrum, sibiricum, testaceum, troglodytes.

Arpidea chorinaea.

Arpidiphorus orbiculatus, *viennensis*.

Arquata *meleagris*.

Arremon *abeillei*, *affinis*, *alboscrenatus*, *biarcuatus*, *conirostris*, *flaviostris*, *flavospectus*, *frontalis*, *giganteus*, *gutturalis*, *nuchalis*, *ophthalmicus*, *pallidiuucha*, *palmarum*, *personatus*, *polionotus*, *rubrirostris*, *rufinucha*, *rufisvrtex*, *schistaceus*, *schlegeli*, *semirufus*, *semitorquatus*, *silens*, *superciliaris*, *torquatus*.

Arrenga *cyaneus*, *horsfieldi*.

Arrenurus *albator*, *angulator*, *annulator*, *arcuator*, *assimilis*, *atropileus*, *aurantiostriis*, *buccinator*, *calcarator*, *caudatus*, *chloropheator*, *decorator*, *dimidiator*, *ellipticus*, *emarginator*, *faculator*, *ferrugator*, *frondator*, *furvator*, *globator*, *hyalinator*, *integrator*, *jaculator*, *lobator*, *maculator*, *maculatus*, *mutator*, *obliterator*, *psitticator*, *punctator*, *pustulator*, *rubiginosus*, *rutilator*, *sagulator*, *sinuator*, *stellaris*, *testudo*, *tricuspidator*, *truncatellus*, *tubulator*, *variegator*, *venustator*, *versicolor*, *viridis*.

Arrhenodes *angulicollis*, *anomaloceps*, *anthracinus*, *bifrons*, *bipunctatus*, *bisulcatus*, *chalcites*, *chevrolati*, *corniger*, *coronatus*, *decoratus*, *dehiscens*, *denticollis*, *designatus*, *digramma*, *dispar*, *distans*, *duplicatus*, *elegans*, *exsertus*, *faldermanni*, *ferrugineus*, *filicornis*, *flavolineatus*, *forcipitigerus*, *forficatus*, *frontalis*, *gnatho*, *indicatus*, *interuptolineatus*, *latirostris*, *lineatus*, *longirostris*, *maxillosus*, *melancholicus*, *miles*, *monilifer*, *nitidicollis*, *opacus*, *ornatus*, *perlactus*, *puncticollis*, *pygmaeus*, *rhinoprion*, *ruficollis*, *rugosus*, *scobinirostris*, *scrobicollis*, *semilineatus*, *serrirostris*, *transverse-signatus*, *tridentatus*, *tristriatus*, *truncatus*, *turbatus*, *vitticollis*, *vulsellatus*, *xiphias*.

Arrhostia *aversaria*, *contiguaria*, *immutaria*, *incanaria*, *lumenaria*, *umbellularia*.

Arripsis *georgianus*.

Arsenura *erythrinae*.

Arses *melanoptera*, *telescopthalmus*.

Arsinoe *quadriguttata*.

Arsipoda *bifrons*, *holomelana*.

Artamia *bicolor*, *sanguinolentus*.

Artamus (**A.**) *albiventris*, *albovittatus*, *cinereus*, *fuscus*, *leucocephalus*, *leucogaster*, *leucopygialis*, *leucorhynchus*, *lineatus*, *minor*, *monachus*, *papuensis*, *personatus*, *perspicillatus*, *rufus*, *sordidus*, *superciliosus*, *viridis*.

Artamus (**Ar.**) *corticinus*, *gigas*, *griseus*, *jejunus*, *laevipes*.

Artema *atlanta*, *mauriciana*.

Artematopus *longicornis*, *tenuicornis*.

Artemia *eulimene*, *mulhauseni*, *salina*.

Artemis (**Col.**) *circumusta*, *mandarina*, *rufula*.

Artemis (**Cr.**) *paludosus*.

Artemis (**L.**) *acetabulum*, *alata*, *alta*, *amphidesma*, *anus*, *aspera*, *biscocta*, *caelata*, *caerulea*, *calculus*, *chinensis*, *compressa*, *comta*, *concentrica*, *contusa*, *cordata*, *corrugata*, *cretacea*, *cumingi*, *discus*, *duplicatus*, *elegans*, *elegantula*, *elliptica*, *exoleta*, *ferruginea*, *fibula*, *glauca*, *gruneri*, *lucisa*, *inelegans*, *isocardia*, *japonica*, *juvenilis*, *lamellata*, *laminata*, *lenticularis*, *lentiformis*, *lincta*, *longilunata*, *lucinoides*, *lunaris*, *macilenta*, *modesta*, *nanus*, *nitens*, *orbigny*, *parva*, *penicillata*, *plana*, *prostrata*, *radiata*, *rufa*, *scabra*, *scalaris*, *sculpta*, *sericea*, *sieboldi*, *simplex*, *sinuata*, *subquadrata*, *torrida*, *triangularis*, *trigona*, *turgida*, *undata*, *usturtensis*. *Vide et Arthemis*.

Artemisus *salmus*.

Artemon *bifrons*, *bunobaenus*, *candidus*, *comboides*, *contusus*, *contusus*, *cylinder*, *deformis*, *dejectus*, *epistylum*, *hylephilus*, *planulatus*, *protractus*.

Arthemis *africana*, *australis*, *basteroti*, *bilunulata*, *bruguieri*, *complanata*, *concentrica*, *excisa*, *exoleta*, *juvenilis*, *lambata*, *lincta*, *lupinus*, *orbicularis*, *philippii*, *ponderosa*, *prostrata*, *reticulata*, *subrosea*, *tumida*, *undata*, *variegata*. *Vide et Artemis* (**L.**).

Artheneis *cymoides*, *faveolata*.

Arthmius *globicollis*.

Arthraster *dixon*.

Arthrobrachus *limbatus*, *nigripennis*, *nigromaculatus*, *rufipennis*, *subacuminatus*, *tibialis*, *varians*.

Arthrodeis *cruciatus*, *obliteratus*, *rotundatus*.

- Arthrodes* xanthopygus.
Arthroleptis wahlbergi.
Arthromacra donacioides.
Arthronomalus brevicornis, carpophagus, flavus, hopei, longicornis, mandibularis, marginatus, opinatus, punctatus, puncticeps, punctiventris, similis, spinatus.
Arthropeas nana, sibirica.
Arthropterus (Col.) macleaii, rileyi.
Arthrorhachis tarda.
Arthrostenus spadiceus.
Arthrostermus cinereus, fullo.
Arthrurus hyalinus.
Artia cartaginensis.
Artibeus jamaicensis.
Articerus armatus, fortnumi.
Articulina arcuata, gibbosula, nitida, sagra, sulcata.
Artiopteryx elegans.
Artipus corycaeus, psittacinus.
Artiscon dutrocheti, granulatum, hufelandi, muelleri, schranki, spallanzanii.
Artolon dactylus.
Arumatia gigas.
Arundinax olivaceus.
Arundinicola flaviventris, leucocephala.
Arvelius albopunctatus, edessoides, gladiator, laciniatus.
Arvicanthis niloticus.
Arvicola agrestis, albicaudatus, alborufescens, alhiarius, americana, amphibiis, arenicola, argentoratensis, arvalis, arvicola, astrachanensis, ater, bailloni, bengalensis, borealis, britannicus, californica, cunicularius, dasytrichos, dekayi*, destructor, duodecimcostatus, eumonsi, ferrugineus, floradani, floridani, fulva, fulvus, furca, gapperi, glareolus, gregalis, groenlandica, groenlandicus, helvolus, hirsutus, hirta, hispidus, hortensis, hudsonia, hydrophilus, incertus, indica, lagurus, lavernedii, lebruni, lemmus, medius, micruos, migratorius, montana, monticola, musignani, myothrix, mythrix, nasuta, neglecta, niloticus, nivalis, novoboracensis, nuttalli, occidentalis, oecoonomus, oneida, oregoni, paludosus, palustris, pennsylvanica, pertinax, pinetorum, pratensis, pumilio, pyctoris, pyrenaicus, ratticeps, riparia, riparius, roylei, rubidus, rubricatus, rufescens, rutilus, savii, saxatilis, scalopsides, socialis, subterraneus, syriacus, terrestris, torquatus, townsendi, trimucronata, vulgaris, xanthognatha.
Arytaina radiata, sparti.
Arytene penis, vaginifera.
Asa exoleta, lineata, lineta.
Asagena quadriguttata, serratipes.
Asaphes aenea, vulgaris.
Asaphus acantholeurus, angustifrons, arachnoides, armadillo, armatus, aspectans, astragalotes, barriensis, boliviensis, bouchardi, brevicaudatus, brevis, brongniarti, bucephalus, buchi, caudatus, cawdori, centron, centrotus, cephaloptera, clavifrons, concinnus, cordieri, cordensis, cornigeri, cornigerus, corycaeus, crassicauda, crypturus, cyllarus, dalmanni, debuchi, denticulatus, desmaresti, devexus, dilatatus, diurus, dubius, duplicatus, edwardsi, eichwaldi, expansus, extans, extenuatus, fischeri, flabelliformis, frontalis, gemmuliferus, gigas, globiceps, grandis, granuliferus, guettardi, halli, hausmanni, heros*, hyorrhinus, incertus, ingens, laciniatus, laeviceps, laticauda, laticostatus, latifrons, latimarginatus, lichtensteini, limulurus, longicauda, longicaudatus, marginalis, marginatus, megalophthalmus, micropleurus, micurus, mucronata, munchisoni, myops, myrmecoides, myrmecophorus, nasutus, nobilis, nodostriatus, obsoletus, obtusus, palpebrosus, platycephalus, platynotus, platyleurus, pleuroptyx, polypleurus, powisi, proaeus, pusillus, quadrilimbus, raniceps, schlotheimi, selenourus, seniniferus, seticornis, speciosus, stokesi, subcaudatus, subtyrannus, sulzeri, tetragonoccephalus, trentonensis, trimblii, truncatulus, tuberculo-caudatus, tyrannus, vulcani, weissii, wetherilli, zinckeni.
Asaracus megacephalus.

Asarcus longipes.

Asarkina rostrata.

Asbestia asbestinum.

Asca aphidioides.

Ascalabotes voithi.

Ascalabotes annulatus, delalandi, fascicularis, leachianus, mauritanicus, mülberti, murorum, ocellatus, pipiens, sthenodacylus.

Ascalapha lunaris, odora, orphna.

Ascalaphia ascalaphus, savignyi.

Ascalaphus alopecinus, angulatus, annulicornis, auritus, e nigrum, canifrons, corsicus, costatus, dentifer, flavipes, forcipatus, hamatus, hispanicus, hungaricus, hyalinus, ictericus, intermedius, italicus, javanus, lacteus, limbatus, macleayanus, macrocerus, meridionalis, napoleo, obscurus, oculatus, ottomannus, pupillatus, quadrimaculatus, quadripunctatus, rhomboideus, segmentator, senex, sibiricus, sculus, stigma, subauritus, subcostatus, tessellatus, ustulatus, variegatus, versicolor, villosus, vulpicula.

Ascalapax gallinago, gallinula, major, sabini.

Ascanides triopas.

Ascaris acicularis, acutissima, adunca, aequalis, alata, alaude, albula, alienata, ammodytis, anceps, androphora, anguillae, angulata, anoura, anuligera, anura, ardeae, ardearum, argentinae, asiniferi, atherinae, aucta, auriculata, barbatulae, boopis, boschadis, boschatis, brachyoptera, brevicaudata, bubonis, canis aurei, canis lagopodis, caprimulgi, capsularis, carbonis, castoris, centrisci, cervi, charadriorum, cheloniae, chlorops, ciconiae, clavata, collaris, collurionis, colymborum, conosoma, constricta, contorta, conura, corvi frugilegi, corvi glandarii, crassa, crassicauda, crenata, crenulata, cucullanus, cuneiformis, cuspidata, cylindrica, cynaedi, cyprini erythrophthalmi, cystidicola, dactyluris, delphini, dentata, depressa, dipodis, distans, ecaudata, echinata, elongata, emberizae, ensicaudata, extenuata, fabri, fallax, ferox, filaria, filicollis, foecunda, forcipata, funiculus, gadi minuti, gasterostei, gibbosa, glareolae, gobii, gracilescens, gulonis, gulosa, gypina, halicoris, helopis, heteroira, heteroura, hippocampi, holoptera, hominis, incisa, incurva, infecta, inflexa, labiata, labri luscii, lacertae palustris, lagopodis, lancea, laniorum, lavareti, leptocephala, leptopectera, leptura, linguatulae, lucani, lumbricalis, lumbricoides, lyrae, maculosa, maenae, magnivalvis, marginata, mascula, megacephala, megalocephala, megatyphlon, mergarum, microcephala, microptera, mulli, mustelorum, mystax, nigrovenosa, nisi, novacula, obtusicaudata, obvelata, oculi ranae, ophidii barbata, ophidii imberbis, orthoragorisci, osculata, ovis, oxyura, parvula, pastinacae, paucipara, pedum, pelecani, pellucida, pellucidus, perspicillum, phycidis, phycis, pollicaris, praelonga, pusilla, pythons, ralli, rectinata, reflexa, retusa, rigida, rotundata, sagittam, sagittata, salamandrae terrestres, salaris, salmonis onul, sauri, sciaenae, scorpaenae, serpentulus, setosus, simplex, smaragdinae, soleae, sordidus, tetragonuri, spargicere, sphaerocephala, spiculigera, spinicauda, stephanostoma, sterna, strongylana, styligera, subulata, succisa, suilla, sulcata, tentaculata, tenuicollis, teres galli, teres hominis, testudinis, tetraptera, torpedinis, totari, transfuga, trichura, truncatula, uncinata, unguiculata, uranoscopi, urogalli, variegata, veligera.

Asceparnus nodipennis.

Ascepasma infumatum.

Aschiphasma annulipes.

Ascia aenea, analis, anthermus, bicincta, bifasciata, bipunctata, brachytoma, cingulata, dispar, floralis, geniculata, globosa, hastata, interrupta, lanceolata, maculata, manhattensis, nitidula, omicron, podagrica, quadripunctata, spheginea.

Ascidia aggregata, alba, albeola, albida, amphora, ampulla, ampulloides, anatifoides, anceps, anthropephala, arachnoidea, atra, aurata, aurora, australis, barbata, bottae, britannica, capsicum, carnea, cartilaginosa, cavernosa, claviformis, clavigera, coerulea, communis, compressa, confederata, cuvieri, democratica, depressa, diaphana, diaphanea, eboracensis, elliptica, erythrostoma, fasciata, fragum, gelatinosa, gemina, gigantea, globifera, grossularia, hirsuta, ianthinoctoma, informis, lineata, lithoidea, lithopoda, livida, lobifera, lurida, maculata, mammillata, marginella, microcosmus, miniae, monoceros, multiformis, nasuta, nigrita, ocellata, opalina, ovalis, papilla,

patata, pedunculata, pelucida, peniformis, phyllotoma, picea, pilosa, plicata, polystoma, proscidea, psammophora, pyriformis, radiata, ramosa, rapuliformis, reticulata, rhinophora, rizophora, rosea, rubens, rugosa, sabulosa, sordida, spherica, spinifera, spinosa, subcylindrica, tetraodon, tinctor, trinema, truncata, tubifera, tubularis, tumulus, variabilis, vermiculata, verrucosa, virescens, vitrea.

Asclera coerulea, haemorrhoidalis, puncticollis, ruficollis, sanguinicollis, signaticollis.

Ascogaster armatus, bidentulus, brevicornis, canifrons, dentatus, gonocephalus, instabilis, limitatus, quadridentatus, ruficeps, rufidens, rupes, varipes.

Ascomorpha caudis.

Ascomys borealis, bulbivorus, bursarius, canadensis, douglasi, drummondii, mexicanus, rufescens, talpoides, townsendi, umbrinus.

Ascosoma blumenbachii.

Ascotis selenaria, serotinaria.

Aselgia agresta, silveria.

Asellia tricuspidata, tridens.

Asellus aquaticus, australis, canariensis, carbonarius, communis, lineatus, merlangus, polachius, variegatus, vulgaris.

Asemnis unicolor.

Asemum agreste, atrum, australe, fuscum, juvenum, moestum, rusticum, substriatum.

Asemus porosus, rusticus.

Asida acuticollis, affinis, anastomosis, asperata, auriculata, bayardi, bigorrensis, bisignata, brevicosta, carinata, cariosicollis, caryophyllia, chauveneti, cinerea, combae, complanata, corsica, costata, costulata, dejeani, depressa, elevata, elongata, exarata, fascicularis, fusca, genei, gigas, glacialis, goryi, goudoti, granifera, granulifera, griseum, helvetica, hispanica, holosericea, inaequalis, jurinei, laevigata, laevis, lapidaria, lineatocollis, longicollis, luctuosa, lutosa, marginata, miliaris, morbillosa, nodosa, oblonga, obscura, opaca, opatroides, parallela, picta, pilosa, planata, platynotos, polita, porcata, puncticollis, pyreneae, quadricollis, ramburi, reticulata, ruficornis, rugosa, rustica, sabulosa, scaphidium, sericea, serpignosa, serricollis, servillei, setulifera, sibirica, sicular, silphoides, sinuaticollis, solieri, subcostata, subrugosa, sulcata, tangeriana, terricola, variolosa, ventricosa, vicina.

Asilicus lithophilus.

Asilus abdominalis, abuntius, acanthodes, acrobaptus, acutangulus, adpressus, aedithus, aegyptius, aemulus, agilis, agnitus, agrius, alamanus, alastor, albibarbis, albibarbus, albicans, albiceps, albipilosus, albipilus, albitarsatus, alectas, alethes, alpinus, amarynceus, amastrus, amazaenes, amorges, amphinome, amphissa, amyela, amythaon, analis, androclea, angustifrons, anicius, annularis, annulatus, annulipes, antidomus, antileo, antimachus, antiorus, antiphon, antiphus, antiquus, apelles, apicalis, apicata, apicatus, apiculatus, appendiculatus, arabicus, armatus, arthriticus, ater, atricapillus, atripes, audouini, auribarbis, aurifluus, auripilus, australis, balacrus, baletus, barbipes, barbiventris, bardyllis, barium, basalis, belzebul, bengalensis, bicolor, bicornis, bifidus, bifurcus, bipartitus, blandus, blasio, bojus, bomboides, brevipennis, bulbos, caeruleiventris, calatinus, calceatus, caliginosus, callosus, calopus, canescens, canus, capensis, carbonarius, castanipes, caudatus, caudex, centho, chalcogaster, chrysis, cinerarius, clavatus, clavipes, coedicus, cognatus, colombiae, colubrinus, comatus, connexus, consanguineus, copillus, coprates, copulatus, coras, coriarius, corissus, corymeta, corythus, cothurnatus, cribratus, cristatus, culiciformis, curiatus, cyanopus, cyanurus, danicus, daraps, dascyllus, dasius, dasypygus, decipiens, denticulatus, deperditus, dimidiatus, dioctriaeformis, distendens, domitor, dorsiger, dorso, dubius, duvaucelli, eanes, echepolis, elegans, elongatus, elva, emarginatus, erythrurus, eurylabis, excisus, exilis, fascialis, femoralis, femoratus, ferrugineiventris, filiferus, fimbriatus, flavescens, flavicinctus, flavicornis, flavidus, flavifasciatus, flavimystaceus, flavipes, flavofasciatus, flavopilosus, forcipula, forficula, fortis, fraternus, fulvipes, fulvipubescent, fulvulus, fuscidens, fuscifemoralis, fuscipennis, fuscocinereus, fuscus, garnoti, gayi, geminus, geniculatus, genualis, gerion, giganteus, gobares, gonatistes, gorgasus, gracilipes, gracilis, grandis, griseus, guineensis, hagno, halmus, haloesus, helvus, hercules, herminius, heros, heydeni, hilarii, himantocerus, hircus, hirtipes, hispidus, hospes, hybos, iamenus, icadius, ignotus, impendens, incisuralis,

inconstans, infernalis, inglorius, interruptus, iopterus, isse, jacksoni, javanus, labidophorus, lades, ladon, laetus, laevinus, lampon, laphroides, lascivus, lasca, laticornis, latitarsatus, lebasii, lecythus, leon, leucopogon, leucopygus, limbatas, longicella, longimanus, longistylus, longitarsis, longus, lucidus, luctuosus, ludens, lugens, lutipes, macrolabis, macrotelus, macrurus, macularis, maculosus, malis, malleolus, marcinus, marginatus, marginellus, margitus, maso, medianus, melaleucus, melampodius, melanacrus, melanopus, melanotrochus, mellens, mellinus, mellipes, mexicanus, micans, micropterus, minus, minos, mistipes, modestus, moerens, molitor, mordax, mucidus, mucius, mundus, murinus, nanus, nexius, niger, nigribarbis, nigricans, nigrifemoratus, nigrimystaceus, nigrius, nigripes, nigratarsis, nitidulus, nitidus, noas, nodicornis, notatus, novae scotiae, nubecula, nudipes, obscurellus, obscurus, ochesius, ochripes, ogulinus, olivieri, omissus, opacus, orcinus, orphne, osiris, pallens, pallips, paron, paropus, parricida, parvulus, pelago, pellitus, penarius, periscelis, perplexus, peticus, philus, phocax, picipes, pictipes, pictus, pilipes, plebeius, plicatus, plinthopygus, pluto, poecilogaster, poetinus, pogonias, polypogon, psilogaster, pullus, pumilus, punctatus, punctipennis, pungens, pusio, pyragra, pyrrhognus, pyrrhonyx, quadratus, robustus, rubripes, rubrithorax, rufibarbis, ruficauda, ruficoxatus, rufimanus, rufinervis, rufinus, rufipalpis, rufipes, rufiventris, rusticus, sadyates, sauleyi, scaurus, schedius, scilurus, scopifer, scutellatus, senex, senilis, sericans, sericeus, servillei, setibarbus, setiger, setosulus, sculus, sicyon, sophus, spiniger, stabilis, stratiipes, striatulus, striola, suillus, sydneyensis, tabidus, tamphilus, tasmaniae, tenax, tenuicornis, tenuis, tephraeus, terebratus, tessellatus, therevinus, thimbro, thoracicus, tibialis, tingitanus, trichurus, triconotus, tricuspis, trifarius, trigonus, triopas, tristis, truncatus, tucca, turinus, unicolor, vagans, vagator, variabilis, varians, variegatus, varifemoratus, varipes, varius, vegetus, velox, versicolor, vertebratus, vetustus, vibulanus, virgo, virilis, vittipes, xanthophus, xanthopterus, xanthopygus.

Asina jugleri.

Asindulum fasciata, nigrum, punctatum, rostrata, tenuipes.

Asinus burchelli, domesticus, equuleus, fossilis, hamar, hemionus, kiang, onager, polyodon, quagga, vulgaris, zebra.

Asio arborea, brachyotus, pinus, ulula.

Asiraca albipuncta, angulicornis, apicalis, clavicornis, crassicornis, cylindricornis, dubia, egertoni, grisea, limbata, longicornis, marginata, minuta, opposita, pellucida, pulchella, pulchellus, setosa, striata.

Asolus cinnamomeus.

Asopia aerealis, aetnaealis, alternalis, combustalis, corticalis, domesticalis, elongalis, farinalis, fimbrialis, flammealis, fulvoælialis, glaucinalis, incisalis, lienigialis, lucidalis, mauritalis, nemoralis, ornatialis, parialis, perversalis, pictalis, regalis, rubidalis, taenialis.

Asopus annulipes, argus, armiger, bidens, calens, chalybeus, chiropterus, chrysoprasinus, chrysopterus, coccineus, coeruleus, confluent, conformis, cruentus, custos, decastigma, decenguttatus, diana, dianae, dichrous, dumosus, ebulinus, figuratus, floridanus, fuscus, genei, geometricus, gibbus, griseus, leprosus, luridus, mensor, moestus, nigridens, nummularis, nummularius, ochrocyaneus, punctatus, rhadomelas, salamandra, sanguinipes, tristis, trivittatus, ulceratus, variegatus, verrucifer, vigil.

Asota jabensis, zatima.

Aspalax inaurata, rubra, typhlus.

Aspasia cyanoptera, janthoptera, verrucosa.

Aspatherium fuscicorne, plicicorne.

Aspendsia spongiosa. *Vide et* **Apseudesia et Apseudesia**.

Aspergillum agglutinans, australe, clavatum, cretaceum, cumingianum, delessertianum, dichotomum, incertum, incrassatum, javanum, leognanum, listeri, maniculatum, novae hollandiae, novae zelandiae, ornatum, philippinense, reclusianum, semifimbriatum, sparsum, strangulatum, tuberculatum, vaginiferum, zebuense.

Asphaerion reussi.

Asphalia diluta, ruficollis.

Aspicephalus desertus.

Aspidelaps lubricus.

- Aspidia* cynosbana, solandriana, suffusana.
Aspidimerus spencei.
Aspidimorpha rubicunda.
Aspidiotes bromeliae, corni, cymbidii, salicis, westringi.
Aspidiotus betulae, echinocacti, falciformis, lauri, minitans, nerii, ostreaeformis, palmarum, populi, proteus, rosae.
Aspidisca denticulata, lynceus.
Aspidiscus cristata, shavvi.
Aspidocercus boa.
Aspidochir mertensi.
Aspidoclunion annularis, coeruleus, semifasciatum.
Aspidocotylus mutabilis.
Aspidogaster conchicola, limaoides.
Aspidoglossa aerata, cayennensis, comma, crenata, cribrata, fraterna, guadeloupensis, intermedia, mexicana, pallida, rivalis, sphaerodera, submetallica, torrida, vicina, vulnerata.
Aspidolopha buqueti, decora, melanophthalma, trimaculata.
Aspidomorpha mulliaris, varians.
Aspidomorphus muelleri.
Aspidonectes aegyptiacus, carinatus, ferox, gangeticus, gergensi, javanicus, maunoir, muticus, parisiensis, spiniferus.
Aspidonotus spinosus.
Aspidontus taeniatus.
Aspidoparia sardina.
Aspidophoroides groenlandicus, tranquebar.
Aspidophorus armatus, cataphractus, chilensis, decagonus, europaeus, lisiza, monopterygius, niger, quadricornis, spinosissimus, superciliosus, truncatus.
Aspidophrys porosus.
Aspidoporus lmax.
Aspidopsis pholidostictus.
Aspidorhinus gracilis.
Aspidorhynchus acutirostris, anglicus, comptoni, eschrichti, euodus, lepturus, longissimus, lucius, mandibularis, ornatus, speciosus, tenuirostris, walchneri.
Aspidosaurus bifasciatus.
Aspidosoma (Ast.) arnoldi.
Aspidosoma (R.) taeniatus.
Aspidospira globularis, indica.
Aspidotoma capitata.
Aspidura (Oph.) loricata, ludeni, scutellata, williamsoni.
Aspidura (R.) brachyorros.
Aspigonus abietis, contractus, diversicornis.
Aspilates adspersaria, anthophilaria, coarctata, collata, duponchellaria, formosaria, gloriosaria, herbaria, lineolata, lividaria, mirtalis, opacaria, palumbaria, peregrina, permutaria, phoenico-taeniata, plumbaria, ruginaria, sordidaria, subochraria, taeniaria, vibicaria.
Aspis (Lep.) similana, solandriana.
Aspis (R.) cerastes, fuscescens, naja, ocellata, sputatrix.
Aspisoma candellaria, dilatatum, grossa, ignitum, maculatum, polyzona, rubefactum.
Aspistes analis, berlinensis, borealis, chelseaensis, obscurus.
Aspistis edwardsiana.
Aspisurus (P.) carolinarum, elegans, sohar, unicornis.
Aspisurus (R.) laticaudatus.
Aspitates arenacearia, artesiaria, citraria, coarctaria, cruentaria, gilvaria, lineolata, mundataria, petraria, purpuraria, sacraria, vespertaria.
Aspius alborella, alburnus, bipunctatus, brongniarti, calcoides, clupeoides, elongatus, fasciatus, furcatus, gracilis, heckeli, leptocephalus, mento, ochrodon, rapax, tarichi, vorax.
Asplanchna priodonta.

Aspongopus affinis, alternans, amethystinus, cuprifer, depressicornis, erythrocerus, fuscus, janus, mactans, marginatus, melanopterus, nepalensis, nigriventris, nigroviolacea, nubilus, obscurus, ochreus, sanguinolentus, sicifolius, unicolor, vicinus, viduatus.

Asporina gigantea.

Aspredo filamentosus, laevis, sexcirrhis, sicuephorus, tibicen, verrucosus.

Aspro vulgaris, zingel.

Assiculus punctatus.

Assilina exponens, planospira.

Assiminea grayana, grayi.

Assiminia fasciata.

Assula convoluta.

Astacilla baffini, longicoruis.

Astacobdella abildgaardi, chilensis, roeseli.

Astacoides goudoti.

Astacolus crepidulatus.

Astacops australis, dorycus.

Astacus affinis, albescens, angulosus, arctus, articulosus, astacus, bamffius, bartoni, belli, bicarinatus, birdi, blandingo, boreas, caementarius*, capensis, caramotes, carolinus, caspius, cataclysmi, chilensis, ciliaris, crangon, cretosus, cubensis, cunicularius, falcatus, fossor, franklini, fuciformis, gibbosus, glaber, grossimanus, japonicus, leachi, leptodactylus, leptorhinus, leucoderma, limosus, littoreus, longimanus, macrocheirus, macrophthalmus, madagascariensis, marius, maxillaris, mexicanus, minutus, modestiformis, multipes, norfolciensis, oreganus, ornatus, pachypus, palmatus, pellucidus, plasma, phillipsi, preissi, pusillus, quinquecarinatus, rhomboidalis, rostratus, rubricatus, rugosus, saltator, saxatilis, scorpioides, spinus, stellatus, subterraneus, subsexiensis, talpa, tasmanicus, tomentosus, torrentium, tristis, wiegmanni, zealandicus.

Astaena conformis, tridentata.

Astarte abbreviata, achilles, acutimargo, affinis, alta, amor, angusta, antiquata, anus, arata, arcensis, arctica, arealis, armata, aspasia, assilina, astieriana, bajociana, banksi, basteroti, baugieri, beaumonti, bellona, bicostata, bipartita, borealis, bosqueti, bronni, buchi, buchiana, bullata, burgomontana, burtinea, caelata, callosa, carinata, castanea, cepha, cincta, circinnaria, circularis, coheni, complanata, compressa, concentrica, concinna, corbarica, corbuloides, cordiformis, cotteausia, crassatellaeformis, crassidens, crassitesta, crebricostata, crispata, cuneata, cuneiformis, curvirostris, cyprinoides, danmoniae, danmoniensis, darwini, decussata, depressa, detritus, difficilis, dilatata, discus, disera, disparilis, donacina, dorsata, dubia, duboisiana, dupiniana, dysera, elegans, elliptica, eryx, eudora, eudoxus, exaltata, exarata, excavata, exotica, extensa, falki, fittoni, flabella, formosa, fusca, gairensis, galeottii, gallica, gea, gemma, gibbosa, gigantea, globosa, glycerii, gracilis, granum, gryphaeoides, guerangeri, gueuxi, hartwellensis, henckeliusiana, herzogi, illunata, imbricata, inpolita, inaequilatera, incerta, incrassata, integra, intermedia, kickxi, konincki, lactea, laevigata, laevis, lamellosa, laticosta, laticostata, laurentiana, leda, leporina, libya, lineata, lineolata, longirostra, lunulata, lurida, macrodonta, mactraacea, maeleni, major, medea, mediojurensis, menardi, menkei, micaia, michaudiana, minima, minor, minuta, minutissima, modiolaris, moreausa, moriciana, mosae, mosquensis, muensteri, multicostata, multistriata, murchisoni, mutabile, myrina, mysis, nana, neocomiensis, neptuni, nicias, nicklini, nitida, nitidula, numismalis, nummulina, nysa, nystiana, obliqua, obliquata, oblonga, oblongata, obovata, obruta, obsoleta, obtusa, oculata, omalii, orbicularis, ovalis, ovata, ovoidea, panderi, panopae, paphia, papyracea, parva, parvula, pasiphae, pelops, perplana, pfeifferi, phaedra, phidias, philea, phillis, pisiiformis, pisum, plana, planata, planissima, polita, politula, pollux, poppia, porrecta, portlandica, pratti, propinqua, proruta, pseudocompressa, pseudolaevis, pseudostriata, pulchella, pulla, pumila, puschii, pusilla, pygmaea, pyrene, quadrans, quadrata, radians, radiata, recondita, recurva, retrotracta, rexia, rhombea, rhomboidalis, roemerii, rotunda, rotundata, rugatus, rugosa, sabinus, satyrus, scalaria, scalaris, scotica, scylla, semele, semisulcata, senilis, serena, sibylla, similis, sinuata, socialis, solandra, solidula, squamula, striata, striatocostata, striatosulcata, striatula, subacuta, subaequilatera, subaequilateralis, subcarinata, subcompressa, subcostata, subdentata, subelongata,

subfoveolata, sublaevis, submultistriata, subobtusata, suborbicularis, subpumila, subquadrata, subrotunda, subrotundata, substriata, subtetragona, subtextilis, subtrigona, sufflata, sulcata, supracorallina, suprajurensis, susanna, symmetrica, syssollae, tellinoides, tenera, tetragona, thais, thalia, thisbe, thoas, tiphia, transversa, triangularis, triangulata, triasina, trigona, trigonalis, trigonella, triquetra, truncata, tullia, tunstallensis, turgida, undata, undulata, unguina, unilateralis, urania, vallisneriana, varians, vesta, vetula, vicina, voltzi, warhami, willebadessensis, withami, zelima, zonata.

Astartea heuckeliusiana.

Astartila corpulenta, cyclas, cyprina, cythera, intrepida, polita, transversa.

Astasia acus, contorta, euchlora, flavicans, haematodes, inflata, limpida, margaritifera, nivalis, pusilla, viridis.

Astata abdominalis, affinis, australasiae, bicolor, boops, histrio, intermedia, jaculator, nitida, stigma, tricolor, unicolor, vanderlindeni, victor.

Astathes levis, perplexa.

Astatia parmatana, tenerana.

Astatus analis, floralis, pallipes, punctatus, pygmaeus, spinipes, tabidus.

Asteia amoena, concinna, elegantula.

Asterma (Hem.) aegyptium, annulus, aptera, carnifex, coqueberti, cornuta, koenigi, mavortia, mercurialis, ruficeps, ruficollis, rufifrons, saltians, subapterum, suturalis.

Asterma (Verm.) drobacheense, longum.

Astenus angustatus, brunneus, dimidiatus, sulcicollis.

Aster bifasciatus, monogrammicus, rufitorques. *Vide et Astur.*

Asteracanthion africanus, aster, aurantiacus, bootfs, calamaria, caulense, echinata, forbesi, gelatinosa, glacialis, granifera, helianthus, katherinae, lincki, margaritifer, muelleri, polaris, polyplax, rosea, rubens, striatus, tenuispinus, violacea, wilkinsoni.

Asteracanthus acutus, minor, ornatissimus, preussi, semiradiatus, semisulcatus, stutchburyi.

Asteria bispinosa, cancellata, cuvieri, echinata, ferussaci, mucosa, scutellata.

Asteriacites lumbricalis, ophiurus, pannulatus.

Asterias aculearis, acuminata, adriatica, affinis, alboverrucosa, alternata, antiqua, antiquata, araneosa, arenata, arenicola, articulata, aster, aurantiaca, aurantica, bicolor, bidentata, bispinosa, brachiata, calamaria, calcar, calcitrapa, camtschatica, canariensis, cancellata, carinifera, chilopora, ciliaris, clathrata, clavigera, cometa, constellata, cordifera, coriacea, cotteswoldia, crispata, cumingi, cuspidata, cylindrica, desmoulini, discoidea, dunkeri, echinata, echinites, echinophora, epichlora, exigua, fimbriata, gelatinosa, grandis, granifera, helgolandica, helianthoides, helianthus, holstata, ianthina, imperati, irensis, johnstoni, jonstoni, katherinae, laevigata, laevis, lanceolata, lentigera, linki, longicauda, longipes, lumbricalis, lunatus, mamillata, mandelslohi, matutina, milleporella, miniata, minutissima, multifora, nigra, nigrata, noctiluca, obtusa, obtusangula, ocellifera, ochracea, ophidiana, palumbarius, pectinata, penicillaris, pentacantha, pentacyphus, pentagonula, petalodea, platyacantha, pleyadella, polaris, poritoides, prisca, propinqua, pulchella, punctata, punctulata, quinqueloba, quinquemaculata, recta, regularis, rosacea, rotata, rustica, sagena, savaresi, savaresy, savignyi, schmideliana, schulzi, scolopendroides, scutata, sebae, senegalensis, sentus, serrulata, setosa, spinosus, spinulosa, squamata, stellifera, stratifera, striata, subinermis, subulata, tabulata, tenoris, tenuispina, tessellata, tessulata, toreuma, trochiscus, variolata, vermicina, verrucosa, verruculata, vestita, weismanni, wilkinsoni.

Asteriatites eremita, filiformis, pennatus, pentagonatus, rosaceus, spinosus.

Asterigerina carinata, ferussaci, lobata, monticula, planorbis.

Asterina burtoni, calcar, gibbosa, gunni, krausii, minuta, typica.

Asteriscus australis, cepheus, coccineus, diesingi, exigua, krausii, membranacea, militaris, minutus, palmipes, pectinifer, penicillaris, pentagonus, rosaceus, setaceus, trochiscus, verruculata.

Asterites scutellatus.

Asteriza flavicornis.

Asterocrinus muensteri, murchisoni, priscus.

- Asterocyclas confluens.
 Asterodactyla pipa.
 Asterodactylus dorsiderus.
 Asterodermus platypterus.
 Asterodiscus (Ech.) elegans.
 Asterodiscus (Prot.) forskali.
 Asterodon bronni.
 Asterogonium granulare, paxillosum, tuberculatum.
 Asterolepis apicalis, asmusi, granulata, hoeninghausi, malcolmsoni, minor, ornata, speciosa, verrucosa.
 Asteronotus cruenta, hemprichi.
 Asteronyx loveni.
 Asterope (Cr.) elliptica.
 Asterope (Ech.) carinifera.
 Asterope (Lep.) amulia, sapphyra, theane.
 Asterophis tigris.
 Asterophrys turpicola.
 Asteropsis carinifera, ctenacantha, pulvillus, vernicina.
 Asteroptychius ornatus, portlocki, semiornatus.
 Asteroptyge arachnoides.
 Asteroscopus cassinia, nubeculosa, pulla.
 Asterostoma excentricum.
 Asteropterix semipunctatus.
 Asthena candidaria, candidata, lutearia, luteata, nemoraria, remutaria, tiburtiana.
 Asthenia (Dipt.) americana, fasciata.
 Asthenia (Lep.) favillaceana, geminia, latucina, machaonaria, minutana, podaliriararia, pygmaeana, reliquana, variegana.
 Asthenorhina turneri.
 Asthenurus minutus, rufiventris.
 Asthraeus flavospictus, perpulcher.
 Astias lima. *Vide et Actias*.
 Asticta (Hym.) ianthe.
 Asticta (Lep.) proclivis.
 Astigis rubripes.
 Astilbus canaliculatus.
 Astiotes conjuncta, dilecta, maneste, promissa, sponsa.
 Astoma (Ar.) parasiticum.
 Astoma (Verm.) acephalocystis.
 Astomella aurea, curviventris, gravis, hispaniae, lindeni, macquarti, waxelli.
 Astracrinites tetragonus.
 Astraea agaricia, ambigua, amboinensis, ananas, aranea, calicularis, calipso, carbonaria, cerium, complanata, composita, conjugata, connata, contorta, corolla, coronata, crassa, crispata, cunicularis, curta, cyclostra, cylindrica, distans, dunni, echinata, echinulata, elegans, emarcida, emergens, excavata, excelsa, eximia, explanulata, expansa, favistella, favosa, favosioides, favulus, favus, filicosa, flexuosa, fragilis, froehlichiana, funesta, fusca, fusco viridis, galaxea, gigantea, glaucopus, globum, goldfussana, halicora, hebertiana, helianthella, hyades, inaequalis, intercellulosa, intersepta, irregularis, labiata, lobata, macandrina, macandrinoides, macrocona, macroconos, mammillaris, meandrina, melicerum, micrastron, microphthalmia, microphyllia, moravica, multiida, ocellina, pachyphylla, pallida, pandanus, parallela, parvistella, patula, pectinata, pentagona, petrosa, planulata, portlocki, profunda, pulchra, purpurea, puteolina, raristella, rigida, robusta, rotulosa, rudis, rugosa, sinuosa, speciosa, spongia, stelligera, tchihatcheffi, tenella, tenuistriata, tesserifera, thirsiformis, tisburiensis, trichophylla, tubulifera, uva, varia, virens, viridis, websteri. *Vide et Astrea*.
 Astraeopora expatiata, fungiformis, grandis, lonsdalei, organum, petaliformis, tubulata, vetusta.
 Astralium calcar, deplanatum.

- Astrangia* *astreiformis*, *danae*, *micHELINI*.
Astrapaeus *basalis*, *rufipennis*, *rufipes*, *ulmi*, *ulmineus*, *unicolor*, *valida*.
Astrape *capensis*, *dipterygia*.
Astrapetis *achates*, *contigua*, *dentina*, *distincta*, *gemina*, *genistae*, *remissa*, *satura*.
Astraphidokrates *numerosus*.
Astrapia *carunculata*, *gularis*, *nigra*.
Astraptus *apastus*, *aulestes*, *corytus*, *creteus*, *enotrus*, *fulgurator*, *lividus*, *narcosius*, *pervivax*.
Astraea *abditata*, *adamantina*, *agaricites*, *alveolata*, *ambigua*, *ameliana*, *ananas*, *angulosa*, *annularis*, *annuligera*, *arachnoides*, *aranea*, *araneola*, *argus*, *astroites*, *auletron*, *auvertiana*, *bacciformis*, *baltica*, *basaltica*, *basaltiformis*, *beaudouini*, *bella*, *bellula*, *bertrandiana*, *bourgeti*, *brevissimum*, *burdigalensis*, *burgundiae*, *cadomensis*, *cailliaudi*, *calycularis*, *calyculata*, *calypso*, *caryophylloides*, *castellum*, *cavernosa*, *cistela*, *clathrata*, *collata*, *composita*, *compressa*, *concentrica*, *concinna*, *conferta*, *confluens*, *conica*, *coniformis*, *corona*, *crasso-ramosa*, *crenulata*, *cribraria*, *cribrum*, *crispa*, *crispata*, *cristata*, *cylindrica*, *decaphylla*, *decipiens*, *decorata*, *deformis*, *defrancei*, *defranciana*, *delcrosiana*, *deluci*, *dendroidea*, *denticulata*, *depravata*, *desportesiana*, *detrita*, *dichotoma*, *diffuens*, *digitata*, *dipsacea*, *dissimilis*, *diversiformis*, *doublieri*, *dumasiana*, *elegans*, *ellisiana*, *emaciata*, *emarciata*, *escharoides*, *explanata*, *faujasi*, *faveolata*, *favosa*, *firmasiana*, *flexuosa*, *florida*, *formosa*, *formosissima*, *forskaliana*, *galaxea*, *geminata*, *geneuensis*, *geometrica*, *gigantea*, *gigas*, *goldfussi*, *gracilis*, *grandis*, *granulata*, *guettardi*, *gyrosa*, *helianthoidea*, *heliantina*, *heliopora*, *hemisphaerica*, *hennahi*, *hexagona*, *hirtolamellata*, *hypocrateriformis*, *hystrix*, *impressa*, *infundibulum*, *intersepta*, *interstincta*, *irregularis*, *italica*, *laganum*, *lamarckiana*, *lamellistriata*, *lamellosissima*, *lamourouxii*, *lapeyrouxiana*, *leunisi*, *liasina*, *lifoliana*, *lobata*, *limitata*, *lobata*, *lobato-rotundata*, *lucasiana*, *macrophthalma*, *madreporacea*, *magnevillia*, *magnifica*, *manillaris*, *manon*, *marylandica*, *meandrites*, *media*, *mediterranea*, *micHELINI*, *micrantha*, *micraxon*, *microconus*, *microphthalma*, *microstella*, *multata*, *multilateralis*, *multiradiata*, *muricata*, *myriophthalma*, *nobilis*, *numisma*, *obliqua*, *octolamellosa*, *octoradiata*, *oculata*, *ornata*, *palifera*, *panicea*, *parallela*, *pediculata*, *pentagona*, *pentagonalis*, *perforata*, *plana*, *pleiades*, *polygonalis*, *porcata*, *porifera*, *porosa*, *porulosa*, *prevostiana*, *prismatica*, *pseudomeandrina*, *pulchella*, *pulvinaria*, *punctifera*, *pustulosa*, *putealis*, *quadrangularis*, *quadrigeminata*, *quinquangulosa*, *radians*, *radiata*, *radicata*, *ramosa*, *raulini*, *regularis*, *requieni*, *reticularis*, *reticulata*, *retiformis*, *reussiana*, *rochettina*, *rosacea*, *rotata*, *rotula*, *rotularia*, *rotulosa*, *rotundata*, *royana*, *rustica*, *sancti-miheli*, *sculpta*, *scyphoidea*, *semiglobata*, *semisphaerica*, *septa*, *sexradiata*, *sidera*, *siderea*, *solida*, *solidior*, *sparsa*, *sphaerica*, *sphaeroidalis*, *stellata*, *stellulata*, *striata*, *stylinoides*, *stylophora*, *subsimilis*, *sulcata*, *lamellosa*, *superporita*, *taurinensis*, *teissieriana*, *tenera*, *terminaria*, *tessellata*, *teissieriana*, *textilis*, *trochiformis*, *tubulata*, *tubulosa*, *tumularis*, *tuonensis*, *undulata*, *valisclausae*, *varians*, *variolaris*, *velamentosa*, *venusta*, *versatilis*, *versipora*, *vesiculosa*, *vesparia*, *viridis*, *vosagensis*. *Vide et Astraea*.
Astreopora *antiqua*, *asperima*, *auvertiana*, *obliqua*, *palifera*, *panicea*, *pulvinaria*, *punctifera*, *stellulata*.
Astrhelia *lesueuri*, *palinata*, *vasconiensis*.
Astrios *tennesseeae*.
Astroblepus *grixalvii*.
Astrocanthus *stellatus*.
Astrocoenia *alpina*, *carantouensis*, *cornueliana*, *decaphylla*, *formosa*, *formosissima*, *guadalupae*, *konincki*, *microstella*, *numisma*, *orbignyana*, *ornata*, *pentagonalis*, *pulchella*, *ramosa*, *reticulata*, *sancti-miheli*.
Astrocrinites *pachydactylus*, *tetragonus*.
Astroderma *plumbeum*.
Astrodermus *coryphaenoides*, *elegans*, *guttatus*.
Astrogonium *astrologorum*, *australe*, *cuspidatum*, *geometricum*, *granulare*, *inaequale*, *lamarcki*, *magnificum*, *miliare*, *nobile*, *ornatum*, *paxillosum*, *phrygianum*, *phrygianum*, *pulchellum*, *tuberculatum*.
Astroides *calycularis*, *luteus*.

- Astroitis** calycularis, viridis.
- Astrolepas** rotundarius.
- Astrolepis** laevis, testudinaria.
- Astroma** chloropterum.
- Astromycter** prasinatus.
- Astromyctes** cristatus.
- Astronesthes** nigra.
- Astronotus** ocellatus.
- Astropecten** andromeda, arcticus, armatus, articulatus, aurantiacus, bispinosus, brasiliensis, buschi, christi, corniculatus, crispatus, dubius, duplicatus, echinatus, echinulatus, erinaceus, gracilis, granulatus, hastingiæ, hemprichi, hispidus, hystrix, japonicus, jonstoni, longipes, longispinus, marginatus, mauritianus, mesodiscus, muelleri, orion, parelii, pentacanthus, phillipsi, platycantha, polaris, polyacanthus, preissi, priscus, propinquus, regalis, schoenleini, scoparius, serratus, spinulosus, squamatus, stellaris, stellatus, subinermis, tenuispinus, tiedemanni, triseriatus, valencienni, vappa.
- Astrophyton** arborescens, asperum, eucnemis, exiguum, lamarcki, lincki, minutum, muricatum, palmiferum, scutatum, verrucosum.
- Astropodium** elegans, ramosum.
- Astropolia** bradkiana.
- Astropora** retiformis.
- Astropyga** calamaria, desori, pulvinata, radiata, spinosissima, subularis.
- Astrosia** astreiformis, daedalea, esperi, sinensis, stricta.
- Astur** albifrons, albus, approximans, atricapillus, badius, barbatus, borealis, brachypterus, brevipes, cachinnans, cayanensis, cooperi, cristatus, cruentus, fasciatus, fuscus, gallinarum, gracilis, gularis, hemidactylus, hyder, indicus, kieneri, leucorrhous, liveuter, longicaudus, magnirostris, major, melanoleucus, monogrammicus, multilineatus, nisus, nitidus, novae hollandiae, palumbarius, pennsylvanicus, poliogaster, poliogenys, polyzonus, radiatus, rayi, stanleyi, teesa, testaceus, trivirgatus, uninctus, velox, xanthothorax. *Vide et Aster.*
- Asturia** cinerea.
- Asturina** albifrons, azarae, cyanopus, leucorrhous, magnirostris, melanops, poliogaster, schistacea.
- Astyages** coracipennella, cylindrella, flavicaput, grandipennis, gryphipennella, lutaria, nigricella, obscurella, ochroleucella, picaeppennis, serratella.
- Astycus** acutipennis, adultus, chrysochlorus, lateralis, variabilis.
- Astylium** claviger.
- Astylus** antis, lineatus, quadrilineatus, variegatus.
- Astynomus** aedilis, alpinus, atomarius, carinulatus, griseus, hirsutulus, nodosus, signaticornis, signatus.
- Atagma** carinata.
- Atagen** aquila.
- Atagma** papularium.
- Atalapha** americana, fuscata*, sicula.
- Atalasis** sagroides.
- Atax** abstergens, albator, albidus, bifasciatus, calcareus, caudatus, complanatus, confluens, crassipes, diaphanus, elegans, ellipticus, extendens, falcatus, fastuosus, figuralis, freniger, furcula, geographicus, globator, grossipes, histrionicus, hyalinus, impressa, integrator, iliaceus, limosus, lobatus, lugubris, lutescens, maculatus, minimus, musculus, nodatus, orbiculatus, ovalis, papillata, pictus, pustulator, runicus, siuuator, spinipes, stellaris, strigatus, torris, tricuspidator, trifurcalis, truncatellus, truncatulus, truncatus, undulatus, variator, vernalis, versicolor, ypsilophora.
- Ataxia** scolopetaris, sordida.
- Atea** agalena, aurantiaca, incerta, melanogaster, sturmi, subfusca, vulpina.
- Ateimma** ectypa.
- Atelechira** aulica, baculus.
- Atelecyclus** chilensis, cruentatus, heterodon, omoiodon, rugosus, septemdentatus, spinulosus.
- Ateledera** cygnoides.

Atelenevra *bulweri*, *velutina*.

Aterlix *quadridactylus*.

Ateles *arachnoides*, *arachnoides*, *ater*, *belzebuth*, *chamek*, *fontalis*, *fontatus*, *fuliginosus*, *geoffroy*, *hybridus*, *hypoxanthus*, *marginatus*, *melanochir*, *paniscus*, *pentadactylus*, *policomos*, *subpentadactylus*.

Atelustus *erichsoni*, *hemipterus*, *sylvicola*.

Ateleus *arachnoides*, *belzebuth*, *marginatus*, *pentadactylus*, *polycomos*.

Ateliotum *hungaricellum*.

Atella *currori*, *egestina*, *egista*, *eurytes*, *gaberti*, *phalauta*.

Atelocera *armata*

Atelocerus *armatus*, *centrolineatus*, *cervicornis*, *furcatus*, *grandicornis*, *hypomelas*, *labidus*, *limatus*, *raptorius*, *rugosus*, *spinulosus*, *sticticus*, *varicornis*, *variegatus*.

Atelopus (Col.) *furvus*, *humilis*, *infinus*, *lucidus*.

Atelopus (R.) *flavescens*.

Atelornis *pittoides*, *squammigerus*.

Atemeles *acuminatus*, *strumosus*.

Atergatis *asperimanus*, *compressipes*, *exsculptus*, *insularis*, *lateralis*, *marginatus*, *melissa*, *sinuatifrons*, *spectabilis*, *subdivisus*.

Aterica *ater*, *barce*, *cupavia*, *lysandra*, *meleagris*, *pholus*, *rabena*, *veronica*.

Aterpia *anderreggana*

Aterpus *cultriatus*, *horrens*, *kubus*, *pipa*, *rubus*, *scoparius*, *seriatus*, *superciliolosus*, *tuberculatus*.

Atethumia *ambusta*, *centrago*, *subusta*, *xerampelina*.

Ateuchosaurus *chinensis*.

Ateuchus *adamastor*, *aegyptiorum*, *aereus*, *aesculapius*, *affinis*, *amethystinus*, *arachnoides*, *armeniacus*, *astyanax*, *atterimus*, *aurichalceus*, *azureus*, *bacchus*, *barbatus*, *bias*, *bidens*, *bidentatus*, *bipustulatus*, *bispinus*, *bituberculatus*, *braminus*, *caerulelescens*, *caesus*, *cafer*, *callosus*, *canaliculatus*, *capensis*, *capistratus*, *caribaeus*, *carinatus*, *chlorophanus*, *chrysis*, *cicatricosus*, *cinctellus*, *cinctus*, *compressicornis*, *convalescens*, *convexus*, *cornifrons*, *costatus*, *cupreus*, *cupricollis*, *cuprifer*, *cuvieri*, *cyaneus*, *devotus*, *discoideus*, *ebeneus*, *fasciatus*, *femoratus*, *flagellatus*, *flavicollis*, *flavipes*, *fulgidus*, *furcatus*, *fuscopunctata*, *gangeticus*, *geoffroy*, *gibbosus*, *glabratus*, *goryi*, *granulatus*, *helwigi*, *hesperus*, *histeroides*, *histrio*, *hollandiae*, *humectus*, *humeralis*, *icarus*, *infernalis*, *infinus*, *intricatus*, *iphis*, *isidis*, *jalo*, *koenigi*, *laevicollis*, *laevigatus*, *laevis*, *lafargi*, *laticollis*, *leei*, *litratus*, *maculatus*, *maculicollis*, *melanocephalus*, *miliaris*, *minutus*, *modestus*, *monachus*, *morbillosus*, *multidentatus*, *muricatus*, *nigricornis*, *nitens*, *nitidus*, *nudifrons*, *obliquus*, *obsoletus*, *olivieri*, *ovatus*, *palemo*, *pallens*, *pallipes*, *parumpunctatus*, *parvulus*, *peleus*, *pictus*, *pillularius*, *pius*, *planis*, *politus*, *proboscideus*, *probus*, *prodigiosus*, *profanus*, *punctatostriatus*, *punctuicollis*, *pusillus*, *retusus*, *ritchi*, *rugosus*, *sacer*, *sanctus*, *scabratus*, *scabrosus*, *schaefferi*, *schreberi*, *sempunctatus*, *seunariensis*, *septemmaculatus*, *serratus*, *sexpunctatus*, *simplex*, *sinuatus*, *smaragdinus*, *smaragdulus*, *sobrinus*, *spinipes*, *squalidus*, *sticticus*, *striatus*, *sulcatulus*, *suri*, *timolus*, *transversus*, *triangularis*, *trituberculatus*, *triphon*, *variegata*, *variolosus*, *venerandus*, *violaceus*, *virens*, *viridicollis*, *vividus*, *volvans*.

Athaerina *athaerina*.

Athalia *abdominalis*, *ancilla*, *annulata*, *bicolor*, *blanchardi*, *centifoliae*, *cordata*, *himan-topus*, *lineolata*, *lugens*, *richardi*, *spinarum*, *suessoniensis*, *vernalis*, *viridescens*.

Athanas *edwardsi*, *nitescens*.

Athena *thetis*.

Athene *acadica*, *albifacies*, *aurilabrus*, *bactrianus*, *badia*, *bakkamuna*, *boobook*, *brama*, *brodiei*, *capensis*, *castaneoptera*, *cayanensis*, *connivens*, *cuculoides*, *cunicularia*, *cunicularis*, *dominicensis*, *erythropterus*, *ferruginea*, *forsteni*, *fortis*, *frontata*, *fusca*, *gnoma*, *guterhi*, *hirsuta*, *hirsuta bornensis*, *huhula*, *leucopsis*, *licua*, *lineata*, *maculata*, *nualabarcus*, *malaccensis*, *marmorata*, *maugei*, *melanotus*, *meridionalis*, *nana*, *noctua*, *novae seelandiae*, *novae zealandiae*, *nudipes*, *ocellata*, *passerina*, *passerinoidea*, *patagonica*, *perlata*, *perlineata*, *phalaenoides*, *psilodactyla*, *pumila*, *punctulata*, *radiatus*, *rufa*, *rufipes*, *scutellata*, *siju*, *socialis*, *sonnerati*, *squamipila*, *strenua*, *sylvatica*, *tarayensis*, *tengmalmi*, *torquata*, *tubiger*, *undulata*, *variegata*, *woodfordi*.

- Atherina** affinis, anterina, argentinensis, argyrotaeniata, bimanensis, boyeri, boeriensis, bosci, boyeri, brasiliensis, breviceps, carolina, caspia, coronada, cylindrica, danius, duodecinalis, endrachtensis, forskali, hepsetoides, humboldtiana, incisa, jacksoniana, lacunosa, lacustris, laticlavata, lattarina, lessoni, lichtensteini, macrocephala, macrophthalmia, marmorata, martinica, microlepidota, minuta, minutissima, mochon, mordax, nigrans, nigricans, notata, nunuata, parvipinnis, pectoralis, pinguis, pontica, presbyter, presbyteroides, punctata, regia, risso, sarda, stipes, taeniata, vaigiensis, viridescens, vomerina.
- Atherix** atratus, aurata, cinctus, crassicornis, crassipes, diadema, filia, flavipes, grisea, ibis, immaculatus, lineola, lugubris, luteola, maculatus, marginata, melaena, nebulosa, nigrita, obscura, oculata, picea, pilosa, tomentosa, unicolor, variegata, vidua.
- Atheroides** hirtellus, serrulatus.
- Atherura** africana, macroura.
- Atherurus** fasciculatus, macrourus.
- Athesis** clearista.
- Athetis** caliginosa, cubicularis, dasychira, palustris.
- Athis** japyx, marcelserres, palatinus.
- Athlia** rustica.
- Athlophorus** klugi.
- Athorybia** heliantha, melo, rosacea.
- Athous** aeneolus, aequalis, aereus, arcticollis, bifasciatus, campyloides, cavifrons, cinereofuscatus, circumductus, dejeani, ferruginosus, flavescens, foveolatus, gebleri, haemorrhoidalis, hirtus, hypoleucus, infuscatus, longicollis, melanophthalmus, nautilus, oblongicollis, pallidipennis, procericollis, pyrrhicus, rufiventris, scrutator, strigatus, subfuscus, sutura nigra, tarsalis, trivittatus, vagrans, vittatus.
- Athricia** cylindrica, dubia, modesta, scutellata.
- Athrodactyla** attenuata, elongata.
- Athrotomus** depressus.
- Athrycia** erythrocerata, flavescens.
- Athyma** adjutrix, brebissoni, eurynome, helicopsis, inara, larymna, leucothoe, melaleuca, nefte, opalina, saclava, sankara, strophia, venilia, vikasi.
- Athyreus** aeneus, angulatus, anthracinus, armatus, bellator, bicolor, bidentatus, bifurcatus, billbergi, castaneus, centralis, corinthius, cyaneus, excavatus, fossulatus, frontalis, fulvifrons, gigas, herculeaneus, kordofanus, lanuginosus, mexicanus, orientalis, pholas, porcatus, purpureipennis, recticornis, reichi, rotundus, sexdentatus, subarmatus, tridens, tridentatus, trituberculatus, tuberculatus, tweedyanus, vicinus, violaceus.
- Athyris** concentrica, decussata, depressa, expansa, fimbriata, glabristriata, globularis, hispida, planosulcata, squamosa, triloba.
- Athyrma** bubo, ganglio, interpuncta.
- Athysania** chorimea.
- Athysanus** argentatus, brachypterus, picturatus, quadrum, stylatus.
- Atichia** statices.
- Atilax** vansire.
- Atimia** confusa, tristis.
- Atimostoma** capensis.
- Atimus** emarginatus.
- Atissa** pygmaea.
- Atlanta** bivoniae, bulimoides, costae, depressa, fusca, gaudichaudi, gibbosa, helicinoides, inclinata, involuta, keraudreni, lesueuri, peroni, quoyana, rangi, reticulata, rosea, rotunda, trochiformis, turriculata.
- Atlante** bonaparte.
- Atlantochelys** mortoni.
- Atlapetes** pileatus.
- Atlides** atys, dolichos, dolichus, halesus, scamander.
- Atlocerus** obsipatus.
- Atmetonychus** inaequalis, peregrinus.

Atocrinus milleri.

Atolmis flavicapilla, rubricollis.

Atoma parasitica.

Atomaria alpina, analis, apicalis, atra, atricapilla, badia, basalis, basella, bicolor, brunnea, carbonaria, castanea, cellularis, cingulata, cognata, contaminata, crinata, debilis, diluta, dimidiata, dimidiatipennis, dorsalis, elongatula, evanescens, fasciata, ferruginea, fimetarii, fimetarius, fulvicollis, fulvipennis, fumata, fuscata, fuscipes, gibbula, gravidula, gutta, guttula, hvita, impressa, kamschatica, linearis, longula, melas, mesomelas, minutissima, morio, munda, nana, nigriceps, nigripennis, nigrirostris, nigriventris, nitida, nitidula, ornata, pallida, perpusilla, phaeogaster, pilosella, procerula, proluxa, pubescens, pulchella, pulchra, punctula, pusilla, pygmaea, rubella, rufa, ruficornis, rufipes, scutellaris, sellata, similis, terminata, testacea, thoracica, turgida, umbrina, unifasciata, versicolor.

Atomogaster duodecimpunctata, florea, macquarti, rufipes, stigmatica, tibialis, triquetra.

Atomosia affinis, annulipes, appendiculata, brevicornis, cyanescens, incisuralis, nigripes, purpurata, pusilla, rufipes, tibialis, unicolor.

Atopa bicolor, cinerea, elongata, fusca, livida, lobata, melanophthalmos, ornata.

Atopida castanea.

Atoposaurus jourdani, oberndorferi.

Atops trilineatus.

Atrachelus heterogeneus.

Atrachya menetriesi.

Atractaspis bibroni.

Atractia psilogaster.

Atractides anomalus, dimidiator, dimidiatus, sagulatus, setigera, spinipes.

Atractilites belemniticus.

Atractis dactylura.

Atractocera argyropeza, latipes, lineata, maculata, nigra, regelationis.

Atractocerus abbreviatus, brasiliensis, dipterum, emarginatus, madagascariensis, nedydalis, nedydaloides, pungens.

Atractodes (Col.) cavifrons, comosus, flavescens, lutescens.

Atractodes (Hym.) albitarsis, albovinctus, arator, bicolor, citator, croceicornis, cultellator, dionaeus, exilis, foveolatus, fumatus, gravidus, inessor, lineatus, niger, piceicornis, properator, quadrispinosus, salius, scrutator, thoracicus, vestalis.

Atractodon elegans.

Atractonotus mulsanti.

Atractopyge verrucosa.

Atractus (G.) contrarius, corneus, latus, striatus, trilineatus.

Atractus (Hem.) cinereus, columbius, dalmanni, falleni, genei, literatus, nubilus, spinipes, virescens, viridis.

Atrichia (A.) clamosa.

Atrichia (Dipt.) fasciata, saltitans, spoliata.

Atroctocerus latreillei.

Atropos (Lep.) solani.

Atropos (Orth.) fatidicus, lignaria, pulsatorius.

Atropos (R.) puniceus.

Atropus ciliaris.

Atrypa acuminata, acutiplicata, acutirostris, aequiradiata, affinis, alata, alecto, alinensis, altilis, altus, amalthea, ambigena, ambigua, ambiguus, andii, angularis, anisodonta, antiquata, antisienensis, arachne, arata, aspera, baucis, berenice, bidentata, bifera, bisulcata, biundata, boloniensis, buchi, camelina, canaliculata, caualis, capax, capewelli, cassida, chemungensis, cingulata, circulus, comata, compressa, compta, concentrica, concinna, congesta, congregata, cordiformis, corvina, crassa, crassicostis, crebricosta, crenulata, cuboides, cuspidata, cybele, daleidensis, daphne, decemplicata, dorsata, deflecta, deflexa, dentata, depressa, desquamata, dichotoma, didyma, decussata, dubia, duboisi, dumosa, elougata, ephemera, eucharis, eurydice, excavata, exigua, expansa, extans, fallax, famula, filosa, fimbriata, flabellites, flexistria, furcata, galeata, gaudryi, gibbera, glabra, glabristria, globosa, granulifera, gregaria, haidingeri,

hastata, hebe, hemiplicata, hemisphaerica, hispida, huotina, hystrix, imbricata, impleta, implexa, increbescens, indentata, inelegans, inornata, insperata, interplicata, isorhyncha, jukesi, juno, juvenis, lachryma, lacryma, laeviuscula, laticliva, laticosta, latisinuata, latissima, latona, lens, lenticularis, lewissi, liasina, limitaris, lineata, linguata, linguifera, livonica, mantiae, matercula, megaera, melonica, membranifera, mesogona, microrhyncha, micula, minerva, modesta, modica, monaca, monas, multident, nana, nasuta, navicula, naviformis, neglecta, niobe, nileus, nucella, nucleus, nucula, nuda, nustella, nympa, oblatus, oblonga, obolina, obovata, obtusa, obtusis, octocostata, orbicularis, ovalis, palmata, pectinifera, peculiaris, pentagona, pentatoma, penthedra, peruviana, philomela, phoenix, pisum, plana, planosulcata, platyloba, plebeia, pleiopleura, plena, pleurodon, plicatula, plicifera, polygramma, praegnans, primipilaris, prisca, proava, proboscidalis, proserpina, protracta, prunum, psyche, pugneus, pugnus, pulchra, pusilla, quadricostata, radialis, rectiplicata, recurvirostra, reniformis, reticularis, rhomboidea, rostrata, rotunda, sacculus, sapho, schnuri, scitula, sculptilis, securis, semilaevis, seminula, semiorbis, semiplicata, semisulcata, striatula, strigiceps, subcamelina, subcuboides, subcurvata, subdentata, sublepidia, sublobata, subovata, subtrigonalis, subundata, sulcirostris, superstes, sylphidea, tarda, tenuilineata, tenuistriata, thetis, thisbe, transversa, triangularis, tribulus, triloba, triplex, tumida, tumidula, umbra, undata, unguiculus, unguis, unisulcata, upsilon, velox, ventilabrum, versilarii, virgo, virgoides, voltzi, wahlenbergi, wurmi, yuennamensis.

Atta badia, bidens, biscutata, bituberculata, capitata, cardinalis, cephalotes, colombica, coptophylla, erythrocephala, fervens, geminata, insularis, lebasii, providens, quadriglumis, sexdens, structor.

Attacus atlas, aurota, carpini, hesperus, mylitta, pyri, spini, talas.

Attagen ariel.

Attagenus annulatus, annulifer, anteuatus, bicolor, bifasciatus, brunneus, cayenensis, cylindricornis, cylindricus, dalmatinus, emarginatus, fallax, flavicoruis, fruteti, fuscus, hirtus, macellarius, marginatus, marginicollis, maritimus, megatoma, nigripes, nisetoei, obtusus, pantherinus, pello, piceus, poecilus, pulcher, repandus, schaefferi, serra, sordidus, trifasciatus, undatus, undulatus, vigintiguttatus.

Attagis falklandica, gayi, latreillei, malouina.

Attalus abdominalis, dalmatinus, erythroderus, genei, lusitanicus, luxurians, nigricollis, sicanus.

Attelabus aeneus, alvearius, amplexens, analis, angulosus, armatus, atratus, atrirostris, aureolus, axillaris, bacchus, bicolor, bicoloratus, biguttatus, binotatus, bispinosus, brachiatus, canaliculatus, carneolus, columbinus, corallinus, corniculatus, corvinus, cribrarius, crotalariae, cupripennis, cyaneus, cyanipennis, cygneus, dentipennis, discolor, dorsalis, exaratus, falcipes, femoralis, flacatus, flavicornis, fornicatus, foveolatus, funereus, gnomoides, hamatus, hirtus, humeralis, hystrix, ilicis, klugi, laesicollis, laetus, lineaticollis, melancoryphus, melanocephalus, melanurus, nigricornis, nigripes, nitidus, ovalis, ovatus, pectoralis, pisi, planirostris, pubescens, quadri-pustulatus, rhois, rufescens, rufus, scutellaris, scutellatus, similis, smeraldinus, spinicollis, spiuifex, splendens, sumptuosus, variabilis, variegatus, variolosus, versicolor, vestitus, viridans.

Attica suturella.

Atticora ambrosiaca, cyanoleuca, fasciata, hamigera, leucosternon, melanoleuca, nigrita, pristopectera, vanikorensis, velox.

Attila bolivianus, brasiliensis, flammulatus, rufus, rutilus, spadiceus.

Attilus cirrhosus.

Attopsis anthracina, longipennis, nigra.

Attus (Ar.) abbreviatus, adansonii, agilis, alaceo, albolineatus, ambesas, ambiguus, annosus, annulatus, annulipes, arcigerus, arcuatus, argentatus, aspergatus, atrovirens, attentus, audax, aurantius, auratus, aureolus, bicolor, bilineatus, binus, bipunctatus, bivittatus, bonnetti, bos, brasiliensis, caenobiticus, callidus, caenroides, candefactus, canescens, canonicus, canosus, capitatus, capito, capreolus, castaneus, castellanus, ceruleus, chalybeius, chlorommatatus, chrysis, chrysonotus, cinctus, cinereus, clandest-

tinus, clavatus, coecatus, conicus, conspicillum, contemplator, eekoki, cordicalis, cornatus, coronatus, cristatus, crucifer, crucigerus, cruentatus, cunctator, cupreus, cyaneus, cylindricus, darwini, deincepsus, depressus, diardi, dissimulatus, divisus, doreyanus, dorthesi, doumerci, druryi, dubius, elegans, emaciatus, encarpatus, endacrys, erraticus, erythrocephalus, excubitor, explorator, falcarius, falcatus, familiaris, fasciatus, fasciolatus, felis, flavipes, formicarius, formicoides, forskaeli, fossilis, fraudulentus, frischeri, frontalis, fulvatus, funereus, furtivus, fuscus, galathea, gaymardius, gerbillus, glaneri, gracilis, grossipes, hebes, helveticus, heterophthalmus, hunteri, hypaticus, ictericus, igneus, illigeri, imperialis, incertus, inclemens, infestus, iniques, insidiosus, insignitus, insolens, investigator, iricolor, iris, irroratus, janthinus, juvenus, kotschii, lacertosus, lapponicus, latus, legibilis, lentus, leopardus, lepidus, leucocephalus, leucomelas, ligo, limbatus, linearis, lineolatus, litteratus, locusta, locustoides, lunulatus, maculatus, maculosus, magus, marginatus, melanocephalus, melanognathus, milberti, militaris, mitratus, modestus, morigerus, morsitans, mouffeti, multicolor, multivagus, murinus, muscorum, muscosus, musivum, mustellatus, mutillarius, myrmecinus, myrmecoides, mystaceus, nidicolens, niger, nigrifrons, nivosus, nobilitatus, nubilus, nuttalli, observans, ocellus, octavus, oppositus, opulentus, ornatus, otiosus, paralellus, parvus, paykulli, peregrinus, petrensis, phrinoides, pileatus, pilosus, pistacius, plumosus, podagrosus, pomatus, protervus, provocator, psyllus, pubescens, puerperus, pulchellus, pulcher, pulex, pulicarius, pulverulentus, pulverulosus, purpurarius, purpuratus, quadrimaculatus, quadri-punctatus, quaternus, quinquepartitus, quinquetessarius, quoyi, rarus, redii, regius, retarius, rimator, roseus, ruber, rubescens, rudis, rufifrons, rufus, rupicola, rusticus, sagax, sanguinolentus, scalaris, scenioides, scrutator, semilimbatus, seniculus, senicus, sexpunctatus, signatus, similis, sinister, smaragdinus, soldanii, speculator, splendens, splendidus, striatus, striolatus, subflavus, succinctus, sumptuosus, superbus, superciliatus, superciliosus, sylvanus, taeniola, tardigradus, taurinus, tenebrosus, terebratus, togatulus, trematus, tridentiger, trilineatus, tripunctatus, undatus, urvillei, vanus, variegatus, venator, vernus, versicolor, vestitus, viduus, villosus, virgulatus, viridipes, viridis, vittatus, x-notatus, xanthogramma, xanthonulus, zonarius.

Attus (Hem.) raenarius.

Aturia (Ceph.) ziczac.

Aturia (R.) belcheri, elegans, lapemoides, lindsayi, ornata, spiralis.

Atya mexicana, occidentalis, pilipes, scaber, spinipes, sulcatipes.

Atychia ampelophaga, appendiculata, chinera, chrysocephala, fuebris, globulariae, infausta, micans, notata, pruni, pumila, statices, tenuicornis, vitis.

Atylus carinatus, corallinus.

Atyoida bisulcata.

Atypha argillacea, gibba, ochroleuca, pulmonaris.

Atypus affinis, bicolor, limbatus, niger, occatorius, rutipes, subterranea, sulzeri.

Atyria isis.

Atys (Col.) samenessis.

Atys (Cr.) scaber.

Atys (G.) cynubulus.

Aucella concentrica, crassicolis, pallasi.

Auchenia (Col.) aeruginosa, asparagi, betulae, brunnea, cyanella, cyanura, flavicollis, flavipes, frontalis, hirta, marginata, melanocephala, melanopa, merdigera, quadrimaculata, rufipes, sexmaculata, tenella, thalassina, viridis.

Auchenia (M.) alpaco, araucana, guanaco, huanacus, huemel, lama, llacma, paco, vicunna.

Auchenias minor.

Auchenilabrus frontalis.

Auchenipterus dentatus, furcatus, immaculatus, maculosus, nodosus, nuchalis, punctatus, trachycorystes.

Auchinia savigniana.

Auchmis confusa, hyperici, petroriza.

Audinetella bipunctata.

Audouinia utriculus.

- Augasmosomus bescki*, *faldermanni*, *iridescens*.
Augastes limachellus, *scutatus*.
Augiades arcalaus, *comma*, *criniscus*, *euribates*, *helirius*, *sylvanus*.
Augocoris beski, *ehrenbergi*, *gigas*, *gomesi*, *olivaceus*, *pallidus*, *rugulosus*, *unicolor*.
Augoderia nitidula.
Augosoma centaurus, *ganymedes*, *jephta*.
Aulacanthus faujasi.
Aulacigaster ruftarsis.
Aulacium carinatum, *hollandiae*.
Aulacizes quadripunctata.
Aulacocheilus capensis, *chevrolati*, *cuniferus*, *janthinus*, *javanus*, *propinquus*, *quadripustulatus*, *violaceus*.
Aulacoderes immotus.
Aulacoderus albitarsis, *atronitidus*, *dorsalis*, *flavopictus*, *friwaldszkyi*, *quadrisignatus*, *transversalis*.
Aulacodon typus.
Aulacodus (Col.) *flavipes*, *zoubkovi*.
Aulacodus (M.) *swinderianus*, *temminckii*.
Aulacomerus buqueti.
Aulacopalpus elegans, *viridis*.
Aulacophyllum elhuyari, *sulcatum*.
Aulacopleura angusticeps, *koningki*.
Aulacopus reticulatus, *robustus*.
Aulacoramphus albivittata, *atrigrularis*, *derbyanus*, *haematopygus*, *prasinus*, *sulcatus*.
Aulacorhinus lama.
Aulacorhynchus caeruleo-cinctus, *derbianus*, *haematopygus*, *pavoninus*.
Aulacosteus cochleariformis, *oviformis*.
Aulacostomum gulo.
Aulacus (Col.) *abbotti*, *apicalis*, *ater*, *chilensis*, *cingulatus*, *compressus*, *congener*, *erichsoni*, *fasciatus*, *flagellatus*, *glorinator*, *hyalinipennis*, *lateritius*, *niger*, *obscuripennis*, *patrati*.
Aulacus (Hym.) *arcticus*, *esenbecki*, *latreilleanus*, *rufus*, *signatus*, *stephanoides*, *striatus*, *thoracicus*, *variegatus*.
Auladera andicola, *crenicosta*, *gibba*.
Aulaeosaurus bivittatus, *cepedianus*, *dracaena*, *ornatus*, *punctatus*, *stellatus*.
Aularhinus inaequalis.
Aulastoma gulo, *maculatus*, *nigrescens*.
Aulax glechomae, *subterraneus*.
Aulaxodon spelaeum.
Auletes basilaris, *politus*, *rhynchitoides*, *tubicen*.
Auletris aurantiaca, *bilineata*, *boans*, *coerulea*, *femoralis*, *infulata*, *ocularis*, *rubra*, *squirelia*, *variolosa*.
Aulica aulica.
Aulicus instabilis, *nero*, *pantomeles*.
Aulis annexa, *aumonti*, *consanguinea*, *foedata*, *lineato-signata*, *vestita*.
Aulodus agassizi.
Aulolepis typus.
Aulonia albimana.
Aulonium bicolor, *bidentatum*, *sulcatum*.
Aulonocnemis exarata, *opatrina*.
Aulonotreta polita, *sculpta*.
Aulophyllum prolapsum.
Aulopoma hofmeisteri.
Aulopora anglica, *arachnoidea*, *boloniensis*, *campanulata*, *compressa*, *conglomerata*, *consimilis*, *crassa*, *cucullina*, *dichotoma*, *divaricata*, *flabelliformis*, *gigas*, *hagenowi*, *inflata*, *intermedia*, *irregularis*, *lata*, *lonsdalei*, *macrostoma*, *nitida*, *pustulosa*, *ramosa*, *rugulosa*, *serpens*, *spicata*, *striata*, *tenuis*, *tubaeformis*, *voigtiana*.
Aulopus agassizi, *elongatus*, *filamentosus*, *filifer*, *maculatus*, *milesi*, *purpurissatus*.
Aulopyge huegeli.

- Aulosteges variabilis.*
Aulostoma bolcense, coloratum.
Aulostomella horrida, pediculus, tubulosa.
Aulostomus chinensis.
Aulotris tibiatrix.
Aulus diphos, sanguinolentus.
Aura desmaresti.
Aurata annularis, berda, bilobata, bilobites, bilunulata, bufonites, forsteri, grandoculus, harak, hurta, massiliensis, miniatus, mylio, mylostoma, orphus, psittacus, sarba, semilunata, spinifera, vulgaris.
Aurelia aurita, bilobata, campanula, colpota, crucigera, granulata, hyalina, limbata, phosphorea, radiolata, surirea, tyrrhena.
Aurella ciris.
Aurellia amaranthea, campanula, clausa, crenata, flavidula, globularis, labiata, lineolata, melanospila, phosphorica, purpurea, rosea, rufescens, suriray.
Auricella carychium, inflata, lineata, myosotis, parvula, triticea.
Auricula acicula, acuta, affinis, alba, alsatica, anglostoma, angistoma, angulifera, aurantiaca, auricella, aurilacea, auris silenii, australis, avena, biaolettiana, bidentata, bimarginata, biplicata, bivonae, bonelli, botteriana, bovina, bronni, buccinea, bulimiformis, bullaoides, caffra, cancellata, caprella, carolina, carychium, castanea, ceylonica, ciliata, cingulata, clausa, coniformis, conoidea, conovuliformis, cornea, corticaria, costata, costellata, crassa, cytharella, decurtata, dentata, denticulata, de sangro, discrepans, distorta, dolioholum, dombeiana, dominicensis, dubia, edentula, elegans, elongata, erosa, fabula, fasciata, felis, firmini, fluctuosa, fluviatilis, frumentum, fusca, fuscagula, fusiformis, gibba, globulosa, gracilis, granifera, heteroclita, hordeola, incrassata, inflata, intermedia, jaunei, judae, jududae, kraussii, kuesteri, kutschigiana, labrella, laevigata, leporis, limbata, lineata, livida, lutea, maculata, malchi, marginalis, marginata, matoni, maura, michaudi, micheli, michelini, microstoma, midae, miliaris, miliola, minima, mioxii, mirabilis, monile, multivolvus, mustelina, myosotis, myotis, nigra, nitens, nitida, nitidula, nucleus, obliqua, oblonga, obsoleta, oliva, ornata, ovalis, ovata, ovula, ovulus, ovum, owaihiensis, pallescens, pallida, papillifera, papyracea, payraudeaui, pedipes, pellucens, pellucida, personatum, petiverianus, philippii, piriformis, pisolina, pisum, plicatus, ponderosa, protensa, pseudoauricula, pulchella, pulla, pupa, pyramidalis, reclusiana, reflexilabris, remiensis, requieni, reticulata, ringens, rugata, sandwichiensis, sayi, scarabaeus, scheepmakeri, sciuri, sedgwicki, signata, silenii, simii, simulata, sinistrorsa, spina, stagnalis, striata, striatella, subcylindrica, subdentata, subovula, subula, sulcata, sulculosa, superba, tenella, terebellata, terebralis, tornatelliformis, tornatilis, trifasciata, triplicatus, triticea, turgida, turonensis, turritella, umbilicata, umlaasiana, uniplicata, variabilis, ventricosa, vespertilionis, viola.
Auricularia biplicata, inflata, maculata.
Auriculina obliqua, ringens.
Aurigena chlorana, lugubris, orientalis, tarsata.
Auripasser euchlora, lutea.
Auris melanostoma, signata, vittata.
Auriscalpium anatinum, globosum, magnum, rostratum.
Aurotis betulae.
Ausonia cuvieri.
Australasia malaisiae, novae hollandiae, viridis.
Autalia angusticollis, aterrima, impressa, plicata, rivularis, rubicornis.
Autochloris almon, enagrus, pheres.
Autochton itylus.
Autocryptomene spiralis.
Autographa circumflexa, concha, croesa, gamma, interrogationis, jota, mya, ni, norma, omicron, oxygramma, parilis, polydamia, questionis.
Autolytus prolifera.
Automalus alboguttatus.
Automeris armidia, arminia, egeas, irene, janus, jucunda, liberia, metea, salmonea.

Automolis bifascia, docis, justina, meteus, sypilus.

Autonomaea olivii.

Autophila catapbanes.

Autoplectus protognostus.

Autoses pelliocella, sarcitella.

Auxis bisus, sloanei, vulgaris.

Avara prasina.

Avellana alpina, arcibiacciana, bullata, carnobarba, cassis, clementina, decurtata, dupiniana, globulosa, bugardiana, incrassata, inflata, labiosa, lacryma, mailleana, ovula, prevosti, rojana, sculpta, spbaera, subincrassata, varusensis.

Avenella fusca.

Aventia flexularia.

Aviceda butcoides, cuculoides, reinwardti, subcristatus, sumatrensis.

Avicella avicularia, avicularoides, mediterranea, multispina, nordmanni, plumosa.

Avicella frontalis, lophotes, magnirostris, subcristatus.

Avicula acanthoptera, aculeata, acuta, acutirostris, aequalis, aequalvalvis, aesopus, ala corvi, alata, alberti, albina, allaudiensis, alternans, alternata, aluco, americana, ampliata, anglica, angusta, angustata, angustirostra, anisota, anomala, antiqua, antiquata, approximata, aptera, aptiensis, arachnoidea, arcana, arcuata, argentea, arquata, atlantica, aviformis, bella, benediana, bicarinata, bicostata, bidorsata, bifrons, bilsteinsensis, binneyi, boydi, braamburiensis, brevicauda, bronni, bullata, cancellata, carbonaria, cardiiformis, carinata, carteroni, cassiana, cenomanensis, chemnitzii, chemungensis, chinense, cincta, cingenda, claibornensis, coerulescens, communis, complanata, complicata, concentrica, concentrico-striatus, contorta, convexa, convexo-plana, corallina, cornueliana, costata, costellata, costulata, cottadina, crassicollis, crenulata, crinita, crispata, crocea, cruciformis, cuneiformis, cycloptera, cygnipes, dalailamae, damnoniensis, danae, decepta, decorata, decussata, delia, demissa, depressa, desquamata, devonica, discors, dolabriformis, dubia, dumontiana, echinata, elegans, elegantissima, elliptica, elongata, emacerata, eolis, ephemera, equilatera, erecta, exarata, eximia, expansa, falcata, fallax, faujasi, fischeriana, flabella, flabellula, flabellulum, flexuosa, forbesi, fornicata, fragilis, gebhardi, geinitzi, georgiana, germaniae, gibbosa, glaberrima, glabra, globulus, goldfussi, gracilis, granulosa, gryphaeoides, grypheata, halleana, hardingi, henisphaerica, hersilia, heteroptera, hirudo, hirundo, humata, hybrida, impressa, inaequalvalvis, incrassata, inflata, informis, intercostata, intermedia, interrupta, iris, janassia, janira, janthe, jarbas, jason, johannisaustriae, jugleri, kahlebergensis, kazanensis, keratophaga, keyserlingi, klipsteini, laevigata, laevis, lamellosa, laminosa, lanceolata, largillierti, laripes, lata, laticauda, lebruni, lepida, leptonota, leptotus, levesquei, limula, lineata, lineatula, lingulata, litbuana, livida, longiarea, longiaxis, longicostata, longispina, lorata, loriier, lotorium, lunulata, m'coyana, macroptera, magnifica, manticula, marmorata, matutina, matutinalis, media, megalotis, melvillianae, microplicata, mimas, minuta, modiolaris, modioliforme, modioliformis, morio, mosquensis, moutoniana, muensteri, multangulata, multicostata, multifineata, mundus, murchisoni, muricata, mysis, nais, naviformis, nebulosa, neglecta, neptuni, nitida, nobilis, normaniana, novemcostae, nuda, nysa, nystiana, obliqua, obovata, obsoleta, obtusa, oebotica, octavia, ocyrrhoe, olisiponensis, ophione, opis, orbicularis, orbiculata, ornata, ovalis, ovata, oweni, pallasi, pallida, papilionacea, papyracea, paradoxa, paradoxides, parilis, paucilineata, pectinata, pectiniformis, pectinoides, pedernalis, pera, peregrina, permiana, perobliqua, phalaenacea, physoides, pica, plana, planicostata, planidorsata, planiuscula, pleuroptera, plicata, polyodon, polytricha, prima, problematica, protexta, psittacus, pulchella, pygmaea, quadrata, quadrula, quinquecostata, radiata, radula, rauliniana, recta, rectangularis, reichi, reticulata, retroflexa, rhexia, rhomboidalis, rigida, romeri, rosalia, roselana, rudis, rufa, rugaestriata, rugosa, russiensis, salinaria, samuelsi, saturni, savignyi, seckendorffi, semialata, semiauriculata, semicircularis, semicostata, semiplicata, semiradiata, semisagitta, semistriata, semisulcata, sericea, serrulata, sexcostata, signata, similis, simplex, sinemuriensis, socialis, sowerbyana, sp. ind., speciosa, speluncaria, spinigera, spirata, spondyloides, squamosa, squamula, squamulosa, striata, striatopunctata, strix, subalternata, subantiqua, subarcuata,

subcostata, subdepressa, subechinata, subelegans, subelliptica, subfalcata, subfragilis, subgibbosa, subgranulosa, subimpressa, sublaevigata, sublaevigolata, sublineata, sublobata, subnodosa, suborbicularis, suborbiculata, subovata, subpapyracea, subpectiniformis, subpectinoides, subplana, subplanicostata, subplicata, subpygmaea, subquadrans, subradiata, subrecta, subretroflexa, subrugosa, substriata, subtruncata, subventricosa, sulcata, tarentina, tegulata, tenera, tenua, tenuicostata, tenuistria, tenuistriata, tessellata, texturata, thompsoni, tonsiphuma, tortirostris, tortuosa, trapezoides, trentonensis, trigonota, triloba, trilobata, triptera, triquetra, triseriata, triton, tuberculata, tumida, variabilis, venetiana, ventriosa, venusta, verneuili, verreauxi, vesperilio, vesta, virens, virgata, virgula, volgensis, vorthi, wissmanni, wurmi, zeuschneri.

Avicularia (Ar.) blondi, canceridea, fasciata.

Avicularia (Polyz.) flabellata.

Avocetta americana, europaea, leucocephala, novae hollandiae, recurvirostra.

Avocettinus avocetta, lessoni, recurvirostris.

Avosetta atricapilla.

Axelia myriaster.

Axia (Cr.) cylindrica.

Axia (Lep.) degenerana, dilutana, margarita, punctana, revatana, romosana.

Axia (Med.) gaedei.

Axina analis, rufitarsis, sexmaculata.

Axine platyura.

Axinidium africanum.

Axinopalpis gracilis.

Axinopalpus biplagiatus.

Axinophorus brasiliensis, gages, lacordairei, lecontei.

Axinopsophus quadrisignatus, transversus, umbraculatus.

Axinotoma fallax.

Axinura canadensis.

Axinurus thynnoides.

Axinus angulatus, axiniformis, benedem, biplicatus, carbonarius, centralis, deltoideus, depressus, dubius, latus, minimus, nuculoides, nysti, obscurus, obtusus, parvus, pucillus, rotundatus, sarsi, sinuatus, sulcatus, truncatus, undatus, unicarinatus.

Axiocerses perion.

Axiopoenia maura.

Axiotheata divisa.

Axiotima gaedei.

Axis duvaucelli, maculata, major, minor, pennanti, porcinus.

Axius stiryacus.

Axogaster cretacea.

Axolotes guttata, maculata.

Axolotus lacertinus, philadelphicus, pisciformis.

Axophyllia nantuaensis.

Axophyllum expansum.

Axopora pyriformis.

Axosmia extinctorium, multiradiata.

Axumia praelonga.

Axylia exsoluta, putris, vetusta.

Axyra brunnea.

Axysta viridula.

Aylacostoma glabrum, tuberculatum.

Aylax brandti, caninae, glebennae, hieratei, minor, patens, punctatus, rhoeadis, sabaudi, splendens, syncrepidius.

Aylopon anthias, barbier.

Aythya cristata, erythrocephala, femina, fuligula, islandica, leuconotos, leucophthalmos, marila, mariloides, mersa, nyroca, rubra.

Azara labiata.

- Azeca** maloni, matoni, nouletiana, tridens.
- Azelia** agilis, dorsalis, duodecim-punctata, florea, gentilis, nebulosa, obscura, tibialis, vernalis.
- Azesia** napolio.
- Azinecera** dispar.
- Azinephora** pulveraria.
- Azor** antiquitatus, variabilis.
- Azoria** subviolacea.
- Azya** luteipes, orbigera, pontbrianti, scutata.
- Babia** capistrata, costalis, cruentata, heteroptera, magnicollis, procera, pudica, pulla, quadrigutata, quadripustulata, rufipennis, stabilis, unabunda, unimaculata.
- Babirusa** alfurus. *Vide et* Babirusa.
- Babylonia** spirata.
- Babyrousa** quadricorne. *Vide et* Babirusa.
- Baccha** abbreviata, adpersa, amphithoe, babista, coccinillivora, cochenillivora, clavata, costalis, costata, cubensis, cylindrica, elongata, fascipennis, fusciformis, fusciventris, inornata, klugi, lepida, lineata, nigricornis, nigripennis, obscuripennis, picta, saphirina, scytellata, sphegea, sphegina, tabida, tarchetius, varia, variegata, vesiculosa, vitripennis, vittata.
- Bacchis** cellarium, geniculata, leucoptera, ludibunda, putris.
- Bachia** orbigny.
- Bacillaria** bipunctata, communis, crassa, histrix, lyngbyi, mulleri, paxillum, pectinalis, vitrea.
- Bacillus** australis, beecheyi, brevis, brunneus, capensis, erouani, gallicum, gracilis, granulatus, lobipes, rossi, rossia, squalidus.
- Bacis** ambiguus, arduus, marginatus, scutellaris, tripunctatus.
- Bacteria** acanthopus, aegyptiaca, arumatia, aurita, bicornis, bogotensis, calamus, calcarata, coenosa, femorata, ferula, filiformis, fragilis, gracilis, hastata, indica, linearis, lineata, muricata, quindensis, rosaria, roulini, rubispinosa, samouellei, sarmentosa, sayi, scabrosa, simplex, simplicitarsis, spatulata, spinosa, striata, tridens, viridis.
- Bacterium** articulatum, catenula, cylindricum, elongata, enchelys, fuscum, monas, punctum, scintillans, simplex, termo, tremulans, triloculare.
- Bactra** cantiana, egenana, egestana, expallidana, pauperana, plagana.
- Bactridium** ellipticum, granuliferum, hagenowi, schizostoma.
- Bactrites** conicus, gracilis, subconicus.
- Bactrocera** longicornis.
- Bactrocrinites** fusiformis.
- Bactrophora** domiuans.
- Baculina** rouyana.
- Baculita** parkinsoni.
- Baculites** acuaris, anceps, asper, baculoides, carinatus, columna, compressa, cylindracea, cylindrica, dissimilis, faujasi, gigantea, gigas, incurvatus, knorri, knorriana, labyrinthicus, maximus, neocomiensis, obliquatus, ovata, rotundus, teres, undulatus, vagina, vertebralis.
- Badacterium** borbonicum.
- Badiaga** fluviatilis, lacustris.
- Badister** anchora, binotatus, bipustulatus, cephalotes, collaris, debilis, dilatatus, dorsiger, ferrugineus, humeralis, lacertosus, micans, microcephalus, notatus, peltatus, prodromus, pulchellus, quinquepustulatus, rubidicollis, sodalis, suturalis, terminalis, testaceus, thoracicus, unipustulatus, xanthomus.
- Baeocera** concolor.
- Baeoglossa** melanaria, villosa.
- Baeolophus** bicolor.
- Baeotis** cingulus, hisbaena, melanis, nicias, uranis.

Baetes alba, alternata, bilineata.

Baetis arida, aurantiaca, australasica, autumnalis, basalis, bioculatus, carnea, caudata, cerea, cingulata, costalis, culiciformis, cyanops, dispar, elegans, femorata, flaveola, flavescens, flumium, forcipula, fusca, fuscata, guttata, horaria, interpunctata, lateralis, longicauda, luridipennis, marginalis, mellea, melleus, montana, nigra, obesa, obscura, phaeopa, purpurascens, reticulata, semicolorata, semitincta, straminea, striata, subfusca, venosa, vernus, verticis.

Baeus seminulum.

Bagous adpersus, aereus, alismatis, amputatus, argillaceus, atrirostris, attenuatus, bisimpressus, binodulus, binotatus, brevis, chorinaeus, cinereus, claudicans, cnemerythrus, coenosus, convexicollis, costatus, crinalis, cryptocephalus, curtus, cylindrus, diglyptus, echinatus, egenus, elegans, elongatus, encaustus, frit, glabrirostris, haematopus, halophilus, inceratus, inquinamentus, laticollis, limosus, longulus, lunatus, lutosus, lutulentus, lutulosus, minutus, mundanus, nebulosus, nodulosus, oleae, percursor, pilumnus, productus, puncticollis, pyrrhocnemis, rotundicollis, simplex, spadiceus, subcarinatus, tempestivus, tessellatus, tibialis, tophyosus, validitarsus, validus.

Bagrus abbreviatus, adansonii, affinis, agricolus, albicans, albilabris, anguis, anisurus, aor, aorides, aorinus, arenarius, arioides, atherinoides, aurantiacus, auratus, barbatus, batasio, bayad, biliueatus, birmannus, boudierius, capensis, capito, carchario-rhynchus, cavasius, chinta, clarias, coelestinus, commersoni, corsula, couma, doemac, doroides, emphysetus, exodon, flavescens, flavus, fuscus, gagorides, genidens, gulio, guliodes, halepensis, herzbergi, heterurus, hoeveni, javensis, keletius, laevigatus, lamarel, limbatus, lonah, macronemus, malabaricus, maurus, melas, mesops, meyeri, micracanthus, montanus, murus, nemurus, netuma, nigriceps, nigrita, oculus, passany, pemecus, pictus, planiceps, poecilopterus, proops, punctatus, ramentosus, rhodonotus, rhodopterygius, sagor, schilbeides, schlegeli, sieboldi, singaringan, sondaicus, stenomus, sumatranus, temminckianus, tengana, tenggara, thalassinus, trachacanthus, trachipomus, urua, vacha, vachelli, venaticus, vertagus, vittatus, yarrelli.

Bainopus grandis, irenoides.

Baione fontinalis.

Bairdia affinis, angusta, harrisiana, silicula, siliqua, subdeltoidea, triquetra.

Baizongia pistaciae.

Bakerina dipteriphora.

Bakevellia antiqua, bicarinata, ceratophaga, sedgwickiana, tumida.

Baladeva walkeri.

Balaea fragilis.

Balaena affinis, ampullata*, antarctica, antipodarum, antiquorum, arcuata, australis, borealis, definita, duplicata, emarginata, gastritis, gibbar, japonica, lalandi, longimana, lunulata, marginata, maximus, minimus borealis, mysticetus, nodosa, nordcaper, prisca, quoyi, sulcata, tschudii.

Balaeniceps rex.

Balaenodon lintianus, physaloides.

Balaenoptera acutorostrata, antarctica, antiquorum, aragoi, aragous, australis, boops, borealis, braziliensis, capensis, coerulescens, cuvieri, fasciata, gibbar, iwasi, jubartes, laticeps, maculata, musculus, nigra, nodosa, physalus, punctata, punctulata, roqual, rostrata, tenuirostris.

Balanephagus (A.) garrulus.

Balanephagus (Col.) faldermanni.

Balaninum glandium.

Balaninus adpersus, albovarius, amoenus, apicalis, barthelemyi, betulae, brassicae, brunneus, c album, carinirostris, caryatrypes, cerasorum, crux, curvatus, diaconitus, elephas, fasciatus, ferrugineus, furcifer, galeatus, gulosus, hispanus, hispidus, intermedius, leucophaeus, malaleucus, murinus, nasicus, nasutus, nigrescens, uigritulus, nucum, ochreateus, pallidus, pellitus, perscillus, picus, pistor, porrectus, proboscideus, pusillus, pyrrhoceras, rectirostris, rectus, rostratus, rubidus, rufirostris, sanguinirostris, sayi, scolopax, scutellatus, serpentinus, sparsus, strigirostris, suturalis,

suturifer, tenuirostris, tomentosus, turbatus, variegatus, venosus, verticalis, vestitus, villosus.

Balanites lineatus, parasiticus, porosus.

Balanocrinites sculptus.

Balanocrinus subteres.

Balanoforus spari.

Balanoglossus clavigerus.

Balanomorphia caricis.

Balanophyllia bairdiana, calyculus, cumingi, cylindrica, desmophyllum, geniculata, gravesi, italica, praelonga, tenuistriata, verrucaria.

Balanta amboinensis, apicalis, lemurina, orientalis, tetradaetyla, vulpina.

Balantium australe, bicarinatum, inflatum, recurvum, rugosum.

Balanus acutissimus, aduncus, albus, alcyonii, amphimorphus, angulosus, arcticus, balaenaris, balaenarum, balanoides, blainvillei, calycularis, candidus, carbonaria, carinatus, chelytrypeta, circinnatus, communis, concavus, conoides, coquimbensis, cornubiensis, costatus, crassus, crispus, cumingi, cylindraceus, cylindricus, delphinus, dentatus, dentiformis, diadema, dilatatus, discors, duploconus, dussumieri, eburneus, elongatus, erisma, finchi, fistulosus, geniculatus, gigas, glacialis, goissopomo, holgeri, humilis, hurella, imbricatus, intermedius, interruptus, intertextus, latiradiatus, latus, linearis, lyonsi, madreporarum, miser, montagui, novae irlandiae, orbignyi, ornatus, ovalis, ovarialis, palmatus, parvus, patellaris, pectinarius, peregrinus, picos, pictus, plancianus, plicarius, plicatulus, ponderosus, porosus, productus, proteus, psittacus, puncturatus, pustula, pustularis, pyramidalis, pyrgoma, radiatus, reticularis, rhombicus, roseus, rugosus, salicivorus, scoticus, scutellaris, semiplicatus, spongicula, spongiosus, spongites, squamatus, stalactiferus, stellaris, stellatus, subimbricatus, sublaevis, sulcirostris, swainsoni, tertiarius, tessellatus, testudinarius, testudineatus, tubicinella, tulipa, unguiformis, utricularis, varians, variolaris, virgatus, zonalis, zonarius.

Balaustium murorum.

Balbusardus haliaetus.

Balcis montagui, subulata, testacea.

Balea elator, fragilis, funcki, peregrina, perversa, sarsi, tristensis, ventricosa.

Balearica pavonina, regulatorum.

Balistapodus wittensis.

Balistapus capistratus.

Balistes adpersus, albicaudatus, amboinensis, angulatus, angulosus, angusticauda, annularis, arcuatus, armatus, aurantiacus, aureolus, auromarginatus, australis, ayraudi, azureus, barbatus, batillium, bicolor, brasiliensis, broccus, buniva, bursa, caeruleus, caprinus, castaneus, chrysopterus, ciliaris, ciliatus, cinereus, cingulum, conspicillum, cuspidata, dubius, erythropteron, fimbriatus*, flavimarginatus, frenatus, freycineti, fuliginosus, fuscatus, fuscus, geographicus, gubarmatus, gularis, hiipe, hippocrepis, hispidus, insulaepralin, jacksonianus, jellaha, lamouroux, lemniscatus, lima, lineatus, liturosus, lunulatus, maculosus, marmoratus, medinilla, melano-pleura, mitis, monoceros, mungo-park, mylii, nigropunctatus*, nummiferus, oculatus, oire, ornatissimus, ornatus, pellucidus, penicilligerus, phaleratus, prasinensis, prasinoides, punctatus, radiata, radula, rectangulus, rivulatus, sandwichiensis, scaber, scriptus, senticosus, serraticornis, sesquilineatus, signatus, sinensis, spilomelanurus, spinosissimus, stellaris, stellatus, subarmatus, sufflamen, talpina, truncatus, unimaculatus, vachelli, vidua, villosus, vingens, viridescens, viridis, willughbyi.

Balistus rotundatus.

Balitora bricei, brucei, erythrorhina, lineolata, maculata, ocellata, pavonina.

Ballerus ballerus.

Ballida brahamae.

Balluca marginata.

Ballus heterophthalma.

Banchus acuminata, aequatus, annulatus, compressus, cultellator, elator, falcator, farrani, fugitivus, fulvus, gravidator, monileatus, nervulus, quadrator, rufiventris, spinipes, tomentosus, villosulus, viridator, volutatorius.

Bankivia varians.

Banksianus australis, fulgidus, galeatus.

Baphia vulsella.

Bapta bimaculata, punctata, temeraria.

Baptria chaerophyllaria, euphorbiaria, quadrifaria, tibialaria.

Barathra albicolor, brassicae.

Barathroea cerealis, stramineipennis.

Barbala plicata.

Barbastellus cinereus, communis, daubentoni, novae hollandiae, pacificus.

Barbatula atroflava, chrysocoma, minuta, nana, pusilla.

Barbitistes albovittatus, autumnalis, baetica, cucullatus, denticauda, ephippiger, flavescens, foliicauda, glabricauda, oeskeyi, punctatissima, pyreneae, sanguinolenta, scutatus, selliger, serricauda, spinulicauda, vittata.

Barbus affinis, armatus, balleroides, barbulus, barbuis, basalis, binny, binotatus, brachynemus, bramoides, bulatmai, burchelli, bynni, callensis, canali, caninus, canis, capensis, capito, capoeta, carnaticus, chalybatus, chelynoideus, chielynoides, chrysopoma, clavatus, coesa, communis, deauratus, deliciosus, diplochilus, douronensis, duvauceli, elongatus, enoplos, eques, erythropterus, fluviatilis, fundulus, gardonidis, gibbosus, gobionides, gonionotus, gorguari, gracilis, grypus, hexagonolepis, hexastichus, hypoeconatus, hypseconatus, hypsylonotus, intermedius, kakus, kalopterus, kersin, khudree, kolus, labecula, lacerta, laevis, lateristriatus, lateristriga, lepidotus, leptopogon, longiceps, macrocephalus, maculatus, malabaricus, marequensis, marginatus, mayori, megalepis, melanopterus, meridionalis, microlepis, micropogon, mortonius, mosal, mursa, mussullah, mysorensis, mystaceus, obtusirostris, orfus, orisigenes, orphoides, pallidus, pectoralis, peloponnesius, perince, perniciosus, petenyi, plebeius, podonemus, polydori, progeneius, putitora, rajanorum, rododactylus, roseipinnis, rubripinna, rubripinnis, sarana, sarananella, schagra, scincus, setigerus, setivimensis, soro, spilopholus, spinulosus, striatus, subnasutus, surkis, tambra, tor, truncatus, tyberinus, valenciennesi, vulgaris, wadon.

Bardistus cibaricus.

Baridius abrotana, abruptelineatus, aciculaticollis, acutipennis, aereus, affaber, albobictus, albosignatus, album, alcyoneus, amoenus, analis, angustus, anthracinus, antiquus, apicalis, armatus, armeniacae, artemisiae, atramentarius, atricolor, atriplicis, atrocoeruleus, auricomus, aurosignatus, australis, avarus, axillaris, azureus, badius, bardus, bicolor, bilineatus, bipartitus, caffer, caldarius, californicus, carbonarius, caruifex, catenulatus, chalybaeus, chloris, chlorizans, chlorodius, ciliatus, cinnabarinus, cliens, coerulescens, coeruleus, collaris, coloratus, concinnus, confertus, convexicollis, coracinus, corallinus, corruscus, crenatus, crocopelmus, cupreus, cuprirostris, curtulus, curvirostris, cyaneus, depilis, discolor, dorsalis, duplicatus, ebeninus, erithropus, eryophorus, exaratus, famulus, flavicornis, flexuosus, foveolatus, punctatus, fulgidus, gimmerthali, glabratus, humeralis, ignavus, impeditus, impolitus, impressifrons, impressus, impunctatus, indignus, inops, interpunctatus, interruptus, irroratus, janthinus, laetus, landgrebi, latus, lepidii, liratus, lituratus, lividipes, longulus, loticatus, luzoti, maculiventris, marginicollis, melanarius, melanocephalus, melas, ammonius, metallescens, metallicus, modestus, modicus, monstrosus, morio, mutilus, natus, neelgherensis, nigellus, nigrinus, nigratarsis, nigriventris, nigrocephalus, nitens, nitescens, nitidus, notatus, obrucis, obumbratus, opacus, ovalis, pallidicornis, parallelus, parellinus, parvulus, pauper, pelliceus, penicillatus, pertusus, picicornis, pichinus, picitarsis, picturatus, pilistriatus, plicatus, prasinus, pulchellus, pullus, punctatus, pusio, pyrotosus, quadraticollis, quadrimaculata, quadrinotatus, quadrisignatus, regalis, renardi, rubinus, rudis, ruficollis, rufipennis, rufipes, rufus, rugatus, saba, schwarzenbergi, scolopaceus, scolopax, scotinus, scrobicollis, scutellum, sellatus, semistriatus, senescens, seriepunctatus, sicular, signatulus, spadiceus, spitzyi, splendida, spoliatus, squamifer, squamosus, squamulosus, squarrosus, striatus, subnitidus, subscabrosus, subsignatus, suffriani, sulcatus, T-signum, temerarius, tenuicollis, teter, tibialis, tigrinus, timidus, tombacinus, torquatus, transversus, trinotatus, undulatus, vecors, vestitus, vicinus, viduatus, villae, violaceus, virescens, virgatus, viridanus, vivax, wahlbergi.

Barinotus costulatus.

Bariosta ponderosus.

Baripus aterrimus, parallelus, rivalis, speciosus, subsulcatus.

Baris abrotani, absinthii, aenea, albomaculata, amethystina, analis, argentata, armata, artemisiae, atrata, atriplicis, aurata, aurea, auritarsis, bicolor, bicuspis, bigrammea, binotata, caerulea, caerulescens, caprea, carbonaria, chalybea, chloris, chrysis, circumdata, coerulescens, cuprea, cuprirostris, cyaneus, elephas, exarata, flaviventris, flavofasciata, flavomaculata, fucata, fulgida, gagates, gagatina, gibbirostris, impunctatus, interpunctata, janthina, lateralis, lepidii, lignarius, lucida, melaena, melancholica, metallica, migrator, monstrosa, nigrita, nitens, nitidus, oblonga, olfersi, opaca, piceus, picicornis, picina, picta, pilistriatus, polita, punctata, punctatissima, pyritosa, quadriguttata, richel, rubens, rubetra, rubicollis, rufa, ruficollis, rufipennis, rugosa, scutellata, scolopacea, signata, sparsa, spoliata, squamipes, T-album, thoracica, timida, trinodata, truncorum, vestita, violacea, virescens, viridis.

Barisia imbricata, lichenigerus, radicollis.

Barita anaphonensis, chalybea, destructor, graculina, griseus, gymnocephala, keraudreni, leuconota, organica, quoyi, sonnerati, strepera, tibicen, varia, viridis.

Barnea spinosa.

Barnia candida, similis.

Barrabandius melanurus, rosaceus.

Barrandia cordai.

Bartramia laticauda.

Baryastrea solida.

Barybaena bilineolata, lurida, mendax, parvula.

Barybas modestus, nanus, variegatus.

Baryceros guttatus.

Barycerus collaris.

Barydius neelgheriensis.

Barymorpha bimaculata.

Barynotus alternans, bohemani, carinatus, elevatus, erinaceus, globatus, granulatus, maculatus, margaritaceus, mercurialis, moerens, obscurus, rigidus, schoenherrii, squalidus, squamosus, tergoratus, terricola.

Barypenthus concolor, rufipes.

Baryphonus cyanocephalus, cyanogaster, ruficapillus.

Baryphora speciosa.

Baryphyllum verneulanum.

Baryscelis laticollis, politus.

Barysmilia brevicaulis, compressa, confusa, corbarica, cordieri, gregaria.

Barysomus cephalotes, gyllenhali, hoepfneri, metallicus, semivittatus.

Barytopus moniliferus, undatus.

Basalys fumipennis.

Basanistes (A.) cissoides.

Basanistes (Cr.) huchonis, salmonea.

Basentidema syrphoides.

Baseodiscus delineatus.

Basicyrptus costalis.

Basileuterus brunneiceps, cinnamomeiventris, coronata, culcivorus, ruber, tristriata, vermicivorus.

Basilinna albicollis, albus, leucogaster, leucotis, mellivorus, tephrocephalus.

Basiliscus amboinensis, cristatus, mitratus, vittatus.

Basilornis corythaix.

Basilosaurus cetoides, kochi, serratus, squalodon.

Basinotopus lamarcki.

Basipta pallens.

Basitoxus armatus, maillei.

Basodonta nigricornis.

Basoleia brasiliensis.

Bassar (Lep.) itea.

Bassaris (M.) *astuta*.

Bassia *quadrilatera*.

Bassus *abdominator*, *affinis*, *albosignatus*, *alpinus*, *analís*, *annulatus*, *appendiculatus*, *apterus*, *areolaris*, *bicolor*, *bidens*, *biguttatus*, *bizonarius*, *brevicornis*, *brunneator*, *calciator*, *calculator*, *campanulator*, *cinctus*, *clavatorius*, *collaris*, *concolor*, *confiscator*, *coronatus*, *cunctator*, *curvatorius*, *dentipes*, *deplanatus*, *dorsatus*, *electorius*, *elegans*, *emarciator*, *erythrocerus*, *exsultans*, *festivus*, *fissorius*, *flagratorius*, *flavatorius*, *flavipes*, *flavolineatus*, *foliator*, *frontalis*, *frontatorius*, *fuliginator*, *gibbosus*, *glorior*, *gloriorius*, *gracilicoruis*, *hispanicus*, *insignis*, *irrigator*, *lactatorius*, *lapponicus*, *laricis*, *lateralis*, *limitaris*, *limnicolor*, *lineatus*, *maculatorius*, *mandibulator*, *manducator*, *marginator*, *meritorius*, *migrator*, *minatorius*, *minutissimus*, *minutus*, *multicolor*, *navicularis*, *nigricollis*, *nigritarsus*, *nuntiator*, *ochropes*, *ornatus*, *pallipes*, *pectoratorius*, *pedatorius*, *peliorator*, *pictus*, *porrectorius*, *praedator*, *praerogator*, *pubescens*, *pulcher*, *pumilio*, *pusillus*, *ruficeps*, *ruficornis*, *rufipes*, *rufiventris*, *rufolabris*, *sanctus*, *seductor*, *segmentorius*, *senilis*, *serricoruis*, *signatus*, *similis*, *spectator*, *spinator*, *stigmaticus*, *striatus*, *strigator*, *sulcata*, *sulphuratorius*, *tarsatorius*, *testaceus*, *triangulata*, *tricinctus*, *truncator*, *zonator*.

Basta *flabelliformis*, *ventilabrum*.

Bastactes *bituberculatus*.

Batara *othello*, *striata*.

Bathis *bonariensis*.

Bathmidurus *atricapillus*, *major*, *melanoleucus*, *niger*, *variegatus*.

Bathycoelia *buonopozziensis*.

Bathycyathus *chilensis*, *indicus*, *sowerbyi*.

Bathyergus *caecutiens*, *capensis*, *damarensis*, *hottentotus*, *ludwigi*, *maritimus*, *splendens*, *stullus*, *talpinus*.

Bathyscia *aubei*, *byssina*, *montana*, *ovata*, *schiodtei*.

Batia *flavifrontella*, *lambdella*, *lunaris*, *lutarella*, *panzerella*, *saturatella*.

Batillaria *zonalis*.

Batillus *cornutus*, *viridescens*.

Batis (A.) *fimbriata*, *hirundinacea*, *melanoleuca*, *molitor*, *radula*, *strepitans*, *succincta*.

Batocera *aphetor*, *numitor*, *octomaculata*, *octomaculator*, *princeps*, *punctator*, *reticulator*, *rixator*, *rubus*, *scalator*.

Batodes *dumeriliana*.

Batolites (Moll.) *organisans*.

Batonota *bidens*, *laticollis*, *pugionata*.

Batoscelis *discipennis*, *oblongus*.

Batrachiosaurus *missouriensis*.

Batrachocephalus *ageneiosus*.

Batrachoides *diemensis*, *fuliginosus*, *gangene*, *gmelini*, *trifurcatus*, *variegata*, *vernullas*.

Batrachops *reticulatus*, *semifasciatus*.

Batrachopsis *subfuscus*.

Batrachoseps *attenuatus*, *quadridigitata*.

Batrachostomus *affinis*, *auritus*, *cornutus*, *crenifrons*, *javanensis*, *moniliger*, *parvulus*, *stellatus*.

Batrachotetrix *bufo*, *granulata*.

Batrachus *algeriensis*, *apiatus*, *barbatus*, *bispinis*, *borealis*, *buffo*, *celatus*, *chilensis*, *conspicillum*, *cryptocentrus*, *didactylus*, *dubius*, *dussumieri*, *fuscus*, *gronovii*, *grunnicus*, *grunniens*, *guavina*, *indicus*, *margaritatus*, *piscatorius*, *planifrons*, *porosissimus*, *poropus*, *punctatus*, *punctulatus*, *pustulatus*, *quadriepiuis*, *rubigenis*, *spinosus*, *surinamensis*, *tau*, *trigloides*, *variegatus*.

Batrachyla *leptopus*.

Batracocephalus *blennioides*.

Batracomorphus *irroratus*.

Batrisus *albionicus*, *antennatus*, *armiger*, *australis*, *bistriatus*, *brullei*, *buqueti*, *confinis*, *cristatus*, *delaporti*, *dregei*, *erisanus*, *exsculptus*, *ferox*, *formicarius*, *frontalis*, *germari*, *globosus*, *ionae*, *lineaticollis*, *monstrosus*, *nigricans*, *obtusicornis*, *oculatus*, *punctatus*,

riparius, ruprechtii, scabriceps, schauumi, spretus, striatus, testaceus, thoracicus, veustus.

Battus affinis, beyrichi, bibullatus, cuneifer, gigas, graulatus, integer, laevigatus, nudus, orion, pisiformis, rex, tardus, tuberculatus.

Baumhaueria goniaeformis.

Baza cuculoides, lophotes, magnirostris, reinwardti, subcristata, syama.

Bdella amarantina, caerulipes, crassipes, cruciata, cruentata, dispar, dorsata, egregia, elaphus, hexophthalma, histronica, latirostris, lineata, longirostra, longirostris, nilotica, obisium, oblonga, ornata, phoenicea, rubra, sagax, setirostris, spinirostris, tenuirostris, truncatula, variegata, vestita, vivida, vulgaris.

Bdellostoma dombeyi, forsteri, heptatrema.

Beania mirabilis.

Bebelis lignosa.

Bebryce (Polyp.) mollis.

Bebryce (Verm.) peripatus.

Bedellia orpheella.

Bedula hamiltoni, nebulosa.

Beharus lunatus.

Bela attenuata, crauchi, minima, nebula, septangularis.

Belba corynopus.

Belemnita allani.

Belemnitella ambigua, graulatus, mucronata, perforata, quadrata, subventricosa, vera.

Belemnites aalensis, abbreviatus, absolutus, acicula, acinaciformis, acuarius, aculeus, acutus, aduncatus, aenigmaticus, affinis, altdorfensis, alveolatus, ambiguus, americanus, amorphus, angustus, anomalus, apiconus, apicicurvatus, apiculatus, asuleus, attenuatus, baudouini, beaumontianus, bessinus, bicanaliculatus, biforatus, bifurcatus, binervius, bipartitus, bisulcatus, blainvillei, borealis, breviformis, brevirostris, brevis, bruguierianus, canaliculatus, capulus, carinatus, cassia, catalpa, clava, clavatus, colutea, complanatus, compressus, concentricus, conicus, contortus, convexus, coquandus, coronilla, crassior, crassissimus, crassus, curtus, cylindricus, dactylus, deformis, delphinus, dens, depressus, difformis, digitulus, digitus, dilatatus, distans, duvalianus, electrinus, elegans, ellipsoides, ellipticus, elougatus, emarginatus, emerici, excentralis, excentricus, exilis, exstinctorius, ferruginosus, fistulosus, fleurianus, formosus, fournelianus, fulmen, fusiformis, fusoides, fusus, gemmatus, gibbosus, gibsoni, giganteus, gigas, glaber, glabra, gladius, gracilis, grandis, grantianus, granulatus, grasianus, hastata, hastatus, honorati, hybridus, inaequalis, incurvatus, index, integer, irregularis, isosceles, jaculum, jurensis, kirghisensis, laevigatus, laevis, lagenaeformis, lamella, lanceolatus, latesulcatus, latus, legumen, linearis, listeri, longissimus, longisulcatus, longus, macrocomus, magnificus, mammillatus, marginatus, milleri, minaret, minimus, mitra, mitraeformis, mucronatus, multiforata, navicula, niger, nodotianus, obesus, oblongus, obtusus, orbignyanus, orthoceropus, osterfieldi, ovalis, ovatus, oweni, oxyconus, panderianus, papillatus, pascillosa, paxillosa, penicillatus, perforatus, persona, pileus, pisciformis, pistilliformis, pistilloides, pistillum, planohastatus, platyurus, plenus, polimitus, polyforatus, polygonalis, ponticus, porosa, praemorsus, prevosti, propinquus, pseudoformosus, pusillus, puzosianus, pygmaeus, pyramidalis, pyramidatus, quadratus, quadricanaliculatus, quadrisulcatus, quinquecanaliculatus, quinesulcatus, rimosus, rostratus, rostriformis, royerianus, rugosus, russiensis, sauvanus, scaniae, semicanaliculatus, semihastatus, semisulcatus, sicyoides, siliqua, sinuatus, souichi, spathulatus, spinatus, striatulus, striatus, subaduncus, subclavatus, subconicus, subdepressus, subfusiformis, subhastatus, subpapillatus, subquadratus, subradiatus, subula, subungulatus, subventricosus, sulcatus, sulcata, symmetricus, tenuis, teres, tessonianus, tonitruum, tornatilis, trabiformis, tricanaliculatus, trifidus, tripartitus, triquetus, trisulcatus, troslayanus, truncatus, tubularis, tubulosus, tumidus, turgidus, ultimus, umbilicatus, unguatus, unicanaliculatus, unisulcatus, urnula, vagina, variegatus, ventroplanus, volgensis, voluminus, vulgaris, vulgatus.

Belemnopsis anomala, plicata.

- Belemnosepia** agassizi, bollensis, flexuosa, hastata, lata, obconica, orbignyana, sagittata, speciosa.
- Belemnosis** plicata.
- Belemnium** pusulatum.
- Belenois** calypso.
- Beleopteris** cyanipennis, signatus.
- Belidea** ariel.
- Belideus** breviceps, flaviventer, sciureus.
- Belinurus** paradoxus.
- Belionata** punctata.
- Belionota** calcarata, canaliculata, chalybeitarsis, femorata, lineatopennis, neglecta, sagittaria, scutellaris, stigma, sumptuosa, westermanni.
- Beliothorus** cebrioides, mucronatus.
- Bellatrix** festivus, guttatus, magnificus, ornatus.
- Bellerophina** minuta, vibrayei.
- Bellerophon** acutus, alatus, angulatus, apertus, atlantoides, aymestriensis, bicarenus, bidorsatus, bilobatus, bisulcatus, blainvillei, brevilineatus, canaliferus, cancellatus, carinatus, caucasicus, cicatricosus, clathratus, compressus, conspicuus, contractus, convolutus, cornu arietis, corrieri, costatus, cultratus, curvilineatus, declivis, decussatus, deslongchampsii, didayanus, dilatatus, dubius, duchastelli, dumonti, duriensis, edouardi, elegans, elongatus, expansa, expansus, ferussaci, gibbus, globatus, goldfussi, heliocoides, hiulcus, ingricus, interlineatus, intersectus, interstitialis, intextus, keynianus, laevigatus, laevis, larcomi, leveillanus, lineatus, locator, macromphalus, macrostoma, macrostomus, megalostoma, micromphalus, muensteri, murchisoni, nanus, naranjo, nautilinus, navicula, obliquus, obsoletus, obtectus, oldhami, orbiculus, orbigny, ouralicus, ovatus, paillettei, patens, patulus, percarinatus, perlati, profundus, punctifrons, puzosi, radiatus, recticostatus, reticulatus, rotundatus, scissile, sowerbyi, spiralis, stamineus, striatus, strictus, subcrinatus, sublaevis, sulcatus, sulcatus, tangentialis, tenuifascia, tetralineatus, trilobatus, troosti, tuberculatus, umbilicatus, undulatus, urei, vasulites, verneuili, volutus, wenlockensis, witryanus, woodwardi.
- Bellerophus** vasulites.
- Bellerus** anatis.
- Bellia** picta.
- Bellocoris** maurus, pictus, purpureolineatus.
- Belodon** plieningeri.
- Belona** argalus, caribaea, crocodila, indica.
- Belone** acus, almeida, anastomella, annulata, ardeola, belone, cancella, cantrainei, carinata, caudimacula, choram, ciconia, cigonella, coromandelicus*, galeata, gerania, gigantea, gracilis, grayi, guianensis, hians, incisa, leiurus, longirostris, melanostigma, melanotus, melanurus, platura, platyura, raphidoma, rostrata, saurus, schismatorhynchus, scolopacina, senegalensis, strongylura, tenuirostris, timucu, trachura, truncata, urvillei, vulgaris.
- Belonis** acicula.
- Belonognatha** pustulata.
- Belonostomus** acutus, angustus, anningiae, attenuatus, brachysomus, cinctus, kochi, leptosteus, muensteri, sphyraenoides, subulatus, tenellus, tenuirostris, ventralis.
- Belonuchus** agilis, avidus, connexus, dichrous, ephippiatus, formosus, gagates, haemorrhoidalis, latro, minax, mordens, mundus, pallipes, planiceps, satyrus, vestitus, viridipennis, xanthopterus.
- Belopeltis** acuminatus, bucklandi, emarginata, marginatus, regularis, sinuatus.
- Belopherus** longimanus, militaris, nasutus, schoenherri, spinosus.
- Belopoeus** carmelitus.
- Beloptera** anomala, belemnitoidea, compressa, parisiensis, sepioidea.
- Belorhynchus** curvidens, gracilis.
- Belosaepia** cuvieri.
- Belosepia** blainvillei, brevispina, cuvieri, longirostris, longispina, oweni, sepioidea.
- Belostoma** annulipes, bosci, dilatata, ellipticum, fakir, fluminea, goldfussi, grandis, grisea, indica, marginata, rustica, testaceopallidum.

Belostomum elongatum, grande.

Beloteuthis acuta, ampullaris, bollensis, subcostata, substriata, venusta.

Beluga albicans, catodon, glacialis, kingi, leucas.

Belus angustulus, australis, bidentatus, brunneus, filiformis, fumigatus, ~~hemidictus~~, melanocephalus, phoenicopterus, rhinotioides, scalaris, semipunctatus, sparus, suturalis, testaceus.

Belvosia analis, bicincta, bifasciata.

Belyta abdominalis, affinis, anomala, bicolor, bisulca, bolcti, brevis, femoralis, fuscicornis, oboeura, pedestris, petiolaris, rufopetiolata, sanguinolenta.

Belytus ater, basalis, pusilla.

Bembecia banchiformis, chalcidiformis, chrysidiformis, empiformis, hylaeiformis, ichneumoniformis, melliniformis, muscaeformis, ophioniformis, philauthiformis, rhagioniformis, scoliaeformis, spheciformis, tenthrediniformis, tipuliformis, vespaeformis.

Bembex affinis, basalis, bidentata, brullei, capensis, chilensis, chlorotica, ciliata, continua, dissecta, fasciata, fischeri, furcata, fuscipennis, glauca, griseus, heros, inscripta, intermedia, latreillei, longirostra, lusca, maculata, megerlei, melauopa, mildei, monodonta, natalis, neglecta, nigriventris, notata, ocellata, octopunctata, oculata, olivata, pectoralis, peruviana, similis, sinuatus, soror, spinolae, sulphurescens, trepanda, tricolor, turca, mdata, undulata, ventralis, vidua, westermanni, zonata.

Bembicidium glabriusculum, suturale.

Bembicium imbricatum, lividum, luteum, melanostomum, nanum, pictum, planum, vittatum.

Bembidion aquaticum, argenteolum, aspericollae, atroviolaceum, biguttatus, bipunctatus, bisignatum, bruxellense, caeruleum, cursor, cyanescens, decorus, deletum, doris, flavipes, focki, guttula, impressum, intersectum, minutum, minutus, modestus, obtusum, orichalcicum, paludosus, pulchellus, punctulatum, pygmaeum, quadriguttatus, quadrimaculatum, quadripustulatum, quattuorguttatus, riparium, ruficollae, rufipes, striatum, tricolor, ustulatum, varium, virens.

Bembidium acrocalium, aegyptiacum, aeneum, aereum, aerosum, affine, affinis, albipes, algricum, alpinum, amabile, ambiguum, americanum, amoenum, andreae, angustatum, antiquum, apicale, arenarium, areolatum, armeniacum, articulatulum, assimile, atratum, aubei, aurichalceum, azureum, basale, bellum, bifoveolatum, bifoveolum, biguttatum, biimpressum, binotatum, biplagiatum, bipunctatum, bipustulatum, bisignatum, bistriatum, brevicorne, brunnicorne, brunnipes, callosum, cayennense, celer, centropagiolum, chalcum, chalcopertum, charruani, chaudiro, chilense, chlorophanum, circuliforme, clitellare, coarctatum, coeruleum, cognatum, colchicum, combustum, eomissum, complanatum, concolor, conforme, conicollae, contractum, convexusculum, coxendix, crenatum, crenulatum, cruciatum, cumatule, cupreum, cyaneum, dahl, dalmatinum, deciens, decorum, dejeani, deletum, dentellum, depressum, derbesi, dilatatum, dimidiatum, discoideum, distinctum, dives, doris, dorsalis, elegans, elegantulum, elongatum, elongatum, ephippiatum, ephippium, eques, erythrocnemum, exiguum, fabricii, fallax, fasciatum, fasciolatum, felixianum, fellmanni, femoratum, ferrugineum, fischeri, flavicaudus, flavipes, fluviale, foraminosum, fornicatum, foveolatum, foveum, fraxator, fulvicollae, fumigatum, fuscicornis, genei, gibberosum, gilvipes, glabricollae, glaciale, globosum, globulum, gotschi, gracile, granarium, grandicollae, grapi, gregarium, guerini, guttula, guttulatum, haemorrhoidale, hasti, hispanicum, honestum, humerale, hypocrita, immaculatum, impressum, inaequalis, incertum, inconstans, incurvum, indicum, indistinctum, infuscatum, inornatum, inserticeps, jacksoniense, kolenatii, kollari, kolstroemi, kuesteri, kuprianoi, lacustre, laevigatum, laevum, lapidicola, laterale, laticollae, laticollis, latiplaga, latiusculum, leachi, lepidum, leucoscelis, levigatum, littorale, lividipenne, loetum, longipennis, lunatum, luridum, lusitanicum, maculatum, majus, mandibulare, mannerheimi, marginatum, marinum, maritimum, mauritanicum, mediosignatum, melanopodes, metallicum, mexicanum, micros, minimum, modestum, montanum, monticulum, nanum, nebulosum, niger, nigriceps, nigricollae, nigricorne, nigricornis, nigratum, nigroaeneum, niloticum, nitidulum, normannum, notatum, numidicum, obliquum, oblongum, obscurum, obsoletum, obtusum, olivaceum, oppositum, orichalcicum, ovipenne, pallidipenne, pallidulum, pallipes, paludosum, parallelipenne, parvulum,

patrule, pehopterum, perplexum, persicum, pfeiffi, picinum, picipes, pictum, planiusculum, planum, poecila, postremum, praeustum, prasinum, proximus, pulchellum, pulchrum, pulcarium, pumilio, pumilum, punctato-striatum, punctatum, punctigerum, pusillum, pygmaeum, pyrenaeum, quadrifoveolatum, quadriguttatum, quadrimaculatum, quadriplagiatum, quadri-punctatum, quadripustulatum, quadrisignatum, quadristriatum, quinque striatum, reichei, resignatum, rhaeticum, riparium, ripicola, rivulare, rufescens, ruficornis, rufipes, rugiceps, rupestre, sahlbergi, saxatile, scapulare, schuppeli, scitulum, scutellare, secale, semifasciatum, senegalense, servillei, sexguttatum, sibericum, siculum, sigillare, signatum, silaceum, sobrinum, speculare, spinolae, splendidum, spretum, stigmaticum, stomoides, stomoideum, striatum, sturni, subfasciatum, substriatum, sulcatulum, sulcatum, taciturnum, taeniatum, tenellum, tenuicolle, terminale, tessellatum, testaceipennis, testaceum, tetracolum, tetragramma, tetrasemum, tetrastigma, tibialis, tinctum, transversale, tricolor, triimpressum, tripunctatum, troglodytes, undulatum, unicolor, ustulatum, ustum, variabile, variegatum, varium, velox, venustulum, venustum, vicinum, virens, vulneratum, xanthomelanum, xanthopus.

Bembix utriculus.

Membras curtus, japonicus.

Bendis caranea, formularis, inara, irregularis, orodes.

Bengalia labiata, lateralis, melanocera, pallens, testacea.

Bengana elanga.

Bentophilus macrocephalus.

Beosus angusticollis, clavatus, quadratus.

Beraea albipes, flavipes, fuliginosa, funerea, marshamella, opaca, pusilla, pygmaea.

Berdytes flava. *Vide et* Budytes.

Berenice cuvieri, euchroma, rosea, undulosa.

Berenicea annulata, coccinea, cordata, diluviana, flava, heterogyra, hyalina, immersa, indigena, irregularis, megastoma, nitida, prominens, trispinosa, urceolata, utriculata.

Berenicornis comatus, macrourus.

Berenix cuvieri, euchroma, thalassina.

Berginus tamarisci.

Beria inflata.

Beris abdominalis, albimacula, albitarsis, brevis, chalybeata, clavipes, dorsalis, dubia, femoralis, filipalpis, flavipes, flavofemorata, fuscipes, fuscitarsis, fusciventris, geniculata, grandis, guerini, hirsuta, incisuralis, javana, lata, lucida, nigra, nigripes, nigratarsis, nitens, nitidithorax, obscura, pallipes, parvidentata, quadridentata, quinquecella, rendschmidtii, rufipalpis, servillei, sexdentata, similis, spinigera, tibialis, tricolor, vallata, violaceus, viridis, wimmeri.

Bernicla antarctica, anticola, brenta, cana, canadensis, canagica, collaris, coromandeliana, cyanoptera, erythropus, glaucogaster, grandis, hutchinsi, indica, luornata, jubata, leucopareia, leucopsis, leucoptera, madagascariensis, magellanica, melanoleuca, melanopsis, melanoptera, micropus, picta, platyuros, ruficollis, sandvicensis, semipalmata, torquata, variegata.

Beroe amphora, basteri, bilobata, borealis, campanula, capensis, chiajei, compressa, contracta, costata, cucumis, cylindricus, dactyloides, elongatus, fallax, forskali, fulgens, gargantua, gilva, glandiformis, japonicus, macrostomus, micans, mitraeformis, muelleri, multicornis, octocostatus, octoptera, ovatus, punctata, quoyi, roseus, rufivasa, santonium, scoresbyi, striata, tripunctata, vasculosus.

Beroides australis.

Berosoma tentaculata.

Berosus aerieps, alternans, apicalis, auritus, cuspidatus, dejeani, globosus, hispanicus, luridus, murinus, obscurus, obsoletus, pallipes, pulchellus, signaticollis, spinosus, suturalis, truncatipennis, undatus.

Berthella perca.

Berus laevis, natrix, viridis flavus.

Berycopsis elegans.

Berytus caucasicus, clavipes, crassipes, elegans, meridionalis, minor, muticus, oblitus, punctipes, rufescens, spinosus, tipularius, trichocerus.

- Beryx borealis**, decadaetylus, delphini, dinolepidotus, germanus, lineatus, microcephalus, ornatus, radians, splendens, superbus, vexillifer, zippei.
- Besseria reflexa**.
- Bessethera capistrata**, pyca.
- Bessonornis albicapilla**, auraticollis, brevipes, diadematus, gutturalis, humeralis, natalensis, phoenixurus, poensis, reclamator, semirufa, swainsoni, vociferans.
- Bessornis verticalis**.
- Bethylus (A.) fuscipennis**, leverianus, minor, nudipennis, picatus.
- Bethylus (Hym.) apterus**, armiferus, ater, cellularis, cenoptera, centratus, depressus, dorsalis, femorata, feuestratus, formicarius, fulvicornis, fuscicornis, glabratus, hemiptera, latreillei, minutus, morio, musculus, pedatus, pilipennis, punctata, ruficornis, rufipes, villosus.
- Betta trifasciata**.
- Bettongia campestris**, cuniculus, fasciata, gouldi, grayi, ogilbyi, penicillata, rufescens, setosus.
- Beyrichia complicata**, gibba, kloedeni.
- Bezoardica areolata**, bezoar, sulcosa, vulgaris.
- Bhringa reinifer**, tectirostris. *Vide et Bringa*.
- Bhuchanga albirictus**, annectens.
- Bia actoriaena**.
- Biapholus rugosus**, spinosus.
- Biastes schotti**.
- Biber fiber**.
- Bibio abdominalis**, albipennis, angustatus, annulata, antarctica, anthrax, articulatus, bicolor, bilineata, brevipes, brevis, brunnipes, canadensis, clavipes, confinis, dorsalis, elongatus, enterodulus, fasciata, femoralis, femorata, ferruginatus, firmus, flavicollis, flavipennis, fulva, fulvicollis, fulvipennis, fulvipes, fulviventris, fumipennis, fuscipennis, fusiformis, geniculatus, giganteus, globulipes, gracilis, heteropterus, humeralis, hybridus, imberbis, imitator, incrassatus, intermedius, joannis, johannis, lanigerus, leucopterus, lignarius, linearis, lividus, longifrons, maculatus, marci, melanogaster, moestus, morio, munchisoni, nigripes, nigriventris, nigrostigma, oblongus, obsoletus, orbatus, pallipes, partschi, picinitarsis, pinguis, pulehellus, pusillus, reticularis, reynaudi, rudioculatus, ruficoxis, rufipes, rufitarsis, rufithorax, rustica, scita, sculus, sordida, striatipes, substituta, thoracica, tibialis, tipuliformis, ungeri, varipes, venosa, vernalis, vestita, villosus, xanthopus, xylophilus.
- Bibiopsis brevicollis**, cimicoides, munchisoni.
- Biblis (Coel.) aquitaniae**.
- Biblis (Lep.) aganissa**, antholia, ariadne, biblis, dryope, hesperia, hiarba, ilitia, lais, leucocyma, leucothoe, nauplia, neaerea, protogenia, thadana, undularis.
- Bibos aristoteles**, banting, cavifrons, classicus, frontalis, gaurus, sondaicus, subhemachalus.
- Bibronia ligulata***.
- Bicatillus deformis**, extirpatorum.
- Bicellaria (Dipt.) nigra**.
- Bicellaria (Polyz.) aculeata**, hookeri, pilosa, puelcha, setifera.
- Bicorne rude**.
- Bicyrtes servillei**.
- Bidens albiventer**, aurantius, cinerascens, dominicensis, rufiventer, sparverius.
- Bidiastopora cervicornis**, eudesia, lamellosa, luciana, meandrina, michelini, microphyllia, ramosa, ramosissima.
- Biensis typus**.
- Bifrontia bifrons**, catillus, cornuta, deshayesi, disjuncta, laudinensis, monstrosa, rochetina, serrata, zancleae.
- Bigea typica**.
- Bigenerina agglutinans**, digitata, hastata, loevigata, nodosaria, pusilla, striata, truncata.
- Bigonicheta marietti**.
- Billaea grisea**.

Bilobites (Cr.) lobata, lamulata.

Bilobites (Inc. sedis) furcifer, rugosus.

Biloculina aculeata, affinis, alata, ampliconica, antiqua, appendiculata, bougainvillei, bullata, bulloides, canariensis, carinata, clypeata, complanata, contraria, cyclostoma, depressa, elliptica, elongata, furcata, habessinica, hammonis, inornata, integerrima, irregularis, isabelleana, lactea, laevis, linearis, longirostra, lunula, marginata, nana, oblonga, opposita, patagonica, peruviana, plana, ringens, rugosa, simplex, sphaera, subsphaerica, syriaca, tenella, umbonata.

Bimia bicolor, femoralis.

Binarea spinicollis.

Binghami (*sic*) paradoxus.

Binoculus bicornutus, caudatus, pennigerus, productus, sexsetaceus.

Binvoluta gibbosa.

Bioderus brachypus, glaberrimus, robustus, rotundicollis, setipes, subulcatus.

Biophloeus dermestoides.

Biophorus paradisiacus.

Biorhiza aptera.

Bipapillaria australis.

Bipes anguiformis, angulatus, fraseri, gronovii, lampiani, lepidopodus, lepidopus, pallasi, pseudopus.

Biphora depressa, laciniata, tricuspidata.

Biphylocera fabriciana, kirbyana.

Biphyllus lunatus, sphaeriac.

Bipinnaria asterigera.

Biplex australasia, corrugata, elegans, perca, rana, rosa, rubicola, spinosa, tuberculus, variegata.

Biradiolites angulosa, canaliculata, cornu-pastoris, fissicostata, marticensis, quadrata, russiensis.

Biretepora disticha.

Birgus crumenatus, laticauda, latro.

Birostra volva.

Birostrites duchatei, inaequiloba.

Bisbos classicus.

Bisiphytes reticulatus.

Bisnius cephalotes, fulvipes, fuscicornis, puncticollis, rotundiceps, simplex.

Bison americanus, poephagus, priscus, zubris.

Bisonus gavcens.

Bissomia distorta.

Biston betularia, hirtaria, prodromaria.

Bithinia cebennensis, leachi, lutea, minima, moulini, moutoni, pusilla, tentaculata, ventricosa, viridis.

Bithynia jaculator, meridionalis, sirensis, tentaculata. *Vide et* Bythinia.

Bithyrus francisanus.

Bithys cethegus, cubentus, leucophaeus, longinus, lydus, quercus, sicheus, sphinx, strephon, tephraeus, tyrrenus, vesulus.

Bitia hydroides.

Bitoma crenatus, impressicollis, insularis, lunata, ruficornis, rufipennis, rugicollis, sulcata, trifasciata, undulata, unicolor, zimmermanni.

Bitomus soldani.

Bittacomorpha clavipes.

Bittacus affinis, australis, blancheti, brasiliensis, capense, chilensis, contracta, corethrarius, femoralis, flavescens, geniculatus, hiemalis, italicus, mexicanus, nebulosus, pallidipennis, pilicornis, punctiger, reticulatus, saulcyi, scorpio, stigmatenus, testaceus, tipularia.

Bittium adversum, elegantissimum, reticulare, reticulatus, spenceri, tuberculare.

Bitubulites irregularis, problematicus.

Bius thoracicus, tuberculatus.

Bivonia (Cr.) culicina, semisurrecta.

Bivonia (Moll.) glomerata, subcancellata, triquetra.

Biziura lobata, novae hollandiae.

Blabera atropos, avita, colossea, craniifera, discoidalis, dubia, gigantea, grossa, limbata, pedestris, postica, reflexa, similis, trapezoidea, varians.

Blaberus (Col.) fallax.

Blaberus (Orth.) biguttatus, giganteus, grossus.

Blacta omeca.

Blaculla brevipes, uikoides.

Blacus ambulans, angulator, conformis, discolor, diversicornis, emacerator, errans, exilis, falcatus, gigas, hastatus, humilis, longipenne, maculipes, paganus, pallipes, ruficornis, sticticus, tripudians, trivialis, tuberculatus.

Blaesia atra.

Blainvillia formosa, jucunda, palpata.

Blaniulus decaisneus, fuscopunctatus, guttulatus.

Blanonais filiformis, littoralis, vermiculare.

Blanus cinerea, rufus.

Blapida okeni, pertyi, spixi.

Blaps abbreviata, abrupta, acuminata, acuta, aegyptiaca, aequalis, alternans, amaena, angustata, anthracina, armeniaca, asiatica, asperata, atra, atrata, attenuata, aurichalcea, australis, barbara, baeri, bengalensis, bifurcata, bipunctata, brachyura, canaliculata, carbouaria, caudata, celsa, chevrolati, clatbrata, clotzeri, clypeata, confluens, confusa, convexa, convexitollis, cordicollis, coriacea, corrosa, costata, crassipes, cribrosa, cylindropastica, dabli, damascena, deplanata, depressa, depressuscula, difformis, dorsata, ecaudata, elongata, emondi, encifer, exarata, extricata, fatidica, fischeri, foveata, gibbus, gigantea, gigas, graeca, granulata, balophila, helioides, herbsti, bians, bolconota, impolita, indica, inflexa, intrusa, jaegeri, karelini, krynicki, laevicollis, laevigata, laticollis, lineolata, longicollis, longipes, luctuosa, magica, mammillata, marginata, matutina, maura, melas, metallica, microphtbalma, miliaria, montana, mortisagae, multicosta, muricata, nitidula, obliterated, obscura, obsoleta, obtusangula, ominosa, opaca, orbicollis, ovata, panonica, parallela, parva, parvicollis, picicornis, plana, planicollis, plicaticollis, plumosa, polita, prodigiosa, producta, proxima, pruinosa, pterostiche, pterotapha, pulvinata, punctatissima, punctostriata, putrida, pygmaea, quinquecostata, rectangularis, reflexicollis, requien, robusta, rorulenta, rotundata, rufipes, rugosa, ruida, scabra, scabripennis, scabriuscula, scutellata, seriata, seriaticuspunctata, songorica, sparti, spathulata, spinimanus, spinipes, stenoborax, striatula, stricticollis, striolata, stygia, subalpina, sublineata, subquadrata, subrugosa, substriata, subsulcata, subteres, sulcata, superstitiosa, suturalis, taeniolata, taurica, tenebrosa, tenuicollis, tenuicornis, tibidens, titanus, transversalis, tricostata, turcomana, variolosa, verrucosa, vicina, violacea, wiedemanni.

Blapstinus aeneolus, maestus, piceus, pulverulentus, punctato-striatus, punctatus, ruficornis, striatopunctatus.

Blaptinus cisteloides, helioides.

Blapton dregei.

Blaria mexicana.

Blarina brevicaudata.

Blasticotoma filiceti.

Blastocere praecocella.

Blastocerus paludosus.

Blastophaga sycomor.

Blastophagus grossorum.

Blastotere amiantella, arceuthina, certella, glabrata, illuminatella.

Blastotrochus mixis.

Blastus tetradon.

Blatta acutipennis, aegyptiaca, aethiopis, alcarazzas, alternans, angustata, angustipennis, asellus, aterrima, atropos, aurantiaca, australis, basalis, bicolor, biguttata, bilunata, bipustulata, bivittata, brunnea, buqueti, cassidea, ciliata, cimiciformis, cincticollis, circumcincta, circumdata, colossea, complanata, concinna, concolor, conica, conspersa,

convexa, corticum, cribricollis, cruentatus, cylindrica, decipiens, decorata, discoidalis, domicola, domingensis, druryi, dysticoides, elegans, elongata, ericetorum, ferreti, ferruginea, ferruginea, fissicollis, flavicollis, gallica, gibba, gigantea, gigas, grossa, guttata, helvetica, heros, hirta, hyalina, inflata, intercepta, jaspidea, keraudreni, laevigata, lateralis, laticornis, lethifera, leucogramma, limbata, linearis, lineolata, literata, liturata, lucida, luteola, macassariensis, macularia, maculicollis, maculipennis, major, marcida, marginata, marmorata, maxima, melanocephala, mitchelli, monstrum, mouffeti, nigrifrons, nigripes, nigrita, ornata, pacifica, pallens, panzeri, papillosa, pellucens, pellucida, perspicillata, phalerata, plicipennis, punctata, punctulata, quadri-punctata, reflexa, rhombifolia, rufescens, rugicollis, rupestris, sardea, saxicola, scabra, scabricollis, servillei, sexnotata, sicifolia, signata, spectrum, stricklandi, subaperta, subverrucosa, succinea, supellectinium, tomentosa, tricuspidata, trivittata, tuberculata, vestita, virescens, viridula, vittiventris, zonata.

Blattina anaglyptica, anthracophila, carbonaria, didyma, euglyptica, flabellata, reticulata, succinea.

Blax ater.

Blechropus cristatus.

Blechrus californicus, glabratus, lineellus, maurus, minutus, plagiatus, tibialis.

Bledius agriculator, alpestris, annularis, aquarius, arenarius, armatus, brunnipennis, castaneipennis, cordatus, cribricollis, debilis, dissimilis, divisus, elongatus, emarginatus, erraticus, fasciatus, filum, fossor, fracticornis, gyllenhalii, hinnulus, iuvenus, lateralis, littoralis, longulus, mandibularis, maxillosus, melanocephalus, morio, nanus, nigricans, niloticus, opacus, pallipennis, parvulus, picipennis, politus, procerulus, pubescens, pumilis, pusillus, pygmaeus, rubiginosus, ruddi, ruficornis, rufipennis, skrimshirei, subterraneus, sus, taurus, tibialis, triangulum, tricornis, tristis, troglodytes, tuberculatus, verres, vitulus.

Blemus aenescens, areolatus, consputus, discus, fulvescens, lapidosus, laterale, littoralis, longicornis, paludosus.

Blennethis ancylodon, anolius, biocellatus, breviceps, cyprinoides, dussumieri, fasciatus, fasciolatus, filamentosus, grammistes, mitratus, ornatus, punctatus.

Blenniomoës brevicauda, longicauda.

Blennius acuminatus, alauda, alectorolophus, americanus, anguillaris, anticolus, argentatus, artedii, audifredi, auritus, aurosplendidus, basiliscus, brea, cagnota, canescens, capensis, capito, cavernosus, ciliaris, cornifer, cornuervi, crinitus, cuneiformis, dolichogaster, edentulus, erythrocephalus, fasciatus, fasciolatoceps, fenestratus, fidelis, fissicornis, fluviatilis, frater, fucorum, gallus, geminatus, gemmatus, gibbosus, gonoccephalus, gorensis, gracilis, grandicornis, graphicus, heutz, herminier, inaequalis, jubioides, labrosus, labrus, lanceolatus, lepidus, lineatus, littoreus, longus, lupulus, lupus, marinus, marmoratus, minutus, montagui, morsitans, mustea, nebulosus, nuchipilis, nudo homo, obscurus, oceanicus, ocellaridellus, ornatus, pallidus, palmicornis, pantherinus, parvicornis, patuvanus, pavo, physophthalmus, pilicornis, polaris, polyartocephalus, porosus, punctatus, quadridactylus, rayi, roseus, rubens, ruber, rubescens, rubriceps, ruxii, salaria, sanguinolentus, semifasciatus, serpentinus, sordidus, sperdottus, sphynx, stellatus, taenia, tasmanicus, testudinarius, trifurcatus, trigloides, tripennis, tripterouotus, truncatus, unifasciatus, vagans, variabilis, variegatus, varus, ventrosus, vividus, vulgaris, yarrelli.

Blennophis anguillaris, variabilis, webbi.

Blephalum caudatum.

Blepharepium luridum.

Blepharhymenus sulcicollis.

Blepharicera limbipennis.

Blepharichthys gallichthys*.

Blepharicnema splendens.

Blepharidopterus angulatus, bimaeculatus, collaris.

Blepharipeza bicolor, cyaneiventris, gonleformis, rufipalpis.

Blepharipoda occidentalis.

Blephariptera caesia, cuniculorum, domestica, fenestralis, fungivora, inscripta, macrostyla, nigricans, rufa, serrata, subterranea, ustulata.

- Blepharipus** annulipes, flavipes, maculatus, mediatus, nigrita, pauperatus, quinque-maculatus, signatus, striatulus.
- Blepharis** (Orth.) elegans, mendica.
- Blepharis** (P.) ciliaris, criuitus, fasciatus, indicus, major, sutor.
- Blepharisma** hyalinum, persicinum.
- Blepharitarsis** ornatus.
- Blepharopoda** pilitarsis.
- Blepharotoma** tarsalis.
- Blepharum** sponsa.
- Blepsias** bilobus, trilobus, ventricosus.
- Blepusa** costata.
- Blethusa** amoena, arctica, aurata, curtula, eschscholtzi, foveata, multipunctata, polita, quadricollis, tuberculata, zetterstedti.
- Bliccopsis** buggeuhagi.
- Blissus** hirtulus.
- Bllobula** varians.
- Blondelia** abdominalis, fasciata, nitida, pallidipennis.
- Blosyris** boris, helima, hersilia, opigena, pandrosa.
- Blosyrus** asellus, carinatus, costatus, herthus, hystrix, inaequalis, oniscus, saevus, spongifer, trux, variegatus.
- Blothrus** spelaeus.
- Blumenbachium** globosum, meniscus.
- Boa** aboma, albicans, amethystina, anaconda, anguiformis, annulata, annulifer, antarctica, aquatica, brachyura, carinata, castanea, ceuchria, cinerea, conica, constrictrix, coronata, cruciata, divinaloqua, dussumieri, elegans, eques, fasciata, gigas, hieroglyphica, horatta, imperator, inornata, krait, laevis, latotecta, lineata, melanura, modesta, orbiculata, ordinata, ornata, palpebrosa, pardalis, pelagica, phrygia, regia, reticulata, rhombeata, schneideri, seetzeni, stellaris, tartarica, ternatea, tigris, turcica, variegata, viperina.
- Boarmia** abietaria, abstersaria, acaciaria, agaciaria, ambustaria, australasiaria, bois-duvalaria, cinctaria, cineraria, consimilaria, consobrinaria, consonaria, consortaria, conversaria, correptaria, corticaria, cremiaria, crepuscularia, defessaria, extersaria, gaditaria, glabraria, hortaria, lichenaria, lividaria, luridaria, miniosaria, nyctemeraria, occidanaria, occitanaria, perversaria, petrificaria, propinquaria, psoricaria, repandaria, rhomboidaria, roboraria, secundaria, silenaria, sociaria, solieraria, strigularia, temeraria, tetragonaria, umbraria, viduaria.
- Bochas** domestica.
- Bocyidium** ancora, clavatum, claviger, galeritum, germari, globulare, glomeriferum, horridum, proximum, rugiglobum, tintinnabuliferum, trifidum, trispinosum.
- Bodianus** achigan, argyroleucos, baenak, bis-trispinus, blochi, calliops, costatus, cuvier, cyclostomus, decacanthus, exiguus, fischeri, flavescens, guativerre, hiatula, jacobsevertsen, jaguar, lentjan, lunarius, lunulatus, macrocephalus, maculatus, melano-leucus, melanurus, miniatus, pallidus, palpebratus, peloritanius, radula, rogaa, rufus, rupestris, sebae, sexlineatus, striatus, summana, tetracanthus, triourus, undulosus, vivanetus, zebra.
- Bodo** acuminata, caudata, colubrorum, crassicauda, cylindrica, decipiens, detracta, didymus, dispar, globulus, grandis, helicis, inflata, intestinalis, lacryma, lobata, longicauda, nodulosa, oystea, ranarum, saltans, socialis, truncata, viridis, vorticellaris.
- Bodotria** arenosa.
- Boeonidium** remigans.
- Boeoscelis** osculati.
- Bogmarus** islandicus, mediterraneus.
- Bohadschia** albiguttata, argus, lineolata, marinorata, ocellata.
- Boiga** irregularis, leucocephala.
- Boisduvalia** cyanea, nitida, rutilans, testacea, tibialis.
- Bola** chaptis, coibor, coioides, coitor, cuja, pama.
- Bolax** andicola, angulatus, castaneicollis, catharinae, eschscholtzi, fischeri, flavolineatus, foveolatus, gaudichaudi, hirtulus, leucogaster, mutabilis, nitens, palliatus, phaleratus, rutilus, squamuliferus, sulcicollis, tibialis, westwoodi, zoubkovi.

- Bolboceras (Col.)** australasiae, bainbridgei, bicarinatus, billbergi, bonariensis, calamis, capensis, capitatus, capreolus, careni collis, castaneus, cephus, coronatus, dorsalis, excavatus, faretus, ferrugineus, fissicornis, frontalis, fulvus, furcicollis, geotrupoides, globosus, grandis, hastifer, inaequalis, indicus, kirbyi, laevicollis, lateralis, latus, lucidulus, lutulentus, meliboeus, mobilicornis, modestus, neglectus, nigricans, nigriceps, nigricornis, pallens, politus, proboscideus, quadricornis, quadridens, recticornis, reichi, rotundatus, rubescens, scabricollis, sculpturatus, senegalensis, septem-tuberculatus, sericicollis, striatopunctatus, sulcicollis, taurus, transversalis, trisulcatus, trituberculatus, tumefactus, unicoloris, validus.
- Bolbocerus** bocchus, caesus, conjunctus, cornigerus, fulvus, gallicus, lineatus, oblitteratus, provincialis, recticornis, testaceus.
- Bolbocoris** tricolor.
- Bolbonota** auripennis, flavicans, globosa, inaequalis, nusus, pictipennis, pusilla, pusio, tuberculata.
- Bolboporites** mitralis, semiglobosa, triangularis, uncinata.
- Boleophthalmus** acupatorius, acupatorius*, boddaerti, dentatus, dussumieri, histophorus, plinianus, viridis.
- Boleosoma** maculatum, olmstedii, tenue, tessellatum.
- Boletaria** atomaria, bicolor, multipunctata, punctata, quadripustulata, rufa, similis, undulata, varia.
- Boletia** bizonata, heteropora, maculata, pileolus.
- Boletina** anomala, basalis, dubia, flava, groenlandica, nemoralis, nigricoxa, nitidicollis, setarina, trivittata.
- Boletobius** axillaris, bicolor, binotatus, biseriatus, carbonaria, cincticollis, cinctus, dimidiatus, flavicollis, gilvipes, insignis, intrusus, longiceps, niger, obscurus, obsoletus, phaedrus, seriatus, speciosus, striatus, thoracicus, trimaculatus, triotatus, venustus.
- Boletophagus** agaricola, armatus, cornutus, corticola, cucullatus, elongatus, gibbifer, interruptus, monocerus, spinulosus, tuberculatus.
- Bolina (Coel.)** alata, elegans, hibernica, septentrionalis.
- Bolina (Cr.)** angusta, pustulosa.
- Bolina (Lep.)** cailina.
- Bolitobias** melanocephalus.
- Bolitobius** analis, angularis, apicalis, atricapillus, biguttatus, bimaculatus, brunnipennis, cingulatus, discoideus, exoletus, inclinand, lunulatus, marginalis, nitidulus, ochraceus, picipes, pulchellus, punctulatus, pygmaeus, ruficollis, rufus, simpsoni.
- Bolitochara** agaricola, analis, angustula, annularis, aterrima, atra, atramentaria, atrata, axillaris, bella, bifoveolata, boleti, carbonaria, castanoptera, cinnamomea, circellaris, collaris, complana, compressa, crassicornis, depressa, depressiuscula, dissimilis, elegans, elegantula, elongatula, evanescens, excavata, exilis, flavipes, forticornis, funesta, fungi, fuscula, haemorrhoea, humeralis, impressifrons, inguinalis, insulana, laeviuscula, limbata, linearis, longicornis, longiuscula, lucida, lunulata, luridipennis, nigrigula, obliqua, oblonga, pallidula, pallipes, parvula, planiuscula, prolixa, pubescens, pulchella, pumilo, quisquiliarum, reptans, saturalis, sericans, socialis, suturalis, tenella, teres, terminalis, validicornis, varia, venusta.
- Bolitophagus** amicornum, antarcticus, armatus, brunneus, connatus, cornutus, costatus, crenatus, goedeni, granulatus, obcordatus, peruvianus, pictus, sapphira, silphides, tetraopes, tricoatus.
- Bolitophila** bimaculata, cinerea, fusca, maculipennis.
- Bolivina** antiqua, costata, dilatata, plicata, punctata, rugosa.
- Boltalia** sublevis.
- Boltenia** ciliata, fusiformis, legumen, microcosmus, ovifera, reniformis.
- Bolyeria** multicarinata, pseudoxeryx.
- Bolyphantes** alpestris, equestris, pelagicus, stramineus, trilineata.
- Bombilius** vertebralis.
- Bombina** fusca, ignea, marmorata.
- Bombinator** apenninicus, australis, baleatus, bombina, fuscus, horridus, hypopyrrhus, igneus, lima, maculatus, marmoratus, obstetricans, oeningensis, pachypus, plicatus, strumosus, systoma, ventricosus.

Bombix splendida.

Bombodes ursus.

Bombur angustus, complicatus.

Bombus aestivalis, aestivans, africanus, agrorum, albinella, albitarsis, alpinus, altorum, americanorum, antiquensis, apricus, arbustorum, arcticus, aurentus, autumnalis, balteatus, barbutella, beekwithellus, bohemicus, borealis, brasiliensis, bryorum, burrellanus, cafrus, cajemensis, campestris, carolinus, cespitum, cliens, coeruleus, cognata, collinus, consobrinus, contractus, cryptarum, cullumanus, curtisellus, dahlbomi, derhamellus, donovanellus, elatus, elegans, epihippiatus, ehippium, equestris, ericetorum, eriophorus, fervidus, fieberanus, flavo-nigrescens, floralis, forsterellus, fragrans, francillonana, francillonellus, franciscanus, frutetorum, furcatus, grandaevus, grandis, harrisella, helferanus, helvolus, hortorum, humilis, hyperboreus, hypnorum, hypoleucus, italicus, jonellus, kirhiellus, laboriosus, lapidarius, lapponicus, latreillanus, latreillila, leachiellus, leanus, lefebvrei, leucopygus, ligusticus, lucorum, lullianus, marylandicus, maxillosus, melanurus, melinoides, meridianus, minutus, minorum, montanus, monticola, muscorum, nemorum, neuter, nidulans, nigripes, nivalis, obscurus, olivaceus, parvulus, pascuorum, patagiatus, pictus, pleuralis, polaris, pomorum, pratcola, pratorum, pygmaeus, ranellus, rossiellus, rubriventris, ruderatus, rufescens, rufipes, ruinarum, rupestris, saltuum, scrimshirani, scutellatus, senilis, sibiricus, silvarum, similis, sitkensis, solstitialis, sonorus, soroeensis, sowerbyanus, splendidus, sporadicus, subinterruptus, subterraneus, subtibialis, sylvicola, ternarius, terrestris, terricola, thoracicus, tibialis, tranquebaricus, tricolor, tristis, tropicus, tunicatus, tunstallensis, varians, vestalis, veteranus, vilis, violaceus, virginalis, virginicus, vulpecula, xanthurus.

Bombycia or.

Bombycilla americana, bohemica, carolinensis, cedrorum, garrula, phoenicoptera, vulgaris.

Bombyciphora cedrorum, poliocoelia, xanthocoelia.

Bombycistomas fullertoni.

Bombycites oeningensis.

Bombycivora americana, garrula, japonica.

Bombylius abaddon, abdominalis, acuticornis, aethiops, afer, albavitta, albicans, albiceps, albicinctus, albifrons, albiventris, algrus, altus, ambustus, analis, angulatus, anomalus, antecedens, apertus, apicalis, ardens, argentatus, argenteus, argyropyga, argyropygus, aurantiacus, auratus, aureus, aurovittatus, aurentus, australis, autumnalis, axillaris, barbula, basilaris, belzebub, bicornis, brevis, brevis, caminari, canus, capucinus, caudatus, cephalotes, cerberus, cinerarius, cinereus, claripennis, compressus, consanguineus, consobrinus, crassirostris, crassus, crataegus, cruciatus, decoratus, delicatus, deses, diadema, diagonalis, dilutus, dimidiatus, dispar, elegans, exalbidus, fasciculatus, favillaceus, ferrugineus, fimbriatus, flaviceps, flavipes, flavus, floralis, florens, fratellus, fugax, fuliginosus, fulvescens, fulvotatus, fulvus, fuscus, goyaz, gradatus, haeruseus, helvus, heterocerus, heteronevus, heteropterus, hilaris, histrio, holosericeus, hottentottus, hyalinus, hyalipennis, hybridus, hypoleucus, hyrcanus, immutatus, inornatus, intermedius, ixion, lar, lateralis, latifrons, leucophaeus, leucopogon, leucopyga, l'herminier, limbipennis, longirostris, lucifer, lusitanicus, maculipennis, matutinus, mentalis, mesomelas, mexicanus, mixtus, molitor, mystax, nanus, nigripes, niveus, numida, obliquus, oblongus, obscurus, olivieri, ornatus, pallens, pallidicrus, pallidulus, penicillatus, philadelphicus, picipennis, pinguis, platyrus, posticus, primogenitus, pulchellus, pumilus, pusio, pygmaeus, rubricosus, ruficeps, rufiventris, rufo analis, rufus, rutilus, sabarus, satyrus, scutellaris, scutellatus, semifuscus, senegalensis, senex, seriatus, sericans, sericeus, servillei, singularis, solitus, sphinx, stellatarum, stramineus, stylicornis, subcinctus, subluna, suffusus, sylvanus, tantalus, tectus, tenuicornis, tetratrichus, thoracicus, tibialis, tinctus, tricolor, tripunctatus, troglodyta, vagabundus, vagans, varius, vetustus, vicinus, vulpinus.

Bombyx abietis, adolphe, aesculi, affinis, alba, albeola, albibarbis, ambigua, anastomosis, anchoreta, anchoretae, ancilla, angelica, angustus, annulipes, antiqua, antiquoides, aphidula, argentina, ariae, arundinis, aulica, aureola, auriflua, austera, avia, balcanensis, banksiae, betulifolia, bicoloria, bicipis, bifida, bilineatus, bimatulatus, bipuncta, brahma, bucephala, bucephaloides, buddha, caenobita, caenosa, caeruleo-

cephala, caestrum, caja, camelina, camelus, caniola, capucina, carna, carpinii, cassinia, casta, castreus, castrensis, catax, catenatus, cecropia, celleri, cereola, chaonia, chermetula, chrysocephala, chrysorrhea, cinerea, cinereola, ciunamomea, civica, claudicola, clavigerus, cocles, coecigena, coenosa, collaris, colon, colona, compluta, connexus, cordata, corsica, corylus, cossus, cotteae, crataegi, crataegus, crenosa, cribrum, cuculina, eurtula, curvata, dapsilis, dedecora, denticulatus, denudata, detrita, dictaea, dictaeoides, didyma, digramma, dispar, disparina, disparus, dodonaea, domina, dromidarulus, dryophaga, dubia, dumeti, eborina, edulis, eremita, erminea, ermineus, everia, exposita, fagi, fagus, falcifera, falcula, fasciuncula, flavia, flavicans, flavicollis, flina, francoica, fuliginosa, furcula, fuscatus, fuscina, fuscus, ganesa, ganna, geminatus, giraffina, glaucina, gonostigma, gonostigmatus, gothicus, grammica, gratio, griseola, hamma, hamula, harpagula, harrisellus, hebe, hecta, helvola, hemerobia, hera, honesta, humuli, huttoni, ilicifolia, imbuta, infaustus, interruptus marginata, iodutta, irrorea, jacobaeae, jodutta, juglandis, junctus, kuhlweini, lacertula, lactifera, lanestrus, lathyri, lewinae, libatricus, limosa, lineosa, lobulina, loti, lubricepda, lubricipeditus, luctuosus, lugubris, lunigera, lupulina, luteola, lydia, maculosa, marginata, mariana, matrona, maura, medicaginis, melagona, melanosticta, mendica, menthastri, minax, mittrei, monacha, monileus, mori, morio, muscella, muscerda, myceria, nanus, nasuta, nebulosus, nemea, neogena, neothoe, neustria, neustria quercus, nigricornutus, nitidella, nivosa, notata, nuda, nyctimene, ochreola, oubie, palaeola, palpina, paludus, panda, pantherina, parasita, parthenius, patens, pavonius, pectinatus, penthica, perfusus, persona, phaeorrhoeus, phaeus, phantoma, philopalus, phryganea, pini, pinus, plantagineus, plantaginis, plumbeola, plumella, plumigera, popularis, populeus, populi, populifera, populifolia, potatoria, processionea, pruni, pudica, pulchra, pupillatus, purpurea, pusillus, pyrausta, pyri, pytiocampa, quadra, quenseli, quercifolia, quercus, querna, quernesis, radiatus, radius, reclusa, religiosa, repanda, roboreus, roscida, rubea, rubi, rubicunda, rubicollis, rubus, russula, rustica, rutila, rutilus, sabinii, sagittiferus, salicinus, salicis, sannius, scincula, seleniaca, selenitica, sembris, senex, sericina, serva, sicala, siva, socialis, solitaris, sordida, sparsus, sparti, spectabilis, sphinx, spini, spinula, subatratus, subfuscus, subplumbeus, subsetaceus, taraxaci, tau, tauus, terebellum, terebra, terrifica, thalictra, thrips, thulea, thunbergi, timon, torva, tremula, tremulifolia, trepida, tricotephras, trifolii, trifolius, trilophus, tristis, uncula, undatus, unguicula, unita, urticae, velleda, venosus, verbasci, versicoloria, vestita, villica, villosella, vinula, virgo, vitis, vulnerans, wallichi, ziczac, ziczacus.

Bombyx melanostoma, uva.

Bomolocha antiqualis, crassalis, terriculis.

Bomolochus bellones, parvulus.

Bonasa cupido, sylvestris, umbellus.

Bonasia bonasia, rupestris, scotica, sylvestris, umbellus.

Bonellia (Asc.) albomarginata, fuliginosa.

Bonellia (Dipt.) haemorrhoidalis, lateralis, rubiginosa, tessellans, viridis.

Bonellia (G.) brunnea, imbricata, interrupta, lineata, marmorata, splendidula, terebella, terebellata.

Bonnetia longipes, oenanthis.

Bontes dubius.

Boophis goudoti.

Boops boops, canariensis, centrodonus, chrysurus, melanurus, passeroni, salpa, tricuspidata, vulgaris.

Bopyrus abdominalis, crangorum, hippolytes, palemonis, squillarum.

Borborocoetes (Col.) squalidus.

Borborocoetes (R.) bibroni, grayi.

Borborocoetes deluvianus.

Borborus aeneus, annulus, anomalus, arcuatus, ater, aterrimus, atronitens, brunneus, clunipes, costatus, crassimanus, crenatum, crenatus, curvipes, denticulatus, equinus, fenestralis, fimetarius, flavipennis, flavipes, frontalis, fungicola, fuscipennis, fuscipes, geniculatus, glabrifrons, glacialis, gonymelas, grossipes, hamatus, hirtipes, humidus, hyalipennis, incanus, leucopterus, limosus, longicornis, longipennis, longipes, lucidus,

lugens, luridus, melanus, modestus, monilis, nervosus, niger, nigerrimus, nigrifemoratus, nigrinus, nitens, nitidus, nivalis, obscurus, obsoletus, obtusus, ochripes, opacus, pallidiventris, pallidus, pallifrons, pallipes, pedestris, phaeopterus, platycephalus, pumilio, punctipennis, pusillus, quinque-maculatus, ramosus, rufipes, rufitarsis, sacer, alinus, scabriculus, scutellatus, silvaticus, spurius, stercorarius, subaeneus, subsultans, suillorum, ursinus, vagans, vaporariorum, varipes, vitripennis, zosteræ.

Boreaphilus brevicollis, henningianus.

Borelis bulloides, costulata, melo, melonoides.

Boremia altaria, ferrugaria, gemmaria, miaria, propugnaria.

Boreus brumalis, hiemalis, hyemalis, meridionalis, nivoriundus.

Boridia grossidens.

Borkhausenia atrella, minutella, similella.

Borlasia alba, anglicæ, camillea, carmellina, cephalothrix, coerulescens, filiformis, flaccida, linearis, longa, marina, novæ zelandicæ, octocolata, olivacea, purpurea, quadripunctata, quinquelineata, rufa, rufifrons, striata, tricuspidata, unicolor, viridis, vittata.

Bornella adamsi, digitata.

Bornia complanata, corbuloides, inflata, luticola, seminulum.

Borocera madagascariensis, margine-punctata.

Boros boros, corticalis, rufipes, tagenioides, thoracicus, unicolor.

Borsonia decussata, plicata, prima.

Bos apoa, arni, atlanticus, bombifrons, brachyceros, buffelus, canaliculatus, catifrons, communis, connochaetes, depressicornis, domesticus, elatus, frontalis, frontosus, gaurus, gavaeus, giganteus, hodiernus, intermedius, latifrons, leucopymnus, pegasus, platycerus, priscus, sondaicus, sylhetanus, sylvetanus, synophrys, tgnu, trochocerus, urus, velaunus.

Boschas circia, discors, formosa, javanica, javensis.

Boscia (Coel.) elegans.

Boscia (Col.) glabra, minuta, nigricans, olivacea, picea, punctata.

Boscia (Cr.) dentata.

Boscis rosea.

Boselaphus canna, derbianus, gnu, orcas, oreas, picta.

Bosmina cornuta, longirostris.

Bostrichopus antiquus.

Bostrichus abietiperda, abietis, acuminatus, alpinus, aphodioides, arecae, asperatus, ater, bicornutus, bimaculata, bipustulatus, bispinus, bulmerinqi, calcaratus, calligraphus, carinatus, carpophagus, castaneus, cavifrons, cenubrae, cinereus, comosus, compressicornis, crassicornis, cristatus, curtulus, dactyliperda, denticulatus, domesticus, dufouri, duplicatus, eremita, euphorbiae, exesus, fagi, fasciatus, ferrugineus, fici, flavipes, frontalis, fuscipes, fuscus, geminatus, impressus, jalappae, kaltenbachii, lineatus, longicollis, mali, melanocephalus, minutus, monoceros, multidentatus, muricatus, niger, nigratus, nitidulus, orthographus, pallipes, palmicola, parallelus, peregrinus, perforatus, pilosulus, pilosus, pinastri, pini, politus, porcatus, proboscideus, pumilio, punctatus, pusillus, quadridentatus, quinquelineatus, ratzeburgi, ruficollis, scabratus, septentrionalis, signatus, stenographus, striatus, suturalis, tachygraphus, terminalis, thoracicus, tiliae, typographus, unidentatus, varians, waringi, xanthographus, xylographus.

Bostrychoides oculatus.

Bostrychus maculatus, sinensis.

Botanebius tuberculatus.

Botaurus arundinaceus, assimilis, brasiliensis, cinnamomeus, comatus, fasciatus, flavus, heliosylus, lacustris, lentiginosus, leucolophus, lineatus, melanotus, minor, minuta, philippensis, pinnatus, poiciloptilus, pumilus, pusillus, senegalensis, stellaris, tigrinus, undulatus, virescens.

Botellus pellucidus.

Botheratiotherium bucklandi.

Bothrideres anaglypticus, contractus, exaratus, geminatus.

Bothridium grande, laticeps, megalcephalum, pithonis.

Bothrimonus sturionus.

Bothriocephalus affinis, angustatus, auriculatus, barbatulae, belones, bicolor, bifurcatus, carpiom, centrolphi, cepolae, claviceps, claviger, continuus, corollatus, coronatus, cylindraceus, cyprini phoxini, dendriticus, ditremus, echeneis, felis, fissiceps, flos, fragilis, gadi barbati, gadi callarias, gadi merlucci, gadi morrhuac, gadi redianus, granularis, infundibuliformis, labiatus, labracis, latus, loliginis, lophii, macrocephalus, maculatus, microcephalus, nodosus, paleaceus, parvus, patulus, phocafoetidae, pilula, planiceps, plicatus, proboscideus, punctatus, pythonis, rectangulum, redianus, ruficollis, rugosus, sagittatus, salmonis, semiligula, solida, sphaerocephalus, squalis glauci, tetrapteris, tricuspid, tropicus, truncatus, tubiceps, tumidulus, uncinatus, verticillatus.

Bothriocera tinealis.**Bothriocerca affinis.****Bothriolepis favosa, jurensis, ornatus.****Bothriophis distinctus.****Bothriopterus chalybicolor, laevicollis, oblongopunctatum.****Bothriorhynchus articulatus.****Bothriothorax altensteini.****Bothrobatys laticollis.****Bothrochilus boa.****Bothroconis plana.****Bothrophis viridis.****Bothrops** ambiguus, atrox, bilineatus, cinereus, furia, lanceolatus, leucostigma, leucurus, megaera, neuwiedi, sabini, subscutatus, surucucu, taeniatus, tessellatus.**Bothrorrhina ochreate, reflexa.****Bothrosteus brevifrons, latus, minor.****Bothryolepis prismata.****Bothryonopa goryi, gracilis, rufa, sanguinea.****Bothus** diagrammus, diaphanus, imperialis, podas, punctatus, rhomboides, rumolo, tappa.**Bothynoderes** albicans, albidus, anxius, brevirostris, carinicollis, cinereus, conicirostris, cylindricus, declivis, fatuus, foveocollis, halophilus, lugens, macilentus, mendicus, nigrivittis, nubeculosus, punctiventris, signaticollis, sparsus, strabus, suillus, surdus, tenebrosus, verrucosus, vexatus, virgatus.**Bothynorhynchus lascivus.****Bothynus** ascanius, castaneus, cunctator, cuniculus, laticifex, morio, neglectus, obsoletus, pyriformis, tridentatus, variolosus.**Botia almorhae, pandis.****Botis bicolor, marginata.****Botriodon leptorhynchus, platiorhynchus.****Botrylloides** albicans, aurea, leachi, radiata, ramulosa, rotifera, rubrum.**Botryllum massa, schlosseri.****Botryllus** bivittatus, castaneus, ciliatus, conglomeratus, elongatus, gaertneri, gemmeus, helvillus, leachi, mediterraneus, minutus, niveus, polycyclus, racemosus, renieri, rosaceus, rubens, savignyi, schlosseri, sexdentatus, smaragdus, variolosus, violaceus, virescens.**Botryocephalus hominis, latus.****Botys** ablutalis, aeruginalis, arcticus, argillacealis, argyralis, asinalis, aurantiacalis, bruguieralis, carnealis, catalaunalis, characteralis, childrenalis, ciliatis, cinctalis, cineris, clathralis, colonum, comparalis, comptalis, crocealis, decoralis, desertalis, dilucidialis, dilutalis, diversalis, ephippialis, erigatus, ferrugalis, fimbriatralis, flavalis, forficatis, fulvalis, fuscalis, gilvalis, glabralis, hyalinalis, hybridalis, insolatalis, isatidalis, lancealis, languidalis, lavalis, limbalis, limbopunctalis, lutealis, margaritalis, mucosalis, muralis, nemausalis, nudalis, oblitatis, ochrealis, olivalis, ophialis, palealis, pallidalis, palustralis, pandalis, pascualis, perpendicularis, poeyalis, politalis, polygonalis, potamogeta, praetextalis, purpurana, quinquepunctalis, rhododendronalis, rubiginalis, rusticalis, sambucalis, selenalis, sericea, sericealis, silacealis, spiralis, squalidalis, sulphuralis, terrealis, testacealis, thalassinalis, thapsalis, trinalis, turbidalis, unionalis, urticalis, urtica, venosalis, verbascalis, verticalis, vitellinalis.

- Bouchardia** rosea.
- Bouciera** conradi, rosea, torquatus, wilsoni.
- Bougainvillia** macloviana, nigritella.
- Bourgueticrinus** aequalis, cylindricus, ellipticus, flexuosus, hotessieri, milleri, ooliticus, rugosus, thorenti.
- Bovichthys** variegatus.
- Bovichtus** diacanthus.
- Bowerbankia** densa, imbricata, repens.
- Box** boops, goreensis, salpa, salpoides, vulgaris.
- Boxaodon** cyanescens.
- Boysia** bensoni.
- Bracca** bajula.
- Brachelia** westermanni.
- Brachiacantha** basalis, consimilis, disco-notata, fulvopustulata, quadripunctata.
- Brachidia** ruficollis.
- Brachidontes** sulcata.
- Brachiella** bispinosa, impudica, lophii, rostrata, salmonia, thynni.
- Brachineura** fuscogrisea.
- Brachinus** abbreviatus, abdominalis, aegyptiacus, aequinoctialis, affinis, africanus, alternans, ambiguus, andalusiacus, angolensis, annulicornis, annulus, apicalis, arboreus, arcanus, armiger, atramentarius, atripes, aulicus, baeticus, ballistarius, bayardi, beauvoisi, bellicosus, bicolor, biguttata, bilineatus, bimaculatus, binotatus, bipustulatus, bisignatus, bombardia, brasiliensis, brevicollis, brevispinus, brunneus, brunnipennis, caffer, caspicus, catoirei, causticus, cephalotes, chinensis, cincticollis, cinctipennis, cinctus, complanatus, conformis, connectus, consularis, convexus, cordicollis, crepitans, cruciatus, cruciger, cyanipennis, cyanocephalus, cyanopterus, dentipennis, deyrolli, dilatatus, dipsolor, discicollis, displosor, distinctus, dorsalis, ejaculans, elegans, elegantulus, equestris, etslans, evaporans, evermanni, exalans, exhalans, exilis, explodens, fasciatus, fastigiatus, ferrugineus, fulminans, fumans, fumigatus, fusciceps, fuscicollis, fuscicornis, fuscipennis, galamensis, geniculatus, gentilis, gilvipes, gironieri, gironnieri, glabratus, gory, goudoti, gracilis, graecus, grandis, guttula, hispalensis, histrio, immaculicornis, immarginatus, incertus, insignis, intermedius, interruptus, javanus, joenius, jucundus, jurinei, laetus, lateralis, le contei, lepieur, librator, litigiosus, longicollis, longipalpis, ludicus, maculatus, maculipes, madagascariensis, marginalis, marginatus, marginellus, marginipennis, marginiventris, medius, megacephalus, melancholicus, melanopterus, mexicanus, minutus, modestus, mutilatus, neglectus, nigricans, nigricollis, nigricornis, nigripennis, nigripes, nobilis, obliquus, oblongus, obscuricornis, obscurus, obtusus, olidus, oxygonus, pachygaster, palicari, pallipes, parallelus, parvulus, patruelis, perplexus, piger, platensis, posticus, prasinus, primordialis, psophia, pulchellus, pumilio, puncticollis, quadriguttatus, quadrimaculatus, quadrinotatus, quadripennis, quadripunctatus, quadripustulatus, riffaud, rivieri, ruficeps, scitulus, scolopeta, scutellaris, senegalensis, sericeus, servillei, sexmaculatus, sculus, similis, sobrinus, strenuus, strepens, streptans, stygicornis, subcostatus, subnotatus, sufflaus, sulcatulus, sulcatus, suturalis, tenuicollis, testaceus, thermarum, tibialis, tomentarius, tripustulatus, truncatellus, tschernikhi, undulatus, velox, ventralis, verticalis, vicinus, vinulus, viridipennis, viridis.
- Brachiolites** angularis, convolutus, digitatus, elegans, fenestratus, foliaceus, labrosus, protensus, racemosus, tuberosus, tubulatus.
- Brachion** apicalis, pusillus.
- Brachionus** aculeatus, amphi-ceros, bicornis, diacantus, galeatus, longispinus, luna, lyra, militaris, mülleri, muticus, orbis, palea, piscis, polyacanthus, quadricornis, rubens, tetracerus, togata, umbellarius, urceolatus.
- Brachionycha** cassinia, nubeculosa.
- Brachionyx** cassinia, nubeculosa.
- Brachioptilon** hamiltoni.
- Brachirus** commersoni, jerreus, orientalis, pan, plagiusa, zebra.
- Brachistes** destitutus, firmus, fuscipalpis, interstitialis, longicaudis, minutus, nasutus, nigricoxis, noctuae, robustus, ruficoxis, rugosus, uncigenis.

- Brachmia albiceps*, dimidiella, ericinella, favilaticella, inopella, luculella, lutulentella, servella, taeniolaella, umbrosella.
- Brachodes* veruetella.
- Brachonyx* (A.) apiata, pyrrhonota.
- Brachonyx* (Col.) indigena.
- Brachopsis* concolor.
- Brachyacantha* bipartita, bistrispustulata, confusa, conjuncta, dentipes, diversa, erythrura, flavifrons, lepida, octostigma, pygidialis, sellata, subfasciata, ursina.
- Brachyaspidest* acutipennis, femoralis, peroteti, prasinus, velatus.
- Brachybamus* electus, laceratus.
- Brachyblemma* arctiventre.
- Brachycaulus* ferrugineus.
- Brachycentrus* coucolor, costalis, subnubila.
- Brachycephalus* ephippium.
- Brachycercus* chironomiformis, harrisella, minima.
- Brachycerus* acerbus, aegyptiacus, affaber, albarius, albidentatus, amplexicollis, anaglypticus, angusticollis, apicatus, asper, australis, axillaris, bessei, bicallosus, biglobatus, buculus, bufo, bullatus, caffer, callosus, cancellatus, capensis, cavifrons, chevrolati, cinctipes, cinerarius, cinereus, cirrosus, comtus, contextus, controversus, corniculatus, coronirostris, corrosus, costalis, costatus, cribrarius, crispatorostris, crispularis, curruca, difformis, discolor, dorsalis, duplicatus, echinatus, eckloni, emeritus, erinaceus, exilis, facietatus, fahraei, fascicularis, fasciculosus, ferrugineus, fluctiger, formidulosus, foveocollis, frontalis, fuliginosus, gemineus, gemmiferus, gemmosus, germanus, glabratus, glanduliferus, granicollis, granosus, griseus, gyllen-hali, haedus, hispanicus, hottentottus, humeralis, impressifrons, imprudens, incultus, instabilis, intutus, inurbanus, labrusca, lateralis, lateritius, latifrons, latro, levidipus, libertinus, lineatus, longirostris, longiusculus, luteus, lutosus, lutulentus, madagascariensis, margaritaceus, mauritanicus, melancholicus, millepora, morio, nebulosus, ornatus, ovatus, oxonchus, papulosus, perodiosus, petulcus, phrygianus, pictus, piger, planirostris, plicatus, polyphthalmus, posticus, pterygomalis, pulverulentus, pulveris, punctulatus, pusio, pustulosus, quadratus, quadrisulcatus, racemosus, reflexus, reinhardti, reticulatus, rignus, rubiginosus, rudis, rugipes, rugulosus, rusticanus, saginatus, scabiosus, scelestus, scoposus, scrobicollis, scrobiculatus, scrupulosus, scutellaris, scutirostris, semiocellatus, semituberculatus, setiger, setosus, sculus, sinuatus, sparmanni, spiopterus, spinicollis, spiniger, spissus, stellaris, stellatus, subfasciatus, sublaevis, sulcifrons, sulphuratus, superciliosus, tenebrosus, tergo-signatus, tessellatus, tetanicus, textatus, thumbergi, torosus, transversus, tremens, tuberculatus, tuberculosus, tuberosus, turgidus, turiferus, ulcerosus, venustus, verrucifer, verrucipennis, vestitus, westermanni, zeyheri.
- Brachyclanis* pantherina.
- Brachycnemis* quadrisignatus.
- Brachycoelus* duponti.
- Brachycola* laevis, collis, robusta, sexnotata.
- Brachycopris* carolina.
- Brachycoryna* pumila.
- Brachycyathus* orbignyanus.
- Brachydactyla* discoidea, microdera.
- Brachydactylus* typicus.
- Brachyderes* albidus, chinensis, constrictus, dimidiatus, glaucus, gracilis, illaesus, inauratus, incanus, lepidopterus, lusitanicus, murinus, opacus, pubescens.
- Brachydirus* xanthocerus.
- Brachydonta* compressa.
- Brachyelytrops* brachyelytrum.
- Brachygaster* (Cr.) serrata.
- Brachygaster* (Hym.) fulvipes, minuta, reticulatus, rufipes, xanthops.
- Brachygastra* analis, aurulenta, bilineolata, dorsolineata, velutina.
- Brachyglossa* atropos, intermedius.
- Brachygnathus* (Col.) minutus, muticus, oxygonus, pyropterus.

- Brachygnathus (P.) tenuiceps.
 Brachygnathus (M.) gorgovianum.
 Brachylaemus cylindraceus, eriuacei, variegatus.
 Brachylaima fulvum.
 Brachyleptus canescens.
 Brachylophus bengalensis, canus, dimidiatus, mentalis, miniatus, occipitalis, sericollis, squamatus, viridis, xanthopygaeus.
 Brachymeles bonitae.
 Brachymeria brevicornis, flavipes, minuta, pectinicornis.
 Brachymerus (Col.) sobrius, tibialis.
 Brachymerus (R.) bifasciatus.
 Brachymetopus strzeleckii.
 Brachymorphus vestitus.
 Brachymys ornatus.
 Brachynus barbarus, fimbriolatus, numeralis, talyschensis.
 Brachyochirus aphyia.
 Brachyolomus arenarius.
 Brachyolus punctatus.
 Brachyopa arcuata, bicolor, cinerea, conica, dorsata, ferruginea, oleae, pallida, rufocyanea, scaevoides, scutellaris, testacea, vittata.
 Brachyorrhos albus, alternans, amoenus, badius, decussatus, dimidiatus, flammigerus, kuhli, schach, torquatus, trilineatus.
 Brachyotus brachyotus, capensis, galapagoensis, palustris.
 Brachypalpus (Col.) pallidus, similis.
 Brachypalpus (Dipt.) bimaculatus, femoratus, tuberculatus, valgus, varus.
 Brachypelta tristis.
 Brachypeplus basalis, depressus, mutilatus, planus, virescens.
 Brachypetes tenebrosa.
 Brachyphylla (Col.) atrata, barbara, carbonaria, disca, humeralis, inmarginata, obscura, ruricola, vittata.
 Brachyphylla (M.) cavernarum.
 Brachyplatus vanikorensis.
 Brachypodella antiperversa, collaris, perplicata, subula.
 Brachypodius cinereoventris, criniger, entilotus, melanocephalus, pococephalus, tristis.
 Brachypteracias leptosomus, pittoides, squamigera, variegata.
 Brachypternus aurantius, chrysonotus, erythronotus, goensis, haematribon, igniceps, philippinarum, shorei.
 Brachypterus (A.) ruficoccyx.
 Brachypterus (Col.) ater, capensis, cinereus, flavicornis, fulvipes, fulvus, gravidus, labiatus, laticollis, meridionalis, pubescens, rubiginosus, unicolor, vestitus.
 Brachypterus (Hym.) means.
 Brachypteryx acutirostris, albogularis, atriceps, bicolor, horsfieldi, leptura, leucophrys, maculatus, malaccensis, montana, nigrocapitata, nigrogularis, poliogenys, sepiaria.
 Brachypus (A.) atriceps, azureus, bimaculatus, cafer, capensis, chalciocephalus, chrysorrhoeus, cochinsinensis, dispar, eutilotus, gularis, haemorrhous, jocosus, leucogaster, leucogenis, leucogrammicus, le vaillanti, melanocephalus, melanogaster, murarius, perspicillatus, phoenicopterus, plumifera, poliopsis, priocephalus, rubineus, squamatus, tigus, tympanistrigus, vidua, virescens, xantholaemus, xantholaimus.
 Brachypus (Col.) cylindricus, lixoides, psidii.
 Brachypus (G.) costatus.
 Brachypus (R.) cuvieri.
 Brachyramphus brachypterus, kittlitzi, marmoratus, wrangeli.
 Brachyrhamphus antiquus.
 Brachyrhinus aeruginosus, albolineatus, alneti, argentatus, articulatus, arundinis, asperatus, austriacus, betulae, binotatus, bisulcatus, calcaratus, caninus, chloropus, clavipes, collaris, coryli, costatus, depressirostris, echinatus, elevatus, erinaceus, erythropus, excisus, faber, fastuosus, fritillum, fulvicornis, fulvipes, fulvus, fuscomaculatus, gemmatus, glabratus, globatus, goertzensis, grameus, granulatus, griseus,

grissonus, hispidulus, holoseticeus, hamulis, imperialis, incanus, intersectus, iris, laevigatus, lepidopterus, leucophyllus, ligustici, limbatus, lineatus, lineellus, luctuosus, lunatus, major, mali, maxillosus, melancholicus, meles, mercurialis, meyerlaei, micans, moerens, morio, multipunctatus, muricatus, murinus, mus, uiger, nigrita, nubilus, oblongus, obscurus, obtusus, orbicularis, ovatus, palliatus, pallidus, parvulus, picipes, picus, pilosus, planatus, polygoni, prasinus, punctatus, pyri, quadrulus, raucus, regalis, repandus, rotundatus, ruficollis, ruficornis, scabriculus, sellatus, seminulum, setosus, sexcostatus, singularis, sinuatus, spinifex, splendidulus, squamiger, squamulatus, sulcatus, sulphurifer, tenebricosus, tereticollis, tessellatus, thunbergi, tristis, trunculus, undatus, variolosus, vespertinus, viridicollis, viridis, zebra.

Brachyrhopala ruficornis.

Brachyrhynchus (Col.) setiger.

Brachyrhynchus (Hem.) dilatatus, furcatus, lobatus, membranaceus, morio, orientalis, punctulatus.

Brachyrhynchus (R.) calligaster.

Brachyrus brachypterus, zebra.

Brachyrynchus biarmicus, caudatus.

Brachys aculeata, aequinoctialis, aeruginosa, albo-guttata, americana, angusta, caerulea, collaris, concinna, conica, corrusca, cyanea, cyarella, dilatata, elongata, exigua, fasciata, floccosa, gentilis, guttulata, ignita, jousseini, laenis, lebasii, lucidula, maculata, maerens, marginicollis, metallica, molesta, mutabilis, nigrita, obscura, pedicularia, pedicularia, plana, pulcaris, punctata, scapulosa, scutellata, tenella, terminalis, tessellata, testudinaria, varicolor, violacea, viridicollis, volitans.

Brachyscelis mammillata, muricatus, musiva.

Brachysoma (Col.) exarata, suturalis, tuberculatus, vellerea.

Brachysoma (Med.) chamissonis, erythrophysa.

Brachysoma (R.) diadema.

Brachysomus hirsutulus.

Brachysorex brevicaudatus, harlani.

Brachysphaenus colombii, oblongosignatus, proximus. *Vide et Brachysphoenus.*

Brachysphenus amictus, fulvipennis, grammicus, luscus, mapensis, procerus, pyrrhoccephalus, regularis, salamandra, tabidus.

Brachysphoenus abdominalis, adamsi, adustus, agathinus, alternans, amabilis, annulatus, antennalis, bajulus, bellulus, bicinctus, bicolor, bihamatus, bilineatus, bimaculatus, biplagiatus, bisigillatus, bisignatus, bisquinquepunctatus, bistripunctatus, bremeri, bronngiarti, centromaculatus, cerasinus, chelonarius, cinctellus, cingulatus, circulus, clavicornis, coadunatus, concolor, conformis, cougener, conspersus, cruciatus, decemnotatus, decem punctatus, decussatus, deletus, delineatus, detritus, diceratus, dimidiatus, discus, dispilatus, distinctus, dorsalis, dorsomaculatus, dorsonotatus, duodecimpustulatus, duplicatus, ephippium, erichsoni, eximius, fasciato punctatus, festivus, flavofasciatus, flavosignatus, flavovittatus, flexuosus, fuscipes, fuscomaculatus, geometra, germari, glyptoderus, guadeloupensis, guttatus, haematites, haematocephalus, haematomelas, haematopterus, hebraicus, heterogrammus, hoffmanni, hybridus, ictericus, immaculatus, irroratus, klugi, kourouensis, limbatus, lineellus, litigiosus, lugens, lugubris, M-nigrum, manicatus, mediatus, meleagris, mendax, moniliferus, multinotatus, musicalis, neophyta, nigripennis, nigropictus, nitidulus, nubilus, oblitus, oblongonotatus, octodecimguttatus, octoguttatus, oculatus, orphanulus, palmatus, pardalinus, perlepidus, perspicillatus, pertinax, pictus, pithecius, porcellana, punctiger, quadrimaculatus, quinquefasciatus, ramosus, rubidus, rubripennis, rufescens, ruficeps, rufifrons, sexdecimguttatus, sexdecimpunctatus, sexdecimpustulatus, sexpunctatus, sexsigillatus, signatus, simplex, spadiceus, spectabilis, stramineus, subsignatus, sulphurifer, suturalis, tenuicinctus, tibialis, tricinctus, trifasciatus, tripartitus, varians, ventralis, vetula, vigintiguttatus, westwoodi. *Vide et Brachysphaenus.*

Brachysternus castaneus, fulvipes, lamprimoides, prasinus, spectabilis, vicinus.

Brachystethus circumspectus, cribrum, marginatus, quinquedentatus.

Brachystethus sexmaculatus.

- Brachystilus** californicus.
- Brachystoma** (A.) cinerea.
- Brachystoma** (Dipt.) aucta, bohemani, escheri, longicornis, punctipennis, spinulosa, tenella, unicolor, vesiculosa, westermanni, zetterstedti.
- Brachystopus** lineopunctulatus.
- Brachystylus** acutus.
- Brachytaenius** perennis.
- Brachytarsus** areolatus, bostrichoides, brevis, nebulosus, obsoletus, pantherinus, parallelus, scabronis, scapularis, sticticus, tessellatus, varius.
- Brachyteles** arachnoides, frontatus, hypoxanthus, macrotarsus.
- Brachytes** bicolor.
- Brachythyris** duplicicosta, exarata, hemisphaerica, integricosta, linguifera, ovalis, pinguis, planata, planicostata.
- Brachytoma** castanea, strombiformis.
- Brachytrachelus** (Col.) opatrinus.
- Brachytrachelus** (R.) crassirostris.
- Brachytrallus** raloides.
- Brachytria** gulosa, latebrosa.
- Brachytrupes** megacephalus, ustulatus.
- Brachyura** (M.) israelita, ouakary.
- Brachyurites** antiquus, australis, gibbosus, hispidiformis, maenadius, ornatus, porcellaneus, rugosus.
- Brachyurus** (A.) angolensis, atricapillus, baudi, bengalensis, caerulea, celebensis, cucullatus, cyanoptera, erythrogaster, forstei, granatinus, gularis, irena, iris, mackloti, maculata, malaccensis, maxima, mulleri, nepalensis, nympa, ruber, strepitans, venustus, vigorsi.
- Brachyurus** (M.) alliarius, amphibius, arvalis, blumenbachi, calvus, gregarius, lagurus, lemmus, oecionomus, rubicundus, rutilus, satanas, socialis, torquatus, zemni.
- Braco** bipartitus, bisignatus, brevisculus, colpophorus, dichromus, discoideus, erraticus, fortipes, fuscicoxis, fuscipennis, guttiger, laetus, larvicida, longicollis, maculiger, megapterus, nigratus, nigricollis, nigri ventris, oostmaeli, parvulus, pectoralis, percolatus, picticornis, piger, praecox, regularis, roberti, satanas, scutellaris, stabilis, terebella, titubans.
- Bracon** abbreviator, abdominalis, abominator, abscissor, aculeator, affinis, affirmator, albipennis, aleator, alternans, alvearius, analis, anator, angustus, annulatus, antennatus, anthracinus, apicalis, apiculator, appellator, areator, areolaris, argutator, armator, asper, assimilis, ater, atrator, atrofufus, baeticus, barynoti, basalis, bicolor, bicolorator, bifasciator, bifasciatus, biguttator, bimaculator, bisulcis, borealis, brunneator, buqueti, caesus, capellator, capitator, capito, carbonarius, castaneicornis, castaneus, castrator, caudatus, caudiger, cavifrons, chlorophthalmus, ciliatus, cinctellus, cinctus, circulator, cis, clathratus, clavatus, coccineus, collaris, concinnus, conjungens, constrictus, contractor, coxalis, crenato-striatus, crenatus, crocator, culinator, curtisi, decrescens, defensor, deflagrator, delibator, delusor, denigrator, denunciator, deplanator, depopulator, desertor, dichrous, didymus, dimidiator, dimidiatus, discoideus, dispar, disparator, dissimilis, dissolutus, distinctus, diversicornis, dorsalis, dorsator, dubius, ebeninus, eocoptogaster, elector, elongatus, emarginatus, ephippium, equitator, errans, erythraeus, erythrogaster, erythromelas, erythrothorax, esenbecki, eurygaster, excavatus, exhalens, exhilator, exilis, expectator, explorator, exsculptor, exsertor, exsoletus, extricator, facialis, fasciator, fastidiator, femorator, fenestrator, filator, flavator, flaviceps, flavicornis, flavifrons, flavipes, flavulator, formicatus, fulvipes, fulvipes, fulviventris, fuscatus, fuscipennis, fuscipes, gages, gasterator, gibbus, glomeratus, guttator, hartigi, hastator, hebetor, hemistigma, honestor, hospitor, humeralis, humilis, hylesini, hylobii, ichneumoniformis, ictericus, illusor, immaculipennis, impostor, impunctatus, incertus, incisus, incompletus, inescator, infirmus, initiatellus, initiator, inquisitor, inscriptor, insidiator, intercessor, interruptus, intricatus, irreptor, irrorator, ischiomelas, itinerator, labrator, laminator, lanceolator, larva, lateralis, latiusculus, lebasii, leionotus, leprieuri, leucogaster, levigatus, ligator, limbatus, linearis, lineatus, lineola, litura, longicauda, longicornis,

lucidator, ~~luctuosus~~, lugens, luteator, luteifrons, mactator, maculator, major, manducator, marginalis, marginator, marginellus, mediator, melanocephalus, melanoderes, melanopus, melanocephalus, mellitor, mercator, middendorffi, minutor, minutissima, monihatus, mundator, mutator, mutillarius, necator, niger, nigrator, nigriceps, nigricornis, nigridorsis, nigrifrons, nigrimanus, nigripedator, nigripes, nigratarsis, nigrolineatus, nigroscotatus, nigrovarius, nitidulator, nobilis, nodicornis, nominator, obfuscatus, obliteratus, obscurator, obscuripennis, occipitalis, ocellator, ochropus, orbicular, orbita, orbitator, ornator, osculator, otiorhynchi, ovator, pachymerus, pallidator, pallidus, palpipes, palpebrator, paululor, pectinator, pectoralis, pennator, petiolator, petiolatus, picipes, pictus, plagiator, planus, platygaster, platyurus, plumator, plurimacula, polybothrys, populator, posticus, productus, proficiscator, protuberans, pulchellus, pullator, pumilio, punctulator, punctum, purgator, pusillator, pusillus, pygmaeor, quadri-lineatus, ramicornis, richei, rimulator, rostrator, rubens, rubidus, rubricator, ruficornis, rufipes, rufiventris, rugator, rugosus, rugulosus, rutilus, scaber, scapus, scrutator, sellator, semifasciatus, semiflavus, semihyalinus, semiofuscus, semipunctatus, semiruber, sericeus, serrator, servillei, sexmaculatus, sextuberculatus, signatus, signum, silesiacus, similator, singulator, sinuatus, sordidator, spathiiformis, speculator, spinator, stigma, stigmator, striatellus, striatus, strigiventris, strobilorum, sulcornutus, subcylindricus, subdepressus, subfasciatus, subnodosus, subulcatus, sulcifrons, superciliosus, tentator, tenuicornis, tenuistriatus, terminatus, terrefactor, testaceus, thoracicus, tibialis, tibiator, tipulator, transversus, triangularis, tricolor, trilobatus, truncator, tuberculator, unbraculator, umbratus, unimictus, urinator, variabilis, variator, variegator, varius, vesmaeli, vestitor, viator, vicinus, xanthogaster, xanthomelas, xanthothorax.

Bradornis mariqueensis.

Bradybaena addita, alabastrina, annexa, appenina, bicincta, biformis, brunonensis, caelata, cantiana, carthusiana, ciliata, cinctella, circinata, consocia, consona, declinata, depilata, fruticum, galliziensis, glabella, hispida, inamoena, incarnata, lanuginosa, limbata, lurida, monticola, oliveri, pisum, plebeia, rufescens, scobinata, similis, strigella, sutulosa, syriaca, taprobanensis, tecta, tortula, umbrosa, velutina, villosa.

Bradybaenus cayennensis, festivus, opulentus, oxyomus, pseudoscalaris, scalaris, sellatus.

Bradybates (A.) pectoralis, phaenicuroides.

Bradybates (R.) ventricosus.

Bradybatus bituberculatus, creutzeri.

Bradycellus cognatus, collaris, desertus, dorsalis, harpalinus, mannerheimi, marginicollis, nitidus, placidus, pubescens, rufithorax, similis.

Bradyepetes advenaria, amataria, apiciaria, dilectaria, dolabraria, vespertaria.

Bradyemur tardigradus.

Bradyly cordicollis, longipennis, microderus.

Bradyornis ater, leucomelas, vittatus.

Bradypodion cucullatum, pardalis, pumilum, verrucosum.

Bradyporus aeneus, dasypus, inermis, laxmanni, marginatus, onos, pupa, restrictus, spinulosus.

Bradypterus affinis, africanus, brachyptera, brevirostris, cetti, phaenicuroides, platyurus.

Bradyptus affinis, ai, crinitus, cuculliger, gularis, infuscatus, jubata, kouri, pallidus, pentadactylus, striatus, torquatus, trivittatus, ursiformis.

Bradyscelis latitarsis.

Bradytes strangulata.

Bradytoma aurita.

Bradytus abdominalis, aeneamicans, angusticollis, apicarius, avidus, brevipennis, conularis, crenatostriatus, exaratus, ferrugineus, fulvus, furtivus, helopioides, latus, majusculus, marginatus, minutus, niger, pallidulus.

Bradyus karelini, modestus, pygmaeus.

Brahmapicus aurantius, erythronotus.

Brahmina calva, comata.

Brairdia curtus, gracilis. *Vide et Bairdia.*

- Brama** atropes, australis, chilensis, dussumieri, longipinnis, marina, oreini, parrae, pinnae squamata, rayi.
- Bramatherium** perimense.
- Branchastraia** limbata.
- Branchellion** pinnatum, torpedinis.
- Branchiarius** quadrangulatus.
- Branchiobdella** astaci, auriculae, chilensis, scolopendra.
- Branchionereis** aphroditois, bifrons, ciliata, norvegica, pinnata, radiata.
- Branchiopoda** paludosa, stagnalis.
- Branchiostoma** (Myr.) lithohioides, longipes, nuda, spinicauda.
- Branchiostoma** (P.) lanceolatum, lubricus.
- Branchiotoma** spongillae.
- Branchipus** auritus, cafer, chirocephalus, diaphanus, ferox, lacunae, melanurus, milhauseni, paludosus, prevosti, schafferi, spinosus, stagualis, torvicornis.
- Branchiurus** quadripes.
- Branchypus** axillaris*.
- Brangas** bitias, caranus, dydimaeon, pelops, syncellus, thrasyllus.
- Branta** (A.) rufo.
- Branta** (Cr.) aurita.
- Brassolis** amphirhoe, anaxarete, astura, berecynthia, cassiae, cassiope, invirae, ohrinus, quiteria, sophorae, xanthus.
- Braula** coeca.
- Bregmaceros** maclellandi, mirum.
- Bremus** aestivalis, africanus, alpinus, americanorum, antiguensis, apricus, arhustorum, cajennensis, campestris, cingulata, coespitum, collaris, cordata, dentata, dimidiata, equestris, ericetorum, fasciatus, frutetorum, furcatus, hypnorum, italicus, lapidarius, lapponicus, muscorum, nemorum, neuter, pomorum, pratorum, pygmaeus, regelationis, ruderalis, saltuum, scutellatus, senilis, silvarum, solstitialis, soroensis, suhterraneus, surinamensis, terrestris, tibialis, tropicus, truncorum, veteranus, virginicus.
- Brenthis** claudia, daphne, dictynna, hecate, thore.
- Brenthus** acutipennis, approximatus, atratus, hicalcaratus, bicolor, capulus, chevrolati, clavipes, collaris, compressipes, coronatus, decollatus, deplanatus, difficilis, encaustus, famulus, fasciatus, guttifer, hollandiae, holosericeofasciatus, interruptolineatus, lineicollis, madagascariensis, metallicus, mexicanus, monilicornis, nanus, nasalis, nigrinus, novaeguineensis, picicornis, planicordatus, pugionatus, pumilus, punctulatus, pyetes, reichei, ruher, rufiventris, sesquistriatus, signatus, sublaevis, sulcirostris, suratus, tarsatus, turbatus, volubilis, vulneratus.
- Brentus** albo maculatus, appendiculatus, aterrimus, hispidatus, histriatus, bisulcatus, brevidens, brevirostris, calcar, castaneus, caudatus, cistelinus, claviger, coronatus, crassicollis, crassicornis, curvidens, curvipes, cylindrus, dentatus, denticeps, denticrostris, depressus, distinctus, duplicatus, ferrugineus, festivus, filicornis, filiformis, foveatus, frontalis, glabratus, glahripennis, gracilis, interruptus, italicus, laevicollis, laevigatus, laevis, laticornis, lineatus, longicaudatus, longicornis, longimanus, macrocephalus, mandibularis, maxillosus, militaris, obtusus, picipes, pictus, porcatus, productus, punctatus, punctipennis, pusillus, reticulatus, rufiventris, rupestris, serirostris, singularis, squalidus, striatulus, sulcatus, sulcirostris, suturalis, temminckii, translucens, tridentatus, tristriatus, truncatus.
- Brephos** julia, notha, parthenias, puella.
- Brephulus** clausiliaeformis, fasciolatus, fuscostrigatus, ilibatus, obvolutus, tauricus, tourneforti, zebrinus, zebula.
- Breviceps** gibbosus, gouldi, verrucosus.
- Brevicolaspis** pilosa.
- Brevipes** melanogaster.
- Breynia** crux-andrae.
- Briaraea** scolopendra.
- Briareum** suherosum.
- Briarium** arboreum, gorgonoideum, mollis.

- Briarus** glorandus.
Briaxis furcata, nodosa, spinuosis.
Bricoptis variolosa.
Bringa remifer. *Vide et Bhringa*.
Brisa dubia, lucida.
Brisnaeus rodiopus.
Brissopsis angustus, australis, borsoni, cavernosa, contractus, elegans, genei, intermedius, lyrifera, oblonga, ovatus, poriferus, rimulatus, romuli, sismondae.
Brissus antiquus, areolatus, bicinctus, carinatus, columbaris, compressus, cordieri, cruciatus, cylindricus, depressus, dilatatus, dimidiatus, expansus, fragilis, belveticus, inaequalis, lyrifer, pectoralis, pusillus, rana, scillae, scutatus, scutiger, sternalis, subacutus, subdepressus, ventricosus, vulgaris.
Brithopus priscus.
Brithya paucratii.
Brithycera lyciformis.
Brithys dominica, encausta, lutulenta, pancratii.
Brius attenuatus, chrysops, cuprifer, lepidotus, mercurialis, metallifer, styriacus.
Brochia depressa, interlandi, laevis, longo, maggiori, sinuosa.
Brochus annulatus, arcuatus, glabrus, laevis, reticulatus, striatus, tracheiformis, trachiformis.
Brochymena serrata, unicolor.
Broderipia cumingi, iridescens, rosea.
Brogmarus aristoteli.
Brome elongata, tridens, ventrosa.
Bronchocela celebensis, cristatella, gutturosa, jubata, marmorata.
Bronchus bulbifer, capensis, furcatus, granulosus, verrucosus.
Brongniartia (Col.) atra.
Brongniartia (Cr.) carcinodea, isotelea.
Brongniatia (Cr.) platycephala, trilobitoides.
Brontes (Col.) australis, flavipes, humeralis, militaris, minimus, pallens, spinicollis, testaceus, truncatus.
Brontes (Cr.) canadensis, costatus, flabellifer, glabratus, hibernicus, neptuni, radiatus, subradiatus.
Brontes (G.) haustellum.
Brontes (P.) prenadilla.
Bronteus aciculatus, alutaceus, ambiguus, angusticeps, asperulus, aulicus, berkeleyanus, brongniarti, campanifer, canaliculatus, carinatus, elongatus, flabellifer, formosus, fulcifer, gigas, granulatus, haidingeri, insignitus, intermedius, intermixtus, laticauda, oblongus, palifer, partschi, pendulus, planus, porosus, pulcher, pustulatus, scaber, sculptus, sieberi, sparsus, subtriangularis, transversus, umbellifer, zippei.
Brontiades gentius, menalcas, petrus, procas.
Brontozoum expansum, giganteus, gracillimum, loxonyx, parallelum, sillimanianum.
Brososoma baedense.
Brosus aereus, approximatus, basalis, carenoides, laevipennis, patruelis, stultus.
Brosis granella.
Brosme lub.
Brosmerus flavesny.
Brosmius brosmes, exiguus, lub, venustus, vulgaris.
Broteas falcifer.
Broteus porceatus.
Brotheas angustus, bonariensis, erythroactylus, maurus, nigrocinctus.
Brotis cydoniaria, fumosa, orophila, sordida, vulneraria.
Brotogeris fringillaceus, phigy, pyrrbopterus, sparmani.
Brotula armata, barbatus, enchelyopus, imberbis, multibarbata.
Bruchella haemorrhoidalis, rufipes, suturalis.
Bruchella rufipes, suturalis.
Bruchomorpha oculata.

Bruchus abbreviatus, abruptestriatus, acaciae, acanthocnemus, aequinoctialis, affinis, albidus, albolineatus, albopunctatus, albosparsus, alni, altaicus, ambiguus, antennalis, anxius, apicalis, arachidis, arthriticus, astragali, ater, attelaboides, aurifer, barbicornis, basalis, biguttatus, biguttellus, binotatus, biplagiatus, bipustulatus, bistriatus, bituminosus, bixae, bohemanii, boops, borbonica, bosci, bracteatus, brachialis, brasiliensis, calabrensis, caesus, cardo, cardui, carinatus, cassiae, catenulatus, cavillator, cayennensis, chinensis, chloroticus, cicatricosus, cinerascens, cinereus, cinifer, cinnamomeus, cisteloides, cisti, clitellarius, clitoriae, cognatus, concolor, convolvuli, coryphae, costatus, crataegi, creutzeri, cristatus, crotonae, cruciatus, curvipes, debilis, decorus, deuticulatus, devexus, discipennis, discoidalis, discoidus, dispar, dispergatus, dolichosi, dorsalis, echii, elegans, euphorus, exilis, fabae, fahraei, faldermanni, fallax, femoralis, figuratus, fischeri, flabellicornis, flabelliger, flavescens, flavicollis, flavimanus, flavipes, foveolatus, fulvicornis, fulvimanus, fulvipennis, fulviventris, fulvulus, gilvus, glaber, glycinae, glycyrrhizae, gracilis, grammicus, grandicornis, graphicus, griseomaculatus, gyllenhali, halodendri, histrio, holosericeus, humeralis, iaspideus, imbricornis, inaequalis, incanus, incarnatus, inconditus, iucrustatus, indigoferae, ingae, inornatus, inspergatus, irsectus, japonicus, jekeli, jocosus, laevis, laevis, laevis, languidus, lathyri, laticollis, latithorax, latus, lebasii, leguminarius, lentis, leutus, leucopygus, lherminieri, lividimanus, lividus, longicollis, longicornis, lubricus, lucifugus, ludicrus, lugubris, luteolus, lutescens, maculicollis, maculicornis, maculiventris, magnicornis, marginellus, marinus, melaleucus, melancholicus, melanocephalus, meleagrinus, mendosus, minimus, minimus, minutus, misellus, miser, murinus, musculus, nebulosus, nesapius, nescius, niger, nigricornis, nigrinus, nigripes, nigrirarsis, nigrosinuatus, notulatus, nubilus, obliquus, oblongoguttatus, oblongus, obscuricornis, obscuripes, obscurus, obsoletus, obtectus, oculatus, olivaceus, orientalis, ornatus, ovalis, oxytropidis, oxytropis, pallidicornis, pallidipes, parvulus, pauper, pectinatus, perparvulus, persicae, pescaprae, petechialis, phaseoli, picturatus, pictus, pillula, pilosus, pinii, plumbeus, podagricus, poecilus, polyceus, postremus, praeustus, ptilinoides, pubescens, pulchellus, punctatus, punctellus, puncticollis, pusillus, pygmaeus, pyrrhocerus, quadriguttatus, quadrimaculatus, quadriplagiatus, ramicornis, ripiphorus, rotundatus, rubens, rubicundus, ruficornis, rufimanus, rufoplagiatus, rufulus, scurra, semicolon, sericeus, serratus, serripes, sibiricus, sculus, signaticollis, signaticornis, signatus, silaceus, sinuatus, soijae, spadiceus, sparsus, speculi, speculifer, spinipes, stenocephalus, stveni, strangulatus, striolatus, stultus, subarmatus, submaculatus, subsignatus, suturalis, tabidus, taorminensis, tarsalis, telum, teneriffae, testudinarius, tetricus, tibialis, tibellus, tomentosus, transversesignatus, transversus, triangularis, tristiculus, tristis, troglodytes, tuberculatus, uberatus, umbrinus, varicolor, varicornis, varicornis, variegatus, varipes, vectabilis, velaris, ventralis, venustus, verrucosus, versicolor, vestitus, vicinus, villicus, virens, virescens, virescens, virgatus, wasastjerni.

Brucus tessulatus.

Brueckneria plicata.

Brumus desertorum, suturalis.

Bryaxis abdominalis, abnormis, alasanica, albana, albionica, antennata, armena, assimilis, chevrieri, conjuncta, dentata, depressa, emarginata, eucera, formeceti, foveolata, furcata, gallica, goryi, haemastica, helferi, hemiptera, heterocera, impressus, insignis, juncorum, lebasii, lefebvrei, levicollis, longicornis, longula, luniger, nanus, nigriventris, nitidicollis, opuntiae, persica, preslii, propinqua, propinque, puncticollis, rubra, rubricunda, rubripennis, rufa, sanguinea, schomburgkii, schuppeli, securiger, serriicornis, sibirica, simplex, sulcicollis, tibialis, tomentosa, velutina, xanthoptera.

Brychetus mulleri.

Brycon amazonicus, falcatus, macrolepidotus, opalinus, pesu.

Bryobia gloriosa, nobilis, pretiosa, speciosa.

Bryobius jurinei.

Bryocharis analis.

Bryocoris affinis, morio, muscorum, palustris, pteridis.

Bryophila carbonis, chalconia, dactylophora, dardouini, deceptricula, ereptripula, fraudatricula, germaini, glandifera, lupula, par, perla, raptriculus, receptricula, spoliatricula, troglodyta, umovii, vandalusiae.

Brythis paneratii.

Bryttus punctatus, reticulatus, unicolor.

Buarrenon albifrenatus, albinucha, assimilis, brunneinucha, gutturalis, pallidinucha, pyrgitoides, rufinucha, schistaceus, torquata.

Bubalis knockella.

Bubalornis niger.

Bubalus arna, brachyceros, buffelus, bufus, caffer, lunatus, mauritanicus, pegasus.

Bubas bison, brevicornis, brunnipterus, bubalus, castaneus, dentifrons, inermifrons, integricornis, lineifrons, simplicifrons.

Bubastes cuprinus, sphaenoida, suturalis.

Bubo (A.) africanus, albifrons, arcticus, ascalaphus, asio, bengalensis, bubo, capensis, cavearius, cinerascens, clamator, coromander, dilloni, europaeus, flavipes, germanicus, hamatus, lactea, madagascariensis, magellanicus, major, maximus, microcephalus, nipalensis, nudipes, orientalis, otus, pectoralis, pinicola, scops, septentrionalis, sibiricus, striatus, strix, sultanus, verreauxi, virginianus.

Bubo (Neur.) festivus, rhodiogrammus.

Bubutus duvaucelli, isidori, sumatrensis.

Bucania bidorsata, expansa, intexta, punctifrons, rotundata, sulcata.

Bucardia communis.

Bucardites abbreviatus, cardissaeformis, cardissoides, chamaeformis, cor bovis, hemi-cardiiformis, hemicardius, hystericus, laevis, limatus, longirostris, pectinatus, reticulatus, rugosus, rusticus.

Buccardites cordicalis, cornucopiae, costatus.

Buccardium commune.

Buccinanops amoenum, arenarium, cochlidium, globulosum, patulum, prorsum.

Buccinella acuta, canulata, carinata, coerulea, quadrata, rotundata, tuberculata.

Buccinites annulatus, antiquus, arcuatus, basileensis, belgicus, cardissaeformis, cinctus, cingulatus, communis, decussatus, elongatus, gregarius, labyrinthicus, laevis, nitidulus, obsoletus, perdicarius, plicatus, pseudovulgatus, pyrulatus, scalatus, subcostatus, terebratus, tornatus, vulpeculus.

Buccinum achatinum, aciculatum, acinosum, acuminatum, acutinodosum, acutissimum, acuto-costatum, acutum, aethiops, affinis, agathinum, albescens, albidum, albipunctatum, allionii, altile, alveolatum, ambiguum, amoenum, ampullaceum, ampullarioideum, amygdala, ancillariaeformis, andrei, anglicanum, angulatum, angulosum, annulatum, anomalum, antarcticum, antillarum, antilope, antiquatum, antiquum, antoni, aratum, armatum, arcularia, arculatum, arenarium, areolatum, armigerum, arula, articulum, asperioide, asperioideum, asperulum, assimile, atrum, aurantium, aureatum, avarum, avellana, avena, avidum, baccatum, badense, badium, balbisianum, balteatum, bamfium, barbitou, basteroti, beccaria, belangeri, biarmatum, bicarinatum, bicolor, bicorona, bifasciatum, biliratum, bilix, binucronata, biplicatum, bistriatum, blainvillei, bombycinum, bonellii, boreale, bovinum, bowerbanki, boysi, brachyacanthon, branderi, brasilianum, breve, brevidentatum, bronni, brunneum, bryerium, buccinoides, bufo, bulbosum, bulbus, bulimoides, bullaeforme, bullata, bullatum, burchardi, burdigalense, calcaratum, callosum, calmeilli, canaliculatum, canariense, cancellarium, cancellarioides, cancellarioides, cancellatum, candidissimum, capense, caperatum, capillare, capreolus, carbunculosum, carcassoni, cariniferum, caronis, casani, cassidariaeforme, cassidiforme, cataracta, catenatum, cecillii, cepa, cereale, cerithinum, chaonum, chinense, chlorostoma, ciliatum, cinctum, cingillum, cingulatum, cinguliferum, cingulosum, cinis, cithara, citrinum, clathratum, clausiliforme, clavatum, coarctatum, coccinella, cochlidium, cognatum, coloratum, columbelloides, compressusculum, concentricum, concinnum, conglobatum, conoidale, conspersum, consul, contortium, contractum, contrarium, conus, corbium, corneum, corniculatum, corniculum, coronandelianum, coronarium, corrugatum, costatum, costellatum, costulatum, costulatus, costulosum, coturnix, crassilabrum, crassum, craticulatum, crenatum, cretaceum, cribrarium, cribratum, crispatum, croceatum, crozeti, cumingi, cuningianum, curtum, curvilineum, cuvieri, cyaneum, cyclostoma, cythara, dalei, danubiale, daveluinum, decussatum, deforme, defossum, delalandi, dentatum, dentex, denticulatum, dermestioideum, desmarestianum, desnoyersi, despectum, devinctum,

diadema, dimidiatum, diram, discolor, discors, dissitum, distentum, distortum, dobiolum, donovani, doridis, douchinae, dubium, dujardini, duplicatum, eburneum, eburnoides, echinatum, effusum, eifliensis, elegans, elegantissimum, elongata, elongatum, erythrostoma, euripideum, exasperatum, exiguum, exile, exoletum, extensum, fallax, farinosum, fasciatum, fasciculare, fasciculatum, fasciolatum, felinum, ferreum, ferrugineum, ferussaci, filicatum, filosum, fimbriatum, fissuratum, flammeolum, flammulatum, flavicans, flemingi, flexuosum, floridanum, folineae, fornicatum, fossatum, fossulatum, foveolatum, fragaria, francolinus, frumentum, fulgurans, fumosum, funereum, funiculatum, fuscatum, fuscolabiatum, fusiforme, fusoides, gaudens, gaultinum, gayi, gazella, gemellum, gemma, gemmata, gemmulatum, genetta, gervillei, gibbosulum, gibsoni, gigantum, gilvum, glabratum, glandiforme, globosulum, globosum, globulare, gossardi, gracile, gradatum, graua, grande, graniferum, granosum, granulatum, granulolum, gratum, griseum, groenlandicum, gruneri, gualtierianum, guillaini, gussoni, guttatum, haemastoma, haldemani, hanleyanum, harpuloides, haueri, helicinum, heritum, hermannseni, hinnulus, hirtum, horridum, humphreysianum, hydrophanum, ignave, imbricatum, immaculatum, imperiale, imperialis, inacus, inaequatum, incertum, incisum, incrassatum, indutum, inermis, inflatum, insignis, insignium, integerrimum, integrum, intercisum, intermedium, interruptum, intextum, intinetum, iris, isabelleanum, islandicum, istriacum, jacksonianum, jacquemarti, jancirensis, janeli, jaspideum, jonsi, junceum, keyserlingianum, kieneri, kochianum, koninckiana, kraussianum, labiatum, labiosum, labradorensis, lacepedii, lacteum, laetum, laeve, laevigata, laevigatum, laevissimum, laeviusculum, lagotis, lamarki, lamarkianum, lamellilabrum, lampas, languridum, laqueatus, launoicum, lautum, leachi, leathesi, lefeburei, lejocheilus, lepus, leucozonum, lienosum, ligatum, ligneum, lima, limatum, limbosum, limnaeiforme, lineare, lineatum, lineolatum, linnaei, litiopa, littorinoides, livescens, lividum, lunatum, luridum, luteostoma, luteostoma, luxurians, lyra, lyratum, macilentum, macrodon, macula, maculosum, magellanicum, mamurium, mancinella, manni, margaritifera, marginatum, marginulatum, marmoratum, marmorum, martinianum, mauritii, melanoides, melanopsis, melanostoma, meles, melongena, merocetum, metula, minae, minimum, minus, minutissimum, minutum, miocenicum, mirabile, mississippiensis, mitraeformis, mitrella, mitreola, mitrula, moceros, modestum, modificatum, molleri, molocum, monile, monocanthon, monocanthos, monoceros, monodon, morbosum, morrissi, multangulum, multigranulosum, multirugatum, multisulcatum, muricatum, muriciforme, musivum, mutabile, myurus, nassa, nassoides, natalense, naticoide, neptuni, nereidum, neritoides, nigricostatum, nisotum, nobilis, nobis, nocturnum, nodosum, noduliferum, nodulosa, norvegicum, norvegicum, novaeboracensis, nucleolus, obesum, obliquatum, oblique costatum, obliqueplicatum, obliquum, oblongum, obscurum, obsoletum, obtusatum, obtusum, obvelatum, oceani, oculatum, odontites, oliviforme, orbiculare, orbiculatum, orbigny, ornatum, ortilla, oryza, osseum, ovatum, ovum, pagodus, pandura, panthera, papyraceum, parallele, paranomum, pardale, parvulum, parvum, pastinaca, patagonicum, patulans, patulum, pauperatum, pavidum, pediculare, peloritanum, perlatum, peruviana, pfeifferi, phalaena, phasianelloides, pictum, planaxiforme, planaxis, pleurotoma, pleurotomiforme, plicatum, plicosum, plumbeum, plurianulata, polaris, politum, polygonatum, polygonum, porcinum, poulsoni, praeruptum, prevosti, pristis, productum, propinquum, prorsum, proteus, protractum, providum, proximum, prismaticum, pseudocyclathrum, pseudodon, pseudolineatum, pulchellum, pulcherrimum, pulchrum, pulicaris, pumilio, pumilum, punctatum, punctulatum, pupa, pupaeforme, purpureoides, pusillum, pusio, pustulatum, pustulosum, puxleianum, pyramidale, pyrostoma, quadrulatum, quoyi, rade, radula, rana, raphanus, rapulum, raricostatum, rectilineum, reeveanum, renieri, reisseium, retecosum, reticulatum, reticulolum, retusum, rhingens, rhinoceros, ringens, roissyi, roseatum, roseolabiatum, roseum, roseus, rossi, rosthorni, rubellum, rubiginosum, rubrum, rudolphi, rufulum, rufum, rugatum, rugosum, runphi, sabini, saburon, sagemum, sanguinolentum, saxatile, scabriculum, scabriusculum, scabrum, scacchianum, scacchi, scalariforme, schlotheimi, scriptum, secalinum, sechellarum, semiconvexum, semicostatum, semigranosum, semilunaris, semiplicatum, semistriatum, senticosum, sepimentum, seriale, sericatum, serraticosta, serratum, sexdentatum, signatum,

signilineum, signum, altula, solidum, sowerbyi, speciosum, spinulosum, spirale, spissus, splendidulum, equalidum, stolatum, stramonum, stria, striatulum, striatum, strombiforme, stromboides, strumboides, strumosa, sturmi, subambiguum, subandrei, subantiquitatum, subcarinatum, subclathratum, subcoronatum, subdecussatum, subdiaphanum, suberosum, subintermedium, sublineatum, subquadrangulare, subrostratum, subspinosum, substramineum, substriatulum, subtuberculatum, subulatum, subundatum, succinctum, sudarovichi, sulcatum, sulcosum, suturale, suturosum, tabidum, taeniatum, taeniolatum, tafon, tankervillei, tardum, taurinum, tectum, tendinosum, tenebrosum, tenerum, tenue, tenuiplicatum, terebellum, terebrale, terpsichore, terrestris, tessellatum, tesserula, testae, testudo, tetragonum, textatum, thiaratum, tiara, tiarula, tigris, thiei, torolosum, tortuosum, torulosum, torvum, trames, tranquebaricum, transversale, transversatum, tricostratum, trilineatum, triste, triton, tritoniformis, tritonis, tritonium, tritonoides, tritum, trivittatum, trochiforme, trochulus, troclea, trunculentum, truncatum, tuberculatum, tubulosum, tumidum, tuomeyi, turbilinum, turbinellus, turbiniforme, turgidulum, turgidum, turonense, turricula, turris, turritum, unctum, undatulum, undatum, undosus, undulata, undulatum, ungulinum, unicolorum, unicornium, unifasciale, unifasciatum, unilineatum, uniplicatum, ustulatum, vagum, validum, vanellus, variabile, varicosum, variegata, variegatum, velatum, veneris, ventosum, ventricosum, venustum, veraguensis, vermiculatum, verneuli, vestitum, vetustum, vexillum, vibex, vinosum, violaceum, virgatus, virginicum, vitreum, vittatum, viverratum, webbei, wheatleyi, xiphias, zealandicum, zonalis.

Bucco africanus, albifrons, armillaris, atrofus, auratus, aurifrons, aurovirens, australis, barbatus, barbiculus, bicincta, bifrenatus, caeruleus, caeruligula, calvus, caniceps, capitis, chacuru, chrysoconus, chrysopogon, chrysoptera, collaris, corvinus, cyano-collis, cyanops, cyanotis, devauceli, erythrocephalus, erythronotos, faiostrictus, flavifrons, flavigula, franklini, frontalis, fuscens, fuliginosus, fuscus, grandis, gularis, gutturalis, hayi, henrici, igniceps, javensis, kotorea, lanceolata, lathamii, leuconotus, leucops, leucotis, levallanti, linrata, luteus, macrodactylus, maculata, maculatus, malaccensis, margaritatus, morphoeus, multicolor, mystacophanus, nanoides, nanus, nigrifrons, nigro-maculatus, nigrothorax, oorti, pectoralis, personatus, peruvianus, pumilus, punctatus, pusillus, pyrolophus, quadricolor, rafflesii, rafflesius, rosei-collis, roseus, rubecula, rubricollis, rubrifrons, rubritorquis, ruficollis, rufifrons, rufirostris, rufus, salti, somnolentus, striatus, strigilatus, subsulphureus, swainsoni, tenebrosus, torquatus, tranquillus, trimaculatus, tristis, variegatus, versicolor, vieillotii, virens, viridi-saurantius, viridis.

Bucculatrix albedinella, argentipedella, argyropeza, aurimaculella, boyerella, cidarella, crataegi, gnaphaliella, hippocastani, inmundella, lemniscella, nigricomella, samiatella, sericeopeza, ulmella, vetustella.

Bucentes cinereus, geniculata, nigrovittata, tachinaria.

Bucephalon reynaudi.

Bucephalus (R.) belli, capensis, gutturalis, jardini, typus, viridis.

Bucephalus (Verm.) polymorphus.

Buceros abyssinicus, albicornis, albirostris, albocristatus, annulatus, antracicus, atratus, bengalensis, bicolor, brae, buccinator, carinatus, carunculatus, cassidix, cavatus, cineraceus, cinerascens, comatus, convexus, corniculatus, corrugatus, corvus, crispatus, cristatus, cultratus, cyanotis, cylindricus, diadematus, elatus, eliotti, epirhinus, erythrorhynchus, exarhatus, farquhari, fasciatus, fistulator, flavirostris, forskali, galeritus, gingala, gingalensis, gracilis, hastatus, hemileucos, hemprichi, hemsrai, insculptus, intermedius, javanensis, javanicus, javanus, jubatus, leadbeateri, leucocephalus, leucogaster, leucomelas, limbatus, longibandus, lugubris, lunatus, lunaute, malayanus, manillae, melanoleucus, monoceros, nasica, niger, nigrallus, nigrirostris, obscurus, oxyurus, nipalensis, planicornis, pusaran, pyrrhopygus, ruber, ruficollis, rufirostris, rugosus, scutata, silvestris, sulcatus, sulcirostris, undulatus, violaceus.

Buceroturus galeatus.

Buchanania onchidioides.

Buchia bronni, mosquensis, pallasi.

Bucia nipalensis.

Bucklandium diluvii.

Bucolus fourneti.

Bucorvus abyssinicus, atratus, buccinator, cristatus, cylindricus, elatus.

Bucrates capitatus.

Budites neglecta, verna. *Vide et Berdytes & Budytes.*

Budorcas taxicolor.

Budytes atricapillus, beema, boarula, calcarata, caniceps, chrysogaster, cinereocapilla, citreola, citreoloides, duhius, flava, flaveolus, fulviverter, gouldi, megarhynchus, melanocephala, rayi, schisticeps. *Vide et Berdytes & Budites.*

Buergeria buergeri, maculata, reynoudi, subversicolor.

Buffo ferruginosus, spadiceus, tuberculosus. *Vide et Bufo.*

Buffonites knorri, undulatus.

Bufichthys grossa, horrida.

Bufo acutirostris, aqua, albicans, albigrons, albonotatus, alpinus, americanus, angusticeps, arabicus, asper, auritus, bengalensis, calamita, carens, carinatus, caucasica, chlorogaster, cinctus, cinereus, cognatus, colchicus, compactilis, cornuta, cristatus, cruciger, cruciger, cruentatus, cursor, cyanophlyctis, dorsalis, dorsiger, dubius, ephippium, erythronotus, flaviventer, fuliginosus, gargarizans, gariepensis, globulosus, granulatus, guttatus, guttuosus, hemprichi, horribilis, horridus, humeralis, ictericus, isos, lacunatus, laevis, lazarus, lentiginosus, leschenaulti, leucogaster, lineata, lineatus, maculatus, maculiventer, margarifer, marinus, marmoreus, mauritanicus, melanotis, minimus, molitor, narius, nasutus, nasutus, nubicus, orhignyi, ornatus, ovalis, panamensis, peltoccephalus, poeppigi, praetextatus, proboscideus, proteus, quercicus, regularis, roeseli, roseus, rubeta, rubropunctatus, scaber, scabiosus, scorodosma, semilineatus, spinipes, spinosus, spinulosus, spixi, stellatus, surinamensis, trifolium, valliceps, variabilis, vertebralis, vespertinus, vinearum, vulgaris. *Vide et Bufo.*

Bufo naria pesleonis, spinosa.

Bugainvillia britannica, octopunctata.

Bugeranus carunculata.

Bugula avicularia, neritina.

Bugulina avicularia.

Bulaca monticola, newarensis, sinensis.

Bulaea bocandei, lividula, novemdecimnotata, pallida.

Bulbifer lymexylon.

Bulbocerus mobilicornis, quadridens.

Bulbus smithi.

Bulestes cinereus, leucopterus, torquatus.

Bulimina (Moll.) labrosa.

Bulimina (Rh.) aculeata, affinis, amphiconica, arcuata, ariminensis, brevis, buchiana, caudigera, cenomana, costata, cylindrica, echinata, elegans, elegantissima, elongata, intermedia, laevigata, madagascariensis, marginata, murchisoniana, obliqua, obtusa, orbignyi, ovata, ovula, ovulum, patagonica, polystropha, preslii, pulchella, punctata, pupoides, pyrula, sarthacensis, semistriata, squammigera, striata, subsphaerica, sulcata, trilobata, truncata, tumida, uva, variabilis.

Buliminus affinis, alepi, alpinus, assimilis, avellana, badius, bilineatus, cactorum, calvus, collini, cora, corneus, coturnix, crepundius, culmineus, dealbatus, derelictus, detritus, erosus, forskali, fragrosus, gastrum, graecus, habessinicus, insularum, jacobii, labiosus, labrosus, lakhmensis, laurenti, lyelliae, maugeri, modestus, montivagus, mutabilis, nux, obscurus, proteus, pustulosus, scalariformis, scutulatus, sidonensis, sordidus, striatellus, styliger, tener, thamnoicus, trichodes, unicolor, ustulatus, versicolor.

Bulimulus abyssorum, acutus, albicans, albus, alternans, angulosus, apicatus, apodemetes, assumptionis, bengalensis, bivittatus, bolivari, hontia, capueira, caraibaeorum, chiriguano, chrysotrema, citrino vitreus, conspersus, debilis, discrepans, erythrostoma, fuliginus, fluctuatus, fraterculus, fuscus, gouadaloupensis, grauiger, guttatus, heterogrammus, hygrohylaes, inflatus, kambul, linostoma, lithoicus, litus, lophoicus, marmarinus, melo, mexicanus, multifasciatus, nitidulus, ochraceus, onager, oreades, pallidior, panamensis, papyraceus, pazianus, perlucidus, poecilus, polygrammus,

pruinosis, *pseudomacrinus*, pugio, pulcher, reginus, rocayanus, rubellus, rufescens, schroeteri, *simplex*, sporadicus, stramineus, tenuissimus, thoreyi, tigris, toralli, translucens, trifasciatus, turritellatus, undulatus, unifasciatus, varians, venustus, vexillum, vimineus, vitreus, vittatus, xanthostoma, zigzag, zoographicus.

Bulimus abyssorum, achatellinus, achatinaceus, acicularis, actus, acuminatus, acuticostatus, acutus, adamsi, adamsoni, adansonii, adoptus, adustus, aegotis, affuvelensis, africanus, agnatus, albus, albicans, albidus, albinus, albizonatus, albolimbatus, alepensis, alepi, alpinus, alternans, alternatus, alto-peruvianus, alumnus, alutaceus, attenuatus, alvarezii, amabilis, ambustus, amoenus, anatinus, ancicola, anglostomus, angosturensis, angulatus, anomalus, antidiuvianus, antipodarum, antoni, apenninus, apex, apicinus, apiculatus, aplomorphus, apodemetes, appendiculatus, aquensis, aquilus, aratus, armatus, articulatus, aspersa, assimilis, astierianus, astrapoidea, ater, atbensis, atomatus, atomus, atricallosus, auratus, aureus, auricula, auri-pigmentum, auri-muris, auris vulpina, aurora, baboucha, bacillaris, bacterionides, badiosus, baeticus, bahiensis, bairdi, balanoides, bamboucha, barbara, bataviae, beckianus, bellulus, bengalensis, benguelensis, benisoni, bergeri, bertheloti, bicallus, bicinctus, bicoloratus, bifasciatus, bifurcatus, bitaeniatus, bivittatus, blainvillanus, boeticatus, boissieri, bolivari, bolivianus, bontia, bontiae, bootis, botterianus, boy-sianus, brachyodon, brachysoma, brephoides, breviculus, brevis, bridgesi, bronni, brunnalis, bulla, burchelli, buschi, cacticolus, caillanus, caillaudi, calcareus, caldonicus, californicus, caliginosus, callosus, calobaptes, camba, canaliculatus, candelaris, canimarensis, canimensis, cantagallanus, cantatus, cantorii, caraccassensis, caribaeorum, carinatus, carniculus, carneus, castaneus, castus, cathartae, ceratinus, cereus, cerussatus, ceylanicus, charpentieri, ebemnitzii, chemnitzoides, chilensis, chimborasensis, chloris, christiani, christolani, chrysalis, ciliatus, cincinniformis, cincinnus, cinclus, ciureus, cinnamomeo-lineatus, citharellus, citrino vitreus, citrinus, clausiliae-formis, clausilioides, clausinus, clausus, clava, clavator, clavulinus, clavulus, cleryi, coagulatus, coarctatus, cochleades, codebs, coenopictus, collini, colombianus, coloratus, columella, columellaris, columella, compactus, compressus, concentricus, confinis, confusus, coniformis, connivens, consentaneus, consinilis, constrictus, contiguus, contortuplicatus, contusus, conulus, convidus (=conoideus), corneus, coronatus, corrugatus, cosensis, costatus, costellatus, costeri, costulatus, cous, coxiranus, crassilabris, crenulatus, crepundia, cretensis, crystallinus, cucullus, culmineus, cumingi, cunctator, curianensis, curtus, cuyoensis, cyclostoma, cyclostomus, cylindraceus, cylindricus, cymatilis, daphnis, dardanus, darwini, dealbatus, debilis, decapitatus, deceptus, decoratus, decorticatus, decorus, decussatulus, decussatus, de latrei, delumbis, demotus, dennisoni, dentatus, denticulatus, depictus, depstus, desbayesi, detritus, devillei, digitale, dilatatus, dombeyanus, dominicus, draparnaudi, dubiosus, dufresnei, dunkeri, durus, dussumieri, dysoni, eburneus, effeminatus, effusus, egregius, ehrenbergi, electricus, electrum, elegans, elegantulus, ellipticus, elobatus, elongatus, emarginatus, emeus, eminulus, erectus, eremita, erubescens, euboeicus, eulimoides, euryomphalus, euryzonus, evanescens, exesus, exiguus, eximius, exornatus, expansus, faba, fabrefactus, fallax, fascianus, fasciolatus, fastigiatus, faunus, favannei, fenestratus, feriatulus, ferrugineus, ferrussaci, feuilleanus, fibratus, fidustus, flambriatus, flammeus, flammulatus, flavescens, flavidus, floccosus, floridanus, focillatus, folliculus, fontainei, formosus, fourmiersi, foveolatus, fragilis, fragosus, fraterculus, frivaldszkyi, fucatus, fulguratus, fulminans, fulvicans, fulvus, funcki, funki, fucillatus, fuscagula, fuscilabris, fuscus, fusiformis, fusoides, galericulum, gallina sultana, galloprovincialis, ganymedes, gastrum, gelidus, geometricus, gibbonius, gibler, gilyus, glaber, glandiformis, glandula, globulus, glomeratus, gonio-stoma, gonio-stomus, gonochilus, goodalli, gossei, goudoti, gracilis, gracillimus, graecus, granadensis, granulosis, granum, grateloupi, grayanus, gregarius, griffithsi, griseus, grossus, gruneri, guamensis, guarani, guerini, guildingi, guillaini, guineensis, bacensis, bamiltoni, banleyi, hannensis, haplostylus, harrisi, hartwegi, hebe, heeri, begewischii, helicoidea, helocis, helvolus, hennahi, heterotrichus, hieroglyphicus, hilareii, hindi, hirtus, bohenhackeri, hondurasanus, hopei, hordeaceus, hottentota, huascensis, humboldti, buttoni, hyalina, byalinus, hybridus, hyematus, hygrobaleus, ignavus, ilibatus, immaculatus, imperator, impressus, inca, indicus, indutus, inflatus, infra-

cinctus, infundibuliformis, insignis, internicosta, interstinctus, laevis, iodostomus, iostoma, irregularis, irroratus, isabellinus, jamaicensis, jayanus, jeannoti, jerdoni, jonsi, jordani, juglans, juceus, jussieui, kelletti, kieneri, kingi, knorri, kochi, kraussi, krennoicus, kunawurensis, kutschigii, labiatus, labiopurpureus, labiozonalis, labrella, labrosus, lackhamensis, lactarius, lacteus, lacunosus, laetus, laevigatus, laevis, laeviusculus, laevolongus, lagotis, lamarkianus, largillierti, latebricola, lateralis, latireflexus, lattrei, leai, leimonias, lemniscatus, leopardus, leptochilus, leptocochlias, leucodon, leucophacus, leucostoma, leucotrema, liberianus, lichenifer, lichenorum, lichenum, liebmanni, lignarius, lilacinus, lilaceus, limensis, limonoicus, limosus, lindeni, linearis, lineatus, lincolatus, limostoma, liquabilis, listeri, lita, lithoicus, litoralis, lituratus, livescens, lobbi, loewii, longiseta, longissimus, lophoicus, loratus, lotophagus, loveni, loxensis, lubanicus, lubricus, lucidus, luteus, luzonicus, lycicus, lynciculus, lyonnetaiana, macilentus, macrostoma, maculatus, magnificus, magus, malleatus, mandralisei, manoli, manupictus, marginatus, maritimus, marmarinus, marmoratus, martinicensis, mathewsi, mathusi, mauferi, mavortius, maxima, meiacoshinensis, melanocheilus, melanostomus, melastomus, melones, membranaceus, menkei, meridanus, meridionalis, metaformis, mexicanus, michaudi, micra, microstoma, microstomus, microtragus, miltocheilus, mimosarum, minimus, minuta, minutus, mirabilis, mollicellus, monilifer, moniliferus, monodon, monozonus, montacuti, montagnei, montanus, montevidensis, montivagus, moquinianus, moricandi, moritzianus, morosus, mozambicensis, mucidus, muehlfeldti, muliebris, mulleri, multicolor, multifasciatus, multilatus, multilineatus, mumia, munsteri, murrinus, mus, mutilatus, myosotis, myristicus, nanus, natalensis, navicula, navigatorius, nebulosus, neglectus, neuricus, niger, nigrilineatus, nigrofasciatus, nigropileatus, nilagiricus, nitelinus, nitens, nitidissimus, nitidiusculus, nitidulus, nitidus, nivalis, nivicola, nobilis, nogellii, nucifragus, nucus, nucleus, numidicus, nympha, obeliscus, obesatus, obliquus, oblitus, obscurus, obsoletus, obtusatus, occultus, octonoides, odontostoma, olivaceus, olivieri, olorinus, omphalodes, onager, onca, oomorphus, oparaeus, orbigny, orcaes, orientalis, ornatus, orobaenus, ovarialis, ovulum, ovum, pachychilus, paliens, pallidus, paludinoides panayensis, panescorsii, pantagruelinus, papyraceus, paradoxus, pardalis, parolinianus, parreyssi, parvulus, parvus, patricius, pauperculus, pazianus, pealianus, pellucidus, pemphigodes, pentagruelinus, pentlandi, perdiceus, perdis, perlucidus, perspectivus, perversus, pessulatus, petiti, pfeifferianus, phasianella, phasianus, philippii, philippinensis, phlogerus, physoides, pintadinus, piperitus, planidens, plectistylus, plicatus, poecilus, poireti, politus, polygyratus, polymorphus, ponderosus, pondicerianus, popelairiana, porcellanus, porphyrius, porraceus, powisianus, praetextus, pretiosus, prinula, primularis, procerus, prolatus, pruninus, pseudosuccinea, pudicus, puellaris, pulchellus, pulcher, pulicarius, pullus, pulverulentus, pumicatus, pumilus, punctatissimus, punctatus, punctulatissimus, pupaeformis, pupoides, pupulus, purpuratus, purus, pusillus, pygmaeus, pyramidalis, pythogaster, quadricolor, quinquentatus, quitensis, radiatus, radiolatus, recludiana, reconditus, reevei, reflexus, regina, reticulatus, retusus, revolutus, rhodacme, rhodostoma, rhodocheilus, rhodolarynx, rhodostomus, richi, rimatus, ringens, rivasi, rivulus, rocyanus, roccellicola, romblonensis, roseatus, roseus, rossmaessleri, rubescens, rubicundulus, rubrifasciatus, radis, rueppellianus, rufescens, rufistrigatus, rufogaster, rufoniger, rufus, rugatus, rugiferus, rupestris, rupicolus, rusticus, st crucis, salleanus, sandwicensis, santacruzi, sarcinosus, sarcoodes, satyrus, sayi, scalarioides, scheembergi, schiedeanus, schoenbergi, scitulus, scobinatus, sculpturatus, scutulus, sectilabris, seductilis, segregatus, seminiger, semiplicata, septemdentatus, sericinus, serperastrus, sexdentatus, sextonus, shongi, sidoniensis, signata, sikkimensis, simplex, indicus, sinistralis, sinistrorsus, siquijorensis, sisalensis, smaragdinus, socotorensis, socotrens, solidus, solimanus, solitarius, solivagus, solutus, sordidus, souleyeti, sowerbyi, spadiceus, spectatus, spectralis, spixi, splendida, spoliatus, sporadicus, spratti, spretus, stabilis, stramineus, striatella, striaticostata, striatulus, strigatus, strigilatus, struthiolaris, studeri, stylus, subcarinatus, subcylindricus, subdiaphanus, subglobosus, subsemiclausus, subtilis, subula, subulatus, subuliformis, succinctus, succineoides, suffusus, sulcosus, sultanus, superbus, swainsoni, sylheticus, sylvaticus, syriacus, taeniatus, taeniolus, taunaisi, taunaysi, tauricus, taylorianus, tenebricus,

tenuellus, tener, tentaculatus, tenuis, tenuissimus, tenuistriatus, tepidulus, terebella, terehellatus, terebra, terebralis, terebraster, teres, terrestris, terveri, terverianus, thamnoicus, thersites, thompsoni, ticaonicus, titulus, torallyi, torridus, torticollis, tournafortianus, transparent, trisbalteatus, trichodes, tricinatus, tricingulatus, tricuspidatus, tridentatus, trifasciatus, trigonostomus, trilineatus, tristicus, tropicalis, truncatus, tshudii, tuberculatus, tuckeri, tumefactus, tumidulus, tunetanus, tupacii, turbinatus, turho, turgidus, turnix, turricula, turriorinis, turritella, turritus, uber, umbilicaris, umbraticus, unicolor, unidentatus, unilamelatus, uniplicatus, ustulatus, valenciennesi, variatus, varnensis, velutino-hispidus, velutinus, venetiolenis, venezuelensis, venosus, ventricosus, ventrosus, ventulus, veranyi, verecundus, vermetus, vermicularis, versicolor, vimineus, vincentinus, virens, virescens, virgatus, virgineus, virgo, virgulatus, viridis, virido-striatus, vitreus, vitrinoides, vittatus, viviparus, voithianus, vulpinus, wagneri, wehbi, winteri, woodianus, xanthostoma, yungasensis, zebra, zebrinus, zehriolatus, zehriulus, ziebmanni, zieglerti, zigzag, zonatus, zonulatus, zoographicus.

Bulinus acutus, adamsoui, adansonii, aegle, affinis, alberti, alhicans, alhus, hadius, bicolor, bilabiatus, bilineatus, bivittatus, boholensis, broderipi, hullula, cactivorus, calista, calvus, calypso, camelopardalis, castaneus, chilensis, chrysalidiformis, conspersus, contortus, coquimbensis, corneus, corrugatus, coturnix, crassulus, crichtoni, dactylus, decoloratus, dentatus, derelictus, diana, discrepans, dryas, erosus, erythrostoma, eschariferus, evanescens, fictilis, fontinalis, fulgetrum, gelatinus, georgianus, granulatus, gravesi, guadaloupensis, guildingi, guimarasensis, gunni, guttatus, gyrinus, hypnorum, inflatus, jacobii, jancirensis, laheo, lacticolor, larvatus, laurentii, leucostoma, lutescens, luzonicus, nuaculiferus, mahogani, marmoratus, medianus, melo, mulleri, mindoroensis, modestus, mollucensis, mutabilis, nimbosus, nitidus, novae hollandiae, nux, onyx, opalinus, pallidior, panamensis, partuloides, perla, perplexus, pictor, proteus, proximus, pruinosis, pulchellus, pumilus, punctulifer, pupiformis, pusio, pustulosus, rosaceus, rubellus, rugiferus, rugulosus, scabiosus, scalariformis, scutulatus, senegalensis, signatus, sordidus, striatulus, strigatus, subaratus, sylvanus, tigris, translucent, turritus, undulatus, unicolor, unifasciatus, ustulatus, variabilis, varians, variedentatus, velatus, versicolor, vexillum, vittatus.

Bulis bivittata, varians.

Bulla acuminata, acuta, adamsi, adansonii, adpersa, akera, alba, albicita, albocincta, algrae*, alicula, ambigua, ampulla, amygdalus, amygdalus, amygdalus, angustoma, angustata, angustistoma, annulata, antillarum, apicina, arachis, arduennensis, aspersa, atro-lineata, attenuata, auheri, australis, bacillus, bicarinata, bicincta, bidentata, biplex, hiplicata, bizona, blainvilliana, borneensis, brevis, brevissima, brochii, bruguieri, californica, calyculata, canaliculata, cancellata, candei, candida, candidula, caribaea, carnosa, castanea, catena, catenata, catenulifera, cecillii, ceylanica, cinctella, cinetoria, cinerea, cingulata, citrina, clandestina, clathrata, coarctata, concentrica, conica, conica, constricta, conulus, convoluta, coreanica, coriacea, cornea, coronata, costata, cosmophila, costellaria, cranchi, crassatina, crassiplica, crassula, cretica, cuneata, cuningi, curta, cylindracea, cylindrica, cylindroides, cylindrus, cymbalum, deussata, defrancei, dekaui, dentifera, desgenetti, deshayesi, diaphana, dilatata, edwardsi, eburnea, edwardsi, elegans, elliptica, elongata, exigua, expansa, extensa, filax, ferruginosa, ferussaci, hcoides, filosa, flavescens, flexilis, fluviatilis, fortisi, fragilis, fragilis, fusca, fusco lineata, fusiformis, galha, gargottae, girardi, glabra, glauca, globosa, globulosa, globulus, gouldi, gracilis, granosa, granum, grateloupi, guildingi, halotoidea, hanleyi, helicoides, hiemalis, hildesiensis, hirundinina, horrea, hyalina, hydatinella, hydati, imperialis, incincta, inflata, insculpta, intermedia, involuta, jeverensis, laevis, lanceolata, lepida, ligata, lignarioides, linearis, lineata, lineolata, lorieri, lutea, mammillata, mantelliana, mappa, marginata, marmorata, marmorea, media, membranacea, mica, miliaris, minor, minuta, modesta, mongii, monodonta, mortoni, moschata, mucronata, muscata, nana, natalensis, nebulosa, nitida, nitidula, nonscripta, nucleus, oblonga, obovata, obtusa, occidentalis, occulta, olivaeformis, olivula, orbignyana, oryza, oviformis, ovoidea, ovulata, panamensis, papyracea, papyrus, parallela, parvula, paupercula, pectinata, pellucida, pemphis, pennata, perdux, pertenuis, peruviana, petiti, petrosa, pisum, planorhella, planospira,

plicata, plicatula, plumula, polita, polymorpha, priamus, primaeva, producta, pruinosa, pulverulenta, pulvisculus, punctata, punctostriata, punctura, pupa, purpura, pusilla, pygmaea, pyramidata, pyriformis, pyrum, quadrata, quadripartita, quoyi, recta, resiliens, retifer, retusa, rivalis, rostrata, rotundata, rubicunda, rufescens, rufolabrus, sagra, st hilairi, santonensis, savigniana, sculpta, scutulum, secale, semistriata, semisulcata, simplex, sinensis, smaragdina, solitaria, soluta, sowerbyi, speciosa, spirata, sternbergensis, striata, striatella, striatula, stricta, subacuminata, subangulata, subfilosa, subovata, subquadrata, subspissa, subtruncata, subumbilicata, succinea, succisa, sulcata, suprajurensis, tarbelliana, tenella, tenera, tenuis, terebellata, terebelloides, teretiuscula, thalassiarchi, thorentea, thorentia, tigris, tortuosa, triste, triticea, truncata, tumida, turgidula, turrita, umbilicata, undatus, undulata, uniplicata, utriculus, ventricosa, ventrosa, vesicaria, vestita, vetusta, vexillum, villersi, virescens, viridis, vitrea, voluta, volvaria, wallisi, zelandiae, zonata.

Bullacites cylindricus, elegans, ficoides, nodulosus, ovariis, ovulatus, volutinus.

Bullaea alata, alba, angustata, aperta, candeana, catena, catenulifera, catina, caurina, exarata, flexilis, granulosa, guamensis, guildingi, hirundo, lignaria, luteola, orientalis, peetinata, planciana, plumula, pruinosa, punctata, quadrata, rostrata, scabra, schroeteri, sculpta, serradigalei, sinuata, striata, strigella, ventrosa.

Bullea ampulla, aperta, ferussae.

Bullia achatina, ampullacea, annulata, armata, belangeri, callosa, cochlidium, deformis, digitale, digitatis, fuscus, globosa, globulosa, grayi, laevigata, laevis, laevissima, livida, martini, plicata, polita, rhodostoma, semiflammea, semiplicata, semiusta, squalida, sulcata, taheitisensis, tenuis, truncata, turrita, vitrea, vittata.

Bulliana achatina*, laevissima*.

Bullina agassizi, canaliculata, cylindracea, discors, elegans, fragilis, lajonkaireana, liechtensteini, lineolata, okeni, olivoides, pellucida, petrosa, producta, secalina, spirata, striata, truncata, umbilicata, usturtensis, usturtensis, volhynica, wetherilli.

Bullinus fluviatilis, gelatinosa, perla, turrita.

Bullites (Moll.) reticulatus, senilis.

Bullulina tipulae.

Bulweria bulweri.

Bumastus barriensis, frankonicus, planus, trentonensis.

Bunaea alcinoe, cafra.

Bungarus annularis, bucephalus, caeruleus, candidus, cencoalt, compressus, fasciatus, ferrum equinum, flaviceps, lividus, nympha, semifasciatus, venosus.

Bunode eontortuplicata.

Bupalus catenarius, pinarius, piniaria.

Buphaga africana, africanoides, erythrorhyncha, habessinica.

Buphus castaneus, comatus, illyricus, malaccensis, ralloides, rufescens, russatus, verrani.

Buprestis abyla, achilleae, acornis, acuta, acutipennis, adpersula, aenea, aeneicornis, aeneipennis, aeneomaculata, aenescens, aequicollis, aerea, aeresa, ahena, alata, albicincta, albivittis, alboimpressa, albomaculata, albomarginata, albomotata, albo-plagiata, albosparsa, alni, alutacea, amabilis, ambigua, americana, amethystipes, amoena, amorphea, amphichroa, analis, angularis, angustata, angustipennis, angustula, antiqua, appendiculatus, apicans, arcuata, ardens, areolata, argentata, argentosparsa, argyrophora, armata, armena, arrogans, asperata, assimilis, atropurpureus, aulica, aurancticata, aurata, aureopilosa, auricollis, auricolor, auriguttata, auripennis, auripunctata, aurita, auriventris, aurofasciata, auro foveata, auroslimbata, aurosmaculata, auropicta, aurosparsa, aurulans, aurulenta, australis, bagdadensis, balteata, baltimorensis, bannatica, bella, bernieri, berlinensis, bertholoti, betuli, bicincta, bicolor, bifasciata, bilineata, bisnotata, bioculata, bipustulata, biseta, bispinosa, bistrigosa, bisulcata, bivittata, borealis, boryi, brevicornis, bruguieri, buqueti, caerulea, caesia, cailliaudi, calcarata, calceata, caloptera, campestris, cancellata, candens, candida, caniculata, capitata, capreae, carbonaria, carbonum, carbunculus, carcharias, cardinalis, carinata, carinatostriata, carniolica, cassidea, cassidoides, castanea, catenulata, catoxantha, caudata, cayennensis, chalcocyrysea, chalcodes, chalcographa, chalcophana, chalcos, chalybea, ehalybeata, chameleon, characteristic,

chilensis, chlorosticta, chrysea, chryselytra, chrysoclytra, chrysogaster, chrysoptera, chrysosticta, cincticosa, cinctipennis, cingulata, circularis, circumdata, circumsulcata, cirrosa, clara, cleta, coccinella, coelestina, coerulea, cogitans, collicata, complanata, composita, compta, confluenta, confusa, congregata, conica, consimilis, conspersa, convulsaria, convexa, convolvuli, convoluta, coracina, corinthia, corrugata, cortesi, coryli, costata, costicollis, costulata, crassicollis, crenata, cribrorsa, cruentata, culta, cuneiformis, cunninghami, cuprata, cuprea, cupreata, cupreipennis, cupreoenea, cupreonotata, cupreopunctata, cupreo-signata, cuprescens, cupressi, cupripes, cuprifera, cuprina, cupripennis, cuproaenea, curvipes, cuspidata, cyaniceps, cyanicollis, cyanicornis, cyanipennis, cyanipes, cyanoptera, cylindrica, cypressa, dactylea, daleni, dalmatina, decemmaculata, decemnotata, decempilota, decipiens, dejeani, dejeaniana, deltoidea, dentipennis, dentipes, deplana, deraso-fasciata, derosa, deserta, desmaresti, detrita, diadema, dianthi, difinis, discoidea, discopunctata, distinguenda, divaricata, dives, dolorosa, doncheri, dongalensis, douei, drummondi, flucalis, dufourii, dumetorum, dumolini, duodecimguttata, duodecimmaculata, duponti, elevata, elongata, emarginata, empyrea, erecta, eremita, erythromelas, erythroptera, erythropus, exaratus, exasperata, excellens, eximia, exophthalma, extincta, fabricii, fagi, falcata, famula, femorata, ferrugineo-guttata, fidelis-sima, filum, fimbriata, fissiceps, flavipennis, flavofasciata, flavoguttata, flavomarginata, flavopicta, flesus, floccosa, floccosa, florentina, formosa, foveolata, foveicollis, foveola, foveolata, fritillum, fronticornis, fulgidissima, fulgurans, fulminata, fulvicollis, fulvo-guttata, funerula, galamensis, gaudichaudi, gemellata, geminata, gemmifera, gentilis, geometrica, gibbicollis, gibbula, glabrata, globithorax, gnaphalon, goliath, goryi, goudoti, gracilis, graminis, grandis, granulata, granulifera, guildingi, guttulata, gymnoptera, harrissi, hatulifera, helenae, hellwigi, helopioides, hepatica, heros, hilarii, hilaris, hirsutula, hirtomaculata, hispidula, hoffmanni, humboldti, humeralis, humilis, hybernata, hydropica, hyperici, hypomelaena, ichthyocera, ignara, impedita, impetialis, impressa, impressipennis, impunctata, inaequalis, inconstabilis, inconstans, inculata, indistincta, inedita, inflata, innuba, inornata, insculpta, insignis, instabilis, integerrima, interrogatensis, interrupta, iomaculata, irregularis, jacquinoti, japonica, javanica, jucunda, karelini, kingi, kirbyi, klugi, lacordairei, laeta, laevipennis, laferlei, lelandi, lamina, langi, langsdorffi, langsdorfi, lanieri, laniventris, lanuginosa, lapidaria, lapidosa, laportea, lasios, lateralis, laticornis, latissima, latreillei, lausoniae, lecontei, lebavei, lepiti, lepida, leprieuri, leucogaster, leucosticta, levallanti, liberta, limbata, limbata, linealis, lineola, liturata, longipes, lottini, luczoti, lunbaris, lustrica, luteo-signata, lyoni, macleari, macularia, maculata, maculativentris, maculicollis, maculicornis, maculipennis, maculiventris, magica, magnifica, major, mannerheimi, marginicollis, mauritanica, mexicana, meyeri, mliaris, mulitaris, millefolii, mimosae, minima, immuta, molitor, morosa, mucorea, mucronata, multispinosa, mussuma, mutabilis, myops, navicularis, neglectus, nervosa, nigrescens, nigricornis, nigrorum, nitens, nitida, nitidicollis, nitidiventris, nobilitata, nociva, nodosa, notata, nutalli, obliquata, obscura, obscuripennis, obtusa, occipitalis, octo-signata, octo-stigmata, oculicollis, oculifera, oeningensis, olivacea, olivieri, opulenta, orientalis, ornata, otomana, ovata, pacifica, paganorum, pallasi, pallida, papillosa, parallelogramma, pardalis, parumpunctata, patricia, pedemontana, penicillata, percheroni, pertyi, phaeotheca, picta, piger, pilosellae, plagiata, platessa, plicata, polita, porosa, porteri, praeusta, princeps, principalis, prisca, proxima, pruinosa, pubiventris, pugionata, pulchella, pulvereae, pulverulenta, pumicata, pumila, punctata, punctatissima, punctato-striata, punctulata, purpurascens, purpurata, purpurea, pusilla, pustulata, pygmaea, pyritosa, quadricollis, quadri-foveolata, quadri-lineata, quadrimaculata, quadrinotata, quadripilota, quadristigma, quercata, radians, regia, reichei, repanda, rhombus, rogeri, rotundata, rubromaculata, rubromarginata, rudicollis, rudis, ruficollis, ruficornis, rufipennis, rugicollis, rugipennis, rugosa, rugulosa, rusticorum, saginata, sagittaria, saliceti, salisburyensis, sapphirina, satrapa, scaberrima, scabiosa, scabrosa, scalaris, scapularis, scenica, scorzonerae, scripta, sellovii, semicolon, semi-striata, senegalensis, sepulchralis, sergenti, sericolla, serotina, serripennis, setosa, sexguttata, sexmaculata, sexnotata, sexplagiata, sexsignata, signaticollis, similis, simplex, singularis, solea, solieri, sommeri, sovitzii, sparsuta, sparti, speciosa, specta-

bilis, speculifer, speculigera, sphericollis, spinigera, spinimana, spinipes, spinulosa, spinosa, splendicans, splendida, splendidiventris, spreta, squamosa, stellaris, stellulata, stenoptera, stigma, stigmata, stigmatica, striata, strigosa, suaveola, subcostata, subfasciata, subparallela, substrigosa, sulcata, sulcicollis, sulcifera, sulphuripes, sumptuosa, superba, superciliosa, suturalis, tamaricis, taurica, tenebrica, tenebrosa, tenella, tenuicornis, tenuis, testudinea, tetragramma, thalassina, thoracella, thoracica, thoreyi, thurena, tibialis, timoriensis, torquata, tragacantha, transversa, triniecta, tricolor, tridentatus, trilineata, trinacria, trinervia, trispinosa, trisulca, trisulcata, tropica, tuberculata, tubulus, naurantiacum, ultramarina, undata, undulata, valenciennae, variabilis, variegata, varipennis, ventralis, verecunda, verna, vertebralis, vetusta, vigintiguttata, villosa, villosula, viminalis, virens, virginiensis, virgulata, viridana, viridisaurea, viridisaurea, viridicornis, viridimaculata, viridinitens, viridis, viridis micans, viriditarsis, vittaticollis, vulgaris, vulnerata, westermanni, whitehilli, xanthocera, xantholoma, xanthotaenia, xylographa, zivetta, zygaena.

Buquetia musca.

Bura cuprea.

Burdo parallelepipedus, tuberculatus.

Burhinus magnirostris, novae hollandiae.

Buro brunneus.

Bursaria aurantiaca, chrysalis, cordiformis, cuculio, entozoon, flava, frittillus, hirudinoides, intestinalis, lateritia, leucas, lumbrica, naidum, navicularis, nucleus, obliquata, ovulum, patula, pediculus, pileus, pupa, ranarum, rostrata, spirigera, tessellata, vernalis, vorax, vorticella.

Bursarius cytherae.

Bursatella laciniosa, leachi, pleii, savigniana.

Buserinus sulphurata.

Busiris griseus.

Bustamantia capitaurea.

Bustomus setifer, setulosus.

Butaet buteo, lessoni, sanctisjohannis.

Butalis (A.) albifrons, cinereos-alba, fraseri, grisola, gularis, hylocharis, montana, pinctum, rufescens, ruficauda, serripartita, terricolor.

Butalis (Lep.) cerealella, egregiella, glabrella, idaella, modestella, noricella, selenella, similis, tinctella.

Butaquila leucocephala.

Butastur teesa.

Buteo abbreviatus, acoli, aeruginosus, aguya, albicauda, albicaudatus, albicollis, albidus, albonotatus, americanus, apivorus, aquilinus, ater, augur, bacha, borealis, braccatus, brachyurus, busarellus, buson, buteo, canescens, cinerascens, cinereus, communis, connivens, cristatus, cyaneus, desertorum, erythronotus, erythrura, fasciatus, ferruginicaudus, fulvus, fuscus, galapagoensis, gallicus, gallinivorus, ghiesbreghtii, hamatus, harlani, harrisi, hemilasius, holospilus, hyemalis, jakal, jamaicensis, javanicus, lacernulatus, lagopus, leucocephalus, leucops, leverianus, lineatus, longipes, macropterus, marginatus, medius, melanoleucos, melanotus, melanops, melanosternon, melanotis, montana, murum, mutans, niger, nigricollis, nisus, obsoletus, pallidus, pectoralis, pennsylvanicus, plumipes, poecilnotus, poliogenys, polionotus, polyogenys, polysoma, pterocles, pygargus, pygmaeus, pyrrhogenys, ranivorus, rufinus, rufiventer, rufus, rutilans, s.johannis, sclavonicus, scotopterus, septentrionalis, solitarius, spadiceus, spiralis, swainsoni, tachardus, tachiyo, teesa, tricolor, uliginosus, uncinatus, unicolor, variegatus, varius, ventralis, vociferus, vulgaris.

Butogallus busarellus, buson, cathartoides.

Buthraupis eximia, montana.

Buthus afer, americanus, bahiensis, bengalensis, bicolor, caesar, ceylonicus, corticaudis, costicaudis, costimanus, cran, cyaneus, defensor, dufourei, filum, fulvipes, gibbosus, gracilis, granulatus, heros, imperator, juncus, longicauda, longimanus, megacephalus, occitans, occitanus, palmatus, peruvianus, praedor, punctatus, reticulatus, setosus, spinifer, terminatus, testaceus, vittatus, winteri.

Butirinus argenteus*, glossodontus, maderaspatensis.

Butor minor, stellaris.

Butyrinus bananus

Byas microcerus.

Byblia ilithya.

Bylgia hexadon, spinosa.

Bylliodes alternata.

Byomya carnifex, stimulan, violacea.

Byrrhus aeneus, alpinus, alternatus, americanus, arcuatus, arenarius, argentes, arietinus, ater, auratus, fasciatus, auratus, auricomus, concolor, coronatus, cretiferus, cyclophorus, decorus, dennii, ephippiger, erinaceus, eximius, fasciculatus, festivus, fuscus, gigas, glabellus, glabratus, globosus, globulus, herminaceus, impressus, inaequalis, insignis, lariensis, lineatus, luniger, metallicus, minusculus, montivagus, niger, nigerrimus, oblongus, oeningensis, penni coronatus, picipes, pilosellus, pini, pricipes, pulchellus, punctatus, pusillus, pygmaeus, pyrenaeus, regalis, rossi, rufiventer, rutilans, scabri-formis, scutellaris, sericeus, setosus, signatus, sinuatus, striato-punctatus, striatus, styriacus, substriatus, sulcatus, tessellatus, transylvanicus, trivittatus, undatus, varius, vestitus.

Byrsopages villosus.

Byrsopolis castanea, crassa, quadraticeps.

Byrsops amplexicollis, angustatus, apicalis, bohemani, buccellarius, deprimatus, hopei, hottentottus, insincerus, lutosus, planus, praemorsus, pusio, quadratus, rana, retusus, sphodrus, spinicollis, sulcicollis, suturalis, tetragonus, thunbergi, troglodytes, vitiosus, westermanni.

Byrsoptera erythrocephala.

Byssacanthus arcuatus, crenulatus, laevis.

Byssanodonta paranensis.

Byssosarca alternata, branderi, clathrata, costellata, decussata, divaricata, illota, kingiana, lanceolata, lima, lithodomus, lurida, maculata, marylaudica, mississippiensis, mutabilis, obtusa, pacifica, parva, protracta, pusilla, reticulata, sennicostata, solida, striata, truncata, tumida, velata, zebra.

Byssomia moulinsi, petricoloides, pholades, pholax.

Byssomya fragilis, guerini.

Byssura bohemica.

Bythinia tentaculata. *Vide et Bithinia & Bithynia.*

Bythinus angusticollis, assimilis, bulbifer, burrelli, cephalotes, chaudoiri, chevrolati, clavicornis, corpulentus, crassicornis, curtisi, curtisianus, diluticornis, distinctus, erichsoni, femoratus, glabricollis, globulipalpus, globulosus, gracilis, grandipalpis, ibericus, laticornis, longipalpis, longulus, luniger, macropalpus, mulsanti, muscorum, nigriceps, nigripennis, nodicornis, palpalis, pedestris, puncticollis, regularis, rostratus, securiger, sternbergi, unicolor, validus.

Bythis phrurus, simaethis, sphinx.

Bythites fuscus.

Bythonessa leucocephala.

Bythoscopus adustus, biguttatus, caricis, dulcamera, falcifer, ferrugineus, flavicollis, fulgidus, lanio, lanis, larvatus, macrocephalus, marginatus, nanus, olivaceus, pedicularia, poecilus, populi, varius.

Byturus tomentosus, unicolor.

Byzenos latipinnatus, scaber.

Cabera (Lep.) confinaria, contaminaria, cretaria, exanthemaria, exanthemata, graellsia, gyraria, gyrata, inquinataria, linearia, omicronaria, ononaria, orbicularia, pendularia, permutataria, poparia, punctaria, punctata, pupillaria, pusaria, respersaria, rotundaria, stemmataria, striaria, strigillaria, sylvestrata, tammaria, tri-linearia.

Cabera (Polyz.) barbata.

- Caberea* *dichotoma*, pinnata.
Cabirus *julettus*, *linus*.
Cabrita *brunnea*, *leschenaulti*.
Cacabocrinites *sculptus*.
Cacajao *melanocephalus*.
Cacatua *aequatorialis*, *aterrima*, *banksi*, *chrysolophus*, *carinocristata*, *coronatus*, *cristata*,
erythroleuca, *erythrolophus*, *galeata*, *galerita*, *leadbeateri*, *leucolophus*, *moluccensis*,
nasica, *philippinarum*, *rosea*, *roscicapilla*, *sanguinea*, *sulphurea*, *triton*,
viridis.
Caccabis *bonhami*, *chukar*, *graeca*, *heyi*, *melanocephala*, *petrosa*, *rufa*.
Cachalot *suineval*.
Cachinna *cachinnana*, *herpetotheres*.
Cacia *aspera*, *spinigera*.
Cacicula *scutellata*.
Cacicus (A.) *albirostris*, *bifasciatus*, *chrysocarpus*, *chrysonotus*, *latirostris*, *leucurus*,
melanicterus, *montezuma*, *solitarius*, *viridis*, *wagleri*.
Cacicus (Col.) *americanus*.
Cacidula *discinacula*, *litura*, *pectoralis*, *scutellata*, *villosa*.
Cacodoxus *argus*.
Cacoecia *characteraua*, *fulvana*, *heparana*, *laevigana*, *riborana*, *xylosteara*.
Cacoethes *polidamon*.
Cacomantis *dumetorum*, *fasciolatus*, *flabelliformis*, *flavus*, *inornatus*, *insperatus*, *lanceo-*
latus, *sepulchralis*, *tymbonomus*.
Cacopitta *atrigularis*, *leucogrammica*, *lepidopleura*, *loricata*, *perspicillata*.
Cacosceles *oedipus*.
Cacoscelis *compta*, *lucens*.
Cacostomus *squamosus*.
Cactornis *assimilis*, *inornatus*, *scandens*.
Cadea *punctata*.
Cadium *dolium*, *galea*, *olearium*, *perdix*, *pomum*.
Cadmus *rubiginosus*.
Cadosus *imbutiformis**.
Caecalum *glabrum*, *imperfuratum*, *incurvatum*, *trachea*.
Caecilia *albiventris*, *annulata*, *bivittata*, *dubia*, *gracilis*, *hypocyanea*, *interrupta*, *lombri-*
coidaea, *nasuta*, *rostrata*, *squalostoma*, *viscosa*.
Caecilius *fenestratus*, *irroratus*, *strigosus*, *vitripennis*.
Caeculus *americanus*, *echinipes*.
Caecum *glabrum*, *imperfuratum*, *incurvatum*, *mammillatum*, *mammillum*, *trachea*.
Caelaster *constellata*, *mandelslohi*.
Caelenorhinus *lege* *Celaenorhinus*.
Caelidia *marginata*.
Caeligena *caeligena*, *clemenciae*, *typica*.
Caeliodes *haemorrhoidalis*, *umbrinus*.
Caelioxys *alternata*, *annularis*, *inermis*, *octodentata*, *umbrina*.
Caelodera *excavata*.
Caelogenus *fulvus*.
Caelogenys *paca*, *rugiceps*.
Caeloglossa *lyncea*.
Caelopleurus *infulatus*.
Caelopygus *curvispina*, *elegans*, *macracantha*, *macrocanthus*, *melanocephalus*.
Caelorhina *guttata*, *thoreyi*.
Caeloria *daedalea*.
Caelorrhina *concolor*.
Caelosis *hippocrates*, *sylvanus*.
Caelostoma *orbicularis*.
Caelostomus *picipes*.
Caenatoria *lucana*.
Caenia *dimidiatus*, *scapularis*.

- Caenis** argentata, brevicauda, chironomiformis, dimidiata, grisea, harrisella, interrupta, luctuosa, macrura, oophora, pennata, varicauda.
- Caenobita** olivieri.
- Caenosia** annulata, basilaris, dubia, erythrocerata, hydrocotylis, lappae, leucophaea, nigripes, palustris, ruficornis, sexmaculata, spinipes, spinosa, substituta, testacea, varia, vulgaris.
- Caenurus** hepaticus.
- Caeporis** stigmula.
- Caereba** caerulea, coccinea, fulva, gularis, gutturalis, purpurea, trochilea, variegata.
- Caerois** arcesilae.
- Caesio** argenteus, caeruleaureus, chrysozona, cuning, equulus, erythrogaster, lunaris, maculatus, pinjalo, smaridis, striatus, tile, tricolor.
- Caesiomorus** bailloni, blochi, quadripunctatus.
- Caesira** drana.
- Cafius** fucicola, lateralis, littoralis, pumilus, tessellatus, xantholoma.
- Caica** melanocephalus.
- Caiman** fissipes, gibbiceps, niger, palpebrosus, trigonatus.
- Cainotherium** commune, curnonensis, elegans, gracile, leptorhynchum, medium.
- Cairina** moschata, nilotica, regia, sylvestris.
- Caitia** africana.
- Calaeas** luzonica.
- Calaeorhynchus** thrax.
- Calais** androgeus, menatius, piranthus, polycyon.
- Calais** senegalensis, sinuicollis.
- Calamanthus** campestris, cautus, fuliginosus, pyrrhopygus, strigatus.
- Calamaria** amoena, annulata, arctiventris, atrocincta, badia, blumi, brachyrrhos, calamarius, coronata, coronella, degenhardtii, diadema, dumerili, elapoides, elapsoides, favae, linnaei, longiceps, lumbricoidea, maculosa, melanocephala, meleagris, monticola, multipunctata, oligodon, orbignyi, punctata, reticulatus, sagittaria, scytale, striatula, tessellata, unicolor, versicolor, virgulata.
- Calamella** calamaris, muscoides, trichoides.
- Calamia** fluxa, phragmitis, virens.
- Calamita** aurantiacus, bilineatus, cyanea, femoralis, fuscus, hypochondrialis, intermixtus, lacteus, lateralis, marmoratus, ocularis, palmatus, ranaeformis, ruber, squirella, surinamensis, tibicen, variegatus, verrucosus.
- Calamobius** gracilis.
- Calamodus** aquatilis, phragmitis, salicarius, schoenobaenus.
- Calamodyta** affinis, agricola, aquatica, arundinacea, australis, babaecula, caligata, cantans, cantillans, cariceti, certhiola, cetti, cinnamomea, elaeica, fluviatilis, lanceolata, languida, leucoptera, locustella, longirostris, luscinioides, luteoventris, melanopogon, montana, olivetorum, pallida, palustris, phragmitis, rama, rufescens, schoenobaenus, sericea, strepera.
- Calamoherpe** agricolus, alnorum, aquatica, arbustorum, arundinacea, australis, babaecula, baeticula, brehmi, brunneus, caligata, cantans, cantillans, capensis, cariceti, certhiola, cetti, cinnamomea, fluviatilis, galactotes, juncorum, lacustris, languida, limicola, locustella, longirostris, microrhynchus, montana, musica, olivetorum, pallida, palustris, phragmitis, pinetorum, piscinarum, platyrhynchus, rufescens, salicaria, schoenibanus, scita, stagnalis, striata, subphragmitis, tenuirostris, tritici, turdina, turdoides.
- Calamophilus** biarmicus.
- Calamophyllia** articulosa, bernardina, compressa, corallina, edwardsi, faxoensis, flabellum, funiculus, gracilis, guettardi, inaequalis, laevis, licensis, lombricalis, martiniana, moreausiaca, prima, pseudostylina, simplex, strangulata, striata, subdichotoma, subgracilis, undata.
- Calamopleurus** cylindricus.
- Calamopora** alveolaris, basaltica, catenifera, cellulata, dentifera, disparipora, dubia, favosa, fibrosa, gnemidium, goldfussi, gothlandica, hexagonalis, imbricata, incrustans, inflata, infundibulifera, mackrothi, megastoma, minuta, minutissima, parasitica,

patellaria, polymorpha, radians, spongites, stellata, suborbicularis, tenuisepta, tumida, verneuili.

Calamospiza bicolor.

Calamostoma brevicollum.

Calamus megacephalus.

Calandra (Col.) albicollis, angustata, apicepunctata, ardesia, aterrima, aurofasciata, bifasciata, bipunctata, bituberculatus, borassi, brunnipennis, cafra, callosa, carbonaria, cariosa, carmelita, castanea, cayennensis, cinnamomina, colossus, compressirostra, compressirostris, cornix, corvina, crassirostris, crenata, cribraria, cruciatus, cruentata, dimidiata, discors, ensirostris, exclamationis, fasciata, ferruginea, festiva, frugilega, frumentarius, frumenti, gages, germari, gigas, goliathus, granaria, granulata, grossa, guerini, guineensis, haemorrhoidalis, hemiptera, heros, imperatrix, inaequalis, indus, lar, larvalis, lateralis, limbata, liturata, longicollis, longipes, luctuosa, maculata, melanocardia, melanocephala, melanosoma, molossus, monacha, necydaloides, nitens, obscura, obsoleta, ochreata, orientalis, oryzae, pagana, palmarum, paludicola, pertinax, phoenicis, picea, planicollis, polita, porcula, puncticollis, quadrimaculata, quadripunctata, quadripustulata, quattuordecimmaculata, quinquepunctata, rubetra, rubiginea, rugosa, saba, sacchari, sanguinolenta, scabia, schach, scotina, securifera, sericans, sericea, serrirostris, signata, signum, sommeri, sordida, squalida, subulata, sulcata, taitense, tamarindi, tasmani, terebrans, tredecimpunctata, trilineata, tucumana, unicolor, variegata, variolosa, viduata.

Calandrella brachydactyla, sibirica.

Calantica (Cirr.) homei.

Calantica (Lep.) dealbatella.

Calanus affinis, arietis, carinatus, caudatus, cristatus, finmarchianus, hyperboreus, minutus, quinqueannulatus, spitsbergensis.

Calao plicatus, ruficollis.

Calappa albicans, dentata, depressa, flammea, fornicata, gallus, inconspicua, lophos, philargius, sanguineoguttata, spinosissima.

Calasia sericea.

Calaspidea columbiana, desmaresti, discors, grossa, parellina, regalis, venosa.

Calaspis grossa.

Calathocrinus digitatus.

Calathus abaxoides, alpinus, alternans, ambiguus, angularis, angustatus, angusticollis, apicalis, armenus, baeticus, behrensi, brunneus, carinatus, caucasicus, cinctus, circumseptus, cisteloides, complanatus, crenatus, crocopus, deplanatus, depressus, dilutus, distinguendus, elongatus, erythrocephalus, femoralis, flavipes, frigidus, fulvipes, fuscus, giganteus, glabricollis, glabripennis, graecus, gregarius, ingradus, laserrei, lateralis, latus, limbatus, littoralis, luctuosus, marginellus, marginicollis, melanocephalus, metallicus, mexicanus, microcephalus, micropterus, mollis, montivagus, nigratus, nubigena, obscuricollis, ochropterus, opacus, ovalis, pallipes, peltatus, piceus, planipennis, punctipennis, reflexicollis, rotundicollis, rubripes, rufangulus, ruficollis, rufus, sibiricus, solieri, sulphuripes, terminalis, thoracicus, violatus.

Calcar (Col.) calcar, crassipes, elongatus, ferrugineus, inhumatus, interstitialis, procerus, punctatus, rufipes.

Calcar (G.) magnus, plano-radiatum, sporis, stellaris, sulcatus, trochiforme.

Calcarella spinosa.

Calcarina (G.) candidissima.

Calcarina (Rh.) calcar, defrancei, gaimardi, gaudichaudi, pulchella, quoyi, rarispina, spengleri, stellata.

Calceola angulata, dumontiana, heteroclita, juliacensis, plicata, pyramidalis, sandalina, truncata.

Calceolites sandalinus.

Calchas humeralis.

Calcis arcuata.

Calcocephalus barbata; *lege* Calocephalus.

Caledon anguinus.

Calendra carmelita, granarius, palmarum.

- Calendyma** *viridifasciatum*.
Calepteryx *aequabilis*, *anceps*, *haemorrhoidalis*, *materna*, *opaca*, *xanthostoma*.
Calialcyon *litacina*, *schlegeli*.
Calicnemis *latreillei*.
Calicotyle *kroyeri*.
Calicurgus *affinis*, *ambulator*, *annulatus*, *apricus*, *binotatus*, *bipartitus*, *bipunctatus*, *caeruleus*, *cyaneus*, *dimidiatus*, *dorsalis*, *egregius*, *exaltatus*, *extraneus*, *fabricii*, *flavipennis*, *fusciatellus*, *fuscus*, *javanus*, *luteicornis*, *luteipennis*, *melanius*, *minutus*, *odontellus*, *propinquus*, *rubricans*, *securus*, *signata*, *variabilis*, *vulgaris*.
Calidea *eques*, *germari*, *parentum*, *stockeri*, *stolida*.
Calidris *americana*, *arenaria*, *calidris*, *canutus*, *duodecim-punctata*, *grisea*, *islandica*, *rubidus*, *rufa*, *rusina*, *tringoides*.
Caliendrum *vittatum*.
Caligatus *angasi*.
Caligo *ariske*, *batea*, *beltrao*, *creusa*, *euriloch*, *idomenea*, *illionea*, *syme*, *teucra*.
Caligonus *bdelloides*, *cerasinus*, *impressus*, *longinanus*, *piger*, *ruber*, *rufulus*, *segnis*.
Caligus *americanus*, *bicolor*, *bicuspidatus*, *centrodoni*, *cristata*, *diaphanus*, *elongatus*, *hepatus*, *heptapus*, *hippoglossi*, *imbricatus*, *kroyeri*, *leptochilus*, *lessonius*, *merlucci*, *mininus*, *molvae*, *muelleri*, *nordmanni*, *oxyrhynchi*, *paradoxus*, *pectoralis*, *pharaonis*, *piscinus*, *rapax*, *rissoanus*, *salmonis*, *scutatus*, *smithi*, *stroemi*, *sturionis*, *vespa*.
Calimene *intermedia*, *laevis*.
Calionymus *lodra*, *lodrinus*, *lodrouos*, *schillinus*.
Caliprepes *grayi*.
Caliprobola *speciosa*.
Calipteryx *ludoviciana*.
Caliscelis *bonellii*, *heterodoxa*.
Calisthenes *breviusculus*.
Calisto *herophile*, *zangis*.
Callacanthis *burtoni*.
Callaeas *cinereus*.
Callaenia *chamomillae*, *lactucae*, *lucifuga*, *tanacetii*, *umbratica*.
Callanthias *paradisaeus*.
Callantica *hispidus*.
Callaspidia *de fonscolombeii*, *westwoodi*.
Caldea *vulcanica*. *Vide et Callideia*.
Calleida *aeneipennis*, *aeruginosa*, *affinis*, *alcyonea*, *amabilis*, *amaena*, *amoenula*, *analis*, *angustata*, *angusticollis*, *auricollis*, *basalis*, *bicolor*, *brunnea*, *capensis*, *castanea*, *chilensis*, *chloroptera*, *conica*, *cordicollis*, *croceicollis*, *cuprocincta*, *cyanea*, *cyanescens*, *cyanipennis*, *cyanoptera*, *debilis*, *decora*, *diluta*, *dimidiata*, *elongata*, *erythrodera*, *fasciata*, *fastuosa*, *festinans*, *fulgida*, *fulvipes*, *fusca*, *guttula*, *interrupta*, *janthina*, *jucunda*, *lacunosa*, *limbata*, *linearis*, *lineata*, *marginata*, *marginicollis*, *metallica*, *nigriceps*, *nigriventris*, *nigrofasciata*, *nitida*, *nobilis*, *obscura*, *obscuraeanea*, *pacifica*, *pallida*, *pallidipennis*, *picea*, *plicaticollis*, *prolixa*, *punctata*, *punctulata*, *purpurea*, *quadriimpressa*, *refulgens*, *resplendens*, *rhodoptera*, *rubricollis*, *rufoicollis*, *rufula*, *rutilans*, *sanguinicollis*, *saphyrina*, *similis*, *smaragdina*, *smaragdinipennis*, *smaragdula*, *splendida*, *splendidula*, *subaenea*, *suturalis*, *suturata*, *suturella*, *tersa*, *testacea*, *thalassina*, *tibialis*, *tristis*, *truncata*, *violacea*, *viridipennis*, *viridis*, *viridula*, *vittata*.
Callene *frontalis*.
Calteptiles *latipennis*.
Callia *axillaris*, *azurea*, *flavo femorata*.
Callianassa *abdominalis*, *carinae dorsis*, *davyana*, *grandimana*, *laticauda*, *major*, *oregonensis*, *sophonisba*, *spinosa*, *subterranea*, *tyrrhena*, *uncinata*.
Callianidea *typa*.
Callianira (Lep.) *almena*, *amelia*, *ephestiaena*, *europa*.
Callianira (Pter.) *aboinensis*, *bucephalon*, *diploptera*, *heteroptera*, *hexagona*, *triploptera*.
Callianisca *elongata*.
Calliantha *cinguliventris*, *hamata*, *implicita*, *inuncta*, *tabida*, *tenuis*.

- Callianthia** interrupta, proserpina.
- Calliaspis** cinnabaris, discophora, funeraria, porphyrio, rubra, rufina, rufula.
- Calliaster** childreni.
- Callicanthus** elegans.
- Callicera** aenea, fagesi, macquarti, roseri, rufa, spinolae.
- Calliceras** bispinosa, brevipennis, cursitans, fuscicornis, hemiptera, inflata, nana, perfoliata, sulcata, thoracica.
- Callicerus** hybridus, obscurus, spencei.
- Callichen** caryophyllaceum, micropus, ruficeps, rufinus, subrufinus.
- Callichloris** perelegans, signaticollis.
- Callichroma** abdominalis, accensum, addictum, agilis, albicornis, albitarsa, alpinum, ambrosiaca, analis, assimile, ater, aterrimum, atriipenne, auricollis, aurigena, auriventre, aurolimbata, barbicornis, biguttata, bipunctata, cantori, chrysocollis, chrysoventre, cincta, clavicornis, clavigera, clavipes, collare, columbina, comans, cursor, cyanicornis, dimidiata, ducalis, elegans, femoralis, festiva, formosa, globosa, gracile, grallaefer, griffithi, haemorrhoidale, histrio, hottentotta, igneicollis, laetum, latipes, linearis, longipes, maculicollis, micans, moschatum, mucronata, nitens, opulenta, orientalis, phyllopus, pilosa, plumicornis, plumigera, prasina, purpurea, radakensis, regius, rubricollis, rufiventre, rugatum, rugicollis, sanguinicollis, sanguiniventre, scopiferum, semignita, sericeus, sinclairi, smaragdina, speciosa, splendidum, strangulata, sulcicornis, suturalis, tricolorata, tristis, ustulata, vagepunctata, velutinus, ventrale, vinculata, virens, vittatus.
- Callichthys** albidus, asper, barbatus, caelatus, exaratus, laeviceps, laevigatus, littoralis, longifilis, miles, paleatus, personatus, pictus, punctatus, subulatus, thoracatus.
- Callicnemis** eximius.
- Callicore** astarte, clymena, comatas, cratidas, cyanostola, euclides, bydaspes, lacon, lyrophila, metiscus.
- Callictenus** episcopalus.
- Callida** chloridipennis.
- Callidea** abdominalis, aurifera, basilica, bengalensis, bifasciata, chrysoprasina, dispar, distinguenda, dorsalis, dregii, duodecimpunctata, erichsoni, examinans, excellens, fascialis, festiva, formosa, germari, marginella, morgani, nana, nobilis, obtusa, pagana, patricia, prasilinea, pulchra, purpurata, purpurea, regia, roylei, sellata, senator, speciosa, spinigera, stockerus, stolli, taprobanensis. *Vide et Calidea.*
- Calliderma** boussingaulti.
- Calliderma** dixonii, emma.
- Callidina** cornuta, elegans, hexadon, octodon, tetraodon, triodon.
- Callidium** aeneicollis, aereum, affine, agreste, alni, alpinum, amoenum, andreae, angolense, angustum, antennatum, arcuatum, arietinum, artifex, aspericollis, australe, axillare, badium, barbicorne, barbipes, bicolor, bidens, bipunctatum, bisignatum, brevicollis, brevilineum, brunneum, buprestoide, campestre, canaliculatum, cantbarinum, cantharoide, capra, caprea, cbalybeum, cinnamopterum, clavipes, collare, convertini, crassipes, cretaceum, cribripenne, cruentatum, cucuiiforme, cucujiforme, cylindrides, dentatum, depressum, deustum, dimidiatum, discoideum, diversicorne, elegans, elevatum, elongatum, erosum, essingtoni, faber, fasciarum, fasciatum, femorale, femoratum, ferum, festivum, fischeri, flavicans, fulminans, fulvipenne, fulvium, funestum, fuscum, gazellula, glabratum, hieroglyphicum, hirticorne, ignicollis, illustre, impar, insubricum, intortum, iridipenne, janthinum, juglandis, juniperi, kalmi, latreillei, leucostictum, liciatum, longicollis, luridum, luteum, macropus, maculicollis, marginale, micans, miniatum, moesiaceum, molle, morbillosum, morosum, muricatum, nigrum, nogeli, obliquum, oblongomaculatum, obsoletum, OO, ornatum, pallidum, pallipes, pensylvanicum, pilosum, plebejum, proteus, pubescens, puellum, pulverulentum, punctipenne, punctulatum, pygmaeum, quadrimaculatum, quadrupustulatum, rediviva, roridum, rubens, rubeocollis, ruficorne, rufiventre, sanguinicollis, scabricollis, setigerum, sexfasciatum, sexguttatum, sibiricum, silaceum, simile, solandri, speciosum, subfasciatum, suturale, temessense, tenellum, terebrans, thalassinum, thoracicum, timidum, tricolor, variegatum, venosum, ventrale, vexatum, vile, viride, viridissimum, vittigerum.

Callidrias clorinde, ~~teahidiana~~.

Callidryas alcmeone, argente, buqueti, castalia, crocale, cypris, drya, endeer, eubule, evadne, florella, godartiana, gorgophone, hilaria, hyblaea, marcellina, minna, neleis, orbis, philea, philippina, pomona, pyranthe, rhadia, scylla, thalestris, thysorella, trite. *Vide et Callidrias*.

Callidula evandra, petavia, pyrame.

Calliergis eridania, ophiogramma, pinastri, ramosa.

Calliethera ambigua, aulica, histrionica, mendica, pulchella, sanguinolenta, scenica, temera, trilineata, varia, zebraea.

Calligrapha matronalis.

Callimenus dasypus, oniscus.

Callimone abbreviatus, abdominalis, aea, aequalis, arope, affinis, amoenus, amyrius, angelicae, antennatus, apicalis, arundinis, arvernica, ater, auratus, autumnalis, basalis, bedeguaris, bicolor, brevicauda, caburus, capreae, cecidomyae, chlorinus, chloromerus, chrysis, chrysocephalus, cingulatus, compactus, confinis, confusus, curtus, cyaneus, cyaninus, cynipides, daonus, dauci, dorsalis, druparum, elegans, euehorus, eumelis, euphorbiae, eurynotus, exilis, fastuosus, flavipes, formosus, fuscicornis, fuscipennis, galli, geranii, gracilis, hederiae, inconspicuous, inconstans, juniperi, laetus, lateralis, latus, leptocerus, leucopterus, lissus, littoralis, macropterus, maestus, meridionalis, micromerus, micropterus, microstigma, minutus, mutabilis, nephthys, nigricornis, nigratarsus, nitens, nitidulus, nobilis, nonacris, notatus, osinius, pallidicornis, parellinus, posticus, pretiosus, pubescens, purpurascens, quadricolor, quercinus, rasaces, regalis, roboris, rudis, rupees, saphirinus, scutellaris, solinus, spilopterus, splendidus, stigma, stramineistarsus, subterraneus, sulcius, tarsalis, terminalis, theon, thoracica, varians, versicolor, vibidia, viridiaeueus.

Callimone capraeae, purpurascens.

Callimorpha ancilla, aureola, aurita, bellatrix, bifasciata, caenea, cafra, caja, clymene, concolor, cruciata, diaphana, dichroa, dominula, donna, epimenis, eucharis, famula, fuliginosa, glaucopsis, helcita, hera, jacobaeae, lecontei, lennia, lerne, lugubris, marchali, marginata, matronula, mesogona, miniata, mopsa, mundana, murina, nerina, nervosa, obscura, parthenice, phileta, phyllira, picta, pudica, punctata, pylotis, ramosa, rawakensis, roscida, rosea, sanguiflua, selenaea, senecionis, serva, terminata, vinosa, virguncula.

Callimus (Col.) bourdini.

Callimus (Orth.) dasypus, multituberculatus, restrictus.

Callinotus devotus, praefectus, sahlbergi, zetterstedti.

Calliobothrium eschrichti, leuckaerti, verticillatum.

Calliocrinus costatus.

Calliodon chlorolepis, gibbosus, lineatus, rubiginosus. *Vide et Calliodon*.

Calliomorus chaca.

Callionimus serratospinosus.

Callionymus acanthorhynchus, admirabilis, altivelis, belcheri, belenus, bispinis, calauro-pomus, cithara, curvicornis, dactylopus*, diacanthus, elegans, fasciatus, festivus, filamentosus, hindi, lacerta, lateralis, lineolatus, longicaudatus, luuatus, melanopterus, monopterygius, morissoni, opercularioides, opercularis, orientalis, pelagicus, punctatus, pusillus, reevesi, reticulatus, rissoi, simplicicornis, sueuri, trigloides, valenciennae, variegatus. *Vide et Callionimus*.

Calliopa bellula, dendritica, rissana.

Calliope (A.) camtschatkensis, cruralis, cyana, lathami, pectoralis.

Calliope (M.) strepsiceros, svecoides.

Calliopea souleyeti.

Calliophis gracilis.

Calliostoma annulata, australis, conula, conuloides, doliata, erythroleuca, granatina, zizyphina.

Callipappus westwoodi.

Callipara bullata.

Callipechis flavipes.

Callipepla californica, douglasi, elegans, picta, squamata, strenua, venusta.

- Calliphara** amethystina, baro, basalis, bifasciata, billardieri, ~~dispar~~, grandis, imperialis, iris, javana, nepalensis, nobilis, oblonga, obscura, peroni, pulchra, regalis, regia.
- Calliphlox** amethystinus, colubris, corruscus, gutturalis, longirostris, mesoleucos, purpurinus, rufa, ruficaudus, sichensis.
- Calliphora** affinis, algira, antissiodorensis, aurulans, azurea, bicolor, brunibarbis, caerulea, chilensis, chrysorrhoea, clausa, compressa, dasyphthalma, dispar, elliptica, erythrocephala, fulvibarbis, fulvipes, gentilis, gulo, littoralis, magellanica, monspeliaca, musca, myoidea, nana, oceanicae, papua, peruviana, rostrata, rufipalpis, rufipes, rufiventris, scutellata, spitzbergensis, splendens, splendida, tessellata, tibialis, trifasciata, vicina, villosa, violacea, viridescens, vomitoria.
- Callipogon** barbatum, lemoinei, senex.
- Calliprason** marginatum.
- Calliptamus** baiulus, brunneus, carbonarius, cephalotes, cerisanus, cristulifer, dorsatus, haematopus, ictericus, irisus, italicus, longicornis, marginellus, marmoratus, morio, pterosticha, reticulatus, sanguinipes, saphiripes, semiroseus, serapis, tarsus.
- Callipteryx** recticaudis, speciosus.
- Callipus** longipes, rissonius.
- Callipyrga** turrita.
- Callirhinus** metallescens.
- Callirhipis** angulosa, bicolor, brunnea, childreni, chilensis, dejeani, goryi, hoodi, insularis, javanica, lacordairei, laportei, latreillei, therminieri, orientalis, ruficornis, scapularis, silbermanni, vestita.
- Callirhoe** (Ceph.) alveolatus, montforti.
- Callirhoe** (Med.) basteriana, dubia, micronema.
- Callirhynchus** rufescens. *Vide et Callorhynchus & Callyrhynchus.*
- Callisaurus** draconoides.
- Calliscapha** nilotica.
- Callisitta** formosa.
- Callisoma** (Col.) cupreum, granulosum, rugulosum, tauricum.
- Callisoma** (Cr.) punctatum.
- Callisphyris** macropus.
- Callispiza** brasiliensis, citrinella, cyanoptera, festiva, flava, flaviventris, guttata, nigroviridis, preciosa, punctata, tatao, thoracica, vitriolina.
- Calliste** albiventris, analis, arthus, atricapilla, aurulenta, brasiliensis, caeruleocephala, calliparaea, cayana, chilensis, chrysotis, citrinella, cucullata, cyanoptera, cyanoventris, desmaresti, diaconus, fastuosa, festiva, flava, frugilegus, gyrola, labradorides, larvata, leclancheri, luteola, mexicana, nigrocincta, nigroviridis, parzudakii, peruviana, punctata, schranki, tatao, thalassina, thoracica, tricolor, vassori, vittata, wilsoni.
- Callistege** fortatillum, mi, scapulosa.
- Callistethus** consularis.
- Callisthenes** eversmanni, fischeri, karelini, motschoulskii, orbiculatus, panderi, reichel.
- Callisto** fusco-cuprella, fuscoviridella, fyesella, guttea.
- Callistola** speciosa.
- Callistus** (Col.) caffer, elegans, graciosus, lunatus, quadri-pustulatus, sexpustulatus, tripustulatus.
- Callithea** (G.) sanguisuga, stigmataria.
- Callithea** (Lep.) batesi, godard, leprieuri, sapphira.
- Callitheres** acutipennis, aulicus, bicolor, louveli, novemmaculatus, tricolor, viduus.
- Callithrix** amictus, antiquus, apedia, appella, argentata, brunnea, caligata, cay, chlorocnemis, cinerascens, cuprea, discolor, entomophagus, flavia, gigot, hypoxantha, infulatus, insulatus, lacepedei, lugubris, lugens, melanochir, moloch, nigrifrons, nudifrons, personatus, primaevus, quadricolor, trepida, villosa.
- Callitrix** apella, capucina, fatuellus, leucocephalus, paniscus, pithecia, sciurea, torquata.
- Callitula** bicolor.
- Calliurus** punctulatus.
- Callizona** aesta.
- Callizonus** novemdecempunctatus, spectabilis.
- Callocalia** nidifica, troglodytes.

- Callocephala** *vitalinus*.
Callocephalon *australe, galeatum*.
Callocephalus *annellatus, caespicus, dimidiatus, foetidus, groenlandicus, hispidus, largha*.
Callochiton *evanides, laevis*.
Calloctenus *pulcher*.
Callomyia *amoena, aterrima, baumhaueri, elegans, falleni, hoffmannseggii, megerlei, socia, speciosa, zetterstedti*.
Calomys *aureus, laniger, viscacia*.
Calomyza *antennata, boreella, dahlboini, dives, elegantula, falleni, leptiformis, scutellaris, viduella*.
Callona *tricolor*.
Callopeltis *flavescens, leopardinus*.
Callopistes (R.) *celestis, flavopunctata, maculatus*.
Callopietria (Col.) *fulminans*.
Callopietria (Lep.) *lagopus, pteridis*.
Callopoma *fluctuosa, saxosum*.
Callopora *lineata*.
Calloptilum *nirum*.
Callopus *marginatus*.
Callorhynchus *antarcticus, australis, millii, smythii, tasmanius*.
Callospiza *calliparaea, cayana, cyanicollis, gyrola, mexicana, pulchra, punctata, punctata, schranki, tatao, xanthocephala, yeui*.
Callostoma *fascipennis*.
Callydrias *amphitrite*. *Vide et Callidryas*.
Callyntra *multicosta, rufipes, servillei, vicina*.
Callyodon *aeropunctatus, carolinus, flavescens, genistriatus, japonicus, sandwiciensis, ustus, waigensis*. *Vide et Calliodon*.
Callyonimus *maculatus*. *Vide et Callionymus*.
Callirhynchus *peruvianus*. *Vide et Callirhynchus & Callorhynchus*.
Callystus *lunatus*.
Callytron *limosum, prinsepé*.
Calobata *abana, albimana, albitarsis, alesia, aloa, annulata, antennaepes, apicalis, arrogans, arthritica, bivittata, brevicellulata, caeruleascens, calceata, calobata, cibaria, coeruleifrons, compressa, corrigiolata, cothurnata, cyaneiventris, cylindrica, diadema, divisa, ephippium, erythrocephala, fasciata, femoralis, filiformis, flavipes, fulva, fuscipes, guttipennis, indica, insignis, lasciva, leucopeza, longipes, lunaris, meigeni, nigricornis, nigratarsis, obliqua, orcina, pallipes, palustris, pectoralis, petronella, punctipennis, respondens, robusta, ruficeps, rufipes, sellata, simplex, solidaginis, soror, splendens, subsultans, taeniata, tarsata, testacea, tibialis, tipularia, triannulata, trifasciata, unifasciata, unimaculata, univitta, uzita, varia, vidua*.
Calobates *radiatus, radiceus, sulphurea*.
Calocalpe *undulata*.
Calocampa *exoleta, vetusta*.
Calocaris *macandreae*.
Calocephala *barbatus*.
Calocephalus *albicauda, discolor, groenlandicus, hispidus, leucopla, oceanicus, scopulicolus*.
Calochroa *crucigera, interrupta, octo notata, strachani, whitthilli*.
Calochromus *glaucopterus*.
Calochrosis *glaucoptera*.
Calocitta *bullocki, flavirostris, magnirostris, sinensis*.
Caloclada *fasciata, flabellata*.
Caloclyptus *jenisoni*.
Calocochlea *pulcherima*.
Calocomus *desmaresti, hamatiferus, kreuckelyi, lycius, morosus*.
Calocrinites *emarginatus*.
Calodactylus *tibialis*.
Calodema *kirbyi*.

- Calodera** (A.) *maculatus*, *nuchalis*.
- Calodera** (Col.) *aethiops*, *atricollis*, *diluta*, *forticornis*, *humilis*, *linearis*, *longitarsis*, *nigricollis*, *nigrita*, *occulta*, *picina*, *pictus*, *propinqua*, *protensa*, *pusillima*, *riparia*, *rubens*, *rubicunda*, *ruficollis*, *sobrinus*, *sulcicollis*, *testacea*, *uliginosa*, *umbrosa*.
- Caloderus** *equiseti*, *exaratus*, *striatopunctatus*, *submaculatus*, *thoracicus*.
- Calodesma** *amica*, *fida*.
- Calodium** *annulosum*, *longifilum*, *ornatum*, *plica*, *splenaecum*, *tenuis*.
- Calodromus** *harrisi*, *mellyi*.
- Caloenas** *gouldiae*, *luzonica*, *nicobarica*.
- Calognathus** *chevrolati*.
- Calomela** *curtisi*.
- Calometopus** *seuegalensis*.
- Calomicrus** *circumfusa*, *pinicola*, *thoracicus*.
- Calomys** *bimaculatus*, *elegans*, *gracilipes*.
- Calonota** *festiva*.
- Calonotos** *cassandra*, *chrysophaeus*, *helymus*, *phlegmon*, *thetis*, *tiburtus*.
- Calopepla** *leayana*, *leayana*.
- Calophaena** *acuminata*, *bicincta*, *bifasciata*, *elongata*, *maculata*.
- Calophis** *cursor*.
- Calophyllum** *donatiana*.
- Calophysus** *ctenodus*, *macropterus*.
- Calopomus** *porosus*.
- Calopsitta** *guy*.
- Caloptenus** *femoratus*, *femur rubrum*, *haematopus*, *italicus*, *melanopus*.
- Caloptera** *nepalensis*, *ocellata*.
- Calopteron** *bicolor*, *fasciatus*, *flavipes*, *limbatus*, *tricolor*.
- Calopteris** *duvali*.
- Calopteryx** *americana*, *apicalis*, *auripennis*, *brightwelli*, *caja*, *chinensis*, *cognata*, *cruentata*, *dimidiata*, *disparilis*, *fenestrata*, *formosa*, *gracilis*, *holosericea*, *iridipennis*, *latreillei*, *lineata*, *luctuosa*, *luteola*, *maculata*, *papilionacea*, *parthenias*, *splendens*, *titia*, *tricolor*, *virgo*, *xanthostoma*.
- Caloptilia** *ampelipennella*, *upupaepennella*.
- Caloptychia** *chrysealis*, *contigialis*.
- Calopus** *aeneus*, *chrysomelinus*.
- Caloramphus** *lathamii*, *sanguinolentus*.
- Calornis** *affinis*, *caerulea*, *cantor*, *columbina*, *erythrophrys*, *leucogaster*, *metallica*, *panayensis*.
- Calosaura** *leschenaulti*.
- Caloscelis** *stemmales*.
- Calosoma** (Col.) *affine*, *alternans*, *angulatum*, *anthracinum*, *antiquum*, *armata*, *armatum*, *asperatum*, *aurocinctum*, *aurospunctatum*, *australe*, *blaptoides*, *bonariense*, *calidum*, *cancellatum*, *chinense*, *chlorostictum*, *clathratum*, *cognatum*, *crassipes*, *curtisi*, *curvipes*, *dauricum*, *ferrugineus*, *frigidum*, *galapageium*, *glabratum*, *granulatum*, *guineense*, *helenae*, *hoffmanseggii*, *imbricatum*, *indagator*, *indicum*, *inquisitor*, *laeva*, *laeviusculum*, *laterale*, *lepidum*, *longicornis*, *longipenne*, *luxata*, *maderae*, *maurum*, *nigrum*, *obsoleta*, *olivieri*, *orientale*, *panderi*, *parallelum*, *patagoniense*, *peregrinator*, *porculatum*, *reticulatum*, *retusus*, *ruipenne*, *rugosus*, *sayi*, *scabrosum*, *schayeri*, *scrutator*, *senegalense*, *sericeum*, *severum*, *sibiricum*, *splendidum*, *striatulum*, *sycophanta*, *triste*, *vagans*, *wilcoxi*.
- Calosoma** (Lep.) *flamula*, *jynx*.
- Calosoter** *aestivalis*, *anemetus*, *dodone*, *vernalis*.
- Calospila** *aemylus*, *agrius*, *aristus*, *bolena*, *geris*, *penthea*, *thermodoe*.
- Calospilos** *arearia*, *pantharia*, *ulmaria*.
- Calospiza** *tricolor*.
- Calostegia** *purpuripennis*.
- Calostigia** *alchemillata*, *luctuata*, *turbata*.
- Calotaenia** *celsia*.
- Calotelea** *aurantia*.

- Calotes** aculeata, angulata, aspera, atra, calotes, chiliensis, colonorum, cordylea, cristata, cristatellus, discosura, emma, gemmata, grandoculis, gutturosa, helioscopa, lepidogaster, macrocephala, maria, minor, muricata, mutabilis, mystacea, ophiomachus, orbicularis, paraguensis, pipiens, platyura, plica, rosacauda, rouxi, sebae, stellaris, superciliosa, tetradactyla, tiedemanni, tigrina, versicolor, viridis, vmbra, vralensis, vulgaris.
- Calothorax** angelae, calliope, cora, cyanopogon, eliza, enicurus, evelynae, fanny, gayi, heliodori, herrani, jourdani, lafresnayi, lucifer, mulsanti, sauli, schreibersi, vesper, varrelli.
- Calothyranis** amataria, emutaria, exemptaria, immitaria.
- Calotragus** melanotis, tragulus.
- Calotripis** franckella, hemidactylella, illigerella, onustella, striatella.
- Calotrophorus** semipalmatus.
- Calpe** (Coel.) bassensis, pentagona.
- Calpe** (Lep.) libatrix, soror, thalictri.
- Calpis** approximaria.
- Calpodes** athlius, forulus.
- Calpurna** leathesi.
- Calpurnus** verrucosus.
- Calurus** antisanus, auriceps, fulgidus, mocinno, neoxenus, pavoninus, peruvianus, pulchellus, splendens.
- Calvarias** stupida.
- Calvia** albolineata, bisseptemguttata, blanchardi, cayennensis, decemguttata, fulgurata, hololeuca, quattuordecimguttata.
- Calybe** leprieuri.
- Calydna** meris.
- Calydonius** tener, trux.
- Calygus** curtus, gayi, salmoneus.
- Calymene** actinura, aequalis, affinis, anchiops, arachnoides, arago, arenosa, articulata, baylei, beaumonti, becki, bellatula, blumenbachi, breviscapitatus, brongniarti, bucklandi, bufo, callicephala, camerata, centrina, clavifrons, concinna, crassimarginata, declinata, delphinocephala, diademata, diops, downingiae, fischeri, forcipata, frontiloba, furcata, globiceps, granulata, hofii, hydrocephala, incerta, interjecta, jordani, laevis, latifrons, latreillei, ludensis, macrophthalma, marginalis, marginata, microps, multicosta, multisegmentatus, niagarensis, nupera, odini, ontocephala, ornatus, parvula, phlyctainodes, platys, polytoma, propinqua, protuberans, pulchra, punctata, pustulata, rowii, schlottheimi, schusteri, sclerops, selenecephala, sembnitzkii, senaria, sp. ind., speciosa, spinifera, sternbergi, subornata, subvariolaris, sulzeri, tournemini, tristani, trisulcatus, tuberculata, tuberculosa, variolaris, verneuili, verrucosa, websteri.
- Calymma** communimacula, orosia, trevirani.
- Calymmaderus** brevicollis, capucinus, minutus.
- Calymmaphorus** cucullatus, ursinus.
- Calymmata** radeata.
- Calymmatus** hesperidum.
- Calymmene** decipiens.
- Calymnia** affinis, trapezina.
- Calyzo** staphylinoides.
- Calypeopsis** tubifera.
- Calypso** (Cr.) periculosa.
- Calypso** (Hym.) serratae.
- Calypticus** aterrimus, fasciatus, hesperidum, laevis, radiatus, spumosos, testudineus.
- Calyptobium** caularum, difficile, kunzei, nigrum, villae.
- Calyptocephala** brevicornis, lutea, marginipennis, nigricornis, peruana, punctata, trigemina.
- Calyptocephalus** (Col.) fasciatus, goryi, thoracicus.
- Calyptocephalus** (R.) gayi.
- Calyptocerus** leboucheri.
- Calyptomena** viridis.

- Calyptomerus** alpestris.
Calyptomina candacuta, rafflesia.
Calyptoproctus elegans, heteroscelis, luctuosus, lugubris, lystroides, marmoratus.
Calyptops granosus.
Calyptopsis emondi.
Calyptorhina chloris, forcipifera.
Calyptorhynchus banksi, baudini, cooki, eos, fulgidus, funereus, galeatus, leachi, macro-
rhynchus, naso, solandri, stellatus, temmiucki, xanthonotus.
Calyptra (G.) aegyptiaca, oblonga.
Calyptra (Lep.) libatrix, thalicta.
Calyptracites chinensis, primigenius.
Calyptraea adolphei, alba, albida, antiqua, araucana, arenata, auricula, auricularis,
auriculata, cancellata, cepacea, chilensis, chlorina, cinerea, comma-notata, conica,
cornea, corrugata, costaria, costata, costellata, crassiuscula, crepidula, crepidularis,
cuppula, cuvieri, decipiens, deformis, dentata, depressa, dilatata, dillwyni, discoides,
dorsata, duboisi, echinulata, echinus, elevata, equestris, excavata, extinctorium,
fastigiata, foliacea, gemmacea, grandis, hispida, hystrix, imbricata, incurva, inter-
media, laevigata, lamarcki, lamellosa, laumonti, lessoni, lichen, lignaria, lineata,
lithedaphus, maculata, mammillaris, marginalis, minuta, monoxyla, muricata,
navicella, novae zelandiae, obliquum, ornata, pallida, parvula, perforans, peruviana,
pileolus, pileopsis, pileus, plana, poli, polymorpha, punctata, puncturata, quiriquina,
quiriquinae, radians, radiata, radiola, radiosa, rectum, roissyi, rudis, rugosa, scutum,
sella, serrata, sordida, spinosa, spinulosum, squama, squamulata, striata, striatella,
strigata, succinea, taurinia, tectum, tenuis, tongana, trigonalis, trochiformis, tuber-
culatum, tubifera, umbrella, undulata, unguis, vanikorensis, varia, vulgaris.
Calyptrophorus cucullatus, gularis.
Calyptus equestris.
Calyptura cristata.
Calyptus ruficoxis.
Camaeleon nasutus. *Vide et Cameleo, Chameleo & Chameleon.*
Camaerhipis senegalensis.
Camara calappa.
Camaragnathus castelnaui, guerini.
Camarhynchus cinerea, crassirostris, leucopterus, psittacula.
Camaria brevis, chalcea, chalcoptera, haemorrhoidalis, helopioides, micans, nitida,
obscura, purpurata, rufitarsis.
Camaroptera olivacea.
Camarota aurifrons, flavitarsis, puncticollis.
Camarotus coccinelloides, marginalis.
Cambala lactaria.
Cambirhynchus affinis, macrorhynchus.
Cambrus exiguus.
Cameleo madagascariensis. *Vide et Camaeleon, Chameleo & Chameleon.*
Camelopardalis affinis, africana, antiquorum, australis, biturigum, capensis, sivalensis.
Camelus arabicus, dromas, guanaco, lama, sibiricus, sivalensis, vulgaris.
Camenta nana.
Cameria spinipennis.
Cameroceras spirale, trentonensis, vaginatum, vermicularis.
Camerophoria globulina, multiplicata, schlotheimi, superstes.
Cameropleurus anglicus.
Camerospongia fungiformis.
Camerotus cassidoides.
Camilia jamaicensis.
Camisia segnis.
Campa baicalia.
Campaea chrysitis, circumflexa, fasciaria, festucae, gamma, glyphica, interrogationis,
margaritaria, margaritata, mi.
Campanella barbarina, capitulum, chamissonis, dinema, fabricii, umbellaria.

- Campanularia** abietina, aucta, brasiliensis, cavolinai, dichotoma, dumosa, flemingi, fruticosa, gelatinosa, geniculata, integra, intertexta, lacerata, laevigata, laevis, lairii, macrocythara, major, olivacea, prolifera, racemosa, serpens, syringa, undulata, verticillata, volubilis.
- Campanulites** tessellatus.
- Campeceopea** bicolor, bituberculata, corallina, cranchi, hirsuta, ovalis, sancii, spinosa, trigona, versicolor, vulgaris.
- Campelema** crassula.
- Campephaga** ardoisiaca, atriceps, aurea, bicolor, boyeri, caerulea, caesia, cana, chalciocephala, cinerea, cinnamomea, culminata, desgrazi, ferruginea, flava, humeralis, hypoleuca, jardini, javensis, karu, labrosa, larvata, leucomela, leucopygia, lineata, lobata, lugubris, macei, marescoti, melanops, melanoptera, melanotis, melas, mentalis, morio, nigra, ochracea, orientalis, papuensis, parvirostris, pectoralis, personata, phasianellus, phoenicea, plumbea, robusta, rufiventris, schisticeps, striata, sykesi, temminckii, tenuirostris, terat, timorensis, tricolor, xanthornoides.
- Campephilus** boei, guatemalensis, imperialis, magellanicus, malherbi, principalis, robustus, rubricollis, sumptuosus, validus.
- Campeprosopa** flavipes.
- Campethera** aethiopica, brachyrhyncha, chrysurus, maculosa, nivosa, nubica, punctuligera, syriaca, variolosa.
- Campichoeta** rufipes.
- Campicola** bifasciata, pileata.
- Campipterus** versicolor.
- Campodea** staphylinus, succinea.
- Campodes** flavicornis, fuscicornis.
- Campodus** agassizianus.
- Campontia** eruciformis.
- Campophyllum** flexuosum.
- Campoplex** aberrans, adustus, albidus, albipalpis, alienatus, alternans, alticola, analis, annulatus, anomolus, apicalis, apostata, arcticus, argentatus, armillatus, arvensis, assimilis, ater, auctor, bicingulatus, bimaculatus, braccatus, caedator, canaliculatus, canescens, carbonarius, carnifex, cerophagus, chrysostictus, conformis, conicus, consumtor, crassicornis, crassiuscula, cruentatus, cultrator, decipiens, declinator, deficiens, difformis, dimidiatus, dispar, dolosus, dorsalis, ebeninus, ensator, errabundus, erythrocentrus, euops, exiguus, falcator, fallax, faunus, femoralis, flaviventris, floricola, fugitivus, fulviventris, gastroides, geniculatus, gracilis, horticola, immolator, incidens, inculcator, insectator, insidiator, intermedius, lateralis, latrator, latus, limbatus, longipes, lugens, macrocentrus, maculatus, majalis, maurus, megacephalus, melanostictus, mesozostus, mixtus, moestus, molestus, multicinctus, nanus, niger, nigripes, nigratarsus, nitens, notatus, orbator, orbitalis, pallipes, paniscus, parvulus, perfidus, psilopterus, pubescens, pugillator, pumilio, rapax, ruficinctus, rufimanus, rufipes, rufiventris, semidivisus, senegalensis, seniculus, sicarius, sordidus, spurius, subcinctus, tenuiventris, terebrans, tibialis, transfuga, transiens, tricinctus, tristis, tumidulus, uncinatus, varipes, viduus, viennensis, vaginalis, xanthogaster, xanthotomus, zonatus.
- Camposcia** retuja.
- Campsia** agilis, testacea.
- Campsidia** populnea.
- Campiura** nigripennis, xanthorhina.
- Campsodactylus** lamarrei.
- Campsomeris** aureicollis, collaris, costalis, hyelina, javana, lindeni, lucida, quadrinotata, ruficollis, servillei, urvillei, violacea.
- Campsosternus** aureolus, delesserti, dohrni, duponti, eschscholtzi, foveolatus, fulgens, guerini, hopei, latreillei, leachi, proteus, smaragdina, sumptuosus, templetoni, violatus, wilsoni.
- Campta** lutea.
- Camptelasmus** caffer.
- Camptischium** spinosum.

- Camptoceras** terebra.
- Camptocerus** aeneiformis, terebrator.
- Camptocheirus** hispidus.
- Camptodes** abdominalis, aequinoctialis, arduus, aterrimus, bicolor, ~~bisignatus, communis,~~
concolor, contractus, curtus, cyanipennis, detritus, discolor, dispar, exoletus, fastuosus,
fervens, flavipes, fulvus, gibbus, helvolus, illustris, labilis, melanarius, morio, nigri-
pennis, nitidulus, notatus, obscurus, phaleratus, plagiatus, rubeus, rutilus, scutellatus,
staphylaeus, tempestivus, thoracicus, tricolor, vittatus.
- Camptodontus** anglicanus, cayennensis, clivinoides, crenatus, trisulcus.
- Camptognatha** testacea.
- Camptogramma** bilinearia, bilineata, subochraria.
- Camptolaimus** labradorius.
- Camptolenes** cribraria, fastuosa, marginata, nigrofasciata, taeniata.
- Camptonevra** obscura, picta.
- Camptopoeum** interruptum.
- Camptoprium** leprieuri.
- Camptopus** arcuatus, lateralis.
- Camptorhina** atracapilla.
- Camptorhinus** brullei, dorsalis, ehippiger, pilipes, porcatus, statua, tibialis, tubulatus
- Camptorhynchus** dorsalis.
- Camptoscelis** hottentotta.
- Camptotoma** lebasii.
- Camptylochila** bistrigalis, undulalis.
- Campulipus** horsfieldi, incurvatus, limbatus.
- Campulites** arcuatus, brateri, compressus, nautilus, subventricosus, ventricosus.
- Campulotus** antiquus.
- Campylaea** alpina, audouini, carascalensis, cingulata, coerulans, colubrina, cornea,
cryptozona, denudata, estela, faustina, feburiana, foetens, fontenilli, frigida, glacialis,
hirta, hispana, hofmanni, iusubrica, intermedia, jonica, macrostoma, neaera, orisigena,
planorbella, planospira, portosanctana, pouzolzi, pyreucaica, quimperiana, raspaili,
scouvi, setipila, setigera, setosula, siebolti, smithi, stenomphala, strigata, thunbergi,
tigrina, trigrammaphora, trizona, vittigera, zigleri, zonata.
- Campylirhynchus** bruchoides, brunneus, carinatus, castor, comari, guttalis, inconspicuous,
quadricornis, quadrituberculatus, scutellatus, sulcatus, tibialis, velutus.
- Campylis** dispar.
- Campylocera** ferruginea.
- Campylocnemis** schroeteri.
- Campylomyia** pallipes.
- Campylomyza** aceris, albicornis, atra, bicolor, flavipes, fuscipes, luculenta, monilifera,
scutellata.
- Campylonyx** ampuliciformis, fuscipes.
- Campylops** hamulus.
- Campylopterus** azureus, cirrhochloris, cuvieri, ensipennis, falcatus, hyperythrus, lati-
pennis, lazulus, obscurus, rufus.
- Campylorhynchus (A.)** brevirostris, brunneicapillus, capistratus, cinnamomeus, griseus,
guttatus, megalopterus, nuchalis, pallescens, rufinucha, scolopaceus, striolatus,
unicolor, unicolorides, variegatus, zonatoides, zonatus.
- Campylorhynchus (Col.)** nebulosus, pericarpus.
- Campyloscelus** westermanni.
- Campylosteira** brachycera, ciliata, falleni, verna.
- Campylotes** histrionicus.
- Campylus** bivittatus, borealis, denticollis, denticornis, flavinasus, flavipes, linearis,
nigricollis, parallelicornis, sahlbergi, variabilis, varians.
- Canalipora** articulata, pulchella, striatopunctata.
- Canaria** communis, moscata, varia.
- Canarium** ustulatum.
- Cancellaria** acuminata, acutangularis, adami, albida, altavillae, alternata, alveata,
alveolatus, ampullacea, ampullacera, angulata, antiquata, arctica, articularis, as-

perella, asperula, batylica, bellardi, berolinensis, bicolor, bifasciata, biplicifera, blainvillei, bonelli, brevis, bronni, buccinoides, buccinula, bulbulus, bullata, calcarata, callosa, cancellata, cassidea, cassidiformis, chrysostoma, citharella, clathrata, clavatulata, concinna, contabulata, contorta, corbulu, coronata, corrugata, costata, costellifer, costifera, costulata, crassica, cremata, crenifera, crenulata, crispa, cristata, cunningiana, cupressina, decussata, defossus, deshayesana, deucalionis, doliolaris, dufouri, elata, elegans, elevata, elongata, engonata, evulsa, excavata, fenestrata, foveolata, funerata, funiculata, fusiformis, fusulus, gemmata, gemmulata, geslini, goniosoma, gracilis, granifera, granulata, haemastoma, hirta, hyalina, imperialis, indentata, inermis, intermedia, jonkairiana, labrosa, lactea, laevica, laeviuscula, lamellosa, laurensi, lima, listeri, lunata, lyrata, macrospira, macrostoma, maglori, marmaria, melanostoma, michelini, millei, minuta, mississippiensis, mitraeformis, nutriformis, nitrodes, multiplicata, muricata, nassiformis, nodulifera, nodulosa, notabilis, obesa, obliquata, oblonga, obtusa, orbigny, ovata, papyracea, parva, perspectiva, piscatoria, plagiostoma, planispira, plicata, polygona, proxima, pulcherrima, pulchra, pusilla, pyrum, quadrata, rigida, rugosa, scabra, scalariformis, scalarina, scalaris, scalata, sculptura, semidisjuncta, semipellucida, senticosa, serrata, sinilis, solida, spengleriana, spinifera, spinosa, spinosula, spirata, striatula, stromboides, subangulosa, subcarinata, subevulsa, sulcata, suturalis, taeniata, taurina, tenera, tessellata, textilis, trapezium, tribulus, trigonostoma, trochlearis, tuberculosa, turricula, turritella, umbilicaris, umbilicata, undulata, uniangulata, uniplicata, ureolata, varicosa, ventricosa, verreauxi, viridula, volutella, westiana, ziervogeliana.

Cancellarius reticulatus.

Cancellus typus.

Cancer acanthus, acasta, aculeata, admete, affinis, agricola, albolineatus, amphitrite, anaglyphus, angulatus, anomalus, antiquus, armatus, articulosus, artificiosa, berardi, biaculeatus, bispinosus, bosci, brachiatus, brevis, bruckmanni, bufo, burtini, calculosus, callianassa, calypso, cammarus, canaliculatus, captivus, carino-spinosus, cervicornis, cheiragonus, cinereus, clymene, contrarius, convexus, cornudo, corrugatus, coryphe, crenatus, cupulifer, cymodoce, दौर, dama, dentatus, denticulatus, depuratoides, diris, distinguendus, dodone, doris, dorsalis, dubius, edwardsi, electra, emarginatus, eubolinus, eudora, eurynome, falcatus, faventinus, floridus, fragifer, fulgens, fulvus, galba, gallina, gallus, gibbosus, gibesinus, gigas, glabratus, globulus, granulatus, grossimanus, hardwicki, hippeus, luppo, hirticornis, hispidiformis, ibericus, impressus, incisocrenatus, incisus, integer, integerrimus, irroratus, klpsteini, kressenbergensis, leachi, levifrons, limbatus, limosa, listellus, littoreus, lividus, lobatus, longimanus, longipes, lunulatus, lysianassa, macrochelus, majoides, mamillatus, mantissillus, marginatus, marmarinus, maxillaris, megistos, melissa, menestho, mercenaria, metis, miliaris, minutus, monoculoides, multipes, nasua, nitescens, nobilis, novae zealandiae, obtusatus, obtusus, ocyroe, opilio, ornatus, paguroides, palmatus, panope, parallelus, paulino-wurtembergensis, pedunculatus, pellucidus, penicilliger, personatus, petraea, phalangium, pharnacum, phasma, philyra, pitho, planissimus, planus, plebejus, pleione, plicatus, polydora, polynoma, polyodon, ponticus, poreosides, portunoides, potomas, productus, ptymna, punctulatus, quadrilobatus, ranym, reticulatus, rhomboidalis, rivulosus, roseus, rubricatus, rubromaculatus, rugosus, sagittatus, salectus, saltator, sanguineoguttatus, savignyi, sayi, scabrosus, scampoides, scorpioides, sculptus, scutellatus, sebanus, septedentatus, setifer, sismondae, sonthofenensis, spinimanus, spinosissimus, spinosus, spinus, squamosus, stellatus, strigatus, styx, subdentatus, subterraneus, talpa, tenax, thalia, thoe, torrentum, triloboides, trispinosus, truncatus, tuberculatus, tumefactus, tyche, una, urania, vermiculatus, verrucosus, vestilis, villosissimus, vocator, xantho.

Cancilla isabella, sulcata.

Cancerinos claviger, latipes.

Cancris auriculatus.

Cancroma vulgaris.

Cancrophagus gutturalis.

Canda arachnoides, patagonica.

Candalides phaedrus, xanthospilos.

Candeina nitida.

Candoia carinata.

Candona candida, detecta, hispida, reptans, torosa.

Canephora graminella, saxifica.

Caninia cornu bovis, cornucopiae, flexuosa, gigantea, ibicina, lata, patula, punctata, sulcatum.

Caninoia chiereghinii.

Canis adivus, adustus, aegyptus, aethiopicus, alco, alpinus, anglicus, antarcticus, anthus, antiquus, anubis, aquaticus, aquatilis, arectus, argentatus, aureus moreoticus, australiae, australis, avicularius, azurae, barbarus, borbonicus, borbonidus, borealis, brachyotos, brachyrhynchus, brachyteles, brachyurus, brasiliensis, brevipilis, caama, campivagus, canadensis, cancrivorus, caragan, caraibaeus, caviaeavora, ceilonicus, ceylanicus, chama, chilensis, chrysurus, cinereus, cruciger, decussatus, domesticus, dorsalis, dubius, dukhunensis, etneus, extrarius, famelicus, familiaris, fennecus, fossor, fricatus, fulvicaudus, fulvus, gibbosus, giganteus, glaucus, graius, griseus, haitensis, hibernicus, hirsutus, hodgsoni, hodopylax, hyaenomelas, hymalaniensis, ictinus, incertus, index, ingre, isatis, islandicus, issiodorensis, italicus, javanensis, javanicus, jubatus, juvillaceus, kokree, lalandi, laniger, latrans, leporarius, leucoxurus, leucurus, leverarius, lupaster, lupus occidentalis, lycodes, magellanicus, medius, megalotis, megauastoides, melaleucus, melanogaster, melanotus, melanostomus, melanurus, mopsus, nescherensis, niger, nigrirostris, nigroargenteus, niloticus, novae hyberniae, nubilus, nudus, ochropus, oeningensis, ornithotherius, pacificus, pacivorus, pallidus, pallipes, palustris, pardus, parisiensis, pastoreus, pennsylvanicus, pictus, pomeranus, primaevus, procyonoides, propagator, protalopex, riparius, robustior, rufescens, rutilans, sabbar, sacer, st bernardi, sanguinarius, scoticus, sibericus, sinensis, spelaeus, suillus, syriacus, terrae novae, terrarius, troglodites, urcanus, variegatoides, variegatus, velox, vetulus, viverroides, vulpecula, vulpes, vulpinarius, zerda.

Canistra calamitosa, carbonaria, contaminata, irrorata, plagosa, procera, rubiginosa, scoriosa, varicosa.

Cannabia flavirostris, propria.

Cannabina arbustorum, chloris, citrinella, linota, media, montana, montium, palustris, pinetorum, sanguinea.

Cannorynchus immaculatus.

Canolira aegyptica, albicornis, oestroides, otto, rissoniana.

Canopus (Ceph.) fabeolatus, punctatus.

Canopus (Hem.) cocciformis, coccinelloides, ebeninus, globus, involutus, obtectus, silphoides, westermanni.

Canrena neritoidea.

Cantao dispar.

Cantareus naticoides.

Canthapleura spinosus.

Cantharidus iris, irisidontes.

Cantharis abbreviata, abdominalis, acuta, acutipennis, aemula, aestiva, aethiops, affinis, albifrons, albilabris, albivittata, albomarginata, alpestris, anceps, angulata, annularis, annulata, antica, apicalis, assimilis, atra, atrata, aucta, azillaris, barbara, basalis, basilaris, bassi, bicolor, bidentata, bilineata, bimaculicollis, binotata, bioculata, borealis, brevipennis, brevis, brunnicollis, bytoni, caeruleomaculata, capitata, carolina, catennensis, cembricola, centrolineata, chlorotica, cincta, cinerea, cirtana, clypeata, collaris, colona, coronata, crassicornis, cruentata, curta, cyanipennis, daurica, denticollis, desaulti, discicollis, discoidea, dives, dorsalis, dubia, dusaulti, elongata, emarginata, eucera, faetida, fallax, fascialis, fasciata, femoralis, figurata, filiformis, fimbriata, flavicollis, flavilabris, flavipennis, fraxini, frontalis, fulgifer, fulvipennis, fumigata, fumosa, funesta, fusca, fuscicornis, fuscilabris, fuscipennis, fuscipes, genei, geniculata, germari, gilvipes, grammica, helwigi, hispanica, hopei, hospes, humeralis, hyacinthina, hybneri, illucens, illyrica, immunis, imperialis, impressifrons, incisa, inconstans, inculta, intermedia, interrupta, inuncta, invalida,

jactata, laevis, laevigata, laevipectus, lata, laticornis, ligata, lobata, luteata, litterata, liturata, livida, longicollis, longicornis, lugubris, macroptera, manca, marga, marginalis, marginata, marginella, marginicollis, maura, melanocephala, melanoceros, melanodera, melanogaster, melanoptera, melanoscelis, melastoma, modestus, niger, nigripes, nigripennis, nigripennis, nigripes, nobilitata, nodicornis, notata, occipitalis, ochracea, oculata, opaca, pagana, palliata, pallidipennis, paludosa, parallela, pectoralis, pennsylvanica, percomis, picta, plumbea, praecox, praeusta, pulchella, pulchra, pupillata, pygmaea, pyrocephala, quadrimaculata, quadripunctata, rotundicollis, rubens, rubricollis, rufescens, ruficollis, ruficornis, rufilabris, ruhmana, rufipennis, rufipes, rufotestacea, rustica, sanguinicollis, schaefferi, schoenherri, schummeli, schuppeli, scitulus, scripta, scutellaris, scutellata, sellata, semirufa, serraticornis, signata, signaticollis, signatifrons, signatipennis, spectabilis, styriaca, sudetica, sulcifrons, sumptuosa, suturalis, terminata, thoracica, tomentosa, torquata, translucida, transversa, tricostratus, unicolor, unifasciata, vanikorensis, variabilis, varians, variegata, velata, vestita, viridipennis, viridissima, vittata, vitticollis, vittigera, xantholoma, xanthomelas, xanthomeros.

Cantharocnemis spondylioides.

Cantharodema marginipennis.

Cantharus (P.) blockii, brauna, caeruleus, cantharus, centrodontus, emarginatus, fasciatus, filamentosus, grandicollis, griseus, gulmunda, lineolata, maculatus, orbicularis, senegalensis, sparoides, tanuda, vulgaris.

Cantharus (Rh.) calceolatus, dubia, milii.

Canthecona discolor, yolofo.

Cantherines nasutus.

Canthesancus trimaculatus.

Canthidermis angulosus, gaimardi, ocularis.

Canthidium lentum, thalassinum.

Canthidomus costata, oweni.

Canthirhynchus monopterygius.

Canthocamptus furcatus, minuticornis, minutus, stromi.

Canthocarpus furcatus, minuticornis, minutus, stromi.

Canthon acanthocnemus, aeneus, aesculapius, angularis, atechoides, atricorne, atrocoeruleus, bacchus, bicolor, caeruleicollis, capistratus, carbonarius, chalybaeus, coronatus, coruscus, cupreoniger, fasciatus, fuscipes, fusco rubrum, gemellatus, gemmatum, gibbosus, immaculatus, janthinum, laesus, latipes, lividum, luteicollis, minutus, moniliferum, oxygmus, perplexus, pilluliforme, pilularius, plicatipenne, prasinus, quadratum, quinquemaculatus, rubescens, rubromaculatum, rugosus, rutilans, scabratus, scapularis, schaefferi, septemmaculatus, sexpunctatus, smaragdulus, speculifer, squalidus, subcaneus, sulcatus, tessellatus, tetraodon, thalassinus, triangularis, unicolor, virens, viridicollis, viridis, xanthopum, xanthurum.

Canthophrys albescens, olivaceus, rubiginosus, vittatus.

Canthopsis harvardiensis.

Canthorhis imperialis.

Canthyria spinosa.

Canutus cinereus, islandicus.

Caouana caretta, dussumieri, elongata, olivacea.

Capaccinius megapodius.

Capella coelestis.

Caphora humilis.

Caphyra (Col.) rouxi.

Caphyra (Cr., Barrande) radians.

Caphyra (Cr., Guérin) pectinicola.

Capillaria (Lep.) cuprea, degeeri, fascia, frischei, panzeri, pilia, pubicornis, sultzi, swammerdami, tessellea, viridis.

Capillaria (Verm.) semiteres, tumida.

Capitella fabricii.

Capito amazonicus, aurifrons, aurovirens, bicinctus, boucieri, calcaratus, capensis, capistratus, cayennensis, cinctus, collaris, cyanocollis, cyphos, elegans, erythrocephalus,

flavicolis, glaucogularis, gaudis, gularis, bartlaubi, indiens, lathanii, leucope, leu-vail-lanti, lineatus, macrodactylus, macrorhynchos, maculata, margariticus, maynahensis, melanoleucos, melanotis, naevius, nigromaculatus, panamensis, parvus, pectoralis, peruvianus, philippensis, punctatus, richardsoni, roseicollis, rubricapillus, rubricollis, ruficollis, senilis, somnolentus, subsulphureus, sulphureus, tamatia, tenebrosus, viridis, vulgaris, zeilanicus.

Capitodus angustus, dubius, interruptus, subtruncatus, truncatus.

Capitoni bifasciatus.

Capitosaurus arenceus, robustus.

Capitulum mitella.

Capnea sanguinea.

Capnia cancellata, gracilis, necydaloides, nigra, pygmaea, vernalis.

Capnisa elliptica, karelini, schrenki.

Capnodis aerea, anthracina, antiqua, carbonaria, cariosa, excisa, heuningi, lefebvrei, lugens, mannerheimi, miliaris, porosa, puncticollis, tartarica, tenebricosa, tenebrionis.

Capoeta amphibia, brevis, elongata, fundulus, gracilis, intermedia, lanceolata, limbata, macrolepidota, rhombea.

Capra americana, anigera, argali, aries, arietina, beden, borz, capricornus, cbangra, chapu, columbiana, domestica, dugu, eornis, falconeri, hispanica, hyllocria, jael, jaela, jemlaica, jharal, lanigera, megaceros, montana, musimon, musmon, ornata, pallasi, pyrenaica, resina, rozeti, sakeen, sibirica, sinaitica, sinal, tragelaphus, tubericornis, varia, villosa, walie, warryato.

Capraolus cauvieri. *Vide et Capreolus.*

Caprella acanthifera, atomos, brevicollis, dilatata, equilibra, geometrica, bystris, jauuarii, kroyeri, laevis, linearis, lobata, longicollis, nodosa, penantis, pbsma, punctata, sanguinea, scaura, scolopendroides, septentrionalis, spinifrons, spinosa, tabida, tuberculata, undulata, ventricosa.

Capreolus australis, capraea, covieri, huamel, leucotis, leufrossi, leufroyi, pygargus, riegensis, tolozani, tournali, vulgaris. *Vide et Capraolus.*

Capricalea arborea.

Capricornis bubalina, thar.

Caprimulgus acutipennis*, aegyptius, aequicauda, aethereus, affinis, africanus, albi-maculatus, albugularis, albonotatus, americanus, assimilis, azarae, bifasciatus, bimaculatus, binotatus, boliviensis, brachypterus, campestris, cayanus, cinerascens, clamator, climacocercus, climacurus, concretus, conterminus, cordicilla, cornutus, cristatus, cuneatus, decussatus, diurnus, epicurus, exilis, eximius, forficatus, furcatus, furcifer, gracilis, guttatus, gymnopus, hirundinaceus, icteropterus, infuscatus, inno-tatus, isabellinus, jaspideus, jotaka, laticaudatus, laticaudus, lentiginosus, leopetes, leucopterus, leucopygus, leucurus, longicaudatus, longicaudis, longicaudus, longirostris, macrodipterus, macromystax, macrotis, macrurus, maculatus, mabratensis, manil-lensis, manurus, megacephalus, minor*, monticolus, mystacalis, nacunda, natalensis, nattereri, nigrescens, nipalensis, noitibo, nubicus, nuttalli, ocellatus, odonpteron, odontopteron, pallidus, parvulus, pectoralis, podargus, poliocephalus, popetue, pruinatus, psalurus, pulcher, punctatus, reticulatus, ruficollis, rufigena, rufi-torquatus, rufitorquis, rufus, rupestris, saturator, smitbi, sphenurus, spilocircus, strigoides, tetrastigma, trifurcatus, tristigma, variegatus, virginianus, vittatus, vociferus, vulgaris, widerspergi.

Caprina adversa, affinis, agulloni, boissyi, costata, crassifibra, guadalupae, inaequi-rostratus, laminea, lonsdalei, micbelini, partschi, quadrilocolata, russiensis, semistriata, striata, texana, trilobata.

Caprinella doublieri, triangularis.

Caprinula boissyi, brevis, doublieri, orbignyi.

Caprinus recognitus.

Caprios moschatus, pyrenaica.

Capriscus niger, papuensis, porcus.

Caprolagus hispidus.

Capromys aedium, browni, furnieri, pilorides, poeyi, prehensilis, quemi.

Caprophonus aurora.

Capros aper, australis.

Caprotina archiaciana, carantonensis, carinata, ceuomanensis, delarueana, laevigata, lamellosa, lousdalei, uavis, rugosa, subaequalis, toucasiana, unisulcata.

Caprovis musimon.

Capsa altior, angulata, brasiliensis, castanea, complanata, costata, crocea, deflorata, discrepans, elegans, fulminea, irus, laevigata, laevis, perforans, potamophila, pullastra, reticulata, ringens, rugosa, versicolor, virgo.

Capsala martinieri.

Capsula rugosa.

Capsularia dumosa, halcies, integra, lacerata, laevis, pusilla, serpens, syringa, trinodosa, verticillata, volubilis.

Capsus abietis, aetneus, agilis, albomarginatus, alienus, ambiguus, ambulans, angulatus, annulatus, annulicornis, annulipes, arbustorum, ater, aterrimus, atomarius, avellanae, bicolor, bidentulus, bifasciatus, bilineatus, binaculatus, binotatus, bipunctatus, boreellus, bractatus, brevicollis, brunnipennis, capillaris, caricus, ceratophillon, cervinus, chlorionis, circumcinctus, clavatus, coccineus, coerulescens, collaris, colon, concinnus, confluentus, corizoides, crassicornis, croceipes, curvipes, cyllocoroides, danicus, declivis, decolor, decoratus, denticollis, dislocatus, distinguendus, divinus, dubius, elatus, elegantulus, externus, fasciatus, filicornis, flavicollis, flavomaculatus, flavo-sparvus, flavovarius, fraxini, fulvicollis, fulvomaculatus, furcatus, fuscipes, fusiformis, gemellatus, geminus, globulifer, goniphorus, gothicus, gracilicornis, gramineus, gyllenhali, heptacus, hirtus, hortensis, hortulanus, hyalinatus, imbecilis, infusus, insignis, insitivus, intermedius, invitus, irroratus, lucorum, luridus, luteus, maerkeli, magnicornis, marginatus, marginepunctatus, medius, melananthus, menanochrus, mimus, minutus, modestus, molliculus, multicolor, mutabilis, neglectus, nigerrimus, nigricornis, nigrata, nigrutilus, nitidus, nubilus, oblineatus, ochreateus, ochripes, olivaceus, opacus, palliatus, pallidus, parallelus, pauperatus, pilicornis, pilosus, plagiatus, planicornis, propinquus, pteridis, pulcher, pygmaeus, pyrrhula, quadrimaculatus, quadrivittatus, rapidus, roseri, roseus, rostermundi, ruficollis, rufifrons, rufipennis, rufipes, rugicollis, rutilus, sahlbergi, salicellus, saliens, saltator, sanguineus, schachi, scriptus, scrupus, scutellaris, seladonius, semiflavus, seticornis, setulosus, sexguttatus, solitarius, spinolae, spissicornis, stygicus, submarginatus, suturalis, tanacetii, tenuicornis, tetrastigma, tibialis, ticinensis, tricolor, trifasciatus, triguttatus, tristis, tumidicornis, tyrannus, umbratilis, unifasciatus, variabilis, varians, varius, verbasci, virens, virgula, vitellinus, vitripennis, vittipennis.

Capua ochraciana.

Capulus antiquatus, auriformis, canalifer, cassideus, cernuus, compressa, concentricus, conicus, conoidea, consobrinus, contorta, cornucopiae, cyrtocera, dilatata, dunkeriana, elegans, elongatus, ermanni, fallax, granulatus, granulosis, haliotis, hartlebeni, hungaricus, intorta, laevigatus, luceruaria, lugubris, militaris, mitratus, muensteriana, neritoides, nonoplectus, obliquus, orbiculatus, ornata, ornatissimus, patelloides, pennatus, prisca, pygmeus, radiatus, recurvatus, retortellus, ricciardi, roemeri, rugosus, sigmoidalis, spirirostris, squammaeformis, substriatus, sulcosus, tertiaris, trigona, trochleatus, tubifer, uchtae, unguis, variabilis, vitreus, zinckenii.

Carabicina decipiens.

Carabodes cephalotes, coriaceus.

Carabus accuratus, acrogonus, actaeon, acteon, acuminatus, acutus, adami, adamsi, adoxus, adustus, advena, aemulus, aeneipennis, aeneolus, aequus, aeratus, aereus, aeruginosus, aestivus, aethiops, afer, affinis, agassii, agassizi, ahenus, albipes, alpestris, alpinus, alternans, alysidotus, ammon, amoenus, anderschi, andrezejusci, angulatus, angustatus, angusticollis, angustior, antennarius, anthracinus, antiquus, anxius, apicalis, aquaticus, arator, arcadicus*, armeniacus, arrogans, assimilis, atratus, aulicus, aumonti, auricularis, aurocinctus, aurolimbatus, auro nitens, austriacus, autumnalis, azureus, baccivorus, balmorienensis, barbarus, basiliscus, bayardi, beauvoisi, becken-haupti, bessarabicus, besseri, bicoloratus, biebersteini, biguttatus, billbergi, billiet, bimaculatus, bisbiguttatus, bischoffi, biseriatus, boeberi, bohemani, bonelli, bonplandi, boschniakii, bosporanus, brachypus, brandti, brevicollis, brevicornis, brevis, breviusculus, brunneus, bugnioni, bungi, buqueti, buruaschevii, caelatus, caereus, caeruleus,

planipennis, platisma, platyscelis, plebejus, polonicus, porcatus, porosus, prasinocephalus, prasinus, preisleri, presli, prevosti, prodigus, proditus, proletarius, puber, pudicus, pulchellus, punilio, pumilus, punctatoauratus, punctatulus, punctomaculatus, punctulatus, punctulus, punctus, purpuratus, purpureoscaeruleus, puschkini, putus, pyrenaeus, quadrimaculatus, quadrinotatus, quadrisignatus, quadrivittatus, quenseli, rectangulus, refulgens, regalis, reichei, remotus, renardi, repercussus, riedeli, riphacus, roseri, rossi, rostratus, rothi, rotundatus, rotundicollis, rotundipennis, rubicundus, rubripes, rufangulus, ruficollis, rufimanus, ruftarsis, rufo-marginatus, rufus, rugulosis, rupestris, rupicola, ruralis, ruricola, rusticus, rutilans, sahlbergi, salicipes, salzmanni, saphirinus, scabricollis, scabripennis, schartowi, schlegelmilchi, schoenherri, schranki, schreibersi, schrickelli, scovitzii, scrobiculatus, sculpturatus, scythus, sedakovi, sellatus, selmanni, semipunctatus, semistriatus, seriatoporus, seriatus, sericeus, serratus, serripes, servus, sex notatus, sibiricus, signaticornis, signatus, silenus, silphoides, silvossus, simplex, sinuatus, slotzovi, smaragdinus, smaragdulus, sobrinus, sodalis, solers, solieri, songoricus, sordidus, spasskianus, spencei, sphaerocephalus, sphodrinus, spinolae, splendidulus, spoliatus, staehlini, staphylinoides, stentzi, stephensis, steveni, stigma, stjernvalli, stoehlini, strenuus, striatopunctatus, striatulus, strigicollis, striolatus, stroganowi, strophium, stscheglovi, stschukini, sturmi, stygicus, subaequalis, subcaeruleus, subcostatus, subcyaneus, sublaevis, subsinuatus, subviolaceus, sulcicollis, sylvaticus, tamsi, tardus, tauricus, tempestivus, tenuicollis, tenuis, terminatus, terricola, testaceus, thermarum, thoracicus, thorosus, thunbergi, tibialis, tinctus, tomentosus, torridus, transversalis, trifasciatus, tripunctatus, tristis, trivialis, trojanus, truncaticollis, truncatus, trunculus, tuberculatus, turcomanicus, ulrichi, unctulatus, undulatus, unifasciatus, urbanus, ustus, vafer, vagabundus, valdiviae, validus, varians, varicolor, variolaris, variolatus, variolosus, varvasi, vellepiticus, velutinus, verbasci, vernalis, versicolor, vespertinus, victor, viduus, viettinghoffi, vinctus, virens, viridicollis, viridinitens, viridis, viridulus, vivalis, vividus, vladimirskyi, vomax, vulgaris, vulgarius, wagneri, wallichi, weigeli, wiedemanni, wiedmanni, wolffi, xanthophilus, zakharshevskii, ziegleri, zimmermani.

Caracal melanotis.

Caracanthus typicus.

Caracara accipitrina, aquilina, chemango, crotophaga, plancus.

Caracolla carmelita, carocolla, delibata, detecta, indiscreta, lampas, marginata, mauritiana, misella, nummus, sagemon, solarium, subplanata. *Vide et Carocolla.*

Caraculus oculus.

Caradrina albina, alsines, ambigua, aspersa, bilinea, blanda, chaldacica, chaldaica, congener, cubicularis, distracta, duponcheli, exigua, exilis, fuscicornis, germani, glareosa, gluteosa, grisea, himalayica, hospes, implexa, iners, junceti, kadeni, laciniosa, laevis, leuta, lurida, lutea, morpheus, neglecta, palustris, plantaginiis, pulmonarius, pygmaea, radeni, redacta, respersa, selini, sordida, squalida, stagnicola, superstes, taraxaci, terrea, trilinea, ustirena, virens.

Carangopsis analis, dorsalis, latior, nuaximus.

Caranistes languidus, lineatus, westermanni.

Caranx affinis, albus, amblyrhynchus, amia, analis, antillarum, armatus, ascensionis, atropus, auroguttatus, bajad, bartholomaei, belengeri, bimaculatus, bixanthopterus, blochi, boops, cambon, cancroides, carangua, carangus, cestus, chilensis, chrysophrys, chrysurus, ciliaris, cirrhorus, citula, coeruleopinnatus, crumenophthalmus, crysos, cuvieri, daubentoni, declivis, defensor, dentex, djeddaba, dumerili, ekala, equula, erythrurus, fallax, fasciatus, ferdau, filamentosus, flavocoeruleus, forsteri, fulvoguttatus, fusus, gaezz, georgianus, glaucus, gymnostethus, helvius, ire, jacobaeus, jarra, kalla, kiliche, korab, kurra, lactarius, latus, leptolepis, lepturus, lessoni, luna, lutescens, macarellus, macrophthalmus, malabaricus, margarita, maruadsii, mate, mauritianus, melampygus, mentalis, mertensi, microchir, micropterus, murosadii, nigripes, novae guineae, oblongus, para, paraspistes, peroni, peruanus, petaurista, pinnulatus, pisquetus, platessa, platinoides, plumieri, praeustus, pseudo pterygius, punctatus, rhonchus, rotleri, russelli, sanctae helenae, sansum, scombrinus, scutatus, selenia, sem, semispinosus, senegalus, sexfasciatus, sinus, solea, speciosus, stellatus, tille, torvus, trachurus, vari, xanthopygus, xanthurus.

- Caranxomorus** pelagicus, pilitschei, sacrestinus.
- Carapeus** inaequilabiatus.
- Caraphractus** cinctus.
- Carapus** acus, albus, arenatus, brachiurus, carapo, fasciatus, macrourus, rostratus.
- Carassius** bucephalus, buergeri, cuvieri, gibelio, grandoculis, humilis, langsdorfi, linnaei, vulgaris.
- Caratomus** (Ech.) avellana, faba, gehrdensis, hemisphaericus, latirostris, orbicularis, pettiformis, roemeri, rostratus, sulcatoradiatus, trigonopygus.
- Caratomus** (Hym.) megacephalus.
- Carbasea** papyracea.
- Carbo** africanoides, africanus, albigula, albiventer, aquilus, arboreus, ater, auritus, bilophus, bougainvillei, brachyurus, brasilianus, cinctus, cormoranus, cristatus, desmaresti, dinidiatus, filamentosus, flavagula, floridanus, fucosus, gaimardi, glacialis, graculus, hypoleucus, javanicus, leucocephala, leucogaster, leucotis, longicaudus, macrorhynchus, melanogaster, melanognathos, mexicanus, mystacalis, nudigula, penicillatus, punctatus, purpuragula, purpurascens, pygmaeus, raptensis, resplendens, subcormoranus, sulcirostris, urile, violaceus, vulgaris.
- Carcelia** amoena, arguta, arion, aurifrons, bercei, bombycivora, bombylans, distincta, diversa, duponcheli, festiva, flavescens, fuscipennis, guava, grisea, hilaris, lepida, macroura, nigripes, plusiae, puparum, rapida, rubrella, scutellaris, velox, vernalis.
- Carcharhinus** broussoneti, caeruleus, commersoni, cornubicus, glaucus, heterobranchialis, heterodon, lamia, lividus, megalops, nonensis, ustus, verus, vulpes.
- Carcharia** muelleri.
- Carcharias** acutidens, acutus, albinmarginatus, amboinensis, angustidens, atwoodi, auriculatus, brevipinna, carcharias, ceruleus, ciliaris, cinereus, disauris, dussumieri, falciformis, ferox, fissidens, galeus, gangeticus, glaucus, glyphis, griseus, grossiserratus, hemiodon, henlei, heterodon, isodon, japonicus, javanicus, lalandi, lamia, lanceolatus, laticaudus, leptodon, leucas, limbatus, littoralis, macroti, macrodon, maou, megalodon, megalotis, melanopterus, menisorrhah, mexicanus, microps, milberti, minor, muelleri*, munsing, obesus, obscurus, oxyrhynchus, polygyrus, porosus, priscus, productus, rectidens, rondeleti, semiserratus, sorrah, subauriculatus, subserratus, sulcidens, taurus, temminckii, tenuis, toliapicus, turgidus, ustus, verus, vulgaris, vulpes.
- Carcharius** falcipinnis.
- Carcharodon** acutidens, aequilateralis, angustidens, auriculatus, bielzi, capensis, cavidens, crassidens, crassus, disauris, elegans, escheri, gracilis, grosseserratus, haidingeri, haueri, heterodon, inaequiserratus, lamia, lanceolatus, lanciformis, latidens, leptodon, macrodon, megalodon, megalotis, minor, mortoni, polygyrus, productus, rectidens, recurvidens, rondeleti, semiserratus, subauriculatus, subserratus, sulcatus, sulcidens, toliapicus, turgidus.
- Carcharodus** altheae, lavatherae, malvae.
- Carcharopsis** prototypus.
- Carchesium** chlorostigma, fasciculatum, nebuliferum, pictum, polypinum, pygmaeum, spectabile.
- Carcina** cancella, christiella, flamella, formosella.
- Carcinon** clypeatus.
- Carcinium** opalinum, sociale.
- Carcinobaena** pilula.
- Carcinococcus** costae*.
- Carcinus** maculatus, maenas, olivaceus, pallidus.
- Cardanus** sulcatus.
- Cardellina** amicta, rubra.
- Cardiacephala** longipes, podagrica.
- Cardiacera** dispar.
- Cardiaderus** chloroticus.
- Cardiapoda** carinata, caudina, pedunculata.
- Cardiapus** mathewsi, tardus.
- Cardiaster** aequalis, cinctus, cordiformis, excentricus, fimbriatus, greenoughi, pygmaeus.
- Cardigenius** cicatricosus, laticollis.

Cardilia mermis, laeviuscula, martini, michellottii.

Cardinalia elata.

Cardinalis carsoni, carneus, granadensis, lessoni, phoeniceus, sinuatus, virginianus.

Cardinia abbreviata, abducta, acutus, amygdala, anglica, angusta, antiqua, aptychus, attenuata, bartlingi, bicarinata, carbonaria, cincta, complanata, compressa, concinna, convexa, corrugata, costata, crassissima, crassistria, crassiusculus, cuneata, cyprina, depressa, devonica, dorsata, dufronoyi, eichwaldiana, elegans, elliptica, elongata, exilis, gibbosa, gibbosula, goldfussiana, bamiltonensis, hybrida, idalia, imbricata, inflata, itea, laevis, lamellosa, laminata, lanceolata, lebruni, liasina, listeri, machaeraeformis, muensteri, nana, nilsoni, oblonga, ovaliformis, ovalis, ovata, phaseolus, philea, quadrata, recta, robusta, roemerii, scutula, securiformis, similis, sinemuriensis, striata, striatula, subconstrictus, subelliptica, sublaevis, sublamellosa, subparallela, subproblematica, sulcata, tellinaria, trigona, trigonellaris, umbonata, ungeri, uniformis, unioides, utrata, vetusta.

Cardiochiles saltator.

Cardiodon rugulosus.

Cardiola articulata, biplicata, cardioptera, concentrica, dichotoma, duplicata, elegans, fibrosa, interrupta, retrostriata, sinuosa, spurius, subdecussata, tegulata, verrucosa.

Cardiomeria dubia, elongata, genei, valida.

Cardiomorpha antiqua, archiaciana, axiniformis, compressa, concentrica, corrugata, costellata, egertoni, elliptica, elongata, globosa, humboldti, koninckiana, lamellosa, laminata, livida, luciniformis, minuta, modioliformis, nana, obliqua, oblonga, obsoleta, orbicularis, ovata, poststriata, prisca, pristina, puzosiana, pygmaea, radiata, scalaris, senilis, striata, subangulata, subtruncata, sulcata, tanaïs, tenera, tenuistria, undulata, ventricosa, vetusta.

Cardiophorus abdominalis, acuminatus, agrestis, amictus, areolatus, atramentarius, attenuatus, axillaris, basalis, biguttatus, bipunctatus, bisignatus, brauni, brunneicollis, brunneus, californicus, campylinus, cayennensis, charactericus, cinereus, cognatus, collaris, colon, concolor, conductus, consentaneus, convexus, crassicollis, crux, debilis, decumanus, dilutus, dimidiatus, dioptricus, discicollis, dorsalis, ebeninus, effusus, equiseti, erythropus, exaratus, exiguus, exoletus, exotinctus, fastidiosus, femoratus, flavus, fulvicornis, fuscatus, gagates, geminatus, gibbulus, hepaticus, histrio, hottentottus, humilis, incanus, inconspicuus, infimus, iuncus, lacertosus, laevis, lateralis, latiusculus, lentus, ligatus, linearis, longicollis, longulus, luzonicus, marcidipes, megathorax, melampus, musculus, nigerrimus, nigricollis, notatus, oblitus, ornatus, pallipes, pictus, placidus, plagiatus, popularis, posthumus, posticus, praecox, pruinosis, quadriguttatus, quadriplagiatus, quadrivulneratus, relictus, repandus, rhodopus, rotundicollis, rubripes, ruficollis, rufipes, rufulus, sacratus, sanguinicollis, sexguttatus, sexmaculatus, sordidus, spadiceus, spernendus, stotulus, subulipennis, suturalis, tabidus, tantillus, terminalis, testaceus, thoracicus, tibialis, troglodytes, turgidus, umbrosus, vagus, variabilis, ventralis, vestigialis, vicinus, vitellinus.

Cardiophthalmus clivinoideus, longitarsis, stephensi.

Cardiorhinus acuminatus, antennalis, attenuatus, axillaris, bilineatus, castaneipes, circumcinctus, frenatus, humeralis, hypocrita, piciventris, plagiatus, rufescens, rufilateris, sagittalis, seminiger, suturalis, testaceus.

Cardisoma aspasia, carnifex, cordator, guanhum.

Cardissa alba, spinosa.

Cardita abbreviata, abrupta, abyssicola, aculeata, acuticostata, affinis, ajar, alpina, alternans, alticostata, ambigua, analis, angisulcata, angusta, angusticostata, antiquata, antiquatus, antiquitata, arata, arcella, arduini, aspera, asperula, astieri, avellana, avicularia, aviculina, bicolor, bilineata, borealis, broccii, calcitrapoides, canaliculata, cardioides, cardissoides, carinata, carolineusis, carpomorphus, cenomanensis, chamaeformis, citrina, complanata, compressa, concamerata, constanti, coracium, corbis, corbularis, corrugata, costellata, cottaldina, crassa, crenata, cuvieri, cymbula, decisa, decussata, deltoidea, densata, depressa, distorta, dubia, dunkeri, dupiniana, duplicata, elegans, elongata, esmarki, etrusca, excisa, exigua, extensa, fabula, fenestrata, ferruginosa, flabellum, flamma, gallicina, geinitzi, gibbosa, globulina, goldfussi, granulata,

gubernaculum, guerangeri, guinaica, hebertiana, hippopea, hoeninghausi, imbricata, imbricatus, incrassata, incrassatus, inermis, intermedia, interrupta, jouanneti, kickxi, lacunosus, laevis, laticostata, laurae, lirata, lithophagella, lunulata, maggiore, malviuae, margaritacea, marmorea, michelini, minuta, mitis, modiolus, monilifera, multicostata, munchisoni, muricata, naviformis, neoconiensis, nitida, nodulosa, nuculina, obliqua, obtusa, omaliana, orbicularis, ovalis, ovata, partschi, parva, parvula, patagonica, pectinata, pectiniifera, pectuncularis, perplana, phrenitica, pica, planicosta, preissi, proboscidea, procera, producta, pseudocrassa, quadrata, quadrilatera, radiata, radula, rhomboidea, rotunda, rubicunda, rudista, rufa, rufescens, rugosa, scabricosta, scalaris, semen, semiorbiculata, semistriata, senegalensis, similis, sinuata, sinuosa, spissa, spurca, squamiferus, squamosa, squamosus, squamulata, squamulosa, striata, strigillata, subalpina, subaspera, subcarinata, sublaevigata, subminuta, subquadrata, subrotunda, subtexta, sulcata, sulcatus, tankervillei, tegulata, teneucosta, tenuis, teretiuscula, terminalis, tetragona, thoursi, trapeziformis, tricarinata, tricolor, tridacnoides, tridentata, trigona, triplex, truncata, tuberculata, tumida, turgida, V costata, valenciennesi, varia, ventricosa, vicinalis, vigintinaria, volucris.

Carditamera floridana, protracta.

Cardium acardo, aculeiferum, acutangulum, acuticostatum, acutulaqueatum, acuti-rostrum, adamsi, aegyptiacum, affine, agassizi, alaeforme, aleuticum, alternans, alternatum, altum, alutaceum, ambiguum, amnicum, andreae, angulatum, angustatum, angusticostatum, anonale, apertum, aquilinum, arcella, arcticum, arcuatum, arenicolum, arquatum, articulatum, asiaticum, aspersum, asperulum, asperum, assimilis, astierianum, attenuatum, auca, aurantiacum, austeni, australe, australiense, australinum, aviculinum, bajocinum, baremensis, bavaricum, beaumonti, bechei, becksi, belcheri, belticum, benstedii, biangulatum, bicarinatum, bimarginatum, bipartitum, biradiatum, bisectum, bispinosum, blandum, boreale, brasilianum, brauni, bullatum, burdigalinum, calcitrapoides, californianum, californiense, camilla, canaliculatum, carditaeformis, carinatum, carnuntinum, carolinum, caspium, caudatum, cenomanense, chamoides, chordotomum, ciliare, cingulatum, citrinoidium, citrinum, clodiense, cognatum, collegno, colombianum, concentricum, concinnum, conjungens, coniacum, consors, constanti, corallinum, corbuloides, cordierianum, cornu copiae, cornuclianum, corrugatum, costatum, costulatum, cottaldinum, crassatellatum, crassidens, crassum, craticuloides, crenato-costatum, crenatum, crenulatum, cruentum, cryptum, cuculatum, cumingi, cybele, cymbulare, cyprium, debeyanum, decoratum, decorticatum, decussatum, deltoideum, dentatum, dentex, denticostatum, depressum, dertonense, deshayesi, devonicum, dichotomum, diluvianum, dimidiatum, diodonaeum, discors, discrepans, disjunctum, dissimile, distans, distortum, diversum, donaciformis, dubium, dupinianum, duplicatum, dupichense, durum, dutempleanum, echinatum, edentula, edentulum, eduliforme, edulina, eichwaldi, elatum, elegans, elegantulum, elenense, elongatum, emarginatum, enode, erato, erinaceum, erosne, erythronum, eulimene, eupheno, eversum, exasperatum, exoticum, extensum, fasciatus, faujaci, ferdinandum, ferox, ferruginosum, fibrosus, fimbriatum, fittoni, forbesi, fornicatum, foveolatum, fragile, fragum, galeatum, galloprovinciale, gentianum, gibberulum, gibbum, gigas, glabrum, glebosum, globosum, goldfussi, gourieffi, gracile, graniferus, granulatum, granulinum, granulosum, grateloupi, gratum, groenlandicum, guerangeri, guttiferum, haitense, harpa, hausmanni, heteroclitum, hians, hibernicum, hibridum, hillanum, hippopaeum, hirsutum, hispidum, hiulcum, hypericum, hyppopaeum, hystrix, ibbetsoni, imbricatorium, imbricatum, impolitum, impressum, inaequicostatum, incarnatum, incertum, incomptum, incrassatum, indicum, induratum, inornatum, inscriptum, insepultum, intermedium, interpunctatum, interruptum, intersectum, intextum, inversum, iowensis, irregulare, islandicum, itierianum, junoniae, jurense, kalamantanum, kuebecki, labeculatum, lacunosum, lacustris, laevis, laevigatum, lamarcki, lamellosum, laperousei, laqueatum, laterale, laticostatum, latisulcatum, latisulcum, latum, lautum, leptopleura, leve, levesquei, lima, lineatopunctatus, lineatum, lineolatum, lithopodolicum, littorale, lobatum, loricatum, loveni, lucerna, luciense, luridum, lyelli, lyratum, macrodon, maculosum, madridi, mailleanum, marginatum, marmoreum, marquarti, marticense, medium, mehlii, meneghinii, menippe, michelini, mindanense, minimum, minutum, modestum, modiolare, mordax,

mortoni, moutonianum, multicostatum, multipunctatum, multiradiatum, multi-spinosum, multistriatum, multisulcatum, mundum, murchisoni, muricatum, muriculatum, mutabile, muticum, mytiloides, natalense, nautiloides, nebulosum, neptuni, niciense, nicolletti, nitens, nivale, nodosum, nodulosum, nuciforme, nudum, nummuliticum, nuttalli, obliquatum, obliquum, obovale, obscurum, obsoletum, olisiponense, orbiculare, orbignyana, orbita, ordinatum, ornatum, ottonis, ouralicum, ovale, ovatum, oviputamen, ovuloides, oxygonum, pallasianum, pallidum, palmatum, panamense, papillosum, paradoxum, parasitum, parisiense, parkinsoni, parvum, paucicostatum, pecteniforme, pectinatum, pectiniforme, pectinioides, pectinoideum, pectunculoides, pedernalis, pellucidum, pennanti, peregrinorsum, peresi, pes bovis, pbilippianum, pholadiforme, pictaviense, pinnulatum, pisolitium, planatum, planicostatum, planum, platense, plebeium, plicatum, plumstedianum, polii, politum, polonicum, problematicum, proboscideum, procerum, productum, propinquum, protei, protractum, protrusum, pseudocardium, pseudo-fossile, pseudolima, pubescens, pulchrum, pulchellum, pulchrum, pulicarium, punctato-striatum, punctatum, punctulatum, pustulosum, pygmaeum, quadragenarium, quadrans, quadrarium, quinquecostatum, rachitis, racketti, radiatum, radula, rastrum, raulini, raulinianum, requinianum, reticulatum, retrostratum, rhombeum, rhomboides, richardi, rigidum, ringens, ringiculum, robustum, roseum, rostratus, rotundatum, rouyanum, rubellum, rubicundum, rubrum, rugatum, rugosum, sancti sabae, scabrum, scobinatum, scutellatum, semialatum, semicinetum, semicostatum, semigladium, semigranulatum, semipapillatum, semipunctatum, semipustulosum, semiseptiferum, semistriatum, semistriatum, semisulcatum, senticosum, septiferum, serrigerum, setosum, siculum, sinense, sinuosum, sotteri, sowerbyanum, speciosum, spbaeroideum, spinosum, spondyloides, spurius, squamulosum, stellatum, strangulum, striatopunctatum, striatum, striatum, striolatum, subalatum, subalternatum, subangulum, subarquatatum, subasperulum, subcarinatum, subdecussatum, subdeltoideum, subdentatum, subdichotomum, subdinnense, subdiscors, subdissimile, subdubium, subelongatum, subfragile, subfragile, subgranulatum, subhians, subhillanum, subincertum, subintermedium, sublamellosum, sublatum, sublima, sublineatum, subminutum, submulticostatum, subporulosum, subpunctatum, subpygmaeum, subradiatum, subretusum, subrugosum, subsimile, substriatum, substriatum, subsulcatum, subtrigonomum, subtruncatum, subventricosum, suedense, sulcatum, sulcatum, sulcatus, sulciferum, taurinum, tegulatum, telluris, tenellum, teuerum, tenue, tenuicostatum, tenuis, tenuistriatum, tenuisulcatum, tetragonum, textum, texturatum, toucasianum, transversale, transversum, triangulare, triangulum, trifforme, trigonum, tripartitum, truncatum, tuberculatum, tubuliferum, tubulosum, tumidum, tumoriferum, turgidum, umbonare, umbonatum, undatum, unicolor, uimaculatum, vandenecki, variegatum, ventricosum, verneuili, verneuilianum, verrucosum, vertebratum, vetustum, vicksburgense, villeneuvianum, villuarensis, vindiense, vindobonense, virginianum, virgo, vitellinum, volti, zonatum.

Cardophorus formosus.

Carduelis americana, atratus, aurata, borealis, burtoni, canaria, canariensis, caniceps, citrinellus, coccinea, colombianus, cucullata, effrenata, elegans, frenata, germanica, lawrencei, lepidi, luteus, luxuosus, macroptera, magellanicus, melanotis, melba, mexicanus, montium, nipalensis, nitens, notata, pinus, polygoni, psaltria, psittacea, rufibarba, rufogularis, sanguinolenta, septentrionalis, serinus, spinoides, stanleyi, subulatus, tristis, yarrelli.

Carebara lignata.

Carelophus stroemi.

Carenostylus infuscatus.

Carenum bonelli, cyaneum, fabricii, gemmatum, intermedium, loculosum, marginatum, megacephalum, perplexum, politum, quadri-punctatum, scaritoides, smaragdulum, spencei, sumptuosum, tinctilatum, viridipenne.

Caretta atra, bissa, caouana, cepedei, cephalo, esculenta, imbricata, mydas, nasicornis, nasuta, thunbergi, virgata.

Caria (Col.) abbreviata, commingi, dilatata, dorsalis, duodecim-spilota, duvauceli, regalis, sex-spilota, trochilus.

Caria (Lep.) colubris.

Cariacus leucurus, lewisi, macrotis, punctulatus, virginianus.

Cariama cristata, saurophagus.

Caricea analis, communis, distincta, erythroceræ, femoralis, fusca, lappæ, leucophaea, limpipennis, littoralis, pallipes, paludosa, plumosula, riparia, tarsalis, tristis, vittata, vulgaris.

Caricella bolaris, demissa, doliata, praetenuis, pyruloides.

Carida viridis.

Caridina denticulata, desmaresti, longirostris, typus.

Carina moschata.

Carinairoida placenta.

Carinaria atlantica, australis, cithara, cymbium, depressa, fragilis, galea, gelatinosa, gracilis, mediterranea, punctata, vitrea.

Carinaropsis carinata, orbiculatus, patelliformis.

Carine passerina.

Carinea gibbosa.

Carinella trilineata.

Carineta basalis, formosa, leuconeura, pilosa, sciras, submarginata, trichiosoma, villosa.

Carinidea brevispinis, concavus.

Cariophyllia vermicularis.

Caris trinotata.

Carites calidris, fuscus, glareola, hypoleucus, ochropus, stagnatilis.

Carlia melanopogon.

Carna membranacea.

Carnifex carnifex, naso.

Carnus hemapterus.

Carocolla acutimargo, acutissima, albella, albilabris, angistoma, angulata, angustata, atomata, barbadensis, barbata, bicolor, bifasciata, bifurcata, cariosa, cinæ, cumberlandiana, edgariana, elata, elegans, eolina, fibula, filimargo, filomarginata, gargottæ, globosa, grata, gualteriana, helicoides, hispidula, hydiana, incisa, inflata, julia, labyrinthus, lampas, lapicida, lapicidites, lenticula, leucas, limbata, listerae, listeri, lonchostoma, lucerna, lychnuchus, maculata, madagascariensis, magna, marginata, mauritiana, novæ hollandiæ, orientalis, pileolus, pileus, planaria, planata, plicata, pyramidella, pyrostoma, quadridentata, rangi, scabrella, scabrosa, segestana, selinuntina, smaragdina, soror, spinosa, stoddarti, subplanata, tectiformis, terveriana, tripolitana, trochiformis, turcica, turrita, uncigera, unifasciata, variegata, verrucata. *Vide et Caracolla.*

Carocollina afficta, barbata, cestus, cicercula, coreyrensis, discus, lens, lenticula, macrodon, rangiana, subtilis.

Carolia placunoides.

Carollia boliviensis, brazilensis.

Carpalimus affinis, arcuatus, atratus, bicolor, bilineatus, bruniceps, fuliginosus, obscurus, picipennis, rufipennis.

Carphurus brevipennis, cervicalis, dispar, luteolus.

Carpilius cinctinanus, conocrus, corallinus, lividus, maculatus, marginatus, praetermissus, roseus, signatus, venosus.

Carpio kollari, regina, striatus.

Carpocapsa arcuana, aspidiscana, aurana, boisduvaliana, cana, cantiana, fulvana, gallicana, grossana, hypericana, kockellana, lanceolana, leplastriana, perlepidana, pomonana, pomonella, pupillana, rheediella, rufana, scopolianna, simploniana, splendana, stelliferana, strigana, woerberana.

Carpococcyx radiatus, radiceus.

Carpocoris bilunata, eryngii, nigricornis, nubica, persica, pusio.

Carpocrinus expansus, simplex.

Carpodacus crassirostris, erythrinus, frontalis, obsoleta, payraudæi, phoenicopterus, puniceus, purpureus, rhodochlamys, rhodochroa, rhodopepla, roseus, rubicilla, sanguinolentus, sinaiticus, sophia, synoica, thura.

Carpodes pilula.

Carpolites *myristica*, *pertusus*.

Carpophaga *aenea*, *auricularis*, *aurorae*, *badia*, *bicolor*, *casta*, *cineracea*, *cuprea*, *elphinstoni*, *forsteri*, *grisea*, *gularis*, *insignis*, *janthina*, *kittlitzii*, *lacernulata*, *latrans*, *leucomela*, *luctuosa*, *madagascariensis*, *magnifica*, *melanoleuca*, *metallica*, *mulleri*, *myristicivora*, *norfolciensis*, *novae zeelandiae*, *oceanica*, *pectoralis*, *perspicillata*, *pinon*, *poliocephala*, *puella*, *punicea*, *radiata*, *rosacea*, *rufigaster*, *spadicea*, *sylvatica*, *vitiensis*, *wilkesi*, *zoeae*.

Carpophagus *banksiae*.

Carpophilus *antiquus*, *biguttatus*, *bimaculatus*, *bipustulatus*, *brachypterus*, *castanopterus*, *corticinus*, *dimidiatus*, *discolor*, *flavidus*, *flexuosus*, *floralis*, *hemipterus*, *humeralis*, *humilis*, *immaculatus*, *languidus*, *marginatus*, *melanopterus*, *minutus*, *morio*, *mutabilis*, *mutilatus*, *niger*, *notatus*, *obsoletus*, *ochraceus*, *ochropterus*, *pusillus*, *quadrisignatus*, *rubripennis*, *sempustulatus*, *sordidus*, *succisus*, *tempestivus*, *tristis*, *truncatus*.

Carpornis *arcuata*, *cucullata*, *melanocephala*, *nigra*, *rubrocristata*.

Carrillus *oblongus*.

Carsia *imbutata*, *plagiata*, *sororiata*.

Cartallum *ruficolle*.

Carterodon *sulcidens*.

Carterus *gracilis*, *interceptus*, *microcephalus*, *rotundicollis*, *rufipes*, *squalidus*.

Cartilospongia *rigida*.

Carvanaca *grisea*.

Caryatis *phileta*, *rutila*.

Carybdea *alata*, *bicolor*, *bitentaculata*, *campanella*, *cymballoidea*, *danica*, *hemisphaerica*, *hemistoma*, *marsupialis*, *microscopia*, *periphylla*, *perla*, *pisifera*, *sanguinolenta*, *tetramena*, *tetranema*.

Carychium *antiquum*, *bidens*, *cochlea*, *corticaria*, *elongatum*, *exiguum*, *exile*, *fuscum*, *gigas*, *goodalli*, *incrassata*, *indicus*, *lineatum*, *menkenianum*, *minus*, *minutissimum*, *myosotis*, *personatum*, *politum*, *pygmaeum*, *pyramidalis*, *simulata*, *spaeleum*, *spectabile*, *turgida*, *undulatum*.

Caryoborus *cruciger*, *germari*.

Caryocatactes *caryocatactes*, *guttatus*, *maculatus*, *nucifraga*.

Caryocrinites *globosus*, *granulatus*, *hexagonus*, *insculptus*, *loricatus*, *meconideus*, *ornatus*.

Caryocystites *davisi*, *granatum*, *litchi*, *munitus*, *pyriformis*, *testudinarius*.

Caryophyllaeus *cochleariforme*, *cyprinorum*, *mutabilis*.

Caryophyllea *affinis*, *annularis*, *centralis*, *duplicatus*, *fasciculata*, *junceae*.

Caryophyllia *aculeata*, *affinis*, *affixa*, *altavillensis*, *amica*, *ananas*, *angulosa*, *anthophyllum*, *arbuscula*, *astrata*, *astreated*, *aurantiaca*, *australis*, *basteroti*, *berteriana*, *biformis*, *bisulcata*, *bithalamia*, *borealis*, *brevis*, *calvomontii*, *calycularis*, *capulus*, *carduus*, *cariosa*, *cenomana*, *cespitosa*, *cingulata*, *clavigera*, *clavus*, *compressa*, *conferta*, *conulus*, *convexa*, *cornicula*, *cornigera*, *cornucopiae*, *cornuta*, *corymbosa*, *costulata*, *cristata*, *cubensis*, *cuneata*, *cyathus*, *cylindrica*, *deshayesiana*, *dianthus*, *dichotoma*, *dilatata*, *dolium*, *dubia*, *duplicata*, *elongata*, *europaea*, *explanata*, *extinctorium*, *fascicularis*, *fasciculata*, *fastigiata*, *faxoensis*, *flexuosa*, *flexuosum*, *geniculata*, *gigantea*, *glabrescens*, *globosa*, *globularis*, *gracilis*, *gravenhorsti*, *griselinii*, *grumi*, *italica*, *lacera*, *lacrymalis*, *mammillaris*, *moreausiaca*, *multistellata*, *musicalis*, *panteniana*, *pedata*, *pedemontana*, *pileus*, *plicata*, *ponderosa*, *pseudocalvimontii*, *pseudocernua*, *pseudosherbinolia*, *pulmonaria*, *pygmaea*, *quadrifida*, *ramea*, *reptans*, *retorta*, *rugulosa*, *sessilis*, *sexdecimalis*, *sinuosa*, *smithii*, *solitaria*, *striata*, *striatulata*, *subcylindrica*, *subdichotoma*, *subvasiformis*, *trichotoma*, *truncata*, *truncularis*, *vasiformis*.

Caryothraustes *atrosolivaceus*, *cayanensis*, *episcopus*.

Carystus *abebalus*, *hylaspes*, *jolus*, *jovianus*, *lapithes*, *phyllus*.

Casarca *cana*, *leucoptera*, *rutila*, *variegata*. *Vide et Casarka*.

Casarea *dussumieri*.

Casarka *castanea*, *rutila*, *tadornoides*, *variegata*. *Vide et Casarca*.

Cascellius *aeneoniger*, *gravesi*, *kingi*, *nitidus*.

Casignetus *geotrupoides*.

Casmarrhinchos *carunculatus*, *melanocephalus*, *nudicollis*, *variegata*.

Casmarrhynchus *ecarunculatus*.

Casmerodius egrella, garzetta.

Casnomia aenea, armata, bimaculata, crispa, cyanocephala, de haani, dimidiata, distigma, flavicornis, funcki, fusca, fuscipennis, geniculata, inaequalis, indicus, leprieuri, lineola, longicollis, ludoviciana, maculicornis, marginestriata, menyanthidis, pensylvanica, pensylvanica, peruana, picta, plicaticollis, pustulata, quadrimaculata, quadrisingnata, rufipes, rugicollis, senegalensis, subtilis, surinamensis, tetraspilota, transversalis, varicornis.

Casuaris casuarius.

Cassia cornuta.

Cassculus albirostris, chrysonotus, coronatus, hemorrhous, leucoramphus, melanicterus, prevosti.

Cassicus affinis, albirostris, angustifrons, animosus, ater, atrovirens, azarae, badius, bifasciatus, bursarius, chrysonotus, cristatus, devillei, festivus, haemorrhous, icteronotus, latirostris, leucurus, niger, nigerrimus, oseryi, palliatus, persicus, popayanus, pyrolypogaster, solitarius, uropygialis, viridis, yuracares.

Cassida abdominalis, aciculata, aculeata, adamantina, adhaerens, adspersa, aenea, aeneo-maculata, aequinoctialis, aerea, albicollis, albida, algerica, alpina, alumina, amplexa, ampulla, ancora, anglica, angulata, angusticollis, annulus, antiqua, apicalis, apicata, arcuata, areata, areolata, armata, armigera, aurata, aurichalcea, aurofasciata, aurora, aurulenta, australasiae, axillaris, azurea, badia, basalis, bella, berlinensis, bicolor, bicostata, bistripunctata, bivittata, capensis, carbonaria, carnulenta, cayennensis, centralis, chalybea, chelidonaria, chloris, chlorotica, circinaria, circularis, circulata, circumcincta, circumdata, circumpunctata, circumscripta, citrina, clatrata, cognata, collaris, complanata, confinis, conspersa, constellata, cornigera, corrugata, cribrum, cruciata, cruentata, cyanella, cyclops, dahli, decemguttata, denticollis, denudata, desertorum, diaphana, dichroa, didyma, dilatata, diomma, discors, disjuncta, divaricata, divisa, dorsigera, dorso-punctata, echinata, elatior, elevata, erythroceras, exsculpta, fasciata, fenestrata, festiva, fimbriata, flavescens, flavicans, flavicincta, flavolineata, flavo maculata, fornicata, fuliginosa, fuscata, gallica, gemmata, glabrata, glaucovittata, globosa, graminea, grandis, graphica, guerini, hablitziae, haemaspis, haematodes, helianthi, herbea, hermione, horticola, humeralis, hyperborea, illustris, illyrica, immutabilis, implexa, impustulata, indica, inoculata, inquinata, insignis, intricata, iris, irrorata, latreillei, leyana, limbata, lineolata, liquida, littoralis, lucida, luctuosa, lugens, lugubris, luteola, lutescens, maculosa, madagascariensis, malachitica, marmorata, marmorea, megapenthes, mera, meridionalis, metallica, micans, minuta, monoceros, morbillosa, morio, multicava, mutabilis, nervosa, nigricornis, nigrocincta, nigropunctata, nitida, nitidula, nodipennis, nodosa, normalis, notata, novaeguineensis, novemmaculata, oblonga, obovata, obsoleta, ochracea, octo pustulata, orientalis, ornata, pallida, pallidipennis, pallidula, pallifera, pallipes, pantherina, pectoralis, piperata, plana, platynota, plecta, plicata, plumbea, polita, postica, prasina, pugionata, pulchra, punctaria, punctatissima, puncticollis, punctipennis, punctulata, punctum, pusilla, pygmaea, quadra, quadri-lineata, quadrimaculata, quadri-punctata, quadri-remis, quadri-signata, quattuordecim-maculata, quattuordecimpunctata, quinque-fasciata, quinquepunctata, quinqesignata, reticulata, rosea, roseo-cincta, rubicunda, rubra, rufa, rufocincta, rufovirens, rugosa, rutila, sabicorniae, sanguinosa, scalaris, scutellaris, seladonia, semicircularis, seraphina, sertata, sexguttata, sex lunata, sex-punctata, sibirica, silacea, similis, smaragdina, solani, spadicea, specularis, spergulae, spinifer, splendidula, stictica, stigma, stigmata, stigmatica, strigata, sub-lineata, subreticulata, sulcata, suturalis, swartzii, taeniata, tenella, tessellata, testa, testudinaria, transversalis, tredecimpunctata, tricolor, trilineata, trimaculata, tri-punctata, tristis, trivittata, tucumanensis, turrita, U fuscum, undecim-notata, unicolor, unipunctata, varia, variolata, vestita, vicina, virescens, vitrea, vitreata, zona.

Cassidaemyia agilis, clausa, forcipata, gagatina, musca, nigripennis, phaeoptera, rapida, tessellata.

Cassidaria acuta, ambigua, bicatenata, cancellata, carinata, cingulata, coronata, crumena, cythara, depressa, deshayesi, diadema, echinophora, funiculata, funiculosa, incerta, laeve, laevigata, lamarki, lintea, minuta, nodosa, nysti, obtusa, oniscus, orbiculata, plicata, scilla, striata, striatula, textiliosa, tuberculata, tyrrhena, vexillum.

- Cassidea** achatina, areola, bandata, denticulata, erinaceus, glauca, granulosa, labiata, plicaria, plicata, punctata, pyrum, ringens, semigranosa, sulcosa, tuberculata, zebra, zelanica.
- Cassidina** typa.
- Cassidites** avellana, cornutus.
- Cassidix** cassidix, corrugatus.
- Cassidula** aequalis, monilis.
- Cassidulina** crassa, laevigata, oblonga, pulchella, punctata, pupa.
- Cassidulus** (Ech.) aequoreus, australis, belgicus, caribaeorum, complanatus, faba, fibularoides, hayesianus, lapis-cancrī, lenticulatus, marmini, nummulinus, patellaris, porpita, richardi, scutella, scutellatus, testudinarius, unguis, veronensis.
- Cassidulus** (G.) chemnitzī, cochlidium, dubius, felis, guadalupensis, mustelae, nucleus.
- Cassiopea** andromeda, anglica, aurita, borbonica, borlase, borlasea, canariensis, dieuphila, forskalea, frondosa, lineolata, lunulata, mertensi, pallas, rhizostomoidea.
- Cassis** abbreviata, achatina, aeneae, affinis, alba, areola, avellana, bellardi, bicarinata, bicaenatus, bilineata, bisulcata, brevicostatus, caelata, caelatura, calantica, canaliculata, cancellata, carinata, centriquadrata, cicatricosa, coarctata, cornuta, coronulata, corrugata, crumena, cypraeiformis, cythara, diadema, diluvii, doliata, elegans, eparcyensis, exaltata, exarata, fasciata, fimbriata, flammea, germari, gibba, globulus, granulosa, harpaeformis, hodgii, incrassata, inflata, inflatus, intermedium, interrupta, japonica, labiata, lactea, laevigata, lineata, madagascariensis, major, manillaris, marginatus, massenae, minuta, mississippiensis, monilifer, muricata, nodosa, nodulifera, nodulosa, nuperus, obliquata, orbiculata, paucirugis, pila, plicaria, pygmaea, pyrum, recurvirostrum, reticulata, ringens, rondeleti, rotundata, saburon, saussurea, scrobiculata, sculpta, semigranosa, spinosa, striata, striatella, striatus, striolata, sulcata, sulcifera, sulcosa, taiti, tenuilabris, tenuis, tessellata, testiculus, texta, thesei, torquata, tuberosa, turgida, variabilis, variegata, verrucosa, zebra, zeylanica.
- Cassowara** eximia.
- Castalia** (Ann.) punctata, rosea.
- Castalia** (Col.) bimaculata, bipustulata, impustulata, metallica.
- Castalia** (L.) ambigua, cordata, duprei, inflata, quadrilatera, sulcata.
- Castalius** clyton, naxus, rosimon.
- Castiarina** apicalis, militaris.
- Castnia** acraeoides*, actinophorus, actor, amycus, ardalus, atymnius, brecourt, cochrus, cronis, cyparissias, daedalus, dalmanni, decussatus, erycinia, eudesmia, euphrosyne, evaltho, fabricii, fonscolombe, geron, harmonius, hegemon, icarus, kirsteni, langsdorffi, latreillei, licas, licus, linus, marcel-serres, maris, mygdon, nicon, orontes, palatinus, pallasia, pelagus, phalaris, pylades, satrapes, schreibersi, spixi, sternbergi, thais, thalaira, therapon, zerynthia.
- Castnius** juppiter, lucagus, pelagus.
- Castor** americanus, canadensis, coypus, danubii, europeus, fiber, jaegeri, ohioense, priscus, sigmodus, spelaeus, trogontherium.
- Castoroides** ohioensis.
- Castrinus** trivialis.
- Casuarus** casuarus, diemenianus.
- Catacanthus** aurantius, incarnatus, nigripes.
- Catachaenus** cinctellus.
- Cataclysmes** riguata.
- Cataclysta** inauralis, lemnalis, lemnata, magnificalis.
- Catacola** fraxini, nupta, paranymphea, sponsa.
- Catadromus** australis, lacordairei, tenebrioides.
- Catagenus** rufus.
- Cataglyphis** fairmairei.
- Catagramma** anna, astala, astarte, bomplandi, clymenus, consobrina, cyllene, cynosura, discoidalis, heraclitus, hesperis, humboldti, hydarnis, hydaspes, hystaspes, lebasi, lyca, lyrophila, marcheli, oppeli, orbignyi, pitheas, pygas, pyracmon, sorana.
- Catalalus** madagascariensis.

- Catalasis** australis, pilosa.
Catamblyrhynchus diadema.
Catamenia analis, analoides.
Catamiarus brevipennis.
Catamonus melaucholicus.
Catantostoma clathratum.
Cataphagus acuminatus, limbatus, lineatus, marginatus, obscurus, sputator.
Cataphonetes attenuata, levaillanti.
Cataphractus americanus, callichthys, carinatus, schoneveldi.
Catapiesis columbica, nitida.
Catapiestus mediocris, piceus.
Catapionus basilicus.
Catapycnus granulatus, nodulosus.
Catapyges albo-striatus.
Cataractes longicaudatus, parasiticus, pomarinus, richardsoni, skua, vulgaris. *Vide et*

Catarractes, Catarrhactes & Catharactes.

- Cataretes** atomus.
Catargyria druryi, laura, seraphina.
Catarractes pomaria. *Vide et* **Cataractes, Catarrhactes & Catharactes.**
Catarrhactes adeliae, antipodes, undulata.
Catasarcus bilineatus, hopei, impressipennis, rufipes, rugulosus, spinipennis, stigmatipennis, transversalis.
Catascia dilucidaria, obfuscaria, operaria.
Catascopus aequatus, affinis, atratus, auratus, australasiae, beauvoisi, brasiliensis, cyanellus, depressus, elegans, elevatus, facialis, femoralis, hardwicki, jucundus, lateralis, madagascariensis, nigripes, nitidulus, obscuriviridis, pauper, quadrimaculatus, quadrisignatus, regalis, rufifemoratus, rufipes, rugiceps, savagei, senegalensis, smaragdulus, specularis, violaceus, whitilli.
Catastia auricillialis, marginalis.
Catastomus forsterianus, gracilis, lesueurii.
Cataulax apicalis, macraspis, marmoratus.
Cateluna gesserensis, lemnae, linnaei.
Catenaria dentata, escharoides, tubulosa.
Catenicella bicuspis, divaricata, savignyi.
Catenipora agglomerata, approximata, axillaris, communicans, dissimilis, distans, escharoides, exilis, labyrinthica, michelini, orbignyana, parryi, pulchella, reticulata, spongiosa, verrucosa.
Catenula linnaei.
Catenularia angularis, gyrosa.
Catephia alchymista, cestis, leucomelas, trifasciata.
Caterectus granicollis, insularis.
Cateretes affinis, agarici, caricis, cinereus, conicus, dimidiatus, junci, linariae, nitidus, pallidus, pictus, pulicarius, pyrrhopus, rubicundus, ruficornis, rufilabris, scutellaris, solani, spissicornis. *Vide et* **Catheretes.**
Catergus concinnus.
Caternaultiella guineensis.
Cathaemia ada, anthyparete, belisama, dorimene, hirlanda, isse, xautholeuca.
Cathamistes pygaea.
Catharactes chrysocome, chrysolophus. *Vide et* **Catarractes, etc.**
Catharista aura, californianus, iota, urubu.
Catharsius molossus.
Cathartes atratus, aura, brasiliensis, burrovianus, californianus, capensis, europaeus, foetens, gryphus, jota, monachus, papa, percnopterus, ruficollis, urbis incola, urubu, vulturinus.
Catharus immaculatus.
Catheretes bipustulatus, brachypterus, glaberrimus, glabra, pulicarius. *Vide et* **Cateretes.**
Cathetorhinus melanocephalus.
Catheturus australis.

Cathormiocerus horrens, socius, variegatus, vestitus.

Catilia nitida.

Catillocrinites tennesseae.

Catillus brongiarti, concentricus, contortus, cordiformis, costatus, crispus, cuvieri, digitatus, diluvianus, gryphaeoides, humboldti, involutus, kellyi, kirkmaui, laevis, lamarki, latus, minutus, mytiloides, obliquatus, pernoides, pictus, plicatus, pyriformis, striatus, sulcatus, tenuis, transversus, trigonus.

Catla buchanani.

Catoblephas brooksi, gnu, gorgon, taurina.

Catocala affinis, agamos, callinympha, conjuncta, conversa, deducta, dilecta, diversa, dotata, electa, elocata, epione, eutychea, fraxini, hymenaea, modesta, neonympha, nupta, nymphaea, nymphagoga, optata, pacta, paranympa, promissa, protonympha, puerpera, separata, sponsa.

Catocalia fraxini.

Catocha latipes.

Catochaenum filamentosum, limbatum.

Catocheilus klugi.

Catochrysops centaurus, cyta, strabo.

Catodon albicans, colneti, polycyphus, septemstriatus, sibbaldi, suineval, trumpe.

Catogenus carinatus, castaneus, decoratus, distinctus, lebei, puncticollis.

Catogramma brome.

Catograpta concordaria, piniaria.

Catolethrus fallax, impressicollis, longulus, nasalis, pumilio, rufus, subcaudatus.

Catonephele chione, cupavia, eupalemaena, humilia, rabena.

Catophaga brassicae, bryoniae, buniae, cheiranthi, gliciria, josephine, leis, napi, paulina, pylotis, rapae.

Catophasia linariae.

Catophragmus imbricatus.

Catoplatus auriculatus, cardui, costata, parallelus, variolosus.

Catoprion mento.

Catops abdominalis, affinis, agilis, alpinus, ambiguus, angustator, anisotomoides, appendiculatus, australis, basilaris, bidentatus, blaptoides, brunneus, cadaverinus, caliginosus, castaneus, celer, chrysomeloides, clavicornis, coracinus, dauricus, dentipes, dissimulatus, elongatus, festinans, flavescens, flavipes, fornicatus, frater, fuliginosus, fumatus, fungicola, fuscipes, fuscus, grandicollis, kirbyi, lateritius, laticollis, leachi, longipennis, longulus, luridus, major, marginicollis, marshami, meridionalis, minutus, montivagus, nigricans, nigricollis, nigrita, nubifer, oblongus, opacus, ovatus, pallidus, picipes, pistilicornis, politus, praecox, punctatostratus, pusillus, quadraticollis, rotundicollis, rufescens, rufipennis, scitulus, sericatus, serripes, simplex, soror, spadiceus, spencei, striatus, subfuscus, terminans, tibialis, transversostratus, tristis, truncatus, umbrinus, varicornis, velox, vittatus.

Catopsilia alcmeone, crocale, hilaria, lyside, trite.

Catopsimorphus orientalis.

Catopterus analis, anguilliformis, gracilis, macrurus, parvulus, redfieldi.

Catoptes oblique signatus.

Catoptomus pallidus.

Catoptria albersana, aspidiscana, carduana, citrana, coecimaculana, conchalis, conterminana, cumulana, eumargaritalis, hohenwarthiana, hypericana, infidana, lacteana, luctiferalis, lutosana, messingiana, metzneriana, microgrammana, mytilalis, oblienana, pinetalis, pupillana, speculalis, succedana, ustulana, vappana, westwoodiana, winnmerana.

Catopyga obvoluta.

Catopygus affinis, alpinus, avellana, carinatus, castanea, columbarius, conformis, conradi, cylindricus, depressus, elongatus, fenestratus, goldfussi, gressly, laevis, minor, neocomensis, obovatus, obtusus, oviformis, ovulum, parvulus, piriformis, renaudi, semiglobus, subaequalis, subcarinatus, tenuiporus.

Catopyrrha dissimilaria.

Catorama tabaci.

Catostoma chalybium.

Catostomus anisurus, aureolus, aurora, bostoniensis, bubalus, carpio, communis, cyprinus, elegans, elongatus, erythrus, esopus, fasciolaris, flexuosus, gibbosus, hudsonius, longirostrum, macrolepidotus, maculosus, megastomus, melanotus, niger, nigricans, oblongus, oneida, planiceps, rostratus, suceti, sucetta, teres, tilesii, tuberculatus, velifer, vittatus, xanthopus.

Catostyrax catena.

Catoxantha bicolor, boisduvali.

Catriscus apicalis.

Catta mococo.

Cattus magna, minuta.

Catulus canicula, edwardi, marmoratum.

Caturates fuscus, glaucus, maximus, naevius.

Caturus angustissimus, angustus, branchiostegus, brevicostatus, bucklandi, elongatus, furcatus, granulatus, intermedius, latus, macrocephalus, macrodus, macrolepidotus, macrolepidus, macrurus, maximus, meyeri, micrichirus, nuchalis, obovatus, ovatus, pachyurus, pleiodus, similis.

Cauax tridactylus.

Cauchas conformella, fibulella, rufifrontella.

Caudisona miliaria, tergeminus.

Caudiverbera fasciata.

Caudivolvulus flavus.

Caudonia agylla.

Caulastraea distorta, furcata, undulata.

Caulobius (Col.) modestus, rufescens, villosus.

Caulobius (Lep.) sparganiellus.

Caulodromus graciei.

Caunopora placenta, ramosa.

Causima vidua.

Causus rhombeatus.

Cavaria gracilis.

Cavator saxatilis.

Cavernularia obesa.

Cavia aperea, australis, bilobidens, boliviensis, brasilianus, cristata, cutleri, cutteri, flavidens, fulva, gracilis, kingi, leucopyga, nigricans, obscura, oeningensis, puka, robusta, rufescens, rupestris, saxatilis, spixi, subniger, sulcidens, varia, viscaccia.

Cavolina affinis, alba, angulosa, aquensis, auriculata, branchialis, crassicornis, flava, gibbosa, globulosa, inca, inflexa, labiata, limbata, longicornis, longirostra, patagonica, peregrina, pisum, quadridentata, rubra, subrosacea, taeniobranchia, tridentata, uncinata.

Cavolinella lendinosa.

Cavolinia rosea.

Cazira verrucosa.

Cea pulcaris.

Ceblephyrus aureus, bicolor, fimbriatus, flavus, javensis, levaillanti, lobatus, lugubris, melanops, niger, novae guineae, papuensis, striga.

Ceblepyris affinis, ardoisiacus, atriceps, australis, axillaris, caesia, cana, chilensis, cinereus, cinnamomea, coerulescens, cucullata, culminatus, grisea, humeralis, jardini, karu, labrosus, larvata, leucomela, lineatus, luctuosus, maxima, melanoptera, melanoxantha, melas, morio, niger, orientalis, pectoralis, personatus, perspicillatus, phaeniceus, phoenicopterus, plumbea, temmincki, timorensis, tricolor.

Cebrio abdominalis, attenuatus, barbarus, benedicti, bicolor, carreni, chevrolati, dimidiatus, fabricii, femoralis, fuscatus, gigas, guyoni, melanocephalus, morio, neapolitanus, nigricans, nigricollis, numidicus, olivieri, promelus, rubripennis, rufifrons, strictus, suturalis, testaceus, ustulatus, xanthomerus.

Cebugale commersoni.

Cebus albifrons, albus, antiquensis, apella, arachnoides, ater, azarae, barbatus, beelzebul, brissoni, bufionu, canus, caraya, chamek, chiropotes, cirrifer, cucullatus, elegans,

felinus, flavicaudatus, flavus, frontalis, fuliginosus, fulvus, geoffroyi, gracilis, griseus, hirsuta, hypoleucus, hypoxanthus, infulatus, inustus, lagothrix, leucocephalus, libidinosus, lunatus, macrocephalus, macrognathus, marginatus, melanocephalus, melanochir, miriquouina, moloch, monachus, niger, nigrivittatus, olivaceus, ouakary, pentadactylus, personatus, robustus, sagulatus, satanas, stramineus, torquatus, trivirgatus, unicolor, ursinus, variegatus, versicolor, vociferans, wiedi, xanthocephalus, xantosternus.

Cechenochilus boeheri, fischeri, longiceps.

Cechenus (Col.) hoeberi, creutzeri, fischeri, irregularis, regularis.

Cechenus (Hym.) manducator.

Cecidocerus funebris.

Cecidomia cerrifoliae.

Cecidomya aphidimyza, poae.

Cecidomyia abbreviata, albipalpis, albipennis, albitarsis, amoena, annulipes, anthemidis, artemisiae, atra, aurantiaca, aurora, harbareae, herherina, bicolor, bouchiana, bryoniae, hursaria, caliptera*, capitigena, carnea, cerasi, cerialis*, cinerearum, clausilia, cornuta, crassipes, cucullata, culmicola, decorata, defecta, degeeri, destructor, digitata, echii, erianea, ericae scopariae, extrema, fasciata, fenestralis, flava, flavicans, foliorum, formosa, fragilis, fraxini, frischeri, fusca, fuscicollis, fuscipennis, galii, gallarum, salicis, gemini, genistae, grandis, grisea, griseicollis, griseola, grossa, guttata, helianthemii, heterohia, hyperici, incompleta, inulae, iridescens, irregularis, iteophila, jacobaeae, juniperina, kirhyi, klugii, lateralis, lateritia, leacheana, leontodontis, leucopeza, limbitorqueus, lithospermi, longicauda, longicollis, longicornis, longipes, loti, lutea, maculipennis, marginemtorquens, medicaginis, melanocephala, millefolii, minutissima, monilicornis, nervosa, nigra, nigricollis, nigripennis, nigritarsis, niveitarsis, obscura, oleae, onobrychidis, ornata, oxyacanthae, pallida, palustris, pavonia, pericarpicola, pictipennis, piligera, pilosa, pini, plicatrix, poae, polymorpha, polypori, populi, pratorum, producta, pygmaea, pyri, ranunculi, reaumuri, rhodophila, ribesi, robinae, rosae, rosaria, rosarum, rosea, rumicis, saliceti, salicina, salicina, salicis, saligna, sanguinea, sarothamni, scutellata, sericata, simplex, sonchi, spongivora, stachydis, strobilina, strumosa, subpatula, syngenesiae, tenuis, tergata, terminalis, thoracica, tiliacea, tornatella, tortilis, tristis, tubifex, ulmaria, unicolor, urticae, varicolor, variegata, verbasci, verna, veronicae, viminalis, vittata, westermani.

Cecidomyza flavimaculata, gibba, hilarella, hirticornis, hirtipes, immunda, laeta, lateralla, nudipennis, pictiventris, protuberans, rosea, sordida, tarsoolata, testacea, vulnerella.

Cecidoses eremita.

Ceciloides acicula.

Cecraxes argenteus.

Cecropis aedium, capensis, melanocrissus, oleae, pagorum, stabulorum, striolata.

Cecrops (Cr.) desmaresti, latreillei, muricatus.

Cecrops (Lep.) festus, neis, nigripes, zarex.

Cedestis farinatella, gysselella.

Cedius spinosus, zieglerei.

Cela australis*.

Celaena haworthi, hibernica, renigera.

Celaenephes parallelus.

Celaeno (Ar.) aegroti, coccinea, detrita, obsoleta, plicata, rhodomela, spinosa.

Celaeno (Lep.) lancea.

Celaeno (M.) brooksiana.

Celaenorhinus cehranus*, corbulo*, eligius*, lucifer, niso*, phaeomelas, sergestus.

Celeopicos hadioides, cinnamomeus, flavescens, multicolor, pyrrhotis, rubiginosus, smaragdinicollis, tinunculus.

Celerio euphorbiae, galii.

Celeripes vespertilionis.

Celesaurus platypus.

Celestus hewardi, macrolepis, occiduus, striatus.

Celetes basalis, *binotatus*, *marginellus*, *mystacina*, *tabida*.

Celeus badioides, *brunneus*, *cinnamomeus*, *citrinus*, *exalbidus*, *flavescens*, *hemana*, *multicolor*, *ochraceus*, *rufus*, *snaragdicollis*, *tinunculus*, *torquatus*, *tumana*, *undatus*.

Celeuthetes echinatus, *griseus*, *insularis*.

Celia (Col.) *abbreviata*, *ambulans*, *aurata*, *bifrons*, *chalcona*, *cursitans*, *dilatata*, *erratica*, *fuscicornis*, *gibba*, *grandicollis*, *indierensis*, *infima*, *interstitialis*, *laevigata*, *lugens*, *mexicana*, *microcephala*, *modesta*, *moerens*, *monticola*, *proletarius*, *properans*, *remota*, *rupicola*, *saginata*, *saxicola*, *seileri*, *silvicola*, *subelongata*, *taurica*, *tescicola*, *troglydites*, *zimmermanni*.

Celia (Hym.) *curruca*.

Celibe australis, *brunnipes*, *cassidoides*, *interrupta*, *orbicularis*, *rugosa*, *silphoides*, *striatopunctata*, *unicarinata*, *westwoodi*.

Celidota stephensi.

Celina aculeata, *angustata*, *latipes*.

Celioxys cayennensis.

Cellanthus craticulatus.

Cellaria (Lep.) *conscripta*.

Cellaria (Polyz.) *appendiculata*, *barbata*, *catenulata*, *cereoides*, *chelata*, *cornuta*, *coronata*, *crassa*, *ucullata*, *denticulata*, *distans*, *duplicata*, *elegans*, *exarata*, *filifera*, *filiformis*, *fistulosa*, *gracilis*, *haidingeri*, *haueri*, *hirsuta*, *labrosa*, *lonchitis*, *macrostoma*, *marginata*, *melchlini*, *minuta*, *operculata*, *ornata*, *ovata*, *pectinifera*, *polysticha*, *pyriformis*, *salicornioides*, *schreibersi*, *scrobiculata*, *serrata*, *smithi*, *subexarata*, *tenella*, *texta*, *vesiculosa*.

Cellarina delillii, *gracilis*, *scabra*.

Cellepora *accumulata*, *acervata*, *alata*, *ammonis*, *amphora*, *angulosa*, *annulata*, *ansata*, *antiqua*, *appendiculata*, *arbusculum*, *arrecta*, *aspera*, *astriga*, *auloporacea*, *barrandei*, *bernardi*, *biconstricta*, *bilaciniata*, *bimucronata*, *bipunctata*, *boryi*, *calyciformis*, *cancellata*, *cavolini*, *ceratomorpha*, *cervicornis*, *cheilopora*, *cingens*, *circumdata*, *circumnata*, *coarctata*, *coccinea*, *concentrica*, *concinna*, *conglomerata*, *convexa*, *cornuta*, *coronata*, *coronopus*, *costazii*, *crassilabris*, *crenilabris*, *crepidula*, *cristata*, *crustulenta*, *cuticellina*, *cylindrica*, *decorata*, *denoni*, *dentata*, *deplanata*, *depressa*, *descostilsi*, *dichotoma*, *disciformis*, *dispersa*, *dubia*, *dunkeri*, *echinata*, *echinus*, *elegans*, *elliptica*, *elongata*, *endivia*, *endlicheri*, *entomostoma*, *erecta*, *escharoides*, *explanata*, *familiaris*, *favosa*, *fenestrata*, *filigrana*, *fistularis*, *flabelliformis*, *foliacea*, *folineae*, *foraminosa*, *formosa*, *galeata*, *globularis*, *globulosa*, *goniostoma*, *gothica*, *gracilis*, *granulata*, *granulifera*, *granulosa*, *grisea*, *haueri*, *heckeli*, *hemisphaerica*, *hexagona*, *hexagonalis*, *hippocrepis*, *imbricata*, *imperati*, *incisa*, *incrassata*, *informata*, *iris*, *irregularis*, *jacotini*, *jaroekii*, *koninckiana*, *labiata*, *laevis*, *lamellosa*, *lancreti*, *lata*, *leptosoma*, *lima*, *loxopora*, *lyra*, *macry*, *magnifica*, *magnivillana*, *malusii*, *mamilata*, *mangnevillana**, *manubriata*, *marginipora*, *marsupium*, *megacephala*, *megalota*, *megastoma*, *melobesia*, *membranacea*, *microstoma*, *minuta*, *monoceros*, *multiplex*, *muricata*, *nonna*, *nova*, *oblongata*, *occulta*, *oculata*, *oliva*, *orbiculata*, *orbiculus*, *ornata*, *ostiacea*, *otophora*, *otto mulleriana*, *ovifera*, *ovoidea*, *pachyderma*, *palmata*, *papyracea*, *parasitica*, *parsevali*, *partschi*, *parvula*, *pavonia*, *pentasticha*, *perlacea*, *persevali*, *personata*, *pertusa*, *petiolus*, *physocella*, *platystoma*, *pleuropora*, *polyphyma*, *polystoma*, *polythele*, *pontica*, *porosa*, *primaeva*, *prolifera*, *protaini*, *protuberans*, *pteropora*, *pupula*, *pusilla*, *pustulosa*, *pyramidalis*, *pyriformis*, *quadrangularis*, *quadrata*, *quinquangularis*, *raigii*, *ramosa*, *rapaeformis*, *rarecostata*, *rarepunctata*, *redoutei*, *regularis*, *ricata*, *ringens*, *ronchi*, *rosseli*, *rostrata*, *rosula*, *scarabaeus*, *schizogaster*, *scripta*, *semicristata*, *serapensilis*, *serratula*, *serrulata*, *similis*, *skenel*, *solaris*, *spinosa*, *squammulosa*, *stenostoma*, *strehlensis*, *striatula*, *sulcata*, *supergiana*, *syrix*, *tegulata*, *tenella*, *ternata*, *tetragona*, *tinealis*, *trapezoidea*, *trifaria*, *trigonostoma*, *tripartita*, *tripunctata*, *tristoma*, *truncata*, *tuberculata*, *tubulata*, *umbilicata*, *ungeri*, *urceolaris*, *urceolata*, *urei*, *uvaeformis*, *vacata*, *velamen*, *venusta*, *vermicularis*, *verrucosa*, *vespertilio*, *vitrina*, *volhynica*.

Celleporaria *cristata*, *oculata*, *oliva*.

Celleporella hyalina.

Celleporina hassalli.

- Celleporites** ~~catenarius~~.
Cellularia articulata, bassani, bursaria, densa, fastigiata, hookeri, ~~reticulata*~~, ternata turrita.
Cellulina besseri, eichwaldi, puschi.
Cellulipora ornata.
Celma imbutata.
Celonites afer, apiformis, fischeri, oraniensis.
Celsia viridis.
Celypha aemulana, conchana, fasciolana, striana.
Celyphus africanus, obtectus, ruficollis, scutatus.
Cemas alces, algazal, arundinacea, bubalus, cana, capreolus, colus, dama, dorcas, glauca, guu, gutturosa, kevella, koba, kuhdu, maculata, marsupialis, melanura, oreotragus, oryx, pasan, picta, pygargus, pygmaea, redunca, ruicapra, scripta, strepsiceras, sumatrensis, sylvatica, tragocamelus.
Cemiostoma scitella, spartifoliella, zandaeella.
Cemonus lethifer, lugubris, minutus, rugifer, unicolor.
Cemoria aequestris, fissurella, flemingi, montagui, noachina, oblonga, princeps.
Cenchrea dorsalis.
Cenchridium sphaerula.
Cenchris atrofuscus, contortrix, mokeson, ocellata, piscivorus, regia.
Cenchrodus goepperti, otto.
Cenchroma chloroleuca, fusca, grisea, inaequalis, lanuginosa, obscura, rustica, squamosa, unicolor, villosa.
Cenia cocksi.
Cenobita clypeata, compressa, diogenes, perlata, rugosa, spinosa.
Cenocoelius flavifrons.
Cenogaster bombylans, bombylifomis, inanis, mystaceus, pellucens.
Cenornus pilosus.
Centemerus comosus.
Centenes inauris, semispinosus, setosus.
Centenus variegatus.
Centeterus major, opprimator, picticollis.
Centetes armatus, ecaudatus, minutus, semispinosus, setosus, spinosus.
Centor porosus.
Centracanthus cirrus.
Centracion zebra. *Vide et Cestracion*.
Centranodon japonicus.
Centrarchus aeneus, cyanopterus, cychla, fasciatus, gulosus, hexacanthus, irideus, niger, notatus, obscurus, pentacanthus, rostratus, sparoides, tetracanthus, viridis, vittatus.
Centrastraea cenomana, goldfussi.
Centrastrea araneola, collinaria, excavata, gracilis, granulata, interrupta, irregularis, micheliviana, microconos, microphylla, moreana, oculata, orbicularis, radiata, scabrosa.
Centricnemus albolineatus.
Centridermichthys ansatus, asper, uncinatus.
Centrina centrina, nigra, salviani, squamosus.
Centrinus acerbus, adustus, aerumnosus, affaber, afflictus, angulus, antiquus, apicipennis, arnoldi, asphaltinus, assentata, ater, aurichalceus, auritarsis, axillaris, basalis, bicolor, bicoloratus, bicuspis, bifrons, bigammicus, bilineatus, brunneicollis, calamitosus, capreolus, carbonarius, carnifex, cemas, cestrotus, christophori, coeruleus, collaris, conformis, confusus, conicollis, corinthus, croceosignatus, eupratus, curvirostris, cyanipes, decoratus, dilectus, distinctus, ebeninus, falcatus, fallax, figuratus, flaveolus, flavicornis, flavipennis, furvus, germari, gibbistrostris, globus, holosericeus, inquinatus, interstitialis, irritus, larvatus, leachi, lentiginosus, lineatosignatus, lineicollis, lucens, lugubris, luteolus, luteus, maurus, meigeni, mexicanus, micans, modestus, morio, multicolor, normalis, oblongus, obniger, obsidianus, ocellatus, ochraceus, olfersi, olivaceus, ollula, pallidesignatus, pallidicollis, parallelus, parellinus, pauperatus,

pectoralis, penicillus, perseillus, perscitus, pexus, pictus, picumnus, pilosus, pistor, podagricus, politus, posticus, pugnax, pullus, pumilus, punctatissimus, puncticollis, quadraticollis, quadrigrammicus, quadriguttatus, quadrimaculatus, quadrivittatus, rasilis, rubiginosus, ruficollis, ruficornis, rufipes, sanguinicollis, scapularis, scapulosus, sciolus, scutellum album, semi-luctuosus, senilis, sicarius, siccus, signatus, signum, silicinus, sommeri, spadiceus, sparsus, speculifer, spiculator, squamipes, subarmatus, subcinctus, subnotatus, sulcatus, superbiificus, suspensus, sutor, sutura-alba, suturalis, tardigradus, tonsilis, torquatus, transverseimpressus, trigammicus, trochilus, tumidus, uncirostris, varicolor, vestitus, westwoodi.

Centrioptera caraboides.

Centris acraensis, aenea, americanorum, analis, aquilina, armata, barbara, bicincta, bicolor, bifrons, bimaculata, bombylans, carolina, chlorogaster, chrysis, chrysura, cilipes, cincta, cingulata, clavipes, clypeata, coecutiens, collaris, cornuta, crassipes, dasypus, decolorata, denudans, dera, dimidiata, dorsata, emarginata, ferruginea, flavicornis, flavitrons, furcata, fuscata, grisea, grossa, gulosa, haemorrhoidalis, hirtipes, infernalis, langsdorsi, lanipes, lineolata, longimana, luctuosa, maculata, mediata, muscaria, musciformis, nidulans, nigrescens, nigricornis, nitens, nobilis, obsoleta, pediculana, pellicollis, picea, plumipes, poecila, pulverata, punctata, rufa, ruficornis, saropus, scapulata, scopipes, scutellaris, smaragdina, spinipes, surinamensis, tabaniformis, testacea, thoracica, tibialis, trigonoides, umbraculata, ursina, verripes, versicolor, violacea, vittata.

Centriscus aculeatus, gracilis, humerosus, longirostris, niloticus.

Centrites rufus.

Centrocerus (A.) urophasianus. *vide et Centrocircus*.

Centrocerus (R.) hardwicki, similis.

Centrocheila bipustulata.

Centrocircus phasianellus, urophasianus. *vide et Centrocerus*.

Centrocoris pallescens, variegata, westwoodi.

Centrocorone taurica.

Centrodera decolorata, pictus.

Centrodus acutus, striatulus.

Centroglossa attenuata, brevicornis, conuroides, elongata, gracilis, minuta.

Centronathus biplagiatus, lugubris, subrugosus.

Centrolepis asper.

Centrolophus crassus, liparis, microchirus, niger, ovalis, pompilius, pompilus.

Centronia glauca, melanitis, porphyria, rejecta.

Centronopus extensicollis.

Centronotus acanthias, argenteus, binotatus, brosmæ, calcar, carolinus, conductor, ductor, fasciatus, gardeni, glaycos, gunellus, islandicus, lumpenus, lyzan, muraenoides, niger, ovalis, plumieri, punctatus, radix, spinosus, vadigo.

Centropages chilensis, typicus.

Centrophanes rufus.

Centrophorus (Col.) atratus, compressipes, curvirostris, emarginatus, nigrinus, picicornis.

Centrophorus (Orth.) spinosus.

Centrophorus (P.) calceus, granulatus, squamosus.

Centrophthalmus paria.

Centropodus rhombeus.

Centropomus alburnus, albus, ambassis, arabicus, aureus, fasciatus, lineatus, lophar, lupus, luteus, macrodon, mullus, nigrescens, niloticus, ocellatus, perculus, plumieri, rubens, ruber, rupestris, safa, sandat, sex-lineata, undecimalis, undecim radiatus.

Centropistes atrobanchus, aurorubens, macrophthalmus, mulloides, nigricans, rufus, sapidissimus, scorpenoides, tabacarius, trifurca, truttaceus.

Centropistis brasiliensis, georgianus, hirundinaceus, salar.

Centropoctus westerhauseri.

Centropus aegyptius, aethiopicus, aethiops, affinis, alteralbus, ater, ater albus, bengalensis, bicolor, bubutus, burchelli, cachinnans, caeruleus, calobatus, castanopterus, celebensis, dimidiatus, epomidis, eurycerus, francisci, gigas, goliath, hober, lathami, lepidus, leucogaster, medius, melanops, melanorhynchus, menbiki, menebiki, molkenboeri,

monacialis, *nigrifrons*, *nigrorufus*, *phasianius*, *philippensis*, *pinnulus*, *pumilus*, *pygmaeus*, *rectunguis*, *rufinus*, *senegalensis*, *sinensis*, *sirkee*, *supercilius*, *tolu*, *torulosa*, *variegatus*, *venatorius*, *violaceus*, *viridis*.

Centropyx *calcaratus*.

Centroscelis *notata*.

Centroscyllium *fabricii*.

Centrostomum *incisum*, *lichenoides*.

Centrotoma *lucifuga*.

Centrotus *abbreviatus*, *acanthaspis*, *aculeolus*, *acuminatus*, *anthorago*, *ancora*, *assamensis*, *australis*, *benneti*, *biclavatus*, *bifolius*, *biguttatus*, *bipunctata*, *bonasia*, *bos*, *brunipennis*, *bubalis*, *capensis*, *capra*, *capreolus*, *carinatus*, *clavatus*, *claviger*, *cornutus*, *cruciatus*, *curvidens*, *dama*, *exiguus*, *fasciatus*, *felinus*, *fenestratus*, *flavidus*, *flexuosa*, *furcatus*, *fuscipennis*, *gazella*, *genistae*, *globularis*, *hamifer*, *hardwicki*, *havanensis*, *hippocampus*, *horridus*, *horrificus*, *inaequalis*, *inermis*, *javanensis*, *leucopterus*, *maculiscutum*, *magellani*, *marginatus*, *minutus*, *muticus*, *neuter*, *nodicornis*, *obesus*, *obscurus*, *paria*, *pectoralis*, *poeyi*, *pubipennis*, *punctatus*, *pusillus*, *rupicapra*, *scutellaris*, *senegalensis*, *spinus*, *subspinus*, *sulcicornis*, *tarandus*, *tasmaniae*, *taurus*, *tricarinatus*, *trifidus*, *trispinifer*, *tuberculatus*, *urus*, *vacca*, *virescens*, *vittatus*, *vitulus*.

Centrourus *australis*, *dasyptilus*.

Centrura (Col.) *costata*.

Centrura (R.) *flagellifer*.

Centurus *galbineus*.

Centurio *senex*.

Centurus *aurifrons*, *brachypterus*, *carolinensis*, *carolinus*, *chlorolophus*, *cruentatus*, *flavifrons*, *flaviventris*, *hirundinaceus*, *pucherani*, *radiolatus*, *rubrifrons*, *rubriventris*, *santa cruzi*, *striatus*, *subelegans*, *superciliaris*, *tricolor*.

Ceocephalus *appendiculatus*, *caudatus*, *codicillus*, *curvirostris*, *dehaani*, *depressus*, *furcillatus*, *opacus*, *picipes*, *pusillus*, *reichei*, *reticulatus*, *riisi*, *scrobicollis*, *turcillatus*.

Ceophyllus *monilis*.

Cepaea *hortensis*, *memoralis*, *sylvatica*, *vindobonensis*.

Cephachisma *diphaia*.

Cephalacanthus *spiniarella*.

Cephalactaeus *scarabaeoides*.

Cephalaspis *lewisi*, *lloydi*, *lyelli*, *rostratus*.

Cephalcia *nemorum*.

Cephaleia *arvensis*, *betulae*, *cephalotes*, *clarki*, *depressa*, *erythrocephala*, *pratensis*, *sylvatica*, *testacea*.

Cephalelus *brunneus*, *infumatus*, *marginatus*.

Cephalemyia *cervi*, *ovis*.

Cephalepis (A.) *lalandi*, *loddigesi*.

Cephalepis (P.) *octomaculatus*, *swaiusoni*.

Cephaleutherus *maculatus*.

Cephalges *cubae*, *murinus*.

Cephalia *dimidiata*, *fascipennis*, *femoralis*, *marginata*, *nigripes*, *quadripunctata*, *rufipes*.

Cephalisphaera *ferrugella*, *sordidella*.

Cephalites *alternans*, *bullatus*, *campanulatus*, *capitatus*, *catenifer*, *compressus*, *constrictus*, *guttatus*, *longitudinalis*, *paradoxus*, *perforatus*, *retrusus*.

Cephalobarus *macrocephalus*.

Cephalocera (Dipt.) *albocincta*, *dentitarsis*, *fascipennis*, *gracilis*, *longirostris*, *nigra*, *pumila*.

Cephalocera (Hym.) *maculipeunis*.

Cephalocotyleum *squalimusteli*, *squalisquatiniae*, *strigisaccipitrinae*.

Cephalocteus *histeroides*.

Cephaloculus *stagnorum*.

Cephalodella *catellina*, *catellus*, *foeni*, *lupus*.

Cephalodendron *bramicornis*.

Cephalodesmus *armiger*.

Cephalodonta *coccinea*, *generosa*, *marginata*, *uncipennis*.

- Cephaloleia** angustata, cassidoides, cimicoides, coeruleipennis, collaris, corallua, bistriolaeta, luctuosa, miniacea, pertyi, succincta, tetraspilota.
- Cephalolepis** leucocephalus.
- Cephalolepta** macrostoma.
- Cephalonomia** formiciformis.
- Cephaloon** lepturides, varians.
- Cephalopachus** bancanus.
- Cephalopeltis** hemprichi, scutigera.
- Cephalophis** dendrophila.
- Cephalopholis** argus.
- Cephalophora** coronata.
- Cephalophorus** caeruleus, mergens, natalensis, ogilbyi, philantomba, pygmaeus, zebra.
- Cephalophus** caerulea, campbelliae, coronatus, dorsalis, grimmia, maroqua, maxwelli, melanorheus, monticola, niger, ogilbyi, punctulatus, rufilatus, sylvicultrix, whitfieldi.
 Vide et Cephalopus.
- Cephalops** aucta, opacus, pratorum, spurius.
- Cephaloptera** japonica, kuhli, tatariana, vulgaris.
- Cephalopterus** (A.) ornatus.
- Cephalopterus** (P.) banksianus, fabronianus, gioma, hypostomus, manatia, manta, massena, vampyrus.
- Cephalopus** burchelli, caerulea, maxwelli, mergens, natalensis, perpusilla, platous, ptoox, quadriscopa. *Vide et Cephalophus.*
- Cephalostenus** dejeani, elegans, orbicollis.
- Cephalotes** (Col.) cephalotes, cordicollis, karelini, laevigatus, lenis, navaricus, nobilis, politus, punctatus, vulgaris.
- Cephalotes** (Hym.) atrata.
- Cephalotes** (M.) pallasi, peroni, teniotes.
- Cephalotrix** bioculata, coeca, filum, kroyeri.
- Cephalotrichia** alopec.
- Cephalotrix** cephalotes, minor, umbraculum.
- Cephaloxys** concolor, hemelytra, lacteipennis, locusta, microcephala, nutans, quadrimacula, rostrata, terpsichore, viridis.
- Cephalus** barrowi, brevis, cocherani, elongatus, luna, oblongus, ortagoriscus, pallasianus, varius.
- Cephax** reichei.
- Cephea** aldrovandi, andromeda, borealis, borlasea, capensis, corona, cyclonota, cyclophora, fusca, guerini, macrogona, mosaica, ocellata, octostyla, pallasi, papua, polychroma, realmuri, reaumuri, rhizostoma, rhizostomoidea, vesiculosa, wagneri.
- Cephenemyia** auribarbis, grandis, stimulator, trompe.
- Cephennium** intermedium.
- Cepheus** latus, minutus, ovalis.
- Cephimallota** crassiflavella.
- Cephites** fragilis, oeningensis.
- Cephonodes** bombylifformis, croatica, fuciformis, hylas, pelasgus.
- Cephus** (A.) alle, arcticus, faeroensis, glacialis, grylle, meisneri, mondti, nanus, xanthostoma. *Vide et Cephus.*
- Cephus** (Hym.) abbreviatus, analis, atripes, compressa, cruentatus, cultrarius, femoratus, filiformis, flavicornis, flaviventris, fumipennis, idolon, immaculatus, leskei, luteipes, macilentus, major, mandibularis, mexicanus, mittrei, nigratus, parreyssi, phthiscus, pusillus, pygmaeus, quadricinctus, quinquefasciatus, satyrus, subcylindricus, tabidus, tricinctus, trimaculatus, troglodyta.
- Cephus** (P.) macrocephalus.
- Cepinula** oblonga.
- Cepola** attenuata, bifasciata, coecula, gigas, hermanniana, hungta, jugularis, krusensterni, lanspada, limbata, longicauda, marginata, novemradiata, striata, truncata, variegata.
- Cepolum** nicolsinianum.
- Cepphis** advenaria, emarginaria.

- Cephus** arcticus, arria, carbo, columba, imber, lomvia, perdix, scopus, septeutritionalis, stellatus, torquatus. *Vide et Cephus (A.)*.
- Cepurus** caliginosus, torridus.
- Ceracis** castaneipennis, furcifer, militaris, sallei, variabilis.
- Ceraclea** nervosa.
- Ceraegidion** horrens.
- Ceragenia** bicornis, lepreuri.
- Ceraleptus** gracilicornis, squalidus.
- Cerambix** rubiginosus.
- Cerambycinus** dubius.
- Cerambyx** abbreviatus, abdominalis, acanthopterus, aedicator, afri, albicornis, albidus, albitarsus, albofasciatus, albotarsus, ambrosiacus, americanus, amethystinus, amputator, andreae, angulatus, annulicornis, aper, aquapim, argentatus, armillatus, atricornis, atrovirens, aureola, auricollis, aurifluus, axillaris, barbaricus, barbarus, barbulus, bicoloratus, bicornis, bidens, biguttatus, bivittatus, brama, brasiliensis, bungei, buphthalmus, caniculatus, cardinalis, chlorophanus, clathratus, claviger, coerulipes, collaris, cornutor, corvinus, crassa, cyanellus, daldorfi, dentator, denticornis, dichropterus, dorycus, ehippium, fabricii, fasciatus, fascicularis, fastuosus, ferrugator, ferrugineus, festivus, fichteli, filum, flabellicornis, flavipes, fonticornis, formosus, fragrans, fucatus, fugax, fulcratus, fulgidus, fulvicollis, fulvicornis, fuscator, gagatinus, gazella, germanicus, gigas, giraffa, gracilipes, griseus, guttator, haemorrhoidalis, heros, hirticornis, hirtus, histrio, insignis, interruptus, intricatus, iserti, laeicollis, laetus, lanatus, lativittata, levallanti, linea, lippus, literatus, longimanus, lyciformis, macula, maculatur, massiliensis, maurus, mediocris, megacephalus, melanocephalus, melsheimeri, micans, miles, mutator, muticus, nanus, nebulator, nerii, nodulosus, novempunctatus, ocellatus, octoguttatus, pallens, palmatus, paris, pavidus, pectinicornis, perforata, phtisicus, phyllopus, plagiatus, plicicollis, plumicornis, porcatus, portugalensis, praemorsus, pubens, punctatus, purpuratus, pygmaeus, quadridens, quadrinotatus, quadripunctatus, quinquefasciatus, quinquemaculatus, regius, repandator, rigidicollis, rivulosus, rufescens, rufipennis, rufipes, scapularis, scopipes, scutellaris, scutellatus, sellatus, setosus, sexfasciatus, sexguttatus, sexpunctatus, similis, smidti, solitarius, speciosus, speculifer, spinator, spinifer, spinifrons, spinulosus, splendidus, strepens, strigicollis, strigipennis, suberratus, symetrus, tabidus, taeniatus, telephoroides, tenebrosus, testor, tetraspilotus, thoracicus, torquatus, tricolor, tridentatus, undatus, unifasciatus, urussovi, ustulatus, variegatus, violator, velutinus, villosus, villosus, vinculatus, virens, viridipennis, volvulus, zonatus.
- Ceramius** fonscolombi, lichtensteini, linearis, lusitanicus, oraniensis.
- Ceramurus** macrocephalus.
- Cerandria** cornuta.
- Ceranthia** fulvipes, podacina.
- Ceraphron** abdominalis, albipennis, albipes, ancylopterus, apterus, armatus, basalis, brevicornis, brevis, carpenteri, cenopterus, cimicoides, clandestinus, clavicornis, cornutus, crassicornis, cursitans, destructeur, destructor, difformis, discolor, dux, elegans, ferrugineus, flavipes, fornaceti, formicarius, fuliginosus, fuscicornis, fuscipes, gibbosus, glaber, gracilis, halidayi, halteratus, hemipterus, herculeus, inquilinus, labipennis, longicornis, maculipennis, melanocephalus, mendicus, microcephalus, minutus, niger, nigripes, nitidus, nubilipennis, opacus, pallidus, puliciformis, punctipes, pupparum, pusillus, radiatus, ramicornis, rubi, ruficollis, rufipes, rufiscapus, scutellaris, sericornis, signatus, similis, stigma, stigmatus, subapertus, sulcatus, syrphii, tarsatus, tenuicornis, tibialis, tortricum, varipes.
- Cerapodina** abdita.
- Cerapsilon** longicornis, mucronatus, niger, rubripes, similis.
- Cerapterocerus** mirabilis.
- Cerapterus** alternans, brasiliensis, brevis, concolor, denudatus, hastatus, hopei, horsfieldi, lafertei, macleayi, major, maximus, parallelocerus, piceus, quadrimaculatus, quadrinotatus, smithi, subsulcatus, westermanni, wilsoni.
- Cerapteryx** graminis, hibernicus.

- Cerapus* abditus, falcatus, pelagicus, tubularis.
Cerascopus marginatus.
Cerasphorus garganicus, hirticornis, quadrispinosus, rusticus.
Ceraspis albovaria, castaneipennis, citrina, decora, flava, fulva, gibbicollis, guttata, lateralis, leucosoma, melanoleuca, mixta, nivea, obscura, pallida, patruelis, peruvianus, pruinosa, signata, squamosa, tibialis, vestita.
Cerastes cornuta, hassequisti, nasicornis, richiei.
Cerastia leucographa.
Cerastis buxi, cerasina, cerastes, cervina, diducta, dolosa, erythrocephala, glabra, baematidia, implicata, leucographa, rubiginea, rubricosa, satellitia, serotina, silene, transfuga, vaccinii, veronicae.
Cerastoma brevicornis, cornigerum, cornutum, curvicornis, savignyi.
Cerataculus reticulatus.
Cerataspis monstrosus.
Ceratias bolbolli.
Ceratidium cuneatum.
Ceratina aenea, albilabris, caerulea, callosa, cbalcea, decolorans, dupla, graminea, laeta, mauritanica, nitidula, punctulata, rotundiventris, spiralis, viridis.
Ceratinia chloris, coeno, eumelia, bersilia, ipbianassa, jemina, klugi, lenea, le prieuri, melanida, neso, ninonia, nise, selene.
Ceratiocaris ellipticus, solenoides.
Ceratisolen legumen.
Ceratistes bipustulatus, cornutus.
Ceratites (Ceph.) achelous, agassizi, agenor, basileus, bipartitus, bipunctatus, boetus, bogdoanus, brevicostatus, busiris, cinctus, dichotomus, eichwaldi, enodis, euomphalus, ewaldi, geinitzi, bedenstroemi, benslowi, infundibuliformis, irregularis, jaegeri, jarbas, karsteni, radiatus, robini, femipartitus, senequieri, sulcifer, syriacus, venustus, vibrayeanus, zeuschneri.
Ceratites (Col.) jaspidea.
Ceratitis brems, capitata, catoiri, citriperda, dentipes, bispanica, meriani, middendorffi, muensteri, nodosus, okeani.
Ceratium fusus, birundinella, longicorne, macroceras, tripos, tripus.
Ceratobasis koenigi, nair.
Ceratocampa imperialis.
Ceratocanthus aeneus.
Ceratocarcinus longimanus.
Ceratocephala ceralepta, goniata.
Ceratocolus alatus, camelus, fasciatus, flavipennis, hybridum, maurus, philantboides, punctatus, rufipes, striatus, trochantericus, trochanterius, ziegléri.
Ceratoderus bifasciatus.
Ceratodes ebiquitensis, cornu arietis, fasciatus.
Ceratodon monoceros, monodon, vulgaris.
Ceratodoris eolida.
Ceratodus altus, bicornis, concinnus, curvus, daedaleus, disauris, emarginatus, gibbus, guilielmi, heteromorphus, kaupi, kurri, latissimus, obtusus, palmatus, parvus, philippi, planus, runcinatus, serratus, trapezoides, weissmanni.
Ceratognathus irroratus, niger.
Ceratogonyx rufithorax.
Ceratomia quadricornis, siliqua.
Ceratopacha ocularis.
Ceratopachys capensis.
Ceratophius typhoeus.
Ceratophora stoddarti.
Ceratophorus divergens, furca, fusus, macroceros, michaelis, tridens.
Ceratophris clipeata, daudini, granosa, spixi.
Ceratophrys boiei, dorsatus, montana, sebae, turpicola, varius.
Ceratophthalma cursor.
Ceratophya longicornis, notata.

- Ceratophyllus** bifasciatus, columbae, elongatus, erinacei, fasciatus, hirundinis, leporis, melis, muris, sciurorum, sturmi, trifasciatus, vespertilionis.
- Ceratophyta** fuscipennis.
- Ceratophytes** retiformis.
- Ceratophytum** latreillei.
- Ceratophyus** brunneus, dispar, fischeri, mobilicornis, monoceras, pumilus, pusillus.
- Ceratopogon** adustus, affinis, albicornis, albigennis, albitarsis, ambiguus, angustatus, annulatus, annulipes, anomala, anomalicornis, armatus, armipes, assimilis, ater, barbicornis, barbipes, basalis, bicolor, bimaculatus, binotatus, bipunctatus, brachialis, brevipennis, brunnipes, castaneus, chiopterus, cinereus, cingulatus, circumdatus, clunipes, communis, concinnus, coracinus, costatus, distinctus, diversipes, dorsalis, erythrocephalus, exigua, fasciatus, fuscipennis, femoratus, ferrugineus, flavicornis, flavifrons, flavipes, flavitarsis, flavo-scutellatus, floralis, foersteri, fuliginosus, fulvus, funebris, fuscipes, fuscus, geniculatus, glabricollis, gracilis, holosericeus, hortulanus, humeralis, lacteipennis, lateralis, leucogaster, leucopeza, leucopterus, lineatus, longicornis, lucorum, luteitarsis, lutescens, maculipes, melancholicus, minutus, morio, nemorosus, nigerrimus, nigripes, nigrutilus, nitidus, niveipennis, nubeculosus, obscurus, obsoletus, ornatus, pallipes, palustris, parvus, pictipennis, pictus, posticatus, pratensis, pulcaris, punctatus, pusio, ruficornis, rufipes, rufitarsis, scutellatus, serripes, signatus, sordidellus, spiniger, spinipes, stigma, subsultans, succinctus, terreus, tessellatus, tibialis, transfuga, transiens, trichoptera, tristis, unimaculatus, univittatus, validinervis, varipes, venustus, vexans, villosus, vittatus, vittiger.
- Ceratoptera** ehrenbergi, johni.
- Ceratopus** bisignatus.
- Ceratopyge** forficula.
- Ceratorhina** aurata, burkei, elaphus, frontalis, gralli, guttata, ignita, morgani, nireus, passerinii, quadrimaculata, smithi.
- Ceratorhynchus** occidentalis.
- Ceratornix** satyrus.
- Ceratosoma** cornigerum, trilobata.
- Ceratosomus** germari.
- Ceratotrochus** duodecimcostatus, exaratus, multiserialis, multispinosus.
- Ceratupis** nigerrima.
- Ceraturgus** andocides, aurulentus, cornutus, fasciatus, rufipennis.
- Ceraurus** crosotus, glabiceps, octolobatus, pleurexanthemas, pustulosus, sp. ind., vigilans, williamsi.
- Cerberodon** viridis.
- Cerberus** acutus, australis, cerberus, cinereus, granti, obtusatus, orbiculata, unicolor.
- Cerbus** affinis, annulicornis, apicalis, atramentarius, boerhaviae, crassiclunis, crucifer, falx, flaveolus, fuliginosus, fulvicornis, grayi, hardwicki, nigricornis, pectoralis, phasianus, phyllocnemis, sanctus, scriptus, tenebrosus, tornator, tragus, tumidipes, umbilicatus, umbrinus, umbrosus, valgus.
- Cercaria** affinis, bakeri, bilineata, bispinosa, bomba, brachyura, brunnea, caryophyllata, chlorotica, cometa, cornuta, cycladis rivicolae, ecaudata, ephemera, fallax, furcata, helicis-viviparae, hyalocauda, lachryma, longicauda, lunaris, maculata, major, malleus, minuta, mougeoti, opaca, ovalis, planorbis cornei, punctiformis, pyrula, rubrum, seminis, spermatica, spirogyra, tellinae, tricaudata, verticelloides, vesiculosa, virgula, viridis.
- Cercartetus** uana.
- Cercaspis** carinata.
- Cerceis** (Cr.) bidentata, tridentata.
- Cerceis** (L.) maculata.
- Cerceris** affinis, albicincta, albonotata, annulata, arenarius, arenicola, argenteifrons, assimilis, atra, aurita, bicincta, bicornuta, bidentata, bifasciata, binodis, bracteata, brevirostris, bupresticida, capito, chlorotica, cincta, clitellata, clypeata, concinna, conigera, cornuta, cribrosa, deserta, dilatata, dispar, dorsalis, dufouri, erythrocephala, excellens, fasciata, ferox, ferreri, fischeri, flavicornis, flaviventris, fodiens, formicaris, foveata, frontata, fulvipes, fulviventris, fumipennis, gigantea, histrio, histrionica,

hortorum, insignis, interrupta, labiata, laeta, laminata, laticincta, lepidia, lindeni, lunigera, luxuriosa, major, media, militaris, minuta, nasuta, ornatus, perbosci, picta, pictiventris, pulchella, quadricincta, quadrifasciata, quadrimaculata, quinquecincta, quinquefasciata, rufipes, rufiventris, rutila, sabulosa, sesquicincta, sexta, signata, solitaria, subdepressa, syrkuti, tenuivittata, tricincta, tricolorata, truncatula, variabilis, vidua, vittata, waltii.

Cerchne buteo, pennipes.

Cerchneis capensis, cenchris, media, murum, punctatus, rupicola, sparverius, tinnunculus, vespertinus.

Cerchysius euphranor, stigmatalis, vulso.

Cercibis oxycerca.

Cercidocerus binaculatus, bipunctatus, erythroceus, eximius, fabricator, fabrilis, lateralis, nigrolateralis, schoenherri, securiferus.

Cercis macrophthalma.

Cercobelus jugoeus [= jugaeus].

Cercocebus aethiops, atys, aygula, cynomolgus, fuliginosus, radiatus, sabaeus, sinicus.

Cercolabes affinis, atrata, boliviensis, fossilis, insidiosus, melanurus, nigricans, novae hispaniae, nycthemera, pallidus, platycentrotus, prehensilis, spinosus, subspinosus, tricolor, villosus.

Cercroleptes brachyotus, caudivolvula, flavus, lepidus, megalotus.

Cercomonas acuminata, crassicauda, cylindrica, detracta, falcata, fusiformis, globulus, lachryma, lobata, longicauda, truncata, viridis, vorticellaris.

Cercomya antica, expansa, gibbosa, inflata, pinguis, plana, siliqua, spatulata, striata.

Cercomys cunicularius.

Cerconectes mersa, rubida, spinosa.

Cercopeus chryorhoeus.

Cercophis aurata.

Cercopis abbreviata, abdominalis, affinis, alni, angulata, apicalis, arcuata, atomaria, aurita, aurlenta, bicincta, bifasciata, bimaculata, bispecularis, bivittata, boisduali, campestris, charon, cincta, cingulata, circulatus, collaris, colon, communimacula, compressa, coriacea, costalis, dimidiata, discolor, dorsata, ephippium, equestris, ericae, exclamationis, flavescens, flavicollis, fulvipes, fulvoscutellata, furcata, fuscipennis, fuscula, geometrica, glauca, gratiosa, grisea, guttata, haematina, haemorrhoea, harrisi, heros, humeralis, inca, lanio, lapeyrousei, leucocephala, lineata, lineola, liturata, livida, lutea, mactans, mactata, melanoptera, mirabilis, nigrifrons, nigripennis, numida, obtusa, octopunctata, oenotherae, olivacea, olivetorum, pallipes, parallela, perspicillaris, petrificata, plagiata, proserpina, pubescens, punctigera, quadrangularis, quadrifasciata, quadriguttatus, quadripunctata, quinquemaculata, rubens, rubra, rubripennis, rustica, salicis, sanguinea, sanguinicollis, sanguinolenta, soria, spectabilis, stellata, strongi, terrea, theora, thoracica, transversa, tricolor, trifurca, tristis, tuberculicollis, urvillei, viridens, vulnerata, xanthocephala, xanthomelaena, xanthorhina.

Cercopithecus aethiops, afer, albocinereus, albogularis, ascanius, atys, audeberti, auratus, aygula, bicolor, biza, burnetti, campbelli, capillatus, cephus, chrysurus, comosus, cynomolgus, cynosurus, diadematus, engythithia, entellus, erythropygus, erythrotis, fuliginosus, fulvus, glaucus, grayi, griseo-viridis, labiatus, lalandei, latibarbatus, leucampyx, leucopymnus, ludio, malbrouck, martini, melanogenys, melarhinus, mitis, monachus, monoides, naemeus, nemestrina, nigrilus, pileatus, pluto, pogonias, pusillus, pygerithraeus, pygerythra, pyrronotus, rhesus, rufo-viridis, rufus, samango, seniculus, tantalus, tephrops, ursinus, verrucosus, werneri.

Cercopora semiglobosa.

Cercops holbolli.

Cercoptenus pygmaeus.

Cercoptera banonii.

Cercopteropus aegyptiacus, amplexicauda.

Cercoronus melanorhynchus.

Cercosaura ocellata.

Cercosaurus gaudichaudi.

Cercotmetus asiaticus.

Cercotrichas erythropterus, leucampterus, luctuosa, macrourus, phoenicopterus, tricolor.

Cercus abdominalis, affinis, atratus, barbarus, bicolor, binaculatus, bipustulatus, dalmatinus, ferrugineus, gravidus, niger, pallipennis, pedicularius, pulcarius, punctulatus, pusillus, quadratus, rubicundus, rufilabris, sambuci, sulcata, testaceus, uliginosus, urticae.

Cercyon acutum, adumbratum, ambiguum, anale, apicale, aquaticum, atomarium, atricapillus, atriceps, binaculatum, binotatum, bolitophagum, calthae, castaneum, centrimaculatum, concinnum, conspurcatum, contaminatum, convexior, convexium, convexiusculum, cribratus, depressum, dilatatum, dorsale, dubium, erythropum, femorale, ferrugineum, flavipenne, flavipes, flavum, fuscescens, granarium, grandis, haemorrhoidale, haemorrhoum, immaculatum, immundum, immune, impressum, infuscatum, inustum, laeva, laevigatum, laterale, limbatum, littorale, lugubre, maculatum, melanocephalum, merdarium, minusculum, minutum, mundum, namum, nigriceps, nigrinum, nubilipenne, obscurum, obsoletum, piceum, picinum, plagiatum, pulchellum, pygmaeum, quisquilius, ruficorne, scitum, scutellare, simile, sordidum, stercorarium, stercorator, suturale, tantillum, terminatum, testaceum, unipunctatum, ustulatum, xanthocephalum, xanthorhoeum.

Cerdistus erythrurus.

Cerdocyon azarae, guaraxa, magellanicus, mesoleucus.

Cerebratulus bilineatus, crassus, depressus, geniculatus, marginatus, spectabilis.

Cerebus rhynchops.

Cereola ceroides.

Cereopora ototara.

Cereopsis australis, cinereus, novae-hollandiae.

Ceresa aculeata, aurantiaca, axillaris, bifasciata, borealis, brunnicornis, chlorotica, ciliata, colon, diceris, discolor, femorata, flaccida, incrassata, malina, morio, nervosa, postfasciata, spinifera, terminata, testacea, tigrina, uniformis, ustulata, vitulus.

Ceresium raripilum.

Cereus bellis, edulis, glaberrimus.

Ceria aenea, afra, australis, breviscapa, couopseus, couopsoides, daphnaeus, eumenioides, gambiana, hopei, iavana, intricata, ornata, scutellata.

Cerianthus actinioides, brerae, cornucopiae.

Cerictius caniscus.

Cerigo cytherea, texta.

Ceriocrinus celator, mulleri.

Ceriolina fischeri, jarockii. *Non Ceriopora*, pp. 2396, 3279.

Ceriopora affinis, alata, alpina, anglica, angulosa, annulata, anomalopora, arborea, arbusculum, articulata, avellana, biformis, bigemmis, boloniensis, caespitosa, cenomana, cervicornis, clavata, clavula, complicata, compressa, concinna, conifera, constanti, constellata, constricta, corymbosa, crassa, cribrata, crispa, cryptopora, cylindrica, dentiformis, diadema, dichotoma, digitata, disciformis, distans, disticha, dubia, dumetosa, echinata, ensiformis, escharoides, expansa, favosa, fissata, formosa, foveolata, fungiformis, funiculina, geminata, globosa, globulus, goldfussi, gracilis, granulosa, heteropora, huotiana, incrustans, incrustata, inflata, interporosa, intricata, irregularis, labyrinthica, landrioti, leda, licheniformis, lorieri, macrocaulis, macrourus, madreporacea, mammosa, mamilla, mammillata, mammillifera, megalopora, michelini, micropora, milleporacea, minuta, nitra, muletiana, multiformis, muricata, neptuni, nodosa, nuciformis, oculata, orbiculata, papularia, parasitica, phlyctaenodes, pilula, piriformis, polymorpha, prisca, punctata, pustulosa, pygmaea, quadripora, quenstedti, radiata, radiformis, ramosa, ramosissima, ramulosa, raulini, rhombifera, ricordeana, roemeri, rosula, sarthacensis, seriata, siderolites, similis, sociata, specularis, spinosa, spiralis, spongiosa, spongites, stellata, stellifera, striata, striatopunctata, subcompressa, sublaevigata, submilliporacea, subnodosa, subnodulosa, suboculata, subramosa, surculacea, tenuis, tricarinata, trigona, truncata, tuberculata, tuberosa, tubiporacea, tubulata, tumida, variabilis, velata, venosa, verrucosa, verticillata, vibicata, virgula.

Cerionis lathami, macrolophus, melanocephala, satyra, temmincki.

Ceriphasia sulcata.

Ceritella sculpta, tumidula.

Cerithia coerulea.

Cerithidea fragilis, lineolata, obtusa.

Cerithiopsis tuberculare.

Cerithites strombiformis.

Cerithium acaste, achilles, acicula, acteon, aculeatum, acutidens, acutum, adustum, adustum, adversum, aegyptiacum, aemulum, affine, ajax, alatum, albasense, albense, alberti, albovittatum, alceste, algicola, alligatum, alpinum, alternans, alucastrum, aluco, alucoides, ambiguum, amictum, amoenum, ampullosum, angulosum, angustissimum, angustum, antiquum, aptiense, armatum, articulatum, asperellum, asperum, assimile, ataxense, athleta, attenuatum, auriculatum, australe, australis, auvertianum, avenaceum, baccatum, bacillum, balteatum, bandatum, barremensis, basteroti, basterotinum, beaudouini, belgicum, bellardii, betulae, bicalcaratum, bicariuata, bicarinatum, bicornutum, bicinctus, bicolor, bicostellatum, bidentatum, bilineatum, bimarginatum, binodosum, bircki, biseriale, bisertum, bispinosum, bitorquatum, blainvillei, blumi, boblayi, bonardi, bonellii, borianum, borsonianum, bouei, brandis, breve, breviculum, brocchii, brongniarti, bronni, bruguierei, buccinoides, buchi, bucklandi, bulimoides, bustamentii, buvignieri, caelata, caelatum, cailliaudi, calabrum, calcaratum, calcitrapoides, calculosum, californicum, canaliculatum, cancellaroides, cancellatum, carbonarium, carinatum, carolinensis, carolinum, cassisianum, castellinii, catenatum, cecillii, cenomanense, ceramicus, charpentieri, cinctum, cingendum, cingulatum, cingulatus, circe, claibornensis, clathratum, clava, clavatulatum, clavosum, clavulus, clavus, clementinum, clymene, collaterale, collegnii, colon, columna, columnare, combustum, comua, commaculatum, comperei, compositum, concavum, concisum, confluent, conicum, conjunctum, connexum, conoidale, conoideum, constrictum, contiguum, contortum, conulus, coquandianum, corallense, cordieri, corneum, cornucopiae, cornuelianus, coronatum, corrugatum, corvinum, costatum, costellatum, costulatum, crassilabrum, crassum, crenatulatum, crenatum, creniferum, crenulatum, ereperum, cribrarium, crispum, cristatum, curtum, curvicoatum, curvirostra, cuspidatum, cuvieri, daedaleum, damon, daphne, dealbatum, decheni, decoratum, decussatum, deforme, defrancei, dentatum, denticulatum, derignyianum, deshayesianum, despectum, detritum, diaboli, dialeucum, diemenense, diminutivum, dimorphum, discolor, disjunctum, dislocatum, dispar, distinctissimum, doliolum, dubium, duchasteli, dufenoyi, dupinianum, duplex, duplicatospinosum, dymorphum, ebenum, echidnoides, echinatum, echinulatum, edwardsi, egenum, elegans, elongatum, emarginatum, emartheon, emersoni, episcopale, eribote, erosne, ervynum, erythraeonense, euterpe, exasperatum, excavata, excavatum, exiguum, exile, fallax, fasciatum, favanne, ferrugineum, ferruginosum, filiferum, filosum, fimbriatum, fittoni, flavum, fleuriausum, flexuosum, fluviale, forbesianum, fragaria, fragile, fremonti, fulvum, funatum, funiculatum, fuscatum, fuscum, fusiforme, galeottii, gallicum, ganymedes, gardanense, gaudryi, gaytani, gea, geminatum, gemmatum, gemmulatum, gemmulosum, genei, georgianum, gerontes, geslini, gibberosum, gibberulum, gibbosulum, gibbosum, giganteum, glaucippe, globulosum, glycerie, goldfussi, gracile, gracileutum, gradatum, graecum, granarium, granosum, granulatoscostatum, granulatum, granulinum, granulosum, grateloupi, gravesi, greeni, guaranianum, guerangeri, guinaicum, gurgites, halie, hartmannianum, haueri, hiebertianum, hecabe, hecale, hector, hegewischi, hehli, heliodore, helmerseni, hemes, hemon, henckeli, henckeliusi, heranice, hericarti, hesione, heteroclitus, heteroclitum, hille, hoeninghausi, hugardianum, humboldti, hymerensis, hystrix, ianthinum, imbricatum, imperfectum, impressum, inaequicinctum, incertum, incisum, incomptum, inconstans, incrustatum, inflatum, interlineatum, intermedium, interruptum, intortum, intricatum, invaginatum, inversum, involutum, iota, irregulare, irroratum, jageri, janthie, jason, jole, kefersteini, kieneri, klipsteini, kobelli, kochi, konincki, labiatus, labyrinthum, laciniosum, lacteum, laeve, laevigatum, laevis, laevissimum, laevum, lafondii, lallierianum, lamarcki, lamellosum, langrunensis, laothoe, lapidorum, largillierti, larva, lateplicatum, latreillei, latum, laurae, lejeunii, lemniscatum, lesbarrizienae, leufroyi, leve, ligatum, lignatarum, lima, limaeforme, lineatum, lineolatum, lividulum, longicaudatum, lorieri, luschetzianum, lutosum, lutulentum,

macrogonatum, macrostoma, maculosum, madagascariense, magnan, magnum, mamillatum, maraschini, margaritaceum, marginatum, margine-nodosum, mar-moratum, marollipum, martinianum, matheroni, matronense, mediale, mediterraneum, megasoma, melaniaeforme, melanioides, melanoides, melanura, melite, menestrieri, merope, metaxa, metula, meyeri, microptera, microstoma, millegranum, mille-punctatum, minutissimum, minutum, mirabile, mitra, mitrale, mitreola, mitriforme, mixtum, modestum, moniliferum, montagnei, morus, moutonianum, muensteri, multigranulatum, multigranum, multinodosum, multispiratum, multisulcatum, murchisoni, murex, muricato-costatum, muricinum, muricoides, muscarum, musica, mutabile, nanum, nassoides, nassula, neglectum, neocomiense, nereis, nerinea, nigrescens, nigrinum, nigrocinctum, niobe, nitidum, nodiferum, nodoso-scarinatum, nodoso-costatum, nodosum, nodulosum, normanianum, notatum, nudum, nymphea, nysti, obesum, obliquatum, obscurum, obtusum, oenone, opis, ornatissimum, pacificum, pagodula, palaemon, palense, pallidum, palpalis, palustre, papaveraceum, papillosum, parvulum, peloritatum, pennanti, pentagonum, peregrinorsum, perforatum, perigordianum, perigordina, perpulchrum, peruvianum, petri, petricolum, petrosium, phillipsi, pictum, piriforme, planum, platynotum, plebeium, pleurotomoides, plicatum, plicatulus, plicatum, piculosum, polygonatum, polygonum, polystropha, portlandicum, pousianum, pratti, precatorium, prevosti, prismoideum, procerum, productum, propinquum, prosperianum, protectum, protractum, provinciale, pseudocinctum, pseudoclathratum, pseudosconoideum, pseudocoronatum, pseudocostellatum, pseudonodulosum, pseudosobeliscus, pseudoplicatum, pseudosventricosum, pulchellum, pulicarium, pullum, punctatum, punctulum, pupaeforme, pupilla, purpura, pusillum, pustulosum, pygmaeum, pyramidalis, pyramidatum, pyreniforme, quadrangulatum, quadricinctum, quadridrum, quadrilineatum, quadriseriatum, quadrisulcatum, quadrivittatum, quattuor-sinatum, quinqueangulare, quinque cinctum, radix, ranelloideum, raulini, ravidum, reflexilabrum, regulare, renardi, renauxianum, requienianum, resectum, reticosum, reticulatum, rhodani, rigidum, roemeri, roissyi, roncaneum, rouyanum, royanum, rubiginosum, rubropunctatum, rubus, rude, rueppelli, rugosum, rugulosum, rupellense, rupestris, russiense, rusticum, sabaudi-anum, sacratum, salmacidum, salmo, sardoum, sarthacense, scaber, scabridum, scabrum, scabrum, scalare, scalaroides, scalaroideum, scobena, scruposum, semele, semicoronatum, semicostatum, semiferrugineum, semigranosum, septem-cinctum, septemplicatum, septemstriatum, sidae, silicum, sinensis, sinistratum, sinistrorsum, sirius, sismondiae, solitarium, sordidulum, sowerbyi, sphaeruliferum, spicatum, spicula, spina, spinosum, spinuliferum, spinulosum, spiratum, stephanophorum, strangulatum, strangwaysi, striatum, stropus, subabbreviatum, subattenuatum, subcanaliculatum, subcancellatum, subclavis, subcolumnare, subcomma, subconcauum, subconicum, subcostellatum, subcostulatum, subcurvicostatum, subdecussatum, subelongatum, subfasciatum, subfragile, subgracile, subgranosum, subgranulatum, subimbricatum, subinversum, sublamellosum, sublineatum, submargaritaceum, submarginatum, subminutum, submuricatum, subnassoides, subnodosum, subobtusum, subpunctatum, subpupaeforme, subpustulosum, subpyramidale, subpyrenaicum, subquadrangulatum, subquadrisulcatum, subreticulatum, subrostellatum, subscabrum, subscalariforme, subspinosum, substriatum, subsuturale, subterebrale, subtricarinarum, subtricinctum, subturritella, subula, subulatum, subvaricosum, subvariculosum, suffarinatum, sulcatum, sulcifer, suturale, suturosus, suzanna, syssollae, taeniatum, taitbonti, taurinium, tchihatcheffi, tectum, tenerum, tenue, tenuistriatum, terebella, terebellum, terebra, terebrale, terebroides, ternatum, tessulatum, testasi, textile, textum, thiara, thiarella, thisbe, tortile, toucasianum, tourannense, triarmatum, tricarinarum, triciucta, tricinatum, triferis, trilineatum, trimonile, trinchimopolitense, triplicatum, tripunctatum, triseriatum, tristoma, tristriatum, trochiforme, trochleare, tuberculare, tuberculatum, tuberculosum, tuberosum, turbiiforme, turbinatum, turrellum, turriculatum, turrimis, turris, turritella, turritellatum, turritum, ulysses, umbilicatum, umbrellatum, uncinatum, undosum, unicarinarum, unilineatum, uniplicatum, uniseriale, unisulcatum, urania, vapincense, variabile, varicosum, variculosum, variegatum, varium, varusense, venei, ventricosum, verneuli, versicolor, versicostatum, vibrayanum, vicinum, vindinense, violaceum, virgatum,

vittatum, vulcani, vulcanicum, vulgatum, vulgatum, zebrum, zeuchneri, ziczac, zonatum.

Ceritium nivium, pirayui.

Cerium bidens, uva.

Cerna cora.

Cernatia araneoides, australiana, capensis, coleoptrata, downesi, dubia, floridana, guildingi, hardwicki, latreillei, livida, longicornis, longipes, longitarsis, maculata, nobilis, oweni, rubrilineata, rugosa, smithi, variegata, vesuviana, virescens.

Cerna macrogenis.

Cernua bidyana, fluvialis.

Ceruela aculeata, carthusianella, ciliata, cinctella, dolopida, fruticum, fulva, incarnata, leucouzoua, lurida, phalerata, pisana, revelata, rupestris, unidentata, variabilis.

Cerobates pygmaeus, sulcatus, tristriatus.

Cerocala scapulosa.

Cerocatus tarsalis.

Cerocephala cornigera, formiciformis, glabricollis.

Ceroclastis cristatella, frangulella, hippocastanella, nigrocomella.

Cerocoma faldernanni, festiva, kunzei, linnei, micans, muhlfeldi, olivieri, pateligera, praeusta, scovitzii, steveni, wagneri.

Cerocetus abdominalis, equestris, flaviventris, unicolor.

Cerodon bilobidens, rupestris, saxatilis.

Ceroglossus chiliensis, indiconotus, valdiviae.

Ceromya (Dipt.) abdominalis, erythroceras, grisea, ludibunda, microcera, rubrifrons, testacea, vivida.

Ceromya (L.) alata, bajociana, concentrica, crassicornis, elegans, excentrica, fleuriausa, gregaria, inflata, minima, neocomensis, obliquata, oblonga, obovata, orbicularis, plicata, rostrata, sarthacensis, semiradiata, striata, tenera, tetragona, undulata.

Ceropacha diluta, duplaris, flavicornis, fluctuosa, octogesima, or, ridens.

Ceropachys foveicollis.

Ceropales anomalipes, apicalis, bipunctata, campestris, cincta, fasciata, ferruginea, flavicornis, fulvipes, histrio, interrupta, maculata, nigripes, picta, punctum, quinque-cinctus, ruficollis, semiannulatus, sessilis, spinosa, variegata.

Cerophas oxyura.

Cerophorus (M.) griseus.

Cerophysa nodicornis.

Cerophytum elateroides, flavescens, piceum.

Ceroplastes jamaicensis.

Ceroplatus affinis, atratus, atricornis, carbonarius, dispar, fascipennis, flavus, humeralis, lineatus, niger, reaumuri, sesioides, testaceus.

Ceroplesis aestuans, aethiops, hottentota, marmorata, tricineta, trifasciata, trivittata.

Ceropogon hirticornis.

Ceropria erythroctena, festiva, induta, romandi, spectabilis, subocellata, versicolor.

Ceroptera rufitarsis.

Ceroptres arator, clavicornis, melanomerus, socialis.

Cerorhinca occidentalis.

Cerostena punctulata, vestita.

Cerosterna cribrata, fasciculata.

Cerostoma (Lep.) annulatella, deplanata, dorsatus, maculipennis, porrectella, xylostella.

Cerotoma fascialis, geometrica, nodicornis.

Ceroxys albitarsis, crassipennis, elegans, marmorea, multispinosus, omissa, pulcrica, quadrivittata, quinquemaculata, scutellata, urticae.

Cerzodia interrupta.

Certallum ruficollis.

Certhia affinis, agilis, albifrons, americana, amethystina, angaladiana, antarctica, asiatica, atricapilla, aurata, auricularis*, auriculata, aurifrons, australasiae, australasiana, bifasciata, brachydactyla, caerulea, caerulescens, cana, canescens, cantillans, cardinalis, caroliniana, carunculata, chiliensis, chlorophaea, chrysotoos, chrysotis, cincinata, cincta, citrinella, coccinigaster, cocinsinica, cucullata, cuprea, cyanocephala,

cyanura, dibapha, diluta, discolor, dubia, elegans, erythrogaster, erythropygia, fasciata, heorum, flaviventris, frontalis, fuliginosa, goelpariensis, goodpanensis, goruck, graculina, graculoides, guttata, heteroclitia, himalaya, himalayana, infumatus, javanica, lepida, leucophaea, lunata, lunulata, macrodactyla, maculata, madagascariensis, magnus, mahrattensis, megarhynchos, melanops, mellinora, mellivora, mentalis, muralis, nasicus, nigra, nigrescens, nigrifrons, nipalensis, nitens, nitida, olivacea, palustris, pipilans, poliocephala, porphyriaca, purpurata, pusilla, pyrroptera, quinquecolor, rectirostra, rectirostris, reticulatus, rubricata, rubro-fusca, ruficauda, ruficollis, rufifrons, saccharina, sanguinolenta, scandalaca, sebana, semitorquata, semiculus, septentrionalis, sericea, siparaja, spanata, spilonota, spinicauda, splendida, striolata, suffuscula, sugnimbundu, superba, superciliaris, tacazze, taeniata, tenuirostris, varia, xanthotis.

Certhidea olivacea.

Certhilauda africana, albofasciata, bifasciata, boysi, breviunguis, chendoola, cunicularia, desertorum, duponti, maritima, nigrofasciata, nivosa, rufipalliata, semitorquata, subcoronata, tenuirostris.

Certhiola chloropygia, flaveola, guianensis, luteola, major, maritima, spiza.

Certhionyx leucomelas, variegatus.

Certhiparus albicillus, castaneiceps, ignitincta, maculicaudus, novae seelandiae, senilis.

Ceruchus piceus, sylvicola, tarandus, tenebrioides.

Cerura arcuata, bicuspis, bifida, erminea, fagi, furcula, fuscina, integra, latifascia, milhauseri, mucronata, terrifica, ulmi, verbasci, vinula.

Cervicapra acuticornis, adunca, bezoartica, capreolus, chickara, dama, eleotragus, goral, grumia, grisea, ibex, lalandia, mergens, oreotragus, pygmaea, quadricornis, saltatrix, saltiana, stenboeck, sumatrensis, sylvicultrix.

Cervulus coronatus, cusanus, reevesi, vaginalis.

Cervus affinis, albipes, alces, americanus, andicus, anocerus, antiquus, antisiensis, ardei, aristotelis, arvernensis, aureus, australis, axis, bahrajna, bahraiya, barbarus, bartholdi, bertholdi, bojani, borbonicus, brachycerus, brachycerus, bresciensis, bucklandi, campestris, canadensis, caribou, cashmerensis, cauvieri, chinensis, clavatus, coronatus, costrizensis, croizeti, ctenoides, curtocerus, cusanus, dama, destremi, dichotomus, dicranocerus, dicrocerus, diluvianus, dimorpha, dodur, dumasi, duvauceli, elaphoides, elaphus, eldi, eludocerus, equinus, etucriarium, eurycerus, fellinus, fossilis, frontalis, gergovianus, giganteus, grewensis, guettardi, hamatus, hibernicus, hibernus, humilis, intermedius, islandicus, issiodorensis, jarai, javanus, kaupi, kischbergensis, kuhli, labipes, laevigatus, larteti, lemonensis, lepidus, leptoceros, leschenauldi, leucogaster, leucurus, lewisi, lituripes, lyratius, macrotis, major, mangivorus, mariannus, martialis, matritensis, mauricus, maximus, mediterraneus, medius, megaceros, megaloceros, melanopus, mexicanus, minimus, minor, minutus, moluccensis, moschatus, moschus, nanus, nechersensis, nemoralis, nemorivagus, nicoleti, niger, nippon*, nudipalpebra, occidentalis, origual, palaeodama, palaeodoma, partschi, parvus, peroni, perrieri, philippinus, platyrhynchus, polycladus, primigenus, primordialis, priscus, privati, pseudaxis, pseudo-virginianus, pudu, pumilio, pygmaeus, quarzonti, ramosus, ratwa, rebouli, reevesi, rheno, rouso, rufus, rupefortensis, russa, savannarum, savinus, schleuchzeri, sika, simplicicornis, solihacus, somonensis, spelaus, strongyloceros, stylocerus, subcarnotus, subcornutus, tarandus, tenuicornis, timorensis, tolozani, tournali, trigonocerus, vialetti, wallichi, wapiti, wewaskish.

Cerycium paradoxum.

Ceryle alcyon, amazona, americana, bicolor, brasiliensis, cayanensis, cubanisi, guttata, inda, leucorhyncha, maxima, rudis, superciliosa, surinamensis, torquata, varia, viridirufa.

Cerylon affine, angustatum, angusticollis, attenuatus, bifoveatus, bipustulatus, castaneum, contractus, deplanatum, depressus, ferrugineum, fuscum, histeroides, impressum, juglandi, longicollis, loriatum, nitidus, nitidus, obsoletum, ovatum, picipes, pilicorne, striatum, sulcicollis, terebrans, testaceum, unicolor, vagans, variegatum.

Cespitularia multipinnata.

Cestracion canaliculatus, pantherinus, philippi, quoyi. *Vide et Centracion.*

Cestraeus oxyrhynchus, plicatilis, xanthurus.

Cestreus minimus.

Cestrinus obscurus, trivialis.

Cestrorhinus carolinensis, pictus, tiburo, zygaena.

Cestum amphitrites, najadis, rissoanum, veneris.

Cetalion reticulatum.

Cethera variata.

Cethosia aliphera, biblina, biblis, bonpland, chrysippa, cyane, cyatpe, deila, dido
hypsea, judith, julia, juno, lamarcki, leschenaulti, lybia, obscura, penthesilea, pherusa
vibilia.

Cetiosaurus brachyurus, brevis, longus, medius.

Cetochilus australis, septentrionalis.

Cetocis glaber.

Ceto-diodon hunteri.

Cetonia abdominalis, abyssinica, acuta, adspersa, aegyptiaca, aenea, aerata, aerifera,
aethiops, affinis, afflicta, africana, afzelii, albella, albilatera, albo-guttata, albo-
maculata, albo-picta, albopunctata, albo-sculpta, alessandrini, algerica, alterna,
ambigua, amethystina, angustata, anovittata, antennata, arabica, arborescens,
armeniaca, asiatica, aterrima, atomaria, atra, atropunctata, atrorubens, attalica,
aupick, aureoscuprea, auricollis, auripes, auripimenta, australasiae, bachapinica,
bachypinica, balteata, barbara, barbata, bax, bealiae, bella, bengalensis, bicolor,
biden, bifasciata, bifenestrata, biguttata, bimacula, bina, binotata, bipunctata,
bisignata, bivittata, brenei, browni, brunnea, brunnipes, bufo, burchelli, burmeisteri,
cailliaudi, calcarata, canaliculata, carbonaria, cardui, carinata, carneola, caucasica,
cavifrons, chalca, children, chloris, chrysonoe, cicatricosa, ciliata, cincta, cincticollis,
cincticula, cingulata, cinnamomea, circumcincta, circumdata, cirsi, coccinea, collaris,
collata, colorata, confinis, confusa, conjuncta, consobrina, conspersa, controdorsa,
coracina, cordata, coriacea, corvina, costata, crassa, craticula, cretosa, crinita, crocata,
cultrata, cuprea, cuprifulgens, cupripes, curtisi, cynauchi, daldorfi, dalmanni, decora,
decorata, dejean, derbyana, deserticola, desmarest, difficilis, difformis, dimidiata,
discoidea, dogueran, dolorosa, dorsalis, dubia, dumerili, effusa, elongata, episcopalis,
eremicola, erythroderes, excavata, excisa, exclamationis, exornata, fasciata, fascifera,
fasciolata, felina, femorata, feralis, ferruginea, fictilis, fimbriata, flammea, flava,
flaveola, flaviventris, flavos-cincta, flavo-fasciata, flavo-marginata, flavo-succincta,
formosa, francolina, frontalis, fuliginosa, funebra, funeraria, funerea, furcata, furfurosa,
gagates, gastrargyria, gemella, geminata, geotrupina, germana, germari, glauca,
godeti, golianthus, goryi, graeca, guerini, guttata, guttifera, gymnopleura, haemastica,
hardwicki, haworth, hebraica, hesperica, hieroglyphica, hirsuta, hirtella, hispanica,
histrion, hoffmeisteri, hookeri, hope, horsfieldi, hottentotta, hypoleuca, ignipes, impar,
imperialis, impressa, impressicollis, inca, indra, inhumata, innotata, inscripta,
insculpta, interrogationis, iridescens, iris, jota, joussetini, jucunda, karelini, klugi,
korini, laeta, laevigata, latreillei, lefebvrei, lenocinia, leonina, lepidula, lesueur,
leucographa, libani, lignea, litigiosa, loricata, lucens, lucidula, luconica, luctifera,
luctuosa, macleayi, macquarti, maculosa, maesta, malayensis, mandarina, manillarum,
margaritacea, marginalis, marginicollis, marilandica, maura, mauritania, melaena,
melancholica, meridionalis, mirifica, mixta, modesta, monacha, morticina, mucronosa,
mutabilis, nasuta, nebulosa, neglecta, nepalensis, nigra, nigratarsis, nitidissima,
notabilis, novem-punctata, nudiventris, numisma, numismatica, nympha, obesa,
oblonga, obscura, obscurella, obsoleta, ochreata, oculata, odiosa, oleagina, olivacea,
opalina, orientalis, ottomana, panzeri, papua, parallela, patera, pentachordia, petiti,
philipsi, piligera, pilosa, plana, plumigera, polita, praelara, prasina, pratense, pretiosa,
proctotricha, prolongata, propinqua, psittacina, pubera, pulchella, pulchra, pulla,
pulverulenta, puma, pumila, punctata, punctatissima, punctato undulata, puncticollis,
purpurea, quadrata, quadridspersa, quadricolor, quadridentata, quadriguttata,
quercus, querula, recurva, reflexa, regalis, regia, reichii, resplendens, reticulata, rogeri,
roschida, roylei, rubicunda, rubricollis, rubro-cincta, rubro-scuprea, rubro-nigra, rubro-
signata, rufo, rufo-vittata, ruficula, rustica, sametina, sanguinalis, sanguinipes,
sardea, saundersi, scabrusculus, scalaris, scapha, scapularis, scopoli, scutellaris,
scutellata, seniculus, sepulchralis, sericea, serva, servillei, setosa, sex-maculata,

sexuudulata, sibirica, similis, sobrina, sordida, soror, speciosa, spectabilis, speculifera, spilota, splendidula, spoliata, spreta, squamosa, staehelini, stella, stellata, stephensi, stictica, stigma, stigmatica, stillata, stolidia, striata, stupida, subacuminata, subfasciata, submaculosa, submarmorea, subtomentosa, subviridis, suturalis, swainsoni, sybaritica, taciturna, taenia, tenebrionis, terminata, terrosa, thelasco, thoracica, tincta, tomentosa, torquata, trichoides, trigona, tuberculicollis, umbrosa, valesiaca, varia, variabilis, varians, velutina, ventricosa, venusta, vermiculata, verreauxi, vestita, vicina, vidua, villosula, virens, viridana, viridicyanea, viridiflua, viridobscura, volhyensis, vulnerata, vulpina, weberi, westermanni, whitehousei, withilli, xanthopus, zebra, zoukovi.

Cetoniinus hirsuta.

Cetopirus balaenaris.

Cetopsis candiru, coecutiens.

Cetorhinus gunneri, homianus, peregrinus, shavianus.

Cetosparactes eburneus.

Cetotherium priscum, rathkei.

Cetra orbicularis.

Cettia africana, altisonans, cetti, sericea.

Cetus cylindricus, macrocephalus, microps, orthodon, tursio.

Ceuthorhynchus *vide* **Ceutorhynchus**.

Ceutocerus advena.

Ceutorhynchus abbreviatus, abruptestriatus, acephalus, achilleae, aegrotis, aeneicollis, affinis, alauda, albiventris, alboscutellatus, albosetosus, albosignatus, albovittatus, analis, andreae, angulosus, angustulus, apicalis, arator, armatus, arquata, asperifoliarum, asperulus, assimilis, ater, atomus, atratulus, aubel, austerus, axillaris, barbarae, batatae, biguttatus, borraginis, bruchoides, caliginosus, camelineae, campestris, carbonarius, carinatus, carinifrons, castaneus, castor, cestrotus, chalybaeus, chrysanthemi, cinereus, coarctatus, cochleariae, coerulescens, collaris, comari, concinnus, congener, consputus, constrictus, contractus, convexicollis, coracinus, corinthius, crucifer, curtus, cyanipennis, cyanopterus, decoratus, denticulatus, dentipes, depressicollis, didymus, dubitabilis, echii, ensifer, epiobii, ericae, erycae, erysimi, erythrorhynchus, faeculentus, fallax, fatidicus, ferrugatus, figuratus, flavomarginatus, floralis, fossarum, fuliginosus, gallicus, gerani, gibbipennis, glabratus, glabriorstris, glaucinus, glaucus, globulus, gramineus, guttula, guttulis, haemorrhoidalis, hedenborgi, hepaticus, hirtulus, horridus, humeralis, ignitus, inaequalis, inaffectatus, inconspicuum, inermis, intersectus, interstinctus, laevigatus, lamii, lepidus, leucogaster, lineatus, liratus, litura, luceus, lycopi, macula, marginatus, melanarius, melancholicus, melanocephalus, melanocyaneus, melanorhynchus, melanostictus, melanostigma, mendosus, minutus, mirabilis, misellus, moestus, molitor, monostigma, mucronulatus, multinotatus, murinus, myriophylli, nanus, napi, nasturtii, neutralis, nigriorstris, nodicollis, notula, nubeculosus, nubilosus, obscurecyaneus, obsoletus, obtusicollis, occultus, ornatus, ovalis, pallidactylus, peregrinus, pericarpus, perturbatus, phaeorhynchus, pictarsis, pilosellus, politus, polliger, pollinarius, posthumus, pruni, pubicollis, pultarius, pulvinatus, pumilio, puncticollis, punctiger, punctulum, pyrrhorhynchus, quadricornis, quadridens, quadrimaculatus, quadrituberculatus, querceti, quercicola, quercus, radula, rapae, resedae, rhusi, rimulosus, roberti, ruber, rubescens, rubetra, rubicundulus, rubicundus, rubidus, rubricollis, ruicollis, ruicornis, ruicrus, rufiorstris, rufitarsis, rugulosus, rusticus, sahlbergi, sanguinicollis, scabriorstris, scapularis, scortillum, scutellaris, scutellatus, sellatus, septentrionalis, seriatus, setiferus, setosus, sextutuberculatus, sicarius, signatellus, signatus, sii, sisymbrii, sophiae, sphaerion, squamiger, steveni, subrufus, subsultans, sulcatus, sulcicollis, sulculus, suturalis, suturellus, syrites, T=album, tarsalis, terminatus, tibialis, topiarius, triangularis, triangulum, trimaculatus, trisignatus, troglodytes, tuber, tuberculatus, typhae, uliginosus, umbellae, unciorstris, uniformis, uniguttatus, urens, uroleucus, uroteucus, urticae, validiorstris, variegatus, verrucatus, viduatus, vilis, virgatus, viridanus, waltoni, zimmermanni.

Ceyx azurea, corrigiolatus, cothurniatus, cyanea, cyanospectus, filiformis, lepida, luzoniensis, meninting, microsoma, purpureus, pusilla, rubra, rufidorsa, solitaria, tridactylus.

- Chaca** hamiltoni, lophoides.
Chacura chukor, graeca, pugrax.
Chaemelio namaquensis, taeniabronchus. *Vide et Camaeleo, etc.*
Chaemepelia cinnamomina, minuta, passerina, squamosa.
Chaenocetus rostratus.
Chaenon affinis, anceps, apterus, ater, brevicornis, cingulatus, elegans, fuliginosus, gracilis, nigricans, obscurus, rufinotatus, similis, viduus.
Chaenusa conjungens.
Chaeradodis truncata. *Vide et Choeradodis.*
Chaeridium collare, cupreum, dilaticolle, elegans, flavicorne, fusciceps, latum, nitidum, prasinum, simplex, viduum, violaceipennis, viridicolle.
Chaerocampa argentata, celerio, cretica, elpenor, nerii, osyris, porcellus.
Chaerodes trachyscelides.
Chaeromeryx silistrense.
Chaeropotamus cuvieri, gypsurum, matritensis, meissneri, parisiensis, soemmerringi. *Vide et Choiropotamus.*
Chaeropus castanotis, ecaudatus.
Chaerosoma miriformis.
Chaetarthria seminulum.
Chaetaster hermanni, maculata, subulata, tessellata, troscheli.
Chaetectetorus bifasciatus, setosus.
Chaetetes antiqua, capillaris, columnaris, concentricus, coquandi, crassa, cylindraceus, cylindrica, dilatata, dubium, excentricus, fastigiatus, favosa, flabellum, gigantea, heterosolen, incrustans, irregularis, jubata, lycoperdon, petropolitanus, producti, pygmaeus, radians, radiata, repens, rugosus, sp. ind., septosus, spinigera, subfavosa, subfibrosa, torrubiae.
Chaetiana erythrostoma, fulva.
Chaetilia ovata.
Chaetites capilliformis, cretosus, lobatus, pomiformis, ramulosus.
Chaetoblemma leucocephala.
Chaetobranchus bruneus, flavescens.
Chaetochilus costellus, fissellus, maurellus, radiatellus, rufimitrellus, sequellus, sylvella, variellus, vitellus.
Chaetocnema aridella, aridula, concinna, minuta, picipes, pulicaria, sahlbergi, saltitans, semichalcea.
Chaetoderma nitidulum.
Chaetodermis penicilligerus, spinosissimus.
Chaetodipterus plumieri.
Chaetodon abhortani, araneus, argenteus, arthriticus, asfur, atromaculatus, aureus, austriacus, haro, haronessa, hellicosus, bennetti, bicornis, bifascialis, bifasciatus*, biocellatus, blackburni, brownriggi, caris, catesheyi, chrysostomus, chrysozonus, chrysurus, couaga, daakar, decussata, dizoster, dorsalis, elongatus, enceladus, ephippium, falcatus, flavescens, flavissima, flavus, fremblyi, frontalis, gallina, geometricus, guttatissimus, guttatulus, hadjan, ignotus, imperialis, karraf, labiatus, larvatus, leachi, lineolatus, lividus, longimanus, luctuosus, lunatus, lunula, lunulatus, luteus, marginatus, melammystax, melampus, melannotus, melanopus, melanotus, melastomus, mertensi, mesogallicus, meyeri, miliaris, modestus, monodactylus, nesogallicus, nichaharcensis, niger, nigromaculatus, nigropumatus, ocellicaudus, oligacanthus, ornatus, oviformis, pairatolis, parrae, pentacanthus, pinnatiformis, plebeius, plectorhynchus, praetextatus, princeps, principalis, punctatofasciatus, punctatus, quadrifasciatus, quadrimaculatus, quinque cinctus, rafflesi, reticulatus, rhombeus, rhombus, rotundatus, sargoides, sehae, sebanus, semilarvatus, sexfasciatus, speculum, spilopleura, striatus, strigangulus, strigatus, subarcuratus, subaureus, substriatus, subvespertilio, taumigrum, tetracanthus, triangularis, triangulum, trifascialis, tyrwhitti, ulietensis, variegatus, velicans, velifer, vinctus, virescens, xanthocephalus, zebra, zonalis, zoster.
Chaetodus basalis, irregularis, pictus.
Chaetoessa filata.

- Chaetogaster** diaphanus, furcatus, gulosus, limnaei, niveus.
Chaetoglena caudata, volvocina.
Chaetolabrus maculatus, suratensis.
Chaetomonas constricta, globulus.
Chaetomys subspinosus.
Chaetonotus brevis, larus, maximus, squammatus.
Chaetophora arenaria, cretifera, maritima.
Chaetopisthes fulvus.
Chaetops burchelli, frenatus.
Chaetopterus (Ann.) pergamentaceus.
Chaetopteryx brevipennis, rugulosa, tuberculosa, villosa.
Chaetopus adansonii, pondicerianus, vaillanti.
Chaetornis collurioceph, striata.
Chaetostoma lobarhynchus.
Chaetotaulius angustatus, borealis, decipiens, flavicornis, nobilis, rhombicus, signifer, striola, vitratus.
Chaetotyphla armata, aspera, pyritae.
Chaetura australis, bicolor, brunnitorques, collaris, fusca, gigantea, macroptera, martinicana, nudipes, pacifica, pelagias, sabini.
Chaeturichthys stigmatias.
Chaimarrornis leucocephala.
Chaitaris fulgiverter, grandis, mcgregoryi, rubeculoides, sordidus, sundara.
Chaja torquata.
Chalarus holosericeus, spurius.
Chalcas bremeri, cyaneus, fumatus, humeralis, lateralis, lineatocollis, lugubris, obesus, sexplagiatus, trabeatus, turgidus, unicolor.
Chalcantis lauta, sphaerica, victima.
Chalceus amazonicus, angulatus, ararapeera, carpophaga, fasciatus, guile, hilarii, labrosus, latus, macrolepidotus, nigrotaeniatus, opalinus, orbignyanus, rodopterus, rotundatus, taeniatus.
Chalciclerus bimaculatus, intricatus, unicolor.
Chalcides anguina, cophias, cuvieri, monodactylus, orbignyi, pentadactylus, propus, schlegeli, seps, serpens, tetradactylus, tridactylus.
Chalcidica hyphonoce, minea.
Chalcidimorpha fulvipes.
Chalcimon humboldti, spixi.
Chalcinus angulatus, auritus, brachipomus.
Chalciope cephise, dindyma, hypasia, lycopodia, mygdonias.
Chalcis abrotani, acuta, adscendens, agilis, albicus, alexion, almon, alpius, amenoches, amoena, amphilocheus, amphissa, angarus, annulipes, apicans, armata, aurata, bedeguaris, biguttata, bimaculata, bispinosa, brevicornis, cabira, caudatus, cingulata, clavata, conigastra, cophias, cornigera, cuvieri, cyanea, cynipidis, dargelasi, daudini, debilis, decorata, denticornis, dentipes, dimidiata, distinguenda, emarginata, euphaeae, femorata, ferruginea, flabellata*, flava, flavescens, fonscolombei, fulgens, gallarum, inermis, intermedia, italica, larvarum, lasnieri, lasus, melanaris, melanuris, micans, microgaster, mnestor, nebulosa, nigripes, nitidula, orseis, ovata, parvula, pectinicornis, pensilis, phya, picta, polycor, pomorum, pubescens, pumila, punctigera, puparum, pygmaea, pyramidea, quadripunctata, quercina, ramicornis, resus, rubens, ruficollis, serripes, simplex, sphegum, stigma, tenuicornis, testacea, teuta, tibialis, ucalagon, variegata, vicina, violacea, visellus, xanthostigma, xerxena.
Chalcitella evanioides.
Chalcites oscularis, parvirostris, simplex, smaragdineus, xanthorhynchus.
Chalcochiton speciosus.
Chalcochrous lenis.
Chalcodermus aeneus, angulicollis, armipes, calidus, ebeninus, longirostris, metalinus, plicaticollis, pruinosis, roricatus, rubronotatus, serripes, spinifer, tombacinus.
Chalcoderus maculatus, signatipennis.

- Chalcolepidius** aequinoctialis, approximatus, attenuatus, bomplandi, desmaresti, erichsoni, eschscholtzi, fabricii, gossippiatus, herbsti, lafargei, limbatus, mexicanus, obscurus, porcatus, prasinus, procerus, pruinosis, sericeus, silbermanni, smaragdulus, striatus, sulcatus, virens, zonatus.
- Chalconotus** cupreus.
- Chalcoparia** ciungalensis.
- Chalcophana** effulgens, illustris.
- Chalcophanes** jamaicensis, minor, palumbina.
- Chalcophaps** chrysochlora, indica, longirostris.
- Chalcophora** atricornis, australica, bacca, confluens, femorata, fulva, mariana, nitidissima, primaria, quadrimaculata, quadrioculata, stigmatica, virginensis.
- Chalcoptaxis** fulgurans, granaria, ruiventris.
- Chalcopteryx** kirbyi.
- Chalcopsitta** novae-guineae, rubiginosa, scintillata.
- Chalcospiza** hesperia, hyalina, leptalina, pectinicornis, pulchella, selene, tiberina.
- Chalcosoma** atlas, caucasicus, chiron, hesperus.
- Chalcostetha** aspasia, pectoralis.
- Chalcothea** barrotiana, resplendens, smaragdula.
- Chalepus** alliaceus, barbatus, bidentatus, brevis, cardinalis, collaris, dictyopterus, dorsalis, fuliginosus, gagates, geminatus, giganteus, gonapterus, hydrophiloides, leucophthalmus, lineata, luridus, nasutus, picipes, planatus, plicatus, rostratus, rubra, rufogaster, rugifrons, sanguinicolis, spinipes, subsericeus, trachypygus, zoilus.
- Chalicodoma** canescens, muraria, rufitarsis, sicula.
- Chalicomys** eseri, jaegeri, sigmodon.
- Chalicorus** vinulus.
- Chalicotherium** antiquum, europaeum, goldfussi, sivalense.
- Chalidis** coerulea, nigricans.
- Chalimus** scomberi.
- Chalisoma** pulcherrima.
- Chalybaea** cornutus, keraudreni.
- Chalybaeus** cornutus, paradisaicus, viridis.
- Chalybe** chrysopygella, flavianella, pyraustella, quadripunctella, stramentella.
- Chalybion** cyaneum, violaceum, zimmermanni.
- Chalybs** eryx, janias, telemus.
- Chama** aeruginosa, ajar, albidus, ammonia, angulata, angulosa, antescrypta, antiqua, appressa, arietina, asperella, aspersa, ataxensis, australis, bernardini, bovinus, brassica, brocchii, broderipii, calcarata, canaliculata, carditaeformis, cavernosa, chinensis, circularis, cistula, claasseni, congregata, conica, coralloides, corbierei, cornu arietis, cornucopiae, cornuta, corrugata, corticosa, costata, crassa, crassicostata, crenulata, cretacea, cristella, crocata, damaecornis, decora, decussata, delesserti, digitata, dissimilis, divaricata, echinata, echinulata, elongata, excavata, exigua, exogyra, ferruginea, fibula, fimbriata, florida, foliacea, fragum, frondosa, geometrica, gigas, granulosa, gryphina, gryphites, guineaica, haliotoidea, hemiscardium, hennensis, imbricata, incassata, intermedia, inversa, iostoma, janus, japonica, jukesii, lacernata, laciniosa, lactea, laevigata, lamellosa, lazarus, limbata, linguaefelis, lobata, macrophylla, maculata, meyeri, mima, mississippiensis, mitrula, muensteri, multisquamata, nivalis, nodulosa, obliquata, pacifica, panamensis, papyracea, pectinata, pectunculus, pellis-phocae, pellucida, picta, placentina, planata, plauensis, plicata, plicatella, plumbea, ponderosa, praetexta, producta, prolifera, pulchella, purpurata, radians, recurvata, reflexa, rhomboidea, rosea, rostrata, rubea, ruhra, ruderalis, rudis, ruppelli, rustica, rusticula, sarda, semiplana, senegalensis, sinistra, sinuosa, sordida, speciosa, speciosum, spinosa, spondylodes, squamata, squamosa, striata, subcalcarata, subgigas, sublamellosa, suborbiculata, subspinosa, substriata, sulcata, sulphurea, supracretacea, tumulosa, turgidula, unicornaria, variegata, venosa, virens.
- Chamaea** fasciata.
- Chamaeleo** ater, chamaeleon, gracilis, gutturalis, madagascensis, pallida, pardalis, parsoni, pumilus, thermophilus, tricornis, tuberculiferus, ventralis, verrucosus, vulgaris. *Vide et Chamaeleo*, etc.

Chamaeleolis fernandina.

Chamaeleon bibroni, brongniarti, calcaratus, cariuatus, coromandelicus, dilepis, hispanicus, margaritaceus, nitratus, planiceps, subcroceus, submitratus, vulgaris, zebra. *Vide et Camaeleo*, etc.

Chamaemya elegans.

Chamaepelia aymara, hottentotta, minuta, talpacoti, vetusta.

Chamaerhipes ophthalmicus.

Chamaesaura anguina.

Chamaesaurus abdominalis, anguinea, apus, bipes, chalcis, cophias, propus, ventralis.

Chamaeza fuscater, guatemalensis, marginata, meruloides, monticola, nana, ochroleucus, olivacea.

Chameleo brookesiana*, candicans, cucullatus, lateralis, oweni, rhinoceros, senegalensis.

Chameleon chameleon, cristatus, parsoni, senegalensis. *Vide et Camaeleo & Cameleo*.

Chamina ceramina, homichlodes.

Chamites auceps, auritus, borealis, crenulatus, glaberrimus, jurensis, laevis, lineatus, ostracinus, punctatus, striatus, succinctus, sulcatus, tellinarius, tellinoides, transversum-punctatus, ventricosus.

Chamoelopis hernaidesi.

Chamoepelia inca.

Champaetes goudoti.

Champsia fissipes, gibbiceps, lucius, nigra, palpebrosus, punctulata, sclerops, trigonatus, vallifrons.

Chamyna ceramina, homichlodes.

Chanda baculus, bogoda, dussumieri, lala, nalua, nama, phula, ranga, ruconius, setifer.

Changulia albiventer.

Channa orientalis.

Channichthys rhinocerotus.

Chanos arabicus, chloropterus, cyprinella, lubina, mento, nuchalis, orientalis, pala, salmonaeus, tolo.

Chaonia dodonea, querneae, roboris.

Chaonites pyriformis.

Chaptia aenea, malayensis, muscipetoides.

Characinus amazonicus, anostomus, besse, bimaculatus, curimata, cyprinoides, dentex, fasciatus, friderici, immaculatus, melanurus, nefash, niloticus, notatus, odoe, piabucu, pulverulentus.

Charactes consularis, cyaneus, duplicatus, torquatus.

Charactus australis, serratus, tricolor.

Charadrina sicula.

Charadrius affinis, africanus, albicapillus, albiceps, albifrons, altifrons, annuligerus, armatus, atrifrons, atrogularis, auratus, azarai, bicornis, bicolor, bidactylus, bilobus, bistriatus, bitorquatus, brasiliensis, brevirostris, brissoni, cacagnus, callaeas, campestris, cantianus, canus, carunculatus, caspius, cayennensis, cinclus, cirrhepi-desmos, collaris, columbinus, crassirostris, cristatus, cucullatus, cursorius, dudoroa, duvauceli, exalbidus, flavirostris, fluviatilis, fraenatus, frontalis, fulvipes, fuscus, gallinaceus, gavia, geoffroyi, giganteus, glareola, glaucopus, grallarius, griseus, gularis, helveticus, hiaticuloides, hypomelanus, inconspicuus, inornatus, intermedius, jugularis, keptuschka, lampronotus, leschenaulti, leucopolius, leucurus, littoralis, lobatus, longipes, lugubris, macropterus, maculosus, magnirostris, marginatus, marmoratus, melanops, melanopterus, melasomus, melodus, minor, minutus, modestus, monachus, mongolicus, montanus, myops, nebulosus, niger, nigrifrons, nivifrons, okeni, pardela, pectoralis, pecuarius, pluvialis, pusillus, pyrocephalus, pyrrhocephalus, pyrrhothorax, resplendens, rotundatus, rubecola, rubidus, ruficapillus, ruficollis, rufinellus, rufinus, russatus, sanguineus, semipalmatus, senegalensis, speciosus, spixi, squatarola, stolatus, subrufinus, taitensis, torquatula, tricolor, trifasciatus, trochilus, vanelloides, vanellus, varius, ventralis, veredus, virginicus, viridis, wagleri, wilsonia, winterfeldti, xanthocheilus, zonatus.

Charadronota lepieuri, quadrisignata.

Charaeas aethiops, cespitis, confinis, fusca, graminis, lutulenta, nigra.

- Charagmus gressorius.
 Charasia dorsalis.
 Charax acutirostris, cervinus, puntazzo.
 Charaxes anticlea, bernardus, boueti, brutus, candiope, castor, delphis, dolon, epijasius, ethalion, endamippus, jasius, marmax, phraortes, protoclea, psaphon, sempronius.
 Charcharias glaucus.
 Charcharodon mortoni.
 Chariclea delphiini, eversmanni.
 Charidea baucis, metis.
 Chariea cyanea.
 Chariessa ramicoruis, vestita.
 Chariesterus albiventris, carmelita, fasciatus, gracilis, marginalis, moestus, regalis, spinosus, vexillarius.
 Charina bottae.
 Charinotes fasciatus.
 Charinotus dentipes.
 Chariodema chlorodera, costatipennis, pallens, subcostata, suturalis, villosa, vittata, xyliua.
 Chariotheca lucidipennis.
 Chariptera aprilina, culta, gemmea, polymita, serpentina.
 Charis (Col.) aaede, aglaia, erato, euphrosyne, melete, mneme.
 Charis (Lep.) ania, azora, cereus, cleodora, gyadis, ismena, timaea.
 Charissa dilucidaria, obfuscata, obscuraria, operaria, pullaria, serotinaria.
 Charitodon tshudii.
 Charitosaurus ischidii, tshudii.
 Charmides alpinus.
 Charmon cruentatus.
 Chamosyna papua, papuensis.
 Charonia tritonis.
 Charopus concolor, nitidus, pallipes, punctatus, scitulus.
 Chartella papyracea, securifrons.
 Chartergus ater, nidularis.
 Chartopteryx childreni.
 Charybdis dura, smithi, zanclea.
 Charybs plicatus.
 Charytonia fulminans, vittata.
 Chasiempis sandvicensis.
 Chasmagnathus convexus.
 Chasmatopterus hirtulus, hispidulus, pilosulus, villosulus.
 Chasme decora, nobilitata.
 Chasmodes bosquianus, novemlineatus, quadrifasciatus.
 Chasmodia badia, bipunctata, brunnipes, dilatata, lateralis, marginicollis, modesta, nitida, trigona, viridis.
 Chasmodius virens.
 Chasmodon aptera.
 Chasmops odini.
 Chasmorhynchus albus.
 Chasolium ernestini.
 Chatoessus altus, aquosus, cepedianus, chacunda, chanpole, come, cortius, ellipticus, longimanus, maculatus, manmina, nasus, notatus, oolina, osbecki, punctatus, signifer, tampo, thrissa, triza.
 Chaulelasmus streperus.
 Chauliodes maculipennis, pectinicornis, rastricornis, schneideri, senicornis, subfasciatus, virginiensis.
 Chauliodus (A.) strepera.
 Chauliodus (Lep.) aeratella, gibbiferella, idaei, illigerella, pontificella, rhamniella.
 Chauliodus (P.) argentatus, capensis, fieldi, setinosus, sloani.
 Chauliognathus bimaculatus, circumdatus, gracilis, marginatus, ochraceus, pallens, plagiatus, scriptus, signaticollis, sulcaticollis.

- Chauliomorpha** filigerella.
Chauna chaia, chavaria, derbiana, fidelis, variabilis.
Chaunax pictus.
Chaunonotus sabini.
Chaunoproctus papa.
Chaunornis tamatia.
Chaunus globulosus, marmoratus.
Chaus caffer, lybius, planiceps, pulchellus, servalinus.
Chedrus grayi.
Cheilinus arenatus, aspersus, bimaculatus, blochi, chlorourus, coccineus, commersoni, diagrammus, fasciatus, festivus, guttatus, ketlitz, lacrymans, lunulatus, maculosus, mentalis, mertensi, nebulosus, polygramma, punctatus, punctulatus, quinquecinctus, radiatus, reticulatus, rivulatus, roseus, sanguineus, scarus, sinuosus, trilobatus, undulatus, venosus.
Cheilio auratus, cyanophilis, forskali, fuscus, hemichrysos, inermis, lineatus, microstoma, ramosus, viridis.
Cheilobranchus aptenodytum, dorsalis.
Cheilocace regina noctis.
Cheilodactylus antonii, aspersus, brachydactylus, carmichaelis, carponemus, cinctus, fasciatus, gibbosus, hecateius, lineatus, macropterus, nigricans, nigripes, tschudii, variegatus, zonatus.
Cheilodipterus acoupa, aquila, arabicus, batis, boops, butis, chrysopterus, culius, cyanopterus, heptacanthus, heptazona, lineatus, macrolepidotus, maculota, mauritii, octovittata, panijus, quinque-lineatus.
Cheilomenes quadrisplagiata, sexmaculata.
Cheiloneurus elegans.
Cheilonycha chalybea.
Cheilopogonus punctiger.
Cheilosa albitarsis, antiqua, canicularis, chlora, chrysocoma, flavicornis, fulvicornis, glauca, grossa, limbata, means, mutabilis, nigricornis, obscura, oestracea, rosarum, ruficornis, rufipes, ruralis, scutellata, variabilis, velutina, vernalis, vidua.
Cheilosia aerea, albimanus, albipila, albiseta, ater, auripila, australis, chloris, clypeata, coeruleus, cynocephala, flavimana, glabrata, gracilis, granditarsa, grossa, irregularis, luctuosa, maculosa, manicata, mellaria, mellina, melliturga, mutabilis, nigripes, nitida, obscura, ocymi, oestracea, peltata, pigra, placida, praecox, ruficornis, scalaris, scutata, scutellata, stictica, submaculata, tarsata, variabilis, vidua.
Cheilosporum sagittata.
Cheilostomum varicans.
Cheilotoma bucephala, erythrostoma.
Cheilotrema fasciatum.
Cheimaphasia gelatella.
Cheimatobia borearia, boreata, brumaria, brumata, dilutaria, rupicaprararia, vulgaris.
Cheimonophila castaneana, gelatella, signella.
Cheimophila phryganella, salicella.
Cheiracanthium carnifex, nutrix, pelagicum.
Cheiracanthus (P.) microlepidotus, minor, murchisoni.
Cheiracanthus (Verm.) gracilis, robustus.
Cheirochela assamensis.
Cheirodes sardous.
Cheirogaleus commersoni, furcifer, major, medius, milli, minor, smithi.
Cheirolepis cummingi, cummingiae, splendens, trailli, unilaterialis, uragus. *Vide et Chirolepis.*
Cheiromeles caudatus, torquatus.
Cheiomys madagascariensis. *Vide et Chiromys.*
Cheiromyza ochracea, vittata. *Vide et Chiromyza.*
Cheiron lar, leuciscus.
Cheironectes bicornis, pictus, politus, trisignatus. *Vide et Chironectes* (P.).
Cheiopachus colon, pulchellus, quadrum, tutela.

- Cheiroplatys** juvenis, laevipes, latipes, maelius, punctatus, truncatus.
- Cheiropristis** messanensis. *Vide et Chiropristis.*
- Cheirotherium** broccii, subapenninum. *Vide et Chirotherium.*
- Cheirotonus** macleayi, parryi.
- Cheirurus** beyrichi, bimucronatus, claviger, cordae, durocheri, exsul, gelasinus, gibbus, globosus, insignis, minutus, ornatus, quenstedti, radiatus, scuticauda, speciosus, sternbergi. *Vide et Chirurus.*
- Chela** aepar, aequipinnatus, alburna, alkootee, alpa*, balookee, guttatus, jorah, oweni, perseus, teekane.
- Chelaria** gibbosella, rhomboidella.
- Chelepteryx** collisi.
- Chelibs** gradatus.
- Chelichnus** duncani, gigas.
- Chelichthys** asellus, psittacus, punctatus.
- Chelictinia** riocouri.
- Chelido** cantiaea, caspia, dougalli, hirundo, minuta, nigra.
- Chelidon** bicolor, dasypus, fenestrarum, microrhynchus, procne, rupestris, urbana.
- Chelidopteryx** riocouri.
- Chelidorynx** chrysoschistos, hypoxantha.
- Chelidoura** curta.
- Chelidura** albipennis, anthracina, thoracica, tomis, vittigera.
- Chelifera** acaroides, angustus, beauvoisi, bicolor, brachydactylus, bravaisi, cancroides, carcinoides, cimex, cimicoides, coecus, corallinus, corticalis, degeeri, depressus, dunicolus, eucarpus, fabricii, fasciatus, geoffroyi, grandimanus, granulatus, hahni, hermanni, ischnochelus, ixoides, latreillei, longimanus, mariannus, maritimus, muricatus, museorum, nepoides, nodosus, oblongus, olfersi, pallipes, panzeri, parasita, pediculoides, reussi, schaefferi, schranki, scorpioides, sesamoides, setosus, theisianus, trombidoides, tuberculatus, walckenaeri, wideri.
- Chelifera** raptor.
- Cheligaster** leachi, phantasma, putris.
- Chelomorpha** atrorubra, imperialis.
- Chelipoda** mantispa, minor.
- Chelmon** longirostris, marginalis, rostratus.
- Chelobasis** bicolor, cornigera, vicolor.
- Chelochirus** atrox.
- Chelocrinus** acutangulus, pectatinus, pentactinus, schlottheimi.
- Cheloderus** childreni.
- Chelodina** flavilabris, geoffroana, longicollis, maximiliani, novae-hollandiae, oblonga, radiolata.
- Chelodus** typus.
- Chelogyne** collaris.
- Chelomeles** quadrilineatus.
- Chelonarium** atrum, beauvoisi, columbianum, haemorrhoum, mexicanum, ornatum, pilosum, punctatum, signatum, undatum, villosum.
- Chelone** benstedti, breviceps, convexa, crassicostata, cuneiceps, declivis, latiscutata, longiceps, obovata, planiceps, planimentum, pulchriceps, subcarinata, subcristata, trigoniceps.
- Chelonedema** affinis.
- Chelonia** (Lep.) astraea, aulica, cava, casta, castanea, caucasica, civica, costata, crucifera, dahrurica, dejeani, erythronota, evidens, fasciata, flavia, fuliginosa, fuscina, glatignyi, grisea, hebe, hemigena, intercisa, lapponica, latreillei, lubricipeda, luctifera, luxeri, maculosa, madagascariensis, mannerheimi, matrona, mendica, menthastri, olivacea, pallida, parasita, perotteti, plantaginis, proxima, pudica, punctata, purpurea, quenseli, rivularis, rugosa, russula, saucia, simplonica, sordida, taeniata, thulea, urticae, verbasci, villica, zoraida.
- Chelonia** (R.) belli, benstedti, bicarinata, brongniarti, caouana, caretta, carettoidea, cepediana, cephalo, coriacea, couperi, cuvieri, dussumieri, fischeri, galactina, harvicensis, hofmanni, imbricata, japonica, knorri, mantelli, marmorata, meisneri,

multipunctata, *mydas*, *pseudocaretta*, *pseudomydas*, *steinheimensis*, *virgata*, *viridis*, *wagleri*.

Chelonias (Lep.) *asellana*, *testudinana*.

Chelonias (R.) *lutaria*.

Chelonibia *bisexlobata*, *elegans*, *testudinaria*.

Chelonichthys *asmusi*, *minor*.

Cheloniscus *gigas*.

Chelonobia *savignyi*.

Chelonodema *elegans*, *scripta*, *variabilis*.

Chelonura *serpentina*, *temminckii*.

Chelonus *abdominator*, *acuminatus*, *affinis*, *alternipes*, *annularis*, *annulatus*, *atriceps*, *basalis*, *bicarinatus*, *bisulcatus*, *bonellii*, *canescens*, *consobrinus*, *contractus*, *cylindrus*, *dentatus*, *elegans*, *emarginatus*, *erosus*, *erythrogaster*, *esenbecki*, *eurytheca*, *excisus*, *fasciatus*, *femoralis*, *fenestratus*, *fulviventris*, *gravenhorsti*, *impressus*, *inanita*, *irrorator*, *klugi*, *lugubris*, *lunatus*, *luteicornis*, *maculatus*, *mandibularis*, *microphthalmus*, *monilicornis*, *mutabilis*, *nigritulus*, *obscuratus*, *oculator*, *oculatus*, *pallidicornis*, *pallipes*, *parcicornis*, *parvus*, *pedator*, *pellucens*, *planifrons*, *productus*, *pulchellus*, *pullatus*, *quadridens*, *retusus*, *rubripes*, *rufipes*, *rufigentris*, *scaber*, *scabrator*, *scabriculus*, *sericeus*, *similis*, *sobrinus*, *subemarginatus*, *submuticus*, *subsulcatus*, *sulcatus*, *variabilis*, *wesmaeli*.

Chelorrhina *polyphemus*.

Chelosania *brunnea*.

Chelostoma *albifrons*, *culmorum*, *mauritanica*, *maxillosa*.

Chelura (Cr.) *terebrans*.

Chelura (Lep.) *bifasciata*.

Chelydra *lacertina*, *murchisoni*, *serpentina*.

Chelymorphia *cribrum*, *gibbosa*, *pantherina*, *punctulata*.

Chelymys *macquaria*.

Chelyophorus *griffithi*, *pustulatus*, *verneuili*.

Chelyosoma *macleayanum*.

Chelys *adamsoni*, *bispinosa*, *castaneus*, *cayennensis*, *depressa*, *dumerilliana*, *expansa*, *fimbria*, *fimbriata*, *lata*, *longicollis*, *macquarii*, *matamata*, *planiceps*, *radiolata*, *ruipes*, *subrufa*, *viridis*.

Chemerina *ramburaria*.

Chemidotus *duodecimpunctatus*.

Chernitzia *abbreviata*, *acicular*, *acuminata*, *acuticostata*, *amalthaea*, *ambergensis*, *americana*, *anthophylloides*, *arctocostata*, *arenosa*, *armata*, *aspasia*, *athleta*, *babylonia*, *bellona*, *binodosa*, *bipunctata*, *blainvillei*, *blandina*, *bolina*, *bronni*, *buccinalis*, *caecilia*, *callopie*, *callirhoe*, *calypso*, *campanellae*, *canalifera*, *cancellata*, *canicularis*, *carbonaria*, *carinata*, *carusensis*, *cassiana*, *cephala*, *clathrata*, *clio*, *clytia*, *coarctata*, *cochlea*, *cochleata*, *columnaris*, *compressa*, *concentrica*, *condensata*, *conica*, *constricta*, *cora*, *cornelia*, *costaria*, *costellata*, *crassa*, *crenulata*, *curta*, *curvicostata*, *curvilinea*, *cylindrica*, *danae*, *decussata*, *defrancei*, *delia*, *densecostata*, *dormoisi*, *dubia*, *elegans*, *elegantissima*, *elongata*, *eolis*, *exilis*, *eximia*, *fasciata*, *fenestrata*, *filosa*, *fischeriana*, *flavocincta*, *flexuosa*, *formosa*, *fragilis*, *fuchsi*, *fulvocincta*, *gigantea*, *globosa*, *gloriosa*, *goldfussi*, *gracilis*, *grandis*, *hauslabii*, *heddingtonensis*, *hedonia*, *hoernesii*, *hordacea*, *humboldtii*, *hybrida*, *inaequistriata*, *indistincta*, *inflata*, *internodula*, *klipsteini*, *koehi*, *koninckiana*, *krausseana*, *lactea*, *laevigata*, *laevis*, *larva*, *latior*, *lefebvrei*, *levis*, *liasina*, *lineata*, *lommeli*, *lorieri*, *macandrei*, *margaritifera*, *melanoides*, *misis*, *modesta*, *mosensis*, *moutoniana*, *muensteri*, *multicostata*, *murchisoniana*, *neptuni*, *nitida*, *nitidissima*, *nodosa*, *nodosoplicata*, *normaniana*, *nuda*, *nympha*, *obeliscus*, *obliquata*, *obliquecostata*, *obliterata*, *obovata*, *ornata*, *pailletteana*, *perarmata*, *perlata*, *perversa*, *petschorae*, *phidias*, *plicatula*, *pollux*, *potosensis*, *procera*, *pulchella*, *puncta*, *punctata*, *pupoides*, *pusilla*, *pygmaea*, *reflexa*, *repeliniana*, *reticulata*, *rhodani*, *roissii*, *rouyana*, *rufescens*, *rufosocostata*, *rugifera*, *scalarioidea*, *scalaris*, *scalata*, *semicostata*, *semiglabra*, *similis*, *simplex*, *solidula*, *strigilata*, *subcarinata*, *subconcentrica*, *subhordeacea*, *sublineata*, *submargaritifera*, *subnodosa*, *subornata*, *subpunctata*, *subscalaris*, *substriata*, *subtenuis*, *subtortilis*, *subulata*, *sulcifera*, *supraplecta*,

tenuiplicata, tenuis, tenuissima, terebellum, textata, triostata, tristriata, trochleata, turriculata, turris, turritellaris, undosa, undulata, unica, unicus, varicula, varuseensis, ventricosa, vesta, vetusta, vittata, walmstedti, zenkeni.

Chen hyperborea.

Chenalopex aegyptiaca, africanus, cana, jubatus, lophotus, montanus.

Chenelopex coromandelianus.

Chenendopora complanata, cylindracea, cylindrica, fungiformis, lamellosa, marginata, micrommata, miliaris, obliqua, parkinsonis, pateraeformis, pocillum, radiata, reticulata, rugosa, subplena, undulata, verrucosa.

Chenesia obscura, testacea.

Cheniscus coromandelianus, madagascariensis.

Chennium bituberculatum.

Chenopsis atrata.

Chenopus buchi, cingulatus, decussatus, desciscens, dupinianus, liratus, margineri, paradoxus, pes-carbonis, pes-graculi, pes-pellicani, philippi, serresianus, spinosus, strombiformis.

Chera fugax, progne, renigera, serratilinea, templi.

Cheramoeca leucosterna.

Chermes abietis, acutipennis, affinis, castaneae, coccineus, corticalis, elegantula, fusca, humuli, lapidarius, nebulosa, nigrita, oblongus, piceae, picta, pulchra, ramni, strobilobius, viridis, viridula.

Chernites atrata, fluviatilis, gisteliana, littoralis.

Cherrus coenosus, ebeninus, infaustus, iodimerus, nanus, nitidilabris, opatrinus, plebejus.

Chersea vulgaris.

Chersina (G.) alabaster, crenata, fasciata, imperialis, integra, virginea.

Chersina (R.) angulata.

Chersis (Ar.) dubius, gibullus, savignyi.

Chersis (Lep.) tauridella.

Chersophis elegans.

Chersotis agathina, alpestris, ericae, leucogaster, multangula, musiva, ocellina, plecta, porphyria, rectangula.

Chersus iberus, marginatus.

Chersydrus annulatus, fasciatus, granulatus.

Chesias bosporaria, cupestrata, cupressata, firmaria, geneata, hippocastanata, juniperata, obeliscata, obliquaria, obliquata, oranaria, polycommata, sabinata, spartiaria, spartiata, ulicaria, ulicata, varia, variata. *Non Ctesias passim.*

Chetetes crinita, gracilis, konineki, megastoma, ovata, subantiqua, tasmaniensis.

Chetocera claripennis.

Chetodon chagsuries, festivus.

Chetopterus norvegicus, norvegus.

Chettusia albicapilla, coronata, cucullata, dominicana, gallinacea, gregaria, indica, lateralis, lobata, macroptera, melanocephala, melanoptera, miles, personata, senegalla.

Chevrieria velox.

Chevolatia insignis.

Cheyletus casalis, hirundinis, marginatus, musculus, venustissimus.

Chiaia neapolitana.

Chiamela duvaucelli, lineata.

Chiasmia cancellaria, clathraria.

Chiasognathus granti, jousseini.

Chiastolepis clathratus.

Chibia barbata, casia, hottentottus, malabaroides.

Chicoreus ramosus.

Chilabothrus inornatus.

Chilina ambigua, ampullacea, antiquata, bulloides, castanea, cumingiana, dombeiana, fluctuosa, fluminea, fluviatilis, gibbosa, grayana, major, matoni, ovalis, parchappii, puelcha, robustior, tehuelcha, tenuis.

Chilo acuminellus, acutellus, adipellus, aeneociella, alienellus, alpinellus, ambiguellus, aquilellus, arcuellus, argentellus, aridellus, aureliellus, auriferellus, bellus, caudellus,

chrysellus, chrysographellus, chrysonuchellus, cicatricellus, colonnellus, combinellus, conchellus, contaminellus, culmellus, decorellus, decrepitellus, deliellus, dignellus, disparellus, dubitellus, dumetellus, ensigerellus, ericellus, eximellus, falsellus, fascinelus, fulgidellus, fumeus, furcatellus, gigantellus, haytiellus, hortuellus, incertellus, inquinatellus, labiosellus, lanceolellus, lathoniellus, leachellus, lignellus, locupletellus, luctiferellus, luteellus, lythargyrellus, majorellus, margaritellus, marginellus, mercurellus, mucronellus, myellus, mytilellus, nivellus, ocellus, ochrellus, palpellus, paludellus, pascuellus, pauperellus, perellus, petriñcellus, phragmitellus, pinetellus, plejadellus, poliellus, praefectellus, pratellus, punctellus, punctigerellus, pyramidellus, radiellus, rorellus, selasellus, satrapellus, saxonellus, silacellus, sordidellus, stentziellus, strigellus, tentaculellus, teterrellus, truncatellus, verellus, vinetellus, zinckenellus.

Chilochorus rubidus.

Chilocorus bipustulatus, bivulnerus, cacti, circumdatus, dohrni, haemorrhoidalis, melanophthalmus, midas, nigripennis, nigrilus, pentaspilotus, politus, quadriverrucatus, ruiceps, schiodti, semipustulatus, tristis, verrucatus, wahlbergi.

Chilodes dubiosa, ulvae.

Chilodon aureolus, aureus, cucullulus, ehrenbergi, elegans, ornatus, uncinatus.

Chilodus carbonarius, gracilis, punctatus, tuberosus.

Chilolepis cliffordi.

Chiloloba acuta.

Chilomonas destruens, granulosa, obliqua, paramaecium, volvox.

Chilomycterus reticulatus.

Chilonemus cataractus.

Chiloneus siculus.

Chilonopsis sulcata.

Chilonycteris fuliginosus, gymnotus, macleayi, personata, rubiginosa.

Chilophryne orbigny.

Chiloscyllium griseum, malaianum, plagiosum, punctatum, tuberculatum.

Chilostoma cingulata, corneum, pulchellum, zonatum.

Chilostomella czizeki, ovoidea.

Chilotomus chalybaeus.

Chilotrema bulweri, lapicida.

Chimabache consimilella, fagella, lobella.

Chimaera (Lep.) appendiculata, leucomelas, linea, lugubris, orbonata, pumila, radiata.

Chimaera (P.) agassizi, americanus, arctica, australis, beaumonti, borealis, brevirostris, bucklandi, colei, collei, cristata, curvidens, dufrenoyi, dutertrii, dutettrii, egertoni, emarginata, falcata, fulgurita, gigas, greenoughi, helvetica, johnsoni, mantelli, mediterranea, neglecta, oweni, psittacina, rugulosa, sedgwicki, tessoni, townsendi.

Chimarra marginata.

Chimarrha marginata, morio.

Chimera funebris.

Chimerina cornuta, monocerata.

Chimotrema planiuscula.

Chincha americana.

Chinchilla breviaudata, lanigera.

Chion garganicus, rusticus.

Chionabas celimene.

Chione (Ast.) ophidianus.

Chione (Dipt.) communis, ichneumonea, sepedonoidea.

Chione (L.) albida, apicalis, aurantia, badia, circinnata, dione, dysera, erycina, floridella, gallina, impar, kingi, laeta, lamarcki, lilacina, lupinaria, maculata, pulchra, purpurascens, rudis, squalida, striata, sulcatina, tortuosa, virgo, vulgaris.

Chionea (Dipt.) araneoides, aspera, scita, valga.

Chionea (Lep.) aethiopella, alpicolella, crassipes, culminella, frigidella.

Chionis alba, forsteri, lactea, minor, necrophaga.

Chionobas aello, also, balder, bootes, bore, jutta, norna, oeno.

- Chionodes** berberidella, cinctella, exiguela, guttella, luctificella, luctuella, moestella, parella, quadripunctella, scopolella.
- Chionoecetes** opilio.
- Chippium** ephippium, microleon.
- Chiracanthus** grandispius, lateralis, pulverulentus.
- Chiridota** arenata, discolor, fusca, inhaerens, lumbricoides, pinnata, rubeola, tenuis, verrucosa.
- Chirocentrites** coroninii, gracilis, microdon.
- Chirocentrus** dentex, dorab.
- Chirocephalus** diaphanus.
- Chirocolus** imbricatus.
- Chirodamus** kingi.
- Chirodica** chalcoptera.
- Chirodota** chiaii, digitata, laevis, lumbricus, rufescens.
- Chirodus** pes-ranae.
- Chirolepis** curtus, macrocephalus, velox. *Vide et Cheirolepis.*
- Chiroleptes** raptor.
- Chirolophis** yarrelli.
- Chiomachaeris** manacus.
- Chiromys** psilodactylus. *Vide et Cheiromys.*
- Chiromyza** fuscana, ochracea, vittata. *Vide et Cheiromyza.*
- Chiron** assamensis, capensis, digitatus, grandis, senegalensis.
- Chironectes (M.)** minima, yapock.
- Chironectes (P.)** arcticus, barbatulus, bigibbus, biocellatus, bougainvillei, caudimaculatus, chlorostygma, coccineus, commersoni, furcipilis, gibbus, hirsutus, hispidus, histrio, laevigatus, laevis, langsdorffi, leprosus, lophotes, maculatus, marmoratus, mentzeli, multiocellatus, nesogallicus, nitidus, nummifer, ocellatus, palmata, pardalis, pavoninus, pictus, principes, reticulatus, scaber, tricornis, tridens, tuberosus, tumidus, unicornis, unipennis, variegatus, verus. *Vide et Cheironectes.*
- Chironemus** georgianus, macrocephalus.
- Chironia** laperousei.
- Chironius** carinatus, dione, leuckarti, longicauda.
- Chironomus** abdominalis, aeruginosus, aestivus, affinis, albicinctus, albicornis, albidus, albigennis, albigipes, albitibia, albitibia, albofasciatus, albolineatus, alpicola, altipes, amasia, amoenus, annularis, annularius, annulatus, annulimanus, annulipes, antarticus, anticus, apicalis, aprilinus, armillatus, arundineti, assimilis, ater, aterrimus, atomarius, atratulus, attenuatus, australis, autumnalis, barbicornis, barbipes, basalis, biannulatus, bicinctus, bicolor, bifasciatus, bimacula, binotatus, bipunctellus, borealis, brasiliensis, brevibialis, brunneus, brunnipes, byssinus, cantans, capucinus, carbonarius, carneus, cerebriformis, chiopterus, chloris, cinctus, cingulatus, communis, confinis, coracinus, crassicolis, crassipes, cristatus, culiciformis, debilis, denigrator, devinctus, dimidiatus, dispar, dizonias, dorsalis, dubius, elegans, ephippium, extinctus, fasciatus, fasciculatus, faspennis, femoratus, ferruginatus, ferruginea-vittatus, ferrugineus, festivus, fimbriatus, flabellatus, flabellicornis, flavellus, flaveolus, flavescens, flavicans, flavicingula, flavicollis, flavicornis, flavimanus, flavipes, flavonervosus, flexilis, fraterculus, frigidus, fulvus, fuscens, fuscimanus, fuscipennis, fuscipes, fuscus, gambianus, geniculatus, germinatus, gibbosus, gibbus, glabricollis, glaucurus, glaucus, gracilis, grandis, hilarellus, hilaris, hirticollis, hirticornis, hirtipes, hirtulus, histrio, humeralis, hyalipennis, hyperboreus, ictericus, immundus, incisuratus, incomptus, indulgens, insignis, intermedius, intersectus, invariundus*, jucundus, junci, juniperinus, laetipes, laetus, lasiomerus, lasiopis, lateralis, latus, lepidus, leucomelas, leucopogon, leucopus, lineatus, littoralis, littorellus, lividus, livonensis, lobiferus, longicornis, longimanus, longipes, longitarsis, longitarsus, lucidus, lugubris, luteicornis, luteipennis, maculatus, maculipennis, maculosus, marginatus, mellealeucus, meyeri, minimus, minutissimus, minutus, modestus, moerens, monilis, motitatrix, nanus, nemoralis, nervosus, niger, nigerrimus, nigricans, nigricornis, nigrimanus, nigrinus, nigripes, nigritiba, nigroviridis, nitidicollis, nitidus, niveipennis, niveipes, notabilis, notatus, nubeculosus, nubilipennis, nubilus, obscurimanus, obscuripes, obscurus, obsoletus,

occultans, oeningensis, olivaceus, opacus, ornatus, oscillator, paganus, pallens, pallicornis, pallidicollis, pallidulus, pallidus, pallipes, palustris, pectinicornis, pedellus, pedestris, pellucidus, pennicornis, perennis, perniger, persicariae, picipes, pictipes, pilicornis, pilipes, pilitarsis, plebeius, plumicornis, plumipes, plumosa, polaris, praecox, prasinatus, prasinus, productus, proximus, psittacinus, pubicornis, pubitarsis, pulchellus, pulcher, pulicaris, pullus, punctatus, punctipes, purpurea, pusillus, pusio, pygmaeus, quadrimaculatus, riparius, rivularis, rosencholdi, rubicundus, rudis, ruficollis, rufipes, rufiventris, rufovittatus, rusticus, scalaenus, scriptus, scutellatus, sellatus, sepultus, sericeus, sociellus, socius, sordidellus, stercorarius, sticticus, stigmaterus, stramineus, strictus, sulphuricollis, supplicans, sylvestris, tanypodipennis, tarsalis, tendens, tenellus, tentans, tenuis, terminalis, testaceus, thoracicus, tibialis, toenionotus, tremula, triannulatus, trichomerus, tricinetus, trifasciatus, trimaculatus, tristis, turpis, uliginosus, unicolor, unifasciatus, vagans, variabilis, varians, varius, venosus, venustus, vernalis, vernus, verrucosus, vibratoria, virens, virescens, viridanus, viridipes, viridis, viridulus, vitripennis, vittiger, vulneratus, waldheimi, zonatus, zonulus.

Chiropacha gilva.

Chiroperus sarrube.

Chiropotes couxio, torquatus.

Chiropristis litorea. *Vide et Cheiropristis.*

Chirosclis australis, bifenestra, bifenestrella, digitata, passaloides.

Chirostoma humboldtiana.

Chirotenon adustus.

Chirotes canaliculatus, lumbricoides, propus.

Chiroteuthis bonplandi, veranyi.

Chirotherium barthi, hercules. *Vide et Cheirotherium.*

Chiroxiphia caudata, ignicapilla, longicauda, melanocephala, militaris, oxyura, pareola.

Chirurus affinis, brevimuconatus, cruciatus, globifrons, obtusatus. *Vide et Cheirurus.*

Chirus decagrammus, denarius, monopterygius, octogrammus, praecisus, superciliosus.

Chisma furcillatum.

Chiton achatinus, aculeatus, acutiliratus, acutirostratus, adelaidensis, aereus, affinis, alatus, albidus, albolineatus, albus, alternans, alternatus, alveolus, angulosus, angusta, antiquatus, apiculatus, aquatilis, arbutum, arcuarius, argyrostictus, armatus, articulatus, aselloides, assimilis, astriger, athletica, atratus, australis, barnesi, bicolor, bicostratus, bipunctatus, biradiatus, biramosus, bistriatus, blainvillei, boweni, brandti, brevispinosus, broderipi, bruguieri, caelatus, californicus, caliginosus, canaliculatus, canariensis, cancellatus, capensis, caprearum, carinulatus, carmichaelis, castaneus, catenulatus, catillus, cerasinus, cestus, chilensis, chiloensis, chlamys, ciliatus, cimolius, cinerascens, cinereus, cingillatus, circellatus*, circumvallatus, clathratus, clypeus, coarctatus, collicii, colubrifer, columbiensis, concentricus, concinnus, confossus, contractus, convexus, coquimbensis, cordifer, coreanicus, corrugatus, costatus, cranchi, crenulatus, crispus, crocinus, cruciformis, cumingsi, cunninghami, cyaneopunctatus, cymbiola, daedaleus, daedalus, decussatus, dentiens, depressus, dieffenbachi, diluvianus, discors, discrepans, disjunctus, dispar, dissimilis, divergens, eburonicus, echinatus, echineus, elegans, elenensis, elongatus, emersoni, emersonianus, erythronotus, eschscholtzi, estuarii, euplaeae, evanidus, exiguus, fasciatus, festivus, fimbriatus, fruticosus, fulgetrum, fuliginatus, fulminatus, fulvus, fuscatus, gaimardi, garnoti, gemmatus, georgianus, giganteus, glaucocinctus, glaucus, globulosus, goodalli, granatus, graniferus, granosus, granulatus, grayi, grinionensis, guildingi, gunni, hanlevi, hastatus, hennahi, hindsii, hirtosus, hirudiniformis, illuminatus, inca, incanus, incarnatus, incii, incisus, incompletus, indicus, inornatus, inquinatus, insignis, isabella, janeirensis, jaspideus, jugosus, konincki, labeculatus, laevigatus, laevis, lamellosus, laqueatus, larvaeformis, latus, leachi, lectum, legiacus, lentiginosus, lignosus, limaciformis, lineatus, lineolatus, linter, literatus, lividus, loftusianus, longicymba, loochooanus, luridus, lusitanicus, luteolus, luzonicus, lyelli, lyratus, magdalenensis, magnificus, marmoreus, mauritanus, mediterraneus, mempsicus, mendicarius, mercki, mertensi, mesoleucus, metallicus, milleri, miocenicus, monticularis, mosensis, multicostatus, multimaculatus, muricatus, muscarius, muscosus, nagelfar,

nataiensis, nebulosus, nervianus, niger, nigrovirescens, nobilis, novae hollandiae, occidentalis, oculatus, olivaceus, oniscus, pallasi, pallidulus, pallidus, papillosus, patulus, pectinatus, pelliserpentis, pertusus, peruvianus, petaloides, petasus, petholatus, pictus, picus, platessa, platymerus, polii, polychetus, porosus, porphyreticus, priscus, productus, proprius, proteus, pruinosus, pulchellus, pulcherrimus, puncticulatus, punctulatus, puniceus, purpurascens, pusillus, pusio, pustulatus, quercinus, quoyi, rariipilosus, reticulatus, retusus, rissoi, roseus, ruber, rubicundus, rugosus, rugulatus, rugulosus, sagrinatus, sandbergianus, sanguineus, scaber, scabriculus, scaldinus, scarabaeus, schroeteri, scoticus, scrobiculatus, sculptus, scutatus, scytodesma, segmentatus, septemvalvis, setiger, setosus, siculus, sinclairi, sitchensis, slusianus, sowerbyi, spengleri, spiculosa, spiniferus, spiniger, spinosus, spinulosus, squalidus, squamulosus, stangeri, stelleri, stigma, stokesi, stramineus, striatus, strigillatus, striolatus, subdivisus, subfuscus, subgemmatus, subgigas, subgranosus, submarmoreus, sueuri, sueziensis, sulcatus, swainsoni, tehuelchus, tenuisculptus, tenuistriatus, tessellatus, testudinarius, textilis, tigrinus, tornacicola, transenna, truncatus, tuberculiferus, tulipa, tunicatus, turnacianus, undulatus, unguiculatus, unicolor, ustulatus, variegatus, vermiformis, versicolor, vestitus, violaceus, virescens, virgatus, virgulatus, viridi, viridis, viridulus, viseticola, volvox, wahlbergi, watsoni, wosnessenskii, zealandicus, zonatus.

Chitona ornata, strigilata, unicolor, variegata.

Chitonellus cordifer, larviformis, rostratus, striatus, strigatus.

Chitra indica.

Chitulia fasciata, mornata.

Chizaerhis africana, concolor, feliciae, gigantea, leucogaster, variegata, zonurus.

Chizarhis leucogaster, personata.

Chlaenius abdominalis, aeneocephalus, aeneus, aeratus, aestivus, agrorum, alutaceus, amethystinus, amictus, amoenus, anaglypticus, angustatus, angusticollis, anthracinus, apicalis, arcuatus, asperulus, ater, atripennis, attenuatus, augustus, auriceps, auricollis, australis, azureus, basalis, brasiliensis, bengalensis, bifenestratus, bilunatus, bimaculatus, binodulus, binotatus, bipustulatus, bisignatus, boisduvali, borgiae, brachyderus, brevicollis, brevilabris, caecus, caelatus, caffer, canariensis, carnolicus, caspicus, cayennensis, chalcothorax, chalybeipennis, chlorodius, chlorophanus, chrysocephalus, chrysothorax, cinctipennis, cinctus, circumcinctus, circumscriptus, cobaltinus, coeruleocephalus, coeruleus, columbinus, conformis, congener, consimilis, cordicollis, corvinus, costipennis, coxalis, cribricollis, cruciatus, cruralis, cupreo cinctus, cursor, cyanicollis, cyanipennis, cylindricollis, denticulatus, dichrous, dimidiatus, discolor, discus, distinguendus, dives, dorsalis, dusaulti, ebeninus, elatus, elegantulus, emarginatus, episcopalis, erythropus, eximius, extensus, exustus, femoratus, festivus, fischeri, flavicornis, flaviguttatus, flavipes, flavofemoratus, fulgiceps, fulgidus, fulvipes, fulvosignatus, fuscicornis, gibbosus, glabratus, glabricollis, goryi, gotschi, gracilis, graciosus, greyianus, guerin, guttatus, hamatus, harpalinus, herbaceus, holosericeus, impunctifrons, inderiensis, indutus, interruptus, interstitialis, janthinus, jucundus, juvenicus, laetus, laevigatus, lafertei, lateralis, laticollis, latithorax, lecontei, leucoscelis, limbatus, lithophilus, longicollis, longicornis, lunatus, lyratus, maculatus, maculiceps, madagascariensis, marginatus, marginellus, marginicollis, melampus, melanarius, melanocornis, metallicus, micans, modestus, myops, neelgheriesensis, nemoralis, nepalensis, niger, nigricans, nigricornis, nigripes, nigrita, nitens, nitidiceps, nitidicollis, nitidulus, oblongus, obscuripennis, obscurus, obtusus, ophonoides, orientalis, oxygonus, paenulatus, pallipes, parallelus, patruelis, pennsylvanicus, perplexus, persicus, perspicillaris, peruanus, perviridis, plagiatus, prasinus, prolixus, puberulus, pubescens, pulchellus, punctatus, puncticollis, purpuricollis, pusillus, quadricollis, quadricolor, quadrinotatus, quadriustulatus, quadrusulcatus, reticulatus, robustus, ruficornis, rufilabris, rufipes, rufithorax, rufomarginatus, sagittarius, saponarius, scabricollis, schoenherri, schranki, sellatus, senegalense, sericeus, sexmaculatus, signatus, similatus, simplex, sinuatus, smaragdinus, sobrinus, soccatus, solitarius, speciosus, splendidus, spoliatus, steveni, tschukini, subsulcatus, sulcatus, sulcicollis, sulcipennis, sykesi, tenellus, tenuicollis, tenuistriatus, terminatus, tibialis, togatus, tomentosus, transversalis, tricolor, tristis, validicornis,

variabilipes, variegatus, varvari, velutinus, venustus, vicinus, vigilans, villosulus, violaceus, virens, virescens, viridanus, viridicollis, viridifrons, vitticollis, vulneratus, westwoodi, xanthacrus, xanthopus, zonatus.

Chlaenobia ciliatipes.

Chlaenocoris apicalis, caesus, impressus.

Chlamidodon mnemosyne.

Chlamidomonas pulvisculus.

Chlamiphora paliola.

Chlamydatus marginatus, minor.

Chlamydera cervinirostris, maculata.

Chlamydocephalus gaimardi.

Chlamydomonas angusta, tetrabaena.

Chlamydosaurus kingi.

Chlamydotherrum gigas, giganteum, humboldti, majus.

Chlamydotis houbara.

Chlamyphorus truncatus.

Chlamys adpersa, aenea, aesopus, affinis, amaena, anthracina, antilope, auxia, apricaria, arecula, aspera, aurita, bacca, bicolor, bicornis, bohemanni, braccata, buqueti, caliginosa, camelus, capricornis, carbonaria, chrysocephala, cincta, cinerea, cinnamomea, cistella, coelocephala, concatenata, condita, conifera, conjugata, conspersa, corallina, coriaria, corinthia, coronata, corrugata, crassa, cristata, cruciata, cucullata, cuprea, cupricollis, cyanea, cyanella, cyanophthalma, decipiens, dejeani, diadema, difficilis, difformis, dorsalis, draco, dromedarius, dubia, echinata, elongata, episcopalis, exarata, exasperata, exigua, facialis, favosa, ferrugata, flaveola, flavicollis, flavifrons, flavipes, floribunda, foveolata, frenata, frontalis, fulgida, fuliginosa, funebris, fuscipes, galeata, germari, gibber, gibbicollis, globicollis, globosa, gnatho, gorgone, granulata, granulicollis, gratiosa, gyseleni, haematidea, haemorrhoidalis, hieroglyphica, hircina, hirta, hispidula, hybrida, hydropica, hypocrita, impressa, inaequalis, incerta, indica, infuscata, insidiosa, intricata, kammerlacheri, kermes, knochi, kollari, labiata, labyrinthica, laevifrons, lamprosomoides, langsdorfi, latreillei, lebasii, leonina, lima, lineola, litigiosa, lurida, lutaria, luteola, maculata, maculipes, mastodera, melaneholica, menmonia, mikani, minax, mixta, modesta, moestifica, monstrosa, morio, morosa, muehlfeldi, multiplicata, muricata, myrmidon, nattereri, nodicollis, nodosa, obscura, obsoleta, occipitalis, olfersi, olivacea, onerata, ornatocollis, orphanula, paedalis, pavonina, pedata, pellucida, perplexa, personata, pilula, pipa, plicata, pohli, polycocca, porcina, porosa, puncticollis, punctigera, purpurascens, quinquiesulcata, reticulata, rimosa, ringens, rivularis, rubicunda, rudis, rufa, ruficollis, rufipes, rufiventer, rugosa, rugulosa, rutila, scabiosa, schotti, schreibersi, schuechti, scariosa, scortillum, scrobicollis, scrofa, sellata, selowi, semen, sericans, signata, signaticollis, silacea, sinuata, smaragdina, speculum, spinosa, splendida, stictica, stigmula, stygia, suberosa, subspinosa, sulcata, tarsata, tenebrosa, thersites, thoracica, tosta, tragulus, tuberculata, tuberosa, tumerosa, umbrosa, vagans, varians, variegata, varipes, venusta, verrucosa, vervex, vilis, violacea, vipera, vulturina.

Chlamytherium humboldti.

Chledristoma pecten.

Chleuasicus ruficeps.

Chleuastes piniaria.

Chlidonia (Hym.) acuminata, clavata, moniliata, nervosa, obtusa, radialis, varipes.

Chlidonia (Lep.) amiantana, avellana, badiana, baumanniana, dubitana, fabriciana.

Chloe silvicola.

Chloeius immeritus, psittacinus, steveni.

Chloeia capillata, flava, rupestris.

Chloenius algerinus, brunet, capensis, ernest, leprieur, marginipennis, unax, mirabilis, opulentus, porcatus, vestitus.

Chloephaga magellanica, poliocephalus, sandvicensis.

Chloephila lineolata.

Chloephora fagana, prasmana.

Chlopsis bicolor.

- Chloraema** dujardini, edwardsi, sordidum.
Chloraima siculum.
Chloraster gyraus.
Chloreus oriolus.
Chlorichthys aygula, bifasciatus, braziliensis, caeruleocephalus, donzella, grayi, hardwicki, lunaris, ornatus, quadricolor, semicaeruleus.
Chlorida cincta, costata, costipennis, festiva, transversalis.
Chloridea rhexiae.
Chlorima albiventris, alboirrorata, albo-maculata, arrogans, auronitens, aurulenta, bivittata, caerulescens, candida, canescens, cerussata, confluent, costata, cretata, cruciata, cyanescens, cyanipes, dejeani, draco, elegans, fallax, farinosa, festiva, forticornis, gentilis, gibbera, glauca, hieroglyphica, inaequalis, incana, lactea, lepida, liliata, lineata, nigricornis, nitidula, nivea, novem-punctata, opala, pardalina, pollinosa, protea, quadri-lineata, regalis, religiosa, rhor, sexdecim-punctata, spengleri, sphacelata, spinifera, tomentosa, undata, viridis, vittata.
Chlorina phyllioidea, thoracica.
Chlorion (A.) marginalis, melanotis.
Chlorion (Hym.) azureum, canaliculatum, ciliatum, compressum, cyanipes, fasciatum, ferox, ichneumoneum, lobata, lobatum, mandibulare, purpureum, sibiricum, splendidum, varipenne, viridicoeruleum.
Chloriphyllum sagrai.
Chloris americana, chrysoptera, flavicoptera, germanica, hortensis, pinetorum, septentrionalis.
Chlorisoma sinensis, thalassina, venatoria.
Chlorissa cloraria, putataria, thymiaria, viridata.
Chlorisses sarpedon.
Chloritis aurantium, bigaradia, circumdata, drepanostoma, gaimardi, unguicula, unguina.
Chlorochroma advolataria, aeruginaria, aestivaria, buplevaria, cloraria, herbaria, indigenaria, putataria, vernaria, viridaria.
Chloroclysta miata, psittacata.
Chloroclystis rectangulata.
Chlorocoris tau.
Chlorocystis coronata, debilitata.
Chlorodius areolatus, congener, eudorus, exaratus, floridanus, fragifer, hirtipes, longimanus, perlatus, pilumnoides, sanguineus, ungulatus.
Chlorogonium euchlorum.
Chloromyia flavicornis, formosa, polita.
Chloromys acuschy, aguti, patachonicus.
Chloronerpes aeruginosus, aurulentus, cecili, chlorocephalus, desmursi, erythrops, fasciatus, flavicollis, flavigula, fumigatus, icterocephalus, kirki, macrocephalus, maculatus, maculipennis, passerinus, percussus, polyzonus, pyrrhotis, rubiginosus, rufoviridis, spilogaster, squamosus, xanthotaenia.
Chloroperla apicalis, bifrons, clymene, cydippe, cyrene, ephyre, flava, fuscipennis, grammatica, lateralis, media, nigra, opis, pallida, prasina, rupestris, spio, transmarina, venosa.
Chloropeta icterina, natalensis.
Chlorophanus appendiculatus, brevicollis, caudatus, circumcinctus, dahl, decorus, fallax, graminicola, inermis, irregularis, micans, nobilis, piliferus, pollinosus, prasinus, rufomarginatus, rugicollis, salicicola, sellatus, sibiricus, splendens, submarginalis, venustus, vestitus, viridis, vittatus, voluptificus.
Chloropholus sumptuosus.
Chlorophoneus olivaceus, rubiginosus, similis.
Chlorophora liturata.
Chlorophthalmus agassizi.
Chloropicoides grantia, raflesi, shorti, tiga.
Chloropicos aurulentus, awokera, chlorolophus, flavinucha, guerini, indori, miniatus, nivosus, occipitalis, percussus, viridis.
Chloropicus canus, vaillanti.
Chloropisma viridis.

Chlorops *affinis*, *agnata*, *albiceps*, *albifrons*, *albipalpis*, *albipes*, *albiseta*, *albitarsis*, *amoena*, *angustifrons*, *annulata*, *annulipes*, *anthracina*, *aprica*, *argenteus*, *atra*, *bistriata*, *brevipennis*, *brunnicornis*, *calceata*, *caliginosus*, *cereris*, *cincta*, *cinctipes*, *cingulata*, *circundata*, *cognata*, *confluens*, *confusus*, *cordiger*, *cornuta*, *delta*, *denticornis*, *diadema*, *dimidiatus*, *elongata*, *extraneus*, *fasciata*, *fasciola*, *fascipes*, *femoralis*, *flava*, *flavifrons*, *flavitaris*, *flavofemorata*, *flavus*, *frit*, *frontella*, *frontosa*, *fulvifrons*, *fulviventris*, *fumipennis*, *geminata*, *geniculatus*, *gentilis*, *glaberrima*, *glabra*, *gracilis*, *herpini*, *hyalipennis*, *hypostigma*, *interrupta*, *laeta*, *laevigata*, *lateralis*, *lepada*, *leprae*, *limbata*, *lineatus*, *lineella*, *lineola*, *longula*, *lucida*, *lucidus*, *luteicornis*, *maculata*, *maura*, *meigeni*, *messoria*, *minutissima*, *nasuta*, *nigellus*, *nigricornis*, *nigrimana*, *nigrita*, *nigriventris*, *nigromana*, *nitida*, *nitidissima*, *nitidula*, *notata*, *obscurus*, *ornata*, *pallipes*, *palposa*, *perflava*, *perpusilla*, *phaeoptera*, *picta*, *pleuriticus*, *plumiger*, *postmacula*, *pratensis*, *proximus*, *pumilionis*, *puncticornis*, *pusilla*, *pusillus*, *pygmaea*, *quadristrigatus*, *quadrivittata*, *rhinoceros*, *rufa*, *rufoceps*, *rufipes*, *rufiventris*, *scalaris*, *scutellatus*, *simplex*, *socia*, *speciosa*, *spinicornis*, *strigula*, *striolatus*, *sulcicollis*, *taeniata*, *taeniopus*, *tarsalis*, *tarsata*, *trilineata*, *tristriata*, *vagans*, *varipes*, *ventralis*, *vicaria*, *vindicata*, *vitrupennis*, *vittatus*.

Chloropsis *aurifrons*, *auriventris*, *caesmarynchus*, *chrysogaster*, *cochinsinensis*, *curvirostris*, *cyanopogon*, *cyanopterus*, *gampsorynchus*, *hardwicki*, *jerdoni*, *malabaricus*, *molucensis*, *mysticalis*, *sonnerati*, *zosterops*.

Chloropygia *leptosomus*.

Chlorosoma (R.) *viridissimus*.

Chlorospiza *alaudina*, *aldunatoi*, *chloris*, *chloroticus*, *gayi*, *incerta*, *kawariba*, *melandera*, *sinica*, *xanthogramma*.

Chlorostoma *argyrostoma*, *merula*, *umbilicaris*.

Chlorota *aulica*, *chalconota*, *cincticollis*, *convexa*, *costata*, *cuprea*, *haemorrhoidalis*, *hirtipes*, *inaurata*, *limbaticollis*, *metallica*, *morosa*, *psittacina*, *rotundata*, *rubiginosa*, *smaragdula*, *terminata*, *virens*.

Chlorurus *gibbus*.

Chnaunanthus *discolor*.

Chnemidium *alpinum*, *coniformis*, *roissyi*, *rouyanum*. *Vide et* **Cnemidium**.

Chnoodes *ahena*, *byssina*, *chaudoiri*, *corallina*, *cordifera*, *deglandi*, *dimidiatipes*, *fallax*, *gravata*, *haematina*, *innocua*, *puberula*, *terminalis*.

Chnootriba *assimilis*, *similis*.

Choanites *flexuosus*, *königi*, *subrotundatus*, *subrotundus*.

Choanopoma *ambiguum*, *banksianum*, *bilabiatum*, *binneyanum*, *chlorostoma*, *dislocatum*, *fimbriatulum*, *humphreyanum*, *interruptum*, *largillierii*, *latilabre*, *lincinum*, *mauritanum*, *pretrei*, *sauliae*, *scabriculum*, *scabrosum*, *thysanoraphe*, *xanthostoma*.

Choeradodis *cancellata*, *hyalina*, *laticollis*, *lobata*, *peruviana*, *strumaria*. *Vide et* **Chaeradodis**.

Choerocampa *versicolor*.

Choerocydnus *foveolatus*.

Choeromeryx *silistrense*.

Choerommatus *farinosus*.

Choeronycteris *mexicana*, *peruana*.

Choeropus *ecaudatus*.

Choetomus *hamiltoni*, *playfairi*.

Choiropotamus *africanus*. *Vide et* **Chaeropotamus**.

Choleva *agilis*, *angustata*, *anisotomoides*, *brunnea*, *chrysomeloides*, *dissimulator*, *festinans*, *fumata*, *gausapata*, *gomphosata*, *humeralis*, *kirbyi*, *leachi*, *marshami*, *morio*, *nigricans*, *oblonga*, *rufescens*, *sericea*, *spensiana*, *testacea*, *tristis*, *velox*, *villosa*, *watsoni*, *wilkini*.

Cholius *ochrellus*.

Choloepeus *didactylus*, *griseus*, *torquatus*.

Cholovocera *formicaria*, *maderae*, *punctata*, *subterranea*.

Cholus *albicinctus*, *amabilis*, *annulatus*, *atropunctellus*, *basclis*, *besckei*, *boisduvali*, *carinatus*, *cinctus*, *dealbatus*, *faldermanni*, *flavescens*, *flavofasciatus*, *geometricus*, *gladiator*, *guerini*, *inornatus*, *irroratus*, *kunzei*, *lateralis*, *laticollis*, *lemniscatus*,

- lepidotus, leucotomus, lituratus, miliaris, nyblaei, paetheticus, parvus, pilosus, rana, rhomboidalis, silaceoguttatus, squamosus, sternicornis, stupidus, sulphuratus, tetraus, trifasciatus, undulatus, urbanus, vittatus, zebra.
- Chomatodus** acuminatus, cinctus, denticulatus, linearis, obliquus, truncatus.
- Chondestes** emberizoides, grammaca, strigatus.
- Chondracanthus** cornutus, crassicornis, gibbosus, levis, lophii, lophius, merluccii, nodosus, scomberi, soleae, triglae, tuberculatus, zeii.
- Chondrites** acutangulus, informis.
- Chondrocera** foliaceata, laticornis.
- Chondrochilus** regius.
- Chondrochyus** nasicus, regius.
- Chondrohierax** erythrofrons.
- Chondronotus** fusca.
- Chondropoma** flavum, guadeloupense, hellenicum.
- Chondrorhynchus** genei, soetta.
- Chondrosepia** loliginiformis.
- Chondrosia** reniformis.
- Chondroste** pendulus.
- Chondrosteus** acipenseroides.
- Chondrostoma** aculeatum, boggut, dembeensis, dilloni, fulungee, gangeticum, genei, jaculum, kawrus, lipocheilos, mullia, nasus, rysela, semiuelatus, seva, soetta, syriacum, wattanah.
- Chondrostomus** duvauceli, kneri, labio, phoxinus.
- Chondrula** fusiformis, microstoma, quadridens, quinqueplicata, seductilis, tricallosa, tricuspis, tridens.
- Chondrus** attenuatus, avena, avenaceus, bidens, britannicus, cinerea, concolor, elatus, frumentum, fuscilabrus, lineatus, major, megacheilos, microstomus, polyodon, pupoides, quadridens, quinqueplicatus, secale, similis, tridens, turgidus, variabilis, variegellus, zebra.
- Chonembla** intricata.
- Chonemonas** acuminata, hispida.
- Chonetes** boulangieri, buchiana, comoides, convoluta, cornuta, crenulata, dalmaniana, dilatata, elegans, embryo, falklandica, globosa, laguessiana, nana, papilionacea, pechoti, perlata, sarcinulata, setigera, shumardiana, squamatula, striatella, sulcata, tuberculata, variolaris, variolata, verneuli.
- Chonophyllum** perfoliatum.
- Choragus** niger, sheppardi.
- Chordeiles** acutipennis, acutus, americanus, brasiliensis, exilis, hirundinaceus, labeculatus, leucopterus, minutus, peruvianus, rufus, rupestris, sapiti, virginianus.
- Chordeuma** polidesmoides, richi, sylvestre.
- Chordiles** pruinosis, semitorquatus.
- Chordodera** pentachordia, quinquelineata.
- Chordodes** parasiticus, parasitus.
- Chorea** pulsator.
- Chorebus** affinis, conjungens, lymphata, naiadum, nereidum.
- Choregon** thymallus.
- Choreia** nigroaenea.
- Choreius** ineptus.
- Choreutes** albipunctalis, alternalis, nemorana, pullulalis, scintillulana, stellaris, urticana.
- Choreutis** diana, pariana.
- Choridactylus** multibarbis.
- Chorina** aculeata, aries, dumerilii.
- Chorinemus** aculeatus, commersonianus, delicatulus, exoletus, farkhari, forsteri, guaribira, leucophthalmus, lyzan, mauritianus, moadelta, orientalis, palometa, quiebra, saliens, saltans, sancti petri, tala, tol, toloo.
- Chorinus** acanthotus, armatus, halimoides, heros, verrucosipes.
- Chorisochismus** nudus.
- Chorista** australis.

- Choristites* *annonii*, *canalifera*, *kleini*, *lamarcki*, *mosquensis*, *pinguis*, *sowerbyi*, *walchi*, *walcotti*.
- Choristodon* (L.) *typicum*.
- Choristodon* (R.) *concolor*.
- Choristoma* *truncatula*.
- Choristopetalum* *impar*.
- Choristopus* *semipalmatus*.
- Choroscopus* *lineoocellatus*.
- Chorosoma* *arundinis*, *microptera*, *schillingi*.
- Chorotypus* *fenestratus*.
- Chorthophila* *albipennis*, *angusta*, *aterrima*, *caesia*, *cinerea*, *cuprea*, *dasyops*, *dissecta*, *floccosa*, *floralis*, *frontalis*, *geniculata*, *grisea*, *lasiophthalma*, *limbinervis*, *melanura*, *musca*, *oralis*, *prompta*, *sepia*, *sericea*, *silvicola*, *tibialis*, *vancolor*.
- Chorus* *giganteus*.
- Choucalcyon* *australe*, *gaudichaldi*.
- Chourtkia* *alpina*.
- Chremylus* *elaphus*, *rubiginosus*.
- Chresmoda* *obscura*.
- Christolia* *punctata*.
- Chroicocephalus* *capistratus*, *minutus*, *ridibundus*.
- Chromatomyia* *apicalis*, *bicolor*, *cinereofrons*, *distincta*, *flaviceps*, *formosa*, *hilaris*, *ilicis*, *jucunda*, *laeta*, *nigra*, *nigricornis*, *obscura*, *placida*, *syngenesiae*, *vella*.
- Chromis* (Lep.) *erodus*.
- Chromis* (P.) *brasiliensis*, *castanea*, *chromis*, *facetus*, *filamentosa*, *mediterranea*, *nilotica*, *quindecimaculeata*, *saxatilis*, *surinamensis*, *taenia*, *triacantha*.
- Chromocochlea* *mindorana*, *tahitensis*, *turbinoides*.
- Chromoptilia* *diversipes*.
- Chrosis* *audouiniana*, *decimana*, *euphorbiana*, *rutilana*, *tesserana*.
- Chrosomus* *erythrogaster*.
- Chrostogastria* *pruni*.
- Chrostosoma* *bromus*, *echemus*, *evadnes*.
- Chrotogonus* *lugubris*.
- Chrysaes* *australiae*, *soccatus*, *sumatrensis*.
- Chrysalidina* *gradata*.
- Chrysantheda* *nitida*.
- Chrysanthia* *viridis*, *viridissima*.
- Chrysaor* (Ceph.) *herciminus*.
- Chrysaor* (Lep.) *eryx*, *statices*.
- Chrysaora* (Med.) *aspilonota*, *blossevillei*, *cruentata*, *cyclonota*, *dubia*, *fuscescens*, *gaudicbaudi*, *helvola*, *heptanema*, *bexastoma*, *hysoscella*, *lactea*, *lesueur*, *macrogonia*, *mediterranea*, *melanaster*, *oculata*, *pentastoma*, *pleurophora*, *reynaudii*, *spilbemigona*, *spilogona*.
- Chrysaora* (Polyz.) *alata*, *angulosa*, *cervicornis*, *crispa*, *damaecornis*, *echinata*, *favosa*, *gracilis*, *irregularis*, *microphyllia*, *normaniana*, *polymorpha*, *pulchella*, *pustulosa*, *radiata*, *similis*, *spinosa*, *striata*, *subtrigona*, *trigona*, *venosa*.
- Chryspaspidia* *aemula*, *bractea*, *festucae*.
- Chrysauge* *divida*.
- Chryseida* *superciliosa*.
- Chrysesthes* *impressicollis*, *tripunctata*.
- Chryseus* *beluei*, *ceylonicus*, *dukhunensis*, *javanicus*, *pahariah*, *primaevus*, *scylax*.
- Chrysina* *auripes*, *macropus*, *mexicana*, *peruviana*.
- Chrysiptera* *azurea*, *gamardi*.
- Chrysiridia* *ripharia*.
- Chrysis* *affinis*, *amoena*, *analis*, *ardens*, *aspera*, *audouini*, *auricbalca*, *aurifascia*, *auripes*, *aurulenta*, *austriaca*, *barbara*, *bellula*, *bicolor*, *bibamata*, *bispilota*, *blanchardi*, *bohemanii*, *brasiliiana*, *brasiliensis*, *caerulans*, *candens*, *carina*, *carinata*, *cavifrons*, *chlorospila*, *cincta*, *cirtana*, *coelestina*, *coerulans*, *coerulipes*, *comparata*, *confinis*, *conica*, *coronata*, *costa*, *crassinuargo*, *cuprea*, *dalmanni*, *delicatula*, *distinguenda*,

diversa, dives, dorsata, edentula, effulgeus, elegans, elegantula, emarginatula, ephippium, episcopalis, excavata, fasciata, fasciolata, flammea, frontalis, fulminans, fuscipennis, gemari, gheudei, gibba, graelsi, grandis, hermanella, humeralis, hybrida, ignifrons, ignita, igniventer, illigeri, imperialis, inaequalis, incrassata, indica, indigotea, infusata, insiguus, insularis, integerrima, intricata, jugum, lateralis, leachi, leuwenhoekella, lusca, maculicornis, marginalis, mediocris, mexicana, miegi, mioui, modica, monatti, mucronata, neglecta, nisseri, nitida, nitidula, nobilis, obsoleta, obtusidens, olivieri, oraniensis, orientalis, pallidicornis, pallditarsis, panzeri, parallela, parvula, pennsylvanica, polinieri, postica, prasina, producta, prominula, pulchella, pulcherrima, pulchra, punila, punctatissima, pusilla, pyrogaster, rastellum, refulgens, rosae, ruddi, rufa, ruftarsis, schoenherri, segmentata, semiaurata, semicincta, semi cyanea, servillei, similis, singularis, sinuata, spina, spinigera, stondera, studeri, subfoveolata, syriaca, tafnensis, tricolor, tridentata, trituncata, truncata, undata, unicolor, varicornis, variegator, versicolor, virescens, viridissima, wahlbergi, xanthocera, zetterstedti.

Chrysitella erxlebeniella.

Chrysobalus fulgidipennis.

Chrysoblephus gibbiceps.

Chrysobothris acuminipennis, acutipennis, adonis, aenea, aerea, alabamiae, antiqua, atatalipa, atrata, auripes, auroimpressa, aurolineata, auronotata, australasiae, azurea, bellula, bicornis, bochismauni, buqueti, caffra, calcarata, capitata, carbonaria, chaetas, chalcophana, chalybea, chalybeitarsis, chlorocephala, circumdata, cordicollis, cordovens, costipennis, cribraria, cupreo-aenea, curvicollis, curvipes, cyanicollis, deflexicornis, denticollis, denticulata, dentipes, dilatata, diogenia, dissimilis, distincta, dorsata, dyopatra, elevata, emarginaticollis, errans, eunosta, fastidiosa, femorata, floricolla, fraterna, fruta, fulgurata, fulminata, generosa, germari, goryi, gratiosa, hexastigma, hilari, hopfneri, hybernata, hypochloris, ignipes, indica, insignis, intermedia, lanci, laticornis, lebasii, lepida, lesueuri, maculata, maculipennis, magellanica, maillei, marmorata, megacephala, melazona, mellicula, myia, nigrifluta, nigrofasciata, nobilis, obscuripennis, pantochlora, peroni, picticollis, pini, planata, plicata, pluton, posticalis, puella, pulchella, pulchra, punctata, pusilla, quadriimpressa, regularis, rotundicollis, rubripes, rugipes, rugosa, rugosiceps, rugosula, scabra, scabripennis, scitula, serrata, seximpressa, sexnotata, sexstigmata, signata, solieri, soror, sparmani, stephensi, strangulata, subobscura, tetragramma, thoracica, trifasciata, ultramarina, unicolor, venustata, versicolor, veterana, viridiceps, viridiimpressa, viridipunctata.

Chrysobotris affinis, chrysostigma, impressa.

Chrysocestis antraria, auraria, concinnaria, fimbriaria.

Chrysochloa tristis.

Chrysochlora amethystina, castanea, hirticornis, maculiventris, vespertilio.

Chrysochloras villosa.

Chrysochloris albirostris, asiaticus, auratus, aurea, capensis, damarensis, holosericea, hottentotus, rubra, rufa, rutilans.

Chrysochroa assamensis, aurata, australis, bicolor, bilis, bivittata, brevicornis, buqueti, chalybea, chinensis, chysura, didyma, dives, edwardsi, elongata, fasciata, fulgida, fulminans, ignita, imperialis, ixora, jaquemonti, lepida, leucophthalma, limbata, marginata, mutabilis, ocellata, opulenta, pectinicornis, perroteti, peteli, picta, plutus, praelonga, rajah, resplendens, rogeri, scabra, semi-granosa, shiva, speciosa, squamosa, sublineata, triangularis, unidentata, vittata, vittigera.

Chrysochus punctatus.

Chrysococcyx auratus, basalis, chalcites, cupreus, klaasi, lucidus, osculans, plagosus, smaragdineus, smaragdinus, strictus, xanthorhyncha.

Chrysocolaptes cardinalis, goensis, haematriton, menstruus, palalaca, philippinarum, sultaneus.

Chrysocoma catarractes, minor, papua, saltator, torquata.

Chrysocoris stollii.

Chrysocorys angustipennella, scissella.

Chrysocyon jubatus.

Chrysodeixis *aurigutta*, *chalcitis*.

Chrysodema *arrogans*, *aurofoveata*, *auroimpessa*, *aurolineata*, *blanchardi*, *chrysochlora*, *corrusca*, *dichroma*, *elegans*, *eximia*, *farinosa*, *foveicollis*, *gambiensis*, *gigas*, *helopioides*, *impressicollis*, *jucunda*, *lamberti*, *levipennis*, *lotini*, *maille*, *mirabilis*, *philippinensis*, *pistor*, *pubiventris*, *purpurea*, *radians*, *rouxi*, *semipurpurea*, *smaragdula*, *sonnerati*, *sulcata*, *sulcatipennis*, *sumptuosa*, *suturalis*, *tayautii*, *timoriensis*, *vagans*, *ventricosa*, *xanthocera*.

Chrysodomus *argyrostomus*, *curvilineus*, *dispectus*, *heros*, *imbricatus*, *lignarius*, *parallelus*, *rectilineus*, *sigmilineus*, *sulcatus*.

Chrysodon *alveolatum*, *biseriale*.

Chrysodonta *larvaeformis*.

Chrysoesthia *cydoniella*, *leuvenhoeckella*, *merianella*, *mespilella*, *roesella*, *zinckenella*.

Chrysogaster *aeneus*, *amethystina*, *antitheus*, *apisaon*, *bicolor*, *brevicornis*, *chalybeata*, *coemeteriorum*, *coenotaphi*, *coeruleescens*, *cupraria*, *cupreus*, *cupreus*, *discicornis*, *elegans*, *frontalis*, *fumiipennis*, *fuscipennis*, *gemculata*, *grandicornis*, *hirtella*, *incisa*, *insignis*, *longicornis*, *maequarti*, *metallica*, *metallinus*, *nigricollis*, *nigroaenea*, *nitidus*, *nobilis*, *nuda*, *plumbago*, *ruftarsis*, *simplex*, *splendens*, *splendida*, *tarsata*, *umbrarium*, *varipes*, *viduata*, *violacea*.

Chrysolampis *carbunculus*, *cyanomelas*, *elatus*, *guianensis*, *moschatus*.

Chrysolampus *aeneus*, *altiventris*, *anguliventris*, *aphidicola*, *aphidophila*, *attenuatus*, *binotatus*, *brevicornis*, *clavicornis*, *coeruleovirens*, *contractus*, *coronatus*, *cyaneus*, *dubius*, *ellipticus*, *excellens*, *fuscimanus*, *gibbosus*, *gilvipes*, *granulatus*, *indubitatus*, *interruptus*, *laevipetiolatus*, *lagenarius*, *lugubris*, *nigricornis*, *pachymerus*, *pallicornis*, *pallitarsis*, *pedunculiventris*, *phyllochlorus*, *piceae*, *punctiger*, *punctulatus*, *riparius*, *rufus*, *splendens*, *subcarinatus*, *sublaevis*, *subquadratus*, *subsessilis*, *suspensus*, *syrphi*, *tenuiscapus*, *transversus*, *tristis*, *viridis*, *aeneus*.

Chrysolophus (A.) *ambulans*, *joazero*, *pictus*.

Chrysolopus *bicristatus*, *echidna*, *quadridentis*, *spectabilis*, *tuberculatus*.

Chrysoma *mediterranea*.

Chrysomela *acervata*, *aegyptiaca*, *aeneipennis*, *aerata*, *aerea*, *aeruginosa*, *aestuans*, *aethiopica*, *aethiops*, *affinis*, *afra*, *ahena*, *abenea*, *alpestris*, *alpicola*, *alpina*, *alpinus*, *altaica*, *amboinensis*, *ambulans*, *amethystina*, *analis*, *anderschi*, *angusticollis*, *annulata*, *apicicornis*, *armeniaca*, *asclepiadis*, *asphaltina*, *assimilis*, *aterrima*, *atomaria*, *atra*, *atroviolascens*, *audax*, *aurata*, *aurichalcea*, *aupennis*, *aurita*, *australasiae*, *badia*, *ballotae*, *balteata*, *bannatica*, *barda*, *basilaris*, *basilea*, *besseri*, *bicolor*, *bigbyana*, *bivia*, *bractea*, *brasilensis*, *brunsvicensis*, *buprestoides*, *cacaliae*, *caerulea*, *caeruleipennis*, *cafra*, *calami*, *calcarata*, *calida*, *caliginosa*, *canariensis*, *capensis*, *caragana*, *caraganae*, *carbonata*, *carufex*, *carniolica*, *cashmirensis*, *castanea**, *chalcea*, *chalcites*, *chalybea*, *chloris*, *chloromaura*, *chloropus*, *cincta*, *circumcincta*, *circumducta*, *circumscripta*, *clavicornis*, *clivicollis*, *coarctata*, *coccinelloides*, *coerulea*, *coeruleolineata*, *coerulipes*, *colorata*, *conatenuata*, *concinna*, *confinis*, *conjugata*, *constricta*, *consularis*, *coriacea*, *coriaria*, *costalis*, *crassimargo*, *crassipes*, *cretica*, *cribellata*, *cribrosa*, *cruciata*, *crucifera*, *crucigera*, *cupreoviridis*, *cuprina*, *curtisi*, *cyanea*, *cyanella*, *cyanicollis*, *cynoglossi*, *dahl*, *daurica*, *decemlineata*, *decemsignata*, *decipiens*, *decora*, *decorata*, *deleta*, *dichroa*, *didymus*, *diluta*, *dimidiata*, *discipennis*, *discoidea*, *dissecta*, *dissimilis*, *distincta*, *diversa*, *duodecimguttata*, *duodecimlineata*, *egena*, *elegans*, *elevata*, *encausta*, *eruca*, *erythrocephala*, *erythromera*, *erythrostigma*, *escheri*, *eumolpa*, *exanthematica*, *faldermanni*, *fasciola*, *femoralis*, *femorata*, *festae*, *festiva*, *flavicans*, *flavida*, *flavipennis*, *flavocinctus*, *flavo-marginata*, *flexuosa*, *formosa*, *foveolata*, *frontalis*, *fucata*, *fulgida*, *fulgurans*, *fuliginosa*, *fulvicornis*, *fulvilabris*, *fulvipes*, *furcata*, *gaubili*, *gemina*, *geniculata*, *gnuensis*, *gibba*, *gibbipennis*, *globosa*, *globus*, *gloriosissima*, *gomphoceros*, *granica*, *graninicola*, *grata*, *guentheri*, *guttata*, *haemochlora*, *haemoptera*, *hemichlora*, *hemisphaerica*, *heri*, *hispanica*, *hobsoni*, *humeralis*, *hybrida*, *hypochalcea*, *javonica*, *ignita*, *impressa*, *incertus*, *inconstans*, *incrassata*, *indica*, *insignis*, *interrupta*, *intricata*, *iopa*, *islandica*, *jucunda*, *juncta*, *kowalewskii*, *laevicollis*, *laevigata*, *lateralis*, *latipes*, *lepida*, *leucomelaena*, *lichenis*, *limbifera*, *limitata*, *liturata*, *longipes*, *lucida*, *lucidicollis*, *luctuosa*, *lutea*, *luteicornis*, *luxurians*, *macleayi*, *maculata*, *maculicollis*, *mahesa*, *marcasitica*, *marginalis*, *marginella*, *marginicollis*,

maximovitschi, mediata, megerlei, melancholica, melanopcephala, meridionalis, meticulosa, miniaticollis, mixta, modesta, montana, monticola, morbillosa, morio, multiguttata, multipunctata, musiva, mutabilis, mystica, nana, napi, neglecta, nepalensis, nigricollis, nigratarsis, nigriventris, nigroaenea, nitens, nitidipennis, nivalis, nobilis, nodicornis, oblonga, obsoleta, oceanica, ochroleuca, omissa, opulenta, orbicula, orbicularis, orbiculata, ordinata, orientalis, ornata, orphana, pacifica, pallidiventris, parallela, parumpunctata, parvula, patelligera, pedemontana, pedestris, peiroleri, peltoides, percheroni, peregrina, perforata, phalerata, picta, pinicola, plagiata, plicata, poeyi, polyspila, porosa, porphyrea, pratensis, praticola, proxima, pseudacori, pterosticha, pubescens, pulchella, pulex, pulla, punctigera, punctipennis, punctipes, punctulata, purpurascens, purpurata, purpurea, quadrimaculata, quadrivittata, quattuordecimnotata, quinquejugis, regalis, relict, relucens, repanda, repens, reticulata, rhois, rossia, rotundata, rubrolineata, rufa, rufescens, rubicauda, ruficeps, ruficornis, rufifrons, rufilabris, rufipes, rufitarsis, rufoaenea, rufocuprea, rugulosa, sabulicola, sahllbergi, salicina, salicis, salviae, sanguinipes, sapphirus, scabra, scalaris, scortea, scovitz, scripta, sculptipennis, semiaenea, semiaurata, semimarginata, senecionis, septempunctata, sexguttata, sibirica, sicula, sinuata, smaragdula, songarica, soriculata, sparshalli, sparti, speculifera, spiraea, splendidula, spreta, stachydis, stauoptera, stragula, striatula, strigipennis, stygia, subcostata, subincrassata, submarginata, subrugosa, sulcata, sumptuosa, suturalis, sylvatica, tamarisci, testudinaria, tetragramma, thapsi, tibialis, timidula, transversa, tremulae, trilineata, tristichia, tri vittata, tumidula, ulni, undata, undulata, unicolor, varicornis, variolosa, venustissima, verbasci, vigintiguttata, vigintimaculata, vigintiquatuorsignata, villae, vinculata, violacea, virgata, virgulata, viridescens, viridisaenea, viridis, vishnu, vitivora, zenkeri, zonata.

Chrysomella rajah.

Chrysomitris atrata, citrinella, cucullata, magellanica, marginalis, mexicana, nana, notata, pinus, pistacina, psaltria, spinescens, spinoides, spinus, stanleyi, tristis, yarrelli.

Chrysomma hypoleucos.

Chrysomus flavus, frontalis, xanthopygius.

Chrysomya affinis, alia, brunicornis, buccalis, caerulescens, capensis, cyaneiventris, decora, dejeani, duvauceli, fulvicrura, gratioa, hyacinthina, idioides, lalandei, lepida, lherminieri, plaei, regalis, socia, soror, tibialis, viridula.

Chrysomyia flavicornis, formosa, pallipes, polita, rufiventris, speciosa.

Chrysomys splendens.

Chrysomyza splendida.

Chrysomotus tiga, tridactylus.

Chrysopa abbreviata, affinis, alba, angusta, angustipennis, aspersa, bipunctata, cancellata, capitata, carnea, chlorophana, ciliata, circumfusa, clathrata, dorsalis, elegans, euryptera, fulviceps, immaculata, infecta, italica, maculata, maculipennis, nigricornis, oculata, pallida, perla, phyllochroa, prasina, quadripunctata, reticulata, rufilabris, semipunctata, subfalcata, variegata, ventralis, viridana, vittata.

Chrysopelea boei, capensis, erythrochloris, ornata, paradisi, rhodopleuron, smaragdina.

Chrysophanus chryseis, circe, dispar, eurybia, gordius, helle, hipponoe, hippothoe, hyllus, mopsus, phlaeas, thesamon, timeus, virgaureae.

Chrysophila auriscutalis.

Chrysophlegma chlorolophus, flavinucha, nepalensis.

Chrysophora chrysochlora, jodochlora, kirbyi, longitarsis, nieti.

Chrysophris aurata, berda, bifasciatus, calamara, chrysargyra, grandoculis, haffara, hasta, microdon, sarba.

Chrysophrys aculeata, agassizi, annularis, aries, arsenaritana, auripes, bilobata, caerulescens, cardinalis, coracinus, crassirostris, cristiceps, cyanoptera, forsteri, gibbiceps, globiceps, laticeps, longispinnis, madagascariensis, major, sarba, taurina, unicolor, xanthopoda.

Chrysopicos atricollis, bennetti, cailliauti, cayennensis, melanochlorus, notatus, nubicus.

Chrysopila atrata, aurata, diadema, flaveola, laeta, luteola, nubecula.

- Chrysopilus** chlorophthalmus, erythrophthalmus.
Chrysopoga typica.
Chrysoprasis auromarginata, festiva, hypocrita, rufiventris, ventralis.
Chrysoprasus aurigenus, thalassinus, viridiaeneus.
Chrysops afflictus, approximans, areolatus, atra, bicinctus, bifasciatus, bimaculatus, caecutiens, calidus, canifrons, carbonarius, cincticornis, consimilis, convergens, costatus, crucians, crudelis, dispar, divisus, excitans, fasciatus, fascipennis, fenestratus, ferrugatus, flavidus, flavipes, flaviventris, frontalis, fuliginosus, furcatus, geminatus, guttula, immaculatus, incisus, inornatus, italicus, japonicus, laetus, lateralis, leucopilus, ligatus, longicornis, lugens, lugubris, marmoratus, melanopleurus, moerens, molestus, natalis, nigra, obliquefasciata, obsoletus, pallida, parallelogrammus, pellucidus, pictus, plangens, provocans, quadratus, quadrivittatus, relictus, rufipes, rufitarsis, semicirculus, sepulchralis, singularis, stimulans, subcanus, tardus, tarsalis, terminalis, testaceus, translucens, trifaria, trinotata, tristis, varians, viduatus, vitripennis, vittatus, vulneratus, vulpecula.
Chrysopsis bimaculatus, caecutiens, lugubris, pluvialis, sepulchralis.
Chrysoptera concha, deaurata, moneta.
Chrysopteryx erythrorhynchus.
Chrysopilus abingoni, bennetti, buffoni, campestris, campestroides, canipileus, chlorozostus, guttatus, icteromelas, melanochloris, melanochloros, nattereri, punctigula.
Chrysopyla dubia, rufipes, terminalis, thoracica.
Chrysosoma maculipennis, rufipes, viride, viridis.
Chrysostoma nicobaricus.
Chrysostoxum dubium.
Chrysostromus fiatoides.
Chrysoteuchia caricetalis, hortalis.
Chrysothemis speciosa.
Chrysothrix entomophaga, sciurea.
Chrysotis aestivus, amazonicus, augustus, autumnalis, bougueti, brasiliensis, columbinus, cyanocephalus, cyanogaster, cyanotis, dufresneanus, dufresnei, erythrurus, farinosus, festivus, flavinuchus, havanensis, hypochondriacus, leucocephalus, menstruus, ochrocephalus, ochropterus, poecilorhynchus, pulverulentus, signatus, sordidus, vinaceus, xanthops, zanthocephalus.
Chrysotosus luna.
Chrysotoxum arcuatum, arcuatus, baphyrus, bicinctus, canariense, chrysopolita, cisalpinum, costale, derivatum, elegans, erraticum, fasciolatum, flavifrons, hortensis, intermedium, italicum, 'lineare, lunulatum, marginatum, monticola, nigrita, octomaculatum, parmense, pubescens, scoticum, scutellatum, sylvarum, triarcuatum, tricinatum, vernale, vittatum.
Chrysotus ampicornis, annulatus, bicolor, chinensis, cilipes, cinerellus, concinnus, copiosus, cupreus, distendens, elegans, femoralis, femoratus, gramineus, incertus, laesus, laetus, magnicornis, molliculus, neglecta, nigripes, obscuripes, pumilus, raphioides, rufipes, signatus, stellatus, taeniomerus, tibialis, viridi femora, viridulus.
Chrysura confluentis, foveata, humboldti, sulcata, unicolor.
Chrysuronina aenone, chrysura, eliciae, phaeopygus.
Chthamalus australis, chilensis, dentatus, germanus, giganteus, glaber, glabratus, philippii, vitreus.
Chthonergus luteus, murinus, talpinus.
Chthonicola minima.
Chthonius orthodactylus, trombidoides.
Chthonobius conspersus.
Chyasognathus feisthameli.
Chydorus eichorni, muelleri, sphaericus.
Chyliza annulipes, atriseta, calida, compedita, histronica, leptogaster, loxocerina, peleteri, macularis, metallica, parallela, pumila, scutellata, ustulata, vittata.
Chymophila splendens.
Chyphus curculionoides.
Chyromya fenestrarum.

Chythra percheroni. *Vide et Clythra.*

Cibdelis blaschkei.

Cibicides refulgens, rozovii, tuberculata, variabilis.

Cicada aede, abdominalis, abietina, acrida, acuta, adpersa, adumbrata, adusta, aestuans, aethlius, affinis, afoa, africana, agrestis, albiflos, albipennis, albostrigata, algira, alni, alpina, angularis, angusta, annulata, annulivena, anoea, antica, apicalis, apicifera, arche, archis, argentata, asius, assimilis, atomaria, atrata, atrovirens, auletes, aurata, anrea, aureola, aurifera, aurora, baetica, balteata, basiflamma, bicolor, biconica, bicostae, bifasciata, biguttata, bipunctata, bohemanni, braure, brisa, brizo, brunnea, buphthalmica, cadisia, calliope, canaliculata, cantans, cardinalis, carnifex, cerisyi, caracterea, chariclo, chlorogaster, cincta, cingulata, circularis, citrinella, coerulespennis, coerulescens, coleoptrata, complex, concinna, confinis, conica, connexa, consonans, conspicillaris, convergens, costalis, cristata, crocea, crucifera, cruentata, cuna, curvica, cuta, cutora, damater, decempunctata, decora, demissa, depressa, dexthea, diaphana, dichroa, didyma, discoidea, dispar, distincta, diupsilon, diversa, dives, divisa, dolens, dorsata, doryca, dubia, ducalis, duplex, elana, elegans, elegantula, encaustica, ephemera, euterpe, exaltata, exhausta, eximia, eydouxii, farinosa, fasciculata, fastuosa, fenestrata, ferriera, festiva, flava, flaveola, flavida, flavipennis, formosa, fraxini, frontalis, fulvofasciata, fusiformis, germari, gracilis, griseescens, haemorrhoea, helianthemii, helvola, hemiptera, hieroglyphica, hilaris, hirtipennis, hirundo, histriónica, hyalinata, imperatoria, incarnata, incepta, incipiens, indica, iufans, intermedia, interrupta, interstincta, invaria, juncta, juvenis, kaempferi, lacrimae, laetralis, latorea, leucoptera, lineatella, lineigera, lineola, lividella, longipes, lucastia, lutea, maculicollis, maculipennis, mannifera, marginata, marmorata, mearesiana, melampsalta, melanaria, melanochlora, melanoptera, melanopygia, melete, melina, melisa, mesochlora, mezanmura, micans, microcephala, mueme, modesta, moerens, moesta, moneta, monilifera, multifascia, murchisoni, muscaria, musiva, muta, nana, nasalis, nervosa, nitidula, nobilis, nodosa, obliqua, obscura, obscurior, oblecta, occidentis, ocellaris, octoguttata, octonotata, oculata, olivacea, opalina, ornea, pallens, pallescens, pallipes, panyases, parvula, pascuella, passer, passerulus, pauperata, perulata, philaemata, phoenicura, physcoa, picturata, pidytes, plaga, plana, plebeja, plumosa, podolica, polychroa, primitiva, pronoe, pruinosa, psophis, pudica, puer, pulchella, pulera, pulicaris, punctifrons, punctipes, pusilla, pustulata, quadrata, quadricincta, quadripunctata, quadratuberculata, resonans, rimosa, roeseli, rosae, rosae, rosea, rufa, rufescens, ruffascia, rufipes, rufiventris, ruseola, rustica, rutilans, saccata, scanica, scripta, scurra, scutellaris, scutellata, segetum, semicincta, semiclara, semilata, septem notata, sericea, serratae, serricosta, sexguttata, sexnotata, sexpunctata, signifera, simplex, singula, smaragdula, sodalis, solennis, sonans, sonora, sordida, speciosa, sphinx, spinicosta, spinosa, splendida, spuria, steveni, stigma, stigmatophora, stipata, striatula, strigipes, striola, strix, strumosa, subfuscula, subrustica, subincta, subvitta, sulphurea, sulphurella, sumptuosa, synodica, tachinaria, teliope, tenella, tephrogaster, terminus, thalassina, theniscura, tibialis, tigrina, torneilla, torrida, trabeata, transversa, triquetra, tristigma, tristis, triupsilon, truncatella, tuberosa, tympanum, undata, undulata, urticae, varians, variata, variola, varipes, venosa, ventralis, vespi-formis, vibrans, vicina, vidua, virginea, viridana, viridicollis, viridifascia, viridifemur, viridis, viridula, vitrea, vitripennis, xantes, xanthogramma, xanthospila, zelandica, zonalis.

Cicadatra atra.

Cicadella interrupta, ulmi, viridis, vittata.

Cicadula alpina, citrinella, dahlbomi, decempunctata, elegantula, germari, gracilis, lineatella, maculipes, micantula, pulchella, punctata, rosae, septemnotata, sex notata, sexpunctata, smaragdula, spreta, strigipes, sulphurella, urticae, vittata.

Ciccaba gisella, hubula, lathamii, leptogrammica, melanonota, myrtha, pagodarum.

Cicum pyriforme.

Ciccus adscendens, adpersus, marmoratus, pervigatus.

Cichla aenea, argentata, argentimaculatus, argus, argyrea, atrabapensis, bimaculata, brama, brasiliensis, cinerascens, cultrata, cuning, cynodon, dentex, erythropterus,

erythraea, fasciata, floridana, furca, guttata, hololepidota, japonica, lineata, macrolepidota, macrophthalmia, macroptera, minima, ocellaris, ohioensis, orinocensis, pelagica, punctata, surinamensis, temensis, tetracantha, tucunare.

Cichlasoma punctata.

Cichloides bechsteini.

Cichlops (A.) fortipes, monticolus, thermophilus, ubiquitarius.

Cichlops (P.) cyclophthalmus.

Cichlopsis leucogenys.

Cichrus stenostomus.

Cicigna chrysobroncha, desgardini, madagascariensis, ornata, sepiformis.

Cicindela abbreviata, abdominalis, acuminata, adonis, adunca, aegyptiaca, aerea, affinis, alasanaica, albida, albulabris, albina, albipennis, alboragata, alhohirta, alpestris, altaica, altaicus, amabilis, amoena, analis, anchoralis, angularis, angustata, annulicornis, anthracina, aperta, apiata, apicalis, aprica, arabica, arcuata, argentata, asiatica, asperula, assamensis, assimilis, aterrima, audouini, auduboni, aulica, aureola, auricollis, aurofasciata, aurovittata, aurulenta, baltica, baltimorensis, barbara, barbifrons, barthelemyi, besserii, bigemina, biguttata, bipunctata, bipustulata, blanda, bocaudei, boops, brasiliensis, brevicollis, brunet, buqueti, burmeisteri, californica, campestris, cancellata, candei, caudata, carbonaria, carthagensis, caspia, catenaulti, catharinae, caucasica, celeripes, centropunctata, chalybea, charactera, chaudierei, chiliensis, chiloleuca, chloris, chlorocephala, chloropus, chlorosticta, chrysis, chrysographa, cinctipennis, circumdata, circumducta, circumflexa, circumpicta, circumscripta, clathrata, clauseni, clypeata, coarctata, coerulescens, cognata, colon, concinna, concolor, conformis, confusa, connexa, consensuata, conspersa, contorta, copulata, cordigera, cribrata, cristoforii, cupreola, cupricollis, cupriventris, curvata, curvidens, curtilabris, cyanea, cyanitarsis, cyaniventris, cylindrica, cylindricollis, danubialis, daurica, decemguttata, decemnotata, decempunctata, decempustulata, decipiens, decostigma, dejeani, dentata, denticulata, descendens, deserticola, desertorum, designata, desmaresti, deyrolei, didyma, dignoscenda, dilacerata, discoidea, discus, disjuncta, distans, distigma, distincta, distinguenda, dives, dohrni, dongalensis, dorsalis, dorsata, dorsolineolata, douei, dregei, dumetorum, dumolinii, duodecimguttata, duponti, elegans, equestris, erudita, escheri, eugeni, eximia, exornata, fasciata, fasciatoepunctata, fastidiosa, faticida, favergeri, feisthameli, fera, ferrugata, festiva, figurata, fimbriata, fischeri, flavidens, flavilabris, flavomaculata, flavopunctata, flavosignata, formosa, fracta, frontalis, fulgens, fulgida, fulgidiceps, fuliginosa, fulvipes, funebris, funerata, funerea, funesta, gallica, gambiensis, gebleri, gemmata, generosa, germanica, gondoti, granulata, graphiptera, gratiosa, guerini, guttata, guttula, gyllenhali, haemorrhoidalis, hamata, hemichrysea, hentzi, herbacea, heros, hesperica, heteromalla, hieroglyphica, himalayica, hirticollis, hispanica, holosericea, hopei, humeralis, hybrida, hydrophoba, inca, incerta, infracta, inscripta, insidiosa, insignis, inspersa, integra, interpunctata, interrupta, interruptofasciata, interstincta, intricata, ioscelsi, ismenia, jaegeri, japonica, johannis, karelini, khersonensis, kirilovi, klugi, kollari, kunzei, labiata, lacordairei, lacrymosa, laeta, lateincta, lateralis, latipennis, latreillei, latreilliana, le guilloui, lepida, leprieuri, leucophthalma, leucoptera, limbata, limbata, limosa, linearis, litigiosa, litterifera, littoralis, littorella, longicollis, longilabris, lucorum, luctuosa, ludia, lugdunensis, lugeus, lugubris, luridipes, lutaria, luxeri, lyoni, madagascariensis, mannerheimi, marcens, marginalis, marginata, margineguttata, marginella, marginepunctata, marginilabris, marginipennis, maritima, maroccana, maximiliani, megalcephala, megaloccephala, melaleuca, menetriesi, mexicana, minarum, minuta, minutula, mirabilis, miranda, mixta, modesta, mongolica, montana, monticola, morio, multiguttata, neglecta, nieti, nigrita, nigrocoerulea, nilotica, nitida, nitidicollis, nitidula, nivea, nivincta, nodicornis, nordmanni, notata, nysa, obliqua, obliquata, obliquefasciata, obscura, obscurata, obscurella, obsoleta, ocellata, ocreata, ockskayi, octonotata, octopunctata, oculata, olivieri, opigrapha, optata, orientalis, ornata, padana, pallasi, palliata, pallidula, pallipes, paludosa, palustris, parryi, parvula, patagonica, patruela, pavidata, peletieri, perplexa, persica, pertyi, peruviana, petiti, phalangoides, pluri-notata, polysita, pontica, posticalis, princeps, prinsepi, prodiga, propinqua, proteus, psammotromus, psammophila,

pubica, pulchella, pulchra, pumila, punctum, pusilla, pygmaea, quadraticeollis, quadriguttata, quadrimaculata, quadrimacuta, quadrum, quadrimotata, quadri-punctata, radians, ramosa, recta, rectangularis, rectilatera, regalis, reichii, repanda, restricta, riparia, ritchei, roseiventris, rotundicollis, rouxi, rubens, rubriventris, rueppeli, rufipes, rufiventris, rufomarginata, rufosignata, rugifrons, rugipennis, ruricola, rutilans, sabulicola, sahlergi, sallei, saphyrina, saraliensis, sardea, sauleyi, savranaica, saxatilis, scalaris, schrenkii, scripta, scrobiculata, scutellaris, sexdecim-punctata, semineincta, semicircularis, semicyanea, semivittata, senegalensis, sepulchralis, sericina, severa, sexmaculata, shivah, sicula, signata, simplicicornis, sinuosa, smaragdina, smaragdula, sobrina, solstitialis, soluta, sommeri, speculifera, spinigera, splendida, spreta, steveni, strigata, sturni, subtruncata, sumatrensis, superba, sylvicola, talychensis, tartarica, tenebricosa, tenuilineata, tenuipes, tenuipicta, tenuis, terminata, terricola, tetragramma, tetrastacta, thalassina, tibialis, togata, tortuosa, tranquebarica, transbaicalica, transversalis, trapezicollis, trenebunda, tremula, tricolor, trifasciata, trilinearis, tripunctata, tiramosa, trisignata, tritoma, undulata, unicolor, unita, upsilon, urvillei, varians, variegata, vasseleti, venosa, ventralis, venusta, venustula, versicolor, viatica, vicina, vidua, viduata, vigilans, vigorsi, violacea, virens, virida, viridicollis, viridicyanea, viridis, viridula, vittata, vittigera, volgensis, vulgaris, xanthopus, ziczac, zwicki.

Cicinnurus regius, spinturinx.

Ciclas sebetia.

Ciclostoma *concinnum*, *I'ide et Cyclostoma*.

Cicones amoenus, carpiui, fuliginosus, marginalis, pictus.

Ciconia abdimii, alba, albescens, americana, argala, asiatica, australia, calva, candida, capillata, ciconia, cristata, crumenifera, dubia, ephippiorhyncha, episopus, fusca, jabiru, jaburu, javanica, leucocephala, leucoptera, magari, maguari, marabout, microscelis, mycteria, nigra, nivea, nudifrons, pillus, senegalensis, umbellata, vulgaris.

Cidada harrisi.

Cidaria achatinata, albigrata, alchemillata, aptata, aqueata, aretata, areticaria, badiata, basochesiata, berberata, burgaria, chenopodiata, cineraria, collinaria, comitata, consignata, costovata, derivata, didymaria, didymata, ferrugaria, flava, fluctuaria, fluctuata, fulvata, fumata, funerata, galiata, graphata, hastata, implicaria, latenaria, ligustraria, luctuata, malvata, inarmorata, miaria, minorata, moenaria, montanaria, montanata, nebulata, numitaria, numitata, ocellata, olivaria, passeraria, peribolaria, picata, pomoeraria, populata, propinguata, propugnaria, propugnata, pulcherraria, pyraliata, pyropata, quadrifasciaria, reticulata, rivata, rosearia, rubidata, ruptata, russata, sabinata, sagittata, salicaria, serraria, silaceata, sinuata, sororiata, sparsata, subangulata, suffumata, suplata, togata, tophaceata, tristata, turbaria, ulicata, unidentaria.

Cidaris acicularis, acrocidaris, acuminifera, adnetae, aegyptiacus, affinis, agassizi, alabamensis, alata, alsatica, ambigua, antillarum, armata, aspera, ater, bacculifera, bechei, belone, benburbenis, bicarinata, biformis, bispinosa, borealis, bowerbanki, brandis, brauni, bronni, buchi, carinifera, catenifera, censoriensis, cervicalis, cingulata, cinnamomea, cladifera, clunifera, colocynda, constricta, copeoides, cornifera, coronatus, corticata, courtaudina, crassa, cristata, crucifera, cucumifera, cyathifera, cydonifera, danae, decorata, deucalionis, diatretum, distincta, dorsata, drogici, elegans, erinaeus, euryacantha, exigua, fasciculata, filamentosa, filograna, flexuosa, florigemma, foliacea, forchhammeri, gerana, geranioides, gervasiana, gervillii, gibberula, gigantea, glabrispina, glandifera, gothorum, gracilis, granulata, hastalis, haumannii, heteracantha, heteropleura, hirsuta, hirudo, horrida, hystrix, imperialis, incerta, insignis, interlineata, intermedia, itys, jarbus, jasius, keyserlingi, konigi, krohni, laeviuscula, leptacantha, liagora, liasina, lima, linearis, lineata, longispina, longispinosa, lovetzki, malum, meandrina, megalacantha, metularia, meyeri, michaelis, michelini, miranda, monilipora, moralina, muensterianus, neocomensis, nere, nobilis, oculus, orbignyana, orobus, ovata, ovifera, pandarus, parandieri, parkinsoni, pentagona, perlata, perornata, pethiolatus, philipsi, pictus, pisifera, pistillaris, pleracantha, priomata, prismatica, propinqua, punctatissima, punctillum, pusio, pustulifera, pustulosa, prifer, ramifera, regularis, remigera, reussi, roemer, rossicus, rysacantha,

sarmaticus, sarthacensis, saxatilis, scrobearens, scrobiculata, semi aspera, semicostata, seminota, serrata, serrifera, smaragdus, spatula, spinifera, spinosa, spinosissima, spinulosa, stemmacantha, stokesi, striatogranosa, strobilus, stylophora, subalata, subcoronata, subcylindrica, sublaevis, subnobilis, subnodosa, subnuda, suboculata, subpentagona, subprionata, subseriata, subsimilis, subspinosa, subspinulosa, subularis, subvesiculosa, thoursi, transversa, tricarinata, trigona, trigonacantha, tuberosa, uniformis, unionifera, urei, vagans, vapiceanus, vendocinensis, venulosa, venusta, verneuilliana, versipora, vesiculosa, vetusta, waechteri, williamsonis, wissmanni.

Cidarites agassizi, alatus, anceps, annulifera, armiger, asperula, avenionensis, baculosa, laspinosa, blumenbachi, buchi, calamaria, cometes, coronatus, crenularis, depressus, desmoulini, diadema, diatretum, discus, dubia, elegans, elongatus, geranioides, glandiferus, grandaevus, granulatus, hemisphaericus, hirta, hoffmanni, hystrix, imperialis, incurvata, jouanneti, judaicus, koenigi, lavis, leonhardi, limaria, mamillanus, marginatus, maximus, metularia, miliaris, moniliferus, mortoni, muensteri, muricatus, nereis, nobilis, ornatus, perforata, pistillaris, pomifer, princeps, priscus, propinquus, protei, pseudodiadema, pulvinata, punctatus, pustulosus, pygmaeus, radiata, regalis, remiformis, rosaria, savignyi, schmideli, scutigera, serraria, signata, spathulatus, spiniger, spinosissima, spinosus, spinulosus, splendens, stelluliger, subangularis, subelegans, subpapillatus, subularis, taeniatus, tennesseae, tribuloides, tubaria, variabilis, variola, variolaris, verticillata, vesiculosus, zeamays.

Cidarollus plicatus.

Cigaritis massinissa, siphax, zobra.

Cignus clangor.

Ciliata glauca.

Cilibe brunnipes, carinatus, costatus, elongatus, emarginatus, gagates, granulata, granulatus, interruptus, laevicollis, marginatus, peltata, phosphugoides, rotundatus, subrugosus, tricostellus, tristis.

Cilicaea latreillei.

Cilissa affinis, haemorrhoidalis, tricineta.

Cilix compressa, spinula.

Cillaeus castaneus, filiformis, linearis, megacephalus, obscurus, suturalis, thoracicus.

Cillenum laterale.

Cilliha cassideus.

Cillurus montanus, nigrofumosus, palhatus.

Cilyx spinula.

Cimbex aenea, americana, amerinae, amoena, annulata, axillaris, betuleti, biguetina, brevicornis, dahlbomi, decemmaculata, europaea, fuscipennis, griffini, humboldti, humeralis, italica, jucunda, jurina, kirbyi, klugi, laeta, la portei, lateralis, latreillei, limbatus, lonicera, luctifera, luteola, macleayi, manmifera, montanus, nigricornis, olivieri, ornata, pallens, pallidus, scalesi, schaefferi, segmentarius, sericeus, splendida, sylvarum, sylvatica, tabernaculatus, trichosoma, unidentata, varians, venusta, viardi, violacea.

Cimbulia proboscidea.

Cimbus productus, signatus, versicolor.

Cimex aberrans, acinorum, acroleucus, adpersus, aereus, alienatus, amethystinus, apterus, arbutorum, ater, atomarius, aurantiacus, australasiae, banksi, bicinctus, binotatus, boutanicus, calens, cervinus, cinnamomeus, civilis, clavatus, clavicornis, collaris, coloratus, columbarius, concentricus, conjungens, conspersus, corticinus, cruciger, cryptorhynchus, custator, debellator, dentatus, deplanatus, deplanus, depressus, dilatatus, dimidiatus, discolor, divisus, elegans, eryngii, erythrostomus, faectus, fallax, falleni, fasciator, femorata, filum, fissa, flavicinctus, flavolineatus, foetidus, frutetorum, furcellatus, galii, gastricus, geoffroyi, geographicus, gladiator, haematicus, haematogaster, hebraicus, hemichloris, heraldicus, hirundinis, hyoscyami, impressus, natus, incultus, inscriptus, irroratus, jucundus, kermesinus, leucogrammus, linea, lineatus, lituratus, lobulatus, longulus, loriventris, lugubris, lychnitidis, lythraodes, macula, maestus, margineguttatus, marginellus, miliaris, minimus, momordicae, musivus, myops, nervosus, nidularius, nigridentis, nigriventris, nigrovarius, nitiduloides, notatus, nubilus, olivaceus, ornatulus, ovatus, pallescens,

perspicuus, pilosus, pipistrelli, plinthacrus, poecilus, principis, pubescens, pugnax, punctatus, punctipennis, pungens, purcis, purpureo-marginatus, pyrrhocerus, quadridens, repandus, reticularis, retusus, ribis, rufiventris, rufocinctus, salicinus, sanguinistrois, scapularis, scutellum, senilis, seriatus, serratus, sordidus, sparsus, spectabilis, spinipes, spinosus, splendidulus, stollis, strictus, subrubescens, tanacetis, tarsatus, terreus, tibialis, tomentiventris, transversalis, triangulator, trisignatus, typhoeus, umbrinus, uniguttatus, unipunctatus, ventralis, vernalis, verticalis, vesiculosus, victor, violaceus, virens, virgatus, viridis, vitripennis.

Cimoliornis diomedeus.

Cinara pini, roboris.

Cinclidia (A.) punctata.

Cinclidia (Lep.) athalia, orthia, phoebe.

Cinclidium frontale.

Cinlocerthia ruficauda.

Cinclodes andaeccola, antarcticus, dumetorius, fuliginosus, inornatus, montanus, nigrofumosus, palliatus, patagonicus, ruficaudus, vulgaris.

Cincloramphus cantatoris, cantillans, cruralis, rufescens, sylvanus.

Cinclusoma albigula, caeruleatus, capistratum, castaneo-thorax, castanotus, cinnamomeum, erythrocephalum, grisauris, leucophum, lineatum, melanura, monilegera, nipalensis, ocellatum, punctatum, rufimentum, setafer, variegatum.

Cinclus americanis, americanus, aquaticus, cinclus, europaeus, interpres, leucocephalus, leucogaster, lutans, medius, melanocephalus, melanogaster, mexicanus, morinellus, mortoni, pallasi, rupestris, septentrionalis, townsendi, unicolor.

Cineras aurita, bicolor, chelonophilus, cranchi, cranchianus, coriacea, fasciata, lithonaetta, megalepis, montagui, olfersi, olfersianus, rissoanus, vittata.

Cinetochilum margaritaceum.

Cinetus armatus, bicornis, cantianus, cursor, dorsiger, fuliginosus, gracilipes, gracilis, iridipennis, jurinei, mellipes, picipes, ruficornis.

Cingla asper, zingel.

Cingula aculeus, alba, arenaria, auricularis, balliae, beani, bryereus, calathisca, carinata, cimex, cingellus, cingilla, concinna, conica, conifera, costata, denticulata, disjuncta, dispar, globularis, harveyi, interrupta, labiosa, laevis, latior, marginata, minuta, modesta, pallida, parva, pellucida, pulla, reticulata, robusta, rubra, rupestris, semicostata, semistriata, solida, striatula, striatus, subcarinata, subumbilicata, tristriata, turriculus, ulvae, unifasciata, ventricosa, vitrea.

Cingulifera alpina, angulella, arbustorum, cingulata, corrugata, frigida, intermedia, phalerata, preslii, schmidtii, strigata, tigrina, trizona, zieglerei.

Cingulla pulchra.

Cingulus parvus.

Ciniffo atrox, bennetti.

Ciniphes molesta.

Cinips acuta, affinis, agrotis, albitarsis, basal, bifasciata, binotata, bombycynus, capitata, chermis, cyanea, depressus, diffinis, fasciata, fuscicornis, gemmarum, luteicornis, nigra, papaveris, rotundata, rufa, sapphyrina, stigma, truncata, tubulosa, urticae, variegata, ventralis, viridis, westwoodi. *Vide et Cynips.*

Cinipsillum chrysis, clavicornis, gallarum, infidum, rugosulum, violaceum.

Cinnamolegus papuanus.

Cinnycerthia cinnamomea, unicolor.

Cinnyricinclus leucogaster, leucosoma, melasoma.

Cinnyris adelberti, aeneus, affinis, afra, amethystina, angladiana, angolensis, asiaticus, aspasiae, assamensis, auratifrons, aureus, bifasciata, bombycinus, canora, cardinalis, caudatus, chalybaea, chalybeia, chloronotus, chloropygia, chrysogenys, chrysoptera, cinereus, cinereicollis, cirratus, clementiae, coccinigaster, collaris, concolor, croceus, cruentata, cuprea, currucaia, cyanocephala, discolor, dubia, eboensis, elegans, epauletta, epimecurus, eques, erythronotus, erythrorhynchus, erythrothorax, eximia, falcatus, famosa, fasciatus, fulvinea*, flammixillaris, flavoventer, frenata, frontalis, fuliginosa, fuscus, gouldiae, gularis, gutturalis, habyssinia, hasselti, horsfieldi, ignicauda, indicus, inornatus, javanica, kuhli, labecula, lalatala, lepida, leucogaster, longicaudatus,

longirostris, longirostratus, longirostris, longuemari, lotenia, lucidus, luteoventer, macassariensis, mackloti, maculata, madagascariensis, magna, mahrattensis, manillensis, mariquensis, melanogaster, melanurus, metallicus, miles, minima, mystacalis, natalensis, nibarus, nipalensis, nitens, novaeguineae, obscura, olivacea, omnicolor, oranga, orientalis, pectoralis, perreini, phaenocotis, platurus, politus, pulchella, pupurata, purpurata, pusillus, quinticolor, rectirostris, ruber, rubescens, rubrater, rubricaudata, rubrocana, rubrofusca, rufa, saccharina, sanguineus, saturata, senegalensis, sericeus, simplex, siparaja, smaragdinus, sola, solaris, souismanga, sperata, splendens, splendida, stangeri, strigula, subflavus, superba, tabacina, tacazze, talatala, thoracicus, tricolor, venusta, veroxia, vigorsi, violacea, virescens, viridis, zeilonica, zenobia.

Cinochira atra.

Cinorestes ornitum.

Cinosternon hirtipes, scorpioidea.

Cinthia papillosa, rustica.

Cinura torquata.

Ciona intestinalis.

Cionella elongata, folliculus, lubrica, lubricoides, tomatellina, triticea.

Cionus albidus, angulicollis, anictus, anturhini, asellus, beccabungae, blattariae, campanulae, capensis, clairvillei, decorus, fraxini, gebleri, globulus, graminis, hemisphaericus, histrio, labilis, linariae, luctuosus, melanarius, meticulous, micros, moestus, netus, noctis, notatus, nubilosus, olens, olivieri, pallidulus, pallidus, pascuorum, plantarum, pulchellus, pulverosus, rostellum, salicariae, scrophulariae, setiger, simplex, solani, solanus, spilotus, stimulosus, tarsalis, teter, thapsi, thapsicola, thapsus, trinotatus, trionatus, tristis, ulmi, unguulatus, verbasci, veronicae, vestitus, virgatus.

Ciprina islandicoides. *Vide et Cyprina.*

Circaeetus pectoralis.

Circaetos anguim, brachydactylus, leucopsis.

Circaetus albidus, antarecticus, bacha, brachydactylus, cinereus, coronatus, gallicus, holospilus, hypoleucos, maculatiior, mithilensis, solitarius, tarayensis, thoracicus, thoracicus, undulatus.

Circe (L.) arabica, castrensis, corrugata, cracherodei, crocei, dispar, divaricata, gibbia, litturata, minima, numulina, orbiculata, pectinata, pieta, planata, rosea, scripta, sulcata, triangularis, violacea.

Circe (Med.) camtschatica, elongata.

Circelium atrum, brunnipes, clypeatum, goudoti, haemisphaerium, histeroides, pygmaeum, striatum, vicinum.

Circellium bacchus, hollandiae, minutum, nitidum.

Circinaria balnei, minuta, planorboides, pulchella, semipolita, skiaphila.

Circophyllia truncatum.

Circus acoli, aegithus, aeruginosus, albescens, albicollis, approximans, arundinaceus, assimilis, ater, axillaris, busarellus, buson, campestris, cineraceus, cinerascens, cinereus, cyaneus, europogistes, gallinarius, gouldi, histrionicus, hudsonius, hyemalis, iardini, javanicus, juxta, lalandei, leucocephalus, leucophrys, le vaillant, lineatus, macropterus, maurus, megaspilus, melanoleucos, montagui, nipalensis, pallidus, palustris, pectoralis, plumipes, poliopterus, pratorum, pygargus, ranivorus, rufulus, rufus, rutilans, superalialis, superciliaris, superciliosus, swainsoni, teesa, variegatus.

Ciris rotundata.

Cirlus cia, schoeniculus.

Cirolana elongata, ferruginosa, hirtipes, rosacea, rossi, sculpta.

Cirrattulus blainvillei, borealis, concharum, filigerus, flavescens, fuscescens, medusa, tentaculatus.

Cirrhatulus bellavistae, lamarki.

Cirrhia citrago, fulvago.

Cirrihibarbis capensis.

Cirrhina blochi, breviceps, dussumieri, mrigala, plumbea, reba, rubripinnis.

Cirrhone micropogon.

Cirrhineris aurantiaca, bellavistae, filigera.

Cirrhinus affinis, belangeri, burnesiana, calbasu, cuvieri, dero, ~~duro~~duerieri, fasciatus, gonus, joalius, leschenaulti, macronotus, morula, nancar, nandina, rohita, rubros punctatus.

Cirrhopathes sieboldi, spiralis.

Cirrhipipra filicauda.

Cirrhisorius sprengleri.

Cirrhites aprius, areatus, aureus, fasciatus, maculatus, maculosus, pantherinus, punctatus, rivulatus, vittatus.

Cirrhitus maculatus.

Cirrochroa aoris, clagia, lampetie, prosope, thais.

Cirroedia xerampelina.

Cirronereis cirrigera, mucronata, prolifera.

Cirropteron ovale, semilunare.

Cirrospilus abundantis, abastor, abron, acasta, acesius, achaemenes, adalia, aega, agathocles, agrus, aleithoe, amenon, amynus, anaitis, anodaphus, anteius, anticlea, anysis, auyta, apama, aphaca, arathis, aratus, archideus, aristaeus, armaeus, arsames, arses, articas, asopus, athenais, athyrte, attalus, baucis, beroe, brunchus, bunus, buselus, cacus, catus, caudatus, chabries, chares, charoba, cleonica, clinia, clito, conon, coronis, crino, cyrrhus, daimachus, daira, deilochus, deioces, deipyrus, deldon, diallus, diaphantus, dotus, ecus, elegantissimus, eleuchia, emesa, enagoras, endemus, epicharmus, eratus, eudora, euedochus, eunapius, eupolis, eurytus, fannius, faucula, februus, flavovirius, gaus, glycon, hippasus, hippis, hypsistus, ilithya, ione, isaea, isander, julis, lacaena, lachares, lagus, lamius, lelaps, leocrates, leucone, ligus, lycidas, lycomedes, lycophron, lyncus, lyridice, lysisippe, mandanis, marbis, mazaeus, medidas, menius, metra, mineus, molo, monesus, murcia, mutilia, mycerinus, myron, myrsus, natras, neis, nerio, nireus, novatus, numeria, nymphis, orelia, orithya, orodes, oropus, orsedice, orsillius, otys, oxathres, pacuvius, pamylen, paralus, pausiris, phalis, phineus, phorbas, phryno, plangon, procles, pronomus, prosymna, proto, prymno, quercens, rabirius, racilla, rapo, rhacius, rhadius, rhipheus, rhode, rhoesus, rhesaces, salatis, sandace, simo, singa, sinope, smilis, sotades, sucro, suevius, tachos, tenerus, teridae, thasus, thestalus, thestius, totis, trabea, tymber, tyriotes, tyrtaeus, upis, vaccus, vacuna, valens, valerus, vannus, variolosus, vicellius, vincius, vittatus, voranus, walkerii, xenares, xenocles, xeuxes, xixuthrus, zaleucus, zenocia, zeuxo, zoilus, zopyrus, zosimus.

Cirroteuthis mülleri.

Cirrus acutus, armatus, cancellatus, carinatus, cingulatus, cristatus, crotaloides, depressus, dionysii, elevatus, euomphaloides, funiculatus, gloveri, granulatus, helicoides, laevigatus, leachi, leonhardi, nodosus, normanianus, pentagonalis, perspectivus, pileopsideus, plicatus, pyramidalis, rotundatus, sowerbyi, spinosus, spiralis, striatus, tabulatus, turbanoides.

Cirthoceratites nautiloides, spiruloides.

Cirtolites deslongchampsii, expansus.

Cirulus pratensis.

Cis abyssinicus, affinis, agaricinus, alni, alpinus, atripennis, betulae, bicornis, bidentatus, bidentulus, boleti, bostrichoides, brunneus, capensis, castaneus, caucasicus, chevrolati, comptus, concinnus, contractus, convexus, cornutus, creberrimus, crenatus, cribratus, dentatus, diadematus, dubius, elongatulus, emarginatus, fagi, festivus, fissicollis, fissicornis, flavipes, flavus, fronticornis, fucatus, fulvipes, furcatus, fuscatus, fuscipes, glabratus, glabriculus, granarius, grossus, guerini, hirtus, hispidus, interpunctatus, jacquemarti, laminatus, laricinus, lineatoscribatus, mandibularis, melliei, micans, minutissimus, minutus, muriceus, murinus, nigriceps, nigricornis, nitidulus, obesus, oblongus, olivieri, pallidus, perforatus, piceus, politus, puberulus, pubescens, pumicatus, punctata, punctifer, punctiger, punctulatus, pusillus, pygmaeus, pyrrhocephalus, quadricornis, quadridens, reticulatum, rhododactylus, rotundicollis, ruficornis, rugosus, rugulosus, sericeus, setiger, setulosus, signaticollis, striatulus, subtilis, thoracicus, tomentosus, tristis, ustulatus, variegatus, vestitus, villosus, vitulus, wollastoni.

- Cissa* buccoides, ~~minuta~~, ~~ornata~~, pyrrhocyanea, sinensis, thalassina.
- Cisseis* albo-sparsa, cupripennis, duodecinguttata, furcifera, irrorata, marmorata, quattuordecimnotata, spilota, stigmata.
- Cissia* clarissa, crantor.
- Cissilopha* saublasiana.
- Cissites* testacea.
- Cissopsis* bicolor, leverianus, minor.
- Cistela* agilis, alleculoides, altaica, amoena, antennata, apicalis, arcuata, armillata, atra, axillaris, badia, basillaris, bicolor, binotata, bipustulata, brevis, castanea, cephalotes, collaris, convexicollis, curvipes, dejeani, distincta, dorsalis, elegans, elongata, erythrope, erythroptera, ferruginea, fraterna, fuliginosa, fulvicollis, fulvipes, fusca, fuscipes, grvida, haemorrhoidalis, humeralis, longicornis, lugubris, lutea, luteola, maculicollis, marginalis, maritima, melanocephala, melanophthalmus, minuta, nigra, nigrans, nigrina, nitida, obscura, ochropus, pallidipennis, picea, picipes, pilicollis, pilosa, pilosula, pubescens, pulcherrima, punctulata, quadricollis, rufipes, rufiventris, rugosicollis, sanguinicollis, saperdoides, scapularis, scutellaria, securigera, sericea, serrata, serricornis, striata, subaenea, subalpina, sulfuripes, sulphuripes, undulata, unicolor.
- Cistena* pallasi.
- Cisticola* cursitans, le vaillanti, schaenicola, subhemalayana.
- Cistina* columbiae.
- Cistogaster* aurantiaca, celer, globosa, immaculata, ovata.
- Cistophora* proboscidea.
- Cistopus* indicus.
- Cistothorus* interscapularis, stellaris.
- Cistuda* amboinensis, bealei, blandingi, carolina, europaea, hellenica, trifasciata.
- Cistudo* clausa, diardi, mexicana, odorata, pennsylvanica.
- Cistula* columna, costata, decussata, delatreanum, dominula, elongata, fascia, gruneri, lineolata, pupiformis, quaternata, rufilabris, rugulosa, solida, truncatum, versicolor.
- Cithaerias* andromeda, cissa, nereis, piera.
- Cithaevias* nereis.
- Citharinus* aegyptius, chilodus, niloticus.
- Citharus* platessoides*.
- Citheronia* anassa, phoronea, regia.
- Cithorus* asper.
- Citillus* concolor, guttatus, leptodactylus, mexicanus, mugosaricus, persicus, superciliosus, undulatus, xanthoprymna.
- Citria* cerago, silago.
- Citrinella* capensis, citrinelloides, nigriceps, serinus.
- Citula* armata, banksi, banksi, ciliaria, plumbea.
- Civetta* fasciata, indica.
- Cixia* albicincta, collaris, contaminata, cunicularia, musiva, stigmatica, sulcifrons.
- Cixius* confinis, contamina, cunicularius, cynosbati, cynosbatis, dorsalis, fuliginosa, lapponicus, leporina, leucoescatia, lotti, maculatus, monticelli, nervosa, obliqua, pallidipennis, panorpaeipennis, pellucidus, phaeopterus, pilosus, quinque-costatus, sanctangeli, scyllae, serratae, servillei, stigmatica, trifasciatus, venosus.
- Cladacanthus* paradoxus.
- Cladeiodon* lloydi.
- Cladeyterus* lepidopterus.
- Cladidiptera* macrophthalma.
- Cladiscus* gracilis, longipennis, prinsepi, strangulatus.
- Cladius* albipes, difformis, eradiatus, eucera, geoffroyi, immunis, luteicornis, luteiventris, morio, nigrita, pallipes, pilicornis, rufipes, uncinnata.
- Cladobates* belangeri, ferrugineus, javanica, murinus, speciosus, tana.
- Cladocera* pecticornis.
- Cladocerus* alcides, arcuatus, clavatus.
- Cladochonus* brevicollis, tenuicollis.

- Cladocora** anthophyllum, antiqua, arbuscula, caespitosa, calycularis, candelabrum, cariosa, conferta, cornigera, debilis, dianthus, dichotoma, flexuosa, gracilis, granulosa, humilis, irregulare, laevigata, multicaulis, prevostiana, pulchella, ramea, recrescens, sarmentosa, sexdecimale, stellaria, sulcata, trichotoma.
- Cladocrinites** brevidactylus, egertoni, longidactylus, macrodactylus, nobilis, pentagonus, tuberculatus.
- Cladocyclus** gardneri, lewesiensis.
- Cladodactyla** albida, dicquemarei, doliolum, gaertneri, lessoni, miuiata, nigricans, pentactes, planci, syracusana.
- Cladodes** flabellatus.
- Cladodiptera** macrophthalma, ornata, spinolae.
- Cladodus** acutus, conicus, hibberti, laevis, marginalis, marginatus, milleri, mirabilis, parvus, simplex, striatus.
- Cladognathus** antilopus, bison, cinnamomeus, de haani, dorsalis, downesi, forsteri, giraffa, marginatus, parryi, rhinoceros, tarandus.
- Cladolabes** aureus, limacontos, spinosus.
- Cladomorphus** ceratocephalus, dilatipes, perfoliatus, phyllinus.
- Cladonema** radiatum.
- Cladophora** leucographa.
- Cladophorus** lateralis, marginatus.
- Cladopoda** elegans, grandis, novae zealandica.
- Cladopteryx** obliquata.
- Cladorhynchus** pectoralis.
- Cladostoma** (Ech.) flexuosa, leioperis.
- Cladostoma** (Med.) fulgida.
- Cladotoma** ovalis, thoracica.
- Cladoxerus** davidis, filiformis, gracilis, longicornis, longipes, phyllinus, serratipes.
- Cladypha** macrophthalma.
- Claoderes** biserrirostris, mexicanus, planicollis, radulirostris, rimabundus.
- Clairvillia** pusilla.
- Clambus** armadillo, armadillus, coccinelloides, enshamensis, nigriclavus, nitidus, pubescens.
- Clamydophorus** kingi.
- Clamys** crystallisata.
- Clanculus** blainvillei, isabellae, patagonicus, pharaonicus.
- Clangula** albeola, americana, angustirostris, barrovi, bimacuiata, brachyrhynchus, chrysophthalmus, faberi, glauceon, gracilis, hiemalis, histrionica, islandica, leucomelas, leuconota, megauros, musica, peregrina, scapularis, stelleri, vulgaris.
- Clanis** (Col.) pubescens.
- Clanis** (Lep.) achemenides, nicobarensis, phalaris.
- Clarias** abbreviatus, batrachus, capensis, dussumieri, fuscus, hasselquisti, jagur, lazera, magur, maladerma, marpus, neuhofi, pulicaris, punctatus, senegalensis, syriacus.
- Clasiopa** obscurella.
- Clastes** abbot, freycinet, roseus, viridis.
- Clastocnemis** maculatus.
- Clastoptera** achatina, cimicoides, darnoides, flavifrons, nigra, scutellata, xanthocephala.
- Clathriomys** glareolus*, rutilus.
- Clathrodon** cuneatus.
- Clathrus** acuta, foliacea, frondosa, interrupta, minuta, reticulata, scalaris, semicostatus, spurius, subulata, undosa.
- Clausastrea** savignyi, subtessellata, tessellata.
- Clausilia** abietina, abrupta, acicula, acridula, aculus, adaucta, adjaciensis, advena, affinis, albescens, albida, albocincta, alboguttata, albo-guttulata, albopustulata, anatolica, anceps, annexa, antiperversa, antiqua, aquila, armerinae, attenuata, auricularis, badia, balsamo, basileensis, belcheri, bella, bengalensis, bergeri, bicarinata, bicolor, bicristata, bidens, bielzi, bigibbosa, bilabiata, bilamellatus, binotata, biplicata, biplicatus, blanda, boissieri, brauni, brembina, brevicollis, brevis, brinieri, bulimoides, caerulea, calcarea, campanica, cana, canaliculata, canalifera, candida, candidescens, candidilabris, candilabris, capillacea, carissima, cattaroensis, cecillii, cerata, cerea,

charlotia, charpentieri, chemnitziana, chondriformis, chrysalis, cincta, cinerascens, cinerea, circumdata, clavata, claviformis, cochinchinensis, coerulea, collaris, comensis, commutata, compressa, conicus, connexa, consimilis, consors, conspersa, conspurcata, contaminata, compta, corpulenta, corrugata, corticina, corynodes, costata, costulata, crassilabris, crasula, crenata, crenulata, cretensis, crispa, crispula, cristata, cruciata, cruda, cuningiana, curta, cuspidata, cyclostoma, cylindrica, dacica, dalmatina, decipiens, decisa, decollata, dedecora, deenia, delstoma, densestriata, denticulata, derugata, deshavesi, detersa, detrita, diaphana, diluta, diminuta, discolor, distinguenda, draparnaldi, dubia, dunkeri, edmondi, eichwaldi, elata, elegans, elongata, episcopalis, epistomium, exarata, exesa, exigua, fallax, filograna, fimbriata, flammigera, flammulata, forbesiana, formosa, fragilis, fraudigera, freyeri, fritillaria, frivaldskyana, fulcrata, funiculata, galeata, gargantua, gastrolepta, gibbula, gigas, gracilicosta, gracilis, graeca, granatina, grandis, grayana, grimmeri, grisea, grohmanniana, grossa, hauleyana, hedenborgi, hetaera, heterostropha, homaloraphe, huebneri, iberica, idaea, inflata, inserta, insignis, intermedia, interrupta, inuncta, irregularis, isabellina, itala, javana, kochi, kolenatii, kuesteri, labiatus, labiosa, lactea, laevigata, laevis, laevissima, lamellata, lamellosa, laminata, largillierti, larteti, laterradi, latilabris, leccoensis, lerosiensis, lesnacenensis, leucostigma, leucostoma, lineolata, litiginosa, livida, lopadusae*, lopodusae, loxostoma, lucida, lunellaris, macarana, macascarensis, macedonica, macilenta, macluriana, macrosoma, macrostoma, maculata, maculosa, mamertina, marcelia, marginata, marmorata, massenae, maxima, mediterranea, megerlei, meisneriana, menkei, michabellis, michaudiana, milleri, minima, modesta, montagui, montana, montenegriana, moritzi, mucida, multidentata, munda, murina, naevosa, nectarina, negropontina, neumeyeri, nigricans, nitidula, nobilis, notha, obliquata, oblongus, obtusa, ochreata, odondosa, oleata, olivacea, olivieri, olympica, omissa, opalina, orientalis, ornata, orthostoma, oscitans, ovatus, oxystoma, pachygastris, pachystoma, paestana, pagana, papillaris, parreyssi, parvula, patula, pellucida, perplicata, peruana, perversa, petrosa, pfeifferi, phalerata, philippiana, piceata, picta, planilabris, plicata, plicatula, plumbea, pluvialis, polita, porcata, porroi, puella, pulchella, pulverosa, punila, punctata, punctatissima, punctulata, pupoides, pusilla, pygmaea, pyrenaria, ravidia, reboudi, reeveana, reflexa, reflexilabris, retusa, robusta, rolphii, roscida, rossmaessleri, rostellum, rubicunda, rubiginea, rugicollis, rugosa, rusiostoma, sarda, sativa, satura, saturalis, saxatilis, saxicola, scalaris, schmidtii, schuschi, semilenticulata, semirugata, senilis, septemplicata, sericata, sericina, serrulata, sexdentata, sieboldti, silacea, similans, similis, socialis, solida, somchetica, sordida, sowerbyana, spratti, stabilis, stentziana, stenzii, stigmatica, strangulata, striata, strigata, strigillata, strigosa, strobili, strumosa, sturmi, subcristata, subcylindrica, subrugata, substriata, subula, subulata, succinea, sulcosa, sulcosula, sulculosa, suturalis, syracusana, taeniata, taurica, tenuilabris, teres, tetragonostoma, tettelbachiana, thermophylarum, thessalonica, thomasiana, torticollis, translucida, triangularis, tristis, truncatula, tuba paradisi, tumens, tumida, turgida, turrita, turritus, undulata, unguata, uniplicata, valida, varians, variegata, varnensis, ventricosa, vetusta, vibex, vidovichii, virginea, viridana, vivipara, voithi, whateliana.

Clausilina costata, tuba paradisi.

Clausina abyssicola, cassina, croulensis, fasciata, ferruginosa, reflexa, verrucosa.

Claustra mertensi, pisiniboque.

Clausulus indicator.

Clava gelatinosa, multicornis.

Clavagella altavillae, angulata, aperta, armata, aspergillum, australis, bacillaris, bacillum, balanorum, brochii, brongniarti, cenomaniana, clavata, coronata, cretacea, cristata, dubia, echinata, elongata, goldfussi, lata, ligeriensis, lodoiska, melitensis, prisca, semisulcata, sicula, tibialis.

Clavatulā albicans, amabilis, argillacea, aspera, atropurpurea, auriculifera, bella, bimarginata, boothi, brachystoma, cancellata, candida, castanea, cinnamata, cinerea, coelata, coronata, costata, crebricostata, crenularis, debilis, dentifera, donata, echinata, emarginatus, erica, ericea, felina, fimbriata, flammea, fulva, glumacea, griffithi, imperialis, impressa, laeta, laevigata, linearis, lineata, luctuosa, maravignae, merita, metula, micans, militaris, mitrula, mutica, nebula, neglecta, nitens, occata,

- papillaris, pardalis, perpulchra, philberti, plicifera, plumbea, polita, ~~pyramis~~,
 quisqualis, rava, retusa, rigida, robusta, rubida, rubiginosa, scalaris, sculpta, ~~sinensis~~,
 sinuosus, spicata, spurca, striata, sulcata, tessellata, textilis, treveliana, ~~turidula~~,
 vulpecula.
- Clavelina** borealis, chrysellina, clavata, lepadiformis, producta, rissoana, savigniana,
 vitrea.
- Clavella** diodontis, scari, uncinata, vicksburgensis.
- Clavellaria** lutea, marginata.
- Clavellina** chrysellina.
- Clavicantha** auriculifera, conica, echinata, imperialis, spirata.
- Clavicera** albilabris.
- Clavicula** cucumerina.
- Claviger** (Col.) bimaculatus, colchicus, foveolatus, hageni, ibericus, longicornis, tuber-
 culosa.
- Claviger** (G.) aurita.
- Clavigralla** gibbosa.
- Clavilithes** clavellatus, longaevus, noae, ponderosus.
- Clavipalpus** dejeani, orbignyianus, ursinus.
- Clavularia** violacea, viridis.
- Clavulina** angularis, communis, corrugata, cylindrica, irregularis, nodosaria, parisiensis,
 rugosa, tricarinata.
- Clavus** flammulatus.
- Cleanthus** montagui.
- Cleantis** linearis.
- Cledeobia** acuminalis, albistrigalis, angustalis, bombycalis, borgialis, brunnealis, corsicalis,
 costaestrigalis, graecalis, interjunctalis, massiliensis, moldavicalis, morbidalis, netricalis,
 provincialis, supandalis.
- Cleidophorus** planulatus.
- Cleidothaerus** albidus, cbamoides.
- Cleigastrea** apicalis, bicolor, fasciata, flavicornis, flavipes, frontalis, bydromyzma,
 latipalpis, liturata, livens, longicornis, macrocera, nigrita, obscura, punctipes,
 spinipes.
- Cleiothyris** pectinifera.
- Cleis** humilis, lynx, mirifica.
- Cleistotoma** edwardsi, gemellarii, leachi.
- Cleitania** astrolabei.
- Clelia** (Dipt.) agilis, erythroceras, minor, rapida.
- Clelia** (R.) daudini, mikani, occipitalis, peruvianus.
- Clematius** reticulatus.
- Clemmus** troglodytes.
- Clemmys** batagur, belli, bravardi, caspica, castanea, clifti, concinna, crassicolis,
 floridana, geographica, bamiltoni, hasselti, hermanni, hirtipes, insculpta, kargi,
 leprosa, lineata, lutaria, lutescens, mühlenbergi, odorata, orbigny, ornata, penn-
 sylvanica, picta, porphyrea, punctata, punctularia, reevesi, reticulata, rhenana,
 rubriventris, schlotbeimi, scorpioidea, serrata, sigriz, spengleri, spinosa, subnigra,
 taunica, tecta, thurgi, tricarinata, trijuga, triporcata, wagneri.
- Clenicerus** cupreus.
- Cleniocerus** aulicus, castaneus, cupreus, metallicus, sanguinicollis, tessellatus.
- Cleobis** gracilis, grandis, recta.
- Cleoceris** hybris, oo, scoriacea, viminalis.
- Cleodaedala** surinamensis.
- Cleodora** (Col.) mellyi.
- Cleodora** (Lep.) cytisella, falciformis, lucidella, nebulella, ochroleucella, rufescens,
 silacella.
- Cleodora** (Pter.) acicula, aciculata, astesana, balantium, calandrelli, caudata, clava,
 columella, conica, cuspidata, depressa, inflata, infundibulum, lamertineri, lanceolata,
 lessoni, obtusa, pyramidata, quadrispinosa, retusa, riccioli, spinifera, strangulata,
 striata, subula, subulata, testudinaria, virgula, zonata.

Cleogene ilibaria, lutearia, niveata, peletieraria, tibiaria, tinctaria.

Cleogonus conicollis, fairmairei, fistulosus, notatus, nucula, rubetra, rubicollis, sedentarius, trisignatus, trochilus.

Cleomorpha tricolor.

Cleonis albicans, albida, albolineata, alternans, arctica, atomaria, attenuata, barbarus, bicarinata, bipunctata, carinata, cinerea, clathrata, complanata, coriuginosa, declivis, distincta, ericeti, excavata, excoriata, fasciata, faunus, foveolata, foveolata, frontata, furcata, glauca, grammica, granulosa, granulata, granulosa, hieroglyphica, bololeuca, humeralis, illustris, imperialis, infraticornis, inscripta, interrupta, lateralis, leucon, leucophylla, leucoptera, livida, lugens, madida, margaritifera, marginata, marmorata, morbillosa, myagri, nebulosa, obliqua, obsoleta, ocellaris, oculata, opbtalmica, pacifica, palmata, perlata, plicata, pulverulenta, punctiventris, quadricarinata, quadrimaculata, quadrisulcata, quadrivittata, quinquelineata, rapbilinea, rorida, scabrosa, sexmaculata, sparsa, striatopunctata, sulcirostris, tricarinata, tigrina, tigris, vittata, vittatus.

Cleonolithus antiquus.

Cleonus acbates, adumbratus, albicans, albidus, albogilvus, albolineatus, alpinus, altaicus, alternans, ambiguus, angustatus, antirrhini, anxius, aquila, arabs, arenarius, atrirostris, austerus, axillaris, bartelsi, bicarinatus, bipunctatus, brevirostris, brevis, buteo, caesus, canaliculatus, candidatus, candidus, carinatus, carinicornis, carinifer, carinirostris, carinulatus, caspicus, cenchrus, cicatricosa, cinctiventris, cinereifer, cinereus, cinerius, clatratus, coenobita, cognatus, compressicollis, compressitborax, concinnus, confluent, conicirostris, conirostris, cordofanus, costatus, costicollis, costipennis, cretaceus, crinipes, cunctus, dealbatus, declivis, de baani, depressus, deucalionis, dissimilatus, distinctus, duodecimguttatus, elongatus, ericae, eversmanni, exaratus, excoriatus, faldermanni, fallax, farinosus, fastigiatus, fenestratus, ferrugineus, firmus, fischeri, flavicans, flaviceps, foveocollis, fronto, fumosus, gebleri, glacialis, glaucus, gotsebi, grammicus, granulatus, guttatus, guttulatus, balophilus, bamatus, hasticus, hedenborgi, helferi, helfori, henningi, hexagrammus, hexastichus, hieroglyphicus, bollbergi, bumerahs, ibex, impressicollis, incanescens, incisuratus, interstinctus, irroratus, karelii, korini, labilis, lacrimosus, lacunosus, lagopus, lannoides, lateralis, lehuanni, leucographus, leucomelanus, leucomelas, leucophaeus, leucosiae, limis, limpidus, longulus, lymphatus, macilentus, maculipes, marginicollis, marmoratus, megalographus, melancolicus, mendicus, mesopotamicus, microgrammus, mimosae, miscellus, mixtus, moereus, molitor, mongolicus, morbillosus, mucidus, murinus, musculus, nanus, nasutus, nebulosus, nigrivittis, nomas, nubeculosus, nubilus, obliquatus, obliquus, oblitteratus, obnoxius, obsoletofasciatus, obsoletus, occultus, ocellatus, octosignatus, ocellaris, omogeron, opbmotus, opbthalmicus, opimus, orbitalis, pacificus, paganus, pallasi, palmatus, panderi, paradoxus, parreyssi, perlatus, picipes, pictus, pilipes, pilosellus, plamirostris, polii*, pruinosus, pudicus, pulchellus, puncticollis, pygmaeus, pyrrhae, quadraticollis, reuardi, retusus, roridus, rubrifrons, rugifer, sabulosus, salebrosicollis, sarasonoyi, scalaris, schoenberri, schrenki, scriptus, scrobicollis, scutellatus, sedakori, seguis, senectus, senegalensis, sexguttatus, sciculus, signaticollis, simplex, sollicitus, sparsus, squalidus, stillatus, strabus, striolatus, suillus, sulciollis, sulcirostris, superciliosus, surdus, suturalis, tabidus, tenebrosus, teretirostris, tessellatus, testatus, tetragrammus, thoracicus, thunbergi, tomentosus, torosus, trisulcatus, trivittatus, tuberculatus, turbatus, velatus, verrucosus, vestitus, vexatus, vibex, virgatus, vittiger, vulvulus, vulneratus.

Cleonymus apicalis, bicoloratus, bimaculatus, cingulum, compressipes, cyanescens, cyaneus, depressus, elegans, elongatus, eximius, flavipes, hemipterus, immaculatus, laticornis, maculifer, maculipennis, obscurus, occultus, quadrum, serrata, signatus, transversus, viridinitens.

Cleophana anarrhini, choenorrhini, cyclopea, cymbalaria, dejeani, laudeti, olbiena, superba, ustulata, yvoni.

Cleopus antirrhini, beccabungae, bimaculatus, campanulae, curvirostris, elegans, ellypticus, flavus, fossarum, fraxini, grammis, barbarum, linariae, minutus, nanus, obliquus, osyrides, pasorum, plagiatum, plantarum, pulchellus, ranunculi, rostellum, rufidus, solani, somnulentus, spinulosus, stimulosus, teter, tricolor, verbasci.

Cleora bajularia, cinctaria, lichenaria, pictaria, teneraria, viduaria.

Cleosiris catamita.

Cleothera adhaerens, ambigua, armaudi, billoti, bisquatuoripustulata, bisquinquepustulata, buqueti, castelnaudi, cincticollis, cognata, collaris, compedita, compta, crucifera, decemsignata, decemverrucata, devili, distinguenda, donzeli, dorsata, fasciata, flavocalceata, fuscomaculata, gacognii, gaynoni, glyphica, gracilis, graminicola, guilloryi, hexastigma, histrionica, humerata, jocosa, jucunda, languida, levtrati, loricata, luteola, maculosa, melanura, millieri, migrata, notata, noticollis, octopustulata, onerata, ormauceayi, oseryi, ovatonotata, pallax, pavidata, poortmanni, quadrisignata, quinquenotata, retigera, scenica, scutifera, senegalensis, serval, sexguttata, sexverrucata, tessulata, tessulata, tortuosa, tredecimguttata, trepida, triacanthia, tropicalis, turbata, ustulata.

Cleothoraca viridis.

Clepsydrina ovata, polymorpha, tenuis.

Clepsina hyalina, sanguinea, succinaea, swampina, trioculata.

Clepsine affinis, algerica, algira, bioculata, careuae, carinata, catenigera, complanata, costata, heteroclitia, hyalina, lineata, marginata, oniscus, paludosa, papillosa, parasitica, rissoi, sowerbyi, tessulata, verrucata.

Cleptis rusticana.

Clepsydra javanica.

Clepsydrina conoidea.

Cleptes (A.) hudsonicus, nuttalli.

Cleptes (Hym.) afra, aurata, coccorum, fasciata, fervida, fulgens, larvarum, minutus, muscarum, nigrivenentris, nitidula, pallipes, semiauratus, splendens, stigma, viridis.

Clepticus (Hym.) comes, paganus, praetor, socius.

Clepticus (P.) genizara.

Cleptis steenstrupi.

Clerodora caudata, cuspidata, pyramidata, retusa.

Clerota budda.

Clerus abdominalis, adonis, aeneicollis, aethiopicus, albofasciatus, alternans, alvearius, analis, angustus, annulatus, anthicoides, antiquus, apiarius, arabs, arachnoides, arenatus, artifex, assimilis, attenuatus, axillaris, basalis, bicinctus, bifasciatum, bilobus, bimaculatus, bisignatus, bombycinus, brachypterus, brevicollis, buqueti, caeruleus, capensis, carus, cicindeloides, cinctiventris, cinereopilosus, coarctatus, colombiae, commodus, comptus, cordifer, crabronarius, crassus, cruciatus, cyanipennis, decussata, denticollis, dermestoides, distinctus, distrophus, dubius, erythrogaster, erythropterus, erythropus, eximius, fasciatus, fasciculatus, fatuus, favarius, femoralis, filiformis, fischeri, flavosignatus, flavus, gambiensis, guttulus, hilaris, holosericeus, honestus, hopfneri, humeralis, iudicus, instabilis, interruptus, intricatus, javanus, jucundus, kirbyi, lacordairei, laetus, laevigatus, laportei, laticinctus, lepidus, lividus, longulus, lugubris, lunatus, luscus, maculicollis, marginicollis, marmoratus, mexicanus, miniatus, minutus, mitis, modestus, moestus, monilis, myops, myrmecodes, mysticus, nebulosus, niger, nigrifrons, nigripes, nigriventris, nigrivittis, nigrocinctus, nigromaculatus, nitens, nitidus, notatus, nutalli, obesus, obliquatus, obliquefasciatus, obscurus, oculus, olivieri, ornatus, pallipennis, phaleratus, pictus, planatus, planus, notatus, prolixus, pulchellus, pulcher, pusillus, quadra, quadriguttatus, quadrinotatus, quadripustulatus, quadrisignatus, rosarum, rosmarus, rubripes, ruficeps, ruficollis, rufipes, rugulus, sanguineus, scenicus, sericans, signatus, silbermanni, simplex, sobrius, spinotus, splendidus, steniformis, substriatus, suturalis, tarsatus, tenellus, thoracicus, tibialis, transversalis, tricolor, trifasciatus, triplagiatus, trogositoides, truncatus, undulatus, unifasciatus, variegatus, varius, venator, versicolor, viduus, villosus, vulneratus, zebra, zonatus.

Cleta nexaria, vittaria.

Clethropsylla alui.

Clidia geographica.

Clidicus grandis.

Clidonia basalis.

Clidostomum polystigma.

- Cliftia** fusca.
Climacocercus ~~brachypterus, concentricus.~~
Climacteris erythrops, leucophaea, melanotus, melanura, picumnus, rufa, ~~scandens,~~
 striolata.
Climatius reticulatus.
Climaxodus imbricatus.
Clinetrachus perspicillatus, superciliosus, variabilis.
Clinidium guildingi.
Clinocentrus umbratilis.
Clinocera nigra, sylvatica.
Clinocoris ferrugator, haemorrhoidalis.
Clinocranion planatum, spinosum.
Clinopodes carniolensis, flavidus.
Clinteria atra, chloromota, cincticollis, coerulea, confinis, ducalis, flavo-marginata,
 flavopicta, guttifera, hearseiana, hularis, hofmeisteri, imperialis, incerta, infuscata,
 modesta, moerens, pantherina, permutans, pumila, sexpustulata, spuria, suavis,
 tetraspilota.
Clinus aculeatus, acumatus, anguillaris, argentatus, argenteus, audifredi, brachycephalus,
 canariensis, capensis, capillatus, cottoides, crinitus, delalandei, despicillatus, elegans,
 fenestratus, fernandezianus, geniguttatus, gobio, guttulus, herminieri, heterodon,
 latipennis, littoreus, lumpenus, maculatus, medius, microcirrhis, mustelaris, mutabilis,
 nebulosus, nuchipinnis, pectinifer, perspicillatus, peruvianus, punctatus, spadiceus,
 superciliosus, testudinarius, unimaculatus, variabilis, variolosus, virescens.
Clio amate, amati, arctica, australis, caduceus, capensis, chaptali, conchacea, cuspidata,
 depressa, gastroptera, infundibulum, lamartinieri, longicaudatus, miquelonensis,
 pellucida, pyramidalis.
Clodita caduceus, fusiformis, pyramidalis.
Cliona alderi, angulata, canadensis, celata, cervina, corallinoides, dendritica, fryeri,
 gorgonioides, gracilis, howsei, insidiosa, irregularis, labyrinthica, lobata, millepunctata,
 muscoidea, nodosa, northumbrica, parisiensis, purpurea, quadrata, radiata, ramosa,
 rhombea, spinosa, vasticina.
Clione australis, caudata.
Clionella sinuatum.
Clionites conybearei, parkinsoni.
Clipeus garnoti.
Clisia striata.
Clisiocampa americana, castrensis, crataegi, neustria, processionea, silvatica.
Clisiophyllum bipartitum, danianum, keyserlingi, prolapsus, vortex.
Clisiphontes calcar.
Clista aberrans, diversa, foeda, iners, lentis, moerens, provida, suffusa.
Clistopyga haemorrhoidalis, incitator.
Clitellaria albicaput, amenides, anchialus, atrata, bivittata, calva, chalybea, coprates,
 cornasa, cuprea, dahli, elongata, ehippium, flavipes, halala, hemiopia, pacifica, rufa,
 tenebrosa, villosa.
Clitellio arenaria, vermicularis.
Clithon corona, coronata, corono, coronoides, crepidularius, nigrospinis, undatus,
 variabilis.
Clitia laevigata, verruca.
Clitopa bohemanii.
Clivicola europaea.
Clivina acuducta, aenea, aerea, afra, ahena, americana, amphibia, analis, angustata,
 arctica, arenarius, armata, assamensis, aucta, basalis, bengalensis, bidentata, bi-
 maculata, bipustulata, bisignata, boliviensis, brunnea, brunnipennis, capensis,
 castanea, collaris, columbica, convexus, cordata, corvina, crenata, curvidens, cylindrica,
 dentifemorata, dentipes, digitata, dissimilis, dumolinsi, dyschiria, elloughtonensis,
 elongata, ehippiata, erythropus, extensicollis, fasciata, femoralis, fissipes, flavipes,
 fossor, foveiceps, frontalis, fulvipes, fuscicornis, fuscipes, gibba, gigantea, globulosa,
 gracilis, grandis, haemorrhoidalis, impressifrons, indica, intermedia, javanica, klugi,

labialis, laevicollis, laevifrons, laticeps, latinana, lebas, lepraguri, lineolata, lobata, lunaris, madagascariensis, mandibularis, marginipennis, media, melanaria, memnonia, metallica, mexicana, minima, morio, nigra, nitida, obscura, ovipennis, pallida, pallipennis, pallipes, paludosa, picea, picipes, picta, planicollis, polita, postica, pumila, punctata, puncticollis, pusilla, quadraticollis, rostrata, rotundicollis, rufa, rufescens, rufipes, rugiceps, sabulicola, sabulosa, sauguinea, scripta, sculptifrons, semipunctata, semistriata, senegalensis, seriepunctata, sobrina, sphaericollis, sphaerodera, stenocephala, stigmula, striata, striatipennis, striatopunctata, sulcata, testacea, thoracica, tranquebarica, trilineata, tristic, tuberculata, viridis, xanthopus, ypsilon.

Cloantha hyperici, perspicillaris, radiosa.

Cloe affinis, alpina, autumnalis, brunnea, cingulata, culiciformis, diptera, fasciata, fusca, fuscata, halterata, horaria, litura, melanonyx, obscura, pumila, rhodani, striata, subinfuscata, translucida, undata, unicolor, verna.

Cloelia (Nud.) fimbriata, formosa, trilineata.

Cloelia (R.) aurora, clelia, melanocephalus, occipitalis.

Cleoon albigenne, autumnalis, cognata, consobrina, dimidiatum, dipterum, dorsalis, hyalinata, marmorata, obscura, ochraceum, pallida, postica, unicolor, unicolore, vernalis, virgo.

Cloeotus latebrosus, semicostatus.

Cloniocerus hystrix.

Clonomys betulinus*.

Clorhynchus strophiliatus.

Clorida latreillei.

Clorodius niger.

Clostera americana, anachoreta, anastomosis, timon.

Closteroceros sericeus.

Closterocerus cercius, damastes, formosus, pelor, trifasciatus, xenodice.

Closteropus blandus.

Closterus flabellicornis.

Clostrocera banoni, tricolor.

Clothilda briarea, euryale, jaegeri, pantherata.

Clothilla studiosa.

Clotho (Ar.) algerica, amaranthinus, anthracina, cellariorum, cycacea, durandi, goudoti, guttata, limbata, longipes, nitida, stellata.

Clotho (L.) faujasi, unguiformis.

Clotho (R.) arietans, atropoides, atropos, cornuta, inornata, lateristriga, mauritanica, ocellata.

Clothonia anguiformis, johni.

Clubiona abdominalis, accentuata, acies, acupicta, advena, aethiops, agrestis, albens, albini, albiventris, aloma, altiformis, amarantha, ambigua, amussa, aspersa, atra, atrox, barbara, brevipes, breviventris, candefacta, castanea, celer, chilensis, citrina, claustraria, comta, corticalis, debilis, dilaticollis, domestica, dumentorum, epimelas, erratica, exilipes, fallax, fallens, ferox, flava, flavipes, flavocincta, formicaria, fucata, gayi, gemella, gibbosa, glauca, gracilis, holosericea, horrenda, immatura, inclusa, incomta, lapidaria, lapidicola, lapidicolens, lepida, limbata, lineata, listeri, livida, longipes, longiventris, lutea, macrocephala, maculosa, mandibularis, maxillosus, medicinalis, minuscula, minuta, mollis, necator, nigricans, nubes, nutrix, obesa, oblitterata, oblonga, oceanica, ornata, pallens, pallipes, parvula, paula, pellucida, phragmitis, piscatoria, prasina, puella, puera, pulchella, pulicaria, punctata, pusilla, putris, rorulenta, roscidus, rubicunda, rubripes, rufa, rufea, rufipes, rupicola, saeva, saltabunda, saxatilis, scenica, severa, sinistra, smaragdula, sternalis, sublurida, sulphurea, tetrica, tholosericea, tigrina, tranquilla, tripunctata, trivialis, troglodytes, ultima, ventricosa, versicolor, virescens, viridis.

Clunus dispar.

Clupaea brevissimus, daviei, dubia, elongata, knorri, lametherii, megaptera, muraenoides, salmonea, scheuchzeri, sprattiformis.

Clupalosa bulan.

Clupanodon africanus, alosa, aureus, cagius, chacunda, chanpole, chapra, cortius, ilisha,

jussieu, ~~mauritanica~~, motius, natica, phalerica, pilchardus, sardina, sinensis, thrissa, thrissoides.

Clupea aestivalis, affinis, alepidota, allecia, arcuata, argentina, argyrotaeniata, aurovittata, beurardi, ~~brasilensis~~, brevis, brunnichi, caerulea, caerulea-vittata, caspia, catopygoptera, chanip, chrysoptera, cimbrica, clupeola, coval, cyprinoides, delicatula, dentex, elongata, evelans, fallax, fasciata, fimbriata, flosmaris, fuegensis, gibbosa, gigantea, goldfussi, gracilis, haidingeri, halec, harengus, hepsetus, heterurus, hudsonia, humeralis, indica, indigena, isingleena, lanatus*, lanceolata, lata, laticauda, laticosta, leachi, leptostea, lodna, macassariensis, macrocephala, macrophthalma, macropoma, maderensis, manulensis, mallowaca, mauritiana, mediocris, megalops, melanosticta, melanura, melastoma, membras, menhaden, micropus, minima, minuta, motius, mystacina, mystax, neglecta, nilotica, nymphaea, ovalis, palasah, pallasi, papalina, parvula, phasa, piltschardus, pontica, punctata, purava, pusilla, quadrimaculata, sagax, sapidissima, sardina, sardinella, sardinoides, schoneveldi, sicula, synura, telara, tenuis, tenuissima, thrissoides, tuberculata, tuberculosa, tyrannus, ventricosa, vernalis, virescens, vittargentea, vittata.

Clupeonia blochi, commersoni, fasciata, jussieui, perforata, vittata.

Clupisoma argentata.

Clupisudis niloticus.

Clymasteris mysticalis.

Clymene (Okeni) contortuplicata, filograna, ventilabrum.

Clymene (Savigny) amphistoma, cirrosa, falcatus, intermedia, lumbricalis, muelleri, neapolitana, palermitana, truncata, uranthus.

Clymeneis stigmosa.

Clymenia acuticostata, adversa, angulosa, angustiseptata, annulata, antiquissima, bilobata, binodosa, bisulcata, brevicostata, campanulata, cincta, complanata, compressa, costellata, costulata, cristata, decussata, dorsocostata, dorsonodosa, dubia, dunkeri, elliptica, falcifera, fasciata, flexuosa, inaequistriata, incongrua, inflata, interrupta, laevigata, laevis, lata, linearis, morrisi, nana, obesa, odini, otto, pailletei, paradoxa, parvula, plana, planidorsata, planorbiformis, plicata, plurisepta, pygmaea, rarospira, sagittalis, sedgwicki, semicingulata, semicostata, semiplicata, semistriata, serpentina, similis, sinuata, speciosa, spinosa, striata, subarmata, subflexuosa, sublaevis, subnodosa, tenuissima, tenuistriata, umbilicata, undulata, valida, ziczac.

Clypeaster (Col.) ater, bicolor, cassidoides, convexusculus, depressus, fasciatus, fuscus, lividus, niger, obscurus, piceus*, pubescens, pusillus.

Clypeaster (Ech.) acuminatus, aegyptiacus, affinis, agassizi, altus, ambigenus, beaumonti, blumenbachi, bouei, brongniarti, conoideus, crassicosatus, crassus, cuvieri, decadactylus, depressus, dilatatus, ellipticus, emarginatus, excentricus, fasciatus, florealis, folium, fornicatus, gaymardi, gemmellari, geometricus, gibbosus, grandiflorus, hausmanni, hemisphaericus, hexaporus, incurvatus, intermedius, kleini, laganoides, laganum, latirostris, leskei, linki, marginatus, martinianus, meridanensis, michelotti, oblongus, ovalis, oviformis, parrae, parvus, peltiformis, pentagonalis, pentaporus, politus, portentosus, prostratus, pulchrior, pulvinulus, rangianus, reticulatus, rosaceus, rumphii, scillae, scutellatus, scutiformis, semiglobus, stelliferus, subcylindricus, subdepressus, tarbellianus, tauricus, tchihatcheffi, trilobus, turritus, umbrella, varians.

Clypeata brachyrhynchos, caeruleoalata, clypeata, macrorhynchos, platyrhynchos, pomarina.

Clypeina marginiporella, tubaeformis.

Clypeus acutus, altus, angustiporus, clunicularis, conoideus, dimidiatus, emarginatus, excentricus, hugi, lobatus, orbicularis, ornatus, patella, rathieri, rimosus, rostratus, scutella, semisulcatus, sinuatus, solodurinus, sowerbyi, testudinarius.

Clypicerus oseryi.

Clypidella pustula.

Clypidina notata.

Clysia (Lep.) ambiguella, hybridella.

Clytemnestra scutellata.

Clytho argentea, aurulenta.

Clythra abdominalis, aequinoctialis, affinis, aleppensis, analis, angustata, apicalis, appendicina, argentata, assimilis, axillaris, bicincta, bicolor, bifasciata, biguttata, biligata, bimaculatus, bipunctata, bipustulata, bisignata, bisquadrupunctata, bistrinotata, brumnea, cancrorum, catenata, chalybeicornis, chloris, cinerica, cingulata, coalita, coerulans, coerulea, coeruleocephala, colon, conformis, costalis, crassimana, cristata, crocata, cruciata, curvata, curvipes, cyanicollis, cyanicornis, cyanocephala, dalmatina, decorata, dentipes, discors, dispar, diversipes, dominicana, dorsalis, elegans, equestris, fasciata, flavicollis, flexuosa, forcipifera, fulgida, fulvipennis, gibbosa, gigas, grandis, gratiose, grossa, guerini, haemorrhoidalis, hepatica, heterogramma, birta, hispanica, humeralis, hungaria, hyacinthina, hybrida, impressa, impressihumera, interrupta, klugi, lacordairei, lateralis, laticlavata, laticollis, latreillei, limbata, longipennis, longipes, luctuosa, lunulata, macrodactyla, macropa, macropus, maculicollis, maculifrons, marginata, marginepunctata, martinia, menetriesi, metallica, mucida, mutabilis, nigriceps, nigricollis, nigrocincta, nitidula, notata, novempunctata, obliqua, obliquata, oblonga, ochripennis, octonotata, octopunctata, octosignata, pallescens, palliata, pallidipennis, psilotborax, pubicollis, punctulata, pusilla, pygmaea, quadrata, quadriguttata, quadrinotata, quadrupunctata, quadrupustulata, quadrisignata, robusta, rubra, rubripennis, rufa, ruficauda, rufipennis, rufitarsis, salicaria, scapularis, sellata, senegalensis, septemnotata, sericata, sexnotata, seppunctata, sibirica, signata, splendens, stigma, stramineipennis, stricta, succincta, taeniata, taxicornis, tetradya, tetrastigma, tibialis, tristigma, trivittata, tumida, turcica, undata, unicolor, unifasciata, unipunctata, valeriana, varians, venusta, vernalis, vestita, viridicollis, wahlbergi. *Vide et Chythra & Clytra.*

Clytia (Dipt.) atra, bicincta, continua, cylindrica, dalmatica, epibippium, gentilis, belvola, macrocera, pellucens, pratensis, ryckbolti, senegalensis, vaga.

Clytia (Hydr.) macrocythra, olivacea, rugosa, syringa, undulata, verticillata, volubilis.

Clytia (Lep.) dissimilis.

Clytie concors, illunaris, liburna.

Clytra aenea, amoena, arabica, auricapilla, bicolor, boopis, capensis, cerealis, chalybaea, concolor, cyanicornis, decempunctata, dentipes, dorsalis, flavicollis, laticollis, limbata, lucida, melanocephala, novempunctata, pandorae, paradoxa, pilicollis, pubescens, quadrimaculata, sericea, sibirica, tetrastigma, transversa, tricineta, trifasciata, umbellatarum, unipunctata, urnigera, xanthaspis. *Vide et Clythra.*

Clytus acutus, adpersus, affinis, agrestis, albicinctus, albofasciatus, altaicus, ambulator, americanus, amoenus, angularis, annosus, annularis, annulatus, annulus, antilope, apelles, arabicus, araneiformis, arcanus, arcuatus, arvicola, assimilis, attenuatus, augusti, australis, basalis, bicinctus, bidens, bimaculatus, bobelayei, boryi, bourdilloni, brabminus, brasiliensis, buqueti, campestris, capensis, capra, caprea, capricornus, carenifrons, carinatus, castaneus, caucasicus, cayennensis, cbarus, cbevolati, cbiliensis, cinereus, clavipes, coarctatus, collaris, colonus, compressicollis, comptus, confusus, congener, conspicuus, cordifer, corderig, corticinus, curtisi, curtus, curvatus, decorus, delta, dentipes, devastator, dimidiatus, dorsalis, dubius, duponti, elevatus, elongatulus, erythrocephalus, erythropus, faldermanni, fascialis, ferrugineus, festivus, filiformis, flexuosus, floralis, fulminans, fuscus, gazella, gazellula, geminatus, gibbicollis, gibbosus, gibbulus, glaucinus, globicollis, gracillipes, griseus, guianensis, hafniensis, baiji, hamatus, hieroglyphicus, hilari, hircinus, hircus, boffmanni, bopei, bottentotus, humeralis, ibex, impar, impra, incanus, insularis, interruptus, javanicus, klugi, koeblii, laetus, lama, latifasciatus, latreillei, leprieuri, lepturoides, leucogonus, leucoscutellatus, liciatus, lituralis, longipes, lugens, lugubris, lunatus, lunulatus, macaunensis, maculicollis, magicus, margaritaceus, marginicollis, masiliensis, melancolicus, mexicanus, montesuma, muricatus, nauticus, nebulosus, nigripes, nobilis, ocellatus, octonotatus, oculatus, olivaceus, ornatus, palliatus, palmatus, pantberinus, patruelis, pelleteri, perspicillum, phidias, picipes, pictus, piniadeus, plebejus, pollinosus, popovii, protogenes, proximus, pubescens, pubicollis, pudicus, punctulatus, pusillus, pygmaeus, quadricolor, quadrisfasciatus, quadrimaculatus, quadripunctatus, quinquefasciatus, quinquemaculatus, quinquepunctatus, rbamni, rbombifer, rubricollis, rufescens, ruficornis, rufipes, rufus, ruricola, sagittatus, sayi,

- zealandicus, scriptus, scutellaris, semipunctatus, senegalensis, sexfasciatus, sexguttatus, sexmaculatus, signatus, signaticollis, smei, sobrinus, sommeri, speciosus, spinicornis, spinulosus, spatiosus, supernotatus, suturale, tauricus, temesiensis, terminans, testaceus, thoracicus, tibialis, triangularis, tricolor, trifasciatus, troglodytes, tropicus, undatus, undulatus, unicolor, upsilon, urvillei, valbum, variegatus, verrucosus, vespoides, vicinus, villicus, villosus, vitticollis, webbei, wiedemanni, zebra.
- Cnemacantha** muscaria.
- Cnemacanthus** cyaneus, desmaresti, gibbosus, obscurus, parallelus.
- Cnemalobus** cyaneus, cyathicollis, obscurus.
- Cnemargus** chameleón.
- Cnemecoelus** puncticollis.
- Cnemeplatia** atropos.
- Cnemida** cayennensis, curtisi, francilloni, lacerata, retusa, sparshalli.
- Cnemidium** (Hym.) viride.
- Cnemidium** (Sp.) acutum, alpinum, astroites, astrophorum, bajocense, benettiae, capitatum, conivnum, conglobatum, conicum, costatum, crassum, goldfussi, gracilis, granulosum, gregarium, jugleri, lamellosum, lucense, manimillare, manon, pertusum, piriforme, plauense, propinquum, pyriformis, reussi, rimosum, rimulosum, rotula, rotulare, rouyanum, stellaris, stellatum, stellosum, striatopunctatum, tenue, ternatum, tuberosum, turbinatum, variable.
- Cnemidophorus** (Col.) fasciculatus.
- Cnemidophorus** (R.) ameiva, deppei, guttatus, heterolepis, lacertoides, lemniscatus, longicauda, murinus, sacki, scutata, sexlineatus, undulatus.
- Cnemidotus** elevatus, harrisi, impressus, obliquus, rotundatus.
- Cnemodon** lixabundus.
- Cnemodus** brevipennis.
- Cnemopachus** castaneus.
- Cnemoplites** edulis.
- Cneoglossa** collaris.
- Cneorhinus** albicans, albinus, alternans, ampicollis, angulicollis, argentatus, barcellonicus, carmirostris, coryli, cristatus, crucifer, crucifrons, exaratus, faber, geminatus, globosus, gravis, hispidus, hypocyaneus, illibatus, impressipennis, languidus, lateralis, limbatus, lituralis, ludificator, nodulipennis, oblongus, obscurus, oxyops, pictus, plumbeus, porcellus, prodigus, pyriformis, quadrilineatus, squamulatus, stigmatipennis, subulcatus, tomentosus, viridanus.
- Cnephaeus** serotinus.
- Cnephasia** assinana, aurifasciana, bellana, cantiana, conspersana, cretaceana, curvifasciana, ictericans, interjectana, lepidana, litoralis, logana, logiana, obsolitana, octomaculana, penziana, rectofasciana, resinella, sinuana.
- Cnethocampa** pityocampa, processionea, solitaria.
- Cnide** ungula.
- Cnidon** chiurensis.
- Cnipolegus** comata.
- Cnodalon** aeneum, chalybaeum, dentipes, irroratum, l'herminieri, lineatum, metallicum, nebulosum, splendens, superbum.
- Cnodalum** aeneipenne, atrum, columbinum, cruentum, nodosum, viride.
- Cnodax** albosignatus.
- Cnodulon** amethystinus, anthracinum, bicolor, cupreum, cupricolle, cupripennis, cyanipennis, dilatatum, longipennis, picicorne, puncticolle, smaragdulum, sulcipennis, triste.
- Coandu** brachyura, longicaudata.
- Coassus** nemorivagus, pudu, rufus.
- Coati** narica, parisiensis.
- Cobalus** adrastus, hemes, leucomelas, marcus, nitocris, phorcus, pica, triangularis, virbius.
- Cobax** winthemi.
- Cobaya** cobaya.
- Cobelura** lorigera.

Cobitis aculeata, amnicola, anguillicaudata, arenata, argyrogramma, barbatula, bifurcata, bilturio, binuonata, botia, boutanensis, carnaticus, caspia, centrochir, cephalotes, chlorosoma, chrysolaimos, ciunamomea, corica, cucura, curta, dario, fasciata, frenata, fuerstenbergi, geto, gibbosa, gongota, grandis, guntea, guttata, hasselti, insignis, kuhli, leopardus, longiceps, maculata, malapterura, marmorata, maya, merga, micropus, monocera, montana, moorei, mysorensis, oblonga, ocellata, octocirrhus, oculata, pacifica, pangia, pamonica, panthera, pavonacea, pectoralis, persa, phoxocheila, psammisus, rubripinnis, rupecula, rupelli, savona, spiloptera, spilura, subfusca, suborbitalis, taenia, thermalis, tigris, tricirrhata, turio, valgara, vittata, zonata.

Cobra ammodytes, arietans, atropos, cleopatrae, manilla.

Cocalus concolor, cyaneus.

Coccidula pectoralis, rufa, scutellata.

Coccinorhynchus alutaceus, capitatus, carmineus, coccinelloides, dichrous, emys, foveicollis, frenatus, melanopus, nigripes, rotundatus, rugosus, unicolor.

Coccinella abdominalis, affinis, agnata, albicincta, albifrons, albo-lineata, alpina, amoena, analis, ancoralis, andromeda, antipodum, apicalis, arcuata, areata, aterrima, atrata, aucta, aulica, aurita, australasiae, australis, axillaris, azurea, basalis, besseri, bicolor, bigeminata, biliturata, bilunulata, bimaculata, binotata, biocellata, bioculata, biplagiata, bipustulata, biguadriguttata, bisignata, bisquadrupunctata, bisquadrupustulata, bisquinquepustulata, bisseptempunctata, bissexpunctata, bistrispustulata, bistriverrucata, bitriangularis, bupthalmus, cacica, cafra, calcarata, californica, caliops, callispilota, capicola, carbonaria, cardinalis, cardisce, cardui, catenata, caucasica, chalybea, chevrolati, chrysoptera, cincta, circularis, circumcincta, circumdata, circumstipata, coccinea, coeruba, colchica, concinnata, confluens, conformis, confusa, confusesignata, congener, connectens, connexa, conspicua, contaminata, contempta, convergens, coryphaea, crucigera, cuneata, curvipustulata, cyanea, decas, decempunctata, decemmaculata, decemnata, decempustulata, decempilota, decemverrucata, delesserti, dentipes, deserta, desertorum, diffinis, dimidia, discoidea, disjuncta, dispar, distigma, distincta, divergens, divisa, dodecastigma, dorsalis, doryca, dubia, duodecimmaculata, effusa, emarginata, endomycina, ephippia, episcopalis, erytroides, eryngii, erythrochila, erythrogaster, erythromela, exclamationis, fasciata, fasciato-punctata, femoralis, femorata, ferruginea, fimbriolata, flava, flaveola, flavifrons, flavilabris, flavofasciata, flavomarginata, floralis, formosa, frenata, fulvifrons, fulvimana, fulvipennis, furcifera, fuscomaculata, gemina, globosa, gracilis, guttata, guttatofasciata, haematomelas, haemorrhoea, hamata, herbsti, hesione, hieroglyphica, hoffmannseggii, humeralis, humerata, iberica, illigeri, immaculicollis, impunctata, incarnata, instabilis, intermedia, javana, karpowkae, kingi, labiculata, labilis, lapeyrousei, larealis, leporina, lichatschovii, lineato-punctata, lineolata, lucasi, lugubris, lunaepustulata, lunigera, lunularis, lurida, lyncea, magnifica, mali, mannerheimi, marginicollis, marginipennis, maritima, marmorata, melanocephala, meleagris, menetriesi, meridionalis, mesembryanthemi, mesomela, metallica, mexicana, midas, miniata, minima, modesta, monticola, multiguttata, munda, nassata, nigriceps, nigrolineata, nigropunctata, nivicola, nonea, normata, norrisi, notans, novemdece-notata, novemdecesignata, novempunctata, novemsignata, novemstigma, nummularis, obliqua, oblonga, oblongata, obscurocincta, obsoleta, ocellaris, ocellata, ochracea, octopunctata, octopustulata, octosignata, octospilota, oculata, olivetorum, oncina, opposita, orbicula, ostrina, padana, paenulata, palliata, pallida, pallipes, pardalis, parenthesis, patruelis, patula, pavonia, perforata, perses, persica, petiti, picta, plagiata, polonica, praetextata, proba, proteus, protogaeae, pubescens, pulchella, pulex, pulicaris, pullata, punctatissima, pupillata, purpurea, pustulata, pygmaea, quadrifasciata, quadriguttata, quadrilineata, quadrimaculata, quadriplagiata, quadripunctata, quattuordecimnotata, quattuordecimpustulata, quindecimmaculata, quindecimpilota, quinquemaculata, quinquenotata, quinquesignata, racemosa, radiata, ramosa, regalis, remota, rimata, rufa, rufimana, saliana, saucerotti, schlugae, sedakovi, sedecimpustulata, septempustulata, seriata, sexdecimpustulata, sexguttata, sexmaculata, sexnotata, sexpustulata, sexpilota, sexverrucata, seyfriedi, signata, signatipennis, similis, simplex, sinuato-marginata, sinuosa, spectabilis,

spheroidea, apicillum, stigma, straminea, strigula, strobila, subglobosa, succinea, suecica, suturalis, tasman, terminata, testudinarius*, tetraspilota, thoracica, tibialis, tongataboae, transversoguttata, tredecimnotata, tricuspis, tridens, trifascia, trilineata, trimaculata, tripuncta, tristis, turkmenica, undecimnotata, undecimsignata, undecimspilota, undecimvariolata, undulata, uniramosa, univittata, uva, velutina, venusta, vidua, vigintiduo-notata, vigintimaculata, vigintiseptempunctata, vigintisex-punctata, violacea, virescens, viridula, vittata, vittigera, vulnerata, whitei, witbi, wittsi.

Coccoborus ater, caerulea, chrysogaster, chrysocephalus, cyanoides, ludovicianus, magnirostris, melanocephalus, torridus.

Coccoderus bisignatus, sexmaculatus, tristis, tuberculatus.

Coccodus armatus.

Coccolepis bucklandi.

Coccolus annectens.

Coconidia adonidum.

Cocophagus insidiator, obscurus, pulchellus, scutellaris.

Cocosteus carbonarius, cuspidatus, decipiens, latus, maximus, microspondylus, oblongus, pusillus, trigonaspis.

Cocothraustes africana, albirostris, amandava, asiatica, astrild, astrilda, atricapilla, atricollis*, atrogularis, aurantia, aurea, bella, bicolor, bonapartei, bonariensis, brasiliana, brevicauda, butyracea, caerulea, caeruleascens, cafra, canadensis, canora, cantans, capensis, cardinalis, carlsoni, carneus, carnipes, caucasicus, cerasorum, chloris, chrysocephala, chrysocephalus, cinctus, cinerea, collaria, collaris, cristata, cyanea, cyanopsis, deformis, erythrina, erythrocephala, erythromelas, fagorum, fasciata, fasciatus, ferreosrostris, ferrugineus, ferruginosa, flabellifera, flava, flavicans, flaviventris, fortirostris, fuscata, grandirostris, grisea, grossa, guttata, haematina, bordeacea, icteroides, icteroides, indici, japonicus, javensis, leucoptera, leucura, ludoviciana, maculata, major, malabarica, malacca, melanocephala, melanogaster, melanoanthus, melanura, mexicanus, molucca, mutans, nigra, nitida, olivaceus, orix, orizivora, ostrina, paradisaeus, pectoralis, perlata, personatus, petronia, planiceps, prasina, punctularia, quadricolor, quincolor, radiata, rosea, rubicilla, rubicollis, rubiventris, sanguinirostris, savignyi, sinensis, socia, speculigerus, striata, sulphurata, variegata, vespertinus, virens, viridis, vulgaris.

Cocudina cicada, cimex, clausa, costata, crassa, keronina, polypoda, reticulata.

Cocculus teter.

Coccus abietis, aceris, alni, amygdali, arbuti, asari, axin, berberidis, bromeliae, buxi, cambii, cassiae, cestri, chilensis, crataegi, crispus, cryptogamus, cypreola, fagi, festucae, fimbriatus, gibber, benicryptus, birticornis, hordeolum, bystris, jamaicensis, janeirensis, laricis, liliacearum, linearis, mamillariae, manniparus, mexicanus, ovatus, padi, palmae, patellaeformis, piceae, picridis, pineti, prenanthis, prunastri, pruni, psidii, purpuratus, pyri, racemosus, radicum*graminis, reniformis, roboris, rorismarinis, rubi, stipulaeformis, strobili, thymi, tomentosus, tuberculatus, tuliparum, xylostei, zea maidis.

Coccycua monachus.

Coccystes glandarius.

Coccysus pisanus.

Coccyx (A.) canorus, americanus.

Coccyx (Lep.) abiegnaia, aeriferana, alpicolana, andereggiana, bugnioniana, buoliana, circumflexana, comitana, decorana, diana, dipoltana, duplana, flammeana, gemmana, bercyniana, janthinana, monticolana, nanana, pinetana, pinivorana, posticana, pygmaeana, resinana, schmidtiana, sciurana, spadiceana, splendidulana, strobilana, turionana, zebrana, zephyrana.

Coccyzura tusalia.

Coccyzus americanus, aurocephalus, badius, bottae, caeruleus, caixana, carolinensis, cayanus, chiriri, chochi, cinereus, cornutus, cristatus, delalandei, dominicus, erythroptthalmus, erythropygga, ferrugineus, galaritus, geoffroyi, glandarius, guira, heliventris, lansbergi, levaillanti, macrocerus, maculatus, madagascariensis, melacoryphus, minor, minutus, naevius, pbasianellus, pisanus, pluvialis, punctulatus, pydropterus, pyropterus, ridibundus, ruficapillus, rutilus, seniculus, septorum, tingazu, vetula, virescens.

- Cochlea** catena, fasciata, parva, pomatia, pouchet, rufescens, unifasciata, virgata, vivipara, vulgaris.
- Cochlearia** brauni, carinata.
- Cochleoctonus** vorax.
- Cochleophasia** pubicornis, tessellea.
- Cochlicarina** compressa, expansa, polita, solarioides.
- Cochlicella** acutula, cognata, elongata, meridionalis, tenuis, tubricula.
- Cochlicellus** acutus, agnatus, articulatus, barbarus, lichenum, lineatus, maroccanus, pupiformis, rugifer, rupestris, scabiosus, subantiquitatus, tenellus, ventricosus.
- Cochlichondra** frumentum, gibbosa.
- Cochliclona** decollata.
- Cochlicopa** ottonis, subplicata, terebellum, venusta.
- Cochlidia** testudo.
- Cochliodus** acutus, contortus, magnus, oblongus, striatus.
- Cochlitoma** vittata.
- Cochlocycla** costulata, decussata, elegans, sulcata.
- Cochlodesma** leana, praetenuis.
- Cochlodonta** pusilla.
- Cochlogena** abbreviata, fossilis, maxima.
- Cochlogibba** distortus, lyonetiana.
- Cochlopupa** obtusa.
- Cochlorina** auris leporis, goniostoma.
- Cochlostoma** aurita, excisselabre, immaculata, maculata, patula, tessellata.
- Cochlostyla** metaformis.
- Cochlus** armatus, inermis, rhinarius.
- Cochlycopa** maculata.
- Cochoa** purpurea, viridis.
- Cochylis** acutana, affinitana, ambiguana, amiantana, angustana, arabescana, biviana, cancellana, citrana, contractana, cretaceana, dipoltana, dipsaceana, discopunctana, dubitana, dubrisana, elongana, epilina, fischerana, flammeolana, flavidana, geyeriana, griseana, hilarana, hofmannseggana, infidana, jucundana, kindermannana, manniana, marmoratana, metznerana, molliculana, notulana, obliquana, omphaciella, pauperana, posterana, purgatana, reliquana, roseana, roserana, rubellana, ruficiliella, rupicola, scapulana, schreibersiana, smeathmanniana, sordidana, subroseana, sudana, tischeraria, uvaeana, venustana, vibrana, vitisana.
- Cocizus** cinerosus.
- Coclea** turbinata.
- Cocytia** encausta, urvillei.
- Cocytius** forestan, jatrophae, rustica.
- Codaster** acutus, trilobatus.
- Codiopsis** doma, simplex.
- Codocera** ferrugineus.
- Codonia** caecaria, gyrata, pendularia, punctaria, pupillaria.
- Codonistris** campanisoma, tinniens.
- Codonites** edwardsi.
- Codonocephalus** mutabilis.
- Codonocrinites** gracilis.
- Codonytes** cardunculus, infundibulum, squamata.
- Codrus** ater, brevipennis, campanulator, crenicornis, emarciator, gravidator, ligatus, longicornis, niger, pallidus, pallipes, parvulus.
- Codulus** fenestrata, limbipennis.
- Coea** acheronta, pherecydis, varanessa.
- Coecilia** compressicauda, hypocyana, oxyura.
- Coeculus** americanus, buqueti, euphraticus, gravidus, muscorum, sibiricus.
- Coelacanthus** caudalis, gracilis, granulatus, granulosis, hessiae, kohleri, lepturus, minor, muensteri, phillipsi, striolaris, striolatus.
- Coelaster** americanus, couloni, matutina, tenuiradiatus.
- Coeliades** chromus, dubius, forestan, taminatus.

Coelidia nigromaculata, poecila, pruinosa, scutata, variegata, ~~venosa~~.

Coelinus anceps, bicarinatus, depressus, elegans, flexuosus, gracilis, gravis, niger, parvulus, podagrica, procera, ruficollis, vidua.

Coeliodes acephalus, affinis, asperatus, canaliculatus, celastri, congener, cristatus, curtis, didymus, echinatus, epilobii, exiguus, fallax, fuliginosus, ganglionus, gerani, granulicollis, guttula, lamii, leprosus, mannerheimi, punctulum, quercus, quinquetuberculatus, rignus, ruber, rubicundus, rubricus, ruficornis, rufirostris, schuppeli, serietuberculatus, subrufus, subulirostris, umbraculatus, zonatus.

Coeliotes strigatirostris.

Coelioxys conoidea.

Coelioxys abdominalis, acuta, afra, albonotata, argentea, caudata, conica, decipiens, elongata, elytrura, hebescent, mandibularis, octodentata, praetextata, punctata, quadridentata, rufescens, rufipes, rufiventris, servillei, temporalis, tridentata, vectis.

Coeloccephalus salmoneus.

Coelocnemis californica, dilaticollis.

Coelocratus rufipennis.

Coelodon (Col.) cinereum.

Coelodon (M.) kaupii, maquinense.

Coelodonta boiei.

Coelogaster (Col.) zimmermanni.

Coelogaster (Hym.) comicus.

Coelogaster (P.) analis.

Coelogenus fulvus, fuscus, paca, subniger.

Coelogenys brunnea, laticeps, major, rufa, rugiceps.

Coeloglossa furcifera, lyncea, sehestedi.

Coelognathus radiatus.

Coelogonia brardi.

Coeloides initiator, melanotus.

Coelomera azureofasciata, peruana.

Coelometopus clypeatus.

Coelopa frigida, fucorum, glabra, gravis, nitidula, orientalis, pallipes, parvula, pilipes, sciomyzina, simplex.

Coelopeltis dione, erythrogastra, lacertina, monspessulana, rhombeatus, vermiculata.

Coeloperca latifrons.

Coelophora biscellata, caliginosa, congener, coronata, decora, inaequalis, laeta, newporti, novemmaculata, octosignata, partita, patruelis, perrotteti, psi, pupillata, reniplagiata, sanguinosa, unicolor, versipellis, vidua, westermanni.

Coelophyma glabrum, striatum.

Coelopleurus agassizi, equis, radiatus, spinosissimus.

Coelopoma colei, laeve.

Coeloprosopus quadrimaculatus.

Coelops frithi.

Coeloptychium acaule, agaricoides, alternans, confluens, decimium, goldfussi, incisum, jaskovi, lobatum, muensteri, muricatum, plicatellum, truncatum, variolosum, verrucosum.

Coelorhynchus rectus, sinuatus.

Coeloria bottae, ehrenbergiana, forskaliana, labyrinthica, laticollis, subdentata.

Coelorrhina aurata, guttata, quadrimaculata, similima.

Coeloscelis loriaceus.

Coelosia bicornis, biloba, sylvanus.

Coelosmia edwardsi, laxa, poculum, sulcata.

Coelosternus alternans, amittus, anxius, aspericollis, aspernabilis, aspis, atropos, audax, balteatus, carinatus, cinereus, compennis, conspicuus, consputus, costellus, cristatus, curtus, cylindricornis, delumbis, dosalis, exornatus, flavescens, gallinago, glabrostris, guadeloupensis, humerifer, inaequalis, joculariorius, longipennis, longiusculus, loripes, maculipes, nubilosus, occatus, oscitans, phoenicurus, picus, polycoocus, pullatus, raptorius, rudis, rugicollis, scrobicollis, sentus, subundatus, sulcatulus, tardipes, tessellatus.

- Coelostoma** allabroix, convexum, insulare, minutum, nitidum, punctulatum, senegalense, striatum, subdepressum.
- Coelotes** saxatilis.
- Coelus** ciliatus, hirticollis.
- Coenatoria** aspersa, bessarabica, cincta, interposita, ligata, lutescens, melanostoma, naticoides, pomatia, subsequa.
- Coendu** insidiosus, longicaudatus, subspinosus.
- Coenia** albula, caricicola, curvicauda, defecta, flavipes, halophila, obscura, palustris.
- Coenipeta** colliquens, collutrix, cupentia, damonia, serapis.
- Coenites** clathrata, intertextus, juniperinus, strigatus.
- Coenobia** rufa.
- Coenobita** compta, laeviuscula, turbinoides.
- Coenocalpe** lapidata, testacea.
- Coenochilus** brunneus, campbelli, lugubris, maurus, paulus, platyrhinus, senegalensis, sulcatus, ventricosus.
- Coenochromia** cerbera, creusa.
- Coenocyathus** anthophyllites, corsicus, cylindricus.
- Coenomya** bicolor, ferruginea.
- Coenomyia** pallida.
- Coenonympha** arcauia, corynna, davus, dorilis, dorus, hero, iphis, irius, leandra, lylla, narcissus, neoclidis, oedippe, pamphile, pamphilus, philea, philoxena, phryne, remulia, typhon.
- Coenophila** subrosea.
- Coenopsamma** acquiserialis, aurea, coccinea, ehrenbergiana, flexuosa, gaimardi, tenuilamellosa, urvillei, viridis.
- Coenosia** abdominalis, albicornis, albipalpis, alete, ambulans, annulipes, assimilis, atra, basalis, decipiens, fungorum, geniculata, grata, guttata, humeralis, humilis, incompta, intermedia, inversa, laeta, leucospila, macularis, marginata, means, meditata, minima, monilis, multipunctata, murina, myopina, nemoralis, nigra, nigrimana, pallida, pedella, perpusilla, pulla, pumila, punctipes, punctum, rufo, rufipalpis, semicinerea, sexmaculata, sexnotata, simplex, tibialis, tigrina, torrida, trina, vaccarum, verna, vittata.
- Coenurus** cerebrialis, serialis.
- Coereba** armillata, atricapilla, brasiliana, caerulea, cayana, cyanea, cyanogastra, flaveola, griseicapilla, micas, nitida, spiza, surinamensis, variegata.
- Coeroxys** caerulea.
- Coescoes** amboinensis, maculatus, rufus.
- Cogrus** maculatus.
- Coilia** dussumieri, grayi, hamiltoni, playfairi, quadragesimalis, reynaldi.
- Coilites** striata.
- Coilodera** penicillata.
- Coilodes** castaneus, chilensis, parvulus.
- Coilometopia** ferruginea.
- Coiloprosopa** nitida.
- Coius** binotatus, catus, chatareus, cobojius, datnia, gudgutia, nandus, polota, trivittatus, vacti.
- Coiza** porcellus.
- Colabus** scalptus.
- Colacium** aequabile, stentorinum, vesiculosum.
- Colaenis** aliphera, delila, dido, euchroia, julia, lybia, mereau, phaerusa, vibilia.
- Colaphus** alpinus, ater, hoefti, sophiae, tibialis.
- Colapsis** illustris.
- Colaptes** auratus, ayresi, caniceps, capensis, chilensis, collaris, elegans, fernandinae, frondium, mexicanoides, mexicanus, olivaceus, pinetorum, pitiguus, pitius, rubricatus, rupicola, superciliaris, superciliosus, virescens, viridicanus, viridis.
- Colaris** afra, cyanicollis, fuscicapilla, gularis, leptosomus, madagascariensis, orientalis, purpurascens, violacea, viridis.
- Colas** dispar.

Colaspidea *barbara*, *cyanea*, *nitida*.

Colaspidema *apicalis*, *barbara*, *pulchella*, *rufifrons*, *signatipennis*.

Colaspis *acuminipennis*, *aenea*, *aerea*, *aeruginea*, *aeruginosus*, *affinis*, *ahena*, *albicincta*, *albipes*, *amabilis*, *amethystina*, *areata*, *argentea*, *arneipennis*, *atra*, *atripes*, *atrovirens*, *attelaboides*, *aulica*, *aurata*, *auripennis*, *auronitens*, *australis*, *barbara*, *bicolor*, *brunnea*, *brunnipes*, *brunnitarsis*, *calceata*, *calida*, *cariosa*, *castanea*, *chalybea*, *chalybeata*, *chlora*, *chlorites*, *chloroptera*, *chrysea*, *chrysis*, *chrysura*, *cincta*, *circumdata*, *coelestina*, *coerulea*, *coeruleipennis*, *columbina*, *connexa*, *convexa*, *corinthus*, *corrosa*, *costata*, *crenata*, *cribraria*, *cribrosa*, *crotonis*, *cuprea*, *cupripennis*, *cyanea*, *cyanipennis*, *decemnotata*, *dentata*, *denticollis*, *dentipes*, *derosa*, *dives*, *dubiosa*, *epichloris*, *exsculpta*, *fasciculata*, *favosa*, *femorals*, *ferruginea*, *flammula*, *flavescens*, *flavicans*, *flavicornis*, *flavipes*, *flavitarsis*, *flavomarginata*, *fulva*, *fulvipes*, *fusca*, *gemma*, *gemmula*, *gentilis*, *gibba*, *gilvipes*, *glabrata*, *globosa*, *gracilis*, *granulata*, *hilaris*, *hoefi*, *humeralis*, *hybrida*, *imperitus*, *infusca*, *interrupta*, *iugularis*, *laeta*, *laevigata*, *lateralis*, *lenta*, *limbata*, *lineata*, *litura*, *livens*, *livida*, *lurida*, *luteicornis*, *lutescens*, *maculata*, *manca*, *marginata*, *marginella*, *marginestriata*, *metallica*, *modesta*, *munifica*, *mutica*, *nigricornis*, *nigripes*, *nigritarsis*, *nigroaenea*, *nigromarginata*, *nitida*, *nitidula*, *obscura*, *octoguttata*, *opaca*, *ornata*, *ovata*, *pallida*, *pallidipennis*, *pallipes*, *parellina*, *picipes*, *pilula*, *plicipennis*, *porcata*, *porosa*, *prasina*, *pretexta*, *proxima*, *punctata*, *punctatissima*, *puncticollis*, *pusilla*, *pygmaea*, *pyritosa*, *quadrimaculata*, *quadrinotata*, *quercata*, *rubripes*, *rufa*, *ruficollis*, *ruficornis*, *ruficrus*, *rufifrons*, *rufipes*, *rufitarsis*, *rugosa*, *salens*, *scutellaris*, *semicostata*, *semistriata*, *senegalensis*, *sericea*, *sexmaculata*, *sexnotata*, *signata*, *slacea*, *sinaragdina*, *smaragdula*, *sophiae*, *splendens*, *splendida*, *spurcaticornis*, *striata*, *striatopunctata*, *sturmi*, *suaveola*, *suavis*, *subcostata*, *suilla*, *sulcata*, *surinamensis*, *testacea*, *thalassina*, *torrida*, *tricolor*, *tristis*, *tropica*, *ulema*, *unicolor*, *unipunctata*, *variolosa*, *varipes*, *vestita*, *violacea*, *virescens*, *viridis*, *aenea*, *viridiaurea*, *viridutens*, *viridipennis*, *viridis*, *viridula*.

Colaspoides *cupreus*, *glabratus*, *quercata*, *tristis*.

Colasposoma *natalensis*, *senegalensis*.

Colastes *braconius*.

Colastus *abdominalis*, *amputatus*, *bimaculatus*, *circumscripatus*, *discoideus*, *inifmus*, *macropterus*, *maculatus*, *melanocephalus*, *morio*, *obscurus*, *plagiatus*, *posticus*, *rufipes*, *ruptus*, *semitectus*, *tantillus*, *truncatus*, *varius*, *vulneratus*.

Colax (Dipt.) *endomychi*, *fuscicornis*, *iavanus*, *macula*, *muscarum*, *nigricornis*, *variegatus*.

Colax (Hym.) *puparum*.

Colax (Lep.) *apulus*.

Colecerus *setosus*, *variegatus*.

Coleia *antiqua*.

Colenis *dentipes*.

Coleocentrus *caligatus*, *excitator*.

Coleomerus *ebeninus*, *lugubris*.

Coleonyx *elegans*.

Coleophora *albicans*, *albicostella*, *albigriseella*, *albitarsella*, *alticoella*, *anatipennella*, *annulatella*, *argentula*, *aureigrandella*, *badiipennella*, *balloticoella*, *binderella*, *caelebipennella*, *caespitiella*, *chalcogrammella*, *chalybaeella*, *conspicua*, *corasipennella*, *crepidinella*, *crocinea*, *crocogrammos*, *cuprariella*, *currucipennella*, *deauratella*, *derivatella*, *deviella*, *directella*, *discordella*, *fretella*, *fuscadinella*, *fuscicornis*, *granulatella*, *hieronella*, *incanella*, *lineatella*, *lithargyrinella*, *lusciniapennella*, *lutifrontella*, *lutipennella*, *malfolii*, *malvipennis*, *montihospitella*, *motacillella*, *muri-nella*, *obtectella*, *ochripeunella*, *orbitella*, *otitae*, *paluella*, *parmeliella*, *praecursella*, *punctipennella*, *punctulatella*, *pyrrhulipennella*, *solitariella*, *splendidella*, *striati-pennella*, *striolatella*, *therinella*, *tractella*, *trochilipennella*, *unipunctella*, *versurella*, *vibicigerella*.

Coleoprion *gracilis*.

Coleotichus *costatus*.

Coleps *amphacanthus*, *elongatus*, *incurvus*, *viridis*.

Colias *agarithe*, *alcmeone*, *andrea*, *aricia*, *aurora*, *aurorina**, *boothi*, *caesonia*, *catilla*, *chione*, *chloe*, *chrysodona*, *chrysotheme*, *chrysothome*, *cipris*, *cleopatra*,

- clorinde, emidia, eodday, dimera, dorippe, drya, ecclipsa, edusa, electra, eos*, ernestius, erythrogrammus, eubule, europome, euterpe, evadne, florella, glaucippe, godarti, godartiana, hecla, helena*, helichta*, hersilia, hilara, hyale, byona, jugurthina, larra, leachiana, lesbia, lollia, lyside, marcellina, melnos, menippe, midea, moerula, myrmidone, nastes, neocypris, neriene, nicippe, palaeno, paleno, pelidne, phicomone, philea, philippa, pphilippina, philodice, philomene, philotis, pomona, proterpia, pyranthe, pyrene, pyrrothoea, rhaunni, rutilaus, scylla, semnae, statira, thalestris, thisoa, titania, trite, vauthieri, vautieri, verhuelli, werdandi.
- Colibri** albobularis, anais, coruscans, crispus, cyanotis, delphinae, geoffroyi, helios, hirundinaceus, jolata, leucopygus, mystax, tbalassinus.
- Coliphimus** concolor.
- Colisa** hejeus, chuna, cotra, lalius, ponticeriana, sota, unicolor, vulgaris.
- Colius** albobularis, capensis, carunculatus, colius, erythromelon, erythropygius, leuconotos, leucotis, macrourus, nigricollis, quirina.
- Coliuspasser** flaviscapulatus, torquatus.
- Collabismus** clitellae, cluniferus, notulatus, sellatus, subnotatus.
- Collapteryx** blapsides.
- Colletes** annulata, bispinosa, calendarum, capillata, colonus, constricta, cunicularia, daviesana, difformis, dimidiata, fodiens, hirta, inaequalis, interrupta, intricans, leporiua, ligata, marginata, occidentalis, pilosa, succincta.
- Collia** nasus.
- Colliocoris** griseus.
- Colliuris** albitarsis, aptera, arnoldi, attenuata, audouini, bonellii, brevicollis, connata, crassicornis, diardi, didyma, elegans, emarginata, filiformis, flavicornis, borsfieldi, longicollis, lugubris, major, modesta, obscura, ortygia, purpurata, robynsi, rufitarsis, tarsata, tuberculata.
- Collocalia** arborea, ariel, esculenta, francica, fuciphaga.
- Collonia** marginata, striata.
- Collops** aulicus, bipunctatus, blandus, decorus, eximius, genuinus, histrio, bonestus, lebasi, ludicrus, nigriceps, quadrimaculatus, tricolor, vittatus.
- Collostethus** aterrimus.
- Colluricincla** brunnea, cinerea, fusca, harmonica, maculosa, parvula, rectirostris, rufiventris, rufogaster, selbyi, strigata.
- Collurio** aeruginosus, erythronotus, ferrugiceps, hardwicki, jounotus, lahtora, nigriceps, nipalensis, obscurior, rufescens, smithi, striatus, tephronotus, tricolor, tridentatus.
- Colluriocincla** diluta.
- Collyria** armata, erythrogaster, nigrolineata.
- Collyris** aptera, chevrolati, cruentata, cylindrica, diffracta, femorata, flavitarsis, formicaria, fuscitarsis, herbsti, linearis, longicollis, macleayi, maculicornis, melanopoda, moesta, parvula, pedestris, pleuritica, postica, ruficornis, rugicollis, sapbyrina.
- Collyrites** amygdala, analis, bicordata, brissoides, canaliculata, capistrata, carinata, depressa, elliptica, granulosa, heteroclitia, ovalis, ringens, semiglobus, trigonata.
- Colobaea** bifasciella.
- Colobathris** imperator, rex, squamigera, tinniens.
- Colobathristes** chalconcephalus.
- Colobesthes** falcata, macularia, mucronatus, nigriceps.
- Colobicus** marginatus.
- Colobochyla** saicalis.
- Colobodera** elongata, mucronata, nitida, ovata, striata.
- Colobodes** (Col.) billbergi.
- Colobodes** (P.) agassizi.
- Colobodus** bogardi, varius.
- Colobogaster** amabilis, annei, bimpressa, bouldardi, carenifrons, cayennensis, celsa, congener, consanguinea, consimilis, cyanitarsis, decolorata, diviana, duplicata, empyrea, eximia, frontalis, fronticornis, hopei, impressa, jacquieri, janthina, maculiventris, multistigmata, orbignyi, quadridentata, resplendens, rubi maculata, senegalensis, sexspunctata, singularis, unoguttata, viridicollis, viridi fasciata, viridis notata.

- Colobopterus** (Col.) *erraticus*, *fumigatus*, *maculicollis*, *nebulosus*, *quadratus*, *submaculatus*.
- Colobopterus** (Neur.) *leptocerus*, *nematocerus*.
- Coloborrhis** *corticina*.
- Colobostoma** *rufipennis*.
- Colobotea** *contaminata*.
- Colobotheca** *adpersa*, *alboguttata*, *alboinaculata*, *albosnotata*, *albopunctata*, *annulata*, *cassandra*, *conspersa*, *emarginata*, *femorosa*, *fibrosa*, *figurata*, *glauca*, *hirtipes*, *histrio*, *lateralis*, *leprosa*, *leucospila*, *leucospilota*, *lugubris*, *maculata*, *maculiventris*, *marmorea*, *meleagrina*, *multiguttata*, *passerina*, *picta*, *pulverulenta*, *rubricollis*, *scolopacea*, *signata*, *signatipennis*, *sobrina*, *subcincta*, *tesselata*, *varia*, *vicina*.
- Colobus** (Col.) *hemipterus*.
- Colobus** (M.) *bullocki*, *ferruginea*, *fuliginosus*, *guereza*, *leucomeros*, *pennanti*, *polycomos*, *rufomiger*, *ruppeli*, *satanas*, *temniucki*, *verus*.
- Colobus** (R.) *daudini*.
- Colocasias** *coryi*, *geographica*, *scoriacea*.
- Colochilus** *chalybaeus*.
- Colochirus** *quadrangularis*.
- Colodactylus** *coerulescens*, *caeruleus*.
- Coloeus** *frugilegus*, *monedula*.
- Colombella** *adiostoma*, *alliconta*, *anacteola*, *anaidea*, *anakisia*, *angelia*, *anitis*, *aricia*, *asopis*, *atladona*, *atomaria*, *atomella*, *aurantia*, *aureola*, *avara*, *azima*, *azora*, *belizana*, *bellardi*, *bicanaliculata*, *bicanalifera*, *bizonalis*, *buccinoides*, *castanea*, *chrisopris*, *citharula*, *clausilia*, *cleta*, *coronata*, *costata*, *curta*, *daliola*, *denticulata*, *edonida*, *egeria*, *electona*, *eledonida*, *elongata*, *epamella*, *epidemia*, *erebia*, *faleonta*, *fascellina*, *festiva*, *flavida*, *fluctuosa*, *fulgurans*, *gibbosa*, *gutturosa*, *haeeti*, *hebraea*, *helvia*, *ida*, *idolina*, *idosia*, *idulia*, *ilaira*, *ionida*, *iphis*, *isomella*, *japix*, *kieneria*, *kirostra*, *lactea*, *lepida*, *leucoria*, *levana*, *levigata*, *ligula*, *linigera*, *livida*, *lutea*, *lyrata*, *lysidia*, *lysiska*, *maculosa*, *major*, *maezuma*, *marginata*, *maura*, *melanida*, *meleagris*, *melida*, *menaletta*, *mendicaria*, *mercatoria*, *metamira*, *moleculina*, *nana*, *nasioletta*, *naxia*, *neptuni*, *nigropunctata*, *nisitella*, *nitida*, *nodabna*, *numicia*, *nycteis*, *obscura*, *ophonia*, *orasya*, *orpha*, *ortigia*, *ortomia*, *oselmonta*, *ovulata*, *oxillia*, *padonosta*, *palmerina*, *pamila*, *pardalina*, *pariolida*, *parva*, *paytahda*, *pellonia*, *pelotina*, *phasinola*, *philia*, *philodicia*, *phyllina*, *plutonida*, *pretrei*, *prosymnia*, *psilla*, *punctata*, *quintilia*, *rasolia*, *reticulata*, *rubicundula*, *rumilia*, *satorida*, *scripta*, *segesta*, *semipunctata*, *sertulariarum*, *simpronica*, *sordida*, *sowerbyi*, *spicula*, *spongiarum*, *strenella*, *striata*, *strombiformis*, *subulata*, *sulcata*, *syria*, *tamelana*, *telea*, *teophania*, *testina*, *tigrina*, *truga*, *triumphalis*, *tumida*, *turbita*, *turturina*, *undata*, *unifascialis*, *uvania*, *valveta*, *varius*, *veleda*, *venilia*, *vestalia*, *virginea*, *xiphitella*, *yoldina*, *zelina*, *zepa*, *zonalis*, *zopilla*, *zulmis*.
- Colombellina** *contorta*, *gibbosula*, *lanceolata*, *monodactylus*, *ornata*, *uncata*.
- Colombipicus** *dominicanus*.
- Colon** *affinis*, *angularis*, *appendiculatus*, *bidentatus*, *brunneus*, *calcaratus*, *denticulatus*, *dentipes*, *fuscus*, *languidus*, *murinus*, *nanus*, *pubescens*, *puncticollis*, *pygmaeus*, *rectangulus*, *rufescens*, *serripes*, *sinuatus*, *subdepressus*.
- Colonodus** *longidens*.
- Colonotum** *orbiculare*.
- Colophon** *lethroides*, *westwoodi*.
- Colophotia** *antica*, *apicalis*, *flavida*, *incerta*, *italica*, *margimpennis*, *mehadiensis*, *mingrelia*, *striata*, *suturalis*.
- Coloptera** *barbara*.
- Colopterus** (A.) *cristatus*, *pilaris*.
- Colorhinus** *obesus*.
- Colosama** *marginatum*.
- Colossochelys** *atlas*.
- Colotes** *albilateralis*, *ingripennis*, *obsoletus*, *trinotatus*.
- Colotis** *aurora*, *calais*, *chrysotheme*, *cypraea*, *edusa*, *electra*, *myrmidone*, *pyrrhothea*, *rutilans*.
- Colotois** *capreolaria*, *ehnguaria*, *extimaria*, *pennaria*.

Colotus nigriceps.

Colpa alexandri, atrata, aurea, bistrimaculata, canescens, continua, dimidiata, herpessens, fossulana, infuscata, interrupta, iris, parvula, pennsylvanica, peregrina, tubilla, tuba, senilis, sexmaculata, variegata, wesmali.

Colpocephalum eucarenum, eurysternum, flavescens, fragili, halaceti, importunum, inaequale, nyctarde, ochraceum, percnopteri, piceum, productum, quadripustulatum, subaequale, trochioxum, turbinatum, umbrinum, zebra.

Colpocephalus quadripunctatus.

Colpoceras virgatum.

Colpochila crassiventris, punctulata.

Colpoda luganensis, luna, platura.

Colpoderus caffer.

Colpodes brunneus, buchannani, hardwicki, rotundata, submetallicus.

Colpognathus celerator.

Colpophyllia breviserialis, fragilis, gyrosa.

Colpopleura leptostigma, ocellata.

Colpoptera marginalis, sinuata.

Colporhina bifoveolata.

Colposia flexularia.

Colpotauius excisus, vulsella.

Coluber abacurus, acontistes, acuminatus, aeneus, aesculapii, aestivus, affinis, agassizi, agilis, albiventris, albus, aldrovandi, alecto, alidras, alleghaniensis, alpestris, alternans, amaeus, angulatus, angustiventris, angustulus, annulatus, anostomosatus, aquaticus, arboreus, arciventris, arcuatus, argentatus, argentea, argenteus, argus, aristotelis, arnensis, ashmeadi, asiaticus, ater, atramentaria, atratus, atrifuscus, atrocinctus, atrofuscus, atrovirens, audax, aulicus, aurantiacus, auritus, aurora, anstriacus, azureus, bahiensis, barbarus, bechsteini, bengalensis, bicarinatus, bicinctus, bicolor, bifossatus, bilineatus, bimaculatus, binatus, bipunctatus, blochi, blumenbachi, boaeformis, boddaerti, boitiapo, boncorage, bora, brachiurus, brachyurus, braminus, breviceps, bucephalus, cacodaemon, caeruleus, caesus, calamarius, californiae, calligaster, cancellata, caninana, cantherigerus, cantori, canus, capistratus, capitatus, caracaras, carinatus, carinicaudus, carolinianus, cateatus, catenifer, catenularis, catesbeyi, caucasicus, caudascristosus, ceilonicus, cenchoa, cepedii, cerberis, charasi, cherseoides, chesneyi, chiametla, chrysogaster, cinctus, cinerea, cinereus, cinnamomea, clelia, cliffordi, climacophorus, cobella, coecus, collaris, compressus, concatenatus, condanarus, confluentus, conspersus, conspicillatus, constrictor, contaminatus, corais, corallinus, couperi, crassicaudis, crucifer, cruentatus, cupreus, cursor, curvirostris, cuvieri, cyaneus, cyanoleucus, cyanurus, dalmaticus, daudini, decorus, dendrophilus, dhara, dhumna, dhumnades, diadema, diana, dictyodes, digitalis, dione, distinctus, doliatus, domicella, dora, dorsalis, duberria, dumfriensiensis, edentulus, edwardsi, elaphis, elaphoides, elapsoides, elegans, elegantissimus, emarginatus, enzeli, epidaurnus, eques, eratron, eremita, erythrogaster, erythrogrammus, eximus, farinosus, fasciatus, fasciculatus, flagellarius, flagelliformis, flagellum, flavescens, flaviceps, flaviventris, flavocaeruleus, flavolineatus, flexuosus, floridanus, florulentus, formosus, forsteri, frenatus, fugax, fulgidus, fuliginosus, fulviventer*, fulvus, funestus, fuscescens, fuscus, gabinus, galathea, gallicus, geminatus, gemmatus, geometricus, gesneri, getulus, girondicus, glaucoides, gracilis, gramineus, graphicus, guttatus, guttulatus, hannaesch, hebe, helena, herbeus, hernanni, heterodon, hexahonotus, hitambocia, horridus, humberti, hybridus, hydrus, hygeiae, iara, ibiboca, ichthyoplaga, ikaheca, infernalis, iphisa, irregularis, irroratus, isabellinus, iugularis, jaculus, janthinus, japonicus, jara, jaspideus, javanicus, jensoni, karelini, kargi, kentukensis, korros, krebsi, labiatus, lacrymans, laevicollis, laevis, lateralis, laticapitatus, latonia, latreillei, leopardinus, leucachen, leucocephalus, leucogaster, lichtensteini, lineatus, lineolatus, linki, linnaei, liocercus, lippus, lugubris, lumbricosa, lunulata, Menigrum, macrolepidotus, maculatus, maeota, malignus, mandarinus, margravii, margaritaceus, marginatus, marmoratus, maurus, maximiliani, megaera, melaleucus, melanepis, melanocephalus, melanogaster, melanogramma, melanostigma, melanotus, melanurus, melanzostus, meleagris, meridionalis, merremi, mexicanus,

poiciloptera, porphyracea, porphyraea, porphyrea, portoricensis, princeps, psittacea, puella, pulchella, pulchrara, pulchricollis, pumila, punctata, punicea, purpurata, pusilla, pyrrhoptera, radiata, reinwardtsi, rivoli, romanus, rosacea, roseicapilla, roseicollis, rubescens, ruficeps, rufigaster, rufoa, scripta, semitorquata, sieboldi, solitaria, spadicea, spiloptera, squamosa, superba, superciliaris, sylvatica, sylvestris, tabitina, talpacoti, temminckii, tigrina, torquata, tranquebarica, trifasciata, trigonigera, trudeaui, tusala, tympanicans, tympanistria, unchall, undulata, ustulata, venusta, versicolor, violacea, virens, viridissima, vitiensis, waalia, xanthogaster, xanthomura, xanthura, zoeae.

Columbella achatina, acuminata, affinis, albiua, ambigua, ampla, angularis, apthaeagera, araneosa, aspera, aspersa, bartonensis, bicolor, bidentata, blanda, boivini, borsoni, broderipi, buccinea, buccinoides, canaliculata, carinata, castanea, catenata, chlorostoma, cincta, cingulata, clathra, concinna, conformis, conulus, cornea, corniculata, corniformis, coronata, costata, costellata, costulata, cribraria, decipiens, decussata, dermestoides, dichroa, digitale, dormitor, dorsata, duclousiana, elegans, elongata, erythrostoma, exilis, fabula, fasciata, fenestrata, festiva, filosa, flavida, flexuosa, fluctuata, fulgurans, fulva, fuscata, fusiformis, fustigata, gausapata, gervillei, gibberula, gibbosa, greci, gualteriana, guildingi, guilfordia, guttata, haemastoma, haitensis, harpiformis, hordeacea, hyalina, impolita, jaspidea, kaussii, klipsteini, kraussei, labiosae, lactea, laevigata, laevis, lanceolata, lentiginosa, leucosticta, lineolata, lugubris, lunata, luteola, lyrata, macrostoma, maculosa, marginata, marmorata, mendicaria, mercatoria, minor, miser, mitriformis, modesta, monilifera, nana, nassoides, nasuta, nigricans, nitidula, nivea, nodulosa, nucleus, nympha, obesa, obscura, obtusa, ocellata, ovuloides, paecila, pallida, palumbina, pavonina, paytensis, peleei, philippinarum, picta, polita, procera, puella, pulchella, pulcherrima, pulcaris, punctata, punctulata, purpurascens, purpuroides, pusilla, pygmaea, pyrostoma, recurva, retusa, rudis, rugosa, rugulosa, rustica, sbina, scabra, scalarina, semicaudata, semiconvexa, semimarginata, semipunctata, sertulariarum, spadicea, splendida, spurca, striata, strombiformis, subcostulata, subulata, suffusa, sulcata, sulcosa, suturalis, taeniata, tersichore, testudinaria, tringa, turrita, tylerae, uncinata, unicolor, unifasciata, unizonalis, valga, varia, variabilis, varians, ventricosa, venusta, versicolor, vulpecula, vulpina, zebra.

Columbigallina gallapagina, linearis, versicolor.

Columbina boliviana, cabocolo, campestris, erythrothorax, gracilis, griseola, inornata, meloda, picui, squamosa, strepitans, talpacoti, venusta.

Columellastrea striata.

Columellina bisexlobata.

Columna aciculoides, bulinea, columna, flammea, grisea, maritima, marmorea, miliaris, sylvatica, virgata.

Columnaria alveolata, antiqua, floriformis, intermedia, laevis, laxa, mamillarlis, marginata, multiradiata, oblonga, senilis, sexradiata, stellaris, striata, sulcata, troosti.

Columpica dolium, uniplicata.

Colurella adriatica, uncinata.

Colurus bicuspidatus, caudatus, deflexus, incrassatus, uncinatus.

Colus australia, multicarinatus.

Colydium angulatum, bicolor, bidentatum, bipunctatum, brasiliensis, cylindricum, erythrocephalum, filiforme, glabratum, lineola, longicorne, longiusculum, parallelipedum, retusum, ruficorne, rufipes, striatum, substriatum, sumatrae, undulatum, ustulatum.

Colymbetes abbreviatus, abdominalis, acuductus, adpersus, aeneus, affinis, agilis, ambiguus, angularis, angusticollis, angustior, annulatus, aquilus, arcticus, assimilis, ater, aterrimus, atricolor, australis, barnstoni, basalis, bassi, bicarinatus, bicolor, bifarius, biguttatus, binotatus, bipunctatus, bipustulatus, bisignatus, bistriatus, bogemanni, branchiatus, brunneus, buccinulum, calidus, capensis, carbonarius, castaneus, cayanus, chalconotus, chiliensis, cicur, cinereus, collaris, confinis, confusus, congener, consobrinus, conspersus, consputus, convexus, cucullatus, cyaneus, dahuricus, darwini, didymus, dilatatus, discicollis, discolor, dispar, divisus, dolabratus,

duodecimstriatus, *duponti*, *elegans*, *erythropus*, *erythropterus*, *exsolutus*, *fabricii*, *fasciatus*, *femorialis*, *fenestralis*, *fenestratus*, *ferrugineus*, *flavescens*, *flindersi*, *fontinalis*, *fordi*, *fuliginosus*, *fuscus*, *gagates*, *gaudichaudi*, *glacialis*, *glyphicus*, *goedeli*, *grapii*, *griseus*, *groenlandicus*, *guttatus*, *gutticollis*, *guttiger*, *gyllenhali*, *impressus*, *infuscatus*, *insolatus*, *insularis*, *interrogatus*, *irroratus*, *kraussei*, *lacustris*, *lanio*, *lateralis*, *latus*, *leander*, *leptiuri*, *limbatus*, *lineatus*, *lowei*, *lucidus*, *maccullochi*, *maculatus*, *maculicollis*, *maestus*, *magellanicus*, *marginipennis*, *meridionalis*, *mexicanus*, *minutus*, *monostigma*, *montanus*, *nebulosus*, *neglectus*, *niger*, *nigerimus*, *nigriceps*, *nigricollis*, *nigroaeneus*, *nigrorematus*, *nitidus*, *notaticollis*, *notatus*, *nubilis*, *oblongus*, *obscuricollis*, *obscurus*, *obtusatus*, *octodecimmaculatus*, *pallidipennis*, *pallidiventris*, *paludosus*, *parvulus*, *paykulli*, *peruvianus*, *phaeopterus*, *piceus*, *picicornis*, *picipes*, *praemorsus*, *prescottii*, *pulchellus*, *pulverosus*, *punctulatus*, *punctum*, *pustulatus*, *quadriguttatus*, *quadrinotatus*, *rectus*, *reticulatus*, *rotidus*, *rotundicollis*, *ruiceps*, *rufimanus*, *rugicollis*, *rugosus*, *rugulosus*, *sauleyi*, *sculptilis*, *semipunctatus*, *seriatus*, *serriicornis*, *signatus*, *sinuatus*, *snowdonianus*, *splendens*, *stagninus*, *striatulus*, *striatus*, *strigipennis*, *strila*, *striolatus*, *sturmi*, *submaculatus*, *subnebulosus*, *sulcipennis*, *suturalis*, *suturillus*, *taeniolatus*, *taeniolis*, *trilineatus*, *tri-seriatus*, *uliginosus*, *umbrinus*, *undecimguttatus*, *ungeri*, *unifasciatus*, *venustus*, *vibicicollis*, *vicinus*, *vitreus*, *vittatus*, *vittiger*.

Colymbomorpha *lineata*.

Colymbus *arcticus**, *articularis*, *auritus*, *balticus*, *bicornis*, *carolinensis*, *cornutus*, *erythrocephalus*, *fluviatilis*, *glocitans*, *hyemalis*, *leucopus*, *macrorhynchus*, *minutus*, *naevius*, *philippinus*, *rossicus*, *rufogularis*, *surinamensis*.

Colyphus *cinctipennis*, *interceptus*, *ruipennis*, *signaticollis*, *terminalis*.

Comarophagus *leucopterus*.

Comaroptera *brevicaudata*.

Comasinus *crassipes*, *setiger*, *setosus*, *sulcipennis*.

Comaster *multiradiatus*.

Comatotis *aurita*, *bengalensis*.

Comatula *adeonae*, *annulata*, *articulata*, *barbata*, *bennetti*, *bicolor*, *brachiolata*, *breviciliata*, *brunni*, *carinata*, *conoidea*, *coralina*, *costata*, *cumingi*, *depressa*, *echinoptera*, *elongata*, *eschrichti*, *filiformis*, *fimbriata*, *flagellata*, *gehltzi*, *horrida*, *jacquinoti*, *jaegeri*, *japonica*, *maeronea*, *mediterranea*, *milberti*, *milleri*, *multifida*, *novae guineae*, *palmata*, *pannulata*, *paradoxa*, *parvicirra*, *pectinata*, *pennata*, *petasus*, *phalangium*, *philiberti*, *pinnata*, *polyarthra*, *polydactylus*, *reynaudi*, *rosea*, *rosea*, *rotalaria*, *sarsi*, *savignyi*, *serobiculata*, *solaris*, *tenella*, *tessellata*, *timorensis*, *trichoptera*, *wahlbergi*.

Comaturella *wagneri*.

Combophora *bescki*, *bullifera*, *capra*, *carinata*, *clavata*, *claviger*, *consentanea*, *flava*, *furcata*, *horridus*, *laportei*, *maculata*, *nodosa*, *reticulata*, *signata*, *tridens*, *trifidus*, *vulnerans*.

Combophyllum *osismorum*.

Comedo *larvarum*.

Comeris *ochracea*.

Cometes (A.) *crishna*, *grandis*, *phaon*, *sappho*, *sparganurus*.

Cometes (Col.) *hirticornis*.

Comibaena *bajularia*, *gerularia*, *rhanisaria*.

Cominella *acutinodosa*, *costata*, *lagenaria*, *ligata*, *limbosa*, *lineolata*, *maculosa*, *pluriannulata*, *testudinea*.

Cominia *hyalina*.

Comisteisa *xanthoptera*.

Comma *C album*.

Commophila *aeneana*, *lediana*.

Comophorus *testaceipennis*.

Comophyllia *cottalidia*, *elegans*.

Comoseris *meandrinoides*.

Complanaria *gigas*, *rugosa*.

Complexastrea *burgundiae*.

- Composia* ~~etelula~~.
Composita *ambigua*.
Compsa *albopicta*, *flavopicta*.
Compsidia *populnea*.
Compocephalus *galinieri*.
Composcerus *barbicornis*.
Composoma *capucinum*, *concretum*, *mutillaria*, *niveosignata*, *variegata*.
Compsosternus *aureolus*, *cantori*, *duponti*, *eschscholtzi*, *leachi*, *proteus*, ~~rosicolor~~,
smaragdinus, *sumptuosus*, *wilsoni*.
Compsothlypis *americana*, *mexicana*, *pitiayumi*.
Compsus *acrolithus*, *gyllenhali*.
Comptonia *elegans*.
Comptosia *apicalis*, *aurifrons*, *bicolor*, *bifasciata*, *fascipennis*, *geometrica*, *maculipennis*,
tricellata.
Cona *senilis*.
Conchella *intertexta*.
Conchia *frosinata*, *mundata*, *nitidulata*.
Conchidium *tuba*.
Conchiosaurus *clavatus*.
Conchoderma *auritum*, *leporinum*, *virgatum*.
Conchodus *ostreaformis*.
Concholepas *imbricatus*, *laevigatus*, *peruviana*.
Conchorhynchus *avirostris*, *cassianus*, *duplicatus*, *ornatus*.
Conchotrya *valentiana*.
Conchula *cylindracea*.
Conchularia *paradoxa*.
Conchylolithus *constrictus*.
Conchylis *westwoodana*.
Conchylodera *tricondyloides*.
Condor *gryphus*.
Condylodon *audouini*.
Condylops *erichsoni*.
Condylopyge *rex*.
Condylostoma *afrum*, *asiaticum*, *nasamonum*, *ovatum*.
Condylura *cristata*, *fissipes*, *longicaudata*, *macroura*, *magnipennis**.
Conella *picata*.
Conepatus *amazonica*, *humboldti*.
Confervites *aegagropiloides**, *fasciculata**.
Confusastrea *cottaldina*, *crassa*, *cupulina*, *excavata*, *inaequalis*, *mosensis*, *subburgundiae*.
Conger *anago*, *auratus*, *bagio*, *balearicus*, *brasiliensis*, *cassini*, *chilensis*, *cinereus*, *communis*, *cylindroides*, *cylindroideus*, *flavipinnatus*, *hamo*, *longirostris*, *marginatus*,
microstoma, *myrus*, *mystax*, *niger*, *occidentalis*, *opisthophthalmum*, *orbignyanus*,
oxyrhynchus, *rubescens*, *savanna*, *urolophus*, *uropterus*, *verus*, *vulgaris*.
Conger *amygdaloides*, *balatonica*, *basteroti*, *partschi*, *spatulata*, *subglobosa*, *triangularis*.
Congiopodus *percatus*.
Congrus *angustidens*, *brevicuspis*, *curvidens*, *habenatus*, *lepturus*, *leucophaeus*, *myrus*,
proterous, *tricuspidatus*, *vulgaris*.
Conia *lyonsi*, *monstruosa*, *porosa*, *radiata*, *rosea*, *stalactifera*.
Coniasaurus *crassidens*.
Coniates *chrysochlora*.
Coniatus *caspicus*, *nigropunctatus*, *repandus*, *rubro-vittatus*, *schrenki*, *splendidulus*,
suavis, *tamarisci*.
Conicera *atra*.
Conidea *semipunctata*.
Conilera *cylindracea*, *montagui*.
Conilites *achelois*, *antidiluvianus*, *cingulatus*, *elephantinus*, *elongatus*, *kielcensis*, *poli-*
mitus, *pyramidatus*, *stromboideus*, *subsimilis*, *ungulatus*, *ventricosus*, *vicinus*.

- Conilithes** ~~scutellariaceae~~
Conilurus ~~constrictus, destructor.~~
Coniontis ~~eschscholtzi, ampurahi, viatica.~~
Coniopholis lepidota.
Coniopteryx aleyrodinervis, aphidiformis, psociformis, tineiformis.
Conipora clavaceiformis, striata.
Coniostrium albidum, atrorubrum, bicolor, caeruleum, cinereum, concoloratum, fuliginosum, silticolor, superciliosum.
Conis (Med.) nitrata.
Conis (Sp.) conertupicata, costata.
Conistra neurodeli, pulverea, veronicae.
Conocardium alaeforme, alternans, bilatenense, canahier, ~~clavatum~~, elongatum, excresecens, fusiforme, giganteus, hibernicum, maequicostatum, inflatum, irregulare, lyelli, minax, nodulosum, partschi, paucicostatum, phillipsi, proclumbens, propinquum, pyramiforme, rostratum, semialatum, semistriatum, squamosum, strangulatum, subtrigonale, tetragonum, trapezoidale, triangulum, trigonale, uralicum, villmarensis.
Conocephalus (Col.) guerni, gyllenhal, limbatus, roberti.
Conocephalus (Cr.) corenatus, costatus, emmrichi, striatus, sulzeri.
Conocephalus (Orth.) acuminatus, albifrons, armatus, bilineatus, blandus, cinereus, cornutus, differens, discolor, dissimilis, elongatus, ensiger, falx, flavescens, griseus, guttata, hemipterus, inflatus, innotatus, kolenati, lanceolatus, mandibularis, maxillosus, natus, nigridens, obtusus, rugosus, sexpunctatus, spinigerus, subulatus, triceps, tricornis, trifidus, triops, trondeti, uncinatus, varius, veruger, virens, viridissimus, xiphias.
Conoceras angulosus.
Conochilus volvox.
Conoclypeus acutus, bordae, bouei, costellatus, crassissimus, marginatus, osiris, ovum, plagiosomus, ucae.
Conoclypus aequidilatatus, anachoreta, conoideus, du bois, leskei, microporus, plagiosomus, semiglobus, subcylindricus.
Conocoenia tumularis.
Conocoryphe granulata, latifrons, mutica, punctata, sulzeri.
Conocrinites leae, tuberculosus.
Conocrinus thorenti.
Conocyathus sulcatus.
Conoderes albidus.
Conoderus apicalis, discolor, formosus, fuscofasciatus, lateralis, malleatus, spinosus.
Conodictyum striatum, torulosum.
Conodon antillanus.
Conodus ferox.
Conodyctium claviforme.
Conoelix conulus, lineatus, marmoratus, punctatus, swainsoni, virgo.
Conognatha amoena, bremeri, clara, coccinata, equestris, pretiosissima, sanguinipennis.
Conomya tibialis.
Conopaeus aegyptiacus, flavifrons, flavipes, quadrifasciatus.
Conopalpus collaris, flavicollis, nigricornis, testaceus, thoracicus, vigorsi.
Conoparia aspera, burmeisteri, cerberus, convexa, cornigera, glabra, macrocephala, miseri, rugosa, verrucosa.
Conopea elongata, galeatus.
Conopeum reticulum.
Conophaga ruficeps.
Conophorus (Col.) albidus.
Conophorus (Dipt.) maurus.
Conophyllia granulosa, pygmaea.
Conopia fornicaeformis, nyopaeiformis, stomoxyformis, tiphiaeformis.
Conopilla ceriaeformis.
Conoplea ovata.
Conopleura striata.
Conopoideus ferruginea.

Conopophaga angustirostris, ardesiaca, aurita, dorsalis, leucotis, lineata, melanogaster, naevia, nigroscincta, nigrogenys, perspicillata, ruficeps, vulgaris.

Conops acuticornis, aequata, aethiops, algira, analis, annularis, auripes, antiqua, aptata, atra, auricinctus, auripes, aurosa, bicincta, bipunctata, brachyrrhynchus, brevicornis, brevirostris, bulbimus, capensis, capitatus, cayennensis, crenatirostris, chrysorrhoea, cingulata, costata, cruda, cylindrica, diadematus, dorsalis, elegans, ephippium, excepta, excisa, ferruginea, flaviceps, flavifrons, fraternus, fulvipes, fuscipennis, gigas, inglorior, inhabilis, insignis, lacera, laticinctus, lugubris, maculata, marginata, maura, melanocephala, meridionalis, natalensis, nigra, nigricornis, pallasi, pusilla, pusilla, rufipennis, rufiventris, sagittaria, scutellata, sellata, semitrata, signata, silacea, soleaformis, strigata, stylata, sugens, tener, terminata, truncatus, vaginicornis, variegata, vitellinus.

Conorhis dormitor.

Conorhinus bovinus, lutulentus, megistus, mexicanus, phyllosoma, renggeri, rubro-fasciatus, rubro varius, vestitus.

Conostoma aemodius, oemodius, omodius.

Conosurus bowmani.

Conotelus conicus, femoralis, fuscipennis, luteicornis, niger, obscurus, substriatus, vicinus.

Conoteuthis dupiiianus.

Conotrachelus abdominalis, abruptecostatus, acutecostatus, affinis, alatus, amabilis, anaglypticus, apicalis, aratus, argula, bicristatus, bidentatus, bifasciculatus, brevis, carinicollis, ciuctipes, coelebs, coluber, concentricus, confinis, corallifer, costalis, costiferus, costirostris, cristatus, curvirostris, degluptus, demens, dentiferus, deustus, diaconitus, difficilis, distinctus, elegans, elevatus, fagax, fasciatus, filirostris, funestus, gemellatus, granuicollis, hopei, horrens, humeralis, humerosus, inconcinuus, infector, intermedius, intractatus, lassatus, lassulus, lautus, lemniscatus, leucophaeatus, leucostictus, lonipes, maceritiae, maculipes, mamillatus, moestus, mucidus, multituberculatus, murcius, nigrita, obliquus, pavidus, perdix, petrosus, pilosellus, porcatirostris, porculeti, posticatus, praeustus, puncticollis, quadrinotatus, repens, retensus, rubicundulus, rubiginosus, rufirostris, rugicollis, saxosus, scapularis, scirrhosus, scopulosus, semicostatus, serpentinus, similis, sobrius, spectabilis, squalidus, stigmati-collis, subabruptus, subfasciatus, subtilis, sylvius, tenuirostris, tomentosus, torosus, tricostatus, trigonus, verticalis, vesculus, vetulus.

Conotubularia brongniarti, cuvieri, goldfussi.

Conovulus albus, bidentatus, biplicatus, bulinoides, bullaoides, coffee, coffeus, coniformis, cumingianus, denticulatus, dombeanus, elongatus, manrus, myosotis, pusilla, pyramidalis.

Constellaria constellata.

Constrictor amethystina, bivittatus, poda, schneideri.

Consul fabius.

Conularia acuta, brongniarti, buchi, calamitacea, cancellata, carinata, convexa, creni-jugata, curta, curvata, deflexicosta, dumosa, elongata, gerolsteuensis, gervillei, gracile, granulata, inclinata, inornata, irregularis, laqueata, latissulcata, levigata, ornata, papillata, pectini-costata, pyramidata, quadrisulcata, serrata, sowerbyi, subparallela, tenuistriata, teres, torta, trentonensis, tuberi-costata, tuberosa, undulata.

Conulina conica, irregularis.

Conulites elevata.

Conulus (Ech.) hawkinsi, subrotundus, vulgaris.

Conulus (G.) fulvus, linceus, typus, unidentatus, variabilis, virescens.

Conura bicolor, caudatus, conigastrea, flavicans.

Conurus (A.) acuticaudatus, aeruginosus, alexandri, aureus, auricapillus, aurifrons, calito, canicollis, canicularis, carolineus, cayennensis, chiripepe, chlorogenys, chrysophrys, cruentatus, cyanalysis, cyanolyscos, cyanopterus, eburnirostrum, erythrocephalus, erythrochlorus, erythrofrons, erythrogenys, euops, flaviventris, griseocephalus, guyanensis, illigeri, jaguilina, jendaya, lepidus, leucotis, luteus, macavuaana, melanurus, mitratus, monachus, murinus, nanus, nenday, nigricollis, nobilis, patachonicus, pava, pertinax, petzi, phaeton, ponticerianus, ruficola,

rudicostriatus, severus, sitophagus, smaragdinus, solstitialis, squarriata, timba, torquatus, tun, unipara, versicolor, virens, vittatus, wagleri, xanthogenus, xanthopterus.

Conurus (Col.) australis, bimaculatus, bipunctatus, bipustulatus, cellaris, cinctulus, crassus, dimidiatus, flavipes, flavus, fumatus, fuscus, grossus, immaculatus, incertus, interruptus, littoreus, lividus, marshalli, melanopterus, obscuratus, obscuripennis, obsoletus, pedicularius, pubescens, pusillus, pyrrhopterus, rufulus, tumidus, varius, venustus.

Conus abbreviatus, achatinus, aculeiformis, acuminatus, acutangulus, acutus, adamsoni, adamsi, adriaticus, adversarius, aegrotus, aemulus, africanus, agrestis, alabaster, albidus, albomaculatus*, aldrovandii, algoensis, allionii, alsiosus, alternatus, alveolus*, amabilis, amadis, amazonicus, ambiguus, amethysteus, anemone, angulatus, antidiluvianus, antiquus, apenninicus, aplustre, araneosus, architalassus, archithalassus, archon, arcuatus, ardisiacus, arenosus, argillaceus, argillicola, armillatus, artoptus*, asper, asperus*, ater albus, atomarius, atramentosus, attenuatus, augur, aulicus, aurantius, aurora, australis, avellana, badius, baldichierensis*, baldichieri, balteatus, balteus, bandanus, bandatus, bartonensis, berghausi, bernardi, betulinoides, bicinctus, bicolor*, bicoronatus, biliosus, bisulcatus, blainvillae, boeticus, boivini, borneensis, bredai, breviculus*, brevis, brocchi, broderipi, brongniarti, bronni, bruguieri, brunneus, bulbus, buxeus, byssinus, cadomensis, cadonensis, caeruleus, caerulescens, caffer, cailliaudi, californicus, canaliculatus, candidus, capitaneus, carbonarius, cafinatus, castaneus, castrensis, castus, catenatus, catenulatus, catus, caumonti, cecilei, centurio, cerinus, cervus, chaldeus, characteristicus, chemnitzii, chersoides, cibiculi, cidaris, cinctus, cinereus, cingillus, cingulatus, circumscriptus, citrinus, claboriensis, clavatus, clerici, clodionus, cocceus, coelebs, coerulescens, collisus, coloratus, colubrinus, concatenatus, concavus, concinnus, concolor*, consiliarius, consobrinus, consors*, conspersus, conspicuus, contusus, corallinus, coralloides, corculum, corona, coronatus, cotuscus, costatus, costellatus, crenulatus, crepusculum, cretaceus, crotchetus, crocatus, croceus*, crotchi, cumingi, cuneolus, cylindraceus, dactylosus, decoratus, decrepitus, decussatus, delectus, delesserti, deluvianus, demissus, dentatus, deperditus, deshayesi, desselatus, diadema, dillwyni, discors, discrepans, dispar, distans, diversiformis, doningensis, dorreensis, dujardini, duplicatus, duponti, eburneus, echinulatus, edentulus, elatus, elisae, elongatus, elventinus, emaciatus, emarginatus, encaustus, epaphus, epaticus, epistomium, ermineus, erosus, erythraeensis, exaltatus, exaratus, exiguus, eximius, extensus, fabula, falgetrum*, fasciatus, felinus, ferrugatus, ferrugineus, ferruginosus, festivus, filamentosus, flammeus, flavescens, flavidus, flavocinctus, floridulus, fortis, frigidus, fucatus, fulgens, fulgens, fulgurans, fulvus, fulminans, fulvus, furvus, fuscatus, fuscus, fusiformis, fusus, gassaldii, gassaldii, genuinus, gilvus, gladiator, glaucescens*, gloria, goldfussi, gracilis, gradatus, granarius, grandis, granifer, granularis, granulatus, granuliferus, granulatus, grayi, griseus, grüneri, gubba, gubernator, guienensis, guinaicus, guttatus, gyrtus, haueri, havensis, helveticus, hepaticus, herillus, hieroglyphus, highatensis, hyaenae, hybridus, inaequalis, incarnatus, incertus, induratus, inflatus, infrenatus, inornatus, inquinatus, inscriptus, insculptus, insignis*, intermedius, interruptus, invalidus, iostoma, iostensis, iaspideus, jukes, kieneri, laechnosus, laciniulatus, lacteus, laevigatus, lamarki, largillierii, lautus, laevis, legatus, lemniscatus, lentiginosus, leonatus, leoninus, levis, lignarius, lineatus, lineolatus, liratus, listeri, loutmenensis, longicornis, lorentianus, lorosi, loveni, lucidus, luctuosus, lugubris, lutus, luzonicus, lynceus, maculatus, maculifer*, maculosus, magnificus, mahogani, manillar, mapp, marchionatus, marginatus, marmoratus, marticensis, martinianus, marylandicus, maurus, melancholicus, mercati, metcali, michaudi, mighelsi, militaris, millepunctatus, minimus, minutus, modestus, moluccensis, monilifer, mucronatus, muri-culatus*, muscosus, musivum, mutabilis, namocanus, nanus, narceus, nebulosus, nemocanus, neptunus, nicolii, nimbus, nixus, nitidus, nivifer, nivosus, nocturnus, nodiferus, noe, nubilus, nucus, nussatella, nux, obesus, oblitus, obsoletus, obscurus, obtusus, ochraceus, olea, olivaceus, omaria, orbigny, orbitatus, orion, orleanus, ornatus, pallans, paniculus, papilio, papillifer*, papillosus, pardalinus, parius, particolor, parvulus, parvus, pastinaca, patricius, paulina, pauperculus*, pavimentum, pelli, pedemontanus, pelagicus, pegasus, philippi, phrygicus, pica,

pietus, pictus, pigmentatus, piperatus, planicostatus*, planilatus, plabejus, plumbus, ponderosus, pontificalis, porcellaneus, postdiluvianus, praetextus, primula, piceobithalassus, prometheus, proteus, prothens, pseudo-litteratus, pseudo-textile, pulchellus, pulcher, pulchellus, punctus, puniceus, purpurascens, puschi, pusillus, pusio*, pustulatus, pygmaeus, pyramidalis, pyriformis, pyrula, quadratulus, quadratus, quaestor, quercinus, raristriatus, recurvus, reevei, regalitatis, regularis*, rete aureum, reticularis, retifer, rivularius, rosaceus, roseus, rouaulti, rubescens, rubiginosus, ruppelli, rutilans, rutilus, sanguineus, sanguinolentus, sardus, sauridens, scaber, scabriusculus, scalaris, scalptus, scitulus, semicostatus, semisulcatus, sculus, sieboldi, sindon, solandri, solidus, sowerbyi, speciosissimus, spectrum, spiculum, splendidulus, stainforthi, stellatus, stenostoma, stercutius, stillatus, stramineus, striatellus, striatulus, striolatus, strombellus, stromboides, subcapitaneus, substitutus, subulatus, sugillatus, sulcatus, sulciferus, sulphuratus, summus, suturatus, symmetricus, syriacus, tabidus, taeniatus, tarbellianus, taslei, telatus, tendineus, tenellus, terebra, terminus, tessellatus, tessulatus, textile, textilius, thalassiarachus, thuscus, tiaratus, tornatus, trigonulus, trigonus, tristis, trochulus, tuberculatus, turricula, turritus, undatus, undulatus, unicolor, unifasciatus, ustulatus, variegatus, vautieri, velatus, ventricosus, verreauxi, verriculum, verulosus, victor, victoriae, vidua, vimineus, vindobonensis, violaceus, virginatus, virgineus, vitifera, voluminalis, wheatleyi, ximines, zebra, zebroides, ziczac.

Convallarina annularis, biloba, bilobata, convallaria, globularis, nicotiniana, nutans, putrina, viridis.

Convexastrea regularis.

Convoluta johnstoni, paradoxa.

Cookia novae zelandiae.

Copelatus africanus, australicus, basalis, brullei, buqueti, caelatipennis, capensis, chevrolati, distinctus, duponti, erichsoni, galapagoensis, guerini, lineatus, normalis, obtusus, peruanus, posticatus, pulchellus, punctulatus, striatellus, striatopterus, striatulus, sulcipennis, undecimstriatus.

Copeoglossum cinctum.

Copestylum flaviventris.

Cophias acontia, atrox, bilineatus, crotalinus, daudini, holosericeus, hypnale, jararaca, lanceolatus, orbigny, trigonocephalus, viridis, wagleri.

Cophinus dubius.

Cophosaurus texanus.

Cophosus bannaticus, cyclops, cylindricus, filiformis, italicus, magnus.

Copicerus irroratus.

Copidosoma boucheanum.

Copiocera erythrogastra, eucera.

Copiophora cornuta, lancifera, longicauda, megacephala.

Copiopteryx semiramis.

Copiphora cornuta.

Copisura rimator.

Copium cornutum, guttatum, maculatum, serratum.

Copius histrio, intermedius, latreillei, rubescens, scurra.

Copodus cornutus.

Copopteroma nais.

Coppinia mirabilis.

Copraeus hemisphaericus.

Coprimorphus brunnipes, nigricollis, scrutator, submaculatus, subterraneus.

Coprina bovina, pipiens.

Copsis achates, aenescens, aeson, ajax, albicornis, alces, alexis, alutacea, amma, anaglyptica, analis, auceus, antenor, appendiculata, arator, aricius, armeniaca, assifera, aterrina, aurata, auricollis, austriaca, babirusa, badia, bellator, bellicosa, belzebul, berbicaeus, bicornis, bicuspidis, bidens, bidentula, bifasciatus, binodis, bituberculatus, bonasus, boreus, bos, brahminus, brevis, bucephalus, caelata, calcarata, camelus, canadensis, capensis, capistratus, carbonaria, carmelis, caruifex, castaneus, catta, ciconia, ciliatus, coenosa, colonica, conicollis, conspicillata, corniculatus, cornigera,

corydon, costata, circumscriptus, crinicolis, decorata, delicta, discidea, divisa, dryas, egena, exifer, volpi, sphadnes, erecta, eridanus, eryx, etodes, femorata, ferruginea, festivus, fidus, fusconus, fenger, furcata, furcifer, furcillatus, gazella, giraffa, glabrata, glaberrima, gracilicornis, guineensis, harpax, hastifer, hirtus, hirta, histeroides, hyaena, ibis, icarus, incerta, indica, inermis, inhiata, integra, iuddi, janus, javana, laevicollis, lanata, lat, latibrosus, leucostigma, lineata, listipennis, maculicollis, maki, marginatus, mauritanus, minuta, monacha, moyses, multiloba, nanus, giraffa, neptis, nigella, nigricornis, nigridorsis, nigrovirens, nigro, nitens, nitidula, nuchidens, oblitteratus, oblecta, obtusa, opacus, orientalis, opulans, oryx, ovalipennis, ovata, pamphilus, panacea, partrasias, pauperata, petiolalis, planiceps, platycera, plutus, polenicus, proclia, propitullans, protensa, pulchella, pumila, punctata, punctatissima, puncticollis, punctulata, pygmaea, quadricornis, quadrident, ramosa, retusus, rosalia, rotundatus, rubicra, rugifrons, sabaens, sacrotata, sagax, sahlbergi, saphirina, satyrus, scabius, seminaeae, semicornis, semicupraea, semiquamosa, setosa, sexdentata, sexidentatus, silenus, sinensis, sinicus, sinuatus, smaragdina, solon, splendens, stericornis, striatulus, subaeneae, subaeneus, sylvanus, tarandus, terminata, thalassius, torulosa, tragus, triangularis, trianguliceps, triera, triolor, tricornis, tricuspis, trituber, tritubus, trimatus, unifasciata, ursus, valgis, venator, ventricosus, versatilis, viridis, vitulina, volvens, vulcanus.

Coprobates formicatus.

Coprobates bicolor, chalcidus, chloridaeus, depressifrons, distinguendus, emarginatus, femoralis, fuscipennis, fuscipiger, laevis, obtusidens, opacus, reflexicollis, sexpunctatus, triangularis, varians, varians, virescens, viridis, volvens, vulneratus.

Coproecus hemisphaericus.

Coprologus gracilis.

Copromyza borealis, copulata, costalis, crenata, denticulatus, equina, fenestralis, fontinalis, frigida, fuscipennis, gemiculata, limosa, nigra, nitida, ochripes, pallifrons, pumilio, punctipennis, pusilla, pygmaea, silvatica, sordida, subsultans, tibialis, ursina, vitripennis.

Coprophilus rugosus, striatulus.

Copsychus atricollis, chinamomeiventris, luteolus, luzoniensis, macrourus, melanicterus, melanoleucus, pectoralis, pluto, roseus, saularis, suratensis.

Coptera polita.

Coptia armata, brunnea.

Coptocephala apicalis, bistrimaculata, brasiliensis, chalybea, cyanocephala, femoralis, floralis, gebleri, melanocephala, ornata, quadrimaculata, scopulina, signaticollis, thoracica, unicolor.

Coptocercus biguttatus, sexmaculatus, unifasciatus.

Coptochilus ferrugineus.

Coptocycla aurispandens, polita.

Coptodera aerata, amoena, aurata, bicincta, bifasciata, collaris, crucifera, depressa, elegantula, elongata, emarginata, equestris, fasciata, fasciatopunctata, festiva, figurata, flavosignata, flexuosa, gagatina, gilvipes, inferta, interrupta, luculenta, luteopicta, massiliensis, nigripennis, notata, obscura, picea, poekiloptera, quadri-pustulata, rufescens, signata, transversa, trisignata, undulata, unicolor, velox, viridipennis, viridis.

Coptognathus crassipes.

Coptolabrus smaragdinus.

Coptomia costata, granulata, mauritiana, opalina, prasina, sericea, sexmaculata.

Coptomma acutipenne, lineatum, sulcatum, textorium, variegatum, virgatum.

Coptops aedificata, annulata.

Coptoptera angusticollis, brunnea, tenella.

Coptorhina africana, klugi.

Coptorhinus retusus.

Coptorhynchus bonibyllus, caudatus, cyanipes, elegans, luctuosus, setipennis, ternatensis.

Coptosoma cribarium, globus, maculata, nepalensis, oculator, transversa.

Coptosus aereus.

Coptotomus interrogatus, semipalpus.

Copturus *affaber*, *armatus*, *avicularis*, *besekii*, *carinatus*, *communis*, *confederatus*, *confinis*, *corryphæus*, *costatus*, *deplanus*, *furunculæus*, *guttula*, *inhans*, *lanella*, *latus*, *lateralis*, *lehani*, *ludlowi*, *maculatus*, *mejerlei*, *oculatus*, *operculatus*, *papaveratus*, *perturbatus*, *pipa*, *quereus*, *regalis*, *rorulentus*, *rosesignatus*, *rubricollis*, *samoë*, *satyrus*, *soferi*, *subalpinis*, *subundatus*, *troglydites*, *ulula*, *vestitus*.

Copurus *filicaudus*, *leucorotus*, *monacha*, *poecilonorotus*.

Coracia (A.) *cristata*, *erythroramphos*, *gracula*, *melanoramphos*.

Coracia (Lep.) *ciliaris*, *lugubris*.

Coracias *abyssinica*, *abyssinus*, *affinis*, *albifrons*, *angolensis*, *cauda*, *cayanus*, *chionurus*, *crinita*, *cyanogaster*, *germanicus*, *melanops*, *naevia*, *natalensis*, *nuchalis*, *padica*, *papuensis*, *paradisea*, *pilosa*, *planiceps*, *sagitta*, *sagittata*, *sumatranus*, *temminckii*, *tibicen*, *versicolor*, *violacea*, *viridis*.

Coracina *albifrons*, *calvus*, *cephaloptera*, *fasciata*, *foetida*, *granadensis*, *gymnocephala*, *gymnoderia*, *javensis*, *melanops*, *militaris*, *nuda*, *obliquus*, *orenocensis*, *ornata*, *papuensis*, *parvirostris*, *rubricollis*, *scutata*, *viridis*.

Coracinus *boops*, *chalcis*.

Coracopsis *masarina*, *muscarinum*, *nigra*, *personata*, *vasa*.

Corades *enyo*, *iduna*, *medeba*, *pannonia*, *sareba*, *ulema*.

Coraeus *aeneicollis*, *amethystinus*, *annon*, *bicolor*, *brevis*, *caliginosus*, *chalcodes*, *chrysopygius*, *collaris*, *cuprinus*, *cylindraceus*, *elatus*, *fulgidicollis*, *gongis*, *granulatus*, *hastata*, *impetiginosus*, *jamaicensis*, *metallicus*, *mucoreus*, *nigropictus*, *nitidicollis*, *pruinosis*, *pumicatus*, *purpureus*, *rubi*, *spinosus*, *striatus*, *subcyaneus*, *subfasciatus*, *taciturnus*, *undatus*, *venustus*, *viridanus*, *westwoodi*, *wiedemannii*.

Coraeus *cinereus*, *nugax*.

Corallina *abietina*, *anceps*, *auriculariaeformis*, *bicolor*, *calvadosi*, *chara*, *corymbosa*, *crassa*, *crispata*, *cupressina*, *cuvieri*, *dilatata*, *discoidea*, *ephedraea*, *fasciculata*, *filicala*, *floccosa*, *galliodes*, *gracilis*, *interrupta*, *laxa*, *livida*, *lobata*, *longicaulis*, *membranacea*, *millegrana*, *mucronata*, *nodulosa*, *paniculata*, *pectinata*, *pilifera*, *plumosa*, *polychotoma*, *prolifera*, *purpurata*, *radiata*, *rosea*, *sagittata*, *simplex*, *smei*, *spermophoros*, *stellifera*, *tenuis*, *turneri*, *verrucosa*.

Coralliodendron *penicillus*.

Coralliolites *columnaris*, *orthoceratoides*.

Coralliophaga *carditoidea*, *cyprinoides*, *dactylus*.

Coralliophis *spixi*.

Corallium *briareum*, *nigrum*, *pallidum*, *pectinatum*, *rubrum*, *secundum*.

Corallum *nobile*.

Corallus *cooki*, *maculatus*, *obtusirostris*.

Coranus *pedestris*, *subapterus*.

Coraphites *albifrons*, *australis*.

Corapica *bengalensis*, *buccoides*, *sinensis*, *thalassina*.

Corax (A.) *crucirostra*.

Corax (Col.) *ghiliani*.

Corax (P.) *affinis*, *appendiculatus*, *egertoni*, *falcatus*, *heterodon*, *incisus*, *kaupi*, *laevis*, *maximus*, *pedemontanus*, *planus*, *pristodontus*, *pygmaeus*.

Corbicula *fluminalis*, *fuscata*.

Corbis *aglauræ*, *archiaciana*, *aspera*, *cabanetiana*, *cancellata*, *caspia*, *cordiformis*, *corrugata*, *cottaldina*, *crassicosta*, *davoustiana*, *decussata*, *depressa*, *distans*, *dubia*, *elegans*, *extranea*, *fibrosa*, *fimbriata*, *inaequilateralis*, *laevigata*, *laevis*, *lajoyei*, *lamellosa*, *lucida*, *madridi*, *magna*, *melissa*, *merope*, *multilamellosa*, *obovata*, *ovalis*, *oxfordiensis*, *pectunculus*, *rotundata*, *sowerbyi*, *staminea*, *striaticostata*, *sublaevis*, *sublamellosa*, *subpectunculus*, *uniformis*, *ventricosa*.

Corbula *abbreviata*, *adusta*, *aequivalvis*, *agatha*, *aglaia*, *alabamiensis*, *alata*, *alba*, *albuginosa*, *alimena*, *alta*, *altavillensis*, *anata*, *ambigua*, *ampullacea*, *anatina*, *angulata*, *angustata*, *archiaci*, *argentea*, *australis*, *bicarinata*, *bicostata*, *bifrons*, *binghami*, *biradiata*, *borealis*, *bruguieri*, *cancellata*, *cardioides*, *cardioideum*, *carinata*, *carinosa*, *caspia*, *catlovæ*, *caudata*, *clava*, *cochlearella*, *colombiana*, *complanata*, *compressa*, *contracta*, *costae*, *costata*, *costellata*, *costulata*, *crassa*, *crispa*, *cucullaeaeformis*, *cuneata*, *curtansata*, *cuspidata*, *decussata*, *depressa*, *deshayesi*, *dilatata*, *dispar*,

denaciferus, *denacina*, *dulia*, *eburnea*, *edwardi*, *elegans*, *elipentula*, *elevata*, *engonata*, *erythrodon*, *exarata*, *fabia*, *fasciata*, *ficus*, *fragilis*, *gallica*, *gibba*, *gibbosa*, *gigantea*, *globosa*, *goldfussiana*, *granulata*, *gregaria*, *heckeliusiana*, *hennahi*, *idonea*, *imbricata*, *impressa*, *inaequale*, *inaequivalvis*, *incerta*, *intastriata*, *intermedia*, *involuta*, *kochi*, *labiata*, *laevigata*, *laevis*, *lanceolata*, *limatula*, *linosa*, *lineata*, *longirostra*, *luticola*, *lyrata*, *macuilli*, *margaritacea*, *marmorata*, *mediterranea*, *minuta*, *modesta*, *monilis*, *monstrosa*, *morleti*, *mosae*, *murchisoni*, *nasuta*, *naticata*, *neocomiensis*, *neptuni*, *nimbosa*, *nitida*, *nuciformis*, *nucleus*, *obesa*, *obscura*, *obtusa*, *ochreatea*, *oniscus*, *operculata*, *ovalina*, *ovalis*, *ovata*, *ovulata*, *oxfordiensis*, *pallida*, *paradoxa*, *patagonica*, *pectinata*, *physoides*, *pisum*, *planulata*, *polita*, *porcina*, *proboscidea*, *procera*, *punctata*, *punctum*, *quadrata*, *radiata*, *revoluta*, *rosea*, *rosthorni*, *rostralis*, *rostrata*, *rotalis*, *rotundata*, *rugosa*, *scaphoides*, *semen*, *senilis*, *similis*, *socialis*, *solidula*, *speciosa*, *spinosa*, *striarella*, *striata*, *striatula*, *striatuloides*, *subangustata*, *subcomplanata*, *subglobosa*, *subnasuta*, *subquadrata*, *subrevoluta*, *subrostrata*, *substriatula*, *sulcata*, *suprajurensis*, *taitensis*, *tenus*, *theoidea*, *triangula*, *triasina*, *trigona*, *trigonalis*, *truncata*, *tumida*, *tunicata*, *umbonella*, *undata*, *angularis*, *ustulata*, *variegata*, *ventricosa*, *victoriae*, *vitreae*, *volhynica*, *waeli*, *zelandica*.

Corbulomya complanata, triangula.

Corburella curtansata.

Corcorax australis, leucopterus, melanorhynchus.

Cordieria biaritzana, iberica, palensis, pyrenaica.

Cordilura loxocerata.

Cordistes acuminata, arcuatus, binotus, bifasciatus, cinctus, lafertei, maculatus, quadrilunatus, quadriemaculatus.

Cordulecerus surinamensis.

Cordulegaster annulatus, bidentatus, charpentieri, fasciatus, insignis, muensteri, sabina.

Cordulia aenea, alpestris, australae, complanata, compressa, curtisi, flavomaculata, jacksoniensis, metallica, platyptera, similis, splendens, splendida, subalpina, villosa, virens.

Corduligaster petiolatus.

Cordus hospes.

Cordyla atra, brevicornis, crassicornis, crassipalpis, fasciata, fulveola, fusca.

Cordylaspis pilosus, tuberculatus.

Cordyle crenatus, granarius, longipes, rugosus, striatus.

Cordylomera geniculata, nitidipennis, spinicornis, testacea.

Cordylophora lacustris.

Cordylura abdominalis, aeg., albulabris, albipennis, alipes, albipila, albitarsis, albifasciata, analis, apicalis, artemia, armillata, armipes, atrata, barbata, bicolor, bilineata, brevifrons, brevipennis, breviseta, caligata, caudata, ciliata, cinerella, clavata, connexa, crassipes, cuneiventris, cupricus, dejeani, dentimana, dispar, dorsata, erythrocephala, fasciata, hibernus, flava, flaveola, flavicauda, flavicornis, flavipennis, flavipes, fraterna, friesi, fulvipes, funipennis, fuscinervis, fuscipennis, fuscipes, geniculata, haemorrhoidalis, hircus, hydromyzina, immunda, imperator, incisa, latipalpis, leucostoma, lineata, liturata, livens, lividipes, longa, longifrons, macrocera, maguicornis, marginipennis, melanura, nervosa, nigra, nigrimana, nigripes, nigrita, niveipalpis, obscura, obscurella, pallida, pallidicauda, pallipes, pectoralis, picipes, pilosa, planiceps, podagrica, prasinata, proboscidea, pubera, pudica, punctipes, ruficauda, rufimana, rufipes, scptomyzoides, spinigera, spumana, spinipes, sponsa, strigifrons, striolata, tarsea, tenuior, tibialis, tibiella, trilineata, unilineata, ustulata, validicornis, varia, vetusta, vittata, volucricaput, zetterstedti.

Cordylus brasiliensis, capensis, cataphractus, dorsalis, giganteus, griseus, laevigatus, macrolepidotus, microlepidotus, multicarinatus, nebulosus, polyzonus.

Corecoris cinnamomeus.

Coregonus albulus, albus, artedi, autumnalis, calva, clupeiformis, clupeoides, conorhynchus, costnicensis, fera, hartmannianus, heglungus, lacepedei, latior, latus, lavaretus, leucithys, maraena, maraenula, medius, microcephalus, migratorius, muelleri, muksun, nasus, nasutus, niloticus, nilssonii, otsego, oxyrhynchus, palaea, pallasi, peled,

- pennanti, pelschian, polcur, pollan, quadrilateralis, ~~serrikeri, sulzer, subdilatata~~,
 sapidissimus, sardiellus, schokur, signifer, sikus, silus, ~~strok~~, thymaloides, thymallus,
 umbra, vimbra, wartmanni, wimba.
- Coremia** didymata, erythrouera, ferrugaria, ferrugata, fluctuaria, fluctuata, ~~hirtipes~~,
 ligustrata, micaria, montanaria, montanata, munitaria, munitata, olivata, ~~poecil-~~
 salata, propugnaria, propugnata, salicata, signaticollis, unidentaria.
- Coreocoris** rhomboideus.
- Coreomelas** scarabaeoides.
- Corephium** echinatus.
- Corephorus** elegans.
- Corethra** angelini, annulicornis, culiciformis, flavicans, fusca, gibba, lateralis, ~~strep-~~,
 pallida, pilipes, pluicornis, punctipennis, rufa, velutina.
- Corethrura** (A.) akool, albifrons, aurita, capensis, cayennensis, dimidiata, ecaudata,
 fasciata, ferruginea, fusca, fuscescens, griseofrons, leucopyrrha, lineata, melanophaea,
 modesta, mystacina, obscura, olivacea, pulchra, quadristrigata, rubiginosa, rufescens,
 ruficollis, sandwicensis, superciliaris, tabuensis, tahitiensis, tannensis, zeylanica.
- Coretus** adansonii, bicarinatus, carinatus, contortus, cornea, dubius, fontanus, hispidus,
 spirorbis, vortex.
- Coreus** acridioides, affinis, alternans, alternatus, angustatus, antennator, apicalis,
 armator, armigerus, basalis, batatus, bicolor, binotatus, bipunctatus, brevicornis,
 calcarator, calcaratus, capensis, capitatus, cardui, cellulatus, chloroticus, cinctus,
 clavicornis, clavipes, coccocinctus, compressicornis, confluentus, cornutus, corticalis,
 crassicornis, crudus, dahlmanni, dentator, denticulatus, dentipes, diffusus, dufouri,
 elegans, elevator, elongator, equestris, errans, fahleni, filiformis, flavicollis, foliaceus,
 paradosa, gibbus, gigas, gracilicornis, granulatus, haemorrhoidalis, heteropus, hispanus,
 hispidifrons, hyalinus, hyoseyami, immaculatus, lateralis, laticornis, lineolaris,
 lunatus, magnicornis, marginatus, marginellus, membranaceus, miriformis, moestus,
 neglectus, nubilus, nugax, obscurator, obtusus, oedymerus, ordinatus, panzeri,
 paradosa, parvulus, phasianus, phyllopus, pictus, pilicornis, puncticornis, punctu-
 latus, punctulus, pyri, rubidiventris, rubiginosus, rubricator, rugator, sauctus,
 scabrator, scabricollis, scabricornis, scapha, schillingii, sculptus, scutellaris, serrator,
 serrifer, serrulatus, sidae, spinifrons, spinipes, striatus, sulcicornis, tenuicornis, tragus,
 varicornis, waltii.
- Corica** argentata, guborni, soborna, soborni.
- Coricus** brama, fasciatus, lamarcki, rostratus, rubescens, virescens.
- Coridala** fusca.
- Coridalla** fusca.
- Corimya** alta, carinifera, corbuloides, depressa, elongata, glabra, gnidia, lata, lens,
 nicoleti, ovata, pinguis, roemerii, securiforme, studeri, taurica, tenera, tenuistriata,
 truncata, vulvaria.
- Corine** squamata.
- Corinna** amoena, cingulata, memnonia, nigricans, rubripes, tricolor.
- Coriocella** flexilis, nigra, perspicua, tentaculata.
- Coriphilus** cyaneus, euchlorus, euteles, iris, kuhli, notatus, pipilans, placensis, sapphirinus,
 solitarius, taitianus.
- Coriplus** depressus.
- Coris** angulatus, aygula.
- Corisa** abdominalis, assimilis, bonsdorffi, carinata, ~~concinna~~, distincta, dohrni, falleni,
 fossarum, germari, hellensi, hieroglyphica, limitata, linnaei, lugubris, macrocephala,
 melanosoma, moesta, nigrolineata, panzeri, praeusta, sahlbergi, selecta, semistriata,
 striata, transversa, xanthosoma.
- Corisce** amica.
- Coriscium** alaudellum, citrinellum, crassipes, ligustrinellum, qercetellum.
- Corisus** pudicus, truncatus.
- Coriudo** coriacea.
- Corixa** abdominalis, affinis, alternata, basalis, bimaculata, bonsdorffi, calva, carmata,
 coleoprata, cubae, cyprica, dorsalis, fossarum, geoffroyi, graphiptera, hellensis,
 hieroglyphica, interrupta, irrorata, lacustris, lateralis, lineata, lineolata, maculata,

- mercenaria*, *minuta*, *planifrons*, *punctata*, *regularis*, *rivalis*, *schellenbergi*, *scripta*, *stagnalis*, *striata*, *strigata*, *thimaculata*, *undulata*.
- Corizus** *boyeti*, *caespensis*, *capitata*, *caucasicus*, *conspersus*, *crassicornis*, *equestris*, *ericae*, *fulvifrons*, *gracilis*, *hyocyami*, *maculatus*, *miriformis*, *prateus*, *robustus*, *rubescens*, *substriatus*, *vincenti*.
- Cornocephalus** *ambigua*, *aurantipes*, *foecundus*, *guldingi*, *lineatus*, *lobatus*, *miniatus*, *obscurus*, *pallipes*, *plenus*, *rubriceps*, *spinicauda*, *violaceus*, *westwoodi*.
- Cormoranus** *carbo*, *crassicornis*, *cristatus*, *viridis*.
- Cornea** *communis*.
- Corneola** *associata*, *cornea*, *cryptozona*, *denudata*, *faustina*, *feburiana*, *foetens*, *hirta*, *hoffmanni*, *ichthyomma*, *macrostoma*, *planospira*, *portosantanae*, *pouzolzi*, *pulchella*, *pyrenaica*, *setipila*, *setosa*, *sumpta*.
- Corniculina** *costata*, *ehrenbergi*, *laevis*, *torquata*.
- Corniger** *spinosus*.
- Cornix** *monedula*, *rufipes*.
- Cornocephalus** *subminiatus*.
- Cornu** *carinatum*.
- Cornufer** *unicolor*.
- Cornularia** *florida*, *multipectinata*, *rugosa*, *subviridis*, *thalassianthoidea*.
- Cornulites** *arcuatus*, *serpularius*.
- Cornuoides** *major*, *minor*.
- Cornutella** *elathrata*.
- Corocolia** *dubia*.
- Coronaxis** *arenatus*, *bandanus*.
- Coronella** (R.) *agilis*, *agnelli*, *albocincta*, *almadensis*, *aurora*, *bahodeira*, *bilineatus*, *blumenbachi*, *boddaerti*, *bonapartei*, *cenchrus*, *chamissonis*, *chulensis*, *cobella*, *coccinea*, *cyclura*, *doliata*, *flaviventris*, *geoffroana*, *getula*, *haliodeira*, *laevis*, *leucopilus*, *lichtensteini*, *lineolata*, *macroura*, *maximiliani*, *meleagris*, *mercurii*, *meridionalis*, *merreini*, *mitrata*, *modesta*, *multicincta*, *multimaculata*, *narica*, *octolineata*, *pohli*, *pulchra*, *raunius*, *reginae*, *rhombeata*, *rhombo-maculata*, *rufescens*, *rufula*, *russeli*, *sayi*, *schchereri*, *schneideri*, *seetzeni*, *spixi*, *stellatus*, *tessellata*, *treuensteini*, *triscalis*, *typhlus*, *venusta*, *venustissima*, *violacea*, *viridissima*, *viridissimus*.
- Coronella** (Rot.) *fimbriata*.
- Coronica** *fuliginosa*, *strepera*.
- Coronis** (Cr.) *etsebia*, *scolopendra*.
- Coronis** (Lep.) *egina*, *evenus*, *japet*, *stolli*.
- Coronophis** *paradisi*.
- Coronopora** *truncata*.
- Coronula** *balaearis*, *balaenarum*, *bifida*, *bisextobata*, *californiensis*, *dentulata*, *diadema*, *elegans*, *patula*, *pulchra*, *testudinaria*, *tubicinella*.
- Corophia** *bonellii*.
- Corophium** *grossipes*, *longicornis*.
- Corospiza** *simplex*.
- Correponus** *tera*, *hiemalis*.
- Corrhecerus** *barbicornis*, *flavus*, *nuxtus*, *pilicornis*, *pubicornis*, *vestitus*.
- Corsira** *alpina*, *forsteri*, *nigrescens*, *rustica*, *talpoides*, *vulgaris*.
- Corsomyia** *crassirostris*.
- Corsomyza** *clavicornis*, *fuscipennis*, *hirtipes*, *nigripes*, *pennipes*, *simplex*.
- Corsyra** *fusula*, *pygmaea*.
- Cortalus** *pagodus*.
- Corthylus** *compressicornis*, *lasiatus*.
- Corticaria** *affinis*, *americana*, *angulosa*, *armata*, *axillaris*, *badia*, *balaearica*, *bipunctata*, *brevicollis*, *campeola*, *cavicollis*, *concinna*, *contracta*, *convexa*, *crassiuscula*, *crenicollis*, *crenulata*, *dissecta*, *urticollis*, *cylindrica*, *dentata*, *denticollis*, *denticulata*, *dermestoides*, *diluta*, *dimidiata*, *distinguenda*, *elongatus*, *ferruginea*, *formicetorum*, *foveola*, *frumentaria*, *fulva*, *fulvipes*, *fumata*, *fuscipennis*, *fusulus*, *gibbosa*, *gracilis*, *hortensis*, *illacsa*, *impressa*, *interstitialis*, *intricata*, *lacerata*, *lapponica*, *lateritia*, *laticollis*, *linearis*, *longicollis*, *longicornis*, *macularis*, *melanophthalma*, *motschulskii*.

nigriceps, nigricollis, subcordata, oblonga, octodentata, pallens, pallida, parvicollis, parvula, picipennis, picipes, pilicornis, piligera, pubescens, pubescens, pulla, punctulata, pusilla, pusillus, quadrimaculata, reticulata, rubripes, rufa, ruficollis, rufula, rugicollis, saginata, sculptipennis, sericea, serrata, sericollis, similata, similis, subacuminata, subtilis, suturalis, taurica, taxicornis, tincta, transversa, transversalis, trifoveolata, truncatella, umbilicifera.

Corticifera aggregata, bella, flava, glareola, variabilis.

Corticus celtis, foveolatus, tuberculatus.

Coruna clavata.

Corvina adusta, albida, albiflora, anei, argentata, argyroleucus, axillaris, belengeri, biloba, canariensis, carolina, carutta, cartalea, chaptis, clavigera, coitou, cuja, deliciosa, dentex, dissumieri, furcraea, furcroea, grummiens, grypota, kuhli, lobata, maculata, miles, minor, nigra, nigrita, ocellata, oscula, oxyptera, pliagostoma, platycephala, richardsoni, rouchus, semiluctuosa, senegalla, sina, soldado, trispinosa.

Corvinella acuticaudata, capensis, cissoides, corvina, senegalensis.

Corvivultur cafer, crassirostris.

Corvus adsimilis, advena, aler, affinis, agrorum, americanus, aureo-viridis, aureus, australis, azureus, bechei, bombycilla, brachyrhynchus, bullocki, cacaloti, caledonius, capensis, capistrum, capitalis, carunculatus, caudatus, choucadior, cinerea, cinereus, cirrhatus, collaris, columbianus, corax, coronatus, coroneoides, coronoides, cyano-leucus, crassipennis, crassirostris, cristatellus, cuculatus, culminatus, curvirostris, cyanesens, cyano-leucus, cyanopogon, cyanurus, dominicanus, enca, ferrugineus, flaviventris, floridanus, fossilis, fuliginosus, garrulus, grillarius, granorum, gymnocephalus, gymnorrhynchus, hawaiiensis, hiemalis, hudsonius, indicus, japonensis, lanus, leptonyx, leucag-naphalus, leucolophus, leucomelas, leuconotus, leucophaeus, leucopterus, levaillantii, lentericus, littoralis, macropterus, macrorhynchus, magnus, major*, megonyx, melanogaster, melanoleucus, melanops, mimus, moneduloides, montanus, morio, nasicus, nobilis, nudicollis, uudi-rostris, nuttalli, olivaceus, ortu, ossifragus, panderi, paradoxus, pastinator, pectoralis, peregrinus, pileatus, praedatorius, priscus, pubduya, pyrrhopterus, quao, ruber, ruficollis, rufigaster, rufipennis, rufus, sanguinicolis, scapularis, segetum, senex, sexsetaceus, sinicus, sinuatus, soemmerringi, speciosus, spermologus, splendens, splendidulus, splendidus, squamatus, stelleri, strepera, stridens, subcornix, subcorone, sylvestris, tibetanus, toruensis, torquatus, tricolor, tristis, ultramarinus, umbrinus, validus, varians, ventralis, versicolor, violaceus, vociferus, vulturinus.

Corybantes amycus, dardanus, icarus, licus, nicon, pylades, syphax.

Corycia appias, arginussa, cajeta, dioscoreae, magica, punctata, taminata, temerata.

Corydalina bicolor.

Corydalis (A.) nemorum.

Corydalis (Col.) brongniarti, nubila, testacea.

Corydalis (Neur.) cephalotes.

Corydalius cornutus.

Corydalla agrorum, arenaria, arvensis, campestris, chilensis, flavescens, fusca, gracilis, richardi, sinensis, subarquata.

Corydalis cornutus.

Corydendrium parasiticum.

Corydia biguttata, collaris, cyanea, fulva, petiveriana.

Corydocephalus flabellatus, interjectus, propinquus, verrucosus.

Corydon (A., Alaudidae) calandra, temmincki.

Corydon (A., Psittacidae) galeatus.

Corydonix aegyptius, bicolor, giganteus, lathami, leucogaster, maculatus, nigerimus, phasianus, pyrrholeucus, pyrrhopterus, rufinus, tolu, variegatus, viridis.

Corydoras edentatus, geoffroy.

Corylophus cassidoides, fasciatus, lugubris, thoracicus.

Corymbites aeruginosus, affinis, anchorago, atropurpureus, aulicus, boeberi, caricinus, castaneus, croaticus, cupreus, cylindricornis, haemapterus, haematodes, heyeri, hirticollis, interstitialis, micans, mirificus, parallelipedus, pectinicornis, pyrenaeus, quercus, ramifer, resplendens, rupestris, sibiricus, sulphuripennis, tessellatus, umbricola, viridis.

- Corymbopora* ~~menardii~~
Corymorpha (Coel.) mutans.
Corymorpha (Col.) mandibularis.
Corymya depressa.
Coryna amphora, capillifera, filifera, glandulosa, prolifica, ripes, squamata.
Corynactis albanii, viridis.
Coryne chamissonis, glandulosa, hassalli, histeri, multicornis, ramosa, setifera, squammata.
Corynephorus jocularioris, Vainigrum.
Corynesoma pellucidum.
Corynetes abdominalis, aeneus, amphora, analis, angustatus, ater, ~~bleyeri~~, caeruleus, carbonarius, chalybeus, coeruleus, collaris, cyanellus, defunctorum, discolor, geniculatus, glaber, marginellus, ovatus, pallicornis, pallipes, pectoralis, pusillus, rubricollis, ruficollis, ruficornis, rufipes, sabulosus, sanguincolis, scabripennis, scutellaris, semistriatus, spectabilis, testaceus, thoracicus, thunbergi, violaceus, viridis.
Corynites penicillatus.
Corynocera ambigua.
Corynocere brevicornis, deplana.
Corynodes cyaneus.
Corynomalus quadrimaculatus, tarsatus.
Corynomerus elevatus.
Corynoneura minuta, scutellata.
Corynopalpa fasciata.
Corynophyllus fortunei.
Corynopus tibialis.
Corynoscelis cyclops, glaucon, stenulus.
Corypha apiata, baghaira, baghera.
Coryphaena argyrurus, aurata, azorica, azurea, chrysurus, dolifii, dorado, equisetalis, fanphanus, galeata, galilaea, glacialis, globiceps, immaculata, lessoni, lineolata, lutea, margravii, nigrescens, nortoniana, perciformis, quinquemaculata, scomberoides, sinensis, socialis, spinosa, sueuri, torva, umbra, undulata, virgata, viridis, vlamingi.
Coryphasiza melanotis.
Coryphe (Col.) africana, amaeua, bimacula, flavomaculata, herscheli, juvenia, macleayi, pretiosa, suturalis, taenia, umbonata, wiedemanni.
Coryphe (Ech.) edulis.
Coryphegnathus albifrons, capitalba, schiffi.
Coryphella landsburgi, pellucida, rufobranchialis.
Coryphena imperialis, pelagica.
Coryphenoides hottuyui.
Coryphidea baghaira.
Coryphilus dryas.
Coryphistes cyanopterus, rhodoptilus.
Coryphium angusticolle.
Coryphocera affinis, africana, amoena, bimacula, blanda, coxalis, cuvera, delesserti, elegans, hardwicki, hirtiventris, hopei, laeta, macleayi, melanaria, monoceros, nigratarsis, olivacea, sexmaculata, smaragdina, suturalis, viridicyanea.
Coryphodon eocaeus.
Crypticus capensis.
Cryptilum klugi.
Corys minor, scutatus.
Coryssomerus ardea, capucinus, cervinus, lepidus.
Coryssopus hexastichus.
Coryssorhaphis carneolus.
Corystes broderipi, cassivelaunus, dentata, distincta, gibbosa, hypocrita, ocellata, octodentata, punctata, sicarius, speciosus, stokesi, vigintispinosa.
Corystion mustazola, striatus.
Corystoides chilensis.
Corythaeolus vittatus.

- Corythaix** africanus, buffoni, burchelli, concolor, erythrolophus, fusca, ~~giga.~~, leucotis, macrorhynchus, paulina, persa, porphyreolopha, purpureus, senegalensis, variegatus.
- Corythaixoides** concolor.
- Corythalia** latipes.
- Corythea** cupressaria, firmaria, genearia, juniperaria, larentiaria, sabinaria, simularia, ulicaria, variaria.
- Corythobatus** echinatus, woora.
- Corythoderus** loripes.
- Corythophanes** chamaeleopsis, hernandesi.
- Corythopsis** calcarata, nigrocincta, torquata.
- Corythus** angustirostris, badius, capensis, enucleator, orix, oryzivorus, psittacea, sibiricus, sipali, subhimachalus.
- Corytophanes** cristata.
- Coryzoplatus** pallens.
- Coryzorhaphis** leucocephala.
- Coscina** *(Col.)* bottae.
- Coscinia** *(Col.)* basalis, fasciata, helferi, schuppeli.
- Coscinia** *(Lep.)* chrysocephala, cribrum, cyrilli.
- Cosciniopterus** welensi.
- Coscinium** cyclops, dubium, elegans, stenops.
- Coscinopora** alternans, angularis, beaumonti, biseriata, crassa, cupuliformis, cylindrica, galdrynus, globularis, heterostoma, infundibuliformis, isopleura, macropora, meandrina, murchisoni, nuda, pallipes, pedunculata, placenta, porosa, quadrangularis, rordeana, striato-punctata, sulcata, turoniensis, venosa, zippei.
- Coscinoptera** cribrata, desmiphora, dominicana, monacha, obliqua, quadrillum, soricina.
- Coscinospira** forskali, bempicbi, nautiloides, savignyi.
- Cosmacanthus** carbonarius, malcolmsoni.
- Cosmella** hydrachnoides.
- Cosmema** elegantula, furcata, gilvipes, lepida, marginella.
- Cosmesus** bilineatus.
- Cosmethis** barbara, zemire.
- Cosmetornis** vexillaria.
- Cosmetus** andreae, bipunctatus, conspersus, flavicinctus, lagenarius, marginalis, mesacantbus, monocantba, pictus, uflavum, varius.
- Cosmia** abluta, affinis, bombycina, caltheago, contusa, diffinis, eximia, fulvago, imbuta, pyralina, trapezina, weissenborni.
- Cosmina** arabica, claripennis, fuscipennis.
- Cosmiocornus** angulatus, aurichalceus, cervinus, imperialis, mitis, murinus, nigratarsis, picicornis.
- Cosmisoma** aeneicollis, ammiralis, axillare, decoratum, equestre, formosa, insigne, laetum, leprieuri, scopipes, scopulicornis.
- Cosmius** leucogramma, ochraceus, tenellus.
- Cosmocerus** cinereus, strigosus.
- Cosmogamma** patricia.
- Cosmonessa** histrionica, minuta.
- Cosmonota** angustata, unicolor.
- Cosmonotus** grayi.
- Cosmophila** xanthindyma.
- Cosmophorus** klugi.
- Cosmopterix** ahornarella, angustipennella, langiella, microdactylella, phasianipennella, zieglarella.
- Cosmopteryx** argyrogrammos, ledereriella, lienigiella, phengitella, pinicolella, scribaella.
- Cosmorhinus** cervinus, costirostris, cristatus.
- Cosmorhoe** chalybeata, filicata, ocellata, rusticata.
- Cosmosoma** omphale.
- Cosmotricha** gibbosa, potatoria.
- Cosmotriche** lobulina, lunigera.

Cosnania cyanocephala, pennsylvanica, rufipes.

Cosnius aulicus, dimidiatus, equestris, insignis, jucundus, spinosus.

Cossipha humeralis.

Cossiphus senegalensis. *Vide et Cossyphus (Col.).*

Cossodes lyoneti.

Cossonus abscissus, affaber, affinis, africanus, ambiguus, argenteus, bipunctatus, bulbirostris, caesus, californicus, canaliculatus, castaneipennis, castaneus, chloropus, concinnus, conicrostris, convexicollis, convexusculus, corticalis, corticola, cubae, culinaris, cylindricus, cylindrirostris, deceptor, deplanatus, depressicollis, depressus, elongatulus, elongatus, encaustus, ephippiger, exaratus, excavata, ferrugineus, filiformis, fossatus, foveatus, glabricollis, guildingi, impressifrons, impressus, laticollis, latithorax, latus, lebasii, lignarius, ligniperdus, lymexylon, marginalis, meriani, moelleri, multiflorus, uigritus, parallelipipedus, perfidiosus, piniphilus, platalea, politus, porcatus, puncticollis, punctifrons, pyrirostris, reticulatus, rufus, scrobiculatostratus, scrobiculatus, semirufus, spathula, spielbergi, squama, subareatus, subcostatus, sulcifrons, sulcirostris, suturalis, tardi, tenellus, thoracicus, torridus, truncorum, vulneratus, xylophilus.

Cossus argenteus, arundinis, caestrum, cribrarius, desertus, fuchsianus, kindermanni, labyrinthicus, laocoon, lituratus, macmurtrei, nebulosus, nonagrioides, pantherinus, persona, robiniae, salicula.

Cossypha fasciventris, gutturalis, natalensis, nigrocapilla, poensis, semirufa, signata, verticalis, vocifera, vociferans. *Vide et Cossipha.*

Cossyphus (A.) carunculata, caudatus, griseus, nualabaricus, minutus, olivaceus, pagodarum, reclamator, striatus, tristis.

Cossyphus (Col.) algyricus, barbarus, cassidoides, dejeani, edwardsi, incostatus, insularis, laevis, lateralis, minutissimus, moniliferus, obscurus, ovatus, planus, pusillus, pygmaeus, salzmanni, striatus, substriatus, tauricus. *Vide et Cossiphus.*

Cossyphus (Lep.) punctatissimus, pygmaeus, tuberculatus.

Cossyphus (P.) albotaeniatus, anchorago, ater, atrolumbus, axillaris, bilunulatus, bodianus, cyanodus, cyanostolus, darwini, diana, dimidiatus, eclancheri, gouldi, macerodon, inaldat, mesothorax, microlepidotus, ommopterus, opercularis, perditio, quadrilineatus, reticulatus, schoenlehi, taeniatus, unilineatus, vulpinus.

Costellaria rigida.

Cosymbia nolaria.

Cotalpa lanigera.

Cothonaspis ater, basalis, biseapus, boienii, clavipes, codrinus, coronatus, cubitalis, diaphanus, emarginatus, eucerus, geniculatus, gracilis, heptomus, hexatomus, longicornis, longipes, maculatus, melanopterus, micropterus, moniliatus, niger, pentatomus, retusus, rufipes, scutellaris, spiuosus, tetratomus, trichopsilus, tristis, villosus.

Cothurnia havniensis, imberbis, mantima, mystacina, pupa.

Cotile riparia.

Cotinga alba, aureola, cayana, cincta, coelestis, coerulea, cristata, elegans, fusca, hypopyrrha, lamellipennis, mayana, nattereri, pompadora, purpurea, regulus, rufaxilla, speciosa, tschudii, virescens, viridis.

Cotinis bartholomaei, carmelita, cavifrons, cincta, columbica, erythropus, klugi, lebasii, moreleti, niger, octodecimspinosus, papyraceus, pistilliger, platycephalus, poecilopus, smaragdinea, sobrina, subviolacea, terminata.

Cotostomus anisopterus, melanops.

Cottopsis asper.

Cottus aeneus, anostomus, aries, asper, bairdi, boleoides, brasiliensis, brevis, brodamus, chaetodon, claviger, cognatus, fabricii, ferrugineus, franklini, gobioides, gracilis, groenlandicus, hemilepidotus, hexacornis, hispidus, horridus, intermedius, joak, madagascariensis, marmoratus, meridionalis, mertensi, microstomus, minutus, mitchilli, niger, octodecimspinosus, papyraceus, pistilliger, platycephalus, poecilopus, polaris, polyacanthocephala, porosus, richardsoni, sinus, trachuris, tricuspis, tripterygius, uncinatus, variabilis, ventralis, villosus, virginianus.

Coturniculus lecontei, maniube, peruianus, tixicus.

Coturnix argoondah, asiatica, australis, cambaiensis, ~~coturnicellula~~, coturnix, dactylonans, delegorgesi, diemenensis, erythrorhyncha, exaltatoria, flavipes, histriomga, javana, major, media, migratoria, minor, novae zelandiae, pectoralis, pentah, perlata, philippensis, plumbipes, pluvialis, risea, rubiginosa, sordidus, textilis, variabilis, vulgaris.

Cotyle borbonica, cincta, fluviatilis, fuligula, jugularis, microrhynchos, minor, minuta, obsoleta, palustris, platyrhynchos, riparia, rufoollis, rupestris, sinensis, subsoecata.

Cotylephorus blochi.

Cotylis fimbriata, marginorata, nuda, poecilophthalma, stannii.

Coua caerulea, cristata, delalandi, gigas, leschenaulti, madagascariensis, reynaldi, ruficeps, serriana.

Couchia minor.

Coxelus crenatus, pictus.

Crabro aenescens, agrestis, alatulus, albilabris, ambiguus, analis, annulus, arcuatus, armatus, armipes, aspidiphorus, assimilis, aterrima, barbipes, bidens, binotatus, bipunctatus, bojus, borealis, brevis, capitosus, carbonarius, cephalotes, cetratus, chrysargyrus, chrysostomus, cinctus, cinxius, clypeata, comptus, confluentus, congener, consobrinus, continuus, crassicornis, cribrarius, cunicularius, decemmaculatus, dives, divises, duodecinguttatus, elongatulus, exiguus, flavipes, fuscipennis, fuscitarsus, geniculata, guttatus, hyalina, interruptus, kollari, laevipes, lapidarius, laportei, lapponicus, lindeni, lituratus, loewi, lunatus, luteipalpis, megerlei, microstictus, monstrosus, murorum, nanus, nigerrimus, nigridens, nigrinus, nigriraris, nigrilus, obliquus, occultus, ornatus, palmipes, panzeri, parisinus, parvulus, patellarius, peltarius, phaeoptera, pictipes, podagricus, propinquus, proximus, pterotus, pubescens, punctum, quinquenotatus, rubicola, rufoornis, rufofemoratus, rufipes, rufoventris, rugifer, scutellaris, scutellata, semipunctatus, sexmaculatus, shuckardi, sinuatus, spinicollis, spinipectus, spinipes, stigma, striatus, subinterruptus, subulatus, tarsalis, tibialis, transversalis, trifasciatus, troglodytes, vagus, van den lindeni, variabilis, vicinus, walkeri, wesmaeli, xylurgus.

Crabronites equestris.

Cractes glandarius, infaustus.

Cracticornis arquata.

Cracticus anaphonesis, argenteus, ater, cassicus, chalybeus, cinereus, cuneicaudatus, cyanoleucus, destructor, fuliginosus, gymnocephalus, hypoleucus, leucopterus, melanoleucus, nigroregularis, picatus, quoyi, robustus, streperus, tibicen, torquatus, varius, versicolor.

Craesus septentrionalis.

Crago vulgaris.

Crambina anapiellus, carectellus, paleatellus, pectinatellus.

Crambus achatatus, adamantellus, albistrigatus, alpinellus, angulatellus, angustatus, angustellus, aquarellus, argentellus, aridellus, aspergillus, auriferellus, bellus, bombycatus, cacuminellus, capreolatus, cassentiniellus, cerusellus, cespitellus, chrysonuchellus, colonatus, combinellus, concinnalis, contaminellus, corsicellus, costatus, coulouellus, crassatus, culmellus, cyrilli, dealbellus, derivatus, dimidiatus, disparellus, dumetellus, emortuatus, ensigerellus, ericellus, falsellus, farinatus, flameatus, flexuosellus, fulgidellus, fuscinelus, grammicellus, gueneellus, hamellus, hortuellus, inquinatellus, lapponicellus, latistrius, lienigiellus, lithargyrellus, lucellus, lucidellus, luctiferellus, luteellus, malacellus, margaritellus, marginatus, marginellus, mityellus, montanellus, nemoratus, nigristriellus, novellus, obscuratus, obtusellus, palellus, palidellus, palpatus, palpellus, pascuellus, pauperellus, pedriellus, perellus, petricellus, pinetellus, pinguicellus, pinguinatus, poliellus, pratellus, proboscicidus, punctellus, pygmaeus, quadrellus, radiellus, radiellus, ramburiellus, ramosellus, rorellus, salicatus, saxonellus, selasellus, siculellus, silacellus, simplonellus, stentriellus, subdaviellus, superbellus, suspectellus, tarsicrinatus, tenellus, tentaculellus, tigurinellus, tristis, uliginosellus, vitellus, vittatus, warringtonellus.

Crameria (Dipt.) oestroidea.

Crameria (Lep.) amabilis, cloeckneri, nobilis, subtilis.

Cranchia bonnellii, maculata, minima, perlucida, scabra.

- Crangon** *affinis*, *angusticauda*, *bidentatus*, *bispinosus*, *boreas*, *cataphractus*, *fasciatus*, *fluviatilis*, *lar. maculosus*, *magnevillei*, *monopodium*, *nautus*, *rubropunctatus*, *salebrosus*, *schillinus*, *sculptus*, *septemcarinatus*, *septemspinosus*, *spinosus*, *trispinosus*.
- Crania** *abnormis*, *antiqua*, *antiquior*, *antiquissima*, *armata*, *aspera*, *barbata*, *bipartita*, *brattenburgensis*, *cenomanensis*, *costata*, *gracilis*, *hexagona*, *hoeninghausi*, *horrida*, *intermedia*, *irregularis*, *laevis*, *larva*, *leonina*, *marginata*, *nodulosa*, *norwegica*, *nummulus*, *obsoleta*, *ovalis*, *parisiensis*, *personata*, *petropolitana*, *porosa*, *prisca*, *proavia*, *producta*, *quadrata*, *radiata*, *rhodomagensis*, *ringens*, *rostrata*, *rugosa*, *sedgwicki*, *spinulosa*, *stellata*, *striata*, *subquadrata*, *sulcata*, *tripartita*, *tuberculata*, *unguiculata*, *vesiculosa*.
- Craniolites** *brattenburgicus*.
- Cranopelargus** *capillata*.
- Cranophorus** *notatulus*, *quadrinotatus*, *scutelligerus*.
- Crapitula** *motschulskii*.
- Crasodactylus** *punctatus*.
- Craspedia** (Dipt.) *audouini*, *coriaria*.
- Craspedia** (Lep.) *arcuaria*, *decoraria*, *lautaria*, *moniliaria*, *ornataria*, *pusillaria*, *scutularia*.
- Craspedocephalus** *atrox*, *bilineatus*, *brasiliensis*, *daboia*, *elegans*, *holosericeus*, *jararaca*, *lanceolatus*, *pictus*, *weigeli*.
- Craspedonta** *leyana*.
- Craspedophora** *magnifica*.
- Craspedophorus** *reflexus*.
- Craspedopoma** *lucidum*, *lyonnetianum*.
- Craspedosoma** (Myr.) *ciliatum*, *hispidum*, *marmoratum*, *polydesmoides*, *raulinsi*, *richi*, *tenue*, *tenuicolle*, *wagae*.
- Craspedotus** *pullus*.
- Craspedum** *laciniatum*, *phyllomorpha*.
- Crassa** *tinctella*.
- Crassatella** *affinis*, *alabamensis*, *alaeformis*, *alta*, *antillarum*, *arcacea*, *archiaciana*, *astarteiformis*, *bartlingi*, *bockschi*, *bosquetiana*, *bronni*, *capriseranium*, *carcarensis*, *caspia*, *castanea*, *compressa*, *concentrica*, *concinna*, *contraria*, *corbuloides*, *cornueliana*, *corrugata*, *cuneata*, *cycladea*, *cygnus*, *decipiens*, *deshayesiana*, *dissita*, *divaricata*, *donacina*, *erycinaea*, *galliennei*, *galloprovincialis*, *gibba*, *gibbosa*, *gibbosula*, *glabrata*, *guerangeri*, *hellica*, *impressa*, *inornata*, *intermedia*, *jubar*, *kingicola*, *laevigata*, *laevis*, *lamarcki*, *lamellosa*, *landinensis*, *lapidea*, *latissima*, *ligeriensis*, *lyelli*, *marrotiana*, *marylandica*, *melina*, *minima*, *minuta*, *mississippiensis*, *nana*, *neptuni*, *normaniana*, *nystiana*, *oblonga*, *orbicularis*, *ornata*, *pallida*, *palmula*, *parallela*, *parisiensis*, *pentagona*, *picta*, *pisolithica*, *plicata*, *podolica*, *protexta*, *protracta*, *pulchra*, *pyrenaica*, *quadrata*, *radiata*, *regularis*, *rhomboidea*, *robinaldina*, *rostrata*, *scutellaris*, *securis*, *sinuata*, *sinuosa*, *striata*, *striatula*, *subgibbosula*, *subradiata*, *subrhombica*, *subsulcata*, *tenuistriata*, *tenuistriata*, *trapezoidalis*, *tricarinata*, *trigonata*, *triquetra*, *truncata*, *tumida*, *turgidula*, *undulata*, *vadosa*, *vindennensis*, *ziczac*.
- Crassatellites** *sinuatus*.
- Crassatina** *ovata*.
- Crassidorsa** *equalis*.
- Crassilabrus** *undulatus*.
- Crassina** *aliena*, *arctica*, *banksi*, *borealis*, *carinata*, *compressa*, *convexiuscula*, *corrugata*, *crenata*, *danmoniensis*, *depressa*, *elliptica*, *extensa*, *fusca*, *laevis*, *minima*, *minutissima*, *montagui*, *multicostata*, *obliqua*, *ovata*, *propinqua*, *scotica*, *semisulcata*, *striata*, *subcordata*, *subrhomboidea*, *sulcata*, *triangularis*, *triangulata*, *venusta*, *withami*.
- Crassisetia** *bimaculata*.
- Crassispira** *bottae*, *fasciata*.
- Crastia** *core*, *hunnoria*, *rogeri*.
- Cratacanthus** *pensylvanicus*.
- Crataionyx** *ater*, *flava*.
- Craterina** *fritillus*, *lagenula*, *margarina*, *stentorea*, *viridis*.
- Craterocerus** *brunnicornis*.
- Crateronyx** *dumeti*.

- Crateropus** affinis, albugularis, atriceps, atripennis, caelinnana, caeruleus, capistratus, chrysopterus, delesserti, erythrocephalus, erythropterus, grisauris, gularis, jardi, lafresnayei, leucocephalus, leucogenys, leucolophus, leucophaeatum, leucopygius, lineatus, lunaris, monilegerus, nipalensis, ocellatus, orioides, platycircus, plebejus, puniceus, reinwardi, reinwardti, rubiginosus, rufifrons, rufimentum, rufogularis, squamatus, squamiceps, swainsoni, variegatus.
- Crathoplus** squamiferus.
- Cratocerus** monilicornis.
- Cratocnemus** niger.
- Cratognathus** labiatus, mandibularis, scaritides.
- Cratohaerea** bruneti.
- Cratomerus** cyanicornis.
- Cratomus** megacephalus, nigripes.
- Cratonychus** abdominalis, aemulus, americanus, anachoreta, angustatus, baiulus, brunnipes, canaliculatus, castanipes, clandestinus, communis, coniformis, crassicollis, decumanus, dichrous, fusciceps, fuscus, labidus, laticollis, longipennis, mauritanicus, menetriesi, monticola, niger, persicus, porrectus, prolixus, prominens, promiscuus, promptus, puberulus, puncticollis, recticollis, robustus, rubidus, rufipes, rusticus, similis, spadix, tenebrosus, tenellus, torosus, tumilicatus, vafer, vetulus.
- Cratoparis** apicalis, callosus, centromaculatus, ceroderes, cinctipes, clitelliger, dorsalis, equestris, figuratus, lugubris, lunatus, luridus, monoceros, paganus, providus, sellatus, submaculatus, tapirus, tarsalis, thoracicus, tigris, zebra.
- Cratopus** (A.) bicolor, jardi.
- Cratopus** (Col.) alboscutellatus, angustatus, aurifer, brachialis, brunescens, brunnipes, caliginosus, castanea, chrysochlorus, circumcinctus, confusus, ditissimus, exquisitus, fulvescens, humeralis, ictericus, lotus, marginatus, marmoreus, melanocephalus, molitor, nanus, perturbatus, punctum, roralis, sanguinicollis, striga, sumptuosus, triangularis.
- Cratoscelis** (Col.) aterrima, discolor, gayana, plana, villosa, vulpina.
- Cratosomus** auritus, bison, bispinosus, bombina, bos, buqueti, cancellatus, clatbratus, consularis, corbyi, cornutus, dejeani, delirus, dentatus, dentostris, dubius, dumosus, ecbinatus, exsculptus, fabricii, fasciatopunctatus, fasciatus, flavofasciatus, gyllenhali, herculeanus, hoplites, impluviatus, kirbyi, lacrimans, lafontii, latreillei, lherminieri, lucifugus, maleficus, mannerheimi, melancholicus, mexicanus, multipunctatus, nodieri, pastillarius, phaleratus, porriginosus, punctulatus, pustulatus, reidi, roddami, scaber, scabricollis, scapularis, schoenberri, scorpio, setosus, stellio, sticticus, subangulatus, taurus, tuberculatus, undabundus, vaginalis, varicosus, vespertilio.
- Crax** albin, blumenbachi, caracara, carunculata, fasciolata, globulosa, rubrirostris, temmincki, tomentosa, tuberosa, urumutum, vociferans, yarelli.
- Craxirex** galapagoensis.
- Creadion** carunculatus, corniculatus, musicus, novae hollandiae, novae zelandiae, pedunculatus, pharoides, tabuensis.
- Creagrius** varius.
- Creatonotos** interrupta, psamas.
- Crecca** aestiva, bimaculata, circia, glaucans, palustris, vulgaris.
- Cremaatocheilus** axillaris, brahma, brou, brunneus, campbelli, caualiculatus, capensis, castanea, cribrosus, elongatulus, barrisi*, hentzi, hirtus, laevis, maculatus, mexicanus, paulus, sayi, senegalensis, spiniventer, variolosus.
- Cremaustus** bellicosus, binotatus, confluens, decoratus, flavipes, geminus, infirmus, interruptor, lineatus, punctulatus, pungens, spectator.
- Creinatogaster** cephalotes, histia.
- Cremna** orpheus, selinus.
- Cremnodes** atricapillus, combustus, nanodes.
- Crenaster** castellanensis, cottaldina, laevis, nodotiana, phillipsi, poritoides, prisca, rupellensis.
- Crenatula** avicularis, bicostalis, folium, listeri, modiolaris, mytiloides, nigrina, parkinsoni, phasianoptera, producta, travisi, ventricosa, viridis.
- Crenea** vitrea.

- Crenella acutirostris*, costulata, decussata, discors, elliptica, ~~marginata~~, nigra, thomabea.
Crenicichla adpersa, linebris, johanna, labrina, lenticulata, lepidota, lugubris, macrophthalmia, ~~paratilis~~, vittata.
- Crenidens* forskah, lemnus, sarissophorus, simplex, tephraeops, triglyphus.
- Crenilabrus alberti*, anthoides, arcuatus, argenteostriatus, bailloni, bidens, boryanus, brunichi, caeruleus, caninus, capistratus, chabrolis, chlorosochrus, chrysophrus, chrysops, cinereus, ~~cornubiens~~, cotta, cottaie, couchi, croceus, donovani, erythropterus, exoletus, flagellifer, fraenatus, fuscus, geoffroyus, gibbus, grassnulta, guttatus, lapina, linki, linki, littoralis, lusua, massa, masse, massiliensis, mediterraneus, melanocercus, melops, merula, microstoma, morelli, multidentatus, nigrescens, norvegicus, notatus, ocellaris, ocellatus, ~~olivaceus~~, palloni, pavi, pennanti, ~~pictus~~, pittima, pusillus, quinquemaculatus, reticulatus, rissoi, roissali, rone, rubescens, rupestris, scriptura, staiti, tigrinus, tingra, trutta, varius, venosus, verres, virescens, viridis.
- Crenis madagascariensis*, natalensis.
- Crenodonta plicata*, securis, trigona, tuberculata.
- Crenogenes incommis*.
- Creobius troberti*.
- Creogenys carunculata*.
- Creophilus badiipennis*, chilaris, ~~chilaris~~, erithracus, erythrocephalus, fasciatus, maxillosus, variegatus, villosus.
- Creoxylus corniger*.
- Crepidodera abdominalis*, atriventris, crassicornis, cyanescens, erythropus, femorata, fuscaeneae, hirtipennis, marginicollis, modeeri, rufa, rufipes, semirufa, transversa, violacea.
- Crepidogaster bimaculatus*, infuscatus.
- Crepidomenus decoratus*, fulgidus, taeniatus.
- Crepidotus audouini*, variolosus.
- Crepidula aculeata*, acuta, adpersa, adunca, altavillensis, amygdalus, borbonica, calceolina, candida, capensis, cochleare, contorta, convexa, cornu-arietes, cornucopiae, costata, crepidula, cymbaeformis, densata, depressa, dilatata, dumosa, excisa, exuviata, fasciata, garnotus, gibbosa, glauca, gorensis, grandis, gregaria, haliotoidea, hepatica, incurva, incurvata, italica, laevis, lamina, lineolata, lingulata, lirata, maculata, maculosa, minuta, moulinsi, muricata, mytiloides, nautiloides, navicelloides, nummaria, onyx, parisiensis, patagonica, patula, peruviana, plana, ponderosa, porcellana, praeupta, pulchella, radians, rostriformis, rugosa, rugulosa, sandaliformis, sinuosa, sitchana, solida, spinosa, squamosa, subspirata, succinea, tomentosa, uncata, unguiformis, variegata.
- Crepidulina astaculus*, auricula, elongata.
- Cresaeis calamus*.
- Creseis acicula*, aciculea, acus, caligula, chasteli, clava, compressa, conica, corniformis, cornucopiae, cyathus, daudini, depressa, forbesi, gadus, gracillima, obtusa, primaeva, rugulosa, sedgwicki, spinifera, striata, subula, sulcata, unguis, vaginella, ventricosa, virgula, zonata.
- Cresis spiniformis*.
- Cressida harmonides*, heliconides.
- Creurgus excubitor*, lanus, rufus.
- Creusia bosci*, cancellata, childreni, decorata, echinoides, gregaria, laevis, monstrosa, multistriata, radiata, spinulosa, striata, stromia, verruca.
- Crex alticeps*, argentina, articulata, aurita, bailloni, carolina, cayennensis, chloropus, crepitans, crex, erythrura, facialis, fasciatus, femoralis, flavirostris, galeata, gularis, herbarum, lateralis, martinica, martinicensis, melampyga, melanura, mustelina, nigra, ochropus, olivaria, plumbea, porphyrio, porzana, pratensis, pulchra, pusilla, pygmaea, quadristriata, ~~ruficollis~~, ~~schomburgki~~, strepera, viridis.
- Cribella oculata*, rosea.
- Cribrilina punctata*.
- Cribrina chlorospilota*, colorata, ~~coriacea~~, crassicornis, dianthus, diaphana, efoeta, filiformis, gemmaeae, glandulosa, holsatica, macloviana, monile, mutabilis, ocellata, palliata, papillosa, parasitica, ~~plumbea~~, polypus, verrucosa.

- Cribrospongia** alpina, bajocensis, baugieri, bessina, hochi, cancellata, ~~clathrata~~, nypeiformis, decorata, dictyota, elegans, fenestrata, humboldti, irregularis, microtrema, munsteri, neesi, obliqua, paradoxa, parallela, pertusa, polymmata, psilopora, reticulata, schweiggeri, subfenestrata, subtexturata, texata, texturata.
- Cricacanthus** jonesi.
- Cricetodipus** parvus.
- Cricetomys** anomalus, gambianus, myoides.
- Cricetus** aecedula, anomalus, antiquus, arenarius, auratus, barabensis, bursarius, chincilla, citellus, cricetus, cyaneus, fasciatus, frumentarius, furunculus, fuscatus, laniger, marmorata, migratorius, myoides, nigricans, phaeus, songarus, talpoides, tscherkessicus, viscaccia, vulgaris.
- Cricocercus** magnifica.
- Cricodus** horneri, incurvus.
- Cricopora** abbreviata, annulata, borchardti, caespitosa, coliformis, faujasi, gracilis, nuda, pulchella, straminea, subverticillata, tessonis, verticillata.
- Crimia** tuberculata.
- Crinia** georgiana.
- Criniger** affinis, caniceps, crispiceps, flaveolus, flaviventris, fuscicapillus, gularis, ictericus, olivaceus, phaeocephalus, pyrrhopyga, splendens, tephrogenys.
- Crino** (G.) arctica, truncatus, vulgaris.
- Crino** (Lep.) besckei, clara, sommeri.
- Crinocerus** acridioides, affinis, aper, cruciger, devotus, fulvicornis, fuscus, grylloides, histrio, lobatus, porcus, sanctus, scabripes, scrofa, spinosus, spurcus, tibialis, triguttatus, tuberculatus.
- Crinopora** massiliensis.
- Crinosoma** antiqua.
- Criocarcinus** superciliosus.
- Criocephalum** coriaceum, polonicum.
- Criocephalus** ferus, nubilus, obscurus, pachymerus, productus, rusticus.
- Criocera** laevis.
- Crioceras** alpinus, astierianus, cornuelianus, cristatus, da rii, duvali, emerici, plicatilis, puzosianus, vaucherianus, villersianus, voronzovi.
- Crioceratites** beani, bowerbanki, duvali, emerici, fourneti, honorati, intermedius, nodosus, plicatilis, rotundus, spiniger, spinulosus, tuberculatus, turgidus.
- Criocerina** pristina.
- Crioceris** abdominalis, abrupta, aeruginea, albicornis, alternans, anglica, angulosa, antennalis, apicalis, armeniacae, arundinis, asparagi, atra, atrata, atricilla, atricornis, badia, balteata, bataviensis, bifasciata, bifida, bilineata, bimaclata, bipustulata, bivittata, brassicae, brunnea, caerulea, cafra, caminea, campestris, capitata, caraboides, castanea, ceramoides, cervina, chlorotica, cinerea, circumfusa, coerulescens, collata, concolor, consentanea, copalina, cornuta, costulata, crassicornis, crassipes, crataegi, cruciata, cuprea, cyanipennis, cyanipes, cylindrica, dahl, decempunctata, dehaani, dejeani, denticornis, detrita, dimidiata, dimidiaticornis, discicollis, discoidea, discolor, distincta, dodecastigma, dorsalis, duplicata, elata, emarginata, ephippium, erythropae, euphorbiae, exclamationis, exoleta, faldermani, fasciata, ferruginea, festiva, flavicollis, flava, fulva, fulvipes, fusca, gemmans, goryi, haemorrhoea, holstatica, hortorum, humeralis, indagaea, intermedia, laeta, laevigata, lafertei, lata, lausoniae, lazulina, licens, limitata, lineata, litterata, livida, lusca, marginalis, marginata, melanopa, melanophthalma, modesta, mollis, murina, mutabilis, nasturtii, neglecta, nemorum, nigra, nigricans, nigrina, nigropunctata, nigrovittata, nitida, nucea, nullicedo, obscura, obsoleta, olivacea, omophloides, orbignyi, padi, paleacea, paracanthesis, parvula, phthisica, pinicola, plicatilis, prasina, primi, ptinoides, pulchra, puncticollis, quadripunctata, quadripunctata, quadrisignata, quattuordecimpunctata, quinquemaculata, rubi, rubra, rubricollis, rufipes, S littera, sanguinea, st crucis, semicincta, semipunctata, senegalensis, sexmaculata, sisymbrii, smaragdina, solani, solaris, spartii, sulphurea, surinamensis, tabida, tetrapunctata, thoracica, tibialis, triangulum, tricolor, trifasciata, tripunctata, trivittata, tuberculata, unicincta, unicolor, unifasciatus, unipunctata, viburni, virens, viridis, viridula, volkameriae, xanthopa.

- Crioridion** annulipes, castanopterum, corvinum, cylindricolle, eburioides, pictipes, setosum, sexmaculatum, tomentosum.
- Criodrilus** laeum.
- Criomorphus** (Col.) aulicus, castaneus, fulcratus, impressus, luridus, pygmaea.
- Criomorphus** (Hem.) albomarginata, apicalis, fasciata, hemiptera, maculata, ulicis.
- Crioprosopus** servillei, viridipennis.
- Criopus** anomalus, parisiensis.
- Criorhina** apicata, apiformis, asilica, berberina, bimaculata, bombiformis, brebissoni, flavicauda, floccosa, nudiventris, oxyacanthae, regula, ruficauda, tuberculata.
- Criotaurus** moschatus.
- Cripticus** obsoletus.
- Criserpia** boloniensis, dichotoma, michelini, pyriformis.
- Crisia** aculeata, avicularia, boryi, chelata, ciliata, cornuta, delili, denticulata, eburnea, edwardsi, elegans, elongata, flustroides, geniculata, haueri, hoernesii, johnstoniana, loriculata, luxata, muricata, neritina, patagonica, pilosa, plumosa, reptans, scruposa, setacea, ternata, tricythara.
- Crisidia** cornuta, edwardsiana, johnstonia, setacea, vindobonensis.
- Crisina** bertholeti, subgradata, triangularis.
- Crisioidea** nodulosa, tubaeformis.
- Crisisina** carinata, commiscens, contortilis, corouopus, divergens, gradata, maxillaris, pinnata, royana, subgracilis, triquetra, unipora.
- Cristaria** tuberculata.
- Cristatella** campanulata, centrifuga, mucedo, paludosa, stagnorum, vagans.
- Cristellaria** aculeata, acutauricularis, antiquata, aspera, auricula, auricularis, berthelotiana, bilobata, cadonensis, calcar, carantina, cassis, complanata, compressa, consecta, costata, crassa, crepidula, cymboides, denticulata, depressa, ehrenbergi, elegans, elongata, exarata, excentricus, faba, fleuriausa, floridana, galea, gaudryana, gibba, hauerina, hildesiensis, intermedia, italica, josephina, laevigata, laevis, lamellosa, lanceolata, lenticula, limbata, lituola, lituus, lobata, marginata, matutina, mirabilis*, muensteri, nautiloides, navicula, navicularis, nitida, obliqua, orbigny, ornata, osnabrugensis, ovalis, papilionacea, papillosa, partschi, planata, planicosta, prima, producta, propinqua, rawackensis, recta, reniformis, retroflexa, rhomboidea, roemerii, rostrata, rotella, rotulata, rustica, sanguantiae, saulcyi, scapha, semiluna, serrata, simplex, soldani, squamula, subcostata, terquemi, translucida, triangularis, tuberculatus, tuberosa, undata, variabilis, vetusta, vitrea, voluta.
- Cristiceps** australis, axillaris.
- Crisularia** plumosa.
- Crithagra** albugularis, angolensis, atrogularis, bistrigata, brasiliensis, brevirostris, butyracea, canaria, canicollis, chloropsis, chrysogaster, chrysopyga, flava, flaveola, flaviventris, gularis, hilarii, hypoxantha, leucopygia, luteiventris, luteocephala, pentlandi, ruficauda, scolops, selbyi, strigillata, sulphurata, xanthorrhoea.
- Crithias** minima.
- Critoneura** longipes, pentagonalis.
- Crius** bertheloti.
- Crobilocerus** megilliformis.
- Crobylus** hystrix.
- Crocallis** aglossaria, dardoinaria, dardouinaria, elinguaris, extinaria, lentiscaria, trapezana.
- Crocethia** arenaria.
- Crochiphora** accessaria, flavistriaria, testularis.
- Crocias** guttatus.
- Crocidomera** turbidella.
- Crocidosema** plebejana.
- Crocidura** arania, capensoides, flavescens, hydruntina, leucodon, major, musaranea, poliogastra, religiosa, rufa, thoracica.
- Crocisa** armata, atra, bicolor, caeruleopunctata, cafra, dimiatipunctata, emarginata, histrio, lamprosoma, nitidula, novaehollandiae, nubica, orbata, punctata, rauosa, rufipes, scatellata, scutellaris, splendidula, viridisericea.

Crocodilurus ~~amazonicus~~, lacertinus, ocellatus.

Crocodilus acutus, americanus, arctirostris, basifissus, basitruncatus, bequaerti, biporcatus, biseutatus, blavieri, bolleensis, brauniorum, brongniarti, bruchi, cadomensis, caiman, carinatus, cataphractus, champsoides, chauses, clavirostris, communis, complanatus, crassideus, cultridens, cuvieri, cylindrirostris, deluci, depressifrons, dodoni, elaveris, galeatus, gravesi, hantonensis, harlani, hastingsi, hastingsiae, indeterminatus, intermedius, joanneti, journei, lacunosus, latirostris, leptorhynchus, longirostris, lucius, mantelli, marginatus, maunyi, medius, mississippiensis, multideus, niger, octophractus, oopholis, palmatus, palpebrosus, palustris, parisiensis, pentonyx, planirostris, plenidens, porosus, priscus, provincialis, rahti, rateli, rhombifer, rollinati, schlegeli, sclerops, siamensis, suchus, tenuirostris, toliapicus, trigonatus, trigonops, trimmeri, ungeri, vulgaris, yacare.

Crocota prunaria, ricaria, rubicundaria, tinctaria.

Crocota brunnea, maculata.

Croesia berginaumiana, hoffmanseggiana, holmiana.

Croesus largipes, laticrus, niger, stepheusi, typicus.

Cromileptes altivelis, fuscoguttatus, gigas, hemistictos, miniatus, myriaster.

Cromus intercostatus.

Crossarchus obscurus, rubiginosus, typicus.

Crossaster endeca, papposa.

Crossocerus affinis, annulatus, aphidium, bimaculatus, binotatus, brevis, chrysis, dentiscrus, dilatatus, diversipes, elongatulus, exiguus, gonager, gracilis, laevipes, lefebvrei, leucostoma, luteicollis, luteipalpis, morio, niger, ornatus, ovalis, pallidipalpis, palmipes, podagricus, pusillus, rufipes, rugosus, scutatus, striatulus, subpunctatus, varipes, varus, wesmali.

Crossocheilus oblongus.

Crossodactylus gaudichaudi.

Crossonychus cordicollis, viridis.

Crossophorus collaris, tentaculatus.

Crossoptilon auritum, tibetanus.

Crossopus ciliatus, fodiens, himalayicus, macrourus, palustris, surinamensis.

Crossorhinus barbatus, lobatus.

Crossotus aegyptius*, albicollis, australis, lignarius, lophopterus, plumicornis, terreus, varicornis.

Crossurus cordylus, vittatus.

Crotalinus catenatus, cyanurus, viridis.

Crotalocrinites rugosus.

Crotalophorus kirtlandi, miliaris, tergeminus.

Crotalus atricaudatus, cascavella, cumanensis, immaculatus, loeflingi, messasaugus, oreganus, oregonus, reliquus, rhombifer, simus, strepitans, tergeminus, tessellatus, zetazonae.

Crotaphopeltis rufescens.

Crotaphytus collaris.

Crotophaga americana, ani, casassi, guira, laevirostra, major, piriguia, rugirostra, semisulcata, sulcirostris.

Crotulurus catenatus*, cyanurus*, viridis.

Crucibulum lignarium, planum, rugoso-costatum.

Cruciloculina triangularis.

Crucirostra abietum, bifasciata, latifasciata, leucoptera, malina, malu, malum, media, montana, pinetorum, pityopsittacus, rubrifasciata, subpityopsittacus, taenioptera.

Crumena crumena.

Crumenaecrinites ovales.

Crumenula texta.

Crumomyia glacialis.

Cruphiocera violacea.

Cruziana furcifera, rugosa.

Crymodes discicollis, templi.

Crymonessa glacialis.

Crymophilus rufus.

Cryniphilus ~~limbatus~~, ~~punctulatus~~.

Cryobius ~~ventriosum~~.

Cryphaeus (Col.) ~~aries~~.

Cryphaeus (Cr.) ~~boothi~~, ~~caliteles~~, ~~collitelus~~, ~~collitelus~~, ~~greeni~~, ~~solgwachi~~.

Cryphalus ~~asperatus~~, ~~fagi~~, ~~pilosellus~~, ~~tiliae~~.

Cryphia ~~nana~~, ~~receptricula~~.

Cryphocricos ~~barozzii~~.

Crypsirhina ~~aterrima~~.

Crypsirina ~~altirostris~~, ~~frontalis~~, ~~leucogastra~~, ~~leucoptera~~, ~~pallida~~, ~~rufa~~, ~~rufigastra~~, ~~rubro-ventris~~, ~~sinensis~~, ~~temnura~~, ~~vagabunda~~, ~~varians~~.

Crypta (Col.) ~~bipunctata~~.

Crypta (G.) ~~aculeata~~, ~~adolphaei~~, ~~costata~~, ~~maculata~~, ~~patagonica~~.

Cryptabacia ~~talpa~~.

Cryptacanthodes ~~maculatus~~.

Cryptangia ~~parasitica~~, ~~woodi~~.

Cryptanura ~~hyalina~~, ~~nigripes~~, ~~rugosa~~, ~~striata~~.

Cryptarcha ~~ampla~~, ~~circellaris~~, ~~fusca~~, ~~imperialis~~, ~~pieta~~, ~~pusilla~~, ~~quadrangulata~~, ~~rubens~~, ~~rufipes~~, ~~strigata~~, ~~sulcata~~, ~~turbida~~.

Cryptella ~~ambigua~~, ~~canariensis~~.

Cryptelia ~~pudica~~.

Crypticus (A.) ~~apiaster~~, ~~martii~~, ~~platyrynchus~~, ~~superciliosus~~.

Crypticus (Col.) ~~capensis~~, ~~fuliginosus~~, ~~gibbulus~~, ~~glaber~~, ~~harpalinus~~, ~~minutus~~, ~~navicularis~~, ~~obesus~~, ~~pruinosus~~, ~~pusillus~~, ~~quisquilius~~, ~~rufipes~~, ~~stygius~~, ~~variegatus~~.

Cryptina ~~de raibel~~.

Cryptobatis ~~cyanoptera~~, ~~hexagona~~, ~~laticollis~~.

Cryptobia ~~helicis~~.

Cryptobius ~~coccineus~~.

Cryptobium ~~agile~~, ~~albipes~~, ~~anale~~, ~~antiquum~~, ~~assimile~~, ~~badium~~, ~~basale~~, ~~bicolor~~, ~~brevicorne~~, ~~carolinum~~, ~~curticorne~~, ~~curtum~~, ~~dispar~~, ~~erythrothorax~~, ~~fasciatum~~, ~~femorale~~, ~~filiforme~~, ~~flavipes~~, ~~fracticorne~~, ~~fulvipes~~, ~~geniculatum~~, ~~latericola~~, ~~longipenne~~, ~~maxilosum~~, ~~melanocephalum~~, ~~obscurum~~, ~~ochropus~~, ~~pallipes~~, ~~prolixum~~, ~~pulchellum~~, ~~seltum~~, ~~similepenne~~, ~~sulphuripes~~, ~~tricolor~~.

Cryptoblabe ~~rutilella~~.

Cryptoblepharis ~~lineosocellatus~~.

Cryptoblepharus ~~boutoni~~, ~~walbergi~~.

Cryptobranchus ~~diluvii testis~~, ~~primigenia~~, ~~salamandroides~~.

Cryptocampus ~~angustus~~, ~~medullarius~~, ~~mucronatus~~, ~~populi~~.

Cryptocentrum ~~lineolatum~~.

Cryptocephalus ~~abdominalis~~, ~~abietis~~, ~~acaroides~~, ~~aeneipennis~~, ~~aeneus~~, ~~aereus~~, ~~aesculi~~, ~~albicans~~, ~~albolineatus~~, ~~alni~~, ~~amatus~~, ~~amoenus~~, ~~analis~~, ~~angolensis~~, ~~anthracinus~~, ~~anticus~~, ~~apicalis~~, ~~ater~~, ~~atomarius~~, ~~aulicus~~, ~~aureolus~~, ~~australis~~, ~~axillaris~~, ~~azureus~~, ~~baeticus~~, ~~betulae~~, ~~bicolor~~, ~~bigeminus~~, ~~biguttulatus~~, ~~biguttulus~~, ~~bilineatus~~, ~~billardieri~~, ~~binominis~~, ~~bioculatus~~, ~~bipunctatus~~, ~~bisbipustulatus~~, ~~bisignatus~~, ~~bistriperunctatus~~, ~~bivittatus~~, ~~bivulneratus~~, ~~boeberi~~, ~~bohemi~~, ~~bohemici~~, ~~brunneus~~, ~~caeruleus~~, ~~canellus~~, ~~capensis~~, ~~carinthiacus~~, ~~carneolus~~, ~~castus~~, ~~celtibericus~~, ~~centrimaculatus~~, ~~chalconatus~~, ~~chlamydidiformis~~, ~~chloroticus~~, ~~cicatricosus~~, ~~cinctipeunis~~, ~~cistellus~~, ~~clathratus~~, ~~coeruleus~~, ~~concolor~~, ~~confluentus~~, ~~congener~~, ~~connexus~~, ~~consors~~, ~~conspersus~~, ~~cordiger~~, ~~coronatus~~, ~~crassus~~, ~~creticus~~, ~~cribratus~~, ~~cristatus~~, ~~crucicollis~~, ~~crux~~, ~~curvilinea~~, ~~cyanaratae~~, ~~cyanipes~~, ~~dahli~~, ~~decempunctatus~~, ~~decoratus~~, ~~decorus~~, ~~dentipes~~, ~~detritus~~, ~~digrammus~~, ~~dispersus~~, ~~distinctus~~, ~~dorsalis~~, ~~dubius~~, ~~duplicatus~~, ~~elatus~~, ~~elegantulus~~, ~~elongatus~~, ~~ensifer~~, ~~equestris~~, ~~fasciatus~~, ~~femoratus~~, ~~flavicornis~~, ~~flavimanus~~, ~~flavosmaculatus~~, ~~flexuosus~~, ~~floralis~~, ~~florentinus~~, ~~formosus~~, ~~frontalis~~, ~~fulcratus~~, ~~fulvipennis~~, ~~furcatus~~, ~~furcifrons~~, ~~gagatinus~~, ~~geminatus~~, ~~geminus~~, ~~gibbicollis~~, ~~gigas~~, ~~globicollis~~, ~~globus~~, ~~glycyrhizae~~, ~~glyphicus~~, ~~grandis~~, ~~gravidus~~, ~~grohmanni~~, ~~guerini~~, ~~guttatus~~, ~~guttula~~, ~~guttulatus~~, ~~haematodes~~, ~~halophilus~~, ~~hamatus~~, ~~hcticus~~, ~~hepaticus~~, ~~herbsti~~, ~~hirticollis~~, ~~hirtipennis~~, ~~humeralis~~, ~~ianthinus~~, ~~ilicis~~, ~~incertus~~, ~~indicus~~, ~~informis~~, ~~insertus~~, ~~interruptofasciatus~~, ~~interruptus~~, ~~jaksoni~~, ~~jucundus~~, ~~juvencus~~, ~~klugi~~, ~~kollari~~, ~~koyi~~, ~~kulibani~~, ~~laevicollis~~, ~~laevigatus~~, ~~lapponicus~~, ~~larvatus~~, ~~lateritius~~, ~~latimanus~~, ~~lativittis~~, ~~lautus~~, ~~levis~~, ~~limbatus~~, ~~lineellus~~,

maculatus, lituratus, fixus, longimanus, loreyi, lusitanicus, luteipennis, luteus, M-nigrum, macrodactylus, maculicollis, maculipes, major, maximifer, minimifrons, marginaticollis, marginellus, megalosomus, metallicus, minutissimus, minutus, modestus, monochroa, mutabilis, mystacatus, nanus, niger, nigribuccis, nigricornis, nigripennis, nigroplagiatus, nigratarsis, niveiventris, nobilis, obliquus, obsoletus, ocellatus, ochraceus, ochroloma, ochropus, octoguttatus, octopunctatus, orientalis, othonus, paganus, paganus, pallifrons, pauperculus, pectoralis, perlatus, pexicollis, picticeps, picturatus, pictus, plagiatus, poecilus, populi, pretiosus, pubescens, pulchellus, pulcher, pumilus, punctatus, punctifrons, punctipes, pustulipes, quadratus, quadriforis, quadriguttata, quadrimaculata, quadrimaculatus, quadripunctatus, quadrisignatus, quadruplex, querceti, ramburi, recurvus, regalis, repandus, rossi, rubi, rubiginosus, rubripes, rufilabris, rufimanus, rugicollis, rugosus, rusticus, salebrosus, saliens, saltator, sanguineicollis, sanguinolentus, sannio, saponatus, scabrosus, scaphularis, scutellaris, seddecimguttatus, sellatus, semicinctus, seminulum, sesquistriatus, sexguttatus, sexsignatus, sculus, signaticollis, simplex, sinuatus, smaragdinus, sparsus, spartii, speciosus, spilotus, stchukini, steveni, stigma, stramineus, strigatus, strigosus, subfasciatus, suffriani, sulphuripennis, taeniatu, tamarisci, tarsatus, tataricus, temesianus, terminatus, tessaratus, tessellatus, transversus, triangularis, trinctus, tridens, tridentatus, trifasciatus, trifurcatus, triguttatus, trinitatus, tristigma, trivittatus, undatus, unicolor, viduatus, villosulus, virens, virgatus, viridipennis, viridissimus, vittatus, vittula, wagneri, wasastjerni, wydleri, ypsilon, zonatus.

Cryptoceras dorsalis, subtuberculatus.

Cryptocerus atratus, bicolor, clypeatus, complanatus, depressus, elongatus, granulatus, haemorrhoidalis, marginatus, membranaceus, minutus, pallens, pineli, pusillus, quadriguttatus, quadrimaculatus, umbraculatus.

Cryptocheilus annulatus, quadripunctatus.

Cryptochile assimile, costatum, crassipes, decoratum, distinctum, fallax, gayi, globulum, grossa, maculatum, melanoptera, penicillatum, trilineatum, vicinum.

Cryptochiton amiculatus.

Cryptochrostis supphlcharia.

Cryptocoenia alveolata, antiqua, arduennensis, bacciformis, baugier, carantoniana, decupla, excavata, fleuri, hexaphylla, icaunensis, limbata, luciensis, neocomiensis, ornata, putealis, radisensis, renauxiana, rotula, rustica, sparsa, sublimbata, subregularis, terminaria.

Cryptoconchus porosus.

Cryptocranium laterale.

Cryptocrinites cerasus, laevis, regularis.

Cryptocrinus anapeptomenus, cerasus, clausus, jacksoui, regularis.

Cryptodon bisinuatus, flexuosa, rotundatus, verticordia.

Cryptodontes latreillianus.

Cryptodus anthracinus, paradoxus, passaloides, piceus, tasmanianus, variolosus.

Cryptogenius dentatus, miersianus, spinolae.

Cryptoglana agilis, caerulescens, conica, inflata, pigra, socialis.

Cryptoglossa bicostata.

Cryptognatha auriculata, gemellata, pudibunda.

Cryptogonus orbiculus.

Cryptohypnus bellus, bicolor, bilaeus, bimaculatus, brevipennis, canaliculatus, cinereipennis, circumscriptus, crux, curtus, depressus, dermestoides, dorsalis, figuratus, flavipes, gaudichaudi, gibbus, griseus, guttatus, hyperboreus, insignis, lacustris, lapidicola, liliputanus, littoralis, minutissimus, misellus, musculus, nocturnus, obliquatus, ochreatus, pallipes, puberulus, pulchellus, quadripustulatus, quadrisignatus, renifer, riparius, rivularius, rosi, rufescens, sabulicola, sauleyi, silaceipes, simplex, tetragraphus, triangularis, tumescens.

Cryptoicus helici.

Cryptolithodes typicus.

Cryptolithus bigsbyi, tessellatus.

Cryptolopha auricapilla, griseocapilla, poiocephalus.

Cryptomera lunularis, nemura.

- Cryptomma** multistriatum.
- Cryptomonas** acinus, curvata, cylindrica, erosa, flava, fusca, glauca, globulus, inaequalis, lenticularis, ovata, purpurea, sulcata, urceolaris, vitrea.
- Cryptomya** californica.
- Cryptonix** coronatus, dussumieri, rufus.
- Cryptonychus** porrectus.
- Cryptonymus** extenuatus, lichtensteini, panderi, parkinsoni, punctatus, rosenbergi, rudolphi, schlotheimi, schroeteri, variolaris, wahlenbergi, weissii, woerthii.
- Cryptonyx** cambayensis, ferrugineus, niger, ocellatus.
- Cryptopalpus** ornatus.
- Cryptopeza** galeata.
- Cryptophagus** abietis, acutangulus, advena, affinis, angustatus, ater, atomus, badius, baldensis, bettae, bicolor, bimaculatus, bituberculatus, brevicollis, brunneus, brunnipes, californicus, caricis, cellaris, clavatus, concolor, crenatus, crenulatus, dentatus, denticollis, denticulatus, distinguendus, dorsalis, dumetorum, elongatus, excisus, fascicularis, ferrugineus, fimetarii, flavescens, flavipennis, forstroemi, fumatus, fungorum, furcatus, fuscicornis, fuscipes, fuscus, gibberosus, glaber, globosus, globulus, guerini, hirtus, humeralis, ilicis, integer, labilis, laticollis, latus, licoperdi, maculatus, marshami, maurus, mesomelas, minutus, nigripennis, obscurus, olivacea, pallens, pallidus, parallelipipedus, patruelis, pilicornis, pilosus, plicatus, populi, pubescens, puncticollis, pusillus, quadridentatus, quadrimaculatus, rotundicollis, ruficollis, ruficornis, rufipennis, rufus, saginatus, schmidti, schoenherri, scutellatus, semi-niger, serratus, setulosus, silaceus, somacola, spargani, subdepressus, substriatus, terminatus, testaceus, tibialis, tumororum, typhae, ulicis, umbratus, umbrinus, uncinata, villosus, vini, zetterstedti.
- Cryptophasa** albacosta, irrorata, rubescens, strigata.
- Cryptophthalmus** costa, olivaceus, ruber, ventricosus.
- Cryptoplasa** pultenae.
- Cryptoplectron** erythrorhyncha, novaezelandiae.
- Cryptopleurum** atomarium, capense.
- Cryptoplus** perdis.
- Cryptopodia** angulata, dorsalis, fornicata, granulata.
- Cryptoprocta** ferox, typicus.
- Cryptops** (Col.) buccellarius, postica, quadratus, sexspinosus.
- Cryptops** (Myr.) anomalous, australis, cultratus, erythrocephalus, gabrielis, hortensis, hyalina, laevigatus, milberti, monilis, nigra, numidicus, ochraceus, pallens, punctatus, savignyi, sylvaticus.
- Cryptopus** defrancei, granosa, senegalensis.
- Cryptorhina** callaeas, leucoptera, piapiiae, poicilorhynchos, temnura, varians.
- Cryptorhopalum** cleryi, quadripunctatum.
- Cryptorhynchus** adpersus, affaber, affinis, albicollis, albifrons, albipes, albicaudatus, albonotatus, alpinus, alternans, amictus, amoenus, amplicollis, anaglypticus, anceps, antares, antiquus, apicalis, apicatus, apiculatus, arachnodes, aratus, armigerus, arnipes, arnoldi, asper, asperatus, aspericollis, aspis, atricapillus, atropos, auritarsis, austerus, australis, aversandus, axillaris, balteatus, biangularis, bi-caudatus, bicostatus, bilunaris, binotatus, bisignatus, bistrigirostris, bohemani, bombina, bonsdorffi, borraginis, brevipes, brevis, calcaratus, calidus, camelus, capistrarius, carbonarius, carinellus, carinellus, cariosus, castigatus, caudex, cavernosus, cinctellus, cingillum, circulus, clitellarius, coecus, compactus, compennis, concretus, conicollis, consobrinus, cordifer, corosus, corruscans, corticalis, costatus, costicollis, costiger, crassipes, cribricollis, crinitarsis, cristatus, crudis, cubae, cucullatus, cylindraceus, cylindricornis, cynicus, definitus, degluptus, delirus, delumbatus, delumbis, dentatus, denticollis, dentipes, denutatus, difficilis, difformis, dimidiatus, discicollis, divergens, diversus, dorsalis, dromedarius, duplicatus, echinatus, elegans, elevatus, eminens, ephippiatus, ephippiger, erinaeus, excavatus, excavatus, fasciatus, fasciculatus, fasciculifer, fasciculosus, femoralis, ferratus, fictus, flavescens, flavoscutellatus, foveatus, foveolatus, frigidus, frontalis, fuliginosus, fumatus, fumosus, funebris, fuscus, gausapatus, gelasimus, geminatus, geminus, germari, gibber, gibbosus, gibbus, globosus, granosus,

griseoescens, griseus, guadelupensis, guttifer, haemorrhoides, hebes, ~~hirtus~~, hispidus, histrio, horridus, humeralis, humilis, hypocrita, illex, illicitus, ~~illotus~~, inbellus, implexus, impluviatus, impuratus, inaequalis, indecorus, ineptus, infarctus, informis, infulatus, inglorius, insanius, insubidus, insularis, interruptus, irroratus, kunzei, lacunicollis, lapathi, lateralis, leachi, lemniscatus, lemur, lentiginosus, lepidotus, leucocephalus, leucoma, leucomelas, leucophaeus, levidipus, lineatocollis, lineola, liratus, lrimus, lithoderma, luctuosus, macropus, maculatus, mamillatus, mangiferae, marci, miles, miniatus, misellus, mitis, modestus, moestus, monachus, morbillosus, morio, muriceus, mutabilis, nebulosus, nenuphar, nigridorsis, niveifrons, nodulosus, nota, nubifer, nubilus, nudirostris, oblique fasciatus, obliquus, obsoletus, obtentus, occatus, ochraceus, ochroleucus, oculatus, operculatus, orthomastius, otiosus, palma-collis, palpebra, pardalius, pavefactus, perforatus, perinsignis, pertusus, pilipes, pilosellus, pilosus, plagiatu, plagifer, planatus, planirostris, podagrosus, pollinosus, porcatus, porculeti, porcus, porifer, porosus, porriginosus, postfasciatus, posthumus, posticalis, posticus, postularius, pudens, pumilus, pusio, quadrivittatus, querulus, quinquetuberculatus, raucus, ravus, reichei, retentus, retusus, rigidus, roboris, rotundicollis, rubiginosus, rudis, ruficornis, rugatus, rusticus, salicorniae, scabratus, scapularis, scleratus, scorpio, sellatus, semicostatus, senilis, septemtuberculatus, serius, serratus, setiferus, setiger, setosus, sexlineatus, sextuberculatus, signatus, signifer, signum, simulatus, sirius, soleatus, solidus, sordidulus, sparsipes, speculator, statua, sticticus, stigma, stipator, stipitosus, strangulatus, strictus, stultus, subnotatus, succisus, superbus, suturalis, tessellatus, teter, tirunculus, torpescus, triangularis, tribulatus, trilineatus, tristis, tuberculatus, turpiculus, umbrosus, unicolor, vacca, vacillatus, vaginalis, varicosus, variolosus, varipes, verruca, vestitus, ypsilon, zebra.

Cryptosoma (Cr.) cristata, dentalum, orientis.

Cryptosoma (Moll.) javanica.

Cryptostemma (Ar.) westernnanni.

Cryptostemma (Hem.) alienum.

Cryptostoma (Ar.) tarsale, zonalis.

Cryptostoma (Col.) spinicornis.

Cryptostoma (G.) breviculum, concava, cymba, elegans, haliotoideum, indica, leachi, maculatus, nigrum, perspectivus.

Cryptostomus leachi.

Cryptothelea macleayi.

Cryptura adpersa, caeruleoescens, fasciata, guazu, magoua, molitorius, nana, solitaria, soui, strigulosa, sylvicola, tataupa, variegata.

Crypturus cinereus, pusillus.

Crypturus (A.) atro-capillus, canus, cinereus, kleei, maculatus, maculosus, major, noctivaga, obsoletus, parvirostris, perdicarius, rufescens, serratus, sovi, strigulosus, tao, tataupa, undulatus, vermiculatus.

Crypturus (Hym.) argiolus, bidentorius, extensorius, laetatorius, sputator, sugillatorius, vespoidea.

Cryptus abbreviator, abdominalis, acarorum, adustus, aereus, affinis, agilis, albatorius, albolineatus, albovinctus, albulatorius, alternator, alvearius, amoenus, analis, anator, anatorius, andalusiacus, angelicae, annulator, annulicornis, antiquus, aphidum, apicalis, apparitorius, arenarius, ariolator, armator, armatorius, armatus, arrogans, assertorius, aterrimus, atrator, atricilla, atripes, attentorius, augustus, australis, austriacus, bellicosus, bellosus, bicingulatus, bicolor, biguttatus, bilineatus, bimaculatus, bitinctus, bivinctus, borealis, bovei, brachycentrus, brachyurus, brevitorius, brevicornis, caeruleipennis, calescens, calipterus, calumniator, cantellum, capitator, carbonator, carnifex, caudator, cestus, cinctorius, cinctus, cinerea, clavatus, coarctatus, coerulescens, cognatus, comes, complanatus, compunctor, concinnus, confector, congruus, conquisitor, constrictor, contractus, coruscator, cruentator, cruentatus, cursitans, curvator, cyanator, cyanipennis, debellator, decoratorius, dentatorius, destructorius, dianae, discitergus, dubitator, dubitorius, ductilis, edictorius, effeminatus, elegantiorius, elegantulus, elevatus, emphytorum, enervator, enodis, erythrinus, erythropus, examinatus, fasciatus, fasciipennis, femoralis, ferrugatorius,

festmans, flulidus, filigrinus, filiformis, firmator, flagitator, flavinectus, formicarius, formicatus, formiculus, formosus, fortipes, fugitivus, fulgurans, fulvicornis, funipennis, furcator, furcatus, fusator, fuscatus, fuscipennis, fuscofasciatus, fuscomarginatus, geminus, geniculatus, geniculatus, globatus, glomeratus, gracilicornis, gracilipes, gracilis, grillator, gravenhorsti, griseus, grossus, haematodus, hector, hemipterus, hortulanus, hostilis, humilis, imitatorius, impurator, inconspicuus, incubitor, indigator, infusus, insidiator, insignitorius, insinuator, instigator, intricator, intricatior, irrigator, irrorator, irroratorius, ischioleucus, italicus, klugi, lactator, lapidator, lapponicus, laticinctus, leucomelas, leucoproctus, leucopsis, leucostictus, leucostomus, leucotarsus, levallanti, liberatorius, lineator, longulus, lucidator, lugubris, macilentus, macrobatus, maculatus, maculatus, mandator, mandicator, marginatorius, marginellus, melanocephalus, melanoleneus, melanopus, melanostigma, mesoxanthus, micropterus, migrator, minator, immuator, minutus, minutus, molatorius, montanus, moschator, mutillarius, myrmeleondum, nanus, narratorius, necator, nigerimus, nigricornis, nigripes, nigrulus, nitidipennis, nivalis, notulatorius, nubeculatus, oqueus, nutatorius, obfuscator, oburgator, obscuripes, obscurus, occisor, ocellator, oculatorius, olerum, olitorius, olivieri, opioleucus, orbus, ornatus, osculatorius, ovulorum, paganus, palipes, paradoxus, parvulus, pedestris, pedicularius, pelinochaeus, pellucidator, perditor, peregrinator, perfusor, perspicillator, plurivinctus, praecatorius, praedator, praetor, profligator, proximus, pubescens, pulcarius, pullator, pullulator, punctatorius, punctatus, punctorius, pungens, pygoleucus, quadriannulatus, quadridentatus, quadriguttatus, quadrilneatus, recreator, regenerato, reluctator, restaurator, retentor, rosae, rubicans, rubicornis, rufipes, rufiventris, rufulus, ruspator, rusticator, sanguinolentus, sartor, scaber, seductor, seductorius, sedulus, segmentarius, semirutus, sericeus, serraticornis, seticornis, sexannulatus, signatorius, soccatus, socius, soror, spectator, spinatorius, spinosus, spiralis, sponsor, stenogaster, sticticus, stomatiscus, striatellus, striatus, subcinctus, subclavatus, subguttatus, subpetiolatus, sutor, sylvorum, tarsatorius, tarsoleucus, tenellus, tenuis, tibialis, tibiator, tinctorius, titillator, tormator, treinctus, tricolor, triguttatus, tripunctator, tuberculatus, tunonellae, tyrannus, umbratus, uncinatus, ustulatus, variatorius, varicolor, variegator, varius, viduatorius, villersi, vindicator, violaceipennis, volubilis, xanthomerus, xanthopus, xanthostigma, zonatus, zygaenarum.

Crystallaria partshi.

Cryxus ovalis.

Csopula murinalis.

Cteis hirta.

Ctenacanthus arcuatus, brevis, crenulatus, denticulatus, distans, heterogyrus, major, ornatus, serratulus, serrulatus, tenuistriatus.

Ctenicera affinis, cuprea, haematodes, nobilis, pectinicornis.

Ctenicerus aulicus, castaneus, eximus, kendalli, metallicus, pectinicornis, sanguinicollis, tessellatus.

Ctenidia mordelloides.

Ctenidion thoracicum.

Cteniopus bicolor, sulphurea, sulphuripes.

Ctenioscheilus goryi.

Ctenipus complanatus, fulvipes, janthinus.

Cteniscus antiquus, aurifluus, cephalotes, curtisi, gnathoxanthus, hector, lucidulus, pectoralis, phaeorrhaeus, quinquecinctus, sexcinctus, sextiluratus, succinctus, talpa, triangulatus.

Ctenistes aequinoctialis, consobrinus, dejeani, ghiliani, globulipalpus, palpalis, piceus, zimmemmanni.

Cteniza africana, graja, sicula, spinosa, venatoria.

Ctenizus sicula.

Ctenoblepharys adspersa.

Ctenocephalus barranderi.

Ctenocerus klugi.

Ctenoconcha navicula.

Ctenocrinites decadactylus.

- Ctenocrinus* *decadactylus*, typus.
- Ctenodactyla* *bicolor*, *chevrolati*, *drapiez*, *lacordairei*, *langsdorfi*, *maculata*, *obscura*, *tristis*.
- Ctenodactylus* *guudi*, *massoni*, typicus.
- Ctenodes* *decemmaculatus*, *geniculata*, *miniata*, *zonata*.
- Ctenodiscus* *polaris*, *pygmaeus*.
- Ctenodon* (P.) *cuvieri*, *erythromelas*, *fuliginosus*, *lineatus*, *rubropunctatus*, *rueppelli*.
- Ctenodon* (R.) *nigropunctatus*.
- Ctenodus* *alatus*, *asteriscus*, *cristatus*, *keyserlingi*, *lateralis*, *marginalis*, *murchisoni*, *parvulus*, *radiatus*, *robertsoni*, *serratus*, *woerthi*.
- Ctenogyna* *bicolor*.
- Ctenolabrus* *acutus*, *aurigarius*, *ceruleus*, *chogset*, *cinereus*, *flagellifer*, *iris*, *marginatus*, *rubella*, *uninotatus*.
- Ctenolepis* *cyclus*.
- Ctenomerus* *convexicollis*, *crenulatus*, *pallidulus*, *serratorius*, *varicolor*.
- Ctenomorpha* *haworthi*, *macleayi*, *marginipennis*, *spiniacollis*, *tessulata*.
- Ctenomys* *boliviensis*, *bouariensis*, *brasiliensis*, *leucodon*, *magellanicus*, *opimus*, *torquatus*.
- Ctenoncus* *atratus*, *rotundicollis*.
- Ctenonotus* *bimaculatus*, *cuvieri*, *edwardsi*, *equestris*, *ricordi*.
- Ctenonychus* *depressus*, *birsutus*, *marmoreus*, *ocbraceipennis*, *parumpunctatus*, *spbenoidalis*, *testaceus*.
- Ctenophora* *abdominalis*, *ardens*, *atrata*, *bella*, *bimaculata*, *compedita*, *consobrina*, *dorsalis*, *elegans*, *festiva*, *flaveolata*, *flavicornis*, *fuliginosa*, *fuscipennis*, *guttata*, *laeta*, *melanura*, *nigricornis*, *ornata*, *paludosa*, *parri*, *pectinicornis*, *quadrinaculata*, *ruficornis*, *semipectinata*, *taprobanes*, *variegata*, *vilis*, *vittata*, *xanthomelana*.
- Ctenophorus* *decesi*.
- Ctenophyllia* *brasiliensis*, *danae*, *fissa*, *meandrites*, *pachyphylla*, *pectinata*, *profunda*, *quadrata*.
- Ctenopoma* *multispinis*.
- Ctenops* *nobilis*.
- Ctenoptychius* *apicalis*, *crenatus*, *cuspidatus*, *dentatus*, *denticulatus*, *jurassicus*, *macrodon*, *marginalis*, *pectinatus*, *priscus*, *radicans*, *sagittatus*, *serratus*.
- Ctenopus* *abdominalis*, *melanogaster*, *sturmi*.
- Ctenosaura* *cycluroides*, *pectinata*.
- Ctenoscelis* *acanthopus*, *ater*, *dyrrachus*, *nausithous*, *tuberculatus*.
- Ctenostoma* *albofasciatum*, *bifasciatum*, *breviusculum*, *fischeri*, *forficarum*, *ichneumonaeum*, *jacquieri*, *laceratum*, *macilentum*, *metallicum*, *ornatum*, *rugosum*, *trinotatum*, *unifasciatum*.
- Ctenucha* *latreillana*.
- Ctenus* *ambiguus*, *cinnamomeus*, *concolor*, *dubius*, *ferus*, *fimbriatus*, *fuscus*, *hybernalis*, *janeirus*, *marginatus*, *oudinoti*, *punctulatus*, *rufulabris*, *rufus*, *sanguineus*, *unicolor*.
- Ctesias* *serra*.
- Ctimene* *xanthomelas*.
- Cubaris* *brunnea*, *cinerea*, *flavescens*, *limbata*, *murina*, *nigricans*.
- Cubina* *fasciata*, *orbignyi*.
- Cubinia* *darwini*.
- Cubocephalus* *fortipes*, *germari*.
- Cuboides* *vitreus*.
- Cucubalus* *cordiformis*.
- Cucuius* *biguttatus*, *fasciatus*, *fuscus*, *haematodes*, *heros*, *maxillosus*, *nigrinus*, *oblongus*, *planus*, *rufipennis*, *spinosus*, *testaceus*. *Vide et Cucujus*.
- Cucujida* *heldi*.
- Cucujus* *angustatus*, *bimaculatus*, *bisnotatus*, *capensis*, *caucasicus*, *clavipes*, *crassicornis*, *dejeani*, *duplicatus*, *fasciatus*, *ferrugineus*, *heldi*, *minimus*, *modestus*, *oblongicollis*, *planus*, *puncticollis*, *puniceus*, *pusillus*, *reflexus*, *sanguinolentus*, *siluricus*, *spartii*, *striatus*, *unifasciatus*. *Vide et Cucuius*.

Cuculla *cincta, grisea, palustris.*

Cucullaea abrupta, alata, alta, amoena, amygdalina, angusta, antiqua, antrosa, arguta, auriculifera, aviculoides, beyrichi, bipartita, brevis, cancellata, carinata, carteroni, cawdori, cenomanensis, compressuscula, concentrica, conemina, consobrina, contracta, cor, cornucliana, costellata, crassatina, cucullata, cylindrica, decussata, depressa, dilatata, elegans, elegantula, elongata, faba, fibrosa, forinosa, gabrielis, gigantea, glabra, goldfussi, gracilis, granulosa, hardingi, hemisphaerica, hirsoneensis, hoifmanni, imperialis, impressa, inaequalis, incerta, inflata, irregularis, lacordaireana, laevis, lasi, lata, lineata, longirostris, marceana, minuta, mitis, moreauana, muensteri, nana, nuculiformis, nuda, obliqua, oblonga, obscura, obtusa, orbicularis, orbignyana, ornata, ovalis, ovata, oviformis, parvula, pectinata, producta, propinqua, proxima, pusilla, raulini, requieniana, reticulata, robineauina, roemeri, rotundata, ruda*, rudis, rugosa, saratofensis, schlottheimi, schourovskii, schusteri, securis, semiradiata, signata, striatula, subcostellata, subdecussata, subdinnensis, sublaevigata, subsimilis, sulcata, tenuistria, texta, texturata, tocamensis, trapezium, trapezoides, trapezoides, triangularis, tumida, undulata, unilateralis, ventricosa, verneuilana, virgata, vulgaris.

Cucullana accipenseris.

Cucullanus abbreviatus, accipenseris, alatus, armatus, buteonis, cernuae, coronatus, elegans, foveolatus, heterochrous, hydri, intestinalis, melanocephalus, microcephalus, minutus, murinus, papillosus, percae, percae fluviatilis, percae norvegicae, platessae, solea, soleae, spari, squali-galeri, testudinis, tincae, truncatus.

Cucullea elegans, onochela, opima, sagittata, stratella, transversa, tumida.

Cucullia abrotani, absinthi, argentina, argyria, artemisiae, asteris, balsamitae, biornata, blattariae, boryphora, campanulae, caninae, cermanthae, chanomillae, chrysanthemi, cineraceae, consors, dracunculi, flammifera, fraudatrix, fuchsi, fuchsiana, gnaphali, incana, lactea, lactuae, leucaspis, literata, lucifuga, lychnitis, magnifica, mixta, pontica, praecana, prenanthis, propinqua, pustulata, rimula, santolinae, santonici, scopula, scrophulariae, scrophulariphaga, solidaginis, spectabilis, splendida, tanacetii, thapsiphaga, umbratica, verbasci, wredowi, xeranthemi.

Cucullus (Coel.) doreyanus.

Cucullus (G.) lineatus.

Cuculoides variegata.

Cuculus abyssinicus, aeneus, aeratus, aereus, aethiops, afer, albopunctulatus, albostrigatus, aureus, aurocephalus, basalis, borealis, brevipennis, bubutus, caeruleus, canoroides, carolinensis, chalcites, chalcopeplus, chlorophaeus, cineraceus, cinereus, cinerosus, clamosus, collaris, concretus, crassirostris, curvirostris, cyanocephalus, dicruroides, discolor, dumetorum, edolis, edolus, ejulans, erythrophthalma, fasciolatus, flabelliformis, fucatus, fugax, galeritus, gigas, gracilis, gularis, hemalayanus, himalayanus, incertus, inornatus, insperatus, jacobinus, javanicus, klaas, lanceolatus, lathami, lepidus, lessoni, leucolophus, levaillanti, lineatus, lineatus striatus, longipennis, longirostris, lugubris, macrourus, malayanus, melanogaster, melanognathus, melissophonus, metallicus, mexicanus, micropterus, musicus, nigricans, nigrorufus, nitens, nivicolor, optatus, osculans, palliolatus, perlatus, phasianus, phillippensis, pica, plagosus, polioaster, pravata, prionurus, pyrogaster, pyrrophanus, robustus, rubiculus, rufinus, rufipennis, rufiventer, rufulus, rutilus, sanha, saturatus, sepulchralis, simus, solitarius, sparverioideus, sumatranus, superciliosus, tatesou, teuuirostris, tolu, torquatus, tristis, tymbonomus, vagans, variegatus, variolosus, velox, venustus, versicolor, viaticus, vidua, xanthorhynchus.

Cucumaria assimilis, communis, drummondii, elongata, frondosa, fucicola, fusiformis, hyalina, hyndmanni, pentactes.

Cucupicus cafer.

Cufaea plana.

Culcita coriacea, discoides, grex, novae guineae, pentangularis, schmideliana.

Culex acer, aestuans, affinis, albifasciatus, albirostris, albo-annulatus, alternans, annulipes, annulitarsis, argyropus, australis, bicolor, bipunctatus, calcitrans, calopus, cantans, chloropterus, clipeus, cingulatus, claviger, concinnus, concolor, consobrinum, cyaneus, cyanopennis, damnosus, detritus, digitatus, domesticus, dorsalis, exultans, fasciatus, fatigans, ferox, flavipes, flavirostris, flavovirens, flavus, forinosus, fossilis, frater,

fulvus, funipennis, fuscatus, fuscus, hyemalis*, ~~impatiens~~, ~~impiger~~, ~~implanabilis~~, mexorabilis, iracundus, kounoupi, laniger, lateralis, leuconelas, lineatus, longiareolatus, longipes, luteus, maculatus, maculiventris, marginalis, meridionalis, minutus, molestus, mosquito, musicus, nemorosus, nicacensis, nigripes, nigrifolius, nigrothorax, niveus, ochripes, ornatus, pallipes, parvus, penetrans, pilipes, posticatus, provocans, punctatus, punctipennis, punctor, pungens, pusillus, quadratimaculatus, quinquecinctus, quinquefasciatus, remipes, rubidus, rubrithorax, rufus, scapularis, sicular, splendens, sticticus, stimulans, sugens, sylvaticus, taeniatum, taeniorhynchus, thoracicus, tibialis, titillans, toxorhynchus, trichopygus, triseriatus, vagans, vexans, violaceus, viridifrons, viridis.

Culicia stellata, tenella, truncata.

Culicipeta burki, poligenys.

Culicivora atricapilla, bilineata, bivittata, budyoides, caerulea, dunicola, elegans, leucogaster, mexicana, parvulus, reguloides, stenura.

Culicoides punctata.

Cultellus affinis, caribaeus, cultellatus, magnus, strigillatus.

Cultridens etueriarum.

Cultrides geoffroyi, rufipennis.

Cultripes minor.

Cultrunguis flavipes, leschenaulti, nigripes.

Cuma angulata, audouini, brevirostris, edwardsi, gayi, lucifera, nasica, rathkei, resima, sulcata, trispinosa.

Cumia decussata.

Cumingia antillarum, californica, clerii, coarctata, fragilis, lamellosa, mutica, similis, sinuosa, striata, tellinoides, trigonularis.

Cumulipora angulata.

Cunaxa setirostris.

Cuncuma leucogaster, macei, melanoleucus, vocifer.

Cuneolina conica, fleurbausa, fleurbausi, pavonia.

Cuneus costatus.

Cunicula cuneata, patula, planulata, purpurascens, purpurata, rubiginosa, secura.

Cuniculus aspalax, groenlandicus, itinerator, lemmus, torquatus, varius.

Cunina campanulata, globosa.

Cunistris cunicularia, grallaria.

Cuon dukhunensis, primaevus, sumatrensis.

Cupellaecrinites buchi, corrugatus, inflatus, laevis, magnificus, pentagonalis, rosaeformis, stellatus, striatus, verneuili.

Cupes capitata, cinerea, concolor, latreillei, leucophaeus, mucida, trilineata.

Cuphanoa humilis, nitida, stabilis.

Cuphocera ruficornis.

Cupido acis, adonis, agestis, alcon, alexis, amor, argiolus, argus, arion, battus, betulae, chryseis, chrysur, circe, corydon, damoetas, damon, eumedon, hippothoe, liger, phleas, pruni, puer, quercus, rubi, virgaureae.

Cupressocrinites abbreviatus, crassus, dubius, elongatus, gracilis, nuciformis, pentaporus, teres, tesseratus, tetragonus. *Vide et Cypressocrinites.*

Cupressocrinus calyx, elongatus, impressus, townsendi.

Cupularia muensteri, Roemer, Verst. n.-deutsch. Kreideg. 1840, 15.

Cupulita bowditch, bowdich.

Cupulites macropora.

Cupulocrinus tuberculatus.

Cupulospongia acetabulum, aptiensis, auricularis, bifrons, boletiformis, capitata, compressa, consobrina, costata, crassissima, cupuliformis, dilatata, fragilis, grandis, helvelloides, heterocostalis, irregularis, magna, mantelli, marginata, micrommata, microtrema, neocomiensis, normaniana, nummularis, obliqua, oblonga, patella, patellaris, peizoides, plana, pocillum, porosa, punctata, regularis, rimulosa, rugosa, rugosissima, santonensis, stellata, subboletiformis, subcylindrica, subpeziza, subporosa, subtenuis, tenuis, texata, townsendi, trigeris, undata.

Curculio abbreviatus, abdominalis, acanthoides, accephalus, acuminatus, acutus, adultus,

acedii, acrotruncatus, aeneo-aureus, aeneus, aeratus, albus, africanus, alauda,
 albolineatus, alismatis, alpinus, alutaceus, amarus, americanus, amictus, amputatus,
 anaglypticus, analis, aneti, anglicanus, annuliger, arcuatus, argenteus, aristatus,
 armatus, armeniacae, asellus, asper, ater, atomarius, atramentarius, atratus, atri-
 capillus, augustus, auricephalus, austriacus, avarus, barbatus, bardanae, betulae,
 betulinus, bicristatus, bidentatus, bifasciatus, bifoveolatus, biguttatus, bilineatus,
 bimaculatus, bipustulatus, bisignatus, bispinosus, bitaeniatus, bivittatus, bohemanii,
 bovinus, brachycellus, brassicae, brevirostris, brevis, brunneus, brunneus, brunonianus,
 bubalus, bucephalus, caeruleus, caeruleus, caesius, caeter, calcaratus, camelus,
 canescens, cardua, carinatus, carinula, carpinii, castaneae, castaneus, caudatus,
 chalcus, chirographus, chloroleucus, chlorostigma, chloroticus, chrysochlorus,
 chrysomela, chrysorrhoeus, cinctus, cinerascens, cinereus, cinifer, circulator, circum-
 datus, clarus, clathratus, clavatus, cnemerythrus, cnides, collaris, concinnus, connata,
 conspersus, constrictus, contractus, cordiger, corticola, costatus, crassicornis, crassus,
 crenatus, crenarius, cribrosus, croesus, cupirostris, curvatus, curvicornis, cyaneus,
 cylindricus, declivus, dentatus, depressus, didymus, diffinis, difformis, digitalis,
 dilatatus, discoideus, dives, dubius, ducalis, dulcis, ebeneus, echinatus, echinus,
 elegans, elevatus, elongatus, ephippium, equestris, eremita, erinaceus, erythroph-
 thalmus, erythropterus, exaratus, excisus, exoticus, exsertus, farinosus, fasciatus,
 felinus, ferrugineus, flabellipes, flavescens, floccosus, florilegus, foveolatus, fructuum,
 fulgens, fuliginosus, fuscicornis, fuscipes, fusco-cinereus, fuscus, gagathes, gemmatus,
 gemmellatus, gemmulatus, geniculatus, gentilis, gibbosus, giraffa, glaber, glabratus,
 glandinum, glaucus, globosus, globularis, globulus, goerzensis, gracilis, graminicola,
 griseolus, griseus, guttatus, gyllenhalii, haematocerus, haemorrhous, hancocki,
 holosericeus, horridus, humilis, hybridus, hydrolapathi, hypsigaster, immunis, incanis,
 incultus, infaustus, infernalis, inflexus, innocuus, inquilinus, interlineatus, intermedius,
 interruptus, juvenis, lacunosus, laetus, lanatus, lasius, laticollis, lemniscata, leskei,
 leucogaster, leucostigma, lignarius, ligneus, lima, limbatus, limosus, lineatus, lineola,
 lugens, luxurians, lynceus, macroceros, macularius, maculatus, maculicornis, macu-
 losus, margarita, margaritaceus, maritimus, marshamii, mastix, maurus, medius,
 melanocephalus, melanopetrus, melanorhynchus, melanostictus, melano-
 stigma, mercator, mercurialis, meyerlaei, minutus, mirabilis, mollicornus, monachus,
 mucidus, mucronatus, mus, myrmecodes, nasutus, nenuphar, nervosus, niger, nigricans,
 nigriclavus, nigricollis, nigrinus, nigrolineatus, nigrospinosus, nitens, niveus, nota,
 notatus, notonchus, novem lineatus, nucum, obesus, obscurus, obstrictus, obtusus,
 octoguttatus, octomaculatus, olyra, oniscus, opalus, orbitalis, orientalis, ornatus,
 oryzae, oxyacanthae, pallens, pallidactylus, pandura, papillaris, parapleurus, passerinus,
 pauperatus, pectoralis, perdix, peregrinus, perspicax, phaeorhynchus, piceus, pici-
 cornis, picipes, pictus, picus, pigmaeus, pilosellus, pilosulus, pilosus, pimelioides,
 piniperda, planatus, plebeius, pleuroleucus, pleurostigma, plumbeus, plumipes,
 pomonae, porcatus, porculatus, porculus, proteus, pruinosis, psittacus, ptinoides,
 puber, pubescens, pugnax, punctatus, punctum, pupillator, pyrrhoceras, pyrrho-
 dactylus, pyrrhorhynchus, quadricuspis, quadridentatus, quadrigibbus, quadri-lineatus,
 quadripunctatus, quadri-pustulatus, quadri-tuberculatus, quadrivittatus, quercus,
 quindecimpunctatus, radiolus, raphani, recurvus, religiosus, resedae, retusus, rhacu-
 sensis, rhododactylus, rhodopus, rigidus, robustus, rostratus, rostrum, rubellus, ruber,
 rubiginosus, rubricollis, rufescens, ruficlavus, ruficornis, ruficrus, rufimanus, rufipes,
 rugicollis, rugifrons, rugosus, rusticus, rutilans, sabulosus, sagittarius, sanguinicollis,
 sanguinolentus, scabricollis, scabrosus, schoenherri, sciurus, scrobiculatus, scutellum-
 album, segetis, sequeus, semicylindricus, senilis, sepicola, setosus, sexspinosus,
 sex-striatus, signatus, silenus, simo, sinus, sinuatus, smaragdulus, sorbi, sordidus,
 sparsus, spectabilis, spiacelatus, spinimanus, spinosa, spinulosus, squamiger, strami-
 neus, striatirostris, striatus, strigosus, strumosus, stygius, subclavatus, subfusus,
 subglobosus, subrotundus, subrufus, subsulcatus, tabacula, tessellata, thunbergi,
 torrida, transparentis, transversalis, triangular, tricolor, trilineatus, trimotatus, tuber-
 culatus, tuberosus, turgidus, undulatus, unicolor, uniformis, uniguttatus, urticae,
 variegatus, vastator, venustus, verrucosus, viduus, vilis, villosulus, villosus, virgaureae,
 virginalis, viridescens, vitis, ypsilon, zebrae, zonatus.

- Cyanicterus venustus*.
Cyaniris (Col.) *argentea*, *lateralis*, *thoracica*, *xanthaspis*.
Cyanistes *coeruleus*, *cyaneus*, *ultramarinus*.
Cyanocitta *armillatus*, *beachi*, *coronata*, *crassirostris*, *cristata*, *floridana*, *melanocyaneus*, *nanus*, *ornata*, *pumilo*, *sieberi*, *stelleri*, *superciliosa*, *ultramarina*, *unicolor*, *viridicyaneus*.
Cyanocorax *armillatus*, *azureus*, *beecheyi*, *caerulescens*, *californicus*, *cayanus*, *concolor*, *coronatus*, *cristatus*, *cyanocapillus*, *cyanoleucus*, *cyanomelas*, *cyanopogon*, *floridanus*, *geoffroyi*, *harrissi*, *hyacinthinus*, *luxuosus*, *melanocyaneus*, *melanogaster*, *mystacalis*, *nanus*, *ornatus*, *peruanus*, *pileatus*, *pumilo*, *sanblasianus*, *sieberi*, *stelleri*, *ultramarinus*, *unicolor*, *violaceus*, *viridicyaneus*, *yucas*.
Cyanogarrulus *coronatus*, *cristatus*, *diadematus*, *stelleri*.
Cyanoloxia *caerulea*, *cyanea*, *cyanoidea*, *glauco-coerulea*, *parellina*.
Cyanopica *cooki*, *cyaneus*, *melanocephalus*.
Cyanopolis *cooki*.
Cyanopterus (A.) *circia*, *discors*, *fretensis*, *inornatus*, *marginatus*, *rafflesi*.
Cyanoptila *cyanomelanura*.
Cyano-sylvia *suecica*.
Cyanotis *azarae*, *omnicolor*.
Cyanurus *azureus*, *bullocki*, *colliei*, *coronatus*, *cristatellus*, *cristatus*, *cubo*, *cyanopogon*, *dairi*, *erythrorhynchus*, *floridanus*, *formosus*, *pileatus*, *sordidus*, *stelleri*.
Cyathaxonia *conseptum*, *cornu*, *costata*, *mitrata*, *plicata*, *plicatum*, *siluriensis*, *spinosa*, *striata*, *tortuosa*.
Cyathelia *axillaris*.
Cyathina *aculeata*, *angulosa*, *arcuata*, *bowerbanki*, *bredae*, *clavus*, *cornucopiae*, *cyathus*, *cylindracea*, *cylindrica*, *debeyana*, *firma*, *flexuosa*, *guadulpenis*, *konincki*, *laevigata*, *multicoostata*, *pedemontana*, *pezita*, *pseudoturbinolia*, *pulchella*, *pusilla*, *salinaria*, *smithi*, *striata*, *teres*, *turbinata*, *vertebrata*.
Cyathocrinites *abbreviatus*, *capillaris*, *conglobatus*, *corolliferus*, *corrugatus*, *crateriformis*, *decaphyllus*, *depressus*, *dubius*, *echinatus*, *geometricus*, *globosus*, *goniodactylus*, *gracilis*, *inflatus*, *macrostylus*, *penniger*, *pentagonus*, *pinnatus*, *planus*, *pulcher*, *pyriformis*, *quingularis*, *robustus*, *roemeri*, *rugosus*, *scrobiculatus*, *sculptus*, *sphaericus*, *stellatus*, *tennesseae*, *teres*, *tiaraeformis*, *tricarinitus*, *tuberculatus*.
Cyathocrinus *bursa*, *calcaratus*, *caryocrinoides*, *conicus*, *cornutus*, *distans*, *distortus*, *ellipticus*, *geometricus*, *goniodactylus*, *gracilis*, *granulatus*, *inaequidactylus*, *iowensis*, *macroactylus*, *mammillaris*, *megastylus*, *nodulosus*, *ornatissimus*, *ornatus*, *ramosus*, *variabilis*. *Vide et Cyatocrinus*.
Cyathodera *longicornis*.
Cyathodonta *undulata*.
Cyathophora *elegans*, *richardi*.
Cyathophyllum *aequabilis*, *agglomeratum*, *ammonis*, *ananas*, *angustum*, *arborescens*, *arietinum*, *articulatum*, *astraea*, *atlas*, *attenuatum*, *basaltiforme*, *caespitosum*, *caliculare*, *celticum*, *ceratites*, *complanatum*, *compositum*, *confluens*, *conicum*, *conseptum*, *corinthium*, *corniculum*, *crenulare*, *decussatum*, *dianthoides*, *dianthus*, *dilatatum*, *discus*, *distinctum*, *distortus*, *eiffeliense*, *excentricum*, *expansum*, *explanatum*, *fasciculus*, *flexuosum*, *fungites*, *galea*, *goldfussi*, *goliath*, *gracile*, *granulatum*, *helianthoides*, *hennahi*, *hexagonum*, *hisingeri*, *hypocrateriforme*, *ibicinum*, *kochi*, *lamellosum*, *leichardti*, *lituoides*, *macetra*, *marginatum*, *melcheli*, *mitratum*, *multiplex*, *multiplicatum*, *obsoletum*, *ocellatum*, *orbignyi*, *papillatum*, *paracida*, *patellatum*, *pauciradiatum*, *pentagonum*, *petiolatum*, *placentiforme*, *plicata*, *plicatum*, *primaevum*, *priscum*, *profundum*, *pseudovermiculare*, *pustulatum*, *pyriforme*, *quadriginum*, *radiatum*, *radicans*, *radiciforme*, *ramosum*, *regium*, *rollini*, *rude*, *semistriatum*, *stellare*, *striatum*, *strombodes*, *subdianthus*, *subturbinatum*, *tenuicostatum*, *tintinabulum*, *triasinum*, *truncatum*, *turbinatum*, *undulatum*, *vermiculare*, *vermiculosum*, *vesiculosum*, *vicinum*.
Cyathopora *iowensis*.
Cyathopsis *cornu-bovis*.
Cyathoseris *infundibuliformis*.
Cyathostoma *lari*.

Cyatocrinus clathratus. *Vide et Cyathocrinus.*

Cybdelis anna, ethusa, hyperipte, mnasylus, monima, mygdalia, pastlama, pharsilia, sophronia, sydonia.

Cybebus bistigma, rufipennis.

Cybele bellatula, punctata, sexcostata, variolaris, velata, verrucosa.

Cybister aeneus, africanus, bengalensis, binaculatus, binotatus, bisignatus, biungulatus, bivulnerus, brevis, buqueti, chaudiroi, comptus, confinis, costalis, cyanicollis, dehaani, dejeani, desjardinsi, dissimilis, fallax, flavocinctus, giganteus, goryi, gotschli, guerini, hookeri, immarginatus, indicus, insularis, insulicola, javanus, laevigatus, lateralis, latiusculus, leionotus, limbatus, madagascariensis, marginicollis, notassicus, occidentalis, ornaticollis, owas, patruelis, pauperculus, philippinarum, posticus, prosternoviridis, pulchellus, reichei, robustus, roeseli, schoenherri, scutellaris, senegalensis, severus, specularis, sugillatus, temmincki, thoracicus, tripunctatus, vulneratus.

Cybum acervum, bonapartei, caballa, cavalla, chinense, clupeoideum, commersoni, croockewiti, flavobrunneum, guttatum, immaculatum, interruptum, kuhli, lineolatum, macropomum, maculatum, mertensi, niphonium, partschi, regale, sara, solandri, speciosum, tenue, tritor.

Cybocephalus chlorocephalus, exiguus, festivus, gibbulus, politus, pulchellus, unicolor.

Cybosia eborina, mesomella.

Cychla fasciata, flavo-maculata, labrina, monoculus, nigro-maculata, rubro-ocellata, rutilans, trifasciata.

Cychramus adustus, ater, ferrugineus, fungicola, laticollis, quadripunctatus.

Cychreus truncatus.

Cychrus aeneus, alutaceus, andrewsi, angulatus, angustatus, angusticollis, bilobus, bovelinii, canaliculi*, cordicollis, cristatus, debilis, elevatus, elongatus, granulatus, intermedius, interruptus, italicus, leonardi, marginatus, mellyi, proboscideus, prynaeus, pygmaeus, reflexus, reticulatus, rotundicollis, rutilans, schmidtii, semigranosus, signatus, stenotomus, striatopunctatus, subcarinatus, torulosus, tuberculatus, unicolor, velutinus, ventrosus, viduus.

Cycladina adansonii, clandestina.

Cycladites corneus.

Cyclarhis guianensis, melanocephalus, ochrocephalus, poliocephala, virgatus.

Cyclaris flaviventris, nigrirostris.

Cyclarthrus macropterus.

Cyclas (Col.) angustatus, formicarius, longirostris.

Cyclas (L.) acuta, aequata*, affinis, alpina, amnica, angulata, angustidens, antiqua, appendiculata, aquaesextiae, aquensis, argentina, australis, bahiensis, borealis, brongniarti, brongniartina, brunneus, buchi, caliculata, capensis, carinata, caroliniana, chilensis, chinensis, cinerea, citrina, concentrica, concinna, coquandiana, cornea, crassa, creplini, cuneata, cuneiformis, cycladiformis, denainvilliersi, dentata, deperdita, depressa, dubia, duplicata, edentula, egregia, elegans, elevata, elongata, equalis, erebea, euphratica, exigua, faba, fasciata, ferruginea, flavescens, fluminea, fluviatilis, fontainei, fontinalis, foveolata, fuscata, galloprovincialis, gardanensis, gargasensis, gibba, gibbosa, globus, gravesi, henslowiana, intermedia, islandica, jugleri, lacustris, laevigata, lasmampsis, lenticularis, maculata, maiuscula, major, matheroni, medius, membranacea, minima, minor, multidentata, nepeanensis, nitida, nucleus, nummis-malis, obliqua, obovata, obtusalis, oepfungensis, orbicularis, ovalis, palustris, parnensis, partumeia, parva, patella, perpusilla, pisum, praeovata, prisca, proserpina, pulchella, pulcher, pusilla, pusillus, pustula, pygmaea, radiata, rhomboida, rhomboidalis, rillyensis, rivalis, rivicola, rouyana, rugosa, ryckholti, sarratoga, scaldiana, sebetia, semen, similis, sirena, solida, solidula, stagnicola, staminea, steenbuchi, steini, striatina, subdeperdita, subdepressa, subglobosa, sublaevigata, sublaevis, suborbicularis, subquadrata, subtrigona, sulcata, tellinella, tenera, terveriana, transversa, triangularis, triangularis, trigona, truncata, tuberculata, tumida, umbonata, unguiformis, unioniformis, ustertensis, vapincana, variegata, veatleyi, verneuili, violacea, vitrea, zeylanica.

Cyclemis minutissima, olivacea.

Cyclemys *affinitata*.

Cycleptus *ingrescens*.

Cyclidium *abscissum*, *aduncum*, *albicans*, *aviculare*, *bifrons*, *bifurcatum*, *bilobum*, *bissectum*, *bullatum*, *candidum*, *carinatum*, *caudiculatum*, *cercarioideum*, *rhama*, *cicloides*, *conicum*, *conjugatum*, *costatum*, *crassum*, *crenatum*, *cuscutatum*, *cultratum*, *dimidiatum*, *distortum*, *dolicoideum*, *duplum*, *emarginatum*, *eucheloides*, *falcatum*, *fasciolatum*, *fuliginosum*, *funereum*, *fungoideum*, *geminum*, *gibbosum*, *glaucum*, *granulosum*, *gyrines*, *heteroclitum*, *inane*, *lendiforme*, *ligatulum*, *limbatum*, *lobatulum*, *luctuosum*, *lutescens*, *maculatum*, *malleolus*, *margaritaceum*, *marginatum*, *mutabilis*, *mytilces*, *nasutum*, *nebulosum*, *nodulosum*, *notatum*, *obtusum*, *ocellatum*, *olivaceum*, *ornatum*, *pentagonum*, *personatum*, *phiaenum*, *planum*, *podura*, *praemorsum*, *pullastrum*, *punctatum*, *pupula*, *quadripunctatum*, *reniforme*, *retortum*, *retusum*, *romboides*, *saliens*, *scintillans*, *scutiforme*, *serratum*, *striatum*, *strumosum*, *succisum*, *sulcatum*, *tridens*, *truncatum*, *verrucosum*, *vesicarum*, *vesiculatum*, *vittatum*.

Cyclidius *axillaris*, *elongatus*, *nero*.

Cyclina *chinensis*.

Cyclinus *assimilis*.

Cycliscus *caecicollis*, *flavulus*, *plicollis*, *rugicollis*, *vulneratus*.

Cyclobatis *oligodactylus*.

Cyclocantha *calcar*, *stellaris*.

Cyclocarcinus *pinnotheroides*.

Cyclocephala *atricapilla*, *barbata*, *bicolor*, *bislitirata*, *brevis*, *castanea*, *cerea*, *clypeata*, *collaris*, *complanata*, *concolor*, *confinis*, *cribrata*, *diluta*, *discolor*, *distincta*, *dorsalis*, *dubia*, *emarginata*, *erythrodera*, *ferruginea*, *figurata*, *frontalis*, *fulgurata*, *fuliginea*, *fulvipennis*, *gemmata*, *gracilis*, *histrionica*, *humeralis*, *immaculata*, *insularis*, *laminata*, *latipes*, *literata*, *longicollis*, *lucida*, *lunulata*, *macrophylla*, *maculata*, *mafafa*, *melanocephala*, *minuta*, *modesta*, *nigricollis*, *nigrocephala*, *notata*, *nubeculosa*, *obesa*, *ocellata*, *octopunctata*, *pellens*, *pelioptera*, *picta*, *pubescens*, *putrida*, *quattuordecimpunctata*, *quercina*, *rubicunda*, *ruginosa*, *rufanigra*, *ruficollis*, *rugipennis*, *rustica*, *sanguinicollis*, *scarabaeoides*, *scarabaeus*, *setosa*, *sexnotata*, *sempunctata*, *signata*, *signaticollis*, *spilopyga*, *stictica*, *stolata*, *subsignata*, *testacea*, *tetrica*, *tridentata*, *tutillina*, *undata*, *ustulata*, *valida*, *variabilis*, *varians*, *variolosa*, *ventralis*, *verticalis*, *villosa*, *villosula*.

Cyclocephalus *geminata*.

Cycloceras *annulare*, *laevigatum*, *lineolatum*.

Cyclochila *australasiae*, *honestae*.

Cyclocirra *thompsoni*.

Cyclocoenia *explanata*, *monticularia*, *rustica*.

Cycloconus *catulloi*, *strangulatus*.

Cyclocotyla *bellones*, *lanceolata*.

Cyclocrinites *spaski*.

Cyclocrinus *annularis*, *precatorius*, *rugosus*.

Cyclocyathus *fittoni*.

Cyclodera *quadrinotata*.

Cycloderes *catarrhactus*, *robiniae*.

Cyclodomorphus *casuarinae*.

Cyclodontina *brasiliensis*, *canistrum*, *cassida*, *draparnaldi*, *guarani*, *gumeensis*, *listeri*, *ovularis*, *patagonica*, *pupoides*, *soverbyana*, *striata*.

Cyclodus *boddaerti*, *casuarinae*, *flavicularis*, *gigas*, *nigrolutens*, *seimoides*.

Cycloes *granulosa*.

Cyclogaster (Dipt.) *atratus*, *villosus*.

Cyclogaster (Hem.) *pallidus*.

Cyclogasterus *gelatinosus*, *lineatus*.

Cycloglena *elegans*, *lupus*.

Cyclogramma *rubens*.

Cyclograpsus *audouini*, *crenulatus*, *gaimardi*, *integer*, *latreillei*, *marmoratus*, *octodentatus*, *punctatus*, *quadridentatus*, *sexdentatus*.

- Cyclogyra** granulata, multiplex.
- Cyclolina** cretacea.
- Cyclolites** alacea, andrianensis, borsonis, cancellata, carcarenensis, corbieriacae, ~~cretata~~,
cupularia, deformis, elliptica, eudesia, gigantea, haueriana, hemisphaerica, ~~lenticularis~~,
lenticulata, numismalis, nummulitoides, orbitolites, porpita, praeacuta, radiata,
rugosa, semiglobosa, semiradiata, trochoides, variolata.
- Cyclolithes** agaricoides, clathratus, complanatus, coronula, excavatus, heteroclitus,
lenticularis, mactra, numismalis, paunotensis, polymorphus, praecox, semilunatus,
stelliferus, titiculus.
- Cyclolithus** orbulites, umbilicatus.
- Cycloloba** septemguttata.
- Cyclomorphus** beauvoisi, bisbimaculatus, bomplandi, globosus, humboldti, infaustus,
inflatus, maeander, octopunctatus, quadriplagiatus, tumidus.
- Cyclomus** boops, coronatus, eminulus, inquinatus, languidus, lanugipes, simus.
- Cyclonassa** neritea.
- Cyclonotum** abdominale, americanum, capense, cayannum, dalmatinum, exstriatus,
flavicorne, globulosum, hispanicum, orbiculare, picicorne, striato-punctatum, sub-
cupreum, sublevigatum, subquadratum, subrotundum.
- Cyclope** donovania, neriteum, neritoidea, pellucidus.
- Cyclopelta** obscura.
- Cyclophora** albicinctata, ocellaria, omicronaria, orbicularia, pendularia, punctaria,
trilinearia.
- Cyclophorus** annulatus, cytora, parvus, volvulus.
- Cyclophthalmus** platycephalus, senior.
- Cyclophylla** bicolor, periphylla.
- Cyclophyllia** cristata.
- Cyclopides** brontes, coras, metis, paniscus, silvius, steropes.
- Cyclopis** caecutiens.
- Cyclopium** humboldti.
- Cyclopoma** gigas, spinosum.
- Cyclops (Cr.)** agilis, annulicornis, armatus, bistriatus, brachyura, brasiliensis, brevicornis,
castor, curticaudus, deutatus, denticulata, depressus, eornis, exiliens, furcatus,
geoffroyi, inermis, johnstoni, laticauda, longicornis, longispina, lucidulus, macleayi,
marinus, marsiglii, miles, mulleri, naviculus, obsecornis, obsoletus, obtusicauda,
phaleratus, pictus, planicornis, polypus, pubescens, pulchellus, rostratus, serratus,
setosa, signatus, similis, staphylinus, stromi, vitiensis, vulgaris.
- Cyclops (G.)** asterizans.
- Cyclopsina** arietis, castor, rivillii, slabberi.
- Cyclopsine** alpestris.
- Cyclopterus** bimaculatus, bispinosus, caeruleus, callyodon, cornubicus, coronatus, liparis,
liparoides, littoreus, minutus, montagui, musculus, ocellatus, pinnulatus, pyramidatus,
spatula, stelleri.
- Cyclopus** tereticollis.
- Cyclopyge** marginata, megacephala, pachycephala.
- Cyclora** minuta.
- Cycloramphus** fuliginosus, marmoratus.
- Cyclorhis** flaviventris, guianensis, nigrirostris, ochrocephalus, viridis.
- Cyclorhynchus (A.)** brevirostris, flaviventer, olivaceus, sulphurescens.
- Cyclorhynchus (Cr.)** planirostris.
- Cyclorhynchus (Dipt.)** testaceus.
- Cyclorites** turbinolia.
- Cyclosaurus** orbicularis.
- Cycloseris** cycloites.
- Cyclosia** aletta, panthona.
- Cyclosmilia** atlantica, centralis, elongata, faujasi, gravesi, rude.
- Cyclosomus** buqueti, equestris, flexuosus.
- Cyclostoma** abbreviata, abellei, achatinum, aculeosum, acuminatum, acutimarginatum,
acutum, affine, affinis, albicans, album, altum, alutaceum, amabile, amandum,

ambigua, ambrinum, ~~ambrinum~~, anatinum, angulifera, angulatum, anomalum, antillarum, aplustre, ~~aquidula~~, aquilum, armatum, arnoudi, arthuri, articulata, asperulum, asperum, astierianum, atramentarium, atricapillum, auberiana, augustae, aurantiacum, aurantium, auriculare, auriculata, auritum, aurora, australe, avena, badium, banksianum, beharicum, bialozurkense, bicarinatum, bicinctum, bifasciatum, bilabiata, bilabiatum, bilabre, binneyanum, bistriatus, bisulcatum, bituberculatum, blanchetianum, blandianum, bonellii, brachyotis, brardianum, brasiliense, breve, brongniardianum, bronni, bulimoides, calcareum, campanulatum, canaliferum, canariense, cancellata, caudeana, candidum, carinata, cariniferum, carinulatum, carneum, castaneum, castolata, catenatum, cattaroense, ceylanicum, charpentieri, chemnitzii, chittyi, chlorostoma, ciliatum, ciliferum, cincinnatiensis, cincinnus, cinctum, cinerascens, cingulatum, citrinum, clathra, clathratula, clathratulum, clausum, coloratum, columna, compressum, concentricum, concinnum, conoidea, conspersum, conspurcatum, coniectum, contracta, contractum, copanense, coquandi, corniculum, cornu pastoris, cornu venatorium, corrugatum, costatum, costulatum, crassatum, crassilabra, crassiusculum, crassum, crenata, crenella, crenulatum, crenulosum, creplini, crocea, croceum, cumingi, cuvieriana, cylindricum, cytora, decussata, decussatulum, decussatum, delareana, delicatum, deliciosum, delphinus, delta, dentata, depressum, deshayesianus, diatretum, discoideum, disjuncta, disjunctum, dissectum, distinctum, distomella, dolium, dominicense, draparnaudi, dubium, duchasteli, duffianum, duisabonis, dunalianum, dutertreana, elegans, elegantilites, elongata, elongatum, erosa, exaratum, excavatum, excisilabrum, exiguum, eximium, fascia, fasciata, fasciatum, fasciolatum, fecundum, ferruginea, fubla, fimbriata, fimbriatulum, fissilabrum, flammatum, davidum, flavula, flavum, flexilabrum, foliaceum, formosum, fulvescens, fulvum, fuscolineatum, fuscum, garrelli, gervaisianum, gibbum, giganteum, gironnieri, glabrum, glaucum, goniostoma, goudotianum, gracile, granosum, granulosa, gratum, grayanum, grayi, gregarium, griffithianum, gruneri, guayaquilense, guillami, guimarasense, haemastoma, hanleyi, harveyanum, heliciformis, helicinaeformis, helicinum, helicoide, helicoides, hieroglyphicum, hillianum, hoemastoma, humphreysianum, hyacinthinum, ictericum, ignilabre, immaculatum, impurum, inca, incomptum, inconspicuum, indicum, inflata, insigne, intermedium, interrupta, involvulus, irroratum, itieri, jamaicense, jayanum, jugosum, koehlinianum, labellum, laeoe, labiosum, laeve, laevigatum, laevisimum, lamellosum, lapidaria, largillierti, latilabris, laxatum, lemani, leonhardi, lepidum, lespesianum, leucostoma, licina, ligata, ligatula, ligatum, lima, limbiferum, lincina, lincinella, lineolata, lineolatum, linguatulum, linguiferum, lingulatum, listeri, lithidia, litturatum, lucidum, luelii, lutea, luteolabre, luteostoma, lutulentum, luzonicum, macrostoma, maculata, maculatum, maculicollis, maculosa, maculosum, madagasciensis, mammillaris, marginata, marginatum, maritimum, marmorea, massenae, megacheilus, megachilos, melanostoma, melitense, menkeanum, mexicanum, michaudi, microstoma, minus, minutissimum, mirabile, mirandum, modestum, moniliformis, monstrosus, moquinianum, mordax, moreleti, moribundum, moufinsi, mucronatum, multica rinata, multifasciata, multilabris, multilineata, multisulcatum, mumia, murrhinum, muticum, naticoides, newcombianum, nexum, nigrum, nitens, nitidum, niveum, uodulosum, novaehiberniae, novemcostata, obesum, obligatum, obscurum, obsoleta, obtusum, oculus-capri, opalinum, orbella, ortix, ottonis, pallescens, paludimella, panayense, papilionaceum, papua, papyraceum, paradoxum, parreyssi, partioti, parvum, patulum, pauperatum, pauperulum, pellucidum, perdis, perlucida, pernobilis, perplexum, pervetusta, petitianum, petiverianum, phaleratum, philippii, philippinarum, pictum, pileus, pisum, planatum, planorbula, planorbuloide, planorbulum, plebeium, plicatum, plicatum, poeyana, poiretianum, poltum, polysulcatum, popayana, pretrei, productum, prominula, proximum, pudica, pulchellum, pulchrius, pulchrum, pumilio, punctata, pupa, pupiforme, pupiniforme, pupoides, purum, pusillum, pygmaeum, pyrostoma, quaternata, quinquefasciatum, radiosum, rafflesi, rangi, reclusianum, redfieldianum, reticulata, reticulatum, retrorsum, reyniesianum, rissoides, rivularis, roseum, rostellatum, rotundatum, rubens, rubicundum, rude, rufescens, ruflabrum, rufulum, rugosa, rugulosum, sagittiferum, sagra, salebrosum, salleanum, sapatius, sarratinum, sauliae, scabriculum, scalare, scalarinum, scalaris, scitulum, sectilabrum, semilabris,

semilundum, ~~semistriatum~~, semisulcatum, serpentinum, serrianum, ~~seriferum~~, neepar-
dianum, siamense, acutum, simile, simonianum, simulacrum, ~~simulans~~, telarium,
solidum, sowerbyi, speciosum, spectabile, spinulosum, spiracellum, spiraculum,
spiruloides, spurca, spurcum, stainforthi, stenomphalum, stenostoma, stouderi,
stramineum, straugulatum, striata, striatum, strigatum, striolatum,
subasperum, subcarinata, subcylindricum, subdiscoidem, subinvolvulus, subrugosum,
substriatum, succineum, sulcata, suturale, tamsianum, tectilabre, tenebricosum,
tenebrosus, tenellum, tentorium, tenue, tenuistriatum, terebrale, tervieriana, tessellata,
texturatum, thermalis, thysanorhapha, tiara, tigrinum, torquata, tortum, tortuosum,
touraunensis, translucidum, tricarinata, tricolor, troscheli, truncate, truncatum,
tuba, turbinatum, turbo, turriculatum, turritellata, umbilicatum, undulatum,
unicarinata, unicolor, unifasciatum, validum, vallatum, variabile, varians, variegatum,
velascoi, ventricosa, vespicolor, virgatum, virgineum, viride, vitellinum, vitrea,
vittatum, viviparum, voltzianum, volvuloides, volvulus, wilkinsoni, woodi, woodiana,
xanthocheilus, xanthostoma, zanguebaricum, zebra, zebrinum, zollingeri, zonatum,
zonulatum.

Cyclostomus consocius.

Cyclostrema angulata, cancellata, cingulifera, cobijensis, depressa, elegans, micaus, nitida,
nivea, plana, planorbula, reeviana, serpuloides, sulcata, zetlandica.

Cyclotelus laetus, nigroflamma, pruinosis, socius.

Cycloteres andouini, brullei.

Cyclotrachelus tenebricosus.

Cyclotus anguliferus, asperulus, atramentarius, brasiliensis, cingulatus, conoideus,
discoideus, distomella, exiguus, giganteus, inca, inconspicuus, dufianus, hebraeus,
jamaicensis, lineatus, mexicanus, mucronatus, orbellus, pfeiferi, plebejus, pusillus,
rupestris, semistriatus, stramineus, substriatus, suturalis, translucidus, trochiforme.

Cycloum papillosum.

Cyclous labratus, metallicus, opacus, proximus, punctulatus, unidentatus.

Cychura articulata, carinata, collei, denticulata, harlani, lophoma, macleayi, pectinata,
quinquecarinata, teres.

Cyclurus crassus, macrocephalus, minor, nemopterus, valencienuesi.

Cyclus (Cr.) brongniartianus, radialis.

Cyclus (L.) ddingoli, modioliformis, obliqua.

Cyenia budea, cunea, egena, mendica, sordida, tenera.

Cynoderus tenuatus.

Cynus (Cr.) gracilis.

Cynus (Lep.) aetolus, agis, chiton, phaleros.

Cybalisia mitraeformis, punctata.

Cydia aspidiscaua, monetulana, pomonana.

Cydianerus araneiformis, argenteus, boehmani, fischeri, mannerheimi, wahlbergi.

Cydimon lavinia, leilus, ripheus, sloaneus.

Cydispe bicolor, brevicostata, cucullus, cuppigera, densa, dimidiata, elliptica, flemingi
infundibulum, lagena, ovatus, ovum, pileus, pomiformis, quadricostata.

Cydnus abyssinicus, aeneus, aethiops, affinis, albomarginatus, albomarginellus, australis,
bicolor, biguttatus, bilineatus, brevipennis, brunneus, brunnipennis, capicola, cau-
casicus, circumcinctus, costae*, curtus, elongatus, femoralis, flavicornis, giganteus,
hispidulus, holomelas, ibericus, indicus, inflexus, insularis, intermedius, latipes,
levicollis, ligatus, lugens, maculatus, melanocephalus, mirabilis, morio, nanus,
nepalensis, niger, nigricans, nigrita, oblongus, obscurus, oleraceus, opacus, ovatus,
perlatus, piceus, picipes, pilosulus, pilosus, proximus, punctulatus, pygmaeus, rufulus,
rugifrons, sanguinellus, sanguinolentus, scarabaeoides, senegalensis, sepulchralis,
serripes, sexmaculatus, spinifrons, spinipes, subferrugineus, teter, torridus, transversus,
tristis, umbraculatus, umbrinus, varians, walthianus, zophosoides.

Cydonia circumclusa, lunata, mulleri, nilotica, propinqua, quadri-lineata, triangulifera,
vicuna, vittata.

Cydosia nobilitella.

Cygnopsis cygnoides.

Cygnus americanus, anatoides, atratus, bewicki, buccinator, canadensis, ebionis, cinereus,

- coscoroba*, *ferax*, *gibbatus*, *guineensis*, *hyperboreus*, *immabilis*, *islandicus*, *macrocephalus*, *mansuetus*, *melanoccephalus*, *melanorhinus*, *melanorhynchus*, *minor*, *moschatus*, *musculus*, *mutus*, *nigricollis*, *olus*, *pusillus*, *rufus*, *sibilis*, *sinensis*, *sylvaticus*, *xanthorhinus*.
- Cyinyris** *amboinensis*, *dioscori*, *famosus*, *indicus*, *jugularis*, *macraetensis*, *melanurus*, *nigrescens*, *nigrogaster*, *olivaceus*, *politus*, *pulchellus*, *purpuratus*, *ruficollis*, *sperata*, *splendens*, *venustus*, *violaceofrons*, *violaceus*, *viridis*, *zeylanicus*.
- Cylas** *brunneus*, *cyaneus*, *formicarius*, *laevicollis*, *puncticollis*, *turcicennis*.
- Cylichna** *acuminata*, *alba*, *conulus*, *cylindracea*, *inammillata*, *notula*, *obtusa*, *strigella*, *truncata*, *umbilicata*.
- Cylichnus** *pilosulus*.
- Cylicopora** *fasciculata*.
- Cylicosmia** *altavillensis*.
- Cylidria** *femorata*.
- Cylidrus** *abdominalis*, *agilis*, *albifasciatus*, *balteatus*, *coeruleus*, *cyaneus*, *fasciatus*, *nigrinus*.
- Cyligramma** *joa*, *latona*.
- Cylinder** *textile*.
- Cylindera** *argentata*, *germanica*, *pallida*.
- Cylindra** (Col.) *bimaculata*, *platypus*.
- Cylindra** (G.) *coronata*.
- Cylindraspis** *latispinosa*, *macroplithalmus*.
- Cylindrella** *aculeus*, *acus*, *agrestiana*, *alabastrina*, *alba*, *ambigua*, *antiperversa*, *asper*, *aspera*, *angustae*, *beardsleana*, *binneyana*, *brevis*, *chemnitziana*, *cinerea*, *collaris*, *columna*, *concisa*, *costata*, *costulata*, *costulosa*, *crispula*, *cuningi*, *emingiana*, *cylindrus*, *decollata*, *dominicensis*, *dunkeri*, *dunkeriana*, *elegans*, *elongata*, *fasciata*, *fistularis*, *goldfussi*, *gossei*, *gracilicollis*, *gracilis*, *gravesi*, *greyana*, *gruneri*, *hanleyana*, *hollandi*, *humboldti*, *humilis*, *hyalina*, *hydeana*, *inornata*, *jejuna*, *lata*, *laterradii*, *lavalleana*, *leucopleura*, *liebmanni*, *maugeri*, *monilifera*, *montana*, *morini*, *pallida*, *perplicata*, *pettitiana*, *petivariana*, *pfeifferi*, *philippiana*, *pilocerei*, *pontifica*, *porrecta*, *procera*, *pruinosa*, *pupaeformis*, *pusilla*, *pygmaea*, *recticosta*, *roemeri*, *rosea*, *salleana*, *sanguinea*, *seminuda*, *sericea*, *similis*, *simplex*, *soverbyana*, *speciosa*, *subtilis*, *subula*, *tenella*, *tenera*, *teres*, *tomacella*, *torquata*, *torticollis*, *tricolor*, *variegata*, *volubilis*.
- Cylindricodon** *jaegeri*.
- Cylindrina** *decollata*.
- Cylindrinotus** *gibbicollis*, *lugubris*, *umbrinus*.
- Cylindripora** *serpuloides*.
- Cylindrites** *attenuatus*, *bulbiformis*, *gradus*, *mamillaris*, *tabulatus*.
- Cylindrocercus** *axillaris*, *azureus*, *colon*, *comua*, *crocopelmus*, *cyaneus*, *flabellitarsis*, *imus*, *maculatus*, *signum*, *snaragdinus*.
- Cylindrocorynus** *dentipes*, *imaginaris*, *stellaris*.
- Cylindroderus** *corrigiolatus*.
- Cylindrodes** *campbelli*, *utriculum*.
- Cylindroides** *campbelli*.
- Cylindromyia** *brassicaria*.
- Cylindronotus** *aeneum*, *cursorum*.
- Cylindrophis** *maculata*, *melanotus*, *resplendens*, *rufus*.
- Cylindrophora** *bella*, *coninna*.
- Cylindrosoma** *longicauda*.
- Cylindrostoma** *caudatum*, *dubium*.
- Cylindrothorus** *pilosus*.
- Cylindrotoma** *acrostacta*, *brevicornis*, *distinctissima*, *erythrocephala*, *longicornis*, *longipes*, *macrocera*, *macroptera*, *nigriventris*, *ruficornis*, *succini*.
- Cylindrus** *obtus*, *vescoi*.
- Cylistus** *cylindricus*, *variabilis*.
- Cyllecoris** *triguttatus*.
- Cyllene** (Col.) *spinifera*.
- Cyllene** (G.) *lugubris*, *oweni*, *pulchella*.
- Cyllenia** *aberrans*, *aegiale*, *afra*, *longirostris*, *maculata*, *marginata*, *obsoleta*.

- Cyllidium** *semitaeni*.
Cyllo *amabilis*, *betsimena*, *constantia*, *europa*, *leda*, *sepulta*.
Cylloceria *caligata*, *caligator*, *marginator*, *nigra*.
Cyllocoris *agilis*, *caricis*, *collaris*, *flavomaculatus*, *leucophaeus*.
Cyllodes *ater*, *bicolor*, *collaris*, *lateritius*, *mandibularis*.
Cylloepus *araneolus*.
Cyllopodia *cavata*.
Cyllorhamphus *tuberosus*.
Cylloscelis *ellipticus*.
Cylydrorhinus *angulatus*, *leinniscatus*, *tessellatus*.
Cymadocea *armata*.
Cymadusa *filosus*.
Cymatium *annulatum*, *capitellum*, *craticulatum*, *polygonium*, *transversatum*.
Cymatodera *angustata*, *bicolor*, *brunnea*, *cingulata*, *cylindricollis*, *discoidalis*, *gayi*, *hopi*, *ibidioides*, *inornata*, *laeta*, *longicollis*, *longicornis*, *modesta*, *pallidipennis*, *pulchella*, *tenera*, *undata*, *undulata*.
Cymatogramma *echenus*.
Cymatophora *ambusta*, *approximaria*, *bipuncta*, *congener*, *diluta*, *flavicornis*, *fluctuosa*, *lutea*, *octogesima*, *oo*, *or*, *retusa*, *roboraria*, *ruficollis*, *saliceti*, *scoriacea*, *subtusa*, *umbrosaria*, *ustula*, *xanthoceros*.
Cymatothes *coarctatus*, *opacus*, *unicolor*.
Cymba (Coel.) *cuboides*, *enneagonum*, *sagittata*, *truncata*.
Cymba (G.) *gracilis*, *neptuni*, *olla*, *patula*, *porcina*, *rubiginosa*, *tritonis*.
Cymbicides *laevigata*.
Cymbidus *versicolor*.
Cymbilaimus *lineatus*.
Cymbiola *ancilla*, *braziliiana*, *braziliensis*, *festiva*, *fusus*, *gracilis*, *lugubris*, *magellanica*, *mitis*, *nivosa*, *pacifica*, *tuberculata*, *vespertilio*.
Cymbirhynchus *macrorhynchus*, *nasutus*.
Cymbium *aethiopica*, *armatum*, *bandatum*, *broderipi*, *cisium*, *diadema*, *ducale*, *flavomaculatum*, *indicum*, *lamarecki*, *melo*, *miltonis*, *nauticum*, *neptuni*, *olla*, *papillatum*, *porcinum*, *proboscidalis*, *purpureum*, *spinosum*, *unicolor*, *variegatum*.
Cymbops *cochlearia*.
Cymbulia *norfolkensis*, *obtusa*, *ovata*, *parva*, *peroni*, *peroniana*, *proboscidea*, *punctata*, *radiata*.
Cymidis *basalis*, *picipes*.
Cymindes *leucopygus*.
Cymindis (A.) *albus*, *baccha*, *buteonides*, *cayennensis*, *coronatus*, *culicoides*, *bamatus*, *uncinnatus*, *wilsoni*.
Cymindis (Col.) *accentifera*, *adusti*, *aenea*, *affinis*, *albidus*, *alternans*, *americana*, *amoena*, *andreae*, *angularis*, *apicalis*, *atrata*, *australis*, *axillaris*, *basalis*, *binotata*, *bisignata*, *bivittata*, *boetica*, *boysi*, *bufo*, *castanea*, *cbevolati*, *cincta*, *cingulata*, *coadunata*, *collaris*, *complanata*, *cordata*, *cremata*, *crenata*, *cribricollis*, *cruciata*, *curtula*, *decora*, *deplanata*, *dieffenbachii*, *dilaticollis*, *discoidea*, *dorsalis*, *elegans*, *elongata*, *equestris*, *etrusca*, *faldermanni*, *famini*, *fascipennis*, *figurata*, *flavomarginata*, *fusca*, *fusula*, *gaubili*, *gracilis*, *guadelupensis*, *guerini*, *homagrica*, *humeralis*, *hybrida*, *immaculata*, *imperialis*, *indica*, *inquinata*, *intricata*, *karelini*, *lateralis*, *laticollis*, *lepada*, *leucophthalma*, *levistriata*, *limbata*, *lineata*, *lineella*, *lucidula*, *lunaris*, *macularis*, *maculata*, *mannerheimi*, *marginalis*, *marginata*, *marginatus*, *marginella*, *marmorae*, *mauritanica*, *melanocephala*, *meridionalis*, *miliaris*, *monochroa*, *morio*, *neglecta*, *nigrita*, *obsoleta*, *obtusicollis*, *omagrica*, *oniades*, *onycbina*, *ornata*, *pallia*, *pallidipes*, *pallipes*, *parallela*, *picta*, *pilosa*, *pilosus*, *platicollis*, *postica*, *pubescens*, *pulchella*, *punctata*, *purpureus*, *pusilla*, *pustulata*, *quadrimaculata*, *quadripunctata*, *quadrisignata*, *reflexa*, *repanda*, *rivularis*, *rufescens*, *ruficollis*, *rufipes*, *sabulosa*, *scapularis*, *sellata*, *semi-vittata*, *serie-punctata*, *servillei*, *setipennis*, *signata*, *silbermanni*, *simplex*, *sinuatus*, *spencei*, *strangulata*, *sulcata*, *suturalis*, *tessellata*, *tricolor*, *truncata*, *tutelina*, *unicolor*, *vaporarium*, *variegata*, *variolosa*, *venator*, *viridicollis*, *viridipennis*, *viridis*, *vittata*.
Cymindoidea *bisignata*.

- Cymodema** *tabida*.
Cymodoce *truncata*.
Cymodocea (Coel.) *annulata*, *caespitosa*, *comata*, *diaphana*, *emarginata*, *lamarcki*, *lesueuri*, *ramosa*, *simplex*, *versicolor*, *viridis*.
Cymodocea (Cr.) *biloba*, *maculata*, *montagui*, *pilosa*, *ruber*, *spinosa*.
Cymophorus *undatus*.
Cymopolia (Cr.) *caroni*, *jukesi*.
Cymopolia (Plantae) *barbata*, *rosarum*.
Cymosaria *lacinata*.
Cymospira *bicornis*, *gigantea*, *stellata*.
Cymothoa *aegoides*, *albicornis*, *approximans*, *audouini*, *banksi*, *bivittata*, *blainvillei*, *bopyroides*, *brongniarti*, *contracta*, *danmoniensis*, *desmaresti*, *directa*, *dufresnei*, *emarginata*, *excisa*, *frontale*, *gaudichaudi*, *gibbosa*, *ichtiola*, *immersa*, *impressa*, *lamarcki*, *lanceolata*, *laticauda*, *leschenaulti*, *mathieui*, *montagni*, *navicularia*, *nigropunctata*, *oculata*, *oestroides*, *olivacea*, *ovalis*, *pallida*, *parallela*, *praegustator*, *ricinoides*, *rissoana*, *rosacea*, *trigonocephalus*, *triloba*.
Cymothoe *aconthea*, *althea*, *amphicece*, *brachyura*, *elongata*, *gonura*, *vittata*.
Cymricides *laevigata*.
Cymura *splendida*.
Cymus *baeticus*, *binotatus*, *clavicularius*, *dipus*, *ericae*, *glandicolor*, *halophilus*, *helveticus*, *hyrcanicus*, *origani*, *petiolatus*, *resedae*, *saturejae*.
Cynaeda *dentalis*, *radiatilis*, *rupestris*.
Cynaedus *cornubicus*, *gibbus*, *luscus*, *notatus*, *tinca*, *virens*.
Cynailurus *jubata*, *minutus*.
Cynalicus *melanogaster*.
Cynalopex *chrysurus*, *corsac*, *insectivorus*, *karagan*, *kokree*, *pallidus*, *turcicus*.
Cynanthus *bifurcatus*, *forficatus*, *gouldi*, *gracilis*, *latirostris*, *lucifer*, *minimus*, *mocoa*, *victoriae*.
Cynchramus *arundinaceus*, *millaria*, *septentrionalis*, *stagnatilis*.
Cynegetis *globosa*.
Cynhyaena *picta*.
Cynichthys *flavo-purpuratus*.
Cynictis *lepturus*, *levaillanti*, *melanurus*, *ogilbyi*, *steadmanni*, *typicus*.
Cynips *abbreviator*, *abrotani*, *aceris*, *aenea*, *agama*, *anthracina*, *aptera*, *argentea*, *armata*, *attenuatus*, *autumnalis*, *axillaris*, *bicolor*, *brandti*, *brevicornis*, *calicis*, *callidoma*, *caput medusae*, *larnifex*, *chrysis*, *coccorum*, *collaris*, *confluentus*, *conifica*, *consobrina*, *corticalis*, *crassicornis*, *cultellator*, *disticha*, *divisa*, *ediogaster*, *erythrocephalus*, *eucharoides*, *fecundatrix*, *ferruginea*, *fulviceps*, *glandulae*, *globuli*, *hartigi*, *hayneana*, *hungarica*, *ichneumonis*, *insana*, *interruptrix*, *kollari*, *lateralis*, *lignicola*, *longiventris*, *lucida*, *macroptera*, *maculatus*, *megaptera*, *minuta*, *nervosa*, *nitidula*, *obscurus*, *octosporifex*, *oleae*, *oneratus*, *ostria*, *oxyacanthae*, *pallidicornis*, *papio*, *pedestris*, *petiolata*, *pilicornis*, *plumata*, *pygmaea*, *quercus-castaneae*, *quercus-radius*, *ramicornis*, *renum*, *rhocados*, *rhyzomae*, *rubi*, *rufescens*, *rufoceps*, *rufipes*, *salicis*, *seminator*, *sieboldi*, *succinea*, *thaumacera*, *tibialis*, *tiliae*, *turionum*, *urticae*, *verticillatus*, *violacea*.
Vide et Cinips.
Cynira *carinata*.
Cynisca *leucura*, *madagascariensis*.
Cynocephalus *aemulus*, *antiquorum*, *anubis*, *babouin*, *choras*, *cinereus*, *cristatus*, *cynomolgus*, *drill*, *gelada*, *grandis*, *hamadryas*, *leoninus*, *leucopheus*, *malayanus*, *mormon*, *nasutus*, *nemestrinus*, *niger*, *nigrita*, *papoides*, *penicillata*, *porcarius*, *recticaudis*, *rhesus*, *senex*, *silenus*, *sinensis*, *sinicus*, *speciosus*, *sphinx*, *superciliaris*, *sylvanus*, *sylvestris*, *thoth*, *ursinus*, *veter*, *vetulus*, *volans*, *wagleri*, *wurmbi*.
Cynodon (M.) *lacustris*, *velatus*.
Cynodon (P.) *gibbus*, *vulpinus*.
Cynodona *ceramica*.
Cynodonta *ceramica*, *cornigera*.
Cynofelis *guttata*, *jubata*.
Cynogale *barbata*, *bennetti*.

- Cynoglossa* microcephala.
Cynoglossus lingua.
Cynomya cadaverina, chrysocephala, mortuorum, oceaniae.
Cynomyia fuscipennis, violacea.
Cynomys grisea, socialis.
Cynophis bistrigatus.
Cynopithecus niger.
Cynoponticus ferox.
Cynopotamus argenteus, gibbosus, humeralis.
Cynops pyrrhogaster, subcrista.
Cynopterus affinis, brachyotis, brevicaudatus, diardi, duvaucelli, ~~harrisi~~ harrisi, marginatus, melanocephalus, titthaechellus.
Cynorhaestes aegyptius, hermani, pictus, reduvius, rhinoceros, ~~rotatus~~ rotatus, sylvaticus.
Cynorta conspersa, lagenaria.
Cynthia (Asc.) aggregata, ampulla, canopus, cinerea, claudicans, coriacea, cuvieri, depressa, dione, flemingi, gangeliou, glutinans, gregaria, grossularia, informis, limacina, mammillaris, microcosmus, momus, morus, mytiligera, pantex, papillata, pimpla, polycarpa, pomaria, pupa, quadrangularis, roeselia, rustica, savignyi, scrotum, solaris, tessellata, tuberosa, verrucosa.
Cynthia (Col.) damalis, dejone, hamptediensis.
Cynthia (Cr.) armata, thompsoni.
Cynthia (Lep.) allionia, arsinoe, cardui, huntera, interrogationis, jatrophae, laomedia, levana, oenone.
Cynthilia flemingi.
Cyornis banyumas, elegans, indigo, pallipes, rubecula, rubeculoides, tickelliae, unicolor.
Cyparium palliatum.
Cypcelus vauxi.
Cypellocrinites elegans.
Cypha agaricina, anisotomoides, biguttata, nigripes, parvula, rufipes.
Cyphagogus westwoodi.
Cyphaleus formosus, iopterus, rugosus.
Cyphapsis burmeisteri.
Cyphaspis barrandei, cerberus, clavifrons, depressa.
Cyphastrea bottae, microphthalmia, savignyi.
Cyphicerus novemlineatus, orbitalis, passerinus.
Cyphidium aureolum.
Cyphiscus fulvicornis.
Cyphocera decorata.
Cyphocrana angulata, beauvoisi, cornuta, empusa, gigas, jamaicensis, maculata, microptera, punctipes, titan, versifasciata, versirubra, viridana.
Cyphocrania acanthomera, herculeana.
Cyphodeirus aeneus, agilis, albinus, capucinus, gibbulus, lignorum, parvulus, pusillus.
Cyphoderia margaritacea.
Cyphoderus argentatus, cervicollis, flavus, giganteus, pulex, violaceus.
Cyphogenia aurita.
Cyphogenius pallipes.
Cypholoba alveolata.
Cyphoma (G.) birostre, faxoense, ferruginosum, ovum.
Cyphoma (Hem.) characias.
Cyphomesus ellipticus.
Cyphomorpha areata, gibba.
Cyphomyia albitarsis, auriflamma, chrysodota, claripennis, costalis, cyanea, elegans, fenestrata, inermis, leucocephala, maculata, ornata.
Cyphon africanus, angulosus, assimilis, ater, australis, bohemanni, chrysomeloides, collare, compressicornis, deflexicollis, depressus, discoidus, discolor, dorsalis, dubius, fasciatus, fuscescens, fusciceps, graciosus, griseus, immunis, laeta, limbatus, lividus, lunatum, luteo-lineatum, maculatum, maculicorne, marginata, melanurus, nigricans, nimbatus, obliquatum, obscurum, obscurus, orbicolatus, orbicularis, ovalis, padi,

pallidus, palustris, patagonicum, pubescens, pusillus, rubicollis, ruficollis, rugosus, scriptus, serrationis, sericeus, testaceus, venustus.

Cyphona fureata, geminata.

Cyphonautes compressus.

Cyphonia braccata, capra, clavata, clavigera, flava, fureata, linearis, ornata, proxima, rectispina, trinda, verrucosus.

Cyphonistes corniculatus, radiatus.

Cyphononyx ambiguus, confusus.

Cyphonota ionica, repanda, sibirica.

Cyphonotus affinis, dromadarnus, indiana, macrophyllus.

Cyphophories maculatus.

Cyphoptera ampulla.

Cyphorhinus cantans, carinatus, leucophrys, leucostictus, musicus, thoracicus, uncinatus.

Cyphorhynchus rhinoceros, scirrhosus, singularis, squalidus.

Cyphos macrodactylus.

Cyphosoma (Col.) unicolor.

Cyphosoma (Ech.) beaumonti, circumatum, corollare, cribrum, difficile, granulosum, magnificum, milleri, paucituberculatum, perfectum, propinquissimum, radiatum, regulare, rugosum, spatulifera, striatulum, subradiatum, tenuistriatum, tiara.

Cyphotes nodosa.

Cyphoxis cardites, lunula, pulla, venerina.

Cyphus acrolithus, agonista, albiceris, allostigma, alternans, araponga, argillaceus, aries, arrogans, augustus, bescki, bispinus, bituberosus, chevrolati, chlorostigma, chlorostomus, chrysis, consularis, cretaceus, cultricolis, cyanipes, flavovirens, gemmifer, gentilis, germari, gibber, gibberosus, gloriandus, hancocki, hilaris, hystricosus, illustris, inhalatus, jucundus, juvenecus, lacordairei, lacteus, lateralis, latreillei, linnei, litus, lugubris, luridus, margaritaceus, modestus, mutillaeformis, nigro-punctatus, nitidulus, niveus, nodosus, okeni, piscatorius, pistior, pudens, pulverulentus, schoenherri, seddecimpunctatus, spixi, splendidulus, squamifer, strangulatus, terribilis, tessulatus, tribulus, tuberculosus, variegatus, varnhageni, viridans.

Cypra crocipes, delicatula.

Cypraea achatina, acuminata, acutidentata, adamsoni, adusta, affinis, albella, albo-guttata, albo-punctata, albuginosa, alga, algoensis, ambigua, amygdalina, amygdalum, andegavensis, anghae, angustata, angustoma, annularia, annularis, annulata*, annulus, antiqua, aperta, arabicula, arenosa, argusculus, asellus, aurtiaca, aureola, aurora, australis, autumnalis, avellana, bandata, barcinensis, bariconensis, becki, bicallosa, bicolor, boivini, bowerbanki, brocchii, broderipi, bullaria, bullata, caerulea, caerulescens, caeruleus, californiana, californica, camelopardalis, candidula, capensis, caput anguis, carolinensis, cassidea, cervina, cervinette, chalcidonia, childreni, chrysalis, cinerea, cinnamomea, citrina, clandestina, coccinella, coccinelloides, coerulea, coluber, columbana, comua, commixta, comptoni, contaminata, contrastriata, controversa, coombi, costata, crenata, cribellum, cumingi, cunliffei, cylindrica, dactylosa, dama, decorticata, depauperata, depressa, dertonensis, deshayesi, deshayesiana, digona, diluvium, diluviana, dimidiata, dubia, duclosiana, eburnea, edentula, eglandina, elegans, elongata, erythraeensis, esontropia, europaea, exerta, exigua, eximia, exusta, fabagina, fabula, faveola, ferruginea, ferruginosa, flaveola, flavescens, flavicula, formosa, fragilis, friendi, fucicula, fusca, fusco-dentata, fusco-fasciata, gangrenosa, gaskoini, gemmosa, gemmula, genei, gervillei, gibbosa, globosa, goodalli, gracilis, grando, grayi, guttata, haematites, haueri, henikeri, hordacea, humerosa, humphreysi, hyemalis, icterma, impura, inflata, insecta, dispersa, intermedia, interrupta, intertincta, irma, irrorata, jenningsi, kayei, konineki, kunthi, lacrymalis, lactea, lamarki, lathyrus, lentiginosa, leopardus, leporina, lessoniana, leucodon, leucopsis, leucostoma, levesquei, liftea, ligata, limacina, lintea, listeri, lunata, lutea, lycoides, lynx, maculata, margarita, marginata, marmorata, marticensis, maugeri, maugeriae, mauritiana, media, mediterranea, melanostoma, michaudiana, microdon, misella, moneta, mondaris, murina, nasuta, nebulosa, neglecta, newboldi, nigro-punctata, nivea, nivosa, norvegica, obscura, obtusa, obvelata, olivacea, orbigniana, oryza, otahitensis, ovaria, oviformis, ovulata, ovuliformis, ovulina, ovum,

pacifica, pallida, pantherina, parvula, pediculus, pelliculula, permixta, physia, picta, pilula, piperata, pisolina, pisum, porcellus, prevostina, princeps, producta, prunum, pulchella, pulex, pulicaria, pulla, punctulata, purpurascens, pustulata, pyriformis, pyrula, quadrifasciata, quadrimaculata, quadrimaculatae, quadripunctata, radialis, reevei, retusa, rhomboidalis, rosea, rotunda, rubescens, rubinicolor, ruderalis, rufa, rufescens, rugosa, sanguinea, saulae, scabriuscula, scotti, semen, seminula, semiplota, similis, solandri, sordida, sowerbyi, spadicea, spadix, sphaerica, sphaericulata, sphaeroides, sphaerula, spirata, splendens, stercus-muscarum, striatella, subfasciata, subglobosa, subrostrata, subviridis, suffusa, sulcata, sulcidentata, sulcosa, surinamensis, tabescens, tessellata, testudinosa, thersites, tigrina, tremeza, trigonella, triticea, truncata, tumida, tumidula, turdus, umbilicalis, umbilicata, undata, unifasciata, utropaea, utriculata, valentia, variolaria, ventriculus, venusta, verrucosa, vesicularis, vitrea, volhynica, voluta, walkerii, xanthodon, zigzag, zonata. *Vide et Cypraea, Cyproea.*

Cypraeacites bullarius, inflatus, proavius, spiratus.

Cypraeacassis coarctata, massenae, rufa, testiculus.

Cypraedia cancellata.

Cypraella verrucosa.

Cypraeovula capensis.

Cypraea teulerei.

Cyrella chrysalidea, koninckiana, ovulata.

Cyressocrinites gerolsteinensis, prismaticus. *Vide et Cyressocrinites.*

Cypricardia acutifrons, alata, americana, amygdalina, angulata, angusta, annulata, antiqua*, arata, arcodes, batbonica, bellastrata, bicarinata, bipartita, californica, cardisoides, carinata, carusensis, caudata, concinna, contracta, coralliophaga, corbuloides, cordiformis, corrugata, cucullata, cuneata, curta, cyclopea, cylindrica, cymbaeformis, decussata, deltoidea, desbayesiana, dubia, duperrii, elongata, gibberula, glabrata, globosa, gracilis, gregaria, guineaica, imbricata, impressa, incarnata, incerta, incrassata, inflata, isocardia, isocardina, koninckiana, laminata, lebruniana, lirata, modiolaris, neptuni, nodulosa, nuculiformis, obesa, obliqua, oblonga, obsoleta, orbiculata, parallela, parvula, pectinifera, pelagica, phidias, phillipsi, pomona, praerupta, protracta, pusilla, quadrata, rectangularis, retusa, rhombea, rosea, rostrata, rugosa, rugulosa, sacki, selysiana, semisulcata, serrata, siliqua, silurica, simplex, sinuata, sinuosa, socialis, solanoides, solenoides, squamifera, striato-lamellosa, subcarinata, subelongata, subobesa, subtruncata, terea, texana, transversa, trapezoidalis, tricarinata, tricostrata, trigona, trouvillensis, truncata, tumida, undata, undulata, vellicata, veneris, vetusta, wernerii.

Cypricardites alta, angustata, angustifrons, bisulcata, carinata, carinifera, catskillensis, concentrica, corrugata, curta, elongatus, indenta, inflata, modiolaris, mytiloides, nasuta, oblonga, ovata, radiata, recta, recurva, rugosa, sectifrons, sinuata, subalata, truncata.

Cypridella cruciata.

Cypridina adamsi, alata, angulata, angulatopora, annulata, asperrima, auricularis, bituberculata, brenda, brunensis, canaliculata, carinella, cicatricosa, cinctella, clathrata, coelacantha, concentrica, corrugata, daedalea, deformis, denudata, edwardsi, edwardsiana, elegans, favrodiana, foersteriana, folliculosa, furcifera, fusiformis, galeata, granifera, baidingeri, bastata, hieroglyphica, hispidula, hystrix, interrupta, koninckiana, kostelensis, lacunosa, laticosta, loricata, macandrei, macrophthalma, marginata, mediterranea, notata, omphalodes, opaca, ornata, ovalis, pibilippii, plicatula, polyptycha, pulchella, punctatella, pygmaea, reniformis, reticulata, reynaudi, reynauldi, roemeriana, rostratum, sagittula, serrato-striata, serrulata, sicula, similis, spinulosa, subfusiformis, subglobularis, sulcato-punctata, transylvanica, tricostrata, trigonella, triquetra, truncata, ungeri, verrucosa, vespertilio.

Cyprina aequalis, affinis, aleyon, ampbityon, angulatus, antiopa, antiqua, arcbiaciana, aretbusa, arion, astartiformis, bajocina, beaumonti, bernardina, bernensis, blandina, bonasia, bosquetiana, calliope, cancriniana, carditaeformis, carinata, carteroui, compressa, conradi, consobrina, cordata, cordiformis, cornuta, corrugata, crassitesta, cuneata, cytberea, dinomorpba, dolabra, donacina, egertoni, elea, erato, ervyensis, eucharis, gaimardi, gea, gigas, globosa, glycerie, helmerseniana, bersilia, incerta, incrassata, inornata, intermedia, involuta, islandica, islandicoides, kharaschovensis,

laevis, laqueairisi, latif, laticostata, ligeriensis, minima, mortalis, nana, neptuni, nitida, normaniana, novelliana, nuda, nysti, obliqua, obliquissima, oblonga, orbicularis, orbiculata, parva, parvula, pedemontana, philipsi, philippinensis, pisum, plana, planata, profunda, provincialis, quadrata, regularis, nemuri, rostrata, rotundata, roxana, rustica, scutellaria, securiformis, sowerbyi, strigillata, subangulata, subcordiformis, subobliqua, subrostrata, syssollae, tenuistria, trapeziformis, triangularis, tridacnoides, trigona, tumida, umbonaria, vetusta, virilbanet, vulgaris, westendorpi.

Cyprinaria duplella.

Cyprion cypris, kais, macrostomus, neglectus, semiplotus, tenuiradius.

Cyprinodon calaritanus, cundinga, fasciatus, flavulus, hammonis, iberus, lunatus, mento, moseas, orthonotus, ovinus, umbra, variegatus.

Cyprinoides nanofasciatus, nanus.

Cyprinopsis aurata, carassius.

Cyprinus abbreviatus, abrainoides, abramo-rutilis, acra, acuminatus, aeneus, agone, albor, albula, angra, angulatus, anjana, anna-carolina, annoni, apiatus, apogon, arabicus, argenteus, ariza, asper, atpar, atratulus, atramaculatus, atronasus, atrovirens, aureolus, auxtus, bacula, balitora, balteatus, bangana, bapththalmus, barila, barilius, barna, bata, benacensis, bendelisis, bendelisis, boga, bola, borelio, bullaris, cadius, calbasu, canius, cantonensis*, capeto, carassius*, carnatus, carmuca, carpio, carpis, catla, caurinus, chagamo, chalybatus, chapalio, chedra, chedrio, chela, chola, chrysoprasius, chub, cleveza, cocha, commersonni, compressus, conchoniis, conirostris, cora, corallina, coraceus, cornutus, corporalis, coryphaenoides, cosuatis, cotio, cotylus, crassus, crysoleucas, cultratus, cura, curchius, curmuca, cursa, cursis, dancena, dangila, damconus, danis, danrica, dero, devario, dijocheilus, dolabratus, elanga, elatus, elicola, elvensis, erythrops, esca, falcata, ferrugineus, flammans, flavipinnis, floripenna, formus, forsterianus, fulvus, fundulus, fuscus, garra, gelius, gibbosus, gibbus, gibelioides, giganteus, goha, gohama, goleian, gomus, gora, gotyla, gracilis, grannining, gronovii, gugamo, haematopterus, hamiltoni, hemiphus, hoalus, hungaricus, hybscoides, jaculus, jaya, joalus, jogia, kietaibeli, kollari, kontius, kursis, lacustris, lanta, lancastriensis, langsdorfi, lariensis, laskyr, latius, laubuca, lepidotus, lineatus, maclellandi, macrolepidotus, macrophthalmus, mauritanus, maxillingua, meckel, megalops, melanotus, melanurus, microlepidotus, mola, moles, morala, morar, morella, morula, mosal, mosaris, mrigala, mugilis, mummy-chog, musiba, mystaceus, nancar, nandina, nigricans, nigroauratus, nordmanni, novacula, nukta, oblongus, oregonensis, orthonotus, pala, pangusia, papyraceus, pausio, pausius, perenurus, persa, phulo, phutunio, pico, pigus, pomeranicus, potail, priscus, punctatus, puntio, putitora, quadrilobatus, quadrilobus, rapax, rasbora, reba, regina, rerio, richardsoni, rohita, rondeleti, rostratus, rubrofusus, rufus, sada, sandersi, sapa, sarana, scardula, schagra, sculponeatus, semiplotus, sarta, shacra, simus, smithi, solis, sophore, specularis, spirhn, squamosseus, striatus, sucatio, sucetta, sueuri, sutika, taeniatius, tarichi, telescopus, teres, terio, thermalis, thoracatus, ticto, tila, tileo, tinca-sauratus, tincaurea, titius, tolo, tor, toxostoma, trivittatus, uranoscopus, vagra, vairo, viridescens, viridiviolaceus, vittatus, vonconder, vulturius, xanthopterus, zeelt.

Cypris aculeata, adusta, agilis, arcuata, areolata, aristata, aurantia, bimaculata, bimiricata, bupicata, bispinosa, bituberculata, browniana, brunnea, clavata, compressa, concentrica, conchacea, conchaceaeformis, cylindrica, delecta, discolor, elliptica, elongata, ehippiata, eques, faba, fittoni, flava, fusca, fuscata, galbinea, gibba, gibberula, gibbosa, graminea, grandis, granulosa, hamata, helicina, hirta, hispida, incana, incongruens, inflata, insignis, joanna, jurnei, laevigata, lepidula, leucomela, liassica, lucens, lucida, lutaria, lutea, maculata, marginata, minuta, mucronata, novae zelandiae, nubilosa, oblonga, ochracea, ophthalmica, ovata, ovum, parabolica, pellucens, pellucida, phaseolus, picta, pineta, pinnaefrums, pristina, pubescens, punctata, pustulata, pyryla, reniformis, reptans, reticulata, rostrata, ruber, rubida, scabra, scotoburdigalensis, sella, serena, setigera, similis, simplex, sinuata, spinigera, spinosa, striata, striato-punctata, subglobosa, subrectus, tenera, theobromacea, thermalis, tricineta, tristriata, tuberculata, tumida, unifasciata, valdensis, variabilis, villosa, violacea, virens, vitrea, vulgaris, vulturis, westwoodi.

Cyproea maculata, provincialis, punctulata. *Vide et Cypraea, Cypraea.*

Cyprus cylindrus.

Cypselurus pulchellus.

Cypselus acutus, affinis, albanus, alpinus, ambrosiacus, andecolus, apus, australis, balasinesis, cafer, cayennensis, collaris, comatus, concolor, giganteus, gutturalis, inquietus, klecho, leucogaster, leuconotus, leuconyx, leucopygialis, leucopygius, longipennis, melba, montanus, montivagus, murarius, mystaceus, nigra, nipalensis, pacificus, palmarum, parvus, pelasgius, phoenicobius, poliurus, pygargus, senex, sinensis, spinicaudus, spinifera, unicolor, velox, viadii, vittatus, vulgaris.

Cypsilurus appendiculatus, nuttali.

Cypsiurus ambrosiacus.

Cypsnagra ruficollis.

Cyptocoris hundi.

Cypturus aenescens.

Cyrena aequalis, africana, alta, angulata, angustidens, antiqua, apicina, arnoudi, astarte, australis, brongniarti, bronni, buschi, caroliniensis, caudata, charpentieri, childrenae, consobrina, cor, cordiformis, crassa, credneri, cuneata, cuneiformis, cycladiformis, cyrinoides, debilis, densata, deperdita, depressa, deshaysi, dispar, donacialis, donacina, dorsata, duchasteli, elegans, elliptica, elongata, excavata, expansa, fabacea, fasciata, faujasi, ferrussaci, floridana, fluminea, fluvialis, fossulata, fuscata, galathea, gandichaudi, gauritziana, gemmellarii, geslini, gibbosa, globosa, gravesi, gravii, heysi, incrassata, intermedia, isocardia, jayensis, keraudrenii, kochi, laevigata, largillierti, lata, lato-ovata, lentiformis, limosa, mactroides, majuscula, manilensis, mantelli, media, membranacea, menkei, mexicana, murchisoni, nitens, nuculaeformis, obesa, obliqua, oblonga, obovata, obtusa, ocellata, orbicularis, orientalis, ovalis, panormitana, papua, paranacensis, parvirostris, philippinarum, pisum, placens, polita, prona, pulchella, pulchra, pullata, purpurea, pusilla, radiata, recurvata, rivalis, roemeri, rotunda, rotundata, semistriata, similis, solida, sordida, sowerbyi, striatula, subarata, subcordata, sublaevis, suborbicularis, subtransversa, sulcata, sumatrensis, tellinella, tellinoidea, tenebrosa, tenuis, triangula, trigona, trigonella, trigonula, truncata, turgida, unionoides, vanikorensis, variegata, venulina, violacea, westendorpi, woodiana, zeylanica, zimmermanni.

Cyrene (Hem.) guttulata.

Cyrene (P.) cuvieri, cyanopareja, festiva, kuhli, leptocheila, leschenaulti, lipocheila, philippina.

Cyrenella lucinoides.

Cyrenoida alata, corensis, dupontia.

Cyrestis acilia, camellus, cocles, elegans, hylas, maenalis, neduna, perianther, rahria, recaranus, risa, thyodamas, thyoneus.

Cyria imperialis.

Cyriodera tuberculicollis.

Cyrnus cognatus, pulchellus, unicolor, unipunctatus, urbanus.

Cyrthia calceola, cristata, heteroclyta, hispanica, trapezoidalis.

Cyrthoceras buchi, corbulatum, plebejum, poolvashi, puzosianum, quindecimale, reticulatum, rugosum, rusticum.

Cyrthoceratites eifelensis, lamellosus, tetragonus.

Cyrtia cuspidata, distans, dorsata, exorrecta, laminosa, lata, linguifera, mesogonia, nuda, semicircularis, senilis, simplex, subconica, trapezoidalis.

Cyrtocephalus terricola, walckenaeri.

Cyrtocera aigokeros, angustiseptata, cincta, costata, linearis, tentaculata, unguata.

Cyrtoceras annulatum, arcuatum, armatum, bdellalites, camurum, conicum, constricto-striatum, convolvens, cylindricum, depressa, fahrenheitii, falcatum, filiosum, fibriatum, foliaceum, halleanus, ibicinum, laeve, lamellosum, macrostomum, marginale, marginalis, matheri, multicameratum, nautiloideum, nodosum, ornatum, paradoxa, perfectum, subannulatum, subarcuatum, subrugosus, teres, tessellatum, tredecimale, trentonensis, trivolvus, tuberculatum, undulatus, unguis, ventricosus, verneuilianum.

Cyrtoceratites archiaci, arduennensis, bulbosus, cancellatus, imbricatus, multistriatus, nautiloides, novem-angulatus, subventricosus, ventricosus.

Cyrtocera maximum.

- Cyrtodactylus* *zilli, ocellatus, pulchella, spixi.*
Cyrtoderes *curculioides, nigritus, sinuosus.*
Cyrtoderus *australasiae.*
Cyrtodesmus *granosus, velutinus.*
Cyrtogaster *angulipes, clavicornis, obscura, poesos, pusilla, rufipes, scotica, tenuis, thoracica, vulgaris.*
Cyrtognathus *hugeli, montanus, paradoxus, rostratus.*
Cyrtolites *acutus, bilobatus, bucklandi, carinatus, compressus, cultratus, filosus, minor, ornatus, patulus, striatus, subcarinatus, trentonensis, trilobatus.*
Cyrtoma (Dipt.) *atra, nigra, pallipes, pectipennis, pulicaria, rufa, simplicipes, spuria, stigmatalis, sulcata.*
Cyrtoma (P.) *astrobola, dentata, depressa, duracina, griffithiae, herscheliana, prinsepiana.*
Cyrtomenus *castaneus.*
Cyrtomon *camelus, gibber.*
Cyrtomorphus *bengalensis, nitiduloides, pantherinus.*
Cyrtoneura *assimilis, caesia, cyanea, hortorum, maculata, mediatubunda, nana, pascuorum, pratorum, stabulans, tempestiva, valga, versicolor, vitripennis.*
Cyrtonevra *australis, cylindrica.*
Cyrtonota *cruentata, cyanea, floccosa, gentilis, illustris, pallidoguttata, pleurosticha, scoparia, serinus, thoracica.*
Cyrtonus *angusticollis, brevis, coarctatus, curtus, dufouri, elegans, eumolpus, montanus, plumbeus, rotundatus, ruficornis, thoracicus.*
Cyrtonyx *massena, ocellatus.*
Cyrtophis *scutatus.*
Cyrtophorus *duplicatus, niger, verrucosus.*
Cyrtophyllus *hypericifolius, perspicillatus.*
Cyrtops *sparsus.*
Cyrtoscelis *piceus, vespillo.*
Cyrtosia *marginata, nitens, opaca.*
Cyrtosoma *apriformis, papaveris, unicolor.*
Cyrtostomus *frenatus, jugularis, pectoralis, solaris.*
Cyrtotes *maxillaris.*
Cyrtotrachelus *buqueti, dux, lar, longipes, myrmidon, quadrimaculatus*
Cyrtulus *serotinus.*
Cyrtus *acephala, bipunctatus, crassus, dentatus, fasciatus, magnus, pusillus, validus.*
Cyrtusa *globosa, latipes, minuta, pauxilla, subtestacea.*
Cystia *nivea.*
Cysticerus *albopunctatus, aortae, aorticus, balaenae, bicornis, canis, caprinus, cellulare, cellulosa, cellulosus, ceropitheci, clavatus, cobitidis, cordatus, crispus, delphini, dicystus, elongatus, fasciolaris, filicollis, finna, fischerianus, fistularis, gadilotae, globosus, gulonis, hominis, leporis-timidi, leporis variabilis, ligulatus, lineatus, longicollis, lucii, macrocystis, neglectus, pedunculatus, percae, pileatus, pisiformis, putorii, pyriformis, rattus, salamandrae, salmoneum, salvelini, sepiolae, serpentum, simiae, sphaerocephalus, polychrous, talpae, tenuicollis, tetragonus, truttae, ursi, utriculatus, vesicae hominis, vespertilionis, visceralis, vulpis.*
Cysticola *brachyptera, campestris, clamans, exilis, gracilis, isura, lanceolata, lineocapilla, magna, ruficeps, schoenicola, subcitrina, tatrix, vulgaris.*
Cystidia *stratonice.*
Cystignathus *aeneus, bibroni, dorsalis, elegans, georgianus, gracilis, labyrinthica, macroglossus, missiessi, mystacea, nigritus, nodosus, ocellata, ornatus, pachypus, peroni, roseus, schomburgki, senegalensis, sibilatrix, sylvestris, typhonia.*
Cystineura *cana, hersilia, hypermnestra, mardania.*
Cystingia *griffithsi.*
Cystiphyllum *brevilamellatum, cylindricum, damnoniense, excavatum, impunctum, lamellosum, obliquum, placentiforme, secundum, siluriense, verniculare, vesiculosum.*
Cystisoma *neptunus.*
Cystonereis *edwardsi, oerstedii.*
Cystophora *antillarum, borealis, cristata.*

Cystophthalmus ehrenbergi.

Cystosoma saundersi.

Cyta latirostris.

Cytaeis octopunctata, polystyla, tetrastyla.

Cytherea pulchella.

Cytherea cancellata, laevigata, rugosa, sowerbyi, tigerina.

Cytherea striata.

Cytherea strigilata.

Cytherea antiqua, deshayesiana, leonina, undata.

Cythere acuta, alba, albo-maculata, amygdalina, amygdaloides, angusta, angustata, arcuata, arcuata, aurantia, auriculata, bairdiana, bifasciata, bilobata, biplicata, bituberculata, compressa, convexa, cornuta, costata, curta, elongata, excavata, faba, fimbriata, geinitziana, gibberula, gibbosa, gracilis, harpa, hibberti, hilseana, bisingeri, impressa, inflata, inopinata, inornata, intermedia, inversa, jurinei, kutorgiana, minna, morrisiana, muelleri, nigrescens, nuciformis, oblonga, okeni, orbicularis, ostiarum, ovum, pellucida, phillipsiana, plicata, punctata, punctatula, pusilla, quadridentata, reniformis, scabra, scrobiculata, sculptum, scutulum, spinigera, subcylindrica, subdeltoidea, suborbiculata, subovata, subpunctata, trigona, trigonalis, trituberculata, truncata, umbonata, variabilis, viridis.

Cytherea (Dipt.) cinerea, fasciata, fusca.

Cytherea (L.) abbreviata, adansonii, adenensis, aequilatera, aequorea, affinis, africana, albaria, albida, albina, alternans, alternata, amoena, angulosa, antiquata, anus, aphrodite, apicalis, aptychus, arabica, argentina, astartiformis, bellovacina, bicolor, bilunulata, biradiata, birmanica, boryi, brauni, bruguieri, brunnea, callipyga, callosa, cancellata, caperata, cardilla, cardoides, casta, castanea, castrensis, chionaea, chione, circumdata, citrina, clathrata, comis, concentrica, concinna, contracta, convexa, cor, corbicular, corbulina, cordiformis, cornea, corpulenta, costata, crassa, crassatelloides, crenata, crocea, cuneata, custugensis, cycladiformis, cygnus, cypria, damaoides, deltoidea, dentaria, diana, diemenensis, dilatata, dione, discoidalis, distans, divaricata, dolabra, du bois, dunkeri, effossa, elegans, elevata, elongata, erycina, erycina, erycinella, erycinoides, erythraea, eversa, exasperata, excavata, excisa, exilis, filosa, flexuosa, florida, floridana, floridella, fragilis, fulminata, fusca, gibbia, gigantea, globosa, globulosa, graphica, gruneri, guineensis, guttensis, hagenowi, haidingeri, hebraea, hepatica, herzogii, heterostigma, hians, hieroglyphica, hindsi, bistrio, hydana, hydei, imitabilis, immaculata, impar, impudica, inconspicua, incrassata, indecora, inflata, interrupta, italica, juvenilis, kickxi, kingi, lactea, latiplexa, laevigata, laevis, lamarecki, lamellata, lamellosa, lenis, lenticula, lenticularis, lentiformis, lepida, liciata, lilacina, lincta, lineolata, livida, lubrica, lucida, lucinalis, lunaris, lunularis, lupanaris, lusoria, lutea, maccordia, macrodon, mactroides, maculata, marylandica, melastriata, menkei, meretrix, meroe, minima, minuta, mississippiensis, missouriana, mitis, mixta, modesta, morphina, morruana, mortoni, multilamella, multisulcata, muscaria, mutata, nitens, nitidula, nivea, nobilis, nucula, numulina, nuttali, obliqua, obliquata, occulta, orbiculata, orbigny, oregonensis, ornata, ovata, pallescens, pandata, pannosa, parva, parvula, patagonica, pectinata, pectoralis, pedemontana, pellucida, perbrevis, perovata, petechialis, pfeifferi, philippinarum, picta, pinguis, placunella, plana, planata, planatella, planulata, plebeia, plicata, plicatina, polita, ponderosa, poulsoni, prora, prostrata, pubescens, pudica, puella, pulchra, pulchra, pulchra, punctata, purpurata, pusilla, pyga, pygmaea, quoyi, rabica, radiata, ranella, repostata, rivularis, rosea, rostrata, rotundata, rubicunda, rubiginosa, rufa, rugifera, rugosa, rustica, savignyi, sayana, scabriscula, scalaris, scripta, scutellaria, semifulva, seminuda, semisulcata, sinuata, sismondaei, sobrina, solanderi, sphaerica, spinosa, squalida, squamosa, staminea, striatula, stultorum, subcrassa, suberycinoides, subimpressa, subnasuta, subrotunda, subrugosa, sugillata, sulcata, sulcataria, sulcatina, sulculosa, superba, suppositrix, tellinaeformis, tellinaria, tenuistriata, tessellata, testudinalis, tigrina, tortuosa, transversa, trigona, trigonellaria, trigonella, trigonellaria, trigoniata, trigonula, trimaculata, tripla, truncata, tumens, umbonella, undata, undatula, unicolor, uniformis, vaginalis, varians, venetiana, verneuili, vespertina, virginea, vulnerata, zonaria.

Cythereis *alata*, *amiquata*, *ciliata*, *cornuta*, *fimbriata*, *gualtina*, *interrupta*, *jonesi*, *lonsdaleiana*, *macrophthalma*, *quadrilatera*, *triplicata*, *whitei*

Cythereites *laevigatus*, *rugosus*.

Cytherella *appendiculata*, *bosquetiana*, *mantelliana*, *ovata*, *truncata*, *williamsoniana*.

Cytheria *minima*, *minuta*.

Cytherina *abbreviata*, *abscissa*, *aciculata*, *acuminata*, *acuta*, *aeruginosa*, *angustata*, *areolata*, *asperula*, *auriculata*, *balthica*, *barbata*, *carinata*, *ciliata*, *complanata*, *compressa*, *concentrica*, *cornuta*, *coronata*, *costellata*, *crystallina*, *dilatata*, *edwardsi*, *elongata*, *exilis*, *expansa*, *faba*, *fabulites*, *falcata*, *favosa*, *fimbriata*, *gibba*, *glabrescens*, *gracilis*, *grandis*, *gyrosa*, *haueri*, *hemisphaerica*, *hilseana*, *inflata*, *intermedia*, *jurinei*, *karsteni*, *lactea*, *laevigata*, *laevis*, *leptostigma*, *linearis*, *lineolata*, *longa*, *lucida*, *lunata*, *lutea*, *muelleri*, *muensteri*, *mytiloides*, *neglecta*, *obesa*, *ornatissima*, *ovata*, *ovulum*, *parallela*, *pedata*, *perforata*, *pertusa*, *phaseolus*, *philipsiana*, *pilosella*, *plicata*, *prisca*, *punctata*, *punctulata*, *pustulosa*, *quadrilatera*, *recta*, *rugosa*, *salinaria*, *scabra*, *scrobiculata*, *semicircularis*, *seminulum*, *seniplicata*, *setigera*, *solenoides*, sp. ind., *spinosa*, *striatopunctata*, *striatula*, *strigilata*, *strigulosa*, *subdeltoidea*, *sublaevis*, *subovata*, *subradiosa*, *subteres*, *tenuis*, *tribullata*, *trichospora*, *triplicata*, *tumida*, *unbonata*, *unguiculus*, *ventrosa*, *viridis*.

Cytilus *varius*.

Cyzicus *australis*, *bravaisii**, *tetracerus*.

Daboia *elegans*, *euphratica*, *pulchella*, *russeli*, *xanthina*.

Dacelo *acteon*, *albicilla*, *atricapilla*, *bicolor*, *buccoides*, *cervicalis*, *cervina*, *chlorocephala*, *concreta*, *coromanda*, *coromandeliae*, *coronata*, *cyanotis*, *erythrorhyncha*, *fuscicapilla*, *gaudichaudi*, *gigantea*, *gigas*, *leachi*, *lessoni*, *lindsayi*, *macrorhynchus*, *macrorrhinus*, *minima*, *monachus*, *nullitorquis*, *omnicolor*, *pulchella*, *pygmaeus*, *rufulus*, *ruficeps*, *senegalensis*, *smyrnensis*, *striata*, *vagans*, *vitiensis*.

Daceton *armigerum*.

Dacetum *capense*.

Dachrys *abbreviata*, *aeneofasciata*, *aphodioides*, *capensis*, *complexa*, *cruciata*, *fasciolata*, *gayi*, *immaculipennis*, *intermedia*, *laeta*, *meridionalis*, *mocquersi*, *monogramma*, *pumilio*, *pusilla*, *scutellaris*, *signatipennis*, *succincta*, *taeniata*, *tibialis*, *trisignata*, *trivirgata*.

Dacne *audouini*, *brasilienis*, *cocinea*, *fasciata*, *femoralis*, *grandis*, *heros*, *humeralis*, *lunata*, *maculiventris*, *multiifida*, *oblita*, *quadriguttata*, *quadrinaculata*, *rufifrons*, *sanguinicollis*, *sexnotata*, *spoua*, *tortuosa*.

Dacnis *analis*, *angelica*, *atricapillus*, *bicolor*, *brasilianus*, *cayana*, *cyana*, *cyanater*, *cycanocephalus*, *cyanomalis*, *flaviventer*, *plumbeus*, *protonotarius*, *rufocinerea*, *solitaria*, *spiza*, *vermivora*, *westernensis*.

Dacnitis *abbreviata*, *esuriens*, *globosa*, *hians*, *sphaerocephala*, *squali*.

Dacnusa *abditata*, *adducta*, *affinis*, *albipes*, *amphiator*, *anthracina*, *areolaris*, *assimilis*, *cincta*, *clandestina*, *consimilis*, *diremta*, *elegans*, *foveola*, *fuscula*, *gilvipes*, *lateralis*, *leptogaster*, *macrospila*, *marginalis*, *munda*, *ochropes*, *parva*, *petiolata*, *phoenicura*, *postica*, *pulverosa*, *radialis*, *ruficornis*, *rufipes*, *scitula*, *semirugosa*, *senilis*, *sphaerocephala*, *stigma*, *stramineipes*, *striatula*, *talalis*, *temula*, *uliginosa*, *vulgata*.

Dacryomya *deltoides*, *inflata*, *undulata*.

Dactylacis *alpina*, *provincialis*, *ramosa*, *subramosa*.

Dactylaraea *truncata*.

Dactylastrea *incristata*, *subramosa*.

Dactylethra *bengalensis*, *laevis*, *muelleri*.

Dactylina (L.) *dactylus*.

Dactylina (Rh.) *fischeri*.

Dactylius *aculeatus*.

Dactyloa *bimaculatus*, *biporeata*, *bullaris*, *carolinensis*, *chloroscyana*, *cuvieri*, *edwardsi*, *equestris*, *fuscocauratus*, *goudoti*, *gracilis*, *laeviventris*, *lucius*, *nebulosa*, *pulchella*, *sagraei*, *schedi*, *valencienni*, *viridis*, *wiegmanni*.

Dactylocalyx *pumiceus*.

- Dactylocera* nicaeensis, semilunata.
Dactylocoenia digitata.
Dactylocrepis flabellitarsis.
Dactylogyrus auriculatus.
Dactylomys amblyonyx, typicus, typus.
Dactylopius coccus, polonicus.
Dactylopora cervicornis, cylindracea, elongata, irregularis, petiolata.
Dactylops chelifer.
Dactyloptera japonica, orientalis, pirapeda.
Dactylopterus bispuiosus, blochi, chinensis, europaeus, fasciatus, hirsutus*, japonicus, occidentalis, orientalis, pirapeda, tentaculatus, trigloides, volitans.
Dactylosaster cylindricus, gracilis.
Dactylosmilia carantonensis, cénomana.
Dactylota inhaerens, laevis, minuta, pellucida.
Dactylotum bicolor.
Dactylotus sedakoffi.
Dactylozodes alternans, tetrazonus.
Dactylus punctatus.
Dacus acroleucus, aculeatus, aeneus, arcuatus, armatus, basalis, bicolor, brevipes, caudatus, clavatus, costalis, crux, dauci, fascipennis, ferrugineus, flaveolatus, flavicornis, flavus, fraterculus, fuscatus, germinationis, hastatus, heraclei, histrionicus, inflexus, klugi, limbipennis, longicornis, longistylus, macilentus, macularius, mar-moreus, modestus, obtusus, oleae, parallelus, podagricus, pulchellus, ruficaudus, scabiosae, serpentinus, serratulae, stylatus, succinatus, trivittatus, tussilaginis, umbellatarum, umbrosus.
Dadocrinus gracilis.
Dadone atlantica, eucharis.
Dadophora hyalina.
Dadoyctus flavocinctus.
Daedalion cachinnans, candidum, erythrofrons, fringillarius, leucorrhous, longicauda, melanops, nitidus, palumbarius, pictum, trivirgatum.
Daedalochila auriculata, avara, implicata.
Daedalus konincki, newtoni.
Daemonocrinites cornutus.
Dafila acuta, bahamensis, caudacuta, cucullata, epilobiium, marmorata, pyrogaster.
Dahila docilis.
Dahlbomia atra.
Dailodontus cayeuseusis, rufipes.
Dailognatha audouini, caraboides, carceli, hispana, impressicollis, rugata, variabilis, vicina.
Daira (Cr.) gaberti.
Daira (Ech.) oceanica.
Dajaus diemensis, forsteri, monticola.
Dalader acuticosta, rotundicosta.
Dalapax postica.
Dalantias nocturnus, sparophagus.
Dalcantha dilatata.
Dalmannia (Cr.) affinis, caudatus, hausmanni, mucronatus, odontocephalus, truncatus, caudatus.
Dalmannia (Dipt.) flavescens, flavipes, gemina, meridionalis, punctata, stigma.
Dalophis anceps, bimaculata, geometrica, major, orientalis, rupelliae, serpa, tigrina.
Dalopius lateralis, marginatus.
Dalpada aspersa.
Dalsira affinis, marginata.
Dalyellia edinensis, graminea, velox.
Dama platyceros, vulgaris.
Damaeus auritus, bicostatus, concolor, crassimanus, cynocephalus, femoratus, geniculatus, nodipes, onustus, torvus.

- Damalis** (Dipt.) *andrea*, *capensis*, *curvipes*, *fuscipennis*, *fuscus*, *hirtiventris*, *hyalipennis*, *maculata*, *myops*, *plumbeus*, *quadricinctus*, *tibialis*.
- Damalis** (L.) *margaritifera*.
- Damalis** (Lep.) *caricae*, *fuscus*.
- Damalis** (M.) *bubalis*, *caama*, *canna*, *capensis*, *cunna*, *korrigum*, *linata*, *oreas*, *senegalensis*, *strepsiceros*, *suturosa*.
- Damaster** *blaptoides*.
- Damia** *canaliculata*, *dilata*, *emarginata*, *fuscicornis*, *velata*.
- Damias** *diehroa*, *elegans*, *melaxantha*.
- Darnis** *coritus*, *epicoritus*, *hylas*, *sebae*.
- Damon** *reniformis*, *variegatus*.
- Damonia** *flavipalpis*.
- Damophila** *spissicornis*, *trifolii*.
- Danae** *rufula*.
- Danaea** *edwardsiana*.
- Danaida** *desjardinsi*, *plexippus*.
- Danais** *aglea*, *albata*, *alcatheae*, *alcidice*, *alcippe*, *algea*, *alopia*, *amymone*, *anais*, *archippe*, *artenice*, *aventina*, *azema*, *baudiniana*, *berenice*, *ceciliae*, *chionippe*, *chloe*, *chrysis*, *chrysippus*, *claudia*, *cleona*, *cleophile*, *cleothera*, *cora*, *coreta*, *corinna*, *damoclea*, *daos*, *darchia*, *dryasis*, *dufresne*, *echeria*, *edmondi*, *egialea*, *eleusina*, *eleutho*, *eresima*, *erinice*, *erippe*, *gaura*, *gilippe*, *gilippus*, *grammica*, *hegesippe*, *ismare*, *limniace*, *lotis*, *meganiere*, *melane*, *melanippe*, *melina*, *melissa*, *midama*, *midamus*, *misippe*, *nerippe*, *niavia*, *pallipes*, *petilia*, *phaedone*, *philene*, *plexaure*, *prothoe*, *rechila*, *rhadamia*, *similis*, *sita*, *sobrina*, *swainsoni*, *tytia*, *vallantiana*.
- Danaus** *doris*, *horta*, *idea*, *plexippus*, *polymnia*, *similis*, *terpsichore*.
- Dandalus** *foliorum*, *pinetorum*, *rubecula*.
- Dandridgia** *dyseroides*.
- Dangila** *cuvieri*, *kuhli*, *leptocheila*, *leschenaulti*, *lipocheila*.
- Dania** *huronica*.
- Danis** (M.) *ferox*.
- Dapedius** *altivelis*, *arenatus*, *colei*, *fimbriatus*, *granulatus*, *jugleri*, *micans*, *orbis*, *politum*, *politus*, *punctatus*.
- Daphnia** *dorsalis*.
- Daphnella** (Cr.) *wingi*.
- Daphnella** (G.) *casta*, *marmorata*, *ornata*.
- Daphnia** *abrupta*, *acuminirostris*, *angulata*, *angulosa*, *aurita*, *bispinosa*, *brachiata*, *brachyura*, *brandti*, *ciliata*, *clathratus*, *congener*, *cornuta*, *ephippiata*, *exspinosa*, *gigas*, *granaria*, *intermedia*, *longicollis*, *macrocopus*, *magna*, *media*, *mucronata*, *mystacina*, *nasuta*, *primaeva*, *psittacea*, *pulex*, *ramosa*, *rectispina*, *reticulata*, *rosea*, *rotunda*, *rotundata*, *schoefferi*, *serrulata*, *spinifer*, *ventricosa*.
- Daphnis** *hippotherus*, *megaeacus*, *nerii*, *pandorus*.
- Dapria** *hesperidum*.
- Dapsa** *barbara*, *bispunctata*, *caucasica*, *denticollis*, *limbata*, *trimaculata*, *trisignata*.
- Dapsilia** *cebrana*, *locupletana*, *rutilana*.
- Daption** *album*, *antarcticum*, *capenses*, *desolatum*, *fuliginosum*, *gelidum*, *griseum*, *niveum*.
- Daptomorphus** *capensis*.
- Daptorius** *ater*, *buson*.
- Daptus** *chloroticus*, *incrassatus*, *labiatus*, *pictus*, *vittatus*.
- Daracia** *linnaei*, *monticulariae*.
- Darbanus** *nigrolineatus*.
- Darnis** *acutula*, *adusta*, *aenea*, *affinis*, *annulata*, *apicalis*, *arcuata*, *bifasciata*, *bipunctata*, *camelus*, *capistrata*, *cinicoides*, *convoluta*, *cruenta*, *cyclops*, *dispar*, *dorsata*, *elegantula*, *flaviceps*, *flavicincta*, *glabrata*, *interrupta*, *involuta*, *lateralis*, *laticauda*, *limacodes*, *limbata*, *lineola*, *maura*, *melanostigma*, *morio*, *nitidula*, *olivacea*, *pallescens*, *parvula*, *picta*, *praecox*, *prasina*, *pubescens*, *reticulata*, *seminulum*, *squarus*, *strigifrons*, *strigosa*, *suturalis*, *tricineta*, *trifasciata*, *vespertilio*.
- Darnoides** *brunnea*, *limbata*.

- Dascillus* aervina, cinerea, elongatus, fulvulus, lividus, longicornis, melanophthalmus.
Dasyllus aruanus, evanurus, marginatus, niger, trimaculatus, unicolor.
Daseocharis familiaris.
Dasia olivacea.
Dasibatis penuanti.
Dasineura luteofusca.
Dasipogon bombinorpha.
Dasmia sowerbyi.
Dasus fuscus.
Dasutus filiformis.
Dasyatis altavilla, ujo.
Dasybasis appendiculata.
Dasybatis ascanii, batis, fullonica, lintea, maroccana, radiata, vomer.
Dasybatus asperimus, asperus, asterias, clavatus, communis, ellanterius, fullonius, granulatus, maculatus, marginatus, marocanus, miraletus, oxyrhinchus, punctatus, radulus, rhomboidalis, rostellatus, rostratus, rubus.
Dasybranchus caducus.
Dasycompa rubiginea.
Dasycephala albifrons, brasiliensis, ferruginea, haematodes, leucophrys, livida, maritima, microptera, rufescens, rufiventris, striata, syndactyla, thamnophiloides, uropygialis.
Dasycephalus rutilus, spadiceus.
Dasycera arietella, borkhauseni, cicadella, cinnamomea, gellicella, imitatrix, olivella, productella, seliniella, siccella, sulphurella.
Dasycerus crenatus, echinatus, olivieri, sulphureus.
Dasychaeta lateralis.
Dasychira fascelina, pudibunda, tephra.
Dasydia torvaria.
Dasygnathus culoni, dejeani.
Dasylophus superciliosus.
Dasymallus caducus.
Dasyna fuscipennis, peletieri.
Dasyneura caudata, nebulosa, obscura, tau, zonata.
Dasynotus anomalus.
Dasyomma caerulea.
Dasyornis abeillei, australis, brachyptera, brunneus, colluriceps, collurioceps, locustelloides, longirostris, striatus.
Dasypalpus capensis.
Dasyptelis inornatus, scaber.
Dasyphora agilis, fervens, fuliginosa, viridula.
Dasyphyllia echinulata.
Dasypoda albipila, arctos, argentata, baetica, banksiana, cinctipes, cingulata, distincta, fulvipes, graeca, hirta, hirtipes, labiata, linneella, lobata, nigella, nitidula, panzeri, plumipes, scopipes, simplex, spissipes, subinterrupta, swammerdammella, ursina, villipes, villosa.
Dasygogon abdominalis, aberrans, acratius, aeacus, aedon, aegon, aegyptius, aestuans, aeta, afer, agalla, agathyllus, agave, albibarbis, albiceps, albipilus, albitarsis, albofasciatus, albo-notatus, albopunctatus, alcippe, allia, amastris, ambryon, analis, anaxilas, andrenoides, anemetus, angustiventris, angustus, annularis, annulatus, anomalus, anthophorinus, antigenes, aoris, apertus, aphidas, aphidius, aphricus, apicalis, apiformis, arabicus, arcuatus, ardens, argenteus, armillatus, atratus, atripennis, atripes, aulicus, aurarius, auratus, auribarbis, aurifacies, aurifrons, aurulentus, australis, balbillus, barbarossa, barbatus, barrus, bifidus, bloesus, boebius, bonariensis, brachypterus, brevipennis, brevirostris, breviventris, brunneus, brunnipes, caedens, caffer, caiennensis, californica, callosus, caminarius, candidus, capnopterus, carus, carvillius, castaneicornis, castaneus, caudatus, cephicus, cerco, cerretanus, chilensis, chinensis, cinctus, cingulatus, claelius, claripennis, claviger, clavipes, coffeatus, copreus, coracinus, coriaceus, cornutus, crassitarsis, crassus, cruciatus, culiciformis, curtus, cylindricus, damias, decorus, decula, diadema, difficilis, digentia, dimidiatus,

disens, diversicolor, dorsalis, doryceus, duillius, dux, eburneus, echelus, elatus, elegantulus, elongatus, equestris, erythroceras, exquisitus, fabricii, fallax, fallo, fasciatus, fasciculatus, fasciventris, fenestratus, fimbriatus, flavescens, flavicornis, flavimanus, flavipennis, forcipatus, fossius, fraternus, fuliginosus, fulvicornis, fulvus, fumipennis, funebris, fuscipennis, garamus, gavi, gigas, glaucius, gracilis, grandis, guttula, haemorrhoidalis, herennius, heteronevris, hirtellus, hirtipes, hirtuosus, hispidus, histrio, humeralis, hypsaon, imbrex, inaequalis, intactus, interruptus, iris, juncus, kolenatii, lacteipennis, laevinus, lanatus, laniger, lapponicus, lateralis, laticeps, lebasii, leucocephalus, libo, liburnicus, limbatus, limbipennis, limbithorax, lineatus, longicornis, longitarsis, longiungulatus, longiventris, longus, lucifer, luctuosus, lugubris, luscinius, lutatus, luteicornis, macerinus, maculatus, maculinevris, maculipennis, manicatus, marginellus, maricus, maurus, melaleucus, melanogaster, mexicanus, miles, milvus, minutus, mixtus, moerens, mundatus, necans, nervosus, nicoteles, nigricauda, nigrifrons, nigrinus, nigripennis, nigripes, nitigarsis, nigrivertris, niteus, nitidigaster, nitidus, nomada, nubilus, numicus, obscuripennis, ochreateus, oculatus, olivieri, ornatus, otacilius, pallasi, parvus, phalna, pilipes, pilosellus, platynotus, plumbeus, politus, polygnotus, potitus, princeps, priscus, prytanis, pulchellus, pumilus, punctatus, punctipennis, pusillus, pusio, pygmaeus, pyrrhomus, quadratus, reinhardtii, reticulatus, rhyphae, ripicola, rubigimpennis, rubigipennis, rubrithorax, rubrivertris, rueppeli, rufescens, rufianalis, ruficauda, ruficornis, rufimanus, rufipalpis, rufipennis, rufipes, rufithorax, rufiventris, rutilis, rutilus, sabaudus, salinator, satanae, savorrio, scalliger, scapularis, schenot, scoparius, scython, semirufus, senes, sergius, serranus, serripes, setosus, sexfasciatus, sculus, silanus, spectrum, spinther, spurinus, striatus, striola, stylatus, subulatus, succinctus, suillus, sura, taeniatum, tapulus, tarsalis, tener, tenuis, terebratus, tessellatus, testaceus, teutonius, thalpius, tibialis, timidus, tipuloides, tragicus, transiens, tridentatus, trifasciatus, tristis, variabilis, variegatus, venator, venno, venosus, venustus, vestitus, vica, viduatus, viduus, virens, vitripennis, vittatus, volcatus, volcatus, waltli, winthemi, xanthotrichus.

Dasypocta acuchi, aguti, agutoides, albida, azarao, capreolus, caudata, cristata, croconota, exilis, fuliginosa, lepormia, leptura, moschata, nigra, nigricans, patachonica, patagonum, prymnolopha, punctata, variegata, viscaccia, viscacha.

Dasypoctus bipunctatus, poliocephalus.

Dasyptilus pecqueti.

Dasypus antiquus, apar, auritus, brachyurus, ciliatus, dasytercus, decumanus, depressus, encoubert, fimbriatus, flavipes, geometricus, giganteus, gigas, gilvipes, grandis, gymnurus, lachnurus, longicaudus, minutus, mirum, multicinctus, octodecimo cinctus, patagonicus, peba, punctatulus, punctatus, serratus, setosus, stenocephalus, tatouay, truncatus, uroceras, villosus.

Dasysona catax, eueria, lanestris.

Dasysona barbara, canariensis, hirticollis, reichii, rubripennis, unicolor.

Dasysona (Lep.) salicella.

Dasysona (Neur.) pulchellum.

Dasytes aenea, aeneiventris, aeneus, aeratus, affinis, algiricus, analis, antis, armatus, asphaltinus, ater, atratus, atramaculatus, aurarius, balteatus, basalis, bifasciatus, binotatus, bipunctulata, bonplandi, caelatus, caerulea, calabrus, canescens, carbonarius, chalconatus, chalybaeus, chlorosoma, ciliatus, cincticollis, cinctus, cinereus, coerulescens, communimacula, cribrarius, cupreus, curtus, cyauerythrus, cyaneum, cyaneus, cylindricus, decemguttatus, derbesi, distinctus, dubius, elegans, elongatus, fasciatus, femoralis, flavescens, flavipes, flavofasciatus, flavomarginatus, floralis, foveicollis, fulvipes, fuscipennis, fuscipes, fuscus, gavi, gigas, giraudi, glaber, gracilicornis, griseus, haemorrhoidalis, hirsutulus, hirtellus, hispidus, imperialis, impressus, incognitus, interruptus, lateralis, laticollis, linearis, lineatipes, elongatus, livida, longipennis, lucidulus, luteus, maculicollis, maestus, marginatus, marginipennis, mauritanicus, maurus, melanostoma, metallicus, minutus, morio, nigricans, nigricornis, nigroaeneus, nigromaculatus, nigropunctatus, nitidus, nobilis, novemmaculatus, obscurus, opacus, pallipes, parvicollis, patagonicus, pectinatus, pectucornis, pedanus, pilicornis, pilosus, pini, plumbeus, praticola, protensus, pulchellus, pulverulentus, punctatus, pustulatus, pyrrhostoma, quadri-lineata, quadrilineatus, quadrimaculatus,

- quadri-pustulatus, rigida, rivulosus, rubidus, rubripennis, ~~rufifasciatus~~, ruficollis, rufipes, rufitarsis, salzei, scutellaris, serraticornis, serratus, ~~setricornis~~, setosus, sexuaculatus, similis, smaragdinus, splendidus, striatulus, sub-aeneus, tarsalis, terminalis, testaceus, tibialis, trifasciatus, trivittis, variegatus, variolosus, villosus, violaceus, viridis, vittaticollis, vulpinus, X, xanthoceros, xanthocnemus, xanthurus.
- Dasyurus** cynocephalus, geoffroyi, guttatus, hallucatus, lanarius, leucocephalus, macrourus, maculatus, maugei, minimus, penicillatus, tafa, tapa, ursinus, viverrinus.
- Dasyus** collaris.
- Datnia** ambigua, argentea, cancellata, cauda vittata, elliptica, virgata.
- Daudahus** phaenicarum, ruficaudus, septentrionalis.
- Daudebardia** brevipes, langi, rufa.
- Daulis** abdominalis, amabilis, binotata, bis-trisignata, boulandi, cinicoides, conjugata, conspiciatula, deflorata, devestita, dilychnus, erythroptera, ferruginea, graphiptera, gutticollis, henoui, lorata, macander, melanocera, munda, pallidula, puncticollis, reticulata, rubida, sallei, sanguinea, sedecim-notata, separata, testiduiaria, tredecim-signata, vigilans, viginti-duo-notata, viridula.
- Daurada** auratus, bilobatus, mylio, mylostomus, psittacus, spinifer.
- Davidsonia** verneuilli.
- Decacnemus** fimbriata, pennatus.
- Decacoenia** magnifica, michelini.
- Decacotylus** lanceolata alosae.
- Decadopecten** plica.
- Decaeum** erythronotus.
- Decamera** brunnipes, pauperata, praticola, pulverulenta, ripicola, varians.
- Decameros** depressus, riordeanus.
- Decamerus** haemorrhoidalis.
- Decarthria** stephensi.
- Decataphanes** gracilis, pictus.
- Decatoma** (Col.) lunata, rouxi.
- Decatoma** (Hym.) adonidum, albitarsis, aspilus, biguttata, burmeisteri, cooperi, cynipsea, diphilus, flavicollis, flavicornis, immaculata, mellea, mesomelas, metallica, minuta, nicaeae, obscura, oretilia, philager, plana, rufipes, semifasciata, sphegum, splendida, stigma, tenuicornis, unicolor, variegata.
- Decolopoda** australis.
- Decticus** abbreviatus, albifrons, apterus, bicolor, bingleyi, brachypterus, brevipennis, bufonius, chabrieri, dilutus, dorsalis, eversmanni, extincta, glaber, griseus, hieroglyphicus, intermedius, krinicki, macrocephalus, maculata, monspeliensis, pachymerus, pedestris, philippicus, phyllopteroides, punctifrons, sedakovi, sieboldi, sinuatus, speciosus, stchukini, striatus, strictus, tessellata, tibialis, trocki, verrucivorus, vittatus.
- Decura** crinigera, fuliginosa.
- Decurambis** atropurpureum, literata.
- Dedalaia** flavipes, mauritiana.
- Defranceia** eudesi, fungiformis, infundibulum, insignis.
- Defrancia** (G.) becki, cinerea, cylindracea, elegans, exarata, hordacea, linearis, livida, milleti, multilineata, nobilis, pagoda, philippinensis, pingeli, scalaris, suturalis, vahli, variabilis, viridula, woodiana.
- Defrancia** (Polyz.) brongiarti, cenomana, clypeata, complanata, convexa, coronula, corpulenta, deformis, dimidiata, disciformis, disticha, elegans, formosa, grignonensis, pluma, prolifera, ranvilliana, simplex, socialis, stellata, stelliformis, subdisciformis, vassiacensis.
- Degeeria** (Dipt.) albocingulata, albomaculata, ambulatoria, amica, australis, blanda, caerulescens, collaris, fasciata, fascians, fuscipennis, incisuralis, lateralis, muscaria, ornata, parallela, platani, pulchella, selecta, separata, seria, strigata, tragica, turrita.
- Degeeria** (Thys.) alboscincta, atra, corticalis, crassicornis, decora, disjuncta, domestica, elongata, erudita, fenestrarum, fusiformis, incerta, lanuginosa, margaritacea, membranacea, minima, muscorum, nigro-maculata, nivalis, pruni.
- Degeria** albifrontalis.
- Dehaanius** acanthopus.
- Deilemera** evergista.

- Deilephila** alecto, amelia, argentata, celerio, chamaeneri, chiron, clotho, cretica, cyrene, dahlia, daucus, elpenor, epilobii, eras, eson, esulae, euphorbiae, galii, hippophaes, idrieus, intermedia, kotschyi, lacordairei, liburnica, lineata, livornica, meropidaria, morpheus, nerii, nessus, nicaea, oenopion, phileuphorbiae, porcellus, saclavorum, scrofa, tersa, tithymali, vespertilio, vespertilioides, zygophylli.
- Deileptenia** abietaria, approximaria, conversaria, extersaria, hypanaria, plancaria, poeyi, repandaria, rhomboidaria, secundaria, titearia.
- Deilinia** pusaria, striaria.
- Deilus** fugax.
- Deinacrida** heteracantha.
- Deineresus** walckenaeri.
- Deinopsis** cylindraceus, lamia.
- Deinopsis** fuscus.
- Deinotherium** bavaricum. *Vide et Dinotherium.*
- Deiopeia** astrea, bella, ornatrix, pulchella, pulchra.
- Deiopela** puella.
- Deiropeda** clelia.
- Dejanía** honesta.
- Dejeania** (Col.) alsiosia.
- Dejeania** (Dipt.) analis, atrata, brasiliensis, canescens, capensis, pallipes, rufipalpis.
- Dekinia** calopodaria, compta, forcipata, vermicularis.
- Delattria** clemenciae, fulgens, henrica, viridis-pallens.
- Deleaster** adustus, dichrous.
- Delegorguella** elliptica.
- Delena** canariensis, cancerides, cimicoides, crabroides, hastifera, impressa, lamina, peronians, plagusia.
- Deleproctophylla** australis.
- Deletrix** exilis.
- Delia** agricola, albipennis, anthophila, arvicola, atrata, calthae, campicola, chorea, cinerascens, deceptoria, floricola, fuligo, fuscipennis, germana, glabra, herbicola, littoralis, liturata, maura, palustris, plumosula, pratensis, riparia, soror, tessellata, umbellatarum, vernalis, viatica, vicina, vulgaris.
- Delias** apriate, autothisbe, bithys, pasithoe, porsenna, tyche.
- Delina** dejeani, tibialis.
- Delinia** minutula.
- Deliphrum** algidum, augustatum, arcticum, crenatum, seriatum, tectum.
- Delma** fraseri, grayi.
- Delocrania** cossyphoides.
- Delomphalus** rupestris, saxatilis.
- Delopora** cerioporcea.
- Deloyala** sanguinolenta, seraphina.
- Delphax** anceps, atroflava, basilinea, bicarinata, bisignata, brevipennis, candicans, collina, crassipes, cylindricornis, cynosbatis, denticauda, discolor, dispar, dubia, elegantula, exigua, flavescens, forcipata, fulva, guttula, hamata, hemiptera, lepida, limbata, lineola, longifrons, longipennis, lugubrina, macroptera, marginata, minuta, moesta, mutabilis, nasalis, nervosa, notula, obscuella, obscurus, opposita, palliata, pellidula, pellucida, perspicillata, pictipennis, pteridis, pulchra, radiata, raniceps, rivularis, saccharivora, signifera, speciosa, striata, striatella, suturalis, tricarinata, tristis, truncatipennis, unicolor, venosa.
- Delphinaptera** albicans.
- Delphinapterus** beluga, borealis, leucas, peronii.
- Delphinia** thoracica.
- Delphinoidea** bicolor, coarctata, depressa, globosa, resupinata, reticulata, serpuloidea, tubulata, unispirala.
- Delphinoides** gratelupi, nitidissima.
- Delphinopterus** senedetta.
- Delphinorhynchus** capensis, coronatus, gangeticus, geoffroyi, maculatus, pernettensis, rostratus, santonicus.

Delphinula *acilata*, adamantina, angulata, angulosa, aperta, arenosa, atrata, australis, bellardi, biangulata, biarmata, bomacdi, bromi, calcar, calcaroides, callifera, canalifera, cancellata, carinata, cidaris, clathrata, coarctata, *delphensis*, concava, conica, coronata, costata, costulata, crenata, crispula, dentata, depressa, discoidea, discors, distorta, dubia, ducalis, duminyi, dupiniana, elegantula, euracantha, evoluta, exigua, exilissima, formosa, frondosa, funiculata, gervili, gibbosa, globata, globulus, gonostoma, granulosa, heliciformis, helicina, imperialis, incisa, infrastrata, intermedia, jovaneti, jurensis, laciniata, laevigata, laevis, lajonkairi, lapidosa, laxa, leonhardi, linea, lineata, lipara, lyra, marginata, minima, muricata, naticoides, nitens, nivea, nodosa, oblique striata, peroni, perrisi, plana, pusilla, quaterno-cingillata, radiata, reeviana, reflexilabrum, regleyana, rotellaeformis, rugosa, scabricula, scalaroides, scobina, serpuloides, solaris, sphaerula, spinosa, spiruloides, stellaris, stellata, striata, submarginata, substriata, subsulcata, sulcata, sulcosa, suturalis, sydereia, tricarinata, trigonostoma, trochiformis, tuberculata, tuberculosa, turbinoides, turbinopsis, tyria, varia, varicosa, verneuili, warni.

Delphinus abusalam, acutus, aduncus, albigena, albinanus, albirostratus, albirostris, alope, anarnacus, attenuatus, bayeri, beluga, bertini, bideus, bivittatus, blainvillei, bonaterrei, boryi, bredanensis, breviceps*, brevidens, brevinanus*, brocchii, calvertensis, canadensis, capensis, carbonarius, cephalorhynchus, chemnitzianus, clymene, coeruleo-albus, commersoni, compressicauda, compressus, coronatus, cortesi, crassidens, cruciger, cuvieri, cymodoce, dalei, dationum, densirostris, desmaresti, diodon, doris, dorsalis, dubius, duhameli, edentulus, epiodon, eschrichti, euphrosyne, eurynome, eutropia, fabricii, feres, fitzroyi, fores, forsteri, frontatus, gangeticus, geoffrensis, geoffroyi, grampus, griseus, harlani, hastatus, heavisidei, homei, hunteri, hyperoodon, inia, intermedius, janira, kingi, lateralis, leucocephalus, leucopleurus, leucoramphus, longirostris, loriger, lunatus, macrogenius, maculatus, malayanus, melas, metis, microbrachium, microps, micropterus, minimus, mongitori, nesarnak, niger, novae zealandiae, obscurus, pernettensis, pernettyi, peroni, phocoenoides, pseudodelphis, rappi, reinwardti, renovi, rhinoceros, risso, rissoanus, roseiventris, rostratus, sao, senedetta, sículus, sowerbensis, sowerbyi, spurius, styx, superciliosus, truncatus, urganentus, ventricosus, vermontanus, vulgaris, youngi.

Delphus porcellana.

Deltamerus elongatus.

Deltaspis auromarginata.

Delthyridaea pectiniformis.

Delthyris acanthoptera, acanthota, acuminata, acutilirata, arenosa, attenuata, audacula, bialveata, biforatus, bilobata, brachynota, cardiospermiformis, chemungensis, congesta, crista, cuspidata, cyrtaena, decomplicata, dorsata, duodenaria, duplicata, elevata, euruteines, expansus, fimbriata, flabelliformis, fragilis, granulifera, granulosa, hartmanni, inermis, jugata, laevis, lineata, lynx, macronota, macropleura, medialis, mesa-costalis, mesastrialis, micropterus, mucronatus, niagaraensis, ostiolata, perlatus, prora, psittacina, ptychodes, pusio, radiata, rariocosta, rostrata, rugatina, sculptilis, sinuatus, spatula, sp. ind., staminea, subsulcata, sulcata, trapezoidalis, undulatus, varica, verrucosa, zigzag.

Deltocephalus bipunctipennis, calceolatus, formosus, frigidus, maculiceps, multinotatus.

Deltochilum aequinoctiale, bidentatum, brasiliense, dentipes, gibbosum, icarus, mexicanum, rubripennae.

Deltocyathus italicus.

Deltomerus dubius, fulvipes, longipennis, validus.

Demas coryle.

Dematurus mandti.

Demetrias atricapillus, confusus, cupreopennis, dissimilis, elongatulus, imperialis, lineella, longicornis, monostigma, obscurus, praeustus, prasinatus, quadripustulatus, ruficeps, unipunctatus.

Demetrída nasuta, picea.

Demigretta concolor.

Democrates croesus.

Demodema cinerascens, fallax.

- Demodes** ~~immaculata~~.
Demodex folliculorum.
Demophanus falsus.
Demoulia pulchra, retusum.
Dendarus barbarus, canaliculatus, costatus, dalmatinus, emarginatus, graecus, javanus, oblitus, rotundifolius, subvariolosus, sulcatum, tristis.
Dendracis gervillei.
Dendrraera ramosa.
Dendroaea racemosa.
Dendraspis bungarus.
Dendraster excentricus.
Dendrastreia dissimilis, langrunensis.
Dendrella bakeri, berberia, gemmella, gemmella, lyngbyi, mougeoti, mulleii, stylarioides.
Dendricus buergeri.
Dendridium arboreum.
Dendritina antillarum, arbuscula, elegans, haueri, juleana, rangi.
Dendrobates (A.) abingtoni, abyssinicus, aethiopicus, affinis, africanus, brachyrhynchus, callonotus, capensis, chrysurus, fulviscapus, fumigatus, goertans, griseocephalus, hartlaubi, histrionicus, immaculatus, inhambanensis, lafresnayi, lateralis, namaquus, nivosus, nubicus, olivaceus, passerinus, percussus, poicephalus, poliocephalus, punctatus, punctuligerus, pyrrhogaster, rubiginosus, sanguineus, schoensis, senegalensis, shoeusis, spodocephalus, variolosus.
Dendrobates (R.) nigerrima, obscurus, pictus, tinctoria, trivittata.
Dendrobias basalis, mandibularis, maxillosus, quadrimaculatus, testaceus.
Dendrobius degus.
Dendroblax earli.
Dendrocellus boccandei, discolor, flavipes, geniculata.
Dendrocera canadensis.
Dendrocharis flavicornis.
Dendrochelidon ambrosiata, comatus, klecho, longipennis, mystaceus, schisticolor, velatus.
Dendrocincia atriostrois, fumigata, merula, perroti, triangularis, turdinus.
Dendrocitta frontalis, leucogastra, occipitalis, rufigaster, sinensis, vagabunda.
Dendrocoelem larceum.
Dendrocoelum pulcherrimum, superbum.
Dendrocoenia corallina, limbata, sertifera.
Dendrocolaptes abellei, affinis, albicollis, albosularis, albo-lineatus, angustirostris, atriostrois, auratus, bivittatus, cayennensis, chrysolophus*, chunchotambo, crassirostris, cuneatus, cyauotes, decumanus, devillei, erithacus, falcirostris, flammeus, fortirostris, fuliginosus, fumigatus, fuscus, gracilirostris, graculus, griseicapillus, gutturalis, guttatus, lacrymiger, lafresnayanus, lineatocephalus, longirostris, maculatus, major, nuelanoceps, menaloceps, merula, minutus, obsoletus, ocellatus, perroti, picumnus, picus, platyrostris, procurvus, promeropirhynchus, promerorhynchus, pyrrhopius, rubiginosus, rubicaudatus, ruficapilla, rufigula, rufus, scandens, simpliciceps, souleyeti, squamatus, superciliosus, susurrans, sylvellus, tenuirostris, triangularis, trochilirostris, turdinus, validus, wagleri, wiedi, xenops.
Dendroconus betulinus, figulinus, franciscanus, gubernator, nimbosus, quercinus, striatus.
Dendrocopos leuconotos, tridactylus.
Dendrocops platyrostris.
Dendrocopus albicollis, angustirostris, brunifrons, brunnifrons, cathphorius, eliotti, falcularius, fuliginosus, fuscus, griseicapillus, hyperythrus, longirostris, macei, maculatus, major, majoroides, marattensis, medius, minor, moluccensis, pardalotus, pinetorum, pyriceps, pyrrhopius, rectirostris, rubicaudatus, rufus, scandens, sordidus, wagleri.
Dendroctonus micans, minimus, minor, piniperda, terebrans.
Dendrocygna affinis, arborea, arcuata, autumnalis, awsuree, erythroryncha, eytoni, girra, major, semipalmata, vagans, viduata, virgata.
Dendrodoa glandaria.

- Dendrodoris* glandifera, leptopus, limbata, setigera, tuberculata.
Dendrodramus leucosternus.
Dendrodromas leuconotus.
Dendrodus hiporeatus, compressus, hastatus, incurvus, minor, morchisoni, strigatus, tenuistriatus.
Dendrofalco subbuteo.
Dendrohyas peroni, viridis.
Dendroica coronata.
Dendroides canadensis, cyanipennis.
Dendrolagus inustus, ursinus.
Dendrolimus pini.
Dendroma caniceps.
Dendromanes achatinus.
Dendromedusa tinctoria.
Dendromus (A.) brachyrhynchus, chrysurus, nivosus, punctatus.
Dendromus (M.) typus.
Dendromys melanotis, pumilio, typicus.
Dendronanthus indicus.
Dendronessa arborea, arcuata, autumnalis, fulva, galericulata, sponsa.
Dendronotus arborecens.
Dendropaemon piceus, viridis.
Dendropemon perfolicornis.
Dendrophagus australis, brevicornis, crenatus, cygnaei, glaber, sulcatus, suturalis.
Dendrophassa aromatica.
Dendrophidion dendrophis.
Dendrophila flavipes, frontalis, gymnophrys.
Dendrophilus cooperi, flavicornis, milleri, minimus, mundus, piceus, picipes, punctatus, punctulatus, pygmaeus, quattuor-striatus, rotundatus, seminulum, sheppardi, sulcatus.
Dendrophis abaelulla, alhovariata, aurata, boii, cateshyi, chairecacos, chenoni, colubrina, decorus, formosa, fusca, lateralis, liocercus, maniar, marcgravi, natalensis, olivacea, ornata, pelias, periophthalmica, pictus, polychroa, polychrous, praeornata, pseudodipsas, purpureus, rhodopleuron, scandens, semivariegata, smaragdina.
Dendrophyllia amica, aurantiaca, axifuga, brevicaulis, cariosa, cecilliana, coccinea, cornigera, dendrophylloides, diaphana, dichotoma, digitalis, glomerata, gracilis, impura, inaequalis, irregularis, laevis, maraschini, micrantha, nigrescens, plicata, ramea, rubeola, semiramea, taurinensis, theotvoldensis, variabilis.
Dendropicos hartlaubi, lafresnayei, minutus, mystaceus, shoensis.
Dendroplex guttatus, picirostris, picus.
Dendropora explicita, megastoma.
Dendropsophus frontalis.
Dendrotyx barbatus, leucophrys, macrourus.
Dendrosmilia duvaliana.
Dendrosoma radians.
Dendrosoter protuherans.
Dendrostraea carinata, crista-galli, folium.
Dendrostreron hodgsoni.
Dendryphantes auratus, bimaculatus, canescens, dorsatus, grossus, hastatus, lanipes, leucomelas, medius, minor, mucidus, muscosus, nebulosus, pini, xanthomelas.
Denisia luzella, stipella sulphurella, tigrella.
Denops longicollis, personatus.
Densirostra enucleator.
Dentalia handata, denacta, giganteum, viridis.
Dentalina aculeata, acuta, acuticosta, acutissima, adolphina, affinis, annulata, antenna, anteunula, hadeneusis, bifurcata, boueana, brevis, browni, cenomana, chrysalis, cingulata, clava, consobrina, costata, costellata, elegans, elegantissima, ensis, ferstliana, filiformis, floscula, gracilis, guttifera, inermis, inornata, intermedia, intermittens, kingi, legumen, linearis, lineolata, lorneiana, matutina, monile, multicostata, nodosa, oligostegia, pauperata, permiana, primaeva, punctata, radicularis, rectiuscula,

rustica, sarthacensis, scabra, scripta, semicostata, seminifera, simplicata, spinosa, subcommunis, subulata, terquemii, trichostoma, urnula, vermicilli, vetusta, vetustissima.

Dentalites annulatus, angulatus, elephantinus, laevis, minutus, nodosus, nodulosus, obsoletus, operculatus, radularis, striatus, torquatus.

Dentalium abbreviatum, acuminatum, acuticosta, acutum, alternans, alternatum, ambiguum, americanum, anceps, angulatum, annulatum, antiquum, arcotinum, asperum, atramentum, attenuatum, bicarinatum, bifissum, bifissuratum, bouei, brevifissum, browni, bulbosum, canaliculatum, caprinum, castellanensis, catenulatum, cidaris, cinctum, cimerascens, clausum, clava, coarctatum, cocentum, compressum, corallinum, costatum, crassum, crox, cylindricum, dacostatianum, davidsoni, decoratum, decussatum, deforme, delessertianum, denticulatum, deshayesi, deshayesianum, difforme, diffusum, dufresnei, duplex, duplicatum, eboreum, ellipticum, elongatum, ensiforme, entaloides, filosum, fissura, formosum, fusiforme, gadus, geminatum, germanicum, giganteum, glabellum, glabrum, grande, grandis, hamatum, hyalinum, inaequale, incertum, incisum, incrassatum, incurvum, indicum, indistinctum, ingens, inornatum, inversum, labiatum, lacteum, laeve, laevigatum, lamarki, laticostatum, lessoni, lineare, longitrossum, majus, medium, michelini, minimum, miocenicum, mississippiensis, moreanum, mosae, multistriatum, nigrofasciatum, nigrum, nitens, normanianum, novae hollandiae, novemcostatum, novum, nutans, octangulatum, octogonum, olivi, ornatum, ovulum, panorum, parisiensis, patulum, perpusillum, philippii, planatum, planum, polygonum, priscum, proliferum, pseudoantalis, pseudoentalis, pseudo-sexagonum, pusillum, pygmaeus, quadrangulare, quindecies-triatum, quinquangulare, radicula, rhodani, rhotomagensis, rubescens, rugosum, sacheri, saturni, sectum, semi-alternans, semiclausum, semipolium, semistriatum, semistriolatum, septangulare, serratum, sexangulare, sexcarinatum, simile, sorbii, sowerbyi, spirale, splendens, splendidum, strangulatum, striatulum, striatum, striolatum, subcanaliculatum, subburneum, subentalis, substriatum, subulatum, sulcatum, sulcosum, tarentinum, tenue, tenuistriatum, tesseragonum, tetragonum, texasianum, thaloides, thallus, torosum, trachea, translucidum, transversatum, tricostatum, trigonum, triquetrum, turritum, undatum, undulatum, variabile, ventricosum, virginianum, vitreum, vulpeculum, vulpinum.

Dentellaria aspera, badia, barbadensis, bidentalis, decipiens, dentiens, discolor, dolata, formosa, fuliginosa, globularis, hippocastanum, nigrescens, nucleola, obesa, orbiculata, parilis, punctata, sinuata.

Dentex anchorago, argyrozona, atlanticum, bipunctatus, breviceps, cetti, crassispinus, cynodon, dentex, dipledon, elongatus, erytostoma, falcatus, fasciatus*, fasciolatus, faujasi, filamentosus, filosus, furcosus, gibbiceps, gobioides, griseus, hasta, hexodon, leptacanthus, lethrinoides, lunatus, lutens, lycogenis, macrocephalus, macrodon, macrophthalmus, marginatus, maroccanus, microdon, multidentis, nufar, peroni, pusillus, rivulatus, ruber, rupestris, setigerus, striatus, synodon, taeniopterus, tumbulus, thunbergi, tolu, um-spinosus, vaigiensis, variabilis, venenosus, ventralis, vulgare.

Dentiger pondicerianus.

Dentipora anastomozans, coalescens, cribrosa, glomerata, virginea.

Deporäus betulae.

Depressaria albipuncta, albipunctella, alstroemeri, alstroemeriana, apicella, apiosa, applana, atomella, atomosa, badia, badiella, bipunctosa, blunti, caprella, capreolella, carduella, chaerophylli, characterosa, ciliella, cinifonella, costosa, curvipunctosa, doricella, douglasella, ferulae, flavosa, gilvella, gilvosa, gossypiella, hepatariella, heracleana, heraclei, numaculana, intermediella, irrorella, libanotidella, litorella, liturosa, nanatella, nervosa, ocellana, pallorella, peloritana, pimpinellae, pulcherri-mella, purpurea, putrida, putridella, retiferella, rotundella, signosa, sordidatella, sparmanniana, subpropinquella, thapsiella, ulicetella, ultimella, umbellana, umbellarum, vniifcella, venosa, weirella, yeatesiana, yeatsi.

Deracantha antilope, aranea, onos.

Deracanthus armatus, camelus, cinctus, faldermanni, fischeri, hirsutulus, hololeucus, karelini, mucidus, pallidus, pulchellus, spinifer, spinifex.

- Derammum* angulatus.
Derancistrus elegans.
Deraphia limbata.
Derapteryx hardwicki.
Deratus necydalea.
Derbe bonellii, costata, elongata, fasciolata, fritillaris, haemorrhoidalis, lunata, nebulosa, nervosa, nivea, pallida, punctum, semistriata, sinuosa, squamigera, stellulata, stigmalis, strigipennis, testacea.
Dercetis elongatus, linguifer, scutatus, tenuis, triquetra.
Dercylus ater.
Derelomus avicularius, chamaeropsis, costalis, ephippiger, languidus, pallidus, plagiatus, signatus, subcostatus, suturalis.
Dereodus acuminatus, alboscuteatus, denticollis.
Derephysia angusticollis, crispata, foliacea, gracilis, reticulata.
Derestenus quadrilineatus.
Deretaphrus fossus, illusus, puteus, vittatus.
Deribia coccinea.
Dericorys albidula.
Deridobrachus argus.
Derma-centor albicollis, clathratus, cruentus, dentipes, electus, ferrugineus, parabolicus, pardalinus, puncticollis, reticulatus.
Dermaleichus accentorinus, acredulinus, aluconis, anatinus, bubonis, chrysomelinus, columbinus, compar, corvinus, fringillarum, furcatus, glandarius, incertus, laniorum, lemninus, loxiarum, oenatinus, oscinum, parinus, passerinus, picae, picinus, rosulans, rubeculinus, sciurinus, scolopacinus, striginus, strigum, tetraonum, tetriginus, turdinus, ululinus.
Dermanyssus aesalonis, agilis, albus, arcuatus, avium, boryi, carnifex, colubri, columbinus, convolvuli, coriaceus, gallinae, gallopavonis, helices, hirundinis, hominis, lanus, molossi, musculi, natrices, oribatis, vespertilionis.
Dermatemys mawii.
Dermatobranchus gonatophorus, pustulosus, striatus.
Dermatochelys coriacea.
Dermatodes aeruginosus, australis, caesicollis, circulus, costatus, granulatus, ineptus, paganus, subfasciatus, tuberculatus, turritus, vermiculatus.
Dermatoma pallipes.
Dermatophilus penetrans.
Dermatophyllus penetrans.
Dermestes absinthii, aeneus, affinis, ater, atomarius, atricapillus, aurichalceus, australis, avidus, boletophagus, brunneus, caninus, cassidoides, castaneus, catta, cylindricornis, coadunatus, concinnus, consimilis, convexus, depressus, destructor, diadema, dimidiatus, dissector, domesticus, elegans, elongatus, fasciatus, flavescens, flavus, floricola, glaber, gyllenhalii, gyrinoides, holosericeus, humeralis, hypomelanus, inustus, laevis, lanarius, lateralis, latissimus, lunatus, lupinus, luteum, marginatus, marmoratus, melas, minimus, mustellinus, nebulosus, niger, nigriceps, nigrinus, nitens, nitidulus, nitidus, nubilus, oblongus, obscurus, obtusus, ochropus, ovalis, ovatus, pallidus, pantherinus, pardalis, pauper, perpusillus, peruanus, peruvianus, picatus, piceorhaeus, piceus, picinus, pilosellus, plantaris, politus, pollinctus, pubescens, pulchellus, punctum, quadrimaculatus, quisquilius, rapax, roei, roseiventris, rufipes, rufofuscus, sardous, schaefferi, similis, sordidus, spadiceus, stercorarius, striatus, sturmi, subfasciatus, subterraneus, suturalis, talpinus, terminatus, thoracicus, undulatus, unipunctatus, variegatus, versicolor, viridanus.
Dermochelys atlantica*, pseudostracion.
Dermogenys pusillus.
Dero digitata.
Derobrachus brevicollis, levoiturieri.
Deromma melanura.
Deroplatys angustata, arida, lobata.
Deroplia obliquetruncata.

- Deroploa parva*.
Deroptyus accipitrinus.
Derostenus alcetas, gemmeus.
Derostoma angusticeps, coarctum, fusiformis, gibbum, griseum, lanceolatum, laticeps, leucops, lineare, megalops, mutabile, notops, platurus, polygastrum, rostratum, selenops, squalus, truncatum, unipunctatum, viridatum.
Dertroides albirostris.
Derus pohtus.
Desera nepalensis, viridipennis.
Deshayesia parisiensis.
Desis dysderoides.
Desmarestia chilensis.
Desmeopora semicylindrica.
Desmia maculalis.
Desmidophorus aureolus, confucius, cumingi, hebes, imhoffi, penicillatus, senex.
Desmiphora cirrosa, fasciculata, hirticollis, tomentosa.
Desmocerus cyaneus, palliatus.
Desmoderus variabilis.
Desmodus cinereus, fuscus, murinus, orbignyi, rufus.
Desmognathus auriculatus, fuscus, niger.
Desmogramma bigoria, polychordia.
Desmonota aerea, aurolimbata, bicornuta, bispinosa, cribripennis, decora, denticulata, dentipennis, duponti, gravida, intermedia, laticollis, marginiventris, metallica, monstrosa, multicava, perforata, platynota, retusa, rudalaria, salebrosa, subcornuta, turpis, variolosa, varia.
Desmopachria nitida.
Desmophora elegans.
Desmophyllum compressum, costatum, crista-galli, cumingi, dianthus, stellaria, stokesi, subcylindricum.
Desmosomus longipes.
Desmotaulius fumigatus, hirsutus, mergelei, planifrons, unimaculatus.
Desmozona acherois, cachrys, lamis, manthus.
Desoria annulata, cinerea, cylindrica, ebriosa, flavo-maculata, fusca, glacialis, modesta, pallida, riparia, tigrina, viatica, virescens.
Dessonornis humeralis.
Deto echnata.
Deuteroampta annuligera, crux.
Deuteroocrates nebulosus.
Deuterosaurus biarmicus.
Devario devario, osteographus.
Dexamine carino-spinosa, spinosa.
Dexia abdominalis, abzoe, aditha, aeneiventris, albifrons, anceps, anthracina, atripes, aucta, aurinia, barcha, bifasciata, brunnicornis, caminaria, canina, capensis, carinifrons, carminata, cerata, chersipho, chloe, chryseme, cincta, cinerea, compressa, concolor, cremides, cristata, decora, dejeani, diadema, dirphia, distans, dives, dolens, eques, ethoda, ferina, fervens, fimbriata, flavicornis, flavipennis, formosa, fuscipennis, fuscipennis, gortys, gracilis, grisea, grisescens, halone, harpasa, hirsuta, hyala, hypsa, hyria, idesa, inornata, interrupta, irrorata, isapis, javanensis, lata, lepida, leucozona, limbata, longipes, longiseta, lugens, macropus, marmorata, maura, melaleuca, melania, melanocera, melanoptera, minima, nana, nigra, nigrans, nigripes, ogoa, onoba, pandama, pandens, panthea, pectinata, petiolata, phaeoptera, pica, picta, plumosa, posio, potens, potina, prexaspes, pristis, puberula, punctipennis, pygmaea, pyrrhoprocta, randa, regalis, retusa, rubricarinata, rubriventris, rufipennis, rufiventris, rustica, sabrata, serena, serinyla, splendida, tachiniformis, testacea, thala, thomae, tibialis, triangulifera, triquetra, uzita, vacua, valentina, virgata, volvulus, zabirna.
Dexilla rustica.
Dia atellana, quinquepartita.

- Diabasis (Col.)** coerulescens, glauca, gloriosa, lineola, polita, punctata, retusus.
- Diabasis (Dipt.)** atanea, bicinctus, curvipes, diversipes, flavipennis, fuscipennis, glaber, globicornis, interrupta, ochracea, scutellata, varipes, varius.
- Diabasis (P.)** obliquatus, parra, parrae.
- Diabathrarius** apicalis, variegatus.
- Diabolus** ursinus.
- Diabrotica** ambitiosa, amplexa, bivittula, conchula, conciliata, decolor, dellicula, demissa, duodecimpunctata, flavolimbatata, gracilentata, imbuta, lucifera, melanopa, optiva, praedita, praestans, prodiga, rubripennis, rufina, septemliturata, sesquilineata, trivittata, tumidicornis, venalis, vigens.
- Diabroticus** schmerlingi.
- Diacantha (Col.)** chevrolati, nucea, ornata.
- Diacantha (P.)** flavicauda, zebra.
- Diacanthus** acutipennis, aeneolus, aeneus, ampicollis, angusticollis, appropinquans, bicinctus, bifasciatus, bombycinus, caricinus, chrysocomus, cinctus, corporosus, costalis, cruciatus, curiatus, depressus, diversicolor, dubius, furcifer, fuscipennis, glaucus, globicollis, gravidus, holosericeus, impressus, inflatus, latus, leucaspis, lobatus, medianus, melancholicus, metallicus, milo, nubilipennis, resplendens, rugosus, russicollis, sagitticollis, sericeus, serricornis, signaticollis, spinosus, splendens, sticticus, submetallicus, sutor, suturellus, triundulatus, umbricola, volitans.
- Diacheila** amoena, polita.
- Diachromus** germanus.
- Diachrysia** aurifera, chrysis, orichalcea, zosima.
- Diacoep (Lep.)** celsia, celsii.
- Diacoep (P.)** alboguttata, analis, angelus, argentimaculata, aurantiaca, axillaris, bengalensis, bitaeniata, bohar, borensis, bottonensis, caeruleolineata, caeruleopunctata, caeruleovittata, civis, coccinea, decemlineata, duodecimlineata, erythrina, flavipes, fulva, fulvidammea, gibbus, immaculatus*, kasmira, lineata, lineolata, macolor, marginata, melanura, metallicus*, miniata, niger, notata, octolineata, octovittata, quadriguttata, quinquelineatus, rivulata, rosea, rufolineata, sanguinea, sebae, siamensis, sparus, spilura, tiea, timorensis, vaigensis, viridis, vittata, xanthopus.
- Diadopoma** typicoides, typicus.
- Diacria** depressa, laevigata, mucronata, orbigny, trispinosa.
- Diacrisia** russula.
- Diactor** alatus, azureus, bilineatus, compressipes, concolor, elatus, elegans, latipes, paganus, suratus.
- Diacurus** feuillaei.
- Diadema (Cirr.)** bifidum, candidum, diluvianum.
- Diadema (Ech.)** aequale, affine, ambiguum, annulare, archiaci, arenatum, bechei, bourgueti, bruntrutana, calamaria, calloviensis, carthusianum, complanatum, conformis, corona, courtaudianum, crenulare, depressum, desjardinsi, desmaresti, diatretum, dilatatum, distinctum, dubium, europaeum, floescens, fornaceum, gervillei, globulus, granulare, granulosum, grasi, heberti, hemisphaericum, homostigma, humile, inaequale, indifferens, jobae, kleini, koenigi, lamarki, lucae, lusi-tanicum, macrostoma, malbosi, mamillanum, mamillatum, meriani, michelini, microcococon, microporum, minimum, nysti, orbignyanum, ornatum, pieteti, placenta, polystigma, prisum, pseudodiadema, pseudo-hemicidarisi, pulvinatum, pusillum, radiatum, repellini, requieni, rhodani, ricordeanum, roissy, rotulare, rude, ruppelli, savignyi, seriale, setosum, sinaicum, spinosissimum, spinosum, stellatum, subangulare, subcomplanatum, subnudum, subulare, sulcatum, superbum, tenue, tetragramma, texanum, textum, transversum, turcarum, uniforme, vagans, variolare, vulgaris.
- Diadema (Lep.)** alimena, anthedon, antilope, assimilis, auge, boisduvalli, bolina, consimilis, dubia, euryta, hostilia, lasinassa, lisarda, lucretia, nama, nyctelius, pandarus, persimilis, pimplea, pipleis, salmacis, semire, sulpitia, vitella.
- Diadocidia** flavicans, parallela.
- Diadromus** arrisor, candidatus, collaris, imbellis, intermedius, mitis, pimplarius, pulchellus, quadriguttatus, tenax, troglodytes, varicolor.
- Diagramma** albiovittatum, balteatum, blochi, cavifrons, centurio, cinctum, cinerascens,

- crassispinum, faetela, flavomaculatum, griseum, lessoni, lineatum, mediterraneum, orientale, pardalus, pertusum, pica, pictum, plectorhynchus, porosa, punctatum, sibbaldi, striata, thunbergi.
- Diahelia* amoena, arctica.
- Dialithis* gemmifera.
- Dialithus* magnificus.
- Dialysis* dissimilis.
- Dialyta* cupreifrons, erinacea, rufifrons.
- Diameter* hispidus.
- Diamesa* gaedi, notata, waltii.
- Diamesus* osculans.
- Diamma* bicolor, ephippiger, spinolae.
- Diana* semilunata.
- Dianaea* bairdi, balaerica, bitentaculata, campanula, conica, cyanella, cymbalaroides, denticulata, diadema, digitata, dinema, endrachtensis, exigua, fasciculata, flavidula, funeraria, gibbosa, glacialis, hemisphaerica, lesueur, lineolata, lucullana, panopyra, perla, phosphorica, pileata, pleurostoma, proboscidalis, rotunda, triedra, unguiculata, viridula.
- Dianchora* bicornis, lata, obliqua, spinosa, striata.
- Dianeae* cerebriformis.
- Dianisotis* chinensis.
- Dianthecia* albimacula, caesia, compta, conspersa, echii, perplexa.
- Dianthoecia* albimacula, caesia, capsicola, carpophaga, compta, conspersa, corsica, cucubali, filigrana, magnolii, sejuncta, silenes, tephroleuca.
- Dianulites* bicornis, detritus, fastigiatus, pyriformis.
- Diapelmus* mendax.
- Diapericera* gemmula.
- Diaperis* aenea, ahenea, armata, bicolor, bicornis, bifasciata, bi-punctata, bipustulata, boleti, castanea, chalybeata, coccinea, cornigera, cornuta, cruenta, cruentata, dimidiata, elliptica, excavata, flavipes, fronticornis, gagates, helopioides, histrio, hydni, janus, maculata, marginata, megerlei, moerens, nigra, nigropunctatus, obscura, opaca, picicornis, picta, riederi, ruicornis, submaculata, thoracica, tricornis, unistriata, varians, variegata, viridipennis.
- Diaphana* caudida, minuta, pellucida.
- Diaphania* (Dipt.) testacea.
- Diaphania* (Lep.) lucernalis, vitralis.
- Diaphanops* westermanni.
- Diaphasia* acus.
- Diapherodes* angulata, dilatata, dubius, gibbosa, gigas, glabricollis, pulverulentus, pumilio, scabricollis, serricollis, spinipes.
- Diapheromera* sayi.
- Diaphone* crataegi, elegans, populi.
- Diaphonia* dispar, dorsalis, eucnemis, frontalis, gratiosa, isabellina, penelope, ulysses.
- Diaphora* mendica.
- Diaphoromerus* iridipennis.
- Diaphoronus* cyclogonus, ferrugineus, rufus.
- Diaphoropsophus* mellyi.
- Diaphorus* (Col.) dorsalis, lecontei, leprieuri.
- Diaphorus* (Dipt.) bimaculatus, cyanocephalus, flavocinctus, hoffmannseggii, mandarinus, minimus, nigricans, obscurellus, oculatus, winthemi.
- Diaphthirusa* granella.
- Diaphylla* hispida.
- Diaplochelus* crassipes, squamulatus.
- Diaprepes* aurarius, comma, distinguendus, doublieri, elegantulus, esuriens, excavatus, famelicus, farinosus, festivus, glaucus, lepidopterus, marginatus, modestus, novemdecimpunctatus, rohri, rufescens, spengleri, splengeri, verecundus.
- Diapria* antennata, bosci, brachialis, brunripes, cecidomyiarum, clavata, conicus, cornuta, dispar, elegans, filicornis, melanocorypha, nervosa, nigra, parvula, petiolaris, picicornis, picipes, radialis, rufipes, ruiscapa, sereicornis, striolata, suspecta, verticillata.

- Diapromorpha* argentata, balteata, concinna, dejeani, melanopus, picta, pinguis, trifasciata, turcica, zebra.
- Diaprosomus* cruciatus.
- Diapterus* auratus.
- Diaptomus* castor.
- Diargotaenia* albicincta.
- Diarsia* brunnea, carnea, dahli, festiva, leucographa, punicea.
- Diasema* rufipes.
- Diasemia* graminalis, literalis.
- Diaseris* distorta.
- Diasomus* digitatus, sulcithorax.
- Diaspidius* scapha.
- Diaspis* (Col.) paradoxa.
- Diaspis* (Hem.) calyptroides, linearis, obliquus.
- Diastata* adusta, albicosta, anus, apicalis, basalis, capitata, claripennis, costata, diadema, frontalis, fulvifrons, fumipennis, fuscipennis, glabra, gracilipes, leucopeza, luctuosa, marginalis, nebulosa, nitida, obscurella, obscuripennis, ornata, punctum, rufipes, rufitarsis, striata, tenuipes, unipunctata.
- Diastatomma* campanulata, clavata, gigantea, infumatum, obscurum, parallelogramma rapax, tricolora.
- Diastatops* dimidiata, fuliginea, tincta.
- Diastictis* argyralis, artesiaria.
- Diastictus* latitans, sabuleti.
- Diastocera* trifasciata.
- Diastodon* speciosus.
- Diastoleus* collaris.
- Diastoma* costellata.
- Diastopora* arbuscula, arduennensis, belemnitarum, cervicornis, clementina, confluens, congesta, dilatata, diluviana, echinata, echinus, escharoides, eudesiana, fasciculata, flabelliformis, flabellum, foliacea, glomerata, gracilis, incrustans, irregularis, labati, lamellosa, lamourouxii, laxata, meandrina, megapora, michelini, microstoma, minima, normaniana, oceani, oceanica, orbiculata, ornata, papillosa, partschi, pavonina, plumula, polystoma, pusilla, ramosa, rotula, scobinula, serpuliformis, sowerbyi, sparsa, spongiosa, tenuis, thorenti, triquetra, tubulosa, undulata, verrucosa.
- Diastrophia* contorta.
- Diastrophus* rubi.
- Diastylis* arenarius, esca.
- Diataraxia* aliena, chenopodi, fibrosa, leucostigma, oleracea, splendens, suasa, temera.
- Diateina* holymenoides, polymenoides.
- Diatraea* sacchari.
- Diaugia* angusta.
- Diazoma* mediterranea.
- Diazona* cylindrica, violacea.
- Dibamus* novae guineae.
- Dibelonetes* biplagiatus.
- Diblasus* grevensis.
- Dibolia* aenea, aeneo-nigra, aerea, aurichalcea, borealis, cynoglossi, echii, femoralis, occultans, ochracea, pygmaea, rugulosa, subaenea.
- Dibothriorhynchus* gracilis, lepidoptera, scolecinus, todari, trichiuri.
- Dibothrium* angustatum, belones, boae-tigridis, claviceps, decipiens, dendriticum, ditremum, fissiceps, folium, fragile, gracile, granulare, heteropleurum, hians, imbricatum, infundibuliformis, labracis, microcephalum, plicatum, proboscideum, punctatum, rectangulum, rugosum, serratum.
- Dicaelindus* felpaticus.
- Dicaelosia* biloba, sinuata, varica.
- Dicaelotus* erythrostoma, pumilus, unipunctatus.
- Dicaelus* alternans, carinatus, confusus, cyaneus, decoloratus, dejeani, dilatatus, elongatus, furvus, iricolor, laevipennis, leonardi, obscurus, opacus, ovalis,

planicollis, politus, purpuratus, quadratus, reflexus, sculptilis, simplex, splendidus, teter, violaceus.

Dicaeum aterrimum, atripes, atrogaster, borbonicum, cantillans, celebicum, chloronothos, chrysoclhora, cinereum, coccineum, concolor, conspicillatum, croceiventre, cruentata, erythronotos, erythropygia, flavum, flavipes, flavum, griseum, hirundinaceum, ignicapilla, ignipectus, leclancheri, mackloti, maculatum, maugei, melanoxanthum, minimum, niger, obsoletum, papuense, pectorale, percussum, perdalodus, pygmaeum, rubescens, rubra, rubricapilla, rubriventer, rubro-canum, rufescens, sanguinifrons, taeniatum, thoracicum, tickelliae, trigonostigma. *Vide et Dicaeum.*

Dicelis filaria.

Dicenopsis haematodes.

Dicentrines femoralis, lineaticollis, lineatus, pallidulus, pumilus.

Dicera (Hym.) obscura.

Diceras (L.) arietina, bernardina, falcatum, favri, inaequirostratus, lonsdalei, luci, minor, muensteri, saxonicum, sinistra, speciosum, sublamellosum.

Diceras (Verm.) rude.

Diceratella ovata, triangularis.

Dicerca aenea, aurichalcea, bifoveata, carbonum, chlorostigma, chrysea, consobrina, divaricata, dubia, ferrea, fritillum, gracilipes, impressifrons, indistincta, lacustris, lugubris, molitor, parumpunctata, prisca, scabrosa, scobina, tenebrosa, tuberculata.

Dicerea acuminata, aenea, alni, berlinensis.

Dicerobatis eregoodoo.

Dicerobatus banksianus, brevicaudatus, fabronianus, fimbriatus, giornanus, massena, mobular.

Diceroderes mexicanus.

Dicerorhinus sumatrensis.

Diceros (Col.) ornatus.

Diceros (R.) bifurcatus.

Dicerratella ovata.

Dices apicornis, bilbergi, bipunctatus, clavicornis, ocellatus.

Diceum chrysorrhoeum, erythrothorax, sanguinolentum. *Vide et Dicaeum.*

Dichaeta caudata, tibialis.

Dicheirus brunneus, irregularis, villosus.

Dichelacera abiens, albicornis, bifacies, binotata, fascia, ferrugata, fuscipennis, hinnulus, immaculata, longicornis, marginata, multifascia, praetereuns, repanda, rufa, scapularis, sparsa, testacea, unifasciata, vacillans.

Dichelesthium oblongum, sturionis.

Dichelhoplia indica, javanica.

Dichelia diversana, grotiana, histrionana.

Dichelonycha backi, hexagona, testacea, violaceipennis, virescens.

Dichelophus cristata.

Dichelops comma, fissus, punctatus, transversalis.

Dichelus ochraceus, virgatus.

Dicheros cuvera, decorus, ornatus, plagiatus.

Dichlostoma elliptica.

Dichobune cervinum, obliquum, suillum.

Dichobunes cervinum.

Dichoceros cavatus.

Dichocoenia distans, porcata, stellaris, stokesi, uva.

Dichocrinus fusiformis, ovatus, radiatus, septosus, striatus.

Dichodon cuspidatus.

Dichodontus coronatus, croesus.

Dicholophus cariana, crista.

Dichomeris ligula, ligulella.

Dichomma duponti, maillei.

Dichonia aeruginea, convergens, distans, operosa, protea, proxima.

Dichoptera hyalinata.

- Dichotomaria** altera, articulata, aurantiaca, ceranoides, corniculata, cylindrica, distenta, divaricata, farinosa, foeniculacea, fragilis, fruticulosa, indurata, janioides, lapidescens, lichenoides, marginata, oblongata, obtusata, physcioides, ramospungia, rugosa, umbellata, usnealis.
- Dichotomus** boreus.
- Dichroa** analis, annulata, atripennis, basalis, clitellata, cribrata, divisa, ferruginea, fuscipennis, geniculata, geofrella, gibba, lanceolata, mediata, monilicornis, picea, ruficus, substrigosa.
- Dichrochile** anchomenoides.
- Dichroma** arcualis, equestralis, histrionalis.
- Dichromya** brasiliensis.
- Dichromyia** caffra.
- Dichrorampha** caliginosana, gemmiferana, heegeriana, inquinatana, lerneana, montanana, petiverana, plumbagana, politana, saturnana, senectana, sequana, ulicana.
- Dicladocerus** westwoodi.
- Diclibothrium** crassicaudatum. *Vide et Diclybothrium.*
- Diclidophora** longicollis, palmata.
- Diclidurus** albus, freyreisi.
- Diclisma** teres.
- Diclybothrium** armatum. *Vide et Diclibothrium.*
- Dicoelius** merula.
- Dicondylus** pedestris.
- Dicophorus** auritus.
- Dicormus** aquisgranensis.
- Dicoscina** elegantissima, kulzynscii.
- Dicotyles** albirostris, brevipes, labiatus, tajuca, torquatus.
- Dicraeodon** basalis.
- Dicrania** (Col.) castaneipennis, dichroa, ebenina, fasciculata, hirtipes, nigriceps, quadri-cristata, rubricollis, scutellaris, subvestita, velutina.
- Dicrania** (Dipt.) cervus, furcata.
- Dicranocephalus** nugax, wallichi.
- Dicranocnemus** pulverulentus, squamosus, squamulatus, sulcicollis.
- Dicranoderes** annulatus.
- Dicranogmus** pustulatus.
- Dicranognathus** nebulosus.
- Dicranomerus** nugax.
- Dicranomyia** chorea, didyma, dumetorum, glabrata, iuusta, iridescens, lutea, modesta, nigripes, oscillans, sulphurea, tenella.
- Dicranoncus** femoralis.
- Dicranopeltis** aspera, granulosa, parva, scabra, simplex.
- Dicranophora** furcifera, picta.
- Dicranophorus** catellina, catellus, forcipata, lupus, vermicularis.
- Dicranorhina** cavifrons, nireus.
- Dicranorrhina** daphnis.
- Dicranota** guerini.
- Dicranoura** borealis.
- Dicranthus** vittatus.
- Dicranura** bicuspis, bifida, borealis, furcula, phantoma, verbasci, vinula.
- Dicrepidius** abdominalis, anguinus, atricornis, castaneus, chloropterus, conicollis, flabellifer, fuscescens, laticollis, maculicollis, magnicornis, marginellus, pectinicornis, planicollis, porosus, rufipes, tastui, unicolor.
- Dicrocerus** rubescens.
- Dicrochile** fabrii.
- Dicrodon** guttulatatum.
- Dicronorhina** micans.
- Dicronychus** apicalis, senegalensis.
- Dicrotelus** prolixus.
- Dicrourus** bracteatus, carbonarius, cinerascens, densus, forficatus, longus, lugubris, picinus.

Dicrurus aeneus, *aeratus*, *albiventris*, *annectans*, *atripennis*, *balicassius*, *bracteatus*, *caerulescens*, *cenipennis*, *ceylonensis*, *cinerascens*, *cristatus*, *edoliformis*, *fungah*, *forficatus*, *grandis*, *hemidicrurus*, *hottentottus*, *indicus*, *intermedius*, *leucogaster*, *leucophaeus*, *leucopygialis*, *lophorinus*, *ludwigi*, *lugubris*, *macrocerus*, *malabaricus*, *megarhynchus*, *modestus*, *musicus*, *mystaceus*, *niviventer*, *paradoxus*, *platurus*, *pyrrhops*, *rangoonensis*, *remifer*, *retifer*, *viridescens*.

Dictea larva, *striata*.

Dictenidia bimaculata, *paludosa*.

Dictuophyllia antiqua, *hemisphaerica*, *prisca*.

Dictya aenea, *atomaria*, *cancellaria*, *clavipes*, *connexa*, *corollae*, *cucullaria*, *decora*, *discoidea*, *dorsalis*, *externa*, *femorata*, *fulvifrons*, *gangraenosa*, *geminata*, *lugens*, *moerens*, *ocellata*, *pennipes*, *perlata*, *picta*, *reticulata*, *schaefferi*, *seminationis*, *stictica*, *umbrarum*, *uncana*, *vittata*.

Dictyalotus reticulatus.

Dictyethis fusca.

Dictyna alutacia, *benignum*, *hystrica*, *latens*, *tristicula*, *variabilis*.

Dictynna laeta, *westwoodi*.

Dictyocha abnormis, *aculeata*, *binoculus*, *bipartita*, *biternaria*, *diommata*, *elegans*, *epidon*, *fibrila*, *halionma*, *hemisphaerica*, *hexathyra*, *mesopthalma*, *navicula*, *octonaria*, *ornamentum*, *pentasterias*, *pons*, *ponticulus*, *polyactis*, *quadratum*, *septenaria*, *sirius*, *speculum*, *splendens*, *stauracanthus*, *staurodon*, *stella*, *superstructa*, *triacantha*, *triangula*, *trifenestra*, *trionmata*, *tripyla*, *ubera*.

Dictyodes priscus.

Dictyolampra stella.

Dictyonota crassicornis, *cristata*, *foliacea*, *pilicornis*, *pyri*, *rufescens*, *spinifrons*, *strichnocera*.

Dictyophara europaea, *fenestrata*, *hyalinata*.

Dictyophorus bufonius, *cruentatus*, *guttatus*, *hieroglyphicus*, *leprosus*, *papillosus*, *reticulatus*, *sonnerati*, *spumans*.

Dictyophyllia alternans.

Dictyopora reticulata.

Dictyoptera angulata, *aurora*, *bicolor*, *cosnardi*, *dichroma*, *dimidiatipennis*, *ecostata*, *fasciata*, *hybrida*, *melanura*, *minuta*, *phalerata*, *picipennis*, *pudica*, *reticulata*, *sanguinea*, *serraticornis*, *spinosa*, *torquata*, *trilineatus*.

Dictyopterus flavescens, *floralis*, *hamatus*, *merck*, *nanus*, *simplicipes*.

Dictyopteryx ciliana, *contaminata*, *forskaleana*, *loeflingiana*, *plumbana*, *rhombana*.

Dictyopyge macrura.

Dicyclotherium primigenius.

Dicyclus aeneus, *amago*, *arduine*, *brevicornis*, *cinctipes*, *circulus*, *deione*, *fuscicornis*, *lynastes*, *nigroaeneus*, *tristis*.

Dicyema paradoxum.

Dicynodon baini, *lacerticeps*, *strigiceps*, *testudiceps*.

Dicyrtoma alveolus, *atropurpurea*, *cirtomus*, *dorsimaculata*, *guttata*, *lucasi*, *oraniensis*.

Didacna crassa, *trigonoides*.

Didea fasciata.

Didelphis albiventris, *arvernensis*, *aurita*, *bertrandi*, *blainvillei*, *bucklandi*, *cinerea*, *crassicaudata*, *crassus*, *cynocephala*, *elegans*, *grisea*, *hortensis*, *incana*, *lanigera*, *laurillardi*, *lemurina*, *munus*, *myosurus*, *nudicaudata*, *obesula*, *palmata*, *parisiensis*, *penicillata*, *petaurus*, *prevosti*, *pusilla*, *quica*, *sebae*, *tricolor*, *trilineata*, *ursina*, *viverrina*, *woapink*, *wombat*.

Didelphys affinis, *asiatica*, *australis*, *brevicaudis*, *breviceps*, *bucklandi*, *californica*, *caudivolvula*, *cayopollin*, *cinerea*, *crassicaudis*, *cuvieri*, *derbianus*, *dichura*, *frenata*, *glirina*, *impavida*, *lanata*, *macrura*, *microtarsus*, *musculus*, *nana*, *noctivaga*, *ochropus*, *ornata*, *poecilolus*, *prevosti*, *superciliaris*, *tristriata*, *tuan*, *unistriata*, *velutina*, *virginiana*, *wombat*.

Didemnum gelatinosum.

Didemnum candidum, *gelatinosum*, *roseum*, *viscosum*.

- Didermum roseum*.
Didesmus spinolae.
Didonis aganissa, *bibliis*, *thadana*, *vitellia*.
Didonta bicarinata.
Didunculus strigirostris.
Didymocantha obliqua, *scutellata*.
Didymogastra fusca.
Didymophues paradoxa.
*Didymophyes gigantea**.
Didymops servillei.
Dielocerus ellisi.
Diemenia deyrollei.
Dienecia rubra.
Diesia fischeri, *karelini*, *quadridentata*, *sexdentata*.
Diestecopus erodioides.
Diestostemma albipenne.
Diffugia acanthophora, *acaulis*, *aculeata*, *acuminata*, *alveolata*, *ampulla*, *areolata*, *bacilliarum*, *bructeri*, *cancellata*, *ciliata*, *collaris*, *denticulata*, *depressa*, *dryas*, *dujardiniana*, *enchelys*, *fluviatilis*, *gigantea*, *globulosa*, *laevigata*, *lagna*, *oblonga*, *oligodon*, *protaeiformis*, *proteiformis*, *pyriformis*, *reticulata*, *seminulum*, *spiralis*, *squamata*, *striolata*, *tuberculata*.
Digenea leucomelanura, *tricolor*.
Digitalina anastatica, *roeseli*, *simplex*.
Diglena aurita, *capitata*, *catellina*, *caudata*, *conura*, *forcipata*, *grandis*, *granularis*, *lacustris*.
Diglossa (A.) *albilateralis*, *aterrima*, *baritula*, *bonapartei*, *brunneiventris*, *carbonaria*, *cyanea*, *humeralis*, *hypertyra*, *intermedia*, *la fresnayei*, *major*, *mystacalis*, *orbignyi*, *personata*, *similis*, *sittoides*.
Diglossa (Col.) *mersa*.
Diglyphus aculeo, *poppoea*.
Digramma gaterina, *lineatum*, *lutea*, *poecilopterum*, *pictum*, *sebae*, *shotaf*.
Digrapha affinis, *apicalis*, *discrepans*, *divisa*, *dorsalis*, *reticulatus*, *terminalis*, *typica*.
Dikraneura variata.
Dila attenuata, *baeri*, *cylindrica*, *foveata*, *herbsti*, *karelini*, *laevicollis*, *philacoides*, *sulcata*, *tillae*.
Dilepas coerulescens.
Dileptus anser, *folium*, *margaritifer*.
Dilina ocellata, *populi*.
Dillonina diloni.
Diloba coeruleocephala, *murina*.
Dilobitarsus petiginosus, *tuberculata*.
Dilobopterus bimaculatus, *burmeisteri*, *hexapterus*, *klugi*, *stolli*, *trifasciatus*.
Dilobura corticina, *spinolae*, *subocellata*.
Dilophus (A.) *carunculatus*, *gallinaceus*.
Dilophus (Dipt.) *albipennis*, *antipedalis*, *bicolor*, *collaris*, *dispar*, *febrilis*, *femoratus**, *fulvicoxa*, *giganteus*, *longirostris*, *macrorhynchus*, *marginatus*, *orbatus*, *pectoralis*, *priscus*, *serraticollis*, *spinipes*, *stigmaterus*, *stygius*, *tenuis*, *ternatus*, *thoracicus*, *tridentatus*, *trisulcatus*, *vulgaris*.
Dilophyrus grandis.
Dima dalmatina, *elateroides*, *vicina*.
Dimades leopardina, *plicatilis*.
Dimadon cuvieri.
Dimassus divisus, *latistria*, *terminalis*.
Dimeracanthus concentricus.
Dimeraspis podagra.
Dimerocrinites decadactylus, *icosidactylus*.
Dimorpha (A.) *albugularis*, *auricularis*, *leucocyanea*, *leucomelanura*, *leucura*, *moniliger*, *rubrocycanea*, *strophata*, *superciliaris*, *tricolor*.

- Dimorpha* (Hym.) abdominalis, oculata, stigma.
Dimorpha (Lep.) versicoloria.
Dimorphastrea alternata, bellua, crassisepta, excavata, grandiflora.
Dimorphicrinus pentangularis.
Dimorphina nodosaria, obliqua, planularia, tenella, tuberosa.
Dimya deshayesiana, pyrenaica.
Dimylus paradoxus.
Dinarda acuminata, dentata, maerkeli, strumosa.
Dindymene friderici augusti, speciosa.
Dinectus truncatus.
Dinelytron grylloides, hipponax, shuckardi.
Dinema filicornis.
Dinematura ferox, gracilis.
Dinemoura coleoptrata, lamnae, producta, salmonea.
Dinemurus punctatus.
Dinera appendiculata, cinerea, cristata, cylindrica, flavicornis, fulvipes, grisea, grisescens, nigripes, potens, punctata, pygmaea.
Dinetus guttatus, pictus.
Dineura despecta, dorsalis, flaveola, hartigi, pallipes.
Dineutes aereus, africanus, americanus, assimilis, australis, caffer, discolor, gondaricus, gouldi, grandis, indicus, longimanus, metallicus, micaus, praemorsus, proximus, punctatus, solitarius, spinosus, sublineatus, subspinosus, unidentatus, vittatus.
Dineutus politus.
Dinidor amethystina, depressicornis, dispar, inactabilis, maculatus, melanoleucus, punctiger, tessellatus, unicolor, variolosus.
Dinoa circinnata.
Dinobryon gracile, juniperinum, petiolatum, sertularia, sociale.
Dinocharis paupera, pocillum, tetractis.
Dinochoerus aethiopicus.
Dinocoris annulatus, macraspis.
Dinoctus truncatus.
Dinoderus ocellaris, substriatus.
Dinodes angusticollis, azureus, baeticus, beryllinus, caffer, fulvipes, karelini, laticollis, maillei, rotundicollis, rufipes, viridis.
Dinomorphus pimelioides.
Dinomus perforatus.
Dinophilus vorticoides.
Dinophthalma discicollis, excubatrix, ophtalmica, telescopus.
Dinophysis acuta, michaelis.
Dinopium erythronotus.
Dinops cestoni.
Dinornis casuarinus, crassus, curtus, didiformis, dromaeoides, dromioides, dromoides, giganteus, gigas, ingens, novae zealandiae, otidiformis, struthoides.
Dinosaurus murchisoni.
Dinothierium australe, bavaricum, cuvieri, giganteum, indicum, koenigi, medium (Meyer, Pal. 1832, 78; Kaup, N. Jahrb. 1833, 419), proavi, proavum, uralense.
Diochus nanus.
Dioctria albus, albo-notata, annulata, anomala, atrata, atricapilla, aurifrons, baumhaueri, bicincta, brevirostris, caesia, calceata, chalcogastra, cincta, cingulata, conopsoides, costalis, cothurnata, crassipes, cyanea, falleni, flavipennis, flavipes, frontalis, fuscipennis, fuscipes, gagates, geniculata, gracilis, haemorrhoidalis, harcyniae, heterocera, hottentotta, humeralis, hyalinipennis, infusca, lateralis, linearis, longicornis, maculata, melas, minuta, morio, muscaria, nigra, nigripennis, nigripes, nigrita, octopunctata, oculata, oelandicus, picta, podagrica, reinhardi, rufimana, rufipes, sabauda, semihyalina, speculifrons, stigmatizans, umbellatarum, varipes, vicina, wiedemanni.
Diodesma picea, subterranea, unicolor.
Diodon (A.) bidentatus, brasiliensis, sowerbaei.
Diodon (P.) antennatus, asper, brachiatus, caeruleus, carinatus, echinus, erinaceus,

fuliginosus, geometricus, holocanthus, hystrix, intermedius, jaculiferus, lituosus, maculato-striatus, maculatus, multimaculatus, nichthemerus, nigrolineatus, noveius, maculatus, pilosus, punctatus, quadri-maculatus, rivulatus, scillae, sex maculatus, spinosissimus, tenuispinus, tigrinus, triedrium, verrucosus.

Diodonta fragilis.

Diodontes fossulatus, porcatus, sulcatus.

Diodontes gracilis, insignis, luperus, medius, minutus, pallipes.

Diomedea albatrus, brachiura, cauta, chinensis, chrysostoma, culminata, epono-phora, fusca, gibbosa, melano-chrys, melano-phris, nigriceps, olivaceorhyncha, pulchra.

Diomonus nebulosus.

Diomorus armatus, nobilis.

Diomyza fuliginosa, gigantea, rubra.

Dionaea aurulans, forcipata.

Dione (Cr.) affinis.

Dione (Cr. foss.) formosa.

Dione (Lep.) juno, moneta, vanillae.

Dionide formosa.

Diontolobus punctipennis.

Dionychus alboguttatus, circumdatus, fasciatus, granicollis, jamaicensis, margin-e-guttatus, miliaris, mutabilis, niveopunctatus, parallelogrammus, platynotus, ruidus, sparsus, squamulosus, undulatus, variabilis, zebra.

Dionyx dejeani.

Diopatra amboinensis, baeri, eschrichti, italica, longissima, neapolitana, simplex.

Diophrys marina.

Diophthalma cresus, sifa, telegone, thymetus.

Diophthelis gonotus.

Dioplodon densirostris.

Diopsis abdominalis, apicalis, arabica, assimilis, atricapillus, brevicornis, circularis, collaris, concolor, confusa, dalmanni, erythrocephala, fasciata, fumipennis, furcata, hearsiana, indica, longicornis, macquarti, macrophthalma, miegeni, neesi, obscura, ornata, pallida, punctiger, servillei, signata, subfasciata, subnotata, sykesi, tenuipes, terminata, thoracica, trentepohli, westwoodi, wiedemanni.

Diopthis cyma, meone, perdica, rica.

Dioptroblepharis pardalis.

Diorhina psecas, thia.

Dioria setigera, sordida.

Diorina laonome.

Dioryche torta.

Diorychoderus alpestris.

Diorymerus altus, anceps, angulicollis, auritus, bicolor, carbonarius, cardinatus, castaneus, dimidiatus, fallax, fractipes, gibberosus, gibbicollis, glabricollis, granatus, granulifer, hypocrita, impunctus, insolens, intermedius, lancifer, liratus, minutus, monoceros, praderii, pulvinatus, pyropus, radius, repens, scutellifer, sicarius, substriatus, suturae nigra, tibialis, troglodytes, vanus.

Diosocerina glabra.

Diosia auricillialis, marginella.

Diosophila varipes.

Diospilus magnicornis, oleraceus.

Diospolis elongata.

Dioxys chalicoda, cincta, dimidiata, maura, pyrenaica, ruiventris.

Diozodes pallida.

Dipara cinctoides, petiolata.

Dipelicus cantori.

Diphadnus fuscicornis, nigricornis, semineurus.

Diphaulaca arguta, ingenua, striata.

Diphlebus unicolor.

Diphreutes macrolepidotus.

- Dipthera* coenobita, ludifica, orion.
Dipthera aprilina, elegans, runica.
Diphucephala affinis, aurolobata, aurentata, castanoptera, childreni, colaspidioides, edwardsi, furcata, hopei, parvula, pilistriata, pulchella, pusilla, pygmaea, quadratigera, rufipes, rugosa, sericea, spencei, splendens.
Diphucrania longula, reichel.
Diphya brevipes, crassipes, elongata, longipes, macrophthalma, tetragona.
Diphyes abyta, angustata, appendiculata, bassensis, biloba, bory, cuboidea, cucubalus, cucullus, cymba, dispar, dubia, enneagona, kochi, prayensis, regularis, stephanomia, tetragona, truncata.
Diphylla ecaudata.
Diphyllidia brugnansi, cuvieri, lineata, ocellata, pustulosa, verrucosa.
Diphyllocera gemellata.
Diphyllodes magnificus, respublica, seleucides.
Diphyllomorpha mearsi.
Diphyllus fagi, frater.
Diphyphyllum annulatum, coespitosum, concameratum, concinnum, fasciculatum, flexuosum, ibicinum, irregulare, lateseptatum, longiconicum, pauciradialis, sex-decimale, sociale.
Diphyrhynchus chalcus.
Diphysa apicalis, maculiventris, rufipalpis, sexspinosa, singularis, spiniger.
Diphysis pyrenaica.
Dipilidia marticensis, unisulcata.
Diplacanthus crassispinus, gibbus, longispinus, perarmatus, striatulus, striatus.
Diplanaria notabilis.
Diplanchias nasus.
Diplasia trichiuri.
Diplasma marginata, similis, striata, vitrea.
Diplatys macrocephala.
Diplectron bicalcaratus, tibetanus.
Diplectrona flavomaculata.
Diplectropus calcaratus.
Diplepha gibbosa.
Dipleura dekayi.
Diphelia multistella, multostellata, papillosa, raristella, solanderi, taurinensis.
Diplicaria bonariensis.
Diplobothrium armatum.
Diploceraea corniculata.
Diploceras vanuxemi.
Diplocheilus erythropterus.
Diplocotyle mutabile.
Diploctenium cordatum, goldfussianum, lamellosum, lunatum, matberonis, pluma, subcirculare.
Diplocynodon rateli.
Diplodactylus bilineatus, gerrhopygus, lepidopygus, lesueuri, lineatus, marmoratus, ocellatus, ornatus, spinigerus, vittata.
Diplodiscus diesingi, subclavatus, unguiculatus.
Diplodon (A.) biseutatus, diodon, rhombeus, rotundum.
Diplodon (L.) ellipticum, furcatum.
Diplodonta apicalis, brasiliensis, circularis, dilatata, gruneri, inconspicua, laevis, lunularis, lupinus, obliqua, parvula, semiaspera, subrugosa, trigonula, venezuelensis.
Diplodontus filipes, latipes, liliaceus, scapularis, torris, variegator, variegatus.
Diplodus (Hem.) armillatus, brasiliensis.
Diplodus (P.) annularis, gibbosus, minutus.
Diploexochus echinatus.
Diploglossa purpurea.
Diploglossus clitti, fasciatus, monotropis, oweni, pleii, shawi.
Diplognata admixta, albopunctata, anthracina, blanchardi, carnifex, cinnamonomea,

concava, gagates, haebrea, herculeana, holosericea, nigrita, ommatipennis, pectoralis, quadrisignata, rama, silicea, variolosa.

Diplograpsis rectangularis.

Diploharpus laevissimus.

Diplolaemus bibroni, darwini.

Diplolepis albicauda, albitarsis, analis, annulata, anthidiorum, aphidis, aphidum, armatus, bicolorata, braconidis, brevicauda, brevicornis, calcarata, chrysis, corrusca, crassipes, cuprea, curculionoides, cyanea, cynipidis, depressa, dorsalis, ficus-caricae, figitis, flavicornis, flavipes, fuliginosa, gallae, gallarum, glechomae, ibalia, impatiens, italica, juniperi, larvarum, lateralis, longicauda, megacephala, microgastri, minuta, nigricornis, obsoleta, pallicornis, pallipes, papaveris, patellina, pectinicornis, pedatus, pedunculiventris, petiolata, puparum, purpurascens, quadrum, quercus folii, quercus tojac, quinquelineatus, ramicornis, rufescens, ruficornis, rufipes, secalis, solitarius, sphegum, spinipes, splendidula, stigma, stigmatius, subcutanea, tinctoriae, varians, verticillata, violacea.

Diplommatina costulatum, folliculus, minus.

Diplonema buceras, longicornis.

Diplonychus aegyptius, annulatus, anurus, luridus, rustica.

Diploperideris sitchaensis.

Diplopodia pentagona.

Diplopora perforata.

Diploprion bifasciatum.

Diplopsites levis.

Diplopterus (A.) albo-ocellatus*, brasiliensis, chochi, guira, lessoni, naevius, phasianellus, pulcher.

Diplopterus (P.) affinis, agassis, borealis, carbonarius, gracilis, macrocephalus, robertsoni, rugulosus.

Diplothinus fureatus.

Diploria cerebriformis, crassior, crasso-lamellosa, neptuni, spinulosa, stokesi.

Diplothrina affinis, asperula, cristata, elliptica, monas, orion, rotundata, selenophora, sirius, triplicata, umbonata.

Diplostoma alba, bulbivorum, fusca, rachineum.

Diplostomum brevicaudatum, clavatum, cuticola, grande, peteromyzi, rhachiaeum, volvens.

Diplotaxis tristis.

Diplotaxys aenea, cribraticollis, ebenina, georgiae, harperi, nitidicollis, punctatorugosa, rugosipennis, simplex, subcostata.

Diplothis hyalina.

Diplotoma podostemi.

Diplotoxops bilineata*, coccinea*.

Diploous sibiricus.

Diploxys acutispina, bipunctata, lineola, senegalensis.

Diplozoon paradoxum.

Diplura macrura.

Dipodina artiscon*.

Dipodium apiarium.

Dipodomys agilis, phillipi.

Diporiphora bilineata.

Diporpa dujardini.

Dipriacanthus falcatus, stokesi.

Diprion (Hym.) cephalotes, juniperi, pini.

Dipropus brasiliensis, laticollis, pexus.

Diprosia vittata.

Diprotodon australis*, optatum.

Dipsa furcata.

Dipsadomorphus trigonata.

Dipsas (L.) discoideus.

Dipsas (Lep.) ataxus, pholus.

- Dipsas* (R.) *aegyptiacus*, *annulata*, *audax*, *blandingi*, *boa*, *bucephala*, *carinata*, *carinatus*, *catesbaei*, *catesbeyi*, *cenchrora*, *colubrina*, *compressus*, *cynodon*, *dendrophila*, *dieperinki*, *drapiezi*, *fallax*, *ferruginea*, *gaimardi*, *gocool*, *gracilis*, *hippocrepis*, *inornatus*, *irregularis*, *laevis*, *leucocephala*, *macrorrhina*, *mikani*, *monticola*, *multimacula*, *multimaculata*, *multomaculata*, *nattereri*, *nebulatus*, *pavonina*, *plicatus*, *punctatissima*, *rubescens*, *schokari*, *striola*, *trigonatus*, *variegata*, *weigeli*.
- Dipterites* *obsoleta*.
- Dipterocetus* *mongitori*.
- Dipterodon* *asper*, *capensis*, *chrysourus*, *hexacanthus*, *notatus*, *plumieri*, *ruber*, *zingel*.
- Dipterus* *arenaceus*, *brachypygopterus*, *macrolepidotus*, *macropygopterus*, *valenciennesi*.
- Dipterygonotus* *leucogrammicus*.
- Diptodus* *gibbus*.
- Dipturus* *batio*.
- Dipus* *abyssinicus*, *acontion*, *alagtaga*, *alak-daagha*, *apricalis*, *arundinis*, *aulacotis*, *bipes*, *brucei*, *capensis*, *circassicus*, *decumanus*, *dipoides*, *elater*, *halticus*, *hirtipes*, *indicus*, *labradoricus*, *lagopus*, *leonurus*, *locusta*, *lybicus*, *macromystax*, *mauritanicus*, *megalops*, *mellivorus*, *mendax*, *mittelli*, *muscola*, *musculus*, *opimus*, *platurus*, *platyurus*, *pygmaeus*, *saliens*, *saltator*, *soricinus*, *spiculum*, *telum*, *tetradactylus*, *tridactylus*, *vexillaris*, *vexillarius*.
- Dira* *clyte*, *maera*, *megaera*, *mintha*, *roxelane*.
- Diraphus* *pygmaeus*.
- Dircaea* *bifasciata*, *bilineata*, *buprestoides*, *collaris*, *decolorata*, *dorsalis*, *dubia*, *ferruginea*, *fulvicollis*, *fuscata*, *griseoguttata*, *humeralis*, *laevigata*, *livida*, *micans*, *modesta*, *murina*, *quadrisignata*, *quercina*, *rufipes*, *sericea*, *tenuis*, *trifasciata*, *triguttata*, *undulata*, *variegatus*.
- Dircea* *tibialis*.
- Dircenna* *dero*, *iambe*, *klugi*, *lenea*, *melanida*.
- Dirhagus* *badius*, *nitidus*, *ornatus*, *rufipes*.
- Dirhinus* *anthracia*, *cornigerus*, *excavatus*, *himalayanus*, *mauritanus*.
- Dirinus* *bucklandi*.
- Dirotus* *subviridescens*.
- Dirphia* *acidalia*, *agis*, *speciosa*, *tarquinia*.
- Dirrhina* *iris*.
- Dirrhinus* *hesperidum*.
- Disaster* *anal*, *bicordatus*, *canaliculatus*, *capistratus*, *carinatus*, *ellipticus*, *excentricus*, *granulosus*, *ovalis*, *propinquus*, *ringens*, *truncatus*, *voltzi*.
- Disaulax* *hirsuticornis*.
- Disceraea* *purpurea*.
- Dischyrius* *ruficollis*.
- Discina* *granulata*, *humphreysiana*, *laevis*, *ostreoides*, *reflexa*, *speluncaria*.
- Discites* *laevigatus*, *noeggerathi*, *planodorsatus*, *pusillus*.
- Discoceles* *lichenoides*.
- Discocephala* (Dipt.) *anal*, *cafra*, *inornata*, *macula*, *rufiventris*, *tibialis*.
- Discocephala* (Hem.) *complanata*, *humilis*, *marmorea*, *umbraculata*.
- Discocephalus* *rotatorius*.
- Discocera* *cayennensis*, *ochrocyanea*.
- Discocerina* *albilabris*, *calceata*, *flaviceps*, *glabra*, *obscura*, *obscurilla*, *pulicaria*, *pusilla*.
- Discocotyle* *hirundinaceum*, *leptogaster*, *sagittata*.
- Discocyathus* *eudesi*.
- Discodactylus* *dumerili*, *marmoratus*, *phacophorus*, *pulcher*, *ruber*, *tibicen*, *tuberculatus*.
- Discodella* *hystrix*, *multipes*.
- Discoderes* *salzmanni*.
- Discoelius* *dufourii*, *zonalis*.
- Discogaster* *circularis*, *rhomboideus*, *rubronotatus*.
- Discoglossus* *ornatus*, *pictus*, *sardus*.
- Discognathus* *bimaculatus*, *brachypterus*, *caudatus*, *cotylus*, *crenulatus*, *fusiformis*, *nasuta*, *obtus*, *petrophylus*, *rufus*, *rupeculus*, *variabilis*.

Discohelix calculiformis.

Discoidea albo-galera, arenata, canaliculatus, concava, conica, cylindrica, decorata, depressa, excentrica, excisa, faba, favrina, haldemani, hemisphaerica, infera, laevissima, macropyga, mandelslohi, marginalis, maxima, meriani, minima, pisum, plana, pulvinata, punctulata, reticulata, rotula, rotularis, speciosa, subuculus, turrita.

Discoides (Ech.) inflata.

Discoides (Nud.) nutans.

Discolabe mediterranea.

Discolites concentrica.

Discoloma parvula.

Discomerus erosus.

Discomorpha carbonaria, tardigrada, tenebrosa.

Discomyza incurva, maritima.

Discopeltis concinna, tricolor.

Discophora celinde, sondaica, tullia.

Discophorus tenax.

Discophyllum helianthoides, lenticulatum, leonense, peltatum, praeacutum.

Discopora annulata, antiqua, arenulata, bipunctata, bispinosa, circumcincta, circumvallata, concentrica, coriacea, cribrum, crispa, crustulenta, cucullata, dentata, favosa, fornicina, hexagona, hexagonalis, hippocrepsis, hispida, mamillata, membranacea, muricata, ornata, palmata, polymorpha, radiata, reticularis, reticulata, reticulum, rostrata, scabra, scobinata, simplex, spiralis, squamata, trispinosa, velamen, verrucaria, verrucosa.

Discopsammia bowerbanksi, suecica.

Discopyge tschudii.

Discorbis ammonaeus, granulosus, lobatulus, marginatus, mediterraneus, pulchellus, reticulatus.

Discorbites ammonaeus, granulosus, ornatus, pedemontanus, vesicularis.

Discorbula ariminensis.

Discosoma (Ar.) cinctum.

Discosoma (Coel.) anemone, nummiforme.

Discosomus discosomus.

Discosura longicaudus, longicaudus.

Discotenes coelebs.

Discotoma ornata.

Discotrochus orbignyanus.

Discus (Coel.) discobolorum, hydropotes, membranaceus, rosacea.

Discus (G.) armigerus, crystallinus, pygmaeus, rotundatus, ruderatus.

Disdera erythryna.

Diselmis angusta, dunali, marina, viridis.

Diskostoma acephalocystis.

Dismegistus circumcinctus, costalis.

Dismorphia amphione, laja, polymela, tritogenia.

Disoma multisetosum, vacillans.

Disonycha abbreviata, quinquevittata.

Disopus abietis, pini.

Disorus viridis.

Disparagus anthuris, attenuata, bicuspis, bidens, brevicaudatus, cystidicola, decorus, denudatus, laticaudata, laticeps, nasutus, quadrilabris, subula, tenuis, truncatus.

Disphericus gambianus.

Dispholidus lalandi.

Disphragis caeruleocephala, tharis.

Dispilodes bipunctatus.

Dispotaea constricta, costata, dumosa, grandis, multilineata, ramosa, striata, tubifera.

Dissoura leucocephala, microscelis.

Distactus biguttatus.

Distagonum binotatus.

Disteira (L.) triangularis.

Disteira (R.) doliata, fasciata, gracilis, russeli.

Distemma forcipatum, forficula, larva, marinum, setigerus.

Distenia columbina, undata.

Disthymnia funerella.

Distichocera ferruginea, fulvipennis, maculicollis, rubripennis.

Distichodus nefasch, niloticus.

Distichopora antiqua, cinnabarina, gracilis, violacea.

Distichurus maculatus.

Distigma helluo, planaria, proteus, tenax, viride.

Distipsidera undulata.

Distoma (Asc.) pallasi, rubrum.

Distoma (Verm.) acanthoides, acutum, aegliini, aequale, affine, albicollis, aluconis, amphistomoides, anarrhichae-lupi, anatis-domesticae, anguillae, angulatum, apertum, apiculatum, appendiculatum, arcuatum, ardea, ardeae, arenula, areolatum, armatum, arrectum, ascidia, assula, atomon, attenuatum, australis, baccigerum, beroes, bilis, bilobum, binode, biennii, brachysomum, bramae, bursicola, buteonis, calidris, campanula, canaliculatum, capitellatum, carenariae, carinariae, carinatum, carnosum, caudale, caudiporum, chilostomum, chrysaeti, cinctum, cirratum, cirrigerum, cirrosus, clathratum, clavatum, clavigerum, clupear, cochleariforme, collurionis, colubri, complanatum, concavum, contortum, conus, coronatum, corrugatum, coryphaenae, crassicolle, crassiusculum, crassum, crenatum, cristatum, crotali durissi, crucibulum, crystallinum, cucumerinum, cuneatum, cyclopteri, cylindricum, cymbiforme, cymbuliae, cysticum, cystidicola, deflectens*, delicatulum, dendriticum, denticulatum, dilatatum, distichum, divergens, duplicatum, echinatum, elegans, endolobum, ericis, erraticum, esocis, exasperatum, excavatum, excisum, falconis, fallax, fasciatum, ferox, filiforme, filum, flexuosum, folium, fractum, fulvum, furcatum, fuscum, fuscens, fuscum, gelatinosum, genu, gibbosum, gigas, glabrum, globiferum, globiporum, globocaudatum, globulus, gracilescens, grande, grandiporum, granulum, gruis, halecis, helices, heteroporum, heterostomum, hians, hirudinis, hispidum, holostomum, horridum, hyalinum, hyatinum, hylae, hystrix, incisum, incommum, inerme, inflexus, instabile, involutum, irroratum, isostomum, krohni, labiatum, labracis, labri, lacertae, lanceolatum, laticolle, lima, lineare, lingua, linguatulum, loliginis, longicauda, longicollis, lorum, loviae, lucii, luciopercae, lucipetum, luteum, luzii, macrostomum, macrourum, maculosa, maculatum, megacotyle, megastomum, mentulatum, mergo, meropis, mesostomum, microcoecum, microsoma, microstomum, migrans, militare, monas, muscoli, naja, nana, negacotyle, nigroflavum, nigrovenosum, noctulae, notulae, obesum, ocreatum, octopodis, oculi humani, okeni, ovatum, oxycephalum, oxyurum, pachysoma, pacifica, pallens, papillatum, pelagiae, philocholus, philomelae, physophorae, pictum, planicollis, platessae, polymorpha, pristis, pulchellum, pusillum, pyxidatum, radiatum, radula, rajae, ralli, ranae esculentae, raynerianum, raynerium, recurvum, reflexum, repandum, retusum, ringens, rubens, rufoviride, salamandrae, scabrum, scimna, scorpaenae, scorpii, seriale, signatum, simplex, sinuatum, solaeforme, soleae, spari, spathaceum, spatula, spatulatum, speculator, spinulosum, squamula, stridulae, sturionis, sygnoides, tarda, tenuicollis, tereticollis, testudinaria, testudinis, todari, toronata, torulosum, transversale, triglae, trigonocephalum, trilobum, tringae, truncata, truncatum, tubarum, tubulatus, tumidulus, turdi, umblae, uncinatum, vagans, varicum, variegatum, variolatus, varium, velellae, ventricosum, vereticollis, vespertilionis, virgula, vitta, wachniae.

Distomum affine, allostomum, annulatum, annuligerum, baculus, brevicollis, canaliculatum, clava, cochlear, complicatum, constrictum, dilatatum, dimidiatum, dimorphum, foliiforme, geniculatum, heteromorphum, incrassatum, inflatum, insigne, intermedium, invaginatum, laciniatum, lancea, leptosomum, lineola, linguiforme, longicollis, microcephalum, negacotyle, nephrocephalum, nigrostavum, ophthalmobium, orbiculare, ovum, papillosum, pericardium, perlatum, piriforme, rosaceum, rude, serratum, triangulare, veliporum, vitreum, xanthosomum.

Distomus elegans, intersectus, leachi, violaceus.

Distorta acuta, rotunda, rugosa.

- Distortrix* anus, reticulata.
Distrigus aratus, bipustulatus, impressicollis, madagascariensis, ~~primipustulatus~~.
Distyla weissei.
Disynema isella.
Ditaxia anomalopora, compressa.
Ditaxopus paradoxus.
Dithalmia danubii.
Dithyridium lacertae.
Dithyrocaris colei, glypta, orbicularis, permiana, scouleri, tricornis.
Dithyrocarus tenuistriatus.
Ditoma crenata, interrupta, terrulenta.
Ditomoptera dubia.
Ditornus affinis, angustus, atrocaeruleus, baeticus, barbarus, busephalus, caeruleus, caldonius, capito, caucasicus, cephalotes, chalybeus, clypeatus, cordatus, cornutus, cyaneus, dama, depressus, dilaticollis, distinctus, eremita, fulvipes, lefebure, megacephalus, nitidulus, obscurus, opacus, oxygenus, pilosus, planus, robustus, ruficornis, saigonoides, sphaerocephalus, spinicollis, sulcatus, talpa, tomentosus, tricuspidatus.
Ditomyia trifasciata.
Ditrachyceros rudis.
Ditremaria acuminata, affinis, amata, bicarinata, conuloides, globulus, ornata, rathieriaua, rota, scalaris.
Ditrupe longissima, polita, tubulata.
Ditula aethiopiana, angustocrana, asseciana, nebulaua, porphyriana, rotundana, scriptana, semifasciana, sylvana, wellensiana.
Ditylus caeruleus, helopioides, helvolus, laevis, melanocephalus, rufus.
Diuca diuca, minor, speculifera.
Diucopsis atra, capistrata, fasciata, leucophaea.
Diuplochelus longipes.
Diura chronus, japetus, roseipennis, titan, typhaeus, violascens.
Diurella lunulina, podura, tigris.
Diuris forcipatus.
Diurnea atomella, dormoyella, fagella, fagi, gelata, novembris, nubilea, phryganea, salicis, steinkelneri, tortricea.
Diurus furcillatus.
Divales bipustulatus, quadri-pustulatus.
Dixa aestivalis, aprilina, autumnalis, cinctus, fuliginosa, humilis, laeta, lineata, maculata, moesta, nebulosa, nigra, nova, nubilipennis, obscura, puberula, recens, serotina, variegata, vitripennis.
Dochmus crassus, criniformis, trigonocephalus, tubaeformis, ursi.
Docidophryne agua.
Docimaster ensiferus.
Docimastes ensiferus.
Doclea avis, calcitrata, fabriciana, hybrida, muricata, ovis, rissoni.
Docophorus alcedinis, ambiguus, aquilinus, atratus, auratus, bassanae, brevicollis, brevifrons, canuti, ceblebrachys, celidoxus, cephalus, chrysophthalmi, cicatricosus, cincili, colymbinus, communis, conicus, cursor, cygni, excisus, fulvus, fungellae, fuscicollis, fusiformis, guttatus, humeralis, icterodes, incompletus, lari, leontodon, limosae, megacephalus, melanocephalus, merguli, meropis, merulae, modularis, nisi, ocellatus, ostralegi, pallescens, pari, passerinus, pastoris, pertusus, picae, platealeae, platygaster, platystomus, primitis, ralli, reguli, rostratus, rubeculae, scalaris, semisignatus, serrilimbus, struthionis, sturni, superciliosus, testudinarius, thalassidromae, tricolor, turdi, upupae, variabilis, vulturinus.
Docorhinus opalus.
Dodecabostrycha godichodi.
Dodecaceria concharum.
Dodecatoma bicolor.
Dogania subplana.

- Dolabella** *callosa*, *dolabrifera*, *fragilis*, *hemprichi*, *laevis*, *lepta*, *neapolitana*, *peroni*, *rondeleti*, *rumpfi*, "serra di falci," *teremidi*.
- Dolabra** *angusta*, *complanata*, *corrugata*, *equilateralis*, *gregaria*, *hardingi*, *orbicularis*, *rectangularis*, *securiformis*, *trapezium*, *unilateralis*.
- Dolabrifera** *dolabrifera*.
- Dolomedes** *riparius*. *Vide et Dolomedes*.
- Dolerus** *abdominalis*, *abietis*, *aeneus*, *anthracinus*, *arvensis*, *atricapillus*, *bajulus*, *bicolor*, *brachygaster*, *brevitarsus*, *carinatus*, *cenchris*, *cinctus*, *cingulatus*, *coerulescens*, *collaris*, *coracinus*, *cothurnatus*, *dimidiatus*, *ellanterius*, *erythrogonus*, *fasciatus*, *ferrugatus*, *fissus*, *fumosus*, *geniculatus*, *germanicus*, *gibbosus*, *gonagra*, *haematodes*, *hartigi*, *inornatus*, *klugi*, *lacteus*, *laticinctus*, *leucobasis*, *leucopodus*, *luctuosus*, *lugubris*, *magnicornis*, *minutus*, *niger*, *nigritus*, *opacus*, *pachycerus*, *pallimacula*, *pallipes*, *palmatus*, *pilipes*, *planatus*, *pusillus*, *rufipes*, *rufus*, *sanguinicollis*, *saxatilis*, *sericus*, *tenebrosus*, *testaceipes*, *thoracinus*, *tibialis*, *togatus*, *trimaculatus*, *tristis*, *unicolor*, *varispinus*, *vestigialis*, *vicinus*.
- Dolicaon** *biguttulus*, *gracilis*, *haemorrhous*, *illyricus*, *lathrobioides*, *venustus*.
- Dolichocephala** *maculata*.
- Dolichocera** *childreni*.
- Dolichoctis** *striata*.
- Dolichoderus** (Col.) *acuminatus*, *klugi*, *striatus*.
- Dolichoderus** (Hym.) *attelaboides*.
- Dolichodes** *ferruginea*.
- Dolichogaster** *brevicornis*.
- Dolichognathus** *lloydi*, *varvicensis*.
- Dolichogyna** *fasciata*.
- Dolichomyia** *nigra*.
- Dolichonyx** *dolichonia*, *griseus*, *orizivorus*, *rufescens*.
- Dolichopeza** *kelchi*, *sylvicola*.
- Dolichopus** *abdominalis*, *actaeus*, *acuticornis*, *adjacens*, *adustus*, *aeneovirens*, *aeneus*, *aeratus*, *aerosus*, *affinis*, *agilis*, *alpinus*, *amictus*, *analis*, *angularis*, *angulatus*, *angustifrons*, *annulipes*, *apicalis*, *argentellus*, *argentinus*, *argyrotarsus*, *armatus*, *armilatus*, *articulatus*, *assimilis*, *atomus*, *atratus*, *atripes*, *aulicus*, *auricollis*, *azureus*, *bicolor*, *bicolorellus*, *bifasciellus*, *bifurcatus*, *bipunctatus*, *brachycerus*, *bracteatus*, *brevicornis*, *brevipennis*, *caligatus*, *campestris*, *celer*, *chaerophylli*, *chalybeus*, *chrysozygus*, *ciliatus*, *cilifemoratus*, *cinctipes*, *cinctus*, *claviger*, *clavipes*, *coercens*, *coeruleicollis*, *confinis*, *confusus*, *consimilis*, *consobrinus*, *conterminus*, *contiguus*, *contristans*, *crinicauda*, *crinicornis*, *crinipes*, *cristatus*, *cruralis*, *cupreus*, *cuprinus*, *curvipes*, *cyaneus*, *dahlbomi*, *diadema*, *diaphanus*, *directus*, *discessus*, *discifer*, *discipes*, *dissimilipes*, *distractus*, *dufouri*, *elegans*, *elongatus*, *empiformis*, *equestris*, *erichsoni*, *exclusus*, *exiguus*, *fasciatus*, *fastuosus*, *femoratus*, *festinans*, *festivus*, *finitus*, *flavellus*, *flavicollis*, *flavipes*, *fraterculus*, *fraternus*, *fulgidus*, *fumipennis*, *fuscianus*, *fuscipennis*, *fuscipes*, *geniculatus*, *germanus*, *glabratus*, *goudoti*, *gracilis*, *gramineus*, *grandicornis*, *gratiosus*, *griseipennis*, *groenlandicus*, *heteronevrus*, *heydeni*, *imperialis*, *inconspicuus*, *indirectus*, *infuscatus*, *inquinatus*, *insignis*, *intermedius*, *irrasus*, *jucundus*, *laesus*, *lamellipes*, *latilimbatus*, *latipennis*, *lepidus*, *leucocephalus*, *leucopogon*, *linearis*, *lineatocornis*, *litoreus*, *longicollis*, *longicornis*, *longitarsis*, *macquarti*, *maculipennis*, *magnicornis*, *mannerheimi*, *melanopus*, *metallicus*, *micropygus*, *migrans*, *minimus*, *minutus*, *modestus*, *molliculus*, *motatus*, *nanus*, *neglectus*, *nervosus*, *nigricornis*, *nigrilamellatus*, *nigripennis*, *nigripes*, *nigriplantis*, *nigritarsis*, *nigroaeneus*, *nitens*, *nitidus*, *nobilitata*, *notabilis*, *notatus*, *nubilus*, *obscoenus*, *obscurellus*, *obscuripennis*, *obscuripes*, *obscurus*, *ochripes*, *oculatus*, *ornatus*, *ortochile*, *pallidus*, *pallipes*, *paradoxus*, *parvicaudatus*, *parvilamellatus*, *parvulus*, *parvus*, *patellatus*, *patibulatus*, *pectinifer*, *pellucens*, *pennatus*, *pennitarsis*, *picipes*, *picticornis*, *pictipennis*, *pictus*, *pilicornis*, *pilosellus*, *planitarsis*, *platypterus*, *plebeius*, *plumicornis*, *plumipes*, *plumitarsis*, *popularis*, *posticus*, *praecox*, *prasinulus*, *pulicarius*, *pumilio*, *puncticornis*, *punctipennis*, *punctum*, *pusillus*, *quadrifasciatus*, *regalis*, *regius*, *relictus*, *remipes*, *remotus*, *rosaceus*, *rostratus*, *rotundipennis*, *rupestris*, *ruralis*, *rusticus*, *ruthi*, *sabinus*, *sagittarius*, *sahlbergi*, *sarus*, *scambus*, *separatus*, *sequax*, *signatus*, *signifer*, *simplex*, *sipho*, *soccatus*, *spinigerellus*,

staegeri, stanni, stenhammari, stigma, subflexuosus, sublamellatus, ~~subulalis~~, tarsalis, tarsatus, tenellus, terminatus, tessellatus, thalassinus, tibialis, tibellus, ~~trivialis~~, trochanteratus, tuberculatus, unguata, unifasciatus, urbanus, ventralis, ~~vestitus~~, vicinus, virens, viridulus, vitripennis, vittatus, vividus, vulgaris, wahlbergi, xanthogaster, ziczac.

Dolichoremus crassus.

Dolichosaurus longicollis.

Dolichoscelis haworthi.

Dolichotis magellanica, patagonica, viscacha.

Dolichotoma aenea, binotata, biplagiata, chloris, clypeata, colliculus, depilata, distigma, dromedarius, ducalis, inepta, lanuginosa, luctuosa, lugens, metallica, miniata, nitis, nigropunctata, palliata, perforata, peruviana, princeps, puberula, retusa, sericata, strigata, tarsata, tristis, variegata.

Dolichurus bicolor, corniculus.

Dolichus badius, cafer, flavicornis, ruficornis, rufipennis, rufipes, rufus, stristi, sulcatus, vigilans.

Doliolum caudatum, denticulatum, mediterraneum, papillosum, sulcatum.

Doliops curclionoides, geometrica.

Dolites pomiformis.

Dolium amphora, ampullaceum, antiquum, chinense, cinguliferum, costatum, crassilabre, crenulatum, cumingi, dentatum, denticulatum, deshayesi, deshaysanum, echinoforum, fasciatum, galea, kieneri, lampas, latilabre, maculatum, marginatum, melanostomum, minjac, nodosum, olearum, orbiculatum, perdix, personatum, petrosum, plumatum, pomeforme, pomum, ringens, rufum, tenue, tessellatum, variegatum, zonatum.

Doloessa viridis.

Dolomeda montana, pratensis.

Dolomede hippomene.

Dolomedes aerugineus, aglenoides, albineus, atalanta, binotatus, concolor, dufouri, errans, fimbriatus, hastulatus, insignis, lanceolatus, lateralis, limbatus, lineatus, lycæna, marginatus, mirnellus, mirabilis, mirificus, mirus, noukhaiva, oblongus, obscura, ocreatus, ocyale, plantarius, pullatus, rufo-fasciata, rufus, sacer, sagittigera, scapularis, scriptus, sexpunctatus, signatus, spinimanis, tenax, tenebrosus, urinator, virgatus, vittatus. *Vide et Dolomedes.*

Dolophones notacantha.

Dolopius californicus, contiguus, decorus, filiformis, fucosus, incongruus, indentatus, isabellinus, marginatus, marginipennis, mixtus, obesulus, oblongicollis, pulcher, rudis, stabilis.

Doloploca lutosana, punctulana.

Dolops lacordairei.

Dolycharthria punctalis.

Dombeya fasciata, obovata, puelcha, volutata.

Domecia hispida.

Domicella atricapilla, coerulata, garrula, lory, punicea.

Domopora clavula, diadema, radiata, stellata.

Donacia abdominalis, aenea, aequalis, aerea, affinis, albin-gras, angustata, antiqua, appendiculata, apicans, arundinis, asiatica, atra, aurichalcea, aurifer, bidens, biimpressa, bilineata, brevicornis, caerulea, calcarata, carolina, cataractae, chalcea, cincta, cincticornis, claudicans, clavipes, confluenta, confusa, cuprea, dentata, depressa, dispar, distincta, emarginata, episcopalis, equiseti, femoralis, femorata, fennica, ferruginea, flavipennis, flavipes, fulgens, fulvicornis, fulvipes, fusca, genii, gentilis, germari, gracilis, hirticollis, hybrida, hydrocharidis, hypoleuca, indica, javana, jucunda, lemnæ, lucida, luridiventris, macrocnemia, magnifica, malinovskiy, mannerheimi, melanocephala, menyanthidis, menyanthis, metallica, militaris, moereus, mutica, nana, nigra, nitida, obscura, palaemonis, pallipes, parva, phellandri, piscatrix, planicollis, polita, porosicollis, proteus, proximus, pumilla, quadricollis, quadrinotata, reticulata, rudicollis, rufa, rufescens, rufipennis, rugifrons, ruppiæ, rustica, rutila, scipion-gras, semicuprea, sericea, simplex, simplicifrons, spargani, sulcicollis, thalassina, tomentosa, tuberculata, typhae, typhæe, variabilis, varicolor, varicornis, vicina, zosteræ.

Donacirinites simplex.

- Donacilla** chilensis, compressa, couloni, lamarcki, orientalis, solenoides.
- Donacina** brasiliensis.
- Donacites** alatus, alduini, aratus, clausa, costatus, hemicardius, nodulosus, thausurei, scorti, subtrigonus, sulcatus, trigonellus.
- Donacobius** albolineatus, albo vittatus, atricapillus, brasiliensis, vociferus.
- Donacola** castaneothorax, flaviprimum, pectoralis.
- Donatia** cuspidata, cydonium, longaculea, lyncurium, obvolvus.
- Donax** abbreviata, aequilatera, alduini, anaticum, anatinum, angulata, angusta, arenacea, asper, assimilis, australis, basterotina, biradiata, brasiliensis, brevis, burdigalensis, caianensis, californica, cancellata, cardioides, carinata, castanea, columbella, complanata, compressa, corbuloides, costata, crenata, crocatus, culter, deltoides, deltoideus, dentifera, dentigera, difficilis, donacilla, donni, elongata, epidermia, exarata, exilis, fabagella, fimbriata, fossor, fragilis, funerata, glabella, glabra, gracilis, grandis, granosa, hanleyana, incarnata, incompleta, irregularis, laevissima, lamellosus, lessoni, levesquei, limatula, longa, lubricus, lucida, lunularis, lunulata, madagascariensis, meroe, minuta, modesta, navicula, nitida, obesa, obliqua, oblita, obscura, oweni, pallidus, panamensis, parvula, paytensis, politus, powisiana, primigenius, priscus, protexta, protracta, pulchella, punctato-striata, pusilla, radians, radiata, reflexa, retusa, ringens, roemerii, rubra, rusticus, scalpellum, scrotum, securiformis, seminuda, semistriata, semisulcata, serra, sexradiata, sordidus, stoffelsi, striatella, stultorum, subradiatus, sulcarius, sulcata, tellinella, tellinella, testacea, texasiana, ticaonicus, tinctus, transversa, transversus, triangularis, trifasciata, triquetra, triradiata, truncata, tumida, variabilis, variegata, veneriformis, veneroidea, violacea, vittata.
- Donovania** hortensis.
- Doralis** dauci, pini, rumicis, ulmi.
- Doras** armatulus, blochi, brunescens, carinatus, castaneo-ventris, cataphractus, costata, costatus, crocodili, dorsalis, granulatus, hancocki, lumboldti, maculatus, niger, oxyrhynchus.
- Dorasomus** candidulus.
- Doratifera** vulnerans.
- Dorbinia** aurifrons, gentilis, ludibunda, nitida.
- Doracephalum** ebeninum.
- Dorcacerus** barbatus.
- Dorcadida** bilocularis.
- Dorcadion** abruptum, albicans, atrum, axillare, bislineatum, brandti, brunnipes, carinata, cinerarium, corpulentum, cruciata, decipiens, dimidiatum, dispar, divisum, donzeli, erythropteron, exornatum, femoratum, ferruginipes, fuliginator, fulvum, glaucum, griseum, handschuchi, hispanicum, holosericeum, humerale, impluviatum, indicum, indutum, involvens, italicum, laeve, lineatum, lineola, lusitanicum, mancum, meridionale, molitor, morio, muray, murium, neapolitanum, nigrum, nitidum, ornatum, pedestris, perezi, persicum, pigrum, politum, pusillum, pyrenaicum, quadri-lineatum, quadrimaculatum, rubripes, ruficornis, rufipes, scopoli, seductor, septem-lineatum, sericatum, spinolae, sturmi, sulcatum, sulcipenne, tomentosum, triste, velutinum, viatica, virteti, vittatum, vittigerum, wagneri.
- Dorcas** dehaani, rufifemoralis, westermanni.
- Dorcaschema** alternata, nigra.
- Dorcasia** alexanderi, alexandri.
- Dorcasomus** delegorguei, ebullinus.
- Dorcatheium** guntianum, naui.
- Dorcatoma** affinis, bicolor, bovista, castanea, flavicornis, genei, hederæ, lanuginosum, meridionale, micans, museorum, ocellata, rubens, similis, striato-punctatum, sub-striata, zusmaehusense.
- Dorcelaphus** campestris, macrotis, macrourus, paludosus, virginianus.
- Dorceus** fastuosus.
- Dorcopsis** bruni.
- Dorcus** antaeus, blanchardi, bucephalus, cancrioides, chevrolati, cognatus, cribriceps, darwini, eurycephalus, femoralis, goliathus, immaturus, lessoni, luxeri, musimon, nepalensis, oblongus, obtusatus, oryx, parallepipiedus, parallelus, punctato-striatus,

punctilabris, punctulatus, reichei, saiga, sericorius, squamigerus, litani, tryus, tuberculatus.

Dorecopsis asiaticus.

Dorfia punctata.

Doria concinnata, distincta, meditabunda, stupida.

Doriclytus vitripennis.

Doridigitata bertheloti.

Doridium aplysiiforme, carnosum, coriaceum, depictum, marmoratum, neeheli, membranaceum, tricoloratum.

Dorifera johannae, ludoviciae.

Doripe atropis, nodulosa, spinifrons.

Dorippe affinis, armata, astuta, cuvieri, facchino, granulata, japonica, masearoni, nodulosa, novemdecos, rissoana, sima, spinosus.

Doriprismatica atromarginata, marginata, purpurea, villafranca.

Doris acutiuscula, affinis, alba, albescens, albolimbata, amarilla, areolata, argo, argus, aspera, atromarginata, aurata, aurea, barvicensis, bifida, brachyphylla, branchialis, britannica, caerulea, calcara, canariensis, candida, carinata, cespitosa, cinerea, coccinea, concentrica, cornuta, coronata, cruenta, cuprea, depressa, diademata, diaphana, echinata, elegans, elegantula, elfortiania, elongata, eolida, erythraea, fimbriata, flammula, flammulata, flava, flavipes, flemingi, foliacea, fontainei, forster, fumata, fumosa, gracilis, grandiflora, granulata, guttata, hispida, illuminata, immaculata, impudica, infucata, javanica, johnstoni, krohni, lacera, laevis, lemniscata, leuckarti, limacina, limbata, lineata, lineolata, liturata, longicornis, longubris, lutea, lutea-rosea, lutescens, maculata, maculosa, magnifica, marginata, marmorata, maura, mauritiana, mera, minuta, montagui, nardii, natalensis, nigricans, nodosa, oblonga, obsoleta, oniscoides, ornata, orsini, pallens, pallida, palmifera, paretii, parthenopeia, pasinii, pedata, pellucida, pennigera, peruviana, picta, picturata, pinnatifida, piraini, planata, porri, pseudo-argus, pulchella, pulcherrima, punctata, punctulata, punctuolata, purpurea, pusilla, pustulosa, puteolana, quadricolor, quadricornis, radiata, ramosa, rappi, repanda, reticulata, rissae, rocinella, rubra, sandwichiensis, sanguinea, scabra, scacchiana, scacchii, schembrii, schultzi, scripta, setigera, similis, sinuata, sismondiae, solea, sordida, sparsa, sponsa, sublaevis, subquadrata, tenella, tenera, testudinaria, tigrina, tinctoria, tomentosa, tricolor, trilobata, tuberculosa, ulidiana, valenciennesi, violata, venosa, venulosa, villae, villafranca, violacea, virescens, vulgaris, xantholeuca.

Doritis actius, apollinus, apollo, apollonius, clarius, delius, delphius, mnemosyne, thia.

Doros coarctatus, conopsea, conopseus, decoratus, festivus, ornatus.

Dorosoma notata.

Dorsanum politum.

Dorsina zelandica.

Dorsarius nigrescens.

Dorthisia caraciae, cataphractus, chiton, cimiciformis, delavauxi, fasciata, flavicornis, melampyri, onisciformis, urticae.

Dorudon serratus.

Dorx pentamera.

Dorycampa regalis.

Dorycera graminum, maculipennis.

Doryctes oblitteratus.

Dorydium paradoxum.

Dorylaimus marinus, stagnalis.

Dorylus affinis, atriceps, attenuatus, glabratus, juvenculus, labiatus, longicornis, mediatu, nigricans, orientalis, planiceps.

Dorynota parallela.

Doryphora abbreviata, acuminata, aenea, aeneipennis, aestuans, ahena, albicincta, ambigua, anastomozans, annulata, arcuata, aulica, aurantiaco-maculata, aurata, auriipennis, axillaris, balteata, biforis, bifrons, bigata, cassidea, catenulata, celsa, chelone, cincta, colombica, confusa, corbyi, cupraria, cuprea, decem-guttata, decem-lineata, dejeani, dendritica, dilaticollis, discicollis, fabricii, fausta, figurata, flavo-ozonata,

dyssderiformis, elegans, erythrocephalus, exornata, fastuosus, flavescens, flavitarsis, fornicarius, fulgens, fuscus, gnaphosus, hellenicus, incanus, lapidicola, lentiginosus, linnaei, listeri, longipes, lucifugus, lugubris, lutescens, lycosoides, lyonnети, maxillosus, melanogaster, mirandus, montanus, murinus, nigritus, nitens, nocturnus, notatus, nyctalopes, obscurus, ocellatus, pallipes, parvulus, phaleratus, reluceus, rubrens, ruhipes, rufus, schaefferi, segestriformis, sericeus, severus, signifer, similis, spinifer, sylvestris, tibialis, troglodytes, trucidator, validus, vasifer, venustus, viridissimus.

Drasteria archesia, cuspidata, erecta, glyphica, graphica.

Drasterius bimaculatus, permodicus, triangularis, umbrinosus.

Dreissena africana, antiqua, aperta, basteroti, brardi, cyanea, lunularis, palatonica, purpurascens, sallei, serrata, sowerbyi, spatulata, subantiquus, subglobosus.

Dreissina brardi.

Dremotherium feignoni, feignoux.

Drepana apiculata, falcataria, falcula, fasciata, flexula, hamula, lacertula, longimana, sicula, spinula, uncula.

Drepane punctata.

Drepanopteryx binoculus.

Drepania uncula, unguicula.

Drepanis byronensis, cinerea, coccinea, falcata, flava, lucida, minor, obscura, olivacea, pacifica, rufa, sanguinea, vestiaria.

Drepanites striatus.

Drepanius clavipes.

Drepanocerus excavatus, kirbyi.

Drepanopteryx phalaenodes, phalaenoides.

Drepanostoma nautiliformis.

Drepanus lacordairei, lecontei.

Driessena polymorpha.

Drillia bicolor, clathrata, echinata, suturalis, umbilicata.

Drilus ater, concolor, floralis, fulvicollis, fulvicornis, fuscus, mauritanicus, morio, niger, pectinicornis.

Drimo elegans.

Drimostoma amaroide, anthracinum, ebeninum, fuscipes, laticolle, mexicanum, punctifrons, schoenherri, striatocolle, sulcipenne.

Drobna deformis, haerberleini.

Dromaia ater, parvulus.

Dromas ardeola.

Dromedarius africanus, lacinia, vicunna.

Dromia aegagrophila, caput mortuum, clypeata, fallax, gibbosa, globosa, hirsutissima, indica, lateralis, lator, pustulata, rotunda, unidentata, verrucosipes, vulgaris.

Dromias agilis, fasciatus, glabrata, linearis, marginellus, melanocephalus, plagiatus, quadrimaculatus, spilotus.

Dromica clathrata, coarctata, gigantea, interrupta, sculpturata, trinotata, tuberculata, vittata.

Dromicia concinna, gliriformis, nana.

Dromicus angulifer, lessoni, novae hollandiae, novae zelandiae.

Dromilite rugosus.

Dromilites pustulosus.

Dromius aeneus, agilis, albomaculatus, albo-notatus, americanus, andalusius, angustatus, angustus, apicalis, aptinoides, atratus, atricapillus, auratus, bicolor, bifasciatus, bimaculatus, bipennifer, biplagiatus, borysthenicus, californicus, chilensis, cincticollis, cingulatus, collaris, cordicollis, corticalis, cruciferus, crudelis, cupreus, cursor, cyaneus, cyanipennis, decempunctatus, decorus, elongatulus, elongatus, erythropus, exclamationis, fasciatus, femoralis, fenestratus, festinans, flavipes, flavosignatus, foveola, foveolatus, foveolus, frenatus, gemmatus, glabratus, humeralis, imperialis, impressus, impunctatus, insignis, interstitialis, laeviceps, latens, levipennis, linearis, lineellus, longiceps, macrocephalus, marginellus, mauritanicus, maurus, melanocephalus, meridionalis, micros, minutus, mongolicus, monostigma, montenegrinus, multiguttatus, niger, nigricornis, nigrinus, nigrotestaceus, notatus, obscurellus, obscuro-

guttatus, ~~obsolutus~~, pallidus, pallipes, paracentesis, parasiticus, patruelis, piceus, picipes, pictipennis, pictus, plagiatu, punctatellus, punctato-striatus, quadrillum, quadrimaculatus, quadrinotatus, quadriplagiatus, quadrisignatus, ruficollis, rufilabris, scapularis, scutellaris, sibiricus, sigma, signatus, spilotes, striatipennis, striatus, sturmi, sub-appendiculatus, subfasciatus, subsulcatus, sulcatulus, suturalis, suturellus, testaceus, tetraspilotes, tibialis, tridens, truncatellus, unipunctatus, viridis.

Dromoceryx angularis, dorsalis.

Dromochorus pilatei.

Dromococyx phasianellus.

Dromodendron leucosternum.

Dromolaea albifasciata, cinerea, cursoria, leucurus, monacha, monticola, opistholeuca.

Dromophila montana.

Drongo ~~oerulescens~~*.

Drosocrus brunripes, crenulatus, depressus.

Drosophila alboguttata, analis, annulata, approximata, cameraria, cellaris, cinerella, colorata, congesta, costata, curvipennis, debilis, fasciata, fenestrarum, flava, flavipennis, funebris, fuscimana, fuscula, glabra, graminum, grisola, guttiifera, histrio, immatura, incana, ingrata, littoralis, maculata, maculipennis, marginella, melanogaster, mexicana, nigriceps, nigrimana, nigrita, nigriventris, nitidiventris, obscura, pallida, phalerata, picta, pusilla, reaumuri, remota, rufipes, sordida, spurca, transversa, tristis, varia, variegata, virginea.

Druida parviceps.

Drusilla exarata, horsfieldi, jairus, phaon, puncticollis.

Dryas (Lep.) claudia, gorgone, julia, leda, liriopoe, paphia, vanillae.

Dryas (Neur.) nigripunctatus.

Dryinus (Hym.) aeneus, aerias, alorus, atriceps, auripennis, basalis, bicolor, bifasciatus, brachycerus, brevicornis, carinata, collaris, crassimanus, cursor, daos, dorsalis, ephippiger, explanatus, flavicornis, formicarius, fulviventris, fuscicornis, ilus, inclytus, jurineanus, longicornis, lucidus, lyde, melaleucus, minor, nanus, otiartes, pacifica, penidas, planiceps, planifrons, rapax, rotundiceps, ruficornis, scapularis, sisithrus, tenuicornis.

Dryinus (R.) aeneus, auratus, nasutus, oxyrhynchus, prasinus, russellianus.

Dryiphis aeneus, argentea, aurata, catesbyi, langaha, nasutus, panthoronia, pavoninus, prasina.

Drymarchon corais.

Drymeia hamata, hispida, obscura.

Drymobius margaritiferrus.

Drymochares truquii.

Drymodes brunneopygia, superciliaris.

Drymoica aberrans, affinis, africana, brachyptera, brachyura, brevicaudata, buehanani, capensis, cherina, chiniana, chloris, cisticola, clamans, coriphea, criniger, curvirostris, diophrys, erythrogonis, erythroptera, exilis, fasciolata, fulvescens, fulvicapilla, fulvifrons, fusca, inornata, inquieta, isura, jerdoni, lateralis, lepida, leucocapilla, levallanti, longicaudata, lugubris, macroura, maculosa, magna, mentalis, minuta, mistacea, mystacea, natalensis, neglecta, obscura, ocularis, oxyura, pallida, pectoralis, pollicaria, polychroa, procerula, pulchella, robusta, rufa, rufescens, ruficapilla, ruficeps, rufifrons, rufigularis, schistilata, scotoptera, strangei, subcinnamomea, subflava, subruficapilla, substriata, superciliosa, sylvatica, terrestris, tatrix, thoracica, undata, uropygialis.

Drymonys musculus, parvulus.

Drymonax niger.

Drymonia chaonia, crenosa, dodonaea, querna.

Drymophila abyssinica, alecto, atra, carinata, cinerascens, leucophrys, leucopus, longipes, lorica, ruficauda, trifasciata, trivirgata, variegata, velata.

Drynobia melagone, velitaris.

Drynus cenopterus, hemipterus.

Dryobates pubescens.

Dryocampa bicolor, imperialis, virginienensis.

- Dryocoetis* carinentaria, cinctaria, consortaria, dianaria, glabraria, roboraria, teneraria, umbrosaria, virginaria.
- Dryocolaptes* major, martius, minor, tridactylus, viridis.
- Dryocopus* albirostris, boiei, erythrops, flavigaster, galeatus, guatemalensis, haematogaster, leucogaster, lineatus, magellanicus, martius, peroccineus, pileatus, pollens, principalis, robustus, rubricollis, scapularis, turdinus.
- Dryoctenes* caliginosus.
- Dryodynastes* rhodopleuron.
- Dryomedusa* colubrina.
- Dryomelices* lactea.
- Dryomyza* advena, anilis, appula, cingulata, convergens, decrepita, dubia, flaveola, fungorum, fuscicornis, mollis, praeusta, senilis, vetula, zawadzki.
- Dryope* communis, liturata.
- Dryophilus* anobioides, argus.
- Dryophis* acuminatus, aeneus, flagelliformis, fulgidus, hammatorhynchus, lophorhynchus, mycterizans, nasutus, pavoninus, prasina, purpurascens, rostrata, splendidus, viridis, xanthozonias.
- Dryophthorus* bituberculatus, corticalis, excavatus, lymexylon.
- Dryophtorus* crenatus.
- Dryophylax* nattereri.
- Dryophytes* versicolor.
- Dryopicos* erythrops, galeatus, hodgsoni, leucogaster.
- Dryopicus* fulvus.
- Dryops* acuminatus, aenea, auriculata, bipunctata, clavipes, dumerili, fastigiatus, fennica, hardwicki, livida, prolifericornis, striata, strigipennis, substriatus.
- Dryopsophus* citropa.
- Dryoscopus* aethiopicus, affinis, bicolor, boulboul, cubla, gambensis, madagascariensis, orientalis.
- Dryospiza* serinus.
- Dryotornus* flavigula, lineatus, pileatus.
- Drypta* aenipes, africana, angustata, australis, bocandei, bonelliana, cayennensis, collaris, cyanea, cyanella, cylindricollis, distincta, dorsalis, elongata, emarginata, flavipes, gemiculata, intermedia, iris, jucunda, lineola, longicollis, lugens, mandibularis, melanura, obscura, pallipes, pertyi, plagiata, ruficollis, thoracica, tridentatus, tristis, unidentata, virgata.
- Dryptelytra* cayennensis.
- Dryptocephala* brullei, punctata.
- Dryudella* ghiliani.
- Dryxo* lispoidea.
- Duberria* alidras, amoena, ancoralis, arctiventris, aurora, badia, baliodeira, bivittata, boiei, cana, cenchrus, chrysogaster, cinerascens, dumerili, formosa, hemprichi, lumbricoidea, maximiliani, melanocephala, obscura, plumbea, prophyriaca, quinque-lineata, schranki, tessellata, venustissima, vittata.
- Dubreullia* cirrhosa.
- Dubusia* cyanocephala, eximia, flavinucha, lachrymosus, montana, olivicyanea, selysia, sumptuosa, victorini.
- Ducantala* rubra.
- Ductor* leptosomus.
- Ducula* insignis.
- Dufourea* dejeani, minuta.
- Dufouria* aperta, clausa, nuda, petiolata.
- Dugesia* gonocephaloides.
- Dugungus* indicus.
- Dules* auriga, cauda vittatus, flaviventris, fuscus, guamensis, leuciscus, maculatus, malo, marginatus, mato, medius, rupestris, taeniorus, temnopterus, vermicolensis.
- Dulichia* spinosissima.
- Dulus* dominicus, nuchalis, palmarum.
- Dumecola* ruficauda.

- Dumerilia pulchra*.
Dumerillia rubida.
Dumeticola thoracica.
Dundubia ablistigma, earrante, chlorogaster, cinctimanus, elio, elonia, diminuta, doryca, fuliginosa, fusca, immacula, imperatoria, incomache, labyrinthica, lateralis, linearis, maculipes, melpomene, microdon, nigrimacula, nigristigma, oblecta, opalifera, phaeophila, preces, quadrituberculata, ramifera, rufivena, sania, serva, sobria, spinosa, stipata, thalia, tigrina, tuberosa, urania, vaginata, varians, vibrans, virescens.
Dunstervillia elegans.
Duomyia obscura, thalassina.
Duplocona laevigata.
Dupo pusillae, vitis.
Duponchelia fovealis.
Dupontiella ichneumonides.
Durganda rubra.
Dusa denticulata, monocera.
Duseideia fragilis, papillosa.
Dusicyon antarcticus, canescens, fulvipes, sylvestris.
Dussumieria acuta, elopsoidea.
Duvaucelia (Dipt.) bicincta.
Duvaucelia (Nud.) gracilis.
Dyacanthos polycephalus.
Dyachrysia balluca.
Dyctia claripennis, guerini, herbarum, nebulosa, nigricornis, paludosa, palustris.
Dyction caudatum, reussi.
Dyctionota marginata.
Dyctiophora affinis, cyrnea, distinguenda, genei, longipes, pannonica, proboscidea, senegalensis.
Dyctioptera substriatus.
Dyctiopterus crocatus, decoratus.
*Dyctis agoudas**.
Dymonus dufosseii, gibbicollis, tuberculatus, vestitus.
Dymusia cyanea, punctata.
Dynamena argentea, barbata, brevicella, bursaria, crinoides, distans, disticha, divergens, evansi, obliqua, operculata, opposita, ostrearum, pelagica, pelagica, pinaster, pinnata, pulchella, pumila, reptans, rigida, rosacea, secunda, serra, sertularioides, tubiformis, turbinata, viridis.
Dynamene (Cr.) abietinoides, bispinosa, montagui, rubra.
Dynamine arene, dyonis, mylitta, postueta.
Dynastes aegaeon, antaeus, cantori, centaurus, childreni, claviger, elephas, geryon, gideon, hardwicki, herculus, hesperus, hyllus, inermis, iphicles, juveneus, kirbyi, satyrus, titanus, tityus.
Dynatus spinolae.
Dyneutes sinuosipennis, varians.
Dynomena latreillei.
Dyodonta fimbriata, viridana.
Dypsicles demersus.
Dypterygia pinastri.
Dyroderes umbraculatus.
Dysaster acutus, aequalis, agassizi, altissimus, anasteroides, avellana, buchi, conicus, dorsalis, ellipticus, eudesi, excentricus, globulus, granulosa, hemisphaericus, malum, metoporphinus, michelini, muensteri, orbignyanus, ovalis, ovulum, parvulus, robinaldinus, semiglobus, subringens, suprajurensis, symmetricus.
Dysauxes ancilla, confamula, mediastina.
Dyschirius abbreviatus, aemulus, aeneolus, aeneus, aeratus, africanus, algiricus, angustatus, apicalis, arcticus, arenosus, baicalensis, bipunctatus, bonelli, borealis, brevicarinatus, chalcus, curvispinus, cylindricus, dejeani, digitatus, dimidiatus, distinctus, edentulus, euphraticus, extensus, fündeli, fulgidus, fulvipes, gibbus, globosus, gracilis,

haemorroidalis, hamarensis, humeralis, humeratus, impressus, ~~metallicus~~, ~~intermedius~~, laeviusculus, lafertei, leprieuri, linearis, longicollis, longulox, ~~lucidus~~, luticola, macroderus, maritimus, minimus, nigricornis, nitidus, numidicus, ~~obscurus~~, ~~obsoletus~~, oxygnathus, parvus, politus, punctipennis, pusillus, riparius, rotundipennis, ~~ruficornis~~, rufo-aeneus, rufus, semicrenatus, simplex, striatopunctatus, strumosus, subangulatus, subcylindricus, sublaevis, substriatus, terminatus, thoracicus, tristis, uliginosus, unicolor, viridis.

Dyschromus opacus.

Dyscia conspersaria, emucidaria.

Dyscoletes lancifer.

Dyscolus acuminatus, acutipennis, aeneipennis, aereipennis, anchomenoides, atratus, australis, brevicollis, brunneus, brunnipennis, caeruleo-marginatus, chalcopterus, cupripennis, cyanellus, cyanicollis, cyanipennis, cyanonotus, dilatatus, memnonius, nebrioides, nitidipennis, nitidus, purpuratus, rufitarsis, variabilis.

Dyscymatoge absinthia, exigua, indigata, innotata, lanceata, minutata, nanata.

Dysdaemonia boreas.

Dysdera angustata, coarctata, corallina, crocata, elegans, fasciata, gracilis, harpactes, hombergi, incerta, insidiatrix, interrita, lata, latreillei, lepida, longipes, lutea, maxima, parvula, pulcher, punctata, rubicunda, scalaris, solers, spinipes, templetoni, virens.

Dysdercus decussatus, hypogastricus, koenigi, oceanicus, pyrochroa.

Dysgonia algira, jovis, macaris.

Dysides obscurus.

Dysidius morosus.

Dysis bis-quatuor-guttata.

Dysithamnus guttulatus, mentalis, olivaceus, stellaris.

Dysmorphia astyocha.

Dysmorphocerus blanchardi.

Dysmorphosa conchicola.

Dysodius flaviventris, furcatus, lunatus, membranaceus, orientalis, parvulus, tremulae, truncatus.

Dysopes abrasus, albus, alecto, amplexicaudatus, ater, aurispinosus, auritus, australis, azara, castaneus, cheiropus, coecus, crassicaudatus, dilatatus, ferox, fumarius, fusciventris, geoffroyi, glaucinus, gracilis, holosericeus, laticaudatus, leucopleura, longicaudatus, longimanus, midas, molossus, mops, moxensis, murinus, naso, nasutus, natalensis, obsculus, obscurus, olivaceo fuscus, perotis, plicatus, pumilus, rufo-castaneus, rufus, rugosus, rupeli, savii, temmincki, tenuis, thyropterus, torquatus, ursinus, velox.

Dysopus pini.

Dysornithia brachyrhynchus, canadensis, infaustus.

Dyspessa pantherina, tessera.

Dysphania cyane, numenia.

Dysplanus centrotus.

Dysporus bassanus, capensis, cyanops, dimidiatus, fuscus, sula, variegatus.

Dyspteris breviataria, diminutaria.

Dysschema catilina, hypoxantha, tiresias.

Dyssstroma juniperata, morosata, russata, simulata, variata.

Dytes arcticus, cornutus.

Dythalmia danubia.

Dyticus abdominalis, angustatus, biguttulus, canaliculatus, circumscriptus, distigma, festivus, glaucus, graminicus, irroratus, lherminieri, maculosus, marginithorax, melanopterus, nitidus, oblongus, parallelogrammus, pumilio, puncticollis, rufipes, sexpunctatus, sturmi, submarginatus, tarsatus, variegatus, verrucifer, xanthomelas.

Dytilus concolor, monilicornis.

Dytiscus aciculatus, acuductus, alternans, angustior, anxius, areolatus, assimilis, ater, atratus, basillaris, bicarinatus, bi-lineatus, bimarginatus, bistriatus, bistriolatus, bi-vittatus, bogemanni, caesus, calidus, canaliculatus, carbonarius, carolinus, castaneus, cinctus, circumcinctus, circumductus, circumflexus, circumscriptus, clavatus, con-

cinus, confusus, confluent, conformis, conspersus, cordieri, coriaceus, corvinus, costalis, dauricus, decipiens, diffinis, digitalis, dimidiatus, dispar, dissimilis, dubius, elegans, elongatus, erythropterus, fascicollis, fasciventris, fenestralis, festivus, fimbriolatus, flavicollis, flavocinctus, flavoscutellatus, flexuosus, franklini, fraternus, frontalis, fulvicollis, fulvus, fuscus, gagathes, glypticus, gramineus, grandis, grapii, guttiger, guttulus, habilis, barrisi, hispanicus, bolosericeus, humeralis, hybridus, incisus, interpunctatus, interrogatus, interruptus, irroratus, lacustris, laevidorsis, lapponicus, latus, lavateri, liberus, lineatocollis, lineolatus, maculosus, marginatus, marginicollis, maria, martini, medius, melanocephalus, niger, nigro aeneus, nimbatu, nitidus, obovatus, obscurus, obtusus, oeningensis, ontariensis, ooligobius, ovalis, paludosus, parapleurus, parvus, picinus, pictus, pisanus, planus, politus, posticatus, pulchellus, punctatus, quadrilineatus, recurvus, ruficornis, rufifrons, rufipes, rufus, rugosus, septentrionalis, sericeus, silphoides, similis, sparsus, stagninus, striatus, striolatus, sturmi, subfasciatus, succinctus, sulcipennis, taeniolis, tartaricus, tessellatus, thoracicus, tricoloratus, tschokkeanus, undatus, undulatus, unifasciatus, variegatus, verrucifer, verticalis, virgulatus, vittiger, wasastjernae, zonatus, zschokkeanus.
Vide et Dytiscus.

- Eacles** acheloe, cynira, eulalia, imperatoria, penelope.
Eana nebulosana, strigulosa, wahlbomiana.
Eantis thraso.
Earias clorana, vernana.
Earis clorana.
Earomyia loncbaeoides.
Ebaeus albifrons, apicalis, appendiculatus, cinctus, coerulescens, collaris, flavicollis, flavicornis, flavipes, humilis, pedicularius, thoracicus, trimaculatus.
Ebala crenata, elegantissima, nitidissimus.
Ebalia algerica, bryeri, cranchi, deshayesi, edwardsi, elegans, granulosa, insignis, pennanti, quadridentata, tumefacta.
Ebenia claripennis.
Ebulea crocealis, verbascalis.
Eburia dimidiata, distincta, distinguenda, formosa, garganica, gratiosa, lacordairei, lanieri, lineola, morosa, perspicillaris, pilosa, proletaria, puella, quadrimaculata, sexmaculata, similis, speciosa, stigma, stigmatica, sulphureo-signata, subangulata, virgo, vittata.
Eburida sublineata.
Eburiphora reichei.
Eburna ambulacrum, areolata, australis, balteata, brugadina, buccinea, chemnitziana, flavida, glabrata, japonica, lutos, mirabilis, monilis, nigra, pacifica, papillaris, plumbea, spirata, tessellata, valentiana, zeylanica.
Eburnea lutos, maculata, rosea.
Eburnus flavus.
Ecclisopteryx dalecarlica.
Ecclissa albina, arenarium, cornuta, felis, hernuanni, lacinulata, nasuta, nigra, pyrum, reversa, saccus, scyphina, truncatella, utriculata, viridis.
Eccopisa effractella.
Eccopterus buffo, histrio, strix, tri-dentatus.
Eccoptochile aspera, clavigera, curta, perlata.
Eccoptogaster destructor, multistriatus, poligraphus.
Eccoptomenus eximius.
Eccoptus ardea, asio, caliginosus, marmoreus, minutus, nebulosus, scolopax.
Ecculiomphalus bucklandi, laevis, minor.
Ecelonerus insularis, subfasciatus.
Echelus auratus, ciuciara, gruncus, macropterus, microphthalmus, nebulosus, oxyrinchus, polyrinus, punctatus, rufus.
Echenais alphaea, aria, cbia, crispa, emylia, leucocyanea, leucophaea, luciane, misenessa.

Echeneibothrium minimum, variabilis.

Echeneis albacorda, albescens, arrosti, australis, brachyptera, caudisetis*, imperati, jacobaea, lunata, mediterraneus, naucratis, pallida, quatuordecimlaminatus, sexdecimlamellata, triainurus, veterum, vittata.

Echenus politus.

Echiaster longicollis, melanurus.

Echidna (Lep.) cytherea, luna, selene, tarpejus, tarquinius, tau.

Echidna (M.) aculeata, breviaculeata, histrix, longiaculeata, setosa, variegata.

Echidna (R.) atropos, inornata, mauritanica, ocellata.

Echidnis diluvianus.

Echidnocerus cibarius.

Echimuthus cyanocephalus.

Echimys albispinosus, albispinus, antricola, aperoides, brachyurus, cayennensis, chrysurus, cristatus, dactylina, didelphoides, elegans, hispidus, inermis, laticeps, longicaudatus, myosuros, niloticus, rufus, setosus, spinosus, sulcidens.

Echinanaus cyclostomus.

Echinanthus ambigena, australis, decadactylus, dentatus, hexaporus, laganum, nucleus, orbicularis, pentaporus, rosaceus, scutella, subdepressa.

Echinarachnius atlanticus, conchatus, excentricus, incisus, juliensis, latissimus, nummularis, placenta, placunarius, porpita, rumphi, sanguinolentus, zelandiae.

Echinaster brasiliensis, crassus, decanus, echinites, echinophora, ellisi, eridanella, eschrichti, fallax, gracilis, oculatus, sarsi, sepiatosa, serpentarius, solaris, spinosus, spongiosus.

Echinastraea gennacea, ringens, rosacea, rosularia.

Echineis musignani, pallida.

Echinella (G.) coronaria, granulata.

Echinella (Inf.) cuneata, stricta, ventilatoria.

Echinisca rosea.

Echiniscus bellermanni.

Echinites amygdalaeformis, anomalus, areolatus, avellanarius, breynianus, campanulatus, canaliculatus, catenatus, caudatus, corculum, cordiformis, corollatus, coronatus, cruciatus, echinometrites, ellipticus, fenestratus, florealis, galeatus, globatus, globulatus, helveticus, hexagonatus, istriacus, lenticulatus, melitensis, miliaris, oculatus, orificiatus, ovatus, paradoxus, peltiformis, pomarius, poundianus, pustulosus, quaternatus, quaternatus, radiatus, ruralis, sideralis, sinuatus, spadagnoides, stellatus, subulatus, tessellatus, ursinus, varians, variolatus, vernonensis.

Echinobothrium typus.

Echinobryus bryeri.

Echinocardium atropos, ovatum, pusillus, seba.

Echinocephalus variabilis.

Echinocerus cibarius.

Echinochorium clavigerum, echinatum.

Echinocidaris aequituberculatum, dufresnei, grandinosa, infulatus, loculata, nigra, punctulata, pustulosa, spatulifera, stellata.

Echinoclypeus conoideus, hemisphaericus, patella, quinquelabiatus, umbrella.

Echinocnemus squameus.

Echinococcus arietis, corollatus, erraticus, gallopavonis, girafae, granulosa, hominis, infusorium, polymorphus, punctatus, simiae, veterinorum.

Echinocorys ornatus, pustulatus, tessellata.

Echinocrinus anceps, benburbensis, cidariformis, deucalionis, glabrispina, muensterianus, nerei, prisca, protei, rossicus, spinosus, triserialis, urei, vetustus.

Echinocyamus alpinus, altavillensis, ambiguus, annoni, australis, costulatus, crustuloides, maximus, minutus, obtusus, occitanus, planulatus, profundus, pusillus, pyriformis, siculus, studeri, subcaudatus, suffolciensis, tarentinus.

Echinodiscus bisperforatus, latissima, parma, placunaria, rumphii.

Echinoencrinites anatifornis, fenestratus, senkenbergi.

Echinoencrinus angulosus, armatus, baccatus, columna, fenestratus, giganteus, granatum, striatus.

Echinogale laurillardi, telfairi.

Echinogalerus peltiformis, rotularis.

Echinoides trilamina.

Echinolampas acuta, affinis, agassizi, amygdala, angulatus, beaumonti, blainvillei, bordae, bouei, brevis, brongniarti, burdigalensis, caudata, columbaris, conoidea, curtus, cuvieri, cylindrica, deshayesi, dilatatus, dorsalis, ellipsoidalis, elliptica, escheri, eurypygus, eurysonus, excentrica, faujasi, fornicatus, francei, globosus, hayesiana, hemisphericus, hoffmanni, intermedius, kleini, koenigi, lampas, laurillardi, leskei, linki, minor, montuolini, navicella, orientalis, ovalis, ovata, oviformis, ovulum, ovum, pentagonalis, politus, productus, pustulata, richardi, scutiformis, semi-globus, similis, stelliferus, studeri, subdorsatus, subsimilis.

Echinolampas angulosus, subcylindricus, trilobus.

Echinometra acufera, atratus, blainvillei, hastifera, heteropora, lobata, mathaei, maugei, megastoma, mertensi, michelini, pedifera, postelsi, pugionifera, subangularis, trigonarius.

Echinornya cuculliae, errans, fera, grossa, intermedia, lapilaei, lateralis, lefebvrei, nigricornis, paolilli, picea, punctata, rubescens, rubricornis, testacea, vernalis.

Echinomyia abdominalis, aenea, algira, alpina, analis, antiqua, argentifrons, argyrocephala, brasiliensis, canariensis, corpulenta, echinata, fera, ferina, ferox, fuligipennis, fulviceps, fuscanipennis, georgica, grossa, hirta, histrix, hyalipennis, javanica, leucocoma, lurida, magnicornis, marklini, meridionalis, nigricornis, nigripennis, pedemontana, pilosa, praeceps, prompta, pusilla, rubida, ruficeps, ruficornis, sphyricera, subpilosa, tetramera, ursina, virgo.

Echinomys brachyurus, fuliginosus, leptosoma.

Echinonauis lampas.

Echinoneus albo-galerus, cassidularis, centralis, conformis, crassus, cruciatus, elegans, gibbosus, nucleus, orbicularis, orificiatus, ovalis, ovatus, placenta, propinquus, scutatus, semilunaris, serialis, subglobosus, subuculus, ventricosus, vulgaris.

Echinopora aspera, astroides, ehrenbergi, gemmacea, hirsutissima, horrida, raulini, reflexa, ringens, rosularia, rousseaui, solidior, undulata.

Echinops spinosus, telfairi.

Echinopsis contexta, depressa, elegans, gacheti, latipora, pusilla, subuculus.

Echinopus hystrix, setosus.

Echinora tuberculosa.

Echinorhinus obesus, spinosus.

Echinorhynchus acanthosoma, accipenseris rutheni, acus, aequalis, affinis, agilis, alcedinis, aluceonis, amphipachus, anatum, angustatus, anthuris, appendiculatus, ardeae albae, ardeae purpureae, areolatus, argentineae, atherinae, aurantiacus, bacillaris, balanocephala, caprae, carassii, caudatus, charadrii pluvialis, cinctus, citilli, clavata, clavula, clypeatus, collurionis, compressus, conicus, constrictor, contortus, coraciae, cornicis, cyathiformis, cyprini idbani, cyprini rutili, dasyacanthus, decipiens, dendrocopti, diffluens, dimorphocephalus, eperlanii, erinacei, exacanthus, fabri, falconis, farionis, fasciatus, filicollis, fusaeformis, garzae, gibbosus, globicollis, globosus, globulosus, gobii, gracilis, grius, haematopodis, haeruca, haliaeti, hippuris, hirundinum, husonis, hystrix, inaequalis, inflatus, inscriptus, kerkoideus, labri, lagenaeformis, lancea, lari, lavareti, linearis, lineatus, luteus, macracanthus, macrourus, major, megacephalus, micracanthus, microcephalus, miliaris, moniliformis, morinelli, motacillae atricapillae, muraenae, muscipapae, mustela, mutabilis, napaeformis, obliquus, obovatus, oedic-nemi, oliganthoides, oliganthus, orioli, oriolii cristatus, ovatus, pachysomus, pardalis, pari, pellucidus, picae, pici collaris, plagiccephalus, platessae, pleuronectes, polyacanthoides, polyacanthus, polymorphus, porrigens, pristis, propinquus, proteus, pumilio, pyrriformis, ranae, reticulatus, ricinoides, rutheni, rutula, salmonum, sciaenae, scomber, scorpaenae, sigmoideus, simplex, soricis, sphaericus, sphaerocephalus, sphyraenae, spiralis, spirula, sterna, strigisauriculatae, strigisstridulae, strumosus, subglobatus, subulatus, sylviarum, tanagrae, tarda, tenuicollis, terebra, teres, tetricollis, thymalli, todari, torquatus, tortuosus, transversus, trichiuri, triglae, tritonis, tuba, tuberans, tumidulus, tumidus, urniger, vasculosus, ventricosus, versicolor, wachniae, zenis.

Echinorinchus scutatus.

Echinosome afrum.

Echinospatagus cordiformis, murchisoni, murchisoniae, subglobosus.

Echinospaerites angulosa, anrantium, balticus, citrus, granatum, granulatus, inaequalis, laevis, malum, oblonga, pomum, senkenbergi, striata, tessellatus, wahlenbergi.

Echinotus spinicollis.

Echinus acanthoides, acuter, acutus, aequituberculatus, albidus, algarius, alutaceus, alveatus, anguifer, arenatus, astensis, attenuatus, auranticus, baculosus, bastai, benettiae, binessa, bigranularis, blainvillei, bolivarii, brevispinosus, brongiarti, buchi, cadomensis, caillaudi, calamaria, carautonianus, caribearum, carinatus, castaneus, cataphractus, catenatus, caumonti, chlorocentrotus, chloroticus, clodiense, complanatus, concavus, coucetus, corollaris, corona, corallatus, costatus, cretaceus, cyneus, delalandi, dentata, denudatus, depressus, diademata, diademoides, digitata, distinctus, doma, dubeni, dubius, dufresnei, elegans, equituberculatus, erythrogrammus, eugenii, fallax, fasciatus, faujasi, flemingi, gacheti, gaimardi, geranoides, germinans, gibbosus, globiformis, grandinosus, granularis, granulatus, griseus, gyracanthus, gyratus, hemisphaericus, hieroglyphicus, hoffmanni, homocypus, horridus, humboldti, hura, hystrix, imperialis, improcerus, infulatus, intermedius, koenigi, koreni, laevis, laganoides, lamarcki, lepidus, leschenaulti, leskei, leucorhodia, liasinus, lineatus, lividus, lobatus, loculatus, longispina, maculatus, margaritaceus, marii, mathaei, maugeri, megapolitanus, menardi, mertensi, metularis, microtuberculatus, milleri, minimus, minutus, mirabilis, molaris, monilis, multigranularis, neapolitanus, neglectus, nitidulus, nitidus, noctilucens, nodosus, nodulosus, norvegicus, oblongus, obsoletus, olisiponsis, omalostoma, osnabrugensis, ovuleus, ovum, pallidus, papillosus, parvituberculatus, parvus, patagonensis, paucituberculatus, pedifer, peltatus, perlatus, peroni, petaliferus, petallatus, philanthropus, pictus, pileolus, pistillaris, pisum, planus, polyporus, polyzonalis, polyzonialis, porosus, postelsi, psammophorus, pseudomelo, pulcher, pulvinulus, punctiferus, punctulatus, purpureus, purpureus, pusilla, pusillus, quadrifora, quinqueangulatus, quinquefora, quoyi, radiatus, rotularis, rotundus, rufini, rugosus, sacculus, sagus, scillae, sculptus, semiplacenta, semituberculatus, serialis, serratus, serresi, sextforis, spatagoides, spatuligera, spinosissima, stellaris, stellatus, subangulosus, subcaeruleus, subdepressus, subglobiformis, subglobulus, subularis, sulcatus, swartzi, taeniatus, theveneti, tribuloides, trigonarius, trizonalis, tuberculatus, turonensis, vacheyi, viololaris, ventricosus, verticillaris, violaceus, virens, virgatus, woodwardi, zebrinus.

Echiodon drummondii.

Echiopsis curta.

Echiostoma barbatum.

Echis arenicola, pavo, varia.

Echiurus gaertneri, pallasi, sitchaensis, vulgaris.

Echthistus rufinervis.

Echthrus armatus, crassipes*, hercynianus*, lancifer, nubeculatus, reluctator.

Echymipera kalubu.

Eciton curvidentatum, gulosa, hamata.

Eclectis blandana, bollingerana, byringerana, ceylonensis, cristana, nyctemerana.

Eclectus cornelia, gramineus, grandis, linnaei, paragua, polychloros, puniceus, sumatranus, tarabe.

Eclimus gracilis, perspicillaris.

Ecmanis igneum.

Ecmesus fungiaeformis.

Ecnoxaeus concavus, planus, scaphula.

Ecnomidea pitheciun.

Ecpantheria assimilis, cunigunda, eridane, lantanae, orsa, scribonia.

Ecphora quadricostatus.

Ecphymotes acutirostris, fitzingeri, obtusirostris, pictus, plica, torquatus, undulatus.

Ecleopus gaudichaudi.

Ecpyrrhorhoe rubiginalis, rubricalis, verbascalis.

Ectatoderus nigriventris.

Ectatops cineraceus, limbatus, rubiaceus.

Ectatosoma tiaratum.

- Ectatotarsus longimanus*.
Ectenopsis vulpecula.
Ecthesis pura.
Ectima iona, liria.
Ectinocera borealis.
Ectinoderus bipunctatus, longimanus, philippinensis.
Ectinorhynchus variabilis.
Ectinus aterrimus, granulosus, jucundus, volhynensis, xanthodon.
Ectobia nigripes.
Ectobius germanicus, lapponicus, lividus, nigripes, pallens, pallida, panzeri, perspicillaris.
Ectopistes capensis, carolinensis, marginatus, migratoria, speciosa.
Ectrichodia barbicornis, cruciatus, haematodes, imperialis, rubra, sanctus, versicolor.
Ectroma fulvescens.
Ectropis consonaria, crepuscularis.
Ectrychotes bicolor, bidentulus, crux, discus, gigas, hirticornis, miles, pilicornis, tricolor.
Edaphodon bucklandi, eurygnathus, leptognathus.
Edela ruficeps.
Ederesa albistria, clematella, curvella, mendicella, ocella, ossea, pruniella, semifusca, semitestacella, tetrapodella.
Edessa abdominalis, albirenis, alces, amethystina, antilope, aurantia, bifida, brevicornis, brunnipes, bubalus, carnea, castanea, cerea, cervus, circumscripta, corallipes, corculum, cordigera, cornuta, corrosa, costalis, cribrum, cruciata, cruenta, dama, discors, dolichocera, elegans, flavida, fulvicornis, gazella, geniculata, glandulosa, glauca, grossa, guineensis, guttata, guttatopunctata, haematopoda, hamata, helix, ianus, ictérica, inconspicua, insignis, iserti, jugata, lateralis, lineata, loxdalii, lutea, luteicornis, mactans, marginata, marmorea, meditabunda, merianae, miniata, mixta, modesta, moesta, moschus, nebulosa, nervosa, nigridens, nigripes, nodifera, notata, obscura, obsoleta, papillosa, perspicua, picus, piperitia, politum, punctum, quadridens, recurva, rubens, rutilans, schaefferi, scutellata, sepulchralis, sexdens, simplex, tarandus, taurus, trabeata, transversalis, triptera, ulcerosa, vacca, versicolor, vicina, viduata, virens, vitellina, vitulus.
Edmondia compressa, elongata, hercyniae, josepha, murchisoniana, subangulata, subtruncata, unioniformis, ventricosa.
Edolius affinis, albiventer, annectans, balicassius, barbatus, caeruleus, cineraceus, crishna, cristellatus, divaricatus, forficatus, grandis, hottentottus, intermedius, ludwigi, lugubris, malabaricus, malabaroides, megarhynchus, metallicus, musicus, paradiseus, puellus, rangoonensis, remifer, retifer, setifer, viridescens.
Edostoma cinerea.
Edotia tuberculata.
Edwardsia (Cr.) duodecimcirrata, fulgens.
Edwardsia (Med.) beautempsi, harassi, timida, vestita.
Edwardsocrinus ornatus.
Ega aequatoria, anthicoides, formicaria, inaequalis, sallei.
Egaenus convexus, ictericus, tibialis.
Egatheus flacinelus.
Egea culminaria, desertaria, pravaria.
Egeon (Cr.) cataphractus, loricatus.
Egeon (Rh.) perforatus.
Egeria (Cr.) herbsti, indica.
Egeria (Dipt.) hortensis, silvatica, testacea.
Egeria (L.) bucklandi, inflata, nana, nitens, ovalis, plana, rotunda, subtrigonia, triangulata, veneriformis.
Egernia cunninghami.
Egetta russata.
Eginia cylindrica.
Egira australis, conspicillaris, pulla, solidaginis.
Egithina leucoptera.
Egius platycephalus.

Egle (Cr.) *rediviva*.

Egle (Dipt.) *agilis*, *anthophila*, *autumnalis*, *campestris*, *clausipennis*, *communis*, *exigua*, *fabricii*, *festiva*, *flavescens*, *floricola*, *florum*, *labiata*, *ludibunda*, *nigra*, *nitida*, *pallipes*, *parva*, *præcox*, *pulverulenta*, *viridescens*, *vulgaris*.

Egleis *adjuncta*, *constellata*, *edwardsi*, *escheri*, *varicolor*.

Eglisia *lanceolata*, *spirata*, *tricarinata*.

Egolia *variegata*.

Egretta *alba*, *asha*, *caboga*, *caerulea*, *candidissima*, *chloriceps*, *cinnamomea*, *flavicans*, *flavirostris*, *garzetta*, *javanica*, *leuce*, *ludoviciana*, *malaccensis*, *maronata*, *modesta*, *nigrirostris*, *nivea*, *orientalis*, *plumbea*, *pumila*, *rufescens*, *ruficollis*, *russata*, *scapularis*, *thalassina*, *virescens*.

Egybolis *natali*.

Ehrenbergina *serrata*.

Eider *mollissimus*.

Eidopsarus *affinis*, *bicinctus*.

Eidothea *marmorata*.

Eieides *dianasa*, *halia*.

Eilema *caniola*, *luteola*, *paleola*, *unita*.

Eilicrinia *cordiarii*.

Eione *gibbosula*, *inflata*, *sulcata*.

Eira *barbara*, *ferruginea*, *galera*, *ilya*.

Eirara *barbara*, *vittata*.

Eirene *digitale*, *endrachtensis*, *gibbosa*, *viridula*.

Eirone *dispar*.

Elacate *americana*, *atlantica*, *bivittata*, *malabarica*, *motta*, *pondiceriana*.

Elachertus *abdominalis*, *albiventris*, *lateralis*, *pilicornis*, *viridulus*.

Elachestus *aequalis*, *aeruginosus*, *albipes*, *albiscapus*, *amelon*, *angularis*, *annulatus*, *argissa*, *carinatus*, *catta*, *charondas*, *chlorocephalus*, *coerulescens*, *costalis*, *cotburnatus*, *crassicornis*, *cupreus*, *cyaneus*, *cynipbidum*, *dimidiatus*, *ditissimus*, *erse*, *eucrate*, *eurybatis*, *facialis*, *fenestratus*, *florianus*, *fusciventris*, *gradualis*, *gyes*, *heyeri*, *idomeue*, *inunctus*, *laevis*, *leucobates*, *leucogramma*, *levana*, *lunatus*, *neleus*, *obscuripes*, *obscurus*, *orbicularis*, *orsus*, *pallipes*, *pellucens*, *petiolatus*, *plagiatus*, *politus*, *pulcherrimus*, *rufescens*, *saon*, *splendens*, *suada*, *subauratus*, *tardulus*, *ticida*, *timidus*, *viridis*.

Elachiptera *brevipennis*.

Elachista *abrasella*, *aeciabella*, *acernella*, *aechmiella*, *aereella*, *alaudella*, *albedinella*, *albella*, *albidella*, *albinella*, *alcyonipennella*, *alnifoliella*, *amyotella*, *angusticollella*, *angustipennella*, *anserinella*, *apicipunctella*, *arundinella*, *atricomella*, *augustella*, *auro-finitella*, *ballotella*, *basipallidella*, *bifasciella*, *bimaculella*, *binella*, *bipunctella*, *bisticella*, *blancardella*, *boyerella*, *canifoliella*, *cerasi-foliella*, *chrysodesmella*, *cinereopunctella*, *clerckella*, *coffeella*, *comparella*, *complanella*, *conjunctella*, *contaminatella*, *cramerella*, *crataegifoliella*, *curtisella*, *cydoniella*, *cygnella*, *decorella*, *delitella*, *demaryella*, *disemiella*, *dispilella*, *dohrni*, *emberizae*, *emyella*, *flavicaput*, *flavo-fasciella*, *fonsecolombella*, *froelichbiella*, *gangabella*, *gaunacella*, *gemmatella*, *gnaphaliella*, *goryella*, *griseella*, *bilarella*, *hippocastanella*, *humilis*, *ilicifoliella*, *insecurella*, *irenella*, *kilminella*, *kollariella*, *langiella*, *luticomella*, *macquartella*, *macrocerella*, *magnificella*, *malipiliella*, *megeriella*, *mespilella*, *minimella*, *moniliella*, *montandonella*, *mucidella*, *nigrella*, *niveipunctella*, *obscurella*, *occultella*, *ochreella*, *oleaella*, *ononiella*, *oricbalcella*, *padifoliella*, *patriciella*, *perdicella*, *pollinariella*, *pollutella*, *pomifoliella*, *populifoliella*, *pulchella*, *pullicomella*, *punctoradiella*, *quercetella*, *quercifoliella*, *rayella*, *regificella*, *rhamnifoliella*, *roborifoliella*, *salaciella*, *salicis*, *saportella*, *schreberella*, *scitulella*, *spartifoliella*, *spinoiella*, *stephensi*, *subalbidella*, *subnitidella*, *tenella*, *trapeziella*, *treitschkiella*, *trifasciata*, *tristicella*, *ulmifoliella*, *zonariella*.

Elaenea *albescens*, *albicollis*, *cayanensis*, *leucopbrys*, *spadicea*.

Elaenia *brevirostris*, *cayanensis*, *luteata*, *modesta*, *obscura*, *obsoleta*, *pagana*, *viridiflava*.

Elaeorrhous *baicalensis*.

Elagatis *bipinnulatus*.

Elais *extendens*.

Elamena *gustleri*.

Elampus *affinis*, *bidentatus*, *chlorosoma*, *cribratus*, *micans*, *minutus*, *panzeri*.

Elania (A.) *albicapilla*, *allucilla*, *aurifrons*, *bivittata*, *cotta*, *cristatus*, *elatus*, *galeata*, *helviventris*, *heterophrys*, *leucophrys*, *luteocephala*, *modesta*, *nigricans*, *obscura*, *obsoleta*, *oleaginea*, *olivacea*, *pagana*, *phoenoleuca*, *pilaris*, *poliocephala*, *rubra*, *rubicapilla*, *ruiceps*, *rufo-olivacea*, *stramineo-ventris*, *straticollis*, *suiriri*, *superciliaris*, *ventralis*, *vernivora*, *virescens*, *viridicata*, *viridis*.

Elania (R.) *mulleri*.

Elanoides *furcatus*, *riocouri*, *yetapa*.

Elanus *axillaris*, *caesius*, *dispar*, *furcatus*, *leucocephalus*, *leucurus*, *melanopterus*, *minor*, *naularius*, *notatus*, *riocouri*, *scriptus*, *torquatus*.

Elaphe *parreyssi*.

Elaphidion *amabile*, *arctum*, *aspersum*, *bidens*, *cerussatum*, *cinerascens*, *conspersum*, *cyanipennis*, *deflendum*, *exornatum*, *fullonium*, *glabratum*, *incertum*, *inermis*, *insulare*, *irroratum*, *marylandicum*, *maurum*, *mite*, *mucronatum*, *muricatum*, *muticus*, *nebulosum*, *neglectum*, *notatum*, *oblitum*, *ordinatum*, *parallelum*, *poeyi*, *pruinatum*, *pubescens*, *pumilum*, *pusillum*, *rigidum*, *rufulum*, *rusticum*, *sobrium*, *spicorne*, *tessellatum*, *truncata*, *unicolor*, *vicinum*, *villosum*.

Elaphinis *cinerascens*, *fervata*, *irrorata*, *moesta*.

Elaphocera *barbara*, *bedeani*, *bysantica*, *carteriensis*, *churianensis*, *denticornis*, *dilatata*, *gracilis*, *granatensis*, *hiemalis*, *hispanensis*, *longitarsis*, *malaccensis*, *mauritanica*, *numidica*, *obscura*, *rubripennis*, *sardoa*.

Elaphopsis *rubida*.

Elaphria *grata*, *sepii*.

Elaphroma *globosa*, *maculata*.

Elaphropeza *ephippiata*.

Elaphroptera *apicalis*, *atra*, *cornuta*, *dimidiata*, *fasciata*, *maculipennis*, *pallidipennis*.

Elaphropus *caraboides*.

Elaphrus *aeneus*, *americanus*, *angusticollis*, *angustus*, *aquaticus*, *arcticus*, *aureus*, *baschkiricus*, *bistriatus*, *californicus*, *cicatricosus*, *clairvillei*, *cupreus*, *decoratus*, *decorus*, *dilaticollis*, *elegans*, *elongatus*, *fasciolatus*, *fuliginosus*, *fumigatus*, *guttula*, *humosus*, *impressifrons*, *impressus*, *intermedius*, *lapponicus*, *laticollis*, *latiusculus*, *littoralis*, *lunatus*, *luridus*, *metallicus*, *minutus*, *modestus*, *multipunctatus*, *obscurior*, *pallidipennis*, *pallipes*, *palustris*, *picipes*, *pictus*, *politus*, *prasinus*, *pumilio*, *punctatissimus*, *punctatus*, *pygmaeus*, *pyrenaicus*, *quadrisingatus*, *rufo-collis*, *rufipes*, *rupestris*, *ruscarius*, *semistriatus*, *sexstriatus*, *sibiricus*, *similis*, *sinuatus*, *spilotus*, *splendidus*, *testaceus*, *tibialis*, *tricolor*, *ustulatus*, *violaceomaculatus*.

Elaphus *canadensis*.

Elapocormus *bungaroides*.

Elapodis *fuscus*.

Elapodis *fusca*.

Elapomorphus *capensis*.

Elaposoma *elaps*.

Elaproptera *servillei*.

Elaps *affinis*, *anguiformis*, *annulatus*, *bilineatus*, *bivirgatus*, *boaeformis*, *bungaroides*, *calligaster*, *cobella*, *coccineus*, *collaris*, *corallinus*, *coronatus*, *domicella*, *dorsalis*, *duberrima*, *elegantissima*, *flaviceps*, *furcatus*, *fuscus*, *gouldi*, *hygeae*, *hygieae*, *ibiboboca*, *intestinalis*, *irregularis*, *jamesoni*, *lacteus*, *langsdorffi*, *lemniscatus*, *lewisi*, *lubricus*, *macclellandi*, *marcgravi*, *martii*, *melanocephalus*, *melanogaster*, *melanurus*, *muelleri*, *ngromaculatus*, *ocolineatus*, *ornatus*, *plicatilis*, *psammophis*, *psyche*, *russeli*, *schneideri*, *schranksi*, *scutelliger*, *severus*, *sputatrix*, *sunderwalli*, *surinamensis*, *triangularis*, *trimaculatus*, *triscalis*, *venustissimus*.

Elasmatina *cumiugiae*, *globosa*, *reclusiana*, *subulata*.

Elasmion *geerella*.

Elasmocelis *cimicoides*.

Elasmocera *cingulata*.

Elasmocerus *terminatus*.

Elasmodus *greenovi*, *hunteri*.

Elasmognathus helferi.

Elasmopora beaniana, cellulosa.

Elasmotherium fischeri, keiserlingi, sibericum.

Elasmus anius, anticles, flabellatus.

Elassonyx dregeri.

Elassus parvicornis.

Elastoma oculatus.

Elater abbreviata, abdominalis, abruptus, acanthus, aculeatus, acuminatus, acutangulus, acuticornis, acutipennis, adpersus, adustus, aeneicollis, aerarius, aeratus, aeruus, aeripennis, aethiops, afer, agonus, agricolor, albipes, albopilosus, alni, alopes, alpestris, alternans, americanus, ampicollis, anachoreta, analis, anchorago, angulatus, angustatus, angusticollis, angustirostris, angustus, apicalis, apicatus, appendigulatus, appressifrons, appressus, appropinquans, approximans, aquilus, areolatus, argiolus, armatus, armus, arrogans, assimilis, ater, aterrimus, atomarius, atratus, atricapillus, atripennis, attenuatus, aulicus, aureolus, auripilis, auritus, auroratus, australasiae, austriacus, avitus, axillaris, baldensis, baridius, basalis, basilaris, bellus, beniniensis, bicolor, bicornis, biden, bifasciatus, bi-floccosus, bi-foveatus, bigeminatus, bilineatus, bilobatus, bimaculatus, binodulus, binus, biplagiatus, bis-bimaculatus, bisectus, bi-signatus, bivittatus, blandus, boeberi, brasiliensis, brevicollis, brevicornis, brevis, bructeri, brunnicornis, brunnipennis, brunnipes, bucephalus, caenosus, caliginosus, callizonus, candelarius, canus, carbonicolor, cardisce, carinatus, castaneithorax, castanidens, castanipes, castanopterus, caucasicus, cavus, cayennensis, ceramboides, cervinus, chalybeus, chevrolati, choris, chrysocornus, chrysoprasus, cinctiger, cinctus, cinereus, cingulatus, cinnaberinus, cinnamomeus, circumcinctus, circumductus, circumductus, circumscriptus, claricollis, cleryi, clypeatus, coccinicornis, coerulea, cognatus, collaris, communis, complanatus, compressus, confluent, consimilis, conspersus, contaminatus, contemptus, controversus, convexa, cornutus, corrucis, corticinus, crassicornis, crassus, crenatus, crenicollis, cribricollis, crocatus, crocipes, crocopus, cruciatus, cruciger, cruentatus, cruentus, cucujus, cucullatus, cupreonitens, cupripennis, curiatus, cuspidatus, cyaneus, cyanopterus, cylindricollis, cylindricus, cylindricornis, decoloratus, delesserti, demustoides, dentatus, depressus, deustus, dichrous, difformis, dilectus, dimidiatus, discalceatus, discicollis, discoideus, dispar, dispilis, dissimilis, distinctus, distinguendus, diversus, dorsalis, ebeninus, ectypus, elegans, elegantulus, eleonora, elevatus, elongatulus, elongatus, emarginatus, erosus, erubescens, erythrocephalus, erythrogonus, erytropus, eschscholtzi, europaeus, excavatus, exiguus, exophthalmus, exsanguis, extinctus, fallax, farinesi, fasciatus, fastidiosus, fastiditus, ferrugatus, ferruginatus, filius, filum, finitimus, fissilis, flabellicornis, flavangulus, flavescens, flavicans, flaviceps, flavicornis, flavoangulatus, formosus, foveicollis, frenatus, frohlichi, fronticornis, fugax, fulvicollis, fulvipennis, fulvipes, fulvus, fumatus, fuscicornis, fuscatus, fusciscens, fuscicollis, fuscicornis, fuscipennis, fuscipes, fuscus, gallicus, gaudichaudi, geminatus, gentilis, germanicus, gilvellus, gilvipes, glabratus, goryi, graciliformis, grafi, grandicollis, griseocornis, griseus, guttatus, guyanensis, haemapterus, haemorrhoidalis, hamatus, hemipodus, hepaticus, heyeri, hieroglyphicus, hinkei, hirtellus, hirticollis, hirticornis, hirtipennis, hispidus, histrio, homalisimus, honestus, humeralis, hyperboreus, illuminatus, impolitus, impressicollis, inaequatus, incanus, incertus, incisus, incolae, inermis, inflatus, inquinatus, inscius, insignis, insipiens, instivus, instabilis, intermedius, interpunctatus, inunctus, inversicollis, irroratus, italicus, janus, jucundus, laecatus, lacteus, lacunosus, laesus, laevicollis, laevigatus, laevipennis, laevithorax, laeviusculus, lambens, lamellicornis, lampadion, lampyrinus, lapidicola, lateralis, lateristrigatus, laterarius, laticollis, latifasciatus, latus, laurenti, lenis, lepidopterus, lepidotus, lepturus, leucophaeus, ligneus, limbalis, limbatus, lineicollis, linteus, littoreus, lobatus, longicollis, longicornis, longithorax, longulus, lucens, lucernula, lucidulus, lucifer, luciferus, lugens, lugubris, luminosus, luridipennis, luridipes, lusciosus, luteicornis, luteipennis, lythodes, macilentus, macrothorax, macrotis, maculatus, maculosus, madagascariensis, maidis, malleatus, mancus, marginellus, marginicollis, mariettii, maritimus, marmoratus, marmorosus, maurus, megerlei, megops, melampus, melanophthalmus, melanops, melanurus, memnonius, meridionalis, messenicus,

metallicus, nucans, microcephalus, militaris, miniaticollis, miniatus, minutissimus, mixtus, modestus, monticola, montivagus, morio, mucidus, mucronatus, multi-notatus, mus, muscidus, musculus, muticus, myops, nanus, neglectus, nemnonius, netitans, nigellus, nigerrimus, nigricans, nigricollis, nigricornis, nigradorsis, nigrinus, nigripes, nigritus, orichalcicus, orientalis, ornatus, ovalis, ovierensis, palliatus, pallicornis, nimbus, nitidicollis, nitidulus, nitidus, nobilis, nodifer, notodonta, notulatus, obesus, obessus, obliquus, oblitus, oblongicollis, oblongus, obscuricornis, obscuripennis, obscuripes, obsoletus, obtectus, ochraceus, ochropterus, olivascens, ominous, ophthalmicus, orichalcicus, orientalis, ornatus, ovalis, ovierensis, palliatus, pallicornis, pallidulus, pallidus, pallipes, panzeri, parallelipedus, parallelus, parreyssi, parviceps, parvulus, parvus, pasticus, pectoralis, pedestris, pennatus, perplexus, persicus, perspicax, pertinax, peruvianus, pexus, piceus, picicornis, picipennis, pictus, pilosellus, pilosulus, pilosus, plagiatus, planatus, planicapillus, plebejus, pomonae, porcatus, porosus, posticus, procericollis, procerus, productus, puber, pubescens, pulvereus, pulverosus, pulverulentus, pumilus, punctata, puncticollis, punctithorax, punctolineatus, punctulatus, pustulatus, pyrenaeus, pyroplanus, pyrros, quadri-guttatus, quadrimaculatus, quadrimotatus, quadripunctatus, quadripustulatus, quadri-signatus, quadrum, quercicola, quercinus, quercus, quietus, ramicornis, rectangularis, recticollis, retrospecti, rhombeus, riparius, ripularius, rivularis, rotundicollis, ruber, rubescens, rubidus, rubricollis, rubricus, rubripes, rufangulus, rufescens, ruficaudis, ruficollis, ruficornis, ruficruris, rufidens, rufifrons, rufilabris, rufilateris, rufipalpis, rufipennis, rufipes, rufithorax, rufiventris, rufulus, rugicollis, rugipennis, rugosus, russus, rusticus, rutilans, rutilipennis, rutilus, saginatus, salingeri, sanguineus, sanguinipennis, sauleyi, scabricollis, scalaris, scapularis, scriptus, scrutator, scutellum, scutulum, semi-cluctus, semimarginatus, semi-ruber, semirufus, semivittatus, seniculus, sericeus, serraticornis, serricornis, sexpunctatus, sibiricus, signaticollis, signatipennis, signatulus, signatus, silaceus, simplex, sinuatus, sobrinus, soleatus, solieri, sordidus, speculator, spinicornis, spinosus, splendidus, spretus, sputator, stephensi, sticticus, stigma, strangulatus, striatopunctatus, striatulus, strictus, strigatus, styriacus, subaeneus, subfasciatus, subfuscus, subglaber, sublaevis, subluens, subpilosus, subrufa, subrufus, subrugosus, subspinosus, subvittatus, sulcatus, sulcicollis, sulphuripennis, sulphuripes, superbienis, suturalis, sydneyanus, tenax, tenellus, tenigratus, tenuicollis, tenuicornis, terminatus, terrens, tessellatus, testaceipes, testaceus, tetraspilota, tetraspilotus, theaeus, tibialis, tomentosus, traquebarica, triangularis, trifasciatus, triguttata, trilineatus, trimaculatus, tristis, tri-undulatus, trivittatus, troglodytes, truncatus, ulcerosus, ullrichi, umbilicatus, umbraticus, umbrinus, umbrosus, undatus, unguis-serris, unicolor, unifasciatus, unipunctatus, ursulus, ustulus, V nigrum, varians, variegatus, ventralis, vernalis, verticinus, vespertinus, vestitus, vetustus, vigintiguttata, vilis, villosus, violaceus, viridanus, viridipilis, viridis, vitellinus, volgensis, volhynensis, volhyniensis, vulgaris, vulneratus, wallisi, weberi, xanthomus, xylinus, zawadzki, zealandicus, zebra, ziegléri.

Elaterites amissus, lavateri, obsoletus.

Elather sanguinolentus.

Elatina coenobita.

Elatiptus abietis.

Elattocerus subfasciatus.

Elatus thenae.

Elder unguiculatus, unguilatus.

Elea serratilinea.

Eleale aspera, obscura.

Electra (Dipt.) formosa.

Electra (Lep.) achatinata, alboeremata, boreata, chenopodiata, comitata, imbutata, marmorata, populata, pyraliata, sagittata, spinachiata, testata.

Electra (Polyz.) verticillata.

Electrina succinea.

Eledon genei.

Eledona abbreviata, agaricicola, agricola, aruiata, cornuta, dentata, depressa, horrida, interrupta, reticulata, spinosula.

- Eledone** aldrovandi, cirrhusus, moschata, octopodia, pennanti.
Eleginus bursinus, chilensis, cirrhusus*, falklandicus, maclovinus, navaga.
Elenchus (G.) antiquus, elegans, purpuratus, subulatus.
Elenchus (Streps.) templetoni, walkeri.
Elenophorus americanus, collaris.
Eleodes alutacea, angusta, aubei, caudata, clavicornis, connata, cordata, dentipes, distincta, eschscholtzi, fischeri, gigantea, goryi, grandicollis, graviga, intricata, maillei, marginata, obscura, obsoleta, parvicollis, pimelioides, pini, planata, planatra, producta, quadricollis, reflexicollis, rotundicollis, rugosa, scabrosa, spinipes, spinolae, subaspera, sulcipennis, tuberculata.
Eleothreptus anomalus.
Eleotragus arundinaceus, capreolus, isabellinus, reduncus, villosus.
Eleotris basalis, belobraucha, boddarti, brachyurus, butis, canina, cantherius, caperatus, cyprinoides, flammans, gobioides, grandisquama, guavina, gyrinus, humeralis, lagocephala, lanceolata, latifrons, longipinnis, lophar, madagascariensis, margaritacea, mauritianus, mauriti, melanostigma, melanurus, minutus, mogurnda, mugiloides, muralis, niger, obscura, ocellaris, ophicephalus, oxycephala, pisonis, porocephala, prismatica, radiata, sexguttata, sculus, sima, smaragdus, strigata, trabeatus, tumifrons, viridis.
Elephants valdarnensis.
Elephantopus neapolitanus.
Elphas affinis, africanus, americanus, angustidens, bombifrons, campylotes, clifti, etruscus, fossilis, gauesia, gigas, humboldti, hysudricus, indicus, insignis, italicus, jacksoni, jubatus, kamensis, kamenskii, latidens, macrocephalus, macrorhynchus, mammoth, mastodontus, meridionalis, minimus, namadicus, odontotyrannus, ohiocticus, paniscus, peribolites, planifrons, primaevus, primigenius, priscus, pygmaeus, recens, sivalensis, socotrus, sumatrensis, tapiroides.
Elephastomus proboscideus.
Eletica rufa.
Eleusis tibialis.
Eleutheria dichotoma.
Elfia cingulata, spatulata.
Elgaria kingi, multicarinata.
Elgiva aratoria, cucullaria, dorsalis, lineata.
Elipicis apicalis.
Elidiptera advena, callosa, cincticeps, genei, marginicollis.
Eligma narcissis.
Eligmodontia bimaculatus, gracilipes, typus.
Eliomys melanurus.
Elipesurus spinicauda.
Elis cochleata, cylindrica, fuscata, interrupta, quindecimpunctata, quinque-cincta, senilis, septemcincta, sexcincta, volvulus.
Elisia marmorata, viridis.
Elismia fasciata.
Elleipsocephalus ambiguus.
Elleschus orbitalis.
Ellescus aurifer, bicolor, bi-punctatus, carpini, flavicans, rubicundus, rufus, scanicus, sericeus, variegatus.
Elimenistes bidentatus, clitellarius, cornutus, costicollis, pilifer, pulvinaticollis, rusticus, seriehispidus, squamifer, trivalis, vecors.
Ellipotoma tenuiformis.
Ellipsocephalus gracilis, hoffi, nanus, tumidus.
Ellipsocoenia inaequalis, regularis.
Ellipsocyathus bicostatum, grandis.
Ellipsolites compressus, ovatus.
Ellipsolithes funatus.
Ellipsosmilia arcotensis, boissiana, bourgeoisi, carantonensis, cornu-copiae, cuneolus, faujasi, humilis, inaequalis, inauris, meudonensis, obliqua, plicata, salzburgiana, subrudis, supracretacea, uricornis.

- Ellipstoma** gibbosa, marginula, rugosa, vittata, zonalis.
Elliptio crassa, dilatata, elliptica, fasciata, fragilis, latissima, leptodon, levigata, nervosa, nigra, solenoides, teres, viridis, zonalis.
Elliptocephalus asaphoides.
Ellipura coerulescens, ferruginea, maculata, malura, rufa, squamata, striata.
Ellisia flos maris, rugosa.
Ello cephalus.
Ellobium auris judae, auris midae, bifasciatum, glabrum.
Ellobius capensis, hudsonius, luteus, talpinus, zocor.
Ellopi advolata, fasciaria, honoraria, margaritaria, prasinaria, rectoria.
Ellychnia autumnalis, lacustris.
Elminius kingi, leachi, plicatus.
Elmis aeneus, angustatus, caliginosus, cinctus, confusus, crenatus, cupreus, dargelasi, fluviatilis, germari, lacustris, lithophilus, maugeti, muelleri, obscurus, opacus, orichalceus, parallelipidus, pygmaeus, quadrinotatus, rugosus, scabricollis, sodalis, somcheticus, subviolaceus, troglodytes, tuberculatus, variabilis, vittatus, volckmari.
Elodes brasiliensis, coarctata, collaris, combusta, compressicornis, debilis, deflexicollis, depressa, discoidea, fasciata, fragilis, fuscescens, fuscipennis, genei, grisea, haemispheericus, livida, marginata, marginicollis, menapura, oblonga, obscura, orbiculatus, padi, pallidus, paykulli, pubescens, pulchella, rousseli, serricornis, testacea, thoracica, variabilis, velutinus.
Elomya abdominalis, aurulans, claripennis, nebulosa, nigra.
Elomyia albiseta, albivillosa, cana, flaviventris, lateralis, nigra, punctata.
Elomys priscus.
Elonichthys crassidens, germari, laevis.
Elongium striatulum.
Elophila (Lep.) limnalis.
Elophilus florens, nemorum, pendulus, ruficornis, tenax.
Elophoria brunisquamis, flavisquamis, myoidea.
Elophorus aeneicollis, alternans, aquaticus, auricollis, cicatricosus, elegans, fennicus, frigidus, gibbosus, glacialis, granularis, intermedius, lineatus, micans, minutissimus, nanus, nubilus, opalirans, pallidus, riparius, rufipes, schmidtii, subcostatus, sulcatus, tuberculatus.
Elophos dilucidaria, limosaria, obfuscaria, operaria, serotinarum, sordaria, unicoloraria, zelleraria.
Elopides couloni.
Elops capensis, cundinga, inermis, lacerta, machnata, macropterus, purpurascens.
Elosia nasulus, nasuta.
Elosoma californica, persica.
Elothierium magnum.
Elpenor celerio, euphorbiae, neri, porcellus, vitis.
Elpis dolens.
Elvisura irrorata.
Elymnias ariadne, casiphone, enothrea, jynx, lais, protogenia, undularis.
Elysia australis, elegans, fusca, neapolitanus, timida, viridis.
Elytrobæus geniculatus.
Elytrodon bidentatus, bispinus, inermis.
Elytrogona ampulla.
Elytrogonus griseus.
Elytrosphaera sanguinipennis.
Elytrurus cinctus, coquereli, lapeyrousei, otiorhynchoides.
Elzerina blainvillei, mutabilis, venusta.
Emalodera crenaticostata, multipunctata.
Emarginula adriatica, affinis, afra, alta, anomala, arata, aspera, australis, blainvillei, bloti, brevicula, cancellata, capuliformis, carinata, chemnitzii, cinerea, clathrata, clathrataeformis, clypeata, comosa, compressa, conica, conoidea, costata, crassa, crenulata, cretacea, cretosa, cristata, crystallina, curvirostris, cuvieri, decussata, depressa, desnoyersi, dubia, elegans, elongata, emarginata, eolis, fenestrella, fissura,

fissurata, fissuroides, franciscana, fungina, goldfussi, granulata, gratulosa, guangeri, huzardi, laevis, lata, leckhamptonensis, listeri, lobata, montforti, mortensis, muelleriana, multicostata, neocomiensis, nodulosa, notata, nystiana, obtusa, octoradiata, ossea, panhi, papillosus, parmophoidea, pelagica, pileolus, planicostula, plantarum, punctulata, punctura, radiola, reticulata, rosacea, rosea, rubra, rugosa, sanctae catherinae, scalaris, schlotheimi, sicula, solidula, solteri, squamata, squamulata, squamulosa, striatula, submarginata, sulcata, tenuis, toucasiana, tricarinata, tricastata, vanikorensis, varusensis, vulgaris.

Emarginulus reticulatus.

Emathion cylindricum.

Emballonura brevirostris, calcarata, canina, lineata, macrotis, monticola, rivalis, saxatilis.

Embaphion muricata.

Embates caecus.

Emberiza americana, amoena, antiquorum, arbustorum, ardens, atrata, atriceps, aureola, aurifrons, bairdi, belli, biarcuata, bilineata, borealis, bruniceps, buehneri, caesia, caffra, cafrariensis, calcarata, canadensis, capistrata, carbonaria, caspia, chrysocilla, chrysops, cinerea, cioides, ciopsis, citrinella, coronata, crassirostris, cristata, cristatella, durazzi, elaeathorax, elegans, erythroptera, erythropterus, esclavonicus, fasciata, flav., flavicollis, flaviventris, fulvipes, gayi, gracilis, graminea, granatavora, griseocristata, gubernatrix, guttata, henslowi, hordei, hyperborea, hypocondria, ictica, impetuani, jacarini, lapponica, lathamii, lecontei, leucocephala, leucophrys, lincolni, locustella, longirostris, luctuosa, ludoviciana, lutea, luteocephala, luteoventris, melanodera, melanoleuca, melanotos, migrans, militaris, minuta, mixta, monticola, musica, mytilene, nigricollis, nigro-rufa, nipalensis, nuchalis, obscura, oinops, oinopus, olivacea, olivascens, ornata, pallida, palustris, passerina, pecoris, personata, picta, pinguescens, planorum, prateusis, pratorum, pusilla, pyrrhuloides, ruficularis, rufo, savanna, septemstriata, septentrionalis, shah, shattucki, socialis, sordida, speculifera, strepera, striolata, subcristata, subnivalis, sulphurata, superciliosa, sylvatica, sylvestris, tahapisi, tanscall, torquata, townsendi, unicolor, uropygialis, variabilis, xanthogaster, xanthogramma.

Emberizoides macroura, marginalis, megarhyncha, melanotis, poliocephalus.

Embernagra albinucha, brunnei-nucha, chlorura, longicauda, macroura, mexicana, olivascens, pileata, platensis, poliocephala, pyrgitoides, rufescens, rufi-nucha, superciliosa, torquata.

Embia brasiliensis, klugii, latreillei, mauritanica, savignyi, solieri.

Embla koreni.

Emblema picta.

Embletonia minuta.

Embolemus ruddi.

Embrithes agnatus, albulus, obesus.

Embriza palustris.

Emcephalus gibbosus, tricoellus.

Emea rubra.

Emenadia bicolor, bimaculata, flabellata, terminata.

Emesa barbara, denticollis, filum, iuncea, longipes, mantis, precatorius, servillei, stagnorum.

Emesia pia.

Emesis absalon, arminius, bombilcar, drupadi, ephalia, ephape, ephaphus, fatima, hages, leosida, lucinda, menetis, monostigma, orphna, ovidius, pharea, tepahi.

Emesodema carolina, domestica.

Emma crystallina.

Emmaglaeus nosodermoides.

Emmalus pilosus.

Emmelesia affinitata, albularia, albulata, alchemillata, bifasciaria, bifasciata, blandiaria, blandiata, blomeri, candidulata, decoloraria, decolorata, ericetata, heparata, hydrata, luteata, monticola, nassata, purpurata, rivularia, rivulata, rubricata, rusticata, sericeata, sylvata, taeniaria, taeniata, trigonata, turbaria, unifasciaria, unifasciata.

Emmelia sulphuralis, sulphurea, testula.

Emmelichthys leucogrammicus, nitidus, schlegeli.

Emmenastus compactus, rugosus.

Emnepus arundinis.

Emmesa connectens.

Emmiltis circuitaria, nexaria, ochrearia, parvularia, rubricaria, rubricata, vittaria.

Emminia olivacea.

Empagusia albogularis, flavescens, ocellata.

Empecta cinerea, cuprea, gracilis, maculipennis, micantipennis, ohsoleta, piligera, squamifera.

Emphanes agilis, angusticollis, aquaticus, articulatus, aspericollis, aterrimus, atripes, axillaris, brunnipennis, chaudiroi, dahli, digitatus, doris, elongatus, flavopictus, fortistriatus, humeralis, kollari, lateguttata, latiplaga, maeoticus, normannus, orientalis, politus, pusillus, pygmaeus, quadriplagiatus, rivularis, ruthenicus, sturmi, tenellus, terminatus, thernarum, tristis, virgatus, viricollis.

Emphania affinis, castanea, conspurcata, ferruginea, fuliginosa, fulvescens, grossa, irrorata, laevigata, lucidula, mutans, setosicollis, setosipennis.

Emphytus glaber.

Emphytus bucculentus, calcaratus, caligatus, carpinii, cereus, cincta, cingulatus, coronatus, didymus, fenestratus, filiformis, gilvipes, immersus, impressus, infuscatus, melanarius, nigricans, nigratarsis, ochrolemus, pallimaculatus, parallelus, patellatus, perla, platycerus, pumilio, radialis, recens, rufocinctus, semicornis, serotinus, succinctus, tarsatus, tibialis, togatus.

Empicoris cariosus, corrosus, maculatus, marmoreus, renggeri, variolosus.

Empis ahcirus, affinis, agasthus, albens, albicans, alhida, albinervis, albipennis, algira, amytis, antarctica, ardesiaca, arrogans, ater, atra, barbata, bicolor, bilineata, bistortae, bivittata, boja, brevipeunata, brevirostris, brunnipes, carbonum, chioptera, choric, cillipes, cimicoides, cinerascens, cingulata, clauda, cognata, colonica, cormus, cothurnata, crassipes, crassirostris, crassitarsata, culicina, cursitans, decora, digramma, elongata, erythrocephala, eudamides, exotica, fasciata, ferruginea, fimbriata, flava, fulva, fulvipes, funehris, funesta, fuscipes, gallica, geniculata, gihha, glahricula, gracilis, gravis, grisea, haustellum, heteroptera, hirtipes, holosericea, hyalinata, hyalipennis, hybotina, incompleta, intermedia, interrupta, interstincta, laevipes, laniventris, lepidopus, leucoptera, litorea, livida, longicornis, longipes, longirostris, lucida, luctuosa, lugubris, lurida, lutea, maculipes, mantispa, melanocephalus, mellipes, meridionalis, minuta, modesta, monogramma, morosa, nana, nigrescens, nigricans, nigrina, nigratarsis, nitens, nitida, nitidicollis, nodipes, nudipes, nuntia, obscurus, ochracea, ollius, opaca, pachymera, pallens, pallidiventris, pennaria, pennata, penthophora, picipes, pilipes, plumipes, podagrica, polita, proxima, pruinosa, ptilopoda, pulicaria, pulvillata, punctata, quadrilineata, quinquelineata, quinquevittata, rapida, rufa, rufescens, rufiventris, ruralis, rustica, sciarina, scolopacea, scotica, senilis, sericans, serrata, simplex, spilopectera, spinipes, spissirostris, spuria, stigma, subpennata, sulcata, sulcipes, tenella, tenuirostris, testacea, thermophila, thoracica, tipularia, trigramma, trilineata, trivittata, truncata, tumida, turbida, umbrina, umbripennis, unicolor, variabilis, variegata, ventralis, vernalis, vesiculosa, villosa, vitripennis, volueris, zetterstedti.

Empiseme hirta.

Emplectus bimaculatus, desmoceris, limbatus.

Empleurus nubilus.

Empusa admirabilis, binotata, brachyptera, capensis, chlorophaea, defoliata, dolosa, fasciata, flabellicornis, fronticornis, gongyloides, hippia, hyalina, lactea, lobipes, lutosa, mendica, ocellata, orientalis, pauperata, pectinicornis, purpuripennis, scyton, trachelophylla, tricolor, tybris, vitrea.

Empyreuma lichas, pugione.

Emus chrysocephala, cingulus, cupreus*, fuscomaculatus, hirtus, histus, inauratus, marginalis, murinus, nebulosus, ruficornis, speciosus, vicinus.

Emyda punctata, senegalensis.

Emydia alba, bifasciata, candida, chrysocephala, coscinia, crihrum, grammica, ripperti.

Emydium *granulatum*, *spinulosum*, *testudo*.

Emys *adansoni*, *amazonica*, *amboinensis*, *annulifera*, *articulata*, *barbatula*, *baska*, *batagur*, *bealei*, *belangeri*, *belli*, *benetti*, *benstedii*, *bicarimata*, *biguttata*, *blandingi*, *brongniarti*, *camperi*, *canaliculata*, *canstadiensis*, *caspica*, *castanea*, *cayennensis*, *centrata*, *cinerea*, *clausa*, *comptoni*, *concentrica*, *concinna*, *cordieri*, *couro*, *crassicolis*, *crassus*, *cumberlandensis*, *cuvieri*, *decussata*, *de fonte*, *delabechi*, *deluci*, *dentata*, *depressa*, *dhongoka*, *dhor*, *discolor*, *dorsualis*, *dumeriliana*, *duvauceli*, *elaveris*, *erythrocephala*, *eutopaea*, *expansa*, *flavonigra*, *fleischeri*, *floridana*, *fornicata*, *galeata*, *geoffroana*, *geographica*, *gessneri*, *gibba*, *gigantea*, *glutinata*, *grayi*, *guttata*, *hamiltoni*, *heischeri*, *hermanni*, *hieroglyphica*, *hofmanni*, *holbrookii*, *hospes*, *hugi*, *bugii*, *irrigata*, *japonica*, *kachuga*, *kinosternoides*, *kuhli*, *lacertina*, *laevis*, *leprosa*, *lesueuri*, *lineata*, *longicollis*, *loretana*, *luci*, *lutaria*, *lutescens*, *macquaria*, *macrocephala*, *mantelli*, *marmorata*, *martinella*, *maximiliani*, *megacephala*, *muelenbergi*, *muticus*, *nasuta*, *nigricans*, *ocellata*, *oculifera*, *odorata*, *olivacea*, *orbignyi*, *oregoniensis*, *ornata*, *oweni*, *palustris*, *parisiensis*, *parkinsoni*, *pennsylvanica*, *picta*, *piquoti*, *platynotha*, *polypemus*, *pseudographica*, *pulchella*, *punctata*, *radiolata*, *reevesi*, *reticulata*, *retzii*, *rivulata*, *rubriventris*, *rufipes*, *rugosa*, *scabra*, *schneideri*, *scorpioidea*, *scorpioides*, *scripta*, *scutella*, *sebae*, *serpentina*, *serrata*, *sigriz*, *sinensis*, *speciosa*, *spengleri*, *spinosa*, *stellata*, *stenops*, *striata*, *subnigra*, *subrufa*, *subtrijuga*, *tecta*, *tentoria*, *terrapin*, *testudiniformis*, *thermalis*, *thugi*, *thuji*, *thurgi*, *tracaxa*, *tricarinata*, *trifuga*, *trigibbosa*, *trijuga*, *trionychoides*, *triporcata*, *trivittata*, *troosti*, *turfa*, *turnauensis*, *turnoviensis*, *vermiculata*, *virgulata*, *viridis*, *vittata*, *vulgaris*, *wyttenbachii*.

Emysaura *serpentina*.

Emysaurus *meilheuriatae*.

Ena *montana*, *obscura*.

Enallastrea *contorta*, *distans*.

Enallhelia *compressum*, *corallina*, *elegans*, *gemmata*, *gracilis*, *rathieri*, *regularis*.

Enallocoenia *crasso-ramosa*, *ramosa*.

Enallocrinus *punctatus*, *scriptus*.

Enallopora *perantiqua*, *nitidus*.

Enantia *critomedia*, *lininia*, *melite*.

Enaphalodes *simplicicollis*.

Energia *palleacea*.

Encaustes *carnifex*, *cinctipes*, *cruenta*, *debaani*, *dispar*, *javanica*, *litrata*, *lunulata*, *malayana*, *nigra*, *sinuata*, *verticalis*.

Enceladus *gygas*, *laevigatus*.

Encephalus *complicans*, *submaculatus*.

Enchelidium *marinum*.

Encheli (*sic*) *sanguinea*.

Encheliophis *vermicularis*.

Enchelis *amoena*, *clava*, *cythoides*, *diconus*, *gallinula*, *gliscens*, *immota*, *inerta*, *lagenula*, *monadina*, *palea*, *piriformis*, *pyriformis*, *rafanella*, *raphanella*, *scytale*, *tetraoculus*, *tiresias*, *tubulata*.

Enchelyopus *americanus*, *baebus*, *barbatus*, *brosme*, *cimbricus*, *colias*, *lota*, *lub*, *mediterraneus*, *molva*, *mustela*, *regalis*, *tigrinus*, *vermicularis*.

Enchelys *corrugata*, *infuscata*, *microsoma*, *nodulosa*, *ovata*, *subangulata*, *triquetra*.

Enchenopa *monoceros*.

Enchodus *faujasi*, *halocyon*, *serratus*, *valdensis*.

Enchophora *fuscata*, *guttata*, *recurva*, *servillei*, *variegata*, *viridipennis*.

Enchophyllum *cruentatum*.

Enchoptera *apicalis*, *nigricornis*.

Enchura *brosma*.

Enchytraeus *albidus*, *galba*, *socialis*, *spiculus*, *vermicularis*.

Encoelocera *bicolor*.

Encope *cyclopora*, *emarginata*, *grandis*, *macrophora*, *melcheli*, *micropora*, *oblonga*, *perspectiva*, *stokesi*, *subclausa*, *tetrapora*, *valenciennesi*.

Encosternum *delegorguei*.

Encotyllabe *nordmanni*.

Encrinites calycularis, cephalophiles, coronatus, echidnoides, echinatus, epithonius, fossilis, mespiliformis, milleri, moniliformis, nodulosa, orthoceratoides, parkinsoni, pratti, punctata, ramosus, rosaceus, schlottheimi, tesseratus, trochitiferus, verrucosus.

Encrinurus multisegmentatus, punctatus, rugosa, stokesi.

Encrinus aculeatus, asteria, australis, caputmedusae, curvatus, dicyclus, entrocha, giganteus, godoni, granulatus, groenlandicus, interruptus, liliceus, liliiformis, milleri, pennata, pentacrinites, pentactinus, teretiformis, townsendi, transversus, varians, varians.

Encya apicalis, bisignata, commersoni, ornatipennis, subnitida, variipennis.

Encyclops caeruleus, pallipes.

Encyophanes gravidus.

Encyrtus acratos, aeneiventris, aenescens, aeneus, aeruginosus, aestivus, aithya, albipes, albitarsis, almon, alycoeus, amathus, ambiguus, anceus, anchorus, anebus, anthores, apicalis, aralius, arceanus, arene, aretas, argenteifer, ariantes, arsanes, atheas, atricollis, abas, baleus, barbarus, barca, batillus, belibus, bohemannii, bolus, brevicornis, caeruleus, camirus, caris, caudatus, cedreus, celadus, cervius, chaerilus, chalconotus, chalcostomus, cheles, chlorinus, clavellatus, clavicornis, cleone, coccophagus, coleoptratus, comara, coniferae, consimilis, corniger, corybas, cyanellus, cyaneus, cyanifrons, cyanocephalus, cypris, dahlbomi, dalmanni, decilus, didius, dius, dores, dubius, duplicatus, elbasus, elegans, elpis, epona, epytus, erginus, erylus, eupales, eupelmoides, euryclea, eytelweini, fadus, ferrugineus, filicornis, flaccus, flagellaris, flaminus, flaviceps, flavipes, flavomaculatus, fulvescens, fulvifrons, fundulus, fuscicollis, fuscipennis, fuscipes, gabestus, gaginius, garbaris, gastron, gellius, genetyllis, geniculatus, genutius, glaphyra, gravis, hederaceus, hemipterus, herbicus, hirticornis, hydrama, hyettus, idmon, idya, ilithya, imandes, ineptus, infidus, inserens, inter punctus, intersectus, iophon, jalysus, jancirus, jugaeus, lambinus, lindus, liriopae, longicornis, lucretius, lunatus, machaeras, madyes, mamertus, mamitus, marsus, matinus, megos, melanacis, melanopterus, melanopus, meon, metharma, mirabilicornis, mirabilis, misellus, mitratus, mitreus, molos, morio, mucronatus, myrlea, mysus, nadius, nasidius, nicippe, nobilis, nubilipennis, obodas, obscurus, odocon, ornatus, pacorus, pallidus, paludatus, pappus, paradoxus, paralis, parasema, parus, pertiades, peticus, philotis, phithra, phrosime, piso, platycerus, polylaus, proculus, proecia, punctipes, pyttalus, reate, sagillus, salacon, scaurus, sceptriger, schoenherri, scutellaris, scutellatus, scyles, scythis, sericans, sericeus, serratellus, sericornis, stipylus, sitalces, sosares, sosius, sphaerus, statius, strigosus, subcupratus, subplanus, sulphureus, swederi, syllaeus, sylvius, tanais, tardus, telesto, tennes, tenuis, tessellatus, testaceipes, testaceus, teuteus, thebe, thinaeus, thyra, tiliaris, truncatellus, tyllissos, ultor, uroverus, varicornis, vectius, vinulus, vitis, xuthus, zameis, zarina, zebina, zephyrinus, zetterstedti.

Endaeus castus.

Endagria pantherina.

Endalus lunatus.

Endecatomus dorsalis, reticulatus.

Endeis didactyla, gracilis.

Endhelia japonica.

Endoceras angusticameratum, annulatum, approximatum, arciventrum, distans, duplicatum, gemelliparum, lativentrum, longissimum, magniventrum, multitubulatum, proteiformis.

Endogramma salmii.

Endomichus distinctus, fasciatus, fuscus, limbatus, luteus, pilosus, quadriguttatus, quadripunctatus, tibialis, villosus.

Endomychus armeniacus, biguttatus, bivittatus, coccineus, denticollis, fasciatus, lineatus, marginatus, melanocephalus, perpulcher, pictus, rufitarsus, scovitzii, thoracicus, tibialis, variicornis.

Endopachys alatum, grayi, maculrei.

Endophaeus australis.

Endophloeus exsculptus, peltoides, spinulosus, squarrosus.

Endopisa nebritana, pirana, tenebriosa, viciana.

- Endopsammia philippensis*.
Endosiphonites carinatus, *minutus*, *muensteri*.
Endotamia fasciculata.
Endothyra bowmanni.
Endotoma producti.
Endromis rhodope, *versicolora*.
Endrosa aurita, *irrorella*, *ramosa*, *roscida*.
Endrosis betulinella, *populella*, *tapezella*.
Endurus trigonus.
Endustomus senegalensis.
Endymion regalis.
Enema endymion, *enema*, *infundibulum*, *lupercus*, *pan*, *paniscus*.
Enedrytes hilaris.
Eneoptera brasiliensis, *livida*.
Engina elegans, *zonata*.
Engia angustata, *annulata*, *bi-punctata*, *bipustulata*, *cayennensis*, *confluenta*, *cruciata*, *cruenta*, *curvipes*, *decorata*, *dehaani*, *fasciata*, *glabra*, *grandis*, *heros*, *javanica*, *litturata*, *lunata*, *lunulata*, *orientalis*, *picta*, *politus*, *quadriguttata*, *quadrinaculata*, *quadrinaculata*, *repanda*, *rufifrons*, *scanica*, *senegalensis*, *separata*, *sexnotata*, *signata*, *subrotunda*, *undata*, *undulata*, *variegata*, *verticalis*.
*Engraulis albus**, *amara*, *argyrophanus*, *atherinoides*, *bahiensis*, *balinensis*, *boelama*, *breviceps*, *brevifilis*, *browni*, *chrysoptera*, *clupeoides*, *commersoni*, *crocodilus*, *dentex*, *desmaresti*, *dussumieri*, *encrasicholus*, *engraulis*, *evolans*, *grossidens*, *hamiltoni*, *hepsetus*, *heteroloba*, *indicus*, *janeiro*, *japonica*, *kammalensis*, *lemniscatus*, *macrocephalus*, *malabarica*, *melanocheir*, *mystax*, *mystus*, *nesogallicus*, *phasa*, *piquitinga*, *plumieri*, *purava*, *ringens*, *sericus*, *setirostris*, *spinifer*, *taty*, *telara*, *telaroides*, *tenuifilis*, *thrissoides*, *tricolor*, *tuberculosa*, *zollingeri*.
Engyomasaurus brongniarti.
Engyscopus auratus.
Engystoma carolinense, *dorsatum*, *gibbosa*, *granosum*, *guttatum*, *marmoratum*, *microps*, *mittelli*, *ornatum*, *ovalis*, *rugosum*, *ventricosa*.
Enhydra lutris, *marina*, *piscator*.
Enhydrina bengalensis, *valakadyen*.
Enhydrys annularis, *caerulea*, *caspius*, *cyanocinctus*, *dorsalis*, *gracilis*, *hydra*, *marina*, *palustris*, *rynchops*, *stelleri*.
Enhydrys australis, *grayi*, *oblongus*, *pallens*, *reichei*, *schaumi*, *sulcatus*.
Enica foersteri, *longirostris*.
Enicita annulipes.
Enicocephalus basalis, *flavicollis*, *fulvescens*, *tasmanicus*.
Enicocerus gibsoni, *obscurus*, *tristis*, *viridiaeneus*.
Enicocichla aurocapilla, *noveboracensis*, *sulfurascens*.
Enicodes fichteli.
Enicognathus leptorhynchus.
Eniconetta stelleri.
Eniconevra fenestralis, *fuscipennis*.
Enicoptera flava.
Enicopteryx fusca, *hyalipennis*, *infusca*.
Enicopus annulipes.
Enicornis melanura, *phoenicura*.
Enicospilus simulator.
Enicostoma geoffroyella, *thunbergana*.
Enicotarsus ater, *quadratus*, *viridipennis*.
Enicurus coronatus, *diadematus*, *frontalis*, *fuliginosus*, *immaculatus*, *intrepidus*, *leschen-aulti*, *maculatus*, *ruficapillus*, *schistaceus*, *scoleri*, *speciosus*, *velatus*.
Enigma noctis.
Enithares brasiliensis, *indica*.
Ennarthrus cerulescens.
Enneacnemis herscheli, *lyelli*.

Enneagonum hyalinum.

Enneapterygius pusillus.

Ennearthron affine, bicornis, corniferum, cornutum, cucullatum, curtum, fronticornis, hastiferum, melli, multipunctatum, tabelliferum.

Enneoctonus bucephalus, collurio, crassirostris, cristatus, hardwicki, lucionensis, minor, nubicus, phoenicurus, pomeranus, rufus, rutilans, schwaneri, superciliosus.

Enneodon ungeri

Ennichia monspesulalis.

Ennom animata.

Ennomos adpersaria, adustaria, advenaria, aestuaria, alniaria, alternaria, amataria, angularia, apiciaria, carpinaria, circumflexa, cordiaria, crataegaria, crataegata, daubearia, dentaria, dolabraria, effractaria, emarginaria, emutaria, erosaria, evonymaria, flavicaria, flexula, flexularia, himalayica, hypoxantha, illunaria, illustraria, imitaria, lituraria, lunaria, macularia, notataria, parallelaria, pectinaria, prunaria, quercaria, quercinaria, sareptanaria, sareptaria, signaria, strigilata, syringaria, temperata, tiliaria.

Ennychia albipes, albofascialis, albofasciata, alborivulalis, anguinalis, atralis, cacuminalis, cingulatus, fascialis, luctualis, luctuosa, nigralis, octomaculalis, octomaculata, pollinalis, quadripunctalis, sepulchralis, tibiale.

Enocephalus carditaeformis, mytiloides.

Enodes erythrophris.

Enodia alope, andromacha, canescens, dejanira, hyperantha, hyperanthus, sundewalli.

Enodius caelatus, cribrarius, floralis, niger, nigricornis, subaeneus, villosus.

Enoicyla sylvatica.

Enolmis acanthella, luteella.

Enone punctata.

Enophrys claviger.

Enoplia polyspila.

Enoplium alicorne, ampliatus, aterrimus, balteatus, bicolor, bimaculatus, byssinum, calceatum, contaminatum, crinitum, cyaneomaculatum, damicorne, decorum, dentalum, dermestoides, dislocatum, distrophum, divisum, dulce, duodecimmaculatum, duodecimpunctatum, fasciatum, fasciculatum, fimbriolatum, frenatum, fugax, geniculatum, hirtulum, humerale, kirbyi, laterale, laticornis, lepidum, leucophaeum, lituratum, lividum, luctuosum, lyciforme, lycoides, marginatum, marginellum, melanurum, mucoreum, murinum, niveum, nubilum, obsoletum, oculatum, onustum, opacum, ornatum, pantherinum, pilosum, posticum, praestum, pulchellum, punctatissimum, quadripunctatum, ramicorne, roseicollis, rufipes, sanguinicollis, scoparium, seminigrum, sericeum, serraticornis, sexnotatum, speculum, suturale, terminatum, testaceum, thoracicum, tomentosum, trifasciatum, variegatum, velutinum, venustum, vestitum, viridipenne, vitticeps, weberi.

Enoplocerus armillatus.

Enoplochiton niger.

Enoploclytia brevimana, imagei, leachi.

Enoploderes sanguineus.

Enoplops scapha.

Enoplopus capensis, dentipes.

Enoplosus armatus, pygopterus, white.

Enoplateuthis leptura, margaritifera, molinae, morisi, smithi, unguiculata, veranyi.

Enoplateuthys oweni.

Enoplurus orientalis.

Enoplus crassiusculus, elongatus, microstomus, rivalis, stenodon, tridentatus.

Ensatella europea.

Ensatina eschscholtzi.

Ensina bloti, chrysanthemi, doronica, femoralis, guttata, herbarum, linariae, maculata, mentharum, parietina, pratensis, pyrethri, scorzonerae, sonchi.

Ensis complanata, ensiformis, magus.

Entacmaea cricoides.

Entalis vulgaris.

Entalophora abbreviata, bajocina, cellarioides, cenomana, clavata, colliformis, compressa, convexa, echinata, gracilis, horrida, icaunensis, irregularis, labati, laxipora, madreporacea, mamillata, neocomiensis, pavonia, proboscidea, pustulosa, ramosissima, raripora, regularis, royana, sarthacensis, semi-clausa, subgracilis, subirregularis, subregularis, tessoni, thorenti, vendinnensis, vieilbanci.

Entedon abdera, abdominalis, abrota, acamas, acantha, acerbas, acestor, acoris, acuminatus, admirabilis, adreus, aesopus, aethiops, aetius, affranus, agamedes, alaspharus, albiges, albitarsis, alcaeus, alectus, alphaenus, altades, amadocus, amanus, amasis, amethystinus, auphis, amyclas, amyte, amyntas, amyrtaeus, annulicornis, antander, antaradus, anthracinum, anthylla, argon, arisba, aso, assia, atys, axia, bedius, beon, bibulus, bifasciatus, brevinervis, busiris, butus, caenus, caesius, calitor, carne, caudatus, cercius, charaxus, charino, chilo, chthonia, cilla, clavicornis, cleodora, clinius, clinus, clita, clymene, coactus, coedicus, coilus, confinis, corytus, costalis, cothurnatus, cristatus, cyanellus, cydon, daunus, daurises, dimas, diocles, diotimus, emperamus, enephes, epaphus, epeus, epigonus, ergetelis, ergias, erginnus, erigone, eropus, exias, eubius, euphorion, eutropius, evanescens, flacilla, formosus, fufius, furcipennis, gallae, gemma, gemmeus, geniculatus, glabrio, gramineum, hegelochus, hercyna, herillus, hersilia, hestia, icetas, idyia, imbrasus, imbreus, inarus, insidiator, isander, ithonus, laelius, laetus, lanassa, laomedon, larinicellae, larina, larvarum, laticornis, latreillei, leucippus, linus, longiventris, longulus, lunatus, luteipes, lyaeus, lycambes, lycoris, lysis, magnus, marica, matho, medianus, melaenis, mento, mera, merion, metagenes, metallicus, metella, methion, metius, mithras, monilicornis, murscia, naenia, nautes, nautius, navius, nephereus, nephthe, nigrutilus, nitetis, novellus, nuberculatus, ochus, ocyalus, oleinus, orbicularis, ovulorum, panyas, parmys, parsodes, pectinicornis, pelvi, pentheus, phaenna, phaola, pharnus, phruron, phryne, polyzo, pontinus, proclea, prodice, pronapis, pubicornis, punctatus, punctellus, pygmaeus, pyrgo, rhesus, rosae, rubigus, salicis, sardus, sartamus, saulius, sauros, scutellaris, sosarnus, sparetus, steunos, syma, tamus, tanis, tegar, telephe, temenus, termerus, theana, thersamon, thestius, thoe, thouis, transparens, trifasciatus, turcius, ufens, unguicellus, unicostatus, vagellus, varius, xenodice, zanara.

Enteles bicolor, vigorsi.

Enteleles glabra.

Entelodon ronconi.

Entelopes glauca.

Entephria bipunctata, flavicinctata.

Enterion brevicolle, caliginosum, carneum, castaneum, chloriticum, cinctum, cyaneum, festivum, fetidum, fimetorum, herculeum, ictericum, mammale, octaedrum, opimum, platyurum, polyphemus, pumilum, pygmaeum, roseum, rubidum, terrestris, tetraedrum, tyrtaeum, vaporariorum.

Enteroplea lacustris.

Entheus peleus.

Entilia alliacea, bactriana.

Entimus dives, fastuosus, granulatus, imperialis, nigro-sparsus, nobilis, speciosus, splendidus, sumptuosus, tomentosus.

Entobia antiqua, conybearei, cretacea.

Entodesma chilensis.

Entogeneius fuscus.

Entolmus rufibarbis.

Entomeris concinnus.

Entomia campanulata.

Entomibia apum, fenestra.

Entomiza angustipluma, cyanotis, olivacea.

Entomocephalus formicoides.

Entomochilus pilosus.

Entomoconchus scouleri.

Entomoda cornuta, gobina, radiata, salmonea.

Entomoderes erebi.

Entomognathus brevis.

- Entomogonus** barthelemyi.
Entomophagus mystaceus.
Entomophila albogularis, picata, picta, rufogularis.
Entomoscelis adonides, discoidea.
Entomosericus albicollis.
Entomotrachites actinurus, bucephalus, caudatus, crassicauda, expansus, extenuatus, gibbosus, granulatus, laciniatus, laticauda, paradoxissimus, pisiformis, punctatus, scarabaeoides, spinulosus, tuberculatus.
Entomovorus bicolor, brubru, cubla, gambensis, madagascariensis, olivaceus.
Entomus megacephalus, micrographus.
Entomyza albipennis.
Entosolenia globosa, lineata, marginata, squamosa.
Entozoon folliculorum.
Entrochites annulatus, laevis, prominens, verrucosus.
Entrochus septatus.
Entylia concava, corniculata, dispar, gemmata, longula, ruiventris, sellata, signata, sinuata, triguttata.
Entypus fronticornis, ochrocerus.
Entyus albicinctus, auricinctus, nebulosus, peregrinatus, trizonatus.
Enyaliosaurus quinquecarinatus.
Enyalius catenata, margaritaceus.
Enyalus bilineatus.
Enydris marina.
Enydriobius abbreviata, ranoides.
Enygrus bibroni, carinatus, ocellata, regia.
Enyo (Ar.) algiroca, amaranthina, germanica, graeca, longipes, nitida, occitanica.
Enyo (Lep.) anceus, camertus, danum, gorgon, japyx, lugubris, lyctus, phegeus, pylas, syces.
Enyphantes gelatella.
Enzina turbinella.
Eois auroraria, demissa, laevitaria, ostrina, politaria, russearia.
Eolida bella, coronata, foliata, minima, minuta, pedata, plumosa, purpurascens, soemmerringi, zetlandica.
Eolidia affasciata, affinis, alba, annulata, annulicornis, balsami, bassi, bellardi, bodoensis, bostoniensis, branchialis, caerulea, caerulescens, casareti, cavolini, ceratentoma, cristata, cuvieri, defilippii, demartini, despecta, diversa, durazzi, embletoni, fasciculata, flabellina, flavescens, gandolfi, gymnota, histrix, inca, jani, leuconotus, limacina, longicauda, longicornis, lottini, macrobranchia, minima, natans, neapolitana, panizzae, papillosa, paradoxa, patagonica, peregrina, pinnata, plumosa, pulchella, purpurascens, rufibranchialis, rusconi, salmonacea, scacchiana, tergipedina, verrucosa, virescens, whatelyi.
Eolidiceros brocchii, panormus.
Eolidina paradoxa.
Eolis affinis, alba, amethystina, amoena, angulata, arenicola, aurantia, bostoniensis, cingulata, cennina, coronata, curta, cuvieri, despecta, digitata, diversa, drummondi, elegans, exigua, farrani, fasciculata, glauca, glotensis, gracilis, gymnota, hystrix, inornata, lacunculata, landsbergi, limacina, lineata, longicordis, minima, minuta, nana, northumbrica, obtusalis, olivacea, pallida, papillosa, peachi, pellucida, peregrina, picta, punctata, rosea, rufibranchialis, salmonacea, stipata, tenuibranchialis, tergipes, tricolor, violacea, vittata.
Eopsaltria albifrons, australis, flavicollis, flavifrons, flavigastra, griseogularis, gularis, icteroides, leucogaster, parvulus.
Eos cervicalis, cochinsinensis, cyanogenia, cyanostriata, guebiensis, indica, isidori, orientalis, ornata, rubra, scintillata, semilarvata, squamata, unicolor, variegata.
Eosphora aurita, digitata, elongata, najas.
Epachthes paradoxus.
Epagoge gnomana, ochreana, peramplana.
Epagrius metallescens, nubilosus.

Epalpus pallitarsis, rubripilus.

Epaphius fulvus, micans, secalis.

Epaphra valga.

Epaphrodita musarum.

Epargyres socus.

Epargyreus brino, clarus, comus, epitus, evadnes, orchamus, prodicus.

Epascestria pustulalis, quadripunctalis.

Epatagus elongatus.

Epeira acalypha, accincta, aciculata, aculeata, adianta, aemula, aetherea, affinis, affixa, alba, albomaculata, alsine, alveata, ambagiosa, ambitoria, amictoria, anagliphe, analis, anama, anastera, ancora, angulata, annulatus, annulipes, anseripes, antipodiana, antriada, apoclista, apotruga, appensa, approximata, arabesca, arbustorum, arenata, argentata, argyopes, argyraspides, armata, armida, arundinacea, assidua, aurantia, aurantiaca, aurelia, aureola, australis, azzara, benjamina, bicaudata, bicolor, bicornis, bifurcata, bilineata, bituberculata, bivittata, bohemica, bombycinaria, bougainvilla, brasiliensis, cacti-opuntiae, caliginosa, calix, callida, canadensis, cancer, cancriformis, carenata, caroli, caudata, cauta, celata, cepina, cerasiae, ceropiega, chilensis, chloris, chrysogaster, cicatricosa, cinaberina, cingulata, circe, circulata, citricola, clavipes, clercki, clymene, clypeata, conica, conspicellata, cophinaria, cornigera, cornuta, crassa, cratera, cruciata, crucifera, cucurbitina, curvicauda, curvispina, cuspidata, cyanospira, cylindroides, decolorata, dentata, depressa, diabrosis, diadela, diadema, diodia, directa, displicata, dissimulata, domiciliorum, doreyana, dorsalis, dromaderia, drypta, dumetorum, ectypa, edulis, emphana, eremita, ergaster, erudita, eustala, fasciata, fascinatix, fastuosa, flavifrons, flavipes, flaviventris, foliata, foliosa, frondosa, fuliginea, fuliginosa, fusca, fumipennis, furcata, fusca, fuscipes, gasteracanthoides, geminata, geniculata, genistae, gibberosa, gibbosa, gigas, gistli, glomosa, gracilis, graduata, grata, grossa, guttulata, hamata, hastifera, hebes, hepaticella, heptagon, heraldica, herii, hexacantha, hirsuta, hirta, hispida, hortorum, illustrata, immunda, imperialis, inaurata, inclinata, inflata, infumata, insulana, insularis, iris, janeira, jaspidata, jenisoni, jucunda, labyrinthea, lacrymosa, lata, latreillana, latreillei, latro, lepechini, lepeletieri, leucogramma, liliputana, limbata, lineata, liturella, lobata, longipes, lucina, lugubris, lunatus, lunula, lutea, luzona, lyrata, magellanica, malabarensis, mammata, mangareva, margaritacea, marmorata, marmorea, maura, mauricia, mauricana, mellitagria, melo, menardi, mercatus, mexicana, militaris, miniata, minuta, mitrata, munda, mutabilis, myabora, myagria, naevia, nauseosa, nephoda, nigrata, nitida, nivea, nobilis, nubila, obesa, oblitterata, obscura, oculata, olivieri, opuntiae, ornata, pallida, paradoxa, partita, patagiata, pectoralis, pegnia, pentagona, perplexa, petasata, phalangioides, phrygiata, pinetorum, placida, plumipes, porracea, pratensis, prompta, prostypa, prudens, pulchra, pustulosa, pyramidata, quadrata, quadrimaculata, quadripunctata, quercetorum, ravilla, rectangula, regia, riparia, rubella, rubens, rugosa, sacra, sanguinalis, scalaris, schreibersi, scolopetaria, scutata, scutiformis, scutulata, segmentata, senegalensis, septima, sericata, sericea, servillei, sexcupidata, sexspinoso, signata, silvicultrix, similis, sinuata, solers, spatulata, speciosa, spiculata, spinea, spinivulva, spinosa, spira, stellata, strix, sturni, subfusca, sutrix, tetracantha, tetragnatoides, thaddeus, theis, thelia, transversalis, triangularis, tricolor, trifolium, triguttata, trinotata, triplex, trituberculata, tubulosa, turbinata, tytera, ullrichi, umbratica, urvillei, valdiviensis, variegata, venatrix, venusta, verrucosa, vespucea, virgata, vitiana, vivida, vulgaris, vulpecula, vulpinus, webbi.

Epeleustia sororculella, vaccinella.

Epeolus kirbienus, pictus, punctatus, quadrifasciatus, remigatus, scutellaris, variegatus.

Eperlanus vulgaris.

Epermenia pontificella.

Epheboceris hirtellus.

Ephedrocephalus microcephalus.

Ephedrus parvicornis.

Ephemera albicans, angustipennis, annulata, apicalis, atrastoma, bioculata, chlorotica, citrina, cognata, cupida, diluta, dispar, dubia, erythrophthalma, familiaris, flavicans, flos-aquae, fuliginosa, fusca, fuscula, glaucops, guttulata, helvipes, hilaris, hispanica,

hyalina, hyalinata, macrum, minor, nigricans, pennata, rosea, rufa, rufescens, stigma, submarginata, talcosa, vitrea.

Ephemias libatrix.

Epheria bulveri, goodalli, quadrifasciata, vineta.

Ephesia (Lep.) agamos, amica, antinympha, elonympha, grynea, nymphaea, nymphagoga, paranympa, pasythea.

Ephesia (Verm.) gracilis.

Ephestia bigella, biviella, calidella, ceratoniella, cinerosella, elutella, neuricella.

Ephestris melaxantha, myrrba, vinos.

Ephialtes (A.) albopunctata, asio, assimilis, atricapilla, brasiliensis, eboliba, cristata, grammicus, gymnopodus, lempeji, leucotis, lobbotes, magicus, mantis, megalotis, ninadensis, nudipes, portoricensis, sagittatus, scops, semitorques, senegalensis, simia, spilocephalus, trichopsis, watsoni.

Ephialtes (Hym.) albicinctus, annulatus, bicolor, carbonarius, compunctor, continuus, cossivora, divinator, gracilis, becticus, inanis, irritator, manifestator, mediator, mesocentrus, messor, minutus, nigriceps, oculatus, pectoralis, populneus, sodomiticus, tricolor, tuberculatus, varius, xanthomelas.

Ephialtias abrupta, monilis, tribuna, vittula.

Ephimeropus geniculatus

Ephimerus sexguttatus.

Ephippiger andalusius, antelope, aranea, camelus, cinctus, granulatus, macrogaster, monticola, onos, rugosicollis, scabricollis, spinosus, ustulatus, vacca, verrucosus.

Ephippigera autumnalis, charpentieri, costaticollis, cucullata, denticauda, dorsalis, glabricauda, laticollis, nigromarginata, pachygaster, perforata, scutata, selligera, serricauda, vitium.

Ephippipher aurantiacus, spixi.

Ephippiphora (Cr.) kroyeri.

Ephippiphora (Lep.) albuginana, alpinana, argyrana, composana, dorsana, ehippana, fissana, foenana, gueriniiana, beegerana, inquinatana, insulana, latbyrana, loderana, luctuosana, mediana, montanana, novana, petiverana, pygmeana, sequana, spiniana, ulmana.

Ephippitytha maculata.

Ephippium angustum, dahli, ephippium, fenestrata, flavipes, maculipennis, mycoleon, rufitarse, thoracicum.

Ephippus argus, bicornis, exilis, faber, falcatus, gigas, goreensis, longimanus, longipennis, oblongus, orbis, punctatus, terla, tetracanthus.

Ephistemus confinis, globulus, gyrimoides, bisteroides, nigroclavis, nitidus, palustris.

Ephoenosaurus gracilis, solodurensis.

Ephthianura tricolor.

Ephydatia canalium, fluviatilis, friabilis, lacustris.

Ephydatis cristata, fluvialis.

Ephydra aenea, aeneiventris, aestuans, affinis, albidipennis, albula, annulata, aquila, argyrostoma, basilaris, caviceps, cesta, coarctata, comta, contaminata, cribrata, curvicauda, defecta, fenestrata, flavescens, flavipes, flavitarsis, fossarum, fumipennis, furcata, fuscipennis, glabricula, glauca, graminum, grisea, guttata, hecate, hians, infecta, interrupta, interstincta, irrorata, lacustris, leucostoma, littoralis, longipennis, longitarsis, lutea, lutea, maculipennis, margaritata, melanostoma, micans, minuta, nasuta, nitida, noctula, nubilipennis, obscura, occitans, ochrostoma, octo-notata, orichalcea, pallipes, paludum, palustris, picea, picta, pictipennis, posticata, psilopina, punctato-nervosa, pusilla, pygmaea, quadrata, quadriguttata, quadripunctata, quinquepunctata, riparia, rufipes, rufitarsis, salinae, salinaria, sibilans, spilita, stagnalis, stenbammar, stictica, striata, subguttata, thermoicaeta, thomae.

Ephyra (Cr.) compressa, pelagica, punctulata, sphaerulina.

Ephyra (Lep.) albicincta, albiocellana, gyraria, ocellaria, omicronaria, orbicularia, pendularia, pictaria, poraria, punctaria, punctularia, pupillaria, trilinearia.

Ephyra (Med.) antarctica, baltica, borealis, octolobata, simplex, tuberculata.

Ephyriades asychis, folus, otreus, tryxus.

Ephysa hemisphaerica.

- Epia* domina, echii, silenes.
Epialtus bituberculatus, dentatus, marginatus, nuttalli, productus, scopis.
Epibdella hippoglossa.
Epiblema absinthiana, brunichiana, caecimaculana, decorana, dibeliana, germanana, hohenwartiana, hypericano, micana, rhediana, scopoliana, tripunctana.
Epiblemum faustum, palmarum.
Epibulia chamissonis, erythrophysa, filiformis, mertensi.
Epibulus insidiator.
Epicaerus aeruginosus, aurifer, carinatus, convexus, cultripeunis, cyphus, depilis, fallax, formidosus, griseus, imbricatus, mexicanus, nebulosus, neglectus, operculatus, ravidus, sphaeroides, transversepunctatus, vadosus.
Epicalia acontius, ancaea, antioe, cerambus, coriunete, lygistus, umilius, nyctimus, pierreti.
Epicalia villica.
Epicauta conspersa, erythrocephala, fissilabris, geniculata, limbata, lugubris, major, megaloccephala, puncticollis, rubriceps.
Epicerina nigricornis.
Epicharis (Hym.) analis, binotata, cajennae, dejeani, fasciata, flavozonata, rustica, umbraculata.
Epicharis (Lep.) derasana, lundana.
Epichloris prasina.
Epichnopterix bombycella, uitidella, pectiuella, penella, plumella, plumigerella.
Epichysia anthracinella, ophisella.
Epicladia quadrangula.
Epiclerus parujas, temenus.
Epiclides basalis, gayi, planeta, puncticollis, tristis.
Epicoma contristis, dubia, tristis.
Epicomotis crinita, femorata, hirta, pilosa, tonsa.
Epicomocera succincta.
Epicopeia philenora, polydora.
Epicopterus choreiformis.
Epicorsia ciliaris, cinctalis, crocotolalis, iridialis, mellialis, nyctemeralis, pandalis, repandalis, verticalis.
Epicosmus australasiae, tetrastigma.
Epirates angulifer, cenchris, maurus.
Epicrium glutinosum, hasselti, hypocyana.
Epicrocis festivella.
Epichthonius simus.
Epictia bilineatus, undecimstriata.
Epicyrtus exodon, gibbosus, microlepis, xenodon.
Epidactyla mucilaginosus.
Epidesma (Dipt.) fascipennis.
Epidesma (Lep.) caenea, milita, pyrrho, ursula.
Epidesmia tricolor.
Epidesmus maculatus.
Epidosis incompleta.
Epierus comptus, fulvicornis, lucidulus, minor, mundus, nigrellus, planulus, pulicarius, retusus, rubellus, tersus.
Epigea adyte, embla, euryale, ligea, medea, pyrrha.
Epigonus macrophthalmus.
Epigrapha avellanella, steinkellnerana.
Epigraphia punctulella, steinkellnerella.
Epilachna aequinoxialis, alternans, amplexata, angustata, argiola, argus, aubei, axillaris, bifasciata, bis-triguttata, boisduval, bomparti, bonplandi, borealis, boucieri, cacia, canina, capicola, chenoni, chrysomelina, circumcincta, circumflua, circumducta, clandestina, colorata, compilata, concolor, consputa, consularis, contempta, corrupta, cruciata, dahlbomi, decemmaculata, defecta, deleta, difficilis, diffinis, discoidea, discolor, discors, distincta, dives, dodecostigma, dorica, dorsigera, dregeri, dufouri,

dumerili, duodecim pustulosa, eckloni, enniasticta, fairmairei, fausta, fenestrata, flavicollis, fraterna, fulvo-signata, fuscipes, geoffroyi, glaucina, godarti, gossypata, gradaria, grayi, guineensis, guttato-pustulata, gyllenhalli, haematomelas, haemorrhoea, herbigrada, hirta, humboldti, humeralis, implicata, incauta, indica, infausta, infirma, insidiosa, lacordairei, laeicollis, lepida, lineato-punctata, linnaei, lupina, luteoguttata, macquarti, macularis, madida, margaritifera, marginicollis, meleagris, mitis, modesta, moesta, murina, mystica, nigratarsis, nigrocincta, nylanderii, obscura, obscuripuncta, obsoleta, ocellata, octo-verrucata, oclea, olivacea, paenulata, palliata, pardalis, parvi, particollis, patricia, patula, pavonia, paykulli, peltata, pierreti, placida, polluta, praecincta, proteus, pruinosa, punctipennis, pusillanima, pytho, quadriplagiata, quatuordecimsignata, radiata, reticulata, rufoventris, sahlbergi, scapularis, schoenherri, sedecim-verrucata, sexnotata, signatipennis, smithi, socialis, spinolae, spreta, stephensi, stolata, subcincta, taeniata, tenebricosa, territa, tomentosa, undecimspilota, undecimvariolata, undulata, V-pallidum, varipes, varivestis, velata, velutina, venusta, vigintiocto-punctata, viginti-punctata, vigintisex-punctata, virgata, vulpecula, wachanrui, wismani, zetterstedti, zonata, zonula.

Epilais atricapilla, brasiliensis, conspersa, cribrosa, lurida, verticalis.

Epilampra nebulosa.

Epilampus chrysostictus, pulcher.

Epilasium rotundatum.

Epilecta linogrisea.

Epileustia hypericella.

Epimachus alba, brisbanii, coeruleus, cyanomelas, erythrorynchos, filamentosus, indica, lampulophos, magnificus, melanorhynchos, minor, obscurus, papuensis, regius, rubilatrix, speciosus, splendidus, superbus, unicolor.

Epimacrus rufus.

Epimeces ensifer, ventralis.

Epimecia ustulata.

Epimecis bicolor, fasciata, hortaria, umbraria.

Epinephele eudora, janira, synclimene.

Epinephelus argus, ciliatus, lepidopterus, oxygeneios.

Epinota wellensiana.

Epinotia celana, corticana, crenana, kuhlweiniana, scutellana, similana, sinuana.

Epioblasma biloba.

Epiodon desmaresti, urganantus.

Epione advenaria, apiciaria, dilectaria, emarginaria, parallelaria, vespertaria.

Epipagis corivalis, fenestralis, splendidalis.

Epipedonota (Col.) ebenina, erythropus, marginiplicata.

Epipedonota (M.) affinis, bonariensis, cristallisata, lata, rugosa, senex.

Epipedorhinus chevrolati.

Epipedus lustrio, squamifer.

Epipela notata.

Epipetrum gelatinosum.

Epiphaneus malachiticus.

Epiphanis cornutus.

Epiphaxum auloporoides.

Epiphile chrysis, lampethusa, laothoe, merione, orca.

Epiphlaeus buqueti, humeralis, marginellus, ornatus, pantherinus, tomentosus.

Epiphloeus distrophus, duodecimmaculatus, fasciatus, mucoreus, nubilus, sericeus, speculum.

Epiphyllax binodulus, ephippiger.

Epiplagia subobliqua.

Epipolops frondosus.

Epipona chartaria, cincta, marginata, morio, nidulans, tatua.

Epipone spinipes.

Epipora oblonga.

Epippiphora trauniana.

Epipsilia eruta, fimbriola, ignicola, latens, multangula, pyrophila.

- Epipyxis* utriculus.
Epirodera notata.
Epirranthis diversaria, obfirmaria.
Epirrhantes obfirmaria.
Epirrhoe amniculata, aparinata, molluginata, rivata.
Epirrhynchus argus.
Epirrita dilutata.
Episagma schreberiana, semimaculana.
Episcapha angustata, antennata, australia, cruciata, elongata, glabra, granulata, heros, interrupta, longicornis, mouatti, obliquata, oculata, philippinarum, quadrimacula, reichei, repanda, vestita.
Epischinia adultella, boisduvaliella, diversalis, illotella, leucoloma, muscardalis, prodromalis, vacciniella, venosa, vulneratella.
Episcius guerini.
Episema caeruleocephala, cincta, deplanata, gothica, graminis, hirta, hispana, le-cinctum, orana, pierreti, scotica, tersa, trimacula, unicolor.
Episinus algiricus, americanus, truncatus.
Episomus arrogans, clathratus, echinus, figulus, guttatus, lacerta, lateralis, lentus, montanus, nubeculosus, pauperatus, platina.
Episteme amphissa, isse, lectrix.
Epistemus dimidiatus, exiguus, globosus, globulus, ovulum.
Epistenia ania, feretrius.
Epistictia (Col.) matronula, selecta, viridimaculata.
Epistictia (Hem.) atomaria.
Epistomentis pictus.
Epistomia bursaria.
Epistomonas agilis.
Epistylia conica.
Epistylis anastatica, arabica, barba, berberiformis, botrytis, digitalis, euchlora, flavicans, galea, grandis, leucoa, nutans, opercularia, parasitica, pavonina, plicatilis, pusilla, vegetans, virgaria.
Episus aculeatus, cristatus, cyathiformis, dentatus, dregeri, echinatus, fictus, flexuosus, ganglionicus, hopei, hypocrita, inermicollis, mendosus, muricatus, simulator, spinosus, sputatilis, thunbergi, truncatus.
Episyron ruipes.
Epiteles contumax.
Epithyris elongata, sufflata.
Epitonium candidum, exoletum, fuscum, retusum, scabrum, substriatum.
Epitragus aeneo-brunneus, aeneus, andorum, ater, attenuatus, badius, brunnicornis, canaliculatus, carbonarius, convexus, fuscipes, fuscus, gaudichaudi, helopioides, jaspideus, lineatus, lucens, maculipennis, meticulosus, molitor, monticola, mucronatus, olivaceus, pulverulentus, punctatus, quadricollis, roscidus, rugosus, semicastaneus, serricornis, stricticollis, variegatus, vulgaris.
Epitranus fulvescens, teleute.
Epitripes cingulatus.
Epityphia latreillella, mazolaella, raddaella.
Epixanthis maculitarsis, novies-punctata, stella.
Epizeuxis aemulalis, calvarialis, lituralis, lubricalis, melanalis.
Epomia amhersti, picta.
Epomidiopteron julii.
Epomis (Coel.) gargantua.
Epomis (Col.) alternans, brevicollis, capensis, carbonarius, cinctus, circumscriptus, croesus, dejeani, duvauceli, elongatus, fimbriatus, goryi, karelini, nigricans, pallipes, senegalensis, tomentosus.
Epomophorus gambianus, macrocephalus.
Eponides repandus.
Epophthalmia aenea, albicincta, cinnamomea, eustalacta, flavomaculata, gracilis, lateralis, metallica, vittata.

Epops upupa.

Eoptererus ocellatus, variegatus.

Eptatretus dombeyi.

Eptesicus melanops, mydas.

Epthianura albifrons, aurifrons.

Epunda lichenea, lutulenta, tephra, viridicincta.

Eपुरaea aenea, aestiva, angustula, arcuata, bisignata, boreella, castanea, corticina, decemguttata, deleta, distincta, ephippium, flavicans, florea, helvola, immaunda, labilis, limbata, longula, luteola, melanocephala, melina, neglecta, nigrita, oblonga, obsoleta, ochracea, ocularis, parallela, parvula, planulata, pusilla, pygmaea, retracta, rufa, silacea, terminata, variegata, vicina.

Epyris niger, pulchellus, subcyaneus.

Epysterne turbida.

Epytus azureus.

Eques acuminatus, americanus, balteatus, lineatus, punctatus.

Equorea capillata.

Equula berbis, bindus, blochi, brevirostris, caballa, cara, coma, dacer, daura, dentex, dussumieri, ensifera, equula, fasciata, filigera, gomorah, insidiator, interrupta, lineolata, longimana, longispinis, nuchalis, oblonga, parviceps, rivulata, ruconius, serrulifera, splendens, vulgaris.

Equus adamiticus, americanus, angustidens, antelopium, asinus, brevirostris, burchelli, caballus, couagga, festivus, fossilis, gigas, gracilis, hippagrus, hippotigris, hybridus, khur, kiang, major, mangarsahac, minuta, minutus, montanus, mulus, namadicus, nanus, neogaeus, palaeonius, piscenensis, plicidens, primigenius, principalis, varius, zebroides.

Erana crassirostris.

Erannis aceraria, aurantiaria, defoliaria, distinctata, progemaria.

Erasmia pulchella.

Erastria albidilinea, amataria, apicosa, argentula, atratula, bankiana, candidula, cymbalaria, dissimularia, elychrysi, fuscula, minuta, ostrina, parva, paula, pusilla, quieta, scitula, skafiota, sulphurea, unca, venustula.

Erateina cynthia, ianthe, julia, neaera, zoraida.

Erato angistoma, callosa, columbella, cypraeoides, cypraeola, guttula, lachryma, laevis, maugeriae, scabruscula, sulcifera, vitellina.

Erax aestuans, albibarbis, albiceps, albispinosus, albiventris, ambiguus, annulipes, argyrogaster, asiloides, bastardi, belzebul, chiliensis, completus, demifasciatus, femoratus, flavianalis, flavidus, fulvibarbis, fulvithorax, fuscipennis, fuscipennis, fuscus, griseus, haitensis, hercules, heteropterus, hyalipennis, inappendiculatus, incisuralis, integer, labidophorus, lateralis, longiterebratus, maculatus, minor, nervosus, nigrimystaceus, nigripes, notabilis, obscurus, patagoniensis, pumilus, rubidiventris, rubibarbis, rufipes, rufithorax, rufitibia, rufiventris, salomon, simplex, singularis, subappendiculatus, tibialis, varimystaceus, vicinus, virilis.

Erebia (Dipt.) aenea, brachycera, buccalis, egens, flavipennis, germanica, microcera, nitida, temula.

Erebia (Lep.) afra, alecto, arcania, blandina, bore, caecilia, cassiope, cassius, chilensis, clytus, davus, egeria, embla, epistygne, evia, fluctuosus, gorgone, hero, hippolyte, hyperanthus, iphis, janira, lefebvreyi, ligea, maera, manto, medusa, megaira, melampus, melancholica*, melas, melusina*, mnestra, neoridas, nerine, norna, oeme, pamphilus, pharte, psodea, pyrene, scanda, scipio, semele, sthenno, stubbendorfi, tamatavae, tristis*.

Erebus albicinctus, bubo, chimista, corisandra, crepuscularis, dasypterus, edusa, endoleucus, harmonia, hercyna, hieroglyphica, junonius, leucostigma, lima-cina, magus, oecidua, odora, omma, opigena, rengus, retorta, rivularis, strix, zenobia.

Eremaeus hepaticus, oblongus.

Eremia culminaria.

Eremiaphila audouin, bove, cerisy, gene, hralil, khamsin, khéych, luxor, marchali, petit, savignyi, typhon, zetterstedti.

Eremias annulifera, arguti, burchelli, caeruleo-ocellata, capensis, ~~deserti~~, formosa, guttulata, knoxi, lalandi, laticeps, lineoocellata, lugubris, namaquensis, pardalis, pulchella, pulchra, rubropunctata, senegalensis, undata, velox.

Eremiophis trabalis.

Eremioplanis aegyptiaca, deserti, rudrata.

Eremnus aciculaticollis, adpersus, albobarius, arrogans, atratus, canaliculatus, dentipennis, exaratus, frugalis, gyrosicollis, gyrosifrons, inermis, laticeps, lineatus, metallicus, murinus, obtusus, occatus, opinabilis, parvus, passerinus, piliferus, pilosus, plicicollis, semisuturalis, seriesetosus, setifer, setulosus, sparsus, squamulatus, striatopunctatus, strigifrons, tetricus.

Eremohia (Lep.) ochroleuca.

Eremobia (Orth.) carinata, cisti, claveli, continuata, flexuosa, limbata, muricata, pulchripennis.

Eremohius phaenicurus.

Eremomela flaviventris, scotops, usticollis.

Eremophila bovei, ehrenbergi, lefebvrei.

Eremophilus mutisi.

Erepsimus setiferus.

Eresia carne, clio, erysice, eunica, hera, ianthé, langsdorfi, nauplia.

Eresus acanthophilus, adpersus, annulatus, ater, audouin, cinnaberrinus, ctenizoides, dufouri, fastuosus, frontalis, fulvus, fumosus, fuscifrons, guerini, illustris, imperialis, kollari, lineatus, lituratus, luridus, moerens, molitor, monoligerus, petagnae, pharaonius, pruinosis, puniceus, quadriguttatus, quatuorguttatus, ruficapillus, semi cinctus, theis, unifasciatus, walkenaeri.

Eretes griseus.

Erethistes pusillus.

Erethizon buffoni, dorsatum, macrourus.

Eretison pilosus.

Eretmocerus corni.

Eretmochelys imbricata.

Ereunetes petrificatus.

Ergasilus gibbus, sieboldi, trisetaceus.

Ergates (Ar.) annulipes, benigna, latens.

Ergates (Col.) corticarius, faber, huberti, serrarius.

Ergatis viridissima.

Ergyne cervicornis, cornucervis.

Erihœa aile, athamis, bruta, castoris, etheoclessa, euriale, lampedo, lucretia, pelopia, pollussa, pyrrichia, thyestessa, tiridates, unedonis, xypharis.

Erichsonia (Col.) dentifrons.

Erichsonia (Cr.) angulata.

Erichthus aculeatus, brevidens, duvauceli, edwardsi, guerini, latreillei, leachi, longirostris, narwhal, pyramidatus, spinosus, tectus, triangularis, vitreus, vulgaris.

Eriacus cataphractus.

Erichthonius difformis.

Ericulus nigrescens, spinosus.

Ericydus aemnestus, chryscus, megalarus, paludatus, strigosus.

Eridanus compressus.

Eridophyllum seriale.

Eriesthis fallax, guttata, semihirta, stigmatica, vestita, vulpina.

Erigone (Ar.) armata, atra, dentipalpis, longimana, serotina, vagans.

Erigone (Dipt.) anthophila, dubia, flavipennis, lurida, myophoroidæa, puparum, scutellaris, tessellans, viridulans.

Erina pulchella.

Erinaceus aegyptus, aethiopicus, albiventris, antiquus, avernensis, brachydactylus, capensis, collaris, concolor, ecaudatus, frontalis, grayi, heterodactylus, hypomelas, lybicus, major, megalotis, mentalis, micropus, nanus, platyotis, priscus, pruneri, rafflesi, soricimoides, spatangus, spinosus, tana.

Erinnyis alope, caricae, ello, oenotrus, scyron, stheno.

- Erinobia multistrigaria*.
Eriocampa crassicornis, *livonensis*, *nitida*.
Eriocephala calthella, *sulcatella*.
Eriocera nigra.
Eriocottis fuscaneella.
Eriodes arachnoides, *frontatus*, *hemidactylus*, *tuberifer*.
Eriodon occatorius.
Eriogaster (Dipt.) *laniventris*.
Eriogaster (Lep.) *catax*, *everia*, *lanestris*, *pityocampa*, *populi*, *processionea*.
Eriographis borealis.
Eriomys chinchilla, *lanigera*.
Erion rhenani.
Eriopeltastes leucoprymnus.
Eriopis connexa, *eschscholtzi*, *opposita*.
Eriopsela caricana, *cuphana*, *mendiculana*, *quadrana*, *rivulana*.
Erioptera analis, *appendiculata*, *atra*, *autumnalis*, *caliptera*, *caloptera*, *cinerascens*, *crassipes*, *denudata*, *distigma*, *fascipennis*, *flavescens*, *flavipennis*, *fuscipennis*, *grisea*, *griseipennis*, *haemorrhoidalis*, *hederae*, *imbuta*, *lateralis*, *lineata*, *lutea*, *maculata*, *montana*, *murina*, *nigra*, *nodulosa*, *nyblaei*, *obscura*, *ochracea*, *opaca*, *pallipennis*, *pygmaea*, *ruficauda*, *similis*, *sordida*, *taenionota*, *trivialis*, *varia*.
Eriopteryx analis, *fusca*, *geniculata*, *halterata*, *hyalina*, *nodicornis*, *pallida*, *pallidipennis*, *pallidula*, *pallipes*, *stigma*, *tincta*, *virescens*.
Eriopus (A.) *aline*, *aureliae*, *cupreoventris*, *derbyi*, *exortis*, *isaacsoni*, *luciani*, *mosquera*, *simplex*, *vestitus*.
Eriopus (Lep.) *aetua*, *latreillei*, *pteridis*.
Erioscelis emarginata.
Eriosoma (Col.) *lanaris*.
Eriosoma (Dipt.) *calida*.
Eriosoma (Hem.) *abietis*, *bursaria*, *crataegi*, *fagi*, *fraxini*, *mali*, *oleae*, *pallida*, *piceae*, *populi*, *quercus*, *tremulae*, *urticae*, *xylostei*.
Eriothrix lateralis.
Eriphia (Cr.) *carribaea*, *fordi*, *gonagra*, *laevimana*, *prismaticus*, *spiniifrons*, *verrucosa*.
Eriphia (Dipt.) *acela*, *arelate*, *aterrima*, *ciliata*, *cinerea*, *flavifrons*, *grisea*, *lamina*, *lata*, *marginata*, *praecox*, *pretiosa*, *smithi*.
Eriphus aeneicollis, *albolineatus*, *bipartitus*, *bisignatus*, *collaris*, *dimidiatipennis*, *immaculicollis*, *leprieuri*, *mexicanus*, *sellatus*, *unipunctatus*.
Eripus (Ar.) *heterogaster*.
Eripus (Col.) *laevissimus*, *scydmaenoides*.
Erirhinus acridulus, *aethiops*, *affinis*, *agnathus*, *arundineti*, *atomarius*, *bimaculatus*, *bispinus*, *bituberculatus*, *clitellarius*, *constrictus*, *costirostris*, *decorus*, *dorsalis*, *ephippiatus*, *equiseti*, *ferrugatus*, *filirostris*, *flavipes*, *fructuum*, *indignus*, *indistinctus*, *infirmus*, *inquinatus*, *inquisitor*, *leucophyllus*, *lutulentus*, *maculatus*, *maerkeli*, *mayalis*, *minutus*, *mucidos*, *nebulosus*, *occallescens*, *pallidesignatus*, *palustris*, *pectoralis*, *pertinax*, *petax*, *phaleratus*, *pilumus*, *puberulus*, *punctator*, *rufipes*, *rufus*, *rutilus*, *salicinus*, *scirpi*, *scirrhosus*, *spargani*, *sparsus*, *squameus*, *stevani*, *subcostatus*, *suratus*, *taeniatus*, *tenuirostris*, *tessellatus*, *tortrix*, *tremulae*, *validirostris*, *variegatus*, *vecors*, *vestitus*, *villosulus*, *vorax*, *waltoni*.
Erihipis fulgida, *geminata*, *inda*, *iridescens*, *pubera*, *subguttata*, *submaculosa*, *subtomentosa*, *tristis*, *vestita*.
Eris aurigera, *illustris*, *jubata*.
Eriska velutina.
Erismacanthus jonesi.
Erismatura australis, *dominica*, *dominicana*, *ferruginea*, *leucocephala*, *leucogenys*, *maccoa*, *mersa*, *rubida*, *spinicauda*, *spinosa*.
Erisoma bumeliae.
Eristalis aebutius, *aegrotus*, *aegyptius*, *aenescens*, *aeneus*, *aesepus*, *aesymnus*, *agno*, *agrorum*, *agrus*, *albiceps*, *albifrons*, *albitarsis*, *alpina*, *alpinus*, *amoenus*, *amphicrates*, *analis*, *andraemon*, *androclus*, *angustatus*, *auicetus*, *annulipes*, *anthophoroides*.

antidotus, apiarius, apiformis, arbustorum, argyrocephalus, ~~aryotum~~, ~~saliformis~~, assimilis, ater, auratus, aurulans, babytace, basilaris, bastardi, bengalensis, berberinus, bogotensis, calcaratus, calidus, caliginosus, campestris, cerealis, ~~chaleopygus~~, chalybeus, chloris, chrysocoma, chrysopygus, chrysostomus, cimbiciformis, cincta, cinereus, circingulatus, coactus, coemiteriorum, cognatus, compactus, conicus, convexifacies, coracina, crassipes, crassus, cryptarum, cubensis, cupreus, cupro-vittatus, cyaneifer, dasyops, datamus, decius, decorus, dentipes, dimidiata, distinguendus, dives, dubia, elegans, errans, fasciatus, fascithorax, femoratus, ferrugineus, festivus, flavicans, flavicinctus, flavicornis, flavimana, flavipennis, flavipes, flavofasciatus, florens, fossarum, frater, fraterna, frutetorum, fuciformis, fulgens, fulminans, fulvipes, fumipennis, funereus, funestus, furcata, fuscipennis, geniculata, gigantea, gilvipes, glaucius, grossa, guadelupensis, haesitans, haplops, herbicola, horticola, hortorum, inamames, incisuralis, incisus, inflatus, inflexus, innupta, intersistens, interruptus, intricarius, inversus, javanus, jucundus, laetus, lateralis, latifrons, latus, l'herminieri, limbatinervis, lineata, longula, lucorum, lugens, lugubris, luteicornis, maculata, maculipennis, means, meigeni, melanaspis, melancholicus, melanopa, metallicus, mexicanus, micans, milesiformis, modestus, morio, murorum, mutabilis, narcissi, nasuta, natalensis, nebulosus, nemorum, niger, nigricans, nigrifrons, nigripes, nigriscutellatus, nigrita, nigratarsis, nigroantennatus, nili, nitidiventris, nobilis, noctilucus, nubilipennis, obliquus, obsoletus, oestraceus, olivacea, orientalis, pachymerus, pachypus, pallidicornis, pallinervis, parallelus, pendulus, phantoma, philadelphicus, pinguis, plistoanax, podagra, posticatus, praecox, pratorum, proserpina, proxima, pubera, pulchella, pulchriceps, pumilus, punctulatus, pusillus, pusio, pygmaea, pygolampus, quadraticornis, quadrilineatus, quadristriatus, quadrivittatus, quinquestriatus, quinquevittatus, ridens, rostrata, ruficeps, ruficornis, rufum, rufipes, rufatarsis, rufiventris, saxorum, schmidti, scutellaris, scutellata, secretus, segetum, semimetallicus, semirufus, sepulchralis, sericeus, setosus, similis, sincerus, sinensis, smaragdi, smaragdinus, solitus, solstitialis, soror, splendens, stygius, subsultans, surinamensis, susurrans, sylvarum, sylvaticus, taenia, taeniops, taphicus, tenax, testaceicornis, testaceiscutellatus, tomentosus, torridus, transversus, tricolor, trifasciatus, trilineatus, tristis, trivittatus, uvarum, variabilis, varipes, vernalis, vesicolor, vesicularis, vestitus, vicina, viduator, vilis, vinetorum, violaceus, viridulus, vittatus, vulpecula, vulpinus, xanthaspis, zonalis.

Eristhetus ruficapillus.

Eritacus cairii, calliope, cyanecula, luscinia, philomela, phoenicurus, rubecula, suecica, tithys.

Erithales guacolda.

Eritismus clandestinus.

Erithrizon epixanthi.

Eriulus variolosa.

Erminea albistria, ambigua, caesia, compta, curtisi, curva, dodecea, evonyma, funerea, irrorea, leucatea, lutarea, mendica, ossea, padi, plumbea, pruni, rorea, semifusca.

Ernarmonia albersana, splendana, ustulana, woeberriana, zachana.

Ernestia microcera.

Ero atomaria, tuberculata, variegata.

Erodia amphilesis.

Erodiorhynchus cristaloides.

Erodiscus antilope, attenuatus, ciconia, grallator, gryphus, minuta, motacilla, myrmecodes, picus.

Erodium afer, affinis, africanus, albus, ambiguus, audouini, barbarus, bicarinatus, bicostatus, boyeri, brevicostatus, carinatus, cassidoides, chauveneti, costatus, curtus, curvipes, dejeani, duponti, egretta, emondi, europaeus, fabricii, ferrugineus, fimbriatus, garzetta, gibbus, glabratus, goryi, granulosus, laevis, laticollis, latrellei, latus, longus, lusitanicus, maillei, marginicollis, mittrei, nanus, neapolitanus, nitidicollis, nitidiventris, obesus, oblongus, olivieri, opacus, parvus, peiroleri, proximus, punctostriatus, puncticollis, pusillus, pygmaeus, rotundatus, russatus, scaber, servillei, siculus, subcostatus, sublaevis, subnitidus, subparallelus, syriacus, tangerianus, tricarinatus, vicinus, victoriae, wagneri.

Erodona aperta.

Erodorus bimaculatus.

Erolia pygmaea, variegata.

Erolla blainvillei, nasica.

Eromene bellalis, botrina, parva.

Eronia argia, buqueti, cleodora, idotea, tobarea, leda, pharis, thalassina, valeria.

Eros aeger, alatus, canaliculatus, coccinatus, crenatus, floralis, humeralis, incestus, lascivus, lictor, minutus, modestus, mollis, nanus, oblitus, praefectus, sculptilis, socius, sollicitus, timidus, trilineatus, vilis.

Erotyla sulphurea.

Erotylus adustus, aegrotus, affinis, agathinus, amabilis, amoenus, angulatus, annularis, annulatus, annulipes, apiatu, armillatus, atratus, aulicus, badius, balteatus, bellicosus, bengalensis, bicinctus, bicolor, bifasciatus, bi-lineatus, bimaculatus, biplagiatus, bisignatus, boisduvali, bosci, bremeri, brevicornis, brunneipennis, brunneus, buqueti, californicus, camelus, castaneus, chasybeus, chevrolati, cinctellus, cinctipennis, cinctus, cingulatus, circumdatus, circumscriptus, clavicornis, coccinelloides, conspersus, coronatus, cyaneus, debauvei, decemguttatus, decemmaculatus, decemnotatus, decempunctatus, decoratus, dentatus, dichromostigma, dimidiatonotatus, dimidiatus, discoideus, distinctus, dromedarius, dryas, duponcheli, elegans, elevatus, ephippium, erythrocephalus, fallax, ferrugineus, flavofasciatus, flavo-signatus, flavo-vittatus, foraminosus, fulgurator, fuscipes, fusco-maculatus, goryi, graciosus, guadeloupensis, guerini, guttatus, helopideus, herpestes, hexagrammus, hieroglyphicus, histrionicus, hopei, humeralis, hybridus, iaspideus, immaculatus, incertus, incomparabilis, insignis, interruptus, intersectus, jacquieri, javanus, lacordairei, latreillei, leopardus, lesueurii, lineaticollis, lineellus, loratus, lunatus, luniferus, maculicollis, maculiventris, maculosus, marginatus, marshalli, melanophthalmus, melanopus, melanostigma, miliaris, militaris, minutus, modestus, moniliferus, multiguttatus, multi-punctatus, nebulosus, niger, nigripennis, nigripes, nigro-punctatus, nigro-signatus, nigrotibialis, nitidulus, oblongus, octoguttatus, oculatus, olivieri, onagga, orbigny, ornatus, papulosus, pardalis, pictus, praeustus, pretiosus, puncticollis, pustulatus, quadrimaculatus, quadrimaculatus, quadripustulatus, quadrisignatus, ramosus, ratzeburgi, reichei, rubens, rubellus, ruficeps, rubripennis, sanguineus, scenicus, scriptus, semipunctatus, serripennis, sexdecimmaculatus, sexpunctatus, signaticollis, signatus, sobrinus, sphacelatus, strictus, subreticulatus, taeniatus, tibialis, toxographus, toxophorus, tricornis, tricolor, trifasciatus, tripunctatus, trizonatus, undulatus, unicolor, unifasciatus, ustulatus, variabilis, vicinus, viginti-guttatus, vinculatus, violaceus, vittatus, voeti, westwoodi.

Erpeinus aeneipennis, albionicus, borysthenicus, cautus, cyanescens, elegantulus, erosus, foveicollis, glaberrimus, major, nigripennis, obtusangulus, obtusus, pastor, petreus, pexus, picipennis, pulvinatus, pusillus, quadratus, somnulentus, subsulcatus, undulatus, violaceus.

Erpetodryas bicarinatus, carinatus, laevicollis, pyrrhopogon, quadricarinatus, sex-carinatus.

Erpeton tentaculatus.

Erpetoramphus costae.

Erphaea pumicosa.

Eripichthys atlanticus, castaneus, cyclops, fasciatus, fraenatus, frontalis, niger, quadricornis, quadripinnus, rufo-cauda, sebae, variolatus.

Erpilites carinata, multistriata, ohioensis, platenia, stenotenia.

Eropobdella bioculata, complanata, hyalina, lineata, marginata, parthenopeia, sebetia, tessulata, vulgaris.

Erpornis xanthochlora, zantholeuca.

Erypysmus leucochloridius.

Erypyzon barbalis.

Erranthis plumistaria.

Errina aspera.

Ersaea elongata, gaimardi, pyramidalis, quoyi, truncata.

Erthesina mucorea.

Erucivora orientalis.

- Ervia* triquetra.
- Ervilia* (Inf.) legumen.
- Ervilia* (L.) castanea, pellucida.
- Ervillia* nitens.
- Erychthys* caeruleo-punctatus, croicensis, quinque-fasciatus, ~~viridescens~~.
- Erycia* ciliata, crataegella, grisea, scutellaris, vanessae, villica, ~~winthamii~~.
- Erycides* megalesius, pigmalion.
- Erycina* (L.) aequorea, ambigua, angulosa, anodon, apelina, basterotiana, bidentata, cardioides, caroburgensis, complanata, crenulata, cuneata, cuspidata, cycladiformis, defrancei, denticulata, depressa, deshayesi, donacina, elegans, elliptica, faba, ferruginosa, fontenayei, fragilis, franciscana, geoffroyi, glabra, glabrata, inaequilatera, inaequilateralis, inflata, irregularis, laevis, lamarckiana, laperousei, macrodon, miliaria, neglecta, nitida, nucleola, obliqua, oblonga, obscura, orbicularis, ovata, parisiensis, pellucida, petitiiana, philippiana, pisum, plebeia, purpurea, pusilla, pygmea, quadrata, radiolata, rectilinearis, renieri, seminula, similis, solenoides, souleyetana, striata, striatula, stricta, suborbicularis, substriata, tellinoides, tenuistria, thraciera, translucida, trigona, truncata, turtoni, undulata, vesicularis, violacea, xanthippe.
- Erycina* (Lep.) abaris, acanthus, actoris, agesilas, agyrtus, allica, amesis, ampyx, amyntor, anapis, arbas, arcas, argiope, aristodorus, aristoteles, aristus, arius, arminius, arteris, arthemion, asteris, aulestes, auletes, australis, avus, azara, baucis, belise, butes, cachrys, calpharnia, caricae, ceneus, chorineus, cingulus, cleodora, cleonus, croesus, cupido, curius, damis, domitianus, dorillis, dyndima, dysoni, echerius, electron, emylus, epalia, ephyues, epigia, epone, epulus, euclides, eumenus, eupolemia, euriteus, gelanon, gelon, gemellus, gnidus, gyas, gynaea, hebrus, heliconides, helius, hiria, hisbon, hyginus, hypheus, icarus, inca, iphinoe, isala, jarbus, julia, jurgenseni, labdacus, lamis, laonome, licarsis, limpidipennis, lucianus, lucinda, lysidice, lysimon, lysippe, lysippus, manthus, meliboeus, menalcus, meneria, menetas, meon, meris, midas, misenes, monteuma, morissei, octavius, odice, odites, oppeli, ops, orsilocheus, orsita, osinia, ouranus, ovidius, pallas, pelops, pentheus, perdita, periander, petronius, phareus, phereclus, pherephatte, phillone, philocles, phylaus, pitheas, prema, pretus, priolas, probetor, psecas, ptolomaeus, pyretus, regulus, renatus, rhetus, rhodia, sabinus, sagaris, salimba, soronus, stilbe, tacitus, tallis, tedeo, telephus, thasus, thersandra, thia, timandra, tisis, tutana, tytius, ulricus, virginienis, zachea, zeanger.
- Erycinella* ovalis.
- Erycopsis* melanura.
- Eryma* crassula, elongata, fuciformis, intermedia, laevigata, minuta, modestiformis, veltheimi, verrucosa.
- Erymanthus* gemmatus, variolatus.
- Erymmia* nitida.
- Erynnis* comma, fritillum, linea, speculum, tages.
- Eryomis* aureus, malvae.
- Eryon* arctiformis, barrovensis, bilobatus, caribensis, cuvieri, elongatus, hartmanni, latus, meyeri, orbiculatus, ovatus, pentagonus, rehmanni, roettenbacheri, schlothemi, schuberti, speciosus, subpentagonus, subrotundatus.
- Eryphus* bipunctatus, humeralis, rubricollis.
- Erythaca* arctica, flavolivacea, rubecula, wilsoni.
- Erythacus* akahige, komadori.
- Erythia* catoleuce, gelanoria, labdaca, melaphaea.
- Erythraeus* arnigerus, cornigerus, domesticus, epigeus, flavus, ignipes, mamillatus, mureorum, nivosus, parietum, phalangoides, pusillum, pyrenaicus, quisquiliarum, rupestris, ruricola, tricolor.
- Erythrina* albifrons, rosea, rubrifrons.
- Erythrinus* brasiliensis, gronovii, guavina, macrodon, malabaricus, microcephalus, palustris, salvus, trahira, unitaeniatus, vittatus.
- Erythrocephalus* coecus, melanophthalmus.
- Erythroceras* cinerea, flavipes, fulvescens, fulvipes, nigripes, scutellaris, siphonoidea.
- Erythrochilus* aulicus.

- Erythrodryas** erythrogaster, rhodinogaster, rosea.
Erythrogonys cinctus.
Erythrolamprus agilis, formosus, venustissimus.
Erythrolanius rubricollis, rubropectus.
Erythroleuca passerina.
Erythropis venustissimus.
Erythroprys americanus, carolinensis, erythropthalmus, seniculus.
Erythropus vespertinus.
Erythropygia familiaris, galactotes, paena, pectoralis.
Erythroscelus fuscus.
Erythropiza erythrina, frontalis, githaginea, melanops, obsoleta, personata, phoenixoptera, purpurea, rodochroa, rodeopepla, rosea, tephrocotis.
Erythrosterina parva, rubecula, rufigula, solitaria.
Erythrostomus cyanogaster, macrorhynchus.
Erythrothorax medius, roseus, rubrifrons.
Erythrura trichroa, tricolor.
Erythura cheet, prasina, psittacea, pucherani, viridis.
Eryx (Col.) nigra.
Eryx (R.) anguiformis, bengalensis, brahmus, cerastes, chiveus, colubrinus, conicus, familiaris, gronovianus, indica, jaculus, johi, maculatus, melanostictus, meleagris, miliaris, multocarinata, rufus, scutata, thebaicus, turcius.
Esacus magnirostris.
Eschara abnormis, abrotonoides*, acicularis, affinis, ambigua, amphiconica, ampla, ampulla, ampullacea, andegavensis, angustata, arachnoidea, astroidea, aurita, behmi, biaperta, biauriculata, bidentata, biforis, bifurcata, bimucronata, bipunctata, borniana, brongiarti, brugmansii, canaliculata, cancellata, celleporacea, cenomana, cerioporacea, cervicornis, chartacea, ciliata, clathrata, comes, compressa, conferta, conica, contexta, cordiformis, coscinophora, costata, crassa, crenatimargo, cretacea, cribaria, crustulenta, cyathus, cyclostoma, damaecornis, decussata, dendroidea, dentalina, denticulata, depressa, deshayesi, dichotoma, difformis, digitata, diplostoma, disticha, dubia, dubiosa, duvaliana, ehrenbergi, elegans, excavata, exilis, exserta, fascialis, fasciata, fibrifera, filigrana, fissa, fistulosa, foliacea, formosa, galeata, girondina, glabra, gladiiformis, gracilis, grignonensis, hagenowi, horrida, imbricata, impressa, inaequalis, incisa, incrustans, incumbens, inflata, infundibulata, interrupta, irregularis, labiata, labiosa, labyrinthica, laevis, lageniphora, lamarckii, larva, lata, lentiformis, lesueuri, leymieriana, lichenoides, ligeriensis, lima, linea, lobata, lobulata, lonsdalei, macrocheila, macrostoma, mammillaris, marginata, megalostoma, milleporacea, monilifera, muensteri, multifida, multipunctata, neptuni, neustriaca, nobilis, obesa, obecta, oceanii, otto-muelleriana, palensis, pallasiana, pallasina, palmata, papillosa, parisiensis, patellaria, perforata, pertusa, petiolus, philippi, pilosa, piriformis, planata, polyomma, polystomella, porites, porosa, producta, pulchra, puncta, punctata, quadripunctata, quinquepunctata, radiata, ramosa, ranvilliana, retiformis, rhombica, rhombifera, ricata, royana, scabra, scalpelliformis, scalpellum, schizostoma, scobinula, sedecimdentata, sedgwicki, sexangularis, spinopora, stellata, stigmatophora, striata, subchartacea, subpyriformis, substriata, sulcata, sulcimargo, syringopora, taenialis, tenuis, tessellata, tessulata, tilesiana, triangularis, tricuspis, tristoma, tuberculata, tubulata, tubulifera, tubulosa, undulata, varians, velans, verneui, verrucosa, viminea, vulgaris.
Escharella immersa, variolosa, violacea.
Escharina acteon, alvareziana, angularis, ansata, armata, baccata, ballii, bimarginata, borniana, bougainvilliei, brongiartiana, bulbifera, canariensis, chilina, coccinea, concentrica, confluens, cornuta, costata, crenulata, cucullata, cyclostoma, diademata, dispersa, edwardsiana, elegans, excavata, globifera, granulosa, iubricata, impressa, inflata, intricata, isabelleana, labiata, ligeriensis, lucida, macry, margaritifera, marsupata, megalostoma, michaudiana, micropora, multidentata, neptuni, nidulata, oceanii, ondulata, ornata, otto-muelleriana, pallasiana, peltata, perforata, perlacea, personata, pertusa, peruviana, polystoma, pulchella, punctata, radiata, regularis, rimulata, ronchi, sagena, sarthacensis, simplex, subpyriformis, sulcata, torquata, tubulosa, tumidula, unicornis, unidentata, urna, vasculata, vermicularis, vieilbanci, vulgaris.

- Escharites** celleporatus, cingulatus, dichotoma, distans, histingeri, increstata, irregularis, labiata, quadrepорatus, milleporatus, nodulosa, retiformis, seriata, spongites, striato-punctata, velata.
- Escharoides** peltata, tubulosa.
- Escharopora** recta.
- Escheria** ovalis.
- Eschscholthia** dimidiata, glandiformis.
- Eschscholtzia** rhombia.
- Esechielina** bakeri, capsularis, gracilicauda, leuwenhoecki, muelleri.
- Esmia** griffithsiana.
- Esomus** chapalio, danrica, danrua, macrourus, reticulata, striatus, thermoicos, thermophilus, vittatus.
- Esoptria** alcithoe, bolina.
- Esosx** acutirostris, aureoviridis, australis, becuna, belone, boa, boreus, cancila, cepedianus, chinensis, chirocentrus, depraudus, ectintis, eisleibensis, estor, fasciatus, flavula, gambarus, gladius, imperialis, incognitus, indica, inermis, lepidotus, leverianus, lewesiensis, lewini, lineatus, longirostris, lugubrosus, macropterus, mansfeldensis, niger, niloticus, nudus, otto, ovinus, panchax, phaleratus, pisciculus, pisculentus, reticulatus, saluoneus, saurus, scomberius, sinensis, tristoechus, truttaceus, vermiculatus, vittatus, waltschanus, zonatus.
- Esperia** (Lep.) flavimitrella, masculella, oehlmanniella, orbonella, praelatella, pronubella, rupella, sparuanuella.
- Esperia** (Sp.) calyx, tubulosa, typus.
- Espiphylla** nymphaeola.
- Estelia** cinerea, herbarum, impunctata.
- Estenomenus** mirabilis.
- Esthema** dichroa, papilionaris.
- Estheria** (Cr.) boydi, brasiliensis, dahalacensis, donaciformis, elliptica, gigas, melitensis, polita, similis, subquadrata, tetracera.
- Estheria** (Dipt.) abdominalis, floralis, imperatoriae, tibialis, vicina.
- Esthesopus** castaneus.
- Esthiomenus** flava.
- Estigmene** chinensis.
- Estigmene** acria, echo, isabella, lactinia, lubricipeda, luctifera, menthastri, urticae.
- Estrelida** afra, amadava, angolensis, annulata, atricollis, bella, benghala, bichenovi, bicolor, caerulescens, cinerea, dufresnei, erythronota, erythropteron, formosa, frontalis, granatina, leucura, lipiniana, melanogaster, melanotis, melanura, melba, melpoda, minima, musica, mystacea, nitida, oculea, perreini, phaenicotis, phaeton, phoenicoptera, polyzona, psittacea, quartinia, rhodoptera, rubricata, rubriventris, ruficauda, rufopectus, sanguinolenta, senegala, speciosa, squamifrons, subflava, temporalis, trichura, troglodytes, versicolor, viridis.
- Estrilda** astrild, bella, bichenovi, incana, lipiniani, melanogenys, rhodopyga, rufopectus, rufopicta, temporalis, vieilloti.
- Etelis** carbunculus.
- Eteona** tisiphone.
- Eteone** cylindrica, flava, maculata, pusilla, sarsi, siphodonta.
- Eterusia** tricolor.
- Ethalion** histrix.
- Etheostoma** bimaculata, blennioides, caerulea, calliura, caprodes, cinerea, flabellaris, flabellata, fontinalis, maculata, nebulosa, nigra, olmstedii, semifasciata, tessellata, variata.
- Etheria** (Cr.) gonotus, locustella.
- Etheria** (L.) cailliaudi, carteroni, elliptica, lamarecki, plumbea, semilunata, transversa, trigonula.
- Ethmia** pyrausta.
- Ethon** aeneicollis, affine, bicolor, chalcopertum, cupricollis, fissiceps, gouldi, leucostictum, maculatum, marmoreum, notulatum, nubeculosum, roseo-cupreum, scabiorum, signaticollis, viride.

- Ethra* interrupta, lateralis, marginata.
Ethusa mascarone, pridope.
Etisus anaglyptus, dentatus, laevinus, metis, occidentalis, phoebe.
Etnopterus aculeatus.
Etroplus coruchi, koruschi, maculatus, meleagris.
Etyus martini.
Eucanthus acuminatus, interruptus.
Euaesthetus americanus, immarginatus, lespei, ruficapillus, scaber.
Euagoras erythrocephalus, laticornis, nigrispinus, pallens, pallescens, spectosus, ~~scoti~~, tricolor, varius, versicolor.
Euanemus colymbetes.
Euaxes filirostris, obtusirostris.
Eubadizon aequator, angularator, coxalis, dubius, fuscipes, laevis, leptocephalus, pectoralis, rufipes, trigonus.
Eubagis agacles, artemisia, arthemion, athemon, coenus, dyonis, ines, irma, johanna, maeon, myrrhina, myrson, postverta, serina, setabis, tithia, zetes.
Eubaphe aurantiaca, lobula.
Eubaptus palliatus.
Eubazus macrocephalus.
Eublemma amoena, suava.
Eublepharis derbianus, hardwicki, pipiens.
Eublepharus germari, rouleti, schoenherri, servillei.
Eubolia alienaria, bi-punctaria, cervinaria, cernitaria, erutaria, ferrugaria, indicaria, lugustraria, mensuraria, minorata, moeniaria, oblitterata, olivaria, peribolaria, plumbaria, polygrapharia, propugnaria, proximaria, quadrifasciaria, salicaria, scabraria, scutularia, sudduplicaria, vicinaria.
Eubraxis curculionoides.
Eubranthus tricolor.
Eubria nervosa, palustris, thoracica.
Eubucco aurifrons, aurovirens, boucier, elegans, hartlaubi, richardsoni.
Eubyja betularia, prodromaria.
Eucaelium candidum, roseum, viscosum.
Eucalimia abrotani, absinthi, chrysanthemi, gnaphali, santonici.
Eucallia boussingaulti.
Eucalosoma versicolor.
Eucalyptocrinites extensus, gibbosus, goldfussi, laevis, polymorpha, rosaceus, tennesseae.
Eucalyptocrinus caelatus, conicus, decorus, nashvillae, ovalis, phillipsi, polydactylus, regularis.
Eucampe donovani.
Eucamptognathus angustatus, chevrolati, lafertei.
Eucamptus (Col.) cuspidatus, imperialis, iridis.
Eucamptus (Verm.) obtusus.
Eucapripodus rutilus.
Eucarphia fulgidalis, radialis, vinetalis.
Eucelis mediana.
Eucelium croceum, flavidum.
Eucephalus (Col.) capensis.
Eucephalus (R.) bilineatus.
Eucera affinis, africana, albicans, algira, alternans, analis, atrata, bicincta, bicolor, cana, cantatrix, chrysura, cineraria, cinerea, cingulata, clypeata, continua, crinita, cuniculina, dalmatica, dasypoda, dentata, derasa, dimidiata, distincta, druriella, eurygaster, explorans, fasciella, ferruginea, fischeri, flavicornis, haemorrhoea, helvola, hispana, interrupta, lanuginosa, linguaria, longicornis, macrocera, macroglossa, maculata, malvae, marginata, nigra, nigricornis, nigrifacies, nigri-labris, nigripes, nigrolabiata, notata, numida, oraniensis, pollinaris, pulvinata, pumila, punctilabris, pyrrhula, robusta, rufescens, ruficollis, ruficornis, seminuda, similis, squamosa, subfasciata, subrufa, subvillosa, thoracica, tricineta, tristriga, trivittata, tuberculata, unicincta, vetula, vidua, vittigera, vulgaris, vulpis.

- Eucereon** arebias, marica, pierus, sylvius.
Eucerochoris nigriceps, westwoodi.
Euceros albitarsis, crassicornis, dimidiatus, serricornis.
Eucestia obliquata, spartiata.
Eucestis corylifoliella, crassicornis, ulmifoliella.
Euchaeta prestandreae.
Euchaetes egle.
Euchalcia consona, illustris, modesta.
Eucharia (Ar.) atrica, bipunctata, castanea, corollata, hera, maculata.
Eucharia (Lep.) casta, hebe, mariamne, sacrificia, sangaria.
Eucharis (Hym.) adscendens, aeginetus, compressa, democles, eribotes, fausta, festiva, flabellata, furcata, iello, larymna, pyttalus, rapo, theocles, tiedemanni, valgius, verticillata, volusus, xeniades, zalates.
Eucharis (L.) elliptica, quadrata.
Eucharis (Med.) multicornis, pileus.
Eucheira socialis.
Eucheirus macleayi.
Euchelia amanda, formosa, gratiosa, jacobaeae, pulchra, pylotis.
Euchelonia midas.
Euchera ceuidaria, cunicaria, hesperaria, substigmatica.
Eucheyla flavilabris.
Euchilia quadrata, sulcata.
Euchiradia dodecadactyla, hexadactyla, polydactyla.
Euchirus (Col.) bimucronatus, duponticus, macleayanus, quadrilineatus.
Euchlaena apiciana, obtusaria, vespertaria.
Euchlanis bicarinata, dilatata, emarginata, hornemanni, luna, lynceus, macrura, triquetra, weissei.
Euchlidon cruentaria.
Euchloe ausonia, belia, cardamines, coeneos, eupheno, midea, tagis.
Euchlora aenea, aerea, albopilosa, apicalis, aureola, brightwelli, cantori, cayennensis, chlorotica, cicatricosa, circumcincta, corruscans, costata, cribrata, cuprea, cupripes, de haani, devota, dichropus, dimidiata, dubia, dussumieri, femoralis, frischei, grandis, incerta, insularis, irrorella, janthina, julii, jurinei, limbata, lucidula, macleayana, macleayi, maculata, malabariensis, martinii, micans, morissaei, nigrita, nigrifolia, nitidissima, obsoleta, perplexa, rubrocuprea, sieboldi, smaragdina, strigata, subcaerulea, sulcata, sulcipennis, trivittata, varians, versicolor, viridi-cuprea, viridis, vitis, vittata, xanthoptera.
Euchloris smaragdaria.
Euchlornis arcuatam, aruata, aureopectus, cinctum, rieferi.
Euchnemis barnabita, elaterinus, fornasinii, salinae.
Euchoeca dispersaria, hepararia, heparata.
Euchreus quadratus.
Euchroa dimidiata, micans, nitidicollis, nitidipennis.
Euchroea abdominalis, auripigmenta, aurora, coelestis, desmaresti, episcopalis, histronica, multiguttata, murinaria.
Euchroeus purpuratus, quadratus.
Euchroma columbica, gigantea.
Euchromia astychoe, cephea, fulvipunctata, ira, lethe, melanthe, meonis, nyctea, polymena, proserpina, purpurana, sperchia, thelebe, tyrrhene.
Euchromius bellus, funiculellus, ramburiellus.
Euchymius rectimandibularis.
Eucinetus haemorrhoidale, meridionalis.
Eucirrus griffithi, mellyi.
Euclea (Col.) albata, irrorata.
Euclea (Lep.) aemilia, cippe, ruffa.
Euclidia angulosa, caucasica, flexuosa, fortatilius, glyphica, mi, monogramma, stupida, triquetra.
Euclidius triangulum.

Euclita incalidalis, interpunctalis, nudalis, pinguinalis, ramalis.

Euclystis centurialis, cynaralis.

Eucnemis (Col.) alni, amaenicornis, atropos, calceatus, capucinus, cruentatus, cylindricollis, deflexicollis, feisthameli, filum, foveolatus, franciscanus, frontosus, fulvicornis, gigas, heterocerus, humeralis, monilicornis, muscidus, nigriceps, obliquus, orientalis, procerulus, pygmaeus, quadricollis, ruficornis, sahlbergi, senegalensis, sericatus, triangularis, unicolor, wicardi.

Eucnemis (R.) bicolor, horstoki, madagascariensis, seychellensis, viridiflavus.

Eucoelium boraboriensis, crassinerva, fungosum, hospitolum, roseum, subgelatinosum.

Eucoleus aerophilum, tenuis.

Eucolia rapae.

Eucomatocera vittata.

Eucora hymenaea, neonympha, posthuma.

Eucore quadridens.

Eucorynus porcellus.

Eucorysses pallens.

Eucosma arcuana, circulana, tuberculana.

Eucosmia undularia, undulata.

Eucosmus decoratus.

Eucranium heteroclytum.

Eucratea ambigua, appendiculata, chelata, contei, cordieri, cornuta, lafontii, loricata, vesiculosa, wallaysi.

Eucratia loricata.

Eucritus prehensilis.

Eucrostes ciliaria, fimbriolaria.

Eucrotaphus jacksoni.

Eucyane celadon, eusebia, glauca.

Eucymatoge linariata, strobilata, togata.

Eucyphus hybosoroides.

Eudaemonia semiramis, uroarge.

Eudalimia confusaria, honoraria, margaritaria, subsignaria.

Eudamus agesilaus, catillus, coelus, doryssus, metophis, proteus, simplicius.

Eudea (Polyz.) clavata, cribraria.

Eudea (Sp.) attenuata, calopora, capitatum, cellulosa, cylindrica, elongata, forminosa, gracile, irregularis, lagenaria, lombricalis, lycoperdoides, mammosa, manon, millepora, pertusa, pistilliformis, polymorpha, propinqua, pyriformis, rugosa, sarthacensis, subcariosa.

Eudemis achatana, areolana, cespitana, charpentierana, fuligana, lacunana, naevana, nubilana, pustulana, strobilana, ulmana.

Eudendrium bryoides, racemosum, rameum, ramosum, splendidum, trichoides.

Euderaea asteris, dracunculi, solidaginis.

Euderces picipes.

Euderes lineicollis.

Euderus amphis, mestor.

Eudesia orbicularis.

Eudesmia ruficollis.

Eudesmus fascinus, griseus, posticalis.

Eudiagogus episcopalis, pulcher, rosenchoeldi

Eudicella gralli, morgani.

Eudinopus ateuchoides.

Eudiotis lucernalis, lucidalis.

Eudiotra undata.

Eudipsas cynodon.

Eudites rufogularis.

Eudius jocosus, quadrisignatus.

Eudmeta marginata.

Eudmoe delumbis.

Eudocimus (A.) albus, longirostris, ruber.

- Eudocimus* (Col.) *mannerheimi*.
Eudonia *pentagona*.
Eudora (Col.) *auriculata*, *cornuta*, *madagascariensis*, *midas*, *striata*.
Eudora (Cr.) *incisus*.
Eudora (Med.) *discoides*, *euchroma*, *hydropotes*, *moneta*, *rosacea*, *undulosa*.
Eudorea *alpina*, *ambigua*, *angustea*, *biborealis*, *borealis*, *cembrae*, *cembrella*, *cinnicella*, *coarctata*, *crataegalis*, *crataegella*, *decrepitella*, *delunella*, *dubita*, *dubitalis*, *frequentella*, *gracella*, *incertalis*, *ingratella*, *laetella*, *lineola*, *mercurea*, *murana*, *octouella*, *oertzeniella*, *pallida*, *parella*, *perplexella*, *petrophila*, *phaeoleuca*, *portlandica*, *pyralea*, *pyraella*, *pyrenaealis*, *resinae*, *subfusca*, *sudetica*, *sudeticalis*, *truncicoella*, *tristrigella*, *vallesialis*.
Eudorina *elegans*.
Eudoxia *bojani*, *lessoni*, *pyramis*, *triangularis*.
Eudromia *elegans*.
Eudromias *montana*, *stolida*, *xanthocheilus*.
Eudromius *australis*.
Eudromus *alternans*.
Eudryas (Lep.) *sti johannis*, *unio*.
Eudryas (R.) *boddaerti*.
Eudule *pulchricolora*.
Eudynamis *taitensis*.
Eudynamys *australis*, *cuneicauda*, *flindersi*, *honoratus*, *indicus*, *maculatus*, *melano-rhynchus*, *niger*, *orientalis*, *picatus*, *ransomi*, *rufiventer*, *taitensis*.
Eudyptes *adellae*, *antarctica*, *antipoda*, *antipodes*, *brasilensis*, *chiloensis*, *chrysocoma*, *chrysolophus*, *demersa*, *demersus*, *magellanica*, *minor*, *pachyrhynchus*, *palpebrata*, *papua*, *pathachonica*, *torquata*.
Eudytes *arcticus*, *glacialis*, *immer*, *septentrionalis*.
Eueides *aliphera*, *cleobaea*, *dianasa*, *ethra*, *eucoma*, *halia*, *harmonia*, *isabella*, *lybia*, *mereaui*, *mneme*, *pasiuntia*, *procula*, *prone*, *thales*, *vibilia*.
Eugeniocrinites *annularis*, *boitardi*, *caryophyllatus*, *compressus*, *costatus*, *doliformis*, *essensis*, *hausmanni*, *hoferi*, *mespiliformis*, *moniliformis*, *nutans*, *pyriformis*, *quinquangularis*.
Eugeniocrinus *alpinus*, *angulatus*, *crenulatus*, *granulatus*, *hexagonus*, *impressus*, *moussoni*, *pygmaeus*, *sessilis*.
Eugenysa *grossa*.
Euglena *acus*, *chlorophoenicea*, *deses*, *geniculata*, *hispidula*, *hyalina*, *longicauda*, *mucronata*, *obscura*, *ovum*, *oxyuris*, *pleuronectes*, *pygmaea*, *pyrum*, *rostrata*, *sanguinea*, *spirogyra*, *triptera*, *triquetra*, *viridis*.
Euglenes *fasciatus*, *fennicus*, *oculatus*, *pygmaeus*, *signatus*.
Euglesia *henslowiana*.
Euglossa *analis*, *apicia*, *brullei*, *coerulescens*, *cordata*, *dentata*, *dimidiata*, *dives*, *frontalis*, *gulosa*, *pallens*, *piliventris*, *romandi*, *smaragdina*, *spinosa*, *surinamensis*, *violacea*.
Euglypha *acanthophora*, *alveolata*, *laevis*, *setigera*, *tuberculata*.
Euglyphia *elegans*.
Euglyphis *claudia*, *lucilla*, *procopialis*.
Eugnamptus *collaris*, *flavinasus*, *sulcifrons*.
Eugnatha *filiformis*, *nileus*, *pelusia*.
Eugnathus (Col.) *alternans*, *squamifer*, *viridanus*.
Eugnathus (P.) *chirotus*, *fasciculatus*, *giganteus*, *leptodus*, *mandibularis*, *microlepidotus*, *minor*, *opercularis*, *ornatus*, *orthostomus*, *philpotiae*, *polyodon*, *scabriusculus*, *speciosus*, *spinosus*, *tenuidens*.
Eugnomus *urvillei*.
Eugnoristus *monachus*.
Eugnosta *lathoniana*, *margaritana*, *norwichiana*.
Eugongylus *oppeli*.
Eugonia *alniaria*, *angelica*, *angularia*, *antiopa*, *charonia*, *clemataria*, *crosaria*, *polychloros*, *polynice*, *pyrrhomelaena*, *quercaria*, *quercinaria*, *tiliaria*, *urticae*, *V album*.

- Eugonus subcylindricus*, virgatus.
Eugramma oo.
Eugraphe albifrons, caracterea, depuncta, glareosa, I-intactum.
Euhyas ricordi.
Eulabeornis abyssinica, castaneoventris, celebensis, cuvieri, torquata.
Eulabes bicarinata, indicus, javanus, religiosa.
Eulabis rufipes.
Eulachus costatus.
Eulaema analis, cajeunensis, dimidiata, elegans, fasciata, nigrita, surinamensis.
Eulagius acernus.
Eulalia fusca, maculata, pusilla, quadricornis, sanguinea, viridis.
Eulampis auratus, holosericeus, jugularis, niger, violaceus.
Eulampra miranda.
Eulamprus quoyi.
Eulasia arctos, bicolor, bombylifformis, bombylius, genei, goudoti, hyrax, laserrei, papaveris, pretiosa, syriaca, vittata, vulpes.
Euleia onopordinis.
Eulepia cribrum, grammica.
Eulepidotis alabastraria, illyriaria, politaria.
Eulepis duperreyi.
Eulepte concordalis.
Euleptes caffer.
Euleptus geniculatus, ooderus, sericeus.
Eulia ministrana, nullaria.
Eulima acicula, acuta, affinis, albensis, amphora, anglica, angusta, antiqua, arcuata, articulata, axonensis, bifasciata, bilineata, brevis, brunnea, cingulata, conica, conulus, coyana, crassula, decussata, distorta, eborea, elegantissima, elongata, floridana, fulvo-cincta, fusiformis, glabella, glaberrima, gracilis, grateloupei, hastata, imbricata, incerta, inflexa, intermedia, interrupta, jamaicensis, koninckiana, labiosa, leunisi, lineata, longissima, macandrei, major, marmorata, melanoides, migrans, mindoroensis, monodon, multitorquata, nereis, nitida, nitidissima, nitidula, parvula, pendalia, phillipsiana, polita, pupaeformis, pusilla, requieniana, riss, scala, scillae, solidula, spiculum, splendidula, striata, subangulata, subcarinata, subcolumnaris, subnitida, subovata, subulata, symmetrica, terebra, texana, tortuosa, turritellata, unidens, unifasciata, unilineata, varians.
Eulimella acicula, affinis, clavula, gracilis, scillae.
Eulimene albida.
Eulimenes cyclophylla, heliometra, sphaeroidalis.
Eulimus bulimus.
Euliolaemus elegans, olivaceus.
Eulissus ater, chalybaeus, mannerheimi.
Eulithis diversilineata.
Eulophus (A.) macrolophus.
Eulophus (Hym.) abdominalis, acalle, aeneus, aepulo, aepytus, agathyppus, agraules, agrilorum, alararus, albipes, albitarsis, alce, albicornis, amelon, amempsimus, anatole,anaxippus, anementus, antilope, apatela, apicalis, arcuatus, argissa, artaeus, artynes, assimilis, ater, atratulus, atro-coeruleus, attis, autonae, barbarus, basalis, battis, bicolor, bifasciatus, binotatus, blancardellae, boeotus, bombycicornis, brevicornis, breviramulus, bulmerineqi, calavius, canaliculatus, capio, carbo, cassidae, catreus, catta, cecidomyiarum, cephalotes, cervicornis, charondas, chrysomelae, cicuta, ciliatus, cinctipes, citrinus, cleopater, coecilius, coeruleus, collega, congruens, cornucopiae, cosconius, crinicornis, cronus, croton, cyclogaster, cyriades, damicornis, debilis, dendricornis, depressus, dercynus, dicladus, dimidiatus, discolor, diversus, docilis, dropion, drupes, drusilla, dryllus, dubitabilis, dymas, elegans, elongatus, emicans, eneugamus, ericae, erse, eryngii, eucrate, eucritus, euedoreschus, euryalus, eurybates, eurytomae, evonymella, evonymellae, exiguus, faula, faustitas, fissicornis, flabellatus, flavomaculatus, flavovarius, flavus, florianus, florus, folia, foveolatus, frontalis, fuliginosus, fulvicollis, fumatus, galactopus, galerucae, gallarum, gemma,

glabellus, gobryas, gonippus, gordius, gyes, haruocerus, hedda, hegrius, bestia, hippia, hircinus, hylesinorum, hylotomorum, ianthea, iapetus, idem, impeditus, inconspicuus, inunctus, iphinoe, isades, itea, kirbyi, laevissimus, laodochus, ligonus, laonome, larvarum, latreillei, leodamas, leptoneuros, leucarthros, lineatus, longicaudatus, lucens, lucumo, lugens, maculatus, mamurius, mandron, mania, martialis, medius, megalarus, menyllus, meriones, mestor, metalarus, metallicus, metanira, minio, minutissimus, minyas, nuser, myodes, neleus, nemati, nigro-violaceus, nitidulus, nonus, nycteus, obscuripes, obscurus, orchestis, orsinus, orsus, osniarum, pachyneuros, padellae, pectinicornis, pennicornis, phalaenarum, pictus, pilicornis, pisenor, pisidice, plumicornis, polycerus, pronoe, prothenor, pubescens, pythodorus, quadrifasciatus, quadrimaculatus, rhaecus, rhamnius, rhianus, roesellae, rufescens, rupicapra, sabella, sancus, sandanis, saon, scutellaris, scyllis, semicupreus, sericeicornis, sesquifasciatus, setiseries, sexradiatus, sithon, skianeuros, soemius, spicornis, stephensi, strobilanae, stygius, suada, subulatus, superior, tabidus, tarandicornis, tarandus, telestas, terebrator, thespius, tibialis, ticide, tidius, tischbeini, trachalus, tristis, turcius, tyrchenus, ulicis, unifasciatus, unipunctus, unistriatus, upupaenellae, ursidius, vagus, verbasci, versicolor, veturius, viduus, villius, vinulae, waterhousei, westwoodi, xanthops, xanthopus, xanthostomus, zeugma.

Eulota fruticum.

Eulyes amoena.

Eulymena heliometra.

Eulype funerata, hastata, hastulata, tristata.

Eumaea debora.

Eumaeus (Ar.) inornatus, minimus.

Eumaeus (Lep.) atala, childrenae.

Eumeces baudini, cartereti, freycineti, lessoni, mabouia, microlepis, oppeli, punctatus, sloani, spixi.

Eumecus angustatus, dauricus, germanicus, gracilis, laetus, obliquefasciatus, tenuis.

Eumedon niger.

Eumelea rosalia.

Eumelus lividus, nebulosus.

Eumena cruentata.

Eumenes abdominalis, anedei, ancipes, angusticornis, anormis, apicalis, arbustorum, arcuata, arietis, atrata, atricornis, barbiventris, binodis, campaniformis, campanulata, cavatibus, cingulata, circinalis, coangustata, coarctata, conica, cruciata, cyanipennis, cyathiformis, delicatae, diadema, dimidiata, emarginata, ephippium, esuriens, exilipes, fasciata, formicaria, fraterna, frivaldszkyi, grisea, infundibuliformis, lunulata, marginella, minuta, muraria, nigra, nigriceps, olivieri, petiolata, pomiformis, praslini, pyripennis, saundersi, savignyi, spinipes, spinosa, substricta, venusta, verticalis, zethoides, zonalis.

Eumenia (Lep.) atala, childrenae, minijas, toxea.

Eumenia (Verm.) crassa.

Eumenides ophiseocoma.

Eumenis (Lep.) aello, autonoe, balderi, semele, tarpeja, thelephasia.

Eumenis (Nud.) flavida, marmorata.

Eumenos pipiens.

Eumenotes obscura.

Eumeros pipiens, segnis.

Eumerus (Col.) chalybeus, chryselytra, ignarus, imperator, longipes, violaceus.

Eumerus (Dipt.) aeneus, amoenus, angustifrons, annulatus, aquilus, argyropus, aurifrons, australis, barbarus, basalis, cilitarsis, emarginatus, flavitarsis, fulvicornis, fumipennis, funeralis, grandicornis, grandis, immarginatus, indicus, iris, lateralis, latipes, latitarsis, latitarsus, litoralis, lucidus, lugens, lunatus, lunulatus, macrocerus, micans, mixtus, nudus, obliquus, olivaceus, ornatus, ovatus, planifrons, porcus, pulchellus, purpureus, pusillus, rubriventris, ruficornis, rufiventris, sabulosum, selene, splendens, strigata, tarsalis, tricolor, varius.

Eumesia crassicornis.

Eumetopia fissiceps, rufipes.

- Eumices** sunderalli.
- Eumichtis** lichenea.
- Eumicrus** helwigi, ~~rubromus~~, rufus, tarsatus, thoracicus.
- Eumolpe** longissima, plana, punctata, squammata.
- Eumolphe** fragilis.
- Eumolphus** aterrimus, barbatus, bicolor, bifasciatus, brevicornis, brunnipes, canellus, chrysis, cochliarius, cupreus, cyanicollis, dentipes, flavidus, fulgidus, globosus, hardwicki, hirtus, lar, limbatus, morio, pini, prasinus, pygmaeus, quadrimaculatus, sanguineus, senegalensis, surinamensis, tessellatus, villosus, viridipennis, vittata.
- Eumolpus** aeneus, aerugineus, ahenus, alutaceus, amethystinus, antennatus, arenarius, asiaticus, atratus, auratus, aureus, auronitens, azureus, badgeri, bigatus, bimaculatus, carbonarius, cayennensis, chloronitens, chrysomeloides, colaspoides, compressicornis, crassitarsis, crypticus, cupreus, curtipennis, cyanellus, cyaneus, cylindricus, dentipes, dillwyni, dubius, elegans, fasciatus, fastuosus, femoratus, festivus, flavidus, flavipes, fuscipes, fuscus, geniculatus, glabratus, grandis, grondali, hirtus, hobsoni, holosericeus, humeralis, ignicollis, ignitus, illustris, laetus, lateralis, lepidopterus, limbatus, lineatus, longipes, maculatus, melancholicus, merus, metallicus, micans, modestus, nigricornis, nigripennis, nigrinus, nigromaculatus, nitens, nitidulus, nitidus, ochraceus, octopunctatus, ovatus, peregrinus, pictus, pilosus, porosus, pubescens, pulchellus, purpureocaeruleus, purpureus, pyrophorus, quadrimaculatus, ruber, ruficollis, rufipes, rugosus, rutilans, sabulosus, signatipennis, spinipes, splendens, splendidus, sumptuosus, tessulatus, testaceus, thoracicus, tibialis, unicolor, variabilis, varians, versicolor, villosulus, villosus, violaceus, viridiaeneus, viridis, vitis.
- Eumorphia** capensis, elpenor, jussieuae, latruscae.
- Eumorphia** socialis.
- Eumorphus** aeneipennis, alboguttatus, angulatus, bipunctatus, calabrus, castaneus, cinctus, comtus, corallifer, corallinus, cruciatus, cruciger, dilatatus, discoideus, distinctus, gibbosus, hamatus, immarginatus, kirbyanus, limbatus, marginatus, ocellatus, pictus, quadriguttatus, quadrimaculatus, quadripunctatus, quadripustulatus, schneideri, sinuatus, sumatras.
- Eumycterus** albosquamulatus.
- Eumyias** indigo.
- Eunectes** (Col.) australis, griseus, helvolus, occidentalis, plicipennis, punctatus, sticticus, succinctus.
- Eunectes** (R.) lateristriga, murina, scytale.
- Eunetis** anasia, ilia, marita, nupta, nurus, puerpera, ultronia, uxor.
- Euneura** augarus.
- Eunica** (Ar.) longirostris.
- Eunica** (Lep.) anna, hyperipte, monima, tryphosa.
- Eunice** (Lep.) taurione.
- Eunice** (Verm.) antennata, belli, gallica, gigantea, harassi, hispanica, innominata, immuta, norvegica, sanguinea, vittata, zonata.
- Eunicea** antipathes, apiculata, arbuscula, bertolonii, calyculata, clavaria, flexuosa, furcata, granulata, limiformis, mammosa, microthela, mollis, muricata, nivea, papillosa, pseudoantipathes, quincuncialis, ramulosa, reticulum, sarmentosa, scirpea, siliensis, suberosa, succinea, tamarix, turgida, umbratica, verrucosa.
- Eunidia** nebulosa.
- Eunomia** (Cor.) articulata, babeana, contorta, cottaldina, dichotoma, flabella, grandis, laevis, nana, nodosa, plicata, radiata, rugosa, socialis, sublaevis, tympana, viridissima.
- Eunomia** (Lep.) andromacha, auge, columbrina, haemorrhoidalis, mena, sanguiflua.
- Eunomya** confluent, gracilis, sublaevis.
- Eunostus** latreillei.
- Eunotus** (Col.) fulgipennis.
- Eunotus** (Hym.) cretaceus.
- Eunuchus** sapiens.
- Euodon** cucullulus.
- Euomphalis** sulmanni.

Euomphalus acutus, aequalis, aequilaterus, alatus, anglostomus, angulosus, annulatus, antiquus, archiaci, articulatus, baeri, bifrons, bognorensis, bronni, calyx, carbonarius, carinatus, cateulatus, catilloides, catillus, circinalis, circularis, clausus, colei, complanatus, compressus, contrarius, corndensis, cornu-arietis, coronatus, costatus, cristatus, crotalostomus, delphinularis, depressus, dionysii, discors, discus, disiunctus, dubius, ellipticus, elongatus, exiguus, expansus, fallax, funatus, furcatus, goldfussi, granulatus, gualterius, heliciformis, helycinus, helicoides, hemisphaericus, hians, labadyei, laevis, lautus, lepidus, letestii, lineatus, lloydi, marginatus, minimus, minutus, neglectus, rotundus, parvus, pentangulatus, permianus, perspectivus, perturbatus, perversus, pervetustus, pileopideus, planissimus, planorbiformis, planorbis, plicatus, polygyratus, praenuntius, profundus, pseudogualterianus, pugilis, pygmaeus, quadratus, qualterius, quinquangulatus, radians, radiatus, reconditus, rotula, rotundatus, rotundus, rugosa, sancti sabae, schnuri, sculptus, semiteres, serpens, serpula, serpuloides, serus, soiwae, sowerbyi, sphaeroidicus, spinosus, spiralis, striatus, studeri, subcarinatus, substriatus, subsulcatus, sulcatus, supra-angulatus, tabulatus, tenuistriatus, tricinatus, triliratus, tuberculatus, tuberculosus, uniangulatus, vermilia, verneuili, wahlenbergi, waschkinae. *Vide et Evompalus.*

Euomus fahraei, insculptus, nodipennis.

Euphrys amabilis, ambigua, ancilla, aprica, arcuata, bella, brevipes, brunnescens, comta, coronigera, crucifera, decorata, falcata, farinosa, fasciata, festiva, floricola, gracilis, hamata, hastigera, humilis, incomta, jucunda, laetabunda, latipes, leucophaea, leucostigma, lineata, offuscata, paludicola, petrensis, pratincola, pubescens, quinque-partita, rapida, rubiginosa, rupicola, saxicola, stellana, striata, suralis, tigrina, trifasciata, vetusta, vigorata.

Euops australasiae.

Euopus rissonianus.

Euota contristella, pruniella, xylostella.

Eupages coccocus, gibbosus, impressicollis, lutulentus, tuberculosus.

Eupalamides ctesiphon, daedalus, decussatus.

Eupalamus osculator, trentepohli.

Eupalea formosa, picta, suffriani.

Eupalus croceus, minutissimus, vitellus.

Euparia atramentaria, castanea, catenulata, nigricans.

Euparius callosus, centromaculatus, cinctipes, coronatus, dispar, dorsalis, lugubris, lunatus, paganus, submaculatus, tigris, zebra.

Eupartus tigris.

Euparypha rhodostoma.

Eupatagus brissoides, duvali, lateralis, minor, navicella, nummulinus, ornatus, valenciennesi, veronensis, viquesneli.

Eupathes macropus.

Eupatorus cantori, hardwicki.

Eupelis producta.

Eupelix cuspidata, flavescens, fuliginosa, producta, spatulata.

Eupelmus acron, amillarus, amphitus, annulatus, apicalis, atropurpureus, azureus, copas, degeeri, elegans, epicaste, excavatus, fonteia, hartigi, inermis, lamachus, memnonius, merops, messene, rufus, syrphii, urozonus.

Eupemis fusiformis.

Euperia abluta, fulvago, trapetzina, trapezina.

Eupetes ajax, caerulescens, diana, macrocerus.

Euphaea dispar, fatime, guerini, holosericea, picta, variegata.

Euphaedra ceres, cyparissa, themis.

Euphania luteola.

Euphanistes misolampoides, nigrophiloides.

Euphasia catena.

Euphausia gracilis, pellucida, splendens, superba.

Euphema (A.) aurantia, bourki, chrysostoma, discolor, elegans, petrophila, pulchella, splendida, undulata.

Euphema (Cr.) armata.

- Euphemia* (Dipt.) claripennis, plumata, pratensis, tibialis.
Euphemia (G.) obvolvata.
Euphemus fasciatus.
Eupheus ligioides, talpa.
Euphia biquadrata, diversilineata, fulvata, marmorata.
Euphlyctis leschenaulti.
Euphoeades asterius, chalcas, garamas, glaucus, troilus.
Eupholus chevrolati, cuvieri, geoffroyi, mirabilis, petiti, schoenherr.
Euphona cayana, elegantissima, minuta.
Euphone aenea, aurora, chlorotica, jacarina, musica, rufiventris, serena, tibicen, violacea, xanthogaster.
Euphonia aenea, affinis, aureata, aurora, bicolor, cayana, ~~cayanensis~~, chlorocayana, chlorolepidota, chlorotica, cinerea, coelestis, cyanea, cyanoventris, desmaresti, elegantissima, fusca, hirundinacea, jamaica, lanirostris, leucocephala, occipitalis, olivacea, pectoralis, pipra, plebejus, pretrei, ruiceps, rufiventris, serriventris, tephrocephala, umbilicalis, violacea, viridis, xanthogaster.
Euphoria basalis, biguttata, bivittata, boliviensis, canescens, childreni, cynanchi, dimidiata, hera, humilis, latreillei, leprosa, lesueuri, leucographa, lineoligera, lurida, pulchella, rufoa, sepulchralis, westermanni.
Euphorus basalis, orchesia, pallicornis, pallipes.
Euphotus tupinieri.
Euphractus marginatus, sexcinctus, villosus.
Euphron caeruleus.
Euphrosina foliosa, laureata, myrtosa.
Euphrosyna borealis, borealis, laureata, laurita.
Euphyia picata, tophaceata.
Euphyllia anthophyllum, aperta, aspera, cultrifera, glabrescens, gracilis, meandrina, pavonina, rubra, rugosa, sinuosa, spheniscus, spinulosa, turgida.
Euphyllura oleae, phyllyreae.
Euphysa aurata.
Eupista hapsella, ornatipennella, otidipennella, struthionepennella.
Eupisteria carbonaria, concordaria, hepararia, picearia, pulverulentaria, quinquaria, zebraia.
Eupithecia abbreviaria, abbreviata, absinthiata, albipunctata, angustata, argillacearia, atraria, austeraria, austerata, begrandaeria, caliginata, callunaria, castigaria, castigata, centaurearia, centaureata, cinereata, cognaria, cognata, consignaria, consignata, coronaria, coronata, debiliaria, debilitata, distinctaria, egenaria, elongaria, elongata, exiguararia, exiguararia, expressaria, extensaria, ferruginata, grammaria, graphata, guinardiaria, helveticaria, impurata, indigaria, indigata, innotaria, innotata, irriguararia, irriguararia, laevilignata, lanceolaria, laquaearia, ligusticata, linaria, linariata, manniaria, minutaria, minutata, nanaria, nanata, nebulata, nigro-punctata, nigrosericata, notata, obrutaria, ochreata, palustraria, pauxillaria, piperaria, piperitata, plumbeolaria, plumbeolata, pulchellaria, pulchellata, pumilata, pusillaria, pusillata, recitaria, rectangularia, rectangularata, reductaria, rufifasciaria, rufifasciata, scriptaria, semigraphata, sericeata, silenata, simplicata, singularia, singulariata, sobrinaria, sobrinata, sparsaria, strobilata, subaerata, subfasciata, subfulvata, subfuscata, subnotata, subumbraria, subumbrata, succenturaria, succenturiata, tantillaria, tenuiaria, tenuiata, togaria, togata, trimaculata, trisignaria, ultimaria, V ata, variegata, venosaria, venosata, veratraria, vulgata.
Euplaea aglicide, alcathoe, alcippe, alopia, callithoe, duponcheli, echeria, eleutho, eunice, goudoti, hamata, herbsti, lusme, lapeyrousei, melina, orope, rhadamanthus, similis, superba, treitschkei.
Euplagia ceramica, clione, hera, phyllira, virgo.
Euplectella aspergillum.
Euplectes albirostris, aurinotus, bengalensis, capensis, craspedopterus, erythrops, flammiceps, flaviceps, ignicolor, lepidus, manyar, melanogaster, nigroventris, orix, philippensis, rubra, rufovelatus, sanguinirostris, striatus, sundevalli, taha, xanthomelas.
Euplectrus albiventris, bicolor, furnius, maculiventris.

Euplectus ambiguus, arcuatus, bicolor, brevicornis, canaliculatus, cephalotes, confluent, difficilis, dubius, duponti, easterbrookianus, erichsoni, fennicus, fischeri, georgicus, globifer, gracilis, hortensis, indicus, interruptus, karsteni, kirbyi, kunzei, lativentris, leiocephalus, ligneus, linearis, maerkeli, metallicus, minutissimus, minutus, nanus, nigricans, obscurus, parvulus, piceus, punilus, pusillus, reichenbachii, ruficornis, sanguineus, schmidti, signatus, spinolae, sulciceps, sulcicollis, tischeri.

Eupleres goudoti.

Eupleuris honorella, striatella.

Eupleurus fuscipennis, subterraneus.

Euplexia lucipara.

Euplocampus guttatus.

Euplocamus (Lep.) antbracinellus, aurantiellus, fulvimitrellus, guttella, medius, morellus, parasitellus, tessellus, tessulatellus.

Euplocamus (Nud.) cirriger, croceus, frondosus, holbolli, laciniosus, plumosus.

Euplocia memblare.

Euplocomus cuvieri, erythrophthalmus, gardneri, hamiltoni, ignitus, leucomelanos, leucomelas, lineatus, macartneyi, nycthemerus, pucrasia, refulgens, vieilloti, wallichi.

Euploea (Inf.) cbarou.

Euploea (Lep.) albata, amyuae, artemice, baudiniana, chionippe, chrysippe, chrysippus, cire, clinena, corinna, corus, darchia, deione, desjardinsi, dioxippe, dorippus, dryasis, dufresnei, eleusine, faber, gamelia, hegesippe, kadu, mazares, megilla, melanea, midamus, mulciber, pavettae, pelor, philene, philomela, plexippus, pollita, prothoe, similis, swainsoni, sylvester, tulliolus.

Euplotes aculeatus, appendiculata, balteatus, charon, cimex, cithara, crassus, longiremis, monostylus, patella, pseudo-cbaron, striatus, subrotundus, truncatus, turritus, vannus, viridis.

Euplynès cyanipennis.

Eupnoea lactea.

Eupodes (A.) xanthosomus.

Eupodes (Ar.) celerrimus, cerinus, chloromelas, cinctus, decoloratus, dilectus, fasciola, formulosus, gilvus, hiemalis, iconicus, leucomelas, lineatus, lineola, macropus, melanurus, milvinus, modicellus, mollicellus, ochrochlorus, pallescens, signatus, striatellus, striola, trifasciatus, unifasciatus, variegatus, versicolor.

Eupodotis afra, afraoides, afroides, arabs, aurita, australis, bengalensis, caerulescens, cafra, cristata, denbami, edwardsi, ferox, kori, luconiensis, ludwigi, macqueeni, melanogaster, nigriceps, nuba, rbaad, ruficollis, ruficrista, scolopacea, senegalensis, undulata, vigorsi.

Eupoecila australasiae, cincta, gyunnopleura, nigriceps, octopunctata, punctata, udana.

Eupoecilia ambigua, angustana, bilunana, carneana, dubitana, eburneoguttata, frigidana, luteolana, maculosana, nana, ostrinana, pygmeana, sodaliana.

Eupologon variegata.

Eupomatus pectinatus, ucinatus.

Euporus amabilis, chrysocollis, strangulatus, viridis.

Euprepes bibroni, brevicollis, coctei, delalandi, ernesti, gravenborsti, merremi, olivieri, perroteti, physicae, punctatissimus, pyrrocephalus, savignyi, sechellensis, semitaeniatus, spilomotus, sunderalli.

Euprepia argus, bella, canidia, casigneti, crokeri, dido, equitalis, erythrozona, exclamationis, flaveolata, funerea, gelida, glaphyra, gratiosa, imperialis, intercalaris, leopardina, lycaste, neda, placida, principalis, pudica, quadriramosa, sebae, spectabilis, thetis, venusta. *Vide et Eyprepia.*

Euprepiophis conspicillatus.

Euprepis belcheri, bistriatus, blandingi, carinatus, cyanogaster, fasciata, fellowsi, inornata, lynxe, maculatus, maculilabris, melana, menetriesi, multifasciatus, princeps, punctata, punctatus, quinquetaeniatus, raddoni, rufescens, septemtaeniatus, sloanei, smitbi, stangeri, trilineatus, tristatus, vittatus.

Euprionota aterrima.

Euproctis argentiflua, argyrorrboea, auriflua, chrysorrboea, fasciatus.

Euproctus (Col.) rusconi.

- Euproctus (R.) platycephalus.
 Eupromera spryana.
 Euprosopia tenuicornis.
 Euprosopus quadrinotatus.
 Eupsammia bayliana, brongniartiana, haleana, sismondiana, trochiformis.
 Eupsenius glaber.
 Eupsilia satellitia.
 Eupsilocera obscura.
 Eupsophus roseus.
 Eupsychortyx cristatus, leucopogon, leucotis, parvicristatus, somnium.
 Eupterote fabia, petosiris.
 Eupteryx aurata, auriceps, clypeatus, fasciata, flammigera, flavescens, fulgida, geometrica, hortensis, maculipennis, melissae, nitidula, notata, ocellata, ornatipennis, picta, punctata, quadrinotata, quercus, rosae, sexnotata, solani, splendida, tarsalis, ulmi, urticae, virescens, viridipes, vitrea.
 Euptilon ornatum.
 Euptoieta claudia, hedesia.
 Euptychia apamela, aranea, chloromene, cissia, clarissa, clueria, crisia, ebusa, gera, hermes, hermesia, herse, junia, libye, lisidice, lydia, lysidice, molina, mollina, myncea, ocypte, ocyrrhoe, penelope, tolmuna, tricolor.
 Eupyga bescki.
 Euraphia heinbeli.
 Eureka arbela, delius, demoditas, dina, dione, elathea, eudoxia, gnathene, harina, hecabe, jodutta, kefersteini, lethe, nise, paullus, phiale, pulchella, senegalensis, tecmesia, zabulina.
 Eureodon aethiopicus.
 Eureum cimicoides.
 Eurhamphus fasciculatus.
 Eurhin cupratus, flaturareus.
 Eurhinorhynchus orientalis. *Vide et Eurin*→.
 Eurhinus aritarsis, auritus, cyaneus, festivus, fulvofasciatus, laevior, magnificus, muricatus, proboscideus, scabrior, splendidus, suturalis, thalassinus, viridis.
 Eurhipia adulatrix, blandatrix*.
 Eurhipis ramicornis, senegalensis.
 Eurhodope carnealis, pudoralis.
 Eurhopalus angustus, rubiginosus, variegatus, vicinus.
 Eurhynchus (Col.) laevior, muricatus, quadridens, quadrinodosus, quadrituberculatus, scabrior.
 Euribia gaudichaudi, hemispherica.
 Eurigaster agilis, antiqua, festiva, goniaeformis, haemisphaericus, nigripes, pallipes, parva, rustica, silvatica, tibialis, vulgaris.
 Eurilia lateralis.
 Eurina clypeata, lurida, pubescens, quadri-striata.
 Eurinorhynchus pygmaeus. *Vide et Eurin*→.
 Euriphene coerulea.
 Euriptera venusta.
 Euripus halthereses, hallirothus.
 Eurithia puparum.
 Eurocephalus anguitimens.
 Eurois advena, herbida, nebulosa, occulta, postventa, speciosa, tincta, tullia.
 Eurosoma rutilans, splendendum.
 Eurostopus albugularis, alboguttatus, guttatus, macrotis, macrourus, wiederspergi.
 Eutoma punctato-striatum.
 Eurranthis auritaria, focularia, pennigeraria.
 Eurrhypara urticata.
 Eurrhypis pertusalis, pollinalis, sartalis.
 Euryale (Crin.) asperum, bajori, caput-medusae, costosum, exiguum, mediterraneum, muricatum, palmiferum, verrucosum.

- Euryale* (Med.) *antarctica*, *dubia*, *scutatum*.
Euryarthra *muensteri*.
Euryaspis *gaudichaudi*.
Eurybia (Coel.) *exigua*.
Eurybia (Col.) *chalcodes*.
Eurybia (Lep.) *carolina*, *dardus*, *halimede*, *nicaea*, *telephae*, *upis*.
Eurybrachis *basalis*, *insignis*, *pulverosa*, *reversa*.
Eurybrachys *abbreviatus*, *bonellii*, *laeta*, *lepelletieri*, *spinosus*.
Eurycantha *horrida*.
Eurycardius *erythropterus*.
Eurycea *mucronata*.
Eurycephala *luteicollis*.
Eurycephalus *maxillosus*, *niger*, *nigripes*.
Eurycera *clavicornis*, *nigricornis*.
Eurycercus *burnesi*.
Euryceros *prevosti*.
Eurycerus *palmicornis*, *platycerus*.
Eurychelus *marmoratus*.
Eurychiles *dimidiata*, *fasciatus*, *festiva*, *flavilabris*, *labiatus*, *numeralis*, *payeni*.
Eurychora *ciliata*, *cimicoides*, *cinerea*, *crenata*, *dilatata*, *emarginata*, *enusta*, *inaequalis*, *levaillanti*, *major*, *minuta*, *opatroides*, *rotundata*.
Eurycoleus *fasciatopunctata*.
Eurycratera *acutangula*, *caelatura*, *conformis*, *extensa*, *falconeri*, *gigantea*, *inflata*, *jamaicensis*, *lineolata*, *multilineata*, *otaheitana*, *simplex*, *stolephora*, *zonulata*.
Eurycus *cressida*, *harmonia*.
Eurydema *albo-marginella*, *angularis*, *armeniacum*, *bicolor*, *biguttata*, *coerulea*, *conjuncta*, *festiva*, *feieberi*, *gebleri*, *herbaceum*, *hesgicum*, *oleracea*, *ornata*, *pictum*, *pustulata*, *stolidum*, *ventralis*, *yolofa*.
Eurydera *anchomenoides*, *armata*, *bifasciata*, *binotatus*, *femorata*, *flavicornis*, *gigas*, *inermis*, *laticollis*, *longipennis*, *ovalis*, *spinosa*, *striata*, *sublaevis*, *unicolor*.
Euryderus *zabroides*.
Eurydesma *cordata*, *elliptica*, *globosa*, *sacculus*.
Eurydice *lichtensteini*, *pulchra*, *swainsoni*.
Eurygaster *cognatus*, *cyaneus*, *hottentota*, *maura*, *nigra*, *orientalis*, *picta*.
Eurygenius *reichi*.
Eurygnathus *cavifrons*.
Eurygona (Col.) *chilensis*.
Eurygona (Lep.) *aristoteles*, *euriteus*, *gelanor*, *labdacus*, *lisias*, *melaphea*, *ouranus*, *phedica*, *thucydides*.
Eurygyrus *foetidissimus*, *muscorum*, *ochraceus*, *rufolineatus*, *serialis*.
Eurylabus *corvinus*, *torvus*.
Eurylaimus *blainvillei*, *corydon*, *cuculatus*, *dalhousiae*, *horsfieldi*, *javanicus*, *lemniscatus*, *lunatus*, *nasicus*, *nasutus*, *ochromalus*, *psittacinus*, *rubropygius*, *sumatranus*.
Eurylepta *argus*, *auriculata*, *cristata*, *flavomarginata*, *oceanica*, *praetexta*, *pulchra*, *sanguinolenta*, *velutina*, *vittata*, *zebra*.
Eurylobus *cinctellus*, *cingulatus*, *elegans*, *kirbyi*, *mannerheimi*, *roeseli*.
Eurymela *adpersa*, *bicincta*, *bicolor*, *discoidalis*, *distincta*, *erythrocnemis*, *fenestrata*, *lessoni*, *lineata*, *marmorata*, *ocellata*, *porriginosa*, *pulchra*, *punctata*, *rubrovittata*, *ruficollis*, *tri-fasciata*, *vicina*.
Eurymene *dolabraria*.
Eurymerus *eburioides*.
Eurymetopon *minutum*, *ochraceum*, *rufipes*.
Eurymetopum *fulvipes*, *maculatum*, *pallens*.
Eurymetopus *fallax*.
Eurymorpha *cyanipes*.
Eurymus *philodoce*.
Eurynchus *acanthopterus*, *tetracanthus*.
Eurynia *dilatata*, *fulva*, *latissima*, *montana*, *rimosa*, *solenoides*.

Eurynolambrus australis.

Eurynome aldrovandi, *asper*, *boletifera*, *scutellatus*, *spinosa*.

Eurynorhynchus griseus.

Eurynotus (Col.) *muricatus*.

Eurynotus (P.) *crenatus*, *imbriatus*, *tenuiceps*.

Euryocrinus concavus.

Euryoda erythrocnema, *guttipennis*, *quadripustulata*.

Euryomia argentea.

Euryope rubra, *rubrifrons*.

Euryophthalmus puncticollis, *rufipennis*.

Euryotis brantsi, *capensis*, *irrorata*, *lanuginosa*, *obscura*, *pallida*, *rufifrons*, *typicus*, *uniusulcatus*.

Eurypalpus testaceus.

Eurypelma adusta, *annulipes*, *anthracina*, *athletica*, *avicularia*, *brunnea*, *brunnipes*, *cafferiana*, *cancerides*, *conformis*, *convexa*, *coracina*, *detrita*, *diversipes*, *felina*, *fervida*, *fimbriata*, *funebria*, *fusca*, *herculea*, *hirsutissima*, *hirtipes*, *laeta*, *leporina*, *monstrosa*, *ochracea*, *olivacea*, *plantaris*, *plumipes*, *rufidens*, *scoparia*, *testacea*, *walckenaeri*.

Euryperris dauricus, *fuscipennis*, *latus*, *magus*, *melleyi*, *molopsinus*, *songoricus*, *tomensis*, *transbaicalensis*, *uralensis*.

Euryphena gambiae.

Euryphene absolon, *auge*, *cocalia*, *cyrna*, *daedalus*, *demetra*, *doriclea*, *honorius*, *mirus*, *phreone*, *sophus*.

Eurypholis longidens, *sulcidens*.

Euryphorus nordmanni.

Euryplessus uralensis.

Eurypleura bicornis.

Eurypodius audouini, *latreillei*, *tuberculatus*.

Eurypogon obliteratum.

Euryporus aeneiventris, *meridionalis*, *picipes*, *puncticollis*.

Euryptera (Col.) *lacordairei*, *latipennis*.

Euryptera (Hem.) *obscura*.

Eurypterna didactyla.

Eurypterus lacustris, *remipes*, *scoleri*, *tetragonophthalmus*.

Eurypus rubens.

Eurypyga helias, *major*, *phalinoides*.

Eurys aeratus.

Eurysaces grammicus.

Euryscopa bicuentata, *binotata*, *carnifex*, *cingulata*, *fenestrata*, *haematoptera*, *lebasii*, *macrophthalma*, *pilatei*, *proxima*, *pulchella*, *pulchra*, *quadripunctata*, *rufipes*, *scapularis*, *semicincta*, *specularis*, *terebellum*.

Eurysoma (Ar.) *scutatum*, *sexcupidatum*.

Eurysoma (Col.) *festivum*, *fulgidum*, *nitidipenne*, *punctato-striatum*, *splendidum*.

Eurysternum wagleri.

Eurysternus calligrammus, *cayennensis*, *foedus*, *hirtellus*, *impressicollis*, *interstitialis*, *magnus*, *marmoreus*, *patrinus*, *piceus*, *planus*, *rufescens*, *viridis*.

Eurystomus afra, *australis*, *calorynx*, *collaris*, *cyanicollis*, *fuscicapillus*, *gularis*, *madagascariensis*, *orientalis*, *pacificus*, *purpurascens*, *rubescens*, *sinensis*, *violaceus*, *viridis*.

Eurystopodus albicularis.

Euryte longicauda.

Eurytela dryope, *liarba*, *horsfieldi*, *stephensi*.

Eurythyrea longipennis.

Eurytides dolicaon, *ipbitas*.

Eurytoma abatos, *abieticola*, *abrotani*, *aciculata*, *acuminata*, *aenea*, *aethiops*, *afra*, *albipennis*, *annulipes*, *apicalis*, *appendigaster*, *aretheas*, *argele*, *aterrima*, *atra*, *biguttata*, *brachycera*, *brevicornis*, *cestius*, *collaris*, *concinna*, *costata*, *crassinoda*, *cretheis*, *curta*, *cynipsea*, *ecceptogastri*, *eleuther*, *euclus*, *flavimana*, *flavipes*, *flavo-scapularis*, *flavovaria*, *fumipennis*, *gibba*, *gracilis*, *guttula*, *hecale*, *humeralis*, *ipbis*, *ischoxanthos*, *longipennis*, *longula*, *maura*, *menon*, *micipsa*, *minor*, *minuta*, *morio*,

mucianus, nebulosa, neesi, nigrita, nitida, nitidipennis, nodularis, oblita, obscura, olbus, orbiculata, penetrans, petiolata, philager, pidytes, pilicornis, platyptera, plumata, pubicornis, punila, punctulata, pusilla, pythes, rosae, rufipes, rufitarsus, salicis, scabra, scultenna, serratulae, signata, sittace, squamea, stigma, striolata, studiosa, tellis, teredon, tibialis, truncata, tunida, verticillata, volux, xanthomela.

Eurytrachelus apicalis, laticollis, luteipes, quadricollis, sibiricus.

Eurytrichus agilis, dichrous, piceus, terminatus, testaceus.

Euryurus maculatus, margaritaceus, squamatus.

Euryusa acuminata, coarctata, linearis, optabilis, semiflava, sinuata.

Eusarca confusaria, elinguaris, telaria.

Eusarcus armatus, grandis, muticus, oxyacanthus, pumilio.

Euscarthmus albo-coronatus, albo-cristatus, canicapillus, cinereicollis, cinereus, cristata, galeatus, melorophus, nidipendulus, nigricans, orbitatus, parulus, pectoralis, pileatus, reguloides, rufipes, subcristatus, superciliaris.

Euscelida rapax.

Euscelis (Hem.) lineolata.

Euscelis (R.) lesueuri.

Euscepes porcellus.

Eusceptis irretita.

Euschema militaris, palmyra.

Euschemon rafflesia.

Euschesis clotilda, janthina, unxia.

Euschizomerus buqueti.

Euscyrtus bivittatus.

Eusebia alienaria, bipunctaria, burgaria, dissimularia, erutaria, incursaria, minoraria, molluginaria, polygrapharia, scripturaria, simplicaria, vicinaria.

Eusebis virgata.

Euselasia arbassa, crotape, cynira, gelaena, hygenia, orsita, telecta, tenage.

Eusemia adulatrix, amatrix, bellatrix, dentatrix, lectrix, maculatrix, victrix.

Eusirus cuspidatus.

Eusmilis alticostata, aspera, buvignieri, fastigiata, knorri, semisulcata.

Eusoma lessoni, ovulum, rossi.

Eusomatus alneti, crinitus, hirsutus, ovulum, taeniatus.

Eusomus acuminatus, affinis, barbatulus, cineraceus, elongatus, martini, obovatus, ovulum, piliferus, pilosus, richteri, scitulus, setosulus, taeniatus, virens.

Eusphaerium purpureum.

Euspilapteryx auroguttella.

Euspira acuta, ambulacrum, conicus, depressa, glaucinoides, nobilis, patula, rotundatus, sigaretina.

Euspiza alaudina, americana, arctica, atricapilla, atriceps, aureola, carbonaria, diuca, dolichonia, fruticeti, fulviceps, gayi, griseo-cristata, huttoni, hypochondria, ictérica, lathamii, melanocephala, pyrgita, rustica, rutila, speculifera, townsendi, unicolor, variabilis.

Euspondylus maculatus.

Euspongus albilabris, laticinctus, vicinus.

Eustales aegrotus, albomarginatus, ambitiosus, auronitens, circumductus, depressicollis, duricornis, fallax, laetus, lepidotus, maugei, opalinus, opulentus, scintillans, thalassinus, thunbergi, vaginalis, virgatus, viridans, viridisquamosus.

Eustalis adamantinus, cerrussata, harmonicus, lateralis, leucogaeus, pentachordius, vittatus.

Eustathes flava.

Eustegnia diffinis, pyralina.

Eustemma caryophyllum.

Eustera argus.

Eusthenes laticollis, robusta.

Eusthenia spectabilis, thalia.

Eustixia pupula.

Eustixis pupula.

- Eustochus atripennis*
Eustra plagiata.
Eustroma prunata, reticulata, silacea, suffumata.
Eustrophus bicolor, bifasciatus, bifossulatus, bipunctatus, bisignatus, dermestoides, niger, picipes, quadrimaculatus, tomentosus.
Eustrotia unca.
Eustylus puber, striatus.
Eutactis tristifica.
Eutecheus antiquus.
Euteles flexularia.
Eutelia adulatrix.
Eutelocera viatica.
Eutelus (Col.) nodosus.
Eutelus (Hym.) aequus, altus, bicolor, catenatus, chlorospilus, diffinis, dilectus, elevatus, eximius, flavipes, fulvicornis, fuscipennis, gracilis, helvipes, immaculatus, inornatus, intermedius, jucundus, ocellus, placidus, planus, platycerus, platynotus, politus, posticus, pygmaeus, requieni, semotus, signatus, sobrinus, vagans.
Euterpe autodyca, bellona, bithys, charops, chrysolopha, colla, dysoni, emeris, erycinia, eumara, exclamationis, hylonome, leucodrosime, manco, nimbece, notha, pinava, radiata, semiramis, tentilia, teria, theano, tisiphone, toca.
Euthales calligrapha, fraudatrix, mendacula, raptrix, spoliatrix.
Euthalia adonia, elutata, impluviata, lubentina, miata, psittacata.
Euthaia filum, flavipes, plicata, scydmaenoides.
Euthemonia russula.
Euthesius americanus.
Euthetheisa venusta.
Euthisanotia timais, unio.
Euthlypis canadensis, lacrymosa.
Euthora chlorodera.
Euthorax ruficornis.
Euthraupis analis, dubusia.
Euthria lignaria.
Euthrix betulifolia, ilicifolia, pini, populifolia, potatoria, pruni, quercifolia.
Euthycera chaerophylli.
Euthyneura myrtilli.
Euthyrhinus squaniger.
Eutoma tinctilatus.
Eutomis mincea.
Eutona nobilis.
Eutoxus reflexus.
Eutrapela clemataria, lunaria, suturalis.
Eutrema terebroides.
Eutresis hypercia.
Eutricha pini, pityocampa, quercifolia.
Eutriche amoena, elegans, gracilis.
Eutroctes aurichalceus, congeuer, laevigatus, moestus, oxygonus, punctipennis.
Eutropa distribuaria.
Eutropis sebae.
Eutrypanus nutans, triangulifer.
Eutychia caffra, rhadamanthus.
Eutyphia geerella, ochsenheimerella, sulzella, sulzeriella.
Eutyrrhinus meditaundus.
Euura cymips, gallae.
Euxanthe eurinome.
Euxanthia hamana, trizonana, zoegana.
Euxoa candelisequa, niveus.
Euybrachis maculipennis.
Eva venustula.

- Evacanthus interruptus.**
Evadne nordmanni.
Evaesthetes rufescens.
Evaesthetes laeviusculus.
Evagetes bicolor.
Evagora (Coel.) basteriana, capillata, cyanella, denticulata, panopya, panopyra, persea, purpurea, rosea, tetrachira, unguiculata.
Evagora (Col.) aeruginea, amorpha, contempta, cupreosplendens, maculata, pulchella, pulverulenta, sinuosa, subviolacea, sulcicollis, sulcipennis, vetusta.
Evagoras nigrigenu, rubidus.
Evania abyssinica, affinis, animensis, antennalis, bedeguaris, bicolor, caspia, chilensis, clavicornis, coccorum, compressa, crassicornis, cynipedis, desjardinsi, dimidiata, facialis, fascialis, flavicornis, fulvipes, javanica, minuta, nigricornis, petiolata, podagraria, poeyi, princeps, punctata, puparum, pygmaea, reticulata, ruficeps, ruficornis, rufipes, saltatrix, servillei, subclavata, tasmanica, thoracica, unicolor, xanthops.
Evaniocera boryi, dufouri, fischeri.
Evanioptera fasciata.
Evaniosomus crassicornis, declivis, orbignianus, procerus.
Evanos vittatus.
Evenus (Col.) filiformis.
Evenus (Lep.) endymion, ganymedes.
Everes amyntas, polysperchon.
Everges faldermanni.
Evergestis limbalis, margaritalis, vespertalis.
Everne carinata.
Evesia belli, monodactylus.
Evetria cembrana, duplana, pinetana, quadrana, resinana.
Evhelia gemmata.
Evides dalmanni, foveicollis, laevipennis.
Evodia calendarum.
Evodinus monticola.
Evompalus minutissimus, verneuili, voronejensis. Vide et Euomphalus.
Evonyme amelia, sophonisba.
Evoplitus laciniatus.
Ev→ Vide et Eu→.
Exaereta ulmi.
Exaerete aurata, dentata, lucida.
Exaeretia allisella.
Exapata anthracoides.
Exapate gelatana.
Exarnis augur, caecimacula, diffua, ruris, testacea, ypsilon.
Exechesops quadrituberculatus.
Exechestoma punctata, semirosea.
Exechopalpus rufipalpus.
Exeirus lateritius.
Exema carinaticollis, costicollis, dispar, dracunculus, exaraticollis, gibber, hexalopha, indica, intricata, jugalis, morio, pumicata, punctatipes, quinquelsulcata, sexcostata, sulcicollis.
Exenterus adpersus, gibbus, oriolus.
Exetastes aethiops, albitarsis, bicoloratus, bilineatus, brunnipes, calobatus, castaneus, clavator, crassus, fasciatus, flavitarsus, fornicator, fulvipes, gracilicornis, guttatorius, ichneumoniformis, illusor, inquisitor, laevigator, latus, maculatus, nigripennis, nigripes, osculatorius, robustus, tristis.
Exillaria flabellum, panduriformis.
Exocaetus altipennis, bahiensis, commersonni, monocirrhus, nigricans, nonvolitans, orbignianus, volans. Vide et Exocetus, Exocoetus.
Exocentrus adpersus, balteatus, cinereus, dasycerus, jaspideus, obscurus, vestitus.
Exocephala bisulca, falconaria.

- Exocetus** appendiculatus, evolaris, exiliens, fasciatus, heterurus, javanicus, mitchelli, nuttalli, rubescens, subpellucens. *Vide et Exocaetus.*
- Exochilum** circumflexum.
- Exochleius** obtusus.
- Exochormus** auritus, bimaculatus, botrus, childreni, cinctipennis, collaris, contristatus, distinctus, foudrasi, gaubili, ibericus, marginipennis, nigripennis, plagiatus, pubescens, quadrioculatus, quadripustulatus, russicollis, tripustulatus, troberti, uva, versutus.
- Exochostoma** nitida.
- Exochus** aethiops, antiquus, asper, compressiventris, coronatus, crassicornis, cristator, curvator, erythronotus, femoralis, frenator, funebris, gravipes, gravis, laevigatus, lentipes, lictor, mansuetor, mitratus, pectoralis, podagricus, prosopius, talpa, tardigradus.
- Exocoetus** acutus, agoo, apus, bicolor, brachypterus*, brevipinnis, chloropterus, comatus, cyanopterus, dnuumieri, furcatus, georgianus, gibbifrons, lineatus, maculatus, melanurus, mento, micropterus, nigripennis, pinnatibarbatus, poecilopterus, roberti, rondefleti, rufipinnis, sinus, solandri, speculiger, spilopterus, spilopus, splendens, unicolor. *Vide et Exocaetus.*
- Exodon** paradoxus.
- Exoglossum** annulatum, dubium, lesueurianum, macropterus, nigrescens, spinicephalum, vittatum.
- Exogone** cirrata, naidina, oerstedii.
- Exogyra** angusta, angustata, aquila, arietina, auricularis, auriformis, boussingaulti, bruntrutana, bulla, carinata, columba, conica, contorta, cornu arietis, costata, costulata, decussata, denticulata, difformis, digitata, expausa, flabellata, haliotoidea, barga, imbricata, inflata, laciniata, laevigata, laeviuscula, lateralis, lituola, lobata, lostate, midsa, mima, muensteri, nana, olisiponensis, parvula, planospirites, plicata, polygona, ponderosa, pulchella, recurvata, reniformis, reticulata, sigmoidea, sinuata, spinosa, spiralis, squamata, squamula, subcarinata, subnodosa, subplicata, subsinuata, substriata, texana, tuberculifera, undata, virgula.
- Exoleta** lincta, orbiculata, radula.
- Exophthalmus** bivittatus, forstroemi, laetus, mannerheimi, pulchellus, quadrivittatus, senegallensis, somneri.
- Exopioides** carinatus.
- Exoplectra** aenea, angularis, calcarata, coccinea, compauyoi, consentanea, erythrogaster, fucosa, beydeni, impotens, intestinalis, luteicornis, metallescens, miniata, ruberrima, rubicunda, rubripes, stevensi, tibialis, virescens, vittardi.
- Exoprosopa** albicincta, albiventris, arcuata, argentifasciata, argyrocephala, audouini, bagdadensis, bengalensis, bicellata, bizona, bovei, caffra, capensis, cerberus, coeruleiventris, coniceps, consanguinea, costalis, dimidiata, emarginata, erythrocephala, fasciata, flavinevris, fuscipennis, griseipennis, guermi, beros, javana, limbipennis, longirostris, lutea, maculosa, madagascariensis, maldonadensis, obliqua, obliquebifasciata, oculata, pandora, pennipes, pentala, philadelphica, pilatei, proserpina, punctata, punctipennis, punctulata, pusilla, roberti, rubiginosa, sancti pauli, senegalensis, sphinx, suavipennis, tantalus, tricolor, uruguayi, variegator, varinervis, verrucosa.
- Exoprosopis** lugubris, notabilis, olivieri, singularis.
- Exops** bevani, chilensis.
- Exora** detrita.
- Exoria** combinalis, convolutalis, culmalis.
- Exorista** acris, acronyctarum, aemula, aenescens, affinis, agilis, agrestis, alacris, albicans, ambulans, ancilla, angelinae, angustipennis, apicalis, appendiculata, aratoria, ardens, arrogans, arvensis, arvicola, audax, basalis, berberidis, biserialis, brevis, brunnicornis, caeruleascens, caenescens, cauta, cincta, cita, concava, confinis, consanguinea, crassistylum, curiensis, curvicornis, devia, diadema, diffusa, diluta, distans, diversicolor, dolosa, dorsalis, dubia, dumetorum, elliptica, excisa, fauna, fernia, festiva, fimbriata, flavicalyptrata, flavicans, flaviceps, flavifrons, floralis, florida, fraterna, fulva, gibbicornis, glauca, gnava, griseifrons, habilis, heraclei, hortulana, impavida, inanis, inclinata, insinuans, jucunda, larvarum, lata, laticella, leucophaea, levicula, levis,

libatrix, longa, longicornis, longipes, lota, lucetula, major, medietator, ~~minuta~~, mitis, modesta, nectarea, nemea, nemestrina, nigripalpus, nitida, nitidula, notata, noveboracensis, pabulina, pacifica, pallipes, parvula, pertinax, platycera, polychaeta, popularis, prominens, proxima, puella, pusilla, rapida, rasa, rufilatera, rufiventris, saltuum, sanguinolenta, scutellaris, sepium, simulans, singularis, spreta, succincta, tenera, terminalis, uticola, vetula, vidua, violatica, vivida, vulgaris.

Exos palmatum, schermus, stellatum.

Exossia palmata.

Exothecus abnormis, affinis, analis, barbatus, debilis, exsertor, incertus, intermedius, marginellus, minutus, rufocephus, tuberculatus.

Explanaria alveolaris, ananas, annularis, argus, aspera, astroites, crassa, cristata, flexuosa, galaxia, gemmacea, hemprichi, infundibulum, lobata, mesenterina, radiata, ringens, tenera, thyrsoida.

Extatosoma hopei, tiaratum.

Extracrinus briareus, lepidotus.

Exypnistes nigropunctatus.

Eylais alutacea, atomaria, chrysis, confinis, extendens, longimana.

Eyprepia alba, aulica, boeticum, caia, candida, casta, ciliaris, clymene, colon, corsica, coscinia, cribrum, curialis, dominula, fasciata, flavia, fuliginosa, grammica, hebe, hera, honesta, hyperboreus, intercissa, konewkaii, lapponica, latreillei, lubricipeda, luctifera, luctuosa, maculosa, matronalis, mendica, mentbastri, parasita, persona, plantaginis, pudica, pulchra, punctigera, purpurea, russula, simplonia, urticae, villica. *Vide et Euprepia.*

Eyrara vittata.

Eyryomphala alternata, hieroglyphica, lineata, moesta, monile, perspectiva, plagiata, pusilla, pygmaea, quinquestrigata, rostellum, rotundata, ruderata, rudis, rupestris, solani, solitarium, thiaraeformis, umbilicata.

Eysarcoris binotatus, bipunctatus, carnifex, decoratus, inflexus, intermedius, lunatus, melanocephalus, perlatq, punctatus.

Ezechielina gracilicauda, leuwenhoecki, muelleri. *Vide et Esechielina.*

Fabricia (Dipt.) ferox, pacta, quadripunctata, sabella, stellaris.

Fabricia (Verm.) affinis.

Fabularia compressa, discolites.

Fadus paradoxus.

Faenus affectator.

Falagria albicincta, albo-guttata, brasiliensis, caesa, concinna, confinis, crassiuscula, deliciata, denigrata, depressa, discisa, discreta, dissecta, divisa, elongata, erythroptera, fissula, flavipes, floralis, globosa, gratilla, munda, naevula, nigra, nitens, obscura, percisa, picea, polita, pusilla, ruddi, scissa, soluta, stricta, sulcata, sulcatula, thoracica, venustula.

Falcaria (Lep.) curvata, falcula, flexula, hamula, lacertula, spinula, uncula, ungucula.

Falcaria (Polyz.) anguina, falcata, setacea.

Falciger abbreviatus, accephalus, achilleae, alauda, albocruciatus, albo-notatus, albo-signatus, albo-vittatus, apicalis, approximatus, arquata, arvicula, asperatus, asperifoliarum, assimilis, atomarius, bicolor, borraginis, brunnipes, caeruleus, campestris, canescens, cinerascens, cinereus, cochleariae, coerules, contractus, cruciger, cyaneus, deauratus, dentatus, depressicollis, didymus, ecibii, epilobii, ericae, erinaceus, erysimi, floralis, gerani, glaucinus, globulus, guttula, haemorrhoidalis, hispidulus, horridus, iota, ireos, lamii, leucampyx, lima, lineola, litura, lysimachiae, macula-alba, marginatus, melanosticus, minutus, mirabilis, napi, nebulosus, nigrescens, nigrirostris, notatus, parvulus, persicariae, pruni, pseud-acori, pubicollis, punctatum, pygmaeus, quadrispinosus, querceti, quercus, raphani, rubicundus, rufirostris, rufitarsis, rugulosus, scabrosus, scortillum, sellatus, serratae, signatus, signifer, sisymbrii, smaragdinus, stimulus, subcostatus, subfasciatus, subrufus, sulcicollis, suturalis, symphyti,

sysimbrii, tessellatus, tri-maculatus, troglodytes, undatofasciatus, variegatus, venustus, vittatus, vulpeculus.

Falcinellus caeruleus, caudacutus, cayenensis, cursorius, cuvieri, cyaneus, cyanomelas, erythrorhynchus, fuscus, griseus, guarana, igneus, magnificus, pygmaea, resplendens, senegalensis, sibilator, superbus.

Falco abietinus, acoelius, aequalon, afer, africanus, aguia, albicans, albigrons, albus, aldrovandi, anatum, anthracinus, apivorus, arborarius, arboreus, arcadicus, archi-tinnunculus, ardesiacus, ardosiacus, ardrias, armiger, aroeris, arundinaceus, astracanus, aterrinus, atricapillus, augur, australis, axillaris, bacha, bachmanni, bassus, bengalensis, berigora, biarmicus, bidens, bido, bonellii, braccatus, brachydactylus, brachypterus, brehmi, brissonianus, browni, brunnea, brunneus, bubalinus, buserai, buteoides, buteo-japonicus, caesijs, cafre, caligatus, calquin, cantor, canus, capensis, capillamentus, caracara, carbonarius, caudiger, cayennensis, ceuchris, ceuchroides, cherrug, chiqueroideus, cineraceus, cinerarius, cinereus, cinnamominus, clamosus, clarus, concentricus, conciliator, concolor, connivens, cooperi, corbeicum, coronatus, cristatellus, crotophagus, cucullatus, cuculoides, cuvieri, cyanescens, dalmatinus, degener, deiroleucus, delicatus, dimidiatus, diodon, dispar, doliatu, ducalis, dussumieri, elegans, eleonora, erythrocnemius, erythruos, europogistus, exilis, falconarium, fastosus, feldegg, femoralis, ferox, ferrugineus, fringillarius, fringillarum, frontatus, fucosa, funereus, furcatus, fusco-ater, fuscocoeulescens, fuscus, galericulatus, gallinarius, gallinarum, germanicus, gironnieri, glaucopsis, gracilis, gresius, griffardus, griseus, guttatus, gymnogenys, gymnopsis, haemorrhoidalis, hamatus, harlani, harpe, harrisi, hemidactylus, herbaecola, heros, hirundinum, histrionicus, humilis, hydrophilus, hypoleucis, hypoleucos, ichthyaetus, imperialis, insectivorus, interruptus, interstinctus, isabellinus, isidori, japonicus, jugger, labradora, lacernulatus, lacertarius, lathamii, latissimus, leucaetos, leucamphomma, leucauchen, leucopsis, leucopymnus, leucopterus, leucorrhous, linnaeetus, liventer, longicauda, longicaudus, longipennis, longipes, lophotes, loricatus, lugger, macei, macropus, maculatus, magnirostris, malayensis, manicatus, maurus, melanobronchus, melanogenys, melanotus, mesomelas, mexicanus, micurus, milvipes, mississippiensis, monogrammicus, montabarius, murum, musicus, naevioideus, naumannii, niger, niloticus, nisosimilis, niveus, norvegicus, ocreatus, ophiophagus, pacificus, palliatus, pallidus, palustris, pannonicus, parasiticus, parvulus, pectoralis, peliorynchos, pennsylvanicus, percontator, peregrinator, peregrinoides, peregrinus, perspicillaris, pileatus, pinetarius, pinetorum, piscator, piscivorus, plangus, poecilonotus, pojana, poliogaster, poliogenys, poliorynchos, polysoma, polyzonus, pseudocephalus, pterocles, ptilorhynchus, punctatus, radiatus, ranavorans, rapax, regalis, reinwardti, remex, rhombeatus, riocouri, rubeus, ruicollis, ruicoloides, rufifrons, rufinus, rufipedoides, rufipes, rufiventer, rufocanus, rufofuscus, rupestris, rutilans, rutilus-griseus, rutilus-nigro, sagittatus, schistaceus, senegallus, sericeus, severus, shaheen, silviricus, simitorquata, skotopterus, smirillus, smitellus, soloensis, sonniniensis, sonnini, sparverianus, sparverioideus, speciosus, sphenurus, stanleyi, stellatus, stelleri, stridens, strigiceps, subaequalon, subniger, subtinunculus, subtorquatus, sultaneus, sultanus, superbus, swainsoni, tanypterus, temerarius, thermophilus, thoracicus, tinuncularius, tinunculoides, tinunculus, trivirgatus, turturinus, tyrannus, umbrinus, uncinatus, unduliventer, uncinatus, unicolor, velox, vespertilio, vieillottinus, virgatus, vittatus, vitticaudus, washingtoni, washingtoniensis, wilsoni, xanthonyx, xanthothorax, yetapa, zonurus.

Falcon rufescens.

Falcula palliata.

Falcula palliata.

Falcunculus erectus, flavigulus, frontalis, frontatus, gouldi, guianensis, gutturalis, leucogaster.

Fallenia caracina, caucasica, fasciata, longicornis.

Fannia canicularis, saltatrix.

Farancia drummondii, fasciata.

Farcimen croceum, cylindraceum, flavulum, sectilabrum, tortum, ventricosa.

Farcimia fistulosa, salicornia, sinuosa, spathulosa.

Fares caeruleus.

Fario argenteus, erythrogaster, lemanus, rossi.

Farionella gayi.

Faronus lafertei, tolulæ.

Farrella repens.

Fascicola nigra.

Fascicularia aurantium.

Fasciculipora clavata, cretacea, cribrosa, menardi, ramosa, urruula.

Fasciola alata, apiculata, appendiculata, apri, armata, atomon, billis, ~~bochadis~~, boam, caudata, cervi, cincta, cirrhata, colubri, coryphaenæ, crenata, cucumerina, cygnoides, cylindracea, denticulata, elegans, equi, excavata, fusca, gibbosa, globifera, globipora, hominis, inflexa, intestinalis, lanceolata, laureata, longicollis, macrostoma, maculosa, maimonis, mesostoma, militaris, mutabilis, nana, nodulosa, ocreata, ovata, picta, platellæ, polymorpha, porcorum, putoni, revoluta, solaeiformis, strigis, stridulac, tereticollis, trachea, transversalis, trigonocephala, truncata, uncinata, venarum.

Fasciolaria aculeata, afer, alligata, angulosa, antonii, audouini, aurantiaca, bellardi, biplicata, bulbiformis, bulbula, canaliculata, cingulifera, clandestina, clava, clavata, coronata, costata, craticulata, crocata, distans, elevata, elongata, ferruginea, ficulnea, filamentosa, fimbriata, funiculosa, fusiformis, fusioidea, fusoides, fusus, gigantea, granosa, grunioensis, inermis, intermedia, ligata, lignaria, lilium, lineata, lynchi, michelotiana, mutabilis, nassaeiformis, nodifera, nodulosa, noe, obliquata, ovata, papillosa, parisiensis, parvula, persica, plicata, polonica, polygonata, ponderosa, porphyrostoma, prima, princeps, propinqua, punctifera, purpurea, pusilla, pyralina, reevei, rhomboides, roemeri, rosa-ponti, rugosa, salmo, semistriata, sismondai, spirorbula, subcarinata, sulcata, supracretacea, tarbelliana, tarentina, taurinensis, taurinia, trapezium, tuberculata, tuberosa, uniplicata, valenciennesi.

Fasciolites elliptica.

Fastigiella carinata.

Fatua longicornis.

Fatuellus ambiguus*, atomarius*, mollis.

Faujasina carinata.

Faula cornuta, innotata, quadrimaculata, quadripustulata.

Faunis caneus, echo, eumæa.

Faunus (G.) melanopsis.

Faunus (Lep.) tenebrosus.

Faunus (M.) indicus.

Faurella meridionalis.

Fausta abdominalis, florea, lateralis, nervosa, nigra, scutellaris, viridescens.

Favastraea heliops, hexagona, hypocrateriformis, intercellulosa, quadrigeminum, rugosa, striata, sulcata.

Favastrea regia, senilis.

Faventia coerulea.

Favia ananas, cavernosa, complanata, denticulata, favites, microphthalma, porcata, rotulosa, uva, versipora.

Favistella alveolaris, stellata.

Favites astrinus, catenulatus, cavernosus, crustaceus, excavatus, impressus, pentagonus, stellulatus.

Favonia hexanema, octonema.

Favorinus albus.

Favosites alcyon, alveolaris, alveolata, ananas, archiaci, aspera, basaltica, capillaris, cavernosa, communis, crassa, cronigera, cylindrica, democraticus, dentiferus, depressus, excentrica, favites, favulosa, fibrosa, goldfussi, gothlandicus, gottlandica, hemisphaerium, incrustans, lycopodites, megastoma, microporus, multipora, orbignyana, parasiticus, petropolitana, placenta, polymorpha, prismaticus, punctata, quadrigemma, radiata, ramosa, ramulosa, reticulum, scabra, septosus, serialis, spongites, striata, subbasaltica, suborbicularis, tenuisepta, tunidus, valoniensis.

Favus ovatus.

Feburia rapida.

Fedoa *americana*, *fruticosa*, *marmorata*, *marmorata*, *melanura*, *meyeri*, *oedinemus*, *pectoralis*, *rufa*, *tasikensis*.

Felichthys *filamentosus*, *nodostis*.

Felis *affinis*, *albescens*, *antediluviana*, *antiqua*, *antiquorum*, *aphanista*, *aphanistes*, *armillatus*, *arvernensis*, *aurata*, *aurea*, *bengalensis*, *borealis*, *brevirostris*, *cafra*, *caligata*, *canadensis*, *canescens*, *caracal*, *carolinensis*, *catenata*, *catolynx*, *celidogaster*, *cervaria*, *chalybeata*, *charltoni*, *chatii*, *chibiguazu*, *chinensis*, *christoli*, *chrysothrix*, *colocolo*, *colorolla*, *corololo*, *cristata*, *cultridens*, *cumana*, *darwini*, *diardi*, *domestica*, *dorsalis*, *eira*, *elegans*, *engiholiensis*, *eruta*, *erythrotus*, *exilis*, *eyra*, *fasciata*, *fearoni*, *ferox*, *ferus*, *floridana*, *fuscus*, *galeopardus*, *geoffroyi*, *gigantea*, *gracilis*, *griffithi*, *guttata*, *hamiltoni*, *himalayanus*, *huttoni*, *inconspicua*, *infusca*, *irbis*, *isabellina*, *issiodorensis*, *jacquemonti*, *jaguar*, *jaguarondi*, *javanensis*, *kutas*, *leo* (*narr.*), *libycus*, *lineata*, *longicaudata*, *lupulus*, *lynx*, *lynx*, *macrocels*, *macroceras*, *macroura*, *maculata*, *maniculata*, *maracaya*, *marina*, *marmorata*, *media*, *megalotis*, *megantereon*, *melanura*, *melas*, *mellivora*, *minuta*, *nitis*, *montana*, *moormensis*, *murmensis*, *nebulosa*, *neglecta*, *nepalensis*, *niger*, *nigripictus*, *obscura*, *ogilbyi*, *ogygia*, *onza*, *oregonensis*, *ornata*, *pageros*, *pajeros*, *palearia*, *palmidens*, *pampa*, *pardina*, *pardinensis*, *pardoides*, *pardus*, *perleri*, *planiceps*, *prisca*, *protopanther*, *pseudopardalis*, *pulchella*, *quadridentata*, *rostrata*, *rubiginosa*, *rueppeli*, *rutilus*, *senegalensis*, *servalina*, *smilodon*, *smithi*, *spelaea*, *strigilata*, *sumatrana*, *sylvestris*, *temminckii*, *tetraodon*, *tigrillo*, *tigris*, *torquata*, *undata*, *unicolor*, *varius*, *velonensis*, *venatica*, *virgata*, *viverriceps*, *viverrinus*, *vulpinus*, *wiedi*, *yagouaroundi*, *yaguarundi*.

Fellaea *agilis*, *erratica*, *fera*, *floreas*, *nigrifrons*, *nigripes*.

Fenella *nigrita*.

Fenestella *ampla*, *anceps*, *angusta*, *antiqua*, *arthritica*, *carinata*, *crassa*, *dubia*, *ehrenbergi*, *ejuncida*, *fastuosa*, *flabellata*, *flustracea*, *formosa*, *fossula*, *frutex*, *goldfussana*, *gracilis*, *hemisphaerica*, *hibernica*, *infundibuliformis*, *internata*, *intertexta*, *laxa*, *martis*, *media*, *membranacea*, *milleri*, *morrisi*, *multiopora*, *nodulosa*, *oculata*, *parallela*, *patula*, *peruiana*, *plebeia*, *polyporata*, *prisca*, *purpurea*, *quadridecimalis*, *ramosa*, *reticulata*, *retiformis*, *rigidula*, *sanguinea*, *tenuifila*, *textilis*, *undulata*, *varicosa*, *veneris*, *venuliana*, *virgulacea*.

Fenestrella *antiqua*, *antiquata*, *assimilis*, *bouchardi*, *brauni*, *dubia*, *geinitzi*, *hibernica*, *keyserlingi*, *lonsdalei*, *membranacea*, *melchiorii*, *microstema*, *pluma*, *polyporata*, *procera*, *reteformis*, *rossiensis*, *subantiqua*, *tenuifila*, *undulata*.

Fenestrellina *carinata*, *crassa*, *formosa*, *nodulosa*.

Fennecus *arabicus*, *brucei*, *cerdo*, *famelicus*, *zerda*.

Fenusia *laethe*, *parviceps*, *pumila*, *pygmaea*.

Ferania *sieboldi*.

Ferdina *cuningii*, *flavescens*.

Ferdinandea *aurea*, *cuprea*, *nigricornis*.

Feria *nitida*, *rubescens*.

Feronia (Col.) *abraxoides*, *adoxa*, *adstricta*, *aenea*, *aenescens*, *aerea*, *aethiops*, *agilis*, *agonadera*, *agonoides*, *alata*, *alpestris*, *altaica*, *amaroides*, *americana*, *amethystina*, *amoeni*, *amoenula*, *anatolica*, *anchoreta*, *angulata*, *angusta*, *angustata*, *angustiformis*, *anthracina*, *antiqua*, *apennina*, *apicalis*, *arata*, *ardens*, *assimilis*, *aterrima*, *atra*, *atrata*, *atrimedia*, *audouini*, *australasiae*, *australis*, *autumnalis*, *autumnana*, *barbara*, *basillaris*, *beckenhaupti*, *bilineata*, *blanda*, *bonariensis*, *bonellii*, *breviuscula*, *brongniarti*, *brullei*, *brunnea*, *bucephala*, *byringerana*, *cafra*, *calathoides*, *californica*, *canariensis*, *cancellata*, *capitata*, *capito*, *carbonaria*, *cardiodera*, *carinata*, *caspia*, *castanea*, *castanipes*, *caucasica*, *caudicilis*, *celeris*, *chalcona*, *chalcites*, *chalybea*, *chaudoiri*, *chilensis*, *cincticollis*, *cisteloides*, *cognata*, *colchica*, *commixta*, *complanata*, *concinna*, *confinis*, *conformis*, *confusa*, *congesta*, *constricta*, *convexicollis*, *cophosioides*, *coracina*, *cordicollis*, *corinthia*, *corsica*, *corvina*, *crassicornis*, *crassipes*, *crenata*, *crenatostriata*, *crenulata*, *crenulato-punctata*, *cribrata*, *cribricollis*, *cuprea*, *cupripennis*, *currens*, *cursoria*, *cylindrica*, *dalmatina*, *decentis*, *decora*, *dejeani*, *deparca*, *deplanata*, *depressa*, *difficilis*, *dimidiata*, *drescheri*, *dufourii*, *duponcheli*, *ebenina*, *edura*, *elata*, *elegantula*, *elongata*, *elongella*, *empetricola*, *errans*, *erratica*, *erudita*, *erythropus*, *eschscholtzi*, *exarata*, *excavata*, *extensa*, *exteuscicollis*, *externepunctata*, *eydouxii*, *fallax*, *fasciato-*

punctata, fastidiata*, femorata, ferruginea, filiformis, fidei, flavescens, flavo-femorata, fortipes, fossulata, frigida, funesta, fuscipes, gagatina, galapagensis, gebleri, genei, gilvipes, glabra, globosa, gotschi, gracilis, graja, gregaria, gressera, guerini, haematopus, heros, himalayica, hispanica, hoffmauseggi, honesta, homastrati, hungarica, hypolithos, illigeri, impunctata, impuncticollis, infuscata, iniqueta, insignis, insulana, intersector, interrupta, interstitialis, irina, jurinei, keramboskeri, klugi, lacertosa, lachrymosa, lacordairei, lacunosa, laevigata, laevissima, lalandi, lama, lata, laticollis, levis, lepida, levicollis, limbata, lineata, lineola, longicornis, longipennis, loricata, lucidula, lucidus, luctuosa, lucublanda, luzoti, lugens, lugubris, lusitanica, lyrodera, macleayi, maculifrons, madida, maeotica, maesta, magna, magus, mannheimi, marginata, marginepunctata, maritima, matthiuei, maura, mauritanica, melanaria, melas, meridana, meridionalis, metallica, meticulosa, minor, minuta, moerens, moesta, monacha, monedula, montana, montivaga, morio, morosa, muhlfeldi, multipunctata, musculus, muta, natalensis, navarica, nebrides, negligens, nigerrima, nigra, nigrina, nigrita, nitens, nitida, nivalis, nivicola, nobilis, nutans, oberleitneri, obesa, oblita, oblonga, oblongonotata, oblongopunctata, obscura, obscuripennis, obsidiauus, obsoletana, obtusa, occidentalis, ochotica, ochropeza, ochropus, octopunctatus, opaca, orbata, ovalis, pallipes, paludosa, panzeri, parallela, parallelepipedata, parvata, parumpunctatus, parvula, passerinii, patagonica, patruelis, paykulli, penuata, peregrina, permunda, peruviaua, philippi, piccola, picimana, picipes, pinguedinea, pinguis, placida, planipennis, planiuscula, platydera, plicata, polita, politissima, postica, potelli, prevosti, pulla, pullula, pumila, pumilio, punctata, punctatissima, puncticollis, punctiformis, punctifrons, punctulata, purpurascens, pusilla, pygmaea, pyrenaica, quadratocollis, quadricollis, recta, relict, rendschmidt, riparia, robusta, rostrata, rubripes, rufa, rufimana, rufipalpis, rufipes, rufitarsis, rugicollis, rugipennis, rugosa, rutilans, schuppeli, scutellaris, selmanni, seriata, seriepunctata, sicula, sigillata, simplex, spadicea, sphodroides, spinicollis, spinifera, spinolae, splendens, spoliata, stenodera, strenua, striata, striatocollis, striatopunctatus, stricta, strigicollis, striolata, stulta, sturmi, stygia, subaenea, submarginata, submetallica, subsinuata, subsulcata, subtilis, superciliosa, tamsi, tartarica, tasmanica, tenebricosa, terminata, terricola, transversalis, tristis, trivialis, truncata, tucumana, umbrata, unctulata, unicolor, unistriata, vagans, vagepuncta, valida, variabilis, variolata, velox, ventralis, ventricosa, vernalis, viatica, viciua, vidua, vigil, vitrea, welensi, wiedemanni, xatarti, yvau, ziegléri.

Feronia (Dipt.) americana.

Feronomorpha aerea, fischeri, lucida, rufescens, sulcata.

Ferreola algira.

Ferrussacia gronoviana, sayea.

Ferussacia anostomaeformis, gronoviana, laevigata, striata, tricarinata.

Ferussina anostomaeformis, lapicida, striata.

Fessonia papillosum.

Festucaria alata, caryophyllina, oti, otidis, pileata, strigis, ventricosa.

Festus rubripes.

Feylinia currori.

Fiatola fasciata, fiatola.

Fiber zibethicus.

Fibrillites scabra.

Fibularia affinis, alpina, altavilensis, ambigua, antiqua, australis, craniolaris, francii, nucleola, obtusa, ovata, ovulum, placenta, pyriformis, scutata, sculus, studeri, subcaudata, subglobosa, suffolciensis, tarentina, trigona, volva.

Ficaria flavescens, hippolais, sylvicola.

Ficedula coronata, fitis, garrula, pinetorum, rufa, salicum, sybilatrix, sylvicola, ulicicola.

Ficimia olivacea.

Ficula caudata, clava, condita, decussata, ficoides, ficus, geometra, gracilis, intermedia, laevigata, reticulata.

Ficus bulbiformis, clathrata, clava, dussumieri, mississippiensis, nexilis, ventricosus.

Fidelis theresa.

Fidenas penares.

Fidicina *accipiter*, *acuta*, *angularis*, *aper*, *aquila*, *atrata*, *bubo*, *chlorogena*, *corvus*, *excavata*, *fullo*, *immaculata*, *intermedia*, *internata*, *intersecta*, *literata*, *mannifera*, *nigrorufa*, *nivifera*, *ochracea*, *olympusa*, *opalina*, *opercularis*, *operculata*, *picea*, *polyhymnia*, *prasina*, *rana*, *recta*, *repanda*, *subguttata*, *taurus*, *tibicen*, *vicina*.

Fidonia *aceraria*, *aescularia*, *amnicularia*, *assimilaria*, *atomaria*, *aurantiaria*, *auroraria*, *badiaria*, *bajaria*, *baltearia*, *bourquenodaria*, *cancellaria*, *capreolaria*, *cararia*, *carbonaria*, *cebraria*, *cimeraria*, *circumflexaria*, *clathrata*, *commutataria*, *concordaria*, *conspersaria*, *conspicuaria*, *defoliaria*, *desertaria*, *dilectaria*, *diversaria*, *diversata*, *duponcheliaria*, *emucidaria*, *erictaria*, *favillacearia*, *fimbriolaria*, *flammataria*, *fulgularia*, *fumidaria*, *glarearia*, *grisolaria*, *hepararia*, *hippocastanaria*, *humifusaria*, *iberaria*, *immunata*, *indigenaria*, *jourdanaria*, *leucophacaria*, *limbaria*, *loricaria*, *melanaria*, *murinaria*, *nigricaria*, *obsoletaria*, *ononaria*, *pauperaria*, *pennigeraria*, *perspersaria*, *picearia*, *pinetaria*, *pumaria*, *plumaria*, *plumistaria*, *plumularia*, *prae-canaria*, *progenimaria*, *pulveraria*, *pulverata*, *pyrenaearia*, *quinquaria*, *roscidaria*, *rupicaprararia*, *senicanaria*, *serrularia*, *sordidaria*, *spartiaria*, *spodiaria*, *taeniolaria*, *wavaria*, *zebraria*.

Fierasfer *fontanest*, *maculata*.

Figites *abbreviata*, *aculeata*, *anthomyiarum*, *ater*, *bicolor*, *ciliaris*, *ediogaster*, *foveator*, *fungi*, *geniculea*, *impatiens*, *jurinei*, *laevis*, *larvarum*, *latreillei*, *mandibularis*, *mellipes*, *minutus*, *niger*, *notata*, *ochropes*, *pubescens*, *ruficornis*, *rufipes*, *scutellaris*, *spinosa*, *subapterus*, *syrphus*.

Figulus (A.) *albogularis*.

Figulus (Col.) *anthracinus*, *capensis*, *confusus*, *fissicollis*, *foveicollis*, *nigrita*, *punctatus*, *regularis*, *striatus*, *subcastaneus*, *sublaevis*, *sulcatus*, *trilobus*.

Filaria *abbreviata*, *acuminata*, *affinis*, *alata*, *alcedinis*, *anatis*, *anseris*, *aphroditae*, *apis*, *aquatilis*, *aquillae*, *araneae*, *aranearum*, *ardea cinereae*, *ardeae-nigrae*, *ardearum*, *armata*, *attenuata*, *bicolor*, *boae constrictoris*, *bonasiae*, *bubali*, *buprestis*, *canis cordis*, *capsularia*, *carabi blapoides*, *carduelis*, *cercopides*, *cervi*, *cervina*, *charadrii*, *chrysomelae alni*, *coleopterorum*, *collurionis*, *colubri*, *colymbi*, *coronata*, *crassicauda*, *crassiuscula*, *cygni*, *cylindrica*, *cyprini rutili*, *cystica*, *dracunculus*, *dubius*, *equina*, *erinaeei*, *extenuata*, *forficulae*, *friganeae*, *fusca*, *globiceps*, *gracilis*, *hominis bronchialis*, *hominis oris*, *humani*, *inflexocaudata*, *labiata*, *labiatis-papillosa*, *lacrymalis*, *lacustris*, *laevis*, *lari*, *larvarum*, *leporis pulmonalis*, *leporis subcutanea*, *libellulae*, *locustae*, *loliginis*, *macropi majoris*, *meropis*, *mulvi*, *motacillae*, *motacillarum*, *musculi*, *mustelae foinae*, *mustelae putorii*, *mustelarum*, *nodosa*, *obtusa*, *obtusocaudata*, *oculi*, *oculi canini*, *oculi equi*, *oculi humani*, *oris*, *ovale*, *ovata*, *palpebralis*, *papilligera*, *papillosa*, *phalangii*, *piscium*, *plicata*, *polichotoma*, *policotoma*, *pulmonalis*, *pupillosa*, *ranae esculentae*, *reticulata*, *rigida*, *rubella*, *rytipleurites*, *sanguinea*, *spari aurata*, *sphecodes*, *sternae*, *strigum*, *sturni*, *subcutanea*, *subulata*, *sylphae*, *tetricis*, *tricuspidata*, *tringae*, *tropica*, *truncata*, *truncatocaudata*, *truncatula*, *turdorum*, *uncinata*, *unguiculata*, *vespertilionis*, *vulpis*, *zenis fabri*.

Filarina *vitrea*.

Filicella *anguinea*.

Filina *mulleri*.

Filipora *filograna*.

Filistrata *atra*, *bicolor*, *capitata*, *dubia*, *femoralis*, *hibernalis*, *incerta*, *maculata*, *sericea*, *truncata*.

Filocapsularia *communis*.

Filograna *filograna*, *permiana*, *schleideni*.

Filotarsus *tenuicornis*.

Fimbria (Asc.) *aurantia*, *filiformis*, *purpurea*.

Fimbria (L.) *magna*.

Fimbriaria *malleus*, *mitra*, *mitrata*.

Fimnetia *atrata*, *cadaverina*, *limpidipeunis*.

Finna *cisticercus*, *hepatica*, *idatoides*, *muscularis*, *visceralis*.

Firola *adamastor*, *caudina*, *edwardsi*, *forskalia*, *frederici*, *gaimardi*, *gibbosa*, *hyalina*, *keraudreni*, *lesueuri*, *mutica*, *peroni*, *peronia*, *quoyana*.

Firoloida *aculeata*, *blainvilliana*, *demarestia*, *lesueuri*.

Fischeria bicolor.

Fischiosoma policefali.

Fissilabia fasciata.

Fissula cystidicola, intestinalis, mucronata, phocae.

Fissurella aculeata, acuta, adspersa, aegis, aequalis, affinis, alabastrites, alba, alternata, alticosta, aperta, apertura, aspera, asperella, aspersa, atrata, australis, balanoides, barbadensis, bella, benguelensis, biradiata, bonnani, bridgesi, brodiei, brunnea, cafra, calyculata, cancellata, candida, caprearum, catilliformis, catillus, cayenensis, chemnitzii, chilensis, chlorotrema, cinnaberina, claibornensis, clathrata, clypeata, clypeiformis, clypeus, coarctata, compressa, concinna, conica, conioidea, conoidea, corallina, corbicula, corrugata, costaria, costata, crassa, cratitia, crenifera, crenulata, cruciata, cumingi, cyathulum, dactylosa, darwini, de buchi, defrancia, densicathrata, depressa, digitale, dominicana, dubia, dysoni, edititia, edwardsi, elevata, elongata, europaea, excelsa, exquisita, fascicularis, fimbriata, fontainiana, fulvens, fumata, funiculata, galericulum, gemmata, gemmulata, gibba, gibberula, glaucopsis, graeca, graecoides, graecula, grandis, granulata, griseoni, grisea, gualtieri, hians, hiantula, hondurasensis, humilis, humphreyi, inaequalis, incarnata, incisi, indusius, intermedia, italica, jamaicensis, javanicensis, jukesii, labiata, laevigata, larva, lata, latimarginata, lentiginosa, lilacina, limatula, limbata, lincolni, lineata, listeri, macroschisma, macrotrema, mamillata, marginata, martinii, marylandica, maxima, mediterranea, megatrema, meukeana, metcalfei, mexicana, microtrema, minosti, minuta, mississippiensis, mitis, moreausia, multiida, muricata, mus, mutabilis, nassula, natalensis, nechayi, neglecta, nigra, nigriradiata, nigrita, nigro-ocellata, nigropunctata, noachina, nodosa, nodulosa, nubecula, oblita, oblonga, obovalis, obscura, obtusa, occidentis, occitanica, octagona, olivacea, oriens, ornata, ostrina, panamensis, parisiensis, patagonica, patelloides, peruvianus, philippiana, philippii, pica, picta, pileata, pileopoides, porphyrozonias, pulchra, pustula, quadriradiata, radiata, radiola, radiosa, recurvata, redimicula, reticulata, reticulina, retifera, rosea, rota, rubescens, rudens, rugosa, rupelli, sagittata, salebrosa, sanguinea, scutellum, sieboldi, singaporensis, soldani, solida, spinosa, squamosa, stellata, striata, subdepressa, subrostrata, subrotunda, suffusa, tegula, tenebrosa, ticaonica, tougana, trapezina, tuberculifera, turoniensis, ventricosa, venusta, verna, viminea, violacea, virescens, viridis, viridula, volcano, zetlandica.

Fissuridea pileus.

Fissurina laevigata.

Fissurirostra elegans, pectita, pulchella, recurva.

Fistula aculeata.

Fistulana amphisbaena, ampullaria, augusta, annulata, asparagus, aspergilloides, bicostata, clunatella, contorta, cornicula, corniformis, cuneiformis, dilatata, echinata, elongata, fasciculata, fragilis, gigantea, glomerata, gregata, lacryma, lagenula, larva, marticensis, matronensis, modiolina, mumia, mytiloides, ostreae, oxfordiana, personata, pistilliformis, provignyi, pyriformis, pyrum, royanensis, rupestris, subtrigona, tenuis, teredula, tibialis, unicostalis.

Fistularia (Ech.) digitata, dubia, elegans.

Fistularia (P.) bolcensis, chinensis, doreyana, fusca, immaculata, koenigi, magnifica, neo-eboracensis, petimba, punctulata, rubecola, rubeola, tabacina, tenuirostris, tenuis.

Fistularia (Sp.) fistularis, tubulosa, tuna.

Fistulina hians.

Fistulipora cribrata, decipiens, major, minor.

Flabellaria antiqua, conglutinata, crassicaulis, incrassata, multicaulis, opuntia, pavonia, setacea, spiralis.

Flabelligera affinis.

Flabellina (Nud.) affinis*, annulicornis, bostoniensis, coronata, crassicornis, cuvieri, drummondi, landsburgii, minima, pedata, pellucida, pulchra, punctata, rufibranchialis, rugosa, subrosacea.

Flabellina (Rh.) baudouiniana, cenomana, cordata, cuneata, oblonga, ornata, ovalis, ovata, striata, turgida.

Flabellocrinites cassianus.

Flabellum *aculeatum*, *acutum*, *affine*, *appendiculatum*, *asperum*, *avicula*, *bairdi*, *basteroti*, *bellardi*, *caudeanum*, *compressum*, *costatum*, *crassum*, *crenulatum*, *cumingi*, *cuneatum*, *cuneiforme*, *debile*, *distinctum*, *dufrenoyi*, *elegans*, *elongatum*, *extensum*, *gallapagense*, *hohei*, *intermedium*, *laciniatum*, *lessoni*, *macandrewi*, *majus*, *micelini*, *oweni*, *pavoninum*, *profundum*, *pyrenaicum*, *roemerii*, *roissyanum*, *rubrum*, *siciliense*, *sinense*, *spheniscus*, *spinosum*, *stokesi*, *subturbatum*, *sumatrense*, *thouarsi*, *vaginale*, *woodi*.

Flammea *vulgaris*.

Flata *adscendens*, *albicincta*, *anceps*, *atrata*, *aurora*, *bicarinata*, *bivittata*, *bombycoides*, *bullata*, *candelaria*, *cicatricosa*, *collaris*, *conica*, *contaminata*, *cruentata*, *cunicularia*, *cygnobatis*, *diaphana*, *doryca*, *emortua*, *ensifera*, *europaea*, *fasciata*, *fenestrata*, *ferrugata*, *flammea*, *flocosa*, *graminea*, *grammica*, *haemoptera*, *haemorrhoidalis*, *humilis*, *hyalina*, *hyalinata*, *io*, *leporina*, *lunata*, *lyncea*, *lyrata*, *malgacha*, *maura*, *musiva*, *nava*, *nebulosa*, *nervosa*, *nigricornis*, *obscura*, *obscurata*, *opaca*, *pallens*, *pallida*, *pannonica*, *pellucida*, *planata*, *planiceps*, *postica*, *pruinosa*, *pungens*, *pyralis*, *quimque-lineata*, *relicta*, *reticulata*, *rustica*, *seriata*, *serratae*, *sparsa*, *splendens*, *stigmata*, *stigmatica*, *stolli*, *striata*, *sulcifrons*, *taenia*, *tenebrosa*, *terminalis*, *tortrix*, *turra*, *umbracula*, *umbraculata*, *varia*, *variegata*, *venustula*, *virescens*, *vitata*, *vittata*.

Flebotomus *napatasi*.

Flemingia *plumosa*.

Flexulites *haydeni*.

Flirtea *andreae*, *phalerata*, *picta*.

Floriceps *corollatus*, *elongatus*, *gracilis*, *granulus*, *interruptus*, *macrocerus*, *macrourus*, *saccatus*.

Florilus *stellatus*.

Florisuga *ater*, *flabelliferus*, *melivorus*.

Floscularia (Cor.) *corolligera*, *luxurians*, *proboscidea*.

Floscularia (Rot.) *campanulata*, *cornuta*, *ornata*, *pentacornis*.

Flustra *acanthina*, *antiqua*, *aragoi*, *avicularis*, *baccata*, *balzaci*, *bequereli*, *biceps*, *bidentata*, *bifurcata*, *bouchardi*, *brongniarti*, *capitata**, *carbaceoides*, *carnosa*, *cecili*, *ceratoides*, *concentrica*, *contexta*, *coriacea*, *coronata*, *crassa*, *crassidentata*, *cretacea*, *crinoidea*, *cucullata*, *denticulata*, *diademata*, *duboisii*, *dumerili*, *dutertrei*, *duvaliana*, *elegans*, *ellisi**, *eriphora*, *flabelliformis*, *froudosa*, *gayi*, *genisii*, *gerolsteinensis*, *gervilli*, *globifera*, *glomerata*, *gottlandica*, *gracilis*, *granulosa*, *hibernica*, *holostoma*, *inca*, *inelegans*, *isabelleana*, *italica*, *jauberti*, *lacroixi*, *lanceolata*, *laplacei*, *larreyi*, *latreillei*, *legentii*, *leperii*, *lutosa*, *macrostoma*, *mamillar*, *marceli*, *margaritifera*, *marginata*, *marsupiata*, *megastoma*, *mercatorium*, *microstoma*, *montferrandi*, *multidentata*, *murrayana*, *nidulata*, *noueti*, *odontostoma*, *operculata*, *ornata*, *palmata*, *parallela*, *peachi*, *peregrina*, *petrea*, *poissoni*, *pouilleti*, *primaeva*, *prisca*, *puelcha*, *pulchella*, *pyriformis*, *quadrata*, *radians*, *radiata*, *reteformis*, *reticulata*, *rosseli*, *rozieri*, *sagena*, *savarti*, *scruposa*, *setacea*, *spinifera*, *splendida*, *spongiformis*, *spongiosa*, *stellata*, *sulculata*, *tehuella*, *telacea*, *tenxtilis*, *tessellata*, *textilis*, *thenardi*, *torquata*, *tricantha*, *trifolium*, *tuberculata*, *undulata*, *unicornis*, *unidentata*, *unipilosa*, *utricularis*, *vasculata*, *volhynica*.

Flustrella (Polyz.) *hispida*.

Flustrella (? Prot.) *bilobata*, *concentrica*, *limbata*, *praetexta*.

Flustrina *carbacea*.

Fluviolica (A.) *azarae*, *bicolor*, *climacura*, *clymazura*, *comata*, *cursoria*, *cyanirostris*, *icterophrys*, *irupero*, *leucocephala*, *leucophrys*, *nengeta*, *nigerrima*, *oenanthoides*, *perspicillata*, *pica*, *rufipectoralis*.

Fluviolica (Cr.) *herricki*, *tuberculata*.

Fodia *rufescens*.

Foenus *australis*, *brasiliensis*, *causicus*, *darwini*, *dorsalis*, *erythrostromus*, *esenbecki*, *flavitaris*, *gracillimus*, *guldin*, *hastator*, *hollandiae*, *polyerator*, *pyrenaicus*, *rubricans*, *rufus*, *senegalensis*, *tarsathorius*, *terminalis*, *thoracicus*, *unguiculatus*.

Folliculina *ampulla*, *bakeri*, *folliculata*, *vaginata*.

Fontaria *coriacea*, *gracilis*, *oblonga*, *virginensis*.

Foralites hoenigghausi, pomeli.

Foraminella sowerbyi.

Foraminites serpuloides.

Forbesia (Cr.) latifrons, verticalis.

Forbesia (Polychaeta) formosa.

Forbicina argentea, brevicornis, polypoda.

Forda formicaria.

Fordonia leucobalia, unicolor.

Forellia amicae, brunithorax, dauci, onopordi.

Forficesila americana, annulipes, australica, castanea, fischeri, gigantea, icterica, maritima, mauritanica, meridionalis, moesta, oceanica, riparia, rufescens, taurica, terminalis, thoracica, vicina.

Forficola marginella.

Forficula acanthopygia, afra, albipennis, albomarginata, alpina, americana, analis, antarctica, aperta, arcuata, baetica, bicolor, bimaculata, bivittata, blanchardi, borealis, brachynota, brasiliensis, brevis, capensis, chartacea, crenata, decipiens, depressa, dilatata, dorsalis, doumerci, dufouri, elegans, equestris, fasciata, forcipata, fulvipes, fuscipennis, gagathina, gracilis, hellmanni, indica, infumata, insignis, jackeryensis, linearis, littorea, longicipata, longipes, luteipennis, macrocephala, macropyga, major, marginalis, maritima, maxima, media, minor, minuscula, moesta, montana, neglecta, opaca, orientalis, orsinii, pacifica, pallidicornis, pallidipennis, pallipes, paupercula, pectoralis, pedestris, percheron, plana, procera, pubescens, pulchella, pyrenaica, rufescens, ruficeps, scabriuscula, senegalensis, serrata, simplex, sinuata, smyrnensis, sumatrana, suturalis, tarsata, tenella, thoracica, unidentata, V nigrum, vesuviana.

Formica abdominalis, acuminata, acuta, aedificator, aenescens, aethiops, affinis, aliena, amioti, amyoti, apicalis, arcuata, argentata, armata, aruigera, atavina, atra, atricolor, attenuata, aurlenta, axillaris, badia, bicolor, bicornis, caduca, caeca, caeruleus, carbonaria, carinata, castanea, castanipes, caustica, chaudierei, chelifera, coarctata, cognata, congreus, consobrina, contracta, cordata, crassinoda, cruentata, cuneata, cursor, curvidentata, dalmatica, demersa, depressa, destructor, dislocata, dominula, elata, exsecta, femorata, filiformis, fusca, gibbosa, gigas, glebaria, globiventris, globularis, gracilis, graminicola, granulata, gravida, grisea, haemacephala, haematoccephala, haemorrhoidalis, harpax, hastata, hemipsila, heraclea, hexacantha, hirta, huberiana, hystrix, imhoffi, immersa, imparis, indefessa, indurata, intermedia, intrepida, juvenilis, lapidum, latreillei, lauta, lavateri, leucosoma, ligniperda, lignitum, longeva, longicollis, longicornis, longinoda, longipennis, longipes, longiventris, lugubris, luteola, macra, macrocephala, macrognatha, macrophthalma, megacephala, megalocola, melanogaster, melanopa, melanophthalma, mellea, melligera, merdica, merula, minutula, molestans, nana, nicaeensis, nigra, nigrata, nigriventris, nodosa, nodus, obcordata, obesa, oblitterata, obscura, oblecta, obvoluta, occultata, ocella, octospinosa, oculata, ophthalmica, orbata, ovata, pallens, pallida, pallidulutea, pallidinervis, parvula, perditor, picea, picipes, pinguicula, pinguis, polycetna, pressilabris, primitiva, primordialis, procera, procidua, pulchella, punila, quadrata, quadrinotata, rapax, rastellata, rediana, redtenbacheri, relucens, rubescens, rubida, rubiginosa, rubripes, ruficeps, rufitarsis, rufiventris, rupestris, schmidtii, semipunctata, sericata, sericeiventris, sessilis, seuberti, sexspinosa, spinicollis, stenoptera, stigma, strenua, subsericea, succinea, tenuis, testaceipes, tiuida, tomentosa, triangularis, tridentata, trigona, truncata, truncicola, truncorum, tuberosa, umbrata, ungeri, villosa, viridis, viridula, vorax, zonata.

Formicaleo formicarius, grata, leachi, obsoletus, tarsalis.

Formicaria geni.

Formicarius affinis, analis, axillaris, brachyurus, calcaratus, cayannensis, cirrhatus, flammatus, fresnayanus, gularis, guttatus, gutturalis, lineatus, longipes, menetriesi, minutus, nigromaculatus, olivaceus, strictothorax, superciliosus, surinamensis, thamnophiloides, torquatus, tremulus, umbrettus, unicolor.

Formicinus oblongus.

Formicivora abeillei, alapi, ardesiaca, atra, attothorax, axillaris, bamba, brevicauda,

caerulescens, cantator, capistrata, cirrhata, deluzae, domocilla, epilepidota, ferruginea, funebris, fuscipes, grammiceps, grisea, gularis, guttata, intermedia, lafreysnayana, leucophrys, loricata, maculata, malura, maura, melanaria, melanothorax, melanura, mentalis, naevia, nigricollis, picea, pileata, pygmaea, pyrrhogenys, quadrivittata, rufa, rufatra, ruicauda, rufimarginata, squamata, stellaris, strigilata, striolata, unicolor.

Formicivorus bambla, cantans, cayanurus, cinnamomeus, colma, palikour, pectoralis, tinens.

Formicoma hispanica, longicollis, pedestris.

Formicomus amoenus, aulicus, braminus, caeruleipennis, canaliculatus, castigator, censor, coeruleus, consul, corvinus, cursor, cyanopterus, indigaceus, inquisitor, ionicus, judex, latro, leporinus, mutilarius, natalis, nemrod, nigrocyanus, ninus, nobilis, pedestris, praeses, praetor, puerulus, quoestor, rubricollis, senex.

Formila chevrolati.

Formosia mirabilis.

Fornax chevrolati, grandis, longulus, luridus, madagascariensis, morio, obrutus, opifex, petiti, ruficollis, sanguini-signata, spretus, testaceus, timidus.

Fornicia clathrata.

Forospongia acetabulum, orbicularis, sacki, turbinata.

Forulina pleurostoma.

Fossarus adansoni, clathratus, costatus, sulcatus.

Fossor capensis, genus, leucops.

Fosterops lugubris.

Foudia eminentissimus, erythrocephala, erythroops, madagascariensis.

Foveolia bunogaster, diadema, lineolata, mollicina, pilearis, pulvinata.

Foxichilus pigmaeus.

Fraena bronni, cordieri, furcifera, goldfussi, lyelli, prevosti, sancti-hilairei.

Fragella pharaonis, sowerbyana, undata.

Fragilia fragilis.

Francolinus adpersus, afer, africanus, albogularis, bicalcaratus, capensis, ceylonensis, charltoni, clamata, clamosus, clappertoni, concentricus, cranchi, erkeli, gariepenis, gularis, gutturalis, hardwicki, lecholo, levaillanti, longirostris, madagascariensis, natalensis, nivosus, northiae, nudicollis, orientalis, perlatus, pictus, pileatus, pondicerianus, rubricollis, rueppelli, senegalensis, sinensis, sphenurus, subtorquatus, swainsoni, thoracicus, vulgaris.

Fratercula antiqua, arctica, carinata, cirrata, corniculata, cristatella, glacialis, psittacula.

Fredericella dilatata, sultana.

Fregata aquilus, nigra.

Fregatta aquilus, leucocephalus, palmerstonis.

Fregilupus capensis.

Fregilus affinis, euca, europaeus, graculus, leucopterus, rufipes.

Freraea gagatea.

Freyia ambigua, bella, comata, decorata, jucunda.

Friganea rhombaea.

Frigga coronigera, hamata, hastigera, leucophea.

Frinca townsendi.

Fringalanda nemoricola.

Fringilauda nemoricola.

Fringilla acanthura, aestivalis, agilis, alaudina, albicilla, albicollis*, altaica, amandava, ambigua, americana, amoena, analis, anatoides, anceps, araguira, arborea, arctica, arctoa, arctosa, ardens, arvensis, asiatica, astrila, astrilda, atrata, atricapilla, atricollis, atrocephala, atrogularis, aurantia, auricollis, aurocapilla, bachmani, bella, bengalensis, biarcuata, bichenovi, bicincta, bicolor, blandingiana, bonariensis, borbonica, borealis, brasiliensis, brevicola, brissoni, brumalis, brunneonucha, buccalis, burtoni, caerulea, caerulescens, cafra, calida, campestris, cana, canadensis, canariensis, canescens, caniceps, cannabina, cantans, capensis, capistrata, capitalis, carbonaria, cardinalis, carolinensis, caspa, castanotis, caudacuta, cayana, cayanensis, chilensis, chingola, chirigui, chloris, chlora, chrysoptera, cincta, cinerea, cinereocollis, cinereola,

Fugia barbella, daphnella, subnigrella, verrucella.

Fulcia gigantea. *Vide et Fulica.*

Fulgora africana, affinis, amabilis, apicalis, bonellii, candelaria, castreii, clavata, cognata, cyanirostris, decorata, delesserti, dilatata, elegans, ensifera, gemmata, grammea, guttulata, henniptera, horsfieldi, lampetis, lanternaria, lathburii, lineata, lucifera, marginata, nigromaculata, nobilis, oculata, pallida, parva, planirostris, platyrhina, pyrorhina, rajah, rocheti, schimperii, servillei, spinolae, subocellata, sulcipes, sultana, taenia, tuba, virescens, viridirostris, vivida.

Fulgoraria chinensis, mississippiensis.

Fulgor contrarius, coronatus, eileans, excavatus, fusiformis, incilis, maximus, notulatum, pyruloides, rugosus, tuberculatus.

Fulica alai, ardesiaca, armillata, atra, atrata, australis, chloropoides, crassirostris, cristata, frontata, galeata, gallinuloides, leucoptera, leucopyga, major, parva, platyuros, pullata, rubiginosa, tasmanica, variegata, violacea, wilsoni. *Vide et Fulcia.*

Fuligula affinis, albeola, americana, barrowi, bicolor, caryophyllacea, cheonea, clangula, collaris, cristata, dispar, dominica, erythrocephala, ferina, ferinoides, ferruginea, fischeri, fulva, fusca, glacialis, gmelini, grisea, histrionica, islandica, labradora, leucophthalma, leucoptera, marila, mariloides, mersa, metopias, minor, mollissima, nigra, novae zealandiae, nyroca, perspicillata, pesosaca, rubida, rufa, rufoa, ruftorques, spectabilis, stelleri, vallisneria, vulgaris.

Fulmarus antarcticus, giganteus, glacialis.

Fumaria muscea, nitida, pectinea, plumea, plumistrea.

Fumea bombycella, muscella, nitidella, pectinea, pectinella, plumella, pulla, radiella, reticella.

Fumerus rufiventris.

Funambulus indicus, insignis, maximus.

Fundella pellucens.

Fundulus brasiliensis, cingulatus, coenicolus, mudfish, multifasciatus, nigrofasciatus, pisculentus, virescens, viridescens, zebra, zonatus.

Fungella prolifera.

Fungia actiniiformis, agariciformis, agaricoides, asperata, astreata, cancellata, clathrata, clypeata, complanata, compressa, confertifolia, convexa, coronula, crassa, crassitentaculata, crenulata, cycloites, dentata, dentigera, discoidea, discus, distorta, dubia, echinata, ehrenbergi, elegans, excavata, extensa, fasciatus, filamentosa, fonticola, fuscus, glans, guettardi, hemisphaerica, heteroclita, hexagonalis, horrida, integra, japheti, japonicus, laevis, lenticularis, limacina, limax, mactra, niceensis, numismalis, orbulites, patellaris, paumotensis, pectinata, pileus, polymorpha, praecox, pumilio, radiata, repanda, rotula, rubra, rueppelli, scutaria, segmen, semilunata, semiradiata, stellifera, talpa, talpina, tenuis, umbilicata, undulata.

Funginella alpina, assilina, brauni, discoidea, elegans, haueriana, hemisphaerica, martiniana, neoconiensis, niciensis, numismalis, perezi, semiglobosa.

Fungites deformis, infundibuliformis, patellatus, pileatus, rimosus, rugosus, testudinarius.

Funicularia quadrangularis.

Funiculina cylindrica, mediterranea, stellifera, tetragona.

Furcifer antisienensis, campestris.

Furcocerca catellina, catellus, chelonina, crumena, lupus, orbis, podura, serrata, triloba, trilobata, viridis.

Furcula fagi, salicis, vinula.

Furcularia aurita, canicula, catellina, catulus, constricta, crumena, felis, forcipata, forficula, furcata, gibba, gracilis, jobloti, lacinulata, larva, lobata, longicauda, longiveta, lupus, rediviva, reinhardti, senta, seuta, stentorea, succolata, togata, tremula, vermicularis.

Furia horrens.

Furnarius annumbi, chilensis, cunicularum, fasciatus, figulus, flaveolus, fuliginosus, griseus, leucopus, longipennis, melanotis, olivaceus, rectirostris, roseus, ruber, rufus, sancti-hilarii, sannio, semitorquatus, superciliaris, virens.

Fusaria adunca, alaudae, apri, aquilae, argentinae, aucta, bifida, bronchialis, cati, ciconiae, collaris, compar, convoluta, coraciae, cornicis, cygni, farionis, filicollis, frugilegi, fuligulae, globicola, gobionis, gulonis, hirci, incisa, lacertae, lacustris, lari,

leenis, lophi, lumbrici, lupi, maculosa, maraenae, marginata, marini, martis, nephitidis, muris, obvelata, osculata, papillosa, percae, phocae, pusillae, rajae, renalis, rhombi, salamandrae, secunda, siluri, spiralis, squali, subbuteonis, tardae, testudinis, tetraonis, tigridis, truncata, truttae, turdi, vermicularis, vespertilionis, visceralis, vituli.

Fusites articulatus.

Füsslinia amoena.

Fusulina cylindrica, depressa.

Fusulus fragilis, interruptus.

Fusus abbreviatus, accinctus, aciculatus, acrisius, acteon, aculeata, aculeiformis, acuminatus, acus, acutus, aduncus, adustus, afer, affinis, alabamensis, albensis, albicans, albidus, albus, alligatus, alpinus, alternatus, altilis, alveolatus, ambiguus, amictus, ampulla, angulatus, angulosus, angusticostatus, angustus, anomalus, antiquus, arcticus, armatus, articulatus, aruanus, asper, asperrimus, asperulus, assinnilis, atavus, attenuata, attenuatus, aturensis, audeberti, aurantius, aureus, australis, babelis, babylonicus, bamfius, bamfius, barvicensis, becki, bellus, biangulatus*, bicarinatus, bicolor, bidens, bifasciatus, bilineatus, bimarginatus, buplicatus, blainvillei, blouvilliei, bonellii, boothi, borealis, borsoni, bouei, branscombi, brasilianum, brevicauda, breviculus, breviplicatus, brevis, brevissimus, brighti, brochii, brongniartianus, buccinatus, buccineus, buccinoides, buchanensis, bulbiformis, bulbosus, bulbus, buxus, caelatus, caillaudi, calcar, canaliculatum, canaliculatus, cancellaria, cancellarioides, cancellatus, cancellinus, candidus, cannabinus, capensis, carcarenis, carinatus, carinatus, carinella, carinifer, cariniferus, carino-crenatus, castaneus, caudatus, chemnitzii, cheruscus, chloriteus, chordula, cinctus, cinereus, cingulatus, cinguliferus, cinnamomeus, circulus, citharellus, clabornensis, clathratus, clausicaudatus, clavatus, clavellatus, clementinus, cleyanus, closter, cochlidium, coelatus, colosseus, columbarius, colus, comma, complanatus, comptus, conicus, coniferus, conjunctus, constrictus, contabulatus, contractus, contrarius, conulus, conybeari, cooperi, corallensis, corallinus, corneus, corona, coronatus, corpulentus, corrugatus, costarius, costato-striatus, costatus, costellifer, costularis, costulatus, cottae, cottaldinus, cranchi, crassicaudatus, crassus, craticulatus, crebissimus, crebricostatus, crebrilibratus, crenulatus, cretaceus, crispatus, crispus, cumingi, curtus, curvicauda, curvicostatus, curvirostris, cutaceus, davidsoni, decem costatus, deceptus, decisus, decolor, decurrens, decussatus, deformis, delabechii, delphinulus, depauperatus, depressus, desertum, deshaysi, despectus, dexvexus, dexter, difficilis, dilatatus, diluvianus, diluvii, dimidiatus, discors, discrepans, disjunctus, distans, doliatus, dunkeri, duodecimicus, dupetit-thouarsi, dupinianus, echinatus, elatior, elegans, elegantulus, elongatus, epius, errans, erraticus, espallaci, euristenus, exasperatus, excisus, exiguus, exilis, explicatus, fabricii, fasciatus, fasciolarinus, fasciolaroides, fenestralis, fenestratus, ficula, ficulnea, ficulneus, fidicula, filamentosus, filiosus, fimbriatus, fuscinosus, fisianus, fittoni, fleurianus, fluctuosus, fluvialis, follicus, fontainei, forbesi, forbesianus, forceps, fornicatus, fortisi, fragilis, fragosus, frondosus, funiculatus, funiculosus, fuscus, fusiformis, galathea, galicianus, gaultinus, genei, genevensis, geniculus, gibbulus, gieseckeii, gilvus, glaber, glabriculus, glacialis, glomoides, glomus, gothicus, gracilior, gracilis, gracillimus, gradatus, granatus, grandis, granosus, granulatus, granulatus, gregarius, gunneri, guttatus, gyrinus, haccanensis, hagenowi, haitensis, haleanus, harpula, harpularius, harpulus, hebli, henikeri, heptagonalis, heptagonus, hexagonus, heywoodi, hoessi, holbölli, hordeolus, igneus, imbricatus, inauratus, incertus, incisus, inconstans, incrassatus, incultus, indecisus, inflatus, infracretaceus, infundibulum, inhabilis, intermedius, interruptus, intortus, inversus, irrasus, islandicus, itierianus, iurensis, japonicus, juncus, juvenis, karamanensis, kieneri, klipsteini, konincki, kroyeri, labiatum, labrosus, laevigatus, laeviusculus, lamellosus, lancea, lanceolatus, lapillus, laskeyi, latericeus, laticostatus, latus, launoicus, lavatum, la viae, lignarius, ligula, lima, limbatus, limulus, linea, linearis, lineatus, lineolatus, liratus, listeri, lividus, longaeus, longicauda, longiroster, longirostra, longirostris, longiscatus, longisipho, longissimus, luneburgensis, lyratus, magellanicus, magnocostatus, malsburgianus, mandarinus, manni, marcellis-serresi, marginatus, mariae, marmoratus, maroccanus, marrotianus, martini, maxillosus,

maximus, mexicanus, michelini, microstomus, nigrans, nullardi, nunax, minimus, minor, minutisquamosus, minutus, mississippiensis, mitraeformis, modestus, modiolus, monachus, moniliger, moquinianus, morio, mortoni, muensterianus, multangulus, multicarinatus, multicostatus, multilinearis, multinodus, multisulcatus, muricatus, muriceus, muriciforme, muriceus, muricoides, myristicus, nanus, nassatella, nassoides, nebula, neocomiensis, neptuni, nereides, nereis, neritoideus, nexilis, nicobaricus, nifat, nitens, niveus, noachinus, noae, nobilis, nodoso-carinatus, nodosus, nodulosus, norwegicus, novae hollandiae, obesus, obliquatus, oblitus, oblongus, obscurus, obtusangulus, obtusus, ocelliferus, orbignanus, orditus, oregonensis, ornatus, orpheus, ovatus, pachyleurus, pagodula, pagodus, pallidus, papillatus, parilis, parkinsoni, parvirostrum, parvus, pastinaca, patagonicus, paululus, pauperculus, pederalis, pellucidus, pelopeus, pentagonus, perlatus, perron, perrugatus, peruvianus, petitianus, pfeifferi, philippi, pictus, planicostatus, planulatus, pleurotonae-formis, pleurotomarius, pleurotomoides, plicatulus, plicatus, plumatus, plumbeus, politus, polygonatus, polygonoides, polygonus, polymorphus, pondicherriensis, porrectus, prevosti, primordialis, probosciferus, procerus, propinquus, prorutus, proscissus, proserpinae, protectus, provenalis, proximus, pseudofusiformis, pulchellus, pulcher, pullus, punilus, punctatus, purpureus, purpuriformis, purpureoides, puschianus, pusio, pygmaeus, pyramidatus, pyrulaeus, pyrulatus, pyruliformis, pyruloides, quadratus, quadricostatus, quinquentatus, rannelloides, raphanoides, raphanus, rarisulcatus, recticaudatus, recurvus, regularis, remotus, renauxianus, renieri, requienianus, reticulatus, retroversus, rhombeus, rigidus, rissoides, robustus, roedingi, roemeri, roncanus, rosa ponti, roseus, rossmaessleri, rostratus, royanus, rubens, rudis, rufus, rugosus, ruralis, rusticus, sabaudianus, sabini, salebrosus, sandleri, saturus, scabriculus, scalariformis, scalarinus, scalaris, scalaroides, schwarzenbergi, scrobiculatus, semicostatus, semiplicatus, semirugosus, septangularis, serratus, serresi, sexangulus, sigmiliniatus, simplex, sinistralis, sinistrorsus, sinuatus, sismondai, sismondianus, smithi, solitarius, sowerbyi, spectrum, spiniger, spinosus, spinulosus, splendidus, squamosus, squamulosus, stamineus, stangeri, steneus, striarellus, striatulus, striatus, strigatus, strigosus, strombifer, stromboides, strumosus, stuetzi, subabbreviatus, subaffinis, subantiquatus, subbilineatus, subbuccinoides, subcancellatus, subcarinatus, subcarinella, subcariniifer, subclathratus, subcostatus, subdecussatus, subelegans, subficulneus, subfusiformis, subheptagonus, subincertus, sublaevigatus, sublaevis, sublamellosus, sublatus, subnigeris, subnodosus, subnodulosus, subpentagonus, subplicatus, subreflexus, subscalarinus, subsemicostatus, subsemiplicatus, subulatus, subvittatus, succinctus, sulcatus, sulcosus, suturalis, symmetricus, syracusanus, taiti, taylorianus, tenuirostrum, tenuis, terebralis, terebrinus, tessellatus, tetricus, textile, textilosus, textus, thalloides, thiara, thoracicus, thorei, thorenti, thouarsi, tiara, toreuma, tornatus, torulosus, trabeatus, trapezium, trilineatus, triplicatus, tripunctatus, triskaedekagonus, trossulus, trumbulli, truncatulus, trunculus, tuba, tuberculata, tuberculatus, tuberculosus, tuberosus, turbinelloides, turgidus, turricola, turricula, turriculus, turris, turritellatus, turtoni, umbilicatus, undans, undosus, undulatus, uncarinatus, uniplicatus, ustulatus, vaginatus, variabilis, varicosus, varicosulus, variegatus, varius, ventricosus, venustus, verniciensis, verrucosus, verruculatus, versicolor, vestitus, vibrayeanus, vicksburgensis, villai, villanus, violaceus, virga, virgineus, vittatus, voighti, vulpeculus, vulpinus, wiegmanni, winteri, zahlbruckneri, zelandicus.

Gabrius albipes, aterrimus, attenuatus, basalis, cinerascens, nanus, pallipes, phaeopus, pygmaeus, semipunctatus, snaseolens, ventralis, villosulus.

Gadella gracilis.

Gadiculus argenteus.

Gadila gadus.

Gadinia afra, cinerea, depressa, garnoti, lateralis.

Gadopsis breviceps, marmoratus.

Gadus abyssorum, albidus, argenteolus, bifureus*, blennoides, chalcogrammus, com-

- pressus, didactylus, dipterygius, elongatus, euxinus, fabricii, fasciatus, fimbria, fuliginosus, furcatus, fuscus, gracilis, grindoni, juhatus, lepidion, leverianus, longipes, lycostomus, maculosus, magellanicus, maraldi, mollosus, moro, nabus, niger, ogac, polaris, polynemus, pruinosis, punctatus, purpureus, pygmaeus, raptor, rhacinus, ruber, scoticus, tenuis, tomacod, wachna.
- Gaeana** maculata, pulchella, sulphurea.
- Gaedia** connexa.
- Gaidropsarus** mustellaris.
- Galago** acaciarum, alleni, conspicillatus, crassicaudatus, demidovi, guineensis, madagascariensis, maholi, minor, minutus, moholi, murinus.
- Galagoides** demidoffi, senegalensis.
- Galanthia** extensella, flavifrontella, knochella, laminella, maurella, rufinitrella.
- Galanthis** tessellata.
- Galatea** bengoensis, chemnitzii, lacta, rubicunda, tunicula, tenuicula.
- Galathaea** lupiae.
- Galathea** affinis, antiqua, audax, bamfia, concamerata, elegans, fabricii, glabra, laevis, longipeda, macrochela, monodon, nexa, phosphorica, radiata, rondeleti, scamparellus, spinigera, squamifera, subrugosa, versicolor.
- Galaxaura** annulata, antiqua, cuneiformis, cylindrica, dichotoma, europea, fragilis, fruticulosa, gracilis, indurata, janioides, lapidescens, lichenoides, marginata, mediterranea, ohlongata, obtusata, obtutata, pumila, rigida, rugosa, umbellata.
- Galaxea** anthophyllites, anthophyllum, caryophyllites, fascicularis, musicalis, organum.
- Galaxia** attenuatus, scribea.
- Galaxias** (G.) argillacea, bowdichana, globulus, lucana, punctulata, semirugata, torulus, tranquillaria.
- Galaxias** (P.) alpinus, hrocchus, fasciatus, foersteri, maculatus, reticulatus, truttaceus.
- Galba** (Ar.) hieroglyphica.
- Galba** (Col.) bombycina, cbrysocoma, flavicornis, grandis, lepieuri, madagascariensis, mexicana, orientalis, picea, pusilla, wicardi.
- Galba** (Verm.) marina.
- Galbalcyrrhynchus** leucotis.
- Galbella** violacea.
- Galbodemus** fasciata, flabellicornis, unantherheimi, marmorata.
- Galbula** alhirostris, alhiventer, alhiventeris, albogularis, armata, hoersi, ceycoides, chalcoccephala, cyanescens, cyanicostata, flavirostra, flavirostris, galbula, grandis, jacamaceri, leptura, leucogastra, luguhri, macroura, magna, melanurus, paradisea, rubricollis, ruficauda, tomhacea, triangulum, tridactyla, viridicauda.
- Galea** musteloides.
- Galearia** violacea.
- Galeatus** spinifrons.
- Galecynus** oeningensis, palustris.
- Galedanta** bituherculata.
- Galeichthys** hlocbi, eydouxii, feliceps, gronovii, marinus, parrae, stanneus.
- Galemys** barlani, microurus, pyrenaica.
- Galena** zonata.
- Galene** natalensis, ochtodes, panopeoides.
- Galeocerdo** aduncus, arcticus, contortus, denticulatus, gihherulus, latidens, minor, rectus, sublaevis, tigrinus.
- Galeodea** echinophora.
- Galeodes** annulipes, arabs, araneoides, citrinus, cubae, dorsalis, fatalis, flavescens, graecus, hostilis, intrepidus, limbata, melanus, morsicans, pallipes, phalangium, spinipalpis, subulata, variegata, vorax.
- Galeolaria** australis, hilohata, caespitosa, decumbense, elongata, prolifera, quadridentata, rissoi.
- Galeolemur** macrurus.
- Galeomma** aurantia, compressum, mauritianum, transparens, turtoni.
- Galeophasis** puerasia.
- Galeopithecus** macrourus*, philippinensis, temminckii, ternatensis, undatus, variegatus.

Galeorhinus ferox, galeus, humulus, mustelus, platyrhynchus, rondeleti.

Galeoscoptes carolinensis.

Galeospalax mygaloides.

Galeotes lophyrus.

Galeotherium ferreo-jurassicum, molassicum, pentelicus.

Galera barbara.

Galericolum laevigatum, otis, ovatum.

Galerida abyssinica, anthrostris, arborea, cristata, isabellina, karinthiaca, major, meridionalis, nemorosa, pagorum, pyrrhonota, senegalensis, viarum.

Galerita (Col.) aequicollis, affinis, americana, angusticollis, anthracina, attelaboides, borealis, brachinoides, brasiliensis, bufo, californica, carbonaria, collaris, cordicollis, cyanipennis, depressus, dubia, erythrodera, fasciolatus, flesus, geniculata, gracilis, hirta, humboldti, insularis, interstitialis, lacordairei, lecontei, longicollis, lugens, magellanica, marginicollis, melanaria, moritzi, nigra, nigrita, occidentalis, olens, orbigny, orientalis, pallidicornis, plana, porcata, punctata, ruficollis, striata, tenebricosa, thoracica, tristis, unicolor.

Galerita (G.) antiquata, cornucopiae, hungarica.

Galerites abbreviatus, africana, agassizi, albogalerus, angulosa, assulatus, bordae, canaliculatus, castanea, caudatus, complanatus, conica, coniecentricus, conoideus, conulus, cretosus, cylindricus, dekin, depressus, dixon, echinoneus, elongatus, excentricus, fissuratus, globosus, globulus, hawkinsi, hemisphaericus, laevis, lanieri, leskei, macropyga, mixtus, nucula, oblongus, orbignyana, oregonensis, ovalis, ovatus, ovum, patella, pulvinatus, pustulatus, pygaea, quadrifasciatus, quinquefasciatus, rothomagensis, rotula, rotularis, ruficollis, scutiformis, semiglobus, sexfasciatus, speciosus, subrotunda, subsphaeroidalis, subuculus, sulcato-radiatus, trilobus, truncatus, turrita, umbrella, vulgaris.

Galerix magnus, viveroides.

Galeria abrupta, admirationis, adusta, aenea, aestuans, amethystina, angusta, arcuata, bajula, bioculata, bipunctata, bispinosa, brevis, cajennensis, calumariensis, cava, chlorotica, cincta, cristata, cucumeris, decemguttata, decemmaculata, delata, demaresti, devota, dissecta, dorsalis, dubia, elata, elongata, encaustica, evidens, femoralis, fibulata, flavescens, foveata, fulva, furcata, grisea, haematida, hebes, hebraea, illigata, innuba, interrupta, labida, laeta, laevis, laticornis, lepida, lepturoides, limbata, lineata, lusitanica, lycoides, marginalis, melanura, neglecta, nitidula, oblitterata, olivacea, parvula, pauperata, pedestris, plebeia, quadraria, quadrilineata, quadripunctata, quadrivittata, quindecimpunctata, quinquelineata, rufa, salicis, saturata, scripta, semiflava, septa, sexguttata, sexlineata, sexpunctata, signata, similis, sinuata, speciosa, stigmula, striata, subspinosa, subvittata, thoracica, transversa, tredecimpunctata, tripunctata, tuberculata, unicornis, unifasciata, velox, viminalis, xanthodera, xanthomelaena. *Vide et* **Galleruca**.

Galesus claviger, cornutus, fuscipennis.

Galethylax blainvillei.

Galeus aduncus, appendiculatus, articus, asterias, caniculus, canis, cuvieri, denticulatus, falcatus, galeus, japonicus, laevis, latidens, maculatus, melastomus, minor, mustellus, nilsonni, obliquus, pristodontus, pygmaeus, semiserratus, serratus, similis, stellaris, sublaevis, vulgaris, vulpecula.

Galgulus (A.) amaurotis, caudatus, cyaneus, garrulus, melanops, naevius, philippinensis, viridis.

Galgulus (Hem.) bufo, flavus, nebulosus, oculata, quadrimaculatus, raptorius, variegatus.

Galgupha atra, notata.

Galictis allamandi, barbara, intermedia, ochroleuca, robusta, striatus, vittata.

Galidia concolor, elegans, olivacea, unicolor.

Galidictis chrysogaster, striata, vittata.

Galileja tenebrosa.

Galissus biplagiatus, cyanopterus.

Galleria alvea, anella, centuriella, cerea, cerealis, cerella, colonella, melonella, sociella, tribuella, umbratella.

Galleruca affinis, albiceps, albicornis, albipes, albolineata, alurnoides, ambusta, americana,

amoena, analis, angulosa, angusta, angustata, apicalis, argutula, artemidata, assimilis, atomaria, atricornis, atripennis, atriventris, attenuata, australis, axillaris, azuripennis, baccharidis, basimarginata, bassiae, bennetti, bicolor, bidentata, bilineata, binotata, bioculata, bisignata, bissexpunctata, bistriata, bivittata, brasiliensis, brevipennis, buqueti, caeruleans, calida, caminea, canadensis, capensis, capitata, carinata, cartereti, castanea, cervina, chalybea, chlorida, chrysoptera, cinerea, cingulata, circumdata, cocinea, coffea, comitata, compressicornis, concinna, congregata, conjugata, consentanea, coryli, crataegi, crocea, cruciata, cyanea, cyanipes, cyanoptera, dahlj, decemguttata, decora, decorata, dimidiata, discoidea, dorsalis, dorsata, dufresnei, duodecimmaculata, ephippiata, erosa, exarata, excavata, externa, fasciato-maculata, femoralis, ferruginea, festiva, filiformis, fischeri, flaveola, flavicans, flaviventris, flavocincta, flavofasciata, flavolinbatus, flavomarginata, flavovittata, foveicollis, foveolata, frontalis, fucata, fulgida, fulminans, furcata, fusca, gelatinariae, geminata, geniculata, grandis, grossa, guttata, haemathidea, haemorrhoidalis, hectica, histronica, humeralis, humilis, lavana, impressa, indica, interrupta, ioptera, janthinus, laevipennis, lanio, laticollis, lebiaeformis, limbatipennis, lineae, lineata, lineolata, longicornis, lunata, lurida, luteicollis, luteicornis, luteipes, lythri, macula, maculicornis, maculipennis, marginata, marginella, maura, melanogaster, melanoptera, menetriesi, meraca, miniata, miniaticollis, mixta, multiguttata, mutabilis, nebulosa, nigriceps, nigriventris, nigrivestis, nigro-lineata, nitida, nodicornis, notata, notulata, oblonga, obscura, obsidiana, obsoleta, oculata, olivieri, ornata, ovalis, pallicornis, paradoxa, pectoralis, persica, petaurista, plagiata, porrecta, posticalis, praecox, prasina, psittacina, pulchella, pulchra, punctata, puncticollis, punctipennis, purpurascens, pusilla, quadrifasciata, quadrimaculata, quadrisignata, quatuordecimmaculata, quercata, quindecim-maculata, quinque-maculata, quinquepunctata, relicta, restituta, reticulata, rosea, rubicunda, rubricollis, rubicornis, rufosanguinea, sagittariae, salicis, scutellata, seddecimpunctata, sellata, semiflava, septempunctata, sexmaculata, sexpunctata, sexsignata, signata, silphoides, smaragdipennis, spilota, sub-cincta, sublineata, subulcata, subviolacea, sulcicollis, sumatras, suturalis, taeniata, terminata, terrestris, testacea, tetraspilota, thoracica, tibialis, tricineta, trifasciatum, trilineata, tristis, tuberculata, tunida, umbrina, undecim-punctata, varicornis, variegata, ventralis, vicina, vigorsi, violacea, virgata, virgulata, viridipennis, xanthopus. *Vide et Galeruca.*

Gallichthys aegyptiacus, chevola, major.

Gallina melanoleuca, rota.

Gallinago aucklandica, australis, bernieri, biclavus, brehmi, burka, cayanensis, douglassi, drummondi, elegans, frenatus, gallinula, gigantea, heterura, horsfieldi, leucurus, magellanicus, major, mauritiana, media, minima, minor, montagui, nemorcola, paraguaiae, sabini, sakhalina, saturata, scolopacinus, solitaria, stenura, strenua, stricklandi, trachydactylus, undulata, unclavatus, unclavus, wilsoni.

Gallinula albifrons, angulata, ardosiacea, bailloni, brachyptallus, caesia, cayennensis, chloropus, crassirostris, crex, curvirostra, dimidiata, ecaudata, elegans, erythrothorax, eurizona, eurizonoides, fistulans, foljambei, galeata, gigas, gularis, immaculata, jamai-censis, jardini, javanica, kioloides, lateralis, leucomelana, leucosoma, lugubris, madagas-cariensis, mangle, minuta, minutissima, modesta, nigra, obscura, olivacea, orientalis, parvifrons, pileata, plumbea, poecilonotus, poliocephala, porphyrioides, porzana, pulchra, punctata, pusilla, rubiginosa, ruficeps, ruficollis, saracura, tenebrosa, ventralis.

Gallirallus brachypterus, fuscus.

Gallirex anais, gigantea, porphyreocephala.

Gallita tricolor.

Gallopavo primus.

Gallophasias crawfurdi, cuvieri, erythrophthalmos, fasciatus, horsfieldi, ignitus, leuco-melanos, lineatus, muthura, nyctemerus, purpureus, pyronotus, vieillot.

Gallus (A.) aeneus, bankiva, bravardi, crispus, cristatus, cuvieri, domesticus, ecaudatus, erythrophthalmus, furcatus, gallorum, gallus, giganteus, ignicolor, ignitus, japonicus, javanicus, lafayetii, lanatus, lineatus, macartneyi, morio, patavinus, peyrousei, pseudhermaphroditus, pumilio, sonnerati, stanleyi, temmincki, turcicus, variabilis, varius, virescens.

Gallus (P.) alexandrinus.

Galostha *eques*, stockerae.

Galumna *alatus*.

Gama *fusca*, *grandicornis*, *gallida*, *relucens*.

Gamasus *agilis*, *albicans*, *antennaeipes*, *aphidioides*, *appendiculatus*, *arcualis*, *asaroticus*, *attenuatus*, *baccarum*, *badius*, *batatas*, *bimaculatus*, *bisulcatus*, *cadaverinus*, *calcaratus*, *candidus*, *caraborum*, *carinatus*, *celer*, *cellaris*, *cepuricus*, *cerapus*, *cerinus*, *chelopus*, *chilensis*, *coarctatus*, *coleopterorum*, *comosulus*, *concolor*, *coxi*, *crassipes*, *croceus*, *curtus*, *dealbatus*, *decoloratus*, *dentipes*, *dilatatus*, *dosalis*, *elimatus*, *ellipticus*, *emarginatus*, *equestris*, *fucorum*, *fungorum*, *galactinus*, *gallinae*, *geniculatus*, *gnavus*, *gymnopterorum*, *hamatus*, *hirundinis*, *horticola*, *interruptus*, *juloides*, *laevis*, *latus*, *limbatus*, *littoralis*, *litus*, *lividus*, *longipes*, *longulus*, *lunatus*, *luteus*, *maculosus*, *marginatus*, *marginellus*, *milvinus*, *monacha*, *motatorius*, *muscorum*, *musculus*, *navicularis*, *nemorensis*, *nidularius*, *opacus*, *ovatus*, *pachypes*, *pallidus*, *passali*, *passerinus*, *pellucidus*, *petiolatus*, *phaeontis*, *phalangi*, *pilipes*, *pipistulatus*, *rupestris*, *salicinus*, *savignyi*, *setiger*, *socium*, *spinipes*, *stabularis*, *sulcatus*, *tardus*, *telarius*, *testudinarius*, *tiliarum*, *tremellae*, *tumidulus*, *vegetans*, *vegetus*, *vepallidus*, *vespertilionis*, *zosteriae*.

Gambetta *limosa*.

Gambo *galarta*.

Gambula *bimaculata*.

Gamelia *alba*, *abasia*, *irruia*, *leucane*.

Gametis *aequinoctialis*, *argyrosticta*, *balteata*, *bealiae*, *bivittata*, *histrio*, *jucunda*, *prasina*, *sanguinolenta*, *scalaris*, *velutina*, *versicolor*, *viridimobscura*.

Gammurus *abyssinus*, *acanthonotus*, *atrinis*, *ambulans*, *ampulla*, *angulosus*, *anisocheir*, *anomalus*, *appendiculatus*, *aquaticus*, *arenarius*, *articulosus*, *atlanticus*, *boreus*, *brevicauda*, *camylops*, *carinatus*, *caudisetus*, *chilensis*, *circinnatus*, *crassimanus*, *dentatus*, *dubius*, *dugesii*, *dulongi*, *elongatus*, *ermanni*, *fasciatus*, *fluvialis*, *fossarum*, *fresneli*, *glaber*, *glacialis*, *gracilis*, *grossimanus*, *gryllus*, *haemobaptus*, *heteroclitus*, *impatii*, *kroyeri*, *libellula*, *longicornis*, *longimanus*, *loricatus*, *maculatus*, *marinus*, *medius*, *minus*, *mucronatus*, *nolens*, *nugax*, *olivii*, *ornatus*, *othonis*, *palmaris*, *peloponnesius*, *pherusa*, *piliicornis*, *pinguis*, *podager*, *poecilurus*, *punctatus*, *pungens*, *puteanus*, *rete*, *roeseli*, *rubricatus*, *sabini*, *savii*, *sedentarius*, *serratus*, *spinipes*, *spinosus*, *stagnalis*, *stygius*, *sundevalli*, *truncatus*, *typhlops*, *zebra*.

Gamphotherium *angustidens*.

Gamponyx *ambriatus*, *holmi*, *swainsoni*.

Gampsorhynchus *rufulus*.

Ganeria *falklandica*.

Ganodus *colei*, *dentatus*, *oweni*.

Ganoris *brassicae*, *cardamines*, *crataegi*, *daphnice*, *hyale*, *napi*, *rapae*, *rhamni*, *sinapis*.

Ganymeda *pulchella*.

Gardonus *cephalus*, *decipiens*, *frisii*, *lividus*, *pausingeri*, *pigulus*, *pigus*, *roseus*, *rutilus*.

Gargara *genistae*.

Gari *papyracea*, *vulgaris*.

Garrula *calva*, *gubernatrix*, *leucogenys*, *torquata*.

Garrulax *affinis*, *albugularis*, *auritus*, *azureus*, *belangeri*, *bicolor*, *burnesi*, *cachinnus*, *capistratus*, *chrysopterus*, *coeruleus*, *delesserti*, *erythrocephalus*, *feliciae*, *gularis*, *imbricatus*, *leucocephalus*, *leucogenys*, *lineatus*, *lunaris*, *maclellandi*, *melanotis*, *mitratus*, *moniliger*, *ocellatus*, *pectoralis*, *phoeniceus*, *reinwardi*, *ruficollis*, *rufifrons*, *rufogularis*, *rufulus*, *setifer*, *shanhu*, *sinensis*, *squamatus*, *subunicolor*, *variegatus*, *vittatus*.

Garrulus *albifrons*, *auritus*, *azureus*, *bispecularis*, *brachyrhynchus*, *brandti*, *bullocki**, *caerulescens*, *californicus*, *canadensis*, *chloronotus*, *cinereus*, *coronatus*, *crassirostris*, *cristellus*, *cristatus*, *pectoralis*, *cyaneus*, *cyanochlorus*, *cyanogaster*, *cyanocephalus*, *cyanocephalus*, *floridanus*, *fuscus*, *galericulatus*, *gularis*, *iliceti*, *infaustus*, *krynickyi*, *lanceolatus*, *larvatus*, *leucolophus*, *lidithi*, *luxuosus*, *melanocephalus*, *melanocyaneus*, *nuchalis*, *ornatus*, *panderi*, *peruvianus*, *pileatus*, *sibiricus*, *sieberi*, *sordidus*, *speciosus*, *stelleri*, *striatus*, *temminckii*, *ultramarinus*, *vigorsii*, *viridicyaneus*, *wagleri*.

Garzetta *pusilla*.

Gasella *soemmeringi*.

Gaseus *lamiola*.

Gasteracantha *annulipes*, *arcuata*, *audouini*, *caduceator*, *cauciformis*, *cicatricosa*, *clypeata*, *columnata*, *curvicauda*, *cuspidator*, *falcifera*, *fasciata*, *feisthameli*, *flava*, *fornicata*, *funosa*, *gayi*, *geminata*, *glyphica*, *gracilis*, *hasselti*, *hemisphaerica*, *hexacantha*, *inflata*, *kuhli*, *lepeletieri*, *lunata*, *mammosa*, *minuta*, *obliqua*, *pallida*, *pennata*, *picea*, *punctata*, *quadridens*, *rhomboidea*, *rubiginosus*, *ruhrospinis*, *sanguinolenta*, *scitula*, *scutula*, *sexcuspidata*, *spissa*, *theisi*, *transversa*, *umbrosa*, *variabilis*, *velitaris*, *ventrosa*, *violacea*. *Vide et Gastracantha*.

Gasteracanthus *aculeatus*, *cataphractus*, *maculata*, *porcellanae*, *pungitius*, *rhomboidalis*, *venusta*.

Gasteripus *vittatus*.

Gasterobranchus *dombay*.

Gasterocercus *albifrons*, *asper*, *bifasciatus*, *dejeani*, *depressirostris*, *dubitabilis*, *dumerili*, *horridus*, *lateralis*, *latirostris*, *latreillei*, *melancholicus*, *petulans*, *plumpipes*, *pugnator*, *scabrisrostris*, *semicircularis*, *setosus*, *stratum*.

Gasterochisma *melampus*.

Gasterocoma *antiqua*.

Gasteronemus *oblongus*, *rhombeus*. *Vide et Gastronemus*.

Gastropacha *eversmanni*.

Gasteropelecus *acanturus*, *argenteus*, *crocodilus*, *humboldti*, *microstoma*.

Gasterophilus *clarki*, *equi*, *haemorrhoidalis*, *salutiferus*.

Gasteroptera *meckeli*.

Gasteropteron *coccineum*.

Gasterosericeus *drawseni*.

Gasterosteus *apetes*, *argyropomus*, *biaculeatus*, *brachycentrus*, *canadensis*, *carolinensis*, *concinus*, *cuvieri*, *groenlandicus*, *inconstans*, *leiurus*, *mamensis*, *millepunctatus*, *nebulosus*, *nemausensis*, *niger*, *noveboracensis*, *obolarius*, *ponticus*, *punctatus*, *pygmaeus*, *quadracus*, *quadriscopiosa*, *rhombeus*, *semiaratus*, *semiloricatus*, *spinulosus*, *teraculeatus*, *tetracanthus*, *trachurus*.

Gasterostomum *fimbriatum*.

Gastracantha *pulcherrimus*. *Vide et Gasteracantha*.

Gastrana *donacina*, *monstrosa*.

Gastrancistrus *accia*, *acotes*, *acutus*, *alectus*, *amabaeus*, *amnisos*, *angulus*, *annulipes*, *atro-purpureus*, *autumnalis*, *cephalon*, *compressus*, *crassus*, *dryas*, *fidenas*, *fumipennis*, *fusicornis*, *geganius*, *hamillus*, *hierocles*, *iriarte*, *laticornis*, *lochanus*, *longicornis*, *menoetes*, *obscurillus*, *pacilus*, *panares*, *pollis*, *tenebricosa*, *tenuicornis*, *terminalis*, *unicolor*, *vagans*, *viridis*, *vonones*, *vulgaris*.

Gastraulacus *atratus*, *leprieuri*.

Gastrulax *thalassinus*, *torquatus*.

Gastridia *plumbeum*.

Gastridium *cepa*.

Gastrimargus *infumatus*, *olivaceus*.

Gastrochaena *ampullaria*, *angusta*, *antiqua*, *aspergilloides*, *haugieri*, *brevis*, *clava*, *contorta*, *corallium*, *cuneiformis*, *dentifera*, *dilatata*, *duhia*, *elongata*, *fulva*, *gigantea*, *gigas*, *heyseana*, *hians*, *hyalina*, *lacryma*, *ligula*, *marticensis*, *matronensis*, *mediolina*, *mytiloides*, *oceania*, *ovata*, *oxfordiana*, *pelagica*, *pholadia*, *pholadis*, *poliana*, *polii*, *pontica*, *provignyi*, *pseudotrigona*, *rostrata*, *royana*, *rugulosa*, *spengleri*, *tarentina*, *tenuis*, *tortuosa*, *truncata*, *unicosta*.

Gastrochaeta *fissa*.

Gastrochoena *corallensis*.

Gastrodes *abietis*.

Gastrodus *alholineatus*, *australis*, *hispinus*, *cinerascens*, *crenulatus*, *fasciatus*, *herbsti*, *lateralis*, *nihilus*, *pulverulentus*, *tardus*.

Gastroeidea *polygona*.

Gastronemus *henotti*. *Vide et Gasteronemus*.

Gastropacha *acaciae*, *aegroti*, *alnifolia*, *americana*, *amilia*, *ariae*, *hetulifolia*, *bremeri*, *caschmirensis*, *castrensis*, *catax*, *cocles*, *crataegi*, *damalis*, *decolorata*, *dryophaga*, *dumeti*, *euphonia*, *everia*, *eversmanni*, *francoica*, *hippo*, *ilicifolia*, *infusata*, *lalage*,

lanestris, lineosa, ~~in~~ pulina, loti, medicaginis, murina, neogena, neustria, obliquata, obsoleta, otus, pini, pityocampa, populi, populifolia, potatoria, processionea, pruni, quercifolia, quercus, repanda, rubi, solitaria, sparti, suberifolia, subfasciata, sulphurea, taraxaci, trifolii, undata, velutina, vishnou.

Gastrophryne rugosum.

Gastrophysa aenea, cyanea, polygoni, raphani, ruficeps, virescens.

Gastrophysus lunaris, oblongus.

Gastroplax tuberculosus.

Gastrophopalus elegans, niger.

Gastrosericus waltli.

Gastrotheca furcata, marsupiata.

Gastroxides ater.

Gastrus clarki, equi, ferruginatus, haemorrhoidalis, jubarum, jumentarum, nasalis, nigrinus, pecorum, salutaris, subjacens.

Gaudryina badenensis, pupoides, rugosa.

Gaulodes costatus.

Gauris albertiana, kleemanniana, swederiana.

Gaurotes cyanipennis.

Gausapa globifera.

Gaveus frontalis.

Gavia atricilla, capistrata, eburneus, minuta, nivea, ridibunda, sabini, tridactylus.

Gavialis gangetica.

Gavialis bacheleti, clifti, crassidens, dixonii, gangeticus, jurinei, lamourouxii, priscus, tenuirostris.

Gayenna americana.

Gazella bennetti, christi, cora, corinna, dama, dorcas, euchore, gutturosa, hodgsoni, isabella, kevela, kob, melampus, mhorri, mohr, nasomaculata, pygarga, ruficollis, rufifrons, senegalensis, soemmerringi, subgutturosa.

Gazoryctra ganna, hecta*, jodutta.

Gazza equulaeformis.

Gazzola caledonica.

Gea spinipes.

Gebia affinis, deltaura, deltura, digitata, hirtifrons, lacustris, littoralis, major, meyeri, muensteri, obscura, venetiana, venetiaram.

Gebios davianus, littoralis.

Gecarcinucius jacquemonti.

Gecarcinus agricola, barbiger, camifex, cordata, fluviatilis, fossor, hirtipes, hydrodromus, lagostoma, lateralis, regius, ruricola, trispinosus, uca.

Gecarcoidea lalandi.

Gecinus algeris, awokera, caniceps, canus, chlorophaeus, dimidiatus, flavinucha, frondium, guerini, karelini, pinetorum, puniceus, squamatus, striolatus, virescens, viridanus, viridicanus, viridis, xanthoderus, xanthopygius.

Gecko aculeatus, aegyptiacus, annularis, annulatus, bivittatus, caudi-verbera, chinensis, cristatus, cruciger, dorreensis, eleutherodactylus, fascicularis, fimbriatus, geckoides, gigas, guttatus, hasselquisti, inunguis, irrosus, laevis, lobatus, mabuia, madagascariensis, marginatus, marmoratus, mauritanicus, mentalis, miniatus, monachus, nipalensis, occipitalis, oceanicus, ocellatus, phyllurus, porphyreus, reevesi, sarroubea, savignyi, smithi, spinicauda, sputator, squalida, surinamensis, triedrus, tuberculatus, verruculatus, virosus. *Vide et Gekko et Geko.*

Gecoides platurus.

Gecus cyanodactylus.

Gegenes heraldus, luridus, pygmaeus, thrax.

Gehyra australis, oceanica, pacifica.

Gekko armatus, ascalabotes, cepedianus, incanescens, maculatus, meridionalis, osbecki, platyrus, stellio, tetradactylus, verus. *Vide et Gekko et Geko.*

Geko walbergi.

Gelada ruppelli.

Gelasima nitida, pugillator, vocans.

Gelasmus annulipes, bellator, bellatrix, belli, chlorophthalmus, coeruleus, coniformis, crassipes, cultrimanus, forceps, forripatus, macrodactylus, marionis, minor, nitidus, platydactylus, porcellanus, robustus, stenodactylus, tangeri, telescopicus, tenuimanus, tetragonon.

Gelechia acuminatella, aethiops, affinis, alacella, atrella, basaltinella, bifractella, cautella, cinerosella, continuella, costella, costiguttella, desertella, deterrentella, diaphanella, diminutella, distinctella, divisella, dryadella, flavipalpella, fugacella, fugitivella, fumatella, gerronella, huebueri, humeralis, immaculatella, incretella, inomatella, instabilella, internella, isabella, lamprostoma, lentiginosella, leucomelanella, littorella, lucidella, maculiferella, mundella, murinella, neuropterella, nigrinotella, nigritlella, nigrovitella, notatella, obsoletella, paupella, pernigrella, plantariella, plebejella, proximella, pruinosa, pullatella, pulliginella, remissella, rimbombella, salinella, scabidella, segetella, serrulatella, suffusella, tamariciella, tenerella, vilella, violacea, walkeriella.

Gelis abbreviator, acarorum, agilis, atricapillus, brachypterus, clavipes, cursitans, fasciatus, festinans, frontalis, hemipterus, micropterus, nigrocinctus, pedestris, pedicularis, pulcarius, ruficornis, rufogaster.

Gellina affinis.

Gelochelidon agraria, anglica, aranea, balthica, meridionalis, palustris.

Gematis albiventris, barbata, bisignata, brevicollis, brunnicollis, bufo, caligiouosa, castanea, cephalotes, cinnamomea, clavipalpis, cribrosa, dorsalis, ferruginea, flavipes, fuscicollis, fuscoaenea, geniates, grandicornis, grisea, hepatica, iridicollis, lanata, lata, lineato-collis, luteipennis, maculata, marginicollis, melanocephala, nigriceps, nigrifrons, nitida, nitidicollis, obscura, obtusa, pallens, palleola, pallipennis, picea, pulverosa, punctulata, rana, rauca, rugiceps, rugicollis, signata, silacea, sinuata, subaenea, subcostata, substriata, sulcatula, suturalis, thoracica, variceps, venusta.

Gemellaria loriculata.

Gemicellaria bursaria, loriculata.

Gemmastraea limbata.

Gemmatis nigrifrons, oblonga.

Gemmatophora barbata, muricata.

Gemmipora abrotonoidea, asperrima, brassica, cinerascens, crater, cristata, cyathiformis, frondeus, fungiformis, infundibulum, mesenterina, patula, peltata.

Gempylus coluber, promethus, serpens, solandri.

Gena asperulata, auricula, irasata*, lineata, minima, nebulosa, nigra, ornata, planulata, plumbea, pulchella, striatula, strigosa, varia.

Genabacia stellata.

Genea maculiventris.

Genetta afra, bondar, cauda nigricante, fasciata, felina, fossa, genetta, geoffroyi, hermaphrodita, indica, lisang, pardina, poensis, richardsoni, senegalensis, striata, tigrina, villosa, vulgaris.

Geniates abdominalis, assimilis, australis, barbatus, carbouaria, castaneus, catoxanthus, clavipalpus, collaris, cornutus, cylindricus, dispar, distans, fallax, ferrugatus, flavolineatus, laticeps, opacus, pallidus, pruinosis, quinquepunctata, signatus, spinolae, testacea, variabilis, verticalis.

Genicanthus lamarcki, tricolor.

Geniocerus cynipidum, erythrophthalmus, minimus.

Gennaues albocristatus, crawfurdi, cuvieri, fasciatus, latham, leucomelanos, lineatus, mutbura, nyctbemerus, purpureus, wallichi.

Genot mitreiformis.

Gentastoma coarctata.

Genuchus cruentus, elongatulus, elongatus, bottenottus, laevis, sanguinolentus.

(Genus non det.) pellucida, piceum, signiferum.

Genyodonta bicolor, flavo-maculata, trivittata, umbonata.

Genyoro notata.

Geobaenus arenarius, atrimediis, australasiae, congener, cordicollis, lateralis, lugubris, neglectus, quadricollis, ruficrus, rupestris, tibialis.

Geobasileus chrysorrhous, reguloides.

Geobates brevicauda.

Geobatus *apicidius*.

Geobdella *trochetti*.

Geobius *barbarus*, *capreolus*, *cornifrons*, *dorcus*, *gazella*, *kunzei*, *plagiatus*, *pubescens*, *tricornis*.

Geoborus *costatus*, *lividipennis*, *obtusus*.

Geocharis *thoracica*.

Geochelone *boiei*, *denticulata*, *gigantea*, *pardalis*, *perraulti*, *rotunda*, *schweiggeri*, *stellata*, *suleata*, *tabulata*, *vosmaeri*.

Geocichla *albogularis*, *badius*, *castanea*, *citrina*, *innotata*, *interpres*, *poliocephala*, *rubecula*, *rubiginosa*, *terrestris*, *vanikorensis*. *Vide et Geocichla*.

Geococcyx *affinis*, *mexicanus*, *variegata*, *velox*, *viaticus*.

Geocolaptes *arator*, *olivaceus*, *terrestris*.

Geocoma *carinata*.

Geocoraphus *mirafra*.

Geocoris *albipennis*, *atra*, *grylloides*, *lapponica*.

Geocrinus *moniliformis*.

Geocyon *lalandei*.

Geodia *audouini*, *cydonium*, *gibberosa*, *pyriformis*, *zetlandica*.

Geodromus *dumolui*.

Geomyda *spengleri*, *spinosa*.

Geoffroyus *batavensis*, *cyanicollis*, *personatus*.

Geokichla *singularis*. *Vide et Geocichla*.

Geomalacus *maculosus*.

Geomelania *affinis*, *conica*, *costulosa*, *elegans*, *exilis*, *expansa*, *jamaicensis*, *fortis*, *gracilis*, *magna*, *media*, *minor*, *pauperata*, *procera*, *striosa*, *typica*, *vicina*.

Geometra *absinthiata*, *aemulata*, *aestimaria*, *aestivaria*, *albo-viridaria*, *alpestrata*, *alternaria*, *ambustaria*, *amniculata*, *annexata*, *antophilaria*, *apiciaria*, *aptata*, *apteraria*, *aquata*, *aqueata*, *arenosaria*, *areolaria*, *argentata*, *asbestaria*, *asperaria*, *auritaria*, *austerata*, *banksiaria*, *bidentaria*, *bifidaria*, *bischofiaria*, *bitaeniaria*, *boisduvalaria*, *boreata*, *breviculata*, *calcearia*, *caliginearia*, *canaria*, *cancellaria*, *canitiaria*, *castigata*, *cerasulata*, *certata*, *chalybeata*, *chaonaria*, *chenopodaria*, *chlorata*, *cbrysitaria*, *cineraria*, *circutaria*, *citriaria*, *cloraria*, *clusterata*, *collata*, *columbata*, *commutata*, *commutataria*, *connectaria*, *contaminaria*, *conversaria*, *cordicaria*, *coronata*, *cornuillaria*, *cunica*, *cupestrata*, *cupressata*, *cyanata*, *dealbata*, *debiliata*, *debilitata*, *degenerata*, *denotata*, *destrigaria*, *dianaria*, *didymaria*, *diospyraria*, *distrigaria*, *ditaria*, *donzelaria*, *dupitaria*, *duplicata*, *duponchelaria*, *efflorata*, *emucidaria*, *emutaria*, *etruscaria*, *evonymaria*, *exalbata*, *exiguata*, *falcataria*, *ferrugaria*, *fibriolaria*, *firmata*, *flaveolaria*, *flaveolata*, *flaviciuctata*, *fulvata*, *fumaria*, *fumidaria*, *fuscantaria*, *fuscaria*, *genearia*, *gesticularia*, *graminaria*, *grandaria*, *gyraria*, *gyrata*, *bastulata*, *herbaria*, *hubneraria*, *hybridata*, *hydrata*, *ilicaria*, *imbutata*, *implicaria*, *impurata*, *maequaria*, *incompletaria*, *inconspicuaria*, *incurcata*, *indigata*, *innotata*, *inturbata*, *irriguata*, *irrorata*, *jacularia*, *jourdania*, *juliaria*, *lacernaria*, *lapidata*, *lentiscaria*, *limbaria*, *limosaria*, *lobulata*, *lucidaria*, *luctuaria*, *lycaenaria*, *madecassaria*, *mangiferaria*, *mediaria*, *minorata*, *modicata*, *modicata*, *multistrigaria*, *multundata*, *mundata*, *munitata*, *mucosata*, *nanata*, *nespertata*, *nexata*, *niduaria*, *nolaria*, *nycthemeraria*, *obtusaria*, *ochraria*, *ochreata*, *olivaria*, *opacaria*, *operaria*, *ornata*, *ornatoria*, *ostrinaria*, *partitaria*, *peletieraria*, *pennigeraria*, *pennulataria*, *peribolata*, *picata*, *picearia*, *pimpenellata*, *plumbaria*, *porrinata*, *praeformata*, *prasinarum*, *pravata*, *primaria*, *prosapiaria*, *pulverata*, *pumilata*, *punctaria*, *punctularia*, *pygmaearia*, *pyropata*, *quercaria*, *quinquaria*, *renitidata*, *renularia*, *residuata*, *rippertaria*, *rivata*, *rotundaria*, *ruficostata*, *sabaudiata*, *sabinata*, *salicaria*, *sartata*, *satyrata*, *sericeata*, *serrata*, *sertata*, *signaria*, *signata*, *simulata*, *sobrinata*, *sorditaria*, *sororiata*, *sparsaria*, *spartiata*, *stictaria*, *stragulata*, *strobilata*, *subaerata*, *subangulata*, *suberaria*, *sublunaria*, *subnotata*, *sudataria*, *sutataria*, *sylvestrata*, *taeniolaria*, *tenebraria*, *teneraria*, *tenuiata*, *tessularia*, *testacea*, *tetragonaria*, *tiliaria*, *togata*, *torvaria*, *transversata*, *trepidaria*, *trifoliaria*, *trinotata*, *tumidaria*, *turbidaria*, *umbellaria*, *umbraria*, *undentaria*, *Unigraria*, *valerianata*, *vauaria*, *venetaria*, *vernaria*, *vespertata*, *viduaria*, *vincularia*, *virgaria*, *vittaria*, *vulgaris*.

Geomorus sulcirostris.

Geomys borealis, bulbivorus, bursarius, cinerea, douglasi, ~~drumppadi~~, fuliginosus, mexicanus, pinetis, talpoides, townsendi, umbrinus.

Geomyza abdominalis, angustipennis, arcuata, bipunctata, combinata, consobrina, dubia, flava, marginella, minatrix, nebulosa, obscurella, pallida, pallipes, quaterna, rufescens, socculata, terminalis, trimaculata, tripunctata, ungvicella, unipunctum, ventralis.

Geonema gordinea.

Geonemus agrestis, alternans, amictus, arrogans, bidentatus, cribrarius, flabellipes, gemmans, geoffroyi, illaetabilis, insignis, le guilloui, murinus, octotuberculatus, quadrinodosus, quadrituberculatus, striato-punctatus, tuberculatus, uniformis, virgatus.

Geopelia cuneata, humeralis, lineata, maugeus, placida, striata, tranquilla.

Geophagus acuticeps, altifrons, cupido, daemon, jurupari, leucostictus, megasema, pappaterra, surinamensis.

Geophaps plumifera, plumiferus, scripta, smithi, versicolor.

Geophilus (A.) carunculatus, cyanocephalus, nicobarica.

Geophilus (Col.) angustatus.

Geophilus (Myr.) acuminatus, algericus, algerium, ambiguus, attenuatus, barbaricus, breviceps, brevicornis, brevilabiatum, canaliculatus, carpophagus, concolor, crassipes, cumingi, dubius, electricus, ferrugineus, fusatus, gabrielis, gracilis, guildingi, guillemini, hopei, hortensis, humuli, inpressus, laevigatus, lefebvrei, linearis, lineatus, longicornis, longissimus, mandibularis, maritimus, maxillaris, microcephalus, millepunctatus, nemorensis, occidentalis, phosphoreus, proavus, proximus, punctifrons, punctilabrum, punctiventris, rubens, rubrovittatus, rugulosus, sanguineus, savignyanus, similis, simplex, spinatus, subterraneus, subtilis, sulcatus, suturalis, vesuvianus, viridipes, walckeraeri, walknaeri, whitei, xanthinus.

Geopicos agricola, arator, auratus, campestris, campestroides, fernandinoe, mexicanoides, rivoli.

Geopinus incrassatus.

Geoponus areolatus, stella borealis.

Geoprites americana, boloniensis, intermedia, interstincta, lonsdalei, phillipsi, placenta, porosa, pyriformis.

Geopyris hemiptera.

Georgicus sanguinipennis.

Georhynchus coecutiens, damarensis, holosericeus. *Vide et Georychus.*

Georissus bisulcatus, canaliculatus, costatus, dubius, incisus, integro-striatus, laesicollis, major, mutilatus, punctatus, pygmaea, spinicollis, substriatus, sulcatus, tenuis-punctatus, trifossulatus. *Vide et Georyssus.*

Georychus albiovittatus, aspalax, borealis, capensis, fuscocapillus, hudsonius, lagurus, laponicus, luteus, maritimus, murinus, norwegicus, rufescens, talpinus, torquatus, typhlus, vittatus, zokor. *Vide et Georhynchus.*

Georyssus caelatus. *Vide et Georissus.*

Georyx corticea, cursoria, segetum, unicolor.

Geosaurus bollensis, maximus, mitchilli, soemmerringi.

Geoscolex maximus.

Geositta anthoides, breviceauda, cunicularia, maritima, peruviana, tenuirostris.

Geospiza cyaneovirens, denticirostris, dubia, fortis, fuliginosa, magnirostris, nebulosa, parvula, peruviana, prasina, strenua.

Geoteuthis bollensis, flexuosa, hastata, lata, obconica, orbignyana, sagittata, speciosa.

Geothlypis aequinoctialis, leucocephala, stragulata, trichas, velata.

Geotragus himalayanus.

Geotriton fusca.

Geotrochus ferussaci, glebula, multicarinata, obtusus, papuensis, pileiformis, pileolus, pileus, pyramidella, secans, touffeti, turriculatus, velutinata, vitracea, zonatus.

Geotrupes aegeon, agenor, ajax, alpinus, amoethysticus, anachoreti, aphodioides, arator, arcas, armatus, assimilis, aterrimus, australasiae, bannani, bicolor, blackburni, bronchus, cadmus, caspius, caucasicus, chalconotus, chalybaeus, chiron, chorinaeus,

claudius, cœdrus, cœnatus, cœruseans, corydon, crassipes, crassus, crenatus, cricetus, croesus, cuniculus, dasypleurus, dentatus, dentifrons, depressus, digitalia, douei, ebenus, endymion, exaratus, excrementi, ferrugineus, filicornis, fimosus, foveatus, fulgidus, ganymedes, geminatus, gideon, globator, grypus, hemisphaericus, hiostius, holomelanus, hoppei, hypocrita, ianus, iephta, impressus, inaequalis, inermis, iphicius, itys, jason, juvenis, juvenilis, laborator, laevicollis, laevigatus, laevis, laterideus, laticollis, latus, lethroides, licas, lugubris, medon, melampus, meles, micanticollis, militaris, mobilicornis, molestus, momus, monoceros, morator, mutator, neptunus, niger, nigrinus, obscurus, orientalis, parvus, pensylvanicus, perseus, philoctetes, phorbanta, planatus, platypterus, plebeius, politus, proaeus, punctatissimus, punctatostriatus, puncticollis, putridorius, pygmaeus, retusus, rusticus, sarpedon, scorticorium, semiramis, serotinus, splendens, splendidus, stercorarius, subarmatus, sublaevigatus, subrugulosus, substriatus, subviolaceus, subvirescens, syeophanta, sylvaticus, tarandus, thoracicus, tityus, tricornis, truncatus, tuberosus, typhaeus, vallatus, varians, vernalis, veter, vetustus, violaceus, virescens, webbiana, xantus.

Geotrygon montana, sylvatica.

Geotrypus acutidens*, antiquus*.

Geovula midae.

Geranarchus pavonia.

Gerania bosci.

Geranoaetus agaja.

Geranomys maculipennis, unicolor.

Geranospiza gracilis, niger.

Gerarda bicolor.

Gerastos brongiarti, concinnus, cornutus, globiceps, granulatus, laevigatus, schusteri, sphaericus.

Gerbillus aegyptius, afra, apicalis, auricularis, brachyurus, brantsi, brevicaudatus, burtoni, caffer, canadensis, cuvieri, dasyurus, daviesi, erythroua, hardwicki, hudsonius, indicus, labradorius, lacernatus, leonurus, longicaudatus, lybicus, macrourus, megalops, melanurus, meridianus, microcephalus, montanus, musculus, namaquensis, nidicus, opinus, otarius, paeba, pallasi, pygargus, pyramidum, robustus, shawi, soricinus, tamaricinus, tamariscus, tenuis.

Germaria (Dipt.) latifrons.

Germaria (Hem.) cristata, cucullata.

Geron australis, dispar, gibbosus, halteralis, holosericeus, olivieri, rufipes, senilis.

Geronia vetusta.

Geronticus aethiopicus, caerulescens, calvus, carunculatus, caudatus, cayanaensis, comatus, cristatus, egretta, erythrorhynchus, gonocephala, hagedash, infuscatus, melanocephalus, melanopsis, nippon, olivaceus, oxycercus, papillatus, papillosus, rufus, spinicollis, strictipennis.

Gerranus tankervilleae.

Gerres abbreviatus, aprion, argyreus, bilobus, brasilianus, equula, filamentosus, gula, limbatus, lineatus, lucidus, oblongus, oyena, peruvianus, plumieri, poeti, poietii, punctatus, rhombus, richi, sepiformis, subfasciatus, vaigiensis, zebra.

Gerrhonotus burnetti, coeruleus, deppei, imbricatus, kingi, lichenigerus, liocephalus, multifasciatus, rudicollis, taeniatus, tessellatus, weigmanni.

Gerrhopilus ater.

Gerrhosaurus bibroni, bifasciatus, flavigularis, lineatus, oculatus, subtessellatus, typicus, vallidus.

Gerris abbreviata, annulatus, apicalis, aptera, argentata, armata, aterrima, brachypteryx, canaliculatus, canalium, denticollis, errans, erraticus, gibbifera, lateralis, laticaudata, marginatus, nana, odontogaster, pausarius, phaeoptera, producta, quinquespinosus, remigis, rivulorum, rufo-scytellata, serripes, thoracica, variabilis, varicornis.

Gervilia alaeformis, atala, consobrina, difficilis, enigma, forbesiana, modiolaris, subaviculoides, subleta, zietenii.

Gervillea keratophaga, socialis, solenoidea.

- Gervillia** *acuta*, *alaeformis*, *anceps*, *angulata*, *angusta*, *angustata*, *anomalala*, *arenaria*, *aurita*, *aviculoides*, *brevis*, *bronni*, *costulata*, *crassa*, *dentata*, *elongata*, *fittoni*, *glabrata*, *gracilis*, *hagenowi*, *hartmanni*, *inconspicua*, *inflata**, *intermedia*, *johannis austriacae*, *laevigata*, *laminosa*, *lanceolata*, *lata*, *linguloides*, *lunulata*, *minor*, *monotis*, *mytiloides*, *obtusa*, *pernoides*, *primaeformis*, *reichei*, *renauxiana*, *siliqua*, *sobralensis*, *squamosa*, *tetragona*, *tortuosa*, *triloba*.
- Gerydus** *symethus*.
- Gerygone** *albofrontata*, *albogularis*, *brevirostris*, *chloronotus*, *culicivorus*, *flaviventris*, *igata*, *levigaster*, *magnirostris*.
- Geryon** *tridens*.
- Geryonia** *appendiculata*, *balearica*, *bicolor*, *dinema*, *equorea*, *exigua*, *hemisphaerica*, *hexaphylla*, *minima*, *octona*, *pellucida*, *planata*, *proboscidalis*, *rosacea*, *tetraphylla*.
- Geryonopsis** *delicatula*.
- Gesneria** (Dipt.) *agrestis*, *albifrons*, *aurifacies*, *aurifrons*, *brunicans*, *campestris*, *cinerea*, *claripennis*, *erythropera*, *floralis*, *fuliginosa*, *grisea*, *griseo-flavescens*, *luteiformis*, *musca*, *rapida*, *riparia*.
- Gesneria** (Lep.) *canellalis*, *centurionalis*, *dubitalis*, *mercurialis*.
- Geta** *lacordairei*.
- Ghilianella** *filiventris*.
- Gibberula** *zonata*.
- Gibbium** *americanum*, *bicolor*, *sulcatum*, *sulcicollis*.
- Gibbula** *bicolor*, *cinerea*, *desserea*, *discors*, *lineata*, *magus*, *mediterranea*, *morio*, *pygmaea*, *reticulata*, *rupestris*, *sanguinea*, *schroeterius*, *striata*, *tuberculata*, *tumida*, *variegata*, *verticosa*.
- Gibbulina** *filosa*, *inflata*, *infundibuliformis*, *iulus*, *lyonnetiana*, *modiolina*, *modiolus*, *pagoda*, *palanga*, *palangula*, *sulcata*, *versipolis*.
- Gibbus** *antoni*, *lyonnetianus*, *lyonneti*, *obtus*.
- Gibelion** *abramoides*, *bobree*, *catta*, *nancar*, *potail*.
- Gigamyia** *gigantea*.
- Gilbertsocrinites** *americanus*.
- Gilbertsocrinus** *bursa*, *calcaratus*, *mammillaris*.
- Gindalia** *bennetti*.
- Ginglymostoma** *cirratum*, *concolor*.
- Giraffa** *camelopardalis*.
- Girella** *punctata*.
- Giroidina** *punctata*. *Vide et Gyroidina*.
- Gitocrangon** *granulatus*.
- Gitona** *distigma*.
- Glabella** *bifasciata*, *caerulescens*, *fabia*, *goodalli*, *limbata*, *nubicola*, *ruffina*.
- Gladiolites** *geinitzianus*.
- Glaea** *rubricosa*, *satellita*, *subnigra*, *vaccinii*.
- Glandarius** *germanicus*, *iliceti*, *pictus*, *septentrionalis*.
- Glandina** *algira*, *arcuata*, *aurata*, *bruguieri*, *bullata*, *carminensis*, *coulteri*, *cumingi*, *curvilabris*, *cyantostoma*, *cylindracea*, *dilatata*, *episcopalis*, *fimbriata*, *follicularis*, *folliculus*, *fulminea*, *glandula*, *glans*, *gracilis*, *griffithi*, *huegeli*, *jamaicensis*, *leucozonias*, *ligulata*, *maculata*, *marminii*, *meridana*, *monilifera*, *nigricans*, *obtusa*, *oleacea*, *oliva*, *olivacea*, *onychina*, *ottonis*, *paragramma*, *perroteti*, *peruviana*, *phillipsi*, *poireti*, *rosea*, *rubella*, *semistriata*, *semisulcata*, *sericina*, *sicilis*, *solidula*, *striata*, *subulata*, *suturalis*, *truncata*, *ventricosula*, *venusta*, *voluta*.
- Glandiolus** *gradatus*.
- Glandulina** *abbreviata*, *angulata*, *conica*, *cylindracea*, *cylindrica*, *discreta*, *glans*, *haidingerina*, *incisa*, *laevigata*, *nitida*, *nitidissima*, *nodosa*, *nucula*, *ovalis*, *ovula*, *rotundata*, *subconica*.
- Glans** (G.) *major*, *minor*, *trapezia*.
- Glaphyra** *amaena*, *glarea*, *lusitanica*, *obliterata*, *parallela*, *pura*, *semiusta*.
- Glaphyria** *perlucidalis*, *sesquialis*.
- Glaphyrorhynchus** *aalensis*.

- Glaphyrus** *abdominalis*, *bombylius*, *festivus*, *fulgidus*, *globulicollis*, *hirta*, *meleagris*, *melis*, *nucans*, *nitidulus*, *olivieri*, *oxypterus*, *ruipennis*, *serratula*, *varians*, *viridicollis*.
- Glareola** *australis*, *cinerea*, *cuneicauda*, *gangetica*, *geoffroyi*, *grallaria*, *grisea*, *isabella*, *lactea*, *limbata*, *megapoda*, *melanoptera*, *nipalensis*, *nordmanni*, *nuchalis*, *orientalis*, *pallasi*, *pratinctula*, *thermophila*, *torquata*.
- Glaucea** *caesia*, *coerulea*, *hyalina*, *ovata*, *rubens*.
- Glaucia** *azarae*, *brasiliensis*, *cinereus*, *dominicus*, *hirsutus*, *longirostris*, *margaritaceus*, *ruher*, *ruicollis*, *thaumatias*.
- Glaucidium** *athene*, *dasyptus*, *elata*, *gnoma*, *nana*, *passerinum*.
- Glaucion** *claugula*, *islandicum*.
- Glaucis** *aquila*, *hirsutus*, *leucurus*.
- Glaucoma** *nigricans*, *scintillans*, *viridis*.
- Glaucomyias** *melanops*, *thalassina*, *thalassoides*.
- Glaucionella** *adamsi*, *glauca*, *viridis*.
- Glaucanome** (Cr.) *leucopis*.
- Glaucanome** (L.) *angulata*, *cerea*, *chinensis*, *corrugata*, *curta*, *radiata*, *rugosa*, *straminea*, *virens*.
- Glaucanome** (Polyz.) *bipinnata*, *hipunctata*, *disticha*, *elliptica*, *gracilis*, *grandis*, *hexagona*, *lina*, *maltzani*, *marginata*, *matrona*, *plana*, *prismatica*, *pulcherrima*, *pyriformis*, *rhombifera*, *spiralis*, *tetragona*, *trifaux*, *undulata*, *virgo*.
- Glaucopis** *aeroxanthia*, *archias*, *argynnis*, *astreas*, *aterrimus*, *bella*, *berbosci*, *boisduvali*, *bombycina*, *bourica*, *cassandra*, *cepheus*, *chrysis*, *chrysogastra*, *coarctata*, *comta*, *cruenta*, *epimenis*, *fenestrata*, *flavicineta*, *formosa*, *fulvicollis*, *ganymede*, *glauca*, *haematica*, *halterata*, *helymus*, *histrio*, *incendiaria*, *infausta*, *ipomoeae*, *irius*, *isis*, *lateralis*, *latreilleana*, *leucopterus*, *leucosticta*, *leucostigma*, *madagascariensis*, *mysis*, *occipitalis*, *omphale*, *phalaenoides*, *phegea*, *pholus*, *polymena*, *postflava*, *pugione*, *pulchra*, *regalis*, *saucyi*, *semidiaphana*, *sericaria*, *sphingidea*, *strigiventris*, *sylvius*, *syntomoides*, *temnura*, *tipulina*, *tristissima*, *varians*, *ventralis*, *vesparia*, *xanthogastra*.
- Glaucopteryx** *caesiata*, *cineraceus*, *cyanata*.
- Glaucosoma** *hebraicum*.
- Glaucostegus** *cemiculus*, *halavi*, *thouini*.
- Glaucothoe** *peroni*.
- Glaucus** (Nud.) *atlanticus*, *bosci*, *distichoicus*, *draco*, *forsteri*, *hexapterygus*, *octopterygius*, *pacificus*, *peroni*, *radiatus*.
- Glaucus** (Pter.) *eucharis*.
- Glaux** *candida*.
- Gleba** *conus*, *crispa*, *crystallina*, *deformis*, *excisa*, *pseudhippopus*, *spiralis*.
- Glenantha** *ripicola*.
- Glenea** *concinna*, *exulta*, *glauca*, *lepida*, *regularis*, *suavis*, *versuta*.
- Glenodinium** *apiculatum*, *cinctum*, *tabulatum*, *triquetrum*.
- Glenophora** *trochus*.
- Glenopteris** *oculifera*.
- Glenopterus** *laevigatus*.
- Glenotremites** *conoideus*, *paradoxus*.
- Glessaria** *rostrata*.
- Gliciphila** *fulvifrons*.
- Gliscebus** *murinus*, *rufus*.
- Glisorex** *ferrugineus*.
- Globaria** *dejeani*, *latreillei*, *minuta*, *nitida*, *oblongopunctata*, *striato-punctata*, *subaenea*.
- Globator** *nucleus*, *petrocoriensis*.
- Globicephalus** *intermedius*, *melas*.
- Globiceps** *capito**, *clavatus*, *gracilis*, *variegatus*.
- Globiconcha** *coniformis*, *elongata*, *fleuriausa*, *marrotiana*, *oliva*, *ovula*, *planata*, *rotundata*.
- Globicornis** *fulvipes*, *ruftarsis*.
- Globigerina** *bilobata*, *bullobates*, *canariensis*, *concinna*, *confluens*, *cretacea*, *depressa*, *diplostoma*, *dutertrei*, *elevata*, *elongata*, *fragilis*, *gibba*, *globosa*, *globularis*, *helicina*, *hirsuta*, *inflata*, *parisiensis*, *punctulata*, *quadrilobata*, *regularis*, *rotundata*, *rubra*, *siphonifera*, *trigonula*, *triloba*, *trilobata*, *trilocularis*, *trochoides*.

- Globiocephalus** affinis, macrorhynchus, sieboldi, vineval.
- Globites** brongniarti, constrictus, divisus, dorsalis, fasciatus, granuliferus, heterophyllus, loscombei, minutus, ovatus, papyraceus, reniformis, striatus, sublaevis, tumidus, undulatus.
- Globocoris** globus, impressus.
- Globosum** globosum.
- Globulina** (Inf.) circumfluens, exilis, termo.
- Globulina** (Rh.) acuta, aequalis, australis, caribaea, clavata, discreta, elliptica, horrida, inaequalis, irregularis, minuta, oblonga, punctata, rugosa, spinosa, tuberculata, tubulosa.
- Globulodus** elegans.
- Globulus** acuta, ambulacrum, anguliferus, conoideus, depressus, helicoides, labellatus, nobilis, obtusus, patula, sigaretina, smithi, versicolor, vetustus, willemeti.
- Glochina** autumnalis, frontalis, sericata, stigmatica.
- Gloma** acuticornis, bistigma, fuscipennis, palpata, phtia.
- Glomeridesmus** porcellus.
- Glomeris** albocincta, annulata, aurita, castaneus, cingulata, concinna, connexa, conspersa, flavomaculata, fuscomarmorata, guttatus, hexasticha, hispanica, irrorata, klugi, lepida, limbata, maculata, marginatus, marmorata, marmorea, multistriata, nobilis, ornata, ovalis, ovatoguttata, ovatus, plumbeus, porphyrea, proximata, pulchra, pustulatus, quadrifasciata, quadripunctata, rufoguttata, stellifera, sublimbata, subterranea, testaceus, tetrasticha, transalpina, undulata, zonata.
- Glossina** longipalpis.
- Glossiphonia** algira, arcuata, bicolor, bioculata, carenae, catenigera, circulaus, eacbana, heteroclitia, lineata, marginata, oniscus, paludosa, perata, sanguinea, sexoculata, succinea, swampina, tessellata, tuberculata.
- Glossobdella** bioculata, carenae, complanata, byalina, lineata, oniscus, paludosa, swampina.
- Glossocolex** giganteus.
- Glossodon** harengoides, heterurus, smithi.
- Glossodoris** bertholeti, verrucosa.
- Glossodus** forskali, lingua-bovis, marginatus.
- Glossoliga** fuscus, poireti.
- Glossophaga** amplexicauda, amplexicaudata, brevicaudata, caudifer, diphylla, ecaudata, megalotis, nigra, soricina, villosa.
- Glossophora** punctata, tricolor, tuberculata.
- Glossopora** circulans, byalina.
- Glossosoma** boltoni, fimbriata.
- Glottella** armigera.
- Glottis** albicollis, chloropus, fistulans, floridanus, glottoides, grisea, borsfieldi, melano-leuca, natans, nivicula, semipalmata, stagnatilis, vigorsi.
- Glottula** encausta, panerati.
- Gluphisia** crenata.
- Glycemeris** apinensis.
- Glycera** alba, albicans, capitata, fallax, meckeli, polygona, pusilla, rouxi, setosa, syphonostoma, unicornis.
- Glycia** cingulata, dimidiata, fasciata, karelini, ornata, unicolor, virgata.
- Glycimeris** angusta, arctica, byssifera, caspica, colorata, incrassata, incrustata, laeviuscula, margaritacea, ovata, pallasi, plicata, rufa, rugosa, siliqua, vagina, vitrea.
- Glyciphagus** feculorum, bippopodes.
- Glyciphila** agilis, albifrons, aurita, fasciata, fusca, leucopbaea, melanops, ocularis, subocularis.
- Glycyphagus** prunorum.
- Glycyphana** aeruginosa, argentea, aterrima, aurulenta, behri, binotata, conspersa, cuculus, fasciata, horsfieldi, impar, kuperi, macquarti, modesta, oetbiessida, plagiata, quadricolor, swainsoni, tricolor, varicorensis.
- Glyphe** autumnalis.
- Glyphea** bronni, crassula, dressieri, elongata, fuciformis, grandis, bauensteini, intermedia, laevigata, liasina, mandelslobi, minuta, modestiformis, muensteri, ornata, pustulosus, regleyana, rostrata, speciosa, udressieri, veltheimi, ventrosa, verrucosa, vulgaris.

Glyphidotaulius pellucidus, umbraculum.

Glyphiptera adpersana, boscana, cerusana, cotini, ferrugana, literana, nebulana, permutana, radiana, scabrana, spectrana, squamana, sudorana, treveriana, tripunctana, ulmana, umbrana.

Glyphipterix aillyella, humerella, linneella.

Glyphipteryx auroguttella, bimaculella, eximia, metallella, roesella, schaefferella, subcuprella, variella, zinckella.

Glyphis hastalis, subulata, unguolata.

Glyphisia caudana, effractana, emargana, excavana, ochraceana.

Glyphisodon abdominalis, anabatoides, antjerus, ater, aureus, balinensis, bankieri, behni, bengalensis, biocellatus, breviceps, brownriggi, chrysurus, cirassao, coelestinus, cyaneus, dicki, glaucus, kahaiteel, lacrymatus, leucogaster, leucopomus, limbatus, luridus, macrogaster, macrolepidotus, margariteus, marginatus, melas, modestus, moucharra, nigroris, phaiosoma, puuctulatus, quadrifasciatus, rahiti, sargoides, saxatilis, septemfasciatus, sexfasciatus, sordidus, sparoides, taurus, trifasciatus, unimaculatus, uniocellatus, vaigiensis, waigiensis, zonatus.

Glyphodactyla femoralis, madagascariensis.

Glyphoea neocomiensis.

Glyphorhynchus cuneatus, ruficaudus.

Glypta bicornis, bifoveolata, ceratites, cicatricosa, concolor, erythrogaster, evanescens, flavolineata, fronticornis, haesitator, incisa, mensurator, monoceros, nigripectus, scalaris, sculpturata, subcornuta, teres, vulnerator.

Glypticus affinis, hieroglyphicus, konincki, quercinus, sulcatus.

Glyptocephalus radiatus, saxicola.

Glyptocrinus basalis, decadactylus, expansus, priscus, retiarius.

Glyptoderma vermicularis.

Glyptodon clavicaudatus, clavipes, ornatus, reticulatus, tuberculatus.

Glyptolepis elegans, leptopterus, microlepidotus, orbis, quadrans.

Glyptoma corticinum, costale, crassicorne, denticolle, exile, sculptile.

Glyptopomus minor.

Glyptopterus scrobiculatus.

Glyptosomus costipennis.

Glyptosternon labiatus, pectinopterus, reticulatus, striatus, sulcatus.

Glyptosteus favosus, reticulatus.

Glyptoteles leucocrinella.

Glyptus mobilicornis, sculptilis.

Gnamptodon abbreviatum, aculeatum, dimidiatum, dubium, longicorne, nitens, pygmaeus, ruficauda.

Gnaphlocera lincta.

Gnaphaloryx opacus, tomentosus.

Gnaptor spinimanus.

Gnathaphanus licinoides, thunbergi, vulneripennis.

Gnathia termitoides.

Gnathium flavicolle, francilloni, walckenaeri.

Gnatho (Col.) apicalis, lichtensteini, scoticus, terminalis.

Gnatho (Hym.) achillae, basalis, dispar, maculipennis, nubilipennis, similis.

Gnathobolus aculeatus.

Gnathocera afzelii, amabilis, depressa, feisthameli, flavo-succincta, guttata, hardwicki, hirta, hope, immaculatus, iris, jucunda, melanaria, micans, monoceros, natalensis, nigrita, nigratarsis, olivacea, peteli, smaragdina, trivittata, umbonata, varians, vitticollis.

Gnathocerus cornutus.

Gnathochasmus barbatus.

Gnathocrinites fusiformis.

Gnathodon (A.) marylandica, strigirostris.

Gnathodon (L.) cuneata, flexuosa, grayi, minor.

Gnathophillum elegans.

Gnathophysa labyrinthicus.

- Gnathosaurus** subulatus.
Gnathosia depressicornis, glabra, pulchella, rugipennis.
Gnathostoma spinigerum.
Gnathoxys (Col.) granularis, irregularis.
Gnathoxys (Hym.) marginellus.
Gnathymenus apterus.
Gnatocerus ruber.
Gnatophyllum elegans, tyrhenus.
Gneorimus bartelsi, subcostatus.
Gnidia bipunctata.
Gnoma affinis, autilope, atomaria, bicolor, clavipes, cylindricollis, denticollis, giraffa, hastata, irrorata, jugalis, longicollis, luzonicum, maculipennis, nodicollis, plumigera, purpurea, rugicollis, sanguinea, suturalis.
Gnophos ambiguata, canaria, carbonaria, coronillaria, daubearia, dilucidaria, dubiosata, dumetata, falcouaria, furvaria, furvata, glaucinata, lapidisaria, mucidaria, mucidata, obfuscaria, obfuscata, obscuraria, obscurata, operaria, perspersata, pullaria, pullata, punctularia, punctulata, respersata, sartata, serotinaria, variegata, zelleraria.
Gnophota anthracina, curta, nana.
Gnophria collaris, rubricollis, vittata.
Gnorimus ambiguus, angularis, cordatus, cupreicollis, decempunctatus, dissimilis, immaculatus, juvenus, maculosus, nigricollis, octopunctatus, rupro-cupeus.
Gnoriste apicalis.
Gobiesox bimaculatus, brevirostris, chilenus, marmoratus, nudus, poecilophthalmus, testar, tudes.
Gobio analis, angra, angroides, anisurus, ariza, barbus, bendilisis, bicirrhatus, bicolor, boga, boviaus, canarensis, cataractae, curmuca, damascinus, dussumieri, escocinus, fluviatilis, gobio, hamiltoni, hirticeps, isurus, limnophilus, lissorhynchus, lutescens, malacostomus, mrigala, obtusirostris, pangusia, pargusia, plumheus, quadrimaculatus, reba, ricnorhynchus, tinca, venatus, vulgaris.
Gobioides ruber, rubicundus.
Gobiomore grandicaudata.
Gobiomorus australis, cephalus, pisonis.
Gobius acutipennis, affinis, albimaculatus, albopunctatus, albus, alepidotus, amiciensis, apogonius, ater, aterrimus, auratus, bacalaus, baliuroides, haliurus, bauana, bato, batrachecephalus, bimaculatus, biocellatus, bipunctatus, bishopi, hitelatus, bontii, borneensis, hothriocephalus, brasiliensis, brevivilis, britannicus, brunneus, buccatus, bynoensis, caeruleopunctatus, caeruleus, caninus, capito, caspius, catebus, celebrius, cephalarges, cephalus, changua, chilo, chiloensis, chlorostigma, chlorostigmatoides, chuno, citrinus, coalitus, cohitis, collonianus, commersoni, constructor, coryphaenula, criniger, crista galli, cryptocentrus, cyanoclavis, cyanomos, cyclopterus, diadematus, djiddensis, echinocephalus, ehrenbergi, elegans, eletrioides, elongatus, ehippiatus, erythrophaeos, exanthematosus, fasciatopunctatus, fasciatus, filamentosus, filifer, filusus, flavimanus, flavus, fluviatilis, fuliginosus, fuscus*, fusiformis, geniporus, genivittatus, giuris, gorgione, gcus, gracilis, grammepomus, grandinosus, guamensis, guttatus, gutum, hasta, histrio, interstinctus, kokius, kora, kurpah, lacteus, lagerstroemianus, leioccephalus, lentiginosus, leopardinus, limbatus, linearis, lineatus, longiradiatus, lotta, lugens, lunie, lunieus, macropterus, macrurus, maculatus, maderensis, margariturus, marmoratus, marsio, marsionus, martinicus, mediterraneus, melanis, melanocephalus, melanostigma, melanostomus, melanurus, mertensi, microcephalus, microlepis, microps, modestus, multipinnatus, mystacinus, nebulopunctatus, neglectus, nigellus, nigripinnis, nilssoni, uiveatus, novemradiatus, nudiceps, nunus, ohlongus, olivaceus, ommaturus, ophicephalus, ophiocephalus, ornatus, pallidus, panizzae, papilio, papuensis, pasuruensis, pavoninus, pavonioides, pellucidus, personatus, phaiomelas, phaiosoma, phaiospilosoma, phalaeus, platycephalus, platyrostris, pleurostigma, plinianus, poecilosoma, polycynodon, punctatus*, punctillatus*, punctulatus, pustulatus, quadricapillus, quadrimaculatus, quadriporus, quagga, quinqueocellatus, quinquestrigatus, ratan, reticulatus, ripilepis, rivulatus, rubens, rufus, russeli, russus, ruthensparri, sadanundio, sanguineus, scagiocetus, schloperi,

semicinctus, semibolliatus, semilunaris, septemradiatus, setosus, sinensis, smaragdus, soporator, sordidus, sphynx, spilogonurus, spilurus, stamineus, steveni, stigmothobus, striatus, stuvitzii, subtilis, sueuri, sulcatus, syrman, tajasica, tamooa, temminckii, tentacularis, thunbergii, tredecimradiatus, unicolor, unipunctatus, vagina, venenatus, venetiarum, ventralis, virescens, virgo, viridipallidus, viridipunctatus, viridis, xanthozona, zebrus.

Godartia madagascariensis.

Godonella aestimaria.

Goera basalis, dalmatina, flavipes, fuscata, hirta, immaculata, irrorata, lurida, maurus, nigromaculata, pilosa, pullata, subnubila, vulgata.

Goerius confinis, cyaneus, erythropus, fuscatus, kirbyi, macrocephalus, morio, olens, punctulatus.

Goezia armata.

Goldana atriceps, capistratoides, montana, nigrocapitata.

Goldius costatus, flabellifer, neptuni, subradiatus.

Golema rubromaculata.

Gorgia succincta.

Golus diadema.

Goliath barbicornis, bifrons, melly, sericollis.

Goliathus africanus, auratus, bicornis, bifidus, bifrons, cacticus, daphnis, delesserti, druryi, fasciatus, frontalis, giganteus, grallii, heros, hoepfneri, horsfieldianus, ignitus, inscriptus, irroratus, magnus, marginalis, micans, morgani, opalinus, opalus, polyphemus, princeps, quadrimaculata, regius, rhinophyllus, rufipennis, smithi, splendens, torquatus, tricuspidis, typus, wallichii, wellech, ynca.

Golofa aegeon, claviger, eacus, guildingi, hastatus, humboldti, incas, pelagon, pelops, pizarro, porteri.

Golunda barbara, ellioti, maltada.

Gomeza bicornis.

Gomphia egyptica.

Gomphoceras amphora, bohemicus, cordiforme, fusiforme, halli, politicus, pyriforme, subfusiforme, subpyriforme, transiens, trochoides, ventricosum.

Gomphoceratites calycularis, crenulatus.

Gomphocerus abruptipennis, annulatus, apricarius, barbipes, biguttatus, biguttulus, calidoniensis, caucasicus, clavicornis, cothurnatus, cruciatus, dispar, eichwaldi, elegans, ericetarius, femoralis, grossus, lineatus, melanopterus, miniatus, mollis, montanus, parallelus, parapleurus, pelidnus, rufus, semicolor, sibiricus, sowerbyi, subsinuatus, thalassinus, tricoloripes, variegatus, viridulus.

Gomphodus agassizi.

Gomphosus cepedianus, coeruleus, fuscus, ornatus, pectoralis, tricolor, varius, viridis.

Gomphus assimilis, cognatus, dilatatus, flavipes, flexuosus, forcipatus, grammicus, graslini, guerini, hamatus, koehleri, lefebvrei, lucasi, minutus, notatus, occitanicus, pallidus, pulchellus, pumilo, schneideri, selysi, serpentinus, simillimus, uncatus, unguiculatus, vulgatissimus, zebratus.

Gonactinia prolifera.

Gonambonites aequa, erecta, excavata, inflexa, lata, latissima, maxima, obliqua, oblonga, ovata, parallela, plana, praerupta, quadrangularis, quadrata, reclinata, recta, recurvata, repressa, retroflexa, rotunda, semicircularis, tetragona, transversa.

Gonatocerus ater, flavipes, flavus, longicornis, minimus, parvus.

Gonatodes albigularis, gravenhorstii, laevis.

Gonatonotus pentagonus.

Gonatopus basalis, brevicornis, cephalotes, collaris, crassicornis, cursor, ehippiger, erythrocephalus, flavicornis, formicarius, frontalis, fulviventris, fuscicornis, gracilis, ljunghi, lucidus, lunaris, lunatus, melaleucus, mutillarius, nigriiventris, oratorius, pedestris, pubicornis, pulicarius, rapax, ruficornis, sepioides, similis, thoracicus.

Gonatus amoena.

Gonenion serra.

Goneplax angulata, emarginata, impressa, incisa, latreillei, nitida, rhomboides, transversa, trispinosus.

- Gonepteryx** clorinde, gueneana, lacordairei, leachiana, lycorias, lyside, mactanla, nepalensis, rhamni, verhuelli, wallichi.
- Gongylocormus** bivirgatus.
- Gongylomorphus** bojeri.
- Gongylophis** conica.
- Gongylosoma** bahiadeira.
- Gongylus** (Hem.) gongulodes, guttulus, lobatus, marginatus, mendicus, nasutus, pauperatus, pennatus.
- Gongylus** (Orth.) melanogastricus.
- Gongylus** (R.) bojeri, capensis, mabuya, ocellata.
- Gonia** albifrons, angusta, angustata, atra, auriceps, bicincta, bimaculata, bombylians, capitata, chilensis, chilonis, chinensis, crassicornis, divisa, fasciata, fasciventris, flaviceps, foersteri, gallica, hebes, heterocera, javana, lateralis, latifrons, lusitanica, maritima, melanura, milias, nervosa, nigra, nudifacies, olivieri, ornata, pallens, philadelphica, picea, picta, puncticornis, rectistylum, rubeus, simplex, spatulipennis, tessellata, trifaria, vacua, vicina, virescens, viridescens, vittata.
- Goniacanthus** abbreviatus, partschi.
- Goniada** emerita, maculata, minuscula, norvegica.
- Goniadera** crenata, impressa.
- Goniapteryx** tullia.
- Goniaroea** alpina, elegans.
- Goniaspidius** brevis, canaliculatus, cylindricus, depressus, elongatus, variabilis.
- Goniaster** abbensis, angustatus, bowerbanki, compactus, comptoni, coombi, couloni, cuspidatus, elegans, equestris, hunteri, jurensis, latus, lunatus, mantelli, marginatus, mosaicus, nodosus, parkinsoni, pentagonula, porosus, quinqueloba, rectilineus, regularis, reticulatus, rugatus, sebae, smithi, stokesi, sublunatus, templetoni, tessellatus, tuberculatus, uncatus.
- Gonistrea** bournoni, cerium, eximia, formosissima, grayi, parvistella, planulata, quoyi, retiformis, rudis, sinuosa, solida.
- Goniates** acutoseptatus, acutulus, acutus, aequabilis, aequilobatus, affinis, ammon, angustiseptatus, angustus, annulatus, apertus, armatus, arquatus, atratus, auris, ausavenis, barbotanus, beaumonti, becheri, bicostatus, bidorsalis, bidorsatus, biferus, biimpressus, bilanceolatus, binodosus, bisulcatus, blumi, bogdoanus, browni, browni, buchi, bucklandi, calculiformis*, calyx, canadensis, canalifer, cancellatus, carbonarius, carina, carinatus, ceratitoides, cinctus, clavilobus, clymeniaeformis, complicatus, compressus, constrictus, contiguus, cornuarietis, costatus, costulatus, cottai, crenistria, cucullatus, cyclolobus, danneubergi*, decoratus, discors, discrepans, discus, divisus, dorsalis, dufrenoyi, eryx, evolutus, excavatus, expansus, falcifer, fasciculatus, foraminosus, friesei, furcatus, gerolsteinensis, gibsoni, gilbertsoni, glaucus, globosus, gracilis, granosus, haidingeri, haueri, henslowi, hoeninghausi, humboldti, hybridus, implicatus, incertus, inconstans, infrafurcatus, insignis, intercostalis, intermedius, interruptus, iris, jossae, jugleri, jugosus, kenyon, kingianus, koniuckianus, lateseptatus, latestriatus, latus, lenticularis, linearis, listeri, longthorni, looneyi, lunulicosta, mamillifer, marianus, maximus, micronotus, minutissimus, mixolobus, multilobatus, multiseptatus, mutabilis, nitidus, nodosus, noeggerathi, nummularius, obscurus, obtusus, orbicularis, orbiculus, orbignyanus, ornatus, ovatus, ovoideus, paradoxus, parvus, paucilobus, pauciseptatus, paucistriatus, pessoides, petraeos, pisum, planidorsatus, planus, platylobus, pressli, pressoseptatus, primordialis, princeps, priscus, profundoseptatus, proteus, prumiensis, punctatus, quadripartitus, radiatus, reticulatus, retrorsus, roemeri, rosthorni, rotatorius, rotiformis, serpentinus, serratus, siluricus, simplex, simpliciseptatus, sinuosus, smithi, soboleskianus, solarioides, speciosus, sphaericus, sphaeroidalis, sphaeroides, spiralis, spirorbis, spirulaeformis, splendidus, spurius, stenolobus, strangulatus, striatulus, striatus, striolatus, subarmatus, subbilobatus, subcarinatus, subevexus, subglobosus, subinvolutus, sublaevis, sublinearis, subnautilinus, subnodosus, subpartitus, subsulcatus, sulcatus, suprafurcatus, tenuissimus, tenuistriatus, transitorius, tridens, tripartitus, trullatus, truncatus, tuberculosus, uchtensis, umbilicatus, undulatus, undulosus, ungeri, uniaingularis, verneuili, vesica, vinctum, vittiger, wissmanni, wurmi.

- Gonibregmatus** ~~erostigi~~, walckenaeri.
Gonichthys loricatus*.
Goniclis dubia, elliptica.
Goniocephalus granulatus.
Gonioceras anceps.
Goniocidaris geranioides, quoyi.
Goniocoenia numisma.
Goniocotes astrocephalus, coupar, curtus, dispar, falcicornis, helogaster, stylifer.
Gonioctena clymene, japeti, quatuordecimpunctata.
Goniodyctylus albobularis, australis, boei, indicus, marmoratus, mauritanicus, ocellatus, timorensis.
Goniodes colchici, numidianus, ortygis, tetraonis.
Goniodiscus capella, cuspidatus, dalmaticus, mammillatus, ocelliferus, pentagonulus, placenta, pleyadella, regularis, sebae, seriatus, singularis.
Goniodoma auroguttella.
Goniodoris albescens, atromarginata, barvicensis, bervicensis, caerulea, castanea, elegans, elegautula, elongata, emarginata, gracilis, impudica, infusca, lemniscata, lineata, magnifica, nodosa, obsoleta, pallens, pallida, picta, pulchella, pulcherrima, purpurea, regalis, reticulata, tenerriima, tinctorum, trilineata, villefranca, vivida, webbi, whitei.
Goniodus triangularis.
Goniognathus coryphaenoides, maxillaris.
Goniolina hexagona.
Goniomya anaglyptica, angulifera, caudata, conformis, constricta, designata, dubois, engelhardti, heteropleura, hybrida, inflata, knorri, laevis, litterata, major, marginata, nuensteri, obliqua, ornata, parvula, proboscidea, rhombifera, scalprum, sinuata, subcarinata, sulcata, V-scripta.
Gonionotus plumbeus.
Goniophea leucocephala.
Goniopholis crassidens.
Goniophorus apiculatus, favosus, lunulatus.
Goniophthalma mitrata.
Goniophyllum pyramidale.
Goniopleura elegantula.
Goniopora columna, pedunculata, racemosa.
Goniopsis ruricola, strigosa.
Goniopygus bronni, delphinensis, globosus, heteropygus, intricatus, irregularis, major, menardi, minor, pelagiensis, peltatus.
Goniosoma (Ar.) badium, conspersum, dentipes, ferrugineum, grossum, junceum, lilliputantum, monacanthum, obscurum, patrulee, raptator, roridum, squalidum, sulphureum, varium, vatrax, venustum, versicolor.
Goniosoma (P.) argentinum.
Goniospongia articulata, empleura, procumbens, punctata, pyriformis, schlotheimi, sternbergi, striata, tenuistria.
Goniotaulius anastomosis, concentricus, femoratus, fenestratus, flavus, fuscinervis, griseus, stigmaticus, trimaculatus, vittatus.
Goniotropis braziliensis.
Gonio→ *Vide et Gonyo*→.
Gonipes fuscus.
Gonipora fascicularis, parallela.
Gonipterus exaratus, excavatus, fasciatus, gibberus, lepidotus, notograptus, reticulatus, scabrosus, scutellatus, suturalis.
Gonium glaucum, hyalinum, punctatum, tetrasphaerium, tranquillum, trichina.
Goniurus brachius, catillus, chalco, coelus, dorantes, eudoxus, orion, proteus, simplicius, tarchon.
Gonius flavipes.
Gonocerus abbreviatus, affinis, angulatus, annulipes, bipunctatus, capitulatus, collaris, dorsiger, dubius, insidiator, juniperi, latus, leprosus, marginellus, obsoletus, ochraceus, puncticornis, rugator, sulcicornis, tabulatus, variegatus, varipes, venator, versicolor.

- Gonocrinites** angulosus, fenestratus, giganteus, striatus.
- Gonodactylus** chiragra, edwardsi, ensiger, graphurus, japonicus, scyllarus, setimanus, styliferus.
- Gonodon** quadridens, quinquedentata, seductilis, tridens.
- Gonodonta** bidens, fulvangula, lincus, nutrix, sicheas, thalicta, uncina.
- Gonodontis** anctaria, celiaria, dentaria, peplaria.
- Gonogenia** tabida.
- Gonogenius** brevipes, vulgaris.
- Gonoleptes** chilensis, spinipes.
- Gonomyia** antarctica, gracillipes, variegata.
- Gonopera** rugosa.
- Gonophora** (Col.) haemorrhoidalis, orientalis.
- Gonophora** (Lep.) derasa, derosa.
- Gonoplax** angulatus, bispinosa, emarginata, impressa, incerta, incisa, latreillei, longimanus, maracoani, mascarone, rhomboidalis, rhomboides, sexdentatus, vocans.
- Gonopsis** denticulata.
- Gonopteris** pergaea.
- Gonopteryx** cleopatra, rhamnii.
- Gonopus** cordicollis, puncticollis, sulcatus.
- Gonorhynchus** abbreviatus, bimaculatus, brachypterus, brevis, caudatus, fimbriatus, gobioides, gohama, gonorynchus, gotyla, greyi, gronovii, lamta, macrosomus, mclellandi, petrophilus, rupiculus, stenorhynchus.
- Gonosoma** modestum, viridis.
- Gonospileia** munita, triquetra.
- Gonostoma** (G.) angigyra, clausa, diodonta, holoserica, obvoluta, personata.
- Gonostoma** (P.) denudata.
- Gonostomus** acanthurus, ovatus, poweriae.
- Gonotus** viridis.
- Gonyechis** cerastes.
- Gonyleptes** acanthopus, acanthurus, acantops, aculeatus, armatus, asper, asperatus, bicornis, bicuspidatus, curvipes, curvispina, elegans, flavipalpis, horridus, modestus, muticus, ornatum, pectinatus, planiceps, polyacanthoides, polyacanthus, scaber, spinipes, subsimilis.
- Gonyocephalus** belli, chameleontina, dilophus, giganteus.
- Gonyodactylus** annulatus, cyprius, platurus, pulchellus, scaber, spinulosus.
- Gonyodipsas** irregularis.
- Gonyodiscus** perspectiva.
- Gonyosoma** oxycephalus, viride.
- Gonyostomus** centriquadrus, concolor, gonyostoma, multicolor.
- Gonyo**→ *Vide et Gonio*→.
- Gonypes** albitarsis, audouini, bicolor, fuscus, geniculatus, pumilus, tipuloides.
- Gonypus** breviventris, clavistilus, nitidus.
- Goodallia** crenulata, minutissima, pygmaea, triangularis.
- Gordia** marina.
- Gordius** aceti, acuminatus, annulatus, argillaceus, capsularia, chilensis, clauxensis, coronatus, crassus, glutinis, gracilis, linea, locustarum, macula, milvi, monocolorum, papillosa, pusillus, rissetensis, rugulosus, subbifurcus, terrestris, tolosanus, tolosanus.
- Gorgo** ceto, medusa, oeme, prodea.
- Gorgon** fasciatus.
- Gorgone** orphna.
- Gorgonia** alba, amaranthoides, anceps, anguiculus, anticorum, antiqua, apiculata, arenata, aspera, assimilis, bacillaris, bertoloni, bouchardi, cancellata, capillaris, carinata, clavata, coccinea, cribrum, dilatata, dubia, ehrenbergi, fastuosa, flabelliformis, flavida, flexuosa, florida, fucata, fucosa, furcata, fusco-purpurea, gallardi, gemmata, goldfussiana, gracilis, graminea, granifera, granulosa, heteropora, humilis, infundibuliformis, jacksoni, keuperi, laxa, laxispica, leucostoma, lima, lonsdaleiana, madrepora, mammosa, membranacea, moniliformis, multicauda, myura, nivea, nodulifera, ochrostoma, olivacea, olivieri, orphna, ortilia, penna, perantiqua, planta-

ginea, pluma, proava, pseudoantipathes, pustulosa, quercus folium, quincuncialis, ramulosa, regularis, reteformis, retellum, reticulum, retiformis, richardi, ripisteria, rissi, rissosana, rizomorpha, rosea, sagena, sanguinea, sepulta, siluriana, spicifera, spinosa, stenobrochis, striata, stricta, suffruticosa, sulcifera, sulphurea, targionii, thomasiensis, tortuosa, trichostemma, umbella, undulata, venusta, vermiculata, virgulata, ziezac.

Gorgonida prototypus.

Gorgonocephalus arboreseens, arcticus, asper, costosus, muricatus, palmifer, verrucosus.

Gorgopsis humuli, libania.

Gorgus bispinosus, hophites, lentiginosus.

Gortyna boreli, cervago, flavago, leucostigma, lunata, luteago, micacea, morio, vindelicia, xanthenes, zeae.

Gorytes affinis, arenarius, arpactus, belgicus, bicinctus, bipunctatus, brasiliensis, campestris, carceli, cinctus, coarctatus, concinnus, croceipes, dissectus, fargei, formosus, laevis, laticinctus, latifrons, phaleratus, punctulatus, quadris-fasciatus, quinquecinctus, quinquefasciatus, ruficornis.

Gouania piger.

Gouldia (A.) conversi, langsdorffi, popelairi.

Gouldia (L.) cerina, parva.

Goura carunculata, coronata, cruenta, cyanocephala, erythrorhax, hottentotta, jamaicensis, leucotis, martinica, minuta, montana, nicobarica, passerina, picui, stenisi, talpacoti.

Graculus chalconotus, cirrhatus, punctatus, tenuirostris.

Gracilaria falconipennella, frankella, limosella, onerata, ononides, pavoniella, picipennella, populetorum, quadrisignella, quadruplella, scalaria, simploniella, suberinnella, venerostomella. *Vide et Gracillaria.*

Gracilia fusca, manca, pygmaea, timida, vini.

Gracillaria anastomosis, ardeae pennella, begrandella, bruneorubella, cinerea, coracipennella, cylindrea, elongella, eximia, fagetella, fueslii, guttea, hemidactyla, hemidactylella, hilaripennella, loricella, leucapennella, lusciniapennella, meleagripennella, merianae, merulaepennella, nebulea, nigro-scriptella, ochracea, plumbella, praeangusta, purpurea, rosipennella, rosipennis, rufipennella, semifascia, signipennis, sorbiella, stigmatella, sturnipennella, substriga, syringella, taxella, testacella, thunbergella, thunbergi, trigona, turdipennella, upupaepennella, V-flava, versicolor, violacea. *Vide et Gracillaria.*

Gracillaroides clerkella, kollarella, quercitella.

Gracula abyssinica, coronata, cucullata, cyanotis, dumonti, ferruginea, gallinacea, glauca, intermedius, javanus, larvata, leucocephala, leverianus, martinus, melanocephala, melanoleuca, musica, nigricollis, nudicollis, ochrocephalus, pagodarum, picata, picoides, ptilogenys, rosea, sericeus, viridis.

Graculus africanus, albidus, albigula, bicristatus, brasiliensis, brevirostris, capensis, carboides, cincinnatus, cirrhatus, cristatus, desmaresti, dilophus, eremita, fuscens, gaimardi, leucogaster, linnaei, lucidus, magellanicus, medius, melanogaster, melanoleucus, minor, mystacalis, novae hollandiae, penicillatus, purpurascens, pygmaeus, sarmientonus, sinensis, sulcirostris, torquatus, urile, varius, violaceus, viridis.

Gracupica melanoleuca.

Grallaria brevicauda, fusca, fuscata, guatemalensis, imperator, macularia, marginatus, monticola, nana, ochroleuca, olivacea, quitensis, rex, ruficapilla, rufula, squamigera, tiniens, varia.

Grallina australis, bicolor, cyano-leuca, melanoleuca, picata.

Grallipeza unimaculata.

Grallomya osculati, tarsata.

Grallopoda albirana, annulata.

Grammatophora angulifera, cristata, decresi, gaimardi, maculata, muricata, ornata, reticulata.

Grammesia bilinea, trilinea.

Grammicosum flavofasciatum.

Grammicus chilensis.

- Grammistes** acuminatus, annularis, bivittatus, cabrilla, chrysurus, decimalis, digramma, forsteri, furcatus, ghanam, hepatus, japonicus, juba, kasimira, lineatus, macrophthalminus, mauritii, melanurus, orientalis, pictus, punctatus, purpureus, quadrivittatus, quinquevittatus, rhomboides, sectorator, servus, striatus, thunbergi, trivittata, unimaculatus, variegatus, vittatus.
- Grammobotrys** africana.
- Grammognatha** euphratica.
- Grammoptera** analis, capitata, elegans, femorata, laevis, lurida, praeusta, quadriguttata, ruficornis, spinulosa, suturalis.
- Grammostomum** angustum, areolatum, attenuatum, confluent, cordatum, coronatum, coscinopleurum, cribrum, denticulatum, depressum, divergens, gracile, laeve, laterale, lingua, maculatum, megastigma, plica, plicatum, polyporum, polystigma, porosum, rotundatum, semiporosum, seriatum, sphaerostigma, strophoconus, sulcatum, tenue, tumens.
- Grammotaulius** atomarius, interrogationis, lineola.
- Grammysia** hamiltonensis.
- Grampus** cuvieri, heavysidei, intermedius, obscurus, richardsoni, rissoanus, sakamata.
- Granaria** avena, bigorensis, frumentum, hordeum, moricandi, polyodon, secale, variabilis.
- Granatellus** venustus.
- Granatocrinites** cidariformis.
- Grandala** costicolor, schistacea.
- Grantea** areolata.
- Grantia** albescent, botryoides, ciliata, compressa, coriacea, fistulosa, lacunosa, nivea, pulverulenta.
- Graphinotus** ornatus.
- Graphiphora** albimacula, augur, baja, brunnea, C nigrum, candelisequa, carnea, dahli, dipuncta, ditrapezium, festiva, gothica, I-intactum, latens, lunulina, musiva, plecta, polygona, punicea, pyrophila, ravida, renigera, rhomboidea, rubi, sigma, subrosea, triangulum, tristigma.
- Graphipterus** ancora, arcuatus, barthelemyi, bivittatus, cicindeloides, cordiger, elegantulus, exclamationis, femoratus, frontalis, goryi, hamatus, hoppei, incanus, lateralis, limbatus, lineatus, luctuosus, lutescent, macrocephalus, minutus, multiguttata, obscurus, obsoletus, obtusus, parvicollis, peleteri, plagiatus, quadrilineatus, rectilineatus, rotundatus, rotundipennis, rouxi, salinae, senegalensis, sennariensis, trilineatus, trivittatus, variegatus, velutinus, vestitus, vittatus, vittipennis, wahlbergi, westwoodi.
- Graphiurus** capensis, elegans, typicus.
- Graphoderus** brunnipennis, petiti.
- Grapholita** aspidiscana, decolorana, dorsaua, ephippiana, gundiana, hohenwarthiana, hypericana, lunulana, nisana, trauniana, zachana.
- Grapholitha** abiegana, absinthiana, acuminatana, aemulana, agilana, alpinana, amygdalana, arcigera, argyran, augustana, aurantiana, aureolana, bi-cinctana, blockiana, caecimacula, caliginosana, campoliliana, capparidana, clitellana, consequana, cosmophorana, costana, cuphana, curvana, cytisana, dalecarliana, decorana, distortana, dormoyana, dorsana, duplicana, fackiana, freyeriana, funebrana, gallicolana, gemellana, geminana, gemmiferana, germana, germarana, gimmerthaliana, gundiana, heegerana, ibiceana, immundana, incana, incursana, jungiana, kochiana, lacteana, lathryana, leguminana, luecana, ligulana, lithoxylana, loderana, messingiana, minutana, mitterpacheriana, montana, nebritana, nemorivaga, oblitana, ochsenheimeriana, orobana, ovulana, padana, petiveriana, petrana, pierretana, pinicolana, plumbagana, plumbatana, pudicana, quadratana, remyana, rhediana, selenana, siliceana, stragulana, strobilana, succedana, suspectana, tenebrosana, triquetana, tristana, ulmariana, ustulana, vacciniana, vermiculana, weirana, wimmerana.
- Graphomya** americana, maculata, media, minor, vulpina.
- Graphomyzina** elegans.
- Graphorhinus** operculatus, vadosus.
- Graphosoma** affinis, albolineata, flavolineata, interruptum, lineata, nigro lineata, rubro lineata, semipunctata, strigata, subspinosa, trilineata, trimaculata, wilsoni.
- Graphularia** wetherelli.

- Graphyurus elegans*.
Graptolithus priodan, spiralis.
Grapsillus dentatus, maculatus, subinteger.
Grapsus affinis, albo lineatus, bidens, cinereus, crenulatus, cruentatus, dentipes, depressus, diris, dubius, erythrocheles, fluviatilis, fluvicola, gaimardi, guttatus, haematocheir, hirtus, huzardi, intermedius, japonicus, latifrons, limosus, litteratus, lividus, longipes, maurus, messor, minutus, mytilorum, pelagicus, penicillatus, penicilliger, personatus, pictus, plicatus, quadratus, reticulatus, ruricola, sanguineus, sexdentatus, speciosus, squammosus, strigilatus, strigosus, tessellatus, testudinum, tetragonon, thukuhar, transversus, tuberculatus, variegatus, varius.
Grapta argenteum, C-album, C-aureum, comma, egea, hartwegi, interrogationis, progne.
Graptodera californica, costata, cuprea, ignita, kalmiae, plicata, plicipennis.
Graptolepis ornatus.
Graptolites amplexicaula, clintonensis, dentatus, griestoniensis, latus, laxus, lobiferus, millepeda, taenia, venosus.
Graptolitha rizolitha.
Graptolithus becki, bicornis, bohemicus, chimaera, colonus, convolutus, dentatus, distans, distichum, foliaceus, furcatus, geminus, gracilis, halli, laevis, lapidea, ludensis, mucronatus, munchisoni, nilssoni, nuntius, ovatus, palmeus, pristis, proteus, ramosus, roemer, secalinus, sedgwicki, serratulus, serratus, sextans, tectus, teretiusculus, testis, turriculatus, virgulatus.
Graptomyza brevirostris, interrupta, longirostris, ventralis.
Graptus tri-guttatus.
Grateloupea cuneata, hydrana, irregularis.
Grateloupia moulini.
Gratelupia donaciformis, moulini.
Graucalis swainsoni.
Graucalus atriceps, auritus, bicolor, caledonicus, carbo, carboides, caruuculatus, cirrhatus, desgrazi, dussumieri, fasciata, fimbriatus, flavirostris, hypoleucos, javensis, larvata, leucopygius, lineatus, macei, maculosus, magnirostris, melanops, melanotis, mentalis, nipalensis, novae guineae, papuensis, parvirostris, pectoralis, personata, phasianellus, punctatus, robustus, temmincki, tricolor, varius.
Gravenhorstia picta.
Gregarina amarae, balani, brevirostra, caudata, clavata, clavellinae, conica, cuneata, curvata, dytiscorum, elongata, elongata*, enchytraei, globosa, heeri, hyalocephala, julii, larvata, longissima, mystacidarum, nemertes, oblonga, oblongata, oligacantha, ovata, pellucida, phallusiae, polymorpha, rubecula, saenuridis, scolopendrae, sieboldi, sipunculi, soror, sphaerulosa, spionis, tenuis, terebellae, tipulae*.
Gresslya abductus, anglica, cardioides, concentrica, coniformis, cordiformis, donaciforme, erycina, gregaria, latior, latirostris, lunulata, major, ovata, pinguis, rostrata, rotundatum, striata, striato-punctata, sulcosa, truncata, ventricosa, zonata.
Griffithides calcaratus, globiceps, granuliferus, longiceps, longispinus, meso-tuberculatus, obsoletus, platyceps.
Grillivora longicauda. Vide et Gryllivora.
Grillotalpa oblita. Vide et Gryllotalpa.
Grillus pipiens. Vide et Gryllus.
Grimmotaea gregaria.
Grisonia vittata.
Gristes peeli.
Gromia fluviatilis, hyalina.
Gromphas dichroa, lacordairei.
Gronops costatus, elevatus, inaequalis, lunatus, proletarius, puuctirostris, squalidus, sulcatus.
Grundulus bogotensis.
Grus americana, antigone, australasianus, canadensis, capensis, carunculata, cinerea, cinerea, collaris, fusca, gigantea, grus, leucachen, mexicana, monacha, paradisea, pavonia, poliophaea, pratensis, regulatorum, stanleyana, struthio, torquata, vipio, virgo, viridirostris, vulgaris.

Gryllacris ambulans, charpentieri, dubia, frontalis, lineolata, maculigollis, oceanica, pallidula, personata, rubriuvosa, ruficeps, signatiformis, signifera, tibialis, translucens, ungeri, verticalis.

Grylle carbo, grylle, mandti, scapularis.

Gryllites dubius.

Gryllivora brevirostra, intermedia, magnirostra, rosea, saularis. *Vide et Grillivora.*

Gryllomyia italica.

Gryllotalpa africana, australis, borealis, brevipeennis, campbelli, didactyla, gracilis, gryllotalpa, hexadactyla, hirsuta, mexicana, minuta, nitidula, orientalis, oxydactyla, parvipennis, tetradactyla, variegata, vulgaris. *Vide et Gryllotalpa.*

Gryllus abbreviata, abruptus, achatina, achatinus, aegyptius, aeruginosus, affinis, alliaceus, alpinus, americanus, angustata, annulatus, annulipes, aqueus, arcuatus, aridifolia, assimilis, aurautifolia, aureolus, australasiae, axillaris, azurea, azurescens, bicolor, bidens, biguttatus, bimaculatus, binotatus, bisignatus, bivittatus, bordigalensis, brachelytrus, brachypterus, brunneus, bucephalus, bucklandi, capensis, carbonarius, carinicolis, centurio, cerisyi, ceylanicus, charopus, chinensis, chloropus, cicindeloides, cinereus, cingulatus, collaris, columbinus, concinnus, conspersus, coriaceus, crassipes, crenulatus, cruciatus, crucifer, crucigerus, cucullatus, cyaneus, cyanopterus, cylindricus, cymbiformis, deustus, didymus, dilutus, dimidiatus, discolor, donovani, dorsalis, dorsatus, dubius, elegans, elephas, ephippium, equalis, erosa, erythrocephalus, erythrophthalmus, erythropus, eucera, euceros, fasciata, fasciatus, fenestrata, fenestratus, fimbriatus, flavovirens, foliatus, formosus, frenatus, frigidus, frontalis, fuliginosus, fuscatus, fusco vittatus, fuscus, geminus, genei, gracilis, grandis, guttatus, haemorrhoidalis, hemelytrus, hirtipes, hispanicus, humeralis, hypericifolia, hystrix, incarnatus, japonicus, laevis, leprosus, leucogaster, leucosticus, leucostomus, lineatus, lineolatus, littoralis, lividus, longicauda, longipennis, luctuosus, lugubris, lutescens, macrocephalus, maculatus, marginalis, marmoratus, maroccanus, megacephalus, melanocephalus, melas, microcephalus, miniatus, minimus, mitratus, mollis, monoceros, montanus, monticollis, mutabilis, myrmecophilus, myrtifolius, nana, neriifolia, niger, nigricans, nigrofasciata, nitens, notatus, novae guineae, nubecula, nubilus, obliquus, obscurata, occidentalis, occipitalis, oceanicus, ochracea, oicophylla, oicophylla, oleifolia, opacus, orientalis, ornatus, pallasi, pallens, parallelus, parapleurus, patuelis, pattersoni, pectinicolis, pennicornis, pictus, pilicornis, pillosus, pilosus, platypterus, platyxyphus, plorans, prasinus, pulicarius, pullus, pumilus, punctatus, purpureus, purpureus, pusillus, quadratus, radiatus, ranaceus, regulus, rhodoptilus, rubecula, rufescens, rufipes, rugosus, sanguineus, scaber, scabiosus, scutatus, serialis, serrulatus, signifera, speciosus, sphaerocephalus, sphingiformis, splendens, sponsa, squalidus, squarrosus, stigmaticus, stollis, subcoerulipennis, sulcatus, sylvestris, tataricus, taurus, tenellus, tergestinus, tessellatus, thaelephorus, transversus, trapeziformis, tricolor, trifasciatus, tristis, variolosus, vastator, ventralis, verrucosus, verticalis, vexillatus, villosus, vinaceus, violaceus, virens, virescens, virgo, viridissimus, vitreipennis, vittatus, vorax, xanthochlorus. *Vide et Gryllus.*

Gryon matuta, misellum, nanno, phlias.

Gryphaea affinis, africana, americana, angulata, angusta, angustata, arcta, arcuata, auccella, auricularis, auriformis, avicularis, bicarinata, bilobata, bisulcata, brongniarti, bulla, bullata, canaliculata, carinata, cenomana, chamaeformis, columba, complanata, concava, conica, controversa, convexa, cornu-arietis, corrugata, couloui, cymbiola, cymbium, cymbula, darwini, decussata, defrancei, depressa, difformis, digitata, dilatata, distans, dumerilli, elongata, eversa, expansa, gaederopus, gigantea, globosa, halioidea, harpa, incurva, inhaerens, lacinata, laevigata, laeviuscula, latissima, lituola, lunata, maccullochi, mima, minuta, mosquensis, mutabilis, nana, navicularis, obliquata, orientalis, phillipsi, pitcheri, planospirites, plicata, plicatella, plicatula, polymorpha, primordialis, prisca, recurvata, reniformis, rustica, scapha, secunda, signata, silicea, similis, sinuata, spiralis, stomatoidea, subnodosa, suborbiculata, suilla, terebratuloidea, truncata, undata, uniplicata, vesiculosa, virgula, vomer.

Gryphea aquila, duftrenoyi, forata, ovalis, sulcata.

Gryphinus lateralis, piceus.

- Gryphites* *aculeatus*, *chamaeformis*, *embrium*, *dilatatus*, *gigas*, *laevis*, *politus*, *ratis-bonensis*, *rugosus*, *speluncarius*, *spiratus*, *suillus*, *truncatus*, *ungulatus*.
- Gryphochiton* *nervicanus*.
- Gryphoea* *plicifera*.
- Gryphus* (L.) *vitreus*.
- Gryphus* (M.) *antiquitatus*.
- Gryphus* (R.) *communis*, *intermedius*, *platyodon*, *tenuirostris*.
- Grypidius* *brunnirostris*, *equiseti*, *gibbifer*.
- Gryporhynchus* *pusillus*.
- Gryptes* *brisbanii*.
- Grypus* (A.) *naevius*, *ruficollis*, *vieilloti*.
- Grypus* (Col.) *equiseti*.
- Grystes* *fasciatus*, *macquariensis*, *salmoides*.
- Gryza* *porcellus*.
- Guaia* *ornata*, *punctata*.
- Gualtieria* *orbignyana*.
- Guarica* *cardinalis*.
- Guarouba* *lutea*.
- Gubernatrix* *cristatella*.
- Gubernetes* *cunninghami*, *forficatus*, *vetula*, *yetapa*.
- Guenea* *lacteella*, *pinguella*, *segetella*.
- Guepar* *jubatus*.
- Gueparda* *jubata*.
- Guepardus* *flavus*, *fulvus*.
- Guerinia* *festiva*, *gagatea*, *musca*, *nana*, *vivax*, *winthemi*.
- Guettardia* *expansa*, *infundibuliformis*, *stellata*, *thiolati*.
- Guettardicrinus* *dilatatus*.
- Guildfordia* *heliophorus*, *triumphans*.
- Guillinomys* *chilensis*.
- Guinetta* *hypoleuca*.
- Guioperus* *griseus*.
- Guira* *pirigua*.
- Guiraca* *abeillei*, *caerulea*, *ludoviciana*, *magnirostris*, *melanocephala*, *regulus*, *tricolor*.
- Gulnaria* *acronica*, *anpla*, *auricularia*, *baethica*, *cerasum*, *crystallina*, *hartmanni*, *lacustris*, *lagotis*, *lessoni*, *monnardi*, *ovata*, *peregra*, *thermalis*, *vulgaris*.
- Gulo* *arcticus*, *barbara*, *barbatus*, *borealis*, *canescens*, *capensis*, *castaneus*, *diaphorus*, *ferugineus*, *gulo*, *lanatus*, *larvatus*, *leira*, *luscus*, *mapurito*, *mellivora*, *nipalensis*, *orientalis*, *quintessis*, *quintensis*, *ratel*, *spelaeus*, *suffocans*, *urva*, *vittatus*, *voracissimus*, *vulgaris*, *wolverene*, *yzquiepatl*.
- Gundlachia* *anceyliformis*.
- Gunellus* *affinis*, *crassispina*, *nebulosus*.
- Gunenotophorus* *globularis*.
- Gunnellus* *anguillaris*, *apos*, *dolichogaster*, *fabricii*, *fasciatus*, *ingens*, *islandicus*, *macrocephalus*, *mucronatus*, *polyactocephalus*, *punctatus*, *roseus*, *ruberrimus*, *stroemi*, *taenia*, *viviparus*, *vulgaris*.
- Guttera* *cristata*.
- Guttulina* *austriaca*, *crassatina*, *cretacea*, *dilatata*, *globulosa*, *laevis*, *plancii*, *pulchella*, *spicaeformis*, *vitrea*.
- Gyges* *bipartitus*, *cistula*, *enchelioides*, *lithunatus*, *niger*, *sanguineus*, *viridis*.
- Gygis* *candida*.
- Gymnaetis* *carbonaria*.
- Gymnaetron* *consuetus*, *intaminatus*, *kerhaleti*, *longirostris*, *pelliceus*.
- Gymnancyla* *canella*.
- Gymnapistes* *australis*, *barbatus*, *belangeri*, *marmoratus*, *niger*.
- Gymnarchus* *niloticus*.
- Gymnasteria* *inermis*, *spinosa*.
- Gymnelis* *lineolatus*.
- Gymneter* *hawkeni*.

Gymnetis *alauda*, *albiventris*, *albomaculata*, *albosparsa*, *apiata*, *aterrima*, *atropurpurea*, *auronotata*, *bajula*, *barthelemyi*, *biguttata*, *bonplandi*, *brasiliensis*, *canescens*, *chalybaea*, *chevrolati*, *cineta*, *concolor*, *confinis*, *cornuta*, *coturnis*, *crypturus*, *difficilis*, *duodecimguttatus*, *dysoni*, *fasciata*, *flava*, *flavomarginata*, *fodina*, *foeda*, *fusca-rubra*, *guadalupensis*, *hieroglyphica*, *incerta*, *infuscata*, *insculpta*, *irregularis*, *klugi*, *lanius*, *lebas*, *luteocincta*, *lyncea*, *magnifica*, *marginicollis*, *marmorea*, *meleagris*, *menetriesi*, *miniata*, *modesta*, *mutabilis*, *nigro-rubra*, *nitida*, *pallidipennis*, *pantherina*, *perplexa*, *peruviana*, *phasianus*, *picta*, *poecilia*, *punctata*, *punctissima*, *punctulatus*, *pyrrhonota*, *radicollis*, *reticulata*, *rhinoceros*, *schistaceus*, *scutellata*, *sexmaculata*, *sex-pustulata*, *singularis*, *smaragdinea*, *sobrina*, *spinosa*, *strigosa*, *sub-violacea*, *touchardi*, *undulata*, *uniformis*, *vermiculea*, *yigorsi*, *viridicyanea*, *viridipes*, *wollastoni*, *xanthophila*.

Gymnetron *amicus*, *antirrhini*, *asellus*, *beccabungae*, *bicolor*, *bipartitus*, *bisignatus*, *caffer*, *campanulae*, *carinatus*, *collinus*, *comosus*, *concinuus*, *crassirostris*, *cylindri-rostris*, *distinctus*, *eous*, *eversmanni*, *fuliginosus*, *fuscescens*, *graminis*, *haemorrhus*, *hirsutus*, *hispidus*, *ictericus*, *intaminatus*, *labilis*, *linariae*, *longirostris*, *melanarius*, *melas*, *nieros*, *nasutus*, *natus*, *noctis*, *pascuorum*, *perparvulus*, *pilosus*, *plagiatus*, *plagiellus*, *plantarum*, *plebejus*, *polonicus*, *rostellum*, *rotundicollis*, *seriepilosus*, *somnulentus*, *spilotus*, *stimulosus*, *suturalis*, *teter*, *thapsicola*, *trigonalis*, *trivialis*, *verbasci*, *vestitus*, *villosulus*, *vulpes*.

Gymnetrus *banksi*, *capensis*, *cepedianus*, *gladius*, *grilli*, *longi-radiatus*, *mullerianus*, *northumbrius**, *remipes*, *repandus*, *telum*.

Gymnobucca *calvus*.

Gymnocanthus *ventralis*.

Gymnocephalus *acerina*, *calvus*, *capucinus*, *cayensis*, *cernua*, *messanensis*, *pallidus*, *ruber*, *unimaculatus*, *vermicularis*.

Gymnocera *elegans*, *lefebvrei*.

Gymnocerus *scabripennis*.

Gymnocheila *nigrosparsa*, *sobrina*.

Gymnocheilus *vestita*.

Gymnocheta *viridis*.

Gymnochila *vestita*.

Gymnocidaris *aegyptiacus*.

Gymnocorvus *senex*.

Gymnocraspedon *lessoni*.

Gymnodactylus *albugularis*, *caspicus*, *eversmanni*, *fasciatus*, *flavipunctatus*, *gaudichaudi*, *geckoides*, *marmoratus*, *mauritanicus*, *miliusi*, *orbigny*, *phyllurus*, *pulchellus*, *scaber*, *timoriensis*.

Gymnoderes *foetidus*.

Gymnoderus *cayennensis*, *nudus*.

Gymnodus *eremita*.

Gymnogaster *buphthalmus*.

Gymnogenys *capensis*, *madagascariensis*.

Gymnognathus *ancora*, *dorsonotatus*, *fahraei*, *menetriesi*, *ophiopsis*, *signatus*.

Gymnogomphius *teguixin*.

Gymnogyps *californianus*.

Gymnokitta *cycnocephala*.

Gymnolepas *cranchi*, *cuvieri*, *palinuri*, *vittata*.

Gymnoloma *atomarium*, *elegantula*, *femorata*, *leucopbaea*, *lineolata*, *ornata*, *strigosa*, *subsulcata*, *sulcicollis*, *suturalis*, *vittigera*.

Gymnomastix *mexicanus*.

Gymnomuraena *caecus*, *concolor*, *doliata*, *marmorata*, *zebra*.

Gymnomystax *mexicanus*.

Gymnonotus *aequilabiatus*, *electricus*, *putaol*.

Gymnopa *aenea*, *albipennis*, *glabra*, *nigra*, *nitida*, *rufitarsis*, *subsultana*.

Gymnopeza *denudata*.

Gymnophora *arcuata*.

Gymnophthalmus *lineata*, *quadrilineatus*, *scincoides*.

Gymnopleurus aenescens, anthracinus, asperatus, atratulus, atratus, bicolor, bidentatus, caelatus, caerulescens, cantharus, elypeolatus, conflagratus, confusus, convexiusculus, cribellatus, cyaneescens, cyaneus, dejeani, dorsalis, elegans, exanthema, flagellatus, fulgidus, geofroyi, glabriusculus, granulatus, hilaris, impressus, indicus, indigaeus, indistinctus, janthinus, koenigi, lacunosus, laetus, laevicollis, laevifrons, laeviusculus, latreillei, macleay, miliaris, mopsus, mundus, olivieri, opacus, pilularius, profanus, pumilus, regulosus, rutilans, sericatus, serratus, sinuatus, sisyphus, sturmi, suturalis, tristis, tuberculatus, variolosus, virens.

Gymnopoda tomentosa.

Gymnopus aegyptiacus.

Gymnops aquilius, atterrinus, calva, corniculatus, cyanotis, dumonti, fasciatus, monachus, strigilatus.

Gymnopus (A.) gangeticus, indicus.

Gymnopus (R.) cartilaginea, duvauceli, euphraticus, javanicus, lineatus, ocellatus, spiniferus, subplanus.

Gymnorhina anaphonensis, leuconota, organum, tibicen.

Gymnorhinus cyanocephalus.

Gymnorhynchus horridus, raii, reptans.

Gymnoris flavicollis, flavirostris, superciliaris, xanthosterna.

Gymnosoma atra, aurantiaca, costata, dispar, fuliginosa, globosa, latreillei, microcera, minuta, nitens, obliqua, occidua, par, rotundata.

Gymnostomus anisurus, ariza, bicolor, boggut, dembensis, fulungee, kawrus, limnophilus, lissorhynchus, mulla, wattanah.

Gymnostylia analis, cilipes, depressa, fasciata, scutellaris, setosa.

Gymnota populi, tremulae.

Gymnothorax anulatus, brasiliensis, caeca, fasciatus, favagineus, funebris, helena, myraena, nebulosus, ocellatus, pictus, punctatus, rostratus, scriptus, wilsoni.

Gymnotus aequilabius, macrourus.

Gymnura rafflesi.

Gymnurus cyaneus, vestitus.

Gymnusa brevicollis, dubia, laticollis, sinuata, variegata.

Gymphrys terquatus.

Gynacantha bifida, bispina, ferox, forcata, nervosa, quadrifida, subinterrupta, trifida.

Gynaecia dime.

Gynaephora antiqua, netrix, recens, selenitica, socrus.

Gynandromorphus etruscus.

Gynandrophthalma affinis, agilis, amabilis, anisogramma, atripennis, aurita, aviculus, basipennis, bioculata, bisquadripunctata, chrysomeloides, collaris, concolor, coptocephaloides, cyanea, eleuserti, deleta, dorsalis, elegantula, erythrotis, ferulae, flavicollis, forciceps, gallerucoides, gratiosa, haematophila, hemicephala, hoemorrhoidalis, hypocrita, mammatata, labiata, leucognatha, limbata, lineella, luteicollis, menetriesi, nigratarsus, nigropunctata, nitidiceps, nugatrix, ornata, placida, porosa, quadrifurcata, rufimana, salicis, sanguinicollis, scitula, signaticollis, spectabilis, tenuata, thoracica, trispilota, ventralis, venustula, viridana, vittigera, xanthaspis.

Gynandrops americanus, brasiliensis, elongatus.

Gynandrotarsus harpaloides.

Gynaotocera alaba, affinis, albis, arpa, ramaeva, distincta, macularia, marginata, nana, papiliaria, pallidaria, sexpunctata, zelica, zenobia, zuleika.

Gynoplistia subfasciata.

Gynoplistes nervosa, variegata.

Gynoplistia annulata, bella, cyanea, flavitarsis, punctipennis, variegata, vilis.

Gypaetos barbatus, hemaphysanus, leucocephalus, melanocephalus, meridionalis, nudipes, occidentalis, salicis, uliginosus, uliginip.

Gypagus gryllus, gryphus, papa, vulturinus.

Gyparchus papa.

Gyphidia aylesfordi, borealis, knighti, pittacea.

Gypidium aylesfordi, conchidium, cuneatum, knighti, laevis, oblongum.

Gypogeranus africanus, capensis, gambiensis, philippensis, reptilivorus, serpentarius.

- Gypohierax** angolensis.
- Gypoictinia** melanosternum.
- Gypona** alboguttata, aurulenta, cana, chalcoptera, equestris, glauca, ~~lutea~~, lueata, montana, pallens, prasina, quadri-punctata, striata, thoracica, trisignata.
- Gyps** bengalensis, fulvus, indicus, kolbi, occidentalis, tenuirostris, vulgaris.
- Gypochoera** illibata, niveata, renitidata.
- Gyracanthus** alnwicensis, formosus, obliquus, ornatus, tuberculatus.
- Gyrator** croceus, leucophaeus, littoralis, suboviformis, vittata.
- Gyrix** hermaphroditus.
- Gyraulus** deformis, duplocarinatus, lenniscatus, regularis, saltatrix, simpsoni, subcarinatus, vertigo.
- Gyretes** aeneus, bidens, cinctus, discus, leionotus, morio, vulneratus.
- Gyrfalco** candicans.
- Gyrina** maculata.
- Gyrineum** bufonium, caudatum, echinatum, muricatum, uatator, rana, scrobiculator, verrucosum.
- Gyrinus** abdominalis, aeneus, aeratus, aereus, affinis, ainoenulus, analis, angustatus, bicolor, blumei, borealis, buqueti, caffer, caspius, celox, cercurus, chalybeus, chiliensis, ciliatus, cinctus, circumnans, colymbus, compressus, concinnus, crassus, dejeani, dentipennis, depressus, dichrus, diuidiatus, distinctus, dorsalis, duplicatus, ellipticus, elongatus, emarginatus, excisus, festivus, flavipes, gangeticus, gayi, gibbus, gigas, glaucus, graecus, grandis, guayaquilensis, hastatus, impatiens, impressicollis, indicus, iridis, kirbyi, kollmanni, laevigatus, lateralis, leathesi, lembus, levis, libanus, limbatus, lineatus, longianus, longiusculus, madagascariensis, marginalis, marginatus, marinus, marmoratus, melanarius, mergus, modeeri, natans, obliquatus, oblongus, obtusus, opacus, ovatus, parvus, patruelis, picipes, politus, praemorsus, pulcher, revolvens, rivularis, rufipes, sayi, semi-villosus, sericeus, sinuatus, speciosus, splendens, splendidulus, strigipennis, strigosus, striolatus, suaveolens, sublineatus, subspinosus, substriatus, sulcatus, unidentatus, urinator, variabilis, ventralis, vicinus, vittatus.
- Gyriodera** babioides, circumducta, clitellata, cruciata, lugubris.
- Gyriosomus** bridgesi, curvilineatus, decoratus, elegans, elongatus, hoppei, impressus, laevigatus, lineatus, luczoti, variegatus, whitei.
- Gyroceras** aigoceros, armatus, cancellatus, convolvens, cornutes, costatum, depressus, eifelensis, goldfussi, marginalis, meyerianum, nautiloides, ornatus, reticulatus, serratum, tetragonus, undulatus.
- Gyroceratites** gracilis.
- Gyrocotyle** rugosa.
- Gyrodactylus** auriculatus, dujardinianus, elegans.
- Gyrodroma** aterrima, ornata, phaeoptera.
- Gyrodus** analis, angustus, circularis, conicus, cretaceus, cuvieri, frontatus, gibbosus, gracilis, jurassicus, laevior, laticauda, macrophthalmus, macropterus, mammillaris, mantelli, meandrinus, minor, muensteri, multidens, murcbisoni, perlatus, platurus, punctatissimus, punctatus, quadratus, radiatus, rhomboidalis, rugosus, rugulosus, runcinatus, schusteri, trigonus, umbilicus.
- Gyrohypnus** affinis, analis, angustatus, apicalis, assimilis, batychnus, consentaneus, cruentatus, diaphanus, flavipennis, fulgidus, godeti, linearis, longiceps, longicollis, macrocephalus, meridionalis, uigriceps, ochraceus, ochropterus, parumpunctatus, procerulus, punctulatus, pusillus, pyropterus, quadratus, quadrisulcus, rotundicollis, semistriatus, sulcifrons, tenuicornis, tricolor.
- Gyroidina** caracolla, carinata, conoides, contacta, flavescens, kalemburgensis, laevigata, laevis, lenticularis, orbicula, orbicularis, soldanii, umbilicata. *Vide et Giroidina.*
- Gyrolepis** alberti, asper, biplicatus, giganteus, maximus, rankini, tenuistriatus.
- Gyronchus** oblongus.
- Gyronotus** subaeneus.
- Gyrophaena** affinis, amanda, bellula, boleti, complicans, congrua, corruscula, dispar, dissimilis, exigua, flaveola, flavicornis, gentilis, glacialis, laevigata, lateralis, lucidula, manca, minima, nana, nitidula, pilosa, polita, pulchella, rufa, socia, splendidula, strictula, vinula.
- Gyrophyllia** bisinuosa, vetusta.

- Gyroleurus** eupratus, obscurus.
Gyropristis obliquus.
Gyroptychius angustus, diplopteroides.
Gyropus gracilis, hispidus, lagoti, longicollis, ovalis.
Gyrorbis cornu-ammonis, minutus, planorbis, spirorbis.
Gyroteus mirabilis.
Gyrostoma ovoidea.
Gyrostris mirabilis.
Gyrotoma pyramidata.
- Habrocebus** diadema, lanatus.
Habrocerus capillaricornis.
Habrocoma helvina. *Vide et Abrocoma.*
Habrodactylus bistrispunctatus, quadrimaculatus.
Habrophora lateralis, varia.
Habropyga larvata, margaritata.
Habrosoma antiqua.
Habrosyne derasa.
Hadena abjecta, achates, actinobola, adusta, aeruginea, alpicola, amentata, amethystina, amica, aquilonaris, arctica, assimilis, baltica, behenis, bombycina, borealis, brassicae, cana, cancellata, capsicola, carpophaga, chardingi, chenopodii, commelinae, contigua, convergens, cucubali, dentigera, dentina, dianthi, distans, empyrea, extricata, exulis, fatidica, feisthameli, freyeri, frigida, gelata, gemina, genistae, glauca, groenlandica, hilaris, hispida, hyperborea, ilicis, implicata, iris, labecula, laetabilis, lappo, latens, leucodon, leucophaea, leucostigma, ligustri, littoralis, longina, lucipara, lutulenta, maillardi, marmorata, marmorosa, mauritia, metictosa, miolenca, nigricula, obesa, oblitterata, oblonga, obscura, ochracea, ochrostigma, ongspergeri, optabilis, pancratii, peregrina, pernix, perplexa, picticollis, popularis, praedita, protea, proxima, pteridis, puncticosta, quadripes, remissa, repanda, retina, richardsoni, roboris, saponariae, satura, scita, sociabilis, solieri, sommeri, submissa, thalassina, trisignata, typica, vitalba, vittalba, vulturina.
- Hadroceras** spinosa.
Hadrocerus castaneipennis.
Hadromerus atomarius, aureus, brachispinosus, dejeani, gemmifera, hilaris, nobilitatus, porosus, sagittarius, tuberculifer.
Hadrophyllym orbigny.
Hadropus albiceris, albinus, nubiculosus.
Hadrorhinus lepidopterus.
Hadrotoma marginata, nigripes.
Hadrus chalybeus, cyanea, lepidotus.
Haemalastor longirostris.
Haemalea delotaria.
Haemaphysalis cinnabarina, concinna, rosea, sanguinolenta.
Haemasson minutus.
Haemastoma serratum.
Haematera pyramus.
Haematia phoenicealis.
Haematobia ferox, geniculata, irritans, serrata, stimulans, tibialis.
Haematococcus niucosus, vesiculosus.
Haematodes bicolor.
Haematopinus acanthopus, asini, bicolor, caballi, cameli, cervi, cervicaprae, euryopterus, lyriocephalus, phocae, piliferous, serratus, sphaerocephalus, spiniger, spinulosus, suis, ventricosus, vituli.
Haematopis saniaria, sentinaria.
Haematopota bivittata, cana, cingulata, coarctata, centralis, crassicornis, crassipes, curvipes, equorum, extincta, globulifera, gymnonota, hirsuta, iavana, imbrum,

- Irrorata, italica, longicornis, lunata, lusitanica, nigra, ocellata, pluvialis, podagrica, punctulata, roralis, ruicornis, serpentina, tenuicornis, triangularis, variegata.
- Haematops** gularis, lunulatus, validirostris.
- Haematopus** ater, australasianus, bachmani, balthicus, hypoleuca, leucopodus, longirostris, niger, orientalis, palliatus, picatus, townsendi, unicolor, vulgaris.
- Haematornis** atratus, aurigaster, binaculatus, cafer, cheela, chrysorrhoides, flavicollis, haemorrhous, jocosus, leucogenys, luteolus, pusillus, striata, undulatus.
- Haematospiza** boetonensis, sipahi.
- Haematura** thysbe.
- Haementeria** ghiliani.
- Haemeria** nivea.
- Haemerophygus** asperatus.
- Haemerusia** albica, communimacula, renifera, scitula.
- Haemilis** adpersella, depressella, lefebvriella, pastinacella, respersella, rubidella.
- Haemobora** pallipes.
- Haemocharis** cephalota, piscium.
- Haemonia** americana, chevrolati, equiseti, gyllenhali, sahlbergi, zosteræ. *Vide et Hoem*→.
- Haemonides** cronis, melsheimeri, nigricornis.
- Haemophoba** serrata.
- Haemopsis** ardea, granulata, lacertina, luctuosa, martinicensis, nigra, ornata, sanguisorba, sanguisuga, unicolor, vorax.
- Haemorrhous** purpureus, roseus.
- Haemorrhous** frontalis.
- Haemulon** album, arcuatum, aurolineatum, bonariense, cauna, caudimacula, chromis, chrysopteron, elegans, formosum, heterodon, melanopteron, modestum, moricandi, obliquatus, quadrilineatum, schranki, xanthopteron.
- Haemylis** albidella, albipunctella, alstroemerella, angelicella, arenella, assimilella, badiella, boieella, characterella, cicutella, cnicella, colarella, dauella, depunctella, diclammella, furvella, heraciella, humerella, hypericella, impurella, jugurthella, liturella, lugubrella, nubilella, obscurella, parilella, pinguinella, populella, propinquella, pulverella, rubidella, sororuculella, sparganiella, vacciniella, verbascella, virgella, zephyrella.
- Haetera** diaphanus, dindymene, esmeralda, lena, luna, nereis, philoctetes, piera.
- Haeterius** quadratus.
- Hagria** vosmaeri.
- Hahnia** pratensis, pusilla, silvicola.
- Haladroma** urinatrix.
- Halarachne** halichoeri.
- Halcyon** albicilla, albiventris, amauroptera, atricapillus, bruniceps, caerulea, cancrophagus, capensis, chelicuti, chloris, chlorocephalus, cinereifrons, cinnamominus, collaris, concreta, coromandeliana, coromandelicus, coromandra, coromandus, coronatus, cyanoleucus, cyanotis, diops, erythrogaster, erythrorhynchus, filaciua, fusca, fuscicapilla, gularis, gurali, incinctus, javana, lazuli, leucocephalus, leucogaster, lindsayi, macleayi, melanops, melanopterus, melanorhyncha, microsoma, monachus, omnicolor, pileata, platyrostris, pulchella, pygmaea, pyrrhopygia, rufula, ruiventer, sacer, sanctus, saurophaga, schlegeli, semicaerulea, senegalensis, senegaloides, smymensis, sordidus, striolata, superciliosa, swainsoni, torotoro, torquatus, tricolor, tutu, vagans, varia, variegata, venerata.
- Halcyone** chilensis.
- Halcyonium** carneum.
- Halcyornis** toliapicus.
- Halec** sternbergi.
- Halecium** beani, halecinum, muricatum, okenianum, rameum, sericea.
- Halecopsis** laevis.
- Halesus** angustatus, confulatus, digitatus, flavus, fuscipennis, hieroglyphicus, lateralis, latipennis, obscurus, radiatus, stellatus, vibex.
- Halia** flemingiana, helicoides, priamus, punctularia, stevenaria, vauaria, wavaria.
- Haliaeetus** albipes, blagrus, calei, canorus, erythronotus, leucocephalus, leucogaster, macei, melanoleucus, milvoldes, nisis, ponticerianus, unifasciatus, vocifer, vulturinus.

- Haliaetos** albicilla, bacha, borealis, groenlandica, islandicus, leucocephalus, orientalis, pondicerianus, washingtoni.
- Haliaetus** aguia, chimachima, chimanzo, dimidiatus, fulviverter, garuda, girrenera, lanceatus, leucocephalus, leucosternus, lineatus, macei, maritimus, melanoleucus, milvodes, pelagicus, sinensis, spheonurus, unicolor, vocifer, vociferoides, vulturinus.
- Halianassa** broccchi, collini, cordieri, cuvieri, studeri, subapenninum.
- Halias** clorana, prasina, prasinana, quercana, vernana.
- Haliastur** canorus, indus, leucosternus, pondicerianus, spheonurus.
- Halibacarus** depressus, planatus.
- Halichaeris** gryphus.
- Halichelys** atra.
- Halichoerus** antarcticus, griseus, hispidus.
- Halichondria** aculeata, aegagrophila, albescens, areolata, argentea, aurea, canaliculata, carnea, celata, cervicornis, cinerea, coalita, columbae, conus, domuncula, falisca, ficus, fluvialis, fruticosa, fucorum, hirsuta, hispida, hystrix, incrustans, infundibuliformis, johnstonia, lacustris, macularis, mammillaris, montagui, oculata, palmata, panicea, papillaris, parasitica, perlevis, plumosa, pyramidata, ramosa, rigida, saburrata, sanguinea, seriata, sevesa, simulans, suberea, suberica, tubulosa, ventralabra, virgultosa.
- Halichores** bimaculatus, caeruleo-vittatus, eximius, marginatus, multicolor, sexfasciatus, variegatus.
- Haliclona** oculata*.
- Halicoptera** atrimma, hemprichi, lottum.
- Halicore** australis, cetacea, cuvieri, dugong, exertis*, indicus, tabernaculi.
- Halictoides** dentiventris, inermis.
- Halictophagus** curtisi.
- Halictus** abdominalis, aeratus, albidus, albipes, albocinctus, albomaculatus, bifasciatus, cephalotes, chalcodes, concinnus, crassicornis, cylindricus, difformis, dimidiatus, diversipennis, ecaphosus, elegans, fasciatus, flavipes, fodiens, fulvicornis, fulvocinctus, gibbus, gramineus, interruptus, labrosus, laevigatus, laevis, lateralis, leprieuri, gerouxi, leucopus, leucozonias, ligatus, lineolatus, loetus, longulus, lugubris, maculatus, malachurus, marginatus, milneanus, minutissimus, minutus, morio, nidulans, nigripes, nigromarginatus, nitidusculus, obovatus, octonotatus, orientalis, pallens, parallelus, pauperata, poeyi, prasinus, punctulatus, purus, quadricinctus, quadrinotatus, quadri-striatus, radiatus, rubellus, rubicundus, rufitarsis, seladonius, semiaeneus, sex-cinctus, sexnotatus, smeathmanellus, splendens, subauratus, subfasciatus, subhirtus, subpetiolatus, terebrator, tricolor, unicolor, vestitus, villosulus, virescens, viridis, vulpinus, xanthopus, zebrus, zonulus.
- Halicyne** agnota, laxa.
- Halidracon** dolichodeirus, recentior.
- Halius** africanus, aquilus, brasilianum, capensis, carbo, cormoranus, gracilis, graculus, leucogaster, lucidus, pusillus.
- Halieutaea** stellata.
- Haliglossa** echinata, foliosa, interrupta, limacina, stellaris.
- Haligyna** borealis.
- Halimmosaurus** crocodiloides.
- Halimeda** incrassata, irregularis, monile, multicaulis, opuntia, pisifer, tridens, tuna, venusta.
- Halimus** auritus.
- Halina** panicea, patera.
- Haliomma** aequorea, amphisiphon, crenatum, didymum, dixyphos, lagena, medusa, nobile, ovatum, radians, radicum, sol.
- Haliophis** guttatus.
- Haliotidea** dilatata, sigaretoides.
- Haliotis** adriatica, albicante, ancile, aquatilis, asinina, astricta, californiana, californiensis, canaliculata, capensis, carinata, clathrata, coccinea, cocciradiata, concinna, conicopora, corrugata, costata, cracherodii, crenata, crispata, cruenta, cunninghami, cyclobates, decussata, dentata, discus, diversicolor, dringi, dubia, elegans, emmae, excavata, ficiformis, fulgens, funebris, gemma, gibba, gigantea, glabra, gruneri,

imbricata, impertusa, incisa, interrupta, jacnensis, janus, japonica, kamtschatkana, lamellosa, latilabris, lauta, mariae, marmorata, monilifera, multiperforata, nebulata, neglecta, nodosa, oblonga, ovata, papulata, parma, pertusa, philberti, philiberti, phyanotis, polymotis, planilirata, planulata, ponderosa, prisca, pustulata, reticulata, roedingi, roei, rosacea, rotundata, ruber, rubiginosa, rufescens, rugosa, rugosoplicata, sanguinea, scabricosta, scutulum, semiplicata, semistriata, sepiculata, sieboldi, sinuata, spadicea, speciosa, spiculata, splendens, squamata, squamosa, stomatiaciformis, sulcifera, sulcosa, tayloriana, tricostalis, tricotata, tubifera, unilateralis, venusta, virginia, viridis, volhynica, zealandica, ziczac. *Vide et Halyotis.*

Haliopaedisca americana.

Haliplana fuliginosa.

Haliplus aequatus, affinis, americanus, analis, ater, badius, bi-striolatus, borealis, brevis, caesus, cinereus, confinis, cribrarius, dorsalis, duodecimpunctatus, elevatus, emarginatus, exculptus, fasciatus, ferrugineus, flavicollis, fluviatilis, fulvicollis, fulvus, glabratus, gravidus, guttatus, immaculicollis, impressus, limbatus, lineato-collis, lineatus, lineolatus, longulus, maculatus, marginepunctatus, melanocephalus, mucronatus, nilicola, nitens, obliquus, pantherinus, parallelus, pictus, quadrimaculatus, rotundatus, rubicundus, ruficollis, signatus, sinensis, subnubilus, trimaculatus, triopsis, variegatus, varius.

Haliplus lineato-collis, marginepunctatus.

Halisarca dujardini.

Halisidota albus, catenula, tessellaris.

Halispongia cinerea, infundibuliformis, parasitica, sanguinea, suberica.

Haliptea aculeata, aurata, hystrix, sericea.

Halitherium beaumonti, cristoli, fossile, guettardi, seresi.

Hallesus auricollis, flavipennis, nigricornis, poecilus.

Hallia insignis.

Hallirhoa agariciformis, brevicostata, costata, lycoperdoides, myrtilites, tessonis.

Hallomenus anaspoides, axillaris, bifasciatus, castaneus, dimidiatus, fasciatus, fuscus, gracilis, humeralis, luridus, melanocephalus, minutus, mordellinus, niger, pallens, quadrimaculatus, quadripustulata, scapularis, umbrinus, undatus.

Halmaturus agilis, albigularis, albogularis, albus, antilopinus, asiaticus, bennetti, billardieri, binoe, brachyotis, brachytarsus, brachyurus, bruni, concinna, conspiciatus, dama, derbianus, dorsalis, elegans, eugenii, fasciatus, fraenatus, fruticus, fuliginosus, gigantea, greyi, houtmanni, inornatus, irma, isabellinus, kingi, lanciger, leporides, leptonyx, lessoni, lunatus, manicatus, melanops, nalabatus, nemoralis, nuchalis, parma, parryi, penicillatus, robustus, ruficollis, rufiventer, rufogriseus, rutilans, rutilus, tasmanei, thetidis, thetis, ualabatus, unguifer.

Halobates albinervus, flaviventris, micans, pictus, sericeus, streatfieldaui.

Halobia lommeli, salinarum.

Halocrinites elongatus, mattiaca, pyramidalis, schlotheimi.

Halodactylus diaphanus, parasiticum, velum.

Halodroma minatrix.

Halohippus glacialis.

Halomitra pileus.

Halophila johnstonae.

Haloseris lactuca.

Halosydna balanoidea.

Halsydus pontoppidiani.

Halteria grandinella.

Haltica abbreviata, abdominalis, acroleuca, acuminata, advena, aemula, aenea, aeneofusca, aequinoctialis, aerata, aeresa, aestuans, affinis, albicollis, albifasciata, albifemorata, alternata, amethystina, amicta, amoena, analis, anchusae, annularis, antennata, apicalis, areata, aridella, aridula, armoricae, aspera, assimilis, atricapilla, atriceps, atrocaerulea, atrovirens, attenuata, aulica, azurea, badia, ballota, bicolor, bifasciata, biguttata, bilineata, biloba, binotata, bipustulata, bisquadrimaculata, bistriguttata, bistrimaculata, bivittata, borealis, brunnea, brunnicornis, brunnipes, calcarata, calida, campanulae, capensis, capitata, cardui, carinata, caroliniana,

castanea, centaureae, chalcomera, chalybea, chlorophana, ~~chalcop~~teroptera, chrysanthemi, chrysopygis, cinctrix, cincta, cinctella, circumdata, circumflexa, civilis, coccinea, coccinellina, coerulea, collaris, collata, colorata, compressa, concinna, conducta, confinis, conglomerata, conjugata, conjuncta, consobrina, consuta, contracta, copalina, copulata, corrusca, crassicornis, cruciata, cryptocephala, cucullata, cucumeris, cuprea, cupreata, cyanea, cyanella, cyanescens, cyanipennis, cyanoptera, cynoglossi, cyparissiae, decemguttata, decemmaculata, decempustulata, decipiens, denticulata, dentipes, depressuscula, didyma, dilatata, dilecta, dimidiata, dipus, discoidea, dispar, divaricata, divisa, dorsalis, dulcamare, duponti, eburata, echii, elongata, emarginata, ephippium, episcopalis, equestris, erichsoni, eryngii, erythroptera, exaltans, excellens, excisa, exoleta, externa, famelica, fasciata, femoralis, femorata, fenestra, festiva, filiformis, fimbriata, fischeri, flava, flavicornis, flexa, forticornis, foveolata, frontalis, fulvicollis, fulvicornis, fulvipennis, fulvipes, funerea, fuscescens, fuscicollis, fuscodorsalis, fusi-formis, gagathina, galapagoensis, gaudens, gemella, geminata, geniculata, gibba, gilvipes, glabra, glabrata, glabrella, globosa, gomesi, graecizans, grisea, grossa, hectica, hederæ, hellwigi, helveola, hemisphaerica, hilaris, honesta, hudsonius, humeralis, humilis, ianthina, ignita, impressa, indica, indigacea, inermis, infulata, intermedia, interrupta, jaculus, javanica, kirbyi, labialis, laeta, laevigata, laevis, lateralis, lateritia, lens, lepidia, libentina, limaei, limbata, linea, lineata, liturata, lunata, lurida, lusca, lutea, lutescens, macropus, macula, malvacearum, malvae, mannerheimi, marcida, marginalis, marginella, marginula, marmorea, melaena, melaleuca, melanocephala, melanophthalma, melanostoma, mercurialis, metallica, miniata, miniaticollis, minima, monacha, monilis, muscorum, nana, napi, nasturtii, nigerrima, nigra, nigricans, nigriceps, nigricollis, nigricornis, nigridorsis, nigritarsis, nigritula, nigroaenea, nigro-fusca, nigromaculata, nitida, nobilitata, nucea, obesa, oblongiuscula, obscura, obscurella, obsidiana, obsoleta, obtusata, occultans, ocellata, ochroleuca, octoguttata, octomaculata, oculata, olivacea, opima, orbiculata, ornata, ovata, ovulum, pallens, palliata, pallidicornis, palustris, parvula, paupera, pensylvanica, personata, petaurista, phthisica, picea, picicornis, picina, picipes, picta, pilaris, pilosa, plebeja, polita, porrecta, praticola, procera, prolixa, propinqua, propugnaculum, pseudacori, ptinoides, pubescens, pulchella, pulcherrima, pulex, pumila, puncticollis, punctulata, pur-purascens, pusilla, pyritosa, quadrifasciata, quadriguttata, quadrinotata, quadri-punctata, quadripustulata, quadrisignata, quadrivittata, quercata, quinquelineata, quinquepunctata, rapae, relicta, restituta, rhois, rosea, rubi, rubra, rubricata, rubricollis, rufa, ruflabris, ruflina, rufipes, rufiventris, rufofasciata, rufopicea, rutila, sahlbergi, stercus, salicariae, saliciens, saltitans, sanguinea, schillingi, schueppeli, scissa, scutellata, sellata, semicaerulea, semicincta, seriata, serpili, sesquilunata, sexguttata, sex-maculata, sex-notata, siebersi, signata, silacea, similis, sinuata, sordida, spadicea, spartii, spergulae, spreta, stictica, stolidia, striata, striatula, striolata, subcyanea, subimpressa, substriata, suturalis, suturella, tamaricis, terminalis, thapsi, thoracica, tibialis, tinuida, tricolor, tricurciata, trifasciata, tripudians, tripunctata, truncata, umbratica, unicolor, varia, varicornis, variegata, ventralis, verbasci, vibex, vicina, violacea, virens, viridipennis, viridissima, vittata, vittula, volkameriae, vulnerata, westermanni, xanthomelas, zebrata, zigzag. *Vide et Altica.*

Halticella bispinosa.

Halticella armata, aterrima, bifasciata, bispinosa, dargelasi, mitys, nigripes, pusilla, rufipes, sanguinipes, sepyra, unicolor.

Halticoptera annularis, bimaculata, chrysochlora, coccorum, cupreola, flavicornis, hortensis, laeta, minuta, rotundata, umbraculata, variants.

Halticus mutabilis, ochrocephalus, pallicornis, pteridis, rufescens, rufifrons, saltians.

Halyotis australis, tessellata. *Vide et Haliotis.*

Halys alternans, amygdali, annulata, apicalis, armata, assimilis, australasiae, carolinensis, cincta, clavata, concinna, dentata, dentipes, depressa, erosa, exsculpta, flavolineatus, flavopunctata, frondosa, furcata, gravis, hellenica, humeralis, insubida, jaculus, lata, latipes, latispina, lineata, lineolata, lusitanica, mucorea, nebulosa, nigricollis, nubila, obscura, oculata, parvula, plana, punctulata, pupillata, quadripustulatus, reticulata, rufescens, serrata, serricollis, serrigera, spinosula, strigata, timorensis, variegata, variolosa, versicolor, wintheni.

Halysis alcae, anatis, anseris, bacillaris, candelabraria, caprina, caryocatactes, cernuae, charadrii, columbae, cornicis, corollata, crassiceps, crateriformis, crenata, cuneiceps, dendritica, ellyptica, erynacei, farciminosa, filamentosa, filum, flagellum, fulicarum, galbulae, gasterostei, genettae, glandarii, globifera, gracilis, hirundinis, infundibuliformis, laevis, lanceolata, lanceolatoslobata, lata, laticeps, liguloides, linea, lineata, litterata, longicollis, loxiae, maculata, malleus, marginata, martis, membranacea, mustelae, nodosolanceolata, nymphaea, obvoluta, octolobata, omphalodes, ovina, pari, passeris, pectinata, percae, perfoliata, perlata, plicata, psittaci, pusilla, putorii, ralli, rostellata, scorpii, serpentulus, serrata, setigera, silicula, siluri, sinuosa, solium, straminea, suis, tordae, torquata, torulosa, transverse-lineata, trilineata, turdorum, undula, vanelli, venusta, vespertilionis, villosa.

Halysites agglomerata, attenuata, catenulata, dichotoma, dissimilis, escharoides, jacovicki, labyrinthica, macrostoma, parryi, stenostoma.

Halysia pallasi, perroudi, sedecim-guttata, straminea.

Hama aliena, basilinea, connexa, furva, sordida, testaceus, ypsilon.

Hamadryas (Lep.) almana, amphinome, assarius, astina, calliroe, carye, evarete, feronia, jatrophoe, jo, jucunda, lemonias, odius, zoilus.

Hamadryas (M.) cbaeropithecus, porcaria.

Hamadryas (R.) hannah, ophiophagus, reinwardti.

Hamalia delotaria, parallela.

Hamanumida actoria, alector, allica, lusca, lusia, meleagris, sturnula, thase, veronica.

Hamathicherus atropos, lacordairei.

Hamaticherus batus, bellata, bellator, cantori, cerdo, friulanus, glabricollis, beros, pilosicollis, plicatus, procerus, puncticollis, spinipennis, suturalis, tomentosus, velutinus, viridipennis, wetensi. *Vide et Hamma*→.

Hamaxobium haemorrhoum.

Hamearis abarissa, epule, lucina.

Hamiltonia ovata.

Haminaea cuvieri, dilatata, elegans.

Haminoea hydatis.

Hamirostra montana.

Hamites aculeatus, adpressus, alternans, alternatus, alterno-tuberculatus, angustus, annulatus, annulifer, arcuatus, arculus, armatus, attenuatus, babeli, baculoides, beani, bicarinatus, biplicatus, boubardianus, canterius, capricornu, carolinus, charpentieri, chloritea, columna, compressus, consobrinus, costatus, cylindraceus, cylindricus, decurrens, degenhardti, desorianus, dissimilis, elatior, elegans, ellipticus, emericianus, essensis, evans, favrinus, flexuosus, funatus, geinitzi, gibbosus, gigas, glossidens, gracilis, grandis, haani, hampeanus, bamus, hillsi, incertus, incurvatus, indicus, inflexus, intermedius, ixyon, labati, large-sulcatus, lyelli, mantelli, maximus, molae, nereis, nodosus, obliquatus, obliquecostatus, orbignyana, parallelus, parkinsoni, pbillipsi, plicatilis, punctatus, raricostatus, raulinianus, rectus, reussianus, roemeri, rotundus, royerianus, rugatus, sablieri, saussureanus, semicinctus, seminodosus, sexnodosus, simplex, spiniger, spinulosus, spiralis, strangulatus, studerianus, subcompressus, subnodosus, tenuis, tenuisulcatus, torquatus, trabeatus, trinodosus, tuberculatus, turgidus, undulatus, venetianus, virgulatus.

Hammacerus conspicillaris.

Hammaticherus auripennis, carinatus, dux, fucatus, indutus, intricatus, marmoratus, mauritanicus, micans, miles, mirbecki, nerii, nodicornis, nodulosus, orientalis, paludivagus, picipennis, ruficornis, spinicornis, tataricus, thirki, turbinaticornis, wetensi. *Vide et Hama*→.

Hammatocerus (Col.) heros, pictus.

Hammatocerus (Hem.) conspicillaris, furcis, nycthemerus, purcis.

Hammatodactylus nodosus.

Hammatophora bucephala.

Hammerschmidtia vittata.

Hammonia brevicornis, dubia, latreillei, melanocephala.

Hamotus bryaxoides, humeralis, latericius.

Hampala macrolepidota.

- Hamster cricetus, striatus, zenini.*
- Hamularia cylindrica, nodulosa, subcompressa.*
- Hamulina alpina, astieriana, cincta, decurrens, degenhardti, dissimilis, emeriana, hamus, incerta, obliquecostata, orbignyana, raricostata, roemeri, royeriana, semicincta, subcylindrica, subnodosa, subraricostata, subundulata, varusensis.*
- Hamulus onyx.*
- Hapale argentata, auritus, chrysoleucos, chrysomelas, devilli, geoffroyi, humeralifer, illigeri, jachus, leucocephalus, leucotis, melanotis, melanurus, midas, nigrifrons, oedipus, penicillatus, pygmaea, rosalia, ursula.*
- Hapales doguin.*
- Hapalia (Lep.) flavalis, fulvalis, hyalinalis, illibalis, infecta, lutealis, mitis, praecox, trinalis.*
- Hapalia (Med.) heteroptera.*
- Hapalocercus flaviventris, helviventris, ruficeps.*
- Hapalogaster mertensi.*
- Hapalogenys analis, maculatus, nitens.*
- Hapalophus affinis, cubla, gambensis.*
- Hapalotis (Lep.) atratula, candidula, furcula, fuscua, lupula, ravula, venustula.*
- Hapalotis (M.) albipes, conditor, longicaudata, murinus.*
- Hapalura minima, stenura.*
- Haplacanthus marginalis.*
- Haploa dymene, pasinuntia.*
- Haplocaelus triste.*
- Haplochile pygmaea.*
- Haplocrinites granulatus, hemisphaericus, maximus, mespiliformis, ovalis, sphaeroideus.*
- Haplocrinus mespiliformis, stellaris.*
- Haplodactyla mediterranea.*
- Haplodon leporius.*
- Haplonycha iridescens, obscuricornis, pectoralis, scutalis, striatella.*
- Haplonyx fasciculata, hopei, kirbyi, spencei.*
- Haplopeza violacea.*
- Haplophora spinosa.*
- Haplopiethius hopei, mellyi.*
- Haploptilia albifuscilla, anatipennella, complanella, coracipennella, cygnipennella, gryphipennella, laricella, mayrella, rufipennella, spinifoliella.*
- Haplopus angulatus, ceratophyllus, eucnemis, submarginalis, westermanni.*
- Haplotaxia menkeana.*
- Haplothrips albipennis.*
- Hapsifera luridella.*
- Haptoderus spadiceus.*
- Haralda glacialis.*
- Harana wallichii.*
- Harelda glacialis.*
- Harengula abbreviata, arabica, bipunctata, clupeola, forsteri, humeralis, latulus, maculosa, punctata, sprattus.*
- Hargium lineatum.*
- Harlanus americanus.*
- Harma alcimeda, althea, caenis, egesta, eupithes, fumana, jodutta, sangara, theobene.*
- Harmodia compta, conserta, conspersa.*
- Harmodita intricatus.*
- Harmodites bifurcata, bouchardi, caespitosa, cancellatus, catenatus, confertus, confusa, distans, elegans, filiformis, geniculata, gracilis, lonsdalei, parallela, radians, ramosa, ramulosa, reticulata, rugosa, stolonifera, strues, verticillata.*
- Harmodytes cretaceus.*
- Harmonia ampla, arcuata, bupthalmus, caucasica, contexta, cyanoptera, doublieri, duodecim-maculata, duodecim-pustulata, impustulata, lyncea, margine-punctata, notulata, quinque-lineata, rosea, rufescens, sommeri, sommieri.*
- Harmostes costalis, dorsalis.*

Harpa altavillensis, *articularis*, *conoidalis*, *crenata*, *cythara*, *delicata*, *elegans*, *gracilis*, *grandiformis*, *imperialis*, *ligata*, *minor*, *mutica*, *oblonga*, *raricostata*, *rivoliana*, *rosea*, *scriba*, *striata*, *trimmeri*, *uniformis*, *ventricosa*, *vulgaris*.

Harpacterus ebeninus, *quadrisignatus*.

Harpactes (A.) *ardens*, *diardi*, *duvaucelli*, *erythrocephalus*, *flagrans*, *gigas*, *gouldi*, *hodgsoni*, *indicus*, *malabarius*, *oreskioi*, *reinwardti*, *rodiosternus*, *rutilus*, *temmingki*.

Harpactes (Col.) *affinis*, *annulatus*, *carceli*, *concinus*, *lehmanni*, *lunatus*.

Harpacticus acutifrons, *concinus*, *linearis*, *roscus*, *sacer*, *virescens*.

Harpacticus aegyptius, *affinis*, *angulatus*, *annulatus*, *calviventris*, *capensis*, *cinctus*, *cruentus*, *disciventris*, *erythrocnemis*, *geniculatus*, *griseus*, *haematitius*, *haematopterus*, *haemorrhoidalis*, *leucocephalus*, *moestus*, *morio*, *murinus*, *niger*, *obscurus*, *pallidiventris*, *pedestris*, *pentatoma*, *poecilus*, *punctiventris*, *rufipes*, *segmentarius*, *spiniipes*, *subarmatus*, *violentus*, *vulneratus*.

Harpactur tropicus.

Harpadon microps.

Harpagifer bispinis, *palliolatus*.

Harpagmotherium canadense.

Harpagodon maximus.

Harpagopus dubius, *gigaiteus*, *hudsonius*.

Harpagus (A.) *bidentatus*, *diodon*.

Harpagus (Lep.) *albiatrigella*, *bidentatus*, *cinctella*.

Harpale argentea, *bicolor*, *chrysopyga*, *labiata*, *leonina*, *leucocephalus*, *melanurus*, *nigra*, *oedipus*, *penicillatus*, *ursula*.

Harpalis amoretta, *davidis*, *doris*, *major*, *nobilis*.

Harpalus abdominalis, *acuminatus*, *acutipennis*, *adamsi*, *aeneipennis*, *aeneopiceus*, *aeneus*, *aequicollis*, *aequilatus*, *aereus*, *aethiops*, *affinis*, *agilis*, *agnatus*, *agricolus*, *agrorum*, *ahenus*, *albionicus*, *albipes*, *alpestris*, *alpinus*, *alternans*, *amaenus*, *amariformis*, *amaroides*, *amethystinus*, *amoenus*, *amplicollis*, *amputatus*, *angusticollis*, *angustipennis*, *annulicornis*, *anthracinus*, *anxius*, *apicalis*, *apricarius*, *arcticus*, *armeniacus*, *assimilis*, *ater*, *aterrimus*, *atratus*, *atricornis*, *atrocaeruleus*, *attenuatus*, *aulicus*, *aurichalceus*, *australasiae*, *australis*, *azurescens*, *azureus*, *badius*, *baldimorensis*, *baltimoriensis*, *bartheleimensis*, *basalis*, *basilaris*, *bicolor*, *bifoveolatus*, *bifrons*, *binotatus*, *bogemanni*, *bonariensis*, *borealis*, *borysthenicus*, *brachypus*, *brevicollis*, *brevicomis*, *brevicornis*, *brevis*, *brevithorax*, *breviusculus*, *brunneipennis*, *brunneus*, *brunnicornis*, *brunnipennis*, *brunnipes*, *bucephalis*, *bungi*, *caenus*, *caffer*, *calathoides*, *calceatus*, *calcitrapus*, *caliginosus*, *calydonius*, *capicola*, *carbonarius*, *caspicus*, *castaneus*, *cautus*, *celioides*, *cephalotes*, *cervicis*, *chalceus*, *chalybeipennis*, *chalybeus*, *chevieri*, *chilensis*, *chlaenioides*, *chloropennis*, *chloropterus*, *chloroticus*, *chrysocephalus*, *cinctus*, *circumfusus*, *circumpunctatus*, *cisteloides*, *clamorgami*, *clavipes*, *clorophanus*, *coarctatus*, *coeruleipennis*, *coerulescens*, *cognatus*, *collaris*, *columbinus*, *comis*, *communis*, *compar*, *complanatus*, *concinus*, *confinis*, *conformis*, *confusus*, *congener*, *consentaneus*, *consimilis*, *contemptus*, *convexicollis*, *convexus*, *coracinus*, *cordatus*, *cordicollis*, *corruscus*, *corsicus*, *corvus*, *crassipes*, *cribricollis*, *cribripennis*, *crinipes*, *cristatus*, *croesus*, *cuniculinus*, *cupreomicans*, *cupreonitens*, *cupreus*, *cupripennis*, *curtus*, *cyanescens*, *cyaneus*, *cyclogonus*, *dahli*, *decipiens*, *dejeani*, *dentatus*, *dentipes*, *depressus*, *despectus*, *deutschi*, *dichrous*, *difficilis*, *diffinis*, *diffusus*, *dilatatus*, *dimidiatopunctatus*, *dimidiatus*, *discoideus*, *discopunctatus*, *dispar*, *distinctus*, *distinguentus*, *ditomoides*, *diversus*, *dolens*, *dorsalis*, *drescheri*, *dubius*, *duftschmidi*, *dulcicollis*, *dusaulti*, *egenus*, *elatus*, *elegantulus*, *ellipsis*, *emarginatus*, *ephippiger*, *ephippium*, *episcopus*, *erosus*, *erraticus*, *erratus*, *erythropus*, *eschscholtzi*, *etruscus*, *euchlorus*, *eurynotus*, *excavatus*, *excisus*, *exiguus*, *faber*, *familiaris*, *fasciatopunctatus*, *fastiditus*, *fastuosus*, *faunus*, *femoralis*, *femoratus*, *ferrugineus*, *fimetarius*, *flavicornis*, *flavilabris*, *flavipes*, *flavitaris*, *flaviventris*, *foerstromi*, *fossulatus*, *foveicollis*, *frigidus*, *froelichi*, *fugax*, *fulgens*, *fulgicollis*, *fuliginosus*, *fulvescens*, *fulvicornis*, *fulvipennis*, *fulvipes*, *fulvitaris*, *fulvus*, *funestus*, *furvus*, *fuscicornis*, *fuscipalpis*, *fuscipennis*, *fuscoaeus*, *fuscus*, *fuvipes*, *gagates*, *geniculatus*, *germanus*, *gibbus*, *gilvipes*, *glabellus*, *glabricollis*, *goryi*, *goudoti*, *gracilis*, *grandicollis*, *grimini*, *griseus*, *haemorrhous*, *helopioides*, *herbivagus*, *heros*, *hirsutulus*, *hirsutus*, *hirtipes*, *hispanus*, *hollbergi*,

holosericeus, honestus, hospes, hottentotta, hybridus, hylaeus, hyperboreus, hypocrita, ignavus, impiger, impressifrons, impressipennis, impressus, impunctus, incertus, incisus, incrassatus, ineditus, infimus, ingenuus, inornatus, instabilis, interpunctatus, inunctus, irinus, iripennis, kirgisicus, kuntzi, laetus, laeviceps, laevicollis, laevigatus, laevipes, laevis, laevistriatus, lapponicus, lateralis, laticeps, laticollis, latus, leiroides, lentus, lepidus, leucophthalmus, leucops, limbaris, limbatus, lineatus punctatus, litigiosus, littoralis, livens, longicollis, longior, lucidicollis, lucidulus, lucidus, luctuosus, lugubris, lumbaris, lunatus, luridipennis, lunatus, micans, microp, lyratus, maculicornis, maculifrons, madagascariensis, madidus, marginatus, marginellus, marginepunctatus, mauritanicus, maxilloso, megacephalus, megerlei, melampus, melanaris, melanarius, melancholicus, melanocephalus, melanopus, melleti, mendax, meridianus, meridionalis, merula, metallicus, metallinus, mexicanus, micans, microp, terus, minor, minutus, modestus, moestus, monilicornis, montanus, monticola, morio, multi-punctatus, nanus, natalensis, nebrides, neesi, neglectus, nemoralis, nemorensis, nemoriphagus, niger, nigerrimus, nigricornis, nigrinus, nigripalpis, nigripennis, nigripes, nigrita, nigratarsis, nigroaeneus, nitens, nitidulus, nitidus, nivalis, nobilis, nobilitatus, notatus, nubilus, obesus, oblitus, oblongusculus, oblongo punctatus, oblongus, obscuricornis, obscuripennis, obsoletus, obtusangulus, ochropterus, ochropus, ocreatus, octopunctatus, opacus, optabilis, orientalis, ovatus, palliatus, pallidicornis, pallidus, pallipes, paradoxus, parallelus, parum-punctatus, parvulus, pastor, pastus, patruelis, pelidnus, pensylvanicus, perplexus, peruvianus, petiti, pexus, picus, picicornis, picilabris, picipennis, picipes, piger, placidus, planicollis, planirostris, plebejus, pleuriticus, poeciloides, politus, posticus, praeternissus, prasinus, proleptis, promptus, promtus, proximus, pubescens, pubiger, pubipennis, pulcher, pullus, pulvinatus, pumicatus, pumilio, pumilus, punctatellus, punctatipennis, punctatostriatus, punctatulus, puncticollis, punctilabris, punctobasis, punctulatus, purpurascens, putridus, pygmaeus, quadratus, quadricollis, quadripunctatus, quenseli, rajah, regularis, rosalia, roseri, rotundatus, rotundicollis, rubripes, rufescens, ruficornis, ruficrus, ruficrus, rufilabris, rufinanus, rufipalpis, rufipes, rufitarsis, rufithorax, rufocinctus, rufus, rugulosus, rupicola, rusticus, sabulicola, sabulosus, sahlbergi, salinus, sarmaticus, satyrus, saxicola, scaritides, schreibersi, segnis, semipunctatus, semiviolaceus, seriatus, sericeus, seriepunctatus, serripes, servus, sexpunctatus, sculus, signatus, silenus, silipes, similatus, similis, sinicus, sinis, sinuatus, smaragdulus, sobrinus, solieri, solitaris, somnulentus, spadiceus, spiniger, spoliatus, spretus, spurcaticornis, stephensi, stveni, stigmosus, strenuus, striola, sturmi, stygius, subaeneus, subcaeruleus, subcordatus, subcostatus, subcyaneus, subcylindricus, subquadratus, subsimilis, subsinuatus, subtruncatus, subvirens, sulcatulus, sulcicollis, sulphuripes, syriacus, tabidus, taciturnus, tardus, tarsalis, tarsatus, tenebrosus, terminatus, terricola, testaceus, thoracicus, thunbergi, tibialis, torridus, tragositoides, trechoides, tricolor, tridentatus, tristis, trivialis, truncatus, tucumanensis, tucumanus, turmalinus, unicolor, ustulatus, vaporarium, varians, varicornis, velutinus, venator, ventralis, vernalis, versutum, verticalis, vespertinus, vestigialis, vestitus, vicinus, viduus, violaceus, virescens, viridanus, viridi-aeneus, viridicupreus, viridis, viridulus, vividus, vulgaris, vulpeculus, wellensi, wetterhalli, wilkensi, xanthorhaphus, zabroides.

Harpalyce amoenata, berberata, biangulata, caesaria, centum-notata, chenopodiaria, comma-notata, concinnata, corylata, derivata, elutaria, flavicinctaria, fulvaria, fulvata, galiaria, galata, immanaria, immanata, impluviaria, marmoraria, marmorata, miaria, miata, ocellaria, ocellata, perfusca, picaria, picata, popularia, psittacaria, psittacata, pyraliaria, quadriannulata, rubidata, ruptaria, sagittaria, saturata, sicariella, silacearia, silaceata, sinuata, subtristata, suffumaria, suffumata, sylvaticata, tristata, unangulata, unilobata.

Harpates scalaris.

Harpax cornutus, decolor, discifera, gemmata, lobatus, nana, ocellatus, parkinsoni, pictipennis, spinocula, tricolor, urbanus, virescens.

Harpe caeruleo-aureus.

Harpedactylus concameratus, gracilis, rectus.

Harpella ambiguellus, proboscicella.

Harpephora brachyptera, fusca.

- Harpes* carinatus, concavus, convexus, crassifrons, doranni, flanaganni, gracilis, macrocephalus, megalops, montagnei, orbignyianus, rediviva, reflexus, reticulatus, ruderalis, sculptus, speciosus, tenuipunctatus, ungula, venulosus, wilkensi.
- Harpidella* megalops.
- Harpides* hospes.
- Harpina* vittigera.
- Harpiocephalus* rufus, tristis.
- Harpiprion* cajennensis, carunculatus, hagedasch, nudifrons, plumbeus.
- Harpipterix* falcella, forficella, hamella, harpella, scabrella.
- Harpipteryx* chilonella, cultrella, dentellus, horridella, humerella, leucophaea, leucophaella, subfalcatella.
- Harpocera* burmeisteri.
- Harpochirus* longimanus, punctatus.
- Harpognathus* robynsi.
- Harpolestes* longirostris.
- Harporhynchus* curvirostris, longirostris, rufus, vetulus.
- Harpocelis* paradoxus.
- Harpula* bullata, carneolata, concinna, costata, fulminata, fulva, guiniaca, harpa, hebraea, laevigata, lapponica, lyriformis, mitraeformis, musica, nigricans, nodulosa, nucleus, polyzonalis, sulcata, thiarella, vexillum.
- Harpurus* fasciata, guttatus, inermis, lineatus, lituratus, monoceros, paroticus.
- Harpya* banksiae.
- Harpyhaliaetus* coronatus.
- Harpyia* (A.) braccata, coronata, cristatus, destructor, ferox, harpyia, imperialis, maxima.
- Harpyia* (Lep.) arctica, bicuspis, bifida, erminea, fagi, forficula, furcula, mulhauseri, phantoma, ulmi, vinula.
- Harpyia* (M.) cephalotes.
- Harpyias* bicuspis, bifida, furcula.
- Harpyja* plicata.
- Harrisia* aenea, brasiliensis, idiotica, pagana, scutellaris.
- Harrovia* albolineata.
- Hastatis* septemmaculata.
- Hathlia* lacteola, lineella, melanocephala, quadrilineata.
- Hatlia* leucocincta.
- Hatteria* punctata.
- Hauerina* compressa.
- Haustator* gallicus.
- Haustellaria* erythrostoma, umbraculata.
- Haustellum* carinatum, clavatum, laeve, nobile.
- Haustrum* dentex, pictum, striatum, tuberculatum, zealandicum.
- Hazis* agorius, malayanus, mars, menouxi, militaris, poeyi, tasmaniae.
- Hebascus* analis, helvolus, hirtellus, testaceus.
- Hebe* punctata.
- Hebecerus* persicus.
- Hebestola* annulicornis, nebulosa, operaria.
- Hebia* flavipes, peliolata.
- Hebomoia* glaucippe, leucippe.
- Hebotomus* minutus, molestus.
- Hebrus* pusilla, pygmaeus, walkeri.
- Hecabolus* sulcatus.
- Hecaerge* (Ar.) maculata.
- Hecaerge* (Lep.) carinenta, celtis, motya, myrrha.
- Hecalis* hypopolius.
- Hecamede* albicans.
- Hecatesia* fenestrata, thyridion.
- Heccaedecabostrycha* blossevillei.
- Hectarthrum* bistriatum, brevifossum, curtipes, gemelliparum, gigas, heros, ruipenne, semifusum, trigeminum.

Hectocotyla tremoctopodis.

Hectocotylus argonautae, octopodis, tremoctopodis.

*Hectorides agavus**, ascanius, lysithous, proneus.

Hecuba lamellaris, rosea.

Hedessa sieboldi.

Hedobia humeralis, imperialis, pubescens, regalis, vulpes.

Hedruris androphora.

Hedya amoenana, cynosbatana, festivana, incarnatana, salicana.

Hedybius bimaculatus, clypeolus, collaris, coriaceus, elongatus, erosus, oculatus, plagiocephalus, smaragdulus.

Hedychrium sinuosum.

Hedychrum aeneum, asperum, auratum, bidentulum, caeruleum, coelestinum, cupreum, cyaneum, eximium, fastuosum, fellmanni, fervidum, imperiale, integrum, intermedium, janus, lucidula, maculatum, mauritanicum, micans, minimum, minutum, nitidum, numidicum, obsoletum, politum, pusillum, regium, roseum, speculum, violaceum, viride, zelleri, zimnermanni.

Hedycrum alterum, bidentulum, caerulescens, dimidiatum, lucidum, spina, ventralis.

Hedydipna metallica, platyura.

Hedyphanes bessi, caerulescens, chalybeus, dejeani, desertus, foveolatus-striatus, hegeteroides, helopioides, impressicollis, laticollis, mannerheimi, menetriesi, nycterioides, quadraticollis, tagenoides, tentyrioides, upioides.

Heegerius typus.

Hefriga sorrata, suberrata.

Hegemon cacticus, druryi, goliathus, princeps, regius.

Hegemona resplendens.

Hegeter abbreviatus, amaroides, angustatus, aterrimus, atratus, brevicollis, caraboides, eribricollis, elongata, fuscipes, impressus, indicus, lateralis, opacus, pedinoides, politus, punctatus, rugifrons, spretus, striatus, tagenioides, tenuipunctatus, transversus, unicolor, webbianus.

Helipus acatium, acutissimus, adpersus, affinis, ahrensi, alternans, anguliferus, annuliger, apiatus, ascius, asperulus, audouini, baiulus, balteatus, bartelsi, bellicosus, bidentatus, bimaculatus, bi-notatus, bioculatus, biplagiatus, bipunctatus, bisignatus, bohemani, bonelli, brunneus, buqueti, cadivus, callosus, carinirostris, catagraphus, caudatus, cauterius, celsus, cestatus, chevrolati, choicus, clavipes, colon, commaculatus, comtus, conspersus, contaminatus, coronatus, corruptor, costalis, costirostris, crassirostris, crispus, crocopelmus, cruciatus, cultripes, cuvieri, cymba, dahlbomi, decipiens, deossatus, destructor, difficilis, dimidiatus, discoides, dorsalis, dorsosulcatus, dorsualis, draco, echinatus, egenus, elegans, erythropus, erythrorhynchus, erythrocephalus, esmarki, faldermanni, fallax, famulus, fasciculatus, flammiger, fohraei, freyreissi, fidesi, gayi, geeri, germari, globulicollis, granellus, granicostatus, granosus, granulifer, guttatus, gyllenhali, honestus, hopei, hummeli, hylobioides, illigeri, inaequalis, inaptus, integellus, interstrictus, intricatus, jocosus, lacordairei, lactarius, laevicollis, laqueatus, lateralis, latro, lauri, lembunculus, leoninus, leopardus, letabilis, leucostigmatus, lituratus, loricatus, maculosus, margaritifer, marklini, marmoreus, melloximus, melanopus, meles, menetriesi, mixtus, moesticus, multiguttatus, multimagatus, muricatus, myops, naevulus, nisseri, nodifer, norrisi, nubilosus, obliquus, ocellatus, ocellifer, okeni, onychinus, orbigny, paleoliferus, panzeri, parvus, pardus, porculus, pepsus, perturbatus, pertyi, picturatus, pictus, pissodeoides, plagiatus, planicollis, polycoccus, polymitus, prodigalis, prolixus, punctatoscabratus, punctatus, pupillatus, pusio, querulus, reichenbachii, retusus, roeseli, rufescens, rufipes, rufirostris, ruginosus, rusticus, sahlbergi, saxosus, scabripennis, scalaris, scapha, schenckii, schenckii, scrobicollis, scrobiculatus, semiamictus, semivittatus, sinuatus, spatulatus, spinosus, squamosus, stellifer, stellimicans, stigma, stratioticus, strator, subcostatus, submaculatus, subpartitus, taciturnus, tomentosus, trachypterus, tricarminatus, tricolor, troglodytes, tuberculatus, tuberculosus, tugusti, undabundus, unguiculatus, ustulatus, variegatus, velamen, verrucosus, viduus, westringi, wiedemannii, zetterstedti, ziegleri, zonatus, zoubkoffi.

Hela oblonga, speciosa.

Helaeotrechus elaphroides.

Helaeus bremeri, browni, colossus, contractus, echidna, echinata, hopei, intermedius, kirbyi, macleayi, marginellus, ovatus, perforatus, perroni, piensu, princeps, simplex, spencei, spinolae, tarsalis, testudineus, tuberculatus.

Helamis cafer, capensis.

Helarctos euryopilus, malayanus, tibetanus.

Helarctos malayanus.

Helcion ancyloides, angulata, angulosus, angustus, appendiculata, arsinoe, aubertoniensis, baugieri, campanulaeformis, campanulata, capulina, cingulata, clypeola, conica, corallina, corrugata, costaria, costulata, coxalis, cuppula, curvata, dimidiata, disciformis, discoidea, discoides, disculus, duclosi, dunkeri, elliptica, elongatus, gaultina, glabra, granulata, hebertiana, inflata, kopinckii, laevigata, laevis, lamellosa, lata, lateralis, latissima, lineata, luciensis, mamillaris, martinianus, minuta, mucronata, muensteri, nana, neptuni, nitida, normanniana, nuda, orbiculatus, orbis, ovata, papyracea, patelliformis, pectinata, primogenia, retrorsa, reussi, rugosa, rupellensis, ryekholtiana, saturni, schmidti, semistriata, sinuosa, striatula, striatus, subaciculata, subcentralis, sublaevis, submucronata, subquadrata, subradiata, subrugosa, subtenuicosta, sulcata, tentorium, tenuistriata, tessoni.

Helcomyza ustulata.

Helcon aequator, ambiguus, angustator, annulicornis, carinator, carinatus, caudatus, chlorophthalmus, claviventris, collaris, cylindricus, dentator, dentipes, fasciatus, flavipes, fulvipes, indultor, infirmus, lepidus, lignator, linearis, macrocephalus, marginator, obscurator, obscurellus, obscurus, oleraceus, pallipes, pectoralis, picipes, puber, ruspator, saltator, semirugosus, semistriatus, speculator, spinator, striatulus, tardator, testaceator, thoracicus, tibialis.

Helcura littoralis.

Helea cornuta, hispida, limbata, sexcostata, tricastalis.

Heleionomus variegatus.

Heleioporus albopunctatus.

Helena spinola.

Helenis spatosa.

Heleodromia bipunctata, bistigma, fontinalis, immaculata, stagnalis, unicolor.

Heleodytes griseus, minor.

Heleomyza centropunctata, lacustris, pulchella, quinquepunctata, ustulata.

Heleona fenestrata, militaris, papilionaris.

Heleornis nipalensis.

Helia bibitrix, calligramma, compotrix.

Heliaca arbuti, jocosus, purpuralis.

Heliactin cora, cornutus, dilophus, exilis, langsdorffi.

Heliacus heberti.

Heliangelus amethysticollis, clarisse, mavors, parzudakii, spencei, strophianus.

Helianthea bonapartei, eos, lutetiae, violifer.

Heliaptex arcticus.

Helias phalaenoides.

Heliases analis, axillaris, caeruleus, cinerascens, crisma, frenatus, insolatus, lepisurus, limbatus, notatus, reticulatus.

Heliases marginatus.

Helicarion cassida.

Helicella albula, algira, alliaria, arborea, castor, cellaria, chalicophila, comatula, concolor, corticata, crystallina, diaphana, draparnaldi, eurythmia, fasciata, feringinea, filigera, filimargo, fruticola, glabra, glaphyra, hieroglyphica, hispida, hispidula, imperforata, isodomus, krynicki, latilabris, limbata, livescens, lucida, lunulata, maesta, mamillata, morkiana, nitida, nitidosa, nitidula, obvia, omalomorpha, orbicula, picta, punctadina, plebeja, plebejum, prevostiana, quadrizona, radiatus, rastellum, resplendens, revoluta, rotundata, saxatilis, semicostulata, solarium, sphaerita, succinea, tenuis, thiaraeformis, thymorum, trochilionides, varians, viridula.

Helicerus fugiensis.

Helichus lithophilus

Helicina *acuta*, *acutissima*, *adamsiana*, *adpersa*, *affinis*, *agglutinans*, *alata*, *albolabris*, *ambieliana*, *amoena*, *amphata*, *antillarum*, *antoni*, *arenicola*, *aurantia*, *aureola*, *belladonna*, *beryllina*, *bosckei*, *biangulata*, *braziliensis*, *bronuiana*, *browni*, *campanula*, *caracolla*, *carinata*, *castanea*, *ceres*, *citrina*, *coccinostoma*, *columbiana*, *compressa*, *concentrica*, *conica*, *consanguinea*, *constellata*, *constricta*, *convexa*, *cornea*, *costata*, *cranioslabris*, *crassa*, *crassilabris*, *cuningiana*, *dentigera*, *depressa*, *dubia*, *dubiosa*, *dysoni*, *elegans*, *elongata*, *exigua*, *expansa*, *exumbilicata*, *fasciata*, *festiva*, *flammea*, *flava*, *flavida*, *fulgora*, *fulva*, *funcki*, *globosa*, *globulosa*, *goniostoma*, *gonochila*, *gossei*, *guadaloupensis*, *guldingtoniana*, *haematostoma*, *hanleyana*, *hirsuta*, *hispida*, *hollandi*, *hornbecki*, *inconspicua*, *jamaicensis*, *josephinae*, *kieneri*, *kuesteriana*, *laciniosa*, *lamarck*, *lanieriana*, *lazarus*, *leana*, *lens*, *lenticularis*, *linden*, *lineata*, *lineolata*, *linguifera*, *lirata*, *lutea*, *macilenta*, *maculata*, *major*, *margaritacea*, *marmorata*, *mangeriae*, *maxima*, *megastoma*, *menkeana*, *microstoma*, *minima*, *minuta*, *moreletiana*, *multicolor*, *musiva*, *neritella*, *nicobarica*, *nitida*, *nobilis*, *occidentalis*, *occulta*, *orbiculata*, *orbigny*, *oreigena*, *oweniana*, *oxystoma*, *oxytropis*, *pallata*, *pallida*, *pannucea*, *parva*, *pellucida*, *petitiana*, *pisum*, *plicatula*, *polita*, *pulchella*, *pulcherrima*, *purpureo-flava*, *pusilla*, *pyramidella*, *pyrrhostoma*, *reeveana*, *regina*, *rhodostoma*, *rohri*, *rotella*, *rotellaris*, *rotelloidea*, *rotunda*, *rubella*, *rubra*, *rugosa*, *rupestris*, *rustica*, *rusticella*, *sagraiana*, *sandwichiensis*, *sanguinea*, *scitula*, *scopulorum*, *semilirata*, *silacea*, *similis*, *sinuosa*, *sloani*, *solaroides*, *solidula*, *solitaria*, *sordida*, *sowerbiana*, *striata*, *striatula*, *subfusca*, *submarginata*, *substriata*, *succinea*, *swainsoni*, *sylvatica*, *taeniata*, *tamsiana*, *taukervillei*, *tenuilabris*, *tenuis*, *tilei*, *trochiformis*, *trochlea*, *trochulina*, *trossula*, *turbinata*, *uberta*, *unidentata*, *unifasciata*, *variabilis*, *variegata*, *vernalis*, *versicolor*, *vestita*, *villosa*, *virginea*, *viridis*, *zephyrina*, *zonata*.

Helicites *aequilaterus*, *agricolus*, *ampullacius*, *arietinus*, *auricularis*, *buccinatiformis*, *catenularis*, *catenulatus*, *catillus*, *corneus*, *cruentatus*, *cylindricus*, *delphinularis*, *delphinuloides*, *deperditus*, *dionysii*, *ellipticus*, *fulvicornis*, *girans*, *glabratus*, *globositicus*, *gregarius*, *gyrans*, *helicinaeformis*, *obvallatus*, *paludinaris*, *palustris*, *perforatus*, *planorbiformis*, *priscus*, *propinquus*, *pseudoammonius*, *pseudopomarius*, *pusillus*, *putrinus*, *qualterius*, *radiatus*, *roncanus*, *rotundatus*, *spurius*, *supraangularatus*, *sylvestrinus*, *trochilinus*, *turbilinus*, *turbinatus*, *utricularis*, *viviparinus*, *viviparoides*.

Helicoceras *annulatus*, *armatus*, *astierianus*, *depressus*, *elegans*, *gracilis*, *interruptus*, *moutonianus*, *obliquatus*, *plicatilis*, *polyplocus*, *rotundus*, *teilleuxi*, *tuberculatus*, *undulatum*, *varusensis*.

Helicocryptus *pusillus*, *radiatus*.

Helicodonta *sculpturata*.

Helicogena *affinis*, *alabastrites*, *alonensis*, *arvensis*, *atrolabiata*, *austriaca*, *baltea*, *carseolana*, *circumornata*, *codringtoni*, *cyclica*, *desertorum*, *globularis*, *grohemanni*, *guttata*, *hortensis*, *hybrida*, *imperfecta*, *lactea*, *libellula*, *marmorata*, *mazzullii*, *media*, *melitensis*, *muralis*, *memoralis*, *nicoeensis*, *olivacea*, *plauiscula*, *platychela*, *praetexta*, *radiata*, *sarcostoma*, *serpentina*, *signata*, *sphaeroidea*, *splendida*, *sylvatica*, *taurica*, *vermiculata*, *zephherina*.

Helicogona *ferussaci*, *tigrina*.

Helicolimax *annularis*, *audebardi*, *australasia*, *brevis*, *elongata*, *fasciolata*, *lamarcki*, *major*, *pellucida*, *pyrenaica*, *vitrea*.

Heliconia *bomplaudi*.

Heliconia *aegle*, *anactoria*, *andremona*, *antiocha*, *aoede*, *apseudes*, *aristonia*, *assarica*, *astrea*, *astydamia*, *atthis*, *braselis*, *burneyi*, *callicopis*, *calloiope*, *celia*, *charitonia*, *claudina*, *cleobaea*, *clysonyma*, *clytia*, *cornalie*, *cotyto*, *cybele*, *cydno*, *cyrbia*, *cyrene*, *daeta*, *diaphaua*, *dorimena*, *doris*, *egena*, *egeria*, *elimaea*, *elisa*, *endema*, *epiphyllis*, *equicola*, *erato*, *ergatis*, *eroxena*, *erythraea*, *ethilla*, *ethra*, *euclea*, *eucoma*, *eucrate*, *eurimedia*, *euterpe*, *eva*, *flora*, *gazoria*, *hecale*, *hortense*, *humboldti*, *hyas*, *ilione*, *irene*, *isabella*, *ismenia*, *lamyra*, *langsdorffi*, *lansdorffi*, *lepieuri*, *leuce*, *lucia*, *lysime*, *marinetta*, *megara*, *melanida*, *melpis*, *melpomene*, *metharne*, *mneme*, *narcaea*, *nerina*, *nisea*, *numata*, *pasithoe*, *petiverana*, *phaeena*, *phlegia*, *phyllis*, *polymnia*, *psidii*, *rhea*, *ricini*, *rosalia*, *sapho*, *sara*, *susanna*, *syphis*, *sylvana*, *telchinia*, *telesiphe*, *thales*, *thalestris*, *thallo*, *thelxiope*, *vesta*, *victorine*, *zelie*, *zerbinetta*.

- Heliconius** anthioca, clysonymus, cynisca, cyrene, diaphanus, dicaeus, ~~duvali~~, humboldti, ismenius, lamirus, stratonice.
- Heliconoides** bulimoides, inflata, lesueuri, rangi, trochiformis.
- Helicophanta** amphibulimea, brevipes, eques, falconeri, langi, polizonalis.
- Helicophlegma** candei, keraudreni.
- Helicopsis** cicilia, cupida, endymion, guidus, pais.
- Helicops** abacurus, aspera, caronicaudus, erythrogrammus, plicatilis.
- Helicopsis** glandula, major, orbis, pais, striata, vitriuella.
- Helicoptera** cincticeps, dilloni.
- Helicostyla** alauda, avellana, galactites, pudibunda, purpuragula, royssiana, smaragdus, strobilus.
- Helicteres** byronensis, decorata, decorus, leucozonalis, lividus, loratus, lugubris, spirizona, sulphuratus, textilis, turritellus, ventulus, vulpinus.
- Helictes** erythrostoma, impurator, varius.
- Helictis** fusca, moschata, nipalensis, orientalis, personata.
- Heligmus** longicrus.
- Helina** (Dipt.) aricioidea, bipunctata, claripennis, euphemioidea, nigripes, rustica, tibialis.
- Helina** (Lep.) flammella.
- Helinaia** bachmani, carbonata, chrysoptera, peregrina, protonotarius, rubricapilla, swainsoni, vermivora.
- Helinaria** celata, solitaria.
- Heliochera** rubro-cristata.
- Heliochlaena** leucosia.
- Helicidaris** chlorotica, eurythrogramma, margaritacea, mexicana, mirabilis, omalostoma, paucituberculata, variolaris.
- Heliocopris** diana.
- Heliocrinites** balticus, radiatus.
- Heliodes** arbuti, rupicola.
- Heliodoxa** jacula, leadbeateri, rubinia, rubinoides.
- Heliodromia** longipes.
- Heliodromus** angulatus, rotundatus, wiedemanni.
- Heliofugus** arenosus, impressus, sulcatus.
- Heliolites** porosa.
- Heliomanes** binaculatus, corni, minor, obscurus, sidus, umbellatarum.
- Heliomaster** angelae, longirostris, mesoleucus, rubineus, rubinoides.
- Helioptes** altaicus, hypolithus, picipes, rugipennis, sibiricus.
- Helioptathes** latiusculus, pusillus.
- Heliophanus** auratus, chalibeus, cupreus, dubius, flavipes, metallicus, micans, nitens, trinctus, truncorum.
- Heliophila** pallens.
- Heliophilus** (Col.) agrestis, convexus, crenulatus, damascenus, gibbulus, gibbus, hispanicus, hybridus, hypolithus, iners, laticollis, latimanus, lusitanicus, marshami, meridianus, obesus, obsoletus, pedatus, punctatus, punctulatus, tardus, tenebrioides, tibialis, vertagus.
- Heliophilus** (Dipt.) sylvarum.
- Heliophobius** argento-cinereus.
- Heliophobus** dumerili, graminis, hirta, hispidus, leucophaeus, popularis, saponariae.
- Heliophorus** belenus.
- Heliopora** angulosa, blainvilleana, caerulea, deformis, dubia, elegans, furcata, irregularis, panicea, plana, pyriformis, subdigitata, sulcata, supergiana.
- Helioporus** albo punctatus.
- Heliornis** fulica, senegalensis, surinamensis.
- Heliocopus** uralensis.
- Helioseris** cucullata, olivieri.
- Heliotheres** arenosus.
- Heliopsis** apricans, armigera, cardui, cognata, cora, dipsacea, dos, friwaldszki, incarnata, marginata, ononis, peltigera, pulchra, purpurites, scutosa, victorina, viola.

- Heliolithisa** appendiculata, cordigera, cymbalariae, delphinii, funebria, heliaca, melaleuca, myrtilli, opalina, rupicola, solaris, titania, vidua.
- Heliolithrips** adonidum, haemorrhoidalis.
- Heliolithrix** auriculatus, barroti, nigrotes.
- Heliolithryx** auritus, petasophorus, scutatus.
- Heliolitis** calino, decorata, frivaldszkyi, midas, peltigera, treitschkei.
- Heliolix** nigrotis, poucheti.
- Helisigna** fragilis, sanctae helenae.
- Helisoma** bicarinata.
- Helison** scytale.
- Helius** perforatus.
- Helix** aberrata, abjecta, abyssorum, achates, achatina, acicula, acieformis, acies, acina, actinophora, aenudata, aculeata, acuminata, acuta, acutangula, acutimargo, acutissima, acutula, adamsi, adansoniae, addita, adjuncta, adpersa, adusta, adustus, advena, aedilis, aenea, aequalis, affecta, affinis, afflicta, africana, agnata, alabaster, alabastrina, alabastrites, alauda, alba, albaensis, albanica, albata, albella, albescens, albicans, albida, albilabris, albocincta, albolabris, albula, alepa, alexandri, alexandrina, algira, aliena, alliacea, aliharia, alligans, allognota, alloiodes, alonensis, alpestris, alpina, alsa, altenana, alternata, alveari, alvearia, alveus, amabilis, amanda, ambigua, ambigua, ammonia, ammoniformis, amoena, amphibia, amphora, ampulla, anceps, anconostoma, andicola, angiglyra, angistoma, anguina, angularis, angulata, angulatilis, angulosa, angustata, angustispira, anuexa, annulata, annulatus, anomala, anthonia, antiperversa, antipoda, antiqua, antoni, apex, apicina, apiculus, apodemetes, aponina, appressa, approximata, aprica, aquensis, aquosa, arabica, aradasi, arata, arborea, arboreoides, arboretorum, arboreus, arbustorum, archiaci, arcta, arctispira, arcuata, ardouini, arenaria, arenarius, arenosa, areolata, argilacea, argillacea, argonautula, ariadnae, arietina, aristata, armenica, arnoldi, arnoudi, arridens, arroidensis, aspera, asperella, aspersa, asperula, assarinensis, associata, astieri, atralabiata, atrolineata, atropos, atrorubra, atrovirens, auberi, audouini, auklandica, aulacospira, aurantia, aurata, aurea, aureola, auricoma, auricula bovina, auriculata, auriculina, auridens, auris bovinus, auris caprinus, auris cervina, auris leporis, auris malchi, auris muris, auris sileni, auris vulpina, aurita, australis, austriaca, avara, avellana, avellauea, avena, babel, baoni, bacterionides, bactriana, badia, badiocincta, badiosa, baeticata, bahamensis, bahiensis, bainbridgii, bajadera, balasteriana, baldensis, balearica, balneari, balteata, banatica, barbadensis, barbara, barbata, barbula, barclayana, bartlayi, bartlettiana, baskervillei, batanica, bataviana, baudini, beaumonti, beckiana, belangeri, belcheri, bengaleusis, bensoni, berlandieriana, bermudensis, bertheloti, berytensis, besckei, bessarabica, beticata, biangulata, biblis, bicanaliculata, bicarinata, bidentata, bicolor, bicostata, bidens, bidental, bidentata, bidentifera, bifasciata, bitrons, bifurcata, biguetiana, bilabiata, bilamellata, bilineata, binneyana, bipartita, biplicata, bizona, bizonalis, blainvillei, blainvilliana, blauchetiana, blandiana, blandingiana, blainvilliana, blauteri, boholensis, boissieri, boissyi, boivini, bolivari, bombyana, bona, bonplandi, bontia, boothiana, borbonica, borneensis, borni, bosciana, botundata, bouetiana, bouilleti, bounoboena, brachyodon, brachysoma, bracteola, brasiliana, brasiliensis, brauni, brenoensis, brephoides, brevidens, brevipes, brevipila, brevis, brevispira, brocchii, broderipi, brongnardi, bronni, brookei, browni, bruguereus, bruguieri, bruguieriana, brunnea, buccinata, buccinum, bucculenta, bufoenaria, bulbina, bulbos, bulla, bullaoides, bullula, bulveri, bulveriana, bupthalmus, bursatella, busbyi, buschi, butleri, buvinieri, byroni, cactorum, cacuminifera, caduca, caelata, caerulea, caespitum, cafra, cailliaudi, calamechiroa, calathiscus, calcarae, calcaria, californiensis, caliginosa, callifera, calliostoma, callosa, calomorpha, calva, calva, campanula, campanyi, campbelli, campesiua, campestris, canaliculata, canalifera, canalis, cancellata, candaharica, candei, candescens, candida, candidissima, candidula, canescens, canigonensis, canini, cantagallana, cantheriata, cantiana, capensis, caperata, capillacea, capillata, capitum, cara, carabinata, carae, carascalensis, carbonaria, carduelis, caribaeorum, caricea, carina, carinata, carinatus, carinula, cariosa, cariosula, carmelita, carnea, carnicola, caruina, carocolla, carolinensis, caroni, carseolana, caroliana, carteriensis, carthusiana, carthusianella, cassida,

casta, castanea, castelneaudi, catacrita, caucasica, caudisata, caxapegana, bayennensis, cecillei, cellaria, cemenalea, cenisia, cepa, cepoides, ceratrina, ceratoides, cerea, cereolus, cespitum, cestus, ceylanica, chalcophila, charpentieri, chasteli, cheilogona, cheilostropha, cheiranthicola, cheiri, chemnitziana, chenui, chersina, chevalieri, chinensis, chittyana, chlorochroa, chlorogrammica, chlorozona, christoli, chrysocellus, chrysomela, cicatrix, cicatricosa, cicercula, cidaris, ciliata, cinciniformis, cinninus, cincta, cinctella, cinctites, cineracea, cinerascens, cinerea, cinerosa, cingenda, cingulata, cingulella, cingulina, cinnamomea, cinnamomeo-lineata, circinata, circinnata*, circulus, circumdata, circumlineata, circumornata, circumplexa, cirriformis, cirroidea, cirtae, cistorum, citrina, citrinoides, citrius-vitrea, citrinula, citrinus, clairvillia, clara, claromphalos, clathratula, clausa, clausiliaformis, clausomphalos, claustralis, clavulus, climacterica, clotho, coactilata, coadunata, coarctata, cobresiana, coecomelos, cochlea, cochliodes, coquii, codonodes, codringtoni, coelata, coelatura, coeruleans, coespitum, coffreana, cognata, collapsa, collaris, collodes, colorata, columbrina, columba, columbaria, columbiana, columellaris, columellata, columna, columnaris, coma, comatula, comboides, commendabilis, communis, compacta, companyoni, compuar, complanata, compressa, coucamerata, concava, concentrica, concinna, conica, concolor, concoloris, coniformis, conica, conica antiqua, coniformis, connectens, connexiva, connivens, conoidaeformis, conoidalis, conoidea, consanguinea, consobrina, consocia, consolidata, consona, coucors, conspersula, conspurcata, constantina, constricta, contermina, contorta, contortula, contractus, contundata, contusa, contusula, conus, convexa, coquandiana, cora, corculum, coreyensis, coreanica, coriaria, corisopitensis, cornea, cornu, cornu giganteum, cornu militare, cornu-venatorium, coronata, corrugata, corsica, costellata, costulata, cotyledonis, coxeirana, cracherodi, crassa, crassicotata, crassilabris, crassula, cremonophila, crenata, crenella, crenulata, crepundia, cressida, cretata, cretica, cricetorum, crinigera, crispata, cristallina, cristata, cristula, critriiula, croatica, cromyodes, crouaii, cruciata, cruentata, cryptica, cryptoportica, cryptozona, cubensis, culminea, cultrata, cuma, cumberlandiana, cumiae, cumingi, cumingiana, cunninghami, cupani, curta, curvilabrum, cuvieriana, cyathellus, cyathus, cyclodon, cyclolabris, cyclostoma, cyclostomata, cyclostomoides, cyclostomopsis, cylindrica, cylindrus, cymbalum, cyparissias, cypria, cypsele, daedalea, dafne, damnata, daphnis, daroudeau, dealbata, debenedicti*, de cari, decipiens, decisa, declivis, decollata, decora, decorata, decumanus, decussata, deflexa, deformis, dehnei, dejecta, de lagarde, delessertiana, delibata, delibratus, delicatula, demissa, denainvillieri, denotata, densa, dentata, denticulata, dentiens, dentifera, denudata, depauperata, depicta, depilata, deplana, deplanata, depressa, depressula, depressum, detersa, derugata, deshayesi, desidens, desmarestina, desmoulinsi, despecta, despreauxi, detecta, deucalion, devia, diaphane, diaphauella, dibenedicti, dichroa, dictyodes, dierama, dilata, dilatata, dilucida, diluvii, dimera, dimidiata, diminuta, diodon, diodontia, dionaea, dioscoricola, discoides, discolor, discordialis, disculus, discus, disjuncta, dissidens, dissimilis, distiucta, distorta, divaricata, dolata, doliolum, dolium, dolopida, dolosa, dominicensis, draparnaudi, drepanostoma, dringi, droueti, dryope, dubia, dubiosa, dudlosiana, dufouri, dufrenoyi, dufresnei, dumas, dunnae, dupetithouarsi, duplicata, dupotetiana, duvali, duvauxi, eburnea, echinophora, echinulata, edentula, edgariana, edusa, egena, egeula, egesta, egregia, ehingensis, ehrenbergi, eichwaldi, elata, electrina, elegans, elegatissima, elegantula, elevata, elfordia, elliptica, elongata, entomostoma, epidermia, epistylloides, epistylulum, epistylum, epixantha, erdeli, ericetorum, eridanea, erubescens, erycina, erythrostoma, estella, etrusca, eucharis, eurydice, euryomphala, euzona, exaequata, exalbida, exarata, excavata, excentrica, exceptiuncula, exclusa, exesa, exigua, exilis, eximia, exoleta, exornata, expansa, explanata, expolita, exquisita, extensa, fabria, fabricii, falconari, fallaciosa, fallax, famelicus, familiaris, fasciata, fascicularis, fasciola, fasciolata, fastigiata, faunus, fausta, faustina, favannii, fenestrata, ferensis, ferranti, ferruginea, ferussaci, festiva, fibula, fidelis, figulina, filaris, filicina, filicosta, filicum, filimargo, filioli, filocincta, filosa, fimbriata, findeli, flammata, flammee, flammigera, flammulata, flava, flavacincta, flavescens, flavida, flora, florida, fluctuata, fluviatilis, fodiens, foetens, foetida, foliacea, folini, folliculata, folliculus, folli, fontenilli, fontinalis, forbesi, foremaniana, formosa, fornicata, forskali*, fortis,

fortunei, *soanensis*, *fovealis*, *foveolae*, fragilis, fragosa, fraseri, *frater*, *fraterculus*, *fraterna*, *frigilla*, *frivaldskyi*, *frivaldszkyana*, *frumentum*, *fruticum*, fulgens, fulgurata, fulica, fuliginea, fuliginosa, fulminea, fulva, fulvescens, fulvida, funeralis, fungivora, furva, fusca, fuscata, fuscomaculata, fuscolabris, fuscolutea, fuscosa, fuscula, fusiformis, fusoides, gabata, gaberti, galaetites, galactostoma, galerus, gallinula, gallopavonis, galloprovincialis, gaudieri, gargantua, gargottae, gaudryi, gayana, gaymardi, gemina, genuna, gemmellarii, gemonense, genti, genuensis, georgiana, geslini, ghiesbreghtii, gilba, gibberula, gibbosula, gibsi, gigas, gigaxi, gilberti, gilvina, gilvus, girva, glabella, glabra, glabrata, glacialis, glandula, glans, glaphyra, glauca, globosa, globula, globularia, globularis, globuloidea, globulosa, glumaria, gmeliniana, goldfussi, gonostoma, goodalli, gosset, goudotiana, gougeti, gouldi, gracilis, gracilicollis, gradata, graminicola, granatelli, grandis, granifera, granosa, granulata, granulosa, granum, grata, grateloupi, gratiosa, gravida, gravosaensis, grayana, grayi, greenwoodi, gregaria, griesbreghtii, griffithi, griseola, grohmanni, groyana, gruneri, guadalupensis, gualteriana, guarani, guermi, guillaumi, guillon, guineaensis, gularis, gulosa, gummata, gundlachi, gunni, gussoneana, guttata, gypsacea, gyria, gyrina, gyrorbis, gyrostoma, haemastoma, haesendincki, haldemaniana, hanleyi, hannensis, harfordi, harpa, hartmanni, hartwegi, hasselquisti*, haueri, haveri, hebae, hebe, hedenborgi, heldreichi, helena, heliaca, helicella, heliciformis, helicinoides, helicophantoides, helicocycloides, heligmoida, helodes, helota, helvacea, hemisphaerica, hemprichi, hepatizon, heteroclitus, heterogramma, heterotricha, hians, hieroglyphica, himalana, hindsii, hypocreps, hirtzens, hirsuta, hirta, hispanica, hispida, hispidula, hiulca, hoffmanni, hogoleuensis, hollandi, holoceracea, holostoma, honesta, hordeum, horizontalis, hortensis, hortensis antiqua, hortulana, humboldtiana, humphreysiana, huttoni, hyalina, hybrida, hydatica, hydrophana, hydrophylea, hylephila, hypolecos, hystrix, ibensis, ichthyomma, ide, ignifera, ignobilis, illibata, illustris, ilocensis, imbricata, immaculata, immunda, imperator, impressa, impressus, inaspecta, inca, incarnata, incei, incerta, inchoata, incolata, incompta, inconspicua, increscens, incumbens, incurva, indecorata, indentata, indica, indistincta, induta, inflata, inflecta, inflexa, infrendens, infula, infundibuliformis, infundibulum, ingens, inornata, inquinata, insculpta, insignis, insolita, instabilis, insubrica, intercarinata, interlapsa, intermedia, interna, interposita, interrupta, intersecta, intertexta, intorta, invalida, inversa, inversicolor, involuta, irradiata, irregularis, irrorata, isabella, isodoma, istriensis, iurensis, jacksoniensis, jacquinoti, jamaicensis, jannelli, janthian*, janus, janus bifrons, japonica, javacensis, javanaensis, jayana, jeannotiana, jejuna, jenisoni, jeunsoniana, jenyssi, jervensis, jeverana, johni, jonsi, josephinae, jugosa, juilleti, julia, juliana, juncoides, juno, kambeul, kelletti, keraudreni, kermorvani, kierulfi, kiesneri, kingi, kirbii, kivi, knoxvillina, knysnaensis, kochi, koreana, korekouke, kotschy, kraussi, kremnoica, kuesteri, kurri, labiata, labiosa, labium, labrella, labrosa, labyrinthica, labyrinthus, lachesis, lackhamensis, lactea, lacticina, lacuna, lacunosa, laeva, laevigata, laevipes, laevis, laevissima, lamarecki, lamareckiana, lamarei, lamellata, lamellifera, lamellosa, lampas, lancerottensis, lancula, languida, lanieriana, lanschaurica, lanuginosa, lanx, lapicida, lapicidella, lapicidites, lapidaria, largillierii, larteti, lasalli, lasmodon, latitans, lauta, lavalleana, laxata, leachi, lecta, lefeburiiana, leuani, lemniscata, lenocinia, lens, lenticula, lenticularis, lentiginosa, leporina, le prieri, leptogramma, leptosticta, lerosiensis, lessoni, leucas, leucodon, leucophaea, leucostoma, leucozona, leuczonias, levis, leytensis, lechnorum, ligata, ligera, lignaria, ligulata, liliacea, lima, limacina, limacoides, limatula, limbata, limnifera, limnoides, limonoica, limosa, lindoni, lineata, lineolata, linguifera, lingulata, linnaeana, linosae, linostoma, linusae*, lisbonensis, listeri, listeriana, lita, lithoica, littoralis, littorina, lituus, livescens, livida, longiseta, lophoica, lorata, loricata, loveni, lowei, loxodon, loxotropis, lua, lubrica, lubricoides, lucana, lucasi, lucerna, lucernalis, lucida, lucidella, lucifuga, lucina, lucorum, lucostoma, lucubrata, lugubris, luhuana, luna, luneli, lunula, lurida, lusi-tanica, lutea, luteo-fasciata, luteola, lutescens, luzonica, lychnuchus, lyonetiana, lyrata, mackensiana, uacmurrayi, macrodon, macrostoma, macularia, maculata, maculosa, madagascariensis, madecassina, madeirensis, maderaspatana, maesta, magica, magnettii, magnifica, maguntina, major, madaguettana, malleata, mamilla, mam-millata, mandarina, mandralis*, manoli, margarita, margaritis, marginata, mar-

ginatoides, marginelloides, mariae, maritima, margaritella, marmorea, marmorella, martigena, martiniana, massiliensis, matheronis, mathiasi, matruelis, mattiaca, maugei, maugerae, maugeri, mauriana, maurolyci, maxillata, mazzulli, meda, media, megerlei, melampoides, melania, melanocheila, melanogramma, melanostoma, melanotragus, melastoma, melissophaga, melitensis, meloues, menardi, menkeana, menkei, mercatoria, meretrix, merguensis, meridionalis, mespillum, metaformis, metcalfi, mexicana, micans, michaudi, micheliniana, micra, mierodonta, microscopia, miosstoma, mighelsiana, miliola, mimosarum, mindana, mindanaensis, minima, minoricensis, minuscula, minuta, minutalis, minutissima, mirabilis, misella, miseria, mitchelliana, mobiliana, modesta, modicella, modiolinus, modiolus, moluccensis, monile, monilifera, monochroa, monodon, monodonta, monolifera, monozona, monozonalis, monrovia, montana, montenegrina, montfortiana, monticola, monticula, montivaga, mora, morbida, moreleti, moricandi, moroguesi, mortoni, moulinsi, moussoni, moutoni, mucronata, muchfeldtiana, muelleri, muelleri, multicolor, multcostata, multidentata, multilineata, multistriata, multizona, numia, munda, muralis, muraloides, murrhina, muscarum, muscorum, mutabilis, mutata, naassensis, naevosa, naevula, najas, nana, naninoides, narzanensis, natalensis, naticoides, nautilus, nautiliformis, nautiloides, navicula, naxiana, naxientia, nebrodensis, nebulosa, neglecta, nemoralina, nemoralis, nemoralites, nemoraloides, nemorensis, nemorivaga, neogranatensis, nicaeensis, nicatis, niceensis, niciensis, nickliniana, nicobarica, nigrescens, nigritella, nilagiraca, nitens, nitensoides, nitida, nitidiuscula, nitidosa, nitidula, nivalis, nivosae, noae, nobilis, nodosaria, norrisi, nortoni, nouleti, novae-hiberniae, novae hollandiae, nubeculata, nucleata, nucleola, nulla, nummulum, nummus, nutans, nuttalliana, nux denticulata, nyeli, nymphea, nystiana, oajacensis, obeliscus, obesa, obesata, obliquata, oblitterata, oblonga, obolus, obscura, obscurata, obsoleta, obstricta, obstructa, obstrusa, oblecta, obtusa, obtusata, obvia, obvoluta, occidentalis, oceanica, ochroleuca, ochtheptila, octanfracta, octona, oculus, odontostoma, oenostoma, okeniana, oleacea, oleosa, olivetorum, olivi, olivia, olivieri, olla, omalomorpha, omphaloides, onca, onychina, oomorpha, opalina, opalinus, opanica, oparica, ophis, oppilata, orbicula, orbicularis, orbiculata, orbignyana, orbigny, orbitulus, orcula, oreades, oreas, oregonensis, oresigena, orientalis, orobia, oroboena, orsini, orthosoma, oryza, osbecki, oscillum, oscitans, osculans, osculum, otahietana, othiana, otis, otthiana, ottonis, oualensis, ovalis, ovata, ovatus, oviformis, ovipara, ovoidea, ovularis, ovuliformis, ovulum, ovum, oxygyra, oxystoma, oxytes, oxytropis, pachygastra, pachyloma, pachystoma, pachystyla, pacifica, paciniana, pagoda, palanga, palangula, pallasiana, pallescens, palliata, pallida, pallidula, paludicola, paludosa, palustris, pan, panayensis, pandorae, pantagruelina, panthera, papia, papilionacea, papilla, papillaris, papillata, papua, papuensis, papyracea, paradesii, paradoxa, paraguayana, pardalina, pardalis, parilis, parlatoris, parmula, parraiana, parreyssi, parumcincta, parvula, patagonica, patina, patula, paupercula, paziana, pedestris, pellicula, pellis serpentis, pellita, pellucens, pellucida, pellucidula, pemphigodes, pennantiana, pennsylvanicus, pentadina, pentodon, peracutissima, peraffinis, perdepressa, peregrina, perforata, pernobilis, peroteti, perplicata, personata, perspectiva, pertenuis, perturbata, peruviana, perversa, petiti, petitiana, petiveriana, petraea, petrosa, pfeifferi, phacodes, phaeogramma, phalerata, phasianella, philibinensis, philippi, philippinensis, philippi, phlebophora, phlogera, phlogophora, phloiodes, picea, picta, pictoria, picturata, pila, pilcata, pileiformis, pileolus, pileus, pilosa, pinguis, pisana, pisanoides, pisiformis, pisum, pithogaster, plana, planata, planinensis, planissima, planiuscula, planorbella, planorbiformis, planorbis, planorboides, planorbula, planospira, planulata, platae, platychela, platychilos, platyodon, platystyla, plebeium, plectostoma, pleurophora, plicaria, plicata, plicatula, plicosa, plurizonata, poecila, poeyi, poireti, polita, politula, pollini, pollodonta, polychroa, polygramma, polygyrata, polymorpha, polyodon, polyzonalis, pomaria, pomatia, pomum, pomum-adami, ponderosa, pondicheriensis, ponentina, porcellana, porema, porphyria, porrina, portia, portoricensis, porto sanctana, porto sanctanae, potiezi, potus, pouchet, pouzolzi, powisiana, praetexta, praetumida, prasina, pratensis, preciosa, prescii, preslii, pretiosa, prevostiana, priamus, proboscidea, procumbens, profunda, progastor, prominula, propenuda, proserpina, protea, protensa, provincialis,

proxima, prunum, ~~pseudocompurcata~~, pseudoglobosa, pseudo-parilis, pseudo-succinea, pterididea, ptychodes, pubescens, puella, pulchella, pulcherrima, pulchra, pullata, pulula, pumilio, punctata, punctatissima, punctifera, punctigera, punctulata, punctura, pupa, pupiformis, pupoides, pupula, pura, purpuragula, purpurea, pur-purostoma, pusilla, pusillus, pusio, pustula, putris, pygmaea, pyramidalis, pyramidata, pyramidatoides, pyramidea, pyramidella, pyramis, pyrenaica, pyrostoma, pyrrhae, pyrrhozona, pyxis, quadrata, quadridens, quadridentata, quadrifasciata, quaesita, quartzoza, quimperiana, quinciensis, quinquefasciata, quoyi, radama, radiata, radiatula, radicola, radiella, radiosa, radula, rafinesquea, rafinesquia, rahiti, ramondi, ramouls, rangi, rangiana, ranzanii, rapa, rara, rareguttata, rariplicata, raspaili, ravergiensis, ravidia, rawacensis, raymondi, rebouli, recedens, reclusiana, reclusiana, rectangula, redfieldiana, reeveana, reevei, reflexiuscula, refuga, regalis, regina, reginae, reinga, resplendens, resupinata, retifera, retrugis, retrorsa, retusa, revelata, reversa, rhodinostoma, rhodospira, rhodostoma, rhombea, rhomboidea, rhombostoma, rhytiphora, richardi, riisi, rillyensis, ringens, ringicula, rissoana, rivolii, rivularis, rizzae, rocaiana, roemerii, roissyana, rosacea, rosarium, rosata, rosea, roseo-tincta, rossiana, rossmaessleri, rostrata, rota, rotatoria, rotellaris, rotellina, rotula, rotunda, rotundata, rozeti, rubella, rubicunda, rubiginosa, rubra, rubricata, rubroflava, ruderalites, rudrata, rudis, rudiuscula, rufa, rufescens, rufoa, rufogaster, rufovirens, rufula, ruginosa, rugosa, rugosiuscula, rugulosa, ruida, rumelica, rumpii, rupestris, rysa, sabaea, sabulosa, sadleriana, sagemon, sagittifera, sagraiana, salleana, salomonis, samarensis, samoa, sandviensis, sansaniensis, santa cruzii, sanziana, sarcinosa, sarcocheila, sarcostoma, sardiniensis, sardoa, saturnia, satyrus, saulcyi, sauliae, savignyana, saxatilis, saxicola, sayi, scabra, scabrella, scabriuscula, scabrosa, scalaris, scalprum, scarburgensis, scheepmakeri, schmidtii, schmidtzi, schrenki, schroeteri, schroeteriana, schuberti, schumacheriana, schwerzenbachii, scitula, scobinata, scorio, scrobiculata, secale, seckendorffiana, sectilis, secunda, securiformis, seetzeni, segestana, selenina, semenlini, semicastanea, semifusca, semiglobosa, semigranosa, semilimax, semulinea, seminiger, seminula, semipartita, semirugata, senegalensis, separanda, septemvolva, septenaria, sepulchralis, sepulta, sericata, sericea, serpens, serpentina, serpentinites, serpularia, serpuloides, serrula, serrulata, setiger, setigera, setipila, setosa, setubalensis, setulosa, sexgyra, sexlamellata, sicana, sicula, siculina, sidoniensis, sieboldiana, sigiensis, signata, siliis, simia, similis, similis, simplex, simplicula, simulans, simulata, sinaitensis, sincera, sinclairi, sinistrorsa, sinuata, sinuosa, sione-stana, siquijorensis, sirena, skiaphila, sloanii, smaragdina, smimensis, smironensis, smyrnensis, sobrina, solaria, solarium, solata, solida, solitaria, soluta, somershamiensis, sordida, sordidus, soror, sorora, souleyetiana, sowerbyana, spadae, speciosa, spectabilis, spengleriana, sphaerica, sphaerion, sphaerita, sphaeroidea, sphinctostoma, spinolae, spinosa, spiralis, spiriplana, spirorbis, spirozona, spirula, spirulata, spixi, spixiana, splendens, splendida, splendidula, sporadica, sportella, spratti, spurca, squalus, squamosa, stabilis, steinheimensis, stellula, stenomphala, stenostoma, stenotrema, stenzii, stephanophora, stigmatica, stolephora, straminea, strangeri, strangulata, striata, striatella, striatula, striatus, strigatus, strigella, strigillata, strigilis, strigillata, strigosa, striolata, strobilus, stuartiae, studeriana, styodon, subalbida, subangulosa, subcarinata, subcastanea, subcellaria, subconica, subcylindrica, subdentata, subdisjuncta, subfallax, subfusca, subglobosa, subgranosa, submarginalis, submaritima, submeris, subnodulosa, subpersonata, sub-plana, subplicata, subpyramidalis, sub-rostrata, subrufescens, subrutula, subsequa, subsulcosa, subterranea, subtilis, sub-tillissima, subula, subulata, subuliformis, subvirescens, subviridis, succinea, succinulata, sudensis, sudetica, sulcata, sulculata, sulculosa, sulfurea, sulphurea, sulphurea, sultana, sultanus, superba, superflua, supertexta, suppressa, sutilosa, suturalis, swainsoni, sybrica, sylvatica, sylvestrina, sylvestris, syrensis, syriaca, taeniata, talcosa, tamsiana, tapeina, taranti, tasmaniensis, taunaisii, taurica, tayloriana, tecta, tectiformis, telonensis, tenera, tenerima, tennesiensis, tentoriolum, tenuicostata, tenuilabris, tenuiradiata, tenuis, tephritis, tephrodes, terebella, terebellata, terebra, terebraster, teres, teresae, ternatana, terrestris, terveri, terverriana, tessellata, tetrazona, texasiana, textilis, thais, thalassina, thamnoica, theodori, thersites, thymorum, thyroidus, tiara, tiarella, ticaonica, tichostoma, tigrina, tilii, tinida, tomigera, tomi-

gemides, togama, topiicola, toralli, tornatella, torrefacta, torresiana, torse, torticollis, tortilabia, tortula, tortuosa, torulus, torus, tourannensis, tournefortia, tournefortiana, townsendiana, trachelodes, tranquebarica, tranquelleonis, translucens, translucida, triaria, tricarinata, trichodes, trichotropis, tricolor, tridens, tridentata, tridentina, trifasciata, trigonostoma, trigrammephora, trilineata, triodonta, triplicata, tripolitana, triquetra, tristiani, tristis, tritica, tritonicensis, trizona, trizonalis, troiberti, trochiformis, trochilioneides, trochlea, trochoides, trochus, troglodytes, troilus, tropidophora, troscheli, trotteriana, trumbulli, truncata, tuckeri, tudiculata, tuffeti, tulipa, tunens, tumida, tumulorum, tumulus, tunetana, tunicata, tupacii, turbida, turbinata, turbiniformis, turbinoides, turbo, turca, turgens, turgida, turgidula, turonensis, turricula, turriculata, turriplanata, turritella, turtoni, typinsana, uitenhagensis, umbilicalis, umbilicaria, umbilicata, umbrarium, umbratica, umbrosa, undata, undulata, unguicula, unguis, unguina, unica, unicolor, unidens, unidentata, unifasciata, unilamellata, uniplicata, unispiralis, unizonalis, urceus, urvillei, usticosis, ustulata, uva, valenciennesi, valida, valtoni, valvulus, vancouverensis, vanikorensis, vargasiana, variabilis, varians, variegata, varronis, velata, vellicata, velutina, velutino-hispida, velutinoides, ventricosa, ventriculosa, ventrosula, ventrosus, ventulus, vermicularia, vermiculata, vermiculites, vermiculosa, vermivora, vernicosa, verruca, versicolor, versipolis, vertex, verticilloides, verticillus, vesica, vesicalis, vesicula, vestalis, vexillum, vialai, vianellii, vibex, vicina, vieta, villae, villiersi, villosa, villosella, villosula, viminea, vineta, vindobonensis, virginalis, virginea, virgo, virgulata, viridis, virido-striata, viridula, vitellina, vitellus, vitracea, vitrea, vitrina, vitrinoidea, vitrinoides, vitrinosa, vittata, volhyniensis, voltzii, volvox, vorticialis, vulgaris, vulpina, vultuosa, wagneri, walkeri, wardiana, webbiana, winteriana, wittmanni, woodiana, xanthippe, xanthodon, xanthostoma, xanthotricha, xartarii, xystera, yucatanica, zaeta, zaffarina, zaeta, zebra, zebrina, zebriola, zebrula, zebuensis, zelandiae, zeus, ziczac, zieglerei, zodiaca, zodiacus, zographica, zonalis, zonaria, zonata, zonifera, zonites, zonula, zonulata.

Helixarion cuvieri, freycineti.

Hellotis hopei.

Helluo (Col.) agathyrnus, anthracinus, astericus, atratus, attelaboides, biguttatus, bimaculatus, biplagiatus, brasiliensis, brevicollis, brunneus, carinatus, cayennensis, clairvillei, costatus, cruciatus, dispar, distractus, dorsalis, erythropus, femoratus, ferox, ferrugineus, grandis, heros, hirtus, impictus, labiosus, labrosus, lacordairei, laticornis, longicollis, nigerrimus, nigripennis, opacus, pilosus, praeustus, pubescens, pygmaeus, quadrimaculatus, rufipes, sanguinolentus, sparsus, tripustulatus, tristis, unicolor.

Helluo (Verm.) bioculatus, octoculatus.

Helluodes taprobanae.

Helluomorpha bellicosa, clairvillei, coracina, heros, laticornis, macroptera, melanaria, nigripennis, praeusta, pygmaeus.

Hellus biguttatus, longipennis, pacea, prisma, quadriguttatus, sexguttatus, sexpunctatus, similis.

Hellwigia elegans, obscura.

Helmichthys diaphanus.

Helmictus punctatus.

Helminthochiton concentricus, eburonicus, gemmatus, griffithi, legiacus, menpiscus, mosensis, nervicanus, priscus, sluseanus, turnaciensis, viseticola.

Helminthoida crassa*, irregularis*.

Helminthonema defractum.

Helminthophaga chrysoptera, peregrina, protonotarius, rubricapilla, solitaria.

Helmitheros blanda, carbonata, celata, chrysoptera, migratorius, peregrina, protonotarius, rubricapilla, swainsoni.

Helobia aethiops, brevicollis, castanipes, gyllenhali, impressa, lata, marshallana, varicornis.

Helochares maculicollis.

Heloderma horridum.

Helodes campestris, distincta, elongata, lepturoides, obsoleta, porrecta, quadrilineata, trivittata, vicina, violacea, vittata.

Helodimorpha aenea, atra, viridis.

Helodrilus oculatus.

Helodus appendiculatus, didymus, gibberulus, laevisimus, mammillaris, mitratus, planus, rudis, simplex, subteres, turgidus.

Helomyza affinis, arenaria, arenarum, bistrigata, caesia, canescens, circumfusa, cuniculorum, domestica, fasciata, fenestralis, ferruginea, flava, flavifrons, flavotestacea, fuscana, fuscinervis, fuscipennis, geniculata, gibba, gigantea, griseola, halterata, hilaris, histrio, humeralis, humilis, iners, inscripta, interjecta, interspersus, kaltenbachii, laeta, lateralis, lineata, longiseta, lurida, macrostyla, microphthalmia, microps, minuta, modesta, myopina, nemorum, nigricans, nigricornis, nigriventris, notata, obscura, obscuriventris, olens, pallescens, pallida, pantherina, penicillata, picta, praecusta, quadrimaculata, quinquevittata, rufa, rufo-cauda, rufo-ceps, ruficornis, rufiventris, scutellaris, serrata, simplice, subterranea, suffusa, testacea, tibialis, tigrina, tincta, trifasciata, tuberivora, ustulata, villosa.

Helonotus tuberculatus.

Helophilus (Col.) lividus, primarius.

Helophilus (Dipt.) aesculus, affinis, agerinus, albiceps, anaasis, annulipes, arcticus, bengalensis, bigoti, bilineatus, bothnicus, camporum, capensis, chilensis, chiliensis, crassipes, curviger, cyanescens, fasciatus, formalis, frutetorum, glacialis, griseus, groenlandicus, hilaris, hybridus, ineptus, lapponicus, latro, lineatus, longus, lunulatus, melanophthalmus, mexicanus, modestus, notabilis, novae scotiae, pendulus, peregrinus, pulchriceps, quadrivittatus, rostratus, ruddi, scutellaris, sejunctus, senegalensis, similis, stipatus, transfugus, trilineatus, trivittatus, versicolor.

Helophorus affinis, alpinus, alternans, apicalis, aquatica, arcuatus, arvernensis, borealis, brevis, dorsalis, fennicus, granularis, griseus, intermedius, lacustris, marinus, minimus, nitidus, nubilus, oblongus, obscurus, pumilio, pygmaeus, scaber, stagnalis, tuberculatus, villosus, viridicollis.

Helopinus costatus.

Helops abdominalis, aemulus, aeneicollis, aeneo-niger, aeneus, aerarius, aeratus, aereus, aethiops, afer, ahenus, alpinus, alternans, amaroides, americanus, analis, angulatus, angustatus, angusticollis, anthracinus, aratus, arboreus, arctatus, asper, asphaltinus, assimilis, aterrimus, aulicus, auratostrigatus, aurichalceus, auricollis, auridorsus, aurilineis, auripennis, aurivittis, azureus, badius, barbata, beniniensis, bicinctus, bifasciatus, borealis, breviollis, brevis, brunneus, brunripes, caeruleus, californicus, carbo, carbonarius, cariosus, carolinensis, castaneus, castanipes, cicatricosus, cisteloides, coeruleus, columbinus, convexicollis, convexus, cordatus, coriaceus, corvinus, crassicollis, crenatus, cribripennis, cuprarius, cupreoides, cupreus, curvipes, cyanescens, cyanicollis, cyanipes, cylindricus, dama, damacinus, dentatus, diaperis, distinguendus, ebeninus, ecofeta, episcopalis, erotiloides, erythrocephalus, exaratus, excavatus, faldermanni, fastuosus, femoratus, fennicus, festivus, flavicrus, flavus, fragilis, friulicus, fulei, fulvipes, fuscicornis, fuscipes, gagatinus, genei, geniculatus, geometricus, germari, gibbicollis, gibbulus, gilvipes, gisteli, gloriosus, gracilis, graniger, griseus, harpaloides, heteromorpha, hieroglyphicus, impressicollis, impressus, incurvus, indutus, inflatus, insignis, interpunctatus, interstitialis, iris, janthinus, javanus, juncorum, laceratus, lacertosus, laetus, laevigatus, laevipennis, lapidicola, laticollis, latipennis, lepidus, leprosus, limbatus, lineatus, longipennis, luridus, luteicornis, macrops, maculatus, maculipennis, marginatus, marginellus, marloysi, maurus, meissneri, melanarius, melas, memnonius, metallicus, minutus, modestus, morbillosus, mori, nanus, niger, nigricornis, nigratarsis, nigroaeneus, nigropiceus, nitidicollis, nitidipennis, nitidus, nobilis, obesus, oblongus, obscurus, obsoletus, obtusangulus, opacus, ophonoides, ovatus, pallidus, pallipes, parvulus, peronatus, perplexus, piceus, picinus, picipes, planipennis, plebejus, plicipennis, politus, pubescens, pullus, punctatissimus, punctatus, puncticollis, punctipennis, purpureus, pygmaeus, quadratocollis, quadratus, quadricolor, quadrimaculatus, quadripustulatus, repandus, rossi, rotundicollis, rubidus, rubripes, rufopictus, rugosus, saperdoides, schmidianus, schmidti, sericeus, scutellus, sinuatus, sphaericollis, splendidus, stellatus, steveri, striatopunctatus, subaeneus, subcrenatus, subrugosus, sulcato-punctatus, sulcatus, sulcicollis, sulcipennis, suturalis, taeniatatus, tagenoides, tanitillus, tarsatus, tenebri-

cosus, tenebrioides, tenuicollis, terreni, testaceus, testudinarius, tibialis, tigrinus, tomentosus, transversus, tuberculipennis, tumidicollis, tumidus, variabilis, varicolor, variegatus, varipes, varius, venustus, vestitus, villiger, villipes, villosipennis, villosus, violaceus, virescens, viridis, zabroides.

Helopus caspius.

Helorus anomalipes, ater.

Helostoma temminckii.

Helota guerini, mellii, servillei, thibetana, vigorsi.

Helotarsum ecaudatus, typicus.

Helotes octolineatus, sexlineatus.

Helyster bosci.

Hemachatus vulgaris.

Hemaris bombylififormis, fuciformis, stellatarum.

Hemerobioides giganteus, higginsii.

Hemerobites antiquus.

Hemerobius affinis, angulatus, apicalis, brevicollis, cancellatus, concinnus, confinis, conformis, conspersus, corticum, crispus, cylindripes, dipterus, elegans, erythrocephalus, fimbriatus, flaviceps, fuscus, genei, higginsi, hybridus, intricatus, irroratus, lateralis, leptaleus, limbatellus, limbatus, maculatus, margaritinus, marginatus, marshamii, mauricianus, nebulosus, nevrodes, obscurus, obsoletus, ochraceus, pallens, pallidus, paucinervis, perelegans, pini, prasinus, proximus, punctatus, quadrinaculatus, semblinus, stigma, strigosus, subfasciatus, subnebulosus, validus, vittatus.

Hemeroblemma amethystea, amethystina, areopagita, dolon, dolosa, lienaris.

Hemerocoetes acanthorhynchus.

Hemerodromia albicornis, albipes, albiseta, bipunctata, brevipes, ephippiata, flavella, frigeli, immaculata, irrorata, lineata, mantispa, meigeniana, melanocephala, monostigma, nivalis, obsecratoria, oratoria, praecatoria, raptoria, stagnalis, superstitiosa, supplicatoria, trapezina, unilineata, vocatoria.

Hemerophila abruptaria, albertiana, pariana.

Hemeroplanes oculus, pan, plutonius, pyralis, pyraloides, triptolemus.

Hemesthocera flavilinea.

Hemiaetus strophiatius.

Hemiargus antibubastus, bubastus, celaeus, enipeus, hanno, isarchus, larydas, ubaldus.

Hemiasier acuminatus, aequifissus, affinis, alarici, altissimus, amplus, anticus, birostratus, brevisulcatus, bucardium, bucklandi, bufo, complanatus, cor, cosoni, cubicus, edwardsi, elatus, expansus, founeli, foveatus, globosus, grateloupi, inaequalis, inflatus, latisulcatus, latus, leymeriei, major, minima, nasutulus, nucleus, nucula, obesus, orbicularis, parastatus, passysianus, phrynus, pisum, pomum, prunella, pusillus, rana, stella, stellatus, subalpinus, subcubicus, subglobosus, suborbicularis, texanus, tumidus, verneuili, verticalis.

Hemicardium aviculare, cardissa, fragrum, laevum, retusum, telluris, tuberculatum, unedo.

Hemicellaria ramosa.

Hemicera arcuata, splendens.

Hemiceratites angulatus, compressus.

Hemicercus canente.

Hemichelidon ferrugineus, fuliginosa, latirostris.

Hemichroa alni, rufa, stigma.

Hemicidaris admeto, alpina, angularis, buccalis, confluent, crenularis, depressa, diademata, graciosa, granulata, guerini, hoffmanni, icaunensis, inermis, intermedia, koenigi, laevis, lamarki, linearis, luciensis, lybica, mammosa, meryaca, minor, mitra, ovifera, patella, purbeckensis, pustulosa, radians, regularis, stramonium, thurmanni, undulata.

Hemicircus brunneus, concretus, cordatus, melanogaster, rubiginosus.

Hemicnemis ciliaris, senegalensis.

Hemicordylus capensis.

Hemicosmites extraneus, oblongus, porosus, pyriformis, squamosus.

Hemicrepidius ruficollis, thomasi.

Hemicrinus astlerianus.

- Hemipterura* rasounowskii.
Hemictetia gracilis.
Hemicyclia albicans.
Hemicyclus grandis, metallicus.
Hemidactylum scutata.
Hemidactylus argyropis, belli, bojeri, brooki, capensis, caudiverbera, costae, depressus, fasciatus, flaviviridis, frenatus, garnoti, gelatinosus, granosus, leschenaulti, maculatus, mercatorius, mutilatus, nanus, nattereri, orbignyi, peroni, peruvianus, robustus, sebae, servus, tuberculosus, variegatus, vittatus.
Hemidiadema rugosum.
Hemidictya frondosa.
Hemifusus canaria, cochlidium, colossus, coronatus, morio, pyrulaeus.
Hemigalea hardwicki, zebra.
Hemigaster fasciatus.
Hemigeometra conjuga, fraxini, maura, notha, nupta, parthenias, promissa, sponsa.
Hemignathus lucidus, obscurus, olivaceus.
Hemigyps ponticerianus.
Hemilampra australis.
Hemilepidotus hemilepidotus, tilesii, trachurus.
Hemiloma ovata.
Hemilopas mentzeli.
Hemilophus (A.) fulvus, hodgsoni, javensis, leucogaster, lichtensteini, mackloti, muelleri, pulverulentus, validus.
Hemilophus (Col.) albicollis, dimidiaticornis, leuconotus, luctuosus, nigriceps, spectabilis, triangularis.
Hemimactra gigantea, grandis.
Hemimene amplana, argyran, dorsana, ephippiana, gundianana, jacquiniana, lathyrana, lunulana, montana, permixtana, sequana.
Hemimitra retusa.
Hemiodon areolata, purpurascens, undulatus.
Hemiodus crenidens, notatus, unimaculatus.
Hemiops chinensis, flava, luteus, plana.
Hemipalama auduboni, himantopus, minor, multistriata, semipalmata.
Hemipalma himantopus.
Hemiparus strigula.
Hemipecten forbesianus.
Hemiopsis capensis, flava, ustulata.
Hemipharis brunoni, insularis.
Hemiphraetus scutata, spixi.
Hemipipo chlorion, chloris.
Hemiplacuna rozieri.
Hemiplus lacustris.
Hemipneustes africanus, radiatus.
Hemipodius andalusicus, atrogularis, bengalensis, castanotus, dussumieri, fasciatus, hottentottus, joudera, lepurana, lunatus, luzoniensis, maculosus, melanogaster, melanotus, nanus, nigricollis, nigrifrons, nigripes, nivosus, pugnax, pyrrhorthorax, scintillans, tachydromus, taigour, taigur, thoracicus, varius, velox.
Hemipristis paucidens, serra.
Hemiprocne acuta, collaris, comatus, fuciphagus, fucivora, longipennis, mystacea, salangana, torquatus.
Hemipronites aequalis, alata, alta, brevis, circularis, elongata, expansa, globosa, lata, latissima, maxima, obtusa, orbicularis, peralta, perlata, plana, prominens, rotunda, sphaerica, transversa, tumida.
Hemipsilus trichodes.
Hemiptarsenus fulvicollis, waterhousei.
Hemipteron nipalense.
Hemipteronotus gmelini, quinquemaculatus.
Hemipteryx pallida, tatrix.

Hemiptycha *alata*, *antica*, *apicalis*, *asphaltina*, *bimaculata*, *brunneiventris*, *canachus*, *centrotoides*, *cervus*, *compressicornis*, *cucullata*, *cuneata*, *erythropus*, *expansa*, *expansicornis*, *flava*, *flavomarginata*, *furcata*, *galeata*, *globiceps*, *laevigata*, *longicornis*, *marginata*, *obtecta*, *picea*, *placita*, *punctata*, *punctum*, *rotundicornis*, *sagata*, *sinuata*, *spinosus*, *xanthographa*.

Hemipus *flavula*, *obscurus*, *picaeolor*, *picatus*.

Hemipyxis *trogodytes*.

Hemirhamphus *amblyurus*, *argenteus*, *balao*, *brasilensis*, *browni*, *buffonis*, *commersoni**, *cuspidatus*, *dispar*, *dussumieri*, *eclancheri*, *erythrorinchus*, *europaeus*, *far*, *fluviatilis*, *gaimardi*, *gambarur*, *georgii*, *geraerti*, *intermedius*, *leucopterus*, *longirostris*, *lucens*, *lutkei*, *macrorhynchus*, *malanochir*, *marginatus*, *melanurus*, *picarti*, *plei*, *quoyi*, *reynaldi*, *richardi*, *roberti*, *russeli*, *sajori*, *tridentifer*, *unifasciatus*, *viridis*, *vittatus*, *xanthopterus*.

Hemirhamphus *apicalis*, *commersoni*, *depauperatus*.

Hemirhipus *acuminatus*, *dorsalis*, *fascicularis*, *flabellicornis*, *limbatus*, *lineatus*, *marginatus*, *obscurus*, *quinque-signatus*, *sputator*.

Hemirhynchus *deshayesi*.

Hemirrhypus *trilineatus*, *venosus*.

Hemisciera *maculipennis*.

Hemiscyllium *malaiianum*, *ocellatum*.

Hemiscyllum *trispeculare*.

Hemisia *bombiformis*, *haemorrhoidalis*, *lanipes*, *laticincta*, *leprieuri*, *plumipes*, *pyropyga*, *tabaniformis*, *unicincta*, *varia*, *versicolor*.

Hemisinus *lineata*, *lineolata*.

Hemisius *minutus*.

Hemisphaerica *quinqesignata*.

Hemisphaerius *coccinelloides*.

Hemisphaerota *erythrocerata*.

Hemispongia *rouyana*.

Hemisterias *quadrida*, *quadriloba*.

Hemistoma *reticulata*.

Hemistomum *alatum*, *auritum*, *clathratum*, *commutatum*, *cordatum*, *denticulatum*, *excavatum*, *pedatum*, *podomorphum*, *spathaceum*, *spathula*, *trilobum*.

Hemiteles (Col.) *excellens*, *fasciata*, *interruptus*.

Hemiteles (Hym.) *aestivalis*, *areator*, *argentatus*, *biannulatus*, *bicolorinus*, *breviventris*, *chionops*, *chrysopygus*, *cingulator*, *completus*, *conformis*, *contaminatus*, *crassiceps*, *crassicornis*, *decipiens*, *dispar*, *dissimilis*, *dorsalis*, *dubius*, *fasciipennis*, *floriculator*, *fragilis*, *fulvipes*, *fuscipennis*, *hospes*, *imbecillus*, *infirmus*, *infuscatus*, *inimicus*, *insignis*, *inustus*, *laevigatus*, *lepidus*, *limbatus*, *lundensis*, *luteiventris*, *luteolator*, *luteus*, *maculipennis*, *melanarius*, *melanogonus*, *melanopygus*, *meridionalis*, *micator*, *modestus*, *monogonius*, *monospilus*, *necator*, *orbiculatus*, *oxyphymus*, *palpator*, *papilionis*, *picipes*, *pictipes*, *pulchellus*, *punctatus*, *ridibundus*, *rubiginosus*, *ruficollis*, *rufiventris*, *rufocinctus*, *scrupulosus*, *similis*, *socialis*, *sordipes*, *striatus*, *tenebriocosus*, *tenerrimus*, *tenuicornis*, *tricolor*, *tripartitus*, *tristator*, *varicornis*, *varitarsus*, *vicinus*, *xanthogaster*.

Hemitelus *spinosus*.

Hemithalamus *nitidus*.

Hemithea *aeruginaria*, *aestivaria*, *agrestaria*, *biplevaria*, *cloraria*, *coronillaria*, *corsicaria*, *cyllisaria*, *genistaria*, *putatoria*, *smaragdaria*, *squalidaria*, *vernaria*, *viridaria*.

Hemithiris *aprinis*, *baylii*, *borealis*, *communis*, *costata*, *crispata*, *didyma*, *fissuracuta*, *henrici*, *increbescens*, *pomeli*, *senticosa*, *sowerbyi*, *spinosa*, *stricklandi*, *subtrigonalis*, *subwilsoni*, *verneuili*, *wilsoni*.

Hemithraupis *flavicollis*, *guira*, *melanoxantha*, *ruficeps*.

Hemithyris *pareti*.

Hemitoma *tricostata*.

Hemitragus *jemlaica*, *quadrimammis*, *warryato*.

Hemitripteris *acadianus*, *americana*, *flava*, *hispidus*, *tripterygius*.

Hemitypa *elegans*, *hibernica*, *oculata*, *sexangula*, *striata*.

Hemityphlus *coqueberti*.

- Hemiulis auratus, guttatus, melapterus, vittatus.*
Hemixus flavula.
Hemizonus albomarginatus.
Hemizoster tubulosus.
Hemorrhoids hippocrepis.
Hemulon chrysopteron, flavomaculatum, formosum.
Hemydra aurata.
Henestaris genei, hispanus, spinolae.
Henia devia.
Heniarthes annulatus, erythromerus.
Henicocichla major, noveboracensis.
Henicops chilensis, emarginata.
Henicus stollii.
Heniocha appollonia, grimmia.
Heniochus acuminatus, argus, chrysostomus, cornutus, macrolepidotus, monoceros, orbis, permutatus.
Henopomus nauticus, tricornis.
Henops apicalis, gibbosus, globulus, leucomelas, limbatus, marginatus, nigripes, orbiculus, rotundatus, waxeli.
Henricia oculata, rosea.
Heodes virgaurea.
Heornus boreus.
Hepa neptuni.
Hepathus calappoides.
Hepatoxylon squah.
Hepatus angustata, chiliensis, decorus, fasciatus, perlatus.
Hephaestion macer, ocreatus.
Hepheboerus boops, nanus.
Hepialus aesculi, angulum, arcticus, carnus, cora, cossus, crassus, flina, fuscus, hamma, hectus, horta, ligniperda, ligniveren, lignivorus, mappa, nebulosus, pyrenaicus, terebra, velleda, virescens.
Hepiolus ganna, humuli, lupulinus, socordis, sylvinus, uredo.
Hepioelmus eudoxus, leucostigmus, variegatorius.
Hepoona cooki.
Heptabanchus burnetti.
Heptalasmis warwicki.
Heptanchus indicus.
Heptatoma bimaculata, italicus.
Heptatrema cirratum.
Heptaulacus nivalis, sus, testudinarius.
Heptodonta analis, hopei.
Heptoglena digitata.
Heptomera metallica.
Heptostomum hirudinum.
Hepranchias cinereus.
Heraclia dominula, euphemia, placentia, vetula.
Heraclides andraemon, asclepius, crisphontes, lycophron, menestheus, oxilus, pelaus, phoreas, thoas.
Heraea carpini.
Heramyia nebulosa, populicola.
Herbina liliorum, narcissi, rubetra, suillioidea.
Herbstia condyliata, edwardsi, parvifrons.
Herbstium stellatum.
Hercoles radicans.
Hercyna albulalis, alpestralis, ambigualis, centonalis, chlamitulis, chlamydulalis, cicatricalis, clathrata, cristulalis, dubitalis, gutturalis, holosericalis, lineolalis, macularia, manualis, mendaculalis, palliolalis, phrygialis, pyrenaecalis, quadrimaculata, ramalis, rufocrinitalis, rupicolalis, scabralis, sericalis, strigulalis, togatulalis.

- Herega* subrotundata.
- Herentia* biforis, hyndmanii, insignis, linearis.
- Heresaster* papillosa.
- Heriades* breviuscula, campanularum, cincta, maxillosa, nigrescens, punctatissima, pusilla, rapunculi, robusta, sinuata, truncorum.
- Heribeia* clerckella, cognatella, forsterella, haworthana, haworthella, humerella, nivella, punctaurella, semiaurella, semiplicella, unipunctella.
- Herina* annulata, calcarata, fasciata, lacustris, limbata, liturata, longicornis, luctuosa, marginata, mexicana, palustris, quadrifasciata, rufipes, rufitarsis, saltatoria, scutellaris, sinensis, splendens, syngenesiae, thoracica, vicina, violacea, violascens, viridis.
- Herinia* capensis.
- Herion* rostratus.
- Hermaea* bifida, dendritica, venosa.
- Hermella* alveolata, chrysocephala, crassissima, rissoi, savignyi.
- Hermerius* impar.
- Hermes* nussatellus.
- Hermetia* albitarsis, apicalis, bimaculata, cingularis, coarctata, flavipes, illucens, marginata, pectoralis, planifrons, pulchra, rufitarsis, rufiventris, sexmaculata.
- Hermia* glandulosa.
- Herminia* aspergillus, barbalis, calvarialis, cribralis, crinalis, derivalis, emortualis, ericata, grisealis, modestalis, nodosalis, proboscidalis, rectalis, rostralis, rostratus, sagittalis, tarsicrinalis, tarsiplumalis, tentaculalis, ventilabris.
- Herminierus* guadelupensis, infaustus.
- Hermione* hystrix.
- Hermochares* appendiculatus.
- Hermoneura* punctata.
- Hermya* afra, hottentota.
- Herodias* affinis, alba, caerulea, candida, candidissima, egretta, flavirostris, garzetta, greyi, gularis, jubata, jugularis, leucogaster, matook, modesta, novae hollandiae, orientalis, pannosus, picata, pileata, plumiferus, rufescens, schistacea, syrmatophorus, virescens.
- Herona* marathus.
- Heros* coryphaenoides, coryphaeus, deppei, efasciatus, festivus, friedrichsthalii, insignis, modestus, montezuma, niger, psittacus, severus, spurius.
- Herpa* limacina.
- Herpestes* aegyptius, apiculatus, atilax, auropunctata, badius, bagdadensis, bennetti, brachyurus, cafra, edwardsi, exilis, fasciatus, flavidens, frederici, fusca, galera, gambiaus, gracilis, griseus, ichneumon, javanicus, lefebvrei, leucurus, major, melanurus, mungo, mutzigella, nems, nepalensis, numicus, ochraceus, pallidus, parvulus, penicillatus, pharaonis, psilodactylus, punctulatus, ruber, rubiginosus, sanguineus, semitorquatus, smithi, vitticollis, widdringtoni, zebra.
- Herpestomus* ardeicollis, brunnicornis, facialis, furunculus, intermedius, nasutus, phaeocerus, pudibundus.
- Herpetheres* cackinnans. *Err. pro Herpetotheres.*
- Herpetichnus* bucklandi, sauroplesius.
- Herpetodryas* aestivus, boddaerti, carinatus, cursor, dendrophis, dipsas, geminatus, getulus, goudoti, helena, lineatus, margaritifera, olfersi, oxycephalus, prionotus, psammophis, punctifer, rhodogaster, serra, tricolor, viridissimus.
- Herpetodrys* bicarinatus, carinatus, pyrrhopogon, sexcarinatus.
- Herpetolithus* crassus, strictus.
- Herpetotheres* cackinnans, sociabilis.
- Herpetotragus* nasuta.
- Herpiscius* sommeri, spinolae.
- Herpistichus* laesicollis.
- Herpolitha* ehrenbergi, foliosa, interrupta, limacina, rueppelli, stellaris.
- Herpsilochmus* axillaris, pileatus, rufomarginatus.
- Herpyllus* alarius, ater, auratus, bicolor, bilineatus, crocatus, cruciger, descriptus, dubius, ecclesiasticus, longipalpus, marmoratus, ornatus, parvus, pygmaeus, ramulosus, trilineatus, variegatus, vespa, zonarius.

Herpystezoum marsii, minutum.

Herse (A.) ariel, bicolor, cyanileuca, erythrocephala, euchrisea, fulva, hyperythra, leucaptera, leucorhiza, maculosa, melanoleuca, nigricaus, patagonica, tahitica, thalassina.

Herse (Cr.) neubergi.

Herse (Lep.) convolvuli, ligustri, pinastri.

Hersilia (Ar.) caudata.

Hersilia (Col.) edwardsi, indica, oranensis, savignyi.

Hersilia (Cr.) apodiformis.

Hertha mystica.

Hesiconia burneyi.

Hesione festiva, pantherina, sicula, splendida.

Hesperia abebalus, acteon, aetna, althaea, alveolus, alveus, andracne, antipodes*, antoninus, aranthus, artas, arsalte, assaricus, ausonius, avitus, basoches, benjamini, bifasciata, beufilius, borbonica, brebisson, cacaliae, caecus, cardui, carlinae, carthami, catillus, cebenus, celsus, cephalus, cervantes, chlorocephala, chromus, cinarae, cingula, cirsii, claudianus, clavus, cleantes, coelus, comma, coras, cornelius, coroller, cramer, creteus, cribellum, crinusus, critomedia*, cyanea, cynisca, dalman, dara, duso, drury, dumeril, eacus, erythus, ethlius, eucrate, eurycles, fatih, feisthameli, fischer, flavo-vittata, floedifera, godart, havei, havel, haworthiana, helops, iphinous, iphis, ischys, itea, jaera, julianus, justinianus, lafrenaye, lepeletier, lesueuri, leucocera, lierhammeri, lineola, lucretius, lydis, malvarum, marchalli, marrubii, melander, maffei, menestries, mesogramma, metophis, minos, myrmidon, nearchus, octomaculata, opopordi, ophion, orbifera, orion, ornata, oxyntes, papinianus, papirio, parthenides, perkins, peleus, peron, pertinax, phlomidis*, phocion, phulaeus, picta, polygus, polyzona, pompeius, poutieri, proto, pumilio, rafflesia, rannusis, salatis, sandalarus, sara, savignyi, schoenherri, seneca, senegalensis, sericea, serratulae, sericinus, silus, silvicola, sinon, sophia, steropes, tale, taras, tesselloides*, tessellum, themistocles, therapne, tristis, tryxus, unicolor, versicolor, viridis, westermanni, xanthopogon.

Hesperinus brevifrons.

Hesperiphona abellei, icteroides, melanura, personatus, speculigerus, vespertina.

Hesperomys anguya, arenicola, arviculoides, auritus, bimaculatus, boliviensis, brachyurus, callosus, canescens, caniventris, cephalotes, concolor, darwini, destructor, elegans, eliurus, flavescens, fuliginosus, galapagoensis, gracilipes, griseo-flavus, laucha, leucodactylus, leucogaster, leucopus, longicaudatus, longipilis, longitarsus, magellanicus, maiculatus, megalonyx, melanostoma, micropus, nasutus, nigripes, nigrita, obscurus, orobinus, palustris, physodes, pygmaeus, pyrrhorhinus, renggeri, rostellatus, rufus, rissatus, squampes, subflavus, tomentosus, tumidus, xanthopygus, xanthorhinus.

Hesperophanes affinis, fasciculatus, griseus, guttaticollis, nebulosus, olidus, pallidus, pulverulentus, rotundicollis, sericeus, tomentosus.

Hesperophilus arenarius, divisus, fracticornis, haemopterus, talpa.

Hesthesia bizonzatus, cingulatus, ferrugineus, ornata, variegatus.

Hestia assimilis, bella, corythoe, daos, ephyre, hyblaea, hypermnestra, iasonia, idea, ismare, juvena, lyncea, similis, thoe.

Hesycha syrinx.

Hesychia fausta, Faustina, hilaris, laeta.

Hesyquillia lugubris, seminatonis.

Hetaera astyocha, dyndimene, lena, nereis.

Hetaerius quadratus.

Hetaerornis atra, blythi, corythaix, crinita, cristatella, docilis, fusca, ginginiana, malabarica, pagodarum.

Heteracantha depressa.

Heteracantha ruficornis.

Heteracanthus pedatus, sagittatus.

Heterachthes ebenus, quadrimaculatum.

Heterakis dispar, praecinctus, vesicularis.

Heterarthron bicarinatum, truncatus.

- Heterarthrus** ochropoda.
Heteraulacus acuminatus, adriaticus, fuscus, monas.
Heteritos punctatus*.
Heteroblemma peropaea.
Heterobrachia gaimardi.
Heterobranchus anguillar, bidorsalis, geoffroyi, longiilis, senegalensis, sextentaculatus.
Heterocampa astarte.
Heterocentrotus trigonarius.
Heterocephalus glaber.
Heteroceras americanus, angulatus, apicalis, arragonicus, bifasciatus, brunneus, cinctus, crinitus, euphraticus, femoralis, flavidus, flexuosus, fossor, fuscus, gravidus, hamifer, hispidulus, intermedius, linibatus, lituratus, marginatus, maritimus, marmota, marshami, minimus, minutissimus, minutus, murinus, nanus, obliterated, obsoletus, pallidus, parallelus, polyplocus.
Heterocerus pulchella, pusillus, sericans, undatus, varius, ventralis.
Heterocheilus tunicatus.
Heterochelus acanthopus, analis, anomalus, armatus, arthriticus, aurantiacus, bideutatus, bimaculatus, binotatus, bisignatus, bivittatus, capicola, castaneipennis, chiragricus, coccineus, conuatus, denticeps, dentifrons, dentipes, detritus, forcipatus, furoninus, gonager, holosericeus, hybridus, laticollis, lituratus, longipes, longulus, lugens, miserabilis, mucronatus, multideutatus, murinus, nitidissimus, nubilus, ochraceus, oreopygus, pachylutulus, pachymerus, pallidipennis, platynotus, podagricus, pulverosus, ruñmanus, senex, serripes, sexlineatus, simplicipes, sobrius, soricinus, spretus, striatus, subvittatus, testaceipennis, uncinatus, unguiculatus, villosus, viridicollis, vittatus, vittiferus, vulpecula, vulpinus.
Heterochilus citrinus.
Heterochroa abia, abyta, alala, arecosa, aricia, basilea, bredowi, cestus, cocala, collina, corcyra, cytherea, donysa, elea, epione, erotia, fessonia, gelania, hyas, iphicia, irmita, isis, lara, lema, leucophthalma, marse, melona, mesenteria, mythra, uea, phliassa, plesauere, serpe, syma, thosa, zea, zeba.
Heteroclita haworthi, raeuperi.
Heteroclitus tartaricus.
Heterocoenia conferta, crasso-lamellata, exiguis, humilis, minima, provincialis.
Heterocrates coracinus.
Heterocrinus gracilis, heterodactylus, simplex.
Heterocyathus aequicostatus, cochlea, eupsammides, hemisphaerica, roussaeana.
Heterodactyla hemprichi.
Heterodactylus (Col.) nebrionides.
Heterodactylus (R.) imbricatus.
Heteroderes fuscus.
Heteroderma loysianum.
Heterodes longipes, servillei, spinulosus. *Vide et Heterodes*.
Heterodisca conica, heterostropha, lucida, minuta, reversa.
Heterodon (M.) anarnacum, chemnitzianum, dalei, epidon, hunteri, hyperodon, sowerbyi, urocera.
Heterodon (R.) annulatus, coccineus, guianensis, heterodon, niger, platirrhinus, rhinostoma, sinus, tigrinus, vipera.
Heterodonta argentina.
Heterodontus philippi.
Heterodromia velox.
Heterogamia aegyptiaca, antiqua, ursina.
Heterogaster (Col.) bicolor, coronillae, semipunctatus, waitli.
Heterogaster (Dipt.) fascipennis.
Heterogaster (Hem.) affinis, artemisiae, basalis, claviculus, costatus, ericae, fasciatus, jacobaeae, laticeps, lineolatus, pictus, punctipennis, pusillus, resedae, reticulatus, rufescens, salviae, schillingi, senecionis, thymi, urticae.
Heterogenea asellana, asellus, testudinana.
Heterognatha chilensis, margaritacea.

- Heterognathodon** bifasciatus, macrurus, xanthopleura.
- Heterogomphus** achilles, aidoneus, amphitryon, astyanax, bispinatus, chevrolati, dilaticollis, duponti, eteocles, hopei, julus, morbillosus, pauson, schoenherri, thoas, ulysses.
- Heterograpsus** sexdentatus.
- Heterogynis** affinis, erotica, paradoxa.
- Heterolepis** (Hym.) nigri.
- Heterolepis** (R.) capensis, poensis.
- Heteromeles** mauritanicus.
- Heterometopia** argentea, rufipalpis.
- Heteromita** angusta, granulum, ovata.
- Heteromorpha** (A.) ruficeps.
- Heteromorpha** (Lep.) caeruleocephala, excrucians*, unicolor.
- Heteromyia** fasciata.
- Heteromyz** anomalus, thompsoni.
- Heteromyza** atricornis, bicolor, buccata, cinerella, eriphides, flava, flaveola, flavipes, fusca, hilarella, humilis, laeta, laterella, nigricornis, oculata, orientalis, rufipes, scutellata, tarsalis.
- Heteronema** marina.
- Heteronemia** mexicana.
- Heteronereis** arctica, assimilis, fucicola, paradoxa, viridis.
- Heteroneura** albinana, geomyzina, muscaria, nubila, ruficollis, scatophagina, scotica, spurca.
- Heteronota** biuiae, braccata, hirta, kendalli.
- Heteronotus** abbreviatus, armatus, bescki, flaveolineatus, fuscus, inermis, nigricans, nodosus, quadrinodosus, signatus, spinosus, tridens, vulnerans.
- Heteronutarsus** aegyptiacus.
- Heteronychus** appius, arator, claudius, fossator, fossor, glabricollis, globosus, humilis, javanus, licas, minutus, morator, parumpunctatus, parvus, pauper, piceus, plebejus, rusticus, scarabaeinus, tumulosus.
- Heteronyx** aphodioides, australis, elongatus, holomelaena, laticollis, nigrita, oblongus, obscurus, ovatus, piceus, pilosellus, pilosus, rotundiceps, rubescens, rubriceps, rufo-marginatus, striatipennis, unicolor.
- Heteropalpus** pretiosus.
- Heteropelma** calcator.
- Heteropeza** pygmaea.
- Heterophaga** mauritanica.
- Heterophana** villosula.
- Heterophasia** cuculopsis.
- Heterophthalmus** ocularis.
- Heterophyllia** grandis, macroreina, ornata.
- Heterophylus** chrysomelinus.
- Heteroplia** distinguenda, emortualis, rugipennis, testacea.
- Heteropneustes** fossilis.
- Heteropoda** mauri.
- Heteropora** abrotanoides, anomalopora, appressa, arborea, cervicornis, concinna, conifera, corymbosa, crassa, cryptopora, decurrens, dichotoma, digitata, dumetosa, echidnaea, ficulina, flabellum, forskaeli, hemprichi, imbricata, intricata, laxa, microclados, nullipora, palmata, poecillifera, prolifera, pyriformis, ramosa, regalis, rugosa, septosa, seriata, spongoides, squarrosa, stellulata, stipitata, subconcinna, surculacea, tortilis, tuberosa, tubulosa, tylostoma, undulata, verrucosa.
- Heterops** cristatus.
- Heteropsammia** michelini.
- Heteropsis** drepana.
- Heteroptera** pusilla.
- Heteropteron** macula.
- Heteropteryx** dilatata.
- Heteropus** (A.) perniger.
- Heteropus** (Ar.) ventricosus.

- Heteropus (Col.)** africanus, crocipes, holosericeus, picipes, ventralis.
Heteropus (Hem.) lefebvrei.
Heteropus (M.) albogularis.
Heteropus (Orth.) africanus.
Heteropus (R.) fuscus, peroni.
Heterorhina algoensis, amoena, anthracina, bengalensis, bicornis, bicostata, biguttata, bimacula, childreui, confusa, cuvera, decora, dives, elegans, flavipennis, glaberrimus, hopei, induta, jucunda, laeta, mac leayi, nigritarsis, olivacea, ornata, peteli, porphyretica, punctatissima, sinuatocollis, smaragdina, suavis, swanziana, tibialis.
Heterorhynchus olivaceus.
Heterornis dauricus, elegans, malabaricus, melanoptera, nipalensis, ruficollis, senex.
Heterosaurus neocomiensis.
Heteroscelis dentipes, parallelus, reticulatus, schroetteri, servillei.
Heteroschoinus albovarius.
Heterosoma collata.
Heterospilus imperator, striatellus.
Heterostegina antillarum, costata, depressa, reticulata, simplex, suborbicularis.
Heterosternus buprestoides.
Heterostoma (G.) semitecta.
Heterostoma (Myr.) cribrifera, elegans, fasciata, flava, fulvipes, megacephala, platycephala, rapax, scabriventris, spinosa, spinulosa, squalidens, sulcicornis, sulcidens, trigonopoda.
Heterostoma (Verm.) echinatum.
Heterostomis analis, lacordairei.
Heterostomum helicis asperae, helicis pomatiae, limacis, limnaei, ovatum.
Heterostylum flavum.
Heterotarsus tenebrioides.
Heterothops binotatus, bissimilis, holmensis, kirbiellus, limbatus, praevious, quadripunctatus.
Heterothrops exilis, nitens.
Heterotis adansonii, ehrenbergi, niloticus.
Heterotoma (Hem.) cinctus, crinicornis, oblongus, pulverulenta, spissicornis.
Heterotoma (Thys.) acinaciformis, chlorata, cincta, cristallina, flavescens, grisea, livida, musci, pulchricornis, quadripunctata, septemguttata, vaga, villosissima.
Heterotomus atricornis, magnicornis, spissicornis.
Heterotricha hirta.
Heterotriton ingens.
Heterotropis equestris, horrida, marmoratus.
Heteroura androphora*.
Heterura sylvana.
Heterusia aedea, conduplicaria, edocla, quadruplicaria, risa.
Hetoemis juglandis.
Heterodes abortiva, guyni, horridus, militaris, pupa, spinulosus. *Vide et Heterodes.*
Hetroxys aponius, dimidiatus, fuscescens, invenustus, macromerus, praepileus, scenicus, stenogaster.
Heusimene fimbriana.
Hexabanchus (Nud.) adamsi, laciniatus, marginalis, praetextus, sandwichensis, sanguineus, sanguinolentus.
Hexabanchus (P.) lichtensteini.
Hexacantha clavipes, sexdentata.
Hexacanthus macrocephalus.
Hexacentrus horridus, plantaris, unicolor.
Hexacotyla lapridis, ocellatum.
Hexacrinus depressus, macrotatus, melo, pentangularis.
Hexagonia apicalis, kirbyi, terminata.
Hexagrammus asper, stelleri.
Hexamera arenicola.
Hexamita inflata, intestinalis, nodulosa.

- Hexanchus griseus.
 Hexaphyllum aequinoxiale, brasiliensis.
 Hexaphyllus pontbrianti.
 Hexaplex anatomica, foliacea, fusca, ovata, punctuata, tenuis.
 Hexaprotodon anisiperus, dissimilis, megagnathus, platyrhynchus, sivalensis.
 Hexapus sexpes.
 Hexarthrus buquetti, parreyi, rhinoceros.
 Hexathiridium integerrimum.
 Hexathyridium affine.
 Hexatoma (Dipt.) bimaculata, nigra.
 Hexatoma (Hem.) marginalis.
 Hexeterus punctatus.
 Hexodon hopei, kirbyi, montandoni.
 Hexona parasitica.
 Hexuropteris cupidina, endymiaena.
 Heza binotata.
 Hians capensis, indicus, pondiceriana.
 Hiattella arctica, biaperta, interlineata, lancea, minuta, monoperta, oblonga, rugosa, striata.
 Hiaticula annulata, azarae, bicincta, bifasciata, cantiana, curonica, falklandica, geoffroyi, inornata, marginata, meloda, minor, monacha, mongola, nigrifrons, novaseelandiae, ruficapilla, semipalmata, subrufina, torquata, tricoloris, trifasciatus, vocifera, wilsoni.
 Hiattula lamardi, maculosa, pallida, striata.
 Hibernia aceraria, aescularia, aurantiaria, bajaria, capreolaria, connectaria, defoliaria, leucophaearia, progenimaria, prosapiaria, rupicaparia.
 Hibernula caput medusae.
 Hibolithes hastatus.
 Hiella orbigny.
 Hieraaetus pennata.
 Hieraconyx abbreviatus.
 Hierax caerulescens, eulmus, erythrogenys, fringillarius, malayensis.
 Hierococcyx leucolophus, poliocephalus, sparveroides, vagans.
 Hierofalco candicans, cinereus, groenlandicus, islandicus, sacer.
 Hieroptera abradonensis.
 Higinia fasciata.
 Hilara abdominalis, aethiops, algira, anomala, bares, bistriata, brevivittata, canescens, chorica, cilipes, cinerea, clypeata, fasciata, femorella, flavipes, fulvipes, fuscipes, gallica, globulipes, griseola, hirtula, infaus, infusca, interstincta, litorea, longirostris, longivittata, lugubris, lurida, manicata, matrona, melanocephala, migrata, minuta, modesta, nana, nigrina, nigratarsis, nitidula, niveipennis, obscura, pilipes, pilosa, pinetorum, pruinosa, quadrivittata, rufipes, scotica, spinimana, spinipes, squalens, sturmi, sublineata, tenella, tenuinervis, thoracica, transfuga, trigramma, univittata.
 Hilarianus anguliceps, concolor, ovalis, punctaticollis, rufinus, suboblongus, suturalis, uniformis.
 Hiletus versutus.
 Himantarium fusatum, gabrielis, laevipes, rugulosum.
 Himantidium parallelum.
 Himantolophus groenlandicus.
 Himantophorus charon.
 Himantopoda truncata, vulgaris.
 Himantopterus fuscinervis.
 Himantopus albicollis, asiaticus, atropiterus, brasiliensis, gallarius, larus, leucocephalus, leucurus, longipes, melanopterus, melanurus, melas, meridionalis, mexicanus, minor, nigricollis, novae zelandiae, palmatus, podura, rufipes, viridis, vulgaris.
 Himatidium aeneum, aereum, albidum, argus, armatum, assimile, atrocoeruleum, aurimaculatum, barbatum, basale, bicolor, bicornae, bidens, bipustulatum, bistri-notatum, brunneum, carbonarium, castaneum, chalybeum, cicatricosum, coeruleum, comptum, concolor, cribratum, cupreum, cyaneum, cyanipenne, decempustulatum,

decorum, denudatum, discoideum, flavicorne, flavoguttatum, foveolatum, fulvum, gibbosum, gibbum, humerale, immaculatum, impressum, impurum, inaequale, irroratum, lanciferum, laterale, laticolle, lunatum, marginatum, marginemaculatum, marginicolle, metallicum, multipunctatum, nervosum, nigricolle, nigricorne, nigripenne, nigromaculatum, nigropunctatum, nimbatum, obcordatum, oblongum, obsoletum, octoemaculatum, oculatum, oxydatum, pallipes, pellucidum, platynodum, porosum, pugionatum, punctatissimum, punctulatum, quinquepunctatum, resplendens, rubrum, rufiventre, rufomarginatum, rufopunctatum, ruforeticulatum, rufum, rugosum, sex-pustulatum, spinarum, spinifex, strigatum, subreticulatum, suturale, testudinarium, thalassinum, tigrinum, triodon, triste, truncatum, turritum, variabile, variegatum, venustum, violaceum. *Vide et Imatidium.*

Himatione chloris, maculata, sanguinea.

Himatismus mandibularis.

Himera pennaria.

Hinda designata.

Hinea mollis.

Hinia laevigata, minuta, reticulata.

Hinnita gigantea, nuttalli, poulsoni.

Hinnites blainvillei, brussoni, comta, corallinus, coralliphagus, cortesianus, cortesyi, crispus, defrancei, deshayesi, dubuissoni, dujardiui, giganteus, heliodora, inaequistriatus, irregularis, laeviuscula, latus, leufroyi, leymeriei, ostreiformis, pamphilus, paniscus, planatus, psyche, pusio, schlottheimi, sepultus, sinuosus, sublevatus, sulcatus, tenuistriatus, tuberculosus, velatus.

Hinnus proboscidea.

Hinulia australis, dussumieri, elegans, essingtoni, fasciata, gerrardi, greyi, inornata, labillardieri, naevia, ornata, reevesi, richardsoni, sancta, taeniolata, tenuis, whitei.

Hiodon chrysopsis, clodulus, tergus.

Hipio constantia, leda.

Hipistes fasciata.

Hipocrita abrupta, abscissa, auxo, caricae, catenulata, jacobaeae, ligula, megaera, monilis, mononeura, pylotis.

Hipogymna morio.

Hipolimnas alcmene, almena, antigone, antilope, eriphile, iphigenia, manila, perimele, pipleis, porphyria, velleda.

Hiponix panormitana.

Hiposcritia pandione.

Hippa achiria, adactyla, asiatica, caerulea, emerita, eremitus, talpoida, testudinaria.

Hippagus acuticostatus, cardiiformis, isocardioides, novemcostatus, rudis.

Hippalectryo indicus.

Hippalimus acuta, astrophorus, brönni, capitatus, clavatululus, clavatus, conicus, conoideus, corallinus, cornutus, cylindricus, cymosus, elegans, flabellatus, fungoides, furcata, infundibuliformis, intermedius, latecostatus, mamilliferus, marginatus, micropora, milleporaceus, moreanus, mosensis, multidigitata, neocomiensis, neptuni, normaniana, oceani, pilula, pisiformis, proliferus, radiceformis, ricordeanus, roissyi, rugosus, socialis, subcaespitosus, submarginatus, tetragonus, tombeckianus, tuberosus, verrucosus. *Vide et Hyppalimus.*

Hipparchia abeona, actaea, adrasta, aegeria, aello, afer, alcyone, alecta, allionia, amalthea, amarillis, andromacha, andromeda, anthe, anthelea, arachne, arcania, arcanoides, arete, arethusia, arge, aristaeus, asterope, banksi, beroe, blandina, bootes, bore, briseis, bryce, bubastis, cassiope, ceto, circe, clotho, cluena, clymene, cordula, corinna, crambis, cyclopius, davus, dejanira, demophile, disa, discoidalis, dorus, egeria, embla, epiphron, epistygne, eriphyle, eudora, eumea, eumenis, euryale, eversmanni*, evias, fatua, fauna, fidia, galathea, goaute, gorge, gyaea, hampstediensis, hermione, hero, herta, hiera, hippodice, hippolyte, hippomedura*, hippomedusa*, hyperanthus, ianira, ida, ines, iphis, janira, jolaus, lachesis, larissa, leander, leda, lefebvrei, ligea, lyllus, maera, makuta, manto, mastor, medea, medura, medusa, megaera, melampus, melas, meone, mnestra, neomyris, neoridas, nephele, nereis, nerine, norna, oedipus, oeme, oenus, orpheus, pamphilus, pasiphae, pelopea, phaedra, pharte, philea, phorcys,

phrygiae, pilosellae, psidice, podarce, polydama, pontica, proserpina, prunata, psodea, pyrrha, rhannusia, rossi, roxelana, rumina, satyrion, sedakovi, semele, semidea, statilinus, stelleria, stygne, styx, subhyalina, sunbecca, syllius, tarpei, telmessia, thelephassa, thyrasis, titea, tithonus, tyndarus, urda, vernarius, virbius, zangis.

Hipparchus clorarius, cythisarius, papilionaria, viridatus.

Hipparion diplostylum, mesostylum, prostylum.

Hipperionix consimilis, proximus, similis.

Hippasteria abbensis, cornuta, equestris, europaea, johnstoni, plana.

Hippeutis lenticularis.

Hippichthys heptagonus.

Hippobdella lacertina, luctuosa, sanguisuga.

Hippobosca antilopes, australasiae, bipartita, camelina, capensis, egyptiaca, fossulata, francilloni, longipennis, maculata, metallica, moschi, nigra, orientalis, rufipes, sitiens, variegata, vespertilionis, viridis.

Hippocampus abdominalis, antiquorum, antiquus, brevirostris, comes, coronatus, foliaceus*, foliatus, fuscus, gracilissimus, heptagonus, hippocampus, hudsonius, mamulus, ramulosus, rosaceus, tetragonus, trimaculatus, vulgaris.

Hippocardia hibernica.

Hippocephalus decagonus, quadricornis, superciliosus.

Hippochrenes macropterus.

Hippocrene brittanica, bugainvillei.

Hippocrenes bonellii, columbata, fissurella, fortisi.

Hippodamia connexa, convergens, extensa, glacialis, lecontei, lunatomaculata, parenthesis, quindecim-maculata, quinquesignata, scalaris, septem-maculata, signata, sinuata, tredecim-punctata, vittigera.

Hippoglossoides limanda.

Hippoglossus arnoglossus, bosci, brasiliensis, citharus, dentex, goniographicus, hippoglossus, intermedius, kingi, limandoides, maximus, olivaceus, orthorhynchus, ponticus, septentrionalis, vulgaris.

Hippolais alticeps, elaica, icterina, italica, media, olivetorum, planiceps, salicaria, swainsoni.

Hippolite aculeata, affinis, armata, borealis, cornuta, layi, palpator, polaris.

Hippoloetes rufa.

Hippolyte carnea, costata, cranchi, crassicornis, ensiferus, fabricii, gaimardi, gibba, gibberosus, gibbosus, gracilipes, inermis, leachi, lentiginosus, loveui, lygdamis, macandreae, macilenta, macrocheles, marmoratus, mauritanicus, melis, microceras, moori, mutila, paludosa, pandaliformis, phippii, polaris, prideauxiana, pusiola, quoyanus, recurvirostris, retzii, rubra, serratus, smaragdina, sowerbyi, spinicaudus, spinifrons, spinus, subula, tenuirostris, thompsoni, turgida, varians, ventricosus, virescens, viridis, vittata, wurdemanni. *Vide et Hippolyte.*

Hippolytes variegatus.

Hippolytus brullei.

Hipponix acuta, australis, cornucopia, elegans, favaniella, foliacea, imbricata, interrupta, listeri, radiata, subrufa, suturalis, ticaonica.

Hipponee gaudichaudi.

Hipponyx barbata, borealis, cornucopia, dilatata, dunkeriana, granulata, interrupta, mitrata, mitrula, opercularis, parasiticus, pygmaea, radiata, sowerbyi, squamiformis.

Hippopodium angustatum, bajocense, corallinum, cottaldinum, gibbosum, luciensis, ponderosum.

Hippopodius luteus.

Hippopotamus abyssinicus, africanus, anisoperus, antiquus, australis, capensis, dissimilis, dubius, liyodon, iravaticus, liberiensis, macrodon, magnus, major, maximus, medius, megagnathus, minimus, minor, minus, minutus, namadicus, palaeindicus, platyrhynchus, senegalensis, sivalensis, typus.

Hippopsis camuripes, dasycera, filum, limniscatus, lineolatus, pradierii.

Hippopus brassica, cymbularis, maculatus, penicornis.

Hipporhinus abruptecostatus, albicans, albicinctus, albipes, albolineatus, appendiculatus, binodis, bituberculatus, bulbiifer, caffer, callidus, calvus, capensis, capicola, capistratus,

carinirostris, clavus, condecoratus, conirostris, constrictus, ~~contortus~~, corpulentus, costatus, curtus, delectans, dregeri, duponti, eckloni, ferus, frontalis, ~~globifer~~, granatus, granicollis, granulatus, granulosus, gyllenbali, herii, iufacetus, laciniosus, longulus, mammillatus, misumensis, muricatus, nivosus, nodulosus, obesus, partitus, pastillarius, perfunctorius, pilularius, pollinarius, porculus, punctirostris, pygmaeus, quadrideus, quadrilineatus, quadrinodis, quadrispinosus, recurvus, rhamphastus, rubifer, rubrospinosus, rugirostris, seriatus, seriegranosus, serienodosus, seriespinosus, setiferus, setulosus, severus, sexvittatus, sparmani, spectrum, spiculosus, spinicollis, spinifer, squalidus, subcordatus, sublineatus, subvittatus, thoracicus, tribulus, tuberifer, tuberosus, turpis, vafer, verrucosus, verrucosus, wahlbergi.

Hipporhynchus annulatus, equestris.

Hipposideros apiculatus, armiger, ater, atratus, bicolor, deformis, diadema, elongatus, fulvus, galeritis, insignis, lankadiva, larvatus, murinus, nobilis, penicillatus, pygmaeus, speoris, templetoni, tridens, vulgaris.

Hippotherium gracile, nanum.

Hippothoa cassiterides, catenularia, dentata, divaricata, elliotae, lanceolata, sica, smithi, tuberculum.

Hippotigris antiquorum, burchelli, campestris, isabellinus, quacha, zebra.

Hippotion celerio, ocyx.

Hippotragus equina.

Hypurites agariciformis, amplexus, austinensis, basaltes, bioculata, blumenbachi, brevis, canaliculata, chilensis, contortus, coralloides, cornucopia, cornu pastoris, cornu vaccinum, costulatus, curva, cyathus, cynthiformis, dentata, depressa, dilatatus, ellipticus, espaillaciaua, falcatus, fistulae, fitoloideus, fortisi, galloprovincialis, germari, gratelupi, hoeninghausi, inaequicostatus, jouanneti, lapeirousei, lata, mortoni, moulinsi, organisans, pusillus, radiosa, raphanister, renovatus, requieniana, resecta, rugosa, sabinae, semicostellata, striata, subdilatata, sublaevis, sulcata, texana, toucasiana, tumidus, turgida, turricula, turriculatus, undulatus. *Vide et Hyppurites.*

Hypadaeus torquatus. *Vide et Hupadaeus et Hypadaeus.*

Hiranetis membranacea.

Hiria linogrisea.

Hirmoneura atra, brevirostris, chilensis, exotica, longirostris, maculipennis, nigripes, nigriventris, novae hollandiae, obscura, rosea.

Hirsuta fritillella.

Hirtaea livida.

Hirtea albipennis, clavipes, collaris, ephippium, ferruginata, festinans, fulvicollis, fulvipes, funebris, hyalina, johannis, lacteipennis, leucoptera, marci, nigriventris, praecox, rufipes, umbellatarum, varipes, venosa, vernalis.

Hirudella angusta, tenuis.

Hirudinaria alba*.

Hirudo aegyptiaca, albo-punctata, alpina, arcuata, ardeae, areolata, astaci, aterrima, atomaria, blochi, cephalota, circularis, coccinea, decora, fasciata, fasciolaris, fusca, galearia, granulosa, gulo, japonica, lacertina, laevis, lateralis, limbata, luctuosa, manillensis, marginata, marmorata, martinicensis, mysomelas, nigra, ohiensis, oniscus, oscillatoria, paludosa, papillosa, parasita, parasitica, provincialis, scabra, senegalensis, spinulosa, stagnorum, swampina, tricolor, trioculata, trochati, troctina, tuba, unicolor, venaesector, verbana, verrucata, viridis, vittata, vorax.

Hirunda phenicephala.

Hirundapus nudipes.

Hirundella hirundinalis, quadricuspis.

Hirundinea bellicosa.

Hirundo abyssinica, agrestis, albicollis, albigularis, albiventer, albiventris, alpestris-japonica, americana, andecola, aonalaskensis, ariel, atra, atrocaerulea, bicolor, boissonneaui, brevicaudata, brevirostris, caerulea, cabirica, caprimulgus, caudacuta, chalybaea, chilensis, ciris, clivicola, collaris, concolor, coronata, cristata, cyanoleuca, cyanopyrra, dimidiata, domestica, domicola, erythropygia, euchrysea, fenestra, filicaudata, filifera, flavigastrea, fossilis, frontalis, fucata, fuciphaga, fulgula, fulva, fusca, gouldi, griseopyga, gularis, holomelas, hortensis, hyemalis, hyperythra,

inornata, jewani, jugularis, klecho, korthalsi, lagopoda, leucogaster, leucopyga, leucorhoa, leucorrhoea, leucosoma, leucosternus, longipennis, ludoviciana, lunifrons, maculosa, martinica, melanopyga, melanoerissus, melanogaster, melanoleuca, minuta, modesta, moxena, mystacea, nigra, nigricans, nigrita, nipalensis, opifex, oxyura, pacifica, paludicola, palustris, pascuum, patagonica, pelagica, philippensis, platensis, poeciloma, prasina, pristopectera, pyrrholaema, pyrrhonota, republicana, riocouri, robine, rufa, ruficeps, ruficollis, rufifrons, rufocollaris, rupicola, rutila, savignyi, scapularis, semirufa, serripennis, smithi, spilodera, subocceata, taitensis, thalassinus, unicolor, vanikorensis, velox, versicolor, virescens, viridis, zonaris.

Hispia acanthina, aculeata, aenea, affinis, albipennis, algeriana, aptera, ariadne, armata, armigera, atra, atricornis, arundinis, augustula, axillaris, bacchus, baucis, bellicosa, bicolor, bigeneris, bipartita, calcarata, capitata, carinata, castanea, centetes, cincta, cinnamomeus, cladophora, coccinea, collaris, compressicornis, cornuta, coronata, cruenta, cyanea, cyanipennis, cyanipes, dilatata, dimidiata, dubia, echidna, echinata, elevata, erebus, erinaceus, excavata, fabricii, fasciata, flava, flavipes, fulvicollis, gemmata, haemorrhoidalis, hastata, hecate, humeralis, hystrix, inaequalis, inermis, integra, jaenea, lateralis, leseleucii, lineata, lineatocollis, marginata, marginicollis, maura, melasis, metallica, minuta, monoceros, morio, mucronata, multispinosa, nigra, nigrita, nigrula, nigrofasciata, notata, numida, obsoleta, occator, pallescens, pallida, pallipes, pectinata, perroteti, petiti, philemon, plicatula, pluto, porcata, porosa, porrecta, praenota, pulchella, pulchra, quadrata, radula, ramosa, rosea, rotundata, rubella, rubra, rubricollis, ruficollis, rufogaster, saltatrix, scabra, scapularis, scutellaris, sericea, serratula, serripennis, speciosa, spinigera, spinosa, spinulosa, subspinosa, sulcicollis, suturalis, thoracica, trilineata, trimaculata, truncata, variegata, viridiaenea, viridis, vittata, xanthomela, xerene.

Hispalis dilatatus, mauritanica, viridulus.

Hispomorphia horrida.

Hister aemulus, aequalis, aereus, aethiops, afer, affinis, albipes, algericus, alternatus, americanus, amplicollis, angulatus, angustatus, anthracinus, antiquulus, arcuatus, arenarius, asphaltinus, assimilis, aterrimus, atro-nitidus, azureus, bengalensis, bifidus, biguttatus, binotatus, biplagiatus, bipunctatus, bisquinque, bissexstriatus, bonariensis, brasiliensis, brunneipennis, brunnipes, cadaverinus, caeruleus, caffer, calidus*, caliginosus, capensis, carbonarius, carolinus, castaneus, castanipes, catenulatus, cayennensis, chalcites, chinensis, civilis, coenosus, cognatus, complanatus, comptus, confinis, conformis, conjugatus, conjunctus, conjungens, connectens, consularis, coprophilus, coracinus, corticalis, corvinus, costatus, crassipes, crenatipes, cruciatus, cruentatus, curtatus, curvatus, cyanescens, cylindricus, decipiens, decius, deplanatus, depressus, depurator, deterius, dimidiatipennis, dimidiatus, dispar, distans, distinctus, duodecimlineatus, elegans, erythropterus, erythropus, exaratus, exilis, exsertus, externus, faedatus, fallax, fasciolatus, ferrugineus, ferrum-equinum, fimetarius, flavicornis, foetidus, formicetorum, fossor, fraternus, frontalis, fulvicornis, funestus, furcatus, gagates, gagatinus, geminus, glabratus, globosus, globulus, godeti, graecus, grandicollis, grandis, guerini, guinensis, harrisi, heros, hispidus, hottentotta, humeralis, hypocrita, iligeri, immundus, immunis, impressifrons, impressus, inaequalis, incisus, incrassatus, indistinctus, indus, interruptus, intricatus, italicus, javanicus, kirbyi, krynicki, labiatus, lacordairei, laevigatus, laevipes, lamnifer, lateralis, latipes, leachi, lentulus, lepidus, lunatus, lutarius, mancusi, mandibularis, marginatus, marginepunctus, marginicollis, maritimus, marshami, matthewsi, medicocris, medius, melanarius, memnonius, merdarius, metallescens, minimus, minutus, moerens, nanus, neglectus, nigrellus, nigricornis, nigrita, nitens, nitidulus, nitidus, nomas, obliquus, obscurus, obtusatus, orientalis, ornatus, ovalis, palmatus, parallelogrammus, parallelus, parvulus, parvus, patagonicus, paykulli, pennsylvanicus, perpusillus, personatus, piceus, pictus, planulus, planus, platysma, politus, praecox, pulcherrimus, pullatus, pumilus, punctato-striatus, punctatus, puncticollis, punctifer, punctulatus, pusio, pustulosus, putridus, pygmaeus, quadratus, quadridentatus, quadrilineatus, quatuordecim-striatus, quisquilius, regularis, repletus, retusus, robustus, rufulus, rugiceps, rugifer, saprinoides, scaevola, scaphidiformis, schoenherri, scutellaris, sedecimstriatus, semi-aeneus, senarius, senegalensis, septem-striatus, sepulchralis, servus, smaragdulus,

sordidus, speciosus, speculatus, speculifer, speculum, spinosae, splendens, spretus, squalidus, stercorarius, striato-punctatus, striatus, striola, stygius, subhemisphaericus, subrotundus, subvirescens, sulcatus, terricola, thoracicus, transversalis, transversus, tristriatus, troglodytes, tropicus, uncinatus, validus, variabilis, velox, vernus, villae, violaceus, virens, vulneratus, walkeri.

Histeromerus mystacinus.

Histia flabellicornis.

Histiodactyla globosa.

Histiophorus americanus, deshayesi, immaculatus, indicus, orientalis, pulchellus.

Histioporus acutirostris, recurvirostris, typus

Histioteuthis bonelliana.

Histioteuthys ruppelli.

Histiurus elatus.

Historis marthesia, odia.

Histrionella annulicauda, bilineata, ephemera, fissa, inquieta, pupula.

Histrionicus bistrionica.

Hiverus hirtus.

Hockeria bifasciata, bispinosa, dextus, eracon, betera, hydara, nigra, nigripes, nyssa, onatas, proxenus, rufipes, unicolor, xanticles.

Hodgsonius phaenicuroides.

Hoematoptera lunulata.

Hoemonia americana, lineata, scbioidi. *Vide et Haemonia.*

Hoemopsis vorax. *Vide et Haemopsis.*

Hoffmanseggella frenata.

Hogardia rufescens, speciosa.

Holacanthodes gracilis.

Holacanthus alternans, amiralis, asfur, caerulescens, caeruleus, cbrysurus, dux, flavissimus, flavoniger, geometricus, baddaja, lineatus, luteolus, maculosus, mesoleucus, microcephalus, mokbella, navarchus, orusst, passer, semicirculatus, septentrionalis, sexstriatus, striatus, tibicen, tricolor, trimaculatus, xanthurus. *Vide et Holo→.*

Holaraea parisiensis.

Holaroea alpina, micropora, parisiensis.

Holaster aequalis, altus, amygdala, ananchytes, bicarinatus, bisulcatus, carinatus, cinctus, complanatus, cor-avium, cordatus, cordiformis, couloni, cretaceus, fimbriatus, granulatus, greenoughi, hemisphaericus, indicus, inflatus, integer, intermedius, italicus, laevis, lamarcki, latissimus, leopoldinus, l'bardy, marginalis, mortoni, natutus, nodulosus, perezi, pillula, placenta, planus, rissoi, rostratus, roulini, sandox, subcylindricus, subglobulosus, suborbicularis, transversus, trecensis, truncatus, vernonnettensis.

Holcodus columbiensis.

Holcorhinus querulus, seriehispidus.

Holcotypus antiquus, arenatus, concavus, corallinus, depressus, devauxianus, hemisphaericus, inflatus, macropyga, mandelslohi, meriani, neocomiensis, ormoisianus, planatus, planus, punctulatus, raulini, serialis, speciosus, striatus, turoensis.

Holhymenia biclavata, latreillei.

Holigocladodes borlasi, dubrellii, rosea.

Holigoclonia aldrovandi, corona, cruciata, cuvieri, mosaica.

Holisus analis, debilis, guildingi, humilis.

Holobus pygmaeus.

Holocanthus annularis, arcuatus, argenteus, aruset, ataja, bicolor, ciliaris, coronatus, imperator, lamarck, mesoleucus. *Vide et Holacanthus.*

Holocentrum argenteum, ascensionis, auro-lineatum, binotatum, christianum, cornigerum, bastatum, lacteo-guttatum, laticeps, leo, leonoides, longipinne, maculatum, marginatum, marianum, operculare, orientale, punctatissimum, pygaeum, pygmaeum, sammara, spiniferum, spinosissimum, stercus muscarum, tiere.

Holocentrus acanthops, acerina, adriaticus, afer*, albofasciatus, albofuscus, alboruber, angulosus, argenteus, argus, bicolor, bimaculatus, bouton, caerulescens, cauda vittata, chanus, ciliatus, decussatus, diacanthus, diadema, epinephelus, erythraeus,

fario, flavocaeruleus, flavus, forskael, fulvus, fuscus, gaterina, ghana, ghanam, gibbosus, gigas, gulo, gymnosus, gyrimus, hepatus, heptadactylus, hexagonatus, hians, japonicus, jarbua, leopardus, macrocephalus, malabaricus, margiuatus, maroccanus, merou, merra, nigra, nigricans, norwegicus, oceanicus, pantherinus, philadelphicus, pirapinxunga, post, rabaji, radjabau, radula, rosmarus, ruber, rubrofuscus, salmoides, samara, sanguineus, schotaf, schraetser, siagonotus, soldado, sonnerat, testudineus, tetracanthus, thumbergi, triacanthus, tripetalon, unicolor, variegatus, zebra.

Holocephalus eridanus.

Holochilus aviculoides, brasiliensis, canellinus, nasutus, sciureus, vulpinus.

Holocnemis (A.) cinnamomea, flammata, lineata, naevius.

Holocnemis (Col.) gravenhorsti.

Holocystis elegans.

Hologymnosus fasciatus.

Hologymnus fasciatus*.

Hololepta aequalis, aradiformis, attenuata, bractea, calfra, capeusis, castanea, complanata, corticalis, cubensis, deplanata, depressa, elongata, flagellata, foliacea, fossularis, glabra, hemingi, humilis, indica, laevicollis, laevigata, lanina, lucida, maxillosus, minuta, orientalis, papyracea, paugami, plana, platysma, proceras, quadridentata, trisulcata, urvillei.

Hololissus lucanoides.

Holomesus niger, pictus.

Holonychus acanthopus, aeruginosus.

Holopamecus depressus, singularis.

Holopea obliqua, paludiniformis, symmetrica, ventricosa.

Holopedina polypori.

Holophorus minor. *Vide et Olophorus.*

Holophrya ambigua, brunnea, coleps, discolor, ovum.

Holopneustes porosissimus.

Holopodium wilsoni.

Holoptilus affinis, basalis, fuscus, lemur, personatus, ursus.

Holoptychius andersoni, falcatus, flemingi, garneri, giganteus, granulatus, hibberti, hopkinsi, minor, murehisoni, nobilissimus, omaliusi, portlocki, princeps, sauroides, sedgwicki, striatus.

Holoptychus hibberti.

Holopus rangi.

Holopyga amoenula, italica, nitidula.

Holoscelis goryi, laevigatus.

Holoscolia forcicella.

Holoscytus atra.

Holosteus esocinus.

Holostoma (Polyz.) contingens.

Holostomis altaica. *Vide et Olostomis.*

Holostomum alatum, auritum, brevicaudatum, coniferum, cornutum, cuticola, denticulatum, erraticum, excavatum, exiguum, gracile, isostomum, longicolle, macrocephalum, microstomum, patagiatum, pileatum, podomorphum, serpens, spathaceum, spatula, spatulatum, sphaerocephalum, sphaerula, tenuicolle, urnigerum, variabile.

Holothalassis papilionaria.

Holothrips aculeata.

Holothuria aethiops, affinis, agglutinata, albifasciata, ananas, appendiculata, atra, aurea, brevis, briareus, brunnea, catanensis, cavolinii, chrysacanthophora, columnae, crocea, cucumer, depressa, digitale, dissimilis, doliolum, drummondi, dubia, eaouari, edulis, fasciata, fasciola, flauinea, flava, forskaoli, fucicola, fuliginosa, fulva, fuscocinerea, fuscopunctata, fusiformis, glaberrima, glutinosa, grandis, guamensis, hilla, hydriformis, hyndmani, intestinalis, lactea, lapidifera, lilla, lineolata, littoralis, lucifuga, lutea, maculata, mamillata, mammata, mauritiana, miliaris, monacaria, monotuberculata, montagui, neilli, nigra, obscura, oceanica, ophidiana, ovata, pellucida, pentagona, peruviana, petagnae, planciana, poli, punctata, purpurea, pusilla, quadrangularis, radackensis, radiosa, reciprocans, regalis, sanctori, scabra, sordida, spinosa, squamosa,

- stellati, subrubra, tentaculata, tetraquetra, tigris, timama, triquetra, tuberculosa, umbrina, viridis.
- Holothuridium** papillosum.
- Holothyus** coccinella.
- Holotricha** plumbea, sinensis.
- Holotrichia** consanguinea, coromandeliana, longipennis, perotteti, puberina, reynaudi, sculpticollis, serrata, sinae.
- Holotrichius** lividus, tenebrosus, testaceus.
- Holotrichus** cyrilli.
- Holotrochus** crassicollis, cylindrus, volvulus.
- Holotropis** herminieri, microlophus.
- Holozoa** cylindrica.
- Homacanthus** arcuatus, macrodus, microdus.
- Homaeocerus** bicolor, insubidus, nigricornis, plagiatu. *Vide et Homoeocerus.*
- Homaeogryllus** xanthographus.
- Homaeosolen** ramulosus.
- Homaeosoma** eluviella. *Vide et Homoeosoma.*
- Homala** polita.
- Homalenotus** monoceros, quadridentatum.
- Homalinotus** colossus, deplanatus, indus.
- Homalirhinus** rufirostris.
- Homalisus** abdominalis, affinis, angusticollis, apicalis, aurora, axillaris, bicolor, bifasciatus, blattinus, cinnamomeus, collaris, crenatus, diaphanus, dilatatus, discicollis, fasciatus, flavicornis, flavifrons, grandis, humeralis, laevigatus, laticornis, limbatus, macrocerus, marginalis, marginellus, minutus, moestus, uervosus, picipennis, platycerus, reticulatus, rubens, sanguineus, scissiventris, scutellatus, strigatus, telephorinus, tenellus, textilis, unifasciatus, ustulatus.
- Homalocaris** varia.
- Homalocephala** albitarsis.
- Homalocerus** acuminatus, lyciformis, nigripennis.
- Homalochilus** niger, punctatostriatus.
- Homalomorpha** castanea.
- Homalonotus** (Col.) ahrendi, conspergatus, coriaceus, cyanicollis, humeralis, hystrix, jamaicensis, platynotus, porosus, squamulosus, validus.
- Homalonotus** (Cr.) armatus, atlas, bisulcatus, crassicauda, decaji, delphinocephalus, giganteus, gigas, greeni, herculeanus, herschelli, knighti, ludensis, obtusus, ophioccephalus, pradoanus, punctatus.
- Homalonotus** (R.) gaimardi.
- Homaloplia** alternata, pruinosa, substriata.
- Homalops** festivus, fuscipes, maxinus, mongolicus, obscuricollis, punctatus, vittatus.
- Homalopsis** aeneus, aer, angulatus, australis, buccatus, carinicaudus, cerberus, decussata, elapiformis, enhydria, erythrogrammus, hardwicki, herpeton, horridus, hydrina, jara, leopardina, leucobalia, martii, moluroides, molurus, monilis, obtusatus, olivaceus, perlatus, plicatilis, plumbea, pytha, reinwardti, rhinchops, rufotaeniatus, schneideri, sieboldi.
- Homaloptera** fasciata, javanica.
- Homalopter** heteroproctus, tristis.
- Homalorhinus** lutosus, squamosus, tristis.
- Homalosoma** arctiventris, punctatus.
- Homalota** aegra, aemula, aequata, alpestris, alternata, ambigua, analis, anceps, angularis, angustata, angustula, annularis, arcana, aterrima, atramentaria, atratula, atricapilla, atricilla, attenuata, autumnalis, bicolor, biguttula, bisulcata, boleti, borealis, brevicollis, brevicornis, brunnea, caesula, callicera, carbonaria, castanea, cauta, celata, cinctella, cingulata, cinnamomea, circellaris, clancula, clavier, clientula, concolor, conformis, confusa, contemta, crassicornis, curticollis, debilicornis, debilis, decipula, depressa, dichroa, didyma, dimidiatus, discors, divisa, dubitans, elongatula, erythro-cera, eucera, excavata, exilis, femoralis, fervidula, festinans, flaveola, flavicans, flavipennis, flavipes, forticornis, fossigera, fracticornis, fulvicollis, fulvipennis, fungi,

fusca, fuscipes, gagatina, gemina, gracilentia, gracilicornis, grandicola, grandis, granigera, granosa, granulata, gregaria, haemorrhoea, haemorrhoidalis, hepatica, hirta, hirtella, hospita, hypnorum, illota, immersa, importuna, impressa, impressifrons, incana, inconspicua, indigena, indocilis, inquinula, intrusa, labilis, laeicollis, laevigata, languida, laticollis, linearis, livida, lividipennis, longicornis, longipennis, longula, lugens, lunata, lurida, luridipennis, luteicornis, luteipes, luteola, macella, maculenta, major, mannerheimi, marcida, maritima, melanocephala, melanura, minutissima, modesta, morio, morosa, myops, nigerrima, nigrella, nigriceps, nigrifrons, nigrina, nigripennis, nivalis, notha, obfuscata, oblita, oblonga, obscura, obsoleta, occulta, ochracea, orbata, orphana, pagana, pallens, palleola, pallidula, pallipes, parva, pedicularia, pertyi, picipennis, picta, plana, planata, planaticollis, planiuscula, polita, pressa, procidia, propinqua, pubescens, pulicaria, pulla, quisquiliarum, ravilla, recondita, reyi, rigidicornis, ripicola, rubicula, rubicollis, rubicornis, rufipes, rufula, rugulosa, scapularis, sculpta, semilutea, seminigra, semirufa, sericans, silacea, socialis, sodalis, sordidula, spelaea, stigma, stricta, subida, subrugosa, subsinuata, tabida, taeniata, talpa, tenella, tenera, tenuis, terminata, testaceipes, testudinea, tibialis, torrentini, trimaculata, umbonata, ustulata, vaga, validicornis, varia, velata, venus-tula, vernacula, vestigialis, vestita, viduata, vilis.

Homalotrichus fuscus, impressicollis, luteipes, obscurus, striatus.

Homalura flava, grisea, maculipennis, plumbella, tarsata, vittata.

Homarus americanus, blainvillei, bosci, capensis, cottaldi, cuvieri, desmaresti, edwardsi, fabricii, gammarus, guerini, herbsti, lamarcki, latreillei, linnei, lucasi, michelini, orbigny, sowerbyi, vulgaris.

Homea banksi.

Homelys major, minor.

Homeosaurus neptunus. *Vide et Homoeosaurus.*

Homethes elegans.

Homo aethiopicus, americanus, arabicus, australasicus, bifstichius, cafer, caucasicus, colombicus, gallicus, germanicus, hottentotus, hyperboreus, indicus, japeticus, melaninus, monstrosus, neptunianus, patagonus, pelagius, scythicus, sinicus, slavonicus, yacanacus.

Homochroa aenealis, furvalis, margaritalis, mitralis.

Homocyrtus dromedarius.

Homodactylus africana.

Homodon cephalus, georgianus, truttaceus.

Homoeocerus angulatus, biguttatus, diversicornis, magnicornis, minimus, nigripes, puncticornis, rufipennis. *Vide et Homaeocerus.*

Homoeogamia mexicana.

Homoeomorphus rufipes.

Homoeosaurus maximiliani, neptunius.

Homoeosoma gemina, vagella. *Vide et Homaeosoma.*

Homoeotelus terminalis.

Homola barbata, cuvieri, spinifrons, spinipes, spinosa.

Homolus auduini.

Homomya alsatica, angulata, compressa, gibbosa, gracilis, hirtulana, obtusa, ventricosa.

Homonoa aliena, bilinea, fornicata, longimana, pannosa, patrona, praecisa.

Homonota guidichaudi.

Homonotus (Hym.) algiericus, fusciventris.

Homonotus (P.) dorsalis.

Homonyx chalcus, cupreus, planicostatus.

Homophoeta abbreviata, albicollis, clerica, curialis, fulcrata, inaequalis.

Homophron limbatus.

Homopneusis frondosus.

Homopterus westermanni.

Homoptilura sabini, undulata.

Homopus (Ar.) hypudaei, sciurinus.

Homopus (R.) areolatus, signatus.

Homosaurus maximiliani.

Homothes guttifer, micans.

Homothorax flemingi.

Homotoma ficus.

Hoplcephala tessellata.

Hoplegnathus maculosus.

Hoplia adpersa, ambigua, argentea, argyria, arthritica, atomaria, aulica, aungola, bicallosa, bi-lineata, bisignata, brunnipes, capicola, caucasica, coerulea, crassipes, cribrella, debilis, deflorata, dentipes, duodecimpunctata, elegantula, eversmanni, farinosa, fasciculata, ferrugata, festiva, flavipes, forinosa, fulva, gemmata, glauca, glaucescens, graminicola, grisea, helvola, hungarica, irrorata, italica, kunzi, lepidota, limbata, lineata, luctuosa, margaritacea, marniorena, micans, minuta, modesta, monticola, moria, mucorea, nigrescens, nigripes, nodipennis, nuda, oblonga, ochracea, palustris, parvula, paupera, peroni, philanthus, pilosa, pisicolor, pollinosa, praticola, prunaria, pubicollis, pulverosa, pulverulenta, pulvisera, punila, puncticollis, quadriguttata, regia, retusa, rorrida, rufo-lutea, rupicola, sedecimpunctata, sedicolor, sesquilineata, sibirica, singularis, smaragdula, sordida, squamacea, squamifera, squamigera, squamosa, squarrosa, sublutea, sulphurea, trifasiata, tristis, tuberculata, variegata, viridula, vittata.

Hoplichnus quadrupedans.

Hoplichthys langsdorfi.

Hoplioderes spinipennis.

Hoplionota armigera, badia, bispinosa, echinata, erythrocata, gemmata, horrida, luctuosa, marginata, ochracea, ochroleuca, pallens, pallescens, paradoxa, parallela, plicata, pulchella, quadricornis, quadrituberculata, semiviridis, serricosta, taeniata.

Hopliopsis fulvovestitus.

Hopliophora velutina.

Hoplismenus albifrons, albinus, bidentatus, cothurnatus, dimidiatus, errabundus, infaustus, leucopygus, luteus, moestus, orbitatus, perniciosus, pictus, terrificus, unguatus, uniguttatus.

Hoplisoma punctata.

Hoplistes bispinosa, hortulanus, pomaceus.

Hoplistocerus refulgens.

Hoplistodera testacea.

Hoplistomerus serripes.

Hoplisus albidulus, arenarius, behni, cayennensis, ferrugineus, lacordairei, laticinctus, latifrons, punctuosus, quadrifasciatus, quinquecinctus, scutellaris, seminiger.

Hoplites adunca, gorgus.

Hoplitis meone, terrifica.

Hoplitopales lineatus, obliquatus.

Hoplitotrachelus reticulatus, spinifer.

Hoplitus fulvus, impressus, obliquus.

Hoplocercus spinosus.

Hoplochelus rhizotrogoides.

Hoploclerus biaculeatus.

Hoplocneme cinnamomea, hookeri.

Hoplodactylus duvaucelli, leachianus.

Hoplognathus maculatus, orientalis. *Vide et Oplognathus.*

Hoplonotus laminatus.

Hoploparia belli, gammaroides, longimana, prismatica.

Hoploparoxus pardalis.

Hoplophora (Ar.) ardua, carinata, crinita, decumana, ferruginea, globosa, laevigata, lentula, longula, lucida, pertusa, straminea, stricula, testudinea.

Hoplophora (Col.) cinerea, corrosa, cribrum, gigantea, granadensis, lineata, ornata, punctum, sanguinosa, tuberculata, variegata, vicina, vitrata.

Hoplophora (Hem.) monogramma, pertusa, quadrilineata, rectinata, sagittata, sordida, triangulum, truncaticornis, turrita, valida, venosa.

Hoplophorus (M.) clauseni, euphractus, minor, selloi.

Hoplopodion cocteani, garnoti, platyurum, rueppelli.

- Hoplopterix antiquus.
 Hoplopterus armatus, cyanus, coronatus, inornatus, malabaricus, myops, persicus, ruficollis, speciosus, spinosus, spixi, tectus, tricolor, ventralis.
 Hoplopteryx denticulatus.
 Hoplopus atriplicis.
 Hoplopygus binneyi.
 Hoploscelis armata, auriventris, crassipes, fuliginosus, grossipes, hylax, lucanoides, mutica.
 Hoplosternus laevipennis, nepalensis, nitidicollis.
 Hoplostethus cornutus, mediterraneus.
 Hoplostomus cribosus, fuliginosus.
 Hoplothrips aculeata*, corticis*, flavipes, statices.
 Hoporina croceago.
 Horama pretus.
 Horatoma parvulum.
 Horeites brunnifrons, pollicaris, schistillatus.
 Horia apicalis, maxillosa, rufa, sanguinipennis, senegalensis.
 Horiola ferruginea, lineolata, picta.
 Horisme aemulata, tersata.
 Horismenus elinus.
 Hormetica laevigata, monticollis, scrobiculata, tuberculata, ventralis.
 Hormius dimidiatus, moniliatus, piciventris, rubiginosus.
 Hormocerus reticulatus.
 Hormopeza oblitterata.
 Hormotrophus aureomixtus.
 Hornera affinis, americana, andegavensis, biloba, biseriata, carinata, crassa, crispa, decipiens, edwardsi, elegans, fragilis, frondiculata, gracilis, hippolithus, laevis, lateralis, oculata, opuntia, radians, radiata, reteporacea, seriatopora, serrata, striata, subannulata, tubulosa, verrucosa, versipalma.
 Horonotus daedalus.
 Horornis flaviventris, fortipes, fulgiventis, fulviventris.
 Hortholus americanus.
 Hortolus biddulphi, convolvans, giganteus, ibex, perfectus.
 Hortulanus glacialis, montanus.
 Hortulia natalensis, regia, sebae.
 Hosia flavescens, spinulosa.
 Hostilina praecox.
 Hotea triangulum.
 Hotinus candelarius.
 Hotrichus denudatus.
 Houbara macqueeni, undulata.
 Houlema obscura.
 Hubneria acronita, alacris, apicalis, arvicola, caesia, campestris, euceti, cuculliae, distincta, diversa, duponcheli, festiva, fuscipennis, gagatea, hilaris, nigripalpis, nigripes, nigrita, nitida, pallipes, plusiae, rustica, subaenea, velox, vivida.
 Huechys crocea, incarnata, octonotata, phaenicura, phlaemata, sanguinea, splendidula, testacea, trabeata.
 Huenia dehaani, frontalis, proteus.
 Hughea calendula, carabeorum, hemprichi, savignyi.
 Huhua nipalensis, pectoralis.
 Humatrix chunipes.
 Humilis danaburi, heberti, legalli, martinsi, viquesneli.
 Hupudaeus borealis, gregarius, paludosus, terrestris. *Vide et Hipudaeus et Hypudaeus.*
 Huro barbatus, nigricans.
 Huronia bigsbyi, obliqua, portlocki, spheroidalis, stokesi, turbinata, vertebralis.
 Hurria bilineata, carinata, pseudoboiga, schneideriana.
 Hurriah sanguiniventer.
 Huso ichthyocolla.

Hyades indra, javicus.

Hyadina guttata, scutellata.

Hyaena arvernensis, brevirostris, brucei, brunnea, capensis, comuta, caviari, fovealis, fusca, gigantea, hipparionum, hyaena, intermedia, maculata, neogaea, odorifera, orientalis, picta, prisca, varicolor, rufa, spelaea, unicolor, varicolor, villosa, vulgaris. *Vide et Hyena.*

Hyaenarctos sivalensis.

Hyaenodon brachyrhynchus, leptorhynchus, minor, parisiensis, requieni.

Hyalaea aciculata, affinis, aquensis, australis, balantium, caudata, cornea, corniformis, cuspidata, depressa, ecaudata, elongata, flava, forskahli, gibbosa, globulosa, inflexa, labiata, laevigata, laevis, lanceolata, limbata, longirostra, longirostris, mucronata, papilionacea, peroni, pyramidata, quadridentata, retusa, rostrata, rugosa, striata, subula, taurinensis, teniobranchea, tricuspidata, tridentata, trispinosa, truncata, uncinata, virgula.

Hyale orbignyi, pontica, tridentata.

Hyalea cornea, gibbosa, gibbosa [Benoit (non Rang), Farfalletta, I. 1842 (1843), 171], melly, orbigny, rangi, tridentata, vaginella.

Hyalina pelucida.

Hyalinus ventralis.

Hyalomma aegyptium, anaticum, devium, dromedarii, excavatum, fabricii, forskahli, grossum, hispanum, impressum, latum, lusitanicum, marginatum, rufo, syriacum, truncatum.

Hyalomya albipennis, atra=purpurea, basalis, carbonaria, corinna, hamata, hyalipennis, nebulosa, obesa, pusilla, semi-cinerea.

Hyalomyia cinerea, fasciata, fuscipennis, obesa, pusilla, violacea.

Hyalonema sieboldi.

Hyalophora cecropia, promethea.

Hyalopteryx rufipennis.

Hyalosiphon verticillatus.

Hyalurga fenestrigera.

Hyalymenus dentatus, vespiformis.

Hyas (Col.) denticornis, flabellata, guttata.

Hyas (Cr.) aculeata, araneus, bufonius, coarctatus, serratus.

Hyas (R.) arborea, edwardsi.

Hyastenus sebae.

Hyatella carbonaria.

Hybalus dorcas.

Hybauchenia nodulosa.

Hybernia tiliaria.

Hyboclypeus canaliculatus, elatus, gibberulus, marcou, stellatus.

Hybodus acutus, aduncus, angulatus, angustus, apicalis, appendiculatus, attenuatus, bassanus, bimarginatus, bronni, carbonarius, carinatus, concinnus, crassispinus, crassus, cristatus, curtus, cuspidatus, delabechei, dimidiatus, dispar, dorsalis, dubius, ensatus, fittoni, formosus, gracilis, grossiconus, grossispinis, hexagonus, homoprius, incurvus, inflatus, keuperi, laeviusculus, lawsoni, leptodus, longiconus, major, marginalis, medius, minor, mougeoti, obliquus, obtusus, ornatissimus, ornatus, orthoconus, pachyprius, pleiodus, plicatilis, polycyphus, polyprion, polyptychus, pusillus, pyramidalis, radix, rariocostatus, regularis, reticulatus, rugosus, serratus, simplex, striatulus, strictus, subcarinatus, sublaevis, sulcatus, tenuis, tenuissimus, undulatus, vicinalis.

Hyboma (Col.) aequinoctialis, arrogans, brasiliensis, carinata, chacea, cupreicollis, dromedarius, elevatum, erythroptera, furcatum, gibbosa, hyphena, lacordairei, laeve, orbignyi, rubripennis, submetallicum.

Hyboma (Lep.) strigosa, unicornis.

Hybonotus camelus, dromedarius, femoralis, globosus.

Hybos brunnipes, crassipes, dentipes, duplex, ferrugineus, flavipes, fumipennis, funebris, infuscatus, leachianus, luteus, marshamianus, muscarius, nervosus, piceus, pilipes, purpureus, quadricinctus, reversus, subjectus, thoracicus, triplex, vitripennis.

Hybosorus arator, brasiliensis, carolinus, discus, fossator, gibbus, hopei, humeralis, niger, orientalis, pinguis, rufulus, thoracicus.

Hybothorax graffi.

Hybris javanus.

Hybrizon latebricola, pubescens.

Hycca macroptera.

Hycleus argentata, decemguttatus, distinctus, duodecimpunctatus, impunctata, mylabroides, ocellatus.

Hydargira limi. *Vide et Hydrargira & Hydrargyra.*

Hydastes lubricus.

Hydaticus apicalis, austriacus, bihamatus, bilineatus, bivittatus, brunneipennis, caffer, capicola, chevrolati, cinctipennis, cinereus, congestus, consanguineus, decorus, definitus, dejeani, discoidalis, dorsiger, dregeri, exclamationis, fasciatus, fascicollis, festivus, flavocinctus, flavolineatus, flavomaculatus, fulvicollis, galla, goryi, grammicus, havaniensis, hybneri, incaustus, insularis, isabeli, jucundus, lateralis, leander, liberus, lineolatus, luzonicus, luzonicus, madagascariensis, marmoratus, mathesoni, meridionalis, myriophylli, pacificus, pallistus, petiti, rimosus, rufulus, servilleanus, signatipennis, smithi, sobrinus, stagnalis, subfasciatus, transversalis, variegatus, verrucifer, vittatus, zonatus.

Hydatigena hepatis murini.

Hydatigera cellulosa, fasciolaris, fistularis.

Hydatina (G.) filosa.

Hydatina (Rot.) bovina, brachydactyla, caprina, cerebralis, delphini, erratica, gibba, globosa, granulata, lanceolata, laticauda, leptocerca, senta, terminalis.

Hydatis pistiformis, simplex, umana, varia.

Hydatula albopunctata, orbicularis, pisiformis, socialis, varia.

Hydera acuminata, picipes.

Hyderodes schuckardi.

Hydiatina laticauda.

Hydnobius punctatissimus, punctatus, strigosus, tarsalis.

Hydnocera aegra, attenuatus, azurea, basalis, bicarinata, brevipennis, cincta, conferta, cruciata, curtipennis, cyanescens, difficilis, flavo-lineata, flavo-varia, humeralis, limbata, lineatocollis, livida, longicollis, malthinus, nitens, pallipennis, pectoralis, picta, pubescens, punctata, rufipes, serrata, sub-aenea, tabida, tasmanica, tenella, tricondylae, unifasciata, verticalis.

Hydnophora aspera, bourgueti, conferta, conico-lobata, cuveri, cuvieri, demidovi, ehrenbergi, esperi, exesa, freieslebeni, guettardi, gyrosa, henningi, humboldti, knorri, lobata, meandrinoides, microconos, pallasi, polygonata, radula, sternbergi, styriana.

Hydnopora cyclostoma.

Hydra brunnea, clavata, conica, coronata, corynaria, littoralis, longimana, lutea, octogona, strobila, tuba, verrucosa, verticillata.

Hydrachna agilis, boops, chilensis, chrysis, clavipalpis, coccinea, concharum, cruciata, cyanipes, equestris, erythrina, filipes, formosa, gibba, globosa, glomerata, hermanni, hexapoda, histronica, holoserica, inaequalis, mendax, miniata, mutabilis, naica, nebulosa, ovalis, ovata, punica, pyriformis, quinqueundata, retusa, rostrata, runica, scabra, scapularis, scripta, sternomelaena, T-flavum, tabulator, tomentosa, triangularis, uliginosa, ustulata, varipes.

Hydrachne abstergens.

Hydracna aquatica.

Hydractinia carnea, echinata, grisea, lactea, minuticornis, neapolitana, rosea.

Hydraecia leucostigma, petasitis.

Hydraena angulosa, angustata, carbonaria, concolor, curta, dentipes, elegans, elongata, flavipes, fulvipes, gracilis, intermedia, lapidicola, lata, longipalpis, marginicollis, margipallens, melanocephala, minima, minutissima, morio, nigrita, nigropicea, palustris, pennsylvanica, planata, polita, pulchella, pusilla, pygmaea, riparia, rufipes, rugosa, sicula, sieboldi, tenuis, testacea, testudo.

Hydralector cristata, gallinacea.

Hydrarachna erythrophthalma, fuscata, globulus, longipalpis, lutescens.

Hydrarchos harlani, sillimani.

Hydrargira atricada, diaphana, formosa, limi, multifaciata, nigrofasciata, ornata, swampina.

Hydrargyra fusca, hispanica, majalis, trifasciata, vernalis. *Vide et Hydrargira.*

Hydraspis adansonii, australis, barbatula, bitentaculata, cayennensis, constricta, depressa, dumeriliana, expansa, galeata, gaudichaudi, geoffroana, gibba, hilairei, lata, lessonii, longicollis, maequarri, maximiliani, nasuta, olivacea, planiceps, planitia, radiolata, rufipes, serpentina, spixi, subrufa, tracaxa, victoriae, viridis, wagleri.

Hydrellia argentula, blomeri, sylvata, unca.

Hydrellia affinis, albicans, albiceps, albifrons, albilabris, alboguttatus, auoena, annulata, apicalis, argyria, aurifacies, bicolor, brunifacies, cardamines, chrysella, chrysiua, chrysostoma, cinerascens, cochleariae, communis, compta, erythrostroma, flaveola, flaviceps, flavipes, flaviventris, fuliginosa, fulvipes, glabricula, griseola, hydrocotyles, lepida, leucostoma, lineata, litorella, lucida, maritima, maura, nigella, nigriceps, nigrina, nigripeanis, nigripes, nitida, opaca, pallipes, polita, porphyrops, posticata, pulchella, ranunculi, ruficeps, ruficornis, rufipes, rufitarsis, thoracica, tristis, viridescens, viridis, viridula.

Hydria undulata.

Hydrias cornigera.

Hydrichla cinclus.

Hydrilla caliginosa, oblitterata, palustris, uliginosa.

Hydrina aurata, cardaminis, maculipennis, nigricuris, nitida, vernalis, viridula.

Hydriomena aqueata, elutata, impluviata,

Hydrium laevigatum.

Hydrobaenus lugubris.

Hydrobata albicollis, asiatica, cinclus, leucocephala, melanogaster, pallasi, unicolor.

Hydrobates (A.) faeroeensis, leachi, lobatus, pelagica.

Hydrobates (Hem.) linearis.

Hydrobia abbreviata, acuta, astieri, bicarinata, brevis, bulinoidea, cebenuensis, conoidea, diaphana, ferrussina, gibba, marginata, minuta, moulinsi, parvula, perrisi, reyniesi, saxatilis, similis, simoniana, subumbilicata, thermanum, viridis, vitrea.

Hydrobia aeneus, affinis, arcadius, assimilis, atricapillus, bipunctatus, bipustulatus, chalco-notus, colon, cribratus, dilutus, ferrugineus, foveolatus, frontalis, fulvus, fuscipes, globulus, lacustris, laevigatus, limbatus, lividus, longicollis, luridus, lutescens, marginellus, marginicollis, melanocephalus, minutus, nebulosus, neglectus, nigra, nitidus, oblongus, ochraceus, orbicularis, perplexus, picipes, politus, punctato-striatus, punctulatus, pygmaeus, seminulum, striatulus, subrotundus, substriatus, testaceus, torquatus.

Hydrocampa abifacialis, albifascialis, algalis, lemnae, magnificalis, nivalis, nymphaealis, nymphaea, obscuralis, potamogetalis, potamogeta, ramburialis, rivulalis, stratiotilis.

Hydrocampe aquabilis.

Hydrocanthus atripennis, buqueti, grandis, guttula, harrisi, iricolor, laevigatus, luctuosus, nigrinus, notula, socius.

Hydrocecropis macroura.

Hydrocena belangeri, cattaroensis, dubia, erosa, hieroglyphica, oparica, rubens, sirki.

Hydrocephalus carens, saturnoides.

Hydrocera minutissima.

Hydrochaerus capybara, cobaya, sulcidens.

Hydrochelidon albostrata, fissipes, fluvialis, fuliginosa, grisea, hybrida, indica, javanica, leucopareia, leucoptera leucourus, marginata, melanogaster, nigra, nigricans, obscura, pallescens, plumbea, similis.

Hydrochoreutes bilobus, cruciger, ephippiatus, filipes, globulus, palpalis, unguatus.

Hydrochus (Col.) brevis, carinatus, costatus, crenatus, elongatus, gemellatus, gibbosus, nitidicollis, parumoculatus, rufipes, rugosus, scabratus, subcupreus.

Hydrochus (Dipt.) laticornis, longicornis, nasutus, tarsatus.

Hydrocicca melanops.

Hydrocissa exaratus, galeritus, malayanus, monoceros, pica, violaceus.

Hydrocoleus minutus, plumbiceps.

Hydrocopsichus turdoides.

Hydrocorax africanus, carbo, carunculatus, cirratus, cristatus, dilophus, fuscescens, graculus, leucogaster, magellanicus, melanoleucos, niger, pygmaeus, sinensis, urile, varius, vigua, violacea.

- Hydrocynus** *brasiliensis*, *falcatus*, *forskahli*, *lucius*, *odoe*, *scomberoides*.
- Hydrocyon** *argenteus*, *armatus*, *brevidens*, *falcatus*, *falcirostris*, *forskahli*, *gibbus*, *hepsetus*, *humeralis*, *lucius*, *microlepis*, *odoe*, *scomberoides*.
- Hydrocyrius** *colombiae*.
- Hydrodroma** *adpersa*, *astroidea*, *plicatula*, *radiata*.
- Hydrodromia** *bipunctata*, *stagnalis*, *umbrata*.
- Hydrodynastes** *schranksi*.
- Hydroessa** *fusca*, *letzneri*, *reticulata*, *schneideri*.
- Hydrogale** *fimbripes*, *remifer*.
- Hydrogallina** *barbarica*, *cayanensis*, *chloropus*, *fistulana*, *flavipes*, *flavirostris*, *fusca*, *groenlandica*, *maderaspatana*, *martinica*, *naevia*, *obscura*, *porzana*, *purpurea*, *viridis*.
- Hydroictinia** *ater*.
- Hydroka** *carolinensis*.
- Hydrolimax** *grisea*.
- Hydrolycus** *scomberoides*.
- Hydromedusa** *maximiliani*.
- Hydrometra** *abbreviata*, *alatus*, *aptera*, *argentata*, *costae*, *currens*, *cursitans*, *fluviorum*, *fossarum*, *fossularum*, *gibbifera*, *hyalina*, *lacustris*, *lateralis*, *lineata*, *marina*, *odontogaster*, *paludum*, *rivulorum*, *stagnorum*, *thoracica*.
- Hydromya** *caeruleipennis*, *rubicunda*.
- Hydromys** *chrysogaster*, *coipus*, *fulvogaster*, *leucogaster*.
- Hydromyza** *livens*.
- Hydronautia** *albicans*, *maculata*.
- Hydrone** *geometrica*, *lutaria*, *orbicularis*.
- Hydronomus** *alismatus*.
- Hydronus** *marlucius*.
- Hydropardus** *rapax*.
- Hydrophasianus** *sinensis*.
- Hydrophilus** *abbreviatus*, *aculeatus*, *aeneus*, *affinis*, *agilis*, *albipes*, *angolensis*, *angustatus*, *apicipalpis*, *armatus*, *aterrimus*, *atomus*, *atratus*, *atricapillus*, *attenuatus*, *auritus*, *bipunctatus*, *bipustulatus*, *bonariensis*, *brasiliensis*, *brauni*, *carbonarius*, *caschmirensis*, *castus*, *cayennensis*, *chalcaspis*, *chalybeatus*, *cicindeloides*, *cinctus*, *cinereus*, *compressus*, *convexus*, *coracinus*, *cyaneus*, *decorus*, *dermestoides*, *dorsalis*, *ebenus*, *ellipticus*, *ensifer*, *exiguus*, *exstriatus*, *femoratus*, *fimbriatus*, *flavipes*, *foveolatus*, *fulvus*, *fuscipes*, *fuscus*, *gagathes*, *gibbus*, *giganteus*, *globosus*, *gricescens*, *grisescens*, *hemisphaericus*, *impressus*, *inermis*, *insalutatus*, *insularis*, *intermedius*, *irinus*, *knorri*, *laevis*, *laevissimus*, *latipalpis*, *latus*, *lepidus*, *limbatus*, *lineatus*, *longipalpis*, *lugubris*, *luridus*, *lutosus*, *maculipes*, *marginalis*, *marginatus*, *marginipallens*, *medius*, *mergus*, *minimus*, *minutissimus*, *minutus*, *mollis*, *morio*, *natator*, *nebulosus*, *nigricans*, *nigriceps*, *nimbatus*, *nitens*, *nitidulus*, *nitidus*, *noachicus*, *nubilus*, *obtusatus*, *ochripes*, *ochropterus*, *opacus*, *ovalis*, *pallipes*, *palpalis*, *parvulus*, *paulinieri*, *picinus*, *pistaceus*, *politus*, *punctiformis*, *punctulata*, *pusillus*, *rehmanni*, *rotundus*, *semicylindricus*, *setiger*, *signaticollis*, *smaragdinus*, *sordidus*, *spectabilis*, *spini-collis*, *spinipennis*, *spinosus*, *stagnalis*, *striatulus*, *striatus*, *striolatus*, *subaeneus*, *subcupreus*, *substriatus*, *testaceus*, *torquatus*, *triangularis*, *verrucosus*, *vexatorius*, *viridicollis*.
- Hydrophis** *aspera*, *bengalensis*, *caerulescens*, *cloris*, *colubrina*, *cyanocinctus*, *cyanura*, *doliatus*, *dorsalis*, *fasciata*, *flaviventris*, *gracilis*, *hybrida*, *laticauda*, *lindsayi*, *melanurus*, *mentalis*, *nigrocinctus*, *obscurus*, *ocellata*, *pelamidoides*, *pelamis*, *platura*, *schistosus*, *schizopholis*, *spiralis*, *striata*, *subannulata*, *subcinctus*, *subfasciata*, *sublaevis*.
- Hydrophora** *ataciana*, *mollis*.
- Hydrophoria** *caesia*, *conica*, *cylindrica*, *fuliginosa*, *fumosa*, *limbinervis*, *littoralis*, *litrata*, *maculata*, *nana*, *nigrita*, *nitida*, *nymphaeae*, *nymphaearum*, *nymphaeicola*, *obscura*, *pallipes*, *potamogeti*, *riparia*, *sagittariae*, *semicinerea*, *tessellata*, *testacea*, *tibialis*, *trapae*, *variabilis*.
- Hydrophorus** *albidus*, *albipes*, *alpinus*, *ambiguus*, *apicalis*, *armiger*, *balticus*, *binotatus*, *bipunctatus*, *cupreus*, *inaequalipes*, *jaculus*, *litoreus*, *minutus*, *muralis*, *nebulosus*,

nitidus, notatus, obscurus, oeneovittatus*, pallipes, regius, spinimanus, tarsatus, tristis, truncorum, vittula.

Hydrophus ayspisurus.

Hydrophylax malabarica.

Hydropithecus simia.

Hydroporomorpha parallela.

Hydroporus acuminatus, affinis, airumulus, alternans, amaeus, ambiguus, americanus, analis, angularis, angustatus, areolatus, assimilis, ater, aubei, aulicus, axillaris, bicarinatus, bicruciat, bifidus, bilineatus, blandus, borealis, brevis, caliginosus, cambriensis, canaliculatus, carinatus, castaneus, catascopium, ceresyi, chilensis, collaris, concinnus, confluent, confusus, conoideus, consimilis, convexus, crispatus, cristatus, cuspidatus, dahl, darwini, davis, decoratus, delicatulus, deplanatus, depressus, dichrous, discicollis, dispar, distinctus, dorsalis, dubius, duodecim lineatus, duodecimpunctatus, duodecim-pustulatus, duponti, elegans, elegantulus, elongatulus, enneagrammus, erythrocephalus, escheri, evanescens, exiguus, exilis, exoletus, fasciatus, fenestratus, ferrugineus, flavipes, fluvialis, formosus, foveolatus, frater, fuscatus, fuscitarsis, fuscus, geminus, genei, gibbulus, gibbus, glabriusculus, goudoti, granarius, granularis, griseo-striatus, gyllenhali, halensis, holosericeus, humeralis, humilis, hybridus, hyperboreus, inaequalis, incertus, infirmus, inquinatus, insignis, interruptus, jugularis, lacustris, laevis, lapponum, lateralis, latipes, latus, lautus, lepidus, lilliputianus, limbalis, limbatus, lineatus, lineellus, lineolatus, lituratus, luctuosus, lugubris, luridipennis, marginatus, marginellus, marginicollis, marklini, marmoratus, melanarius, melanocephalus, memnonius, meridionalis, minimus, minutissimus, minutus, modestus, monaulacus, morio, murinus, musicus, nanus, neglectus, niger, nigrita, nigrolineatus, nitidus, nivalis, notabilis, notatus, novem-lineatus, nudatus, oblitus, oblongus, obscurus, obsoletus, opatrinus, oppositus, ovalis, ovatus, ovoideus, pallens, pallidulus, pallipes, palustris, parallelus, parreyssi, parvulus, picatus, piceus, picipes, pictus, planus, platynotus, polonicus, porcatus, proximus, puberulus, pubescens, pulcarius, pullus, pumilus, punctatissimus, punctatus, punctum, pygmaeus, quadricostatus, quadri-notatus, quadri-striatus, quinquelineatus, reticulatus, rivalis, rostratus, rotundatus, ruficeps, rufifrons, rufipes, rufulus, salinus, sansi, scalesianus, scaphula, schaumel, schoenherri, scopularis, semirufus, septentrionalis, sericatus, sericeus, sexguttatus, sex-pustulatus, signatellus, similis, solieri, stagnicola, stearinus, striato-punctatus, striatus, striola, striolatus, subelongatus, sulcatus, suturalis, symbolum, tarsatus, tartaricus, tenebrosus, tessellatus, tetragrammus, thermalis, trifasciatus, trimaculatus, tristis, trivialis, turgidus, umbrosus, undecimlineatus, undulatus, unistriatus, varians, variegatus, varius, velutinus, vestitus, vicinus, victor, vitticollis, xanthopus.

Hydrops marti, reinwardti, triangularis.

Hydropsalia furcifer.

Hydropsalis azarae, climacocercus, creagra, furcifer, limbatus, lyra, manurus, psalurus, segmentatus.

Hydropsis gelatinosa, leucobalia.

Hydropsyche angustata, aspersa, atomaria, brevicollis, brevicornis, cinerea, columbina, dives, flavicoma, flavomaculata, fragilis, fulvipes, guttata, hibernica, humeralis, hyalina, laeta, lepida, maculicornis, microcephala, montana, nebulosa, nigripennis, occipitalis, ophthalmica, pellucidula, picea, picteti, senex, tenuicornis, tincta, turtur, unicolor, urbana, varia, variabilis, variegata, ventralis, vitrea.

Hydroptila ambigua, brunneicornis, costatus, fuscicornis, marginata, obscura, pumilio, scotica, sparsa, tineoides, vectia, vectis.

Hydroptile brunneicornis, flavicornis, pulchricornis.

Hydrorchestia argyricola, sexmaculata.

Hydrosalamandra primigenia, prisca, sieboldi.

Hydrosaurus belli, giganteus, gouldi, marmoratus, prasinus, salvator, timorensis, variegatus, varius, vittatus.

Hydroscoptes naevius.

Hydrosopus plumbeus.

Hydrotaea armipes, atrata, bidens, bimaculata, brunneipennis, ciliata, cinerea, clari-

- pennis, curvipes, dentimana, dentipes, flavifacies, floccosa, floralis, fuliginosa, gagatea, glabricula, gracilis, incompta, inermis, irritans, meteorica, militaris, monocantha, nebulosa, nitida, nymphaeae, obscuripennis, palaestrica, palpalis, palpata, riparia, velutina.
- Hydrous** bilineatus, distinctus, flavipes, grandis, intermedius, pallidipalpis, politus, rufofemoratus.
- Hydrus** annulatus, atricapillus*, atrocaeruleus, brugmansi, caerulescens, carinatus*, chloris, cinereus, curtus, cyanocinctus, doliatus, gracilis, laevis, major, nigrocinctus, obscurus, pelamoides, schistosus, shawi, spiralis, stokesi, striatus, valakadyn.
- Hydryphantes** hilaris.
- Hyela** bankiana, uncana.
- Hyelosia** aglaura, clio, diaphana, pyrrhorhea.
- Hyemoschus** antiquorum, aquaticus, arverneusis, dubia, perrieri.
- Hyena** venatica. *Vide et Hyaena.*
- Hyenoides** picta.
- Hygiops** percheroni.
- Hygrella** leucostoma, nitidula.
- Hygrobates** cometes, galbinus, hemisphaericus, iconicus, inaequalis, lutescens, onigrum, rufifrons, scapularis, V-brunneum, varians.
- Hygrobatus** rotundatus.
- Hygrobia** fontinalis, hermanni, uliginosa.
- Hygrochroa** firmaria, syringaria.
- Hygroma** ligulatum, lucii, muris, suum, tetragouum, truttæ.
- Hygromia** cinctella, folliculata.
- Hygronoma** dimidiata.
- Hygrothophila** glabrata, piligera.
- Hygrotus** affinis, assimilis, bisulcatus, collaris, confluens, decoratus, fluviatilis, inaequalis, pictus, pustulatus, reticulatus, scitulus, stephensi.
- Hyla** abbreviata, adelaidensis, affinis, agrestis, albomarginata, albopunctata, aspera, aurantiaca, aurata, aurea, aurifasciata, baudini, bicolor, bilineata, binoculata, bioculata, bipunctata, blochi, blochiana, boans, buergeri, bufonia, bufonoides, calcarata, capistrata, chalconota, chalconotos, cinerascens, citripoda, citropa, coerulea, crepitans, crucialis, crucifer, cyanea, cynocephala, delitescens, dounerci, elegans, erythraea, ewingi, faber, femoralis, frenata, frontalis, fulva, galeata, geographica, hypochondrialis, ianopoda, infulata, insulata, intermixta, jacksoniensis, jervisiensis, lactea, langsdorffi, lateralis, lateristriga, leprieuri, lesueuri, leucomelas, leuconystax, leucophyllata, levailanti, luteola, maculata, marmorata, marsupata, melanorabdota, mugiens, nasus, nebulosa, nigerrima, obtusa, occipitalis, ocellata, ocularis, palmata, papularis, pardalis, peronii, pulchella, pumila, punctata, quadrilineata, quoyi, radiana, ramosides, reinwardti, reynoudi, rubella, rubeola, savignyi, semilineata, squirella, stenorhacea, strigilata, surinamensis, tinctoria, triseriata, trivittata, valanciennii, variegata, variolosa, vauteri, venulosa, vermiculata, verrucosa, versicolor, viridis-obscura, x-signata, xerophylla, zebra, zonata.
- Hylacola** cauta, pyrrhopygia.
- Hylactes** megapodius, rufus, tarni.
- Hyladactylus** baleatus.
- Hylaea** fasciaria.
- Hylædactylus** bivittatus.
- Hylaeora** eucalypti.
- Hylæosaurus** armatus, oweni.
- Hylaeus** aeratus, ahenatus, albipes, albisectus, alternans, annularis, annulatus, auratulus, basizonus, bigemellus, chloe, chloris, chrysogaster, contractus, cornutus, crenicornis, derasus, dilatatus, dimidiatus, dorsalis, duplicatus, elegans, eriophorus, eucnemis, familiaris, fulvicornis, fulvipes, fulvocinctus, fuscus, geminus, geniculatus, gibbus, giganteus, gilvatus, grandis, hilaris, hirtulus, hyalinatus, impressus, interceptus, laetus, laevigatus, laevis, latipes, leucopezus, leucopus, leucozonius, lugubris, malachiticus, malachurus, minutissimus, minutus, modestus, mucoreus, nanus, nigricornis, nitidiusculus, obovatus, obsoletus, pallidens, plantaris, pompius, pulchellus,

pulicaris, pullus, pumilus, punctulatissimus, punctulatus, quadrinotatus, rubicola, rubicundus, rufinus, scabiosae, scledonius, servulus, sexnotatus, signatus, smacanthmanellus, spiralis, subauratus, subfasciatus, subviolaceus, tetrazonius, tetrazonus, tumulorum, variegatus, versicolor, veteranus, villosulus, virens, viridula, xanthodon, xanthopus.

Hylaia rubricollis.

Hylanthropus troglodytes.

Hylarana erythraea.

Hylaria variegata.

Hylastes ater.

Hylax bicinctus.

Hylebates golok, molock, varius. *Vide et Hylobates.*

Hylecaetus americanus, brasiliensis, cylindricus, javanicus.

Hylecoetus dermestoides, flabellicornis, gamoelopus, lugubris, marci, minor, morio, proboscideus.

Hylecthrus quercus, rubi.

Hylemya agrestis, arvensis, autumnalis, flavipennis, flavoptera, florea, hyemalis, liturata, luteipes, nigripes, plebeia, rustica, silvicola, strenua, tibialis, vivida.

Hylemyia aequalis, albiceps, albolineata, albula, allotalla, amabilis, ancilla, angelicae, ascella, assimilis, caesia, cardui, cinerella, clara, coarctata, compta, confinis, conica, conjuncta, crassirostris, didyma, discoidea, dispar, distincta, divisa, duplicata, facilis, favillacea, flavescens, fumosa, fuscata, geniculata, grisea, hilaris, honesta, hortensis, impuncta, inconspicua, innoxia, intermedia, linogrisea, longula, maculata, maculosa, modesta, munda, mystica, nigricans, nigrimana, nigrita, nitida, notata, ocypterata, omissa, operosa, pacifica, pagana, pallida, pallipes, partita, pertusa, posticata, potamogeti, praepotens, puella, quadrum, quatuor maculata, regens, rufa, ruiventris, ruralis, sagittariae, semicincta, separata, sericata, sociata, strenua, strigosa, suillorum, tessellata, testacea, testastigma, tibialis, uliginosa, urbana, variata, vespertina, villica, virginea, xanthopus.

Hyles euphorbiae, galii, hippophaes, nicea, opheltes, zygophylli.

Hylesia boarmia, canitia, orassa, phadima.

Hylesinites electrinus.

Hylesinus abietinus, aculeatus, adpersus*, aeneipennis, angustatus, ater, attenuatus, bicolor, brevicollis, brevipes, brunneus, canaliculatus, chloropus, coadunatus, corticiperda, crenatus, crenulatus, cunicularius, decumanus, fasciatus, flavus, fraxini, furcata, fuscus, gibbus, grandis, graphus, haemorrhoidalis, hederæ, hispidus, ligniperda, linearis, luridus, maculatus, marginatus, melanocephalus, minimus, minor, minutus, niger, obscurus, oleae, oleiperda, opacus, palliatus, paykulli, picipennis, pictus, pilula, piniperda, porculus, prestae, pubescens, pygmaeus, rhododactylus, scaber, scabricollis, scolytus, sericeus, serraticornis, simson, sordidus, sparti, suturalis, tenebrosus, tenerimus, testaceus, varius, vicinus, villosus, vittatus, volvulus.

Hylina felix, simplex.

Hyliota flavigaster.

Hylithus distinctus, humilis, tentyrioides.

Hyllus alternans, giganteus, mordax, nobilis, pugnax, solennis, strenuus.

Hylobates agilis, albianus, aropterus, choromandus, concolor, entelloides, funereus, fuscus, lar, leuciscus, leucogenys, rafflesi, syndactylus, unko, variegatus. *Vide et Hylebates.*

Hylobius abietis, adpersus, albopunctatus, albosparsus, alutaceus, arcticus, assimilis, capra, capreolatus, confusus, erythrorhynchus, fatuus, faunus, gebleri, grandis, guttatus, heros, lateralis, macilentus, maculatus, oblongus, pales, perlatus, pertusus, picivorus, pinastri, pineti, pollinosus, pulverulentus, rugicollis, rugulosus, signatus, stupidus, subfasciatus, sulcipennis, tristis, verrucipeunis.

Hylocharis cruentatus, lanieri, unicolor.

Hylocharis albirostris, alina, angustipennis, atala, aureliae, avocetta, azarae, bicolor, caerulea, caniveti, caroli, chrysogaster, cupreovertris, cyanea, cyanocephala, cyanogenys, cyanotropus, cyanus, derbyi, doubledayi, elegans, fannyi, feliciana, fuscicaudata, gigas, grayi, guimeti, isaacsoni, juliae, lactea, latirostris, lazulus, lessoni, leucotes,

luciani, lumachellus, mariae, melasinus, mosquera, nigra, orbignyi, ourissa, pamela, portmanni, prasina, procerulus, recurvirostris, ricordi, sapphirinus, simila, similis, superba, versicolor, vestita, viridigaster, wagleri.

Hylocharis bicolor.

Hylodes gravenhorsti, gryllus, lineatus, maculatus, nigricans, ocularis, oxyrhynchus, pickeringi, ranoides, ricordi.

Hylogale murina.

Hylogalea ferruginea, javanica, murina, tana.

Hyloicus coniferarum, dynaeus, hasdrubal, hylaeus, menephron, pamphilius, pinastri.

Hylomanes monotula, platyrhynchus.

Hylomys suillus.

Hylophila (Hem.) affinis, bipunctata, campestris, cursitans, exilis, minutus, nemorum, pygmaeus, serratulae, sylvestris.

Hylophila (Lep.) prasinana, quercana.

Hylophilus caeruleus, cinerascens, cyanoleucus, flaveolus, flavipes, frontalis, guira, leucophrys, melanoxanthus, olivaceus, pileatus, pinus, poicilotis, ruficeps, semi-brunneus, speculifera, thoracicus, vermivorus.

Hylophis laeivicollis.

Hylorina sylvatica.

Hylosaurus mantelli.

Hylostoma humeralis.

Hyloterpe philomela.

Hylotoma abdominalis, aethiops, affinis, albicollis, albicruris, americana, amethystina, analis, angelicae, anglica, annulata, annulipes, assimilis, atrata, atripennis, atro-coerulea, australis, basalis, berberidis, bicolorata, bifida, bifurca, hiramosa, brasiliiana, brevicornis, calcania, capensis, carbonaria, cerasi, ciliaris, cineracea, cingulata, clavicornis, coccinea, coerulea, coeruleascens, collaris, compressicornis, concinna, costalis, costata, cyanella, cyaneo-crocea, difformis, dimidiata, dorsalis, dorsata, dulciaria, elegans, eleganteriae, enodis, ephippiata, ephippium, erythrosoma, expansa, fasciata, femoralis, ferruginea, filicornis, flaviventris, formosa, frutetorum, fulcrata, furcata, fusca, fuscipennis, fuscipes, gastrica, geminata, geniculata, gibba, gonagra, gracilicornis, helvola, hirticornis, hypoleuca, infusca, intercus, interrupta, janthina, juniperi, klugi, leachi, lepida, leucocephala, livida, lobata, lugubris, lurida, macleayi, maculata, maculipes, martini, mediata, melanaria, melanicta, melanocephala, melanopyga, melanura, mesomela, metallica, miniata, morio, nemorata, nemorum, nigripes, nigrita, nigratarsis, notata, offeri, ovalis, ovata, pagana, pallipes, pectoralis, piceiventris, pilicornis, pini, pleuritica, plumicornis, plumigera, poecila, praecox, procera, pubicornis, punctata, rosae, rosarium, rubiginosum, rubra, rubricollis, rufa, rufescens, sanguinea, scapularis, scutellaris, scutellata, segmentaria, semiflava, serva, simplex, speciosa, spinarum, stephensi, stictica, stigmaticollis, sugillata, surinamensis, taeniata, tarda, terminalis, testacea, thoracica, trigonina, ustulata, vagans, ventralis, versicolor, violacea, virescens, vitis, xanthomela, xanthospila, xanthothorax.

Hylotorus bucephalus.

Hylotrupes bajulus, lividus.

Hylurgus abietiperda, affinis, angustatus, ater, crassicornis, cylindricus, dentatus, elongatus, frontalis, fuscescens, fuscus, glabratus, helferi, ligniperda, longulus, micans, obesus, opacus, palliatus, piniperda, pumilus, rufescens, rufipennis, rufipes, rugipennis, scabrifrons, sericeus, subcostatus, trifolii.

Hymenarcys aeruginosa, perpunctata.

Hymenia difascialis, perspectalis.

Hymeniphora crucifer.

Hymenitis diaphane, morgane, phono, sao, sylvo.

Hymenolaimus malacorrhynchus.

Hymenontia strigosa.

Hymenophora crucifer.

Hymenoplia aterrima, bifrons, chevrolati, cinctipennis, fulvipennis, hungarica, lineolata, lugdunensis, ochroptera, sicula, strigosa.

Hymenopus coronatus.

- Hymenosoma** gaudichaudi, leachi, mathaei, orbiculare.
Hymenotes triangularis.
Hymetes javana, platycorys, rhombea, sagrai.
Hynnix goreensis, rosea.
Hynobius nebulosus.
Hyodon amphiodon, heterurus, lacustre, targisus, vernalis.
Hylithes acutus.
Hyopotamus bovinus, crispus, vectianus, velaunus.
Hyops depressifrons.
Hyopteryx reichenbachii.
Hyotherium medium, meissneri, sidero-jurassicum, soemmerringi.
Hypacantus aculeatus, vadigo.
Hypagyrtis adoptivaria, pastularia, pustularia.
Hypanartia demonica, hippocla, hippomene, tecmesia.
Hypanis auvatara, cora, plicata, vitrea.
Hypanthocrinites caelatus, decorus, granulatus.
Hyparpax aurora.
Hypatima asinella, conscriptella, inspersella, mouffetella, tenebrella.
Hypaulacus nervosus.
Hypana acuminalis, angulatus, antiqualis, crassalis, decumalis, falsalis, lividalis, obesalis, obliquialis, obsitalis, palpalis, palpatus, proboscidalis, ravalis, rostralis, rusticalis, salicalis, terriuiatus, trigonalis, turfosalis.
Hypencha apicalis, flavolineatus.
Hypeneus vittatus.
Hyphenites barbatus.
Hyphenodes humidalis.
Hypentelium macropterum.
Hypepirritis impurata, modicata.
Hypera acetosae, alternans, amoenus, arundinis, auriflua, austriaca, bipunctata, borealis, budensis, canescens, comata, constans, contaminata, crinita, croatica, cyrta, dauci, dissimilis, dorsalis, elegans, elongata, fascicularis, fasciculata, flavicans, fulvipes, fumipes, globosa, gravida, grisea, helwigi, hispidula, idriensis, kunzi, lineatus, lineola, litigiosa, lurida, maculipennis, maculosa, mehadiensis, melarhyncha, meles, meridionalis, micans, miles, mixta, murina, mutabilis, nebulosus, nigristrostris, okeni, oxalis, pallida, palumbaria, palustris, parallela, pedestris, phaeopa, philanthus, picicornis, picipes, pimpinellae, plantaginis, pollux, polygoni, postica, punctata, punctulata, pyrrhodactylus, repanda, rufipes, rumicis, scania, signata, straminea, striata, sublineata, suspiciosa, tamarisci, taraxaci, tessellata, tigrina, timida, trifolii, tristis, tumida, variabilis, viciae, vicina, vidua, viennensis, villosula.
Hyperantha menetriesi, sanguinosa, stigmaticollis, trigonalis, trinotata, vittaticollis.
Hyperasis decempustulata, fimbriolata, leucopsis, maculifera, praetextatus.
Hyperaspis bicrucata, C-nigrum, campestris, centralis, cleida, connectens, delicatula, disco-notata, elegans, exclamationis, fabricii, felixi, femorata, festiva, flavo-guttata, floridana, girodoni, guexi, guttata, hottentota, illecebrosa, inedita, kunzi, lateralis, lunulata, marginella, mercki, moerens, motschulskyi, peregrina, proba, pumila, quadrilla, quadrimaculata, quadrioculata, recordata, regularis, reppensis, rufos-marginata, sexpustulata, signata, sphaeridioides, trilineata, trimaculata, venustula, vittifera.
Hypercallia christiernana, christiernini.
Hyperchiria io, jo, nausica.
Hypercompa dominula, hera, sybaris.
Hypercompe caja, eridane.
Hyperhomala virescens.
Hyperia cornigera, cyaneae, galba, gaudichaudi, latreillei, monoculoides, oblivia, pedestris, pelagica.
Hyperion schroteri.
Hyperis eversmanni.
Hypermercia augustana, viminana.

- Hyperodon** retusus.
Hyperolius horstocki, marmoratus, tuberilinguis, verrucosus.
Hyperomala virescens.
Hyperoodon butskopf, desinaresti, diodon, doumeti, honfloriensis, latifrons, rostratus.
Hyperops coromandelensis, parvus, pygmaeus, tagenioides, unicolor.
Hyperplatys aspersa, femoralis, maculata.
Hypexodon mystax.
Hyphaerion reflexus.
Hyphalia festivaria, phillyaria.
Hyphantes evonymella.
Hyphanthus granicollis.
Hyphantornis aurantia, aureoflava, aurifrons, aurocapilla, badius, brachyptera, capensis, capitalis, castaneofusca, chrysogastra, collaris, cucullata, erythrocephalus, flavigula, flavocapilla, flavoviridis, galbula, grandis, guerini, gutturalis, intermedia, isabellina, larvata, mariquensis, melanotis, modestus, ocularia, personata, rubiginosa, spilonota, subaurea, textor, velata, vitellina.
Hyphantria punctatissima, textor.
Hyphantus baccifer, dasypus, sulcifrons, verrucifer.
Hypharpax lateralis.
Hypherpes amethystina, brunneus, castaneus, chalybeipennis.
Hyphidrus distinctus, doubledayi, gibbus, globosus, guineensis, humeralis, maculatus, philippinarum, punctatus, quadristriatus, scriptus, variegatus. *Vide et Hyphydrus.*
Hyphilare albipuncta, lithargyrea.
Hyphilaria nica.
Hyphoraia aulica, civica.
Hyphydrus alpinus, alternans, assimilis, bidentatus, borealis, caffer, cayennensis, consobrinus, costatus, cuspidatus, decoratus, deplanatus, dorsalis, duodecimpustulatus, fabricii, ferrugineus, figuratus, frater, gibba, grandis, griseostriatus, halensis, hamulatus, holosericeus, hyperboreus, impressus, lapponum, lepidus, lineellus, lyratus, marginatus, marklini, melanocephalus, minor, nigrolineatus, ovalis, ovata, picipes, pictus, pubescens, quinque-lineatus, riparius, rivalis, ruficornis, rufifrons, sanmarki, scripta, senegalensis, septentrionalis, sexpustulatus, striola, suturalis, umbrinus. *Vide et Hyphydrus.*
Hypna clytemnestra.
Hypnale hypnale.
Hypnoidus agricola, dermestoides, pulchellus, quadripustulatus, riparius, rivularis.
Hypobletis pecoris.
Hypoborus ficus.
Hypobranchaea fusca.
Hypobranchiaea depressa.
Hypocaelus attenuatus.
Hypocalis lineata.
Hypocephalus armatus.
Hypocheilichia aenealis, abenalis, sanguinariella.
Hypocheira musica, nitens, ultramarina.
Hypochloereus atriceps.
Hypochthon anguinus, carrarae, chrysostictus, freyeri, haidingeri, laurenti, pisciformis, schreibersi, xanthostictus, zoisii.
Hypochthonius pallidulus, rufulus.
Hypocnemis tintinnabulata.
Hypocnemus poclinota.
Hypocoelus sibiricus.
Hypocolius ampelinus.
Hypocolobus anaglypticus, caesus, corniculatus, denticollis, dregei, eckloni, fallax, fictus, fraudulentus, impressifrons, saxosus, scoparius, scrobifrons, squalidus, surdus, tutulus, unicornis, variegatus, vermicularis, zeyheri.
Hypocoprus latridioides.
Hypocrita dichroa, melaxantha.

- Hypocyphtus** laeviusculus.
Hypocyphtus discoideus, longicornis, ovulum, picipes, pulcarius, seminulura.
Hypodaea nivicola.
Hypoderma bovis, equi, heteroptera, loiseti, moluccense.
Hypodesis sericea.
Hypodon desmaresti, sowerbyi.
Hypogaeon hirtum.
Hypogastrura agariciua, aquatica, fusco-viridis, murorum.
Hypogomphus rugosus.
Hypogymna dispar, monacha.
Hypolais languida, luscinioides, natalensis, obscura.
Hypolepia adsecllela, costella, fissella, leucophaella, pusiella, vitella.
Hypolimnas coesia, piples.
Hypolithus aciculatus, attenuatus, bicolor, caffer, calathoides, capensis, chlaenioides, congener, consobrius, escheri, exiguus, fletifer, fuscus, glaber, harpaloides, holosericeus, interstitialis, iridescens, javanus, juvenus, littoralis, luridus, marginicollis, melancholicus, minutissimus, musculus, nocturnus, olivaceus, paganus, planatus, puberulus, pulchellus, puncticollis, quadripustulatus, quadrum, riparius, rivularius, ruflabris, saponarius, sephen, tomentosus, venustus, vicinus.
Hypomeces curtus, marginellus, pauper, pollinosus, rusticus, sparsus, squamosus, suturalis, umbrosaria.
Hypomecus albitarsis.
Hypomelus bicolor, grandis, inaequalis, obliquatus, oblitteratus, rugosus, sabulosus, villosocostatus.
Hypomeneuta rufimitrellus. *Vide et Yponomeuta.*
Hypomochlius obscurus.
Hypomorphnus anthracinus, buson, leucurus, rutilans, uncinatus, urubitinga.
Yponomeuta malinellus, padi, variabilis, vigintipunctatus. *Vide et Yponomeuta.*
Hypophlaeus angustus, bicolor, dendrophilus, minutus, suberis.
Hypophloeus boros, brunneus, castaneus, japonicus, longulus, minutus, nigellus, niger, nitidus, parallelus, rufipes, rufulus, teres, testaceus, thoracicus.
Hypopholis sommeri, vittata.
Hypophthalmus edentatus, goongwaree, longifolis, marginata, niloticus, nuchalis, spixi, taakree.
Hypophylla zeurippa.
Hypoplatea celer, fasciata.
Hypoplectis adpersaria, pertextaria.
Hypoprepia fucosa.
Hypopsis nematocerus.
Hypopta ambigua, caestrum, thrips, tristis, ziliante.
Hypopus alicola, feroniarum, filicum, granulatus, julorum, laevis, muscarum, nitida, opaca, sapromyzarum, setipes, spinipes, spinitarsus, vulpis.
Hypopyrrhus pyrrhogaster.
Hyporyssus telluris.
Hyposaurus rogersi.
Hyposcotis glaucinaria, mucidaria.
Hypostena procera.
Hypostoma (G.) boysi.
Hypostoma (P.) barbatus, etentaculatum, punctatum, squalinum.
Hypostomum viride.
Hypostomus (Cr.) parasiticus.
Hypostomus (P.) barbatus, bufonius, calamita, cirrhosus, commersoni, duodecimalis, emarginatus, erinaceus, granosus, guacharote, guarcari, guttatus, itacua, multi-radiatus, nudiceps, plecostomus, punctatus, robini, serratus, temminckii, verres, watwata.
Hypotelus praecox, pusillus.
Hypothalmus dawalla.
Hypothlypis iridina, velia.

- Hypothymis** albicaudata, azurea, caerulea, caesia, cantatrix, chrysorrhoea, concreta, cyanomelana, indigo, manadensis, melanops, thalassina.
- Hypothyris** (Br.) borealis, psittacea, semisulcata.
- Hypothyris** (Lep.) ninonia.
- Hypotriorchis** aequalon, arcadicus, ardesiacus, aurantiacus, chicquera, columbarius, concolor, deiroleucus, eleorone, femoralis, frontatus, minutus, novae zealandiae, regulus, rugularis, semitorquatus, severus, soloensis, subbuteo, tibialis.
- Hypotropis** jukesi.
- Hypoxys** quadridens.
- Hyppa** rectilinea.
- Hyppalimus** cottaldinus, flabellatus, icaunensis, moniliferus, neocomiensis, ricordeanus, tombeckianus. *Vide et Hippalimus.*
- Hyppolyte** desmaresti. *Vide et Hippolyte.*
- Hyppurites** areolatus, couprimatus, elongatus, mitratus, patellarius, renovatus, rotula, turbinata, turbinolatus. *Vide et Hippurites.*
- Hyproctornus** trigonus.
- Hypsa** heliconia, monycha, silvandri.
- Hypsauchenia** ballista, clavaria, guerini, hardwicki, mirabilis, spatulata, westwoodi.
- Hypselogenia** albopunctata, concava.
- Hypselomus** cristatus, crudus, egens, globifer.
- Hypselonotus** annulatus, bilineatus, centrolineatus, dimidiatus, interruptus, pulchellus, scriptus, sphacelatus, striatulus, subterpunctatus, trigonus.
- Hypselopus** cinctiventris, gigas, incarnatus, spinosus.
- Hypselura** senilis.
- Hypselus** ater.
- Hypsepetes** neilgherriensis.
- Hypserina** hardwicki.
- Hypsibates** himantopus.
- Hypsibatus** bilineatus, boiei, catenatus, margaritaceus, picta, plica, punctatus, superciliosus, umbra.
- Hypsibemon** ruficapillus, rufulus.
- Hypsibius** hemprichi, oberhauseri.
- Hypsiboas** albomarginata, cinerascens, crepitans, dominicensis, faber, geographica, langsdorffi, palmata, reinwardti, venulosa, zonata.
- Hypsicebus** bancanus.
- Hypsilophus** ater, cornutus, cristatus, demarhi, fasciatus, iguana, nudicollis, rircordi.
- Hypsilopus** maculiventris.
- Hypsioma** gemmata, gibbera, murina.
- Hypsiophthalmus** buphthalmus, luciferus.
- Hypsipetes** ganesa, gracilis, maclellandi, malaccensis, olivacea, philippensis, psaroides, viridis.
- Hypsiprymnus** campestris, cuniculus, formosus, gaimardi, gilberti, grau, melanotis, micropus, murinus, myosurus, ogilbyi, penicillatus, peroni, philippi, platyops, rufescens, setosus, spelaus, ursinus, whitei.
- Hypsipsopterus** xerophyllum.
- Hypsirhina** aer, bennetti, bilineata, chinensis, furcata, hardwicki, maura, plumbea, trilineata.
- Hypsiscopus** plumbea.
- Hypsodon** lewesiensis, oblongus, sauroides, toliapicus.
- Hypsolopha** antennella, asperella, horridella, persicella.
- Hypsolophus** lemniscellus, limosellus.
- Hypsomus** lembunculus, scapha.
- Hyponotus** albolineatus, albomaculatus, alternatus, apicalis, auritus, aurosus, binotatus, caliginosus, camelus, canephorus, cathetoplateus, chevrolati, chrysendetus, cilipes, cinctipes, cingulatus, claricus, clavulus, compressus, comprimatus, costatus, costipennis, curtisi, dalmani, designatus, dives, dorsalis, elegans, fahraei, faldermanni, fasciatus, gibbicollis, gyllenhali, hirtipes, imbricatus, incanus, irrigatus, isabelline-

marginatus, lateralis, leucostictus, lineatus, loculosus, magnificus, marginellus, marginatus, molitor, murinus, navicularis, notatus, nubilosus, picturatus, plumipes, politus, principalis, punctatus, rotundicollis, ruficollis, sahlbergi, scenicus, scrobiculatus, sculpturatus, squamosus, stanneus, subfasciatus, umbrosus, viridilineatus, viridimarginatus.

Hypopygia costalis, cuprealis, egregialis, farinalis, fimbrialis, lucidalis, nitidalis, regalis, rubidalis.

Hypsoropha horma, hormos, monilis.

Hypterus appendiculatus, erythrogaster.

Hyptia petiolata.

Hyptiam ruficeps, thoracicum.

Hyptiopus lophotes.

Hypudaeus hereynicus.

Hypudaeus agrestis, albicaudatus, albicaudus, alliarius, alpinus, amphibius, arvalis, blumenbachii, borealis, brecciensis, bucklandi, cinerascens, cyanus, dasytrichos, destructor, ferrugineus, fulvus, gapperi, glareolus, gregalis, groenlandicus, guiara, helvolus, hudsonius, lagurus, laeiger, lemmus, leucogaster, major, maulinus, micrurus, migratorius, minimus, monticola, nageri, neglectus, niloticus, nivicolor, novoboracensis, obscurus, ochrogaster, oeconomus, pennsylvanicus, pinetorum, ratticeps, riparius, roylei, rubricatus, rufescente fuscus, rufocanus, rutilus, savii, saxatilis, scolopsides, socialis, spelaeus, subterraneus, syriacus, terrestris, torquatus, trimucronatus, variegatus, xanthognathus. *Vide et Hipudaeus et Hupudaeus.*

Hypulus biflexuosus, dubius, pictus, quadrifasciatus, simulator, trifasciatus.

Hyracotherium cuniculus, leporinum.

Hyrax arboreus, capensis, dongalanus, habessinicus, ruficeps, sinaiticus.

Hycinia typica.

Hyreus (A.) abyssinicus.

Hyreus (Lep.) lingeus, misenes, palemon, thus.

Hyria (L.) avicularis, browniana, cordata, corrugata, cyrmatophora, elongata, humeralis, intermedia, matoni, rosea.

Hyria (Lep.) auroralis, auroraria.

Hyridella australis.

Hyris corrugata.

Hysaplesia achatina, borbonica, luteola, nigerrima, punctata, tinctoria, trivittata.

Hysia endomycina.

Hysterolites hystericus, paradoxus, vulvarius.

Hysterolithes prominulus.

Hysteropterum immaculatum.

Hysteropop novae hollandiae.

Hysterotherium quedinburgense.

Hystricephala nigra.

Hystrichis tricolor.

Hystrichopus angusticollis, femoralis, rufipennis.

Hystricia amaena, flavipalpis, flavitarsis, immaculata, nigri ventris, palpina, testacea.

Hystrignathus rigidus.

Hystrix africana, alophus, brevispinosa, couyi, cuandu, fasciculata, hirsutirostris, hudsonius, indica, insidiosa, javanica, leucurus, nipalensis, nycthemera, pilosus, pollicaris, rutila, spinosa, subspinosa, tortilis, villosa, volubilis.

Iacchus albicollis, penicillatus, pygmaeus. *Vide et Jacchus.*

Iaera coenobita. *Vide et Jaera (Cr.).*

Iania rubens.

Ianthia rufilatus.

Ianthina (A.) flavolivacea, hyperythra.

Ianthina (G.) bicolor, globosa, nitens, pallida, planispirata, striolata, subsinuosa. *Vide et Ianthina.*

Ianthocincla albogularis, caerulatum*, cbrysoptera, erythrocephala, gularis, leucolophus, lugubris, lunaris, mitrata, ocellata, ocellatum, palliata, pectoralis, phoenicea, ruficollis, rufogularis, squamata, subunicolor, variegata.

Iasis cylindrica.

Iassa falcatus. *Vide et Jassa.*

Iassus annulipes, atratus, biguttatus, binotatus, bipustulatus, brunneus, diadema, dorsiger, fenestratus, ferrugineus, festivus, flavicollis, frontalis, fulgidus, fumatus, geminus, gemmatus, griseus, hyalinus, ignitus, incarnatus, lactipennis, lineatus, lineolatus, maculatus, maculicollis, margarita, marmoratus, mixtus, nervosus, nigripes, ornatus, os-album, personatus, populi, pulchellus, quadriverrucatus, reticulatus, rosae, triangularis, variegatus. *Vide et Jassus.*

Iatrobella carnea, granulosa, interrupta, medicinalis, nigra, obscura, officinalis, provincialis, tessellata, troctina, verbana.

Ibachus novemdentatus.

Ibacus antarcticus, ciliatus, parrae, peroni.

Ibalia anceps, cultellator, maculipennis, scalpellator.

Ibec cebennarum.

Iberus acutus, gualterianus, lamarcki, lapicidus, oresignus, ornata, pacciniana, scabriuscula, segestana, selinuntina, solarium.

Ibex alpinus, cebennarum, nubianus, pyrenaicus.

Ibidion amoenum, armatum, bituberculatum, conatum, ebenum, fusiferum, musivum, pictum, quadrimaculatum, sexguttatum, signatum.

Ibidium aculeatum, albocinctum, luridum.

Ibidorhyncha struthersi.

Ibis addida, aeneipennis, aethiopicus, aimolene, albicollis, albus, bengala, brevisrostris, caerulescens, calvus, candidus, carunculata, castaneus, cayensis, cbalcoptera, coco, comatus, cristatus, cuprea, denticrostris, erythrorhyncha, falcinellus, fascinellus, fuscata, fuscus, gonocephalus, griseus, guarana, hagedasb, hempricbi, ibis, ignea, infusata, lamellicollis, leucon, leucopygus, loculator, longirostris, macei, manillensis, melanocephalus, melanopus, mexicana, minutus, molucca, nandapoa, niger, nippon, nudifrons, olivacea, ordi, oxycercus, papillata, papillosa, plumbeus, religiosa, ruber, rubra, sacra, spinicollis, strictipennis, sylvatica, viridis, vocifera.

Ibla cuvieriana.

Ibycter americanus, aquilinus, ater, fasciatus, gymnocephalus, leucogaster.

Icarus gravesi.

Icelia brasiliensis, flavescens.

Icelus (Ar.) honestus, notabilis.

Icelus (P.) hamatus, uncinatus.

Ichla rosea.

Ichnea aterrima, dimidiatipennis, enoplioides, laticornis, lycoides, suturalis.

Ichnestoma albo-marginata, heteroclyta.

Ichneumia albescens, gracilis.

Ichneumon (Hym.) abominator, abruptorius, acutus, adpressorius, adpersor, aethiops, affectator, affinator, affinis, affirmator, affirmatorius, aggressor, alacer, albator, albicaudatus, albicillus, albicinctus, albifrons, albiger, albiguttatus, albilavatus, albillineatus, albimanus, albinotatus, albinus, albipectus, albipictus, albosignatus, alterator, alticola, alveariformis, alvearius, alveator, ambulator, ambustor, amictorius, ammonius, amputatorius, analis, angustatus, angustorius, annulator, anodon, anonymus, antennatorius, aphidator, aphidipbagus, apicalis, apricus, arcuatorius, areator, armator, armillatorius, armillatus, arridens, arundinator, asilatorius, associator, atomator, atramentarius, atrator, atratus, atricapillus, atripes, atropos, attentorius, attenuator, aulicus, auriculator, auriculatus, australis, austriacus, autumnalis, axillatorius, balteatus, balticus, barbarus, barbatus, bellator, bellipes, bellus, biannulatorius, biannulatus, bicinctorius, bicingulatus, bicolo, bifasciator, bifasciatus, biguttator, biguttorius, bilineator, bilunulatus, bimaculator, bimaculatorius, binarius, binotator, binotatus, bipunctator, bipunctatus, bipunctorius, bisignatus, bispinatorius, bonelli, brachiacanthos, brachigaster, brachipterus, brevior, breviorius, brevicinctor, brevicornis, brunnicornis, bruniventris,

buccator, bucculentus, bulimorius, cadomensis, caecus, caedator, caeruleator, cognatus, calcatorius, calceator, calceatorius, callicerus, caloscelis, calumniator, canaliculatus, candidatus, capellator, capensis, capitator, captorius, carbonator, carduorum, carpinellae, castaneus, castaniventris, castanopyga, catenator, cayennator, cecisor, celerator, censor, centrator, ceparum, cerasi, cerinthus, certator, cespitator, chalybeatus, chermetus, chionomus, chirothecator, chrysodes, chrysostomus, cinctorius, cinctulus, cinctus, cingulatorius, cingulipes, circulator, citator, clarigator, clavator, clericus, clypeator, coalitorius, coccinellae, coeruleator, cognator, cognatus, collector, colonator, compactor, compressus, comptus, concinnatorius, concinnus, condecoratus, confector, confiscator, confusor, coniunctor, conopsator, consignatorius, consimilis, conspurgatus, constrictor, contaminatus, coqueberti, comutus, coronator, coronatus, costator, cothurnatus, crassator, crassipes, creditor, crenator, cretatus, cribrator, croceipes, cryptator, cryptorius, cubitorius, culpator, culpatorius, cultellator, cultriformis, curator, cursor, cursorius, curvus, cyanator, cyanops, eanops, dealbator, debitor, decimator, decorius, decurtatus, defectivus, delator, deletus, delicator, delictor, demidator, dentator, dentatorius, denticularis, denticulator, depexus, depressorius, derivator, derogator, desinatorius, desjardini, despector, detestator, detritus, deustor, devinctus, dictator, didymator, didymus, digestor, digitator, digrammus, dilatator, dilatatorius, dilector, dimidiatus, dimidius, diminutor, dipsacana, dipsaci, director, discolor, discrepator, dissector, dissectorius, dissectus, dissimilis, distensor, distichor, distinctor, diversorius, divisorius, dolorosus, dorsator, dorsatorius, drewseni, dromicus, dubitator, ductor, dumeticola, duplicator, duplicatorius, duplicatus, eclipsorius, edwardsi, egregius, elegans, elegantiorius, elevator, emancipatus, emarginator, ensator, eremitatorius, erratorius, erythraeus, erythrocerus, erythrogaster, erythronotus, erythropygus, erythrostroma, esenbecki, eucephalus, euonymis, euridator, exaltatorius, examinatus, exornatus, expansor, expectator, expulsor, extenuator, extinctus, extremator, exulans, fabricator, fabricii, facialis, faciator, fallax, falsificus, farctor, fasciatus, faunus, femorator, femoratorius, fenestrator, ferreus, ferrugator, ferruginator, festinatorius, festinator, filator, filicornis, fimbriator, fimetarius, fissura, flavarius, flavatorius, flavifrontator, flaviniger, flavoguttatus, flavolimbatus, flavolineatus, flavomaculatus, flexorius, floricator, foersteri, foliator, formicator, formosus, fortipes, fragrasorius, fraternarius, frequentarius, frictorius, frischii, frontalis, frontator, frontorius, fugator, fugatorius, fugitivus, fulgens, fuligator, fulvator, fulvatorius, fulvicornis, fulvipes, fulvoscutellatus, fumigator, fumipennis, fundator, funereus, furcator, fuscocastaneus, fusicornis, gagates, gallicanus, gasterator, gastritor, gelitorius, gemellitorius, gemellus, geminatorius, generator, geniculator, geniculatorius, geoffroi, gestator, gesticulator, gibbator, giberius, gigantor, glabrator, gladiator, globator, globosus, globulator, glomerator, gloriator, goedarti, gracilentus, gracilicornis, gracilis, gradarius, gradatorius, graminellae, grandis, grassator, graciosus, gravenhorsti, gravipes, gravis, grossulariatae, guttatorius, guttiger, guttulator, guttulatorius, gvianor, gyrator, gyratorius, haemorrhoidalis, haemorrhoidarius, haesitator, harpurus, hartigi, hartmanni, hassicus, hector, hemipterator, hiator, hilaris, hoffmannseggii, hordei, horridator, hortorius, hostilis, humeralis, ignotus, illuminatorius, imitatorius, immaturus, imperatorius, impressor, impressus, impuginator, inanis, incertorius, incrassatus, incurvator, indagator, indefessus, indicus, infernalis, infestor, infestorius, infidus, ingratorius, inimicus, inquinatus, inquisitor, insidiator, insidiosus, insulator, interruptor, interruptorius, interruptus, intratorius, intricatorius, invisor, iocerus, iridipennis, ischioleucus, ischiomelinus, ischioxanthus, iactator, jejunator, jocularis, jucundus, jugatus, junctor, junior, labiatorius, labiatus, laborator, lacrymator, lacteator, laedator, laetus, laevigator, laevigatus, lalandei, lamentator, lanceolator, languidus, laniator, lanius, laetae, larvatus, larvicida, larvincola, lateralis, laterator, lateratorius, latipetiolatus, latorius, latrator, legator, lentorius, lepidator, lepidus, leprieuri, leptocerus, leptoneurus, leucocerus, leucocheilus, leucocheir, leucocorus, leucogaster, leucogastrus, leucolomius, leucophthalmus, leucopygus, leucorhaeus, leucopsis, leucostigmus, leucotomus, leucurus, liberatorius, licitatorius, lictor, ligatorius, limbatorius, lineatorius, literator, locitor, longaeus, lucidus, luctor, luctuosus, lugens, lugubratator, luridator, luridus, lusorius, luteator, luteicornis, luteiventris, macellator, macrocerus, mactator, madagascariensis, malacus, mam-

vinctus, vindicator, viululatorius, violentus, virginalis, vitellae, vittatorius, vocator, vulnerator, vulneratorius, vulpinus, walkeri, wienkeri, wurtembergicus, xanthius, xanthoceros, xanthogastrus, xanthops, xanthorrhæus, xanthozosmus, zonalis, zonarius.

Ichneumon (Mamm.) aegyptiae, aegyptius, albicauda, albicaudis, arctiventris, caffer, canni, galera, griseus, javanicus, major, muugo, pharaonis, ratlanouchi, ruber, taenianotus, tetradactylus, urinator.

Ichneutes brevis, extensor, fulvipes, levis, major, mensurator, nigripennis, nigripes, reunitor, scotia.

Ichnosceros purgator.

Ichthelis aurita, cyanella, enythrops, macrochira, megalotis, melanops.

Ichthidion minimum.

Ichthierax frontalis.

Ichthyobdella cichlae, fasciata, linearis, marginata, marina, sepiolae, stellata, tessellata, versipellis, vittata.

Ichthyaetus bicolor, leucogaster. *Vide et Ichthyaetus et Ichthyaetus.*

Ichthyapus acutirostris.

Ichthyacallus trimaculatus, umbrostygma. *Vide et Ichthyacallus.*

Ichthyidium podura.

Ichthyaetus bicolor, hucarius, leucogaster, plumbeus. *Vide et Ichthyaetus.*

Ichthyobdella geometra, percae. *Vide et Ichthyobdella.*

Ichthyococcus ovatus, poweriae.

Ichthyocoris basiliscus, cagnota, crinitus, frater, galerita, lupulus, montagui, pollini, rubriceps, verus.

Ichthyocrinus arthriticus, capillaris, goniodactylus, laevis, pyriformis, tesseracondactylus.

Ichthyodes biguttula.

Ichthyodorulites heddingtonensis, purbecensis.

Ichthyokrates petromyzonis.

Ichthyolithus clackmannensis, esociformis, luciiformis.

Ichthyophaga javana.

Ichthyophilus orbigny.

Ichthyophis (P.) pantherius, tigrinus, vittatus.

Ichthyophis (R.) glutinosus, hasselti.

Ichthyorachis anceps, bipinnata, dubia, geinitzi, newenhami.

Ichthyosarcolites obliqua, triangularis.

Ichthyosaura tritonius.

Ichthyosaurus acutirostris, campylodon, chiroligostinus, chiropamekostinus, chiropolyostinus, chirostrongulostinus, communis, coniformis, grandipes, immanis, intermedius, latifrons, latimanus, lonchiodon, luenevillensis, macrorachis, macrospondylus, missouriensis, platensis, platyodon, problematicus, tenuirostris, thyreospondylus, trigonus.

Ichthyoscopus inermis, cirrhosus, forsteri, laevis.

Ichthyoterus fischeri.

Ichthyura anachoreta, anastomosis, curtula, inclusa, reclusa.

Ichthyurus basalis, costatus, discoidalis, lateralis.

Ichthyobdella sanguinea. *Vide et Ichthyobdella.*

Icteria auricollis, dumicola, velasquezi, viridis.

Icterus abeillei, aeneus, agripennis, annulatus, anticus, atrogularis, atro-olivaceus, auduboni, auratus, auricapillus, badius, baltimore, barita, bonana, brevirostris, bullocki, caffer, calliorhynchus, capeusis, cayanensis, cayanus, chopi, chrysocephalus, chrysopterus, chrysostictus, citrinus, cristatus, croconotus, cucullatus, cyanocephalus, diadematus, dispar, ferrugineus, flavigaster, fringillarius, gargueti, giraudi, gradual-cauda, gubernator, guianensis, gularis, guttulata, haemorrhous, hudsonicus, humeralis, icterocephalus, inca, japacani, labradorus, larvatus, leucopteryx, longirostris, ludovicianus, maculatus, maculialatus, maxillaris, melanicterus, melanocephalus, melano-chrysura, melanopterus, mentalis, militaris, minor, musicus, novae hispaniae, novae zealandiae*, noveboracensis, oriolus, parisorum, pecoris, pectoralis, persicus, personatus, picus, pustulatus, pyrrhopterus, quianensis, quiscula, ruficapillus, rufusater, scandens, sericeus, spurius, sulcirostris, tanagrinus, thilius, tibialis, tricolor, trupial, unicolor, violaceus, virescens, xanthocephalus, yapon.

Ichthyaetus cultrunguis, *horsfieldi*, *nanus*. *Vide et Ichthyaetus*.

Ichthycallus auromaculatus, *bivittatus*, *chloropterus*, *cianocephalus*, *decussatus*, *dimidiatus*, *geoffroyi*, *julis*, *macrolepidatus*, *ornatus*, *semidecorata*, *semipunctatus*. *Vide et Ichthycallus*.

Icticyon major, *venaticus*.

Ictides albifrons.

Ictinaetus malaiensis.

Ictinia mississippiensis, *ophiophaga*, *plumbea*.

Ictinoetus pondicerianus.

Ictinus (Col.) *latro*, *praeustus*, *tenebroides*.

Ictinus (Neur.) *ferox*, *praedator*, *vorax*.

Ictis cocksi, *vulgaris*.

*Ictonyx capensis**, *frenata*.

Idaea *aladata*, *aureolaria*, *aversata*, *bellata*, *bisetata*, *calabraria*, *commutata*, *congruata*, *contiguaria*, *contiguata*, *culminaria*, *dealbata*, *decoraria*, *decorata*, *decussata*, *degenerata*, *dilutaria*, *duplicaria*, *exornata*, *flaveolaria*, *fractilineata*, *humifuscaria*, *hyalinata*, *immutaria*, *immutata*, *incantaria*, *incantata*, *laevigaria*, *laevigata*, *luridata*, *moniliaria*, *moniliata*, *mutata*, *nitidulata*, *ornata*, *ornataria*, *pinguedinata*, *politata*, *pravaria*, *remutaria*, *remutata*, *reversata*, *rufo-costata*, *scutularia*, *scutulata*, *subangularia*, *submutata*, *suffusata*, *vibicaria*, *vinctaria*, *vincularia*. *Vide et Ideae*.

Idaides codrus, *nireus*.

Idalia (Col.) *alpina*, *bipunctata*, *bothnica*, *inquinata*, *livida*, *undecimnotata*.

Idalia (Lep.) *cones*, *pudoraria*, *regina*.

Idalia (Nud.) *aspera*, *cirrigeria*, *crocea*, *dubia*, *elegans*, *frondosa*, *inaequalis*, *laciniosa*, *laevissima*, *lessoni*, *maculata*, *neapolitana*, *plumosa*, *quadricornis*, *ramosa*.

Idalla caudata.

Idarnes arme.

Idea abigef, *agelia*, *aza*, *bicolor*, *blanchardi*, *daos*, *exalbata*, *gaura*, *idea*, *leuconoe*, *lyncea*, *manuja*. *Vide et Ideae*.

Iergia fulvicollis, *terminata*.

Idia (Coel.) *macrostoma*, *pristis*.

Idia (Dipt.) *aenea*, *abitarsis*, *americana*, *anchora*, *apicalis*, *australis*, *bengalensis*, *chrysispe*, *cinnerea*, *concinna*, *cyanescens*, *discolor*, *fasciata*, *felina*, *flavipennis*, *flavipes*, *limbipennis*, *lunata*, *mandarina*, *melastoma*, *metallica*, *nigricornis*, *obsoleta*, *procula*, *punctulata*, *rostrata*, *spemosa*, *subapicalis*, *syphioidea*, *testacea*, *urvillei*, *viridis*, *xanthogaster*, *xanthogastera*.

Idia (Lep.) *aemula*, *bombycalis*, *retusalis*.

Idiocephala albilinea, *atra*, *bynoei*, *cyanipennis*, *darwinii*, *elegans*, *flaviventris*, *marginicollis*, *pulchella*, *roei*, *rugosa*, *semibrunnea*, *similis*, *tasmanica*.

Idioceris maculicollis.

Idiocerus aeneus, *effulgens*, *maculicollis*, *maculipennis*, *stigmatalis*, *sulphureus*, *uniformis*.

Idiochelys itzingeri, *wagneri*, *wagnerorum*.

Idiocnema sulcipennis.

Idiococcyx chlorocephalus.

Idiomorphus guermi.

Idiops fusca.

Idioptera fasciata, *maculata*, *marmorata*.

Idmais arme, *calais*, *chrysonome*, *dynamene*, *fausta*, *phisadia*, *vesta*.

Idmonea aculeata, *alternans*, *ammonitorum*, *atlantica*, *bifida*, *biseriata*, *cancellata*, *carinata*, *commiscens*, *complanata*, *compressa*, *comptoniana*, *contortilis*, *coronopus*, *crassa*, *cretacea*, *depressa*, *dimidiata*, *discrepans*, *disticha*, *divaricata*, *divergens*, *dixoniana*, *dorsuata*, *elegans*, *elegantula*, *fasciculata*, *frondosa*, *gracilis*, *gradata*, *hagenowi*, *hybrida*, *irregularis*, *lineata*, *maculata*, *maculenta*, *maxillaris*, *mileana*, *pertusa*, *petri*, *pinnata*, *polytreta*, *radians*, *radiolitus*, *semicylindrica*, *serpulaeformis*, *striata*, *sulcata*, *teres*, *tetragona*, *toucasiana*, *transversa*, *trapezoides*, *triquetra*, *truncata*, *tubulipora*, *virescens*, *zizac*.

Idolomorpha gracilis, *latetalis*.

Idomene forficata.

Idotea annulata, argentea, brevicauda.

Idotea acuminata, affinis, algirica, angustata, appendiculata, atrata, baffini, basteri, bicuspidata, brevicornis, caeca, capito, carinata, chclipes, compacta, distincta, edwardsi, entomon, excisa, fasciata, filiformis, fusiformis, gonura, guadeloupensis, hectica, hirtipes, indica, irrorata, lanciformis, latreillei, lichtensteini, marina, metallica, oestrum, pelagica, peloponesiaca, penicillata, peroni, prismatica, rugosa, tricuspidata, tridentata, triloba, ungulata, variegata, viridissima, vittata.

Idothea basteroti, brevicornis, entomon, granulosa, nodulosa, perforata, robusta, sabini, sexlineata.

Iduna caligata, salicaria.

Idus adbarus, idus, jeses, miniatus, neglectus, orfus.

Idya (Coel.) borealis, capensis, cucumis, dentata, elongatus, forskahli, gilva, infundibulum, islandica, macrostoma, merteusi, ovale, ovata, pencillata, peroni.

Idya (Cr.) barbiger, triloba.

Iera pyriformis.

Ieracidea berigora, novae seelandiae, occidentalis.

Ierax bengalensis, caerulescens, entolmus, erythrogeuys, fringillarius, malayensis, melanoleucos, sericeus.

Ierea cupula, excavata, multioculata, nuciformis, oligostoma, pistillum, punctata, pyriformis, tubulifera, turonensis. *Vide et Jerea.*

Ifonyx orientalis, typicus.

Iguana acanthura, armata, ater, belli, bellicosa, bilineata, bimaculata, binoculata, carinata, coerulea, cornuta, cychlura, cycluroides, decrensiensis, emarginata, fasciata, harlani, haueri, iguana, lanceolata, lineata, lophyroides, nebulata, nubila, nudicollis, rhinolphus, sapidissima, similis, squamosa, teres, violacea, viridis.

Iguanodon anglicum, mantelli.

Ilarhes orbis.

Ilarus echii, implexa, ochroleuca, piniperda, porphyrea.

Ileomus distinguendus, longulus, mucoreus, pactitus, peruanus, pulverulentus, oreus.

Ilerda androcles, cadma, epicles.

Ilia armata, levigata, nucleus, ornata, rugulosa.

Iliades agenor, ancaeus, emathion, laomedon, memnon, mestor, polymnestor, protenor.

Iliastus grandis.

Iliornis stagnatilis.

Ilihyia carneus.

Illaena exilis.

Illaenus arcturus, asaphoides, atteuatus, bowmani, bowmanni, centaurus, crassicauda, davis, dubius, giganteus, glaberrimus, hisingeri, laticeps, latidorsata, latus, limbatus, lusitanicus, minutus, murchisoni, ocularis, perovalis, portlocki, quadrato-caudatus, rosenbergi, rudolphi, subtriangularis, tauricornis, trentonensis, triacanthus, wahlenbergi.

Illigera ruficeps.

Illigeria atra, minor.

Illops corniculatus.

Ilotes rotalitatus.

Iluanthos scoticus.

Ilucoetes fimbriatus.

Ilybius angustior, ater, biguttulus, confusus, fenestratus, fuliginosus, guttiger, meridionalis, pleuriticus, prescotti, quadriguttatus, quadrimaculatus, sexdentatus, subaeneus.

Ilysia familiaris, scytale.

Ilythea spilot.

Ilythia anella, argyrella, carnella, colonella, cruentella, pudorella, sociella, vinetella.

Imantocera plumosa.

Imatidium albicolle, annulum, bi-cornis, cinctum, corallinum, cornutum, cyaneum, fasciatum, leayanum, lineola, quattuordecimmaculatum, rubricatum, sanguineum, semicircularis, septemdecimpunctata, thoracicum, trimaculatum. *Vide et Himatidium.*

Imatisma analis, orientalis, posticata.

Imatismus fasciculatus.

Imbrasia epimethea.

Imbricaria carbonacea, conica, conovula, marmorata.

Imhoffia nigra.

Imisia bisulcata.

Imperata nodosa.

Imperator aureolatus, cooki, heliotropium, inaequalis, nobilis.

Impeyanus refulgens.

Inachis jo.

Inachoides microrhynchus.

Inachus (Cr.) affinis, arabicus, aranea, australis, bifidus, catilloides, ~~corax, coraximissus~~, corallinus, dorsettensis, hirticornis, inflexus, japonicus, kaempferi, lamarcki, leptochirus, levigatus, lorina, mauritanicus, mitis, musivus, pervetus, sulcatus, thoracicus, tomentosus, undatus.

Inachus (G.) angulatus, costatus.

Inca (A.) mysticals.

Inca (Col.) bescki, bonplandi, burmeisteri, fabricii, hastata, irrorata, lineola, pulverulentus, rufipennis, sommeri, tapujo.

Incilaria bilineata.

Incubus aphidum.

Incurvaria argillella, bipunctella, capitella, flavi-mitrella, masculine, minutella, multipunctella, muscula, oehlmanni, oehlmanniella, oppositella, pectinea, pectinella, spuria, trimaculella, tripunctella.

Indicator albirostris, apivorus, archipelagus, buphagoides, diadematus, flavicollis, indicator, leucotis, le vaillanti, maculatus, maculicollis, major, minimus, minor, proditor, sparmanni, variegatus, xanthonotus.

Indopicus delesserti, goensis, indri, laniger, longicaudatus, strictus, sultaneus.

Indusia tubulosa.

Infundibulum apertum, carinatum, centralis, clypeum, concentricum, costarium, crepidulare, cretaceum, depressum, echinulatum, gyrinum, laevigatum, lamellosum, mamillare, obliquum, perarmatum, radians, rectum, rotundum, sinense, spinulosum, squamulatum, subsquamosum, suessoniensis, supra cretacea, trochiforme, tuberculatus, typus, urticosum.

Inia boliviensis, canadensis, geoffroyi.

Iniopachus pyrenaeus.

Ino (Ar.) aprica, gracilis, picta, piscina, pubescens, stagnalis, terebrata, tigrina.

Ino (Lep.) globulariae, statica.

Inocellia crassicornis.

Inoceramus acutus, alatus, alveatus, amygdaloides, angulosus, annulatus, arquatus, auriculatus, barabini, brechowi*, brongniarti, cancellatus, cardissoides, chemungensis, cinctus, concentricus, confertim-annulatus, contortus, coquandianus, cor, cordiformis, cranium, cripsi, cuneiformis, cuvieri, decheni, depressus, digitatus, dubius, ellipticus, eocenus, giganteus, goldfussianus, gryphaeoides, gryphoides, gryphus, hamiltoni, impressus, intermedius, inversus, involutus, laevigatus, laevissimus, lamarcki, latus, lingua, lobatus, lunatus, mitchelli, mytilimeris, mytilloides, neocomiensis, nobilis, obovatus, orbicularis, oviformis, pernoideus, pictus, planus, plicatus, problematicus, propinquus, ramosus, regularis, requieni, retrorsus, rostratus, rugosus, salomoni, semiorbicularis, semistriatus, silqua, striatus, substriatus, sulcatus, tegulatus, tenuis, transversus, trigonus, undulato-plicatus, undulatus, ventricosus, vetustus, websteri.

Inopus despectus.

Inostemma areolata, atinas, bosci, boter, braesia, europus, favo, hispo, lycon, mecrida, melicerta, menippus, oeclea, quinda, scrutator.

Inostemmus festus.

Intricaria bajocensis, reticulata, straminea.

Inuus arctoides, aureus, synomolgus, ecaudatus, erythraeus, inuus, nemestrinus, niger, pithecius, radiatus, rhesus, ~~silenus~~, silvanus, sinicus, speciosus.

Inversaria ramosa.

- Io** fusiformis, spinosa, tenebrosa.
Iodes angulatus, norrisi.
Iodopleura fusca, guttata, isabellae, pipra. *Vide et* **Jodopleura**.
Ioida macrophthalmia.
Iolaus antifaunus, epifaunus, eurisus, faunus, inbrus, liger, perifaunus. *Vide et* **Jolaus**.
Iole cinerea, olivacea, virescens.
Ione thoracicus.
Iontha umbrina.
Ionthodes amabilis.
Iora ceylonica, chloris, familiaris, innotata, lafresnayei, scapularis, tiphia. *Vide et* **Jora**.
Ioropus nipalensis, strigula. *Vide et* **Joropus**.
Iothia ancyloides, fulva.
Iphia glaucippe, leucippe.
Ipliclides agameannon, ajax, antiphates, aristeus, asius, curius, delicaon, diaphorus, macleayanus, meges, podalirius, pompilius, protesilaus, sinon.
Ipliculus spongiosus.
Iphigenia (L.) acuticostata, laevigata.
Iphimedia obesa.
Iphipus roei, rudis.
Ipis (Ar.) astronomicus, ciliatus, geometricus, globulus, hemisphaericus, novem-spinosa, pyrobolus, septemspinosa. *Vide et* **Jphis**.
Ipis (Col.) bicruciatu, glauca, goudoti, insignis, madagascariensis, triocellata.
Ipithion panicea.
Ipithrachelus lar.
Iphia longimanus, serratus.
Ipthinus aereus, crenatostriatus, scrobiculatus.
Ipidia lata, quadrinotata.
Ipimorpha retusa, subtusa.
Ipnodomus figulus.
Ips abbreviata, antheus, anthracina, arcuatus, ater, atomaria, atripennis, bicolor, bimaculata, biplagiata, bipunctata, bipustulatus, boleti, canaliculata, coadunatus, collaris, decemguttata, dejeani, desbassini, dimidiata, dispar, ebenina, fasciatus, furcatus, fuscipennis, fuscus, gemunatus, griseus, guttata, hemiptera, inermis, lineola, multistriatus, nigra, obscurus, obtusa, pallida, piceus, platycephalus, pubescens, punctata, quadrimaculata, quadrimaculosa, quadrinotata, quadri-punctata, quadrisignata, quinquemaculata, rhododactylus, rubripennis, rufescens, rufipes, rufus, sanguinolentus, scaber, scolytus, sepulchralis, sericeus, sexpunctator, sinuata, subterranea, sulcatus, transversalis, undata, unicolor, varius, villosa, vittata.
Ircinia cavernosa, hospitium, rigida, spongiastrum, tenax.
Irena carinata, cyanogastra, puella.
Irenaeus splendidus.
Iresia bescki, bimaculata, binotata, lacordairei, versicolor.
Irichroa vidua.
Iridea granosa.
Iridina arcuata, coelestis, elongata, esula, exotica, mutel, nilotica, oudnaei, ovata, rostrata, rubens, siliquosa, splendida, striata, trapezialis, vetusta, wahlbergi.
Iridosornis ruivertex.
Irochrotus maculiventris.
Iropocus laniger.
Irrisor aterrimus, capensis, caudacutus, coeruleus, cyanomelas, erythrorhynchus, indicus, lamprophos, melanorhyncha, minor, sibilator, unicolor.
Irus crispatus, inaequalis, rugosus.
Isacantha rhinotoides.
Isaea montagui.
Isanthrene chalciope, flavicornis, melas, ustrina.
Isapis agyrtus.

- Isaura* (Coel.) *aster*, *hemprichi*, *savignyi*, *speciosa*.
Isaura (Cr.) *cycladoides*, *dahalacensis*, *limnadia*.
Isaurus *aggregatus*, *clavatus*, *natans*, *savignyi*, *tuberculatus*.
Ischadites *koenigi*.
Ischaena *angustata*, *elongata*, *erythrogaster*.
Ischiogonus *obliteratus*, *zonatus*.
Ischiopachys *azurea*, *bicolor*, *cribripennis*, *cuprea*, *empyrea*, *fulgidipennis*, *laevicollis*, *means*, *proteus*, *tumidicollis*.
Ischius *obscurator*.
Ischnoceros *cancellatus*, *dimidiatus*, *maculipennis*, *microcephalus*, *rusticus*.
Ischnocerus (CoL.) *fasciculatus*, *infuscatus*, *mustellinus*, *nigellus*.
Ischnochelus *bipartitus*, *humeralis*, *minutus*, *parvulus*, *pauperatus*, *sulcatus*, *timidus*, *vittiger*.
Ischnochiton *alatus*, *limaciformis*, *magdaliensis*, *marginatus*, *textilis*.
Ischnodemus *quadratus*.
Ischnodes *cuticornis*, *gracilis*, *sanguinicollis*.
Ischnogaster *fulgipennis*.
Ischnomera *caerulea*, *carinata*, *flavicollis*, *lurida*, *melanura*, *unicolor*, *viridissima*.
Ischnomerus *erythrodera*, *linearis*.
Ischnopoda *chalybea*.
Ischnoptera *lunata*, *gracilis*, *morio*.
Ischnopteris *chlorata*.
Ischnopterix *chlorosata*.
Ischnosceles *gracilis*, *niger*.
Ischnoscelis *hoepfneri*.
Ischnosoma (Col.) *brunneus*, *clavicornis*, *lepidus*, *melanurus*, *punctato-striatus*, *punctus*, *rufescens*, *splendens*, *splendidus*, *tenuis*.
Ischnosoma (P.) *bicirrhosum*.
Ischnostoma *concava*, *cornuta*, *cuspidata*, *luridipennis*, *nasula*, *pica*, *raeuperi*, *sanguinipes*, *spatulipes*.
Ischnotes *cylindraceus*.
Ischnotrachelus *granulicollis*.
Ischnurus *australasiae*, *complanatus*, *melampus*, *ochropus*.
Ischnus *collaris*, *debilis*, *filiformis*, *moestus*, *nigricollis*, *porrectorius*, *pulex*, *rufipes*, *sannio*, *thoracicus*, *truncator*, *unilineatus*.
Ischyja *conspicillatrix*, *manlia*.
Ischydon *brevirostris*, *dufrenoyi*, *johnsoni*, *meriani*.
Ischyodus *gigas*.
Ischypterus *fultus*.
Ischyrocerus *anguipes*, *latipes*.
Ischyrocheles *leachi*.
Ischyropalpus *interamnis*, *perplexus*, *quadriplagiatus*, *sericans*, *trigonocephalus*.
Ischyropsalis *helwigi*, *herbsti*, *kollari*.
Ischyrys *anacoeus*, *angularis*, *angustatus*, *auriculatus*, *bellicosus*, *blandus*, *brasiliensis*, *catenulatus*, *circumscriptus*, *columbianus*, *cyanopterus*, *discipennis*, *distinguendus*, *duponti*, *elegantulus*, *femoralis*, *flavivarsis*, *fraternus*, *frontalis*, *fulvivorsis*, *grammistes*, *graphicus*, *gratiosus*, *hieroglyphicus*, *incertus*, *insignis*, *interruptus*, *jurinei*, *knocki*, *laetus*, *lepidus*, *lineatus*, *macularis*, *maculiventris*, *melanogaster*, *melanopus*, *mexicanus*, *modestus*, *oblongus*, *palliatu*, *patruelis*, *perizonatus*, *proximus*, *quadripunctatus*, *sanguinolentus*, *scaphinotus*, *scriptus*, *semipunctatus*, *semitinctus*, *sexdecimguttatus*, *sicarius*, *subcylindricus*, *tarsalis*, *tetraspilotus*, *variabilis*, *velatus*, *venustus*, *vespertilio*, *zonalis*.
Isea *elongata*.
Isidora *broccii*, *forskali*, *hemprichi*.
Isis *antiqua*, *contorta*, *corallina*, *coralloides*, *encrinula*, *foveolata*, *gracilis*, *melitensis*, *moniliformis*, *nummularia*, *polyacantha*, *reteporacea*, *scillana*, *sicula*, *spiralis*.
Isisina *militensis*.
Ismarus *halidayi*, *ueesi*, *rugulosus*.

- Ismene** albistria, clematella, curvella, helios, mendicella, ocella, oedipoda, ossea, pelusia, pruniella, semifusca, semipurpurella, semitestacella, tetrapodella.
- Ismenia** pectunculus.
- Isocarca** alpina, bajocensis, costata, decussata, globulosa, obesa, speciosa, stotteri, subspirata, supracretacea, textata, transversa.
- Isobates** semisulcatus.
- Isocardia** abrupta, angulata, antiqua, arietina, astartiformis, ataxensis, axiniformis, bajocensis, bicarinata, blumi, brevis, buchi, burdigalensis, campaniensis, carantonensis, carinata, cingulata, concentrica, cor, corculum, cordata, cordiformis, corniani, coriuta, corrugata, costulata, crassa, crassicornis, cretacea, cryptoceras, deperdita, dicerata, dorsata, elea, elegans, elongata, exaltata, excentrica, extensa, fraterna, galiciana, gibbosa, globosa, goldfussiana, granulorugosa, harpa, hemicardium, biberuica, humboldti, incerta, inflata, inversa, lamarcki, lamellosa, laticostata, leporina, lineata, longirostris, lunulata, mandelslohi, markoei, minima, minuta, modiolus, moliana, molkianoides, multicostata, neocomiensis, nitida, nucleus, nuculaeformis, obliqua, oblonga, obovata, orbicularis, orbignyana, ornata, orthocera, ovata, parisiensis, paritschi, parvula, pictaviensis, plana, plicata, praelonga, pumila, pygmaea, pyrenaica, renauxiana, reticulata, rhomboidalis, rimosa, roncana, rostrata, rotundata, rupellensis, semiglabra, senupunctata, semiradiata, semisulcata, similis, striata, subcarinata, subconcentrica, sublunata, subquadrata, subrimosa, subsinuata, subspirata, substriata, sulcata, tanaïs, tener, tenuistriata, tetragona, textata, transversa, triangularis, trigona, truncata, tumida, turgida, unioniformis, valencienni, ventricosa, vetusta, villersensis, vulgaris, wurtembergensis.
- Isocardium** bucardites, corculum, dubium, sulcatum.
- Isocephalus** boga, breviceps, cirrhosus, curmauca, dero, dussumieri, falcata, hamiltoni, mrigala, pausio, plumbea, reba, rubripinnis.
- Isocerus** brunneus, ferrugineus, purpurascens.
- Isocondylus** elongatus.
- Isocrinites** brevidactylus, longidactylus, pendulus, quinquangularis.
- Isocrinus** andreae.
- Isotomesa** emarginata.
- Isocyrtus** collaris, laetus.
- Isodera** villosa.
- Isodermus** planus.
- Isodon** (Col.) australasiae, curtus, laevigatus, laticollis.
- Isodon** (M.) pilorides.
- Isodora** brocki.
- Isodus** leptognathus, sulcatus.
- Isogenus** bicaudata, clio, drymo, frontalis, infuscatus, ligea, microcephalus, nubecula.
- Isognoma** lignea, perna, rigida.
- Isognomon** brevirostre.
- Isognomostoma** personatum.
- Isolus** pilosus.
- Isomalus** apicipennis, bicolor, complanatus, bumilis, interruptus, testaceus.
- Isomerinthus** albolineatus, dives, gibbus, granosus, irroratus, opulentus, scabratus, waltoni.
- Isomys** testicularis.
- Isonotus** castaneus.
- Isonychus** albofasciatus, arbusticola, catharinae, cervinus, cinereus, concolor, crinitus, denudatus, elegans, fasciolatus, fulvescens, fuscescens, fuscipennis, gracilipes, griseus, lineola, lituratus, marmoratus, murinus, obsoletus, ochraceus, ovinus, paganus, pavoni, phlaeopterus, sorcinus, squamifer, sulphureus, suturalis, unicolor, varians, villosus, vittiger.
- Isoodon** musei.
- Isoples** alecto, eson, neoptolemus, theylia.
- Isopleurus** hyperboreus, mac leayi, nitidus, septentrionalis, terrestris.
- Isopteron** australe, opatroides.
- Isora** anceps.

Isorhipis lepaigei.

Isorhynchus pudicus.

Isosceles demissa, macilentus, setulinigra.

Isosoma (Col.) elateroide.

Isosoma (Hym.) angustatum, angustipenne, atrum, attenuatum, breve, brevicorne, brevicorne, brevipenne, breviventre, cornutum, crassicorne, depressum, dissimile, egesta, elongatum, flavicollis, fulvicollis, fumipenne, hordei, hyalipenne, laothoe, lineare, longicorne, longulum, maderae, minor, nepe, olbus, oritis, petiolata, pusillum, ravola, simile, tenuicorne, vacillans, verticillata, volux.

Isotelus affinis, angustifrons, arcuatus, canalis, crassicauda, cyclops, dilatatus, expansus, extenuatus, gigas, intermedius, laeviceps, lichtensteini, megalops, megistos, ovatus, palpebrosus, planus, powisi, rectifrons, stegops, weissi.

Isothrix bistriata, crassicaudus, pachyura, pagurus.

Isotoma annulata, arborea, bifasciata, caerulea, chlorata, cinerea, cursitans, cylindrica, desmaresti, ebriosa, emarginaticollis, foenestrarum, fulvo-maculata, fusca, fusiformis, gervaisi, glacialis, nitida, nivalis, pulex, riparia, rubricauda, spilosoma, stagnorum, tigrina, trifasciata, viatica, villosa, violacea, virescens, viridis.

Ispida bicincta, gigantea, rudis.

Ispidula ispidula.

Issoria anticlia, egista, lathonia.

Issus albiger, algericus, analis, apterus, bicornis, bifasciatus, biforis, bonneti, carinatus, cinereus, coccinelloides, coleopratus, compressus, conspurcatus, coriaceus, cristatus, difformis, dilatatus, discolor, dissimilis, dufouri, ellipticus, flavescens, gibbosus, grylloides, herbaceus, immaculatus, lauri, liliimacula, longipennis, muscarius, nasutus, niger, nodipennis, pectinipennis, pedestris, praeustus, prasinus, punctulatus, rubro-costatus, sanguinipes, servillei, simplex, smyrnensis, spinosus, tendinosus, tomentosus, undatus.

Isticus polyspondylus.

Istieus gracilis, grandis, macrocephalus, microcephalus.

Istiophora flavescens.

Istiophorus (M.) cirrhosus, flavescens, soricinus.

Istiophorus (P.) gladifer.

Istiurus amboinensis, cochinchinensis, lesueurii, physignathus, pustulatus.

Isturgia conspicuaria.

Isurus macrurus, oxyrinchus, spallanzani.

Itame vincularia, wauaria.

Itamus (Col.) castaneus.

Itamus (Dipt.) cyanurus.

Itea macicornis, laevis, mengei, nana, riparia, rosea, vivida.

Iteaphila macquarti, nitidula.

Ithaginis cruentatus, cruentus, gardneri, lunulatus, madagascariensis, northiae.

Ithobalus belus, crassus, erymanthus, hyperion, lycidas, numitor, polydamas, protodamas, xenodamas.

Ithomia abrota, acacallis, acte, aegimia, agna, agnodia, agnosia, alissa, andronisca, anyta, aricia, astraea, atia, atilla, barsene, battis, calchinia, charillo, chloris, cisseis, clanis, clio, clusia, coenina, coeno, comnena, cymo, cymothoe, daeta*, dercetis, diaphana, doto, drymo, epimethes, erinna, eso, eurimedia, euritea, falcidia, flora, hersilia, hippodamia, hyalina, hymenaea, ildica, illice, indola, iphianessa, laphria, laranda, lepriuri, lethaea, melissa, melphis, mylitta, myrse, neis, neobula, neronia, nesis, neso, ninonia, nise, nydia, obscurata, ocalea, olympusa, pania, peroe, phemonoe, pheronis, plancina, polydora, sao, selene, sena, telesto, theodora, tiphysa, tissa, vipsania.

Ithone fusca.

Ithycerus curculionoides.

Ithyporus albescens, albosignum, capensis, cerapterus, fasciatus, inquinatus, labrami, madagascariensis, odiosus, senegalensis.

Ithysia pravaria, zonaria.

Itieria cabaneti.

Itomia lignaris.

- Itonia** lignaris.
Itrium sociale.
Ituna ilione, lamyra, phenarete.
Itys torquatus.
Iulis ascensionis, caudimacula, gibbifrons, rosea, trimaculata, vanikorensis. *Vide et Julius.*
Iulus affinis, albo-lineatus, americanus, annulatus, antipodarum, beaumonti, berardi, bimarginatus, bioculatus, bipulvillatus, botta, boveanus, bungi, canadensis, caudatus, celebensis, chilensis, corallinus, corticalis, curvicaudatus, decaisneus, distinctus, doryanus, erythropareus, eydouxii, fragariarum, fusco-unilineatus, gracilipes, granulatus, gaudichaudi, haitiensis, kochi, lapidarius, leprieuri, leucopus, lucifugus, maculatus, madagascariensis, malabaricus, meridionalis, microsticticus, muscorum, newporti, nigerrimus, nigrolabratus, obtusus, olivaceus, oporothecarum, palmiger, parvipes, philippensis, pilipes, pilosus, plicatus, pulvillatus, punctilabrum, quadricollis, roseus, rubripes, ruficollis, sandvicensis, sayi, seychellarum, simillimus, spinicaudus, stigmatosus, striolatus, sublaevis, sumatrensis, trimarginatus, unciger, vermiformis, verreauxi, vittatus. *Vide et Julius.*
Ixa cylindricus, inermis, megaspis, tuberculata.
Ixalus aurifasciatus, concolor, probaton.
Ixias aenippe, anexibia, bebryce, mariane, pyrene.
Ixobrychus minutus, stellaris.
Ixocincla olivacea, virescens.
Ixodes aegyptius, americanus, annulatus, arenicola, aureolatus, auricularis, aurifer, australasiae, autumnalis, bibroni, bimaculatus, bipunctatus, brunneus, cajeunensis, camelinus, canisuga, caspius, cinctus, cinereolus, columbae, coxalis, crenatus, crenulatus, dugesi, elegans, elephantinus, erinacei, erraticus, exilipes, fabricii, flavidus, flavo-maculatus, fluvipes, forskaeli, frontalis, fuscipes, fusco-lineatus, fuscus, gervaisi, gracilentus, hexagonus, hippopotameus, hispanus, histrio, holsatus, humanus, hydrosauri, iguanae, indus, lacertae, lagotis, leachi, lineatus, linnaei, lipsiensis, lividus, luteus, marginalis, marginatus, marmoratus, megathyreus, mellinus, molestus, nigua, obliquus, obscurus, ophiophilus, orbiculatus, ornithorhynchi, pallens, pallipes, paripictus, pilosus, plumbeus, poortinaui, pulchellus, punctulatus, pygmaeus, reticulatus, rhinocerinus, rhinocerotis, ricinus, rufipes, rufus, sanguineus, sanguisugus, savignyi, scapularis, sciuri, sexpunctatus, sulcatus, sylvaticus, thoracicus, trabeatus, transversalis, trilineatus, tristis, tristriatus, undatus, variabilis, variegatus, vegetans, vespertilioes, vibrans, viperarum, vulgaris, walckenaeri.
Ixodia cyaniventris.
Ixops nipalensis.
Ixos analis, atriceps, aurigaster, azureus, bimaculatus, brunneus, cafer, capensis, chalcocephalus, dispar, emeria, erythrotis, familiaris, finlaysoni, fisquetii, flavescens, flavicollis, flavirictus, gularis, haemorrhous, inornatus, jocosus, leucogenys, leucogrammicus, leucopygius, leucotis, levaillanti, melanocephalus, metallicus, monticola, nigricans, nigripileus, obscurus, orientalis, phaeocephalus, phoenicopterus, plebejus, plumigerus, plumosus, pseudocafer, psidii, pusillus, pygaeus, sinensis, squamatus, tympanistrigus, virescens.
Ixulus flavicollis.
Ixus xanthopygos.
Iynx aequatorialis. *Vide et Jynx et Yunx.*

- Jacamaralcyon** brasiliensis, lugubris, tridactyla.
Jacamaralcyonides leucotis.
Jacamerops boersii, grandis, isidori.
Jacana brasiliensis, chirurgus, nigra, variabilis, viridis.
Jacare fissipes, sclerops.
Jacaretinga moschifer, punctulatus.
Jacchus argentatus, auritus, bicolor, chrysomelas, chrysopygus, grandis, humeralifer,

labiatus, leoninus, leucocephalus, leucomerus, melanurus, midas, oedipus, penicillatus, rosalia, rufimanus, rufiventer, tamarin, ursulus, vulgaris. *Vide et Iacchus.*

Jaculus labradorius.

Jaera (Cr.) baltica, curvicornis, gigantea, kroyeri, longicornis, nivalis, trilobita. *Vide et Iaera.*

Jaera (Lep.) afra, crithea, opis.

Jaeridina nordmanni.

Jalla bidens, custos, dumosa, herriichi.

Jalmenus evagoras, venulius.

Jalodis clouei, fascicularis, hirsuta, hirta, variolaris.

Jamaicia anomalum.

Jamides bochus, ethemon, evippus.

Jaminia alba, annae, bidentata, denticulata, edentula, exigua, granum, heptodonta, heterostropha, hyalina, insculpta, interstincta, longiuscula, marginata, marionae, multidentata, muscorum, niso, oblonga, obtusa, plicata, plicatula, producta, pullus, quinquedens, quinquelamelata, scalaris, secale, seminuda, septemdentata, sulculata, tridens, trimillata, unidentata.

Janassa angulata, arcuatus, dicta, humboldti.

Janeia biarmica, phillipsiana, primaeva.

Janella bitentaculatus, terebellata.

Janerea fimbriata.

Janessa thoracica.

Jania adhaerens, antiqua, bacillaria, caespitosa, compressa, continua, corniculata, crassa, gibbosa, lesueurii, micrarthrodia, pedunculata, pumila, pygmaea, rubens, sagittata, verrucosa.

Janira (Acal.) cucumis, elliptica, hexagona, nordmanni, octoptera, periculosa, quoyi.

Janira (L.) aequicostata, alata, albensis, alpina, atava, carantonensis, cometa, craticula, decemcostata, dentata, deshayesiana, digitalis, dilatata, dufenoyi, dutemplei, fleuriausiana, geinitzi, hispanica, intermedia, laevigata, longicauda, maculosa, makovii, maxima, mortoni, neocomiensis, notabilis, phaseola, podolica, poulsoni, quadrucostata, quinquecostata, royeriana, sexangularis, simbirskensis, striato-costata, substriato-costata, truellei.

Janthina alba, bicolor, bifida, communis, exigua, fragilis, glabrata, globosa, helicoides, incisa, issedon, lutea, ovoidea, patula, penicephala, prolongata, rosea, turrita. *Vide et Ianthina.*

Janus (Ar.) gibberosus, melanocephalus, spinolae.

Janus (Hym.) connectens, femoratus.

Jasia athama, australis.

Jasoniades alexanor, machaon, turnus, xuthus.

Jaspidia celsia, spoliaticula.

Jassa falcata, pelagica. *Vide et Iassa.*

Jassus abdominalis, acutus, albiger, alni, argentatus, assimilis, atomarius, attenuatus, aureolus, brevis, cephalotes, cercus, clitellaria, conspersus, corixoides, cornutus, costatus, crenatus, croceus, crucisignatus, distigma, fenestratus, flavicollis, flavovarius, frenatus, fruticola, fumipennis, fuscinervis, gramineus, gyllenhalii, histrionicus, immitus, impurus, inimicus, interstitialis, intricatus, irroratus, knoblocki, lanio, leucogaster, lituratus, nassatus, nigrutilus, novellus, obliquus, obsoletus, ocellatus, octopunctatus, olitarius, paradoxus, pectoralis, perlatus, pinetellus, populi, prasinus, procerus, proteus, puerpera, puncticeps, puncticollis, punctifrons, quadripunctatus, quadrum, reticulatus, rivularis, rostratus, rubi, sanctus, scurra, scutellatus, seminudus, serratae, sexnotatus, sexpunctatus, signatus, simplex, striatus, strigatus, striolata, subbifasciatus, subfuscus, subrusticus, tenuis, testudinarius, tiliae, tremulae, trifasciatus, varpeimii, varius, venosus, verticis, virescens, vittatus. *Vide et Iassus.*

Jaxea nocturna.

Jeffreysia diaphana, globularis, opalina.

Jerea arborescens, caespitosa, desnoyersi, elongata, excavata, gregaria, pastinaca, tuberosa. *Vide et Ierea.*

Jesites vermicularis.

Jocheaera alni.

- Jodamia* bilinguis, castri.
Jodamus acutipennis.
Jodia croceago, rufago.
Jodis aeruginaria, putataria, vemaria.
Jodopleura laplacei. *Vide et Iodopleura*.
Johnius belengeri, cataleus, cirrhosus, diacanthus, dussumieri, guttatus, hameralis, macrolepidotus, maculatus, niger, pama, regalis, ruber, saxatilis, senegalensis, serratus, thorax, valenciennii.
Johnstonia prolifera.
Jojenia rubrobranchiata.
Jolaus eurusides. *Vide et Iolaus*.
Jonotus reflexus.
Jonthodes formosa.
Joppa acutipennis, alternans, annulata, annulipes, antennata, apicalis, armata, atrata, aurata, auriptennis, australasiae, bispina, caerulea, castanea, cineta, concinna, conica, cyanea, cyanipennis, dimidiata, dorsalis, dorsata, elegans, ephippium, fasciata, fasciipennis, femorata, ferrugator, flavipennis, fuliginosa, lepida, lineola, lutea, marginella, maurator, melanopyga, obscura, ornata, picticollis, polycesta, polychroa, quadri-lineata, rufa, rufiventris, rugosa, scutellata, semi-rufa, spinosa, striata, suturalis, terminalis, thoracica, tricolor, verticalis, viridis, xanthocephala, xanthogaster.
Jora quadricolor, scapularis, tiphia, viridis, viridissima. *Vide et Iora*.
Joropus cyanouropterus, nipalensis, strigula. *Vide et Ioropus*.
Josia auriflamma, fulvia, ligula, megaera.
Jouannetia semicaudata.
Jphis ostrinus. *Vide et Iphis*.
Juida aeneoides, aeneus, albirostris, aurata, australis, bicolor, burchelli, chalcura, chalybea, chloroptera, chrysotis, cyanotis, erythrogaster, erythroptera, ignita, leucogaster, lucida, mauritiana, melanogaster, morio, nabouroup, nitens, ornata, phaenicoptera, ptilonorhynchus, purpuroptera, rufiventris, splendens, superba, tenuirostris.
Julis abhortani, aeruginosus, annularis, annulatus, argus, auricularis, auritus, axillaris, aygula, balteatus, bicatenatus, bifasciatus, bifer, bimaculatus, binotopsis, bivittatus, blochi, boryi, brachion, brasiliensis, caeruleocephalus, caeruleovittatus, calidotus, chloropterus, cingulata, cingulum, commersoni, corbis, coris, crotaphus, cupido, cuvieri, cyanocephalus, cyanogaster, cyanogramma, cyanostigma, decussatus, detersor, dimidiatus, doliata, dorsalis, dringi, duperry, dussumieri, elegans, erythrogaster, erythropterus, exornatus, eydouxii, fasciata, festiva, finlaysoni, flavovittatus, formosus, gainard, garnoti, genivittatus, geoffroy, giofredi, gramineus, greenovii, hardwicki, harloffii, hebraica, hemisphaerium, horsfieldi, hortulana, julis, lamarii, laportei, leschenaulti, lessoni, lineolatus, longipes, lunaris, lutescens, macrolepidotus, maculata, maculipennis, malapteronota, malapterus, margaritaceus, marginatus, matthaei, mediterranea, melanura, melapterus, meleagris, meniscus, mertensi, miles, miniatus, modestus, multicolor, nebulosus, notatus, notophthalmus, notopsis, opalina, ornatus, papilionaceus, pardaleocephalus, patatus, pavo, pavoninus, phekadopleura, pictus, pocila, poecilopterus, porphyrocephala, praetextata, prasiophthalmus, principis, psittaculus, punctulatus, purpureolineatus, purpureus, pyrrhogramma, quadricolor, quinquevittatus, rubecula, rubiginosus, sanctae helenae, scapularis, schwarzi, sebanus, semicoeruleus, semi-decoratus, semi-discus, semifasciatus, semipunctatus, souleyeti, speciosa, squami-marginatus, stellatus, strigiventer, taenianotus, taenioura, theristes, trilobatus, trimaculata, trimaculatus, turcica, umbrostygma, unimaculata, viridis, vulgaris, zeylonicus. *Vide et Iulis*.
Julodis aequinoctialis, aethiopica, albopilosa, algerica, andreae, arabica, auduini, bohemanni, brevicollis, brullei, cafer, cailliaudi, chevrolati, cirrosa, compressicollis, cribripes, cyanipes, cyanitarsis, deasa, distincta, dregeri, echo, ehrenbergi, esau, ethema, euphratica, faldemani, fascicularis, gnaphalon, hirsuta, hirta, hirtiventris, hotten-totta, humeralis, intricata, iris, ivenii, karelini, klugi, koenigi, laevicostata, laportei, lasios, latreillei, lucidicollis, maculata, maculicollis, maculosa, manipularis, mellyi, olivieri, onopordi, onopordinis, ornatipennis, pantherina, peregrinus, picta, pilosa,

proxima, pubescens, punctatocostata, rothi, rotundicollis, rubrohirta, rugosa, setifeensis, spectabilis, speculifer, subcostata, subfascicularis, sulcata, sulcicollis, syriaca, thunbergi, tingitana, tomentosa, variolaris, verreauxi, viridipes, wickhami, zabludskii.

Julus abbreviatus, aimatopodous, aimatopus, albipes, americana borealis, annulatus, apiculatus, araneoides, arborum, bicolor, bilineatus, blainvillei, boleti, bowoasi, bungi, communis, crassicornis, cuhas, dalmaticus, dentosus, dilatatus, dorsalis, erythromelas, erythronotus, exiguus, fasciatus, ferrugineus, festivus, flavipes, foetidissimus, foetidus, fuscipes, gaimardi, hamulosus, idriensis, impressus, incertus, insularum-sechellarum, laetarius, londinensis, longabo, longipes, luridus, marginatus, maximus, melancholicus, minutus, modestus, nemorensis, niger, nigricans, nigripes, nitidus, obtusatus, olfersi, oniscoides, ovatus, oxypygus, parallelus, pensylvanicus, piceus, pinnatus, pulchellus, punctatus, pusillus, roissy, rufifrons, rutilans, seminaeus, serrulatus, similis, stigmatosus, striatus, sublaevis, trilineatus, tuberculosus, unicolor, unilineatus. *Vide et Julus.*

Jumnos roylei, ruckeri.

Junco cinereus, phaeonotus.

Junonia almana, amestris, anacardii, andremiaja, angustina, aonis, archesia, asterie, cacta, ceryne, chorimene, clelia, cloantha, coenia, cytora, epicleria, erigone, eudoxia, galani, genoveva, goudoti, hadeope, hampstediensis, hedonia, iphita, isocratia, jucunda, laomedea, lavinia, lemonias, limnoria, lotis, octavia, ocyale, oenone, orithya, pelarga, pelargis, polynice, rhadama, sabina, sophia, terea, vellida.

Juninia (Dipt.) albomaculata, amethystina, analis, angustiventris, aterrima, aurifacies, bicolor, bosci, brasiliensis, caeruleo nigra, chrysiceps, fulviventris, gagatea, indica, lateralis, laticornis, leucostoma, metallica, nigricalyptata, platicera, rufipalpis, rufiventris, scutellaris, scutellata, smaragdina, surinamensis, testacea, translucens.

Juninia (Hym.) calypitici.

Jynx arborea, punctata, ruficollis, torquata. *Vide et Lynx et Yunx.*

Kakerlac aegyptiacus, americana, brevicollis, flavicollis, fuliginosa, germanicus, insignis, orientalis, pallipalpis, plicipennis, thoracica.

Kaliosysphinga dohrni.

Kallima bisaltidae, cymodoce, eurodoce, horsfieldi, inachis, nacar, paralekta, philarchus, rumia.

Kalophrynus pleurostigma.

Kaloula pulchra.

Kamptoptera fuscescens.

Kamptorhynchus labadora.

Kanguru giganteus.

Kangurus banksianus, bicolor, billardieri, brachyurus, bruni, eugenii, fasciatus, fuliginosus, gaimardi, giganteus, griseo-lanous, labiatus, laniger, murinus, nalabatus, penicillatus, philander, ruficollis, rufogriseus, rufus, ualabatus, veterum.

Kapnea sanguinea.

Katadysas pumilus.

Kateretes somaidia.

Katharina douglasiae, tunicata.

Keilostoma marginatum.

Kelaeno arquata, ferusaci, scutellaris.

Kellia abyssicola, bullata, coarctata, cycladia, deltoidea, dubia, fabagella, ferruginosa, flexuosa, gregaria, mactroides, miliaris, nitida, oblonga, orbicularis, pulchra, pumila, rubra, suborbicularis, transversa, triangula.

Kemas ghoral, hodgsoni, hylocius.

Keneuxia smaragdina.

Kentropyx calcaratus.

Kepon typus.

Keratella quadrata.

- Keratocera** brunipes, fulvicornis, nigra, palustris, stagnicola, trapae, viridescens.
Keratophytes anceps, dubius.
Kerilia jerdoni.
Keris anginosus.
Kerivoula brasiliensis, formosa, gaertneri, griseus, hardwicki, picta, poensis, rufopicta, sykesi, tenuis, trilititoides.
Kerobalana joblotti, mulleri.
Kerodon antiquum, kingi, rupestris, sciurus.
Kerona acarus, charon, cicada, cimex, corona, depauperata, erosa, fimbriata, lanceolata, larvoides, ludio, pectinata, polyporum, rostrata, sannio, truncata.
Keropia crassirostris, striata.
Keroula indica.
Ketengus typus.
Ketupa ceylonensis, javanensis, ketupa, leschenaulti.
Ketupu ceylonensis, flavipes.
Kinixys belliana, castanea, denticulata, erosa, homeana.
Kinosternon amboinense, brevicaudatum, doubledayi, longicaudatum, nigricans, oblongum, pennsylvanicum, scorpoides, shawianum, triporeatus. *Vide et Cino*→.
Kinosternum odoratum.
Kinyxis schoensis.
Kirbya (Dipt.) hiemalis, vernalis.
Kirbya (Hym.) chrysura, tricineta.
Kitta albirostris, buccoides, holosericea, ornatus, speciosus, thalassina, venatorius, virescens.
Kittacincla macrourus, melanoleucia.
Kleidocerys capitatus, caricus, centralis, communis, costalis, crassicornis, magnicornis, pubescens, resedae.
Kleidotoma psiloides, pubescens.
Klepsitromis melolonthae. *Vide et Clepsitromis*.
Kleptes legumen. *Vide et Cleptes*.
Klytia leachi, mandelslohi, ventrosa. *Vide et Clytia*.
Knipolegus comatus, cyaneirostris, lophotes.
Koala subiens.
Kobus adansoni, defassa, ellipsiprymnus, leche, senegalensis.
Kogia breviceps.
Koleoceras balli, pseudo-regularis, pseudo-speciosum.
Kôlga curvirostris, dubia, gibba, laevirostris, quadridens, quindens, septidens, tridens.
Kollaria insignis.
Kolpoda abrupta, aculeata, adaucta, adunca, albida, amorpha, anserina, auriculata, avicularis, bibullata, bifalcata, bilabiata, bipunctata, bivalvis, bombina, calcarata, cigneae, colymbus, constricta, convoluta, cornigera, cosmopolita, cosmopolitana, crenulata, cultrata, cuspidata, dilatata, divaricata, dolabriformis, dupla, dupella, echinata, erosa, exasperata, fasciata, fasciolaris, ficoidea, fimbriata, flammula, gigas, hirudinacea, hirundinoides, incisa, lacrimiformis, lenter, limacina, lobulosa, lunaris, matronalis, monoculus, obtusangula, ocellata, ornata, paonia, passerina, planairiformis, polygona, pullastrum, pyramidalis, rectangula, repanda, ringens, saccata, scutiformis, serrata, serratula, solea, spinifex, subcaudata, substrata, succisa, tabellaris, ternata, torquilla, trapetioides, triangulata, trigona, truncata, variegata, versuta, virescens, zigaena. *Vide et Colpoda*.
Kolus sing sing.
Kondyliostoma lagenula, limacina, patens.
Koninckia fragilis.
Kowala albella, lauta, thoracata.
Krohnus filamentosus.
Krusensterna verrucosa.
Krynckia melanocephala.
Ktinorhynchus strepera.
Kunzea nigriceps.

Kurtus cornutus, macrolepidotus, palpebratus. *Vide et Curtus.*

Kurukuru clementinae, dupetit-thouarsi, mercieri, nebouxii, purpuratus, roseicapilla, samoensis, superbus, swainsoni, taitensis, tenimincii, xanthogaster.

Kyphosus bigibbus.

Kytorhynchus biguttatus, bistriatus, coryphae, flavicornis, karasini, serraticornis.

L— mauricus.

Labasiella varipennis.

Labeo (Hym.) excisus, vitripennis.

Labeo (P.) cephalus, coubie, curchius, cursa, cursis, cyprinus, diplostomus, dussumieri, elegans, erythropterus, esopus, falcifer, fimbriatus, forskalii, gibbosus, hispidus, horie, malacostomus, microlepidotus, niloticus, oblongus, reynauldi, ricnorhynchus, rostratus, rufescens, senegalensis, sparoides, varicorhinus, vulgaris.

Labeobarbus kotschyi, leptocheilus, macrolepis, nedgia, progeneus. *Vide et Labiobarbus.*

Labia minor.

Labicerus elegans.

Labidigaster agilis, algira, forcipata.

Labidognatha caeruleans.

Labidomera germari, suturella.

Labidomyia albipuncta, bipunctata, brunipes, costalis, nemorosa.

Labidostomis armeniacae, axillaris, bipunctata, distinguenda, ghiliani, guerini, hebraea, hispanica, hordei, humeralis, limbata, lineola, longimana, lucida, pilicollis, quadrimaculata, rufo, sibirica, steveni, sulcicollis, taxicornis, tibialis, tridentata, uralensis.

Labidostomus asiaticus, brevipennis, centromaculata, croceopennis, decipiens, meridionalis, notata, pallidipennis, propinqua.

Labidura gigantea.

Labidus burchelli, curtisi, erichsoni, esenbecki, fargreavii, fonscolombi, gravenhorsti, guerini, halidayi, hartigi, hopei, illigeri, jurinei, kirbyi, klugi, latreillei, orbigny, pertyi, romandi, servillei, spinolae, swainsoni, thwaitesi, walkeri, westwoodi.

Labigastera agilis, forcipata.

Labio cingulatus, fagaroides, striolatus, tessellatus, zelandicus.

Labiobarbus lipocheilus. *Vide et Labeobarbus.*

Labium bicolor.

Labocephalus striata.

Labops diopsis.

Labrax agrammus, albidus, decagrammus, hexagrammus, japonicus, lagocephalus, lepidotus, lineatus, lupus, major, monopterygius, mucronatus, multilineatus, nigricans, notatus, octagrammus, pallidus, rufus, schizurus, stelleri, superciliosus, waigensis.

Labrisomus capillatus, delalandei, elegans, geniguttatus, gobio, latipennis, linearis, littoreus, microcirrhis, pectinifer, peruvianus, variolosus.

Labristoma flavivertex, olivacea.

Labroides asellinus*.

Labrophagus esocinus.

Labrus aeruginosus, agassizii, agon, albidus, albovittatus, americanus, aneus, angulosus, annulatus, aper, appendix, arago, argentatus, argus, aristatus, armatus, ascanii, auratus, aureo-maculatus, auritus, axillaris, baccatus, badis, balanus, ballan, ballanus, bergsnyltruus, bicolor, bidens, bilunulatus, bobba, bohar, botryocosmos, brunellus, burgall, caeruleo-vittatus, caeruleus, caliophthalmus, calophthalmus*, calops, capistratus, cappa, capulensis, carinatus, carolinus, carutta, catenula, celidotus, centiquadrus, cettii, chlorocephalus, chlorophthalmus, chogset, chrysostoma, ciavolus, ciliaris, cinerascens, cinereus, cingulum, comber, commersoni, cook, coquus, cornubiensis, coromandelicus, crassus, cruentatus, cupreus, cyanodus, cyanopterus, dario, diana, digramma, doliatus, donovani, donzelli, dubius, enneacanthus, eothinus, ephippium, favrectus, festivus, filamentosus, flavescens, foetidus, formosus, fraenatus, fucicola, fucii, fuliginosus, fulvo-maculatus, furca, furcatus, fusco-vittatus, fuscus, fusiformis, garitius, gayi, gibbosus, gibbus, giofredi, goldsinny, gouani, gouldi,

grunniens, guttulatus, gymnocephalus, hassek, hebraicus, hiatula, hirsutus, hololepidotus, hortulanus, iagonensis, ibbetsoni, imperialis, inscriptus, irideus, jaculatrix, javensis, kasmira, keslik, laevis, lappanoides, lappanus, laticlavus, latovittatus, leo, leopardus, lepisma, leucosticticus, leucurus, limbatus, lineolatus, longirostris, luculentus, lutiolus, luvarus, macrocephalus, macrodontus, macrogaster, macropterus, macrostomus, macrourus, malapteronotus, margariferus, maridola, marmoratus, melanotus, mendosella, mesothorax, microdon, miles, mixtys, mola, nebulosus, nellus, nereus, neustriae, niger, nigrescens, norvegicus, notatus, nubilus, obliquus, octovittatus, oculus, ornatus, ossiphagus, palladus, pallidus, papagalus, parvulus, pentacanthus, perditio, perspicillatus, pictus, pincus, pinnulatus, pirca, pitimoides, pittima, plumieri, poecilopleura, polychrous, polyodon, porcus, prasostictes, psittaculus, punctulatus, purpurescens, pusillus, quadrimlineatus, quadrimaculatus, quindecimaculeatus, rectifrons, reticulatus, rubiginosus, rubrolineatus, rufus, salmoides, sanguineus, saxatilis, saxorum, scrofa, semidiscus, semi-lunatus, semiruber, serpentinus, sexfasciatus, simus, snillus, sparoides, sperga, spilonotus, spinosus, squeteague, syriacus, taeniourus, tancoides, tautoga, tetracanthus, tetraodon, tetricus, thunberg, tífus, trilobatus, undulatus, unicolor, valenciennesi, variabilis, verdolidus, verdutius, verres, versicolor, violaceus, virescens, xantherythrus, zittoides, zittus.

Labyrinthodon bucklandi, fuerstenbergianus, jaegeri, lanarius, leptognathus, ocella, pachygnathus, salamandroides, scutulatus, ventricosus.

Labyrinthus otis, plicatus, quadridentata.

Laccifer lacca.

Laccobius globosus, marshami, minutus, punctatus, sinuatus.

Laccometopus clavicornis, kollari.

Laccophilus adpersus, aquaticus, bicolor, biguttatus, cayennensis, fasciatus, flexuosus, hyalinus, interruptus, irroratus, lineatus, maculosus, marmoreus, mexicanus, minutus, orientalis, ornatus, parvulus, pictus, poeilus, posticus, proximus, punctatus, quadrignatus, quadrivittatus, rivulosus, rufus, testaceus, undatus, variegatus, vyietae.
Vide et Laccophilus.

Laccoproctus acalloides.

Lacerta acanthura, acrolampra, alligator, anguiformis, aquatica, arenaria, arenicola, argulus, argus, arguta, aspera, atra, bilineata, bistriata, boskiana, brevicula, brongniardi, caeruleocephala, capensis, carinata, caudivolvula, chalybea, chersonensis, chloronota, chrysogaster, coccinea, crassa, crateronyx, crocea, crocea*, crotaphomelas, ctenodaetylus, cuvieri, cyanea, cyanescens, decemlineatus, depressa, dubia, dugesi, dumerili, dumetorum, duplisquamata, edwardsiana, elegans, erythrocephala, erythrura, europaea, exigua, fallax, fasciata, fitzingeri, furcifrons, fusca, galeata, galloti, gecko, gracilis, grammica, grandoculis, graphica, guerini, guttata, guttulata, gutturosa, hieroglyphica, hispaniolica, histriata, hyacinthina, ignea, interrupto-lineata, intertexta, jamaicensis, knoxi, laevis, lalandei, lateralis, laurenti, lepida, lepidopus, leschenaulti, leucosticta, litterata, livida, lobata, longicauda, longicaudata, lophura, lugubris, lumbricoides, maculata, maderensis, margaritata, melanura, merremia, microcephala, mollis, monodaetyla, montana, moreotica, muricata, neptunia, nigra, nigro-punctata, nitida, occidua, occitanica, ocellata, oedrya, olivacea, olivieri, oxycephala, pardalis, peloponnesiaca, perfoliata, perspicillata, pipiens, poeciloderma, prasina, praticola, ptychodes, puccina, pulcherrima, pustulata, pyrrhogaster, quinque-lineata, quinquevittata, rhombica, riparia, rubra, rubropunctata, rudis, rufescens, sanguinolenta, savignyi, saxicola, schneideriana, schreibersiana, scutellata, senegalensis, sepium, sericea, serpa, sicula, smaragdina, sparmanniana, squatida, stirpium, strigata, subviolacea, sylvicola, tachydromoides, taeniata, taeniolata, taurica, tessellata, teyou, tiliguerta, tiligugu, tjitja, tristata, undata, undulata, unicolor, variabilis, variegata, viridis, viridissima, viridula, vittata, vivipara, whitii.

Lachenus impunctipennis.

Lachesilla fatidicum.

Lachesis (Ar.) perversa.

Lachesis (G.) mamillata, minima.

Lachesis (R.) aleto, ater, crotalinus, mutus, picta, rhombeata, taeniata.

Lachnabothra hopei.

- Lachnaea* cylindrica, hirta, longipes, macrodactyla, nigrofasciata, palmata, paradoxa, tripunctata, tristigma, variolosa, viciua.
- Lachnaeus* criuius.
- Lachnaia* longipes, puncticollis, tripunctata, variolosa.
- Lachneis* catax.
- Lachnia* parallela, subcineta.
- Lachnogya* squamosus.
- Lachnolaimus* aigula, caninus, cyanodus, dux, gouldi, psittacus, suillus.
- Lachnophorus* bipunctatus, elegantulus, impressus, laevicollis, maculatus, niger, notatus, pallidipennis, pallipes, pilosus, pubescens, rugosus, signatipennis.
- Lachnoptera* iole.
- Lachnopus* acuticollis, aereus, albomaculatus, argus, atramentarius, aulicus, campechianus, canescens, chirographus, chlorophaeus, distortus, granicollis, hispidus, inconditus, memnonius, mercator, mundus, planifrons, plebejus, pollinarius, proteus, pruinosis, splendidus, spretus, villosipes.
- Lachnosterna* anxius, consimilis, fervida, futilis, quercina.
- Lachnus* agilis, fagi, fasciatus, grossus, juglandicola, juglandis, juniperi, lapidarius, padi, pineti, pini, pinicola, platani, pruinosis, punctatus, quercus, roboris.
- Laciniaria* plicata.
- Lacinularia* melicerta, socialis.
- Lacma* peruana, vicunna.
- Lacon* atomarius, brachychaetus, caliginosus, costipennis, crenatus, crenicollis, cribratum, fasciatus, humilis, irroratus, kokeili, murinus, mustelinus, muticus, ovalis, primordialis, terrenus, turbidus, varius, vestitus.
- Lacophilus* bifasciatus, undulatus, variegatus. *Vide et Laccophilus.*
- Lacrimatoria* acus, delphiniformis, epistomium, olor, sagitta, stricta.
- Lacrymaria* gutta, olor, proteus, rugosa, tornatilis, versatilis, viridis.
- Lactarius* delicatulus.
- Lactica* melaleuca.
- Lactistes* rastellus, vericulatus.
- Lactophrys* bicaudalis, camelinus, cornutus, de rhami, quadricornis, trigonus, yalei.
- Lacuna* albella, antiqua, bifasciata, canalis, carinata, cornea, crassior, fasciata, frigida, glacialis, gracilior, labiosa, montacuti, montagui, neritoidea, pallidula, pertusa, puteolus, quadrifasciatus, reticulata, retusa, solidula, striata, sulcata, vincta, vinctus.
- Ladas* keraudreni, planorboides.
- Ladoria* disarmata.
- Ladridius* quadricollis.
- Laelaps* agilis, festinus, hilaris, miris, pachypus.
- Laelia* coenosa.
- Laemactus* auratus, endlicheri, fitzingeri, gracilis, longipes, obtusirostris, undulatus, vautieri, wiegmanni.
- Laemargus* muricatus.
- Laemobothrium* giganteum, hasticeps, lathrobium, laticolle, nigrum.
- Laemophlaeus* dufouri, elongatus, nigricollis, ruipes.
- Laemophloeus* alternans, ater, biguttatus, bimaculatus, brevis, castaneus, clematidis, corticinus, duplicatus, fasciatus, ferrugineus, fractipennis, infuscatus, longicornis, monilis, muticus, pusillus, stepensis, suberis, testaceus.
- Laemosaccus* affaber, australis, chevrolati, germari, plagiatus, pustulatus, quadripustulatus, rufus, silbermanni, subsignatus, trucidatus.
- Laena* caucasica, ferruginea, pinelia, pubella, pulchella, viennensis.
- Laertias* brutus, cresus, cyrus, diomedes, oxynius, pammon, philenor, regulus, ulysses.
- Laesthia* vespertina.
- Laestris* fuscipes, opacus, rugosus.
- Laevicardium* aeolicum, citrinum, europaeum, flavum, oblongum.
- Laeviraja* bramante, macrorhynchus.
- Laevirajia* oxyrhynchus.
- Lafoea* cornuta.
- Lafresnaya* gayi, lafreslayi, saulae.

Lafystius sturionis.

Lagana decagona, lagana, laganum, occitana, orbicularis, ~~oxalis~~, ~~rogena~~, tendilistina.

Laganum attenuatum, bifore, cingulatum, colombianum, *decagonum, depressum, ellipticum, elongatum, latissimum, lesueuri, marginale, marmonti, orbiculare, peroni, petalodes, reflexum, rostratum, stellatum, tenuissimum, tonganense.

Lagurus vernalis.

Lagena (G.) chlorostoma, crassa.

Lagena (Rh.) gracilis, laevis, oblongum, striata, substriata.

Lagenella acuminata, euchlora, repens.

Lagenoderus gnomoides.

Lagenorhynchus acutus, albirostris, asia, clanculus, electra, leucopleurus, thicolea.

Lagenula (Inf.) euchlora.

Lagenula (Rh.) flosculosa, globosa, laevis, marginata, perlucida, reticulata, squamosa, striata, urna.

Lagidium cuvieri, pallipes, peruanum, peruvianum.

Lagoa opercularis.

Lagocephalus pennanti, stellatus.

Lagocheirus araneiformis, incei.

Lagochile aenea, collaris, trigona.

Lagochirus plantaris.

Lagomys alpinus, ater, bodgsoni, meyeri, nipalensis, oeningensis, ogotona, princeps, pusillus, roylei, rufescens, sardus, spelaeus.

Lagonebrax javanicus.

Lagopezus tenuicornis.

Lagopus albus, alpina, americanus, brachydactylus, britannicus, cinereus, ferrugineus, islandorum, lapponicus, leucurus, montanus, muctus, persicus, rupestris, saliceti, scoticus, subalpina, vulgaris.

Lagorchestes albipilis, conspicillatus, fasciatus, hirsutus, leporoides.

Lagostoma nodosa, perlata.

Lagostomus (Col.) australis, caesicollis, circulus, costatus, granulatus, ineptus, paganus, subfasciatus, tuberculatus, turritus, vermiculatus.

Lagostomus (M.) aureus, brasiliensis, chinchilla, laniger, tricbodactylus, viscacha.

Lagothrix canus, cappar, castelnaui, bumboldti, infumatus, olivacea.

Lagotis cuvieri, pallipes.

Lagria adusta, aenea, aerea, affinis, albohirta, anisocera, aureopilosa, basalis, bicolor, brevicollis, brunnea, caeruleus, castanea, clavifera, coeruleo-albus, confusa, exsculpta, fabricii, flexuosa, fulvicollis, fusca, geniculata, grandis, hirta, ionoptera, laeta, lata, longicollis, lurida, melanaria, metallonotus, micans, moesta, morbillosa, nepalensis, nigricollis, nitidula, pallida, pallipes, praeusta, profunda, pruinosa, pulchella, punctatissima, quadrimaculata, resplendens, revestita, rufescens, ruficollis, rugosa, spadicea, striatella, testacea, tristis, unisocera, variabilis, variolosa, vestita, violacea, virescens, viridi-aenea, viridis.

Laguncula elongata, pulchella.

Lagurus migratorius.

Lagynodes rufus.

Lahria erythrura.

Laimodon bidentatus, bifrenatus, dubius, hirsutus, leucomelas, nigrothorax, salti, undatus, unidentatus, vieilloti.

Lairus affinis, marmoratus, sulcatus.

Laiscopus alpinus.

Laius balteatus, bifasciatus, biguttulus, cyaneus, pictus, quadriguttatus, trisignatus, venustus.

Lalage aurea, humeralis, karu, leucomela, orientalis, sykesi, timorensis.

Lalagetes setosus, squamulatus, subfasciatus, variegatus.

Lalaria longitarsis.

Lama arucana, chili-huque, glama, guanaco, huanacus, moromoro, paco, peruviana, vicugna, vulgaris. *Vide et Llama.*

Lambidium oniscus.

Lambis fasciata, flammea, marginata, miniata, obliquata, reticulata.

Lambrus anguillifrons, crenatus, contrarius, crenatus, diacantha, echinatus, harpax, hoplonotus, icaunensis, lamellifrons, lamelliger, longimanus, lupoides, massena, mediterraneus, montgrandis, pelagicus, pisoides, prensor, rapax, segnis, serratus, turiger, validus.

Lamellaria (G.) adansonii, neritoidea, perspicua, plumula, tentaculata.

Lamellaria (Nud.) glacialis, membranacea, nigra, ophione, prodita.

Lamellina aequiangularata, imperfecta, linearis, monadea, quadrata.

Lamellopora infundibularia.

Lamia (Col.) acronii, aculeicornis, aculifera, acuminata, adspersa, adusta, aedilis, aegrota, aenea, aequilatera, aestuans, afer, affinis, ahenea, albella, albisparsa, albo-irrorata, alpha, alternans, amabilis, amoena, angolator, annularis, annulata, annulicornis, antennator, araneiformis, arator, armata, armiger, aspersa, asphodeli, aulica, auriga, aurocincta, axillaris, balteata, bella, belli, hetulina, bicolor, hieuspis, hifidator, bilineata, bimaculata, bipunctata, bispinator, blanda, bohmanni, boisduvali, bouariensis, brevis, brunicornis, caeruleus, calanus, caliginosa, cana, cancriformis, canteriator, capra, carceli, carcharias, cardui, chrysopras, cincta, clavator, comes, compressa, concreta, conspersa, crassa, crassipes, cretifera, critica, crocata, croceocincta, crux, crux nigra, crypta, eucurculionoides, cylindrator, cylindricus, dasycerus, daviesi, decipiens, decorator, dentator, dentifer, dentipes, depressa, diana, dorsalis, downesi, ducalis, elliptica, elongata, eremita, erythrocephala, faceta, farinosa, fasciata, fascicularis, fasciolata, fennica, ferreti, ferruginea, ferruginescens, fistulator, flava, flavimacula, flavipes, flavocincta, fragifera, fronticornis, fusca, fusco-nebulosa, gallo-provincialis, gentilis, gemari, gibba, gibbera, gladiator, glaucina, globifera, globosa, graciosa, granata, granulosa, gratiosa, grisea, guttata, hector, hercules, heteromorpha, hexacantha, hirsuta, holotephra, horridula, horsfieldi, humilis, imperialis, impluviata, inaequalis, inermis, intonsa, irrorata, jaculus, jaspidea, jucunda, lactator, lateritia, lepida, linearis, lineator, lineola, lineolata, liturata, longicollis, longimanus, longipes, ludia, ludicra, lunigera, lunulata, lynx, M nigrum, macula, maculata, maculator, maculatrix, maculifera, maculosa, mamillata, manuelata, marmorata, miliaris, miniata, minuta, mirabilis, modesta, moesta, morhillosa, mucida, multiguttata, mutilata, mutilaria, myops, niveisparsa, nodifera, nodosa, nodulosa, norrisi, nubifer, nubila, obesa, obliqua, obliquator, obscurator, obsoleta, obsoletoguttata, ocellator, oculata, omoplati, orbignyi, ornata, ovalis, palini, papulosa, pardalis, parryi, pello-pencillata, pencillicornis, perlata, perpulchra, petechizans, petrurhiza, picta, pictor, pigra, pilifera, pini, pisto, plumicornis, populnea, porphyrea, porus, praetoria, praeusta, princeps, principalis, pruniosa, pubescens, pulchella, pulchellator, pulchra, pulverulens, pulverulenta, pumilio, punctata, punctatissima, punctulatus, pustulata, quadri-punctata, quadri-aeniator, quattuor-decimguttata, quinque-tuberculata, radiata, roylei, rubra, rugicollis, rugosula, rusticator, saga, sannio, saperdoides, scabra, scabricollis, scalaris, scapularis, scitula, scopifera, scorioides, scrupulosa, sentigera, seniculus, serraticornis, serricornis, setosa, sexguttata, sexnotata, sordida, sparsa, speculifera, spinipes, spinolae, spinosa, stellulata, sterilis, stigma, striata, subfasciata, suturalis, swainsoni, taciturna, targavei, testacea, thomae, tigris, transversa, tredecim-punctata, tremula, tricineta, tridentata, trifasciella, trinodosa, troglodyta, tuberosa, tumulosa, ulcerosa, umbrina, umbrosa, unifasciata, urussvii, V-notata, varicolor, varipes, venditaria, verecunda, vermicularia, vermicularis, verrucata, verrucosa, vicina, vidua, villosa, violacea, virescens, vittigera, vomica, wallichi.

Lamia (P.) cornubicus.

Lamictis carcharias.

Laminopora contorta.

Lamna ackneri, acuminata, acutissima, appendiculata, bronni, carbonaria, caudata, cavideus, complanata, compressa, contortidens, cornubicus, crassidens, cuspidata, denticulata, depressa, dubia, duplex, elegans, elongata, gracilis, hastalis, haueri, hirta, hopei, longidens, mantelli, minima, minuta, monensis, obliqua, pennanti, phillipsi, plana, plicata, plicatella, pygmæa, quadrans, reversa, raphiodon, serrata, sigmoides, speciosa, suhulata, terraenovae, texana, trigonodus, undulata, verticalis, xiphodon.

- Lamnodus* biporcatus, hastatus, panderi, porcatus, sulcatus.
Lampanyctus bonaparti, crocodilus, resplendens.
Lampas (G.) lians.
Lampas (Rh.) trithemus.
Lampetia connectaria, croceago, defoliaria, polymita, progemmaria, prosapiaria.
Lampetis cacica, chalybeata, chloris, coerulea, curvipes, famula, fastigiata, galanensis, monilis, perspicillaris.
Lampetra branchialis, fluviatilis, marina, planeri.
Lampides aratus, archius, baalliston, balliston, boeticus, celerio, helius, nemerius, plato, zethus.
Lampornis amethystinus, antoniae, aurescens, bufoni, caeruleigaster, cyanopectus, domitius, elegans, floresi, mango, margaritaceus, niger, pella, prevosti, rhami, viridis.
Lampra fiubria.
Lampretatus cyrius, habis, salemus, trypherus.
Lampria aenea, auribarbis, claripennis, clavipes, mexicana.
Lamprias chlorocephalus, cyanocephalus, nigratarsis, ruficeps, rufipes.
Lamprius aeneus, aurea, cultridens, cupraea, fulgida, humboldti, latreillei, purpurascens, pygmaea, rutilans, splendens, viridis.
Lamprina micardi, nigricollis, subrugosa, sumptuosa, tasmaniae.
Lamprinus laserrei.
Lampris lauta, luna.
Lamprocera blattina, flavofasciata, flavoquadrata, grandis.
Lamprocolius aeneus, auratus, chloropterus, chrysogaster, chrysotis, corusca, cyanogenys, cyanotis, ignita, melanogaster, morio, nabouroup, nitens, phaenicopterus, ptilo-rhynchus, splendens, superba.
Lamprodoma olivella, volutella.
Lamprodon primigenius.
Lamprogaster bicolor, flavipennis, maculipennis.
Lamproglena hemprichi, lichiae, pulchella.
Lamprolepis smaragdina.
Lamprometopia caffa.
Lampromiya funebris.
Lampromorpha amethystina, chalcopepla.
Lampromya funebris.
Lampromyia canariensis, pallida.
Lampronessa galericulata, sponsa.
Lampronia amnanella, amoenella, atrella, auropurpurella, bistrigella, calthella, capitella, concinnella, corticella, flavipunctella, formosella, helwigella, luzella, marginepunctella, melanella, praelatella, purpurella, rubroaurella, rupella, sanguinella, semipurpurella, seppella, subpurpurella.
Lampronota accusator, agnata, bellator, catenator, crenicornis, cylindrator, denticornis, fracticornis, hortorum, impressor, maculator, murina, pectoralis, perspicillator, segmentator, setosus, suborbitalis, sulphurifera, verberans.
Lampropeltis getulus.
Lamprophis aurora, rufulus.
Lampropholis guichenoti.
Lamprophonus musicus, pilaris, turdus, variegatus, viscivorus.
Lampropsar dives, guianensis.
Lamproptera capra, capreolus, muscaria, pygmaea, scutellata, vacca.
Lampropteryx badiata, piceata, suffumata.
Lamproptila grandis.
Lampropus latitarsis.
Lampros ambiguellus, bracteella, capitella, christiannella, chrysozonella, denisella, faganella, lobella, majorella, monastricella, similella, snlphurella, turbatella, westermannella.
Lamproscapha elongata, ensiformis, pygmaea, siliquosum.
Lamprosema lunulalis.
Lamprosia amatrix, electa, pacta.

Lamprosilus *genius*.

Lamprosoma *aenennu*, *aenigmaticum*, *amabile*, *amethystinum*, *annectens*, *approximans*, *auriceps*, *aurichalceum*, *auricollis*, *aurosum*, *azureum*, *benignum*, *bicolor*, *cavifrons*, *cavisternum*, *cerasinus*, *chameleon*, *chrysocyaneum*, *chrysogaster*, *chrysomelinum*, *chrysonotum*, *chrysopygium*, *chrysosoma*, *coeruleum*, *concolor*, *consimile*, *contractum*, *cornuta*, *coruseum*, *cupricolle*, *cyanea*, *cyaneum*, *dichroum*, *dives*, *dorsale*, *elegans*, *festivum*, *fornicatum*, *fulgida*, *gemmans*, *gibbosum*, *gratum*, *ignicaudatum*, *ignita*, *ignitum*, *insigne*, *janthinum*, *laticolle*, *lepidum*, *longifrons*, *marginicolle*, *nitidum*, *oblongum*, *obscurum*, *olivaceum*, *omoplatum*, *opaca*, *opulentum*, *pediculus*, *phyllochroum*, *prasinum*, *pretiosum*, *punctatum*, *puncticeps*, *purpurea*, *refulgens*, *satrapa*, *sciutillans*, *semiopaenum*, *seraphicum*, *smaragdinum*, *speciosum*, *sphaeroideum*, *splendidum*, *sulcifrons*, *testudineum*, *triste*, *tristis*, *trochilus*, *unicolor*, *uva*, *vagans*, *viride*, *viridipes*, *vittigerum*.

Lamprosticta *culta*.

Lamprostoma *maculata*.

Lamprotatus *acarnas*, *acilius*, *aeneus*, *alcander*, *amulius*, *annularis*, *antennatus*, *apicalis*, *babilus*, *bato*, *bisaltis*, *bolgius*, *brevis*, *brises*, *caecina*, *chrysochlorus*, *ciron*, *cleta*, *contiguus*, *convexus*, *coretas*, *costalis*, *cyaneus*, *damia*, *diaeus*, *dioxippe*, *dissimilis*, *elegans*, *eleus*, *femoratus*, *filicornis*, *fuscipennis*, *fuscipes*, *gibbus*, *hages*, *hecataeus*, *helenos*, *hortensis*, *icelos*, *labaris*, *lesches*, *leucon*, *linearis*, *lucidus*, *maculatus*, *maculipes*, *mallius*, *mazoeus*, *methymna*, *myeon*, *naevolus*, *natta*, *nelo*, *nicon*, *nitidipes*, *notatus*, *numitus*, *obscuripennis*, *obscurus*, *oebares*, *orobia*, *ovatus*, *philochortoides*, *phlegias*, *phylander*, *pycnos*, *rubrius*, *rufipes*, *scaea*, *scoticus*, *semiauratus*, *splendens*, *tarsalis*, *thera*, *tristis*, *tubero*, *tumidus*, *venilia*, *viridis*, *zipoetes*.

Lamprotes (A.) *albo cristata*, *loricatus*, *rubrigularis*, *ruficollis*, *viridis*.

Lamprotes (Hym.) *tauriformis*.

Lamprothornis *corvina*.

Lamprotila *platyrhyncha*.

Lamprotornis *aenea*, *affinis*, *albirostris*, *albiventris*, *atrata*, *atrusca*, *auratus*, *bicolor*, *brevirostris*, *burchelli*, *cantor*, *capensis*, *chalcura*, *chalybaeus*, *chloropterus*, *chrysogaster*, *chrysonotus*, *chrysotis*, *columbianus*, *columbinus*, *corvina*, *cyanotis*, *dominicanus*, *erythrophris*, *fulvipennis*, *fusca*, *gularis*, *ignita*, *leucogaster*, *longicauda*, *lucida*, *mauritanicus*, *mauritanus*, *melanogaster*, *metallicus*, *morio*, *nigroviridis*, *nitens*, *obscurus*, *ornatus*, *philippensis*, *phoenicopterus*, *porphyroplevion*, *ptilonorhynchus*, *purpuroptera*, *pyrrhogenys*, *rabouroup*, *rufiventris*, *spilopterus*, *splendens*, *splendidus*, *spreo*, *superbus*, *tenuirostris*, *vigorsi*, *violaceus*, *zelandicus*.

Lampselis *rosea*.

Lampsilis *argyratus*, *cardium*, *diploclerema*, *fasciola*, *fulgens*, *ovata*, *pallida*, *rosea*, *vittata*.

Lampugus *fasciculatus*, *immaculatus*, *neapolitanus*, *pelagicus*, *punctulatus*, *siculus*.

Lampusia *pillaris*, *tritonis*.

Lampyris *affinis*, *albicollis*, *albi-latera*, *albomaculata*, *albo-marginata*, *analis*, *angulata*, *angustilimba*, *antica*, *antiqua*, *apicalis*, *appendiculata*, *arcuata*, *atrata*, *auricollis*, *australis*, *autumnalis*, *bardeli*, *bicolor*, *bifaria*, *biguttata*, *bimaculata*, *bisignata*, *borealis*, *bremeri*, *caiennensis*, *capicola*, *carnea*, *centrata*, *cincta*, *circumdata*, *compressicornis*, *concolor*, *concoloripennis*, *conspicua*, *corrusca*, *cosyphina*, *crassicornis*, *cribricollis*, *decemmaculata*, *decipiens*, *denticornis*, *deplanata*, *depressicornis*, *diaphana*, *dilatata*, *dimidiata*, *discicollis*, *discoidea*, *dorsalis*, *erythrocephala*, *exigua*, *farinesi*, *femorata*, *fenestralis*, *fenestrata*, *festiva*, *filicornis*, *flavesces*, *flavicollis*, *flavifrons*, *fuliginosus*, *fulvipes*, *fusca*, *fusca*, *fuscipennis*, *germanica*, *germari*, *gracilis*, *guttata*, *guttula*, *guyanensis*, *haemorrhoidalis*, *hectica*, *helvola*, *hyalinomarginata*, *icterica*, *illigeri*, *illyrica*, *inaequalis*, *incerta*, *infusca*, *intermedia*, *klugi*, *lacordairei*, *laeta*, *lamellicornis*, *laportei*, *lateralis*, *laticornis*, *latreillei*, *leucopsis*, *libani*, *limbata*, *linearis*, *lineata*, *lineola*, *lucifera*, *luna*, *lunifera*, *lunulata*, *lusitanica*, *maculosa*, *madagascariensis*, *marginella*, *marginipennis*, *maxima*, *mehadiensis*, *mingrelia*, *minor*, *mixta*, *moesta*, *morio*, *mulsanti*, *nepalensis*, *nigra*, *nigricans*, *oblonga*, *obsoleta*, *orientalis*, *ornaticollis*, *ovalis*, *ovata*, *pallidicollis*, *pallipes*, *panzeri*, *parallela*, *parva*, *pedemontana*, *pellucida*, *pennata*, *pennicornis*, *phyllocera*, *plagiata*, *planicornis*, *plumbicornis*, *praesta*, *pubescens*, *pyrostigma*, *quadratifera*, *quadrinaculata*, *quadrisingnata*,

reticulata, rosata, roseicollis, roseimaculata, ruficollis, rufomarginatus, savignyi, scintillans, scutellaris, seneki, serraticornis, sibirica, signata, signaticollis, signifera, sobrina, splendidissima, striata, submarginata, surinamensis, suturalis, sylvatica, telephorina, terminata, thoracica, tibialis, trilineata, tristis, truncata, uliginosa, variegata, vicina, virescens, vitellin thorax, vittigera, zenkeri.

Lamyris bohemani.

Lanaria cannabina.

Lanarius barbarus.

Lanceola (Cr.) pelagica.

Lanceola (Verm.) paretii.

Langaya nasuta.

Langelandia anophthalma.

Langsdorfia francki.

Languria africana, basalis, bicolor, brevicollis, chrysoptera, collaris, cyanea, dimidiata, elongata, filiformis, gracilis, indica, inornata, latipes, lineata, longicornis, morio, nana, nepalensis, nigrina, nigripeunis, orientalis, parvula, potatoria, puncticollis, pyramidata, ruficollis, sanguinicollis, scapularis, simplicicollis, splendens, testacea, thoracica, trifasciata, tripunctata, ventralis, verticalis.

Laniagra guyanensis.

Laniarius affinis, albicollis, atrococcineus, bachakiri, barbarus, bicolor, boulboul, cruentatus, cruentus, cubla, erythrogaster, gambensis, gutturalis, hypopyrrhus, icterus, leucorhynchus, leucotis, madagascariensis, major, multicolor, mystaceus, olivaceus, orientalis, peli, rubigaster, rubiginosus, rubrigaster, silens, similis, superciliosus, viridis, zeylonus.

Lanicterus icteroides, labrosus, lobatus, swainsoni, xanthornoides.

Laniellus biarmicus, leucogrammicus.

Laniisoma arcuatum.

Lanio atricapillus, aurantius, cristatus, luctuosus, versicolor.

Laniocera sanguinaria.

Laniogerus elforti, elfortianus.

Lanioturdus torquatus.

Lanistes (G.) guineaica, intorta, nilotica, oliveri, ovum, purpurea, subcarinata.

Lanistes (L.) obtusus, rugosus.

Lanistina discors.

Lanius acuticaudatus, aethiopicus, afer, agilis, albonotatus, algeriensis, arcuatus, ardosiacus, atro coccineus, aurantiacus, aurantius, bachakiri, barbarus, bentet, bimaculatus, borealis, bouhou, brachyurus, bres, brubru, bucephalus, burra, caesius, cafer, caniceps, capensis, carolinensis, carolinus, chinensis, chloris, cinclus, cissoides, collaroides, collurioides, collyrius, coronatus, corticinus, corvinus, crassirostris, cristatus, cruentus, cubla, cucullatus, diana, divaricatus, domicella, dominicensis, drongo, dubius, dumetorum, durus, elegans, erythrogaster, erythronotus, erythropterus, esculentus, excubitor, excubitorides, eximius, fasciolatus, feldegg, ferox, ferrugiceps, fignab, fiscus, flavigaster, flavus, frenatus, frontalis, frontatus, funebris, fuscatus, galericulatus, gambensis, gambieranus, geoffroyi, glandarius, gnatho, gonolek, gracilis, griseus, guianensis, gularis, gutturalis, gutturalis, hardwicki, humeralis, hypoleucos, icterus, importunus, indus, inquisitor, insidiator, isabellinus, javanensis, jeracopis, karu, kirhocephalus, lahora, leucometopon, leucopogon, lictor, lineatus, longipennis, luctuosus, lugubris, macrourus, macularius, magnirostris, major, margaritaceus, maximus, medius, melanoleucus, melanotis, melas, meleager, mellivorus, meridionalis, mindanensis, mitratus, muscipoides, musicus, mystaceus, niger, nigriceps, nigrifrons, nipalensis, nubicus, nyctemerus, oliva, olivaceus, olivascens, orientalis, ornatus, palliatus, pendens, perrini, personatus, picus, pileatus, pinetorum, plumatus, poliocephalus, prasinus, princeps, procerus, punctatus, pyrrhonotus, quadricolor, robustus, roseogularis, rubiginosus, ruficeps, ruficollis, rutilans, rutilis, saturninus, sularis, scalaris, scapulatus, senegalensis, severus, signatus, silens, smithi, sordidus, stagurus, striatus, striga, strigatus, strigosus, subcoronatus, sulfureopectus, superbus, superciliaris, superciliosus, taciturnus, tchagra, tenuirostris, tephronotus, tigrinus, torquatus, tricolor, undulatus, validus, variolosus, vigil, violaceus, virgatus, vittatus, vulpinus, weebong, xanthogaster, zeylonicus, zeylonus.

Laodicea crucigera.

Laogona hypopocla, hypsefis.

Laomedea antipathes, articulata, calycina, dichotoma, elegans, Flemingi, fruticosa, gelatinosa, geniculata, gracilis, lairri, muricata, obliqua, reptans, sauvagei, simplex, spinosa, variabilis, viridis.

Laomedea astacina.

Laothoe ocellata, populi, quercus, tiliæ.

Laparocerus canarieusis, uorio, piceus.

Laparus alticeps.

Lapenus curtus, hardwicki, toreatus.

Laphria aëatus, aëuea, affinis, albibarbis, albrunaculata, albitibialis, albolineata, alcanor, alebas, alternans, amandus, amaracus, analis, annulata, antæa, anthrax, antica, appendiculata, atra, aureus, auribarbis, aurifacies, aurifera, barbipes, bengalensis, bicolor, bomboïdes, breoni, brevicornis, brevipennis, caeruleus, cajennensis, calida, chryscephala, chrysocosmia, cincta, clausicella, clavipes, coarctata, colorata, contusa, crassipes, croceiventris, cyanea, cyaneogaster, dasypus, dentipes, dichroa, dimidiata, dioctraeforui, dives, dizonias, dorei, dorsata, dymes, echemon, ehippium, erythrogaster, erythropygæ, erythrura, fasciata, fascipennis, femorata, fimbriata, flavescens, flavicincta, flavicollis, flavifacies, flavifemorata, flavipennis, flavipes, flavipila, flavus, fulgida, fulva, fulvicauda, fulviceps, fulvithorax, geniculata, georgina, gibbosus, gigas, gilvus, glabrata, glauca, gracilis, haemorrhœa, heteronevra, hirsuta, hirticornis, hirtipes, ignea, javana, labiata, lanigera, lapponica, lasipes, lateralis, latere-punctata, leptogastra, leucocephala, leucoprocta, leucospila, limbata, lineata, longicornis, luctuosa, lutea, luteipennis, macilentia, macquarti, macrocera, maculipennis, marginatus, maroccana, megacera, melanogaster, melanopogon, melanoptera, melanura, mellipes, mesoxantha, minuta, nigra, nigripennis, nitidula, niveifacies, notabilis, obfusca, ornata, ornatipennis, pallidipennis, pedemontana, pilipes, pleuritica, podagrica, postica, posticata, præpotens, proboscidea, puella, pusilla, pygmaea, pyrrhaera, pyrrhopygæ, reuwardti, reticulata, robusta, rubriventris, rubibarbis, rubicauda, rubifemorata, rubipennis, rubipes, sacrator, sadales, saffrana, saniosa, scapularis, scoræa, scutellaris, scutellata, senouera, sericea, serripes, shalumus, spectabilis, spinipes, splendissima, submetallica, taphius, tectamus, telecles, tergissæ, testacea, thoracica, tibialis, tidius, tolnides, tridentata, ufens, undulata, varipes, venezuelensis, viduata, violaceus, vulcanus, vulpiua, xanthocnema, xanthoptera, xanthopus, xylocopiformis.

Laphystia sabulicola.

Laplisis viridis.

Laplysia alba, camelus, punctata, viridis.

Lappida proboscidea.

Lapton femoralis.

Lara jurinei.

Larella piscis.

Larentia absinthiata, abstersata, albulata, alienata, angulata, annexata, annosata, aquata, arcæuthata, austerata, bilineata, bipunctaria, bistrigaria, boreata, brulleata, brullei, brumata, caesiaria, caesiata, caliginata, calligraphata, capitaria, capitata, cassiata, cauchiata, centaureata, certata, cervinaria, chenopodiata, collata, confixaria, consignata, conterminata, coraciata, corollaria, coronata, culmaria, cuprearia, cupreata, cyanata, cydoniata, debiliata, debilitata, decolorata, decrepitata, denotata, denticulata, dilutata, dimidiata, disparata, dissimilata, dubitata, elutata, ericeata, exigua, exoletata, exoletaria, ferraria, ferrata, filigrammaria, flavicinctata, frustata, gemmaria, genmata, graphata, hospitata, immundata, impluviata, improbata, impurata, incultaria, innotata, intricata, intrusata, inturbata, irriguata, isogramminata, lariciata, ligaminata, liguata, ligustigata, linariata, lucrata, melanoparia, mensuraria, minutata, modicata, mollicularia, molluginata, montivagata, multistrigaria, muscosata, nanata, nebulata, neglectata, obsoletata, oxycedrata, oxydata, paludata, phoeniceata, pimpinellata, plagiata, podexinaria, polata, polygrammata, prolongata, psittacata, pusillata, pygmaea, quæreudaria, radiata, rectangularata, residuata, rhamnata, riguata, rupestraria, rupestrata, sabaudiata, satyrata, scabiosata, scopariata, scrip-

turata, sericeata, sertata, simpliciata, sinuosaria, sobrinata, sororiata, sparsata, spissilineata, strobilata, subaerata, subnotata, subumbrata, succenturiata, sylvata, taeniolata, tamarisciata, tarsata, temperata, tempestivata, tenuiata, thulearia, tophaceata, tritomata, undata, undulata, valerianata, venosata, vetulata, viretata, viridulata, vitalbata.

Largus bicolor, cinctus, fasciatus, globicollis, humilis, incisus, interruptus, lineola, lunulatus, marginellus, pallidicornis, sexguttatus.

Laria abietis, anastomosis, anchoreta, antiqua, auriflua, begga, caenosa, candida, chrysorrhoea, coryli, curtula, detrita, dispar, fascelina, gonostigma, monacha, morio, nivosa, pubibunda, pudibunda, reclusa, rossi, rubea, selenitica, Vsnigrum.

Laricobius erichsoni.

Larimus auritus, breviceps.

Larinus acanthiae, adpersus, afer, albarius, albicans, bardes, bardus, bicolor, biguttatus, bombycinus, brevis, buccinator, byrrhinus, canescens, cardopati, cardui, carinifer, carinirostris, carlinae, carthami, centaurii, chevrolati, cirsii, conspersus, costirostris, criniger, crinitus, cuniculus, cynarae, ferrugatus, flavescens, foveicollis, genei, glabrirostris, glaucus, granicollis, gravidus, grisescens, guttifer, hedenborgi, hercyniae, hirtus, hispanicus, hololeucus, idoneus, immitis, impressus, inquinatus, jaceae, lineatocollis, lineatus, longirostris, lynx, maculatus, maculosus, maurus, minutus, modestus, morio, mucoreus, murinus, nanus, nubeculosus, obtusus, ocelliger, ochreateus, odontalgicus, onopordinis, ornatus, pilosus, planus, pollinis, reconditus, roreus, ruber, rugicollis, rusticanus, scabrirostris, scolymi, scrobicollis, senilis, sibiricus, sculus, squalidus, stellaris, sturnus, subcostatus, sulphuratus, sulphurifer, syriacus, teretirostris, tinidus, tubicenus, turbinatus, unguatus, ursus, villosus, virescens, vitellinus, vulpes.

Lariosaurus balsami.

Larissa clarkiata, imbutata, petrata, plagiata, praeformata.

Laroides americanus, argentaceus, argentatoides, argentatus, argenteus, canescens, canus, fuscus, glaucoides, harengorum, leucopterus, major, melanotos, minor, procellosus, rissa, subleucopterus, tridactylus.

Laropis anglica.

Larra abdominalis, analis, anathema, annulata, antennata, apicalis, argentata, atrata, aurata, aurentula, bicolor, bizonata, citrina, continua, dichroa, dimidiata, distinguenda, dubia, etrusca, extrema, flavipes, fuliginosa, gibba, infusata, jokischiana, lepida, lunata, micans, nigra, pectinipes, pensylvanica, picta, pinguis, pompiliformis, pubescens, quinquemaculata, ruficornis, sex-maculata, sphegiformis, spinosa, spuria, succinea, syriaca, tarsata, tenella, tricolor, tumida, unicolor, zonata.

Lars empedoclaris, leilaria, sambucaria.

Larunda orithearia.

Larus albigennis, albus, antipodus, arcticus, argentatoides, argentatus, argenteus, audouini, bathyrhynchus, belcheri, bonapartei, brachyrhynchus, brachytarsus, bridgesi, brunnecephalus, cachinnans, canescens, canus*, capistratus, ceti, cinereus, cirrocephalus, crassirostris, cuspidatus, cyanorhynchus, delawarensis, dominicanus, eburneus*, erythrorhynchus, fabricii, flavipes, forcipata, franklini, frontalis, fuliginosus, furcatus, gavia, gelastes, genei, georgii, glacialis, glaucodes, glaucopterus, glaucus*, griseus, haematorhynchus, hutchinsi, hybernus, islandicus, jacksoni, jamesoni, leucetes, leucomelas, leucophthalmus, leucopterus, maculipennis, maximus, medius, melanocephalus, melanopterus, melanorhynchus, melanurus, minor, minutus, modestus, molke, muelleri, nigrotis, novae hollandiae, occidentalis, orbigny, pacificus, parasiticus, patraudei, pipixcan, plumbiceps, poiocephalus, priscus, procellosus, pulocondar, rossi, sabini, scopulinus, scoresbyi, serranus, subcaeruleus, subleucopterus, tenuirostris, tetradactylus, toliapicus, torquatus, zonorhynchus.

Larva histrio.

Larvaria encrinula, fragilis, limbata, reticulata.

Larvivora brunnea, cruralis, cyana, cyanea, homochroa.

Laryngodus australiae.

Lasaea rubra.

Lasia (Col.) auricoma, colchica, corvina, flavitarsis, globosa, impunctata, meridionalis, ocelligera, rufipes.

Lasia (Dipt.) amethystina, splendens.

Lasiocala fulvoshirta.

Lasiocampa bibula, callunae, capensis, castrensis, catax, crataegi, dumeti, franconica, geographica, guerini, hirta, ilicifolia, lanestris, lobulina, medicaginis, neustria, otus, pini, potatoria, proboscidea, pruni, quercifolium, quercus, rimicola, roboris, rubi, strigina, taraxaci, trifolii.

Lasiocera gracilis, nitidula, orientalis.

Lasiodactylus brunneus.

Lasiodera erichsoni, kirbyi.

Lasioderma squalidum, testacea.

Lasiodora klugi, reichei, rosea, ursina, versicolor.

Lasioglossum tricingulum.

Lasiommata achanta, aegeria, banksia, clymenus, dejanira, maera, megaera, merope, roxalana, singa, tigelius, xiphia.

Lasionota quadrifasciata.

Lasiopa peleteria.

Lasiopalpus flavitarsis.

Lasiops apicalis, cunctans, hirticeps, occulta.

Lasiopsis henningsi.

Lasioptera albipennis, annulata, argentata, argyrosticta, auricincta, berberina, cerris, chrysanthemi, eryngii, fusca, juniperina, minuta, obfuscata, obtusa, parva, picta, pulchra, pusilla, stygia, ventralis.

Lasiopteryx confinis, elegantissima, inops, obfuscata, pusilla.

Lasiophticus gemellarii, pyrastri.

Lasiopus cilipes.

Lasiopyga ecaudata, ecaudis, naemeus, nemaea, nictitans, sifac.

Lasiostola heterogena, hirta, minima, pubescens, variolaris.

Lasiostoma fulvum.

Lasiurus pruinosus, rufus.

Lasius (Col.) nobilis.

Lasius (Hym.) acervorum, aestivalis, albipennis, albiventris, antennata, bicincta, bimaculata, cingulata, circulata, conicus, cornuta, difformis, dumetorum, emarginatus, exulans, furcata, hirtipes, hispanica, lanipes, leporina, longicornis, melanocephalus, niger, pallipes, parietina, quadrimaculata, rotundata, saccharivorus, salviae, sericeus, versicolor, virescens, vulpina.

Lasmigona ponderosa, rugosa, sulcata, viridis.

Lasmocyathus aranea.

Lasmogyra occitanica.

Lasmonos fragilis.

Lasmophyllia corniculum, dichotoma, dilatata, dispar, moreausiaca, pateriforme, patula, radisensis, retorta, subcylindrica, subexcavata, subtruncata, truncata, venustum.

Lasmosmia bajocina, gracilis, icaunensis, lobata, meandra.

Laspeyresia cinerana, corollana, stagnana.

Laspeyria flexula.

Lastena digonota, lata, obiensis.

Latagia aesculi.

Latax lataxina, marina, mollis, stelleri.

Latepora alba.

Lateranus burmeisteri.

Latericia globosa.

Lates calcarifer, gibbus, gracilis, heptadactylus, macrurus, niloticus, nobilis, notaeus, partschi, pusillus.

Lathamus azureus, concinnus, discolor, pusillus, rubrifrons, sparmani.

Lathiphronus cupreus.

Lathira granulata, puschi.

Lathria cinerea.

Lathridius alternans, anatolicus, angulatus, anthracinus, assimilis, attenuatus, brasiliensis, carbonarius, carinulatus, caucasicus, clathratus, collaris, concinnus, consimilis,

dubius, foveola, gemellatus, incisus, lapponum, limbatus, mannerheimi, monticola, nanulus, nervosus, parallelocolis, parallelus, planatus, reflexus, ruficollis, rugipennis, scitus, tantillus, testaceus, umbilicatus, variolosus, volgensis.

Lathrimaëum atrocephalum, canaliculatum, fuscum, luteum, melanocephalum, sordidum.

Lathrinus rostratus.

Lathrium convexicolle.

Lathrobium agile, albipes, alpestre, anale, angustatum, angusticolle, armatum, atriceps, axillare, badius, bicolor, biguttulum, bi-punctatum, brevicorne, brunneum, brunripes, caffer, castaneipenne, castaneum, cephalotes, chalcodactylus, cinctum, collare, concolor, confluentum, cordatum*, crassicorne, dentatum, depressum, dilutum, dimidiatum, discolor, dividiuum, dubium, elongatum, erythrocephalum, ferrugineum, filiforme, flavipes, foveolum, fracticorne, fulvipenne, fulvipes, fulvum, furcaticornis, fuscum, gracile, gravenhorsti, haemorrhoidalis, humile, impressum, labile, laevigatum, laevipenne, latipes, lineare, longicorne, longiusculum, longulum, lusitanicum, mega-cephalum, millepunctatum, minimum, minutum, multipunctatum, multipunctum, nanum, nigriceps, nigrum, nitidum, obsoletum, ochraceum, pallidum, pallipes, pectorale, picipes, pilosum, planicolle, politum, pumilum, punctato-striatum, punctatum, puncticolle, punctulatum, pusillum, quadratum, rufescens, ruficorne, rufipenne, rufipes, rufiventre, scabricolle, scutellare, senegalense, simile, similipenne, spadiceum, sphaericolle, stilicinum, striatopunctatum, striatum, terminatum, testaceum, zimmermanni.

Lathropus sepicola.

Latia neritoides.

Latiaxis mawae.

Latilus argentatus, chrysops, doliatus, jugularis, princeps.

Latipalpis acuminata, alni, aulimbata, berolinensis, bioculata, conspersa, corrosa, cuprea, decaisnei, festiva, galamensis, lugubris, oenea, pisana, praestans, rutilans.

Latirus aurantiacum, lineatus, nussatellus, polygonus.

Latona albifrons.

Latomeandra alpina, ataceana, corrugata, edwardsi, plicata, ramosa, raulini, soem-meringi.

Latometus pubescens.

Latomus lapicida.

Latona (Col.) erichsoni, spinolae.

Latona (Cr.) setifera.

Latona (L.) variabilis.

Latonix seyfriedi.

Latreillia (Cr.) elegans, phalangium, valida.

Latreillia (Dipt.) albifrons, bifasciata, campestris, cuculliae, hirta, lalandei, minor, silvestris, testacea, unifasciata.

Latridium impressum, minutum, transversa.

Latridius acuminatus, angustatus, angusticollis, antipodum, bidentatus, brunneus, carinatus, coarctatus, constrictus, cordaticollis, cordicollis, costatus, crassicornis, crenulatus, dentatus, denticulatus, depressus, distinguendus, elegans, elevatus, elongatus, exaratus, exilis, fenestralis, fenestratus, ferrugatus, ferrugineus, filiformis, filum, formicetorum, foveolatus, fulvipes, fulvus, fungorum, fuscus, genei, gibbosus, gracilis, hirsutus, hirtus, hispidus, impressus, lapponicus, lardarius, liliputanus, linearis, longicollis, maculatus, marginatus, molitor, musaeorum, niger, nigriceps, nigricollis, nodifer, oblongus, octodentatus, ovatus, parallelus, parvulus, protensicollis, pubescens, pulcarius, pusillus, quadridentatus, rubricollis, ruficollis, rufipennis, rufipes, rufulus, rufus, rugicollis, scabratus, sculptilis, sculptipennis, serratus, similatus, sinuaticollis, solidus, sulcatus, testaceus, transversalis, transversus, unicolor.

Latris ciliaris, hecateia.

Latroductus argus, conglobatus, dotatus, erebus, formidabilis, geometricus, hispidus, intersector, limacida, lugubris, mactans, malmignatus, martius, oculus, ornatus, perfidus, quadri-guttatus, quinqueguttatus, schuchi, spinipes, thoracicus, tredecim-guttatus, variegatus, variolus, venator.

Latrunculus areolatus, spiratum.

Latusastrea alveolaris.

Laudakia tuberculata.

Laurida conirostra, foetans, intermedia, mediterranea, microps, minuta, semifasciata, truncata, tumbel.

Lauromus araneiformis.

Lauxania aenea, aeneiventris, albipes, albitarsis, amica, apicalis, argyrostoma, atrimana, atripes, basalis, bivittata, costalis, cyanea, cylindricornis, diadema, elevata, elisae, fasciata, flavida, flavipennis, geniculata, glabrata, grisea, holosericea, humilis, hyalinata, imbuta, longipennis, lupulina, lutea, metallica, nigripes, pallida, peregrina, pulchra, rufitarsis, rufiventris, scutellata, seticornis, simplex, sordida, vitripennis.

Laverna atra, marmorea, ochraceella, sarcitella.

Lavia frons.

Lavigno calcinella, lactea, reaumurlana.

Lavignon clementina, coarctata, lamellosa, lineata, mactroides, minuta, mutica, ovalis, papyracea, phaseolina, rhomboidalis, rugosa, subphaseolina, subrugosa, tethys, trigonularis.

Lavignonus calcinella, cottardi, papyraceus.

Laxenecera albibarbis, andrenoides, flavibarbis.

Leachia (Ceph.) cyclura.

Leachia (Cr.) gracilis, intermedia, nodosa.

Leachia (G.) cornea, lineolata, viridescens, vitrea.

Leachium orbicula.

Leacia lacertosa.

Leadbeatera grata, jacula, leadbeateri.

Leander erraticus.

Lebasiella erythrodera.

Lebia abdominalis, acutipennis, aenea, aerata, affinis, africana, agilis, albomarginata, amethystina, analis, anchora, angulata, angulicollis, angusticollis, annulata, annulipennis, anthophora, apicalis, arctica, atra, atricapillus, atriventris, axillaris, azurea, bembidioides, benefica, bicincta, bicolor, bifasciata, biguttata, bimaculata, binotata, bipunctata, bitaeniata, bonellii, borea, boysi, brachinoides, brunnea, C-nigrum, caeca, caerulea, callida, calycophora, capensis, centromaculata, chalybaeipennis, chlorocephala, chloptera, chlorotica, circularis, circumdata, civica, coerulea, collaris, concinna, conjungens, contaminata, corticalis, crux-minor, cumananensis, cupripennis, cuvieri, cyanea, cyanipennis, cyanocephalus, cyanoptera, cyathigera, delineatus, divisa, dorsalis, dubia, duodecimpunctata, duponti, elegans, elevata, elongatula, erythrocephala, fallax, fasciata, fasciolata, femoralis, fenestrata, festiva, flavofasciata, flavomaculata, flavovittata, formosa, foveola, fulvicollis, furcata, fuscata, gaudichaudi, geniculata, gerardi, glabrata, grammica, granaria, grandis, guttata, haemorrhoidalis, hastata, heydeni, homagrica, humeralis, hyperici, immaculata, irrita, janthinipennis, lebasi, lepida, lepieuri, linearis, lineata, lineola, longipennis, longithorax, luctuosa, lunaris, lutosa, macularia, maculicollis, maculicornis, madagascariensis, marginalis, marginata, marginella, marginellus, marginicollis, melanura, miliaris, minarum, modesta, moesta, mollis, morio, myops, nigricollis, nigripennis, nigripes, nigri-ventris, nigro-fasciata, nigrolineata, nigro-maculata, nitidula, nobilis, notata, numidica, obliquata, obscuro guttata, olivacea, ornata, paekiloptera, pallipes, pendula, picta, plagiata, plana, platicollis, pleuritica, posticalis, pubipennis, puella, pulchella, pumila, punctata, punctatella, punctato-striata, pusilla, pyrenaea, quadricolor, quadriguttata, quadrillum, quadrimaculatus, quadrinotata, quadrisignata, quadrivittata, reflexicollis, rolli, rotundipennis, rufa, rufescens, ruficollis, rufipes, rufula, rugiceps, rugifrons, russata, sanguinea, scapularis, scutellata, sellata, semi-vittata, sexmaculata, sigma, signatipennis, sinuata, smaragdinipennis, smaragdula, solea, splendidula, striata, striaticollis, succincta, sulcata, tau, testacea, thoracica, triangularis, triangulifera, tricolor, trimaculata, trisignata, trivittata, truncatellus, tuberculata, turcica, undulata, unifasciata, variegata, velox, venustiola, venustula, viard, viridana, viridipennis, viridis, vittata, vitticollis, vittigera, X-nigrum, zonata.

Lebias cephalotes, crassicaudus, crystallodon, cypris, dispar, ellipsoidea, fasciata, gobio,

- ibera, lineata, lineo-punctata, mento, meyeri, multidentata, ovinus, perpusillus, punctatus, rhomboidalis, sarda, sophiae.
- Lebiasina** himaculata.
- Lebina** resinata.
- Lebioderus** goryi.
- Lecane** luna, orbis.
- Lecania** femorata, rufipes.
- Lecanium** aceris, bromeliae, complanatum, coryli, epidendri, hesperidum, ilicis, juglandis, persicae, quercus, tiliae.
- Lecanocephalus** spinulosus.
- Lecanomerus** insidiosus.
- Lechriops** sciurus.
- Lecquereusia** jurassica.
- Lecythia** brevicornis.
- Leda** acasta, acuminata, aequilateralis, ahrendi, alpina, amygdaloides, anglica, angulata, astieriana, axiniformis, hellatula, birostrata, brevirostris, caudata, chuva, clavata, claviformis, complanata, compressa, corallina, cpris, crenifera, cuneata, cyrena, delila, delta, deshayesiana, diana, doris, eastnor, ehurnea, elenensis, elliptica, elongata, excavata, faba, falcata, fornicata, forsteri, galatea, galeottiana, gibbosa, gigantea, glaberrima, grandaeva, gregaria, inflata, inflexa, intermedia, iugleri, kasanensis, krachtae, lacryma, latissima, leiornychus, levata, lineata, lineolata, lingulata, longirostris, macilenta, mariae, minuta, montagui, moreana, mucronata, purchisoni, nuda, ornata, ovata, ovum, palmae, parunculus, parvula, patagonica, plana, porrecta, praeacuta, producta, pulchella, pulchra, pygmaea, rosalia, rostralis, rostrata, rouyana, scapha, securiformis, semilunaris, serrulata, siliqua, solea, solenoides, sowerhyana, speciosa, speluncaria, stilla, striata, striatula, subaequalis, subcarinata, subclaviformis, sublineata, subovalis, subrecurva, sulcellata, tellinula, tenuirostris, undata, undulata, verneuili, vihrayeana, vintii, zelima, zietenii.
- Ledra** aurita, gladiata, marmorata, mutica, perdita, planata, viridipennis.
- Ledropsis** cancruma.
- Leggada** hooduga, platythrix.
- Legia** brandti.
- Legitimus** bigshyi, fasciatus, succinctus.
- Legnotus** bicolor.
- Legriocinclus** mexicanus.
- Leguminaria** costata, floridana, moreana, nereis, papyracea, truncatula.
- Leia** (Col.) hisulcata, bivittata.
- Leia** (Dipt.) aualis, annulata, basalis, bilunula, bimaculata, consohrina, crassicornis, crucigera, dimidiata, fasciola, fascipennis, flavicornis, humeralis, marklini, nasuta, nemoralis, nigra, nitidicollis, nubilipennis, octomaculata, picta, pubescens, pulchella, terminalis, trifasciata, trivittata, unicolor, varia, ventralis, winthemi.
- Leiacanthus** falcatus, opatowitzanus, tarnowitzanus.
- Leichenum** impictum, mucronatum, pictum, pingue, pulchellum, variegatum, verrucosum.
- Leistes** montana, seminigra.
- Leilus** brazilensis, occidentalis, orientalis, surinamensis.
- Leimacis** rufula.
- Leimadophis** almadensis.
- Leimonia** (Ar.) paludicola.
- Leimonia** (Lep.) cespitalis, floralis, scutellalis, sordidalis.
- Leimoniptera** pratensis.
- Leimonites** temmincki.
- Leiobatus** aquila, britannicus, cruciatus, panduratus, sloani.
- Leiobranchus** modestus.
- Leiobunum** bicolor, ovale, roseum, rotundum, rupestre.
- Leiocampa** dictaea, dictaeoides.
- Leiocephalus** carinatus, grayi, herminieri, macleayi, microlepis, ornatus, schreihersi.
- Leiochiton** arcticus, readi.
- Leiocinclia** plumosa.

- Leiocnemis* *alpicola*, *cardicollis*, *crenata*, *cuniculina*, *dalmatina*, *elongata*, *eximia*, *glabrata*, *latiuscula*, *nobilis*, *polita*, *puncticollis*, *pyrenaea*, *sabulosa*.
- Leiocrinus* *essensis*.
- Leiodera* *chilensis*, *gracilis*, *gravenhorsti*.
- Leioderes* *kollari*.
- Leioderus* *testaceus*.
- Leiodes* *abdominalis*, *aciculata*, *alternata*, *arenaria*, *armata*, *axillaris*, *badia*, *brunnea*, *castanea*, *dentipes*, *dillwyni*, *discolor*, *ferruginea*, *flavescens*, *glabra*, *gyllenhali*, *humeralis*, *latifrons*, *litura*, *lycoperti*, *maritima*, *marshamii*, *maxillosa*, *multistriata*, *nigriclavus*, *nigricollis*, *orbicularis*, *pallens*, *pilea*, *polita*, *punctata*, *punctatissima*, *puncto-striatus*, *punctulata*, *rufa*, *rufipennis*, *rugosa*, *seminulum*, *serricornis*, *stephensi*, *sturni*, *suturalis*, *testaceus*, *thoracica*, *vittata*.
- Leiodina* *capitata*, *crumena*, *forcipata*, *vermicularis*.
- Leiodomus* *achatinum*, *quoyi*, *vittata*.
- Leiodon* (P.) *echinatum*.
- Leiogethon* *deppei*.
- Leiogethon* *argenteus*.
- Leiolaemus* *belli*, *bibroni*, *darwini*, *fitzingeri*, *inconspicuus*, *kingi*, *lineatus*, *maculatus*, *pictus*, *signifer*, *tenuis*, *weignanni*.
- Leiolepis* *auduboni*, *belli*, *guttatus*, *reevesi*.
- Leiolopisma* *belli*, *telfairi*.
- Leionyza* *glabricula*, *laevigata*, *scatophagina*.
- Leionotus* (Col.) *compar*.
- Leionotus* (R.) *maculatus*.
- Leiopterus* *glaberrima*.
- Leiopterus* *accinetus*, *apicalis*, *armatus*, *ater*, *basalis*, *clavipes*, *cuspidatus*, *edentatus*, *exerucians*, *falcatus*, *fulvipes*, *fuscipes*, *intactus*, *litoratus*, *mitis*, *muricatus*, *nitidus*, *orchesia*, *pallidistigma*, *pallidistigma*, *pallipes*, *picipes*, *similis*, *sticticus*.
- Leiopterus* *rattlesi*.
- Leioptila* *annectans*.
- Leiopterus* *histrionicus*, *melancholicus*, *nebulosus*, *pogonocheroides*, *punctulatus*, *symmetricus*, *varipennis*.
- Leiosaurus* *belli*, *fasciatus*.
- Leioselasma* *cyanocincta*, *nigrocincta*, *obscura*, *schistosa*, *spiralis*, *striata*.
- Leiosoma* *punctata*, *rosea*.
- Leiosomus* *concinuus*, *cribrum*, *cyanopterus*, *impressus*, *laevissimus*, *marmoratus*, *oblongulus*, *ovatus*.
- Leiospongia* *excavata*, *gigantea*, *granulosa*, *meandrina*, *milleporata*, *pedunculata*, *radiciformis*, *reticularis*, *subcariosa*, *verrucosum*.
- Leiostraea* *meleagris*.
- Leiostraea* *compta*.
- Leiostraea* (G.) *bulbiformis*.
- Leiostraea* (P.) *humeralis*, *obliquus*, *xanthurus*.
- Leiothrix* *argentea*, *callipyga*, *castaneiceps*, *chrysotis*, *cinerea*, *cyanoptera*, *cyanourop-tera*, *furcatus*, *ignotincta*, *lepida*, *nipalensis*, *occipitalis*, *ornata*, *signata*, *sinensis*, *strigula*, *vinipectus*.
- Leipoda* *ocellata*.
- Leirus* (Col.) *alpestris*, *altaicus*, *armenicus*, *borealis*, *brevicollis*, *cribricollis*, *dauricus*, *eschscholtzi*, *giganteus*, *intermedius*, *montanus*, *parallelus*, *piceus*, *picipes*, *rufimanus*, *tibialis*, *uralensis*, *volgensis*.
- Leirus* (P.) *bennetti*.
- Leis* *aulica*, *axyridis*, *basalis*, *besseri*, *bissex-notata*, *clathrata*, *conspicua*, *dimidiata*, *inflata*, *instabilis*, *javana*, *novemdecim-signata*, *quindecim-maculata*, *quindecim-spilota*, *spectabilis*, *thomningi*, *viginti-duo-maculata*, *viginti-duo-signata*.
- Leistes* *americanus*, *anticus*, *brevirostris*, *conformis*, *guianensis*, *guirahura*, *humeralis*, *icterus*, *melancholicus*, *niger*, *phoeniceus*, *suchi*, *tenuirostris*, *unicolor*, *viridis*, *xanthorinus*.
- Leistotrophus* *gravenhorsti*.

Leistus analis, angusticollis, caeruleus, femoralis, ferrugineus, fulvibarbis, fulvus, indentatus, janus, montanus, niger, nigricans, nitidus, rhaeticus, rufescens, rufibarbis, rufipes, rufo-marginatus, spinibarbis, spinilabris, terminatus.

Leiuperus marmoratus, salarius, viridis.

Leiurus (P.) aculeatus, brachycentrus, macrophthalmus, pungitius, radiatus, russelli, spinulosus.

Leiurus (R.) ornatus.

Leiurus (Verm.) leptcephalus.

Leja angusticollis, apicalis, assimilis, bifasciata, biguttata, cayennensis, celer, chalcopetra, daurica, difformis, doris, elevata, frequens, fuscipes, guttula, laticollis, lineolata, maculata, maetica, minuta, normanna, pygmaea, semistriata, sturmi, sub-fenestrata, terminata, tristis, venustula.

Lejopyge laevigata.

Lelaps avicula, pulchricornis, sadales.

Lema abbreviata, abdominalis, abrupta, adjuncta, aenea, aeraria, albicornis, albiini, alcyonea, alpina, alternata, angelica, annulipes, antica, apicalis, apicipennis, arcuata, armata, atrata, atricornis, aulica, australis, azurea, azureipennis, bajula, basalis, basipennis, bicincta, bicolor, bicolora, bicrucata, bifida, bilineata, binotata, bipartita, biplagiata, bi-taeniata, bivittata, brunnea, brunnicollis, caerulea, caeruleipennis, calcarata, calceata, campestris, cephalotes, chalcopetra, chalybeipennis, cherubini, cincla, circulus, circumdata, coelestina, collaris, compta, concinna, confusa, conjuncta, conspicua, conspurcata, cornuta, coromandelica, coxalgica, crassicornis, crassipes, cruciata, crucigera, cruentata, cruralis, cuprea, cyanella, cyanipennis, cyanoptera, cylindrica, cylindricollis, decemmaculata, decempunctata, dejeani, dichroa, dichromocera, didyma, dodecastigma, dolosa, dorsalis, doryia, dregeri, dubia, ducalis, elaphrina, elocata, ephippium, equestris, erubescens, erythrodera, erythroptera, exanthematica, exclamationis, exsanguis, fallax, fasciata, femorata, ferrugata, festiva, flavicollis, flavipes, foraminosa, fulvicollis, fulvina, fulvula, fuscicornis, germari, gilveola, glyptodera, goryi, goudoti, gracilis, grammica, grandis, grata, haematodera, haematomelas, hamata, helvola, hexastigma, hilarii, hilaris, histrionica, hoffmanseggii, hottentota, humeralis, immaculicollis, impotens, impura, indica, infima, inquinata, insignis, intermedia, interrupta, iolofa, ioptera, janthina, javana, jocosa, jucunda, klugi, lacertina, laeta, lateritia, lepida, limbata, lineaticollis, livida, longicornis, lucublanda, macei, maculicollis, maculipes, maculiventris, malayana, mannerheimi, marginata, marginella, melanocephala, melanocera, melanogaster, melanopa, melanophthalma, melanoptera, microcephala, moritzi, munda, mystica, nigriceps, nigrita, nigritarsis, nigrovittata, nitidula, notatipes, novemmaculata, nupta, obcordata, obliquata, obscura, octomaculata, olivieri, orbigny, ornata, palpalis, papuana, paracentesis, parcellina, peplophora, perizonata, picturata, placida, plebeja, plumbea, popularis, poeyi, polita, porosa, postica, praetextata, pubescens, pudens, pulex, punctata, punctatofasciata, pusilla, quadrata, quadricolor, quadri-maculata, quadripartita, quadripunctata, quadrisignata, quinque-maculata, quinquepunctata, risoria, robusta, ropunctata, rubida, rubricollis, rubripennis, rufa, rufo, rufipennis, rufula, rugicollis, russula, sagittifera, sanguinicollis, saphirea, scalaris, scapularis, sellata, seminigra, semipunctata, semisepta, septemmaculata, septempunctata, serena, sexnotata, sex-punctata, signaticollis, signaticornis, similis, simplex, sinuata, soror, splendidula, stenosoma, stercoraria, stolidia, strangulata, striata, suffriani, suturalis, suturata, tenella, terminalis, terminata, tetrastigma, texta, thoracica, tibialis, togata, torulosa, tricolor, tri-fasciata, trifurcata, tri-lineata, trivirgata, trivittata, troberti, uncinata, unipunctata, ustulata, varia, variabilis, variegata, varipes, verecunda, verticalis, vidua, violacea, violaceipennis, virgata, viridiaenea, viridis, vittata, vittigera, xanthopa.

Lembadion bullinum.

Lembodes solitarius.

Lembulus deltoideus, minutus, rossianum, rostratus, sulcatulus.

Lemidia inanis, nitens.

Lemintina cuvieri.

Lemmatophila alienella, alternella, antiquella, atomella, avellana, fagella, gelatella, hyemella, punctulella, salicella, steinkelluerella.

Lemmomys talpinus.

Lemmus albivittatus, amphibius, aquaticus, arvalis, aspalax, astrachanensis, borealis, cyanus, dasytrichos, ferrugineus, floridanus, gregalis, groenlandicus, hispidus, insularis, laniger, lenensis, medius, micruos, migratorius, norvegicus, noveboracensis, obensis, oeconomus, phryganella, pratensis, riparius, rubidus, rufocanus, rutilus, saxatilis, schermaus, sumatrensis, syriacus, talpinus, talpoides, terrestris, vittatus, xanthognathus, zibeticus, zokar.

Lemnia biplagiata, circumvelata, desolata, dissecta, fraudulenta, melanota, moesta, oculata, saucia.

Lemniscus marginatus.

Lemnisoma thyrsitoides.

Lemmus gregarius, niloticus.

Lemonia taraxaci.

Lemonias crispus, epulus, luciana, maturna, phlegia, ulphaea, zygia.

Lemophoeus ater.

Lemphus fulcratus, mancus.

Lemtopeza flavipes.

Lemur (Lep.) maura.

Lemur (M.) albifrons, albinus, anjuanensis, brissoni, bruneus, chrysampyx, collaris, commersoni, coronatus, crassicaudatus, curvirostris, diadema, flaviventer, frederici, furcifer, galago, gracilis, griseus, hussardi, lanatus, leucopsis, macao, major, medius, minor, minutus, niger, nigrifrons, ocularis, psilodactylus, pumilus, ruber, rubriventer, rufifrons, sciurus, variegatus, varius.

Lencus fuscus, glaucus, marinus.

Lenita patellaris.

Lenites faba.

Lenticula lapicida.

Lenticulina araneosa, calcar, costata, cucullatus, cultrata, diaphanea, erythraea, gualtieri, incrassata, indigena, libyca, margaritacea, nitida, orientalis, querulans, rostrata, tenerrima, trithemus.

Lenticulites antiquus, complanata, comptoni, cristatella, cristella, denarius, discorbinus, ephippium, globulatus, mammillaris, nautiloides, orbiculata, phaciticus, planulata, rotulata, scabrosus, variolaria.

Lentidium maculatum.

Lentillaria punctata.

Lentiphora flaveola.

Leo africanus, asiaticus, barbarus, gambianus, goojrattensis, melanochaitus, vulgaris.

Leocaeta alopes.

Leodice antennata, eritrocephala, fasciata, gallica, gigantea, grunwaldi, hispanica, norvegica, opalina, pinnata, punctata, sanguinea, triantennata, tubicola.

Leoides humeralis.

Leonia mammillaris.

Leonte achillaena, achilleja, aega, anaxibia, deidamia, epistrophis, hecuba, menelae, nestira, portis, telemache.

Leontopithecus ater, fuscus, marikina.

Leopardus chinensis, concolor, ellioti, griseus, himalayanus, horsfieldi, javanensis, macrocelis, macrourus, marmoratus, megalotis, mitis, moormensis, neglecta, onca, panthera, pardalis, pictus, reevesi, serval, sumatranus, temminckii, tigrinoides, tigrinus, uncia, variegatus, varius, viverrinus, yagourondi.

Leopoldius diadematus, erostratus.

Lepadella emarginata, glumiformis, lamellaris, lunaris, ovalis, plicatilis, salpina, triptera.

Lepadites anatif, anatiferaeformis, avirostris, lineatus, plicatus, radiatus, sulcatus, tintinabuliformis.

Lepadogaster adhaerens, balbis, biciliatus, bimaculatus, browni, candollei, cephalus, ciliatus, cornubiensis, defontani, dentex, desfontani, elegans, govani, jussieu, latirostris, lineatus, listellus, maculatus, minutus, mirbeli, natata, nitidus, norvegicus, nudus, ocellatus, olivaceus, piger, pinnulatus, punctatus, puniceus, rafinesquei, raninus, reticulatus, rostratus, ruber, testar, urifasciatus, ventricosus, webbianus, willdenowi, zebrinus.

- Lepas** aculeata, aleyonii, antiquata, aperta, bifurcata, borealis, cancellata, candidus, capa fissa, clavatus, convexula, cornucopia, cornu copiae, cornuta, coronata, costata, cuvieri, dentata, dilata, dorsalis, fascicularis, fucorum, hemisphaericus, homei, incurvata, intertexta, laevis, laeviuscula, lyoni, marmorata, membranacea, montagui, nauta, pellucens, perforata, peroni, polita, porcata, pulchra, punctata, purpurascens, pyrgoma, quinquevalvis, radiata, rhomboidalis, rugosa, scotica, serrata, signata, smythi, stellaris, striata, subdivisa, sulcata, sulcatus, tracheaeformis, trachealis, turris, verruca, villosa, vitrea, vittata.
- Lepemiurus** bilineatus, fasciolatus.
- Lepophtheirus** hippoglossi, nordmanni, obscurus, pectoralis, stromi, thompsoni.
- Leperina** squamulata.
- Lepibema** chrysops.
- Lepidactylis** dytiscus.
- Lepidaster** grayi.
- Lepidia** stellifera.
- Lepidion** moro, rissoi, rubescens.
- Lepidiota** impluviata, luctuosa, punctatissima, punctum, rugosipennis, savagei, sticticoptera, stigma.
- Lepidocera** birdella, chenopodiella, mediopectinella, setella, taurella.
- Lepidochelys** olivacea.
- Lepidocyrtus** aeneus, agilis, albinos, argentatus, capucinus, curvicolis, gibbulus, lignorum, parvulus, pusillus, rivularis.
- Lepidodactylus** lugubris.
- Lepidodes** chalcodi, rotundicollis.
- Lepidogenys** subcristatus.
- Lepidoleprus** australis, caelorhinus, norvegicus, trachyrineus, trachyrynchus.
- Lepidonereis** annulligera, caeca, clava, flava, maculata, stellifera, viridis.
- Lepidonote** assimilis, cirrata, impar, laevis, punctata, scabra.
- Lepidonotus** clavatus, rossi.
- Lepidophora** aegeriiformis, culiciformis.
- Lepidophorus** lineaticollis.
- Lepidopides** brevispondylus, dubius, leptospondylus.
- Lepidopleura** albus, carinatus, punctulatus, sulcatus.
- Lepidopleurus** corallinus, gayetanus.
- Lepidopsyche** graminella.
- Lepidopteryx** squamosa.
- Lepidopus** argenteus, argyreus, caudatus, ensiformis, gouani, leptospondylus, lusitanicus, pellucidus, peroni, sulcatus, tetradens.
- Lepidorhinus** squamosus.
- Lepidorhynchus** denticulatus.
- Lepidosiren** annectens, paradoxa.
- Lepidosternon** hemprichi, macrocephalus, phocaena, scutigerum.
- Lepidosteus** dentosus, fimbriatus, gracilis, grayi, osseus, semiradiatus. *Vide et Lepisosteus.*
- Lepidostoma** sericeum, squamulosum, villosum.
- Lepidotes** frondosus, gigas, ornatus.
- Lepidotes** acutirostris, agassizi, catalonicus, cotta, fimbriatus, fittoni, frondosus, gigas, laevis, latimanus, latissimus, lemnurus, macrochirus, mantelli, maximiliani, maximus, minor, notopterus, oblongus, ornatus, palliatus, parvulus, pectinatus, punctatus, punctulatus, pusillus, radiatus, roemerii, rugosus, semiserratus, serratulus, serrulatus, similis, speciosus, spinifer, striatus, subdenticulatus, subundatus, sulcatus, temnurus, trotti, tuberculatus, umbonatus, undatus, unguiculatus, virleti.
- Lepimphis** hippuroides, ruber.
- Lepinotus** inquilinus.
- Lepipterus** corvina, fetula, francisca.
- Lepisacanthus** japonicus.
- Lepiselaga** albitarsis, lepidota.
- Lepisia** ornatissima.

- Lepisma** aegyptiaca, alba, annulseta, audouini, aurea, bifida, brachyura, chlorosoma, ciliata, collaris, fuliginosa, gyriniformis, horrens, mauritanica, monema, myrmecophila, nicoleti, niveofasciata, parisiensis, petiti, pilifera, quadrilineata, savignyi, saxatilis, subvittata.
- Lepismina** audouini, aurea, savignyi.
- Lepisoma** cirrhosum.
- Lepisosteus** albus, bison, ferox, fittoni, gavia, nuronensis, indicus, lineatus, longirostris, osseus, oxyurus, platostomus, platyrhincus, robolo, spatula. *Vide et Lepidosteus.*
- Lepispilus** sulciollis.
- Lepitrix** bilateralis, dichropus, xanthoptera.
- Lepleurus** rivularis.
- Lepocera** amblocra, laevigata, rugosa, xylopris.
- Lepocinclis** globulus.
- Lepocrinites** gebhardi.
- Lepodus** saragus.
- Lepomis** auritus, cyanellus, flexuolâris, ichtheloides, macrochirus, notata, pallida, salmonea, trifasciata.
- Leporinus** anostomus, elongatus, fasciatus, friderici, leschenaulti, maculatus, nigrotaeniatus, novemfasciatus, pachyurus, vittatus.
- Leposoma** californica, scincoides, variegata.
- Leposternon** microcephalus.
- Lepracanthus** colei.
- Lepralia** abstersa, annulata, ansata, appensa, arctica, arenacea*, assimilis, auriculata, balli, biforis, bispinosa, catena, catenata*, ciliata, coccinea, costata*, cylindrica, edentula, fenestralis, figularis, geniculata, granifera, hassalli, hibernica, hyalina, hyndmanni, immersa, innominata, insignis, jacotini, johnstoni*, landsborovi, linearis, lineata, mammillata, margarita, nitida, ovalis, patula, peachi, pectinata, pedilostoma, pertusa, punctata, puncturata, pustula, pustulata, pyrifornis, quadridentata, reticulata, semilunaris, simplex, spinifera, spinosa, squama, tenuis, thoraciformis, tridentata, trispinosa, umbonella, unicornis, variolosa, ventricosa, verrucosa, vinca, violacea.
- Leptodera** pleuricausta.
- Lepropus** lateralis.
- Leprosomus** aries, cornutus, lancifer.
- Lepsia** tuberculosa.
- Leptacanthus** juncus, longissimus, priscus, semistriatus, serratus, tenuispinus.
- Leptacinus** angustatus, angusticollis, apicalis, basalis, batychrus, brevicornis, clavicornis, debilis, filarius, fornicetorum, linearis, nothus, parumpunctatus, pubipennis, subtilis, tenellus, tenuicornis.
- Leptaena** aculeata, aculeatus, acutiradiata, alternata, alternistriata, ambigua, analoga, anomala, antiquata, aquila, arachnoidea, aretostriata, arcuata, armata, asella, aurita, bechei, bifurcata, bilobata, bohémica, bouchardi, bouei, caduca, cailliaudi, calcar, calva, camerata, caperata, colombarii, comata, comiodes, complanata, concinna, consobrina, convexa, convoluta, corrugata, costata, costatula, costellata, crassistria, erenistria, cuspidata, decepta, deflecta, depressa, devonica, distorta, duplicata, dutertrei, duvali, echinata, edelburgensis, elegans, enigma, euglypha, eunoe, exclamatoria, exima, expansa, explanata, fasciata, filitexta, filosa, fimbriata, fischeri, flemingi, fletcheri, flexistria, fragaria, fugax, funiculata, gaultieri, geometrica, gibberula, gigantea, grandis, granulosa, grayi, hardrensis, haueri, hemisphaerica, heraldica, humboldti, humerosus, imbrex, inaequistriata, inconstans, incrassata, indenta, inflexa, interrupta, interstitialis, irregularis, kellyi, laevigata, laevissima, lata, latissima, laxispina, lepis, lepisma, lewisi, lirata, lobatus, longispina, longisulcata, loveni, macroptera, maestreana, margaritacea, martini, maxima, membranacea, mesoloba, minima, miranda, moorei, mucronata, multidentata, multirugata, murchisoni, muricata, naranjoana, nebulosa, nervosa, neutra, nodulosa, oblonga, obtusa, ornata, ouralensis, ovalis, papilionacea, papyracea, patricia, pearcei, pectinacea, pectinoidea, penthica, perlata, personata, phillipsi, plana, planoconvexa, planumbona, plicata, plicatilis, plicifera, praelonga, profunda, protensa, pseudo-loricata, pugilis, punctatus,

punctulifera, pustulosa, radialis, recta, reticularis, reticulatus, rugosa, sarcinulata, scabiosa, scabricula, scotica, sedgwicki, semicircularis, semiluna, semiradiata, semi-sulcata, sericea, serrata, setosa, solitaria, sordida, sowerbyi, sp. ind., spinosa, spinulosa, squamula, stephani, strogonowi, subpecten, subplana, subtenta, sulcata, sullivan, tenera, tenuilineata, tenuis, tenuistriata, thecaria, thisbe, trama, transversa, transversalis, triangularis, tuberculata, tubulifera, tumida, variabilis, variolata, verneuili, vespertilio, vicina, volva, waltoni. *Vide et Leptoena.*

Leptaenalosia morrisiana.

Leptagona multirugata.

Leptagonia analoga, depressa, nodulosa, plicatilis, plicotus, rugosa, semivalvis, tenuistriata.

Leptaleus chaudoiri, delicatulus, klugi, rodriguei, triguttatus.

Leptalis amphione, astyocha, atthis, casta, crisia, critomedia, cydno, cyra, dilis, eumelia, eumoe, isodrita, jethys, kollari, laia, medora, melia, melite, methymna, nehemia, nemesis, orise, penthica, phronima, praxinoe, psamathe, spio, thermesia, theuchaula, theugenis, vocula.

Leptarthrus brevirostris.

Leptastrea ehrenbergiana, roissyana.

Lepterothis flavirostris.

Lepterus fetula.

Leptetrum praenubilum, quadrimacutum.

Leptia (Col.) polystigma.

Leptia (Lep.) lanceolata.

Leptidea brevipennis, minuta.

Leptinaria lacryma, shorgum, soluta, succinealis, unilamellata.

Leptinotarsa conspicua, heydeni.

Leptinus caucasicus, testaceus.

Leptipalpus brasiliensis.

Leptis aequalis, affinis, albicornis, annulata, apicalis, ardea, atrata, aurata, auricollis, basilaris, bicolor, bosci, caduca, calidris, capnoptera, cinerea, cinereo-fasciata, conjungens, cylindracea, diadema, distigma, ephippium, fasciata, ferruginosa, flaveola, flavicornis, flavipes, fumipennis, funebris, fusca, fuscipennis, geminata, gracilis, griseola, helvola, hyaloptera, ibis, immaculata, lineola, luteola, maculata, mystacea, nebulosa, nigra, notata, nubecula, obscura, oculata, ornata, par, plumbea, propinqua, proxima, punctata, punctipennis, quadrata, reflexa, rufithorax, scolopaceus, servillei, simillima, simplex, splendida, stigma, stigmatica, strigosa, striola, thoracica, tringaria, tristis, unicolor, vanellus, vermileo, vertebrata, vittipennis, vittata.

Leptobatus degener, rufipes, zieglerei.

Leptoboa dussumieri.

Leptobrachia leptopus.

Leptobranchium hasselti.

Leptocephalus candidissimus, dentex, gracilis, gussoni, medius, morrissi, pellucidus, spallanzanii, taenia, trichiurus.

Leptocera beaumonti, bilineata, graphica, humeralis, mezierei, scripta, vittifera.

Leptocerus (Col.) adpersus, aulacus, auriventris, basilicus, bipes, curialis, hypocrita, illotus, leucophilus, longimanus, loripes, octopunctatus, pithecius, roborosus, sitonoides, stauropterus, xanthographus.

Leptocerus (Neur.) affinis, annulatus, annulicornis, assimilis, ater, aterrimus, attenuatus, aureus, autumnalis, bicolor, bilineatus, bimaculatus, caliginosus, capucinus, cinereus, dapsilis, dissimilis, elongatus, filosus, grossus, interruptus, leucogaster, longicornis, niger, nigricans, obtusus, ochraceus, par, perfusus, quadrifasciatus, rufogriseus, rufus, seminigra, subannulatus, tarsalis, testaceus, tineiformis.

Leptocheirus pilosus.

Leptocheles anglicus.

Leptochelia minuta.

Leptochirus bispinus, brevicornis, brunnea niger, cayennensis, conversus, ebeninus, javanicus, laevis, laticeps, maxilloso, mexicanus, minutus, scoriceus, unicolor.

Leptochiton cajetanus, cinereus, hanleyi.

- Leptocircus* curius, meges.
Leptoclinum asperum, clavatum, durum, fulgens, gelatinosum, listerianum, lividum, maculosum, punctatum.
Leptocnema sulphurea.
Leptocnemus sulphureus.
Leptocoma hasselti, sperata, zeylouica.
Leptoconus amadis, australis, duplicatus, grandis, nigra.
Leptocoris amictus, coturnix, haematicus, haematoloma, rufus.
Leptocoris apicalis, bengalensis, crudelis, flavida, furcifera, linearis, tipuloides, varicornis.
Leptocranius longirostris.
Leptocyathus elegans.
Leptodactyla apicalis.
Leptodactylus (R.) mystaceus, sibilatrix, typhonia.
Leptodeira annulata.
Leptodera (Orth.) ornatipennis.
Leptodera (Verm.) flexilis.
Leptodes boisduvali, siculus, sloani.
Leptodirus hohenwarti, hohenwarti.
Leptodomus (Col.) obliquatus.
Leptodomus (L.) fragilis, senilis.
Leptodon cayannensis, palliatus.
Leptoena corrugata, eximia, pecten, punctulifera, radiata, striata. *Vide et Leptaena.*
Leptogaster annulatus, cylindricus, datis, fervens, fuscus, glabratus, gracilis, guttiventris, helli, hispanicus, histrio, intermedius, marion, niger, nigricornis, nitidus, pallasi, palparis, pedanius, pedunculatus, proculus, pubicornis, rubidus, subtilis, tipuloides, variegatus, vittatus.
Leptoglossus (A.) cucullatus.
Leptoglossus (Col.) dilaticollis.
Leptognathus (Col.) latreillianus.
Leptognathus (P.) oxyrhynchus.
Leptogramma aspersana, bifidana, cerusana, fulvomixtana, gnomana, irrorana, literana, liturana, parisiana, scabrana, squamana, subtripunctulana, tricolorana, tripunctana.
Leptographa conviridaria, scriptaria.
Leptolepis brodiei, bronni, caudalis, concentricus, contractus, crassus, dubius, filipennis, jaegeri, knorri, latus, longus, macrolepidotus, macrophthalmus, nanus, paucispondylus, polyspondylus, pusillus, sprattiformis, tenellus, voithi.
Leptolimnea elongata.
Leptolophus auricomis.
Leptoma immaculata, lunaris, obscuripennis, vitripennis.
Leptomera pedata, rubra, ventricosa.
Leptomeris albella, flaveola, pallidella, rufeola.
Leptomeris (Hem.) picta.
Leptomeris (Lep.) dilutaria, exanthemaria, inconspicuaria, lacernaria, mediaria, ossearia, ossularia, pallidaria, rufaria, sulcaria, sylvestraria, turbidaria, umbellaria, virgularia.
Leptomorpha chinensis, filiformis.
Leptomorphus elongatus, walkeri.
Leptomyza fontalis, gracilis, grisea.
Lepton (Hym.) attenuator.
Lepton (L.) convexium, fabagella, mactroides, nitidum, squamosum.
Leptonema pallida.
Leptonemus filicornis.
Leptonurus chrysostigma.
Leptonychus erodioides, maillei.
Leptonyx (A.) albicollis, macropus, melanotis, paradoxus, rubecula, tarni.
Leptonyx (M.) barang, leopardinus, monachus, rossi, serridens, weddelli.
Leptopa filiformis.
Leptoperla beroe.
Leptopeza borealis, flavimana, nigripes, ruficollis, tibialis.

- Leptopezina** *gracilipes*.
Leptophis *aestivus*, *abactulla*, *cauda lineatus*, *gracilis*, *kirtlandi*, *manca*, *ornatus*, *pictus*, *punctulatus*, *purpurascens*, *saurita*, *spilotus*, *viridis*.
Leptophlebia *vespertina*.
Leptophryne *cruentatus*.
Leptophthirium *longicornis*.
Leptophyllus *strachani*.
Leptoplana *areta*, *atomata*, *cartilaginea*, *drobachensis*, *elongata*, *fallax*, *flexilis*, *formosa*, *hyalina*, *laevigata*, *lichenoides*, *lutea*, *modesta*, *nigripunctata*, *pallida*, *pellucida*, *subauriculata*, *tigrina*, *tremellaris*.
Leptopodia *calcarata*, *lanceolata*, *ornata*, *phalangium*, *sagittaria*, *seticornis*, *tennirostris*.
Leptopodus *niger*, *nigrita*.
Leptopogon *angustirostris*, *bivittata*, *cinereus*, *gaimardi*, *modesta*, *olivacea*, *stramineiventris*, *superciliaris*, *ventralis*, *viridiflava*.
Leptopoma *atricapillum*, *goniostoma*, *immaculatum*, *multilabris*, *nitidum*, *novae hiberniae*, *pileus*.
Leptopora *elegans*.
Leptops (Col.) *angustior*, *crenatus*, *dimosus*, *hopei*, *humeralis*, *hystricosus*, *quadrutuberculatus*, *robustus*, *spencei*, *spineus*, *spiniger*, *spinipennis*, *squalidus*, *tuberculatus*.
Leptopsammia *stokesiana*.
Leptopterix *hirsutella*, *viciella*.
Leptopteryx (A.) *albovittatus*, *cinereus*, *cruenta*, *leucocephalus*, *leucogaster*, *leucorhynchos*, *melaleuca*, *minor*, *rufiventer*, *viridis*.
Leptopteryx (Dipt.) *nivalis*.
Leptoptilos *argali*, *cruenifera*, *javanica*.
Leptoptilus *cristatus*, *nudifrons*.
Leptopus (A.) *mittelli*.
Leptopus (Cr.) *longipes*.
Leptopus (Dipt.) *contristans*, *echinops*, *gracilis*, *hispanus*, *laosus*, *longatus*, *tipularius*, *wiedemauni*.
Leptopus (Hem.) *littoralis*, *preyssleri*.
Leptopus (Hym.) *hypogastricus*.
Leptopus (P.) *peregrinus*.
Leptopus (R.) *asterodactylus**, *boiei**, *oxydactylus*.
Leptorhina *bicolor*, *flava*.
Leptorhynchus (A.) *pectoralis*, *ruficaudus*.
Leptorhynchus (Col.) *angustatus*, *guttatus*, *striolatus*.
Leptorhynchus (P.) *capensis*.
Leptorhynchus (R.) *clifti*.
Leptoria (Cor.) *antiqua*, *gracilis*, *pachyphylla*, *phrygia*, *tenuis*.
Leptoria (Lep.) *candida*.
Leptosaurus *neptunius*.
Leptoscarus *vargiensis*.
Leptosceles *exoleta*, *guttata*, *irrorata*.
Leptoscelis (A.) *mittelli*.
Leptoscelis (Col.) *phalangodes*, *prolixus*, *strigosus*.
Leptoscelis (Hem.) *balteatus*, *haemorrhoidalis*, *haemorrhous*, *lunatus*, *pictus*, *rubropicta*, *tricolor*.
Leptoschoinus *maculatus*.
Leptoseris *fragilis*.
Leptosia *aenea*, *alcesta*, *brepheos*, *chlorographa*, *dardouini*, *inamoena*, *jucunda*, *lathyri*, *mendaculalis*, *polygramma*, *regularis*, *sanctae-florentis*, *suava*, *velox*.
Leptosmia *angulosa*, *costulata*, *gaimardi*, *glabrescens*, *gracilis*, *ramosa*, *rugosa*, *striata*.
Leptosoma (A.) *afer*.
Leptosoma (Cr.) *appendiculata*, *capito*, *lanceolata*.
Leptosoma (Lep.) *agagles*, *annulatum*, *artemis*, *baulus*, *eres*, *insulare*.
Leptosoma (P.) *ater*.

Leptosoma (R.) bougainvillei.

Leptosomus (A.) afer, crombus, viridis.

Leptosomus (Col.) acuminatus.

Leptostoma longicauda.

Leptotarsis eytoni.

Leptotarsus macquarti.

Leptotena cervi.

Leptotherium majus, monus.

Leptotheuthis gigas.

Leptotila rufaxilla.

Leptotrachelus brasiliensis, dorsalis, fulvicollis, marginatus, riedeli, suturalis, testaceus.

Leptotyphlops nigricans.

Leptoxis crassa, crenata, fusca, littorina, pisum, rapaeformis, solidula, turgida.

Leptoxyda testacea.

Leptoxys serpentina.

Leptura abbreviata, abdominalis, affinis, allecta, alpina, altaica, americana, anacboreta, anatis, annularis, annulata, apicalis, armata, atrata, attelaboides, aurigera, auripilis, badia, bicolor, bicolorata, bifasciata, biforis, binaculata, binotata, bisignata, bivittata, brevicauda, brevis, capitata, carolina, castaneae, castauiipennis, ceramboides, chalibaea, cbanomillae, chrysocoma, chrysogaster, ciucta, cinnamoptera, circumdata, clavipes, coerulea, collaris, constricta, cruciata, cuprea, cursor, cyanea, cyaneus, cylindricollis, daurica, decemguttata, dentipes, deusta, dimidiatus, directa, discolor, dissecta, distans, distigma, dorsalis, erratica, erythroptera, erythropus, exclamationis, exigua, extensa, fabricii, fasciculata, fasciolata, fastigiata, festucae, fischeri, fontenayi, fuscicornis, fuscipes, fusciventris, glabrata, gracilis, gulosa, haematites, haemorrhoidalis, holosericea, hydrobaris, imberbis, indagatrix, indirecta, insitiva, interrupta, jaegeri, labiata, lateralis, linearis, lineata, lineola, longiceps, longicornis, luctuosa, lugubris, lunata, luteicornis, luteipes, maculata, malacbiticus, melanocephala, melanota, melas, nicans, minuta, monticola, mordax, mutabilis, nana, necydaloidea, nigra, nigrella, nigripes, nigrolineata, nobilis, nymphaeae, oblongomaculata, occipitalis, octoguttata, octonotata, pallens, pallipes, pauperula, plebeja, proteus, proxima, pubera, puella, punctomaculata, quadricollis, quadrifasciata, quadrimaculata, quadri-punctata, quadri-vittata, quagga, quinque-notata, renardi, rubrica, rubripennis, rubrotestacea, rufa, rufescens, ruficollis, rufipennis, rufipes, rufiventris, rufula, sagittariae, salicis, sanguinosa, scalaris, scapularis, scrutator, scutellum album, semicincta, semimarginata, semivittata, septempunctata, silbermanni, similis, simplex, sinuata, sphaericollis, steveni, stictica, stragulata, strepens, striolata, subargentata, subhamata, sublineata, subpubescens, suturata, tenuicollis, tenuicornis, tenuior, tessera, thoracica, tibialis, ustulata, vagans, variabilis, varians, varicornis, variegata, varipes, verticalis, vibex, villa, vittata, vittigera, zebra.

Lepturus fulviceps, galeatus, ruficeps.

Leptus aranei, autumnalis, bidentatus, bipunctatus, cornutus, bispinus, insectorum, latirostris, oribat, sexdentatus, unidentatus.

Leptynoderes varicosus.

Leptynoderus tuberculatus.

Lepus aegyptius, aethiopicus, africanus, albus, altaicus, angorensis, aquaticus, arabicus, arcticus, arenarius, artemesia, artemesiacus, aryabertensis, bachmani, borealis, brachyurus, brasiliensis, californica, callotis, campestris, canescens, caspicus, crassicaudatus, deilippi, diluvianus, diostolus, douglasi, flavigularis, fumigatus, glacialis, habessinicus, hibernicus, hispidus, burgosa, hyperboreus, isabellinus, kurgosa, longicaudatus, loxodus, macrotus, magellanicus, mediterraneus, medius, melanurus, mexicanus, montanus, nigricaudatus, nigricollis, nuttalli, ochropus, oistolus, orientalis, pallipes, palustris, princeps, richardsoni, ruficaudatus, ruficaudus, rufinucha, rupestris, russatus, saxatilis, slavonicus, sinaiticus, sinensis, sylvaticus, syriacus, texiana, tibetanus, townsendi, vermicula, versicolor, virginianus.

Lepyrolobus recurvatus.

Lepyronia coleoptera, obscurata, subfasciata.

Lepyrus *bismaculata*, *binotatus*, *bituberculatus*, *colon*, *dahli*, *gemellus*, *geminatus*, *impudicus*, *quadriguttatus*, *quadrinotatus*, *quadrutuberculatus*, *rufoclavatus*, *semi-colon*, *triguttatus*.

Leria *cuniculorum*, *domestica*, *fenestrarum*, *fungivora*, *humida*, *melina*, *mustellina*, *peleteri*, *subterranea*.

Lerista *lineata*.

Lerius *goryi*, *signatus*.

Lernacantha *delarochiana*.

Lernaea *cirrhosa*, *cyclopteronum*, *dalmanni*, *diodontis*, *elongata*, *encrasicoli*, *exocoeti*, *gobina*, *merluccii*, *pilosa*, *sagitta*.

Lernaeocera *esocina*. *Vide et* **Lerneocera**.

Lernaeopoda *bicaudata*, *carpionis*, *dalmanni*, *elongata*, *galei*, *obesa*. *Vide et* **Lerneopoda**.

Lernanthropus *musca*, *paradoxus*, *pupa*.

Lerneae *basteri*, *cruciata*, *cyclophora*, *radiata*.

Lernentoma *asellina*, *cornuta*, *dufresnei*, *gobina*, *lophii*, *nodosa*, *radiata*, *trigla*, *triglae*.

Lerneocera *branchialis*, *cruciata*, *cyclopterina*, *cyprinacea*, *radiata*, *surrirais*, *surrensis*.

Vide et **Lernaeocera**.

Lerneomyzon *elongata*, *pernettiana*, *pinnarum*, *pyriformis*, *uncinata*.

Lerneonema *abdominalis*, *hairdi*, *encrasicoli*, *lesueuri*, *monillaris*, *spratti*.

Lerneopenna *blainvillei*, *boccouii*, *holteni*, *sagitta*.

Lerneopoda *bronguiarti*, *salmonea*, *stellata*. *Vide et* **Lernaeopoda**.

Lerneopus *salmoneus*.

Lerwa *heyi*, *nivicola*.

Lesaea *minuta*.

Lesbia *forficatus*.

Leschenaultia *cilipes*, *hirta*.

Leskia *aurea*, *flavescens*.

Lesmone *pelidnalis*.

Lessonia *nigra*, *radiata*, *sordidus*.

Lestes *analis*, *autumnalis*, *harhara*, *hasalis*, *belladonna*, *caeruleata*, *coloratus*, *eurinus*, *forceps*, *forcipata*, *forcipula*, *forficula*, *fusca*, *grandis*, *lucretia*, *nymphba*, *pallida*, *paulina*, *piceti*, *platystyla*, *rectangularis*, *sponsa*, *tenuata*, *tricolor*, *undulata*, *vestalis*, *viridis*, *viridula*, *vittata*.

Lesteua *hicolor*, *maura*, *punctata*, *sicula*.

Lesteva *abbreviatus*, *alpina*, *angusticollis*, *armigera*, *biguttula*, *canaliculata*, *carahoides*, *dicbrous*, *fontinalis*, *globulicollis*, *hookeri*, *impressa*, *kirbyi*, *lappouica*, *leacbi*, *longipes*, *longula*, *monticola*, *nigripes*, *obscura*, *plagiata*, *planipennis*, *pubescens*, *pustulata*, *riparia*, *ruftarsis*, *testacea*.

Lesticus *janthinus*.

Lestignathus *cursor*.

Lestiphorus *behni*, *hicinctus*, *bipunctatus*.

Lestis *muscaria*.

Lestomerus *affinis*, *spinipes*.

Lestremia *alpipennis*, *carnea*, *cinerea*, *fusca*, *leucophaea*.

Lestrignonus *exulans*, *fabrei*.

Lestris *antarcticus*, *benicki*, *boji*, *huffoni*, *catbarractes*, *cepphus*, *crepidatus*, *fuscus*, *lessoni*, *macropterus*, *microrhynchos*, *obscurus*, *parasiticus*, *pomarinus*, *ricbardsoni*, *schlepi*, *skua*, *sphaeriuros*.

Lesueuria *vitrea*.

Lethe *europa*.

Lethia *chersis*, *drupiferarum*, *gordius*, *kalmiae*, *ligustri*, *prini*.

Lethrinus *abbreviatus*, *alboguttatus*, *amarius*, *argenteus*, *atlanticus*, *azureus*, *borhonicus*, *bungus*, *caeruleus*, *centurio*, *chaerorhynchus*, *chrysostomus*, *cinereus*, *cinnabarinus*, *croceopterus*, *cyanoxanthus*, *ehrenbergi*, *elongatus*, *erytbracanthus*, *erythropterus*, *erythrus*, *esculentus*, *fasciatus*, *gothofredi*, *harak*, *karwa*, *korely*, *latidens*, *latifrons*, *leutjanus*, *maculatus*, *mahsena*, *mahsenoides*, *microdon*, *miniatus*, *nebulosus*, *olivaceus*, *ornatus*, *ramak*, *reticulatus*, *semicinctus*, *sordidus*, *variegatus*, *virescens*, *waigensis*, *xanthopterus*. *Vide et* **Lethyrinus**.

Lethrus aeneus, bulbocerus, crenulatus, dispar, eversmanni, ferrugineus, flavescens, fraenatus, geniguttatus, genivittatus, karelini, longimanus, podolicus, scoparius, spinipes.

Lethrynus haematopterus. *Vide et Lethrinus.*

Letis specularis.

Leto venus.

Leucania albilinea, alopecuri, andereggi, arcuata, bathyerga, cannae, caricis, comma, congrua, cyperi, ectypa, elymi, extrema, flava, fluxa, furcata, geminipuncta, bellmanni, hesperica, impura, L. album, lineata, litoralis, loreyi, lutosa, maculata, montium, nervosa, neurica, obsoleta, ocracea, pallens, pallida, phragmitidis, pudorina, punctilinea, punctina, punctosa, punctum, pygmina, rufescens, scirpi, sicula, spargani, straminea, suffusa, typhae, unipuncta, unipunctata, velutina, venosa, verecunda, zeae.

Leuciter reynaudi, typus.

Leucippa ensenadae, pentagona.

Leucippus fallax, turneri.

Leucisca squatina.

Leuciscus acinaces, acutus, aeneus, aerogaster, affinis, agassii, albidus, albiensis, albuloideus, alburnus, albus, alfredianus*, amarus, americanus, apbya, apiatus, argenteus, argyrotaenia, aspius, atramaculatus, atronasus, baldneri, ballerus, bambusa, barbatus, belangeri, bibie, bipunctatus, bisarre, bosci, brachiatus, bramula, branchiatus, brevis, brutius, buggenbagi, burdigalensis, cabeda, caeruleus, callensis, catla, cavedanus, caveri, cephalon, cephalus, chalcoides, cbadra, chevanelle, chitul, chrysops, chrysopterus, clupeoides, cocca, colei, comes, commersoni, cordilla, corensis, cornutus, corporalis, croceus, cultellus, cultratus, cupreus, curriculum, cyanotaenia, dandia, daiconius, decipiens, diptenia, dobula, dolobratus, dorsalis, dusonensis, dussumieri*, duvauceli, dystomus, elingulatus, elongatus, erythrogaster, erythrophthalmus, falcatus, filamentosus, fintella, flavus, frigidus, frisi, frontalis, fucini, gardoneus, gatenis, genei, gibbosus, gille, gracilis, grislagine, harenula, bartmanni, heckeli, hemistictus, heterurus, homospilotus, hudsonius, idella, idus, iris, jaculum, jesella, jeses, kentuckiensis, lacustris, lancastriensis, lascha, lateralis, latiusculus, lavaretoides, leptus, lividus, machaeroides, macrochirus, macropus, macrurus, mabecola, majalis, malabaricus, margarodes, marrochius, maxillaris, medius, melettina, mento, microcephalus, microlepis, minor, mola, molitorella, molitrix, morar, muticellus, nasus, nasutus, neglectus, nesogalicus, niloticus, nitidus, obesus, oeningensis, orfus, oxygaster, pagellus, papyraceus, parvulus, parvus, pauperum, pausingeri, pellucidus, peloponensis, phoxinus, piceus, pigus, plagyus, platypus, plenus, prasinus, presbyter, productus, prolixus, pulchellus, pusillus, pygmaeus, rasobora, recurviceps, rhomboidalis, rissoi, rivularis, rodens, rosetta, roseus, rostratus, rotengulus, rubella, rubio, rubripes, rutiloides, rutilus, ryzela, salmoneus, saltator, sandkbol, sardella, sardinella, savignyi, scapellus, scardafa, scardinus, scarpetta, selysi, sieboldi, sopa, soufna, spirilingulus, squalius, squalus, stephani, stigma, storeri, storerianus, symphalicus, sulphureus, temmincki, tenellus, thebensis, thermalis, tinella, trasimenicus, turskyi, ukliva, uncistrostris, uranoscopus, vandella, vandoisulus, variegatus, versicolor, vittatus, vulgaris, vulturius, xanthogramme, xanthurus, zeylonicus.

Leucocelis adpersa, amabilis, cinctella, eustalacta, graeca, guttifera, haemorrhoidalis, marginalis, nitidula, petiti, rubra, rufo-femorata, stictica, thoracica.

Leucocera decempustulata.

Leucocerca lessoni, melanura, rhombifer.

Leucochloridium paradoxum.

Leucochroa albella, candidissima, cariosa, cariosula, cinae, compar, delphinula, filimargo gargotta, limbata, listeri, leucocirca, rugosa, tectiformis, tripolitana, turcica.

Leucocirca albo-frontata, fuscoventris, laticauda, pectoralis.

Leucocora centaureata, extremata, irriguata, sucenturiata.

Leucodore ciliatus.

Leucodorum coecum, muticum.

Leucoma auriflua, salicis.

Leucon deformis, emarginatus, nasica.

Leuconerpes albolarvatus, candidus, dominicanus.

- Leuconia** compressa*, nivea, vau-nigra.
Leuconoe otus.
Leucophasia lathyri, sinapis, sylvicola.
Leucopholis irrorata, jacquinoti, lepidophora, niveosquamosa, plagiata, ~~rommerti~~.
Leucophora cinerea, floralis, gagatea, grisea, sericea.
Leucophra echinoides, fissulata, horrida, hydrocampa, jobloti, larus, lumbrici, pupella.
Leucophrys (A.) pileatus.
Leucophrys (Inf.) carnium, fluida, nodulata, patula, striatys.
Leucophrys (Verm.) clavata, pyriformis, sanguinea, spathula.
Leucophthalmia ocellaria, omicronaria, orbicularia.
Leucophthalmus strangwaysi.
Leucopis albipennis, annulipes, aphidiperda, aphidipora, aphidivora, argentea, argenti-collis, bursaria, cinerella, griseola, hirta, byalipennis, lusoria, misaphida, obscura, picea, puncticornis.
Leucops leucops.
Leucopsis costae, intermedia, nigricornis.
Leucopsunis circe, collaris, glaucopsis.
Leucoptera auritella, cerusella, spartifoliella.
Leucopternis albicollis, giesbrechti, kuhli, lacernulatus, melanops, paecilonotus, polionotus.
Leucopygia ruficollis.
Leucorrhynchus leucodon, lineatus.
Leucos adpersus, aula, basak, cenisopbius, cisalpinus, fucini, henlei, pagellus, pauperum, prasinus, rubella, rubellus, rubilio, rutiloides, scardinus, selysi, trasimenicus.
Leucosarcia picata.
Leucosia anas, anatum, bispinosa, cancellus, craniolaris, cranium, cumingi, dentata, globulosa, haematosticta, hestia, leachi, longicarpa, longifrons, marmorea, mediterranea, novemspinosa, obscura, obtusifrons, orbiculus, pacifica, phyllocheira, prevostiana, residuus, rhomboidalis, subrhomboidalis, tuberosa, tumefactus, uni-dentata, urania.
Leucosoma chinensis, reevesi.
Leucosomus argenteus, chrysoleucus, gracilis, laevigatus.
Leucospis aculeata, affinis, assimilis, basalis, bifasciata, biguetina, brevicauda, cayen-nensis, clavata, dispar, druriei, dubia, elegans, fabricii, fraterna, frenata, fuesslini, gibba, grandis, grohmanni, guzeratensis, bopei, incarnata, integra, klugi, ligustica, minuta, obsoleta, ornata, pediculata, poeyi, rufo-notata, scutellata, sbuckardi, sicelis, spinolae, subnotata, surinamensis, unipunctata, varia, vicina.
Leucospiza candicans.
Leucosticte arctous, brandti, brunneinucha, griseinucha, griseogenys.
Leucostoma aenescens, brevicornis, carbonaria, exigua, floralis, gagatina, lepida, maculata, nervosa, obscuripennis, simplex, terminalis, venosa.
Leucothea formosa.
Leucothoe articulosa, clypeata, furina, glacialis.
Leucothyreus anachoreta, antennatus, capitatus, cavifrons, chalcus, costatus, cribrati-pennis, cyanescens, dispar, dorsalis, elongatus, erraticus, femoralis, femoratus, fulvus, fuscens, fuscicollis, gadulpiensis, humilis, kirbyanus, laticollis, limbatus, lividus, marginaticollis, metallescens, metallicus, microcephalus, modestus, nitidicollis, niveicollis, pallens, pallidipes, pilosellus, politus, pruinosis, punctulatus, rufipes, rugipennis, splendidus, spurius, subcupreus, suturalis, umbrinus, variipes, vittipennis.
Leucotis cancellatus.
Leucozonia nassa.
Leuctra abdominalis, fusca, fusciventris, geniculata, pilicornis.
Leuretra pectoralis.
Levathan missouri.
Levenia coarctatum.
Leviathan missuriensis.
Lexias aeropus.
Lia albo-sinuata, comma, decempunctata, dorsalis, fasciata, multipunctata.

- Liagora** albicans, articulata, aurantiaca, ceranoides, distenta, farinosa, marginata, physcioides, versicolor.
- Lialis** bicatenata, burtonis, punctulata.
- Liasis** amethystinus, childreai, mackloti, olivacea.
- Libella** bimaculata.
- Libellago** lineata.
- Libellula** abbreviata, abdominalis, abjecta, acuta, aenea, affinis, albifrons, albipuncta, albistyla, ambigua, ampullacea, analis, anceps, angulata, angustipennis, angustiventris, annulata, antiqua, apicalis, arteriosa, attenuata, auripennis, aurora, axilena, azurea, baetica, barbara, basalis, basilaris, biguttata, bimaculata, binotata, bivittata, bottoni, brachialis, brannina, bremsii, brevipennis, brunnea, caeruleans, caerulea, caesia, caffra, calypso, canilla, cardinalis, castanea, caudalis, cayana, cblora, chryso-stigma, clathrata, coarctata, coccinea, cognata, communimacula, communis, concinna, congener, conjuncta, comata, contracta, costalis, cynos, cynosura, denticulata, deplanata, depressiuscula, discolor, dislocata, disparata, distincta, distinguenda, doris, dorsalis, dubia, edwardsi, elegans, erratica, erythraea, erythroneura, eurynome, exusta, fallax, famula, fasciolata, fastigiata, fenestrina, feralis, ferruginea, festiva, flaveola, flavicans, flavidus, flavistyla, flavomaculata, fonscolombe, frontalis, fuchsiana, fusca, fuscofasciata, geminata, genei, graphiptera, guttata, haematina, haematodes, haematogastra, hellmanni, hemicblora, hopei, hova, hudsonica, hybrida, bymenaea, imbuta, immaculata, incerta, incompta, infumata, infusca, inquinata, insignis, intermedia, lais, lateralis, leda, lefebvrei, leptura, leucosticta, limbata, lineolata, longialata, longipennis, lucilla, luctuosa, macrocephala, macrostigma, maculata, maculiventris, madagascariensis, manadensis, marcbali, mauriciana, melanostigma, melobasis, meridionalis, metallica, migratoria, minuscula, morio, murcis, neglecta, nigra, nigricans, nigricula, nigripes, nitens, nitidivervis, nubecula, oblita, obsoleta, ocracea, oeningensis, olympia, opalina, ornata, pallida, pallidastigma, panorpoides, pectoralis, pedemontana, perse, peruviana, phryne, platyptra, plebeia, plebeja, pleurosticta, polysticta, praenubila, pruinosa, pulchella, pulla, pullata, quadrupla, ramburi, roeseli, rubella, rubicundula, rubrinervis, rubriventris, rufa, ruficollis, rufinervis, ruralis, sanguinea, sanguinolenta, sardoa, scotica, semiaquea, semicincta, semifasciata, semi-hyalina, semivitre, separata, sicula, signata, similata, simplex, simplicicollis, sobrina, socia, soror, sparshalli, splendida, stemmalis, stictica, striolata, stylata, subfasciata, taeniolata, tenebrosa, tenera, tenuicincta, terminalis, ternaria, tessellata, testacea, tetra, thetis, thoe, transversa, tricolora, trinacria, tripartita, trivialis, truncatula, unimaculata, venosa, veronensis, vilis, virginia, vittata, vulgata, zonata.
- Libidoclaea** granaria.
- Libinia** affinis, canaliculata, dubia, emarginata, lunulata, nuttalli, rostrata.
- Libitina** bicarinata.
- Libys** polypterus.
- Libythea** atalanta, calliope, cardui, carinenta, celtis, cuvieri, fulgurata, geoffroyi, io, myrrha, narina, terena, urticae.
- Lichanotus** avahi, brevicaudatus, diadema, indri, laniger, niger.
- Lichas** (Cr.) angusta, barrandei, bottoni, cicatricosa, coniceps, grayi, haueri, beberti, hibernica, hirsutus, laxata, palmata, parvus, propinqua, pumila, salteri, scabra, simplex, tricuspidata, verrucosus.
- Lichas** (L.) antiquus.
- Lichenepora** miocenica, papiracea, tuberosa.
- Lichenoides** priscus.
- Lichenopora** armorica, cenomana, conjuncta, cretacea, cribrosa, crispa, cumulata, defranciana, glomerata, mediterranea, spongioides, turbinata.
- Lichenops** erythropterus, perspicillatus.
- Lichia** aculeatus, albacora, amia, analis, calcar, carolina, fitzinger, forsteri, glaucus, glycos, lysan, lyzan, ptisca, quebra, rhomboides, saliens, tetracantha, vadigo, vulgaris.
- Lichnanthe** vulpina.
- Lichnia** immarginata, limbata.

Licina evoluta, labea, labeo.

Licinetis tenuirostris.

Licina amphione, crisia, melite.

Licinus aegyptiacus, aequatus, affinis, agricola, angustus, asiaticus, bipustulatus, brevicollis, cassideus, cossyphoides, dalmatinus, depressus, emarginatus, granulatus, hoffmanseggii, humeralis, latreillei, nebrioides, oblongus, peltoides, punctatosulcatus, sculus, silphoides.

Licmetis nasicus, pastinator.

Licoperdina grimmeri.

Licornia jollaisi.

Licosa hellenica, vultuosa. *Vide et Lycosa.*

Licus niphon.

Ligia (Cr.) brandti, cajennensis, coriacea, dilatata, ehrenbergi, glabrata, grandis, granulata, hypnorum, melanocephala, olfersi, oniscides, oniscoides, pallasi, scopulorum.

Ligia (Lep.) argentaria, caliginearia, ciliaria, jourdanaria, opacaria, similifaria.

Ligidium persooni.

Lignicola destructor.

Ligniperda tenebrans.

Lignus tenuis.

Lignyodes bicolor, enucleator, triophori.

Ligula (L.) alba, boysi, compressa, declivis, distorta, donaciformis, edulis, nodulosa, oblonga, polymorpha, praetenuis, prismatica, profundissima, pubescens, substriata, tenuis, truncata, variegata.

Ligula (Verm.) abdominalis, acuminata, alburni, alternans, avium, bramae, carassii, carpinis, cingulum, cobitidis, colymbi, constringens, contortrix, crispa, gobionis, interrupta, leucisci, mergorum, monogramma, nodosa, reptans, salmonis, simplicissimus, soricis, sparsa, sparta, tineae, tritonis, uniserialis, vimbae, wartmanni.

Ligumia recta.

Ligurinus cannabinus, chloris, ciris.

Liguus alabaster, virgineus.

Lima abdominalis, abrupta, aciculata, acuta, acuticostata, aequicostata, affinis, alata, albensis, alternans, alternata, ambergensis, amygdaloides, angulata, annulata, antiquata, aperta, arcuata, armata, asperula, astieriana, basilanica, baugasiana, bellardi, bellula, bisulcata, bolina, bourgeoisiana, brightoniensis, bronni, bullata, bulloides, calypso, canalifera, capillata, cardiiformis, carinata, carolina, carteroniana, cenomanensis, clypeiformis, coarctata, comata, communis, concentrica, concinna, coniacensis, consobrina, corallum, cordiformis, costata, costulata, cottaldina, crassa, crenulicosta, crinita, cumingi, cuneata, cyanesthis, decalvata, decorata, decussata, dehiscens, densepunctata, dentata, denticulata, depressa, dichotoma, difficilis, dilatata, dispar, divaricata, dujardini, dumosa, dunkeri, dupiniana, duplicata, dutempleana, echo, edula, egaea, elea, electra, elegans, elegantula, elongata, eolis, erato, erina, erosne, eryx, eucharis, eudora, exarata, excavata, exilis, expansa, fasciata, fimbriata, fittoni, flabelloides, flexuosa, forchhammeri, fragilis, frondosa, galathea, gallieniana, galloprovincialis, geinitzi, gibbosa, gibbosaeformis, gigantea, glaber, glabra, glacialis, goldfussi, goodalli, goupili, gracilis, grandis, granosa, granulata, gueuxi, harpax, hausmanni, hellica, hermanni, hians, hille, hippia, hoperi, imbricata, inaequistriata, inflata, intercostata, intermedia, interstincta, interstriata, janassa, juncta, lacertosa, laevigata, laevissima, laeviuscula, laticosta, ligeris, lineata, lingua, linguatula, lirata, longa, loscombei, luciensis, lunaris, macroptera, mantelli, margineplicata, marrotiana, marticensis, massiliensis, maxima, minuta, minutissima, miocenica, mitis, moreana, moutoniana, muensteriana, multicostata, muricata, mutica, nais, natans, neoconiensis, nerina, nilssonii, nivea, nodosa, notata, obliqua, obliquata, obliquistriata, oblonga, oblongata, obscura, obsoleta, orbignyana, orientalis, ornata, ovalis, pacifica, papyria, parallela, paucicostata, paupera, pectinata, pectiniformis, pectinoides, pelagica, pellucida, pennata, pentagona, permiana, phillipsi, plana, planicosta, plicata, plicatilis, plicatula, prisca, proboscidea, pseudocardium, pulchella, punctata, punctatilla, pusilla, pygmaea, radiata, rapa, rariocosta, rauliniana, rectangularis, regularis, reichenbachii, renauxiana, resecta, reticulata, reussi, rhodeniana,

rhotomagensis, rigida, rigidula, robinaldina, rotundata, royerana, rudis, rugaestriata, rupellensis, rustica, santonenensis, scabra, scabrosa, semicircularis, semicostata, semilunaris, semiornata, semisulcata, septemcostata, shlotheimi, simplex, solida, sowerbyi, spatulata, spinosa, squamifera, squammatinus, squammicosta, squamosa, staminea, streitbergensis, striata, striatopunctata, striatula, stricta, strigillata, subabrupta, subaequilateralis, subantiquata, subauriculata, subconsobrina, subgibbosa, suborbicularis, subovalis, subplana, subplicata, subpunctata, subrigida, subsemilunaris, substriata, succincta, sulcata, tecta, tegulata, tenera, tenuistriata, tombeckiana, toubcasiana, trabayensis, transversa, truncata, truncatifrons, tumescens, tumida, turgida, undata, undulata, uniauriculata, variegatus, varusensis, ventricosa, vitrea, vitrina, wacoensis.

Limacella lactiformis.

Limacina (G.) annularis, elongata, pellucida, retroversa.

Limacina (Pter.) antarctica, arctica, australis, balea, bulimoides, clathrata, helicalis, inflata, jeffreysi, keraudreni, le sueuri, macandrei, rotunda, rotundata, trochiformis, turricula, ventricosa.

Limacites discus.

Limacodes arenacea, asellus, bufo, delphini, graciosa, hilaris, testudo.

Limnaeus grayanus.

Limanda limandoides, oceanica, pontica, vulgaris.

Limanomia gibba, grayiana.

Limapontia caerulea, nigra.

Limaria (L.) asperula, inflata, mitis, vulgaris.

Limaria (Cor.) angularis, clathrata, escharoides, fruticosa, lonsdalei, punctata.

Limatula ovata, subauriculata.

Limax aequinoctialis, affinis, alpinus, andecolus, anguiformis, antiquorum, arborum, ascensionis, aterritus, bilobatus, bitentaculatus, brunneus, campestris, canariensis, capensis, carenata, carinatus, carolinianus, caroliniensis, cereus, cinereus, niger, coccineus, fasciatus, gagates, geographicus, glaucus, gracilis, laevigatus, lamarcki, lanceolaris, larteti, limbatus, lineolatus, livonicus, lombricoides, maculatus, marmoratus, maurus, megalodonta, megaspidus, melanocephalus, melanostictus, moreleti, nebulosus, nigricans, nitidus, noctilucus, oxyurus, pallidus, perlucidus, rustica, salixium, sandwichiensis, schultzei, serotinus, sexcornis, sowerbyi, subfuscus, sylvaticus, togata, tunicata, umbrosus, valentianus, variegatus, virescens, viridis.

Limnaea acuticostata, duplicata, sacki, sarsi, strigilata.

Limnecola solidula.

Limnitis aceris, alankara, arthemis, brebissoni, camilla, coenobita, columella, consimilis, crithia, daraxa, dichroa, disippus, dudu, dumetorum, eurynome, ismene, kikideli, lucilla, martha, melaleuca, niavius, opalina, populi, praslina, procris, saclava, sankara, selenophora, sibylla, ursula, venilia, zayla, zulema.

Limerodes arctiventris, ophioneiventris.

Limicola indiana, platyrhyncha, pygmaea.

Limicolarius babel, exaratus, flammeus, flammiger, kambeul, striatulus, strigatus, tenuis.

Limicula fedoa, grisea, hudsonica, lapponica, marmorata, melanura, meyeri, terek.

Limicularia flammea.

Limma inundana, mygindana.

Limnadia borysthénica, coriacea, hermanni, mauritiana, tetracera.

Limnaea affinis, bactriana, burnetti, canalis, conoidea, decollata, fragilis, geisericola, glacialis, gracilis, lacustris, lineata, mucronata, obtusissima, pallida, peregrina, petiti, plebeia, pulchella, socialis, striata, subglobosa, subovata, tenuistriata, timoriensis, truncata, truncatula, tumida, turricula, umbilicata, velutina, ventricosa. *Vide et Limnaeus, Limnea, Limneus, Lymn*→, etc.

Limnaetes wiegmanni.

Limnaetus caligatus, horsheldi, unicolor.

Limnaeus ampullaceus, amygdalum, bullatus, candidus, cerasum, cinctus, cretaceus, cubensis, delicatus, diaphanus, dilatatus, ecaudis, excerptus, filograna, flavescens, forensis, fuscus, gebleri, gibbimannicus, glaber, hennei, impurus, kamtschaticus, kirri, lacunosus, limbatus, limosus, longulus, membranaceus, minimus, minor, natalensis,

nucleus, orbiculatus, pachygaster, papyracea, partschi, patulus, pereger, pharaonum, politus, prunum, pullus, rivularis, roseus, sandwichensis, separandus, sericatus, silesiacus, solidus, speciosus, subpalustris, succineiformis, sulcatulus, turricula, vulgaris, ziegléri. *Vide et Limnaea, Limnea, Limneus, Lymn*→, etc.

Limnas abydis, agria, alphonsus, athemon, caricae, chrysippus, chrysippus, cora, elusa, genutia, halimede, idea, laeris, leucosia, limniace, lycea, lycisca, melander, midamis, molpe, navia, nemertes, nyx, pais, pharea, pixe, plexippe, vincetoxici.

Limnatis nilotica.

Limnea acutalis, ampla, ampullaria, brevis, calostoma, columellaris, detrita, dubia, expansa, ferruginea, fossaria, glutinosa, gothalanica, intermedia, lanceata, lepida, lessoni, limosa, linsleyi, lutea, marginata, maxima, octona, ovalis, palustris, rufescens, subulata, succinea, thermalis, vitrea. *Vide et Limnaea, Limnaeus, Limneus, Lymn*→, etc.

Limnebius affinis, ater, atomus, lutosus, marginalis, minutissimus, mollis, nigricaus, nitidus, papposus, picinus, piscinus, truncatellus.

Limnephila aspersa, chrysota, discolora, flavida, fulva, fuscata, fuscicornis, guttata, impura, nebulosa, nigrita, obscura, obsoleta, pellucida, radiata, rufescens, scabripennis, striolata, submaculata, tessellata, variegata, vitrea. *Vide et Limno*→.

Limnephilus abdominalis, affinis, albobittatus, angulatus, apicalis, assimilis, auricula, basalis, bimaculatus, binotatus, bipartitus, bipunctatus, brevipennis, brevis, caenosus, caliginosus, centralis, coenosus, cognatus, confluent, consobrinus, costalis, diaphanus, discoidalis, dorsalis, elegans, elongatus, emarginatus, femoralis, fenestralis, flavicornis, flavus, fuliginosus, fuscatus, fuscus, geminus, glaucopteris, griseus, hieroglyphicus, hirsutus, incisus, interruptus, irroratus, latipennis, lunatus, luniger, luridus, marginalis, marmoratus, nebulosus, nervosus, nigrivittatus, notatus, nubilus, obliquus, obscurus, ochraceus, ornatus, pallescens, pellucidula, pictus, praeustus, punctatissimus, punctatus, punctulatus, quadrimaculatus, radiatus, rhombica, signatus, sparsus, stellatus, stigma, strigonis, strigosa, striola, subnebulosus, substrigosus, tenebricus, tenebrosus, terminalis, tessellatus, testaceus, ustulatus, variabilis, versicolor, vibex, villosus, vinculum, vittatus. *Vide et Limno*→.

Limnesia affinis, abella, attalica, calcarea, cyanipes, fenestrata, fulgida, fuscata, longipalpis, maculata, minutissima, modesta, oblonga, phoenicea, rutilata, sacra, tigrina, undulata, venustula, vitellina.

Limnesius affinis, brunneus, caricis, schoenherri, spargani, typhae.

Limnetis wahlbergi.

Limneus acronicus, acuminatus, acutus, adelina, auricularius, communis, corneus, detritus, elongatus, enflatus, fabulum, fontinalis, fossarum, fragilis, glutinosus, hartmanni, inflatus, involutus, lacustris, longiscatus, major, minuta, ovatus, ovum, palustris, pereger, scaturiginum, stagnalis, strigosus, subulatus, tinctus, truncatulus, umbrosus, ventricosus, vulgaris. *Vide et Limnaea, Limnaeus, Limnea, Lymn*→, etc.

Limnia claripennis, dejeani, limbata, marginalis, marginata.

Limnias ceratophylli, ingenta, melicerta.

Limnichus australis, pygmaeus, riparius, sericeus, versicolor.

Limnius aeneus, angustatus, araneolus, canaliculatus, cupreus, fastiditus, nitens, obscurus, opacus, orichalceus, parallelepipedus, pygmaeus, tuberculatus, volkmari.

Limnobates major, stagnorum.

Limnobia aberrans, acrostacta, adjuncta, adpersa, aegle, affinis, albifrons, albipennis, amoena, analis, angulata, angustipennis, annulus, antarctica, apicalis, apparens, aprica, arctica, argentea, argentifrons, argus, armillaris, atra, attenuata, badia, barbipes, basilaris, bibula, bicolor, bifasciata, bifurcata, bimaculata, binotata, bituberculata, brunnipennis, caminaria, cana, capensis, chorea, ciliaris, cinctipes, cinerascens, cinerea, cingulata, collaris, congrua, consimilis, conspersa, conveniens, costalis, cothurnata, debilis, decasbilla, decora, demissa, diana, didyma, discicollis, disjuncta, dispar, distinctissima, diuturna, divisa, dumetorum, elegans, errans, erythrocephala, excisa, exclusa, fasciapennis, fasciata, fasciolaris, ferruginea, fimbriata, finitima, flava, flavescens, flaviceps, flavipes, flavithorax, flavo-limbata, formosa, fulvescens, fulvonervosa, fusca, fuscescens, fuscipennis, geniculata, glabrata, glabricula, globata, gracilipes, gracilis, grisea, hieroglyphica, hirsutipes, hirtipes, humeralis, humilis, ignota, immaculata, inclusa, intermedia, inusta, irrorata, laevigata, latipennis,

- leucocephala, leucophaea, lineola, littoralis, livida, longicollis, longicornis, longimana, longipennis, longirostris, lucorum, lutea, macrocera, macroptera, macrostigma, maculata, maculipennis, manifesta, marginata, marmorata, melanacra, melanocephala, meridiana, mesopyrrha, mitis, modesta, morio, multipunctata, nebulosa, nemoralis, nervosa, nigra, nigricans, nigricollis, nigrina, nigropunctata, nigrorostis, nitidicollis, nova, nubeculosa, nubila, nudicollis, obscura, obsoleta, occulta, ocellaris, ochracea, ornata, pabulina, pallida, pavidata, petrarum, phaeostigma, picta, pictipennis, pilipes, pilosa, placida, platyptera, plebeia, praeusta, pratorum, pulchella, pulla, punctata, punctatissima, punctipennis, punctum, pygmaea, quadra, quadrimaculata, quadri-notata, reciproca, remota, reperta, replicata, rivosata, rivulorum, rostrata, ruficornis, rufithorax, ruralis, schistacea, senilis, separata, sera, sericea, sessilis, sex-guttata, sex maculata, sex notata, secpunctata, similis, simplex, simulans, sorbicans, squalens, stictica, stigma, stigmatella, stigmatica, straminea, striata, substituta, sumatrensis, sylvatica, sylvicola, taenioptera, tarda, tempestiva, tenella, tenuipes, tenuis, transversa, trentepohli, trimaculata, trinotata, tripunctata, tristis, trisulcata, trivittata, umbripennis, unicolor, unimaculata, vagans, varia, variegata, venezuelensis, ventralis, vetusta, vicaria, vicina, viridipennis, vitripennis, xanthoptera, xanthura.
- Limnobia** *rhynchus* brasiliensis, canadensis.
- Limnocharis** aquaticus, extendens, flaccida, holosericeus.
- Limnocharis** fuscus.
- Limnodromus** noveboracensis.
- Limnodynastes** peroni.
- Limnodytes** chalconotus, erythraeus, waigensis.
- Limnoea** nouletiana, trencalaensis. *Vide et Limnaea.*
- Limnomedusa** macroglossus.
- Limnometes** kuhli.
- Limnophila** abdominalis, angustipennis, barbipes, bicolor, carbonaria, discicollis, dispar, elegans, ferruginea, guttata, immaculata, lineola, lucorum, nemoralis, nigricollis, picta, pictipennis, platyptera, pruinosa, punctata, scutellata, sessilis, stigmosa, trentepohli, unicolor. *Vide et Limne* →.
- Limnophilus** (Neur.) atomarius, digitatus, flavescens, flavicornis, flavus, fuscus, gracilis, lunaris, pantherinus, pellucidus, pusillus, rhombicus, rubricollis, striatus, striola, vittatus. *Vide et Limne* →.
- Limnophilus** (R.) mascareniensis.
- Limnophora** aestivalis, analis, aquatica, atra, bengalensis, brunica, buccata, cinerea, coenosa, elegans, fluviatilis, frontalis, gentilis, hamata, interrupta, littoralis, liturata, macei, meridionalis, nitida, obscura, palustris, polystigma, punctatella, rivularis, soror, trapae, triangula, vicina.
- Limnophylax** marmorata.
- Limnophysa** catascopium, chilensis, desidiosa, diaphana, elodes, elongata, emarginata, gingivata, holbolli, humilis, impura, minuta, mölleri, palustris, pingeli, reflexa, senegalensis, sicula, truncatula, vahli, viator, wormskjoldi.
- Limnorea** astroites, hieroglyphica, hybrida, involuta, milleporata, sulcata.
- Limnoria** gibbosa.
- Limnornis** canifrons, cinnamomea, curvirostris, rectirostris, unirufus.
- Limobius** dissimilis.
- Limonia** barbipes, bicolor, didyma, dumetorum, flavescens, flavipes, fusca, hiemalis, hybrida, immaculata, lineola, littoralis, lutea, maculata, nubeculosa, ochracea, picta, punctata, quatuor maculata, replicata, rivosata, rivularis, secpunctata, transversa, tripunctata, xanthoptera.
- Limonium** araratensis, bipustulatus, bructeri, crenulatus, cylindricus, definitus, lythodes, metallescens, minutus, nigripes, optabilis, parvulus, posticus, sericeus, serraticornis, substriatus, tenuicornis.
- Limonotus** flavida, marmorata.
- Limopsis** auriculata, aurita, auritoides, complanata, deltoidea, gaudryna, granulata, guerangeri, inaequilateralis, lima, lorieriana, minima, minuta, modiola, moreausiana, oblonga, oolithica, petschorae, pygmaea, radiata, reinwardti, rhomboidalis, sacheri, subgranulatus, trigonella.

- Limosa** aegocephala, alba, australasiana, australis, barge, brevipes, calidris, candida, cinerea, edwardsi, fedoa, ferruginea, foxi, fusca, glottis, hardwicki, himantopus, horsfieldi, hudsonica, islandica, lapponica, leucophaea, marmorata, melanura, melanuroides, meyeri, novae zealandiae, recurvirostra, rufa, scolopacea, terek, uropygialis, varia, vulgaris.
- Limosia** agrestis, albida, albidula, alismatis, brunipes, campestris, cinerea, fuliginosa, hydrocotylis, immaculata, juncorum, limpidipennis, littoralis, nigrifacies, nigripes, nitens, nitidula, obscura, pallidipes, paludosa, palustris, picena, riparia, ripicola, rubripes, scirporum, stagnalis.
- Limosina** acutangula, arcuata, clunipes, crassimana, erratica, fenestralis, flaviceps, flavipes, fontinalis, fulvipes, fungicola, fuscipennis, geniculata, glabra, heteroneura, humida, impressa, leucoptera, limosa, lugubrina, lugubris, melania, minima, minutissima, nigerrima, nivalis, ochripes, payeni, pedestris, pullula, pumilio, pusio, pygmaea, quisquilia, rufipes, sacra, scutellaris, scutellata, setulosa, silvatica, spinipennis, tristis, vagans, vitripennis, zosterae.
- Limulus** agnotus, albus, americanus, anthrax, australis, cancriformis, giganteus, heterodactylus, latreillei, longispina, macleayi, moluccanus, noctilucus, oculatus, orientalis, priscus, productus, rotundatus, rotundicauda, serricaudus, sowerbyi, steinlae, tridentatus, trilobitoides, virescens, walchi.
- Lina** consanguinea, discicollis, inflexa, populeti.
- Linaria** agrorum, alnorum, amandava, analis, anatoides, angolensis, argentoratensis, atrogularis, bengalus, betularum, borealis, canaria, canescens, caniceps, cannabina, citrinella, coccinea, fera saxatilis, flammea, flavivestris, granatina, gularis, holboellii, inornata, lepida, linaria, minor, montana, monticium, montium, nitens, phoenicoptera, pinus, rubra, rufescens, senegalla, serinus, spinus, tephrocotis, tristis.
- Linarius** cannabinus, ruber, serinus, spinus.
- Linckia** bifascialis, browni, columbiae, crassa, erythraea, guildingi, intermedia, leachi, milleporella, pacifica, pulchella, unifascialis, variolata.
- Lindenia** tetraphylla.
- Lindenius** albilabris, apicalis, argentatus, armatus, brevis, curtus, panzeri, pygmaeus, subaeneus, venustus.
- Lindia** torulosa.
- Lineola** obtusicaudata, rosea, sieboldi.
- Lineolaria** costata.
- Lineus** gracilis, longissimus.
- Linguatula** armillata, clavata, crotali, denticulata, diesingi, ferox, integerrima, pingui-cola, toenoides, venarum.
- Linguella** elforti.
- Lingula** acuminata, acutangula, acutirostra, aequalis, albida, anatifera, anatina, anatina-formis, angusta, antiqua, attenuata, audebardi, beani, bicarinata, birugata, brevis, brimonti, calcaria, cancellata, compressa, concentrica, conrecta, cornea, crassa, credneri, crumena, cuneata, curta, dubia, dumortieri, elliptica, elongata, exunguis, flaveola, fusca, granulata, hawkei, hians, iowensis, keuperea, lamellata, lata, lesueuri, lewisi, longissima, marginata, meyeri, minima, muensteri, mytilloides, oblata, oblonga, obtusa, ovalis, ovata, oxfordiana, parallela, planulata, quadrata, rauliniana, rectilateralis, riciniformis, scutiformis, semen, spatulata, squamiformis, striata, sub-elliptica, submarginata, suboblonga, tenuis, tenuissima, transversa, trentonensis, truncata, tumidula, verrucosa, viridis.
- Lingulina** alata, bohemica, carinata, costata, crepidularis, cuneata, ensiformis, mutabilis, obliqua, oblonga, ovata, rotundata, soldanii.
- Liniscus** exilis.
- Linkia** franciscus, oculata, rosea, typus, variolosa.
- Linnaemya** aestivalis, analis, borealis, distincta, heraclea, longipes, oenanthis, silvestris, sophia, vulpina.
- Linneopicus** herminieri.
- Linocerus** gracilis.
- Linophaga** canescens, linaria, montium, rubra.
- Linopodes** ambustus, decoloratus, flavipes, flexuosus, longipes, lutescens, maculatus, melaleucus, obsoletus, rarus, riparius, rubiginosus.

- Linota** borealis, canescens, cannabina, fringillirostris, fusca, hornemanni, linaria, montium, saturata.
- Linotaenia** crassipes, nemorensis, rosulans, subtilis.
- Linotoma** linearis.
- Linsang** gracilis, pardicolor.
- Linthuris** cassidatus.
- Linthurus** cassis.
- Linuche** unguiculata.
- Linuparus** trigonus.
- Linyphia** alticeps, annulipes, argyrobapta, argyroda, aurlenta, autumnalis, bicolor, bucculenta, cauta, cellulanus, cincta, circumflexa, clathrata, claytoniae, clercki, coccinea, communis, concolor, conferta, coronaria, costata, crocea, crypticleus, degeeri, delicatula, deplanata, distincta, domestica, dorsalis, elegans, emphana, fastuosa, frenata, frondosa, frutetorum, fuliginea, furcula, furva, gibbosa, globosa, gracilis, graminicola, hortensis, incerta, insignis, lemniscata, leucosternon, longidens, longipalpis, luctuosa, lugubris, luteola, manducula, marginata, marmorata, maxillosa, minuta, montana, multiguttata, multipunctata, nebulosa, neophita, nigella, obscura, pallipes, pascuensis, peltata, phrygiana, picta, pratensis, pulchella, pusilla, pyramitela, quadrata, radiata, resupina, reticulata, rubea, rubra, rufa, scripta, sepium, signata, socialis, sylvatica, tardipes, tenebricola, tenuipes, terricola, textrix, thoracica, tigrina, triangularis, tristriata, vivax, zonata. *Vide et Lynphia.*
- Linza** flosculosa, hippocrepis, pruniformis, stentorea.
- Liocheles** australasiae.
- Liodes** theleproctos.
- Liogaster** obtusa.
- Liogastra** bicolor.
- Liogenys** castaneus, concolor, denticeps, fulvescens, fuscus, gayanus, obscurus, pallens, pallidicornis, parvus, quadridentatus, santaecrucis.
- Liolaemus** conspersus, cyanogaster, elegans, hieroglyphicus, lemniscatus, lineatus, marmoratus, modestus, multimaculatus, olivaceus, pectinatus, pictus, tenuis, unicolor.
- Lioniscus** glaber.
- Lionychus** aeneipennis, americanus, cinctus, holosericeus, latens, marginellus, quadrillum, subsulcatus.
- Liop** tentaculata.
- Liopeltis** tricolor.
- Liophis** cobella, doliatus, miliaris, poecilogyrius, reginae, taeniurus.
- Liophloeus** canus, chrysoperus, geminatus, gibbus, herbsti, lentus, maurus, nubiculosus, nubilus, obsequiosus, pulverulentus, schmidtii.
- Liopholis** monilifera.
- Liopola** fasciata, gracilis.
- Lioptena** phyllostomatis.
- Liopteron** compressum.
- Lioptilus** nigricapillus.
- Liopus** coenobita, conspicillaris, emeritus, floccidus, inplexus, polymitis, remissus, serpentinus, strigilis, superstes.
- Liorhynchus** denticulatus, gracilescens, inermis, pulmonalis, truncata, tubifera, vulpis.
- Liosoma** microlepis, sitchaense.
- Liostephania** magnifica, rotula.
- Liostoma** coccineum.
- Liostraca** bina, jota.
- Liotheum** atrum, carduelis, cimicoides, citrinellae, conspurcatum, cucullare, eury sternum, flavescens, fragili, fulvocinctum, fulvo-maculatum, giganteum, gilvum, haliaetis, hasticeps, icterum, importunum, inaequale, irascens, laticolle, lituratum, luridum, malleus, mesoleucum, minutum, nigro-pleurum, nitidissimum, nyctarde, ochraceum, pallidum, perenopteri, perdicis, phanerostigmaton, piceum, pici, pulicare, punctatum, quadripustulatum, ridibundi, scopulicorne, semi-luctus, sinuatum, stramineum, strepsilae, subaequale, sulphureum, transversum, trideus, trochioxum, troglodyta, turbinatum, umbrinum, zebra.

Liotia affinis, duplicata, granulosa, krausi, nodulosa, pulcherrima.

Liotropis ernesti.

Lipangus ampelina, cinerascens, cinerea, fuscocinereus, hypopyrrhus, lanioides, lateralis, sanguinari, simplex, turdina. *Vide et Lipaugus.*

Lipara lucens.

Liparetra nigricollis, sylvicola.

Liparetrus basalis, concolor, depressus, discipennis, erythropterus, erythropygus, ferrugineus, humilis, iridipennis, laevis, marginipennis, nigrius, nudipennis, phoenicopterus, picipennis, poverus, striatus, tristis, uniformis, valgoideus, xanthotrichus.

Liparis (Lep.) abietis, auriflua, caenosa, chrysolopha, chrysorrhoea, crocata, demortua, detrita, diaphana, dispar, eleuteria, lutea, monacha, morio, ochropoda, pellucida, picta, rivulosa, rubea, rufescens, salicis, signata, sordida, spectra, subfusca, terebynthi, v. nigrum, visum, vitellina, xanthorrhoea.

Liparis (P.) barbatus, fabricii, gelatinosus, lineatus, montagui, ophidoides, symnensis, vulgaris.

Liparoderus insignis.

Liparus anglicanus, arcticus, bajulus, bimaculatus, carinae-rostris, carinatus, colon, cornix, crassicollis, cribricollis, cribrum, dirus, flavomaculatus, funestus, fuscomaculatus, geometra, germanus, glabratus, graecus, hispidus, illegitimus, imbricatus, monachus, picivorus, pinastri, pineti, punctipennis, sulcirostris, tenebrioides, tessellatus, triguttatus, unciipennis, vittatus.

Lipaugus cineraceus, plumbea. *Vide et Lipangus.*

Lipeurus baculus, bilineatus, brevicornis, ebraeus, gyricornis, helvolus, jejunos, leucopygus, macrocnemus, obtusus, pelagicus, polytrapezius, quadripustulatus, squalidus, staphylinoides, stellaris, sulcifrons, tadornae, ternatus, variabilis, versicolor.

Lipinia pulchella.

Lipistius desultor.

Liponeura cinerascens.

Liponix cambaiensis, cristata.

Lipoptena pterope.

Lipotomus parasiticus.

Lipotus capensis, mellivorus.

Lippistes cancellata, cornu, evoluta.

Lipura (M.) hudsonia.

Lipura (Thys.) ambulans, corticina, fimetaria, laricis, volvator.

Lipurus cinereus.

Lirator multisulcatus.

Lirceus fontinalis.

Liriodon alvaeformis, scaber.

Liriope (Coel.) cerasiformis, proboscidalis, pygmaea.

Liriope (Nud.) hombergi.

Liriopea leachi, lucasi.

Liriozoa caribaea, sexdentata.

Liriozoom Moll, Eschara, 1803, 9; encrinus, pentacrinus, rotatorium.—Ech. [teste S.F.H.].

Liris aucta, aurata, cingulata, fulvipes, hyalinata, interrupta, maura, nigripes, orichalcea, repanda, rufipennis, rufipes, tricineta, varians.

Lironaea ovalis.

Lisella flava.

Lispa auralans, fluvialis, hygromyzina, litorea, nymphaeicola, paludosa, potamogeti, pygmaea, riparia, tarsalis, tentaculata, tenuipalpis, uliginosa.

Lispe adscita, assimilis, caesia, crassiuscula, cribrella, dilatata, flavicincta, glabra, hispida, lineata, longicollis, lunulella, manicata, melaleuca, nana, nivalis, nuba, orientalis, pulchella, quadrilineata, ruftibialis, scalaris, sexnotata, simillima, simplicissima, tibialis, unicolor.

Lispinus angustatus, attenuatus, exiguus, impressithorax, laticollis, linearis, striola, tenellus.

Lissa (Cr.) chiragra.

- Lissa** (Dipt.) carbonaria, cornuta, dolium, fissirostra, loxocerina, rufipes, varipes.
Lissauchenius rufifemoratus.
Lissocarcinus polybioides.
Lissocardia magna, silesiaca.
Lissodelphis peroni.
Lissodema heyana.
Lissogenius planicollis.
Lissomus bicolor, bifloccosus, bimaculatus, bisignatus, cribratus, ebeninus, flavipennis, foveolatus, hirticollis, lacordairei, nitidus, punctulatus, sanguineus, signatipennis.
Lissonota accusator, agnata, annulata, apicalis, argiola, arvicola, bellator, bicornis, bifasciata, bilineata, bivittata, brachycentra, caligata, catenator, conflagrata, cylindrator, decimator, defectiva, deversor, dorsalis, elector, flavipes, grisea, bortorum, impressor, insignata, irrisoria, lateralis, leucogona, linearis, lineata, maculatoria, marginella, murina, occupator, pallipes, parallela, pectoralis, perspicillator, petiolaris, picta, polyzonias, quadrinotata, rufescens, ruficornis, segmentator, setosa, striata, suborbitalis, sulphurifera, thoracica, tomentosa, verberans.
Lissonotus abdominalis, asphaltinus, aterrimus, basalis, bicolor, biguttatus, busignatus, carbonarius, cinctus, corallinus, cruciatus, culiciformis, equestris, flabellicornis, flavocinctus, multifasciatus, nigrita, obsoletus, regalis, rotundipennis, scutellatus, spadiceus.
Lissopterus quadrinotatus.
Lissorhinus eryx.
Lissotarsus canaliculatus, depressus, reticulatus.
Lissotis melanogaster.
Lissotriton alpestris, palmatus, palmipes, punctatus.
Listera compressa, papyracea, pinnata, piperata.
Listriodon larteti, splendens.
Listrion rostrum.
Listrochelus laportaei.
Listroderes apicalis, appendiculatus, bimaculatus, caudatus, costirostris, delumbis, distinguendus, fulvipes, griseus, humilis, immundus, inaequalipennis, latiusculus, lineatulus, nodifer, obliquus, pilosus, porcellus, robustus, solutus, sordidus, sparsus, spurius, squalidus, squamiger, subcinctus, subcostatus, vittatus.
Listroderus comatus, humilis, margaritaceus, placidus.
Listrodromus nycthemerus.
Listronychus aeneus, femoralis, splendens.
Listronyx faninaei, nigriceps.
Listroptera tenebrosa.
Listroscelis armata, gracilis, longispina, pectinata, viridis.
Lita acanthella, acrella, affiniella, alacella, albi-apicella, albicipella, albiflavidella, albo-cingulella, alburnella, anthyllidella, apicistrigella, artemisiella, atriplicella, betulinella, bifractella, biguttella, bisulcella, caliginosella, carchariella, cariosella, cervinella, cinctella, cinerella, conturbatella, coronillella, cuspidella, cytisella, dimidiella, dissimilella, distinctella, dolosella, electella, elegantella, favillatella, fischerella, flavicomella, flavigutella, friesella, fugacella, fugitivella, funestella, fuscella, gallinella, hauerella, heroldella, histrionella, humeralella, kiningerella, leutiginosella, leucatella, lineatella, lineolella, luctuosella, lunatella, luteella, marmoripennella, miscella, monachella, mouffetella, murinella, naeviferella, nanella, nevropterella, nigricostella, nigrofasciella, nigro-vitella, notatella, obsoletella, pelicella, proximiella, pullatella, purpurella, rhombella, roseella, scintillella, scopolella, scriptella, senectella, seniculella, signatella, sinpella, sisymbrella, spodiella, stipella, subericinella, subequella, terella, tesserella, tricinctella, triguttella, triparella, tristella, umbrosella, unicolorella, velocella, vigeliella, vorticella, vulgella, zebrella.
Litamen typus.
Litargus arcuatus, bifasciatus.
Lithacodia bellicula.
Lithactinia novae byberniae.
Litharaea heberti, websteri.
Litharoea rouyana.

- Lithidion** sulcatum.
- Lithina** arenacea, petrata.
- Lithinus** ludiosus, superciliosus.
- Lithiphus** arcuatus, difformis, helicius.
- Lithobius** agilis, alpinus, americanus, argus, brevicornis, calcaratus, castaneus, ~~castaneus~~, curtipes, dentatus, elongatus, emarginatus, erythrocephalus, fasciatus, forficatus, glabratus, grossipes, hardwickei, impressus, laevilabrum, leachi, longicornis, lucasi, melanus, mexicanus, minutus, monilicornis, montanus, multidentatus, muticus, nudicornis, octopus, pilicornis, planus, platensis, platypus, pleonops, punctulatus, pusillus, quadridentatus, rubriceps, sloanei, spinipes, variegatus, varius, vulgaris.
- Lithobotrys** denticulata, galea, quadriloba, triloba.
- Lithocampe** aculeata, acuminata, antarctica, aurita, hirundo, lineata, punctata, radicula, solitaria, stilligera.
- Lithocaris** brevicollis.
- Lithocharis** angularis, biseriata, brunnea, castanea, cinnamomea, collaris, confluent, corticina, curtula, debilis, depressa, diluta, dorsalis, exilis, ferruginea, fumata, hepatica, humilis, infusata, limbata, macularis, melanocephala, minuta, nigrilula, nitida, oblita, obscurella, obsoleta, posticata, rufiventris, sordida.
- Lithocolletis** abrasella, acaciella, agilella, alniella, alnifoliella, amyotella, betulae, cavella, comparella, conexella, delitella, distentella, elatella, fagifoliella, fraxinella, fritillella, froelichiella, heegeriella, heydeni, ilicifoliella, insignitella, junoniella, kleemannella, kuhlweiniella, lautella, leucographella, locupletella, manni, messaniella, muelleriella, parisiella, pastorella, pomonella, populifoliella, rafella, roboris, salicella, saportella, saturella, scopariella, suberifoliella, tenella, tremulae, ulminella.
- Lithodendron** affine, angulosum, annulatum, articulatum, caespitosum, capitatum, cariosum, coarctatum, compressum, concameratum, costatum, cristatum, dianthus, dichotomum, edwardsi, elegans, eunomia, exiguum, fasciatum, fasciculatum, fastigiatum, flabellum, flexuosum, funiculus, furca, fusinieri, gemmans, gibbosum, gracile, granulosum, hippurinum, humile, intricatum, irregulare, laeve, laviforme, lineatus, longiconicum, manipulatum, moreausiacum, multicaule, multostellatum, nanum, parasiticum, parasitum, pauciradialis, plicatum, proliferum, pseudoflabellum, pseudostylina, rameum, ramulosum, rauracum, secundum, sexdecimale, sociale, stellariaeforme, subarctum, subdichotomum, sublaeve, trichotomum, vermiculare, verticillatum, virgineum.
- Lithoderma** cuneus.
- Lithodes** antarctica, arctica, brevipes, camtschaticus, histrix, japonica, maja, spinosissimus.
- Lithodomus** aequalis, aglae, alsus, amygdaloides, archiaci, argenteus, aristatus, attenuatus, avellana, canaliferus, carantonensis, caudigerus, claibornensis, contortus, corallinus, cordata, crassus, cypripis, dactyloides, dactylus, deshayesi, discrepans, elatior, ermanianus, faba, fabella, faujasi, fuscus, inca, inclusus, inflatus, intermedius, irregularis, laevigatus, lithophagus, luciensis, oblongus, obtusus, orbiculatus, papyraceus, parasiticus, patagonicus, peruvianus, pistilliformis, plicatus, plumula, politus, praelongus, pyriformis, radiatus, rostratus, rugosus, rupellensis, socialis, sowerbyi, striatus, subintermedius, toucasiana, truncatus. *Vide et Lithodomus.*
- Lithodytes** lineatus.
- Lithoglyphus** eburneus, fuscus, lapidum, piscinus.
- Lithoglypter** naticoides.
- Lithognathus** capensis.
- Litholepis** adamantinus, dorsalis.
- Litholophius** bolcanus.
- Lithomoia** rectilinea, solidaginis.
- Lithomys** parvulus.
- Lithophaga** crenulata.
- Lithophagus** antiquus, caperatus, caudatus, communis.
- Lithophane** conspicillaris, divisa, petroliginea, pulla, sagittifera.
- Lithophilus** (Col.) connatus, cordicollis, osculati, ruficollis.
- Lithophilus** (R.) bicolor, inornatus.
- Lithopoma** tuber.

Lithornis *vulturinus*.

Lithosia *amabilis*, *ancilla*, *annulata*, *arideola*, *atrátula*, *áulica*, *aurantia*, *aurata*, *aureola*, *auriflua*, *aurita*, *bicolora*, *bifasciata*, *binumerica*, *caja*, *candida*, *caniola*, *chrysorrhoea*, *complanata*, *complanula*, *compluta*, *coniola**, *costalis*, *cribella*, *cribrum*, *diaphana*, *dispar*, *dominula*, *eborella*, *famula*, *flava*, *freyeri*, *fuliginosa*, *gigantella*, *gilveola*, *granmica*, *gratiosa*, *griseola*, *hebe*, *helvola*, *hera*, *hyalina*, *ino*, *irrorea*, *irreola*, *jacobaeae*, *kuhlweini*, *lacteola*, *laeta*, *leporina*, *liboria*, *lubricipeda*, *lugubris*, *lutarella*, *luteola*, *matrona*, *melanomos*, *menasthri*, *mendica*, *mesagona*, *mesomella*, *mina*, *miniata*, *morio*, *mundana*, *murina*, *muscerda*, *obscura*, *ornatrix*, *pandula*, *plana*, *plantaginis*, *plumbeolata*, *pudica*, *pulchella*, *pulchra*, *punctata*, *purpurea*, *pygmaeola*, *ramosa*, *replana*, *roscida*, *rosea*, *rubricollis*, *rufeola*, *russula*, *salicis*, *senex*, *stramineola*, *trichoptera*, *unita*, *v-nigrum*, *villica*, *vitellina*, *zona*.

Lithostege *cingulata*, *duplicata*, *griseata*.

Lithostrotion *alveolatum*, *auanas*, *arachnoides*, *astroides*, *crenulare*, *emarcitum*, *floriforme*, *heunahi*, *inconferata*, *laeve*, *lonsdalei*, *mammillare*, *marginatum*, *microphyllum*, *oblongum*, *pentagona*, *profunda*, *quadrigenium*, *regium*, *stellare*, *striatum*.

Lithostylidium *pes*, *semicirculare*.

Lithotrya *dorsalis*, *nikobarica*.

Lithotrygon *bolcanus*.

Lithuities *convolvus*.

Lithumena *domuncula*, *lobata*, *typica*.

Lithurgus *analis*, *chrysurus*, *cornutus*, *fucipennis*, *haemorrhoidalis*, *nasutus*, *tuberculatus*, *umbraculatus*.

Litopa *carinata*, *decussata*, *effusa*, *maculata*, *melanostoma*, *nitidula*, *obesa*, *papillosa*, *striata*, *ventrosa*.

Litope *bombix*.

Litocerus *fuliginosus*, *histrio*, *maculatus*.

Litochrus *brunneus*, *testaceum*.

Litodactylus *leucogaster*, *velatus*.

Litogaster *obtusa*, *venusta*.

Litomerus *lineatus*, *quadrisingatus*, *rana*, *zonatus*.

Litopus *violaceus*.

Litorhynchus *collaris*, *hamatus*, *seniculus*, *westermanni*.

Litoria *americana*, *freycineti*, *glandulosa*.

Littorina *acuta*, *africana*, *albida*, *ambigua*, *antipodium*, *antonii*, *biseriata*, *carnifera*, *cingulifera*, *columna*, *conspersa*, *coronaria*, *cumingi*, *decollata*, *echinata*, *exarata*, *flammea*, *globosa*, *goepperti*, *granosa*, *groenlandica*, *grundlachi*, *guttata*, *irrorata*, *knysnaensis*, *leucosticta*, *limata*, *malaccana*, *marmorata*, *mauritiana*, *mespillum*, *millegrana*, *muricata*, *natalensis*, *nebulosa*, *nigerrima*, *nodulosa*, *obligata*, *orbignyana*, *pagodus*, *papillosa*, *parvula*, *paytensis*, *phasianella*, *picta*, *pintado*, *pulchella*, *puncticulata*, *pungens*, *pusilla*, *reticulata*, *retusa*, *rubra*, *rudis*, *rugosa*, *scabra*, *sinensis*, *sitchana*, *spinulosa*, *striata*, *striatima*, *subnodosa*, *subtruncata*, *sulcata*, *syriaca*, *tectum persicum*, *tessellata*, *thiarella*, *thiaroides*, *trochiformis*, *tuberculata*, *ventricosa*, *vilis*, *vittata*, *zebra*, *ziczac*. *Vide et Littorina*.

Littorinella *acuta*, *amplificata*, *inflata*.

Littoraria *pulchra*.

Littorelaea *pultneyi*.

Littoridina *gaudichaudi*.

Littorina *aberrans*, *acuminata*, *affinis*, *alberti*, *anatina*, *angulifera*, *antiquata*, *araneana*, *arctica*, *arenica*, *aspera*, *aureus*, *australis*, *bartonensis*, *basteroti*, *beani*, *bicincta*, *biserialis*, *breve*, *caerulea**, *caerulescens*, *caliginosa*, *canariensis*, *cancellata*, *carinata*, *carinatus*, *castanea*, *cia*, *cincta*, *cingulata*, *coccinea*, *communis*, *concinna*, *conica*, *conicus*, *debilis*, *decussata*, *diemenensis*, *diemensis*, *dilatata*, *dispar*, *dubia*, *duplicata*, *elegans*, *elegantissima*, *elongata*, *extensa*, *fabalis*, *fasciata*, *filosa*, *flava*, *glabrata*, *gracilis*, *grandis*, *grauicosa*, *granularis*, *grateloupi*, *imbricata*, *intermedia*, *iostoma*, *jamaicensis*, *jugosa*, *kurila*, *labiatus*, *lacordaireana*, *laevigata*, *laevis*, *lemniscata*, *lepida*, *limax*, *littoralis*, *littorea*, *lunata*, *luteola*, *maculata*, *manconiensis*, *marginata*, *marnat*, *melanoides*, *melanostoma*, *miliaris*, *minima*, *modesta*, *moniliferus*, *multi-*

sulcata, muricatus, muricoides, nana, naticoides, neglecta, neritiformis, neritoides, nigrolineata, nodosa, nodulosus, novae hiberniae, obesa, obscura, ornatus, pallescens, palliata, pallidula, patula, perdix, peruviana, petraea, phasianelloides, picta, planaxis, plena, plicatilis, porcata, prevostina, pulchra, punctata, punctura, pusilla, pyramidalis, radiata, rossyi, rotundatus, rudis, rudissima, saxatilis, sayi, scabra, sculptus, scutulata, semicostata, serialis, sieboldi, sitkana, solida, squalida, stigma, striata, striatella, striatulus, subnuriata, suboperta, subtenebrosa, sulcata, sulculosa, tenebrata, tenebrosa, tenuis, tigrina, tricostralis, trochoides, tuberculata, tunstallensis, ulvae, umbilicata, undulata, unifasciata, varia, variegata, ventricosus, ziczac, zigzag, zonaria. *Vide et Littorina.*

Lituarina phalloides.

Lituina spirula.

Lituites articulatus, biddulphi, breynei, convolvans, cornuarietis, eiffiensis, ellipticus, falcatus, giganteus, gracilis, hisingeri, ibex, lamellosus, lateralis, liasinus, lituus, odini, perfectus, sowerbyanus, sulcatus, tortuosus, undatus, undosus.

Lituola aequalis, deformis, nautiloides, rugosa.

Lituolites difformis, nautiloidea.

Liturgus irrasus.

Litus cynipseus.

Lituus brevis, laevis, prototypus, vulgaris.

Lius deplanatus.

Livella ulicis.

Livia juncorum.

Livoneca desmaresti, indica, rafinesquei, raynaudi, redmani.

Lixus abdominalis, aberratus, acicularis, aciculatirostris, acuminatus, acupictus, acutus, adpersus, aeneus, aethiops, affinis, albidus, alboguttatus, albomarginatus, albos-triatus, algius, alternans, amphora, anguiculus, anguinus, angustatus, angusticollis, angustus, antilope, appendiculatus, arabs, arundinis, ascanii, ascanioides, atriplis, attenuatus, augurius, auricillatus, auriculatus, auritus, australis, bambalio, barbarus, barbrostris, bardanae, basilaris, bicolor, bidentatus, biimpressus, bimaculatus, binodulus, binotatus, blondina, brachyrhinus, brasiliensis, brevicaudatus, brevicaudis, brevirostris, brunneus, buccinator, caffer, calandroides, californicus, caliginosus, callonis, canaliculatus, candidus, canescens, canus, cardui, carinatus, carinellus, carinerostris, carinicollis, carlinae, carthami, cenobita, centauri, chevrolati, cinerascens, cinereus, cinnabarinus, circumcinctus, circumdatus, clatratus, clavipes, coarctatus, coarcticollis, concavus, conformis, conicirostris, conicollis, conicus, connivens, con-senesens, constrictus, costalis, crassipes, cribricollis, cuniculus, cylindraceus, cylin-dricus, cylindroides, cynarae, declivis, dentipes, denudatus, depressus, desertorum, diloris, discolor, dorsalis, dregei, dubius, duponti, elegans, elegantulus, elongatus, emarginatus, eschscholtzi, eversmanni, exaratus, excavaticollis, fallax, farinosus, fasciatus, fasciculatus, faunus, favens, ferrugatus, ferrugineus, filiformis, fimbriolatus, flaveolus, flavescens, flavicornis, foveolatus, furcatus, gages, gazella, geminatus, gemmellatus, germari, gibbus, glaucus, gracilis, grammicus, granulatus, gravidus, guttatus, guttiventris, haematoceras, haerens, helvolus, hieroglyphicus, hirticaudis, hirticollis, hottentottus, impressicollis, impressus, incanescens, incarnatus, inops, inquinatus, iridis, irsectus, irroratus, jaceae, junci, karelini, kolenati, lateralis, latirostris, lefebvrei, limbatus, linearis, lineatus, lineola, lividus, longulus, loratus, lycophocus, lymexylon, macilentus, madidus, marginalis, marginatus, marmoratus, maurus, melanocephalus, meles, mesopotamicus, mexicanus, miagri, mimosae, mixtus, modestus, morbillosus, morosus, motacilla, mucronatus, musculus, myagri, nanus, nebulosus, neglectus, nigratarsis, nordmanni, notatus, nubilosus, nycterophorus, obliquus, ochraceus, ochreateus, octoguttatus, octolineatus, odontalgicus, onopordi, ophthalmicus, orbitalis, orientalis, pacificus, pallens, palmatus, palpebratus, palumbus, parallelus, paraplecticus, pardalis, peregrinus, pica, pistrinarius, plicatus, pollinosus, porcatus, porculus, poricollis, praepotens, productus, pulverulentus, pulvinatus, pulvisculosus, punctatus, punctirostris, punctiventris, pyrrhocnemis, quadripustulatus, ravicularis, recurvus, reticulatus, rhomboidalis, roreus, roridus, rosenschoeldi, rubellus, rubicundus, rubiginosus, ruficornis, rufulus, rugicollis, salentinus, sanguineus,

- sardinensis, scabricollis, scolopax, scolympi, scoparii, scrobicollis, segnis, semipunctatus, seniculus, senilis, sericatus, seriesignatus, sculus, simplex, sinuatus, sita, spartii, spectabilis, spinimanus, striatellus, stupor, sturmi, subacutus, subangustatus, subcaudatus, subfasciatus, submaculatus, subtilis, subulipennis, suetus, sulcirostris, sulphuratus, superciliosus, sylvius, tabidus, tasmanicus, tenuicollis, tenuirostris, teretiusculus, tibialis, tigrinus, torvus, tricolor, tricostalis, trilineatus, trilobus, tristis, truncatulus, turbatus, umbellatarum, uniformis, ursus, varicolor, venustus, vestitus, vibex, vicinus, vilis, virens, vittiger, volvulus, vulneratus, vulpes, wagneri, wahlbergi, zoubkoffi.
- Lizzia** octopunctata.
- Llama** guanaco, pacos. *Vide et Lama.*
- Lobaria** (G.) bullata, coriacea, membranacea, striata.
- Lobaria** (L.) rosea.
- Lobatula** concamerata, pulchella, vulgaris.
- Lobesia** bicincta, botrana, lugdunana, reliquana, servilleana.
- Lobetorus** verecundus.
- Lobiger** philippi.
- Lobilabrum** ostrearium.
- Lobiopa** cincta, contaminata, decumana, diuidiata, grandis, peltoidea, praecox, rotundata, scrobiculata, setulosa, undulata.
- Lobioptera** ludens.
- Lobipes** (A.) antarcticus, cinereus, fimbriatus, hyperborea, incanus, rufescens, wilsoni.
- Lobipes** (R.) palmata.
- Lobivanelus** albicapillus, albiceps, cinereus, cucullatus, dominica, gallinaceus, goensis, inornatus, lateralis, lobatus, ludovicianus, melanocephalus, personatus, senegalus, tricolor.
- Lobocephalus** heterolobus.
- Lobocheilus** falcifer.
- Lobocoenia** corallina, obeliscus, sublaevis.
- Loboderes** citriventris, flavicornis.
- Lobodes** rubricornis.
- Lobodon** carcinophaga.
- Lobodontus** trisignatus.
- Loboederus** monilicornis.
- Lobophora** (Ech.) aurita, bitusa, bitora, bisperforata, elliptica, tenuissima, truncata.
- Lobophora** (Lep.) costaestrigata, dentistrigata, hexapteraria, hexapterata, lobularia, polycommaria, polycommata, rupestrata, sexualisaria, sexualisata, viretata.
- Lobophora** (Orth.) ruftarsis.
- Lobophyllia** angulosa, aspera, aurantiaca, aurea, bertolina, buvignieri, calyculata, carduus, contorta, corymbosa, cristata, cylindrica, daniana, depressa, deshayesiaca, echinata, eydouxi, fastigiata, fistulosa, flabellum, flexuosa, formosissima, glabrescens, grandis, granulosa, gregaria, hiberna, incubans, jouvencensis, labyrinthica, lacinians, leucasiana, lobata, martiniana, meandrinoides, micheliniana, multilobata, occitanica, parisiensis, pseudo-rochettina, pseudoturbinolia, pulchella, requieni, ringens, rudis, semisulcata, sinensis, sinuosa, striata, succincta, tenuidentata, trichotoma, turbinata.
- Lobophyllum** konincki.
- Lobopoda** brunnea, contracta, dircaeoides.
- Lobopora** solanderi.
- Lobops** setosus.
- Lobopsammia** cariosa, parisiensis.
- Loborhynchus** adpersus, aeneopunctatus, alutaceus, armadillo, aureolus, auricapillus, auricomus, aurifer, auropunctatus, bannaticus, bisulcatus, brunnipes, carbonarius, carinatus, carinthiacus, carmagnoiae, catenulatus, caudatus, centropunctatus, chlorophanus, chrysonus, cinifer, coecus, cribricollis, crispatus, croaticus, cuprifer, dalmatinus, depressus, dumensis, egenus, erythropus, flabellipes, flavipes, fraxini, friulicus, fuscipes, gallicus, gemmatus, gemmiellatus, geniculatus, giraffa, globithorax, goerzensis, grandineus, granicollis, granulatus, griseus, hirtipes, hungaricus, industus, infernalis, istriensis, italicus, laevigatus, lavandus, ligustici, lugubris, maculatus,

marginalis, maurus, maxillosus, maxtix, meridionalis, monticola, multipunctatus, nebulosus, niger, nobilis, orbicularis, ovatus, pertusus, picipes, piperatus, planatus, plumipes, pruinosis, pulverulentus, punctatissimus, raucus, regularis, rhacuensis, rufipes, rugifrons, sabulosus, septentrionalis, setiger, sibiricus, squamiger, styriacus, subplanatus, sulcatus, sulcicollis, sulphurifer, tenebricosus, tereticollis, terricola, uinctuosus, unicolor, velutinus, ventricosus, zebra.

Lobostoma (Hem.) giganteum.

Lobostoma (M.) cinnamomeum, quadridens.

Lobotes citrinus, erate, farkharii, hexazona, incurvus, ocellatus, somnolentus, surinamensis.

Lobotrachelus conicollis, egenus, histrio, ineptus, litigiosus, pusius, subsignatus, vestitus.

Lobularia aequinoctialis, arbestina, brachionerythra, brachyclados, capitata, conoidea, coriacea, digitata, leptoclados, manus diaboli, palmata, pauciflora, polydactyla, sphaerophora, spinulosa, vesiculosa.

Lobuloma inequalis.

Lochmaeus manteo.

Lochmia squamulata.

Lochmias hilairii, nematura, squamulata.

Locusta abortiva, acanthoceras, adusta, aequalis, affinis, alberti, amhoensis, ampullacea, aprica, aquilinus, arcufovia, armadillo, autumnalis, bicolor, bicordata, biguttula, bisulca, borneoensis, brevicauda, brevifolia, brevipennis, buergeri, caerulea, calliptera*, cantans, caricifolia, carinata, carolina, cassinaefolia, caudata, cavicola, celestia, centurio, chabrieri, chloris, christii, coerules, consobrina, conspersa, corallina, crassiceps, crassifolia, crenifolia, crenulata, crucigera, cubensis, curtispennis, diluta, dorsalis, dorsata, dux, elegans, ensis, erythropoda*, erythrosoma, eucrata, extincta, flavipes, forsteni, fumigata, fuscus, gaverniensis, gracilis, grisea, grossa, haemorrhoidalis, hastata, hordeifolia, imperialis, infusca, japonica, lanceolata, laticeps, latipennis, laurifolia, lepida, leucotoma, lilifolia, lineata, lineatus, lobifolia, loboensis, lolifolia, longicauda, longipennis, longipes, macassariensis, maculata, mandibularis, marginata, maritima, marmorata, megacephala, melaena, miles, miniata, minuta, mollis, monstrosa, montana, musarum, nebulosa, nigrostoma, niponensis, nitidifolia, novae guineae, novae hollandiae, obscura, ochropa, octoseriata, parallela, parumpunctata, phryganoides, pilipes, planispina, podocasta, praefolia, prisca, punctata, quinquenervis, radiata, retifolia, rhomboidea, roeseli, rosea, rubicunda, ruhrmarginata, ruhrviridata, rufipes, rugosa, salicifolia, savignyi, scalaris, serrulata, servillei, setigera, speciosa, squarrosus, striata, stridula, sulphurea, sumatrana, tartarica, tessellata, thoracica, tricarinata, tricornis, trilineata, triticifolia, unicolor, variegata, varipes, venosus, verruculata, viennensis, vigentissima, viridifasciata, viridifolia, viridula, vittata, vorax, xiphias.

Locustella avicula, certhiola, locustella, naevia, rubescens, sibilans, sibilaria, sibilatrix.

Locustites maculata.

Loddigesia mirabilis.

Loemphloeus bisignatus, monilis. *Vide et Laemo*→.

Lohita grandis.

Lolidia leuconotis.

Loliginites hollensis, giganteus, sagittatus, schuehleri, simplex, subcostatus.

Loligo aalensis, aequipoda, affinis, alessandrini, angulatus, australis, banksi, hartlingi, hartrami, bergi, bertheloti, bianconii, hollensis, brasiliensis, brevipinna, brevis, brevitaculata, brongniarti, caraihaea, cardioptera, carrihaea, carunculata, chinensis, coindetii, corolliflora, cranchi, cylindracea, duvauceli, eblanae, emmatina, fabricii, felina, gahi, gigas, gronovii, hardwickei, harpunus, hexapodia, illecebrosa, laevis, lamar-mora, lanceolata, laticeps, leachi, leptura, longaevis, magna, marmorata, maxima, media, meneghinii, mentzeli, minima, neglecta, odagadum, ovalaniensis, parva, pealei, pelagica, peroni, pironneau, piscatorum, plagiopoda, plei, priscus, pulchra, punctata, sagitta, schuehleri, sepiacea, sepioidea, smithi, smythi, spiralis, subalata, subsagittata, sumatrensis, todarus, touchardi, tricarinata, tunicata, uncinata, vani-oriensis, vitreus.

- Loligopsis** bonplandi, chrysophthalmus, cyclurus, dubia, ellipsoptera, guttata, pavo, peroni, veranyi, vermicularis, zygaena.
- Lomanotus** genei, marmoratus.
- Lomaptera** bivittata, cupripes, ebena, fasciata, latreille, nigro-aenea, nitens, papua, schauinslandi, urvillei, valida, viridi-aenea.
- Lomaspilis** marginaria, marginata, naevaria, pollutaria.
- Lomastoma** terebrina.
- Lomatia** alecto, appendiculata, belzebub, caloptera, elongata, lateralis, sabaea.
- Lomatoceras** distichum, priodon.
- Lombrineris** latreille, orbigny, pectinifera. *Vide et Lumbri*→.
- Lomechusa** bipunctata, dentata, emarginata, inflata, intermedia, paradoxa, siberica, strumosa.
- Lomedeia** gracilis.
- Lomelia** epimethea.
- Lomis** dentata, hirta.
- Lomographa** laevigaria, permutataria, renularia, taminaria.
- Lomvia** brunnicornis, ringvia, troile.
- Lonchaea** aenea, albitarsis, caerulea, chalybea, chorea, crepidaria, dasyops, deutsch, ensifer, flavichrysis, glaberrima, hirticeps, hyalipennis, laticornis, latifrons, leucostoma, metallica, nigra, nigrimana, palposa, parvicornis, pumila, pusilla, tarsata, vaginalis, viridana. *Vide et Lonchoea*.
- Loncheres** albispinis, anomala, atricollis, armata, blainvillae, brachyura, cahirinus, cayennensis, chrysuros, cristata, dactylina, elegans, fuliginosa, grandis, hispida, inneris, laticeps, macrura, mysuros, nigrispina, obscura, paleacea, picta, rufa, semivillosa, setosa, unicolor.
- Lonchodes** brevipes, geniculatus, pterodactylus.
- Lonchoea** claripennis, nigrilaris, obscura, polita. *Vide et Lonchaea*.
- Lonchophorus** (Col.) hastifer, iasius, obliquus, parasita. *Vide et Lonco*→.
- Lonchophorus** (M.) fossilis.
- Lonchoptera** cinerella, cingulata, cingulatae, flavicauda, grisea, impicta, lacustris, lutea, nigrimana, palustris, punctum, riparia, rivalis, thoracica, trilineata, tristis.
- Lonchopteryx** leachi.
- Lonchotus** crassus, lentus, muticus.
- Lonchura** cheet, leuconota, melanocephala, nisoria.
- Lonchurus** ancylodon, arcuatus, depressus, dianema, nasus.
- Loncoma** incurva.
- Loncophorus** chevrolati, humeralis, petiminosus. *Vide et Loncho*→.
- Loncosilla** solenoides.
- Londra** calandra.
- Longaeva** turrita.
- Longina** abdominalis, halimenoides, wiedemanni.
- Longirostra** grisea.
- Longitarsus** analis, consociatus, fusco-aeneus.
- Lonsdaleia** crassicornis, duplicata, rugosa, stylastraeiformis. *Vide et Lousdalia*.
- Lonsdalia** inordinata.
- Lontra** brasiliensis, canadensis. *Vide et Lutra*.
- Lopadorhynchus** brevis.
- Lopas** apiciana, combustana, divisana, falsana, radiana, rufana, sericana, umbrana.
- Lopha** articulata, assimilis, bifasciata, clarkii, doris, glabra, haemorrhoidalis, lateralis, minima, nana, nigra, poecila, poecilia, pulchella, pulicaria, pusilla, quadriguttata, quadri-maculata, quadri-pustulata, sibirica, spencei, subglobosa.
- Lophalector** ignitus, vieilloti.
- Lophaon** lophotes.
- Lophelia** anthophyllites, prolifera, subcostata.
- Lopherpes** dicyanellus.
- Lophias** punicea.
- Lophidius** brevicollis, laticollis, testaceus.
- Lophinus** palmatus, punctatus.

- Lophiodon** anthracoides, aurelianense, buxovillanum, cesserasicum, comitane, eocaenus, giganteum, goldfussi, isselauum, issellense, leptognatum, magnum, medium, minimum, minus, minutum, monspessulanum, muliere-dentatus, occitanum, occitanicum, occitanum, parisiense, sibiricus, tapiroides, tapirotherium.
- Lophiotherium** cervulum.
- Lophius** aculeatus, americanus, barbatulus, brachysomus, budegassa, bufo, calico, coccininiensis, cornubicus, cubifrons, europaeus, eurypterus, foliatus, geographicus, gibbus, hirsutus, hispidus, histrio, laevis, muricatus, nostratus, pacamah, radiatus, raninus, rostratus, sandvicensis, upsicephalus, viviparus, vomerinus.
- Lophobasis** aeneicollis, hieroglyphica, subelathrata.
- Lophocampa** caryae, maculata, tessellaris.
- Lophocephala** (Hem.) guerini, incerta.
- Lophocephala** (Verm.) edwardsi.
- Lophocercus** sieboldi.
- Lophocerus** galeata.
- Lophocharis** rostrata.
- Lophocheilus** collaris, distinctus, villosus.
- Lophocitta** ardesiaca, galericula, galericulatus, histrionica.
- Lophocomus** anaitis.
- Lophocorythus** gubernatrix.
- Lophoderus** ministranus, subfascianus.
- Lophodes** nodipennis.
- Lophofera** impyana.
- Lophognathus** gilberti.
- Lopholaemus** antarcticus.
- Lopholithodes** mandti.
- Lophoma** punctata.
- Lophonocerus** barbicornis, bicornis, hirticornis, strigonus.
- Lophonota** audouini.
- Lophonotus** (Dipt.) albibarbis, albisetosus, americanus, auribarbis, breoni, brevipennis, flavibarbis, forcipatus, geniculatus, heteronevrus, incisuralis, punctipennis, rufus, suillus, tibialis.
- Lophonotus** (Lep.) fasciculellus.
- Lophophanes** galeatus, wollweberi.
- Lophophorus** cuvieri, gardneri, impeyanus, leucomelanos, leucomelas, nigelli, refulgens, wallichi.
- Lophops** servillei.
- Lophopteryx** camelina, carmelita, cuculla, cucullina.
- Lophoptilus** staintoni.
- Lophopus** (Polyz.) bakeri, campanulatus, crystallinus.
- Lophopus** (R.) marmorata.
- Lophorhynchus** antarcticus, saurophagus. *Vide et Lophorynchus.*
- Lophorina** aurantia, respublica, superba.
- Lophornis** auratus, chalybeus, helenae, magnificus, reginae.
- Lophorrhina** quinquelineata.
- Lophortyx** californica, douglasi, elegans, gambeli.
- Lophorynchus** dilophus. *Vide et Lophorhynchus.*
- Lophoseris** boletiformis, divaricata.
- Lophosia** fasciata.
- Lophosmia** cenomana, rotundifolia.
- Lophospiza** cristata, cruenta, griseocristata, pileata.
- Lophosternus** buqueti, hopei.
- Lophostoma** sylvicola, sylvicolum.
- Lophostrix** cristata, griseata.
- Lophotes** (A.) cepedianus*, indicus.
- Lophotes** (P.) capellei, siculus.
- Lophotetrax** macrolophus.
- Lophotis** (A.) ruficrista.

- Lophotus** (Col.) *eschscholtzi*, *fasciatus*, *nodipennis*, *phaleratus*, *reticulatus*, *superciliosus*, *vitulus*.
- Lophotus** (M.) *longipes*, *wurmbi*.
- Lophotus** (P.) *lacepede*.
- Lophura** (A.) *ignita*.
- Lophura** (Moll.) *inca*, *isabella*, *islandica*, *pellis serpentis*, *tehuelcha*.
- Lophura** (R.) *amboinensis*, *concinna*, *cuvieri*, *lesueuri*, *lophura*, *pustulata*, *shawi*.
- Lophyrus** (A.) *araucanus*, *coronatus*, *indicus*, *victoria*.
- Lophyrus** (Hem.) *meyeri*, *rufus*, *sexguttatus*.
- Lophyrus** (Hym.) *abboti*, *abdominalis*, *abietis*, *americana*, *compar*, *difformis*, *dorsalis*, *elongatulus*, *fabricii*, *frutetorum*, *hercyniae*, *hercynicus*, *interruptus*, *juniperi*, *laricis*, *melanopterus*, *minor*, *memorum*, *obscuratus*, *pallida*, *piceae*, *pineti*, *pini*, *politus*, *polytomus*, *pulchricornis*, *similis*, *socius*, *variegatus*, *virens*.
- Lophyrus** (R.) *agamoides*, *albomaxillaris*, *armatus*, *aureonitens*, *belli*, *dilophus*, *furcatus*, *gigas*, *kuhli*, *margaritaceus*, *ochrocollaris*, *panthera*, *rhombifer*, *scutatus*, *superciliosus*, *tigrinus*, *xiphosurus*.
- Lopus** *albomarginatus*, *carinatus*, *chrysanthemi*, *crucialis*, *dolabratus*, *ferrugatus*, *gothus*, *hieracei*, *rubrostriatus*.
- Lora** *viridula*.
- Lorax** *arcuatus*.
- Lordatia** *cadaverina*, *coprina*, *merdarum*, *necrophaga*, *stercoraria*.
- Lordites** *caliginosus*, *inquinatus*, *procerus*, *testudinarius*.
- Lordops** *albuguttatus*, *aurosus*, *biacutus*, *cinctus*, *circumdatus*, *festivus*, *guttatus*, *gyllenhalii*, *infacetus*, *insignis*, *jucundus*, *lacrimosus*, *lateralis*, *navicularis*, *parcus*, *principalis*, *schoenherri*, *sommeri*, *viridulus*.
- Lori** *tardigradus*.
- Loricaria** (P.) *accipenser*, *acuta*, *anus*, *brunnea*, *dentata*, *flava*, *laeviuscula*, *nudiventris*, *platyura*, *rostrata*, *setifera*, *setigera*, *vetula*.
- Loricaria** (Polyz.) *aegyptiaca*, *americana*, *europaea*.
- Loricatus** *flavimanus*, *hybridus*, *matacus*, *niger*, *pichiy*, *tatouay*, *villosus*.
- Loricera** *aenea*, *decimpunctata*, *pilicornis*, *ruflabris*, *semipunctata*.
- Loricerus** *crux*, *violaceus*.
- Loricula** *pselaphiiformis*, *pulchella*, *rufoceps*.
- Loriculus** *asiaticus*, *galgulus*, *vernalis*.
- Loripes** *balaustina*, *densa*, *digitaria*, *eburnea*, *elevata*, *flexuosa*, *lacteus*, *leucoma*, *parilis*, *radula*, *reticulata*, *rubiginosa*, *tigerinus*, *turgida*, *undatus*, *undularia*.
- Loris** *bengalensis*, *ceylonicus*.
- Lorius** *borneus*, *caeruleatus*, *cardinalis*, *coccineus*, *cucullatus*, *cyanurus*, *domicella*, *fringillaceus*, *garrulus*, *grandis*, *guebiensis*, *incarnatus*, *isidori*, *kuhli*, *novae guineae*, *ornatus*, *papuensis*, *phigy*, *ruber*, *superbus*, *tricolor*, *unicolor*, *vinii*.
- Lota** *abyssorum*, *argenteola*, *bacchus*, *breviuscula*, *brosimiana*, *fluviatilis*, *inornata*, *lota*, *maculosus*, *molua*, *molva*, *phycis*, *raptor*, *rhacina*, *vulgaris*.
- Lotis** *confucii*, *guttata*, *neglecta*.
- Lotor** *vulgaris*.
- Lotorium** *lotor*.
- Lotria** *binaevella*, *nebulella*, *nimbella*, *sinuella*.
- Lotta** *elongata*, *joptera*, *lepidion*.
- Lottia** *alveus*, *antillarum*, *conoidea*, *costata*, *cymbiola*, *elongata*, *flammea*, *fragilis*, *orbicularis*, *pallida*, *parvula*, *pileopsis*, *pintadina*, *pulchella*, *punctata*, *radians*, *rugosa*, *septiformis*, *squamosa*, *stellaris*, *striata*, *testudinalis*, *testudinaria*, *unicolor*, *variabilis*.
- Lousdalia** *inordinata*. *Vide et Lonsdaleia*.
- Lovenia** *hystrix*.
- Lowenia** *pinnata*, *setacea*, *tetrasticha*.
- Loxia** *albiventris*, *albugularis*, *americana*, *atricapilla*, *baglaflecht*, *bella*, *bicolor*, *bifasciata*, *bonapartei*, *brevirostris*, *capsicum*, *chrysocephala*, *ciris*, *cristata*, *crucirostra*, *cucullata*, *curvirostra*, *rubrifasciata*, *cyanoptera*, *cyanopus*, *elaeathorax*, *europaea*, *fascinans*, *ferruginosa*, *flabellicauda*, *flavicollis*, *fraterculus*, *fulgens*, *fusca*, *fuscata*, *fusciventer*, *gambiensis*, *gregaria*, *gularis*, *guttata*, *haematina*, *haitii*, *hemalayana*, *himalayana*,

himalayensis, hudsonica, ignicolor, ignobilis, javanensis, lathamii, leucocephala, leucoptera, leucopterygia, leucotis, maculosa, majani, major, melaleuca, murina, nasuta, nigroaurantia, nitida, novae hispaniae, nubilosa, ostrina, petiti, pinetorum, platycephala, plebeja, prasipteron, pyrrhula, pytiopsittacus, quinticolor, regulus, rosea, rubiginosa, rufobarbata, scandens, semitorquata, serevan, sumatrana, taeniot-
ptera, turdus, variegata, virescens, viridis, vulgaris.

Loxocephala aeruginosa, pulchra.

Loxocera aristata, confusa, cylindrica, elongata, fulviventris, hoffmannseggii, ichneu-
moneus, intermedia, nigrifrons, sylvatica.

Loxocrepis ruficeps.

Loxodes bursaria, cithara, cucullatus, cucullio, cucullulus, dentatus, marinus, plicatus,
reticulatus, rostrum.

Loxodon macrorhinus.

Loxodonta africana.

Loxomerus nebridioides.

Loxonema absoluta, acuminata, acutistriata, acutum, adpressa, altenburgensis, auglica,
antiqua, arcuata, biangulata, boydi, brevis, brongniarti, cancellata, compressa, conica,
constricta, cytherea, deperdita, dunkeri, elongata, falcifera, fasciata, formosa,
fusiformis, geinitziana, gracilis, gregaria, hebe, hehli, hennahi, hennahiana, imbricatum,
impedens, impressa, kaupi, laevigata, laevis, late, scalata, lebruni, lefebvrei,
linctia, lineata, megaspira, minima, munchisoniana, neglectus, nereis, nexilis, nuda,
obscura, obsoleta, parvula, phillipsi, plieningeri, polygyra, ponti, potosensis, praeterita,
primordialis, prisca, pulcherrima, pupa, reticulata, rugifera, similis, sinuosa, stotteri,
strigillata, subangulata, subcancellatus, subelongata, subfusiformis, subobsoleta,
subulata, sulcata, sulculosa, swedenborgiana, tenuicarinata, tenuiplicata, tenui-
striata, teres, tornata, trochiformis, trochleata, tumida, turrita, turritelliformis,
ventricosa, vittata, zeuschneri, zietenii.

Loxonevra decora.

Loxophyllum meleagris, ochrea.

Loxoprosopus ceramboides.

Loxops coccinea.

Loxopyga bicolor.

Loxorynchus albipennis, cruvirostris, curvirostris.

Loxosceles citigrada.

Loxostega aeruginalis, clathralis, desertalis, olivialis.

Loxostoma auriscalpium, cancellata, denticulus, punctulata, tereticoستا, undata.

Loxostomus mancus.

Loxotaenia rosaceana.

Loxura alcides, atymnus, pita.

Lozogramma petraria, virgata.

Lozopera alternana, badiana, baumanniana, dubrisana, fabriciana, francillana, mar-
moratana, smeathmanniana, straminea.

Lozotaenia acerana, avellana, biustulana, biustulata, branderiana, carpiniana, cerasana,
cinerana, cinnamomeana, corylana, costana, crataegana, croceana, forsterana, fulvaria,
fuscana, grossulariana, grotiana, heparana, holmiana, juliana, laevigana, modeeriana,
nebulana, neglectana, obliquana, operana, oxyacanthana, ribeana, roborana, rosana,
schreberiana, sorbiana, subocellana, trifasciana, viburnana, xylosteanana.

Lucanus acuminatus, aeneus, aequalis, aeratus, americanus, angulatus, antilope, asper,
astacoides, atratus, bacchus, barbarossa, bengalensis, bicolor, bidens, brahminus,
brevis, briareus, bubalus, bucephalus, buddha, bulbosus, buquetti, burmeisteri,
caelatus, canaliculus, cantori, capitatus, castaneus, castanopterus, cavifrons, chelifer,
chevrolati, cicatricosus, cinnamomeus, confucius, cucullatus, cumingi, curtulus,
curvidens, curvipes, dalmanni, dehaani, delesserti, distinctus, dumalis, downesi,
dubius, dux, eschscholtzi, externepunctatus, falciger, falco, faunicolor, forsteri,
foveatus, foveolatus, fraternus, frontosus, fulvipes, funereus, glabratus, goliath,
grandis, gypaeus, hydrophiloides, ibericus, ibex, impressus, incertus, inermis, in-
quinatus, jenkinsi, lama, lateralis, laticollis, latipennis, latus, lineatopunctatus,
longipennis, lunatus, lunifer, lusitanicus, maclellandi, macleayi, macrogathus,

maculatus, malabaricus, manillarum, martini, maxillaris, mearesi, melanarius, metallifer, microcephalus, moloschus, multidentatus, muticus, nebulosus, nepalensis, nigripes, novae zealandiae, oblongus, occipitalis, omissus, opacus, oweni, parallelus, parryi, parvulus, parvus, passaloides, picipennis, placidus, platycephalus, platycerus, platynotus, polyodontus, prinseppi, punctatus, punctiger, quadridens, quercicola, quercus, rafflesi, rangifer, reticulatus, rubripes, rubro-vittatus, rugifrons, sarco-rhamphus, savagei, sayersi, scarabaeoides, scaritides, senegalensis, sericeus, serricollis, serricornis, serifer, setosus, similis, sinister, siva, specularifer, spencei, squalidus, striatellus, striatus, strigiceps, subangulatus, subcostatus, sublaevis, submolaris, sulcicollis, tauricus, taurus, tenuipes, tetraodon, tibialis, titanus, triangularis, trigonus, turcicus, unguatus, ursus, v-niger, variolosus, vicinus, villosus, vishnu, vittatus, vitulus, voeti, vultur, westermanni.

Lucapina cancellata, crenulata, elegans*.

Luccius vorax.

Lucena tapada, tiliae, tupada.

Lucernaria auricula, convolvulus, fascicularis, inauriculata, octocornis, octoradiata, quadriloba, sarsi.

Lucernuta fenestratus.

Lucia (Ar.) germanica.

Lucia (Lep.) agricola, discoidea, limbarica, sylvicola.

Lucidota antennata, appendiculata, banoni, compressicornis, elongata, flabellicornis, limbata, modesta, thoracica.

Lucilia albiceps, albipennis, albofasciata, amica, argyricephalo, aurulans, azurea, basalis, bengalensis, brevigaster, brunica, brunnicornis, brunripes, cadaverina, caerulea, caerulescens, caesar, caesaria, calens, calida, carolinensis, chloropyga, chrysocephala, claripennis, clausa, coerulea, compar, consobrina, cornicina, cuprea, cyanea, delicatula, dosalis, elegans, equestris, eriophthalma, eximia, fasciata, fervida, flavicalyptrata, flaviceps, flavidipennis, flavipennis, floralis, fraterna, fulgida, fulvicornis, fulvifacies, fulvipennis, fuscipalpis, germana, hirsutoculata, hyacinthina, ignita, iliodea, illustris, incisuralis, indica, lasiophthalma, lepida, limpidipennis, macellaria, marginalis, marginata, meridensis, mexicana, modesta, nigriceps, nigripalpis, nigro-caerulea, nobilis, nubipennis, orientalis, pallipes, papuensis, parensis, parvula, peroni, peruviana, philippensis, princeps, pruinosa, pubens, pubescens, puella, punctipennis, putrida, regalis, regina, rostellum, ruficeps, ruficornis, rufifacies, sapphinea, scutellata, senegalensis, serena, sericata, smaragdula, soror, splendida, sylvarum, tbassina, timorensis, urvillei, usta, varipalpis, viarum, vicina, violacea, virgo, viridescens, viridifrons, vittata.

Lucilites nigra.

Lucilla violacea.

Lucina (Dipt.) fasciata, hispanica.

Lucina (L.) abella, acclinis, acutilineata, adansonii, aequilatera, affinis, agassizi, alba, alpina, altavillae, altavillensis, alveata, ambigua, americana, amphidesmoides, ampliata, anatelloides, angulata, angulosa, annulata, anodonta, anomala, antillarum, antiqua, antiquata, antiquissima, arcuata, arduennensis, argentea, argus, artemisia, aspasia, astartea, astensis, athleta, aurantia, balaustina, barbata, basteroti, bella, bellona, benzi, bicornis, bimaculata, bipartita, borealis, bowerbanki, brasiliensis, brauni, bulla, bullata, bullula, caelata, calculus, californica, callosa, campaniensis, cancellaris, candida, cardioides, carinifera, carnaria, chemnitzii, childrenae, childreni, chilensis, chrysostoma, circinaria, circinata, circularis, clausa, columba, columbella, commutata, complanata, compressa, concentrica, contracta, contraria, coquandiana, corbarica, corbisoides, cornea, cornueliana, cornuta, corrosa, corrugata, costaria, costata, coyana, crassa, crenulata, cretacea, cribraria, cristata, cryptella, curviradiata, declivis, decussata, delia, dentata, dentifera, deshayesi, desmaresti, despecta, devonica, digitalis, digitaria, dilatata, discus, divaricata, divergens, dolabra, dubia, dufrenoyi, dunkeri, du noyeri, dupiniana, duplicata, eburnea, edentula, elegandiae, elegans, elliptica, elsgaudiae, ermenovillensis, exasperata, excavata, excentrica, exigua, exoleta, fabula, fallax, fenestrata, ferruginosa, fibula, fimbriata, fischeriana, flandrica, flexuosa, floridana, foremani, fortisiana, fragilis, frearsiana, friabilis, funiculata,

gabrielis, galeottiana, gemma, georgeana, gibba, gibbia, ~~gibbosa~~, gigantea, glabella, globiformis, globosa, globularis, globulosa, goodhalli, ~~gropili~~, gracilis, granulosa, griffithi, guaraniana, gyrata, hardingeri, helvacea, heterodonta, hiattelloides, hiberna-censis, hisingeri, hosdinciaca, ieterica, imbricata, imbricatula, immersa, impressa, inaequalis, inculta, interrupta, irregularis, jamaicensis, jancirensis, jugosa, jurensis, lactea, laevigata, laevis, lamellosa, laminata, lens, lenticula, lenticularis, ~~leonia~~, leucoma, leucophocota, leymeryi, lineata, lirata, lobata, lorieri, luciensis, lunata, lupina, lutea, lyrata, malum, menardi, minima, minuta, minutissima, miocenica, mississippiensis, mitis, modesta, mosae, multilamellata, multistriata, muricata, mutabilis, nassula, neglecta, neptuni, nereis, nitens, nivea, numismalis, nuttalli, obliqua, oblonga, obtusa, occidentalis, ochracea, orbicularis, orbignyana, ornata, ovata, ovulum, ovum, pandata, papyracea, parvula, patagonia, pecten, pellucida, pennsylvanica, perlevis, philippina, phillipensis, phillipsiana, pila, pisiformis, pisum, plana, plicatocostata, pomilia, poppelacki, portesiana, portlandica, prisca, proavia, prodita, producta, pulchella, pulvinata, pumila, punctata, punctulata, putris, quadri-sulcata, radians, radula, ramulosa, reichei, reulata, reticulata, retusa, roissyi, rossica, rotunda, rotundata, rouyana, rufa, rugifera, rugosa, rupellensis, sarsi, sarthacensis, saxorum, scabra, scalaris, scopulorum, sculpta, sedgwicki, senireticulata, senegalensis, sericata, serrata, serrulosa, simplex, sinuata, solida, solidula, speciosa, sphaeroides, spinifera, squamosa, squamula, striatula, subdivaricata, subglobosa, subnumis-malis, subobliqua, suborbicularis, subplanata, subradialis, substriata, subtetragona, subtrigona, subvexa, sulcata, sulcosa, supracretacea, symmetrica, taurinia, telata, tellinoides, tenuis, tenuistria, textilis, texturata, thierensis, tigenna, transversa, trigonula, trisulcata, tumida, turonensis, uncinata, undata, undula, undularia, undulata, uncarinata, unioniformis, vendoperana, venusta, vesicula, vibrayana, vilardeboana, virginea, virgo, vitrea, volderiana, zelandica, zieteni.

Lucinia cadona, sida.

Lucinida cryptella.

Lucinopsis undata.

Lucio abdominalis.

Luciobarbus affinis, canis, elongatus, esocinus, gorguari, longiceps, mursa, mystaceus, schech, schejch, xanthopterus.

Luciola apicalis, australis, capensis, chinensis, discicollis, goudoti, graeca, guerini, italica, japonica, lucernula, lusitanica, maculicollis, madagascariensis, melanura, pedemontana, praeusta, puncticollis, vittata.

Lucioperca americana, canadensis, grisea, marina, sandra, volgensis.

Lucis subulatus.

Ludius aeneus, affinis, altaicus, anxius, assimilis, boeberi, brasiliensis, caschmirensis, castaneus, caucasicus, cinctus, coracinus, costalis, cribricollis, crocopus, cruciatus, cupreus, decorus, depressus, diversicolor, eschscholtzi, ferrugineus, fuscus, grandis, guttatus, haematodes, holosericeus, humeralis, impressus, insitivus, latus, lobatum, luteipes, melancholicus, nigrans, pectinicornis, profugus, pyrenaeus, quadri-lineatus, quercus, ramifer, resplendens, rubidus, rufiventris, rugipennis, rugosus, saginatus, sagitticollis, scabricollis, sericeus, sibiricus, tessellatus, umbricola, uncinatus, volitans.

Ludovicus impar.

Ludovix fasciatus.

Luidia ciliaris, fragilissima, maculata, murchisoni, sarsi, savignyi, senegalensis.

Lumbricaria antiqua, colou, coniugata, filaria, flexuosa, gordialis, gregaria, intestinum, recta, spiralis.

Lumbricillus lineatus, verrucosus.

Lumbriconais capitata, marina.

Lumbriconereis nardonis, quadristriata, uuicornis.

Lumbriculus limosus, variegatus.

Lumbricus agilis, agricola, amphisbaena, anatomicus, annularis, blainvilleus, caeruleus, castaneus, chloroticus, cirratulus, clitellinus, coccineus, communis, complanatus, dubius, ephippium, filigerus, flaviventris, giganteus, gigas, gordianus, gordioides, hirticauda, hirtus, intestinalis, isidorus, iuloides, leptozonius, litoreus, littoralis, lividus, maximus, microchaetus, mollis, multispinis, nesidensis, niger, noctilucus,

- olidus, omilurus, pellucida, phosphoreus, purus, pusillus, puter, putridinis, pygmaeus, quadrangularis, radiatus, renun canis, riparius, rolandi, roseus, rubellus, rufescens, saint-hilairei, simplicissimus, siphonostoma, squamatus, stagnalis, stylioides, teres, terrenus, tetraedrus, trapezoides, trapezoideus, triannularis, vulgaris, xanthurus.
- Lumbrineris** coccineus, residensis, rolandi, s.-hilairei, scolopendrina, siphodonta, splendida. *Vide et Lumbrici*→.
- Lumbrineris** pallasi.
- Lumpus** anglorum, minutus, spinosus, ventricosus.
- Lunatia** ampullaria, limbata, plumbea.
- Lunda** arctica, cirrhata, psittacula.
- Lunites** guidoni.
- Lunopsis** hoeninghausi.
- Lunulacardium** canalifer, carpomorphum, excrescens, inaequicostatum, ovatum, partschi, procredescens, pyriforme, semistriatum, tetragonum, vulgaris. *Vide et Lunulo*→.
- Lunulina** diaphana, lunula, moniliphora, mougeoti.
- Lunulites** alveolatus, androsaces, bouei, conica, contigua, cretacea, cuvieri, dactioloidea, denticulata, depressa, digitale, distans, duclosi, glandulosa, goldfussi, guettardi, haidingeri, hemisphaerica, infundibulum, intermedia, leuticulata, mamillata, mitra, muensteri, oweni, patelliformis, perforatus, pinea, pocillum, punctatus, quincuncialis, radiata, radiatilis, rhomboidalis, semilunaris, sexangula, spiralis, spongia, subperforata, sulcata, umbellata, urceolata, vanderheckei, vicksburgensis.
- Lunulocardium** retrostriatum. *Vide et Lunula*→.
- Lupa** banksi, dufouri, forceps, maculata, pelagica, sanguinolenta, sayi, trispinosa.
- Lupea** cribraria, dicantha, gladiator, granulata, hastatus, lobifrons, rubra, sebae, tranquebarica.
- Luperina** aquila, argillacea, basilinea, cespitis, contribulis, dumerili, infesta, polyodon, testacea.
- Luperosaurus** cumingi.
- Luperus** altaicus, amoenus, brassicae, cayennensis, cinctellus, collaris, cyaneus, cyanipennis, cyanopterus, dichrus, discolor, dubius, flavipennis, flavipes, flavus, floralis, forticornis, fucatus, geoffroyi, humeralis, innuba, maerkeli, montanus, nasutus, nemorum, orientalis, oxypterus, pallipes, pinicola, pygmaeus, pyrenaeus, rufipes, signaticornis, suturalis, suturella, umbraticus, viridipennis, xanthaspis, xanthopus.
- Lupocyclus** rotundatus.
- Luponia** algoensis, elegans.
- Luprops** chrysophthalmus.
- Lupus** gigas, hastata, lycaon, mexicanus, occidentalis, vulgaris.
- Luscinia** major, media, megarhynchus, minor, okeni, peregrina, philomela.
- Lusciniola** melanopogon.
- Lusciniopsis** fluviatilis, savii.
- Lusciola** akahige, aurea, calliope, cyanura, erythronota, komadori, luscinia, philomela.
- Lusia** lutea.
- Lusya** algensis.
- Lutea** lacuna, subpellucida.
- Lutianus** acutirostreus, aurate, bohar, brasiliensis, core, crapa, eques, erythrophthalmus, fasciatus, flavus, gibbus, lunulatus, maenula, manis, mediterraneus, niger, pallidus, perro, pertusus, ruber, scriba, sumatrensis.
- Lutjanus** acutirostreus, adriaticus, alberti, alboaureus, athias, argenteus, argento violaceus, argus, aruanus, ascensionensis, atrarius, aurantius, aureovittatus, blochi, brunnichi, cayanensis, chaetonoides, chinensis, chlorosochrus, chrysopterus, cinereus, cotta, decacanthus, diacanthus, digramma, elliptico-flavus, ellipticus, geoffroyi, gibbus, gynocephalus, hamrur, hexagonus, japonicus, johni, jourdin, lamarcki, lapina, macrophthalmus, maculatus, magnificus, massa, massiliensis, mediterraneus, melanocercus, melops, microstomus, ocellatus, olivaceus, orientalis, pallidus, palloni, palpebratus, pentagramma, percula, pictus, plumieri, polymna, ramentaceus, roissali, rubescens, scandens, scina, sciurus, scriptura, semicinctus, serran, stigma, testudo, triangulum, tridens, trilobatus, unimaculatus, varius, virginicus, vittatus, vosmaeri.
- Lutodeira** chanos, indica, salmonea.

Lutra aureo-brunneus, barang, brasiliana, bravardi, californica, canadensis, capensis, chilensis, chinensis, cinerea, clermoutensis, concolor, dubia, enudris, felina, flavicans, fluviatilis, huidobria, indica, indigitatus, insularis, inunguis, kutab, lataxina, leptonyx, lupina, lutra, maculicollis, marina, montana, monticolus, nair, nudipes, paranensis, peruviansis, phocula, platenensis, poensis, roensis, saricovienna, simung, solitaria, stelleri, tarayensis, valletoni. *Vide et Lontra.*

Lutraria acinaces, alduini, ambigua, angulata, angulifera, angusta, augustata, argonensis, calcinella, campechensis, canaliculata, candida, capax, carinifera, chemnitzii, christoliana, complanata, compressa, concentrica, convexa, cottardi, crassidens, crassiplica, cretacea, cuneata, cyprinus, decurtata, donaciformis, donacina, elliptica, elongata, fragilis, gibbosa, gregaria, gurgites, hians, jurassi, lapidosa, latissima, lineata, lirata, listeri, mactroides, massiliensis, maxima, nuttalli, oblata, oblonga, orgonensis, ovalis, ovata, papyracea, papyria, paretii, piperata, planata, plicatella, primaeva, primipara, prisca, recurva, reticulata, rhyuchaena, rostrata, rotundata, rugosa, sanna, senegalensis, sinuosa, solenoides, striata, striatopunctata, tellinoides, tenuis, tenuistriata, trapezicostata, unionoides, urgonensis, ventricosa, vitrea, voltzi, vulgaris, zealandica.

Lutricola compressa, rugosa, solenoides.

Lutricolis valetoni.

Lutrochus pilula.

Luvatus imperialis.

Luxilus auratilis, chrysocephalus, dissimilis, erythrogaster, interruptus, kentuckiensis.

Luxulus elongatus.

Luydia sarsi.

Lybas atripennis, axillaris, bicolor, calidus, carbunculus, chlamydophorus, coccineus, corallinus, faba, ferrugineus, granatus, lucidus, melanocorynus, mycetophilus, normalis, pulicarius, rufinus, seminulus, thoracicus.

Lybia tessellata.

Lybius guisobalito.

Lycaeides aegon, argus, cyparissus, optilete.

Lycaena (Ar.) spinimana.

Lycaena (Lep.) acaciae, acamas, acis, admetus, adonis, aegidion, aegon, aelianus, aesculi, agestis, alcon, alexis, alsus, amphiraxus, amyntas, anisophthalma, anteros, argiolus, argus, aria, arion, artaxerxes, asoka, atratus, atys, balkanica, ballus, batikeli, battus, bavius, bavus, bellis, betulae, bimaculosa, boetica, boeticus, byzos, callimachus, cassius, catochloris, celaeus, celeno, celerio, chryseis, circe, cnejus, coelestina, comyntas, corydon, cramera, cyane, cyanecula, cylindus, cyllarus, cymon, damocles*, damoetes, damon, damone, daphnis, dardanus, delegorguei, didda, dionisius, dispar, dolus, donzeli, dorcas, dorylas, echion, edna, elorea, elpis, empyrea, endymion, epidolus, epiroxus, erebus, eros, escheri, ethion, eumedes, eumedon, euphemus, eurybia, eury-pilos, fischeri, galathea, gordius, hanno, helle, hipponoe, hippothoe, hoffmannseggii, hyacinthus*, hylas, hypoleuca, ignita, ilicis, isis, ismenias, jcarius, jolas, jphigenia, kandarpa, labradus, laius, ledereri*, ledi, lefebvrei, legeri, livia, loewii, lucia, lugens, lygdamus, lysimion, maha, malathana, malaya, marmorata, mars, melanops, melantho, meleager, menalcas, myrtale, nara, nila, nyseus, omphale, optilete, oranula, orbitulus, ottomanus, palemon, pandava, pandia, parrhasius, patala, pavana, pheretes, pheretiades, phlaeas, plinius, polycarpus, polysperchon, pruni, pseudargolius, pseudocoxus, psittacus, psylorita, puspa, putli, pylaon, quercus, rabe, rhymnus, ripartii, rippertii, rosion, roxus, rubi, schaefferi, sebrus, spini, steveni, taitensis, telicanus, theophrastes, theophrastus, thersamon, thespis, thetis, tintinga, tithonus, trochylus, tsiphana, virgaureae, W album, xanthospila, xenodice.

Lycaon pictus, tricolor, typicus, venaticus.

Lycastes anthyllides, bellidis, cynarae, exulans, loti, sarpedon, sedi.

Lycastis armillaris, blainvillei, brevicornis, caudata, coccinea, delineata, edwardsii, flexuosa, ockenii, otto, quadricornia, ranzani, sextentaculata, thethycola, ventila-brum.

Lycena eroides, sephurus.

Lyceta furina.

Lychas americanus, maculatus, paraensis, scutillus.

- Lychnophaes** cornutus, cyaniceps, empyreus, globosus, hypochrysus, laticollis, pilula, principalis, purpureus.
- Lychnuchus** olenus.
- Lychnuris** morio.
- Lychnus** carinatus, ellipticus, nuatheroni, urgonensis.
- Lycia** (Dipt.) femoralis, flava, impunctata, liturata, liturella, nigricornis, quatuor-punctata, sex-punctata, thoracica, unbraculata.
- Lycia** (Lep.) asperaria, hirtaria.
- Lycisca** raptoria, romandi, westwoodi.
- Lyciscus** cagottis, latrans, tigris.
- Lycoccephalus** brachionus.
- Lycoderes** ancora, burmeisteri, folium, fronditia, furca, fuscus, gaffa, galeritus, gladiator, laevipennis, melauopetalus, mitratus, petasus, pileolum, spinolae, squamiger, unicolor.
- Lycodes** nebulosus, perspicillum, reticulatus, seminudus, vahl.
- Lycodon** atropurpureus, audax, aulicus, capensis, capucinus, carinatus, catenatus, catenulatus, clelia, eifraenis, formosus, fuliginosus, galathea, geometricus, guttatus, hebe, horstoki, jara, leucocephalus, lineatus, malignus, melanocephalus, modestus, nympha, olivaceus, pethola, petolarius, platurinus, reticulatus, rufozonata, russelius, semifasciatus, subcinctus, subfuscus, unicolor.
- Lycodonomorphus** rufula.
- Lycodontis** literata, longicaudata, punctata.
- Lycogaster** pullatus.
- Lycomedes** reichei.
- Lycoperdina** alpina, apicalis, bovistae, crassicornis, cruciata, elongata, fasciata, ferruginea, immaculata, lata, lineola, lutea, marginalis, minuta, nigra, nigricans, oblonga, pallida, pilosa, pubescens, puncticollis, quadri-guttata, quadri-punctata, quadripustulata, rubricollis, ruficollis, semi-nigra, succincta, testacea, undulata, unicolor, vestita, vittata.
- Lycophidion** horstocki.
- Lycophotia** cuprea, graminis, lidia, porphyrea, sannio.
- Lycophris** dispansus, ephippium, lenticularis, scabrosus.
- Lycophrys** faujasi.
- Lycoptera** middendorffi.
- Lycorea** atergatis, ceres, cleobaea, halia, pasinuntia.
- Lycoris** aegyptia, aphroditoides, cirrhosa, fimbriata, folliculata, fucata, fulva, guttata, incisa, lobulata, margaritacea, nicaeensis, nubila, nuntia, pelagica, podophylla, pulsatoria, rubida, viridis.
- Lycos** [Boie, Isis, 1828, 360 [teste E. Hartert]. collaris, dauricus, monedula.
- Lycosa** aculeata, aeronauta, affinis, agilis, agretyca, alacris, albata, albimana, albi-punctata, albo fasciata, allodroma, alpica, alpina, amentata, amyacea, andrenivora, animosa, arenaria, argenteo, armillata, aspersa, atomaria, audax, avida, babingtoni, barbipes, bifasciata, biimpressa, blanda, borealis, cambrica, campestris, captans, carolinensis, chersonensis, cinerea, cinnabarina, clavipes, crassipes, cruciata, cuneata, cursor, cursoria, discolor, distincta, dubia, ephippium, erratica, erythrogmata, erythrostoma, exigua, exilipes, fabrilis, famelica, fasciiventris, fatifera, ferox, fuliginosa, fulvolineata, fumigata, funerea, funesta, fuscipes, gasteinensis, gracilenta, granuicola, grisea, guillouana, gulosa, hellenica, helluo, helvola, impavida, implacida, indagatrix, indomita, infernalis, infesta, inquilina, intrepida, inveniusta, irrorata, isabellina, laperousei, lapidicola, latitans, latreillei, lehuillana, lenta, leopardus, leucophaca, lignarius, liliputiana, littoralis, longipes, lugubris, lupulina, lynx, maculata, maritima, melanogaster, meridiana, milberti, milvina, miniata, mirabilis, modica, monscalvana, monticola, mordax, murina, narbonensis, nautica, nigra, nilotica, nivalis, numida, obscura, obsoleta, ocreata, ornata, pallida, paludicola, paludosa, palustris, pelliona, pelusiaca, peregrina, pertyi, picta, pilipes, piratica, piscatoria, poliostoma, praegrandis, propinqua, proxima, pullata, pulverulenta, punctulata, quadripunctata, rapax, raptoria, riparia, rossica, rubida, rubiginosa, rufimana, ruricola, sabulosa, saccata, saccigera, sagittata, saltatrix, saxatilis, sayi, scenica, schmidtii, scutellata, sericata, silvicultrix, solers, strenua, striatipes, sylvicola, taeniata,

tarantula, tarantulina, tarantuloides, timida, trabalis, triton, trucidatoria, vagabunda, valida, vehemens, velox, venatrix, venustula, villica, vorax, vulpina, wagleri, xylina. *Vide et Lycosa.*

Lycosoides algerica, digitalis, flavomaculata, pallipes, rufipes, rufithorax.

Lycotherium ferreo-jurassicum.

Lycothyreus bicolor, elegans, flavicollis, nigricans, pallidipennis.

Lyctocoris corticalis, domesticus.

Lycus aeneus, americanus, axillaris, bicolor, carbonarius, decemstriatus, depressiusculus, fasciculosus, frumentarum, fuliginosus, fuscus, gemmatus, glaber, glycyrrhizae, haematodes, histeroides, impressus, laevipennis, marginalis, microcephalus, minuta, minutus, oblonga, obscurus, parallellipipedus, parasiticus, praeustus, punctatus, pusillus, reflexus, rufipennis, striatus, sulcata, sulcatus, testaceus, transversa, unicolor, undentata.

Lycus (Col.) africanus, amictus, analis, apicalis, appendiculatus, atratus, australis, bremeri, canaliculatus, cantori, cinctus, coccinatus, collaris, compressicornis, compressus, corniger, crassinervis, cristatus, croceicollis, cruentus, dentipes, diaphanus, dichrous, dimidiatus, discoideus, dissimilis, distinctus, dorycus, elevatus, emarginatus, ephipiger, exilis, fabricii, festivus, flabellatus, flavicans, foliaceus, formosus, funestus, galeatus, goryi, haemorrhoidalis, hamatus, humeralis, imperialis, inaequalis, laevigatus, lateralis, latissimus, limbatus, linearis, lineicollis, longicornis, loripes, maculicollis, marginatus, marginellus, melanurus, militaris, mirabilis, modestus, nigricollis, nigricornis, obliquus, ochraceus, pallidus, pallulatus, parallelus, pectinalis, pectinicornis, perfacetus, pleurites, praemorsus, praesignis, pusillus, pygmaeus, quadricostatus, regalis, rhipidium, rubens, ruber, ruficollis, rufipennis, sanguinipeunis, schoenherri, semiustus, senegalensis, septemcavus, serrifer, signatus, similis, sinuatus, succinctus, suturalis, terminalis, terminatus, thoracicus, triangularis, trifasciatus, tunicatus, ustulatus, xanthomelas.

Lycus (Lep.) gryneus, nippon, rubi.

Lyda abietina, albifrons, alpina, amplexa, annulicornis, annulata, arbustorum, arvensis, aurita, balteata, betulae, bicolor, campestris, cingulata, circumcincta, clypeata, cyanea, cynosbati, depressa, erythrocephala, erythrogaster, fallax, falleni, fasciata, fausta, flava, flavipes, flaviventris, fumipennis, geoffroyi, gyllenhalii, haemorrhoidalis, hartigi, hilaris, histrio, hortorum, hypotropicalis, inanis, inanita, irrorata, klugi, latifrons, lucorum, lutescens, marginata, nemoralis, nemorum, ocreata, pallipes, plagiata, populi, pratensis, punctata, reticulata, saltuum, saxicola, signata, singulata, stigma, stramineipes, suffusa, sylvarum, sylvatica, taeniata, tessellata, vafra, varia.

Lydda elongata.

Lydella aestivalis, agrestis, arcuata, bicincta, blondeli, bombycivora, borealis, bosci, brunnicornis, campestris, cinerea, cylindrica, dubia, erythroceras, flaviventris, floricola, fulvipes, fuscipennis, griseus, hydrocampe, interrupta, macquarti, metallica, minuta, modesta, myoidea, nigricornis, nitida, pallidipalpis, parallela, pusilla, rufisquamata, scutellaris, scutellata, silvatica, squamiflava, terminalis, tessulata, velox.

Lydina cuprea, macromera, nitida.

Lydus algericus, chalybeus, flavipennis, marginatus, melanurus, praeustus, quadrisignatus, sanguinipennis, tri-maculatus.

Lyeidius aequinoctialis, affinis, lividus, xanthopus.

Lygaeus abdominalis, abietis, acantharis, affinis, agrestis, albicornis, albidus, albipennis, albostrigatus, alternans, ambiguus, amboinensis, angulatus, annulus, apterus, argeutatus, argus, arvicola, asiaticus, ater, atrorufus, augur, austriacus, biclavatus, bicolor, bicrucis, biguttatus, bilineatus, bimaculatus, bimarginatus, bipunctulus, bistrigularis, bistriguttulus, brevipennis, calcar, calidus, campestris, caricus, chalccephalus, chenopodii, chlorizans, chorizans, cinereus, clavivulus, clinopodii, collaris, compressipes, contaminatus, coqueberti, coriacea, costalis, crassicornis, crassimanus, crassipes, crocatus, crudelis, cursitans, della chiaje*, didymus, dimidiatus, discoidalis, disconotus, dispar, echii, elegans, ericetorum, eurinus, exilis, facetus, falicus, fasciatus, festivus, filicis, flavicornis, foliaceus, formosus, fulvo-maculatus, fuscipennis, fuscula,

geminatus, gibbosus, gladiator, gothicus, graminis, grandis, griseus, groenlandicus, grylloides, guineensis, gutta, guttatus, gyllenhalii, haematideus, hamatus, hastatus, hexophthalmus, hottentotus, immaculatus, incompustus, irrortatus, laevis, lagenifer, lano, lavatae, leucopterus, limbatus, linea, lineatellus, littoralis, lunulatus, luridus, lusitanicus, luteicollis, maculicollis, marginatus, margine-punctatus, maurus, melanurus, micropterus, minutus, modestus, molliculus, multiguttatus, mutabilis, mutilatus, mutilus, nasutus, nebulosus, nemorum, nerii, nigrita, nubilus, numenius, oblongipes, oblongus, pabulinus, pacificus, pallicornis, pallipes, pascuosus, pastinacae, paykulli, pedestris, peruvianus, pharaonis, pilifrons, pilosulus, pinastris, pius, plebejus, poeyi, profanus, pulcher, pulicarius, punctulatus, popularis, pusillus, pustulatus, pygmaeus, quadriguttatus, quinquespinosus, reclinatus, regalis, revestitus, rivularis, roboris, roeseli, rubicundus, rubricatus, ruficeps, rufipennis, rufipes, rugicollis, rusticus, sabuleti, saevus, sahlbergi, saltitans, salviae, sandarachatus, sardous, scapha, schlanbuschi, schummei, scolopax, seladonicus, septus, serratae, serratus, spinipes, striatus, superciliosus, tagalicus, taitensis, tanacetii, tenellus, thoracicus, thunbergi, thymi, triangularis, triguttatus, tristator, tristriatus, trivittatus, tumidipes, turcicus, ulmi, umbellatarum, unistria, variabilis, ventralis, verbasci, viridis, viridulus, vividus, vulgaris, vulneratus, xanthomelas, xanthostaurus, xylostei, zonatus.

Lygdinus niveus.

Lygeomorphus abdominalis, augur.

Lygeosoma sardea.

Lygia baudiniana, dubia, exotica, gaudichaudi.

Lygistopterus dichrous, lateralis, sanguineus.

Lygophis elegans, lineatus.

Lygosoma aurata, australis, bougainvillei, brachypoda, chalcides, duperryi, dussumieri, entrecasteauxi, erucata, guichenoti, labillardieri, lateralis, lesuevi, melanopogon, moco, moniliger, muelleri, punctata, quoyi, sancta, serpens, smaragdina, taeniolata, temminckii.

Lygris achatinata, populata, pyraliata, pyropata.

Lygus cinctus, contaminatus, elegans, floralis, icterocephalus, limbatus, melanocephalus, nassatus, pabulinus, rubricatus, rufescens, tenellus.

Lymaenon acuminatus, flavocinctus, fuscicornis, litoralis, pictus.

Lymantes scrobicollis.

Lymantria ascetria, eremita, monacha.

Lymexylon australe, biguttatum, cylindricum, flabellicorne, liguricum, marci, nymphaeum, rufipes, sericeum.

Lymnadea alata, compressa, fragilis.

Lymnadia alata.

Lymnaea acuminata, acuta, affinis, affuelensis, anceps, aquensis, balthica, brunnea, buchi, catascopium, chlamys, columella, columna, columnaris, cornea, corrugata, diaphana, exilis, fossaria, fragilis, fusiformis, gignivata, ingivata, glutinosa, gracilis, heterostropha, holbolli, hookeri, imperialis, intermedia, jugularis, lacustris, laevigatus, leucostoma, limosa, linsleyi, longissima, luteola, luzonica, minima, minor, navicula, oahuensis, obliqua, octanfracta, pacifica, palustris, peregrina, pingeli, plicatula, rugosa, splendida, stagnalis, striatella, subcarinata, subpalustris, substriata, succinea, vahli, virginiana, virginica, viridis, weissii. *Vide et Limnaea*, etc.

Lymnaeum depressum, nigropiceum.

Lymnaeus aequalis, angustatus, karpinskii, pygmaeus, ventricosus.

Lymnas elector.

Lymnea apicina, auricula, aurita, bulimoides, casta, coarctata, curta, disjuncta, exigua, fragilis, fusiformis, griffithiana, incurva, kirtlandiana, labrosa, leachiana, lessoni, naudoti, nuttalliana, oblonga, palustris, parva, perlevis, philadelphica, planulata, plica, rubella, rustica, solida, stagnorum, strigosa, tenuis, terrae-novae, vogesiaca. *Vide et Limnaea*, etc.

Lymneus amphibius, appressus, attenuatus, caperatus, desidiosus, elodes, elongatus, emarginatus, galbanus, geofrastris, helveticus, humilis, intermedium, macrostomus, megasomus, modicellus, obrussus, ore-longo, palustris, pinguis, reflexus, rivale.

Lymnium pictorum.

- Lymnocyrtes** galliula.
Lymnoea glutinosa.
Lymnoeus bulloides, flammeus, parhappu, rubiginosus, viator. *Vide et Limnaea.*
Lymnorea denudata, gigantea, hemisphaerica, hexanema, mamillata, mamillosa, michelini, octoneima, sphaerica, tridra.
Lynceus aculeatus, aduncus, albicans, armatus, crepida, globosus, hamatus, harpae, lamellatus, laticaudatus, laticornis, leucocephalus, macrourus, nanus, nasutus, pulcher, quadrangularis, reticulata, roseus, sphaericus, striatus, tenuirostris, testudinarius, trigonellus, truncata.
Lynchus erythrotus.
Lyncornis cerviniceps, macropterus, macrotis, splendidus, temmincki.
Lyncuria typus.
Lyncus canadensis, lynx, pardinus, rufus.
Lyndia canorum.
Lyndiphia walkenaria. *Vide et Liniphia.*
Lynx aurea, aureus, borealis, calligata, canadensis, caracal, caroliniensis, cervaria, chaus, fasciatus, floridanus, manul, montanus, pagers, pardina, rufus, vulgaris.
Lyonetia argentipedella, argyropeza, cerasifoliella, cidarella, clerckella, concolorella, cristatella, immundella, lemniscella, malifoliella, nigrocomella, nylandriella, rufella, samiatella, sericopeza, somnulentella, subnitidella.
Lyonna alata, amygdalina, antiqua, impressa, obsoleta, retusa, rigida, semisulcata, undata.
Lyonsia abducta, albertii, aldouini, alvarezi, anatiniformis, angustata, anodontoides, arenata, aspasia, attenuata, aviculoides, biarmica, bicarinata, brevifrons, californica, carinifera, centralis, clavata, concinna, contracta, cordiformis, corrugata, corruscans, coyana, cuneata, curta, cylindrica, donaciformis, doris, dubia, elegans, elongata, excavata, faba, floridana, germari, gibbosa, gigantea, globulosa, grandis, halliana, hyalina, inflata, inornata, koechlini, kutorgana, laevigata, lata, latirostris, lyrata, major, malvinensis, minima, minor, modiolaris, mytiloides, nana, nasuta, navicula, normaniana, norwegica, nuculiformis, oblonga, emaliana, ovata, parallela, patagonica, peregrina, phaseolina, picta, pinguis, plicata, prisca, quadrata, recurva, ricordeana, roemeri, rotundata, sanguinolarioidea, securiformis, semicostulata, sinuata, socialis, soleniformis, sowerbyi, striata, striato-punctata, subangustata, subattenuata, sub-aviculoides, subcuneata, subimpressa, sublata, submodiolaris, subnasuta, suboblongus, subrotundata, subspatulata, substriatula, subtruncata, subtumida, sulcosa, tellinaria, terminalis, trentonensis, truncata, tumida, unioides, verneuilli, vetusta, zonata.
Lyorhynchus lepidopus.
Lyperopherus arcticus, costatus, cribellatus, inaequalis, vermiculatus.
Lyperopterus regularis.
Lyperosomus aterrimus, elongatus, furvus.
Lyperus acutangulus, aterrimus, haldemanni, scrutator.
Lypha dubia, silvatica.
Lyponix erythropyga, leucops, rubecula, rubicula, rufa, ruficapilla, striata, tenebrosa, torquata, tranquilla, unicolor.
Lypotigris diphteralis, reginalis.
Lyprus cylindrus.
Lypurus tetrax.
Lyra meadi.
Lyrarompha pallida, rosea.
Lyrus origo.
Lyreidus tridentatus.
Lyrina nucleus.
Lyrina fischeri.
Lyriocephalus macgregori, margaritaceus.
Lyriodon abruptus, angulatus, archiacanus, asper, bronni, cardissa, carinatus, caudatus, clathratus, clavellatum, compressum, concentricus, concinnus, constanti, coquandanus, costatum, crenulatus, cuspidatus, daedalus, denticulatus, disparilis, divaricatus,

elegans, excentricum, fittoni, gaytani, geographicus, gibbosus, goldfussi, harpa, hondaanus, humboldti, hybridus, imbricatus, inflatus, inornatus, intermedium, lamarecki, limbatus, lineolatus, litteratus, longus, maximus, meriani, moniliferus, muricatus, navis, notatus, papillatus, paradoxus, parkinsoni, parvulus, perlatus, pictus, plicatocostatus, plicatus, pulchellus, pullus, pumilus, reticulatus, robineauinus, roemeri, rostrum, rudiis, rugosus, scapha, sexcostatus, signatus, simile, sinuatus, smeei, spiuosus, striatus, sulcatarius, suprajurensis, tenuisulcatus, tocamanus, truncatus, tuberculatus, voltzi, zonatus, zwingeri.

Lyroda subita, triloba.

Lyrodesma plana, pulchella.

Lyrodon aliforme, conocardiformis, costatum, curvirostris, deltoideum, excentricum, goldfussi, herzogi, kefersteini, laevigatum, lineatum, literatum, muricatum, navis, orbiculare, ovatum, pes anseris, simplex, striatum, sulcatum, ventricosus, vulgare.

Lyrops auratus, basilicus, bicolor, chrysopyga, erythropus, fulviventris, geniculata, lepieuri, peptica, pompiliformis, rufiventris, savignyi, tarsalis, tricolor.

Lyrothorax caspium, nderiensis.

Lysianassa anaglyptica, angulifera, appendiculosa, atlantica, chauseica, costae, designata, hybrida, lagenae, literata, longicornis, magellanica, ornata, rhombifera, subcarinata, v-scripta, vahl.

Lysidice galathina, ninetta, olympia, parthenopeia, torquata, valentina.

Lysipetalum carinatum, foetidissimum, hardwicki, lineatum, plicatum, richi, rugulosum, xanthinum.

Lysmata seticauda, seticaudata.

Lyssa achillaria, patroclaria.

Lyssomanes viridis.

Lystra aeruginosa, atomaria, auricoma, barbata, bimaculata, coccinea, combusta, conspersa, cornuta, costata, cruenta, cunicularis, diana, dichroa, dimidiata, elegans, farinosa, fasciata, flaviventris, flavo punctata, fuliginosa, lanata, luctuosa, lugubris, maculata, maura, miniacea, morio, multiguttata, obscura, oculata, pallida, perspicillata, picta, pulchra, pulverulenta, punctata, punicea, reticularis, reticulata, sanguinea, servillei, specularis, spilota, spinosa, stigma, striatula, tibialis, tomentosa, tricolor, turca, venosa, viridiceps, westwoodi.

Lystronichus equestris, pulchellus.

Lytaea agathina, leucographa, umbrosa.

Lyterius abdominalis, instabilis, melas, musculus.

Lythodomus angustus, cordatus, sublithophagus. *Vide et Lithodomus.*

Lythria purpuria.

Lytta abbreviata, abdominalis, acteon, adpersa, aenea, aesculapii, affinis, afzeliana, albida, algirica, ambusta, antherina, armeniaca, articularis, aterrima, atomaria, atripennis, aurita, austriaca, bicolor, bilineata, bimaculata, bipustulata, bi-vitta, boleti, brevis, brucei, canescens, cantharoides, capitata, cardinalis, chalybea, chryso-melina, chrysomeloides, cinctipennis, coccinea, concinna, crassa, crassicornis, depressa, depressicornis, diadema, dichroa, dimidiata, dongolensis, dubia, dusaulti, elegans, excavata, femoralis, ferruginea, fimbriata, fischeri, flabellicornis, flagellaria, flava, flavicollis, floralis, fucata, fuliginosa, fulviceps, fulvipes, fumosa, funesta, fusca, fuscicornis, geniculata, germari, gigas, glandulosa, granulipennis, herculeana, hirsuta, hirtifer, humeralis, hypoleuca, ictérica, immaculata, impressicollis, jaloffi, javana, lacordairei, laticollis, lemniscata, limbata, lineata, lineola, lugubris, maculata, maculicollis, margiuea, marginella, maroschettiana, maura, megaloccephala, melanophthalma, menetriesi, monoceros, murina, myagri, mylabrina, necydalea, nepalensis, nigricollis, nigricornis, nigropunctata, nitidula, nuthalli, nuttalli, obesa, ochropus, optabilis, ornata, pallasi, pallidicollis, parallela, phalerata, philaemata, picea, picta, polita, punctata, resplendens, reticulata, rouxi, rubra, rubriceps, rufo-capilla, rugosa, scutellaris, segmenta, sericea, sexguttata, signata, sinuata, sphaericollis, striata, strigata, strigosa, substrigata, subvittata, sulcifrons, suturalis, syriaca, thoracica, togata, trichus, trinotata, tri-vitta, ursus, vallicata, verticalis, vestita, vidua, violacea, virgata, viridula, xanthocephala, zonata.

Lyurus derbianus.

- Mabouya** aenea, atrecoatus, baudini, cartereti, cepedei, cyanura, elegans, sloanei.
- Mabuya** agilis, capistrata, carinata, dominicensis, dubia, longicollis, multifasciatus, ocellatus, quinquecarinata, quinquelineata, quinquetaeniata, sanctae, serpens, subcarinata, trilineatus, vallata.
- Macaca** aygula, cynomolgus, hamadryas, nemestrina, rhesus, sinensis, spinix, sylvanus.
- Macacus** arctoides, assamensis, aureus, cancrivorus, carbonarius, elwadijumi, eocaenus, erythraeus, gelada, inuus, latibarbatus, leoninus, libidinosus, macrus, montanus, nemestrinus, niger, oinops, pelops, philippinensis, pithex, pliocus, radiatus, rhesus, silenus, sinicus, speciosus, splendidus.
- Macagua** cachinnans, melanops.
- Macao** splendidus.
- Macarea** loricata.
- Macaria** (Ar.) aurulenta, corusca, fastuosa, festiva, formosa, fulgens, guttulata.
- Macaria** (Col.) chlorophana, diluta, erotyloides, rosea, schaumii, serraticornis, sigillata.
- Macaria** (Lep.) alternata, emarginata, emutaria, imitaria, imitata, limbata, notata, praeatomata, subrufata, thymia, unipunctata, variegata.
- Macellocerus** acuminatus, klugii.
- Maceranas** fusca.
- Machaera** (L.) costata, nitida, velifera.
- Machaerium** maritimae, subduens.
- Machaerota** ensifera.
- Machairodus** brevidens, cultridens, etruscus, latidens, megantereon, neogaeus, palmidens.
- Machetes** alticeps, optatus, planiceps, pugnax, variabilis.
- Machetornis** rixosa.
- Machilis** acuminithorax, anceps, aurea, bimaculata, crassicornis, fasciola, fastuosa, gigas, maritima, minuta, pallipes, polypoda, rupestris, striata, thoracica, variabilis, vittata.
- Machimus** chrysis.
- Machla** duponti, rauca, sappho, serrata.
- Machlophus** melanolophus, rubidiventris, spilonotus, xanthogenys.
- Machona** alba*.
- Machozetus** lehmanni.
- Machrochisma** hiattula.
- Machtima** crucigera.
- Maclurea** labiatus, magna, matutina, sordida, striatus.
- Maclurite** bicarinata, magna.
- Macoma** tenera.
- Maconia** grandis, myiformis.
- Macquaria** australasia, australasica.
- Macquartia** (Br.) dubia.
- Macquartia** (Dipt.) atrata, atripes, brachycera, buccalis, calida, chalconota, chalybeata, corinna, egens, flavescens, flavipes, germanica, griscens, grisea, haematodes, lucida, microcera, nigripennis, nigrita, ochropus, praefica, proluxa, rubripes, rufipes, scutellaris, tenebricosa, trincta, trimaculata, tristis, viridescens.
- Macracanthus** sericatus.
- Macrarthrus** concolor, filiformis, funki, goudoti, helferi, insularis, murinus, nigellus, sericeus.
- Macraspis** aenea, affinis, analis, andicola, badia, banoni, beryllina, bicincta, bicolor, bivittata, brullei, brunnea, calcarata, castanea, chalcia, chloraspis, chlorophana, chrysis, clavata, cuprina, dichroa, emarginata, festiva, fucata, gigas, hemichlora, imperator, lateralis, limbata, lineola, lucida, maculata, morio, nigrescens, nitida, nitidissima, oblonga, prasina, pretiosa, psittacina, quadrivittata, rufinitida, semicuprea, smaragdula, splendens, splendida, subaenea, suturalis, taeniata, tetractyla, thoracica, trifida, tristis, variabilis, virescens, viridis, xanthosticta.
- Macratia** linearis.
- Macrauchenia** patachonica.
- Macrina** furcata.
- Macrobiotus** dujardin, hufelandi, inermis*, oberhaeuser, ursellus.
- Macrobothrium** narica.

Macrocentrus bicolor, linearis.

Macrocephala affinis.

Macrocephalon maleo.

Macrocephalus (Hem.) albinus, allargrostris, angustus, crassimanus, cylindricornis, hieroglyphicus, leucographus, macilentus, manicata, notatus, obscurus, pallidus, prehensilis, pulchellus, quadratus, rhombiventris, tuberosus.

Macrocephalus (R.) drapiezi.

Macrocera (Dipt.) angulata, apicalis, binotata, centralis, crocata, dorsalis, fasciata, fascipennis, hybrida, incarnata, lanieri, lineola, longicornis, lutea, maculata, maculipennis, multimetra, nana, obliqua, ornata, palustris, phalerata, pusilla, reticulata, rustica, vittata.

Macrocera (Hym.) albida, alternans, altimetra, americana, analis, antennata*, atra, angusta, barbara, bicolor, lamaculata, cafra, cajennensis, capensis, cingulata, duvauceli, grandis, ichneumonea, malvae, marginata, nigra, nigricornis, obscura, olivieri, pennsylvanica, philadelphica, pollinosa, pruluosa, punctulata, rufa, ruficollis, ruficornis, rustica, salicariae, sexincta, stigma, strigata, subundulata, trincta, variegata, viridata.

Macroceramus richaudi, signatus.

Macrocerus (A.) ambiguus, aracanga, ararauna, augustus, canga, glaucus, hyacinthinus, illigeri, macao, makavouana, maracana, militaris, pachyrhynchus, rauma, severus, tricolor.

Macrocerus (Inf.) gibbalgyrinus.

Macrocerus oculatus.

Macrochaeta clavicornis.

Macrochaetus subquadratus.

Macrocheilus (Col.) Bensoni, tripustulatus.

Macrocheilus (G.) acutus, ampullaceus, arcuatus, brevis, canaliculatus, curvilineus, elongatus, imbricatus, iusiformis, harpula, imbricatus, nichotianus, neglectus, oceani, ovalis, parallelus, perunctus, phillipsi, rectilineus, signilineus, subcostatus, subimbricatus, symmetricus, trinctus.

Macrocheira kaempferi.

Macrocheirus praetor.

Macrocheles marginatus, testudinarius.

Macrochila aristella, bicostella, fasciella, marginella, palpea, parenthesesella.

Macrochile spectrum.

Macrochilo cribralis, proboscidealis, rusticalis, tentaculalis.

Macrochira flava, manicata.

Macrochlamys indicus.

Macrochyrys miles.

Macrocnema brunnipes, chalcomera, chrysocephala, dulcamare, ericae, hyoscyami, napi, picina, rapae, rufilabris.

Macrocneme lades, maja.

Macrocnemis apicalis, exoleta, marcida, nigricollis, pallida, picicornis, sordida.

Macrocolus haiticus.

Macrocorynus discoideus.

Macrocrates bucephalus.

Macrocyclus cuninghamsi, peruviana.

Macroductylus affinis, angustatus, annulitarsis, brasiliensis, cinereus, cupreus, dimidiatus, flavolineatus, fulvipennis, haemorrhous, limbatus, lineatus, marmoratus, nitidicollis, pallens, pulchripes, subaeneus, subspinosus, sulphureus, suturalis, tenuilineatus.

Macroderes greeni.

Macrodipteryx africanus, longipennis. *Vide et Macrodipteryx.*

Macrodites cucullatus.

Macrodon (L.) rugosus.

Macrodon (P.) aimara, auratus, brasiliensis, guavina, patana, taraira, teres, trabira.

Macrodonga spinosa.

Macrodongia castanea, cervicornis, dejeani, flavipennis, impressicollis, quadrispinosa.

Macrodipteryx longipennis, vexillarius. *Vide et Macrodipteryx.*

Macrogaster (Hym.) abbreviatus, platypus, rufipennis.

- Macrogaster** (Lep.) *arundinis*.
Macrogastra *ventricosa*.
Macroglenes *microcerus*, *oculatus*, *umbellatarum*.
Macroglossa (Lep.) *alcedo*, *bombyliiformis*, *cretica*, *croatica*, *dahlii*, *diffinis*, *fuciformis*, *gorgei*, *hirundo*, *milesiformis*, *nycteris*, *oenotherae*, *passalus*, *pieus*, *stellatarum*, *triopus*, *vespertilioides*, *zonata*.
Macroglossa (M.) *horsfieldi*.
Macroglossum *annulosum*, *assimilis*, *cynniris*, *fasciatum*, *fuciforme*, *kingi*, *sagra*, *stellatarum*.
Macroglossus (Lep.) *apus*, *milvus*.
Macroglossus (M.) *minimus*, *rostratus*.
Macrognathus *giraffa*, *pancalus*, *undulatus*.
Macrolenes *macropus*, *ruficollis*, *salicariae*.
Macroma *bicolor*, *bilineata*, *cognata*, *javanica*, *mirabilis*, *nigripennis*, *sulcicollis*.
Macromalocera *caenosa*, *ceramboides*.
Macromelea *wiedemanni*.
Macromeris *splendida*, *violacea*.
Macromerus (Col.) *aquilinus*, *chimaridis*, *clavipes*, *crinitarse*, *grallipes*, *innoxius*, *leuconotus*, *therminieri*, *numenius*, *stigmaticus*.
Macromerus (M.) *typicus*.
Macromesius *amphiretus*.
Macromia *cincta*, *cingulata*, *taeniolata*, *trifasciata*, *vittigera*.
Macromirosaurus *plinij*.
Macromphalus *reticulatus*.
Macromya *analis*, *depressa*.
Macromysis *longispinosa*.
Macronata *advena*, *antiqua*, *assimilis*, *carbonaria*, *chinensis*, *flavidorsis*, *geographica*, *grisea*, *lanius*, *lateralis*, *liturata*, *monacha*, *nebulosa*, *nitida*, *rhynophyllus*, *scripta*, *sempunctata*, *stictica*, *trisulcata*, *umbrina*.
Macronema *arcuata*, *auripenne*, *leucosticta*, *lineatum*, *rubiginosa*, *scriptum*, *scutellata*, *seminulum*, *unimaculata*.
Macronemum *hyalinum*, *speciosum*.
Macronemus *antennator*.
Macrones *exilis*, *rufus*.
Macroneura *maculipes*.
Macronevra *winthemi*.
Macronota *alboguttata*, *albonotata*, *anthracina*, *atra*, *auroguttata*, *budda*, *cineracea*, *depressa*, *dives*, *egregia*, *elongata*, *flavo-maculata*, *flavomarginata*, *flavopunctata*, *luxeri*, *malabariensis*, *mearesi*, *nigro-caerulea*, *penicillata*, *philippinensis*, *picta*, *quadrilineata*, *quadrivittata*, *radiata*, *rafflesiana*, *resplendens*, *smaragdina*, *tetraspilota*, *tristis*, *vittigera*.
Macronous *ptilosus*.
Macronus *albugularis*, *atriceps*, *bicolor*, *capistratus*, *epilepidotus*, *grammiceps*, *leucotis*, *loricatus*, *macroductylus*, *melanothorax*, *nigrocapitatus*, *poliocephalus*, *pyrrhogenys*, *striatus*, *superciliaris*, *terrestris*.
Macronychus *caucasicus*, *glabratus*, *longimanus*, *obscurus*, *quadrutuberculatus*, *variegatus*.
Macronycrus *lateralis*.
Macronyx *ameliae*, *capensis*, *croceus*, *flavicollis*, *flavigaster*, *flaviventris*.
Macropalpus *leptocephalus*.
Macropelmus *imperialis*.
Macropetalichthys *rapheidolabis*.
Macropeza *albitarsis*, *gibbosa*.
Macrophagus *robustus*.
Macrophthalmus (Cr.) *bosci*, *brevis*, *carinimanus*, *compressipes*, *definitus*, *depressus*, *desmaresti*, *emarginatus*, *incisus*, *japonicus*, *latreillei*, *leachi*, *pectinipes*, *podophthalmus*, *serratus*, *simplicipes*, *tomentosus*, *transversus*, *verreauxi*.
Macrophthalmus (Hem.) *pallens*.

- Macrophylla** longicornis, nigra.
Macrophyllum nieuwiedi.
Macropipus citrinus.
Macropis (Hem.) flavicollis, virescens.
Macropis (Hym.) labiata.
Macroplea zosterae.
Macropneustes ammon, beaumonti, crassus, deshayesi, gibbosus, marmoratae, pulvinatus, subovatus.
Macropoda abyssinica, boyeri, rivularis, variolaris.
Macropodia gracilis, longirostris, occidentalis, phalangium, sagittaria, tenuirostris.
Macropodus (M.) penicillatus.
Macropodus (P.) ocellatus, pugnax, venustus, viridi-auratus.
Macropogon sibiricum.
Macropoma egertoni, lewesiensis, mantelli.
Macropirion serraticornis.
Macroprotodon mauritanicus.
Macrops (Col.) maculicollis, musivus, vitticollis.
Macrops (Hem.) pallens.
Macrops (R.) saturninus.
Macropsis lanio.
Macropterna divaricans, recta, rhynchosauroidea.
Macropterotonotus batrachus, charnuth, fuscus, hexacinctus, jagur, magur.
Macropterus acuminatus, chlorostomus, longipennis, semicostatus.
Macropteryx ambrosiacus, comatus, coronatus, klecho, leucophaeus, longipennis, mystaceus, spodiopygius.
Macropus (A.) caixana, phasianellus.
Macropus (Col.) accentuatus, longimanus, pictus, trochlearis.
Macropus (Cr.) arcanides, lar, longipes, longirostris, parvirostris, phalangium, sagittarius, scorio, seticornis, spinifer.
Macropygia (M.) adasoni, affinis, agilis, albus, antilopinus, atlas, banksianus, bennetti, billardieri, brachyurus, brachyotis, brachyurus, bruini, cinereus, concinnus, conspiciellatus, cuvieri, demidovi, derbianus, dorsalis, elegans, eugeni, fasciatus, fraenatus, fruticus, fuliginosus, geoffroyi, goliah, gracilis, greyi, hirsutus, inornatus, irma, isabellinus, labiatus, laniger, lateralis, leporoides, leptonyx, lesueuri, lunatus, major, manicatus, melanops, minor, ocydromus, parma, parryi, peroni, robustus, rostratus, ruficollis, rufiventer, rufogriseus, rufus, thetidis, thetis, titan, typus, ualabatus, unguifer, veterum.
Macropygia amboinensis, infuscata, leptogrammica, macrura, manadensis, modesta, phasianella, reinwardi, reinwardti, ruficeps, rufipennis, unchall.
Macropygium atrum.
Macroramphosus cornutus.
Macroramphus punctatus.
Macrorhamphus griseus, semipalmatus.
Macrorhinus ansoni, byroni, coxi, heminasutus, lupina, patagonicus, proboscidea, simus.
Macrorhynchus manni.
Macrorhynchus meyeri.
Macrorrhyncha flava.
Macrosaurus laevis.
Macroselides alexandri, brachyrhynchus, brevirostris, edwardi, intufi, melanotis, proboscidea, rozeti, rupestris, typicus, typus.
Macroschus aestuans.
Macrosemius brevirostris, rostratus.
Macrosiagon dimidiatus.
Macrosoma (Col.) glacialis.
Macrosoma (Dipt.) floralis, lardaria.
Macrosoma (Lep.) tipulata.
Macrosoma (R.) elegans.
Macrospira aperta.

- Macrospondylus* bollensis, jaegeri.
Macrostenus lacordairei.
Macrostoma (P.) altum, angustidens.
Macrostoma (Verm.) appendiculatum, hystrix.
Macrostomus ferrugineus.
Macrostyla latipes.
Macrostylus crinitus.
Macrotrarsius bitorquatus.
Macrotrarsus bartelsi, faldermanni, himantopus, motschoulskyi.
Macroteleia cleonymoides.
Macrotes netrix.
Macrotherium giganteum.
Macrothops lottini.
Macrothrix roseus.
Macrotis lagotis.
Macrotoma (Col.) absurdum, aegrotum, australis, castanea, fuliginosa, luzorum, melitae-eques, palmata, peleteri, scutellaris, serripes.
Macrotoma (Thys.) celer, ferruginosa, lepida, longicornis, nigra, plumbea, spiricornis.
Macrotops moesta.
Macrotrachelus longirostris.
Macrotus europaeus, waterhousei.
Macrourites arciformis, astaciformis, fuciformis, gibbosus, longimanatus, minutus, modestiformis, mysticus, propinquus, pseudoscyllarus, pusillus, squillarius, tipularius.
Macrourus atlanticus, berglax, caelorhynchus, denticulatus, fabricii, japonicus, laevis, sclerorhynchus, serrata.
Macroxus adolphi, aestuans, albovittatus, annulatus, insignis, pusillus, pyladei, toupai.
Macrurus norvegicus.
Macrus croceicornis, filiventris, longiventris, ruiventris, soleatus.
Macra abbreviata, achatina, acuta, adansonii, adpersa, aegyptiaca, alata, alba, albaria, albina, allania, anatina, angulata, antiquata, araucana, arcata, arcuata, aspersa, auca, australis, biangulata, bignoniana, boysi, brasiliana, byrouensis, californica, callosa, campechensis, candida, caragana, carinata, carteroni, caspia, castanea, caudata, cecileana, cecilli, chemnitzii, chinensis, cinerea, clathrodon, clathrodonia, cleryana, cojimbensis, compressa, confraga, congesta, convexa, corallina, crassa, crassatella, crassidens, cuneata, cuneola, cygnea, cygnus, cyprinus, darwini, deaurata, decisa, decussata, deformata, deltoides, delumbis, deluta, dentata, denticulata, depressa, diaphana, discors, donacia, donaciformis, dubia, dupiniana, eburnea, edulis, elegans, elliptica, elongata, erebea, exalbida, excisa, exoleta, fabreana, falcata, fasciata, fragosa, funerata, gallina, gibbosa, gigantea, glabrata, grandis, grayi, helvacea, hians, humilis, hyalina, inaequilatera, incrassata, inflata, insularum, intermedia, intersecta, isabelleana, isocardioides, lactea, laeta, laevigata, largillierti, lateralis, levesquei, lilacea, limbata, lisor, lurida, maculata, maculosa, magna, marcida, matronensis, minutissima, mississippiensis, mitis, modicella, nucleus, oblonga, oblongata, olorina, ovalina, ovalis, ovata, pallescens, pallida, parilis, patagonica, petiti, planata, planulata, podolica, ponderosa, porrecta, praetenuis, procera, pulchella, pulla, purpurea, pygmaea, quadrangulata, radiata, radiosa, recurva, reevesi, reticulata, reveneli, rodlatzi, rostralis, rostrata, rufa, rufescens, rugata, rupellensis, sauliana, saussurei, securiformis, semi-sulcata, senegalensis, setosa, similis, sirena, sirenoides, solenoides, solidissima, solidiuscula, squalida, squamosa, straminea, striata, striatella, subcuneata, subdepressa, subglobosa, subparilis, subplicata, substriata, subtriangulata, subtruncata, taprobanensis, tellinoides, tenera, tenuis, thracioides, triangula, triangularis, triangulata, trigona, trigonella, tripartita, tripla, triquetra, truncata, tumida, typicus, velata, veneriformis, violacea, vitaliana, vitrea, zonata.
Matrina triangularis.
Mactromya aequalis, brevis, cardioides, couloni, globosa, littoralis, mactroides, rugosa, striatulum, striolata, tenuis.
Mactrula trinitae.

- Madarus** *binotatus*, *biplagiatus*, *bistrigellus*, *cominus*, *corvina*, *distigma*, *ebenus*, *laticollis*, *migrator*, *quadripustulatus*, *rectirostris*, *signatus*, *singularis*, *vorticosus*.
- Madataeus** *laevis*, *lewisi*.
- Madiza** *annulitarsis*, *glabra*, *laevigata*, *osmina*, *palposa*, *punguis*, *sordida*.
- Madopa** *salicis*.
- Madopteris** *cylindricus*, *talpa*.
- Madoqua** *hemprichi*, *saltiana*.
- Madracis** *asperula*, *bellana*.
- Madrepora** *abrotanoides*, *acervata*, *aculeus*, *alces*, *arachnoides*, *arbuscula*, *arenacea*, *armata*, *aspera*, *astraeoides*, *astreata*, *austera*, *brachiata*, *carduus*, *cariosa*, *centralis*, *cerealis*, *cervicornis*, *cespitosa*, *circumvallata*, *clavaria*, *coalescens*, *compressa*, *conigera*, *convexa*, *corymbosa*, *costicollata*, *costulata*, *cribripora*, *crista galli*, *cuneata*, *cuspidata*, *cyclopea*, *cytherea*, *daedalea*, *deformis*, *denudata*, *digitata*, *digitifera*, *divaricata*, *echidnaea*, *echinata*, *efflorescens*, *efusa*, *elegans*, *exarata*, *exigua*, *fissurata*, *flabellum*, *florida*, *foliosa*, *formosa*, *galera*, *gervillei*, *globiceps*, *glomerata*, *gracilis*, *gravida*, *hebes*, *hoffmanni*, *horrida*, *humilis*, *hyacinthus*, *hystrix*, *implicata*, *infundibulum*, *japonica*, *labrosa*, *lavandulina*, *laxa*, *leptostoma*, *limbata*, *meandriua*, *nieweri*, *millepora*, *mississippiensis*, *nasuta*, *nobilis*, *norvegica*, *obeliscus*, *ornata*, *palmata*, *paxilligera*, *pezizoides*, *pistulata*, *pistularia*, *plantaginea*, *pocillifera*, *polygona*, *prolifera*, *prostrata*, *punctata*, *punctulata*, *ramiculosa*, *raristella*, *retusa*, *robusta*, *rosaria*, *secunda*, *securis*, *solanderi*, *sphaerostoma*, *spicifera*, *spongiosa*, *stilosa*, *striata*, *sublevis*, *subseriata*, *subulata*, *surculosa*, *taurinensis*, *tenuis*, *tortuosa*, *truncata*, *tubicinaria*, *tubifera*, *tubulata*, *undulata*, *valida*, *venosa*, *vermiculosa*, *verticalis*, *virksburgensis*, *virgata*, *ziczac*.
- Madrepories** *affinis*, *articulatus*, *cristatus*, *digitatus*, *duplicatus*, *filatus*, *floriformis*, *hexagonatus*, *hyppurinus*, *interstinctum*, *lenticularis*, *lichenoides*, *limbata*, *madreporus*, *meandrinus*, *poriferus*, *proliferus*, *rameus*, *sessilis*, *stellatus*, *tenturatus*.
- Madrimosaurus** *hugii*.
- Maeandra** *areola*, *maeandrites*.
- Maeandrina** *angigyra*, *labyrinthica*, *reticulata*.
- Maeandrites** *areola*, *glomerata*, *maeandra*.
- Maeonoides** *aurofrenatus*, *cyano-taeniatius*.
- Maechidius** *hopianus*, *kirbianus*, *macleayanus*, *mellianus*, *raddonianus*, *rufus*, *spurius*.
- Maekistocera** *filipes*. *Vide et Megistocera*.
- Maemaetes** *ruficornis*.
- Maena** *analis*, *fuscum*, *maena*, *osbecki*, *radiatus*, *slava*, *vomerina*, *vulgaris*.
- Maenas** *salaminea*, *vocola*, *zaida*.
- Maenura** *superba*.
- Maenonia** *axinia*, *carinata*, *elliptica*, *fragilis*, *gigas*, *gracilis*, *recta*.
- Maera** *grossimana*.
- Maesia** *favillacea*.
- Maevia** *annulipes*, *aurulenta*, *capistrata*, *chrysea*, *cristata*, *flavocincta*, *lineata*, *micans*, *pallida*, *paula*, *pennicillata*, *picta*, *sulphurea*, *tibialis*.
- Magas** *pumilus*, *truncata*.
- Magdala** *striata*.
- Magdalinus** *angulicollis*, *armicollis*, *asphaltinus*, *atramentarius*, *atrocyaneus*, *barbitus*, *brunnipes*, *carbonarius*, *carnifex*, *cerasi*, *duplicatus*, *flavicornis*, *frontalis*, *languidus*, *linearis*, *melanocephalus*, *mosus*, *nitidipennis*, *nitidus*, *olyra*, *pallidus*, *pandura*, *phlegmaticus*, *pruni*, *punctirostris*, *rufus*, *stygius*, *violaceus*.
- Magdalis** *asphaltina*, *aterrima*, *atramentaria*, *barbicornis*, *carbonaria*, *cerasi*, *duplicata*, *mososa*, *nassata*, *phlegmatica*, *pruni*, *rufa*, *trucidata*, *violacea*.
- Magila** *denticulata*, *latimana*, *longimana*.
- Magilus** *antiquus*, *costatus*, *djeddah*, *peroni*, *planaxoides*, *tenuis*.
- Magus** *maurus*, *sylvanus*.
- Maia** *cervicornis*, *coarctata*, *corallina*, *crispata*, *cristata*, *dumerili*, *giraffa*, *lunulata*, *lutea*, *muricata*, *muscosa*, *phalangium*, *rosseli*, *sculpta*, *spinicincta*, *spinosissima*, *taurus*, *tetraodon*, *verrucosa*. *Vide et Maja*.
- Maina** *affinis*, *communis*, *cristelloides*, *religiosa*, *sylvestris*, *terricola*, *tristoides*.

Mainatus dumonti, javanica, ~~major~~*, sumatranus.

Maja aculeata, affinis, ambigua, angustata, aranea, armata, barbata, biloba, bufo, cantschatica, chiragra, chondyliatus, condyliata, cornudo, cornuta, dama, dubia, echinatus, edwardsi, erinacea, fornicata, furcata, giraffa, heros, hircus, hirsuta, hispida, horrida, hybrida, lar, longimana, longipes, longirostris, longispina, macrochelos, mascaronia, muricata, nasuta, opilio, ovis, pansor, pensor, phalangium, pipa, praedo, proteus, regia, rostrata, sagittaris, sagittarius, scorpio, seticornis, spinifer, spinigera, spinipes, squinado, superciliosa, tetraodon, thalia, ursus, vulgaris. *L'ide et Maia*.

Makaira nigricaus.

Maki griseus, pusillus.

Malacanthus brevirostris, furcatus, plumieri, radiatus, taeniatus.

Malachus abbreviatus, aeneopurpuratus, aeneus, affinis, altica, amoenus, angustatus, angusticollis, annulatus, anticus, apicalis, apicalis, armeniacus, anrichalceus, bellulus, bicornis, bifasciatus, bipunctatus, bipustulatus, bispinosus, bituberculatus, brevipennis, bulbifer, caeruleus, calcar, cardiacae, carnifex, cinctus, circumscriptus, coccineus, coeruleus, collaris, concolor, conformis, cornutus, cupreus, cusanensis, cyaneus, cyanipennis, dalmatinus, dentifrons, dentipennis, dilaticornis, dispar, duplicatus, ephippiger, erythropterus, facialis, faldermanni, faustus, femoralis, festivus, flabellatus, flavicornis, flavilabris, flavipes, formosus, fulvicollis, furcatispennis, geniculatus, gibbus, gracilis, gramineicola, guttatus, hemipterus, humeralis, inornatus, insignis, labiatus, lactus, lateralis, laticeps, lepidus, limbifer, lineola, longicollis, lusitanicus, luteicollis, macrocephalus, maculatus, maculicollis, marginalis, marginatus, marginicollis, mauritanicus, miniatus, minutus, niger, nigriceps, nigri collis, nigripennis, nigripes, nodipennis, notatus, nourricheli, oculatus, ornatus, otiosus, ovalis, parilis, pictus, pulchellus, pulcher, pusillus, quadriguttatus, quadrimaculatus, quadrinotatus, reflexicollis, regalis, rcticus, rotundipennis, rubidus, rubricollis, rufifrons, rufilabris, rufipes, rufiventris, sanguinicollis, sardous, scincetus, scutellaris, senegalensis, serraticornis, setosus, signaticollis, sinuatus, spinipennis, spinosus, suturalis, terminalis, terminatus, thoracicus, tricolor, trimaculatus, tristis, versicolor, verticalis, vertumni, vittatus.

Malaclemys concentrica.

Malacobdella grossa, valenciennaei, viridis.

Malacocercus abornis, albogularis, chatarrahae, earlei, geochrous, griseus, huttoni, malcolmi, nipalensis, pellotis, rufescens, somervillei, subrufa, terricolor.

Malacoceros girardi, longirostris, vulgaris.

Malacocinclia abbotti.

Malacocircus canorus, striata.

Malacogaster passerinii.

Malacolophus melanochrysos.

Malacomys lactea.

Malaconotus aethiopicus, affinis, atro-coccineus, aurantiopectus, barbarus, blanchoti, bouboul, chrysagaster, dorsalis, erythropterus, hypopyrrhus, leucotis, mollissimus, olivaceus, orientalis, roseus, rubiginosus, sabini, similis, superciliosus.

Malacoptera lusitanica.

Malacopteron abboti, affine, aureum, cinereus, ferruginosum, macrodactylum, magnum, majus, olivaceum, rostratum, rufifrons, squamatum, terrestris.

Malacopterus lineatus, pavidus.

Malacoptila fusca, panamensis.

Malacorhynchus albiventris, chilensis, cristatellus, fasciatus, forsterorum, indigoticus, iodotis, membranacea, rbynolophus, spelunca.

Malacosoma (Col.) lusitanica, triumphans.

Malacosoma (Lep.) castrensis, dissidia, franconica, loti, neustria.

Malacosteus niger.

Malacothrix albicaudata, typica.

Malacotta bivalvis.

Malapterus coila, electricus, reticulatus.

Malcoha leucogaster, rufoviridis, viridis.

Malea crassilabris, latilabris, latilabrum.

- Malenydris** *muricata*, *polata*, *salicata*, *scripturata*.
Malimbus *aurantius*, *nigricollis*.
Malis *draecunculus*.
Mallaspis *leucaspis*, *scutellaris*, *xanthaspis*.
Malleolus *malleolus*.
Malletia *chilensis*.
Malleus *albus*, *anatina*, *decurtatus*, *maculatus*, *normalis*, *orbicularis*, *vulgaris*, *vulsellatus*, *vulsellus*.
Mallocera *conspicillata*, *elongata*, *glauca*, *opulenta*, *pilifera*, *sericata*, *serida*.
Malloderes *microcephalus*.
Malloodon *arabicum*, *australis*, *baiulus*, *cilipes*, *downesi*, *ferox*, *gracilicornis*, *insulare*, *manillae*, *maxillosus*, *spinosum*, *stignosum*.
Mallophora *albifrons*, *alecto*, *analis*, *ardens*, *argentipes*, *atra*, *bomboides*, *breviventris*, *calicrura*, *clausicella*, *fascipennis*, *freycineti*, *fulvianalis*, *fulviventris*, *geniculata*, *heteroptera*, *infernalis*, *leschenaulti*, *macquarti*, *minuta*, *nigrifemorata*, *nigritarsis*, *pica*, *pusilla*, *robusta*, *ruipes*, *ruiventris*, *scopifer*, *semiviolacea*, *singularis*, *socculata*, *silverni*, *testaceipes*, *tibialis*, *tisiphones*, *tricolor*, *ventralis*.
Mallosoma *elegans*, *fuligineum*.
Mallota *colombii*, *fuciformis*, *megiliformis*, *millesiformis*, *vittata*.
Mallotarsus *spadiceus*.
Mallotus *groenlandicus*, *paciucus*, *villosus*.
Malpolon *lacertinus*, *purpurascens*.
Malthaea *truncata*, *vespertilio*.
Malthe *angusta*, *faujas*, *nasuta*, *notata*, *stellatus*, *truncata*, *vespertilio*.
Malthaea *stellata*.
Malthinus *abdominalis*, *analis*, *apicalis*, *aquestris*, *biguttatus*, *biguttulus*, *brevicollis*, *carbonarius*, *cephalotes*, *cognatus*, *collaris*, *concolor*, *crassicornis*, *dimidiatocollis*, *dispar*, *elongatus*, *exilis*, *fasciatus*, *flaveolus*, *flavus*, *fragilis*, *frontalis*, *fulvicollis*, *fuscescens*, *fuscus*, *gracilis*, *humeralis*, *immaculatus*, *immunis*, *laetus*, *laticollis*, *latipennis*, *longipennis*, *longirostris*, *luteolus*, *marginalis*, *marginatus*, *marginicollis*, *maurus*, *melanocephalus*, *minimus*, *niger*, *nigricollis*, *obscurus*, *pallipes*, *parvulus*, *pincola*, *pulchellus*, *pulicarius*, *pusillus*, *ruficollis*, *sanguinicollis*, *sanguinolentus*, *sellatus*, *serraticornis*, *sulcifrons*, *truncatus*, *variegatipennis*.
Malurus *acaciae*, *africanus*, *brachipterus*, *browni*, *capensis*, *clamans*, *cruentatus*, *cruralis*, *cyaneus*, *diophrys*, *elegans*, *exilis*, *frenatus*, *galactotes*, *garrulus*, *gracilis*, *gularis*, *hirundinaceus*, *inquietus*, *lamberti*, *leucopterus*, *longicaudus*, *macroura*, *maculatus*, *magnifica*, *malachura*, *marginalis*, *melanocephalus*, *melanotus*, *myiothera*, *palustris*, *pectoralis*, *polychrous*, *pulchellus*, *pulcherrimus*, *raalteri*, *ruiceps*, *sepium*, *splendens*, *squamiceps*, *subflava*, *textilis*, *tinniens*, *undatus*.
Mamestra *abjecta*, *albicollis*, *albidilinea*, *aliena*, *brassicae*, *cervina*, *chenopodii*, *chenopodiphaga*, *cinereus*, *confluens*, *furva*, *infernalis*, *leucophaea*, *nigricans*, *oleracea*, *persicariae*, *picta*, *pisi*, *rhodia*, *rubirena*, *silenes*, *sodae*, *splendens*, *suasa*, *sylvicola*, *unaminis*.
Mamestria *plasteadi*, *upsilon*.
Mamillaria *lactea*, *tumida*.
Mamillifera *brevis*, *cingulata*, *clavata*, *fulva*, *lutea*, *mamillosa*, *ocellata*, *olivascens*, *vankorensis*, *viridifusca*, *viridis*.
Mammilla *fasciata*, *fibrosa*, *melanostomoidea*.
Mammillifera *auricula*, *denudata*, *fuliginosa*, *lesueuri*, *nymphaea*.
Mammillopora *mammillaris*, *protogaea*.
Mammot *sibiricum*.
Manacus *candei*.
Manatus *aequatorialis*, *americanus*, *borealis*, *brocehii*, *christoli*, *cuvieri*, *dubius*, *dugung*, *fluviatilis*, *fossilis*, *guettardi*, *hydropithecus*, *indicus*, *latirostris*, *maeoticus*, *manatus*, *minor*, *nasutus*, *schinzi*, *senegalensis*, *simia*, *sphaerurus*, *studerii*, *tabernacula*, *vulgaris*.
Mancinella *aculeata*, *armigera*, *bezoar*, *castanea*, *hystrix*, *mutabilis*.
Mancipium *argante*, *brassicae*, *brephos*, *demophile*, *evagete*, *hellica*, *hyparete*, *lysinnia*, *menippe*, *uidea*, *minna*, *monuste*, *nise*, *valeria*.

Mandalotus crudus, rigidus, sterilis, vetulus.

Manduca atropos, carolina.

Manduculus ambiguus, limatus.

Mangasta auro-punctata. *Vide et Mangusta.*

Mangelia abyssicola, accincta, albivittata, angulata, antillarum, atricincta, attenuata, badia, balteata, bertrandi, bicolor, biconica, brachystoma, brevis, candidissima, capillacea, casta, castanea, cavernosa, celebensis, cincta, cinnamomea, ciliata, citharella, clarissa, columbelloides, coniformis, conohelicoides, coronata, costata, costulata, crassicostrata, crassilabrum, cylindrica, densestriata, derlicata, digitata, dubia, dysoni, elegans, fasciata, funebris, funiculata, fusca, fusiformis, gibbosa, ginannii, ginnannia, goodalli, gracilis, holbolli, hornbecki, interrupta, lamellata, lanceolata, leufroyi, linearis, lineata, lineolata, livida, lyra, lyrica, maculata, marginelloides, marmorosa, menardiana, multilineata, multilineolata, muricoides, nana, neapolitana, novae hollandiae, obeliscus, obesa, oriza, pallida, paucicostata, pellucida, pessulata, planilabris, plicatilis, poli, poliana, ponderosa, pulchella, pura, purpurea, pusilla, pyramidalis, reticulata, rigida, rufa, septangularis, sicula, solida, striolata, stromboides, taeniata, tenebrosa, teres, trevillianum, trilineata, trivittata, turricula, undulata, vexillum, vicina, vitrea, vittata, zebuensis, zonata.

Mangilia tiarula.

Mangusta albicauda, cafra, canni, edwardsi, galera, grisea, ichneumon, javanica, le vaillantii, major, malaccensis, mungo, mungoz, humidicus, nyula, pallipes, paludinosus, penecillatus, ratlamuchi, ruber, tetradactylus, urinatrix, vitticollis. *Vide et Mangasta.*

Mania caudilunaria, empedoclaria, lunigeraria, maura, typica.

Manica caespitum, capitata, rubida, rubra, structor, subterranea, tuborum, unifasciata.

Manicina amarantum, areolata, crispata, fissas, gyrosa, hemprichi, hispida, interrupta, lactuca, maeandrites, manica, pachyphylla, pectinata, praerupta, sabacana, strigilis, valenciennesi.

Maniola actaea, adраста, aegeria, aello, aetheria, afer, alcyone, alecto, allionia, anthe, arcanus, arete, arethusa, autonoe, baucis, bore, briseis, bryce, bubastis, caecilia, cassiope, ceto, clymene, clytie, cordula, corinna, dejanira, dorus, egea, erymanthea, eudora, euryale, evias, fidia, galatea, gesion, glacialis, goante, gorge, hermione, hero, hiera, hippolyte, hyperanthus, ida, ilia, iris, janira, janthe, jole, julia, leander, lemure, ligea, lyllus, uacra, manto, medea, medusa, megera, melampus, melas, meone, mnestra, norna, oedipus, oeme, pamphilus, pasiphae, persephone, phaedra, pharte, phegea, philea, philomela, philoxenus, phryne, pluto, podarce, pronoe, psodea, pyrene, pyrrha, roxelana, semele, statilinus, tarpeia, tiphon, tithonus, tyndarus.

Manis africana, aspera, auritus, brachiura, brachyura, ceonyx, crassicaudata, balmanni, gigantea, guy, indicus, javanica, leptura, leucurus, longicauda, minor, multiscutata, plurisquamis, temminckii, tricuspis, tridentata.

Manlia asella, testudo.

Manon bredanianum, capitatum, cervicornis, cribrosum, cylindraceum, digitatum, distans, dubium, favosum, foliaceum, globosum, impressum, mammillaris, marginatum, micrommata, monostoma, oculatum, pertusum, peziza, phillipsi, pisiforme, poraceum, pulvinarium, pyriforme, reussi, seriatoporum, sparsum, stellatum, submarginatum, tenue, tuberosum, tubuliferum, turbinatum, verrucosum.

Manopora caliculata, capitata, circumvallata, compressa, crista-galli, digitata, effusa, erosa, expansa, foliosa, foveolata, gemmulata, grandifolia, hispida, incrassata, lichen, lima, megastoma, miliare, nodosa, nudiceps, palmata, papillosa, planiuscula, scabricula, spumosa, stilosa, tortuosa, tuberculosa, venosa, verrucosa.

Manopus biguttatus.

Manorhina citreola, flavigula, garrula, lutea, melanocephalus, melanophrys, obscura.

Manorina viridis.

Manta americana.

Mantichora latipennis, tuberculata.

Manticora caerulescens, cylindriformis, gigantea, granulata, herculeana, latipennis, maxillaris, pallida, pallipes, scabra, tibialis, tuberculata.

Mantis abbreviata, adpersa, albella, albimacula, angulata, annulata, annulipes, aridifolia, armata, attenuata, aurantiaca, australasiae, baetica, basalis, bella, bilingulata,

bifasciata, biguttata, bimaculata, bioculata, bipapilla, birivis, bodegetica, borneensis, brachyptera, brevis, burmeisteri, cafrana, carolina, catenata, cellularis, chalybea, chloreudeta, chlorophaea, christiana, cinerea, clara, concinna, conspersa, conspurcata, coronata, costalis, crassiceps, cuticularis, darchi, decolor, decorata, dessicata, diana, diluta, dimidiata, domingensis, exsiccata, extensicollis, fasciata, fenestrata, filum, flavicincta, flavipennis, flavoguttata, foliata, forficata, fronticornis, fuliginosa, fuscata, geminata, gigas, gracilis, gunni, guttata, gymnopyga, herbacea, heteroptera, hobsoni, hyalina, hyaloptera, hybrida, inquinata, kuhli, laticollis, latipennis, latistylus, limbata, lineola, lobiceps, lobipes, lucubrans, luna, lutescens, macroptera, madagascariensis, marginalis, marginata, marginella, marocana, mauchipennis, membranacea, metallica, minima, monstrosa, multistriata, musarum, nana, nebulosa, neuroptera, notata, novae guineae, obsecraria, ocellaria, ocellata, ochroptera, oligoneura, ornata, ovalifolia, oxyptera, parallela, patellifera, pavonina, pellucida, perfida, phryganoides, phyllopus, pia, pilipes, planiceps, platyura, polyctica, praeura, prasinana, protogaea, punctata, purpurascens, pustulata, quadricornis, quadrimaculata, quinquegens, quinque-maculata, reticulata, rhombica, rhombicollis, rhomboidea, rogatoria, roylei, rubicunda, rubricincta, sacra, servillei, signata, sinuata, soror, sphingicornis, spininana, stig-matica, strigosa, subfoliata, sublobata, sumatrana, supplicaria, tessellata, thalassina, thersites, timorensis, tortricoides, trifasciata, tripunctata, undulata, unipunctata, valida, varia, versicolor, vicina, vindex, viridis, viridula, vitrea, wagneri, zebrata.

Mantispa ambusta, apicalis, auriventris, australasiae, brunnea, chalybea, cora, costalis, dorsalis, fausta, flaveola, fuscipennis, gracilis, graudis, interrupta, iridipennis, irrorata, minuta, nana, nodosa, notha, pagana, perla, proluxa, pusilla, semihyalina, tenella, varia, victori, virescens, viridula, vittata.

Mantoida nitida.

Mantura aenea, chrysanthemi, mannerheimi, obtusata, rustica, semiaenea.

Maotys fuscus.

Mara magellanica.

Maravignia sicula.

Mareca americana, awsuree, bahamensis, brasiliensis, capensis, castanea, chiloensis, fistularis, gibberifrons, gloucians, melanura, paecilrhyncha, penelope, punctata.

Margaretta cereoides.

Margarita (G.) acuminata, alabastrum, arctica, argentata, aurea, bicarinata, carnea, cinerea, coerulescens, costellata, costulata, elegantissima, expansa, fasciata, glauca, graenlandica, harrisoni, helicina, inflata, laevigata, maculata, margarita, minutissima, multilineata, obscura, olivaceus, ornata, pusilla, quadrifasciatus, sigaretina, solarii-formis, sordida, striata, sulcata, taeniata, trochoidea, umbilicalis, undulata, vahl, varicosa, violacea, vulgaris.

Margarita (L.) crocata, sinensis.

Margaritana arcuata, bonellii, calceola, complanata, confragosa, crispata, curreyana, deltoidea, etowaensis, fabula, fluvialis, fragilis, franciscana, holstonia, margaritifera, marginata, menkei, minor, radiata, raveneliana, rugosa, undulata, vondenbuschiana, wetzleri, zollingeri.

Margaritaria abrupta.

Margarites diaphana.

Margaritia angustalis, asinalis, centrostrigalis, ciliaris, cinctalis, cineris, cordialis, diversalis, elutalis, ferrugalis, fimbrialis, flavalis, flavidalis, fulvalis, fuscalis, glabralis, hyalinis, institalis, lancealis, limbis, longalis, longipedalis, lutealis, margaritalis, nebulis, ochrealis, olivalis, palealis, pallidalis, pandalis, prunalis, pulveralis, quadralis, sericealis, sticticalis, stramentalis, terminalis, tetragonalis, thapsalis, uliginosalis, verbascalis, verticalis.

Margaritiphora communis.

Margarodes (Coel.) taeniatus.

Margarodes (Hem.) formicarum.

Margaronia canastralis, congradalis, unionalis, virginis.

Margaritifera fluvialis.

Marginaria bipunctata, circumvallata, concatenata, denticulata, elliptica, gothica,

hexagona, hexagonalis, hippocrepis, inpressa, ostiolata, pariscensis, parvula, polymorpha, reticulata, roemeri, santonensis, subrotunda, sulcata, tenera, tenuisulca, tripunctata, velamen.

Marginella (G.) abbreviata, adansonii, alba, albalabris, alboscincta, albolineata, ampulla, amygdala, anatina, anglica, angustata, angustoma, apicina, aurantia, auriculata, aurisleporis, australis, avellana, azona, bekcheri, bellangeri, belli, bernardi, bifasciata, biplicata, bivaricosa, blanda, buccina, bullata, caeruleus, cancellata, candida, capensis, caribaea, carnea, catenata, chemnitzii, chrysomelina, cincta, cingulata, clandestina, cleryi, columba, coniformis, conoidalis, constricta, contaminata, cornea, cornulus, costata, crassilabra, crassilabrum, crenilabra, cumingiana, curta, cylindrica, cypraceae, cypraeoides, cypraeola, dactylus, delessertiana, denticulata, dentifera, deshayesi, diadochus, diaphana, donovani, dunkeri, eburnea, eburneola, elegans, elongata, evanida, exilis, faba, fasciata, fauna, festiva, flavida, fluctuata, forniculata, frumentum, fulminata, fusca, fusiformis, glans, glauca, goodalli, gracilis, granum, guancha, guttata, harpaeformis, helmatina, hematita, hordeola, humerosa, imbricata, inauris, inconspicua, incurva, indexa, interrupta, irrorata, kieneriana, lactea, laevigata, laevis, largillieri, larvata, lavalleana, leucozona, lilacina, limatula, lineata, lineatolabrum, liturata, livida, longivaricosa, lynceoides, maculosa, margarita, marginata, miliacea, minuta, monilis, mosaica, multilineata, muralis, muscaria, musica, neglecta, nitida, nitidula, nivea, nivosa, nodata, nubeculata, obesa, oblonga, obtusa, olivaceiformis, onychina, oryza, ovata, ovulata, ovuliformis, ovulum, pallida, pellucida, perexigua, persicula, petiti, phaseolus, philippinarum, phrygia, picta, pineum, piperata, plicata, pruinosa, prunum, pseudo faba, pudica, pulchella, pulcherrima, pulchra, punctulata, pyruata, pyrum, pysum, quadrilineata, quinqueplicata, radiata, retusa, rosea, rubella, sagittata, sapotilla, sarda, sauliae, scripta, semen, serrata, sexplicata, similis, spirata, splendens, storeria, striata, strigata, subtriplicata, succinea, sulcata, taeniata, taurinensis, tessellata, translucida, tricincta, triplicata, triticea, turbinata, undulata, varia, ventricosa, vitrea, voluta, zonata.

Marginella (L.) subtilissimus.

Marginellus glabellus.

Marginopora vertebralis.

Marginospongia infundibulum, irregularis.

Marginulina arcuata, bacillum, berthelotiana, bifurcata, bullata, carinata, comma, compressa, compressiuscula, consecta, contraria, cornucopiae, crassa, cristallarioides, cylindrica, elegans, elongata, ensis, glabra, gladius, gracilis, gradata, hirsuta, laevigata, lata, legumen, lituus, lobata, lunaris, mutabilis, nilsoni, nitida, pedum, prima, raphanus, raricosta, regularis, roemeri, rugoso-costata, similis, spirata, striata, sublituus, terquemii, triangularis, tricarinata, trilobata, webbiana.

Margus ferrugineus, obscurus.

Mariana rubrum.

Marica (Ar.) confinis, lepida, musculus, oblonga, ovalis, strigata, virescens.

Marica (Lep.) nelo, stygne.

Maridus bahamensis, luteus.

Marila nyroca.

Marinula pepita.

Marisa intermedia.

Marius cinna, marius, thetis.

Marmaropus bessi.

Marmarostoma chrysostoma, planospira, undulata, versicolor.

Marmessus alcides, atymnus, corax, lisias.

Marmorosaurus obtusus.

Marmota typhlus.

Marpesia chironias, cinna, elegans, eleuthea, hylas, themistocle, thetis, thyonnea, zerynthia, zosteria.

Marpissa balteata, bistriata, brevipes, capensis, conspersa, discoloria, dissimilis, grossa, hamata, incerta, milvina, muscosa, undata, varia.

Marputius chilensis, marputio, nasua.

Marres dicomas.

- Marsenia** complanata, depressa, producta, tentaculata.
Marsenina prodita.
Marshamia analis, nigripes.
Marsupialis alata, flagellata, planci.
Marsupiocrinites caelatus, dactylus.
Marsupites laevigatus, milleri, ornatus.
Marsyas (Col.) aeneus.
Marsyas (G.) aurismidas.
Martes abietum, canadensis, fagorum, foina, kathiah, leucopus, melanopus, sylvatica, sylvestris, toufoeus, zibellina.
Martinia clannyana, decora, elliptica, glabra, mesoloba, oblata, obtusa, phalaena, plebeia, protensa, rhomboidalis, strigocephaloides, symmetrica, winchiana.
Martula fenestra, riparia.
Masaris hylaeiformis.
Mascarinus madagascariensis, mascarinus, microrhynchus, prasinus, puniceus.
Maschalodonta polygramma.
Masicera acutangulata, aenescens, agilis, albocincta, analis, angusta, atropivora, auriceps, badensis, bisignata, blondeli, brenii, brevis, caffra, cespitum, cinerea, confinis, consobrina, cubensis, cylindrica, declivicornis, depressa, distincta, dumetorum, fauna, ferruginea, flavescens, flavidipennis, flavifrons, florida, florum, fuscipennis, hannoniensis, interrupta, lateralis, latipennis, lutescens, macquarti, maculifascies, major, media, micans, minuta, montana, montium, multisetosa, myodaea, nitens, nitida, oblonga, obscura, pachystyla, palustris, parva, parvula, pinetorum, pulverulenta, pumila, quadrimaculata, roberti, rotundata, rubrifrons, ruficornis, rufifacies, rufipes, rubroscutellata, scutellaris, scutellata, senilis, silvatica, simplex, socia, tabaniformis, tenuiseta, tenuisetosa, tessellata, tincta, tiphaecola, unicolor, varipes, velox, vertiginosa, virescens, viridiventris, zonata.
Masius chrysopterus.
Masoreus aegypticus, affinis, grandis, luxatus, orientalis, sericans, sericeus, wetterhalli.
Mastacembelus armatus, erythrotaenia, haleppensis, maculatus, marmoratus, pancalus, ponticerianus, punctatus, unicolor.
Mastacembelus malabaricus.
Mastax (Col.) elegantulus, moestus, ornatellus, ornatus, parreysi, tenuis, thermarum.
Mastax (Orth.) affinis, apicalis, guttata, mutilata, vitrea.
Mastigocera (Col.) barbicornis.
Mastigocera (Lep.) vespina.
Mastigocerca carinata, lunaris.
Mastigodes affinis, apri, equi, hominis, lacertae, leporis, muris, siniae, vulpis.
Mastigophorus parva.
Mastigura spiniipes.
Mastigus deustus, flavus, fuscus, glabratus, hellwigi, palpalis, prolongatus, spinicornis.
Mastinocerus brevipennis.
Mastodon andium, angustidens, arvernensis, australis, borsoni, brevirostra, bufoni, chapmani*, collinsi, collinsoni, cordillerarum, cuvieri, dubius (Kaup, Verz. Gypsabg. 1834, 25), elephantoides, giganteum, godmani, grandis (Kaup, Verz. Gypsabg. 1834, 22), humboldtianus, humboldti, intermedius, jeffersoni, latidens, longirostris, luricense, macrodon, maximus, microdon, minus, minutus, perimensis, podolicus, rhomboides, rugatum, senodon, sivalensis, tapiroides, turicensis, vellavus, vialeti.
Mastodonsaurus andriani, jaegeri, robustus, vaslenensis.
Mastogenius parallelus.
Mastonotus popelairi.
Mastopora concava.
Mastostethus abbreviatus, abdominalis, alternans, atrofasciatus, aulicus, aurantiacus, balteatus, bicolor, bilobus, binotatus, bipunctatus, cardinalis, cingulatus, curvatus, dentatus, depressus, diadema, distinctus, dorsalis, ephippiger, frontalis, germari, haematomelas, hieroglyphicus, histrio, lateritius, lepieuri, maculicollis, multipunctatus, nigrifrons, nigripennis, nigrocinctus, novemmaculatus, obliquus, pan-

therinus, phaleratus, quadrinotatus, quadripunctatus, quinquemaculatus, rubricollis, sanguineus, sexguttatus, sexplagiatus, sexpunctatus, sobrinus, tarsatus, terminalis, tibialis, transversalis, tricinctus, trifasciatus, trigeminus, variegatus, versicolor, verticalis, vicinus, vittatus, zonatus.

Mastotherium humboldti, hyodon, leptodon, maximum, megalodon, microdon, ohioiticum.

Mastrema crenulata, polypodia, striata.

Mastus canthracini, emarginatus, insularis, niveus, obesus, obtusus, pupa, tingitanus, tuberculatus, turgens.

Maticora lineata.

Matronula godarti.

Mattiphus carrenoi.

Maturna arcuata, litoralis, paludicola, pratincola.

Matus bicarinatus.

Matuta appendiculata, banksi, doryphora, herbsti, lesueuri, lunaris, peroni.

Maurolucus amethystino-punctatus, attenuatus.

Maypa chlorosticta.

Mazama bira, campestris, dorsata, furcata, furcifer, pita, salinaria, sericea, tema.

Mazina lobata, palmata, pulmoniforme.

Mazoreus affinis, laticollis, madagascariensis, ruficornis, testaceus.

Meandrestrea arausiaca, circularis, crassisepta, pseudomeandrina, requieni, reticulata.

Meandrina agaricites, ambigua, angustata, antiqua, appressa, arausiaca, areola, areolata, astreoides, astroides, ataciana, bellardi, bernardina, bisinuosa, bronni, caudex, cerebriformis, cerebrum, corrugata, cottaldina, crassa, crispa, cylindrus, daedalea, deluci, edwardsi, elegans, exesa, filigrana, foliacea, gallii, gracilis, grandilobata, gyrosa, heterogyra, implicata, intermedia, interrupta, konincki, labyrinthica, lamellina, lamellobdentata, leucasiana, linearis, lotharingi, lucasiana, macroreina, magna, mammosa, montana, neocomiensis, oceani, orbicularis, ornata, pectinata, phrygia, profunda, pyrenaica, radiata, rastellina, raulini, renauxiana, reticulata, rubra, rustica, salzburgiana, serrata, sinuosissima, soemmeringi, spatiosa, spongiosa, stellifera, strigosa, superficialis, tenella, tenuis, tiedemannii, truncata, valida, valmondoisiaca, venustula, vermicularis, vetusta, vineola, viridis.

Meandrophyllia lotharinga.

Meandropora aurantium.

Meandrospongia foliacea.

Mecaspis palmatus.

Mechanitis anah, balea, baucis, calliope, didyma, doris, edocla, egina, ethra, eucrate, francisca, gazoria, hispulla, lilis, lysidice, lysimnia, melphis, meriana, mneme, nesaea, numata, pellucida, phyllis, polymnia, psidii, rhezia, satevis, zarina, zillah.

Mecinus barbarus, circulator, collaris, comosus, cuprifer, dorsalis, filiformis, fimbriatus, haemorrhoidalis, janthinus, limbatus, longiusculus, marginatus, pinastri, pyraeter, semi-cylindricus, teretiusculus, variegatus, violaceus.

Mecistocephalus ferrugineus, guildingi, maxillaris, punctifrons, punctilabium, punctilabratum.

Mecistogaster ancilla, filiformis, filigerus, filum, flavistigma, leucostigma, linearis, marchali, ornatus, pedicellatus, signatus, virgatus.

Mecistops bennetti, cataphractus, journei.

Mecistura caudatus, longicaudata, trivirgatus, vagans.

Meckelia (Ann.) angulata, bilineata, borlasi, carmellina, carnea, depressa, ehrenbergi, fusca, gracilis, kneri, olivacea, pallida, serpentaria, siphunculus, somatotomus, trilineata, viridis, vittata.

Meckelia (Dipt.) elegans, philadelphica.

Mecocerus audouini, disparipes, gazella, gibbosus, moestificus.

Mecochirus bajeiri*, bayeri, brevimanus, locusta, longimanus, pearcei, remimanus, tenuimanis.

Mecocorynus advena, varipes, westermanni.

Mecoglossa affinis, rugosa.

Mecolenus wahlenbergi.

Mecomera brunnea.

Meconema ~~caesia~~.

Meconemus tuberculatus.

Mecopoda elongata, ferruginea, latipennis, maculata, virens.

Mecopselaphus linubatus, maculicollis.

Mecoptera satellitia, serotina.

Mecopus audineti, bispinosus, evolans, hopei, sphaerops, trilineatus, vulneratus.

Mecorhopalus ater, bipustulatus, elongatus.

Mecosarthron buphagus, tuberculatus.

Mecotarsus rosenschoeldi.

Mecyna asinalis.

Mecynocanthus unicolor.

Mecynoderia coxalgica, picta.

Mecynopus cothurnatus.

Mecynorhina polyphemus, savagei.

Mecynorrhina torquata.

Mecynotarsus bison, fragilis, nanus, nigrozönatus, rhinoceros.

Mecysmoderes euglyptus.

Medea constricta, fulgens, rufescens.

Medetera carnivora.

Medeterus abbreviatus, aeneus, albiceps, alboblorens, alpinus, annulipes, antarcticus, appendiculatus, aquaticus, balticus, bicolor, bifasciatus, bipunctatus, calcaratus, carnichaeli, chrysolopus, cinereus, conspersus, cupreus, curvipes, flavicoxa, flavipes, formosus, fulviventris, fuscipennis, glaber, graciosus, inaequalipes, jaculus, loripes, magius, morio, muralis, nebulosus, nigricans, nitidus, notatus, oceanus, paradoxus, plumbellus, praecox, prodromus, pusillus, pygmaeus, regius, rostratus, ruficornis, scambus, tenellus, tristramentis, truncorum, viridipes, viridis, xanthopterus.

Media dubia.

Medina carceli, cylindrica, elongata, luctuosa, tristis, winthemi.

Meditoria nasuta.

Medon ruddi.

Medoria (Dipt.) acerba, agilis, collaris, corvina, glabra, phasiaeformis.

Medoria (G.) crassior, damnoniensis, tenebrosa.

Medusa agilis, basteriana, bifida, bulla, caliparea, campanula, campanulata, capillaris, capillata, caudata, crinita, crucigera, cyanella, cymbaloidea, digitata, dubreuiliei, duodentia, fimbriata, forskolea, fragum, fulgida, funeraria, fungus marinus, galerita, globosa, globularis, granulata, hyacinthina, labiata, lenticulare, lucida, marsupiformis, maculaginosa, noctilusa, nuda, nummularis, ocella, octocilia, octotentaculata, palmistruchi, panopyra, papillata, pelagica, pellucens, pocillum, proboscidea, purpurea, quadricincta, quadricostata, radiata, radiolata, rissoana, saccata, saltatrix, scintillans, sexdentia, simpla, spirans, stelligera, surirea, tuber, tubercularis, tyrrhena, uni-formis.

Medusites arcuatus*, capillaris*, picturatus

Megabasis speculifer.

Megacantha tenebrosa.

Megacephala acutipennis, adonis, aequinoctialis, affinis, angustata, australasiae, bifasciata, bilunata, bocandei, boisduvali, brasiliense, cabounca, carolina, chalybaea, chilensis, cruciata, cylindrica, distinguenda, elongata, euphratica, femoralis, fulgida, geniculata, gracilis, hilarii, impressa, infusca, lacordairei, laevigata, laminata, laportei, latipennis, latreillei, lebasii, limata, lucifera, maculicornis, martii, megacephala, mexicana, moritzi, nigricollis, nocturna, obscurata, occidentalis, punctata, quadrisignata, regalis, senegalensis, sepulchralis, sobrina, spinosa, spixi, succincta, syriaca, testudinea, variolosa, violacea, virginica.

Megacephalon maleo, rubripes.

Megacephalus similis.

Megacera parvula, vittata.

Megaceras chorinaeus, rugosus.

Megaceros hibernicus.

Megacerus morpheus, philoctetes, teucer.

Megachile *colanra*, *aegyptia*, *aenea*, *affinis*, *albiventris*, *apicalis*, *argenteata*, *aterrima*, *aurulenta*, *bicolor*, *bicornis*, *bidentata*, *binotata*, *byssina*, *caerulea*, *campaularum*, *capitularis*, *caucasica*, *centumularis*, *circumcincta*, *conica*, *conigera*, *cornuta*, *cristata*, *cyanea*, *cyanipennis*, *denticulata*, *disjuncta*, *dufouri*, *emarginata*, *ericetorum*, *fasciata*, *flavipes*, *florentina*, *florisomnis*, *fronticornis*, *fuliginosa*, *fulvi-ventris*, *fusca*, *ghiliani*, *globosa*, *grandis*, *gymnopygia*, *haematoda*, *interrupta*, *jugatoria*, *lagopoda*, *lanata*, *latinanus*, *latreillei*, *leachella*, *lefebvrei*, *lignisea*, *luctifera*, *maculata*, *manicata*, *maritima*, *maxillosus*, *muraria*, *mystacea*, *nestorea*, *nigripennis*, *nigripes*, *notata*, *odontura*, *pacifica*, *papaveris*, *parvula*, *patellinana*, *phaeoptera*, *poeyi*, *punctatissima*, *pyrenaica*, *pyrina*, *quadridentata*, *resinana*, *resinans*, *rufa*, *rufipennis*, *rufitarsis*, *rufiventris*, *sauleyi*, *sericans*, *sicula*, *squalens*, *strigata*, *susurrans*, *truncorum*, *tunensis*, *ventralis*, *versicolor*, *willughbiella*, *willughbiella*. *Vide et Megatchile.*

Megachirus *fimbriatus*, *intermedius*.

Megacraspedus *dolosellus*, *striatellus*.

Megacronus *analis*, *atriceps*, *castaneus*, *ceruus*, *elegans*, *formosus*, *merdarius*, *nitidus*, *rufipennis*.

Megadactylus *draconoides*, *philippensis*.

Megaderma *frons*, *lyra*, *schistacea*, *spasma*, *spectrum*, *trifolium*.

Megaderus *bifasciatus*, *corallifer*, *quadri-pustulatus*, *stigma*.

Megadasmus *antiquata*, *cuneata*, *globosus*, *laevis*.

Megadeuterus *flavicornis*, *haworthi*.

Megadomus *gigas*.

Megaera (Dipt.) *atrox*, *crudelis*, *dira*, *fera*, *inimica*.

Megaera (M.) *ecaudata*.

Megaera (R.) *flavomaculata*, *olivacea*, *ornata*, *trigonocephala*, *variegata*.

Megaerophis *formosus*.

Megagenius *frioli*.

Megagnathus *mandibularis*.

Megalacris *brookei*.

Megalactis *hemprichi*.

Megaladerus *perispinctus*.

Megalaema *bilineata*, *leucotis*.

Megalaema *armillaris*, *asiatica*, *atroflava*, *australis*, *barbatula*, *calva*, *caniceps*, *capistratus*, *chrysocona*, *chrysopogon*, *corvina*, *cyanotis*, *faiostriata*, *flavifrons*, *flavostriata*, *franklini*, *grandis*, *henrici*, *hodgsoni*, *javanensis*, *lathamii*, *lutea*, *maculata*, *malaccensis*, *mystacophanes*, *oorti*, *parva*, *philippensis*, *quadricolor*, *rufesius*, *rosea*, *rubricapilla*, *trimaculata*, *versicolor*, *virens*, *viridis*.

Megaleia *laniger*.

Megalichthys *falcatus*, *fischeri*, *hibberti*, *maxillaris*, *oriscus*, *sauroides*.

Megalisma *maculata*.

Megalobatrachus *sieboldi*.

Megalocera *rubricollis*.

Megaloceros *antiquorum*.

Megalochelys *gigantea*, *sivalensis*.

Megalochilus *auritus*.

Megalodon (L.) *antiqua*, *bipartitus*, *carpomorphum*, *concentricus*, *cucullatus*, *declivis*, *deshayesianus*, *elongatus*, *suboblongus*, *sulcatus*, *transversa*.

Megalodon (Orth.) *ensifer*.

Megalodon (P.) *lewesiensis*, *sauroides*.

Megalodontes *cephalotes*, *vidua*.

Megalodus *alutaceus*, *auriculatus*, *carinatus*, *oblongus*, *rhomboideus*, *scutatus*, *truncatus*, *unguis*.

Megalomastoma *brunnea*, *cylindraceum*, *flavula*, *funiculatum*, *layardi*.

Megalometis *chiliensis*, *spiniferus*.

Megalomus *phalaenoides*, *pyraloides*, *tineoides*, *tortricoides*.

Megalonychus *gilvipes*, *gracilis*, *interstitialis*, *latipennis*, *madagascariensis*, *oblongus*.

Megalonyx *bucklandi*, *cuvieri*, *gracilis*, *jeffersoni*, *kaupi*, *laqueatus*, *maquinensis*, *medius*, *minutus*, *nanus*, *paradoxus*, *ruficeps*, *rufocapillus*, *rufus*, *tarnii*.

- Megalopa* *cranchii*, *granarius*, *maculata*, *montagu*, *mutica*, *rhomboidalis*, *sculpta*.
Megalopes *chysiocephalus*.
Megalophonus *africanoides*, *africanus*, *albescens*, *apiatus*, *cheniana*, *cinereus*, *crassirostris*, *fasciolata*, *ferrugineus*, *guttatus*, *lapepa*, *planicollis*, *pyrrhonotus*, *ruficeps*, *rufipileus*, *sabota*.
Megalophrys (Col.) *patagonica*.
Megalophrys (R.) *montana*.
Megalophthalmus (Col.) *bennetti*, *collaris*, *costatus*, *gentilis*, *melanurus*, *obsoletus*.
Megalophthalmus (Cr.) *fabricianus*.
Megalophus *regius*.
Megaloprepus *caerulatus*.
Megalops (Col.) *caelatus*, *plicatus*.
Megalops (P.) *atlanticus*, *cepediana*, *chirtulii*, *filameutosus*, *giganteus*, *indicus*, *nasus*, *notata*, *oghna*, *priscus*, *setipinnis*, *tennisis*, *thrissa*, *thrissoides*.
Megaloptera *poeskop*.
Megalopterus *australis*, *plumbea*, *stolidus*, *tenuirostris*.
Megalopus (Col.) *abbreviatus*, *abdominalis*, *afar*, *alternans*, *anal*, *angustatus*, *armatus*, *atrofasciatus*, *aurantiacus*, *axillaris*, *balteatus*, *bicolor*, *bifasciatus*, *binotatus*, *bi-punctatus*, *eulecaratus*, *cardinalis*, *cinctus*, *cruralis*, *curvatus*, *curvipes*, *dentatus*, *dipronus*, *diadema*, *dimidiatus*, *discoideus*, *dorsalis*, *egregius*, *elegans*, *ephippiger*, *erythrosoma*, *exclamationis*, *fasciatus*, *femoratus*, *flavimaculatus*, *frontalis*, *henningi*, *hieroglyphicus*, *hirtipes*, *histrio*, *humeralis*, *inscriptus*, *javanus*, *lateritius*, *limbatus*, *lineatus*, *littoratus*, *maculatus*, *marginatus*, *mutillarius*, *nigricornis*, *nigro-cinctus*, *nodalis*, *novem maculatus*, *obliquus*, *parallelus*, *phaleratus*, *pilipes*, *plagiatus*, *poecilomaculatus*, *quadripunctatus*, *rubens*, *rubricollis*, *rufescens*, *rufipennis*, *rufus*, *sellatus*, *septemmaculatus*, *sericatus*, *sexmaculatus*, *sempunctatus*, *signatus*, *spinosis*, *sub-fasciatus*, *succinctus*, *tabidus*, *terminalis*, *testaceus*, *tibialis*, *trifasciatus*, *tuberculatus*, *variegatus*, *verticalis*, *vittatus*, *zonatus*.
Megalopus (P.) *cyprinoides*.
Megalopyge *lanifera*, *nuda*.
Megalorhina *harrisi*.
Megalorhynchus *hayi*, *latham*, *spinosus*.
Megalornis (A., foss.) *novae hollandiae*.
Megalornis (A., rec.) *grus*.
Megalosaurus *bucklandi*, *conybearei*.
Megalosoma *hector*.
Megalostomis *anchoreti*, *bicingulata*, *distincta*, *gigas*, *grandis*, *grossa*, *iracunda*, *luctuosa*, *meretrix*, *obesa*, *tricincta*.
Megalostylus *laticollis*, *minor*, *renggeri*, *rhodopus*, *saphyrinus*, *sturni*.
Megalotis (A.) *cruciger*, *otoleucus*.
Megalotis (M.) *australis*, *caama*, *cerda*, *famelicus*, *lalandei*, *verticalis*.
Megalotrocha *alba*, *alboflavicans*, *flavicans*, *socialis*.
Megalura *coresia*.
Megalurites *nitidum*.
Megalurus (A.) *citrinus*, *cruralis*, *galactotes*, *gramineus*, *isabellinus*, *palustris*, *punctatus*, *rufescens*, *rufipes*, *striatus*.
Megalurus (P.) *brevicostatus*, *elongatus*, *lepidotus*, *parvus*.
Megalyra *rasciipennis**, *rufipes*.
Megamede *chalciope*, *rhetenoris*.
Megamera *prionesthis*.
Megamerus (Ar.) *castaneus*, *celer*, *fallax*, *inflatus*, *longipes*, *ovalis*, *roseus*.
Megamerus (Col.) *kingi*.
Megamyrmaekion *caudatum*.
Megamys *patagonensis*.
Meganephria *bimaculosa*, *oleagina*, *oxiocanthae*.
Meganereis *gigas*, *leachi*.
Meganotus *apterus*.
Meganthereon *brevidens*.

- Megapalpus** capensis, nitidus.
Megapelmus rufiventris, spheciformis.
Megaphrys kuldi.
Megapicos albirostris, grayi, imperialis, malherbei, principalis, validus.
Megapoda crassitarsis, cyanea, cyaneiventris.
Megapodium frater, westermanni.
Megapodius alectelia, duperryi, forsteni, freycineti, laperousei, menura, nicobariensis, reinwardti, rubripes, rufipes, tumulus.
Megaproctus (Col.) acutus, affinis, didelphis, exclamationis, filiformis, fimbrius, ocellatus.
Megaproctus (Hym.) castaneus, didymus, tripartitus.
Megaprosopus rufiventris.
Megaprotus decussatus, orphanulus.
Megaptera americana, antarctica, kazira, longimana.
Megapterna montana.
Megapteron longimana.
Megapterum chlorostomum.
Megapyga coeruleomaculata, eximia.
Megarhina ferox.
Megarhinus (Col.) costalis, firmus.
Megarhinus (Dipt.) haemorrhoidalis.
Megarhinus (P.) paradoxus.
Megarhynchus (A.) acanthurus, caljanus, elongatus, marginellus, quadrispinosus, rostratus, sulphuratus. *Vide et Megarynchus.*
Megarhynchus (Hem.) testaceus, transversalis, truncatus. *Vide et Megarynchus.*
Megarthus affinis, clypeatus, denticollis, depressus, emarginatus, excisus, flavus, hemipterus, macropterus, marginatus, marginicollis, pictus, pusillus, retusus, rufescens, sinuatoecollis.
Megarynchus (A.) fasciatus, flavus, griseus, pitangva, regius, striatus. *Vide et Megarhynchus.*
Megarynchus (Hem.) limatus. *Vide et Megarhynchus.*
Megascelis acutipennis, aenea, aerea, affinis, amabilis, anguina, argutula, asperula, aureola, bicolor, bitaeniata, brunnipes, chloris, circumducta, columbrina, crenipes, curta, elegantula, exilis, fasciolata, fatuella, flavipes, frenata, fulgida, fulvipes, gracilis, herbacea, insignis, lacertina, lucida, luculenta, misella, mucronata, opalina, postica, prasina, puella, purpurea, rufipes, saphireipennis, satrapa, stratiotica, suturalis, tenella, tricolor, unicolor, virgo, viridana, vittata.
Megascolex caeruleus.
Megasema apronia, C nigrum, ditrapezium, stigmatica, triangulum.
Megasiphonia alabamensis, delphinus, zigzag.
Megasis dilucidella, rippertella.
Megasoma (Col.) actaeon, theseus.
Megasoma (Lep.) acaciae, cristatum, repandum.
Megaspilus brachypterus, carpenteri, cinicoides, crispus, dux, elegans, gracilis, melanocephalus, nitidus, opacus, puliciformis, rubi, ruficollis, rufipes, rufiscapus.
Megaspira rillyensis, ruschenbergiana.
Megaspis chrysopygus, crassus.
Megasternum boletophagum.
Megasthenes jenisoni, pertyanus.
Megastigmus bipunctatus, bohemanni, borus, dorsalis, drances, iamenus, strobilobius, transversus.
Megastoma (A.) atriceps, flaviceps, ruficeps.
Megastoma (Coel.) cedra, tuberculata, tuberculosa.
Megastoma (P.) apenninum.
Megastylus cruentator, impressor, lineator, mediator, orbitator.
Megatchile brevis, pollicaris, pugnatus. *Vide et Megachile.*
Megatherium australe, boreale, cuvieri, jeffersoni, laurillardii.
Megathiris cuneiformis, depressa. *Vide et Megathyris.*
Megathopa auricollis, chalybea, punctatostriata, puncticollis, villosa, violacea.

Megathyra dilatata, obliqua, planularia.

Megathyris cistellula, decemplicata. *Vide et* Megathiris.

Megatoma adspersa, bifasciata, hottentotum, morio, ornata, rubratum, sericeum, serra, undatum.

Megatomis effictalis, mimalis.

Megatrachelus pallidipennis.

Megatrema stokesi.

Megauchenia setipennis.

Megerlea claripennis, nitida, picea, truncata.

Meghimatium striatum.

Meghyperus sudeticus.

Megilla (Col.) innotata, maculata, monacha, octodecim pustulata.

Megilla (Hym.) acervorum, acraensis, aenea, aestivalis, albilabris, albopunctata, alternans, antennata, aterrima, basizona, bicincta, bimaculata, bistrigosa, breviuscula, byssina, calendarum, caligmosa, callosa, carolina, chalcites, chloris, chrysopoda, cincta, cingulata, circulata, clitelligera, collaris, concinna, crocea, curvipes, decrepita, dentipes, dimetorum, duplicornis, farinosa, fasciata, femorata, fuliginosa, fulvata, fulvipes, furcata, garrula, globosa, graminea, haemorrhoidalis, haworthana, hispanica, incana, labiata, lanata, lanipes, leonina, leucomelaena, librata, longimana, melanopoda, metallica, minuta, moribunda, mucorea, nigriplantis, nigrita, nubica, obsoleta, parietina, parvula, personata, pilipes, plagiata, pollinaris, quadricincta, quadricolor, quadrifasciata, quadriinaculata, retusa, robusta, rotundata, ruficornis, salviae, scalaris, scopipes, seladonia, senilis, sesquicincta, smaragdula, socia, strigata, subaurata, subglobosa, subterranea, tersa, tricolor, tumorum, valga, varicolor, versicolor, vetula, vidua, virescens, viridis, viridula, zonata.

Megischia curvipes, erythrocephala, nigripennis.

Megischus annulator, coronator.

Megistanis aclus, baetotus, cadinus.

Megistina lugubris, stroemi.

Megisto amentis, argente, cymelia, euridice.

Megistocera brasiliensis, dimidiata, dispar, filipes, fusca, limbipennis, pacifica, verticalis.

Megistopus bisignatus, variegatus.

Megodontus coelatus.

Megoera angustifrons, conica, incurva, nigra, nitida.

Megophias monstrosus.

Megophrys montana, monticola, monticula.

Megophthalmus bipunctatus.

Megopis mutica.

Megops moronis.

Megorima crasta, levis, truncata.

Megorismus daiphron, nicaea.

Megosona acetosellae.

Megymenum affine, crenatum, cupreum, dentatum, insulare, merati, spinosum.

Meigenia bisignata, borealis, cyndrica, flavescens, floralis, griseescens, immaculata, nana, nitida, parva, vernalis.

Meiglyptes badius, badius, brachyurus, brunneus, fuscus, poecilophus, pyrrhotis, rufinotus, tristis.

Mejonosoma grisea, tricolor, unicolor.

Melacantha amarula, setosa.

Melaconotus australis, similis.

Melacosoma lepida.

Meladema coriacea.

Meladerma nigerrima.

Meladornus bulimoides.

Melaenornis edolioides.

Melaenus elegans, elongatus.

Melagraphia aethiops.

Melalopha curtula.

Melambia gigas.

Melampias arete, hyperbia, janthe, mnestra, pharte, rhodia.

Melampicos erythrocephalus, flavifrons, flavigula, herminieri, hirundinaceus, melanopogon, torquatus.

Melampus aequalis, bidentatus, borealis, bulla, coniformis, corneus, coronatus, costatus, dominicanus, exiguus, fasciatus, firmiini, fuscus, gracilis, lacryma, leucodon, lineatus, lividus, lugubris, luteus, margarita, miniatus, monile, myoxi, obliquus, olivula, opaca, pallescens, patulus, sciuri.

Melanargia clotho, electra, galathea, galene, japygia, lachesis, leucomelas, procida, sicula, syllius, thetis.

Melanatria indica.

Melanchra persicariae.

Melanchroia aterea, cephise, ernestina, fulvumbis, inconstans, leontia.

Melandrya assimila, barbata, canaliculata, caraboides, excavata, flavicornis, fulgida, fusca, goryi, impressa, labiata, maculata, repanda, ruicollis, rupes, serrata, splendida, striata, umbrina, variegata.

Melanea constrictus, costata, fasciata, lineata, minima, truncata. *Vide et Melania (G.)*.

Melanella (G.) dufresnei.

Melanella (Inf.) atoma, erythraea, flexuosa, monadina, spirillum.

Melanerpes erythrocephalus, flavifrons, formicivorus, hirundinaceus, l'herminieri, melanopogon, meropiostris, ruber, rubidicollis, rubrifrons, torquatus.

Melanesthes alutaceus, laticollis, sibiricus.

Melanetta hornschuchi.

Melaneura arundinis.

Melania (Dipt.) bifasciata, volvulus.

Melania (G.) abbreviata, abrupta, absoluta, acicula, aculeus, acuninata, acus, acuta, acute-striata, acuto-carinata, adpersa, aequalis, affinis, afra, alberti, alexandrensis, altius, alveare, amarula, angulata, angulosa, angusta, annulata, annulifera, antho-phylloides, anthracina, antiqua, approxima, aquitanica, arata, aretata, arcuata, arenosa, armata, armigera, armillata, aspera, asperata, aspersa, aspirans, aterrima, atra, attenuata, aurantia, auricula, auriculaeformis, auriculata, auriscalpium, aurita, babylonica, baccata, balonnensis, basalis, batana, bellacrenata, bellicosa, bicarinata, bitemiata, bizoualis, blainvillei, blanda, blossevilliana, bosci, boykiniana, brasiliensis, brevior, brevis, brochii, brogniarti, bronni, buccinalis, buccinoidea, buddi, bulbosa, bulimoides, bulinus, byronensis, caelatura, caliginosa, cambessedesi, campanellae, canaliculata, canalifera, cancellata, canicularis, carinata, carinifera, carino-costata, carnatis, carolinae, cassiana, castanea, catenaria, catenoides, cecillii, celebensis, cerithioides, charreyi, chloris, cincinnatiensis, cinerea, cingulata, circincta, clathrata, clavaeformis, clavula, clavus, coarctata, cochlea, cochlearella, coffea, columella, columnaris, comma, compressa, concentrica, concinna, condensata, congesta, conica, corolla, coronata, corporosa, corrugata, corvina, costata, costellata, costifera, costula, costulata, crassa, crebri-costata, crebricostis, crebristriata, crenocarina, crenularis, crenulata, cruentata, cubaniana, curreyana, curta, curvata, curvicosta, curvicostata, cuvieri, cybele, cylindracea, cylindrica, decollata, decora, decorata, decussata, deperdita, depygis, deshayesianae, distorta, donovani, doreyana, dubia, dubiosa, duiabonis, dunkeri, duttoniana, ebum, edgariana, elegantissima, elevata, elongata, erosa, erythrostoma, exarata, excisa, excurata, expansa, falcifera, fasciata, fasciolata, fauna, figurata, filum, flammigera, flammulata, flavida, florentina, fluctuosa, fontinalis, forata, foremani, formosa, fragilis, freethii, frethii, fulgurans, fuliginosa, fulminata, fumosa, funiculus, furfurosa, fusca, fuscata, fusiformis, gambensis, gardenensis, gaudiosa, gemma, gervillei, gigantea, glabra, glans, glaphyra, globosa, globula, globulosa, gracilis, graciosa, granifera, granulata, granulosa, graphium, gruneri, hagenovi, haleiana, hamiltoniana, harpa, harpaeformis, harpula, haueri, hauslabii, hausmanni, haysiana, heddingtonensis, helena, helvetica, henriettae, herculea, heyseana, hildrethiana, hoernesii, hollandri, holstonia, hordacea, huegeli, humerosa, hydei, impressa, inaequata, inaequistriata, incerta, indurum, inermis, inflata, inflexa, infracostata, inhonesta, inquinata, integra, intermedia, intersecta, intersita, isogona, jayana, kaupi, kielcensis, kirtlandiana, koninckiana, kotschy, lactea,

lacustris, laeta, laevigata, laevis, laevisissima, lafrenaye, laqueata, largillierti, larva, latebrosa, late-scalata, lauraea, lecontiana, liebmanni, ligata, lima, limnearis, lineata, lineolata, lirata, livescens, longissima, luctuosa, lugubris, lutoso, lyra, macilenta, madagascariensis, marginata, matoni, mauriciae, medio-jurensis, meukiana, minima, minuta, mitra, modesta, moesta, moluccensis, monozonalis, moreleti, multilineata, multitorquata, muricata, mutabilis, mutans, nassula, nehulosa, neptuni, niagarensis, nickliniana, nigritina, nitens, nitida, nobilis, nodosa, nodulosa, nonpareil, nupera, nympha, nysti, obesa, obliquaris, oblique costata, oblonga, ohovata, obsoleta, obtusa, occata, occidentalis, ochracea, ocoensis, offachiensis, oliva, olivula, ordiana, ornata, ottoni, ovalis, ovata, ovoidea, ovariis, oweni, pagodula, pallescens, pallida, palpata, paludinaris, papuensis, parreyssi, partschi, perangulata, percarinata, perfecta, perfusca, pernodosa, perpinguis, perversa, petiti, phasianoides, philippii, philippinarum, picta, pilula, plicata, plicatula, plicifera, plieningeri, pluristriata, plutonis, polita, porcata, potosensis, potosiensis, praerosa, prasinata, prisca, procera, producta, protea, proxima, pugilis, pulchella, pulchra, pumila, punctata, pupa, pupaeformis, pusilla, pygmaea, pyramidalis, pyramidata, pyramis, pyrenella, quadrislineata, quadriseriata, quadristriata, rangi, regularis, reticulata, retusa, riqueti, rivularis, robusta, roppii, rufa, rufescens, rufula, rugifera, ruginosa, rugosa, rugosocostata, salebrosa, saxicoloides, sayi, scabra, scabrella, scalariformis, scalarioidea, scalaris, schiedeana, schlothelini, scillae, scipio, scitula, sculpta, secalina, semicancellata, semicarinata, semi-costata, semidecussata, semigranosa, seniplicata, semistriata, setosa, siccata, silicula, similis, simplex, solida, soluta, sordida, spadicea, spina, spinalis, spinescens, spiuifera, spinosa, spinulosa, spiracuta, spiralis, spiralissima, spurca, stephanus, stotteri, striata, striatula, strigilata, strigosa, stygia, stygi, subangulata, subcarinata, subcolumnaris, subconcentrica, subcostata, subcylindracea, subglobosa, subimbricata, sublirata, subnodosa, subovata, subrugosa, subscalaris, subsolida, substricta, subtenuistriata, subtorilis, subularis, subulaspira, subulata, sulcata, sulcatulata, sulcosa, sulcospira, sulculata, sulculosa, supraplecta, suturalis, symmetrica, taitiana, tamsi, tarbelliana, tenebrosa, tenuicostata, tenuiplica, tenuiplicata, tenuis, tenuissima, tenuistriata, terebellata, terebra, terebralis, teres, terpsichore, tessula, testudinaria, tetrica, texata, textata, thiarella, tigrina, tirouri, torquata, torta, tourannensis, tricarinata, tricineta, trilineata, trochiformis, truncata, truncatula, tuberculata, tuberculosa, tumida, turgida, turgidula, turricula, turris, turrita, turritella, turritellaris, turritelliformis, tympanorum, uncialis, undulata, unidentata, unifasciata, uniformis, vainata, vanuxemiana, variabilis, varicosa, venusta, verrucosa, verticalis, vestita, vetusta, villosa, virgata, virginica, virgulata, viridis, vittata, volvulus, waigensis, warderiana, wetzleri, winteri, zenkeni, zietenii, zinkenii, zonata. *Vide et Melanea.*

Melanimon collare.

Melaniparus leucomelas, leuconotus, leucopterus, niger.

Melanippe alchemillaria, alchemillata, amnicularia, blomeri, hastaria, hastata, luctuata, marginata, rivaria, rivata, rivulata, tristaria, tristata, turbaria.

Melanis agyrtæ, lycea, melandra, phereda.

Melanites nitidus.

Melanitis ariadne, casiphone, ceryx, costellatus, dewara, etusa, leda, undularis.

Melanitta americana, fusca, gibbera, megapus, megauros, nigra, nigripes, perspicillata, platyrhynchos.

Melanium granum.

Melanochlora sultaneus, sumatrana.

Melanocorypha affinis, arcuaria, bimaculata, brachydactyla, calandra, cinctura, clot-bey, crassirostris, deserti, gallica, intercedens, itala, leucoptera, mareotica, melanocephala, mongolica, nigra, planiceps, subcalandra, tatarica, tenuirostris, torquata.

Melanodera typica, xanthogramma.

Melanoglena bipunctata.

Melanoides fasciolata.

Melanoleuca dodecea, echiella, funerella, pusiella.

Melanopepla atronitens.

Melanophila aeneola, aequalis, appendiculata, atra, chrysoloma, cuspidata, guianensis

guttulata, immaculata, inflammata, longipes, lutesignata, ~~metallica~~, prasina, tarda, unicolor.

Melanophora (Ar.) argoliensis, atra, bimaculata, flavimana, oblonga, pallipes, pedestris, petrensis, pumila, pusilla, violacea.

Melanophora (Dipt.) agilis, americana, analis, atra, atrifrons, carbonaria, carseli, clari-pennis, distincta, festiva, fulvicornis, grossificationis, helicivora, hyalipennis, lugens, maura, molitor, nana, nigerrima, nitida, picea, riparia, roralis, rubescens, rubricornis, rufipes, rupestris, servillei, simplex, subterranea, tetraptera, trifasciata, varia, velox, vernalis, violacea.

Melanopicos hirundinaceus.

Melanopicus erythrocephalus.

Melanopsis acicularis, aciculella, affinis, ancillaroides, annulata, aquensis, armata, atra, attenuata, audebardi, bonellii, bouei, brasiliensis, brevis, buccinoidea, buccinoides, buccinulum, carinata, cariosa, castanea, citharella, clementina, cornea, coronata, costata, costellata, crenocarina, daphnes, daudebarti*, decussata, deperdita, deptfordensis, dufouri, dufresnei, emerici, esperi, ferussaci, fritzæi, fusiformis, galloprovincialis, gibbosa, granulosa, grateloupi, iuauris, incerta, labiata, laevigata, lugubris, lyra, maculata, maroccana, marticensis, martiniana, minuta, neritiformis, nodosa, obtusa, oliva, olivula, parkinsoni, praerosa, princeps, pygmaea, rugosa, sedgwicki, sevilensis, spinosa, subcarinata, subcostata, subulatus, tricarinata, trifasciatus, truncata, turgida, turricula, wagneri, zebra, zelandica.

Melanoptera himantopodis.

Melanornis atra, simplex, taenioptera.

Melanospilus bensoni.

Melanotus ater, chilensis, flavipes, glandicolor, ignobilis, impressifrons, melanotis, paradoxus.

Melanoxanthus quadriguttatus.

Melanterius piceirostris, porcatus, semiporcatus.

Melantha nigra.

Melanthia adustata, albicillata, alchemillata, amniculata, blandiata, breviculata, fluctuata, gallata, jucundaria, montanaria, ocellata, porcellata, rivata, rubiginata, stragularia, tristata, turbata.

Melantho costicollis, klugi.

Melanthrips obesa.

Melaphorus reichei.

Melapterus bengalensis.

Melarthaphe glabrata.

Melas melanus.

Melasina ciliaris, elateroides, nigricornis, pectinicornis.

Melasis picea, plumicornis, ruficornis, rufipalpis, sphondylioides, tuberculosa.

Melasoma (A.) edolioides.

Melasoma (Col.) aeuea, cuprea, lapponica, populi, tremulae, vigintipunctata.

Melastemma staphylinus.

Melatoma costata.

Melazycera quinquemaculata.

Meleagrina albina, alternata, approximata, cadomensis, dubia, echinata, laevigata, margaritifera, ovata, pectinata, pulchella, quadrata, radiata, rigida, tessellata, tongana.

Meleagris aureus, fera, ocellata, palawa, picus, silvestris.

Melecta albovaria, alecto, armata, aterrima, atropos, bicolor, bifrons, bipunctata, caesia, clotho, fasciculata, geminata, grandis, hirta, histrio, histrionica, lachesis, megaera, nigra, nigripennis, nitidua, nitidula, notata, plurinotata, punctata, quattuordecim-punctata, remigata, scutellaris, subpunctata, testaceipes, thalassina, tibialis, tisiphone.

Melectes punctata.

Meles alba, anakuma, antidiluvianus, capensis, carcajou, communis, europaeus, javanicus, jeffersoni, leucauchen, meles, morreni, vulgaris.

Meletta crenata, lile, longimana, matowacca, mediterranea, novae hollandiae, obtusi-rostris, sardinites, senegalensis, suoneri, thrissa, venenosa, venosa, vulgaris.

- Meleus** adpersus, arenarius, calcaratus, caliginosus, carinatus, creutzeri, geminatus, gerli, illigeri, inpressicollis, lutosus, megerlei, porculus, rudis, sabulosus, setiger, variolosus.
- Melia** (Ceph.) alveolaris, angulata, anguliferus, breynii, cinctinatae, communis, compressus, convergens, dannenbergi, depressa, distans, gracilis, imbricata, keyserlingi, muensteriana, pygmaea, reticulata, steinhaueri, subflexuosus, triangularis, trochlearis, wissembachi.
- Melia** (Cr.) tessellata, variolata.
- Melia** (Dipt.) albipennis.
- Melia** (Lep.) bipunctana, flammea, quadridentata, sericea, socia, sociella.
- Melias** calyorrhynchus, corallirhynchus, diardi, pyrrhocephalus, superciliosus, tristis viridis.
- Melibaea** (Dipt.) aurulenta, blondeli, gagatea, lepida, subrotundata, zonaria.
- Melibaea** (Nud.) fragilis.
- Melibe** rosea.
- Melibea** coronata, pinnatifida.
- Meliboea** minuta, ornata.
- Melicerita** charlesworthi, muensteri.
- Meliceritites** gracilis, porosa, roemeri.
- Melicerta** (Cr.) pleurostoma, quadriloba, seticaudata, triliana.
- Melicerta** (Hym.) ochroleucus.
- Melicerta** (Med.) campanula, digitale, fasciculata, morchella, perla.
- Melicerta** (Verm.) biloba, crucigera, ringens.
- Melicertina** charlesworthi.
- Melicertum** campanulatum, penicillatum, perla, pusillum.
- Melicertus** tigrinus.
- Melichares** agilis.
- Melichthys** albicaudatus, marginatus, prasinensis, ringens.
- Melicleptria** alphea, cardui, dipsacea, ononis, pettigera, scutosa, tuberculum.
- Melicophila** pinnata.
- Melictis** beskei.
- Melidora** euprosiae, macrorhyncha.
- Melierax** canorus, musicus, polyzonus.
- Meliera** gangraenosa, obscura, pallipes, pulicaria, rubrella.
- Meligethes** abdominalis, angustatus, aquisgranensis, assimilis, atramentarius, australis, luteotuberculatus, borealis, brachialis, brevis, brunnicornis, caeruleus, carbonarius, carinulatus, coerulescens, coracinus, corvinus, cristatus, decoloratus, denticulatus, difficilis, discoideus, distinctus, dulcamarae, ebeninus, egenus, erythrope, exaratus, exilis, fibularis, flavimanus, flavipes, fuliginosus, fumata, funebris, gagathinus, haemorrhoidalis, hebes, incanus, kunzei, luctuosus, lugubris, lumbaris, maurus, melanarius, memnonius, moestus, morosus, murinus, nanus, nigra, nigrescens, nigricornis, nigrina, obscurus, obsoleta, ochropus, olivaceus, ovatus, palmatus, pedicularius, picipes, planiusculus, pumilus, quadridens, quadristriatus, rufipes, seniculus, serripes, solidus, subaeneus, subrugosa, subtrigonus, tenebrosus, tristis, umbrosus, urticae, viduata, viridescens, xanthocerus. *Vide et Meligethes.*
- Melina** crassa, riparia.
- Melinaea** clara, egina, equicola, erysice, eunice, irene, lycaste, mneme, mopsa.
- Melinda** albiceps, azurea, caerulea, coelestis, gentilis, leucocera, soror.
- Melinopteris** angustatus, contaminatus, extensus, flavo-griseus, fulveolus, griseolus, incoloratus, indistinctus, marginalis, miser, obliquus, oblitteratus, prodromus, restrictus, semi-lunus.
- Meliornis** australasiana, longirostris, mystacalis, novae hollandiae, sericea.
- Meliphaga** albiventris, atricapilla, auricapilla, auricomis, aurita, australasiana, balgonera, brevirostris, caerulea, canescens, cardinalis, carunculatus, chrysocephala, chrysops, chrysoptera, chrysotis, cinctus, cinctus, corniculatus, cratitia, crepitans, cyanops, dubia, erythronothos, fasciculata, flava, flavescens, flavigula, flaviventris, fulvifrons, fusca, garrula, goruk, graculina, guttata, ignobilis, indistincta, inornata, javensis, leucophaea, leucotis, lewini, limbata, longirostris, lunata, lunulatus, maculata, maxillaris, melanodera, melanoleuca, melanops, moluccensis, monacha, musica,

mystacalis, mystacea, novae hollandiae, ornata, penicillata, phrygia, pipilans, plumula, pyroptera, pyrrhotis, reticulata, reticuloides, rufiventris, rufogularis, samoensis, sanguinea, sannaio, sericea, sericeola, sericola, sonora, subcorniculatus, tenuirostris, unicolor, versicolor, xanthotis. *Vide et Melli*→.

Meliphora alveariella.

Melipona aemula, amalthea, angustula, anthidioides, argentata, atrata, atratula, beecheyi, bicolor, bipartita, bipunctata, cilipes, citriperda, clavipes, cucullatus, curtula, diluta, duponti, elongata, fasciata, favosa, ferruginea, fuliginosa, fulva, fulvipes, fuscata, geniculata, grandis, hyalinata, interrupta, iris, lateralis, lineata, longula, marginata, minuta, mixta, mutata, nana, nigra, pallens, pallida, postica, pulla, quadrangula, quadrifasciata, quadripunctata, quinquefasciata, ruficrus, rufiventris, sant hilarii, scutellaris, scutellata, sexpunctata, testacea, testaceicornis, varia, vicina, vidua.

Melipotis cyllaris, jucunda.

Melisodera piceipennis.

Melissaia lecheguana.

Melisseus renifer.

Melissoda latreillei.

Melissodes fonscolombeii.

Melissophilus provencalis.

Melita palmata.

Melitaea (Coel.) astratea, cimotheoe*, cymothoe, ochracea, retifera, tarquinius, tenella, textiformis. *Vide et Melitea*.

Melitaea (Lep.) aegon, aethria, agrotera, anicia, arduinna, artemis, asteria, athalia, hritomartis, casta, chalcedona, cinxia, coccinea, cynthia, cytheris, deione, delia, dia, dictynna, didyma, didymoides, durga, eos, euphrosyne, flavia, fulla, hertha, ianthe, iduna, ismeria, latonigena, liriopoe, lucina, matura, merope, morpheus, myrina, neera, nycteis, orientalis, parthenie, phaetaena, phaeton, phoebe, proclea, pyronia, rhodopensis, selene, silene, teletusa, tessellata, thara, thymetus, trivialis, uralensis. *Vide et Melitea*.

Melitea (Coel.) hrachyura, ochracea, purpurea, rissoi. *Vide et Melitaea*.

Melitea (Lep.) frisia, gaherti. *Vide et Melitaea*.

Melitheia athalia.

Melithreptus (A.) affinis, agilis, albicapillus, albicollis, albogularis, ater, atricapillus, brevirostris, caeruleus, canescens, cardinalis, chloropsis, collaris, cucullatus, diaphus, erythropygius, falcatus, flavicans, flavicollis, fuscus, gilvicapillus, gularis, guttatus, indistinctus, inornatus, lanceolatus, melanocephalus, melanooleucus, melanops, novae hollandiae, obscurus, pacificus, pipilans, pyrrhopterus, sanguinolentus, sannaio, tenuirostris, validirostris, vestiaris, virens, virescens. *Vide et Melli*→.

Melithreptus (Dipt.) dispar, incisus, scriptus, taeniatus.

Melitoea australis.

Melitoma euglossoides.

Melitonoma decempunctata, epistomalis, fasciato-punctata, juvenca, lepida, litigiosa, maculigera, polysticta, sobrina, truncatifrons.

Melitta abdominalis, aerata, affinis, afzeliiella, albicans, albiderus, alhipes, angulosa, angustior, annularis, annulata, armata, atriceps, barbata, barbatula, barbilabris, binaculata, chrysosceles, chrysura, cineraria, cingulata, clarkella, coitana, collinsonana, combinata, connectens, contigua, convexuscula, cunicularia, cyanura, denticulata, digitalis, dilatata, divisa, dorsata, flavipes, fodiens, fulva, fulvago, fulvicornis, fulvicrus, fulvocincta, fuscata, fuscipes, geoffrella, gihba, gwynana, haemorrhoidalis, helvola, labialis, laevigata, laevis, lanifrons, lathamana, leucopus, leucozona, lewinella, listerella, lugubris, malachura, melanocephala, minuta, minutissima, minutula, monilicornis, morio, mouffetella, nana, nigriceps, nigroaenea, nitida, nitidiuscula, nudiuscula, obovata, ovacula, parvula, picea, picicornis, picipes, pilipes, pilosula, pratensis, proxima, pubescens, punctulata, quadricincta, quadrinotata, rosae, rubicunda, rufitarsis, satyriniformis, schrankella, seladonia, sexnotata, shawella, signata, smeathmanella, smithella, sphecoideus, spinigera, subdentata, subincana, succinea, swammerdamella, thoracica, tibialis, tricorneta, tridentata, trimmerana, tumulorum, varians, villosula, wilkella, xanthopus, xanthura, zonalis.

Melittia anthedoniformis.

Melittobia audouini.

Melittophagus (A.) *bullocki*, *bullockoides*, *erythropterus*, *gularis*, *hirundinaceus*, *sonnini*, *variegatus*.

Meliturga fervens, *oraniensis*. *Vide et Meli*→.

Melizophilus dartfordensis, *melanocephalus*, *nigricapillus*, *provincialis*, *sardus*, *subalpinus*.

Mellinia gilvago, *palleago*.

Mellinus arpactus, *atratus*, *bifasciatus*, *eruentatus*, *dissectus*, *frontalis*, *fulvicornis*, *interruptus*, *petiolatus*, *pratensis*, *quadricinctus*, *quadrifasciatus*, *repandus*, *ruficornis*, *spinosus*.

Melliphaga auricomis, *fulahajo*, *scaudens*, *sturnina*, *torquata*. *Vide et Meli*→.

Mellisuga abeillei, *aeneocauda*, *albicollis*, *albirostris*, *alexandri*, *amethysticollis*, *amethystina*, *amethystoides*, *anna*, *ater*, *audeneti*, *aurita*, *bifurcata*, *bilopha*, *bonapartei*, *caeligena*, *chalybeata*, *clarissae*, *clemenciae*, *collaris*, *colubris*, *concinna*, *conradi*, *conversii*, *cornuta*, *costae*, *cristata*, *cupreocauda*, *cupripennis*, *cyanura*, *de latreii*, *dupontii*, *ensifera*, *ensipennis*, *exilis*, *exortis*, *falcata*, *fernandensis*, *flavescens*, *forficatus*, *fulgens*, *furcatus*, *galerita*, *gibsoni*, *glaucoptis*, *gouldi*, *gracilis*, *guerini*, *helenae*, *helianthea*, *heliodyra*, *heloisa*, *heteropogon*, *humilis*, *inornata*, *johannae*, *jourdani*, *kingi*, *lalandei*, *langsdorfi*, *latipennis*, *leadbeateri*, *leucocrotaphos*, *ligonicauda*, *lindeni*, *loddigesi*, *longicauda*, *longirostris*, *lucida*, *ludoviciae*, *lutetiae*, *macrourus*, *magnifica*, *matthewsi*, *maugeana*, *melanogenys*, *melanoleuca*, *mesoleucos*, *microrhyncha*, *minima*, *mirabilis*, *mittelli*, *montana*, *multisanti*, *naevia*, *orthura*, *orthura*, *ourissia*, *parzudaki*, *petasophora*, *phaon*, *phoebe*, *pileatus*, *platura*, *platycerca*, *polytmus*, *popelairei*, *prunella*, *recurvirostris*, *reginae*, *regulus*, *rhami*, *rosae*, *rubinea*, *rubinoides*, *rubra*, *ruficeps*, *rufocaligata*, *sabinae*, *sapphirina*, *scutata*, *smaragdipicollis*, *smaragdinus*, *smaragdosapphirina*, *sparganura*, *spencei*, *squamosa*, *stokesi*, *strophiana*, *superba*, *surinamensis*, *temmincki*, *torquata*, *tyrianthinus*, *underwoodi*, *victoriae*, *vielloti*, *violifera*, *violifrons*, *williamsi*, *wilsoni*.

Mellita ampla, *caroliniana*, *hexapora*, *lobata*, *nummularia*, *quinquefora*, *similis*, *testudinata*.

Mellithreptus olivaceus. *Vide et Meli*→.

Melliturga clavicornis. *Vide et Meli*→.

Mellivora ratel.

Melo aethiopicus, *armata*, *broderipi*, *diadema*, *miltonis*, *mucronatus*, *nauticus*, *tessellatus*, *umbilicatus*.

Melobasis chrysobapta, *hypocrita*, *insularis*, *prisca*, *tibialis*.

Melobesia exasperata, *farinosa*, *mamillaris*, *membranacea*, *pustulata*, *radiata*, *verrucata*.

Melocrinites amphora, *cornicatus*, *gerolsteinensis*, *gibbosus*, *hieroglyphicus*, *laevis*, *pyramidalis*, *verrucosus*.

Melocrinus caelatus, *dactylus*.

Melodes (A.) *calliope*.

Melodes (Lep.) *arcuana*, *boissavaliana*.

Meloe aegyptius, *aenea*, *affinis*, *africanus*, *americana*, *andensis*, *angulatus*, *angusticollis*, *argentea*, *autumnalis*, *balteata*, *bilineata*, *cancellatus*, *cavensis*, *cephalotes*, *chiliensis*, *cicatricosus*, *collegialis*, *conferta*, *corallifera*, *cordillerae*, *coriaria*, *crocata*, *cyanea*, *cyarella*, *decora*, *elongata*, *erythrocnema*, *exarata*, *excavatus*, *fascicularis*, *foveolatus*, *gallica*, *geminata*, *glabrata*, *granularis*, *hermanniae*, *humeralis*, *impressa*, *incerta*, *indicus*, *insignis*, *klugi*, *laevipennis*, *laevis*, *laticollis*, *lefevrei*, *limbata*, *lobata*, *luctuosus*, *maculifrons*, *marginalis*, *marginatus*, *megacephalus*, *miniaceomaculata*, *monoceros*, *murinus*, *nana*, *nigra*, *nigrita*, *olivieri*, *parvicollis*, *plicatipennis*, *podalirii*, *praeusta*, *proscarabaeus*, *punctatoradiatus*, *punctatus*, *punctum*, *purpurascens*, *pygmaeus*, *reticulata*, *rufiventris*, *rufofemorata*, *rugipennis*, *rugosus*, *rugulosa*, *sardous*, *sauleyi*, *scabriscula*, *scabrisculus*, *scabrosa*, *scabrosus*, *semi-punctata*, *similis*, *sulcicollis*, *taurica*, *tecta*, *variegata*, *variegatus*, *variolosus*, *violacea*, *violaceus*.

Melogle fusca, *personata*.

Meloides pustulatus, *stenopterus*.

Melolontha abdominalis, *abhasica*, *aceris*, *advena*, *aenea*, *aeruginosa*, *agnellus*, *alba*, *albida*, *alopex*, *altaica*, *amazona*, *analis*, *angularis*, *angustata*, *annulata*, *antiqua*, *aphodiina*, *appendiculata*, *aprilina*, *arthritica*, *astrolabei*, *aulax*, *aurata*, *aurulenta*,

australis, autumnalis, badia, balia, bi-carinata, ~~biden~~, ~~biguttata~~, bilineata, bi-liturota, bimaculata, binotata, bipartita, bisignata, bivulvata, boops, boryi, brasiliana, bromicola, bruchiformis, brunnipennis, brunripes, caffa, campestris, cania, capicola, carinata, caspica, castanea, castaneae, caucasica, chinense, chinensis, chlorotica, chrysochlora, cicatricosa, cinnamomea, clypeata, colaspidoidea, compressa, compressipes, conspurcata, coriacea, coronata, corticina, crassa, crenata, crenulata, cribrata, crinicolis, cuprasens, cuprea, cyanipennis, cylindrica, dalmanni, decemlineata, decora, dentata, dichroa, dimidiata, discicollis, discoidea, elongatula, emarginata, ephillida, falleni, femorata, ferrugata, fervens, filitarsis, flaveola, flavescens, flavicans, flavicornis, flavida, flavistriata, forströmi, fraxinicola, frondicola, fucata, fuliginosa, fulva, fulvicornis, furva, fuscipennis, gebleri, geminata, georgicana, gibbosa, gibbulosa, graninicola, grassatrix, greithiana, gröndahli, haemorrhoea, henningi, heterodactyla, hexagona, hippocastani, hirsuta, hirticula, hirtiventris, hirtula, hispanica, hispida, hottentotta, hybrida, hypocrita, hypoleuca, ieterica, ilicis, immutabilis, impexa, imputata, indica, integra, iricolor, irregularis, irrorata, junii, knochi, lactea, laeta, lanata, lanceolata, lateralis, latitarsis, leucophthalma, liberta, limbatipennis, linearis, longicollis, longitarsa, longitarsis, lucida, luctuosa, lugubris, lusitanica, lutescens, macrophylla, macrotarsa, maculicollis, mamillarum, marginalis, maritima, marmorata, mauritanica, megacephala, melanictera, melanogaster, melanophthalma, melis, meridionalis, metallica, micans, militaris, minima, moesta, monticola, mucida, mucorea, mucronata, murina, mutata, nana, nigra, nigricans, nigricollis, nigrifrons, nigripes, nigrocephala, nitida, nitidula, notata, nummicudens, oblita, obscura, occidentalis, ochracea, olivacea, olivieri, opaca, orcyi, orientalis, pallescens, pallidula, palpalis, papposa, paradoxa, pectoralis, pellita, penicillata, petiti, pexa, picea, pilicollis, pilifera, pilosella, pilosicollis, pilosula, polyphaga, porcata, porcina, porosa, porulosa, praeambula, pruinosa, puberea, pubescens, pulla, pulvereae, pulverosa, quadrinaculata, quercicola, quercina, quercus, radiata, retusa, rhenana, ridens, rorea, rorida, rubetra, rubiginosa, rufescens, rufipennis, rufipes, rustica, saginata, scarabaeina, semi-rufa, semi-virens, senegallia, sepicola, sericans, sericea, serrata, sericollis, serrulata, setifera, setigera, sordida, spinipennis, splendens, splendidula, stilbophora, strigata, strigosa, sub-emarginata, sulcata, sulcicollis, surinama, tenebroides, terminata, tetrastigma, thoracica, tibialis, totta, transversa, tropica, tuberculata, unifasciata, valida, varicolor, variegata, variolosa, ventricosa, verna, vernalis, vespertina, vetula, vicina, villicornis, villosula, virens, virescens, viridi-aenea, viridiaurata, volgensis, vulpina, ypsilon, zuckowi.

Melolonthites aciculata, deperdita, kollari, lavateri, parschlugiana.

Melongena alveata, armigera, crassicornuta, fasciata, occidentalis, rusticula.

Melonia bosci, costulata, fortisi, spherica, spheroides.

Melonis etruscus.

Melonites multipora, sphaerica.

Melonithes obsoleta.

Melophaga antilopes, trifasciata.

Melophagus cervi, depressus, hirtella, moschi, ovina.

Melophus erythropterus, lathamii, melanicterus.

Melopsittacus undulatus.

Melorchus annulata, corni.

Meloza villosipes.

Melucha lineicollis.

Melygethes subcastaneus. *Vide et Meligethes.*

Melyris andalusia, ater, bicolor, bonplandi, caeruleus, corrosa, cyaneus, festiva, fulvipes, fuscula, granulata, laeta, nigricornis, nobilis, oblongus, olivaceus, pallipes, pectoralis, quadrataeniata, rubripennis, rubripes, tereticollis.

Membracis abdominalis, albidorsa, albimaculata, altissima, ambigua, ampelopsidis, antica, arquata, atomaria, atrata, belligera, bicristata, binotata, bubalis, Caelum, calva, camelus, carbonaria, carinata, carvata, centralis, cimicoides, cingulata, clavata, compressa, concava, concolor, confusa, cornuta, coronata, cruentata, cruentata, cucullata, cultrata, decipiens, decorata, diceros, dorsata, elevata, ensata, exaltata, festina, flavicincta, foliato-fasciatus, fornicata, fulica, fusca, galeata, geminata, genistae,

gladius, globus, goniphora, gracilis, inaequalis, inanis, inornata, intermedia, involuta, jaculus, lateralis, latipes, lefebvrei, leuconica, maculosa, malleonotata, marmorata, melana, melanogramma, mera, mexicana, militaris, minans, monoceros, monstrosa, monticola, nigrovittata, nimbata, nesus, nodosa, nutans, obliqua, oblecta, obtegens, obtusa, olivacea, ophthalmica, pallens, paradoxa, periphaeria, peruviana, picta, poecila, pugionata, pusio, quadrivittatus, quinque-maculata, rosea, rufiventris, sagittata, sanguinolenta, semicrema, signata, sordida, stolidia, subulata, tartarea, teligera, torva, triangulatum, tricolor, tricostata, trilineata, trimaculata, truncata, tuberculata, vaginata, vau, venosa, xanthocephala, xiphias, zonata.

Membranipora affinis, alveolata, antiqua, bipunctata, cenomana, corrugata, crassidentata, crista, cyclostoma, dentata, diadema, eschinata, hexagonalis, irregularis, ligeriensis, megapora, membranacea, nobilis, normaniana, ostiolata, peachi, philostracites, pilosa, reticularis, reticulata, reticulum, simplex, spinosa, spongiosa, stellata, subrotunda, telacea, tenera, tenuis, unicornis, velamen, vendinnensis.

Memmina indica.

Memphis basilica, odilia.

Memythrus crabroniformis, crassipes, tibialis, vespiformis.

Menaccarus piceus.

Menaethius diadema, incisus, monocera, porcellus, quadridens, subscrratus, tuberculatus.

Menaspis armata.

Mendosoma caerulescens, fernandezianus, lineatus.

Mene anna-carolina, maculata.

Menederes rufilabris.

Menelaides agavus, alphenor, ascanius, bunichus, chiroadamas, demetrius, hector, polydorus, polytes, romulus, theseus.

Menemachus navius.

Menenotus lunatus, unicolor.

Meneris tulbaghia.

Menestho albula.

Menetia greyi.

Menipaea floccosa.

Menipea cirrhata, flabellum, floccosa, hyalaea.

Menipha brunnea.

Menippe affinis, cumingi, hardwicki, martensi, parvulus, quadridens, signata.

Menobranthus lateralis, punctatus, sayi, tetradyctylus.

Menodon plicatus.

Menodus giganteus.

Menoethius porcellus.

Menoethius antropunctatus, aumfer, brevirostris, cuneiformis, curvipes, decorus, humilis, lateralis, marginatus, marmoreus, modestus, morbidus, pulverens, punctatus, punctum, rutilans, striga, valus, viridulus.

Menophyllum tenui-marginatum.

Menopoma alleghaniensis, fusca, japonicus.

Menopon carduelis, citrinellae, cucullare, eury sternum, fulvo-maculatum, fusco-cinctum, giganteum, gonophaeum, icterum, leucoxanthum, lutescens, mesoleucum, nigro-pleurum, pallidum, perdicis, pici, ridibundus, scopulacorne, sinuatum, stramineum, strepsilae, transversus, tridens, troglodyti.

Menoscelis glauca, insignis, saginata.

Mentagrana vittata.

Mentaxya muscosa.

Menura alberty, hollandiae, paradisea, superba.

Mephitis africana, amazonica, americana, bicolor, castaneus, chilensis, chinch, chingha, conepati, dimidiata, feuillei, foeda, foetidissima, furcata, gumillae, interrupta, javanensis, leuconota, macroura, mapurito, mephitis, mesoleuca, mesomelas, mexicana, molinae, myotis, nasuta, olida, patagonica, putida, putorius, quitensis, striata, suffocans, varians, vittata, vulpecula, zorilla.

Meracantha canadensis.

Meraporus alatus, atium, exiguus, grammicola.

- Mercenaria* violacea.
- Merdigera* alpinus, assimilis, montanus, obscurus.
- Meretrix* labiosa.
- Merganetta* armata, chilensis, colombiana, leucogenys.
- Merganser* albellus, caeruleus, castor, cucullatus, major, minutus, serrata, servator.
- Mergoides* rufina.
- Mergulus* alce, alle, antiquus, arctias, cassini, cirrocephalus, melanoleucos.
- Mergus* anatus, australis, brasiliensis, caeruleus, cristatus, epaumopherus, furcifer, fuscus, lomvia, naevia, niger, nigricollis, octosetaceus*, orientalis, rouzoni, rubecula, septentrionalis, troile, variabilis.
- Meria* abdominalis, collaris, costata, dichroa, dimidiata, klugi, latreillei, marginata, millefolii, nitidula, rufifrons, rufiventris, sexpunctata, spinolae, thoracica, tripunctata.
- Meriania* borealis, capensis, silvatica.
- Mericia* erigonea.
- Merilia* foersbergi, lunulata, spilothorax.
- Merimnetes* tenuis, uniformis.
- Merinthus* ocellatus, populi, quercus, tiliae.
- Meriones* americanus, apicalis, brevicaudatus, burtoni, caffer, canadensis, crassus, cuvieri, dasyurus, fulvus, gerbillus, hudsonicus, hudsonius, indicus, labradoricus, labradorus, lacernatus, libycus, longicaudus, maccalinus, melanurus, meridanus, meridianus, microcephalus, montanus, murinus, musculus, myosurus, nemoralis, obscurus, opimus, otarius, pygargus pyramidum, robustus, schlegeli, taeniurus, tamaricinus, tamariscus, tenuis, venustus.
- Merionus* australis, costirostris, elevatus, grimmeri, honoris, hungaricus, lama, margaritaceus, pytenaeus, rotundicollis, setulosus, squalidus, squamosus, tergoratus, tristis.
- Meriphus* fullo.
- Merismoderus* bensoni.
- Merismus* aculeatus, ater, clavicornis, flavicornis, fronto, megapterus, obscurus, rufipes.
- Meristis* bilinea, quercus, trilinea.
- Merisus* splendidus.
- Merizodus* angusticollis.
- Merlangus* aeglefinus, carbonarius, communis, leptocephalus, pertusus, pollachius, pontassou, vernalis, virens, vulgaris.
- Merlinus* cristatus.
- Merluccius* attenuatus, rubescens, smiridus, vulgaris.
- Merlucius* albidus, ambiguus, esculentus, macrophthalmus, maraldi, sinuatus, uralephus.
- Merlus* (A.) importunus.
- Merlus* (P.) gayi.
- Mermis* albicans, nigrescens.
- Merocoris* acridioides, alternans, annulipes, deutator, denticulatus, merianae, rugosus, serratus, spinolae, tristis.
- Merodina* podagrica.
- Merodon* aeneus, albifasciatus, albifrons, analis, annulatus, armipes, aureus, auripilus, balanus, bautias, bipartitus, bulborum, calcaratus, chalybeus, chiragra, cinereus, clavipes, constans, contrarius, crassipes, curvipes, eque, equestris, femoratus, ferrugineus, flavicans, flavicornis, fulvus, funestus, inermis, italicus, melancholicus, moenium, morosus, mutabilis, narcissi, natans, nigratarsis, nobilis, pallidus, parietum, podagricus, posticatus, pumilus, ruficornis, rufitibius, rufus, segetum, senilis, serrulatus, sicanus, spinipes, subfasciatus, tenebricus, transversalis, tuberculatus, umbrifer, validus, varius, viaticus.
- Meroe* (L.) picta, scripta, solandri.
- Merö* (Neur.) concolor, costalis, nubila.
- Meroles* dumerili, knoxi.
- Meromacrus* ghilianii.
- Meromalus* flavicornis.
- Meromyza* bipunctata, femorata, incrassata, laeta, nigriventris, pratorum, pusilla, saltatrix, variegata, viridula.
- Meroncidius* obscurus.

Meropachus *buqueti*, dorsiger, nigricans, subluridus.

Meropachys (Col.) *macleayi*, tristis, virescens.

Meropachys (Hem.) *gracilis*, integer, lunatus, sericans, variolosus.

Merope *tuber*.

Meropogon *forsteni*.

Meroporus *concinus*.

Merops *albicollis*, albifrons, amictus, athertoni, auritus, azuror, bicolor, bullockoides, bullocki, caeruleus, caeruleocephalus, californiensis, carunculatus, chrysolaimus, chrysopterus, citrinella, collaris, cucullatus, cuculligera, cuvieri, cyanogaster, cyanogularis, cyanops, cyanopygius, cyanorrhos, cyanotis, daudin, eupogon, ferrugiceps, figulus, flavescens, flavicollis, furcatus, garrulus, glandarius, hirundinaceus, hungariae, icteroccephalus, javanicus, lafresnayei, lamark, lechenaud, lefebvrei, leschenaulti, longicauda, malimbicus, melanops, melanurus, minutus, minutus, monachus, nirundinaceus, novae hollandiae, nubicoides, olivaceus, orientalis, ornatus, phrygius, picatus, puella, quinquicolor, ruficapillus, ruficollis, samoensis, savignyi, scandens, senegalensis, subcorniculatus, sublineatus, sumatranus, taiva, tartaricus, tawa, tenuipennis, thouini, torquatus, typicus, urica, variegatus, viridissimus.

Meroscelisus *violaceus*.

Merostenus *phedyma*, sadales.

Merothaelacium *margaritifera*, nasutum.

Merria *cancellata*.

Mertensia *compressa*, elliptica, ovum, scoresbyi.

Merula *albicincta*, alpestris, alticeps, atra, atrogularis, atrosericea, boulboul, brachypus, brachyurus, carniolica, castanea, collaris, cyanea, euryzona, flavirostris, fuliginosa, hortensis, iliaca, infusata, jamaicensis, leucogaster, leucogenys, leucophthalma, libonyana, litsirupa, ludoviciana*, minor, montana, musica, mustelina, nestor, nigra, nigropileatus, nigropileus, nivicollis, obscura, olivacea, olivatra, pilaris, pinctorum, richardsoni, rosea, saltator, saxatilis, silens, sinensis, sinuillina, solitaria, torquata, tristis, truncorum, viscivora, vulgaris, wilsoni.

Merulaxis *analis*, ater, grisei-collis, orthonyx, rutilus, senilis, squamiger.

Merulina *ampliata*, crispa, folium, laxa, regalis, rigida, scabricula, speciosa.

Merva *jerdoni*.

Merycoidodon *culbertsoni*.

Merycopotamus *dissimilis*.

Merycotherium *sibiricum*.

Meryx *rugosa*.

Mesagroicus *obscurus*, occipitalis, piliferus.

Mesalia *brevialis*, lactea, melanioides.

Mesalina *lichtensteini*, pardalis, rubropunctata.

Mesapus *fasciatus*.

Meseides *newarensis*.

Mesembrina *intermedia*, latreillei, meridiana, mystacea, quadrimaculata, resplendens.

Mesembrynus *brizae*, erythrus, minos, pluto, punctum, rubicundus, scaliiosae.

Mesene *phareus*, telephus.

Mesenteripora *dedalea*, michelini, scobinula.

Mesia *argenteauris*.

Mesites (A.) *unicolor*, variegata.

Mesites (Col.) *cupipes*, pallidipennis.

Mesites (P.) *alpinus*, attenuatus, maculatus.

Mesobema *carnivora*.

Mesocelis *monticola*.

Mesocena *binonaria*, hioctonaria, diodon, elliptica, heptagona, octogona, spongolithus.

Mesocera *flavicornis*.

Mesocheira *azurea*, bicolor, ornata, velutina.

Mesocheirus *sericeus*.

Mesochorus *alarius*, ater, atricilla, basal, brevipetiolatus, cimbicis, complanatus, contractus, dilutus, fulgurans, fuscipennis, lucifer, olerum, pectoralis, politus, rufus, scutellatus, sericans, splendidulus, splenium, sylvarum, testaceus, thoracicus, tipularius.

Mesocia pusilla, semois.

Mesoclastus armatus, maximiliani, paradoxus.

Mesodeca bartrani.

Mesodesma arcata, castanea, chemnitzii, complanata, cornea, cuneata, cycladea, deaurata, denticulata, diemenensis, donacia, donacilla, erycinaea, exiguum, gaymardi, germari, glabrata, glabrella, jauresi, lata, munda, ornata, planum, quoyi, solenoides, striata, subtriangulata, trigona, triquetrum, ventricosa.

Mesodon maculatum.

Mesogaster gracilis, sphyraenoides.

Mesogona acetosellae, oxalina.

Mesogramma lineolata.

Mesographe asinalis, forficatus, institalis, politalis, praetextalis, strumentalis, triquetralis.

Mesoleptus albicruris, albitarsus, albolineatus, annulator, annulatus, antilope, arridens, atomator, bicingulatus, biguttulus, bipunctatus, cerinostomus, chrysostomus, cinctulus, cingulatus, coxator, decipiens, defectivus, delusor, evanialis, exornatus, facialis, filicornis, flavopictus, flavovariegatus, fortipes, fugax, fulvipes, fuscicornis, geniculosus, gracilipes, gracilis, griseus, hilaris, indefessus, infernalis, laetus, laevigatus, larvator, leptocerus, leucostomus, limitaris, luridator, luteolator, maurus, melanocephalus, mirabilis, modestus, montanus, mundus, narrator, nemoralis, pallidus, pectoralis, petiolaris, prosocleus, quadriannulatus, regeneratus, ruficornis, rufinus, rufoventris, rufocinctus, rufoniger, seminiger, sericeus, sordidus, speciosus, spheginus, splendens, sponsorius, sternoleucus, sticticus, subcompressus, submarginatus, suborbitalis, sulphuratus, tener, teredo, testaceus, trimaculatus, typhae, variator, ventralis, ventrator, vitratorius, waltoni, xanthopsanus, xanthostigma.

Mesoleuca adusta, adustata, albicillata, filicata, procellata, ruginata, sinuata.

Mesomorpha cavearia, comomandra, nivicola.

Mesomphala acuminata, acuta, adpersa, aeuea, albida, ampliata, anceps, areolata, assimilis, atrofasciata, atroguttata, atrorubra, bicolorata, bilineata, bioculata, bipustulata, blanda, brachiata, brevicollis, caeruleonotata, caerulescens, caudata, chalcoptera, chalybea, chevrolati, confusa, congener, consobrina, conspersa, cribrum, cruentata, cyanea, decemguttata, decussata, delecta, denudata, difformis, dilatata, dimidiata, discoidea, discoides, discors, dissecta, diversa, elegans, elocata, ephippium, evanida, exclamationis, extricata, fasciculata, fastuosa, festiva, flavipennis, flavoguttata, flavomaculata, flavosignata, floccosa, fossulata, fuebris, gentilis, gibbosa, glabricollis, godeti, goryi, haematina, ignita, illustris, implexa, impluviata, inaequalis, incarnata, indigacea, induta, inornata, jucunda, kollari, lacordairei, lacunosa, lata, lateralis, lebasii, lenis, lineata, lineatocollis, luteipennis, maculatissima, mannerheimi, mellyi, misella, modica, nitidula, nudicollis, oblita, obsoleta, pallidoguttata, pertusa, picturata, plagiata, plagicollis, pleurosticha, plumbea, primaria, punicea, pyramidata, quadraticollis, quadriplagiata, quatuordecimsignata, redtenbacheri, reticularis, retipennis, rubescens, rubroplagiata, rufosignata, schauini, scoparia, scrobiculata, serinus, sexlineata, sexmaculata, sexplagiata, sexpustulata, sexsignata, silbermanni, similata, sodalis, sommeri, sublaevis, subnotata, subreticulata, subrugosa, suspiciosa, suturalis, textilis, thalassina, tigrina, tomentosa, tristigma, tumidula, tumulus, turrita, varians, variolaris, verecunda, vetula, vicina, vidua, vulnerata.

Mesomphala pictilis.

Mesomphix laevigata, planorboides, virginalis, walkeri.

Mesomyia decora.

Mesomys ecaudatus.

Mesonema abbreviata, caelum pensile, coerulescens, dubium, macrodactyla, pileus.

Mesonychium caerulescens.

Mesopachys marina.

Mesophalacrus spinolae.

Mesophila fuscipennis.

Mesophleps genistella, silacella.

Mesophysa marginata, scapularis.

Mesopicos cecili, desmuri, fumigatus, goertan, kirki, passerinus, sanguineus.

Mesopithecus pentelicus.

Mesoplia azurea.

Mesoplodon sowerbyensis.

Mesopolobus fasciventris.

Mesoprion albosaureus, analis, annularis, argyreus, auro-lineatus, aurovittatus, aya, bahiensis, buccanella, caroni, carponotatus, caudalis, chirtah, chrysurus, cyanopterus, cynodon, decussatus, emeryi, enneacanthus, erythrogathus, erythropterus, etaape, flavescens, flavipennis, fulgens, fuscescens, gembra, goreensis, griseus, hoteen, immaculatus, isoodon, jocu, jolui, linea, lineolatus, litura, lunulatus, lutjanus, madras, mahogoui, malabaricus, monostigma, myriaster, octolineatus, olivaceus, pargus, phaioaeniatus, quinquelineatus, rangus, retrospinis, ricardi, rubellus, russelli, sanguineus, sebae, semicinctus, sillao, sobra, striatus, taeniops, uninotatus, vitta, vivanus, xanthopterygius, yapilli.

Mesops abbreviatus, crenulatus, dorsalis, gracilis, pedestris.

Mesoptilus apicalis.

Mesosa bigibbera, curculionoides, jasonis, nebulosa, nubila, sericea.

Mesosemia autaeice, capanea, coea, ephyne, eumene, gneris, gonduta, halmus, hiphia, icare, lagora, minos, mnesinoe, odice, osinia, philema, philoclessa, rosina, tenera, thymete, traga, ultio.

Mesosoma mediterraneum.

Mesospheniscus cuneifer.

Mesostena costata, elegans, klugi, laevicollis, oblonga, punctata, puncticollis, punctipennis.

Mesostenus albirotatus, albipes, albispinis, annulipes, bilineatus, bipartitus, capitator, compressicornis, crassicornis, crassipes, dimidiatus, dorsalis, dorso-striatus, emarginatus, ferrugineus, ferrum, flavofasciatus, funebris, geniculatus, gladiator, grammicus, gravenhorsti, grossipes, inflatus, leucopus, leucozonus, ligator, literatus, lituratus, longicauda, luctuosus, maculicollis, marginatus, melanoleucus, nigriceps, nigro-scutellatus, niveatus, notatus, obnoxius, ochropus, physocnemis, physoscelus, platyrus, posticus, pygostolus, quadri-lineatus, ruficoxis, sartor, seductor, semirufus, spinarius, spinifrons, suturalis, terminalis, tibialis, transfuga, tricolor, trilineatus, tripartitus, tuberculatus, variegatus, varipes, varus, vesiculosus, xanthomelas, xanthopus, xanthothorax.

Mesostoma ehrenbergi, viridatum.

Mesostomum bistrigatum, fusiforme, lingua, personatum, pusillum, radiatum, strigatum, tetragonum.

Mesotopus tarandus.

Mesotrichia torrida.

Mesotrocha sexoculata.

Mesotropis albipes.

Mesotype chenopodiata, lineolata, lithoxylata, parallelaria, polygrammata.

Mespilia globulus.

Messa hortulana.

Messala saundersi.

Messaras alcippe, erymanthis.

Messorus brunneus.

Mestogaster crassicornis.

Mestorus adumbratus.

Mestra hypermestra.

Mestyrites ceratodes, cruciata, perforata.

Meta cellulana, hispida, muraria, schuchi, tigrina.

Metabletus obscuro-guttatus, quadripunctatus.

Metacanthus (Cr.) stellifer.

Metacanthus (Hem.) elegans.

Metachroma canella, melanura, quadrinotata, thoracicus.

Metachrostis par, perla, velox.

Metadupus apicatus, nodatus.

Metalectra neglectalis, praecialis.

Metalleutica violacea, vitripennis.

- Metallina** angusticollis, armeniaca, bisulcata, caucasica, celera, claurica, difformis, elevata, grapei, lampros, laticollis, lithuanica, longicollis, militaris, nigricornis, oblonga, palpalis, planicollis, plumbea, seriata, substriata, velox.
- Metallites** ambiguus, amoenus, atomarius, cylindricollis, elegantulus, globosus, mollis, murinus, tibialis.
- Metallon** acacalis.
- Metallonotus** denticollis.
- Metallophilus** interruptus.
- Metallopsis** cayennensis.
- Metallosetia** hieronella, spissicornis, trifolii.
- Metallura** aeneocauda, alardi, eupreocauda, smaragdinecollis, tyrianthinus, williami.
- Metallyticus** splendidus.
- Metamorpha** dido, elissa, sthenete.
- Metanastria** aconyta, hyrtaca, rubi.
- Metapelma** spectabilis.
- Metapoceros** cornuta.
- Metapocirtus** listatus.
- Metapodius** angustipes, apicalis, bispinus, compressipes, consobrinus, equalis, gemmifer, indicus, nigricans, obscurus, tenuicornis, unicolor.
- Metaporhinus** gueymardi.
- Metaporus** concinnus.
- Metaptera** diaphana, lasinabrachys, megaptera.
- Metascelis** flexilis.
- Metastemma** guttula, quinquemaculata.
- Metastenus** concinnus.
- Metaxmeste** holosericealis, phrygialis, ruficollis, sericealis.
- Metaxyja** aquilina, fuliginea, obelisca, ocellina, polygona, rectangula, recussa, tritici, vitta.
- Metaxymorpha** grayi.
- Metaxymorphus** frenatus, goryi.
- Metaxytherium** beaumonti, brocchii, christoli, cordieri, cuvieri, guettardi.
- Metazycera** purpurata, trimaculata.
- Meteorus** atrator, fulvifrons, pectoralis, pendulator.
- Methoca** bicolor, caecilia, formicaria, ichneumonoides, poeyi, sanvitali.
- Methocha** articulata.
- Methona** themisto.
- Metis** ignea.
- Metius** harpaloides, splendidus.
- Metoecus** kroyer, medusarum, paradoxus.
- Metonites** okeni.
- Metonius** ovatus, purpureus.
- Metopachia** dispar.
- Metopia** (A.) galeata.
- Metopia** (Dipt.) agilis, amabilis, apricans, argentata, argyrocephala, aurifrons, biseriata, blanda, borealis, campestris, carceli, collaris, concinnata, convexinervis, cuculliae, cylindroidea, distincta, fasciata, fastuosa, flavescens, flavipennis, gagatea, hirsuta, imperatoria, laeta, leucocephala, leucomela, macquarti, melanopsis, mesomelaena, minuta, muscaria, nasuta, nitida, noctuarum, paludipalpis, pavidia, perflida, petiolata, philanthi, rapida, rubricornis, rubrifrons, separata, sinuata, testacea, tincta, vernalis.
- Metopias** (Col.) curculionoides.
- Metopias** (Cr.) aries, coniceps, huebneri, verrucosus.
- Metopias** (R.) diagnosticus, typhlops.
- Metopidia** acuminata, lepadella, triptera.
- Metopidius** aenea, africana, albinnucha, gallinaceus, indicus.
- Metopina** galeata.
- Metopius** (Hym.) anxius, bellatorius, circumcinctus, connexorius, cordiger, dentatus, dissectorius, fuscipennis, intermedius, leiopygus, necatorius, pinatorius, sicarius.
- Metopocoilus** maculicollis.
- Metopodontus** downesi.

- Metopodus* badius, fulvitaris, latipes.
Metopon (Col.) suturalis.
Metopon (Hym.) atrum, deiphon.
Metoponia (Dipt.) rubriceps.
Metoponia (Lep.) flavida.
Metopsilus celerio, elpenor, nerii, porcellus, tersa.
Metoptoma dubia, elliptica, imbricata, oblonga, pileus, rugosa, siluricum, solaris, speciosa, sulcata.
Metra pennaria.
Metria encelade, euristea.
Metridium concinnatum, dianthus, muscosum, plumosa, praetextum, rhodostomum.
Metriophyllum bouchardi.
Metriopus favosus, hofmanseggii, nassatus.
Metriorhynchus (R.) geoffroyi, priscus.
Metrius contractus.
Metrocampe fasciaria, honoraria, margaritaria, prasinaria.
Metrodira subulata.
Meyeria magna, magnevillei, ornatus.
Mezium sulcatum.
Miana aethiops, fasciuncula, furuncula, humeralis, latruncula, literosa, minima, rufuncula, strigilis, terminalis.
Miarus campanulae, graminis, linariae, nasturtii.
Miccotrogus capucinus, cuprifer, picirostris.
Micetophagus glomerata, grandis, imperialis, ruficollis, signatipennis, tritoma. *Vide et* *Mycetophagus*.
Michelinia antiqua, compressa, concinna, convexa, favosa, tchihatcheffi, tenuisepta.
Michogaster femoralis, formicaria, ichneumoneus.
Michotamia analis.
Michthisoma heterodoxus.
Micippa bicarmatus, cristata, philyra, thalia.
Micippe platipes.
Mico argentatus, breviceps, californicus, cinereus, dorsigera, elegans, lanigera.
Micoureus murinus, tricolor.
Micra (Dipt.) trixina.
Micra (Lep.) concinnula, elychrysi, marginula, minuta, ostrina, parva, paula, purpurina, rosina, viridula.
Micrabacia coronula.
Micradelus rotundus.
Micraeca fascinans, flavigaster.
Micralymma brevilingue, brevipenne, johnstonis.
Micrantereus anomalus.
Micraptoma signis.
Micraspis gebleri, phalerata.
Micraster acuminatus, acutus, amygdala, aquitanicus, arenatus, beaumonti, brevior, breviporus, brevis, brevisulcatus, bucardium, bucklandi, bufo, canaliferus, coranguinum, cor-bovis, cor-testudinarium, cordatus, deshaysi, distinctus, edwardsi, fossarius, gibbus, globosus, goldfussi, helveticus, lacunosus, latus, major, matheroni, michelini, minimus, munchisoni, polygonus, prunella, pulvinatus, renouxi, rostratus, semiglobus, subacutus, subconicus, suborbicularis, toxasteroides, trigonalis, tropidodus, undulatus, ungula.
Micrastur brachypterus, concentricus, guerilla, xanthothorax.
Micrauchenus lineola.
Micrelitra apterus, fossularum.
Micriphantes rufipalpis.
Microblepharis menestriesi.
Microcanthus strigatus.
Microcephalophis gracilis.
Microcephalus depressicollis.

- Microcera** (Col.) inflata.
Microcera (Dipt.) rostrata.
Microceras inornatus.
Microcerus angusticollis, besckei, cretaceus, dregei, griseus, idolum, inaequalis, retusus.
Microchaerus eriuaceus.
Microchaetes scoparius, sphaericus.
Microcheila picea.
Microcheles armata.
Microchilus lineatus.
Microchirus lingula, lutea.
Microcleptes aranea.
Microcodon clavus.
Microcolaptes abnormis.
Microconchus carbonarius.
Microctonus barbiger, bicolor, boops, clavicornis, claviventris, deceptor, oethiops, rutilus, terminatus, vaginator, vernalis.
Microcygna coromandeliana, girra.
Microcyphus girardi, maculatus, rousseaui, versicolor, zigzag.
Microcystis amoenula, filiceti, ornatella, pellicula, pictella, trifasciella.
Microdactylus (A.) marcgravi.
Microdera campestris, convexa, coromandelensis, deserta, globithorax, globulicollis, gracilis, lucida, pygmaea, servillei, sublunata.
Microderes robustus.
Microderus petreus.
Microdon (Dipt.) agapenor, anthinus, apiformis, aurifex, aurulentus, bidens, cyaneus, euglossoides, fulgens, fuscitarsis, globosus, histrio, instabilis, latipes, limbatus, micans, mutabilis, punctulatus, scutellatus, splendens, stilboides, superbus, varus.
Microdon (L.) bellastrata.
Microdon (P.) abdominalis, analis, elegans, gigas, hexagonus, notabilis, nuchalis, occipitalis, platurus, radiatus, trigonus.
Microdonta (Col.) apicicornis, dilatata, elongata, pini.
Microdonta (Lep.) albidula, bicolora.
Microdoris aquilus.
Microdus abscissus, affinis, angulipes, annulator, conspicuus, delusor, dimidiator, gloriator, gloriatorius, laevigator, linguarius, mediator, nitidulus, obscurator, pumilus, punctulator, rufipes, rugulosus, thoracicus, tuberculatus, tumidulus, varicoxis.
Microeca assimilis, macroptera.
Microgaster abdominalis, adjunctus, affinis, albipennis, alvearifex, alvearius, amentorum, americanus, analis, annularis, annulipes, anomalus, anthomyiarum, aphidium, ardeaepenellae, arenarius, atrator, auriculatus, bicolor, bistigmata, blancardellae, brevicornis, breviventris, cajae, calceatus, callidus, calliptera, canaliculatus, candidatus, carbonarius, carpata, circumscriptus, ciron, congestus, congregata, coniferae, connexus, consularis, contaminatus, contextus, contigua, costatus, crataegi, cruciatus, cyzicus, decorus, deprimator, difficilis, dilectus, dimidiatus, dorsalis, elegans, emarginatus, ensiformis, ensiger, equestris, euphorbiae, evonymellae, exiguus, exilis, falcatus, femoralis, flavilabris, flavipalpis, flavipes, flavolimbatus, formosus, fossulatus, fulcriger, fuliginosus, fulvicornis, fulvipes, gagates, gastropachae, germanus, globatus, glomeratus, gracilis, gregarius, hilaris, hoplites, immunis, impressus, impurus, inclusus, infimus, infumatus, ingratus, insidens, intercus, intricatus, juniperatae, lacteipennis, lacteus, laevigatus, laevisissimus, lateralis, linearis, lineipes, lineola, liparidis, lividipes, longicauda, luctuosus, maculata, majalis, marginatus, marginellus, mediator, melanoscelus, mellipes, meridianus, messorius, minutissimus, necator, niger, nigricans, nigripes, nigriventris, nitidulus, obscurus, ocellatae, ochrostigma, ordinarius, parasitellae, perspicuus, picipes, pieridis, placidus, popularis, posticus, praepotens, praetextus, pubescens, punctiger, reconditus, rubripes, ruficornis, rufilabris, rufipes, rugosus, rugulosus, russatus, scapularis, semicircularis, sericeus, sessilis, sodalis, solitarius, sordipes, spectabilis, spinolae, spurius, stellatarum, stigmaticus, subcompletus, subcutaneus, subfasciatus, tenebrosus, tibialis, tortricis, triangulator,

- tristis, tuberculatus, tuberculifer, umbellatarum, unicolor, vestalis, viminetorum, vinulae, vitripennis, xanthostigma, xyliua, zonaria.
- Microglena** monedina, punctifera, volvocina.
- Microglossum** ater, goliath.
- Microglossus** alecta, aterrimus.
- Microhyla** achatina.
- Microlabis** sternbergi.
- Microlarinus** rhinocylloides.
- Microlepis** exilis, lepidus, undulata.
- Microleptes** splendidulus.
- Microlestes** (Col.) exilis, inconspicuus.
- Microlestes** (M.) antiquus.
- Microlestia** oxygona, rugosopunctata, spinipennis, tabida.
- Microlophia** ignava.
- Microlophus** lessoni, peruvianus.
- Microma** flavoscutellata, iridis, latipennis.
- Micromata** belletana.
- Micromelus** cyrene, pyrrhogaster, rufo-maculatus, silanus.
- Micromerus** uxor.
- Micrommata** argelasia, carolinensis, marmorata, ornata, pinicola, rosea, serrata, setulosa, smaragdina, smaragdula, spongitaris, subinflata, undata.
- Micromus** lineosus, tendinosus.
- Micromya** lucorum.
- Micromys** agilis, agrarius, aniciensis, ornatus, vagus.
- Micronisus** badius, francesi, gabar, monogrammicus, niger, soloensis, spheurus.
- Micronyx** caecus, chlorophyllus, cicus, cinereus, cyaneus, fallax, jungermanniae, reichei, variegatus.
- Micropachys** granosus.
- Micropalpis** oenanthae, ruginosa, vulpina.
- Micropalpus** analis, assimilis, bicolor, borealis, brevigaster, consobrinus, distinctus, dorso punctatus, flavicans, fulgens, haemorrhoidalis, heraclaei, longipes, longirostris, macula, ornatus, peruvianus, piceus, rapidus, ruginosa, ruficornis, rufipennis, rufiventris, sophia, speciosa, tessellans, vicinus, vittatus.
- Micropeltus** cingulata.
- Micropeplus** caelatus, costatus, fulvus, maillei, marietti, obtusus, porcatus, staphylinoides, sulcatus, tessera.
- Micropeza** atripes, cephalotes, corrigiolata, cynipsea, filiformis, fulgida, incisa, kawalli, lateralis, loripes, nitida, pallens, producta, punctum, pygmaea, thoracica, tipularia, vibrans, vivida.
- Microphisa** inamoena, irregularis, jucunda, regularis, suava.
- Microphor** crassipes, pusillus, velutinus.
- Microphora** fuscipes, tarsella.
- Microphorus** clavipes, drapetoides, elongatus, flavipes, velutinus.
- Microphthalma** nigra.
- Microphyllia** ataciana, corrugata, edwardsi, raulini, soemmeringi.
- Microphysa** myrmecobia, pselaphiformis, pselaphoides, testacea.
- Micropicos** caute, concretus.
- Microplectron** cambayensis.
- Microplia** agilis.
- Microplus** atratus, brevis, castanea, cinerascens, insignicollis, nemoralis, rugosa, strigatus, vittatus.
- Micropogon** (A.) aurovirens, boucieri, cayennensis, darnaudi, flavicollis, hartlaubi, peruvianus, rubrifrons, sulphuratus. *Vide et Micropogon.*
- Micropogon** (P.) argenteus, lineatus, occipitalis, trifilis, undulatus.
- Micropora** coriacea.
- Micropos** longalis.
- Microps** (Hym.) rubi.
- Microps** (P.) furcatus.

- Microps (R.)** ovalis, unicolor.
Microptera (A.) americana.
Microptera (Dipt.) nitida.
Micropterix (Lep.) mucidella, podivinella, pusilella. *Vide et Micropteryx.*
Micropterus (A.) brachypterus, cinereus, patachonicus.
Micropterus (Col.) brevipennis.
Micropterus (P.) dolomieu.
Micropteryx (A.) rafinesquei, rivoliana.
Micropteryx (Hym.) ameutella, brevipennis.
Micropteryx (Lep.) chrysolepidella, eximiella, myrtetella, sicanella, subammanella.
Micropteryx (Orth.) aptera, brachyptera, roeseli.
Micropteryx (P.) cosmopolita.
Micropus (A.) alpinus, calcocephalus, leucopterus, maculatus, melanoleucus, murarius.
Micropus (Hem.) genei.
Micropus (Lep.) longalis.
Micropus (P.) unipinna.
Micropyge bachofeni.
Microrhagus clypeatus, lepidus.
Microrhipis dumerili.
Microrhopala laevigata, porcata.
Microrhynchus (Cr.) depressus, gibbosus.
Microsania pectipennis, stigmatalis.
Microsaurus assimilis, attenuatus, boops, confusus, fimbriatus, floralis, fuliginosus, gregarius, impressus, laevigatus, lateralis, limbatus, maurorufus, molochinus, nigerimus, nitidus, occultus, pallipennis, patruelis, praecox, punctatus, scintillans, scitus, subuliformis, vicius.
Microscelis amaurotis, melanoleucus, ochrocephalus, philippensis, squamiceps, tristis, virescens.
Microschatia punctata.
Microsema quadripunctaria.
Microsetia atris-capitella, aurella, aurofasciella, bedellella, bella, cinereo-punctella, exiguella, flosactella, gleichella, guttella, mediofasciella, nigrella, nigrociliella, obsole, tella, pfeifferella, posticella, pulchella, pygmaella, quadrella, quadriguttata, quinquella, ruficapitella, sequella, sericiella, stephensella, stipella, subbimaculella, subbistrigella, trimaculella, unifasciella, violaceella.
Microsolena irregularis, porosa, tuberosa.
Microsphaera corticalis.
Microspondylus escheri.
Microsporus obsidianus.
Microstigma anomalum, proximum.
Microstoma (Coel.) ambigua.
Microstoma (P.) argentum, mediterraneum, rotundata.
Microstoma (Polyz.) annulata, Gray, List Brit. An. Coll. B.M. (Centr.) 1848, 148.
Microstoma (Verm.) leucops, lineare.
Microstomum achrophthalmum, leucops, lineare, unicolor.
Microstomus groenlandicus, latidens.
Microstylus afrum, apicale, appendiculatum, bicolor, brunnipenne, cilipes, flavipennis, flavi-ventre, fuscipenne, gigas, longipes, pica, rubripes, ruiventre, sinense, spinatarsis, testaceum, venosum.
Microstylus rufus.
Microtarsus melanoleucos.
Microtelus asiaticus.
Microterus capreolus, petiolata.
Microtherium cartieri, concinnum, renggeri.
Microtis tuberculata.
Microtoma (G.) patula, persica, unicolor.
Microtoma (Hem.) echi.
Microtomus dubius.

- Microtragus* senex.
Microtrichodes analis.
Microtropesa sinuata.
Microtypus wesmaeli.
Microura squamata, subluteoventris.
Microvelia pygmaea.
Microxylobius westwoodi.
Microzoum collare, fulvipes, rugulosum, tibiale.
Micrura fasciolata.
Micrurus spixi.
Micrus affinis, aterrimus, caesus, cordatus, depressus, discoideus, exaratus, excavatus, fulvescens, fuscus, lineatocollis, minimus, minutissimus, myrmecophilus, nanus, rugulosus, saxonicus, spencei, trisulcatus.
Micryphantes acuminatus, aequalis, alutacius, anthracinus, bicolor, bicuspidatus, caespitum, camelinus, crassipalpus, cucullatus, elevatus, erythrocephalus, flavipes, flavo-maculatus, fuscipalpus, galeatus, graminicola, hiemalis, hystricus, inaequalis, isabellinus, kochi, laminatus, longipalpus, longipes, lugens, ochropus, olivaceus, ovatus, pantherinus, phaeopus, punctulatus, rubens, rubripes, rurestris, sulculus, tessellatus, thoracicus, tibialis, villosus. *Vide et Micri*→.
Mictis cinctus, crucifera, dentipes, grossipes, protractus, sanctus, scutellatus, tenebrosus, valgus.
Mictopsichia hubnerana, renaudana.
Mictyris deflexifrons, longicarpus.
Miculia elegans.
Midas (Dipt.) annulicornis, apicalis, auripennis, basalis, bicolor, brevicornis, callosus, crassipes, dives, fasciatus, heros, interruptus, iopterus, leucops, longirostris, maculiventris, mystaceus, notospilus, pachygaster, parvulus, politus, rubiapex, rubidapex, rufipes, senilis, stenogaster, tibialis, tricolor, viduatus, virgatus, vittatus, waddelli.
Midas (M.) bicolor, chrysomelas, flavifrons, fuscicollis, labiatus, leoninus, mystax, nigricollis, oedipus, pileatus, rosalia, rufimanus, rufoniger, tamarin, ursulus. *Vide et Mydas*.
Migadops darwini, falklandicus, nigro-caeruleus, ovalis, virescens.
Migonites andremone, aeode, burneyi, crenis, erato, erythra, isaea, thales, thelxiope, ulrica.
Mijas fasciata.
Milans aetolius, ictinus.
Milesia acuta, alcinus, ambulans, amithaon, analis, ania, annulata, apicata, apiformis, asilica, bacuntius, berberina, bilineata, bombylans, bubulus, canusium, clunipes, coenina, conica, conopsea, crabroniformis, cruciger, daochus, dentipes, diophthalmus, eques, excentrica, fallax, femorata, floccosa, fulminans, gigas, haematodes, ignava, lamus, limbipennis, lineata, lunata, macularis, maculata, means, mixta, mollis, natans, nemorum, notata, obliqua, ornata, oxyacanthae, pigra, pipiens, podagrica, ranunculi, rara, reinwardti, rufo-cauda, ruficrus, saltuum, scutellaris, segnis, speciosa, spinipes, sylvarum, vara, vespiformis, virginianis, volvulus, zetterstedti.
Miletus epopus, polycletus, symethus.
Milezophilus provincialis.
Miliaria altirostris, canescens, citrinella, crassirostris, europaea, germanica, meridionalis, minor, peregrina, septentrionalis, valida.
Milichia boletina, formosa, maculata, ornata, palposa, parva, pulchra, speciosa, tarsata.
Miliobates speciosa. *Vide et Myliobates*.
Miliola affinis, amphioxys, annulata, aspera, bicornis, canaliculata, concentrica, elliptica, elongata, ficus, gibba, inflata, intorta, irregularis, lagenae, lenticula, marylandica, milium, minuta, oblonga, obscura, ovata, ovula, ovum, perforata, pigo, pulchella, reticulata, rhombos, rostrata, seminulum, semistriata, signa, soldanii, sphaerula, spiralis, stiliger, striata, subrotunda, subtriquetra, tubuligera.
Miliolites birostris, centralis, cor-angium, opposita, planulata, ringens, sabulosa, saxorum, secalius, trigonula.
Militaea pelops, perseae.
Millepes armadillo.

Millepora affinis, agaricites, antiqua, burtiniana, byssoides, caerulea, canaliculata, cancellata, capitata, cardicellus*, cervicornis, clavaria, complanata, compressa, conica, conifera, corymbosa, crista galli, cylindrica, deformis, dekini, dichotoma, digitata, dispar, drepanensis, dumetosa, elegans, exigua, fasciculata, gilberti, globularis, gracilis, groningana, informis, interporosa, lobata, macrocaule, madreporacea, moniliformis, morchella, oculata, ovata, palinata, platyphylla, plicata, polymorpha, porulosa, pumila, punctata, pyriformis, racemosa, racemus, ramosa, repens, reticulata, rhombifera, rosea, similis, solanderi, spicularis, spissa, squarrosa, straminea, tortuosa, truncata, undulata.

Milleporites amorphus, celleporatus, cervicornis, clavatus, cornigerus, flu-triformis, polyforatus, vermiculosus.

Milleria costata*.

Millericrinus aculeatus, alternatus, angulatus, archiacianus, bachelieri, beaumontianus, brevis, buchianus, calcar, calycularis, conicus, convexus, crassus, cupuliformis, dilatatus, duboisianus, dudressieri, echinatus, elegans, fleuriausianus, goldfussi, goupilianus, gracilis, horridus, inaequalis, incrassatus, inflatus, marginatus, mespilliformis, milleri, muensterianus, neocomiensis, nodotianus, obconicus, obtusus, ornatus, polycyphus, polydaetylus, pratti, pulchellus, punctatus, radisensis, regularis, richardianus, rosaceus, rotiformis, scalaris, scriptus, simplex, subechinatus, tuberculatus.

Millimus annulatus.

Milnesium tardigradum.

Milnia decorata.

Milothris marmorea.

Miltochrista miniata, rubicunda.

Miltochrysta miniata.

Miltogramma algira, angustifrons, arcuata, aurifrons, conica, crudelis, fasciata, fasciolella, germari, globularis, grisea, griseola, heteroneura, hilarella, imberbis, incompta incurva, intricata, megerlei, melanura, minuta, murina, nigra, nitida, nitidomaculata, oculata, oestracea, parasita, punctata, rotundiventris, rueppelli, ruficornis, rutilans, sexpunctata, siphonina, stictica, tabaniformis, taeniata, tessellata, tricuspsis, unicolor.

Milvago albogularis, australis, chimachima, chimango, leucurus, megalopterus, montanus, ochrocephalus, pezoporos.

Milvinus ater.

Milvulus bellulus, forficatus, monachus, pullata, rufitorques, savana, tyrannus, vetulus.

Milvus aegyptius, aetolius, affinis, anonymus, ater, aterrinus, cenchris, cheela, cheele, furcatus, fuscus, govinda, ictinus, indicus, isurus, leucomeles, leucurus, melanotis, milvus, niger, novae hollandiae, parasiticus, parasitus, pondicerianus, regalis, regius, rotundicauda, ruber, sphenurus, subhimalayanus, vulgaris, yetapa.

Mimallo aegina, amilia, verago.

Mimaphidus ulmi.

Mimas tiliae.

Mimaulus testudo, verrucicollis.

Mimegralla caeruleifrons.

Mimela auronitens, bicolor, chinensis, chrysoprasus, concolor, confucius, cyanipes, decipiens, discoidea, downsi, fulgidivittata, glabra, heterochropus, horsfieldi, lathamii, leei, longicornis, macleajana, nigricans, passerinii, pectoralis, princeps, pyroscelis, sapphirina, similis, splendens, testaceoviridis, xanthorhina.

Mimesa atra, bicolor, borealis, equestris, exarata, nigrita, unicolor.

Mimeta affinis, forsteni, melanotis, meruloides, muelleri, virescens.

Mimetes (A.) flavo-cinctus, viridis, xanthocyanea.

Mimetes (Col.) setulosus, unicolor.

Mimetes (Lep.) caesia, nubilosa.

Mimetis imperfector, syllepsicus, tuberosus.

Mimographus laeicollis.

Mimomorpha clytiformis.

Mimon bennetti, megalotis.

Mimoniades mulcifer, ocyalus.

Mimosciara lestromina, molobrina.

- Mimus** albogriseus, brasiliensis, bruchi, carolinensis, coerulescens, columbianus, curvirostris, dominicus, dorsalis, felivox, fuscatus, galactodes, gilvus, gracilis, lividus, longicaudatus, longirostris, melanopterus, melanotis, meruloides, modulator, montanus, orpheus, parvulus, patagonicus, peruvianus, plumbeus, polyglottus, rediviva, rubripes, rufus, saturninus, thenea, thenka, thilius, tricaudatus, trifasciatus, triurus.
- Minella** nitida.
- Mines** geoffroyi.
- Minetra** gambriensis, nodrica, sylvia.
- Minettia** claripennis, flava, flavipes, luctuosa, nemorosa, palustris, testacea.
- Mingeria** bicolor.
- Miniopteris** macrotarsus, orsinii, ursini.
- Minla** cinerea, ignotincta.
- Minnilus** microstomus, notatus.
- Mino** dumonti.
- Minoa** asinata, assinata, chaerophyllata, duplicata, euphorbiata, flavicornata, griseata, infuscatata, illibaria, lutearia, monochroaria, niveata, renitidata, tibialata, tinctaria, tinetaria.
- Minois** alcyone, anthe, briseis, hermione, oenomais, phaedra, proserpina.
- Minous** adamsi, calandria, monodactylus, pusillus, woora.
- Mintho** capensis, compressa, lacera, obscuripennis.
- Minturnia** chalybeosoma, dimidiata, flavocincta, flavomaculata, gratiosa, microcephala, notabilis, propinqua, pyropyga, querula, splendida, univittata, viridana.
- Minulus** dinemus.
- Minurus** testaceus.
- Minyas** (Coel.) caerulea, cyanea, polygoni.
- Minyops** carinatus, chaudoiri, costalis, costatus, minutus, rudis, scrobiculatus, sinuatus, variolosus.
- Minyrus** exaratus.
- Miochira** filiformis, gracilis.
- Mionectes** leucocephalus, luteocephala, oleagineus, poliocephalus, rufiventris, rufolivacea, striaticollis, viridis.
- Miopithecus** capillatus, talapoin.
- Miopristis** catenata, lepida, virgata.
- Miopteryx** spiniger.
- Mioxicebus** griseus, rufus.
- Mira** macrocera, mucora.
- Mirafr** affinis, africana, africanoides, assamica, cantans, cantillans, cheniana, deserti, erythroptera, flavicollis, hayi, horsfieldi, javanica, phoenicura, sabota.
- Miralia** alternans.
- Miranda** cerpegia, cucurbitina, exornata, hirsuta, latro, pictilis, porracea, transalpina, venatrix.
- Mirax** rufilabris, sparti.
- Miris** abbreviatus, albidus, alni, annulus, arbustorum, austriacus, bicolor, binotatus, bipunctatus, bis-triguttatus, calcaratus, carceli, carinatus, caucasica, chrysanthemi, coccinea, cruentatus, decrepitus, dentata, denticulata, dilatatus, dorsalis, erraticus, ferrugatus, flavicornis, floralis, fraxini, fulvus, fuscicornis, graminicola, hortorum, infuscatus, inquinatus, leucocephalus, limbata, lineolatus, longicornis, luteicollis, marginatus, marshami, maurus, nankinea, ochraceus, parvula, picticeps, pinicola, populi, pratensis, pulchellus, punctulatus, quadripunctatus, roseus, ruficornis, rusticus, sanguineus, semiflavus, seticornis, sexguttatus, striatellus, tanacetii, terguttatus, thunbergi, tibialis, tiliae, transversalis, tripustulatus, tunicata, ventralis, verbasci, violaceus, vittatus, vividus, xanthocera.
- Mirmica** galbula, leonina, trinodes.
- Miro** albifrons, australis, chrysoptera, citrinus, dieffenbachii, forsterorum, macrocephala, toitoi.
- Mirounga** ansoni, byroni, cristatus, patagonica, proboscidea.
- Misaphidius** crudelis.
- Miscelus** unicolor.

Miscodera arctica, erythropus.

Miscogaster aenea, aeratus, annularis, annulipes, antennata, apicatus, apicalis, athasibato, brevis, brevisventris, cernus, chrysochlora, cinctipes, convexa, costalis, crinus, cyanea, daicles, daiphrou, damia, deione, dice, diffinis, dioxippe, dirce, dissimilis, dryops, elegans, eleus, euroto, eurybia, femorata, filicornis, fulginas, fuscipennis, fuscipes, gelanor, gelo, gibba, hages, becataeus, hippeus, hortensis, letus, lucida, lugubris, maculata, maculipes, menaetus, merula, mycon, nelo, niceae, nicetas, nicon, nigro-aenea, nitida, nitidipes, notata, obscura, obscuripennis, ovata, oxylus, philochortoides, psapho, ruficornis, rufipes, sambus, scotica, semiaurata, sopolis, stygne, suilius, tarsalis, tenuicornis, theope, thera, tristis, tumida, tyche, tyrphaeus, umbro, viridis.

Miscophus bicolor, concolor, niger, spurius, unicolor.

Miscus campestris.

Miselia albimacula, anceps, aprilina, binaculosa, cana, comta, conspascata, conspersa, corsica, culta, gemmea, jaspidea, lichenea, nesus, nummosa, numosa, oleagina, orbiculosa, oxyacanthiae, serpentina.

Misetes tuberculosus.

Misetus oculatus.

Misgurnus fossilis.

Misilus aquatifer.

Misocampe bedeguaris*.

Misocampus nigricornis, sappbirinus, stigmatizans.

Misolampus gibbula, goudoti, boffmansegi, boffmanssegi, lusitanicus, pimelia, ramburi, scabricollis.

Missourium theristokaulodon.

Missulena occatoria.

Missurium theristokaulodon.

Mistacinus barbatus.

Mitella pollicipes, sinensis.

Mithraculus coronatus, denticulatus, nodosus.

Mithras (Ar.) paradoxus, undulatus.

Mithras (Lep.) apidanus, dorimund, elis, metus, nautus.

Mithrax aculeatus, asper, dama, denticulatus, diebotomus, herbsti, hispidus, lunulatus, nodosus, pygmaeus, quadridentatus, rostratus, scaber, sculptus, spinicinctus, spinosissimus, ursus, verrucosus.

Mithrodia spinulosa.

Mitocera viridipennis.

Mitophyllus irroratus.

Mitorhynchus brunneus.

Mitra (Coel.) rangi.

Mitra (Ech.) depressa, elliptica, elongata, bibernica, humero-stellata.

Mitra (G.) abbatis, abbreviata, acuminata, acupicta, adamsoni, adansonii, adolphia, adusta, aegra, aethiops, affinis, agassizi, albicostata, albo-cincta, alligator, alveolus, amabilis, amanda, ambigua, amporella, anais, analogica, ancillaroides, ancillides, angulosa, annulata, anthracina, antoni, aquini, archiepiscopalis, arenosa, armiger, armillata, articulata, astricta, attenuata, aurantiaca, aureolata, auriculoides, australis, avenacea, babea, bacillum, badia, balteolata, belcheri, biblis, bicolor, bifasciata, bilineata, bicipitata, bizonalis, bolaris, borniana, bovei, branderi, brochii, brongniarti, bronni, brumalis, buccinata, buccinoidea, buccinula, bulimoides, burguetiana, cadaverosa, caelata, caeligena, caerulea, caffra, caliginosa, callosa, calostoma, cancellarioides, cancellata, cancellina, candida, candidula, capensis, capillata, carbonacea, carbonaria, cardinalis, carinata, carna, carnea, carnicolor, carolinensis, cassisiana, casta, catenata, cavea, cellulifera, chalybeia, chelonia, chinensis, choava, chrysalis, chrysostoma, cimeium, cincta, cinctella, cinerea, cingulata, circula, cithara, citharella, citrina, clandestina, clathrata, clavularis, clavulus, coarctata, coccinea, coffea, colombelliformis, columbellaria, columbelloides, concentrica, concinna, conica, conoidea, convoluta, conquistata, consanguinea, contracta, conularis, conulus, conus, copbina, corallina, cordieri, coriacea, cornea, cornicula, cornicularis, coronata, corrugata, costellaris, costulata, crassa, crassidens, crebricosta, crebrilirata, cremans,

crenata, crenifera, crinita, crispata, crocata, crocea, cruentata, cucumerina, cucurbitina, cumingi, cupressina, cylindracea, dactyloidea, dactylus, daedalea, declivis, decora, decorata, decurtata, decussata, defrancei, delbosi, deluci, dennisoni, dermestina, detonenis, desetangsi, deshayesi, diadema, dichroa, digitalis, discolor, discoloria, discors, doliata, dololum, dufresnei, duplilrata, duponti, ebenus, eburnea, edentula, effusa, elegans, elegantula, elongata, encausta, exasperata, exigua, exilis, fasciata, fasciolaris, fasciolaroides, fastigium, fenestrata, ferruginea, festa, ficulina, fidicula, filaris, filosa, filum, fissurata, flammea, flammigera, flavescens, flemingi, flexuosa, flocata, forticostata, fraga, fulgetrum, fulgurita, fulva, fulvescens, funerea, funicularia, fuscae, fusellina, fusiformis, fusoides, gausapata, georgiana, gervillei, gigantea, glabra, glandiformis, glans, gracilis, graja, granata, granatina, graniformis, granulifera, granulosa, granum, gratiosa, groenlandica, gruneri, guttata, haidingeri, harpaeformis, harpifera, hastata, hebes, henikeri, hindsii, histrio, humboldti, hybrida, ignea, ignobilis, impressa, inca, incarnata, incisa, incognita, inermis, infausta, infecta, inflata, inquinata, interlirata, intermedia, interrupta, isabella, juniperus, kieneri, labratula, lachryma, lactea, lacunosa, laevigata, laevisima, lajoyi, lamarcki, lamberti, larva, latruncularia, lauta, lebrosa, lens, leonardina, leopardina, leopoliensis, leucodesma, leucostoma, lencozona, leucozonias, lignaria, limbifera, lineata, litterata, littoralis, livida, loricata, lota, lubens, lucida, luculenta, lugubris, lupulina, lutea, lutescens, lyraeformis, lyrata, lyrifomis, maculosa, maesta, marginata, marmorata, martiniana, matronalis, maura, media, melaleuca, melaniana, melongena, mica, micans, michaudi, michelini, microzona, multaris, milium, millecostata, millepora, miniata, minima, minuta, miocenica, milinea, mississippiensis, mixta, modesta, mölleri, monilifera, monodonta, morio, mucronata, multicostata, muriculata, musicalis, mutabilis, mutica, nana, nanus, nasoides, nebulosa, nice, nigra, nitens, nivea, nivosa, nodosa, norrisi, nubila, nucea, nucleola, nympha, obeliscus, obesa, obliqua, obliquata, oblita, obsoleta, obtusangula, olacea, olivacea, olivaeformis, olivaria, olivoidea, oniscina, ornata, ossea, pacifica, pacticilis, pardalis, parisiensis, parva, parvula, patriarchalis, patula, paupercula, popularis, pediculus, pellis serpentis, peregra, perexilis, peroni, philippiana, pica, plecta, pinguis, pisolina, planilirata, plicaria, plicata, plicatella, plicatissima, plicatula, plidifera, plumbea, polita, pontificalis, porcata, porphyretica, pretiosa, prevosti, praecissa, pruinosa, puella, pulchella, pullata, pumila, punctata, puncticulata, punctulata, pupa, purpurata, pusilla, pusio, pyramidalis, pyramidella, quoyi, radiata, radius, rangi, raricosta, recurva, reevei, repexa, requieni, reticulata, retusa, rhodia, rigida, risoides, roborea, robusta, roemerii, rorata, rosacea, rosea, rossiae, rotundilirata, rubella, rubiginosa, rubra, rubritincta, rueppelli, ruflirata, rugosa, rupicola, rustica, sanguinolenta, santangeli, savignyi, scabra, scabriuscula, scalariformis, scalarina, scrobiculata, sculptilis, scutulata, semen, semicostata, semifasciata, semisculpta, sergentensis, serpentina, signata, simplex, sinensis, sismondai, solandri, solida, solidula, speciosa, spicata, spinosa, spurca, stainforthi, staminea, stigmataria, striarella, striata, striatula, strigata, subcostulata, subcylindrica, subdermestina, subdivisa, subplicata, subsimplex, subulata, succincta, sulcata, suluensis, suturata, swainsoni, cyclophanta, tabanula, taeniata, telescopium, tenuistria, terebelloides, terebellum, terebraeformis, terebralis, tessellata, testacea, texturata, thorenti, ticaonica, tornata, tornatelloides, torulosa, tricolor, tringa, tristis, truncata, tuberosa, tumida, turben, turpilla, turgidula, turricula, turriculata, turriger, tusa, typha, undulosa, unifascialis, unifasciata, ustulata, vanikorensis, variabilis, variata, varicosa, variegata, ventricosa, verastula, vera, verrucosa, versicolor, vexillum, vicksburgensis, vignyensis, virgata, virginalis, virgo, vitellina, vittata, vulpecula, vulpina, vultuosa, woldemarei, zebra, zebрина, zebuensis, zelotypa, ziervogeliana, zonalis, zonata.

Mitragenus araneiformis.

Mitrella bicolor, casta, costulata, dactylus, fissurata, flaminea, fusca, levigata, marminia, ocellata, olivaeformis, olivaria, turgidula.

Mitreola monodonta, terebellum.

Mitrephorus waterhousei.

Mitrogenius dejeani.

Mitrolithes labratulus.

Mitrophorus ateuchoides.

Mitrularia neptuni.

Mitu tuberon.

Mitua bidwelli.

Mitylus abruptus, acinaces, albensis, angustus, bella, bourgeoisianus, castor, cephus, chauvinianus, consobrinus, densesulcatus, dido, emylius, fidia, fittoni, gabrielis, galanthis, garbus, gibbosus, glaucus, gracilis, gueuxi, halesus, hector, heleua, helirius, herminie, hersilia, hesione, hillanus, hippona, hyphaeus, imbricatus, kochi, laevis, lagus, lassus, leda, leilus, lombricalis, lynceus, lysippus, marrotianus, medus, midamus, moulini, mulleri, nitidulus, oblongus, orbiculatus, pallidus, patulus, pelops, peregrinus, petasus, portlandicus, pulcherrimus, quinesulcatus, ravillianus, reniformis, reussi, socorinus, solenoides, sowerbyanus, subangustus, subarcuatus, subasperus, subfalcatus, subgibbosus, sublineatus, subpectinatus, subpulcher, subradiatus, subrugosus, tetragonus, undulatus, varians, ventricosus. *Vide et Mytilus.*

Mixodia errana, schulziana.

Mixogaster conopsoides, mexicanus.

Mixornis chloris, flavicornis, gularis, javanica, melanothorax, poliopsis, ruficeps.

Mixtemyia quadrifasciata.

Mizine volvulus.

Mnematum silenus.

Mnemia chamissouisi, kuhli, norvegica, schweiggeri.

Mniophila (Col.) muscorum.

Mniophila (Lep.) cineraria.

Mniotilta aestiva, albifrons, americana, ardosiaeca, auduboni, aurantia, aureola, auricollis, bachmani, bananivora, bicolor, Blackburniae, borealis*, caerulescens, calidris, canadensis, carbonata, carolinensis, castanea, celata, chrysoptera, chrysopus, citrea, coronata, corticaria, decurtata, discolor, dominica, eoa, formosa, fulva, fusca, fuscicollis, grisea, gularis, incana, juncorum, leucoptera, lineata, macropus, maculosa, maritima, melanorhoa, montana, murina, nigrescens, occidentalis, ochroleuca, palmarum, pannosa, parus, pennsylvanica, peregrina, petechia, pharetra, pinus, pumila, pyrrholeuca, pyrrhonotus, rara, rathbonia, rubida, ruficapilla, ruficauda, ruficollis, semitorquata, solitaria, speciosa, striata, superciliosa, swainsoni, sylvestris, taeniata, tigrina, townsendi, varia, venusta, vermivora, virens, virescens, viridicata.

Mobula auriculata.

Mochlonyx velutinus.

Mochokus niloticus.

Mochtherus (Col.) angulatus, rotundatus.

Mochtherus (Dipt.) pallipes.

Mocis aurinia, cicatrix, levina, mercuria, virbia.

Mocoo africana, bilineata, cumingi, cuprea, entrecasteauxi, grandis, guichenoti, lateralis, melanopogon, microtis, ocellata, oweni, smithi, trilineata, zelandica.

Moderia formosa.

Modelia granosus.

Modiola acinaces, acuminata, acuta, adriatica, aequalis, aequiplicata*, alaeformis, albicosta, aldami, alternata, americana, amygdalina, amygdaloides, anatina, angularis, angusta, antillarum, antiqua, appendiculata, arborescens, archiaci, arctica, arcuata, arcuata, arenaria, argentina, aspera, attenuata, auricularis, auriculata, balli, barbata, bella, bilobata, bipartita, biradiata, brasiliensis, brycei, californiensis, canalifera, cancellata, capax, capensis, caribaea, carinata, carolinensis, carteroni, castanea, caudigera, cecilli, chemnitzii, cicercula, cinnamomea, compressa, concentrica, concentricocostellata, concinna, contorta, cordata, cornuelana, corrugata, crassissima, cretacea, crispata, cultellus, cuneata, cuneiformis, cuspidata, cylindrica, cymbaeformis, decorata, decussata, depressa, dimidiata, discors, discrepans, divaricata, divisa, ducateilii, dufenoyi, elegans, elliptica, elongata, expansa, faba, fabella, favannei, ferruginea, fischerana, flemingi, flexuosa, fornicata, fracta, funata, gastrochaena, gervillei, gibbosa, gibbsi, glabrata, glandula, goldfussi, gothlandica, gracilis, grandis, granulatus, granulosa, gregaria, guyanensis, hastata, hillana, hoffmanni, imbricata, inclusa, incurvata, inornata, interrupta, jugata, laevigata, laevis, latissima, linearis, lineata, lingualis, lithodomus, lithophagitis, lithophagus, liturata, longa,

- modiolus*, malayana, marginata, matronensis, megaloba, metcalfi, microcephala, microptera, minima, minuta, minutus, mississippiensis, modioliformis, moorei, mucronata, murina, mytiloides, nasuta, navicula, nexa, nigra, nilssoni, nitidula, nycti, obesa, oblonga, obtusa, opifex, orientalis, ornata, orsocrina, ovalis, ovata, ovum, pallasi, pallida, papuana, papyracea, papyria, parallela, parasitica, patagonica, patula, pectinator, pectiniiformis, pectinula, pedernalis, phaseolina, philippiana, philippinarum, picta, plana, plicata, plicatula, plumula, poliana, prideauxi, profunda, pulcherrima, pulchra, pulex, punila, purpurata, pygmaea, quadrata, radiata, recta, rectus, reniulus, reniformis, requieniana, restricta, reticulata, reversa, rhombea, robertsoni, rufa, rugosa, rumphii, scalaris, scalprum, securiformis, securis, semen, semicostata, semifusca, semilaevis, semi-nuda, semiornata, semiradiata, semistriata, semisulcata, semitexta, senhousia, sericea, silicula, siliqua, similis, simpla, simplex, sinuata, sinuosa, socorrina, solenoides, soluta, sordida, spatulata, sphenoeides, spinigera, squamifera, strajeskiana, striata, striatocostata, striatula, striatulus, strigata, striolaris, subaequiplicata, subcarinata, subhillanus, subparallela, subramosa, subreniformis, subtruncata, sulcata, tenuistriata, teploñ, teres, tetragonus, thielai, thirriae, trapezina, triangulum, trigonalis, tristis, truncata, tulipa, tulipoea, undulata, unguolata, uralensis, vagina, varians, varicosa, ventricosa, vestita, vetusta, vicinalis, villosa, volhynica, vulgaris, williamsoni. *Vide et Modiolus.*
- Modiolarca** impacta, ovata.
- Modiolaria** discors*, faba*, laevis, striatula, vernicosa.
- Modiolites** papuanus, socialis.
- Modiolopsis** acutifrons, anodontoides, arcodes, arcuatus, aviculoides, carinatus, curta, faba, imbricata, latus, modiolaris, mytiloides, nasutus, nuculiformis, parallela, praescripta, siliqua, simplex, sp. ind., subspatulatus, terminalis, trentonensis, truncatus.
- Modiolus** agglutinans, asperula, barbatellus, cinnamomeus, costulatus, cylindroides, discors, faba, fusca, hyalina, lithophagus, marmoratus, subpictus, sulcatus, transversatus, vulgatus. *Vide et Modiola.*
- Modulus** lenticularis, retusus, trochiformis.
- Moegistorhynchus** longirostris.
- Moera** adonidis, aurelia, automedaena, celine, phidippe, tullia.
- Mogannia** avicula, ignifera, illustrata, indicans.
- Mogophrys** montana.
- Mogoplistes** brunneus.
- Moho** atriceps, nigra.
- Mohoua** ochrocephala.
- Mohua** hua.
- Moina** brachiata, rectirostris.
- Mola** aspera, hispida, planci.
- Molacanthus** hispidus, pallasi.
- Molanna** angustata, cylindrica, nigripalpis.
- Molchina** compressicornis.
- Moldia** mulleri.
- Molga** pyrrhogaster.
- Molge** alpestris, cinerea, geitie, gigantea, ignea, palmata, palustris, platycephalus, punctata, pyrrhogaster, rubra, striata, taeniata, tridactylus, wurfaini.
- Molgula** arenosa, citrina, oculata, siphonata, tubulosa.
- Molinesia** fasciata, surinamensis.
- Mollia** patellaria et planata (Flustrae, teste S. F. H.).
- Mollinesia** latipinna.
- Molobraea** tenella.
- Molobrus** bicolor, brunnipes, fenestrata, flavipes, fucata, fuliginosa, fuscipennis, fuscipes, hirticornis, hyalipennis, longipes, morio, nemoralis, nervosa, nigra, obscura, pallipes, phaeopus, praecox, purpuratus, pusillus, rotundipennis, ruficauda, scatopsoides, serripes, splendidus, sylvatica, thomae, vitripennis, xanthopus.
- Moloch** horridus.
- Molophilus** brevipennis.

Molops abbreviatus, abdominalis, alpestris, arrogans, ater, brevicornis, brevis, bucephalus, cephalotes, colossus, concinnus, corax, corinthus, cottelli, dalmatinus, dauricus, depressus, elatus, faber, gagates, gagatinus, graecus, humidus, illigeri, incisa, lenis, lixa, longipennis, maurus, melas, ovipennis, piceus, plantaris, rivalis, robustus, rufipes, rufitarsis, sibiricus, songoricus, striolatus, substriatus, subtruncatus, terribola, transbaicalensis.

Molopsida polita.

Molorchus abdominalis, affinis, antiquus, bimaculatus, cingulatus, clavicornis, collaris, crabroniformis, depressus, dimidiatus, dispar, fasciatus, ferrugineus, glaucescens, indicus, laticornis, major, marginalis, mellitus, minor, nigricornis, pennsylvanicus, pygmaeus, sanguinicolis, scoparius, staphylinus, tenuipes.

Molosoma latipes.

Molossus (? Ceph.) gracilis.

Molossus (M.) abrasus, acetabulosus, acuticaudatus, aegyptiacus, alecto, amplexicaudatus, anonymus, ater, auripendulus, australis, azara, brasiliensis, caecus, castaneus, cestoni, cheiropus, crassicaudatus, cynocephalus, dilatus, ferox, fuliginosus, fumarius, fusciventer, laticaudatus, longicaudatus, mops, moxensis, myosuros, naso, uasutus, norfolkensis, obscurus, perotis, plicatus, rueppelli, rufus, rugosus, tenuis, torquatus, tricolor, tropidorrhynchus, ursinus, velox.

Molothrus atronitens, honariensis, brevisrostra, niger, pecoris, sericeus, unicolor.

Molpadia holothurioides, musculus.

Molpus sex-punctus.

Moluris bertolinii, brunnea, catenata, cubica, dejeani, discoidea, gibba, gihhosa, globularis, globulicornis, goryi, gravida, hemisphaerica, hirtipes, hirtus, hispida, holosericea, interrupta, laevicollis, laevigata, marginata, oblonga, osbecki, pierreti, pilosa, pinguis, plicata, reichei, rouleti, rugulosa, scabra, scabrata, semi-scabra, spinolae, striata, tenehrosa, tomentosa, unicolor, variolosa, vestita, vialis, vittata.

Molus ismarus, phalantus.

Molva huntia, lota, maculosa, vulgaris.

Molytes anglicanus, angusticollis, bajulus, barbarus, hesseri, bisulcatus, carinaerostris, cornix, coronatus, cribrum, dirus, ferus, funestus, germanus, glahratus, glahrirostris, illyricus, laevigatus, monachus, ovatulus, ovatus, pilosus, protractus, tenebrioides.

Moma aprilina, astur, ludifica.

Momota guianensis.

Momotus bahamensis, caeruleiceps, domheyi, gularis, lessoni, levaillanti, martii, mexicanus, momota, momotula, platyrhynchus, rubricapillus, ruficapillus, subhutu, yucatacensis.

Mompha caesiella, conturbatella, ferruginella, mendicella, spendella.

Monaca phaeoleucos.

Monacanthus bifilamentosus, chinensis, cirrifer, gallinula, granulatus, hystrix, lineolatus, megalourus, oblongus, pardalis, rudis, scaber, setifer, signifer, varius, vittatus. *Vide et Monocanthus.*

Monacha (A.) caesia, chrysomela, nigra. *Vide et Monarcha.*

Monacha (G.) carthusianella, incarnata, sericea.

Monachidium acropyrinon, chelonja, crista flammea, flavipes, lunus, viridipenne.

Monachoda biguttata, crassimargo, dominicana, franciscana, grossa, laticollis, mouffeti.

Monachus (A.) atricapilla.

Monachus (Col.) affinis, ater, auritus, saponatus, viridis.

Monachus (M.) alhiventer.

Monadella distincta, omicron.

Monadina distincta, omicron.

Monalonion parviventre.

Monandroptera inuncans.

Monanthia acuminata, albidia, ampliata, angustata, angusticollis, brunnea, cardui, ciliata, clavicornis, convergens, costata, dentata, dumetorum, echii, erosa, fasciata, fracta, geniculata, gibba, humuli, liturata, lupuli, maculata, melanocephala, nigrina, obscura, parvula, pilosa, pusilla, quadrimaculata, reticulata, rotundata, sacchari, scapularis, schaefferi, setulosa, simplex, sinuata, stachydis, tahida, testacea, verna, vesiculifera, wolffi.

- Monarcha** alecto, caesia, carinata, cinerascens, cinereus, guttata, guttula, inornata, nigra, telescopthalma, trivirgata, velata. *Vide et Monacha (A.)*.
- Monarthia** cervina.
- Monas** abscissa, agilis, angusta, attenuata, bicolor, bulla, concava, constricta, crassa, crepusculum, cylindrica, deses, distorta, dunali, elongata, enchelioides, enchelys, erubescens, flavicans, fluida, gibbosa, glaucoma, gliscens, globulus, grandis, granulum, guttula, hyalina, inanis, intestinalis, kolpoda, lens, mica, nodosa, nodulosa, oblonga, ochracea, okeni, ovalis, ovata, partita, polytoma, praecatoria, prodigiosa, punctum, rosea, scintillans, simplex, socialis, sulphuraria, termo, tetrarhynchus, tingens, umbra, varians, vinosa, viridis, vivipara, volvox.
- Monasa** atra, flaviviridis, fusca, inornata, leucops, mystacalis, nigrifrons, personata, rubecula, rufa, ruicapilla, tenebrio, tenebrosus, tranquilla, unitorques.
- Monastes** lapidarius, paradoxus.
- Monaulus** impejanus, melanion.
- Monax** missouriensis.
- Moncephora** cingulata.
- Monedula (A.)** arborea, septentrionalis, turrium.
- Monedula (Hym.)** carolina, carolinae, dissecta, fuscipennis, insularis, magnifica, orbigny, punctata, quadrifasciata, sallei, signata, surinamensis, variegata, ventralis, zetterstedti.
- Moneilema** annulata, inaequalis.
- Mongo** brachyurus, edwarsi, javanicus, malaccensis. *Vide et Mungos*.
- Monichus** mona.
- Monilea** callifera.
- Monima** ambigua, mimosa.
- Monitor** albugularis, antiquus, bengalensis, bivittatus, capensis, cepedianus, chlorostigma, dracaena, dumerili, elegans, exanthematica, flavescens, gemmatus, heraldicus, inornatus, marmoratus, meriani, nebulatus, nebulosus, niloticus, ornatus, prasinus, pulcher, saurus, scincus, speneri, timorensis, tristis, varia.
- Monocanthus** aurantiacus, bacilligerus, broccus, histrix, inornatus, massachusettsensis, papillosus, pullus, sarothrurus, scoparius, setifer, sinensis, spilosoma, tomentosus, varius. *Vide et Monacanthus*.
- Monocarya** centralis, cultrata.
- Monocelis** assimilis, excavata, fusca, glauca, lineata, subulata, unipunctata.
- Monocentra** lepidoptera.
- Monocentris** carinata.
- Monocera** acuminatum, ternodactylum.
- Monocerca** bicornis, longicauda, rattus, valga, vorticellaris.
- Monoceros (G.)** armatum, armigerus, blainvillei, breve, brevidentatum, calcar, cingulatum, citrinum, costatum, crassilabrum, cymatium, denticulatum, depressus, fusiformis, fusoides, gallicum, giganteum, glabratum, globulus, grande, hepaticus, imbricatus, lugubre, maculatum, monocanthos, monodon, muricatum, narval, obtusus, plumbeum, punctatum, punctulatum, pyruloides, semicostatus, striatum, subumbilicatus, sulcatum, unicarinatum, unicorn, vetusta.
- Monoceros (P.)** biaculeatus, rayi.
- Monocerus** ambiguus, bifasciatus, binotatus, brachycerus, numidicus, serratus.
- Monochamus** australis, beryllinus, bipunctatus, carolinensis, cervinus, confusus, decoratus, dentator, farinosus, formosus, galloprovincialis, irrator, lignator, luscus, maculatus, marmorator, mutator, nebulosus, ocellatus, pini, pulverulentus, quadri-maculatus, resutor, ruber, saltuarius, sartor, scalaris, subocellatus, sulphurifer, sutor, tessellatus, tridentatus. *Vide et Monohammus*.
- Monocheles** contractus.
- Monochelus** atratus, aurantiacus, calcaratus, collaris, formosus, glaberrima, ornatus, parvulus, pruinosis, rufinanus, scutellaris, spinipes, squamulatus, subvittatus, viduus.
- Monochir** maculipennis.
- Monochirus** hispidus, lineatus, linguatula, mangilli, microchirus, pegusa, variegatus.
- Monocirrhus** polyacanthus.
- Monocondylaea** corrientesensis, flossiculifera, guarayana, minuana, paraguayana, parrappii.

Monocrania *luridipennis*, *nigricans*, *piligera*, *rugosipennis*.

Monocrepidius *abbreviatus*, *alternans*, *apiatus*, *asius*, *australasiae*, *bigatus*, *caninus*, *capistratus*, *castanipes*, *cerdo*, *chazali*, *cinereipennis*, *confusus*, *cordieri*, *dimidiatus*, *discolor*, *evellardi*, *fabrilis*, *flabellicornis*, *flavovittatus*, *fuscicornis*, *geminatus*, *impluviatus*, *laurenti*, *leluti*, *lobatus*, *malleatus*, *oblongo-punctatus*, *opacus*, *pallipes*, *plancus*, *posticus*, *proletarius*, *pubescens*, *pugionatus*, *repandus*, *rubrescens*, *rufangulus*, *rutilicornis*, *scalaris*, *sericans*, *serotinus*, *sticticus*, *stigmiosus*, *subcastaneus*, *sulcolicollis*, *tabidus*, *tactus*, *temarius*, *trogodytes*, *xanthopus*.

Monoctenus *juniperi*.

Monoculites *hexamorphus*, *lunatus*, *polymorphus*.

Monoculithos *gigantea*.

Monoculus *aduncus*, *aurantius*, *bistrigatus*, *brachiatus*, *caudidus*, *castor*, *clathratus*, *cornutus*, *cyprinaceus*, *fuscatus*, *gibbus*, *laticornis*, *longicollis*, *nasutus*, *ophthalmicus*, *ovatus*, *ovum*, *puber*, *punctatus*, *quadricornis*, *reticulatus*, *roseus*, *rostratus*, *ruber*, *sphaericus*, *staphylinus*, *striatus*, *unifasciatus*, *villosus*, *virens*.

Monocystis *agilis**.

Monodacna *caspia*, *catillus*, *intermedia*, *pontica*, *propinqua*.

Monodactylus (P.) *falciformis*.

Monodactylus (R.) *anguineus*, *anguinus*.

Monodelphis *brachyura**.

Monodesmus *callidioides*.

Monodicrana *terminalis*.

Monodon *alba*, *andersonianus*, *fahulosus*, *microcephalus*, *narval*, *vulgaris*.

Monodonta (G.) *aegyptiaca*, *aglietti*, *angulatum*, *apicina*, *araonis*, *articulata*, *atra*, *atrata*, *australis*, *baccata*, *badia*, *belliae*, *benettiae*, *bertheloti*, *bicolor*, *bicostata*, *bidentata*, *canaliculata*, *canalifera*, *carchedonius*, *carneola*, *cassiana*, *catenifera*, *cerberi*, *cincta*, *concamerata*, *conica*, *constricta*, *corallina*, *coronaria*, *couturii*, *crassa*, *crenulata*, *delphinula*, *denticulata*, *draparnaudi*, *elegans*, *exoluta*, *flexuosa*, *fragarioides*, *fulminata*, *fusca*, *glandula*, *glomus*, *gracilis*, *granulata*, *heliciformis*, *jussieui*, *jussioei*, *kraussi*, *lactea*, *laevigata*, *lessoni*, *limbata*, *lineata*, *listeri*, *livida-maculata*, *lugubris*, *lupina*, *lyelli*, *maculos-triata*, *mamilla*, *margaritaria*, *margaritula*, *marginata*, *maxillata*, *melanoloma*, *modulus*, *moulini*, *muricatus*, *napoleonis*, *nodosa*, *obscura*, *odontus*, *olivieri*, *ornata*, *osiin*, *pagodus*, *papillosa*, *pharaonis*, *picta*, *polydonta*, *pulcherrima*, *punctulata*, *punicea*, *purpurea*, *quadrula*, *reticularis*, *retusa*, *richardi*, *ringens*, *rosea*, *rudis*, *rugosa*, *rustica*, *sayi*, *seminigra*, *solida*, *spirata*, *striata*, *subnodosa*, *subrostrata*, *supranodosa*, *taeniata*, *tectum*, *tectum persicum*, *tescellata*, *tinei*, *tricarinata*, *tridentata*, *trochlea*, *trochleata*, *tuberculata*, *turrita*, *ulvae*, *undata*, *undulata*, *vieilloti*, *villana*, *virgata*, *viridis*, *zebra*.

Monodonta (L.) *undulata*.

Monodontomerus *aereus*, *cupreus*, *dentipes*, *nitidus*, *obscurus*, *obsoletus*, *stigma*.

Monoecca *brasiliensis*.

Monohammus *agenor*, *alcanor*, *alternatus*, *ambigenus*, *anterior*, *bianor*, *bifasciatus*, *daleni*, *gibbifer*, *guttatus*, *luctor*, *maculosus*, *marcipor*, *mixtus*, *mucoreus*, *plorator*, *praetornis*, *pulcher*, *pulverulentus*, *punctulatus*, *quadrifasciatus*, *quaestor*, *rhetenor*, *rhubetor*, *salutarius*, *scutellatus*, *tomentosus*, *vastator*, *westwoodi*. *Vide et Monochamus*.

Monolabis *conica*, *gracilis*.

Monolepis *inermis*, *orientalis*, *spinitarsus*.

Monolepta *croceicollis*, *cruciata*, *occipitalis*.

Monolobus *testaceus*.

Monomachus *apicalis*, *falcator*, *fuscator*, *gladiator*, *klugi*, *lateralis*, *ruficeps*, *segmentator*.

Monomacra *inermis*.

Monomma *brunnipes*, *giganteum*, *irroratum*, *klugi*, *maculatum*, *nigritum*, *pusillum*, *resinorum*.

Monomyces *affixa*, *anthophyllum*, *eburneus*, *patella*, *septatus*.

Mononychus *ireos*, *pseudacori*, *salviae*, *superciliaris*, *syriacus*, *vittatus*, *vulpeculus*.

Mononyx *badii*, *fuscipes*, *grandicollis*, *laticollis*, *raninus*, *raptoria*, *sordidus*, *suberosus*, *variegatus*.

- Monopeltis capensis*.
Monophadnus inquilinus.
Monophleba dubia, *leachi*.
Monophlebus atripennis, *burmeisteri*, *fabricii*, *fuscipennis*, *illigeri*, *raddoni*, *saundersi*.
Monophora (Ech.) *darwinii*.
Monophora (Nud.) *asperum*, *noctiluca*.
Monophylla megatoma, *terminata*.
Monophyllus leachi, *redmani*, *reedmanni*.
Monopis rusticella.
Monopleura birostrata, *cingulata*, *depressa*, *imbricata*, *sulcata*, *urgonensis*, *varians*.
Monoplex australasiae, *capitatus*, *cornutus*, *formosus*, *oboesus*.
Monoplia tetra.
Monopon pulicare.
Monopora globosa, *incurva*.
Monopsis tabida.
Monopterhinus ciliaris, *cinereus*, *colombinus*, *griseus*.
Monopterus cinereus, *helvolus*, *javanicus*, *laevis*, *marmoratus*, *xanthognathus*.
Monoptygma alabamensis, *elegans*.
Monornis perpulchra.
Monostoma album, *attenuatus*, *bijugum*, *capitellatum*, *caryophyllum*, *caryophyllum*, *cochleariformis*, *conicum*, *cornu*, *crenulatum*, *crucibulum*, *ellipticum*, *faba*, *filicollae*, *filum*, *flavum*, *foliaceum*, *galeatum*, *geminum*, *gracile*, *himantopodis*, *idi*, *lentis*, *leporis*, *lineare*, *macrostomum*, *marcenulae*, *marillae*, *mollae*, *octopodis*, *orbiculae*, *petasatum*, *pileatum*, *praemorsum*, *pseudamphistomum*, *rubrum*, *sepiolae*, *setteni*, *sulcatum*, *tenuicollae*, *thethyae*, *thethydis*, *todari*, *trigonocephalum*, *vanelli*, *ventricolum*, *ventricosum*, *vespertilionis*.
Monostomum alveatum, *constrictum*, *cymbium*, *delicatum*, *echinostomum*, *expansum*, *filigerum*, *gibbum*, *hippocrepis*, *holostomoides*, *impudens*, *lacertae*, *liguloideum*, *microstomum*, *nematoides*, *nephriticum*, *pingue*, *spirale*, *squamula*.
Monostomus plicatus.
Monostyla cornuta, *luuaris*, *quadridentata*.
Monotaxis indica.
Monotis aequalis, *alberti*, *decussata*, *elevata*, *garforthensis*, *gryphaeoides*, *inaequivalvis*, *lineata*, *poulsoni*, *princeps*, *radialis*, *radians*, *salinaria*, *similis*, *speluncaria*, *subcostata*, *substriata*.
Monotoma americana, *angustata*, *angusticollis*, *axillaris*, *bicolor*, *blavii*, *brevicollis*, *brevicornis*, *brevipennis*, *caucasicum*, *conicicollis*, *conicollis*, *formicetorum*, *fulvipes*, *gracilis*, *juglandis*, *longicollis*, *obtusicollis*, *opaca*, *pallida*, *picipes*, *puntaticollis*, *quadracollis*, *quadrifoveolata*, *quadririmpres*, *quisquiliarum*, *rondani*, *rufa*, *scabra*, *spmicollis*, *terebrans*, *testacea*, *trapezicollis*.
Montacuta bidentata, *cylindrica*, *donacina*, *ferruginosa*, *glabra*, *oblonga*, *ovata*, *pumila*, *purpurea*, *substriata*, *tenellae*, *truncata*.
Montagua (Cr.) *subterranea*.
Montagua (Nud.) *amoena*, *angulata*, *annulata*, *arenicola*, *bella*, *caerulea*, *cingulata*, *concinna*, *farrani*, *glauca*, *gymnota*, *longicornis*, *lottini*, *nana*, *natans*, *olivacea*, *pallida*, *peregrina*, *pinnata*, *purpurascens*, *rubra*, *tricolor*, *viridis*.
Monticola cinclorhyncha, *cyanus*, *rupestris*, *saxatilis*.
Monticularia areolata, *bourgueti*, *conferta*, *cuvieri*, *cyclostoma*, *folium*, *guettardi*, *hexagona*, *knorri*, *lobata*, *meandrina*, *meandrinoides*, *microconos*, *molli*, *obtusata*, *polygonata*, *sternbergi*, *styriana*, *testacea*.
Monticularis exesa, *molli*, *polygonalis*.
Monticulipora cervicornis, *cribrosa*, *filiosa*, *frondosa*, *frustulosa*, *globosa*, *inaequalis*, *incrustans*, *mamillosa*, *mammulata*, *muricata*, *neocomiensis*, *pustulosa*, *ramosa*, *ramulosa*, *ricordeana*, *verrucosa*.
Montifringilla arctoa, *brunneinucha*, *glacialis*, *griseinucha*, *nemicola*, *nivalis*, *pustulata*, *tephrocotis*.
Montina sinuosa.
Montipora lima, *papillosa*, *rosacea*, *spumosa*, *tuberculosa*, *verrucosa*.

Montlivaltia *acaulis*, *atlantica*, *bilobata*, *boletiforme*, *brevissima*, *broggiartiana*, *caespitosa*, *calvimontii*, *capitata*, *caryophyllata*, *cellulosa*, *contorta*, *convexa*, *cornucopia*, *cornuta*, *crenata*, *decipiens*, *deltoides*, *detrita*, *dilatata*, *dispar*, *dychotoma*, *excavata*, *goldfussiana*, *gracilis*, *granulosa*, *gregaria*, *guerangeri*, *guettardi*, *hippuritiformis*, *icaunensis*, *inaequalis*, *infundibulum*, *irregularis*, *lesueuri*, *lotharinga*, *lucensis*, *obconica*, *obliqua*, *orbitolites*, *pateriformis*, *pictaviensis*, *pygmaea*, *radiciformis*, *regularis*, *ricordeana*, *rudis*, *rugosa*, *sinemuriensis*, *striatulata*, *subrugosa*, *sycodes*, *triasina*, *trochoides*, *trouvillensis*, *truncata*, *zieteni*.

Montlivaultia *moreausiaca*, *obconica*.

Monura *adriatica*, *colurus*, *dulcis*, *schranksi*.

Mopalia *blainvillei*, *hindsii*, *simpsoni*.

Mops *indicus*.

Mopsea *costata*, *dichotoma*, *erythraea*, *gracilis*, *mediterranea*, *verticillata*.

Mora *mediterranea*.

Mordella *aethyops*, *albo-signata*, *ambigua*, *angustata*, *antarctica*, *anthracina*, *aradasiensis*, *arctica*, *argentifera*, *argentipunctata*, *aspera*, *atomaria*, *atrata*, *attenuata*, *aulica*, *aurofasciata*, *aurulans*, *australis*, *axillaris*, *bicolor*, *bidentata*, *bifasciata*, *biguttata*, *biguttula*, *bihamata*, *bimaculata*, *bispunctata*, *bisignata*, *boleti*, *brevicauda*, *briantea*, *brunnea*, *carolinensis*, *caucasica*, *cicatricata*, *cinerea*, *clavicornis*, *collaris*, *decemguttata*, *decora*, *discoidea*, *discolor*, *duodecimpunctata*, *elongata*, *exilis*, *femoralis*, *ferruginea*, *flavescens*, *flavifrons*, *flavipennis*, *flavopunctata*, *fulvicollis*, *funesta*, *fusca*, *fuscata*, *fuscipennis*, *grisea*, *haemorrhoidalis*, *hamata*, *heros*, *hilaris*, *humeralis*, *humerosa*, *imperator*, *insidiosus*, *irrorata*, *latreillei*, *leucaspis*, *leucosticta*, *limbalis*, *limbata*, *lineata*, *liturata*, *lottini*, *lunata*, *lunifera*, *lutea*, *luteoguttata*, *maculiventris*, *marginalis*, *marginata*, *marmorata*, *means*, *melaena*, *micans*, *mixto*, *modesta*, *multiguttata*, *multipunctata*, *multisignata*, *neuwaldeggiana*, *nigerrima*, *nigra*, *nigricans*, *nigricollis*, *obscura*, *obsoleta*, *octoguttata*, *oculata*, *ornata*, *pallida*, *parvula*, *pectoralis*, *picea*, *picta*, *plagiata*, *plebeja*, *populnea*, *promiscua*, *pumila*, *punctata*, *pusilla*, *pustulata*, *quadrisingnata*, *rubida*, *rufa*, *rufocephala*, *rufilabris*, *scapularis*, *scutellaris*, *sericans*, *sericea*, *serval*, *silphoides*, *splendidula*, *strigipennis*, *strigosa*, *subdiptera*, *tachyporiformis*, *testacea*, *thoracica*, *tibialis*, *tomentosa*, *tricolor*, *trifasciata*, *troglydites*, *undulata*, *urvillei*, *ventralis*, *vittata*.

Mordellina *inclusa*.

Morolia *argus*, *punctata*, *spilotes*, *variegata*.

Morrellia *aenescens*, *agilis*, *concolor*, *horticola*.

Morothia *anomalus*.

Morhua *aeglefinus*, *lusca*, *punctatus*. *Vide et Morrhua*.

Morica *jevini*, *obtusa*, *octocostata*, *planata*.

Morimus *funestus*, *luctuosus*, *lugubris*, *tristis*, *verecundus*.

Moringua *linearis*, *lumbricoidea*.

Morinia *agilis*, *anthracina*, *claripennis*, *fimbriata*, *fuscipennis*, *melanopectera*, *nana*, *obscura*, *parva*, *rubescens*, *velox*.

Morio (Col.) *aequatorius*, *anthracinus*, *brasiliensis*, *carinatus*, *cayennensis*, *colchidicus*, *cordatus*, *dentipes*, *georgiae*, *guineensis*, *lafertei*, *olympicus*, *orientalis*, *parallelus*, *pygmaeus*, *simplex*.

Morio (G.) *aeneae*, *ambiguus*, *carinatus*, *coronatus*, *echinophorus*, *flexuosus*, *funiculosus*, *harpaeformis*, *monilicornis*, *nodosus*, *striatus*, *substriatus*, *textilosus*, *thesei*, *tyrrhenus*.

Morion *monilicornis*.

Moris *bassana*.

Mormidea *obtusa*, *ypsilon*.

Mormo *maura*, *typica*.

Mormolyce *phyllodes*.

Mormon (A.) *arctica*, *cirrhatas*, *corniculata*, *fratercula*, *glacialis*, *grabae*, *polaris*, *psittacula*, *pygmaea*, *superciliosa*.

Mormon (M.) *drill*, *maimon*.

Mormonia (Lep.) *epione*.

Mormonia (Neur.) *gracilicornis*, *hirta*, *immaculata*, *maculicornis*, *minor*, *nigromaculata*.

Mormoops *blainvillei*.

Mormyrorhynchus gronovei.

Mormyrus abbreviatus, bachiqua bane, bebe, bovei, dendera, dequesne, dorsalis, ehrenbergi, elongatus, geoffroyi, hasselquist, herse, isidori, joannisi, jubelini, labiatus, longipinnis, nacia, oxyrhynchus, rume, salahie, tuckeyi.

Morodactylus cinereus.

Morone flavescens, maculata, pallida, rufus.

Morphastrea escharoides, ludovicianus.

Morpheis ehrenbergi, pyracmon, scalaris, smerintha.

Morphinus dubius.

Morphnus atricapillus, buson, coronatus, cristatus, guianensis, harpyia, hastatus, limmaetus, maculosus, manduyti, meridionalis, mexicanus, niveus, occipitalis, ornatus, sonnini, superbus, tyrannus, urubitinga.

Morpho acadina, achilles, actorion, adonis, amphinache, anaxandra, anaxarete, anaxibia, andromachus, anasia, antimache, aorsa, atreus, aurelius, automedon, berecynthus, camadeva, caryatis, cassiae, celinde, chalciope, cytheris, demophaena, epistrophis, eurylochus, godarti, hecuba, helenor, idomeneus, ilioneus, inachis, jairus, klugius, laertes, leonteus, martia, menelaus, menetho, metellus, odana, ogina, omphale, peleides, perseus, phidippus, prometheus, reinwardtianus, rhetenor, rusina, saronia, sulkowskyi, sysiphe, taramela, teucer, tullia, xanthus.

Morphoides limbatus, nebulosus.

Morrhua americana, barbata, bib, blennoides, callarias, fabricii, minuta, ogae, pruinosa, saida, vulgaris. *Vide et Morhua.*

Mortieria vertebralis.

Morua capellanus.

Morula papillosa.

Morunga elephantina, proboscidea.

Morus bassanus, parvus, piscator, sula.

Morychus aeneus, auratus, modestus, nitens.

Mosasaurus bavaricus, belgicus, camperi, carolinensis, couperi, dekayi, gracilis, maximiliani, minor, stenodon.

Moscata cylindrica.

Moschata rhododactyla.

Moschatus moschatus.

Moschilus furcatus.

Moschus altaicus, antiquus, aquaticus, armatus, bengalensis, chrysogaster, fulviventris, griffithi, kanchil, kranchil, leucogaster, meyeri, murinus, napu, pelandoc, pratti, saturatus, stanleyanus.

Mosellaesaurus rostro-minor.

Mosia nigrescens, vespertilionina.

Mosillus arcuatus, casei, demandata, frit, subsultans.

Mosina connexa, dejeani, filipes, fulva, latreillei, nigra, pubera.

Motacilla acutipenna, acutipennis, aedon, aguimp, alauda, alba, albeola, alboides, altera, amboiensis, apus, arenaria, asiatica, atricapilla, aurantia, aurata, aureocapilla, lustrigata, bivittata, boarula, borbonica*, brachyrhynchos, brachyura, brissoni, caeruleus, cambaiensis, campestris, canadensis, canescens, cantator, capensis, carolinensis, caroliniana, certhiaria, certhiola, cervina, chrysogastra, ciliata, cimbricus, cinerea, cinereo-capilla, citrea, citrina, citrinella, clava, coelebs, coerulecula, coryphaeus, cucullata, cursor, curvata, cyanea, cyanecula, cyanoleuca, dauura, diophrys, domestica, dubia, dukhunensis, dumeticola, elata, erythrouros, familiaris, feldegg, fimbriata, nitreola, flava, flaveola, flavescens, flaviventris*, formicivora, frontalis, fusca, garrula, gracula, grisea, gularis, guzurata, hodgei, imperator, inornata, insularis, isabella, kaleniczenki, lateralis, leucogastra, leucopsis, leucoptera, lichtensteini, lindermayeri, locustella, locustrina, longicauda, longicaudata, lotor, lugubris, luteola, maculosa, madraspatana, media, melanocephala, melanoleuca, melanoxantha, melanura, melogaster, minima, minor, mistacea, montana, montium, naevia, neglecta, nigra, nigralba, nigricans, offinis, olivacea, ophthalmica, oxura, pastor, pavo, pectoralis, philomela, philomena, picata, pileolata, pincip, pinus, platensis, pleshanka, poliocephala, proregulus, pyrenaica, rayi, rhenana, rubetta, rubiginosa, rubra, rubricapilla,

ruicapae, ruficastra, rupetra, salidaria, sartoria, sepiua, septentrionalis, seticauda, simplex, speciosa, sperata, spipola, stapetola, strapazina, striata, subflava, subviridis, sulphurea, sunamistica, superciliosa, sylvatica, sylvestris, sylvicola, sylviella, teherie, thoracia, thoracica, thunbergi, tractrae, trichias, trochiloidea*, turdus, undata, vail-lanti, variegata, velificans, vernalis, vidua, vitiflora, vulgaris, xanthoschista, yarrelli.

Motella argentata, argenteola, caudacuta, ensis, fusca, glauca, mediterranea, mustela, pacifica, tricirrata, unicolorata.

Motmot donbey, guianensis.

Moulinia cassidulina.

Moulinia nunezi.

Mouretia costata, peruviana, reticulata, stellata.

Mouretus adansoni.

Mozena spinierus.

Mucanum canaliculatum.

Mucedo mirabilis.

Mucropalpus fallax, fuscinervis, obscurus, parvulus, pygmaeus.

Mülleria (Cr.) grossimana.

Mülleria (Ech.) echinites, guamensis, lecanora, lineolata, mauritana, miliaris. *Vide et Mulleria.*

Muensteria anatiformis, canalifera, cuneata, lamellosa, praelonga, sulcata.

Mufetia autissiodorensis.

Mugil abu, acutus, albula*, amarus, atherina, auratus, axillaris, bispinosus, borbonicus, brasiliensis, breviceps, brevis, broussoneti, buosega, caeruleomaculatus, capensis, capito, carinatus, cascasia, caustelus, cephalotus, cephalus, chaptali, chelo, ciliilabris, cirrhostomus*, constantiae, corrugatus, corsula, creuilabris, cryptocheilus, cunnesius, curema, curtus, curvidens, cylindricus, dubahra, dussumieri, euronotus, falcipinnis, fasciata, ferandi, forsteni, gigas, grandisquamis, grunniens, guphus, haematochilus, japonicus, labeo, labiosus, lauvergni, liza, lotreganus, macrolepidotus, macrolepis, maderensis, melaneraus, melanocheir, melanopterus, minutus, multilineatus, obliquus, parmatius, parsia, pedaraki, peradaki, peroni, perusi, petrosus, planiceps, princeps, provenalis, ramada, rammelsbergi, richardsoni, saliens, salmonea, squamipennis, strongylocephalus, subviridis, tranquebar, vaigiensis, ventricosus, vulpinus, xanthurus.

Mugiloides chilensis.

Mugilomorus anna-carolina.

Muisca bitaeniata.

Mulinia bicolor, byronensis, crassidens, donaciformis, edulis, exalbida, lateralis, typicus.

Mulio apiarius, aureus, aurentus, bidens, brevirostris, cinereus, clavicornis, dubius, fasciatus, fasciolatus, frontalis, fuscus, globosus, holosericeus, infuscatus, leucoprocta, linearis, nigrita, obscura, punctipennis, serratus, virens, zonatus.

Mulleria digitata, papillosa. *Vide et Mülleria* (Ech.).

Mullus aureovittatus*, bandi, barberinus, bensasi, bifasciatus, chryserydros, chryso-pleuron, cyclostomus, dubius, flavolineatus, fuscatus, fuscus, indicus, lateristriga, macronema, major, malabaricus, manilensis, minor, multifasciatus, ruber, rubescens, surmulletus, trifasciatus, vittatus.

Mungos fasciatus, gambianus, vitticollis. *Vide et Mongo.*

Munia acuticauda, ferruginea, fringilloides, fuscata, leuconota, lineoventer, malacca, minuta, oryzivora, punctularia, quincticolor.

Munida bamfia, rondeleti, rubroniger, rugosa.

Muni-felis bonaerensis.

Munna boeckii, fabricii, kroyeri.

Muntjacus reevesi, vaginalis.

Muraena acerina, afra, africana, albimarginata, anatina, anguilla, arabica, argentea, atomaria*, bagio, balearica, bengalensis, bilineata, bostoniensis, bullata, cadomensis, cancellata, canina, cassini, catenata, cateuula, cerino-nigra, cinerascens, colubrina, erythroptera*, fimbriata, flavimarginata, geographica*, geometrica, gracilis, grisea, griseo badia, guseau, guttata, hauannensis, havi, hepatica, isingleena, kidako, latirostris, lentiginosa, lewesiensis, lineo-pinnus, lita, macrocephala, maculosa, marmorata, minor, molendinaris, moringa, mystax, nigra, nubila, ocellata, oxyrhina, pantherina,

pardalis, pavonina, platyrrhina, polyzona, prasina, punctata, raitaboura, reevesi, reticularis, reticulata, romana, rostrata, saga, sagenodeta, savanna, serpentina, siderea, similis, sordida, stellata, stellifer, tenebrosa, tessellata, thyrsioidea, tigrina, valenciennii, vamos, variegata, vermiculata, viridis, zebra. *Vide et Murena.*

Muraenox bengalensis, exodontata, hamiltoniae, lanceolata, serradentata, tricuspidata.

Muraenoblenna olivacea.

Muraenoides gunnellus.

Muraenophis afra, africana, appendiculata, bengalensis, catenula, colubrina, cristini, echidna, flaveola, fulva, grisea, haui, lineata, macularia, marmoreus, nigricans, ocellata, pantherina, reticularis, saga, sathete, stellata, tile, undulata, unicolor, zebra. *Vide et Murenophis.*

Muraenopsis tridactylum.

Murchisonia abbreviata, anglica, angulata, angustata, antiqua, autitorquata, archiacina, articulata, baltica, bellicineta, biarmica, bicincta, bigranulosa, bilineata, binodosa, breve, brongniartiana, cingulata, contraria, corallis, coronata, defrancei, elongata, excavata, fusiformis, geminata, gracilis, grandaeva, hercynica, humboldtiana, intermedia, josephi, laeomii, lloydi, nana, perangulata, plicata, polygrapha, pulchra, quadricarinata, regularis, scalaris, sedgwickiana, spinosa, spiralis, spirata, striatula, subabbreviata, subangulata, subfusiformis, subovata, subsulcata, sulcata, suturalis, taeniata, tricarinata, tricineta, trilineata, triserialis, turbinata, uniangulata, unicincta, varicosa, ventricosa, verneuilliana, vittata.

Murcia acaroides, acuminata, ephippiata, fumigata, obsoleta, rubra, trimaculata.

Murena punctata, variegata. *Vide et Muraena.*

Murenophis porphyreus. *Vide et Muraenophis.*

Murex A, abbreviatus, absonus, acanthopterus, accinctus, aciculatus, aciculiger, aculeatus, acuminatus, acuticosta, adansonii, aduncospinosus, aduncus, adustus, adversus, affinis, alabaſter, alatus, albellus, alberti, albicans, albiſſinus, alternata, alternicosta, aluſter, aluchensis, alucoides, alutaceus, alveolatus, ambigua, americanus, amphora, amplustre, ananas, angularis, angulata, angulatus, anguliferus, angulosus, anonymus, antillarum, antiquus, aquitanicus, arabicus, armata, armigerus, articulatus, asper, asperrimus, assimilis, attenuatus, aurantius, australis, axicornis, badius, baeticus, balteatus, bamfius, bandatus, banksi, barrandei, bartonensis, beaumonti, becki, belcheri, bellus, bicarinatus, bicaudatus, biciuctus, bicolor, bicostatus, bieristatus, bifidus, bipinnatus, bispinosus, bisulcatus, bitubercularis, blainvilliei, borvini, bonellii, bounaui, borealis, borsoni, boveus, bracteatus, brandusius, brassica, brevicanthus, brevicauda, breviculus, brevifrons, brevis, brevispina, brochii, brongniarti, bronni, buccinatus, buccinoides, bucephalus, bulbiformis, burnetti, buxeus, C, caenosus, calcar, calcaratus, calcitrapa, calcitrapoides, calnus, californicus, calliginosus, calliope, callosus, canalifer, canaliferus, cancellarioides, cancellatus, cancellinus, candidatus, caniculatus, capensis, capito, capucinus, carduus, carinatus, carinella, cariniferus, cariosus, cataphractus, caudicula, cellulosa, centrifuga, ceratus, cervicoides, chlorostomus, chordula, cinereus, cingulatus, cingulifera, cinguliferus, cinosurus, cirrosus, clandestinus, clathratus, clavator, clavatulus, clavatus, clavus, cleryi, coccineus, colosseus, colubrinus, columnius, complicatus, comus, concatenatus, concinnus, confluent, coniferus, conradi, consul, contabulatus, contiguus, contrarius, corallinus, corneus, cornigerus, coronatus, corrugatus, costellifer, costularis, costulatus, crassicostatus, crassilabris, crassilabrum, crassispina, crassivariosa, crassus, cratellatus, crenatus, crispatus, crispus, cristatus, crocatus, cumingi, cuniculosus, curtus, curvica, curvirostris, cyclostoma, cyrilli, czjeki, daubuissonius, decussatus, deltoſus, delbosianus, delle chiaie, dentatus, denudatus, depressus, deshayesi, despectus, dextrosus, digitatus, dimidiatus, dipsacus, distans, distinctus, distortus, doliare, dolium, dolium, domingensis, dubius, ducalis, dufrenoyi, dunkeri, duplicatus, ebeninus, eburneus, echinatus, edwardsi, eagineus, elabiatus, elegans, elongatus, emarginatus, endivia, engonatus, epidaurus, erinacioides, erithrostomus, erosus, erythrostomus, eurypteron, eurystomus, exasperatus, excisus, exertus, exiguus, exilis, falcatus, fascialis, fasciatus, femorale, fenestella, fenestratus, ferrugineus, ferrugo, festivus, ficoides, filiosus, fimbriatus, fistulatus, fistulosus, flavus, flexicauda, florifer, fluctuosus, foliaceus, foliatus, folineae, forceps, formosus, fortis, foveolatus, frondosus,

fruticosus, fulgurans, fumisugium, funiculatus, ~~funiculus~~, funiculus, fusiformis, fusulus, galeodes, gambiensis, genei, genevensis, geoffroyi, gibbosus, gigantea, glockeri, gonistomus, gracilis, gradatus, granarius, graniferus, granosus, granulatus, granuliferus, granululosus, gravidus, gubbi, guttatus, gyratus, gyrioides, haccaensis, haemastoma, hamatus, harpula, haustellum, hemitripteris, heptagonus, hexagonus, hippocastanum, hordeolus, horrida, horridus, humilis, imbricatus, imperialis, inca, incisus, incrassatus, inermis, inflatus, intereius, intermedius, interruptus, intortus, inversus, jatonus, kiencri, klipsteini, labiatus, labiosa, labiosus, labrosus, lacerus, laciniatus, lactuca, laevicosta, laevis, lamarkii, lamellatus, laminiferus, lapelliformis, lappa, laqueatus, lassignei, latilabris, latus, lavatus, lepidus, leucoderma, leucozonalis, levis, lincaris, lineata, lineatus, lingua, lingua-bovis, lingua-vervicia, longicaudus, longiroster, luculentus, lugubris, lyratus, M+A, macropterus, maculatus, mammillata, mantelianus, mantelli, margaritaceus, margariticola, marginata, marginatus, marmoratus, martinianus, massenae, maurus, megacerus, melonulus, messorius, metaxa, meyerdorffi, microphyllus, micropterus, minax, mindanaensis, minutus, mississippiensis, mitra, mitraeformis, mitratus, mitriformis, moluccanus, monile, monoceros, monodon, morbosus, moriformis, morulus, morum, multicostatus, multilamellosus, mulus, mundus, muricatus, nanus, napus, nebula, nereii, nifat, nigrescens, nigrispinosus, nigrita, nitidus, nodatus, nodiferus, nodosa, nodosus, nodularis, nodulatus, noduliferus, nodulosa, nodulosus, norrisi, notatus, novemcostata, nucleus, nucleus, nucula, nuttalli, nux, nysti, obeliscus, oblongus, obtusangulus, occa, ochraceus, octogonus, oculus, orbignianus, orcomenus, ornatus, osseus, ostreareum, ovalis, oxyacantha, paioodoa, pallidus, palmarosae, palmiferus, papilla, papyraceus, parthenopus, patagonicus, pauperculus, pausia, pauwelsi, payraudau, pecten, pellucidus, pentagonus, peritus, peruvianus, phyllopterus, pictus, pinnatus, pinniger, pinnuliferus, piriformis, pistachia, pistacia, planiliratus, pleurotoma, pleurotomoides, plicatilis, plicatus, pliciferus, plorator, poelarius, politus, polygonulus, polymorphus, pondicherriensis, porcatus, porulosus, postdiluvianus, princeps, proximus, pseudo-brandaris, pseudo-phyllopterus, pudicus, pudoricolor, pulchellus, pulcher, pullus, pumilus, punctatus, purpura, purpureus, purpuroides, puschanus, pustulatus, pyramidalis, pyraister, pyrolatus, quadratus, quadrifrons, radicatus, radícula, ramosus, ramulosus, ranelloides, rarispina, rectirostris, recurvirostris, regius, regularis, reticulata, reticulatus, reticulosus, reticulum, retusus, rhodocheilus, ricinuloides, rigidus, rolandius, rorifluis, rosarium, roseus, rostellariiformis, rostratus, rota, rotatus, rotifer, rubescens, rubicunda, rubicundus, rubiginosus, rubridentatus, rudis, rufus, rugosus, rusticus, salebrosus, salmo, sanguineus, sapphus, sauli, savignus, saxicola, scaber, scaberoides, scabrosus, scalariformis, scalarinus, scalaris, scalaroides, scolopax, scopulorum, secundus, sedgwicki, semicostatus, semi-granosus, septangularis, septemangulatus, septemnarius, serratus, sexcostatus, sexdentatus, similis, simplex, sinensis, sinistralis, sinuosus, siphoniferus, sirat, smithi, solidus, sowerbyi, spectrum, spengleri, spinicosta, spinosus, spinulosus, spirata, spondylium, squamosus, squamula, squamulatus, squamulosus, stainforthi, steeria, striaeformis, striatulus, striatus, strigatus, subangulatus, subantiquatus, subantiquus, subcarinatus, subconatus, subcristatus, subdistortus, suberinaceus, subglobosus, sublavatus, subrudis, subulatus, succinctus, sulcatum, sulcatus, sulcifer, sutura, swainsoni, sylvia, syphonellus, tampaensis, tarentinus, taurinensis, taxus, tenuirostrum, tenuispina, ternispina, territus, tessulatus, tetragonus, tetrapterus, textile, textilosus, thiara, tigrinus, tornatus, torosus, torrefactus, tortuosus, torularius, transversalis, trialatus, triangularis, tricarinatus, tricharinoides, trichinopolitensis, tricinatus, tricolor, tricosatus, triecspidatus, trifascialis, triformis, trifrons, trigonularis, trigonulus, trigonus, trilineatus, triplicatus, tripteroides, tripterus, triquetra, trunculoides, tubercularis, tuberosus, tubifer, tubula, tumulosus, turbinatus, turonensis, turricula, turritus, umbifer, uncinarius, unguatus, unicornis, unifasciatus, vaginatus, variabilis, varians, varicosus, variegatus, varius, ventricosus, versicostatus, vibex, viperinus, virgatus, virgineus, virgo, vittatus, vitulinus, volutatus, vulpeculus, wahlbergi, zelandicus, zonalis.

Muricanthus melanomathus, radix.

Muricea calyptrata, cerea, elongata, furfuracea, placomus, spicifera, sulphurea, verticillaris.

Muricidea *ermacea*, hexagona, lamellosa, magellanicus, *peruviana*, scaber, senticosa.

Muricites *aciculatiformis*, *aculeatus*, *aluciformis*, *assimilis*, *auriculatus*, *carbonarius*, *cognatus*, *costatus*, *costellatus*, *elegans*, *fistulatus*, *funiculatus*, *gracilis*, *granulatus*, *hispidulus*, *incrustatus*, *mammillatus*, *melaniaeformis*, *melanoides*, *nisus*, *noachicus*, *pentagonatus*, *plicatiformis*, *pygmaeus*, *pyrastriformis*, *radulaeformis*, *striatuliformis*, *strombiformis*, *subcanaliculites*, *subcostatus*, *subgranulatus*, *substriatus*, *torrilosiformis*, *trapeziiformis*, *tritonis*, *turbinatus*, *turritellatus*, *volutinus*, *vulcanicus*.

Murina *suillus*.

Murmidius *ferrugineus*.

Mursia *armata*.

Murtia *minna*.

Mus *abbotti*, *abyssinicus*, *adclaudensis*, *aequicaudalis*, *affinis*, *albipes*, *albiventer*, *albo-cinereus*, *alexandrinus*, *alleui*, *americanus*, *angouya*, *anguya*, *aniciensis*, *anomalus*, *aquaticus*, *arabicus*, *areicola*, *asiaticus*, *aureolus*, *auritus*, *australasicus*, *aymardi*, *azarae*, *azoricus*, *bactrianus*, *bandicot*, *binaculatus*, *boodaga*, *booduga*, *brachiotis*, *brasilianus*, *brasiliensis*, *brevirostris*, *brunneus*, *brunneusculus*, *buccinatus*, *cafer*, *cahirinus*, *californicus*, *callosus*, *campestris*, *canadensis*, *canellinus*, *canescens*, *capito*, *carolinensis*, *castaneus*, *castorides*, *caudatior*, *cayennensis*, *cephalotes*, *cervicolor*, *ceylonus*, *cinereus*, *cinnamomeus*, *coeruleus*, *coffaeus*, *colonus*, *concha*, *conditor*, *cumingi*, *darjilingensis*, *darwinii*, *debilis*, *decumanoides*, *delicatulus*, *dembeensis*, *desmaresti*, *dichurus*, *dimidiatus*, *discolor*, *dolichurus*, *domus*, *donavani*, *donovani*, *dorsalis*, *dubius*, *dumetolus*, *dumeticola*, *elegans*, *elliotti*, *expulsas*, *expulsus*, *exulans*, *fasciculatus*, *flavescens*, *flavicollis*, *flaviventris*, *floridanus*, *fossorius*, *frugivorus*, *fulvescens*, *fuscipes*, *fuscirostris*, *fuscus*, *galapagoensis*, *gentilis*, *giganteus*, *gigas*, *gouldii*, *gracilicaudatus*, *gracilipes*, *greyi*, *griseoflavus*, *groenlandicus*, *hardwicki*, *hayi*, *hibernicus*, *hirsutus*, *hispidulus*, *hispidus*, *homocourus*, *horeites*, *hortulanus*, *hovelli*, *humulis*, *hydrophilus*, *ieria*, *imberbis*, *incomtus*, *infuscatus*, *insularis*, *intermedius*, *irroratus*, *islandicus*, *jacobiae*, *javanus*, *kahirinus*, *kandianus*, *kok*, *lanuginosus*, *lasiotis*, *lasiurus*, *laticeps*, *latipes*, *lauchia*, *lauchita*, *le conti*, *lebocla*, *lemogaster*, *lepidus*, *leptosoma*, *leucogaster*, *leucopus*, *leucosternum*, *limbatus*, *lineatus*, *lineolatus*, *longicaudatus*, *longicaudus*, *longipilis*, *longitarsus*, *ludovicianus*, *lutescens*, *lutreola*, *macrolepis*, *macropus*, *macrourus*, *maculipes*, *magellanicus*, *malabaricus*, *maniculatus*, *marikueensis*, *mastacalis*, *mattus*, *maurus*, *megacephalus*, *megalotis*, *meltada*, *meridianus*, *meridionalis*, *mesomelas*, *nichiganensis*, *micropus*, *minutoides*, *modestus*, *muscardinus*, *myothrix*, *nasutus*, *natalensis*, *nemorivagus*, *newara*, *nezumi*, *nigricans*, *nigripes*, *nigrita*, *nitidus*, *niviventer*, *nordmanni*, *norvegicus*, *novae-hollandiae*, *obscurus*, *oleraceus*, *olivaceus*, *orientalis*, *orobinus*, *orycter*, *paedulus*, *palustris*, *parvulus*, *pecchiolii*, *pendulinus*, *penicillatus*, *pennsylvanicus*, *perchal*, *peruvianus*, *physodes*, *picteti*, *platurus*, *platythrus*, *povensis*, *praetextus*, *pratensis*, *principalis*, *pyctoris*, *pyrrhorinos*, *rattoides*, *rattulus*, *renggeri*, *robustus*, *rostellatus*, *rufescens*, *rufus*, *rupestris*, *russatus*, *rutilans*, *scherman*, *sciureus*, *septemvittatus*, *setifer*, *setosus*, *silaceus*, *speciosus*, *spinosus*, *squamipes*, *strophiatas*, *subcaeruleus*, *subflavus*, *subspinosus*, *sumatrensis*, *talpinus*, *tanezumi*, *tarso-ugra*, *tectorum*, *tetragonurus*, *tomentosus*, *torridarum*, *tumidus*, *tuza*, *urbanus*, *variegatus*, *vellerosus*, *verroxi*, *vignaudi*, *vitiensis*, *vittatus*, *volhinicus*, *vulpinoides*, *vulpinus*, *wagneri*, *xanthopygus*, *xanthorhinus*.

Musaraneus *cinereus*.

Musca *abbreviata*, *abdominalis*, *accincta*, *acromion*, *adumbrata*, *aerea*, *affinis*, *africa*, *agilis*, *agromyzina*, *albiceps*, *albicincta*, *albina*, *albipennis*, *albo-lineata*, *albo-maculata*, *albomicans*, *albula*, *albi*, *alpesa*, *aluta*, *ambigua*, *analis*, *anceps*, *anthracina*, *anti-quissima*, *ardea*, *aristata*, *armipes*, *assimilis*, *atherix*, *atra*, *atramentaria*, *atrutula*, *atricolor*, *atrifrons*, *aurifacies*, *aurilans*, *australia*, *australis*, *azurea*, *basilaris*, *bata*, *bibula**, *bicinctata*, *bicolor*, *bipuncta*, *borealis*, *bovina*, *braesia*, *buccata*, *cadaverum*, *caerulea*, *caerulescens*, *caesarion*, *caesia*, *calcarata*, *calisia*, *calleva*, *campestris*, *carinifrons*, *carinarida*, *carnifex*, *caruca*, *certima*, *chalybea*, *chalyboea*, *chilensis*, *chloris*, *chloropyga*, *chrysoptera*, *chrysorrhoea*, *cinerea*, *cinerella*, *cingulata*, *cluvia*, *coarctata*, *coerulata*, *coerulea*, *combrea*, *compressa*, *concinna*, *conformis*, *conica*, *consanguinea*, *consimilis*, *consobrinus*, *cornuta*, *corollae*, *costata*, *crassa*, *crassipennis*,

crassisetula, crax, cryptarum, cuprea, cuprina, curvipes, cyanea, *cyanea*, decolor, degener, dentipes, depressa, depuncta, diaphana, dilecta, dioctea, dispar, doctea, dolens, donysa, dorsalis, dorsomaculata, dubitata, dux, elara, elevata, elongata, emoda, ephippium, equestris, erinacea, erratica, erucarum, erythrocephala, esuriens, eustolia, eximia, familiaris, fasciata, ferina, fervida, festiva, flaviceps, flavicornis, flavipalpis, flavipennis, flavipes, flavissima, floralis, florescens, frigida, frontalis, fucina, fulvescens, fulvicornis, fulvimaculata, fulvipalpis, funesta, fuscata, fuscipennis, fuscula, fusiformis, gamella, genarum, geniculata, gentilis, germana, gibba, glabricula, grisea, griseocens, guineensis, gulo, haemorrhoea, haemorrhoidalis, lamata, harpyia, hamiens, helluo, hemiptera, hemipterus, heraea, hilaris, himella, hirsuta, hirta, hirticeps, hortensia, hortona, hortorum, hortulana, hottentota, humilis, hyalinata, icela, idessa, ilerda, illustris, importuna, iupuncta, inanis, incurvata, indica, inflata, internodia, interpunctionis, intricata, irritans, iacobaeae, laemica, laeta, lagyra, laticornis, latifrons, lauta, lepida, leucomelas, leucozona, liguriensis, illaea, limbata, lineata, lineola, liris, lithophila, litorea, liturariae, longipes, longula, lucorum, lucozona, luctuosa, lunata, lusoria, lyrycea, marginalis, marinea, marmorata, marsya, mazaca, mediana, meditata, melancholica, melanopsis, melanopecta, metallina, metilia, micans, minima, minor, minutior, mirabilis, moesta, mollicula, mollis, monachae, moneta, mortisequa, munda, muralis, murorum, muscaria, mutata, myopina, nana, natans, nebulosa, nectarivora, nemorum, nigra, nigrana, nigricans, nigriceps, nigricolor, nigrina, nigrita, nigromarginata, nobilis, nora, notata, obscoena, obsoleta, obtuspennis, oceanica, ochricornis, ochropus, ocymi, oleae, olivacea, oratoria, orientalis, osiris, pabulorum, pallens, pandia, parvula, pascuorum, pedella, petiolata, phalaenarum, phara, phasiaeformis, phauda, phellia, pica, pigra, piniperdae, piniivora, planiceps, polisma, praepotens, praeusta, pratorum, primitiva, prisca, processionea, prodromaria, proerna, pruinosa, psylla, puberula, pubiceps, puella, pulchra, pulicaria, pumila, punctata, punctulata, purpurascens, pusilla, putoria, pyrorum, quadrimaculata, quadririgata, quadrum, quinquestriata, racilia, recta, regalis, regina, remuria, resinosa, riparia, rubiginea, ruiceps, ruicornis, rufifrons, ruina, rufipalpis, rufipes, rufiventris, ruralis, sacra, sanctae, saniosa, sarsina, scutellaris, scutellata, segetum, segmentaria, semiargentea, semiatra, semicaerulea, semirufa, senegalensis, senilis, septasia, serena, sericata, sericea, setosa, sexpunctata, silvarum, silvestris, sinuata, socia, solava, solstitialis, sorbens, soror, spectanda, spilogaster, spinipes, spitzbergensis, splendida, stabulans, stimulans, stomoxidea, striolata, subpuncta, tabaniformis, tachinoides, taenionota, taitensis, tegularia, tempestiva, terminata, tessella, thalassina, thuscia, tifata, tomentosa, topiaria, torosa, transversa, triangula, tricineta, trigrammica, triquetra, tuberis, turbida, unicolor, univalvis, unxia, vacua, vagabunda, vagans, vagatoria, valida, vanella, varians, variator, varicolor, venatoria, venosa, ventrosa, verena, versicolor, versicolorata, vesiculosa, vespertina, vetustissima, vicina, vilis, villica, villosa, violacea, virescens, virens, virescens, viridana, viridescens, vitripennis, xanthomelas, zonalis.

Muscardinus avellanarius.

Muscipala acornus, aerea, agilis, albicapilla, albi-caudata, albicilla, albicollis, albifrons, albiventer, albiventris, albugularis, alectura, alticeps, altiloqua, ampelina, analis, angustirostris, animosa, armillata, astigma, atra, atrata, atricapilla, atrogrirea, atronitens, atropurpureus, audax, aurea, auricomis, aurifrons, aurora, australis, azurea, azurula, bambusae, banyumas, barbata, bella, belli, bilineata, biloba, bivittata, bonapartei, borealis*, brachyura*, brasieri, brevipes, brevirostris, caeruleocephala, caeruleocephala, caesia, cantatrix, capistrata, capitalis, carolinensis, casamansae, caudacuta, caudex*, chalybea, chalybeocephala, chloris, chocolatina, chrysochloris, chrysomela, chrysophrys, chrysoptera, ciliaris, cinerascens, cinerea, cinereoalba, cinnamomeiventris, citrina, cocciniger, cochinsinensis, coeruleocephala, collaris, colon, colonus, comata, commersoni, concreta, cooperi, crepitans, cristata, cucullata, cyanea, cyanirostris, cyanomelana, cyanomelas, derhami, despotes, dibapha, diops, divaricata, dominicana, dominicensis, drongo, dubia, dux, elegans, elisabeth, emarginata, enado, eques, eremita, eridea, erythraea, erythropygia, exilis, eximia, ferruginea, fibilans, flammiceps, flava, flaveola, flavigaster, flavigastra, flaviventris, floralis, forcipata, fraseri, frenulata, fringillaris, fulvicauda, fulvifrons, fumigata, furcata,

tusea, fuscedula, fuscicapilla, fusco-capilla, fuscula, gaimardi, galeata, galeata, gallus, georgiana, gilva, gilvicollis, gnatho, goodenovi, griseicapilla, gularis, guttata, guttula, hcmileucura, hirundinacea, holosericea, hyacinthina, hylocharis, ictrophrys, imberbis, inca, incomta, indigo, inornata, joazeiro, kinki, larvata, lathani, latirostris, lawrencei, legatus, leucocapilla, leucocephala, leucogastra, leucomus, leuconotos, leucophrys, leucoschista, leucura, longicauda, longipennis, longipes, loricaia, luctuosa, luteocephala, macroura, maculata, malabaricus, malacura, manadenis, mastacalis, maupitiensis, megarhyncha, melanocephala*, melanoleuca, melanophrys, melanops, melanopsis, melanoptera, melodia, mesoleuca, miles, miniata, minimus, minuta, moesta, molenaria, molitor, moluccensis, monacha, mugimaki, multicolor, musica, mystacea, mystax, naevia, narcissina, nengeta, nigerrima, nigricans, nigricaps, nivea, nubila, obscura, obsoleta, occipitalis, oleagina, oleaginea, oliva, olivacea, olivater, pagana, palipes, paradisens, parulus, parus, passerina, pectoralis, penulata, perspicillata, phaenoleuca, pica, picata, pileata, pistrinaria, pitangua, platyrhyncha, plunbea, polychoptera, polyglotta, pomarea, poonensis, princeps, priuri, pristinaria, psalura, pullata, punctata, pusilla, pyrope, pyrrhoptera, querula, rapax, regia, regulus, rex, rhodogastra, rhodoptera, richardsoni, risora, rivularis, rosea, rubecula, rubicunda, rubinus, rubra*, rubrifrons, ruficapilla, ruficauda, ruficeps, rufifrons, rufigastra, rufigula, rufina, rufogularis, rufospinata, rufula, rugensis, rupestris, rupicola, rustica, rutila, saunio, sapphira, satelles, satrapa, savana, saya, scita, selbyi, semiatra, semipartita, senegalensis, sibilans, sibilator, sibilatrix, similis, simplex, solitaria, solitarius, speciosa, spectabilis, squamata, stellaris, stellata, stenura, stragulata, straminea, stramineo-ventris, streptophora, striaticollis, subflava, succincta, suiriri, sulphurata, sulphurea, sultana, superba, superciliaris, superciliata, superciliosa, sylvicola, taenioptera, telescophthalmus, terraecolor, texensis, thalassina, thamnophiloides, toitoi, trailii, tricolor, trivirgata, turdina, tyrannides, tyrannus, uropygiata, varia, variegata, velata, ventilabrum, ventralis, vermivora, verticalis, vetula, vieillotioides, villica, violenta, virescens, viridis, vittata, vociferans, vulnerata, wilsoni, xanthetraea, xanthopygos, yetapa, yiperu, zanthopygia.

Muscicapa angustirostris, bivittata, boliviana, gaimardi, leucophrys, oleaginea, stramineo-ventris, striaticollis, subcristata, ventralis, vermivora, viridicasta.

Muscicapoides imitator, juncorum, salicarius.

Muscicapula acornaus, maculata, melanoleuca, rubecula, sapphira, superciliaris.

Muscigralla brevicauda.

Muscina concolor, grisea, fungivora, pabulorum, picaena, stabulans.

Muscipeta acadica*, affinis, albiceps, albicollis, amiantina, arundinacea, asilus, atricapilla, atriceps, atrocaudata, aurantia, australis, badia, barbata, bicolor, bimaculata, boodang, borbonica, brevirostris, caerulea, caribea, carinata, castanea, cayennensis, ceyloneusis, chrysiceps, cinnamomea, citrina, collaris, coronata, cristata, ferreti, flabellifera, flammea, flavigaster, flaviventris, fluviatilis, fluvicola, fusca, fuscata, gaimardi, guillenini, hippolais, holosericea, incanescens, indica, labrosa, lacustris, lapis, leucocephalus, leucogaster, locustella, luteoventer, maculatus, marginata, melanogaster, melanoptera, metaleuca, miniata, modesta, monacha, mutata, nebulosa, obscura, olivacea, palustris, paradisea, paradisi, paradisiacus, pectoralis, peregrina, perspicillata, phragmitis, platyrhyncha, plumbeus, plumosa, polyglotta, princeps, principalis, pulsator, rallioides, regius, rufa, ruficauda, rufipennis, rufiventer, ruficilla, salicaria, scapularis, setosa, smithi, splendens, strigillata, torquata, tricolor, turdoides, vieilloti, yiperu.

Muscisaxicola albifrons, brunnea, macloviana, maculirostris, mentalis, nigra, rufivertex, straticaps.

Muscisylvia leucura.

Muscitrea cinerea.

Muscivora aestiva, barbara, cana, carolinensis, crinita, cristata, ferruginea, forficata, leucocephala, madagascariensis, mutata, paradisi, petechia, philippensis, regia, rufa, rupestris.

Musculites comprimatus, gibbosus, mytiloides, rugosus, sablonatus, striatus.

Musculium lacustre.

Musculus cervicolor, dichurus, dubius, dumecolus, frugivorus, leucopus, nigricans, nipalensis.

Muscylvia scitla.

Musicapa pagana.

Musophaga africana, cristata, gigantea, paulina, pauline, persa, persiana, senegalensis, variegata.

Mussa angulosa, cactus, carduus, cerebriformis, corymbosa, costata, crispa, cythreca, dianthus, dipsacea, fastigiata, fragilis, gyrosa, multilobata, nobilis, recta, regalis, sinuosa.

Mustela (M.) aestiva, afra, africana, agilis, albifrons, alpina, altaica, americanus, angustifrons, astuta, auriventer, barbata, brachyura, brasiliensis, cafra, calotis, calotus, canigula, cathia, elongata, eversmanni, fagorum, fasciata, frenata, fusca, gale, genetia, godmani, guettoides, hardwicki, harigula, hemachalanus, heurici, hodgsoni, horsfieldi, hudsonica, hudsonius, humboldti, humeralis, hydrocyon, ichneumon, ictis, incerta, itatsi, javanensis, laevis, laira, lanata, larvata, leucogenis, leucoparia, leucopus, longicauda, lutrecephala, unapurita, melampus, melanographa, minx, natsi, nigra, nudipes, patagonica, piscatoria, plesictis, pusilla, richardsoni, rufa, sinuensis, spelaea, striata, surinamensis, taxoda, tuan, venusta, vittata, vulpecula, xanthogenys, zorilla.

Mustela (P.) cimbrica, laevis, tricinrhata, vulpina.

Mustellus levis, stellatus.

Mustelus asterias, canis, equestris, megalopterus, mustelus, plebejus, punctulatus, vulgaris.

Mustha serrata.

Mutilla abdominalis, affinis, africana, agrestis, algira, analis, angusticollis, arabica, argentata, argentea, argenteus, argyra, argyrea, armata, armenica, aucta, aurea, aurulenta, australasiae, austriaca, bengalensis, bicolor, bifasciata, bifurea, bilineata, bimaculata, bipunctata, bitaeniata, blanda, brucei, bucephala, caeruleans, capitata, caspia, caucasica, cephalotes, cerbera, chiesi, chrysodora, chrysophthalma, cinerescens, clausa, collaris, colombica, concinna, confusa, conjuncta, continua, contracta, cornuta, crassa, cyanea, derasa, differens, dimidiata, diophtalma, distincta, dorsalis, dorsigera, dorylus, dubia, egregia, elegans, erythrocephala, exoriata, fasciata, fasciaticollis, fenestrata, ferrugata, ferruginata, fimbriata, flabellata, floralis, fraterna, frontalis, funeraria, fuscipennis, ghiliani, gibba, gibbosa, gigantea, graeca, grisescens, hexagona, histrio, hottentotta, iberica, incerta, incompleta, inermis, interrupta, kaschiriensis, klugi, lanata, larvata, lateralis, lepida, leucopyga, lineola, luctuosa, lugubris, lusca, macquarti, maculosa, marginata, marocana, melana, melanocephala, micans, monspeliensis, montana, montezumae, morosa, myrmecium, myrmecodes, nemoralis, nigripennis, nigrita, nilotica, nitidiventris, notata, novemguttata, obliquata, obscura, obsoleta, ocellaris, octo maculata, oculata, opaca, oraniensis, ornata, panzeri, parallela, partita, parvula, pedunculata, peleiteri, pensylvanica, perspicillaris, petiolaris, petiolata, phalerata, punctum, quadriguttata, quadrimaculata, quadrinotata, quadripunctata, quadripustulata, quadrum, quinquefasciata, quinquepunctata, rectangulum, rubricans, rubricollis, rubrocincta, rufa, rufiventris, rufogastra, rugicollis, rugosa, sabulosa, sanguinicollis, schaefferi, scrupea, semistriata, senegalensis, senex, sexmaculata, signata, singularis, sinuata, soluta, sphegea, spinifera, spinigera, spinolae, tabida, testacea, togata, triareolata, tricolor, trimacula, tristis, tuberculata, tunensis, uncinata, unimaculata, usilla, vestita, vidua, vigilans, villosa, vittata, zonata.

Mutzia heterodactyla.

Mya abrupta, acuta, aequata, alata, alba, aldrovandi, alia, ambigua, angulata, angulifera, angustata, avicularis, batava, bidentata, binghami, calceiformis, cancellata, communis, complanata, conglobata, convexa, corpulenta, costulata, crassa, declivis, decussata, depressa, distorta, dilata, dilatata, elongata, elongatus, erodona, ferruginea, ferruginosa, gigas, gibbosa, glabrata, globosa, gravis, gregarea, hyalina, inaequalis, integra, intermedia, intersectans, jonicroma, labiata, laeviuscula, lata, literata, longirostris, longilifera, mandibula, mercenaria, mindorensis, minima, minuta, modica, modiolina, multidentata, nasuta, nitens, nodulosa, nucleus, obliqua, oblongata, obovata, ornata, ovalis, ovata, panopaea, particolor, parvula, pellucida, phaseolina, pholadia, picea, plana, plicata, ponderosa, praecisa, praelonga, praetenuis, prismatica, producta, pseudomya, pullus, punctatus, punctulata, purpurea, reflexa, rigida, rivorum, rotunda, rotundata, rugosa, rugulosa, rustica, semidiaphana, semistriata, siliqua, sinuosa, solemyalis, striata, subangulata, suborbicularis, subovata, substriata,

subimmacata, *sulcata*, *swanson*, *telharia*, *telhnaoides*, *trana*, *testarum*, *tranquebarica*, *trigon*, *trinita*, *triquetra*, *undulata*, *verscripta*, *variabilis*, *ventricosa*, *versicolor*, *vezelayi*.

Myacites *affinis*, *alberti*, *asserulatus*, *fassaensis*, *giganteus*, *grandis*, *impressus*, *intermedius*, *mactroides*, *margaritiferaeformis*, *musculoides*, *obtus*, *ovatus*, *protogaeus*, *radiatus*, *solenoides*, *striatulus*, *tellinarius*, *Verscripta*, *ventricosus*.

Myadestes *ardesiacus*, *obscurus*, *oriatus*.

Myadora *brevis*, *crassa*, *curvata*, *oblonga*, *ovata*, *pandoraeformis*, *plana*, *rostralis*, *striata*, *tincta*, *trigona*.

Myagrus *auritus*.

Myalina *goldfussiana*, *lamellosa*, *subovata*, *virgula*.

Myalurus *citrinus*.

Myas *chalybaeus*, *cyanescens*, *foveatus*, *rugosicollis*.

Myatella *montagui*.

Myathropa *florea*.

Mycalesis *evadne*, *hamerta*, *hesione*, *justina*, *minea*, *otrea*.

Mycaleus *gambius*.

Mycedium *ampliatum*, *cucullatum*, *elephantopus*, *elephantotus*.

Mycerobas *ferreirostris*, *heteroides*, *melanoxanthus*.

Mycetaea *fumata*, *hirta*.

Mycetaulus *hoffmeisteri*.

Mycetes *auratus*, *barbatus*, *belzebul*, *bicolor*, *caraya*, *chrysurus*, *crinicaudus*, *discolor*, *faunus*, *flavicaudatus*, *fuscus*, *laniger*, *niger*, *palliat*, *rufimanus*, *seniculus*, *stramineus*, *ursinus*, *villosus*.

Mycetia *claripennis*, *communis*, *pallipes*, *tibialis*, *vulgaris*.

Mycetina *cruciata*.

Mycetobia *annulata*, *defectiva*, *fasciata*, *ferruginosa*, *pallipes*, *thoracica*.

Mycetocharas *bimaculata*, *bipustulata*, *gracilis*, *quadrinaculata*.

Mycetocharis *morio*, *rudis*.

Mycetocharus *niger*, *ruficornis*.

Mycetoma *suturale*.

Mycetomyza *apicalis*, *fusciformis*, *marginipunctata*, *nebulosa*, *nigrofasciata*, *obscuripennis*, *pallida*, *ruficornis*, *rufotestacea*, *subvittata*, *tripunctata*.

Mycetophagus *aeneus*, *bimaculatus*, *bimaculosus*, *bipustulatus*, *castaneus*, *decemguttatus*, *decempunctatus*, *didesmus*, *ellipticus*, *flavipes*, *flavomaculatus*, *flexuosus*, *fumatus*, *fuscus*, *glabratus*, *histro*, *humeralis*, *ianus*, *imperialis*, *lunaris*, *maculatus*, *maculosus*, *niger*, *nigrita*, *obscura*, *pictus*, *pini*, *pubescens*, *punctatus*, *quadriguttatus*, *quadrinaculatus*, *quadripustulatus*, *quadrisignatus*, *rufipes*, *sempunctatus*, *sinuatus*, *substriatus*, *tessellatus*, *tetratoma*, *tomentosus*, *trifasciatus*, *undulatus*, *unifasciatus*, *variegatus*, *varius*. *Vide et Micetophagus*.

Mycetophila (Col.) *amoena*, *axillaris*, *barbata*, *bipustulata*, *brevis*, *flavipes*, *humeralis*, *linearis*, *maura*, *morio*, *pulchella*, *pumilio*, *quadripustulata*, *rufipes*, *scapularis*, *scatophora*, *sericea*.

Mycetophila (Dipt.) *abdominalis*, *agarici*, *alterna*, *alternans*, *amabilis*, *anal*, *anderschi*, *annulata*, *anomala*, *antiqua*, *apicalis*, *arcuata*, *atra*, *attenuata*, *bicincta*, *bicolor*, *bifasciata*, *bimaculata*, *bivitta*, *borealis*, *brevicornis*, *brunnea*, *caudata*, *centralis*, *cincticornis*, *cingulata*, *cingulum*, *compressa*, *concolor*, *contigua*, *crassicornis*, *cristata*, *cucullata*, *cunctans*, *curona*, *despecta*, *diagonalis*, *dilaticornis*, *dimidiata*, *discicollis*, *discoidea*, *dispar*, *distigma*, *domestica*, *dorsalis*, *dubia*, *fasciata*, *fascipennis*, *fenestralis*, *festiva*, *flava*, *flaviceps*, *flavipennis*, *flavipes*, *fulvicollis*, *fungorum*, *fusca*, *fuscicornis*, *fuscipennis*, *fuscula*, *gracilis*, *grata*, *griseicollis*, *guttiventris*, *hilaris*, *humeralis*, *ichneumonea*, *incompleta*, *inermis*, *intersecta*, *laeta*, *lateralis*, *latipennis*, *leptocera*, *leptura*, *lineola*, *lucidula*, *luctuosa*, *lugens*, *lunata*, *lunulata*, *lurida*, *lutea*, *luteipennis*, *lycogalae*, *macquarti*, *macrostyla*, *maculata*, *maculipennis*, *maculosa*, *melanura*, *minuta*, *modesta*, *monostigma*, *nana*, *nebulosa*, *nemoralis*, *nigra*, *nigricincta*, *nigritella*, *nitida*, *nubila*, *obscura*, *obscuraella*, *ocellus*, *oliginense*, *ornata*, *ornaticollis*, *pallicornis*, *pallida*, *pallidicornis*, *pallipes*, *paludosa*, *parva*, *picta*, *pictipennis*, *pictula*, *plebeia*, *propinqua*, *proxima*, *pulvillata*, *punctata*, *punctipennis*, *punctipes*, *punctum*, *pusilla*, *pygmaea*,

reciproca, *rufifasciatus*, *ruficollis*, *ruficornis*, *schumannii*, *sciarina*, *semicineta*, *seniflava*, *senifusca*, *seriata*, *sericea*, *sericoma*, *signata*, *sordens*, *strigata*, *subfasciata*, *submaculata*, *taeniata*, *tarsata*, *thoracica*, *trinaculata*, *trinitata*, *trivialis*, *trivittata*, *unicolor*, *unipunctata*, *vara*, *venosa*, *vicina*, *vitta*, *walkerii*, *winthemi*, *zonata*.

Mycetophyllia *daniana*, *lamarekiana*, *stellifera*.

Mycetopoda *siliquosa*, *soleniformis*.

Mycetoporus *americanus*, *bicolor*, *brevicornis*, *crassicornis*, *debilis*, *elegans*, *lepidus*, *longicornis*, *longulus*, *lucidus*, *nanus*, *nigricollis*, *pallidulus*, *piceus*, *pronus*, *punctus*, *ruficollis*, *senirufus*, *splendens*, *splendidus*.

Mycetopus *ventricosus*.

Mychocerus *ferrugineus*.

Mycophthorus *melanocerus*, *pauperculus*.

Mycotheres *leucopoda*, *oligopoda*, *vittata*.

Mycotretus *aestuans*, *ambulator*, *apicalis*, *arcuatus*, *argus*, *bistrigatus*, *chrysomelinus*, *cinctellus*, *clitelliger*, *coelestinus*, *cognatus*, *coronatus*, *cyanopterus*, *decoratus*, *difficilis*, *distigma*, *dorsofasciatus*, *dorsonotatus*, *dubius*, *duodecinguttatus*, *durius*, *dytiscoides*, *episcopalis*, *fasciolatus*, *figuratus*, *flavomarginatus*, *floriger*, *fuscitarsis*, *gemma*, *gentilis*, *godarti*, *graniformis*, *graphoderus*, *hepaticus*, *hilaris*, *humeralis*, *humilis*, *intermedius*, *jocosus*, *lacetosus*, *lepidus*, *leprosus*, *lesueuri*, *luteipes*, *maculosus*, *magus*, *marginicollis*, *melanophthalmus*, *melanopterus*, *melanostictus*, *miniatus*, *minutus*, *misellus*, *nigrivittis*, *nigrocinctus*, *nigropunctatus*, *nigroterminatus*, *nugator*, *ornatus*, *palmipilus*, *partitus*, *pecari*, *polyophthalmus*, *posticus*, *psittacus*, *pulchellus*, *pulicarius*, *pusillus*, *pygmaeus*, *quadrius*, *quatuordecimguttatus*, *rhodosomus*, *sanguineus*, *sannio*, *savignyi*, *scalaris*, *scitulus*, *sexoculatus*, *silaceus*, *singularis*, *sobrius*, *sticticollis*, *subcylindricus*, *terminalis*, *tesserarius*, *tigratus*, *tigrinus*, *trabeatus*, *vilis*, *xanthosomus*.

Mycopogon *aureus*, *cayanensis*, *cinctus*, *fuliginosus*, *margaritaceus*, *naevius*. *Vide et Micropogon (A.)*.

Mycteria *argala*, *asiatica*, *australis*, *novae hollandiae*.

Mycteris *sulcatus*.

Mycteristes *cumingi*, *rhinophyllus*.

Mycterodus *nasutus*.

Mycteroplus *puniceago*.

Mycterus *curculioides*, *curculionoides*, *fulvicornis*, *molassicus*, *scaber*, *tibialis*, *umbellatarum*.

Myctiris *subverrucatus*.

Myctis *affinis*, *alatus*, *albiditarsis*, *annulicornis*, *apicalis*, *bicolor*, *fasciatus*, *fuscus*, *gracilis*, *granulipes*, *horrificus*, *lobipes*, *longicornis*, *parallelus*, *profanus*, *punctum*, *religiosus*, *scriptus*, *scutellaris*, *varicornis*, *ventralis*. *Vide et Mictis*.

Myctophila *centralis*, *praeusta*.

Myctophum *asperum*, *boops*, *coruscans*, *elongatum*, *gemellare*, *hians*, *metopoclampum*, *punctatum*, *rafinesquei*.

Mycoporus *brevicornis*.

Mydaea *floricola*, *humeralis*, *liturata*, *musca*, *nigripes*, *pellucida*, *rapida*, *scutellaris*, *suillorum*, *vomiturationis*.

Mydas *atratus*, *bispinifer*, *botta*, *brevicornis*, *caerulescens*, *cinctus*, *clavatus*, *clavigera*, *concinus*, *fulvifrons*, *fulvipennis*, *fulviventris*, *gigantea*, *gracilis*, *incipiens*, *incisus*, *limpidipennis*, *lineata*, *lusitanicus*, *melleipennis*, *nitidula*, *plebeia*, *ruficornis*, *rufithorax*, *rufiventris*, *rustica*, *sordidus*, *testaceiventris*, *varipes*, *vittatus*, *westermanni*. *Vide et Midas*.

Mydaus *collaris*, *javanensis*, *javanicus*, *javanus*, *meliceps*.

Mydina *analis*, *campestris*, *cinerascens*, *claripennis*, *communis*, *dispar*, *fuliginosa*, *fulvicornis*, *impunctata*, *lactifica*, *limpidipennis*, *ludibunda*, *maura*, *mollis*, *nigra*, *nigricans*, *nigripes*, *nitens*, *palustris*, *pellucida*, *soror*, *vernalis*.

Myelois *abstersella*, *alpicolella*, *argyrogrammos*, *artemisiella*, *bigella*, *ceratoniae*, *cinetosella*, *confiniella*, *corecyrella*, *cribratella*, *crudella*, *dulcella*, *exsulella*, *incompta*, *indigenella*, *infuscatella*, *infusella*, *intextella*, *magella*, *medullalis*, *obliqua*, *placidella*, *saxeella*, *stercorea*, *subcanella*, *vitalbella*.

Myelophila geminella.

Myelotes exsculptus, sulcatus.

Myennis fasciata.

Mygale adusta, affinis, africana, annei, annulipes, anthracina, antipodiana, antipodum, antiqua*, ariana, arvernensis*, atletica, australiana, avicularia, barbara, bartholomaei, bistrata, blondi, brunnea, brunnipes, caementaria, caesia, cafferiana, calpeiana, cancerides, carminans, carolinensis, cellicola, chilensis, coementaria, conformis, conspersa, convexa, coracina, cratiens, cubana, cunicularia, detrita, diversipes, drassiformis, elegans, erichsoni, fasciata, felina, fervida, fimbriata, fluviatilis, fodiens, funebra, funebris, fusca, geniculata, gracilipes, gracilis, guianensis, herculea, hexops, hirsuta, hirsutissima, hirtipes, hostilis, icterica, incana, ionica, javanensis, klugi, laeta, leporina, longitarsis, lycosiformis, macrura, maculata, meridionalis, mindanao, monstrosa, moschatus, moscovitica, murina, nayadum, nidulans, nigra, notasiana, occatoria, ochracea, oculata, olivacea, plantaris, plumipes, pumilio, pygmaea, pyrenaica, reichei, rosea, rubiginosa, rufidens, saeva, sancti-vincenti, sauvagesi, scoparia, scrofa, seladonia, solitaria, solstitialis, spinicrus, splendens, subcalpeiana, sulzeri, testacea, truncata, unicolor, ursina, valentina, venosa, versicolor, villosa, walckenaeri, zebra, zebrata.

Mygaloides nubila.

Mygiatheria absoleta.

Myiadestes griseiventer, leucotis, obscurus, townsendi.

Myiagra assimilis, azurea, caerulea, concinna, fascians, flavigaster, flavipes, latirostris, leucogastra, longicauda, macroptera, manadensis, nitida, plumbea, resplendens, rubecoloides, rubecula.

Myiagrus lineatus.

Myiarchus acadica, atropurpureus, cinereus, coronatus, divaricata, ferox, ferrugineus, fusca, nigricans, obscurus, myioides, rufiventris, setophagoides, tuberculifera, validus, virens, virgatus.

Myioides genibarbis.

Myina abdominalis, acoetes, affinis, apicalis, argiope, atomos, facialis, flava, flaviceps, flavicornis, flavipes, fuscicapus, idaeus, longipennis, ovulorum, scutellaris, semi-circularis, tibialis, varipes.

Myiobius academicus, affinis, agilis, albiceps, albicollis, ardosiacus, armillatus, asilus, ater, atropurpureus, audax, auriceps, auricularis, barbatus, barbirostris, bimaculatus, brevipes, brevirostris, caniceps, caribaeus, cayanensis, chrysoceps, chrysochloris, cinereus, cinnamomeus, cooperi, crinitus, diadema, erythrurus, eximius, ferox, ferrugineus, flammiceps, flaviventer, fuliginosa, fumigatus, fuscatus, fuscus, guillemini, icterophrys, leucophaeus, leucotis, l'herminieri, luteoventer, magnirostris, martinicus, megacephalus, melanops, minimus, minutus, murinus, musicus, naevius, nigricans, nigricapillus, nunciola, olivus, pallidus, parvirostris, petechius, platyrhynchus, pusillus, pyrrhopterus, rivularis, ruficaudatus, rufinus, rufipectus, rufotaeniatus, saya, sibilator, similis, spadiceus, stolidus, striatus, strigilatus, sulphureus, superciliosus, surinamus, trailli, tristis, tschudii, tuberculifer, turdinus, uropygialis, varius, vieilloti, virens, virescens.

Myioctonus mitratus, pusilla.

Myiodectes verticalis.

Myiodictes bonapartei, canadensis, coronatus, formosus, mitratus, pardalina, pusilla, tristriatus, verticalis, wilsoni.

Myiolestes concreta, hyacinthina, megarhyncha, obscurus, pyrrhonota.

Myiomela diana.

Myiophaga andromeda.

Myiophoneus horsfieldi, glaucinus, metallicus, temminckii.

Myiophonus cyaneus, flavirostris.

Myiornis minimus.

Myiothera affinis, alapi, albicollis, albifrons, andromedae, arada, ardesiaca, aurita, bambla, blattivora, caerulea, calcarata, campanella, campanisona, cantans, capistrata, cinerea, cinnamomea, cirrhata, colma, coraya, cyanura, domicella, epilepidota, ferruginea, formicivora, fuliginosa, grallaria, grammiceps, griseus, gularis, guttata,

indigotica, leucophris, lineatus, longirostris, loricata, maculata, melanothorax, naevia, nematura, nudiceps, obsoleta, pectoralis, perlata, perspicillata, pileata, plumbea, poliocephala, pygmaea, pyrrogenis, rhynolopha, rufa, ruficauda, rufifrons, scapularis, squamata, stictothorax, strigilata, superciliaris, tetema, thamnophiloides, thoracica, umbretta, variegata, yarrelli. *Vide et Myothera.*

Myiotheras luctuosus.

Myiothlypis luteoviridis, nigricristatus.

Myioturdus fuscater, lineatus, marginatus, ochroleucus, palikour, perspicillatus, rex, tetema, timiens, umbretta.

Mylabris adamsi, aestuans, affinis, afzelii, aga, alpina, alterna, amocnula, angulata, apicalis, arabica, argentata, argus, armeniaca, aulica, axillaris, bertrandi, bicolor, biguttata, billbergi, bi-maculata, bipunctata, bivulnera, brunnipes, byzantina, caeruleomaculata, calida, caspia, chrysomelina, chrysura, cichori, cincta, circumflexa, coeca, coerulescens, colligata, confluent, contexta, crocata, cruentata, curta, cyanescens, cylindrica, dahli, decemguttata, decora, decorata, dejeani, dentata, designata, dilloni, dimidiata, dufouri, dumolini, duodecimguttata, duodecimmaculata, duodecimpunctata, duplicata, elegans, elegantissima, excellens, exclamatoria, exteriepunctata, faeslini, fasciata, fasciato-punctata, femorata, flavicornis, flavoguttata, flexuosa, floralis, frolovi, fuliginosa, fusca, gebleri, gilvipes, goudoti, griseus, groendali, guerini, gyllenhal, haemorrhoea, henrichi, hieracii, holosericea, husseini, hyeroglyphica, impar, impressa, impunctata, incerta, intermedia, interrupta, iucunda, jacquemonti, karelini, klugi, lacera, latreillei, lavaterae, ledebouri, liquida, litigiosa, maculata, maculiventris, maculosa, magica, mannerheimi, marginata, matthesi, maura, melanura, meliloti, menthae, minosae, mutabilis, niyops, natalensis, nigriplantis, nitida, novemdecimpunctata, octodecim-punctata, octonotata, octo-punctata, oleae, olivieri, pallasi, pallidomaculata, pallipes, paykulli, phalerata, plagiata, pubescens, pulchella, pupillata, pusilla, pustulata, quadrifasciata, quadriguttata, quadrimaculata, quadri-punctata, quadrisignata, quattuordecimpunctata, rubripennis, rufipes, sanguinolenta, scabiosa, scabrata, scapularis, schneideri, schoenherri, schrenki, sedecimguttata, sericata, setigera, sexdecim-guttata, sexdecimpunctata, sexnotata, sibirica, silbermanni, sinuata, sisymbrii, smaragdina, sobrina, solonica, spartii, splendidula, succincta, superba, swartzi, syriaca, taeniata, tauscheri, tenebrosa, tenera, terminata, thunbergi, tifensis, tigrina, tincta, tortuosa, tricineta, tricingulata, trifasciata, trigrinipennis, tripunctata, tristis, undatus, undecimpunctata, unicolor, unifasciata, varia, varians, vestita, vicina, vigintipunctata, wagneri, zonata.

Mylacus murinus.

Mylaechus brunneus.

Mylesinus schomburgki.

Myletes acanthigaster, alleni, asterias, aureus, baremoze, bidens, brachypomus, dentex, divaricatus, didyxoloxon, duriventris, guile, hasselquisti, hassesquisti, hypsauchen, latas, lobatus, luna, macropomus, niloticus, nurse, orbignyanus, paco, paci, palometa, rhomboidalis, rubripinnis, schomburgki.

Myleus oligacanthus, setiger.

Myllobates acuminatus, acutus, angustidens, angustus, apeninus, aquila, brongniarti, canaliculatus, colei, contractus, dixonii, duplicatus, edwardsi, episcopus, girondicus, goniopleurus, gracilis, gyratus, haidingeri, heteropleurus, holmesii, irregularis, jugalis, macroptera, marginalis, micropleurus, nitidus, oweni, lateralis, porosus, pressidens, punctatus, reglevi, rima, rugosus, saturalis, serratus, sternbergi, stokesi, studeri, subarcuatus, sulcatus, suturalis, toliapicus, transversalis, woodwardi. *Vide et Miliobates.*

Myllobatis acuta, aquila, bispinosus, bovina, cyclurus, eeltenkee*, freminvillei, jussieui, maculatus, marginata, milvus, narinari, nieuhofi, noctula, ocellatus, striatus, testae, vultur.

Mylites hasselquisti.

Myllaena dubia, glauca, gracilis, grandicollis, intermedia, minuta, terminans.

Myllita deshayesi.

Myllocerus arabicus, aristatus, australis, brevicollis, canaliculatus, corycaeus, curvicornis, dentifer, discolor, dorsatus, eximius, fabricii, isabellinus, morio, musculus, saturate-virens, subfasciatus, subvirens, transmarinus, variegatus, viridanus.

Mylloorhinus bicaudatus.

Myiodon darwini, harlani.

Mylothris agrippina, argia, arsalte, demophile, drusilla, elodia, hedyle, hemitheia, hippo, hippomonuste, limnoria, margarita, molpadia, monuste, orbona, pantoporia.

Mymar acuminatus, cucullatus, dimidiatus, longicornis, pallidus, pulchellus.

Mynes geoffroyi, leucis.

Mynomes pratensis, riparius.

Myobatrachus paradoxus.

Myobia (Ar.) coarctata.

Myobia (Dipt.) aequa, albipennis, aurea, aurifrons, bicolor, chalybeata, cinerascens, femorata, flavipes, fragilis, fulvipalpis, hospes, inanis, lateralis, longicornis, melaleuca, nana, nitens, pacifica, ruficeps, ruficrus, spreta, sublutea, testacea, tenuisetosa, vaga, villana.

Myobius tristis.

Myocera anthophila, calcium, fera, gricescens, longipes, nomada.

Myochama anomioides, strangei, transversa.

Myochrous immundus.

Myocinclia colina.

Myoconcha actaeon, angulata, aspasia, auricula, compressa, costata, crassa, cretacea, cuneata, discrepans, elliptica, fittoni, helmerseniana, incurva, lata, maximiliani, minima, modioliformis, murchisoni, neoconiensis, ornata, pallasi, radiata, rathieriana, requieniana, scalprum, simpla, spatula, striatula.

Myocoris barbipes, bicolor, braconiformis, gilvus, gracilis, nigriceps, personatus, pompi-
loides, rubrithorax, tipuliformis.

Myoda elegans, hyalina, lineata, oleae, pluvialis, scybalaria, stercoraria, tentaculata.

Myodermum alutaceum.

Myodes (Col.) dorthesi, stylopides, subdipterus.

Myodes (M.) albigularis, allianus, arvalis, greenlandicus, gregalis, helvolus, hudsonicus, hudsonius, lagurus, lemmus, lemurus, migratorius, oeconomus, rutilus, saxatilis, schisticolor, socialis, torquatus, trimucronatus.

Myodina urticae.

Myodocha opetilata, serripes, tipuloides, trispinosa.

Myodochus costalis, fulvipes, serripes, tipuloides, trinotatus, trispinosus, varicornis.

Myodora arenosa.

Myogalea moschata, pyrenaica.

Myolepta luteola.

Myonia elongata, valida.

Myopa americana, annulipes, apicalis, argentea, australis, biannulata, bicolor, bistris, buccata, cinerascens, distincta, dorsata, elegans, ephippium, fasciata, femorata, flavescens, flavifrons, flavipes, frontalis, fulvifrons, fulvipes, gemina, grandis, grisea, irrorata, longicornis, longirostris, maculata, marginata, meridionalis, micans, morio, nana, nigra, nigripennis, nigripes, nigrita, nitidula, notata, oblique fasciata, occulta, pallipes, pellucida, pictipennis, pusilla, rubrifrons, scutellaris, speciosa, stigma, stylata, sundewalli, tessellata, tibialis, umbripennis, varia, variegata, vesiculosa, vicaria, virens.

Myoparo costatus.

Myophonus cyaneus, flavivirostris, horsfieldi, metallicus, nitidus, temminckii.

Myophora abdominalis, aestivalis, affinis, agilis, agricola, albicans, albidipennis, aprilis, argyrostoma, arvensis, arvicola, arvorum, atra, atrata, aurifacies, blondeli, brasiliensis, brunifacies, campestris, camporum, capensis, carceli, carnaria, chrysellia, cinerea, cognata, collaris, compar, conica, consobrina, conteupta, crocata, cubensis, depressa, duvauceli, fervida, flaveola, flavescens, florea, fuliginosa, fulvicornis, fuscipennis, grisea, gricescens, haemorrhoea, haemorrhoidalis, hemisphaerica, horticola, humboldti, intermedia, laticrus, therminieri, limpipedipennis, livens, livida, maialis, musca, nana, nigra, nigricans, obscura, obscuricauda, obscuripennis, peregrina, peroni, rapida, riparia, rubescens, rubiginosa, rustica, sericea, sordida, soror, specialis, squaleus, squalida, squamigera, squamosa, striata, subnitens, subrotunda, vernalis, villana, villica, viridescens, vivida.

Myophoria blainvillei, cardissoides, curvirostris, decussata, elegans, goldfussi, inaequicostata, kefersteini, laevigata, lineata, modiolina, orbicularis, ornata, ovata, pesanzeris, rugosa, simplex, trigona, vulgaris, whateleyae.

Myopina reflexa.

Myopites blotti, inulae.

Myopotamus antiquus, bonariensis.

Myopsis acutisulcata, arcuata, arduennensis, asteriana, attenuata, carteroni, constanti, cottaldina, cretacea, cuneata, curta, gibbosa, inaequivalvis, jurassi, lata, lateralis, mandibula, marginata, massiliensis, neocomensis, prevosti, recta, robinaldina, rostrata, scaphoides, unioides, urgonensis.

Myopterus daubentoni.

Myorhina campestris.

Myorhinus albolineata, incisirostris, lepidus, limis, setarius, steveni.

Myoris silvatica.

Myosodus femoratus, intricatus.

Myosoma fasciatum, fuscipenne, hirtipes, mutator, rubriventre, rubrum.

Myosorex varius.

Myospalax fuscocapillus.

Myostoma microcera, scutellaris.

Myota buqueti.

Myothera albifrons, analis, auritus, bambla, blattivora, caudacuta, colma, ferruginea, formicivora, grallarius, gularis, leuconota, lineata, lucotis, malura, mentalis, multicolor, naevia, nigro-maculata, ruficeps, rufomarginata, strictothorax, superciliosa, telma, tinniens. *Vide et Myiothera.*

Myotis bechsteini, dasycnemus, daubentoni, murinus, natereri.

Myoturdus carolinensis.

Myoxocephalus stelleri.

Myxoides australasiae*.

Myoxus africanus, americanus*, avellanarius, capensis, cattoiri, coupei, cuvieri, drummondii, elegans, erythrobranchus, fossilis, frugivorus, guerlingus, javanicus, lineatus, melanurus, minor, murinus, nitidulae, orobinus, parisiensis, poliaurus, primigenius, quercinus, siculae, spelaeus, tamaricinus, virginicus.

Myra affinis, carinata, dilatimanus, elongata, fugax, variegata.

Myrapetra scutellaris.

Myraptera brunnea, elegans.

Myriacanthus franconicus, granulatus, paradoxus, retrorsus, vesiculosus.

Myriana longissima, pennigera.

Myrianida fasciata.

Myrianites macleayi, murchisoni, sillimani.

Myriapora deformis, gracilis, truncata.

Myrina alcides, amyntor, anterylus, atymnus, chitra, erylus, etolus, evagoras, heleus, hypatada, jafra, lisias, nedymond, nyx, onyx, pita, ravindra, sugriva.

Myriodon waigiensis.

Myriophyllia rastellina.

Myriopora creplini.

Myriosidrum dilatatum.

Myriothela arctica.

Myrizoon truncatum.

Myrizoom gracilis.

Myripristis axillaris, borbonicus, botche, hexagonus, homopterygius, jacobus, japonicus, kuntee, leignathos, leptacanthus, lima, murdjan, parvidens, pralinus, seychellensis, toliapicus, vittatus.

Myristica coronata, hippocastaneum, lainei, lineata, melongena, nodosa.

Myrmacielus formicarius, unicolor.

Myrmarachne melanocephala.

Myrmecixenus subterraneus, vaporariorum. *Vide et Myrmecoxenus.*

Myrmecoxenus picinus.

Myrmecia (Ar.) caliginosa, lunata, melanocephala, nigra, rubra, vertebrata.

- Myrmecia** (Hym.) cordata, emarginata, esuriens, forficata, gulosa, haematoda, hamata, hastata, maxillosa, rostrata, unispinosa, varia.
- Myrmecilla** pygmaea.
- Myrmecina** latreillei.
- Myrmecinomus** hochhuthi.
- Myrmecium** gracile, hemisphaericum, rufum.
- Myrmeciza** longipes, melanura.
- Myrmecobius** (Col.) agilis.
- Myrmecobius** (M.) fasciatus, rufus.
- Myrmecocichla** aethiops, formicivora, nigra.
- Myrmecocystus** mexicanus.
- Myrmecodes** australis, flavoguttatus, olivieri, pedestris, scoliaeformis.
- Myrmecoleon** frontalis, irroratus, luteipennis, pardalinus, pumilus, roseipennis, venosus.
- Myrmecolichnus** didactylus.
- Myrmecomya** formicaria, micropezoidea.
- Myrmecophaga** alapi, annulata, aurita, bambila, campanella, cantans, cirrata, colma, coraya, formicivora, gigantea, gigas, grallaria, lineata, nigra, tetema, tinnica.
- Myrmecophila** acervorum, bifasciata, hirticauda.
- Myrmecophorus** rufescens.
- Myrmecopsis** eumenides.
- Myrmecoptera** egregia.
- Myrmecoxenus** epulo. *Vide et Myrmexixenus.*
- Myrmedonia** armata, atrata, atricapilla, boops, camura, caualiculata, cognata, collaris, confragosa, coriacea, dispar, frontalis, fulgida, funesta, gracilis, grandis, humeralis, inscita, labida, laticollis, limbata, longicordis, lugens, marginicollis, memnonia, munda, nigricollis, nigriventris, obscura, oclracea, parilis, plicata, prolixa, rigida, ruficollis, satelles, similis, speciosa, spinigera, subtumida, suturalis, terminata, tristis, tumidula, turbida.
- Myrmeleo** libelluloides, pantherinus.
- Myrmeleon** abdominalis, aegyptiacus, africanus, alternans, angusticollis, annulatus, anomalous, appendiculatus, atomarius, bifasciatum, bistrigatus, brevipenne, capensis, cephalotes, cinereus, confusus, conspersus, conspurcatus, distinguendus, elegans, elongatum, erythrocephalum, fallax, flavomaculatus, flavus, formicarium, fulgens, georgianum, gigas, gracilis, griseus, gulo, guttatus, hyaena, hyalinum, incertus, inconspicuus, innotatus, insignis, irroratum, laetus, lanceolatus, leopardus, lepidus, linearis, lineola, lineosus, litturatus, longicaudus, lupinum, melanocephalum, murinus, nebulosum, neutrum, nigrocinctus, nordmanni, notatus, obscurus, ochronevrus, ornatum, pallens, pallidipennis, papilionoides, percheroni, plumbeum, pulchellus, pulverulentus, punctulatus, rapax, reticulatum, sibiricum, singulare, sinuatum, speciosum, sticticum, submaculosus, subpunctatus, tabidus, tenellus, tenuipennis, tigris, torridum, v-nigrum, variegatum, variegatus, virgatus, vittatum.
- Myrmemorpha** brachyptera.
- Myrmex** berbosci, herbsti, myrmex.
- Myrmica** aemula, algerica, amaurocycilia, angusticollis, barbara, bidens, bremeri, brevicornis, caespitum, cephalotis, clandestina, corrugata, debilis, diluta, dimidiata, domestica, erythrothorax, flavidula, fugax, fuscula, hirtula, impura, infecta, jurinei, kirbyi, lacteipennis, laevinodis, laeviuscula, lineolata, lippula, lobicornis, lundii, macrocephala, melanocephala, minki, minuta, modesta, molassica, molesta, montana, muscorum, mutica, nitidula, nylanderii, obsoleta, opposita, paleata, pallida, pallidula, pusilla, rhynchophora, rubra, rubriceps, rufitarsis, rufo-testacea, rugiceps, ruginodis, rugulosa, scabrinodis, sordidula, striatula, sublaevis, subterranea, sulcinodes, terminalis, tertiaria, testaceopilosa, tigreensis, tuberosa, tuborum, typhlops, west-woodi.
- Myrmicaria** brunnea.
- Myrmonax** cinnamomeus, leucophrys, longipes, loricatus, lugubris, myiotherinus.
- Myrmornis** arada*, campanisona.
- Myrmosa** atra, bicolor, brunneipes, dimidiata, macrocephala, melanocephala, nigra, nigriceps, pulla, spinolae, thoracica.

- Myrmothera** atricapilla, axillaris, banbla, brachyura, caerulescens, campanella, cantans, colma, formicivora, fuscicapilla, gularis, guttata, leucophrys, lineata, longipes, melanoleucos, menetriesi, minuta, nematura, ralloides, rufa, superciliata, tessellata, tetema, thamnophiloides, tinnica, tintinabulata, troglodytes, unicolor, variegata, vittata.
- Myrmoxa** unicolor.
- Myrmus** errans, miriformis, schillingi.
- Myrmydon** didactyla.
- Myrochea** vittata.
- Myron** richardsoni, trivittatus.
- Myrrha** octodecim-guttata.
- Myrtea** spinifera.
- Myrtilina** crataegaria, fraxinea, fraxinina, limacina.
- Myrtonius** serratus.
- Mysarachne** picteti.
- Mysatelis** poeppingi.
- Mysca** batava, elegans, erythros, mexicana, ovata, pictorum, solida, tumida.
- Myscebus** palmarum.
- Myscelia** alpais, amycla, anna, antholia, ariadne, caelina, canthara, chromis, cuvieri, cyaniris, ethusa, flavilla, macris, madagascariensis, maia, margarita, marsolia, merione, micalia, monina, mygdonia, natalensis, orphise, orsis, sydonia, taurione, triphosa, volumna.
- Myscelus** curvipes, erythus, nobilis, sebalus.
- Mysia** (Col.) notans, oblongo-guttata, ramosa, subvittata.
- Mysia** (L.) americana, montagui, nucleiformis, ornata, rotundata, undata.
- Mysidia** (Hem.) albipennis, lactiflora, subfasciata.
- Mysis** bipes, chameleon, fabricii, flexuosus, frontalis, inermis, integer, leachi, longicornis, oculatus, oculatus, pedatus, pelagicus, plumosus, rostratus, saltatorius, scoticus, spinulosus, vulgaris.
- Myspithicus** madagascariensis, typus.
- Mystacida** albicornis, albifrons, albimacula, annulata, atra, aurea, bifasciata, bilineata, conspersa, cylindrica, ferruginea, filicornis, filosa, fulva, furva, genei, lacustris, leucophaea, nigra, notata, obsoleta, rufa, rufoa, subfasciata, subtrifasciata, uniguttata, venosa, vetula.
- Mystacides** albicornis, filiosus, gracilis, interruptus, longicornis, niger, princeps, punctatus, sensilis, tripunctatus.
- Mystacina** tuberculata.
- Mystacinus** arundinaceus, biarmicus, dentatus, ruscicus.
- Mystacodella** bipes, cyclisium, forceps, index, oculata.
- Mystax** azurea, nigra, phaca.
- Mystriosaurus** brongiarti, canalifer, chapmani, egertoni, franconicus, laurillardi, longipes, macrolepidotus, maudelslohi, muensteri, murki, schmidt, schmidt, senckenbergianus, speciosus, tenuirostris, tiedemanni.
- Mystroceros** diardi.
- Mystromys** albicaudatus, albipes.
- Mystropomus** subcostatus.
- Mystrops** debilis, dispar, durus.
- Mystropterus** caeruleus.
- Mystus** badgee, chitala, clupeoides, kapiat, macronemus, niloticus, ramcarati.
- Mythimna** acetosella, albipuncta, alliacea, amargyria, conigera, disparilis, imbecilla, implexa, lithargyria, neglecta, nexa, oxalina, turca, viscosa, xanthographa.
- Mythites** tuberculatus.
- Mythras** ambulans, nervosus, obesus, pilicornis.
- Mythus** armatus.
- Mytilimeria** nuttalli.
- Mytilina** (L.) cochleata, polymorpha.
- Mytilina** (Rot.) cypridina, cytherea, lepidura, limnadina.
- Mytilites** retroflexus.

Mytillus cubitus, hamatus, lateralis.

Mytiloides labiatus.

Mytilus abbreviatus, achatius, acuminatus, acutangulus, acutirostris, acutus, aegyptiacus, aequalis, aequilatus, affinis, africanus, ala-corvi, alaeformis, albus, alternatus, ambiguus, americanus, amplus, amygdalinus, anatina, angularis, angustanus, angustus, antiquorum, antiquus, aorsus, apertus, arborescens, arca, arcaceus, arcuatus, area, arenarius, argentinus, aristatus, asper, aviculoides, avonensis, balanaticus*, basteroti, beaumonti, beirensis, bellus, biceps, bifurcatus, bilobatus, bipartitus, borealis, brardi, brunneus, californianus, canalis, cancellatus, caniculatus, capensis, carbonarius, carinatus, carneolus, carteroni, castanens, caudiferus, cavolini, chemnitzii, chemungensis, chenuanus, chenui, cicercula, cinctus, cinnamomeus, citrinus, clathratus, cochlear, cochleatus, compressus, comptus, concentricus, confusus, coralliphagus, cordatus, corneus, cornelianus, corrugatus, costatus, cottae, couloni, crassus, crebri-striatus, crenatus, cretaceus, crispus, cuneatus, curvatus, cuspidatus, cuvieri, cyaneus, cylindraceus, cypris, dactyloides, dammoniensis, darwinianus, dealbatus, decoratus, decrepitus, decussatus, demissus, denactus, denisianus, densatus, dentatus, denticulatus, depressus, devexus, difformis, dilatatus, dimidiatus, discors, discrepans, divaricatus, domingensis, dufrenoyi, durus, edentula, eduliformis, edulis pusillus, effulgens, elegans, elongatulus, elongatus, erosus, exaratus, exasperatus, excedens, exilis, exotilus, exporrectus, exustus, faba, falcatus, farctus, faujasi, fischerianus, flagelliferus, flavoviridis, flemingi, folium, fontinalis, fragilis, fucatus, fulvidus, furcatus, gallienae, galloprovincialis, gibbosus, gibbus, gigas, glabrator, goldfussi, goldfussianus, gracilis, gradatus, granulatus, gregarius, griseus, gryphoides, gualtierianus, gueringeri, guianensis, hageni, haidingeri, hastatus, haussmanni, hesperianus, hians, hillanus, hirsutus, illitus, inaequalis, inaequivalvis, inconspicuus, incompressus, inflatus, inflexus, inornatus, interruptus, irregularis, jubatus, jurensis, laciniatus, lacunatus, lacustris, laevigatus, laevis, lamellosus, lanceolatus, latus, leucophaeatus, liburnicus, ligeriensis, lineatus, lineolatus, lingua, lingualis, lycophagus, lyelli, macula, magellanicus, margaritaceus, marginatus, marmoratus, matronensis, maximilianii, mediterraneus, megaricus, mellevillei, membranaceus, menckeanus, meridionalis, nuchelinianus, middendorffi, manganensis, minimus, minutissimus, minutus, morio, morrisi, muensteri, mytilimeris, nereis, niger, niloticus, nitens, notatus, nysti, obliquus, oblitus, olivaceus, opalus, ornatissimus, ornatus, ovalis, palatonicus, pallasi, pallidus, papuana, papyraceus, parallelus, parvus, patagonicus, pectinatus, pectiniformis, perna, pernae, peronides, perovialis, persistens, petagnae, phaedra, piceus, pictinata, pictus, pileopsis, planulatus, planus, platensis, platyphyllus, plebeius, plicatulus, plicatus, polyodontus, praeacutus, praecisus, praelongus, prasinus, pressus, primoides, priscus, problematicus, profundus, psammitis, pulcher, pulcherrimus, pygmaeus, quadratus, radiatus, recurvus, restauratus, retusus, reversus, rimosus, rodriguezi, rostriformis, rubella, rubro-fuscus, rugosus, rusticus, sacculus, saussurei, scalaris, scalprum, scaphoides, scapularis, securis, seminudus, semiornatus, semiplicatus, semiradiatus, semirugatus, semi-sagitta, semistriatus, semitextus, senegalensis, septifer, septulifer, sericeus, serratus, siliqua, similis, simplex, socialis, soleniformis, solisianus, solutus, spathulatus, spatula, squamosus, strajeskianus, striatocostatus, striatulus, striatus, subaequiplicatus, subantiquus, subcarinatus, subconcentricus, subcuneatus, subdimidiatus, subelongatus, subglobosus, subglobosus, sublaevis, subpygmaeus, subquadratus, subrectus, subreniformis, subsaxatilis, subsaxatus, subscalaris, substriatus, subsulcatus, sulcatus, taurinensis, tegulatus, tenera, tenuis, tenuistriatus, tenuitesta, teplofi, tornacensis, tortuosus, trapezina, triangularis, tridens, trigonus, tulipa, tumidus, tunicatus, typicus, umbonata, undosus, undulatus, unguiculatus, unguiculoides, ungula-caprae, unguicularis, unguilatus, uralensis, ustulatus, vagina, variabilis, velutinus, vetustus, viator, vicinalis, violaceus, virgata, viridi-fasciatus, vitrea, volgensis, ziczac, zonarius, zonatus. *Vide et Mitylus et Mytulus.*

Myto gaimardi.

Mytilites anatinus, carinatus, ceratophagus, costatus, crenatus, eduliformis, elongatiformis, gryphoides, incertus, keratophagus, modiolatus, neritoideus, pernatus, pseudocardium, recens, rostratus, rugosus, socialis, striatus, terebratus.

Mytulus auratus*, caeruleus*. *Vide et Mitylus et Mytilus.*

- Myurella** *conmaculata*, pretiosa, triseriata.
Myxas *glutinosa*, muelleri.
Myxine *australis*, coeca.
Myxodes *cristata*, ocellatus, viridis.
Myxostoma *petiverianum*.
Myzantha *citreola*, flavigula, flavirostris, garrula, lutea, melanophrys, obscura, obscurata.
Myzanthus *ignepectus*, inornata.
Myzina *guerini*, hispanica, oraniensis, sexfasciata.
Myzine *aegyptica*, aptera, arabica, arcuata, audouini, aurantiaca, cylindrica, dimidiata, ephippium, flavipes, geniculata, gracilis, haemorrhoidalis, hamatus, namea, nigripes, nodosa, panzeri, proxima, ruficornis, russeli, savignyi, serena, servillei, spinosa, zonata.
Myzomela *boiei*, cardinalis, chermesiana, collaris, dibapha, eques, erythrocephala, guttata, jugularis, nigra, nigriventris, obscura, pectoralis, rubrator, sanguinea, sanguinolenta, vulcrata.
Myzomorphus *scutellatus*.
Myzornis *pyrrhoua*, pyrrhoua.
Myzostoma *costatum*, glabrum.
Myzostomum *cirriferum*, parasiticum.

- Nabacula** *subcoleoptrata*.
Nabis *agilis*, angusta, angustus, annulatus, annulipes, apterus, brevipennis, brevis, capsi formis, cinerea, cingulatus, creticola, dorsalis, elongatus, ericetorum, fera, flavo-marginatus, geniculata, gigas, guttata, hirtipes, longipennis, maculipes, major, marginalis, mirmicoides, nervosus, obsoletus, punctatus, rufomarginatus, subaptera, sublineatus, tripunctatus, vagans, viridis, viridulus.
Nacca *fasciata*, fulminea, maxima, punctata.
Nacella *caerulea*, mytiloides.
Nacerda *dorsalis*, fucata, lateralis, tristis.
Nacerdes *alternans*, bicolor, caspia, chinensis, conspersa, coxalis, decolor, kanack, linearis, livida, maritima, melanura, sardea.
Naclia *ancilla*, famula, gnatula, punctata, pusilla.
Naeara *dispar*, sulcata.
Naemacheilus *fasciatus*.
Naematopus *albithorax*.
Naemia *episcopalis*, litigiosa, vittigera.
Naenia *inoia*, typica.
Naeogeus *erythrocephalus*.
Naesa *antennalis*, caudata, depressa, ovalis.
Naesea *bicolor*, edwardsi, latreillei.
Naesidia *depressa*.
Naia (L.) *corrugata*, picta.
Naia (R.) *angusticeps*, fula-fula, haje, tripudians, vittata. *Vide et Naja*.
Naiades *cantrainei*.
Naidea *ater*.
Naidium *breviceps*, luteum.
Naineris *quadricuspida*.
Nais *anais*, auricularis, aurigena, bipunctata, brumati, ciliata, clavicornis, coccinea, decapoda, de horatiis, diaphana, diastrophia, equisetina, filiformis, gracilis, inermis, lateralis, laticeps, littoralis, lurco, picta, plicata, probodea, rivulosa, splendens, tubifex, uncinata, variegata, vasculosa.
Naisa *campanulata*, dilatata, repens, reptans, sultana.
Naisia *apicalis*.
Naja *atra*, australis, bungaroides, bungarus, curta, elaps, fula-fula, fuscus, goerou, gutturalis, haemachalis, hoelleik, kaouthia, larvata, leptocoryphaea, leucocephala, lubrica, melanurus, nigra, nigricollis, porphyrica, rhombeata, sputatrix, tripudians, vulgaris. *Vide et Naia* (R.).

- Najas** ~~adithia~~, chlymene, cydippe, cytherea, dirce, ephestion, ~~cin~~ine, obrina, pipleis, populi, stelenes, themis.
- Namacus** trausvirgatus.
- Nana** maroccana, neritea.
- Nanarcta** vulpecula.
- Nandina** hamiltoni.
- Nandinia** binotata.
- Nandus** marmoratus.
- Nanina** baudini, belangeri, bicolor, bimaensis, bistrialis, castanea, celinde, centralis, citrina, clairvillia, commendabilis, decussata, erigone, exilis, flammulata, fragilis, halata, humilis, javana, javanensis, javanica, juliana, kivi, korekouke, leucophaea, ligulata, luconica, luctuosa, mariae, monozonalis, monticola, nemorensis, nigra, novae hibernicae, rapa, splendens, striata, trochus, tullia, turbinata, unifasciata, venusta, vesicula, viridis, vitrinoides.
- Nanniscus** pulicarius.
- Nannophya** pygmaea.
- Nannus** troglodytes.
- Nanodes** (A.) bourki, discolor, elegans, haematonotis, humeralis, palmarum, pulchellus, ultramarinus, undulatus, venustus, zonarius.
- Nanodes** (Col.) anulata, lythri.
- Nanophyes** annulatus, armatus, brevis, chevrieri, duriaei, flavidus, globulus, gracilis, hemisphaericus, languidus, lateralis, lythri, marmoratus, nitidulus, pallidulus, pallidus, posticus, sahlbergi, siculus, tamarisci, transversus, ulmi, wahlbergi.
- Nanos** pygmaeum.
- Nanotragus** pygmaea, regius, spinifera.
- Nanthilda** aenestinana.
- Nanus** punctellus, uniformis.
- Napaea** (Dipt.) aquila, coarctata, fossarum, hecate, litoralis, pusilla, pygmaea, stagnicola.
- Napaea** (Lep.) actoris.
- Napodes** pileata, thoracica.
- Napophila** meropura, nipalensis.
- Napothera** lepidocephala.
- Naranda** anomala.
- Narceus** tinctorius.
- Narcine** brasiliensis, capensis, dipterygia, indica, lingula, tasmaniensis, timlei.
- Narcissia** teneriffae.
- Narcobatus** bicolor, dipterygius, galvani, gronovianus, guttatus, maculatus, sinensis, timlei, unicolor, unimaculatus, variegatus. *Vide et Narkobatus.*
- Narcodes** pustulifera.
- Narcopterus** bolcaeus.
- Nardoa** (Ast.) agassizi, schlegeli, tuberculata, variolata.
- Nardoa** (R.) gilberti.
- Narica** acuta, anomala, blainvilleana, blainvillei, cancellata, carinata, cidaris, clathrata, cretacea, cuningiana, cuvieriana, deshayesiana, distans, genevensis, glaberrima, granosa, granulosa, gueriniava, helicoidea, helicoides, lamellosa, ligata, lirata, margaritacea, mauritiae, mississippiensis, orbignyana, petitiana, plicata, quoyi, rosea, sigaretiformis, souleyetana, striata, sulcata, tuberosissima.
- Narke** gronoviana.
- Narkobatus** giganteus. *Vide et Narcobatus.*
- Narwalus** andersonianus, microcephalus, vulgaris.
- Narycia** elegans.
- Narycius** olivaceus, opalus, smaragdulus.
- Nasalis** larvatus, recurvus.
- Nascia** ciliaris.
- Naseus** biaculeatus, brachycentron, brevirostris, carolinarius, fronticornis, incornis, latilavivus, lituratus, marginatus, uuchalis, olivaceus, punctulatus, rectifrons, tonganus, tripeltis, tuber, tuberosus, tumifrons, unicornis, vlamingi.

Nasica albicollis, beauperthuyssi, bridgesi, flavigaster, guttatoides, guttatus, longirostris, multiguttatus, nasalis, obsoletus, ocellatus, orbignyana, pardalotus, susurrans.

Nasiteria pygmaea.

Naso fronticornis, tuberosus.

Nassa abbreviata, achatina, acinosa, acuta, affinis, alba, ambigua, amphora, andrei, annulatum, arcularia, ascanias, asperula, attenuata, auriformis, basteroti, bistrata, bowerbanki, brochii, bryeri, canaliculata, cancellaroides, cancellata, candens, carinata, caronis, casta, cineta, cinetella, clathrata, coarctatum, coccinella, columbelloides, complanata, concinna, conglobatum, consociata, corniculum, coronata, costellata, costula, costulata, cremata, crenulata, curta, dentifera, desnoyersi, doliolum, eburnea, elata, elongatum, exilis, fasciata, fasciolata, fenestrella, festiva, flexuosum, fontainei, gaudiosa, gayi, gemmulata, genoensis, gibba, gibbosula, glans, globosa, globulosa, grana, granularis, granulata, haveri, hepatica, impressa, iucouspicua, incrassata, inflata, intermedia, interrupta, isabella, labella, labiosa, laevigata, laevis, laevissima, lessoniana, lineata, lineolata, livida, lunata, lurida, luteostoma, macula, mediterranea, mendica, microstoma, minima, miocenica, moesta, monensis, musiva, myristicata, neriteum, neritoides, nigra, nodata, nodifera, northiae, obliquatum, obsoleta, olivacea, pallida, papillosa, parvula, paupera, pauperata, perpinguis, picta, planaxiformis, plicatula, pliocena, politus, polygoum, prismaticum, propinquum, proxima, pseudoclatrata, pulchella, pulchra, puppa, pusio, pygmaea, pyriformis, quadrata, reticosa, reticulata, retusa, ringens, rissoides, rubricata, rugosum, st mauritii, scabriuscula, scalaris, semilaevis, semi-striata, serratum, subglobosa, subquadrangularis, subspinosa, sulcata, suturalis, terebralis, tessellata, thersites, tricarinata, trivittata, tuberculata, tumida, turbellica, turbinea, turrita, uncinata, varicosa, ventricosa, vibex, vitrea, volynica, voluta, xantostoma, zborzewscii.

Nassacites arcuatus, elatrus.

Nassaria auritula, badia, exilis, lyrata, minuta, papillosa, phallus, reticulata, scabra, senticosa, stolata, tranquebarica, vulgata.

Nassula aurea, elegans, ornata, viridis.

Nastus albomarginatus, albopunctatus, goryi, humatus.

Nasua canina, cuja, fisca, leucorhynchus, minor, monachus, monde, montana, narica, uasua, nicaeensis, nocturna, olivacea, parisiensis, quasje, rufa, spadicea, squasb, subfusca, vittata, vulpecula.

Natalis cribricollis, laplacei.

Natalus stramineus.

Nathalis iole, planta, porcata.

Natica abyssina, acbatensis, actaea, acuminata, acuta, acute-costata, acutella, acutimargo, adansonii, adducta, adspersa, aetites, affinis, aglaya, alapapilionis, alba, albasiensis, albumen, alderi, algida, allaudiensis, alpina, alta, althusi, ambulacrum, amiculata, ampla, ampliata, ampullacea, ampullaria, angulata, angusta, angustata, antiqua, antisienis, aperta, arachnoidea, araucana, arduennensis, areolata, arete-costata, arguta, aspera, athleta, atrocyanea, aurantia, auricularis, auriculata, ausavensis, australis, babiensis, bajocensis, baylei, bazarkensis, becksii, berculea, beverlii, bicincta, bicolor, bifasciata, bogotina, bonplandi, borealis, brevispira, britannica, broderipiana, bronni, bruguerii, brunnea, buccinoides, bulbiformis, bulimoides, buriasiensis, cailliaudi, callosa, calypso, canaliculata, cancellata, candidissima, carbonaria, carinata, caroliniana, carteroni, cassisiana, castanea, catena, catenoides, catulli, caurina, cayennensis, cepacea, chauviniana, ebemnitzi, cbinensis, cineta, cinnamomea, circularis, cirriformis, clathrata, clausa, clementina, clio, clymenia, clytia, cochlearia, collaria, collaris, collei, columnaris, compressa, conica, consolidata, coquandiana, cora, cornea, cornueliana, costata, costulata, cotentina, coxana, crassa, crassatina, crassilabrum, crassimargo, cretacea, critbea, cruentata, cumingiana, danae, daphne, decorata, decussata, deformis, dejanira, delbosi, delessertiana, delia, depressa, depressula, desbayesi, dicbotoma, difficilis, dilatata, dilecta, dillwyni, discrepans, distincta, doris, dubia, dupini, duplicata, eborea, eburnea, eburnoides, effosa, effusa, elea, elegans, elenae, elongata, elliptica, emiula, emiula, epiglottina, ervyna, escagnollensis, eudora, euzona, exaltata, excavata, excelsa, excentrica, extensa, fasciata, fasciolata, favrina, ferruginea, fibrosa, filosa, flammulata, flemingiana,

fluctuata, foveolata, fourneli, fragilis, fulgureus, fulminans, fulminea, fulva, funiculata, fuscata, gaillardoti, gallapagosa, gambiae, gaultheriana, geinitzi, genti, gibberosa, gibboniana, gibbosa, gigantea, gigas, glabra, glaberrima, glaucina, glaucinoides, globosa, globulosa, gomondi, gouldi, gracilis, grandis, granosa, grignonensis, grisea, gualteriana, guillemini, guttata, haidingeri, haidingeriana, haneti, bantonienis, harpula, helicina, belicoides, helvacea, bemisphaera, herculea, bercynica, heros, hieroglyphia, hispanica, hugardiana, hybrida, immaculata, immersa, imperfecta, impervia, impressa, inaequiplicata, incerta, inflata, intermedia, interna, intricata, inwaldiana, iostoma, irregularis, isabelleana, jamaicensis, jantbostoma, javanica, josephinia, jurensis, kassiana, kieneriana, kingi, labellata, labrella, lacernula, lacuna, laevigata, lamarki, lamellosa, landgrebi, leckbamptonensis, leibnitziana, leucozonias, levesquei, lewisi, limbata, limula, linata, lineata, lineolata, lirata, litterata, livida, longispira, lorieri, lupinus, lusitanica, lyrata, macilenta, macrostoma, macrostremis, maculata, maculosa, magdalena, magno-umbilicata, mahesienis, malabarica, mamilla, mamillaris, manna, mammilla, mandelslohi, marcouana, margaritacea, margaritifera, marginata, mariae, marmorata, maroccana, marochiensis, martinii, matheroniana, maura, maxima, melauostoma, melanostomoide, melastoma, meridionalis, micbelini, micbotiana, microstoma, millepunctata, minima, minor, mississippiensis, monilifera, montagui, muensteriana, multipunctata, munita, mustelina, mutabilis, nana, neptuni, neritacea, neritiformis, neritina, neritoides, nexicosta, nitida, nivea, nodosa, nodosocostata, nodulata, noe, notata, obesa, obliquistriata, obovata, obscura, obstructa, obtusa, occidentalis, ocellata, oceani, ocbrostoma, oeyenhausi, olla, omaliana, oolithica, orientalis, otis, ovata, oviformis, ovum, pagoda, pallens, pallida, pallidula, pallium, paludiniformis, panamaensis, papilla, papyracea, parisiensis, parmensis, parva, parvula, patagonica, patula, pavimentum, pederalis, pelea, pellis, pelops, percallosa, perpallida, perspectiva, perspicua, perusta, pes elephantis, petiveriana, petrosa, pbsianella, philippiana, philippi, picta, pictaviensis, pisiformis, planispira, pleurotomoides, plicata, plicatilis, plicatula, plicistria, plumbea, poli, ponderosa, ponti, porcelana, powisiana, praegrans, praelonga, priamus, prisca, protei, protogaea, proxima, pseudoampullaria, pseudo-epiglottina, pseudospirata, pulchella, pulla, pumila, punctata, punctulata, pungens, purpurascens, pusilla, pygmaea, pyriformis, quadrata, quadrifasciata, ranvillensis, raropunctata, rauliniana, ravidia, raynolaiana, reclusiana, redempta, requieniana, retzii, rhodani, rhodostoma, rizzae, roemeri, rotundata, royana, royana, rufa, rugosa, rugosissima, rugoso-carinata, rupellensis, rutila, sagittata, sagraiana, salangonensis, samarensis, sanctae crucis, sandalina, sanguinolenta, saxea, scalariformis, scalaris, schwarzenbergi, sebae, semilunata, semistriata, semisulcata, senegalensis, septentrionalis, sertata, sigaretina, simiae, similis, sinuosa, sohda, soluta, sordida, souleyetiana, sowerbyi, spadicea, sp. ind., speciosa, sphaerica, sphaerulus, spiralis, spirata, squalida, stercus-muscarum, striata, striatella, striolata, subangulata, subbulbiformis, subcaepacea, subcarinata, subclausa, subconica, subcostata, subdepressa, subfasciata, subglaucinoides, subglobosa, subhybrida, sublaevigata, sublineata, submaculosa, subneritoides, subnodosa, subovata, subparva, subplicistria, subrugosa, subspiralis, subspirata, substriata, subumbilicata, suesoniensis, sulcata, sulculosa, supracretacea, suturalis, tabulata, taeniata, tanel, tecta, tenuis, tessellata, texasiana, tigrina, torquata, toucasiana, tourneforti, transversa, triseriata, truncata, tuberculata, tuberosissima, tumidula, turbilina, turbinea, turbini-formis, turbinoidea, turgida, uber, uberina, umbilicata, undata, unicarinata, unifasciata, valenciennesi, vapincana, varians, variata, varusensis, venlockensis, ventricosa, venusta, verneuli, vesicalis, vicksburgensis, violacea, virginea, vitellus, vittata, vulcani, vulgaris, zanzebarica, zebra, zelandica, zonalis, zonaria.

Naticaria bifasciata, cancellata, melanostoma.

Naticella acute-costata, armata, bronni, cincta, compressa, concentrica, costata, decussata, granulocostata, lyrata, muensteri, neritoides, nodulosa, ornata, plicata, pyrulaeformis, striato-costata, subornata.

Naticina glaberrima, belicoides, lactea, monilifera, nitida, rufa.

Naticites canrena, millepunctatus.

Naticopsis ampliata, canaliculatus, concinna, domanicensis, dubius, elliptica, elongatus, liratus, neritoides, philippi, planispirus, plicistrius, spiratus, tabulatus.

Natrix aesculapii, aluada, alniadensis, aspera, bahiensis, bicarinata, bifida, cettii, clersoides, chiametla, cinnamouica, dorsalis, dumfriesiensis, elaphis, g. forsteri, gabina, lacertina, melanostigma, occipitalis, ocellata, petolina, punctatissima, retusa, scurrula, scutata, semilineata, sexcarinata, subnexa, sulphurea, tessellatus, torquata, viperina.

Nauclerus abbreviatus, annularis, brachycentrus, compressus, furcatus, leucurus, riocourii, triacanthus.

Naucoris acuta, aptera, bipunctulus, brasiliensis, femorata, nepoides, obliquata, planus, poeyi, profunda, raptoria, rugosa, stygica.

Naucrates auctor, cyanophrys, ductor, faufarus, indicus, koelreuteri, noveboracensis, serratus.

Naucum striatulum.

Naulas sulcatus.

Nautinus elegans, granulatus, grayi, pacificus, punctatus.

Naupactus acerbus, aeronis, albopunctatus, albulus, alutaceus, aubiguus, ambitiosus, amens, amoenus, anceps, anthribiformis, aptus, argyrostomus, aulacus, aurichalceus, auricinctus, auriventris, aurolimbatus, aurulans, balteatus, barbicauda, basilicus, bellus, bipes, bistigma, bistuberculatus, bonariensis, bridgesi, calvus, caniculatus, cayennensis, celator, cervinus, chalybeipes, chevrolati, chloraspis, chordinus, cinerosus, concinnus, condecoratus, contractus, crinitus, cruciatus, curialis, curtus, curvilineus, dasypus, decolor, decorus, deplorabundus, depressicollis, dissimulatur, dives, dubius, elegans, elegantulus, elongatus, enitescus, equestris, exilis, faldermanni, fallax, fatuus, faustus, festivus, figuratus, flavipennis, fluctuosus, formosus, fuscus, gibbicollis, globicollis, globulicollis, granicollis, griseus, hispanicus, histrio, hypocrita, illotus, impurus, incanus, in jucundus, insignis, instabilis, institor, interruptus, klugi, lacertosus, lanipes, lar, lateralis, latifrons, leporinus, leucographus, leucoloma, leucophaeus, leucosoma, leucopilus, linearis, lineatus, longimanus, loripes, lusitanicus, macilentus, maculosus, marginalis, marginatus, mitis, morio, mundus, navicularis, nobilis, nodicollis, nubilosus, obliquus, obsoletus, obtusus, optatus, ornatus, pavidus, perpastus, pictus, pithecius, polliger, praedatus, psittacinus, pubescens, pulverulentus, pupulus, quadrigatus, retusus, rivulosus, roborosus, roscidus, roseiventris, rubiginosus, rubricollis, rubripes, ruficornis, rufipes, ruficola, sahlbergi, scelestus, scintillans, sellatus, senex, serripes, setarius, signatus, signipennis, sommeri, sparsus, squameus, squamifer, stauropterus, stigmaticus, stultus, stupidus, suavis, subacutus, subfurcatus, subvittatus, suffitus, sulphureosignatus, suturalis, tarsalis, temperans, tibialis, transversus, trivittatus, turmalinus, univittatus, varians, viduatus, virens, viridicinctus, viridiplagiatus, viridisquamosus, vittatus, xanthographus, wilsoni, wintheimi.

Nauphoeta bivittata, circumvagans, grisea, lyrata.

Nauplius armatus, gnatho, isodactylus, plumosus.

Naupyus bucklandi.

Nauricia pulchella.

Nausinoe neptalis, nymphaealis.

Nauta hypnorum.

Nautilites aganiticus, angulites, aperturatus, aratus, argonauta, bidorsatus, bisiphites, danicus, depressa, dubius, furcatus, giganteus, hiulcus, lobiserratus, pictus, pseudopompilius, pulcher, puppis, rusticus, sphaericus, squamosus, substriatus.

Nautilus platystomus.

Nautiloceras aigoceros, linearis, meyerianum, serratum.

Nautilocorystes ocellatus.

Nautilograpsus major, minutus, smithi.

Nautilopsis vanuxemi.

Nautilus acutus, aganiticus, alabamensis, albensis, allionii, ambiguus, ammonioides, anceps, anglicus, angustatus, annularis, archiacianus, arcuatus, arietis, armatus, astacoides, astertianus, aturi, auriculata, bajocensis, barrandei, belemnita*, biangulatus, bicarinatus, bilobatus, bisiphites, bistrialis, bisulcatus, bonellii, bordae, bouchardianus, bowerbankianus, breunneri, bucklandi, bucklandius, burtini, calcitrapoides, carinatus, cariniferus, castor, centralis, chalconicus, clausus, clementinus, clitellarius, colubrinus, complanatus, compressus, comptoni, comptus, concavus, connecticutensis, coronatus, costalis, costatus, costellatus, costula, coyanus, crenatus,

cuvieri, cyclo~~topus~~, cymbiformis, danicus, dekeyi, delphinus, dentatus, depressus, deshayesi, deslongchampsianus, diluvii, discors, discus, dissimilis, domeykus, dorsalis, dorsatus, dosatus, elegans, ellipticus, endosiphonus, entrochus, excavatus, expansus, falcatus, fasciatus, fleurbaesianus, floridus, freieslebeni, fricator, funatus, furcatus, galicianus, germanus, gigas, globatus, globosus, goniatites, goniolobatus, goniolobus, granulatus, gravesianus, hebertianus, hebertinus, hecticus, heterophyllus, hexagonus, hoeninghausi, hylas, imperialis, inaequalis, indicus, inflatus, ingens, inglii, inornatus, intermedius, jason, jugosus, julii, knaptonensis, konincki, lacustris, laevigatus, laevis, lallierianus, lamarki, largillierianus, latidorsalis, latidorsatus, leibnitzii, leplayi, leveillanus, linearis, lineatus, lingulatus, lobatulus, luidii, lunula, macromphalus, maeandrus, maltonensis, mantelli, marcoussianus, marginatus, maris rubri, matheronius, megasipho, minutus, montfortianus, moreausus, multicarinatus, mutabilis, nautiloides, neckeriensis, neocomiensis, nitidus, nobilis, nodosus, nodulosus, numismalis, obesus, obscurus, opalinus, orbicularis, orbignyanus, orthoceratites, ovatus, oxytomus, parallelus, parkinsoni, patens, pectinatus, pentagonus, perforatus, perlatus, peroni, perplanatus, phillipsianus, pinguis, placentalis, planidorsatus, planotergatus, platynotus, platystomus, plicatus, pollux, polygonalis, polygyratus, polyplocus, polytrichus, porcatus, pseudo-elegans, pulchella, pulvinata, pustulatus, puteus, pygmaeus, quadratus, quenstedtii, radians, radiatus, rawsoni, rectus, redivivus, refractus, regalis, reinecki, requienianus, reticulatus, rhodani, rollandi, rotatus, rotula, salisburyensis, sauperi, saussureanus, saxbianus, saxbyi, sceptrum, schmidtii, scrobiculatus, semilunaris, semistriatus, simonyi, simplex, sinuato-plicatus, sinuatus, sinuosus, sowerbyanus, sphaericus, spinulosus, squamula, stenomphalus, striatulus, striatus, striolaris, stygialis, subaratus, subarcuatus, subbiangulatus, subcarinatus, subinflatus, sublaevigatus, subreticulatus, subsinuatus, subsulcatus, sulcatus, sulcifer, sulciferus, sypho, tcheffkini, tenui-planatus, teres, tetragonus, triangularis, trifurcatus, trochlea, truncatus, tuberculatus, tumidus, umbilicaris, umbilicatus, undatus, undosus, undulatus, urbanus, varusensis, vastus, verneuilianus, whitbiensis, woodwardi, ziczac.

Navicella apiata, bougainvillei, caerulea, clypeolum, compressa, cooki, cuningiana, depressa, elliptica, entrecastauxi, freycineti, janelli, la perousei, lineata, luzonica, macrocephala, maculifera, parva, porcellana, suborbicularis, suffreni, tessellaria, tessellata, urvillei, variabilis, zebra.

Navicula fasciata.

Navosoma triste.

Naxia diacantha, serpulifera, sinope.

Nea glottis, semipalmata.

Neaera (Dipt.) immaculata, laticornis.

Neaera (L.) abbreviata, atra, attenuata, casta, cochlearis, concinna, costata, costellata, cuspidata, didyma, elegans, fragilis, gouldiana, hyalina, iridescens, lata, lyrata, moluccana, obesa, opalina, philippinensis, rosea, rostrata, singaporensis, sulcata, tenuis, trigona, vitrea, waeli.

Nebalia bipes, ciliata, geoffroyi, glabra, herbsti, montagui, straussi, ventricosa.

Nebalis squalida.

Nebria aenea, altaica, andalusia, angustata, angusticollis, arctica, arenaria, atrata, baicalica, balbi, barbara, besseri, bonellii, borealis, bremeri, brevicollis, brunnea, carbonaria, carpathica, castanea, catenulata, caucasica, caucasica, chevrii, collaris, commixta, complanatus, concolor, cordicollis, crenato-striata, cuprea, dahli, dejeani, depressa, dilatata, dubia, duftschmidtii, elongata, erythrocephala, escheri, eschscholtzi, exarata, faldermanni, fasciato-punctata, femoralis, ferruginea, fischeri, foudrasi, frigida, fulgida, fulviventris, funcki, fuscata, fussi, gagates, gaugeri, gebleri, genei, germari, gotschi, gregaria, gyllenhalii, heegeri, hellwigi, hemprichi, heydeni, hoepfneri, hornschi, hyperborea, intricata, jockischi, kotschyi, krateri, lafresnayei, lateralis, laticollis, leistoides, livida, longicornis, lugdunensis, luteipes, mannerheimi, marshalli, marschalli, mellyi, melsheimeri, metallica, microthorax, moesta, motschulskyi, muehlenbergi, multipunctata, multistrigaria, nigerrima, nigricornis, nivalis, oblonga, ochotica, olivieri, orsinii, ovalis, pacifica, pallipes, parreyssi, patruelis, picea, picicornis, planiuscula, psammodes, reichei, rubicunda, rubripes, rufomarginata, sabulosa, sahlbergi, scabulosa, schreibersi, schrenki, splendidi, stenei, stigmula, subacuminata,

subdilata, suturalis, tenella, testacea, tibialis, transylvanica, tureica, variabilis, verticalis, violacea, wiedemanni, xanthacra, ziegléri.

Nebris microps.

Nebrius concolor.

Nebula ablutaria, aquearia, montanaria, nebularia, ruficinctaria, scabraria.

Nebularia ancillides, contracta.

Nebulipora explanata, lens, papillata.

Necrobia amethystina, atra, bicolor, defunctorum, errans, eximia, muniarum, pinguis, rubripes, ruficollis, rufipes, sanguinicollis, tibialis, violaceus.

Necrobium subterraneus.

Necrobora americana.

Necrodes analis, curtisi, gayi, littoralis, lividus, osculans, truncata.

Necrophaeophagus longicornis, punctiventris.

Necrophagus spinipes.

Necrophilus arcnarius, hydrophiloides, picipes, subterraneus.

Necrophorus aequinoctiale*, aleuticus, americanus, anglicus, basalis, bicolor, bimaculatus, cadaverinus, corsicus, curvipes, defodiens, didymus, fossor, frontalis, funereus, germanicus, grandis, guttula, halli, hebes, himator, infodius, interruptus, investigator, lunatus, marginatus, maritimus, medius, melsheimeri, morio, mortuorum, nepalensis, nigricornis, nigrita, obrutor, obscurus, olfactor, orbicollis, particeps, pygmaeus, quadricollis, quadri-signatus, requiescator, ruspator, sayi, scrutator, sepulchralis, sepultor, sexmaculatus, stygius, sulcatus, tomentosus, velutinus, vespillo, vestigator. *Vide et* **Nicrophorus**.

Necroscia chloris, chlorotica, fumata, quadriguttata, roseipennis, vinosa, vittata.

Necrosyrtes monachus.

Nectanebus fischeri, histeriscus.

Nectarina (A.) byrouensis, niger.

Nectarina (Hym.) analis.

Nectarinia adelberti, aenea, affinis, afra, amboinensis, amethystina, angladiana, antilensis, aspasia, aurantia, aurifrons, bicolor, bifasciata, boiei, borbonica, caerulea, caffra, calcostetha, canora, capensis, cardinalis, cayana, chalybea, chloropygia, chrysogenys, chrysoptera, cinereicollis, cingalensis, cirrhata, coccinea, cocciniger, collaris, cruentata, cuprea, cyanea, cyanocephala, cyanopogon, cyanopygos, eboensis, eques, erythrorhynchus, erythrorhox, eximia, famosa, flammoxillaris, flava, flaveola, flavigastra, formosa, fraseri, frenata, frontalis, fuliginosa, fusca, goalpariensis, gouldi, gouldiae, gularis, habessiica, hasselti, hodgsoni, horsfieldi, hypogrammica, ignicauda, ignita, indica, inermata, infuscata, javanica, jugularis, kuhli, labecula, latham, lepid, leucogaster, longirostra, longuemari, lotenia, macassariensis, madagascariensis, mahattensis, malaccensis, manillensis, melampogon, melanorhynchus, melanura, melasoma, metallica, mexicana, minima, minuta, mitrata, mystacalis, natalensis, nigrescens, nigrogaster, nipalensis, nuchalis, obscurus, olivacea, omnicolor, parietum, parvula, pectoralis, pharei, phayrei, philippensis, phoenicotis, phoenicura, platurus, polita, promerops, pulchella, purpurata, pusilla, pygmaea, rectirostris, rubescens, rubra, rubrocana, rubro-fusca, rufa, ruficollis, saginata, sanguinea, sannio, saturata, scarlatina, senegalensis, simplex, siparaja, sola, solaris, soui-manga, spiza, splendens, splendida, stangeri, subflava, superba, tabacina, tacaze, temmincki, uncinata, velox, venusta, verroxi, verticalis, vestitaria, vigorsi, violacea, violaceofrons, virescens, vulnerata, zenobia, zeylanica, zeylonica.

Necteria seheriae.

Necticus bipustulatus.

Nectoceras pelagica.

Nectria oculifera.

Necturus anguillaris, axolotes, fuscus, lateralis, lutescens, maculatus, maculosus, marginatus, operculatus, phosphoreus, tetradactylus.

Nectylus rugosus.

Necydalis abbreviata, americanus, auricomus, aurulenta, barbicus, calopoides, clavata, croceicollis, erminea, femoratus, flavimana, fraxini, lepturoides, lurida, macula, margaritacea, marginella, mellitus, notoxoides, salicis, scutellaris, thoracica.

- Neda amandi*, *andicola*, *brenei*, *calispilota*, *chevrolati*, *fasciolata*, *fortuna*, *jourdani*, *marginalis*, *marginata*, *miniata*, *norrisi*, *ochracea*, *orbignyi*, *perfidia*, *perrisi*, *peruviana*, *princeps*, *reichi*, *subdola*, *tricolor*.
- Nedusia* *effractaria*, *mutillaria*.
- Nedyus* *asperifoliarum*, *assimilis*, *borraginus*, *caliginosus*, *chloropterus*, *chrysanthemi*, *cinereus*, *cochleariae*, *constrictus*, *contractus*, *crux*, *depressicollis*, *detritus*, *didymus*, *echii*, *ericae*, *erysimi*, *floralis*, *horridus*, *leucomelanus*, *litura*, *marginatus*, *melanarius*, *melanostigma*, *monostigma*, *nigrinus*, *obstrictus*, *ovalis*, *pallidactylus*, *phaeorrhynchus*, *pollinarius*, *pugio*, *pyrrhorhynchus*, *quadrimaculatum*, *quercicola*, *ruficrus*, *rugulosus*, *scutellatus*, *sulculus*, *suturalis*, *sysimbrii*, *troglydites*, *uniguttatus*.
- Needhamia* *expulsoria*.
- Neides* *clavipes*, *culiciformis*, *elegans*, *sieberi*, *tipularius*, *tripunctata*, *trispinosus*.
- Neis* *cordigera*.
- Neithea* *costangularis*, *laevigata*, *pectinoides*, *quadricostatus*, *quinquecostatus*, *versicostata*.
- Neleus* *aterostris*, *glaber*, *longirostris*, *notatus*.
- Nelicurvius* *pensilis*.
- Nelimenia* *incognita*.
- Nelites* *aeneolus*.
- Nelocira* *brongniarti*, *cranchi*, *desmaresti*, *navicularis*, *swainsoni*.
- Nelomys* *atricola*, *armatus*, *blainvillei*, *cristata*, *didelphoides*, *pictus*, *semivillosus*, *sulcidens*.
- Nemacanthus* *brevispinus*, *filifer*, *granulosus*, *monilifer*, *priscus*, *sentionis*.
- Nemacerus* *incertus*.
- Nemadactylus* *concinus*.
- Nemaeodera* *trizonata*.
- Nemaglossa* *brevis*.
- Nemalix* *pelagica*.
- Nemapalpus* *flavus*.
- Nemaphorus* *crotalus*.
- Nemaphyllum* *arachnoideum*, *clisioides*, *decipiens*, *irregularis*, *miuus*, *septosum*.
- Nemapodia* *tenuissima*.
- Nemapogon* *frischellus*, *granellus*, *leuwenhoekellus*, *rayellus*.
- Nemasoma* *varicorne*.
- Nemastoma* *bimaculatum*, *chrysomelas*, *humerales*.
- Nemastosa* *bicuspidatum*.
- Nematidium* *cylindricum*.
- Nematinus* *helacinus*.
- Nematocera* *bicolor*, *fuscana*, *nigra*, *nubeculosa*.
- Nematocerus* *metallicus*.
- Nematodes* *filum*, *nigriceps*, *strepens*.
- Nematodozon* *helicum*.
- Nematoideum* *caprimulgi europaei*, *haematopodis ostralegi*, *hirundinis apodis*, *labri nilotici*, *lepidopodis peroni*, *phacochoeri africanus*, *pipae dorsigerae*, *soricis aranei*, *vespertilionis serotini*.
- Nematomicrus* *tenellus*.
- Nematophora* *alba*, *vitrea*.
- Nematopodius* *formosus*, *linearis*.
- Nematopogon* *metaxellus*, *pilellus*, *pilellus*, *schwarzellus*, *sericinellus*, *swammerdamellus*.
- Nematoptera* *angulata*, *bipennis*, *coqueberti*, *filipennis*, *forskalli*, *latipennis*, *olivieri*, *petiveri*.
- Nematopus* *angustatus*, *brevicornis*, *dilatatus*, *dorsalis*, *elegans*, *fasciatus*, *flaviceps*, *gallus*, *indus*, *javanicus*, *marginalis*, *meleagris*, *nepalensis*, *nervosus*, *obscurus*, *ruficrus*, *rufoscutellaris*, *serripes*, *sexguttatus*.
- Nematosoma* *ophidium*.
- Nematosomum* *elongatum*.
- Nematura* (A.) *deltae*, *paradoxa*.

Nematura (G.) fossilis, minima, polita, puncticulata.

Nematus abbreviatus, abdominalis, abietinus, abietum, acer~~osus~~, adultus, aethiops, affinis, albilabris, albipennis, alui, alnivorus, ambiguus, analis, angustus, annulatus, apicalis, appendiculatus, aurantiacus, bergmanni, betulae, betularius, betulinus, bicolor, bipartitus, brachycercus, brevicornis, brevis, brevisculus, caeruleocarpus, canaliculatus, caprae, capreolus, carinatus, caudalis, cellularis, chrysogaster, cinctus, clitellatus, compressus, conicus, conjugatus, consobrinus, continuus, contractus, crassicornis, crassulus, crassus, crocatus, crocens, cubitalis, cylindricus, danicus, degeeri, denudatus, depressus, deutschii, de villareti, diaphanus, dimidiatus, dorsalis, drewseni, einersbergensis, ephippiger, erichsoni, eupodus, fahraei, fallax, faustus, femoralis, flavescens, flavicomus, flavipes, flaviventris, flavus, fraxini, friesi, fruticum, fulvipes, fulvus, fumipennis, fuscipennis, fuscivorus, gallarum, gallicola, geniculatus, gallicornis, gracilis, gaudis, gravenhorsti, grossulariae, grossulariatus, haemorrhoidalis, histrio, hortensis, hospes, humeralis, hybridus, hypogastricus, immundus, insignis, integer, intercus, interruptus, jurinei, kirbyi, klugi, laricis, laticerus, latipes, leachi, lepidotus, leucapus, leucocarpus, leucogaster, leucopodius, leucostictus, leucotrochus, limbatus, longicornis, lucidus, luridiventris, luridus, luteus, macrocerus, maculiventris, marginatus, medullarius, melanaspis, melanocarpus, melanocephalus, melanocerus, melanoleucus, melanopsis, melanosternus, melanostigma, melanotus, melanurus, miliaris, miniatus, minutus, mollis, monogyniae, mucronatus, myosotidis, nassatus, neglectus, niger, nigratus, nigriceps, nigricornis, nigritus, nyblaei, obductus, oblitus, obtusicornis, ochraceus, ochrogaster, pallescens, palliatus, pallicarpus, pallicerus, pallidiventris, pallipes, parallelus, parvus, pavidus, pectoralis, pedunculi, pentandrae, perspicillaris, pineti, platycerus, populi, prasinus, propinquus, proximus, punctulatus, quercus, quietus, ribesi, ribis, robustellus, rufescens, ruficarpus, ruficollis, ruficornis, rufipes, saliceti, salicis, saxeseni, schiodtei, schmidtii, scutellatus, septentrionalis, seticornis, solitarius, sordidus, squalidus, stratipes, striatus, suessionensis, sulcipes, taeniatus, testaceus, tibialis, trimaculatus, truncatus, umbripennis, valisnieri, vanus, variabilis, varus, ventralis, ventricosus, ventriculosus, vernalis, vertebratus, vesicator, vicinus, viduus, viminalis, virescens, viridis, vittatus, westermanni, xanthocarpus, xanthocerus, xanthophorus, xanthopterus, zetterstedti.

Nemeobius lucina.

Nemeophila figurata, plantaginis.

Nemertes (Cr.) nesaeoides.

Nemertes (Verm.) albicans, annellata, annulata, antonina, assimilis, badia, balmea, bilineatus, bioculata, borlasi, camillea, cartinophilus, coeca, complanatus, coronata, crassa, delineatus, drepanensis, dubia, ehrenbergi, elegans, fasciolata, flaccida, fumosa, fusca, fuscescens, geniculata, glaucus, gracilis, haematodes, hemprichi, humilis, knochi, lactiflora, maculata, mandilla, melanocephala, microcephala, microphthalma, multioculatus, nigrofusus, octoculata, olivacea, opaca, peronea, polymorpha, pulchra, punctata, purpurea, pusilla, quadrioculata, roseus, rufa, rufifrons, somatotomus, spectabilis, striata, superbus, vermiculus, viridis, vittata.

Nemertesia antennina, janini, ramosa.

Nemertilites meandrites, strozzii, toenia.

Nemertites ollivanti.

Nemesia cellicola.

Nemesia carchariarum, damna.

Nemestrina abdominalis, accincta, aegyptica, albo-fasciata, analis, atra, brevirostris, cinerea, fasciata, lateralis, longirostris, macularis, nigra, osiris, pallipes, perei, rufipes, sulphurea, tauscheri, vitripennis, westermanni.

Nemestrinus reticulatus.

Nemichthys scolopacea.

Nemipterus filamentosus.

Nemistrina cincta, javana, ruficornis.

Nemobius lineolatus, sylvestris.

Nemobrama webbi.

Nemocera nivalis*.

Nemochirus erythropterus.

- Nemocoris** falleni.
- Nemoctus** echelius.
- Nemognata** atripennis, chrysomelina, collaris, immaculata, lineata, versicolor, vittata.
- Nemognatha** atripennis, bimaculata, ceruleipennis, collaris, flavipes, immaculata, minima, nemorensis, sibirica, vittata.
- Nemognathus** coeruleipennis, dimidiatus, rostratus.
- Nemoicus** oblongus, rufescens, testaceus, undatus.
- Nemoletus** pallipes, polyposus.
- Nemopalpus** flavus.
- Nemophora** crinigerella, degeerella, metaxella, panzerella, pilella, pilulella, swammerdamella.
- Nemopoda** algira, annulipes, brunica, coeruleifrons, cylindrica, ferruginea, fumipennis, gagatea, lateralis, nigricornis, nigrilatera, putris, ruficoxa, scutellata, stercoraria, tarsalis, varipes, viridis.
- Nemopsis** bachei.
- Nemoptera** aegyptiaca, africana, alba, algirica, angulata, aristata, bacillaris, capillaris, coa, costalis, costata, dilatata, extensa, filipennis, halterata, hutti, lusitanica, olivieri, pallida, setacea, sinuata.
- Nemopteryx** africana, crassus, elongatus, lusitanica, mandibularis.
- Nemora** acutangularis, affinis, amoena, analis, appendiculata, bifasciata, bombylans, breui, brevisetosa, brunicornis, fulva, lateralis, lucida, maculosa, microcera, minor, myophoroida, neglecta, nemorum, nigra, nigroscutellata, obliqua, pellucida, quadri-pustulata, radicum, scutellata, setosa, soror, strenua, tessellans, unicolor, varicornis, vicina, viridescens.
- Nemorea** abdominalis, borealis, erigonea, erythrura, flavipennis, florea, floricola, laevigata, myophoroidea, pellucida, puparum, radicum, silvatica, strenua, vagabunda, varia, viridulans.
- Nemorhaedus** proclivus. *Vide et Nemorrhodus.*
- Nemorhina** palpalis.
- Nemorhinus** nanus.
- Nemoria** bistraria, cloraria, herbaria, venustaria, viridaria, viridata.
- Nemoricola** indica, nipalensis.
- Nemorrhodus** crispus, goral, sumatrensis. *Vide et Nemorhaedus.*
- Nemosia** atra, diademata, flavicollis, fulvescens, guira, gularis, nigricollis, nigro-genis, pileata, ruficapilla, sordida, speculifera, verticalis.
- Nemosoma** elongatum.
- Nemotelus** acrossus*, aethiops, albirostris, albisetus, anchora, argentifer, bifasciatus, bipunctatus, brachystomus, brevirostris, carneus, fasciatus, fraternus, frontalis, globuliceps, gracilis, lasiops, longirostris, nigrifrons, nigrinus, nigrinus, niloticus, notatus, paludosus, pantherinus, pica, proboscideus, sabaeus, singularis, tarsatus, varius, ventralis.
- Nemotois** barbatellus, cuprella, cypricella, frischella, minimellus, mollella, pfeifferella, reaumurella, schiffmillerella, viridella.
- Nemotragus** helvolus.
- Nemotrichus** indistinctus.
- Nemoura** abdominalis, affinis, angusta, angusticollis, annulata, brevicollis, brevipennis, brunnea, canbrica, cinerea, cruciata, cylindrica, flavicornis, fuliginosa, fumosa, fusca, fusciventris, geniculata, glacialis, humeralis, inconspicua, lateralis, longipennis, luteicornis, macrophthalma, marginata, maura, meyeri, monilicornis, nebulosa, nervosa, nigra, nigripes, nigratarsis, nitida, pallicornis, pallida, pallipes, picea, pusilla, putata, similis, sulcicollis, tenuis, trifasciata, variegata.
- Nemozoma** caucasicum, cornuta, elongatum, fasciata.
- Nemura** chrysa, cyanura, flavolivacea, fonscolombi, genei, hyperythra, lunata, minuta, pygmaea, rufilatus, socia.
- Nengetus** nengetus.
- Neochera** dominia, eugenia.
- Neodon** sikimensis.
- Neomenius** arcuata.

- Neomeris** (M.) phocaenoides.
Neomeris (Polyz.) dumetosa, urophylla.
Neomida cophosioides, picta, rufa, sanguinacellis, tetraspilota.
Neomorpha acutirostris, crassirostris, gouldi.
Neomys daubentoni.
Neonympha adiante, areolatus, clerimene, cosmophisa, dorothea, eurytis, germana, grimon, helicta, melusina, sosybius.
Nephron alpina, carunculatus, monachus, percnopterus.
Neops chrysoptera, ruficaudus, spirurus.
Neopus malayensis, perniger.
Neornis cacharensis, flavolivacea, strigiceps.
Neotoma drummondi, floridana.
Neotragus madoka.
Nepa aestivalis, aunulipes, cursitans, elongata, filiformis, grisea, ingenicula, minor, nepaformis, nigra, primordialis, subspinosa.
Nepanthia maculata, tessellata.
Nephalius amictus, blandus, cassus, exutus, serius.
Nephele chiron, didyma, morpheus.
Nephelis atomaria, cinerea, gigas, octoculata, rutila, tessellata, testacea, trochetia, vulgaris.
Nephesa rosea.
Nephila clavipes, cunninghami, fasciata, fasciculata, fuscipes, maculata, ornata, plumipes, transalpina, turneri, vestita, xanthospilota.
Nephodes villiger.
Nephodesme asinana, conspersana, maurana, nebulana, roscidana, rusticana.
Nephodia aerinaria, cicaria, nubilaria, vaporaria.
Nephopterix abietalis, ablutalis, albicilla, binaevalis, coerulentella, consocialis, cristalis, dilutalis, fischeri, gracilalis, grandella, janthinalis, obtusalis, rhenalis, roboralis.
Nephopteryx metzneri, poteriella, subochrella.
Nephridia xanthopus.
Nephrites nitidus.
Nephrocerus flavicornis, lapponicus.
Nephron pileatus, salvinensis.
Nephrops geoffroyi, norvegicus, occidentalis.
Nephrotoma cornicina, crocata, dorsalis, pratensis, replicata, vittata.
Nephrotus chorzowensis.
Nephthea chabrolis, cordieri.
Nephthys ciliata, coeca, margaritacea, neapolitana, savignyi, scolopendroides, splendida.
Nephthys assimilis, bouonensis, borealis, caeca, hombergi, longesetosa, longoscetosa.
Neptaea amicorum, florida, innominata, savignyi, spinulosa.
Nepticula angulifasciella, argentipedella, argyropeza, assimilella, aurella, cursoriella, gratiosella, hemargyrella, hubuerella, ignobilella, intimella, lemniscella, louisella, rufella, samiatella, septembrella, sericopeza, subnitidella.
Neptis aceris, agatha, columella, consimilis, dumetorum, emilia, frobenia, heliodore, hordonia, illigera, kikideli, lucilla, matuta, melicerta, metella, nauplia, ophione, praslini, valentina, vikasi, zaida.
Neptunea aethiops, ansata, antiqua, canaliculata, cincta, cingulata, clathrata, cochleata, colus, cornea, costata, costulata, despecta, ecaudata, exilis, flammeola, islandica, laevigata, marmorata, minima, minor, morio, plicata, recticauda, reticulata, taeniolata, trapezium, tulipa, verrucosa.
Neptunus hespera.
Nepyris russula.
Nerea nitida, punctata, riparia, stercoraria.
Nereidice galathina, olympia, valentina.
Nereidonta antennata, aphroditois, gallica, gigantea, hispanica, norvegica, paretii, pennata, pinnata, sanguinea, tubicola.
Nereilepas fusca, variabilis.
Nereimyra longissima, rosea.

Nereina lacustris.

Nereiphylla crassa, flava, lamellifera, lamellosa, laminosa, longa, paretii, stellifera, viridis.

Nereiphyllie lamelligera, limonis, maculata, viridis.

Nereis (Lep.) aegle, calliope, cymo, delila, dianasa, dido, doto, eunice, neso, ninonia, polymnia, reckia, sara, thales, thauar, thelxiope, vesta.

Nereis (Verm.) aegyptia, aphrodita, arctica, assimilis, beaucoudraisi, beaucoudrayi, bertoloni, bilineata, blainvillei, brevinanus, calamus, cirrhigera, coccinea, costae, crocea, cultrifera, cuprea, delagica, delineata, depressa, dumerili, edwardsi, fasciata, filigera, flexuosa, frontalis, fucicola, grandifolia, imbecillis, intuschelata, iricolor, lineata, lonata, longissima, lumbricalis, maculosa, margarita, marioni, mucronata, nuntia, ochotica, ockeni, octentaculata, otto, paradoxa, parthenopeia, pectinata, phyllophora, pinnigera, pulsatoria, purpurascens, quadricornis, radiata, ranzani, regia, renalis, ruber, rudolphi, sanguinea, sarsi, scolopendrina, scolopendroides, sextentaculata, splendida, squamosa, succinea, taurica, teticola, tiedemann, tremula, variegata, vexillosa, virens, viridis, vittata, zostericola.

Nereisyllis bifrons, monilaris, ornata, prismatica, prolifera.

Nereites cambrensis, deweyi, gracilis, jacksoni, lanceolata, loomisi, pugnus, sedgwicki.

Nereus hydrachna, hydrastes.

Neria atripes, carolinensis, cayennensis, flavipes, geometra, hottentota, indica, iuulae, longipes.

Nerias lineata, phlegia, susanna.

Nerienne abnormis, apicata, avida, bicolor, cornuta, dubia, errans, flavipes, furva, gibbosa, gracilis, graminicolens, livida, marginata, munda, nigra, parva, pulla, pygmaea, rubella, rubens, rubripes, rufipes, saxatilis, sulcata, sylvatica, tibialis, timida, tuberosa, variegata, viaria.

Nerilla antennata.

Nerilopsis laevigata, ornata, pulchella, renauxiana, robineausiana.

Nerina (Dipt.) albipennis, cinerea, dejeani, flavescens, prompta.

Nerina (Verm.) trochiformis.

Nerinaea anglica, annulata, borsoni, cingenda, conimbrica, constricta, elongata, eschwegeii, fasciata, gosae, grandis, hieroglyphica, incavata, involuta, jurensis, lebruniana, longissima, mandelslohi, mosae, uodosa, olisiponensis, striata, suprajurensis, titan, trinodosa, triplicata, tuberculosa, turbinata, unicarinata, visurgis, visurgus.

Nerine cirrata, coniocephala, laeviscornis, vulgaris.

Nerinea acicula, acreon, acus, alata, allica, altenensis, ampla, archiaciana, archimedi, atalanta, aunisiana, axonensis, bacillus, bauga, bernardina, bicincta, bifurcata, bisulcata, borsoni, bronni, bruckenthali, bruckneri, bruntrutana, buchi, cabanetiana, caecilia, calliope, callirhoe, calypso, canaliculata, carpathica, carteroni, cassiope, castor, chamousseti, cincta, clavus, clio, clymene, clytia, coquandiana, cottaldiana, crenata, crispa, crithea, cylindrica, cynthia, defrancei, depressa, desvoidyi, dubia, dupiniana, eichwaldiana, elata, elatior, elea, elegans, elegantula, elongata, erato, espaillaciana, eudora, fibula, fleurbausa, flexuosa, funiculus, fusiformis, gigantea, goldfussiana, goodhalli, grandis, granulata, imbricata, implicata, inornata, jollyana, lobata, luciensis, marcouiana, margaritifera, marrotiana, martiniana, matronensis, monilifera, moreauiana, nantuacensis, nobilis, nodulosa, orbigniana, ornata, paillet-teana, pauperata, perforata, perigordina, podolica, propinqua, pseudocylindrica, pulchella, punctata, pupoides, pustulifera, pyramidalis, quadricincta, quinquecincta, regularis, renauxiana, requieniana, roemeri, royeriana, rupellensis, salinensis, scalaris, scalata, sexcostata, simplex, speciosa, striata, subaequalis, subbruntrutana, sub-cochlearis, subcylindrica, subdepressa, subpulchella, subpyramidalis, subscalaris, subteres, subtricincta, subturritella, sulcata, terebra, teres, trachlaea, tricincta, trinodosa, triplicata, trochiformis, turriculata, turris, turritella, turritellaris, uehauxiana, umbilicata, voltzi, volzi, wosinskiana. *Vide et Nerinaea*.

Nerinella (G.) constricta, dupiniana, fasciata, granulata, matronensis, pulchella, quadricincta, subaequalis, subcochlearis.

Nerinella (Verm.) chermesina.

Nerita acherontia, adansoniana, africana, alpina, alternata, ampliata, anatolica, angistoma, angulata, angulosa, anthracina, antiquata, aperta, apiata, argus, arquata, articulata,

asperata, asperulata, atropurpurea, aurantia, auriculata, aurora, australis, avellana, beaniana, becki, bicanaliculata, bicolor, bisinuata, bizonalis, bourgeoisiana, brevispina, brongniartina, bronni, bruguieri, cafra, canalis, cancellata, candida, carbonaria, cardinalis, cariosa, caronis, cassidiformis, celata, chenmitzi, chiloensis, chlorina, chloroleuca, chlorostoma, chrysostoma, circumvoluta, columbaria, communis, compacta, conoidea, consobrina, corallina, cornea, corona, corruscula, costata, costellata, costulata, crenata, crepidularia, cumingiana, euprina, euvieriana, da costae, debilis, decorata, deformis, deshayesi, diadema, doingi, dombeyi, donovani, doreyana, dubia, duplicata, eburnea, edentula, elcgaus, ellyptica, elongata, essingtoni, exarata, fasciata, fittoni, flammulata, flavescens, fontinalis, forskaeli, funata, funiculata, fuscata, gaimardi, galloprovincialis, georgina, gigantea, glabra, glaberrima, glaucinoides, globosa, globulus, granulata, granulosa, grateloupiana, grayana, grossa, groyana, guamensis, guerini, guttata, haliotis, handti, hantonensis, helicina, hemisphaerica, hepatica, hieroglyphica, hilarula, hindsii, hisingeri, incerta, indica, insculpta, intermedia, interrupta, intertexta, intricata, jaculatrix, jordani, jovis, jurensis, keraudreni, knorri, laevida, laevigata, laffoni, largillierti, leachi, le guillouana, lessoni, liasina, libera, lineata, listeri, littoralis, longi, longispina, luctuosa, lugubris, maculifera, mais, mannaeiformis, mammaria, marina, marmorata, marsigliana, martiniana, matonia, maura, mauritiae, menkeana, meridionalis, mertoniana, michaudi, miliacea, minima, minuta, mitreana, monodon, montacuti, moreleti, morelli, morio, mosae, multiungis, munita, muricata, musiva, navicellina, nebulata, nigerrima, nitida, nodoso-costata, novae guineae, novaezealandicae, novemsulcata, nucleus, numidica, nuttalli, obscurata, ocellata, olivacea, olivaria, orbignyana, ornata, ornatissima, oryzarium, otaitensis, ovata, oviformis, ovula, oweni, oweniana, palaeochroma, pallidula, panayana, panayensis, papilionacea, papuana, parvula, patula, perottetiana, peruviana, petiti, pfeifferiana, phasiana, philippii, picea, picta, piperina, pisiformis, planospira, plebeia, plexa, plicata, plicatula, plumbea, plutonis, poliana, powisiana, praecognita, prevostiana, prototypa, pseudo-costata, pulchella, pulla, punctata, quoyi, radiata, rangiana, rapula, rarispina, reclusiana, reticulata, rhenana, roissiana, rossmassleriana, rudis, rugata, ruginosa, rugosa, rumphii, rustica, sandalina, sanguinolenta, saxoides, sayana, scabrella, scabricosta, scilla, semiconica, semirugosa, semistriata, semisulcata, sena, serratilinea, serrulata, sigaretina, signata, siu-uosa, siquijorensis, smithi, sobrina, solum, souleyetana, sowerbyana, speciosa, spengleriana, spinifera, spinosa, spirata, squamaepecta, squamulata, squarrosa, stella, stragulata, striata, strigilata, striolata, subalata, subalpina, subauriculata, subcarinata, subcostata, sublineolata, subornata, subpunctata, succinea, sulcata, sulcosa, tenebrosa, titurata, touranensis, transversalis, transversaria, traversiana, tricarinata, trifasciata, tritonensis, tuberosissima, turbinata, turtoni, umlaasiana, veldiensis, venusta, vestita, vexillum, vicina, webbei, winteri, yoldii, zebrina, zelandica, zigzag, zonaria.

Neritella amphibia, brevispina, communis, gaimardi, georgiana, goldi, indica, michaudi, nuttalli, picea, reticulata, rugosa, strigillata, tahitensis, vestita, virginea.

Nerites aurantia, rubicunda.

Neritina adducta, aequinoxialis, afra, alata, amoena, amphibia, ampullaria, anatenis, anatis, anomala, apiata, aquensis, arata, arctilineata, armstrongiana, aspera, asperulata, aterrima, atra, auriculata, bahiensis, balthica, basteroti, bella, bengalensis, bicanaliculata, bicanalis, bicornis, boetica, bougainvillei, brandti, brevispina, brongniartina, bruguieri, cafra, callifera, callosa, canalis, capillulata, carinata, cariosa, cassiculus, celata, chlorostoma, cholerica, chrysocolla, cincta, circumnata, circumvoluta, cirrata, cochinsinae, concava, conoidea, consobrina, convexa, cooksoni, cornucopiae, coromandeliana, corona, corona australis, crepidularia, dalmatina, danubialis, depressa, desmoulinsiana, dilatata, domingensis, donovana, dubia, duchasteli, elegans, elegantina, elegantissima, elongata, elongatula, europaea, exaltata, eximia, faba, fasciata, feuilleti, fimbria, fischeri, fittoni, flavovirens, florida, fluviatilis, fontaineana, fontinalis, fuliginosa, gagates, gangrenosa, gigas, glabrata, globosa, globulus, grandis, granosa, gravis, gregaria, guadianensis, guineri, halophila, hamuligera, helvola, inconspicua, inquinata, intermedia, interrupta, intertexta, iris, jayana, jordani, labiosa, laevigata, lamarcki, latissima, leodica, levesquei, liasina, lineolata, liturata, lugubris, lurida, macri, marmorea, mauriciae, melanostoma, meleagris,

microptera, microstoma, mitrula, moquiniana, morio, nouleti, nubila, nucleus, nux, obtusa, ornata, ornatula, ovalaniensis, ovalis, oweni, oweniana, pachi, panayana, papillosa, parreyssi, perversa, philippinarum, picta, pileolus, pisiformis, planospira, plumata, plumbea, polyzonalis, porcata, powisiana, prevostiana, protei, protracta, pulchella, pulchra, pulligera, punctata, punctulata, pupa, pusilla, pustulata, pygmaea, rara, rarispina, reticularis, reticulata, retifera, rhodocolpa, rhodocolpos, royeriana, rugosa, sandwichensis, sangara, sanguinea, sardoa, schmideliana, semicouica, serratilinea, serrulata, siderea, similis, sinuosa, smithi, sobrina, solidissima, sowerbyana, spinosa, squamapicta, squamosa, stragulata, strigilata, striolata, subgranosa, sublaevis, subsulcata, sumatrensis, taitensis, thermalis, ticinensis, tigrina, transversalis, trifasciata, triserialis, tristis, trizona, troscelli, truncata, turbida, turriculata, turrita, turtoni, undata, unidentata, uniplicata, valdensis, valentina, varia, variegata, velascoi, venosa, vespertina, vicina, violacea, virginea, viridis, waigiensis, wallislarum, zebra, zebrina, zigzag, zonaria.

Neritites cancellatus, cochleatus, fluviatilis, grossus, gryphus, helacinus, paganus, radiatus, rotulatus, spiratus.

Neritoides littoralis.

Neritoma bisinuata, sinuosa.

Neritopsis bajocensis, cancellata, costulata, cottaldina, decussata, delphinula, granosa, granulata, inaequalicosta, mariae, moniliformis, moreana, moutoniana, philea, pyrulaeformis, radula, subcancellata, sublaevigata, sulcosa, varusensis.

Nerius apicalis, brunneus, cyaneus, duplicatus, filusus, flavipes, fuscipennis, fuscus, lineolatus, longipes, marginellus, pilifer, rubescens, vittatus.

Nerocila aculeata, affinis, blainvillei, congener, depressa, macleaii, maculata.

Neroea chinensis.

Nerophilis corallina, lumbriciformis, maculatus, ophidion, papacina, teres.

Nerthops calcaratus, guttatus, multiguttatus.

Nertus acuminatus, germari, mannerheimi, mississippiensis, plumbeus, rufifrons, suturalis.

Nesa bidentata.

Nesaea (Ar.) affinis, amoena, bella, bifasciata, carnea, coccinea, confluens, conglobata, convexa, dubia, fuscata, hemisphaerica, hieroglyphica, incurvata, lacustris, lobata, longicornis, luteola, maculata, minuta, nodata, olivacea, ovata, pallescens, phalerata.

Nesaea (Cr.) bidentata, porcellana, pulchra, quinquemaculata, rosea, rufa, scapularis, variabilis, viridis, viridula, vivida.

Nesaea (G.) granulata, mamillata.

Nesea annulata, dumetosa, eriophora, nodulosa, penicillus, phoenix, pyramidalis.

Nesidea hirta.

Nesioticus flavopictus.

Nesis sycophanta.

Nesodon imbricatus, sullivan.

Nesognatha mandibularis.

Nesokia hardwicki, hodgsoni, hydrophila, kok.

Nesonetta aucklandica.

Nesotragus moschatus.

Nessaea ancaea, galanthus, harpalyce.

Nessia burtoni.

Nessorhinus vulpes.

Nestis cyprinoides, dobuloides.

Nestor australis, hypopolius, meridionalis, nova zelandiae, productus.

Nestorides aegaeus, amphitriton, cressida, drusius, eretheus, gambrius.

Netrorhynchus blainvillei.

Nettapus auritus, bicolor, coromandelianus, coromandelicus, madagascariensis, pulchellus.

Nettarhinus anthribiformis, bilobus, mannerheimi.

Nettastoma melanura, vittata.

Neurateles papyraceus.

Neuria (Dipt.) atherix, corculum, extensa, lateralis, maculosa, murina, nigrescens, ocellata, partita, praeargentata.

Neuria (Lep.) saponariae.

- Neurolyga** fenestralis, silvalis, turmalis.
Neuronia monroi.
Neuronia (Lep.) perplexa, popularis.
Neuronia (Neur.) fusca.
Neuropora alata, damicornis, favosa, gracile, radiata, spinosa, striata, trigona, venosa.
Neuroterus bipunctatus, brevicornis, defectus, fumipennis, inquilinus, malpighii, nitens, parasiticus, politus, reaumuri, rubeculus.
Neusticurus bicarinatus.
Neustosaurus gigondarum.
Neverita josephina.
Nevromus hieroglyphicus, maculatus, ruficollis, testaceus.
Nevrosia grata.
Newportia longitarsis.
Nezara approximata, marginata, smaragdula.
Nica cadma, flavilla, sida.
Nicania banksi, crenata, striata.
Nicea lucasi.
Nicoletia geophila, phytophila.
Nicon caudifer.
Niconiades xanthaphes.
Nicothoe astaci.
Nicrophorus americanus, thoracicus. *Vide et Necrophorus.*
Nicteribia senegalensis.
Nidalia occidentalis.
Niesthrea sidae.
Nigellastrum abietinum, antenninum, cupressinum, fusca, urneoides.
Nigidius auriculatus, bubalus, cornutus, grandis, integer, laevicollis, madagascariensis.
Nigrita arnaldi, conicapilla, fusconotus.
Nika canaliculata, couchi, edulis, japonica, longipes, sinuolata, variegata.
Nilas capensis.
Nileus acuminatus, bouchardi, chiton, cyclurus, glomerinus*, nanus.
Nilio coccinelloides, fascicularis, fasciculatus, freyreissi, fuscus, lanatus, maculatus, marginatus, marginellus, pilosus, reticulatus, villosus.
Nilion villosa.
Niloeus beaumonti.
Niltava albicaudata, auricularis, azurea, banyumas, brevipes, cyanomelana, elegans, fulgivent, grandis, hyacintha, indigo, macgregoriae, mcgregori, melanops, nigrorufa, pallipes, plumosa, rubeculoides, rufula, strophata, sundara, tickelli, unicolor.
Nimula lucinda.
Nina (G.) cumingi.
Ninella lamellosa, torquata.
Ninox jeridius, nipalensis, scutellatus.
Ninphum imperfectum. *Vide et Nymphon et Nymphum.*
Niphaea hyemalis, oregona.
Niphon spinosus.
Niphona picticornis.
Niraeus equestris, tricolor.
Nirmus adustus, affinis, alcae, annulatus, apiastri, argulus, auritus, biseriatus, cameratus, cingulatus, claviformis, coarctatus, cornicis, crassicornis, cruciatus, cuculi, cuspidatus, cyclothorax, discocephalus, elongatus, engrammicus, filiformis, fissus, fornicatus, fulcae, furvus, fusco-marginatus, fuscus, glandarii, glaucus, globifer, gracilis, haematopi, hasticeps, helophaeus, hiaticulae, hypoleucus, iliaci, junceus, latirostris, limbatas, marginalis, marginatus, maximus, merulensis, nebulosus, numenii, numidae, nycthemer, obscurus, ochropi, oedionemi, olivaceus, phaeops, phalaropi, podicepis, pterocephalus, punctatus, rallinus, rufus, scolopacis, sellatus, stenopyx, stramineus, strepsilaris, subcuspidatus, tenuis, tessellatus, testudinarius, tetragonocephalus, trigonocephalus, trithorax, truncatus, turmalis, uncinus, vanelli, variatus, varius, viscivori.

Nisaetus albentiger, grandis, malayanus, nipalensis, niveus, ~~vivatus~~, pallidus, pulcher, pulchrior, strenuus.

Nisea pyriformis, simplex, tubulifera.

Niso eburnea, minor, terebellata, terebellum, umbilicata.

Nisoniades aurispex, bromius, juvenis, mimas, ophion, tages, zephodes.

Nisoria undata.

Nisuella choucon, gracilis.

Nisus australis, brachypterus, canorus, columbarius, concentricus, dussumieri, elegans, fringillaroides, fringillarum, fringilloides, gabar, gracilis, hemidactylus, leucauchen, leucorrhous, magnirostris, malini, mauiensis, minullus, minutus, monogrammicus, musicus, niger, nisus, pacificus, pensylvanicus, peregrinus, pileatus, poliogaster, polyzonos, scutarius, sexfasciatus, soloensis, sphegurus, striatus, unicolor, unicolor, vulgaris, xanthoborax.

Nitellia nana, vespillo.

Nitidella marmorata, nitida.

Nitidula aestiva, aethiops, affinis, afra, alpestris, ambigua, analis, antarctica, antiqua, apicalis, ater, avara, azurea, biguttata, bimaculata, bipartita, bipunctata, boreella, brachyptera, brevipennis, breviscula, brunnea, buprestoides, cadaverina, caerulea, calliginosa, castanea, ciliata, cincta, coccinelloides, colobicus, convexa, convexiuscula, cornuta, costata, crenata, deleta, denticulata, dermestoides, difficilis, dimidiatipennis, discoides, discolor, distincta, dubia, elegans, erythroptera, fasciata, ferruginea, flavipennis, flavipes, fulva, fuscicollis, fusula, geminata, glabrata, glaucii, grisea, grossa, guttata, haemiptera, hemisphaerica, hieroglyphica, impressa, insularis, laeviuscula, lata, lateralis, latipes, linearis, litigiosa, littoralis, lusca, macroptera, maculata, maculipennis, mandibularis, maxillaris, melanaria, melanocephala, melanophthalma, minima, minuta, morosa, musophaga, nebulosa, neglecta, nigra, nigrina, nigromaculata, nitida, obsoleta, ochracea, octomaculata, olivacea, orbiculata, ossium, pallens, pallescens, pectinicornis, persica, peruviana, picta, planiuscula, polita, porcata, pudibunda, pulcra, punctata, pusilla, pustulata, pygmaea, pyrrhoptera, quadriguttata, quadrinotata, quadripustulata, radobojana, regalis, reticulata, rotundata, rubiginosa, rufa, ruficollis, ruficornis, rufida, rufifrons, rufipes, rufomarginata, rupta, scanica, semitecta, sepulcor, serripes, setulosa, sexguttata, sexmaculata, silacea, spinolae, squamata, staphylinoides, strigosa, subrugosa, subtilis, sylvatica, symphyti, terminalis, tessellata, tomentosa, trifasciata, truncata, truncatella, undata, undulata, unicolor, unifasciata, uniguttata, unilineata, urticae, variata, viduata, villosa, villosula, ziczac.

Nitzschia (Ar.) burmeisteri.

Nitzschia (Verm.) elegans.

Nivicola schistilatus.

Nobia grandis.

Nocarodes cyanipes, femoralis, rubripes, serricollis, variegatus.

Nocthora trivirgata.

Nocthura perdicaria.

Nocticula banksi, fulgens.

Noctilinia labiata, lasyura.

Noctilio affinis, albiventer, cephalotes, dorsatus, ferrum equinum, leporinus, mastivus, noveboracensis, plicatus, ruber, rufescens, rufipes, rufus, senex, unicolor.

Noctiluca miliaris.

Noctua (A.) capensis, dasyptus, dominicensis, ferox, ferruginea, frontata, funerea, glaux, grallaria, hirsuta, indica, lineata, maculata, maugei, melanonota, melanota, nana, nudipes, nyctea, occipitalis, pagodarum, passerina, passerinoides, pumila, rumipes, scopis, siju, sonnerati, tarayensis, tengmalmi, torquata, tubiger, urucurea, variegata, venatica, woodfordi, zelandica.

Noctua (Lep.) abjecta, abluta, aceris, acbates, acron, adepta, adulatrix, aequa, aerea, aeruginosa, aethiops, aeyua [aequa], agamos, agathina, agricola, ain, airae, albicolon, albicosta, albidilinea, albilinea, albirena, albizona, albo-ater, alcatorina, algira, aliena, alni, alpina, alsines, amasia, amatrix, amethystina, ammonia, amnicola, amoena, ampla, angulago, angusta, anilis, anomala, antirrhini, aperta, approximans,

aprica, argentina, argillacea, argillaceago, armigera, asphodeli, atomaria, atrosuffusa, aurantina, aurea, auribarbis, auricularis, aurifera, badia, bambucina, bardana, bathyerga, biliuea, biloba, bilobina, bimaculata, bimaculosa, blattariae, bienna, boisdualii, bradyporina, brama, brassicae, brodiei, brunnea, brunnina, celatium, Cnigrum, caenobita, caliginosa, calligrapha, caloris, caesescens, cannae, cateneri, cappa, captiuncula, carboea, cardui, careuea, cassiua, castanoptera, cataenata, cataleuca, cataphanes, cayanensis, cayliu, celsia, celsii, centrigo, cephiue, chalcadonia, chealitis, cheiranthi, cheupodiphaga, chera, chimaera, chrysanthemi, cinetina, cingularis, circumflexa, circumscripta, circumspecta, clandestina, clavigera, coelus, cognata, collusoria, combusta, comes, concinna, concolor, concolorina, concubina, conflua, congener, congrua, conjuga, conjuncta, connexa, connuba, consequa, conserta, consors, conspiciuaria, conspicua, contaminei, contribulis, conuersa, coronina, coronula, coronulina, corticca, coryli, eos, crassa, crassicornis, cuculoides, cucularia, cursoria, cuspi, cyathina, cyllaria, cymbalaria, cyparissiae, cypriaca, dahlia, dasycheira, deceptricula, dejeani, delphini, denscanis, deutilata, deutina, despecta, deurgens, dianthi, didymoides, digramma, dilecta, dilucida, disjuncta, dissimilina, distans, diuersa, diues, diuesina, dolosa, dracunculi, dubia, dumerili, dumetorum, dumosa, duplaris, duplex, duplexina, echii, ectypa, efusa, egens, electa, elegans, elota, empyrea, encausta, ephialtes, ereptricula, ericae, ericina, eridanus, erratricula, eruta, erythro-stigma, esulae, ewingi, exigua, extrema, ezea, faceta, fasciuncula, faticida, favillacea, fenicia, ferrea, ferruginago, fervida, festiva, fibrosa, fictilis, fimbriola, firma, fissina, fissipuncta, flavilinea, fluctuaria, fluctuosa, fluxa, fortalitium, fortatillum, fovea, fraudatricula, freyeri, fulgens, fulginea, fuliginosa, fuligosa, fulua, fulvia, funebria, furca, furcina, furvula, fusca, fuscata, gemina, geminata, geminipuncta, geminoidina, gilua, glacialis, glareua, glauca, gnaphalii, gnomon, gracilina, gracilis, graells, graminea, graminis, grandina, grinea, grisea, guttans, guttata, hatuey, hebraeica, helina, helvetina, herilia, hesione, hippophaea, hirta, hirticornis, hispida, honoratina, hordei, humeralis, hybis, hybris, hypermnestra, I geminum, I intactum, I niger, ignicola, ilia, illunaris, implexa, impudens, impura, inamoena, inara, infusa, infusata, insolatrix, interjecta, irregularis, javana, jucunda, julia, juncta, juno, juturna, iuuentina, lactinea, laevis, lapathi, lapidea, lappo, lapponia, lata, latens, latreillei, latruncula, leilus, lenta, lenticulosa, leucogaster, leucostigma, lichenea, lidia, lignosa, limatostrigata, lineola, lineolaris, lineolata, liris, literosa, lithargyrea, litterata, locuplina, loreyi, lota, lucerneua, lucretia, ludicra, lugens, lugensina, lugubris, luminosa, lunata, lunina, lunosa, lunulina, lupula, lusoria, luteicornis, luteola, macarea, macilata, maculata, maidis, maillardi, majuscula, maluae, maravignae, margarita, margaritata, margaritosa, marginosa, marginula, margodea, marita, maritima, marmorides, martia, melanogona, melanogramma, melanura, melicerta, mendacula, mendosa, meridionalis, messellina, microgramma, minima, minimina, minuta, mioleuca, mista, mixta, mixtina, mneste, modesta, moesta, molochina, monilea, monogramma, montana, monticola, monycha, multangula, munita, musculosa, musiva, mya, myrtaea, nana, nebulosa, neglecta, neogama, neonympha, neurica, neurodes, nexa, ni, nigra, nigricornuta, ninctuncula, nitens, nitensina, notha, nubeculosa, nubilosa, numeria, numisina, nundina, nurus, nutrix, nycthemera, obesa, oblonga, obscura, obsoleta, obsoletissimus, oclusa, occulta, occultina, ochraceago, ochrea, octogesima, oculata, oditis, odora, obliena, oleagina, oleracea, olivea, ondosa, oo, opalina, operosa, ophiogramma, opima, optabilis, optata, ornatrix, orodes, orosia, ostrina, oxalina, padockina, pales, pallego, pallida, pallustris, palpina, paludicola, par, paralleris, parallela, parilis, parua, pasithea, pasythea, paula, pectinata, pellex, pepli, perfusa, perithea, permixta, pernix, perspicillaris, petriocosa, phaea, phoebeina, phragmitidis, picea, pilicornis, pinastri, plantaginis, plebeja, polyodon, popularis, posthuma, praecox, praedita, praticola, pritanis, procax, prospicua, proxima, puera, pugnax, pulchellina, pulchrina, pulmonariae, pulvereua, pumicosa, punctina, punctularis, punctulata, punicea, pupillata, pura, purpura, purpurascens, purpurata, purpurites, pusilla, puta, putrescens, pygmina, quadrangula, quadratum, questionis, quieta, radia, radians, ramburi, ramea, ramosa, rava, ravula, receptricula, rectangularis, recussa, redacta, regilaris, rejecta, remissa, renago, renal, renigera, renitens, retorta, retusa, ripae, ripagina, rosina, rubirena, rufa, rufannulata, ruferculina, rufescens, rufescensina,

rimina, *rubrocosta*, *rubicincta*, *rupestris*, *ruris*, *sabinae*, *sagittifera*, *salsolae*, *sancti floricola*, *santonici*, *saportae*, *sareplana*, *saucia*, *scalena*, *scapularis*, *scapulosa*, *scita*, *scripta*, *sericina*, *semibrunnea*, *semifuscans*, *semistriata*, *senex*, *senna*, *sepii*, *sericata*, *serpylli*, *serriata*, *serriatula*, *servillei*, *sex-strigata*, *silago*, *silenes*, *similina*, *similis*, *simplicia*, *simulatrix*, *sinuata*, *sobrina*, *sociina*, *sodae*, *solidaginis*, *sordida*, *sororcula*, *sparganii*, *sparsus*, *speciosa*, *spontabilis*, *spinifera*, *spinula*, *splendens*, *spuria*, *squamularis*, *stagnicola*, *stigmatica*, *stalliana*, *suava*, *subatratus*, *suberis*, *subfuscus*, *subgothica*, *subinae*, *subingra*, *sublingua*, *subplumbea*, *subpurpurina*, *subrufa*, *subsetacea*, *subtusa*, *suda*, *sulphurifera*, *suspecta*, *taraxaci*, *tecta*, *telifera*, *temera*, *tenebrosa*, *tenuina*, *tephra*, *terminalis*, *tetragona*, *tetragonina*, *thapsiphaga*, *tincta*, *tortricula*, *treitschkei*, *triangulum*, *tricuspis*, *trideus*, *trinda*, *trinacula*, *trimenda*, *tristigma*, *tristis*, *tritici*, *trux*, *typhina*, *typocodina*, *ulvae*, *umbrosa*, *unanimis*, *undularis*, *unicolor*, *unimaculata*, *unimaculna*, *unipuncta*, *unipunctina*, *unxia*, *ursina*, *urticae*, *ustulata*, *uxor*, *vacinii*, *valida*, *variegatula*, *velox*, *venosa*, *venusta*, *venustula*, *veronicae*, *vestialis*, *vetusta*, *viciae*, *vidua*, *vila*, *villersi*, *vinetuncula*, *viola*, *virens*, *vitellina*, *X notata*, *xanthoceros*, *xanthocyanea*, *xanthomista*, *xerampelina*, *xylina*, *yvanii*, *zeae*, *zosiui*.

Noctuities *effosa*, *haidingeri*.

Noctula *leisleri*, *serotina*, *turcomana*.

Noctulina *eschscholtzi*, *tasmanensis*.

Noctulinia *altivolans*, *fulvus*, *labiata*, *malaccensis*, *proterus*.

Noda *exilis*, *humilis*.

Nodicornis *wiedmani*.

Nodosaria *aculea*, *aculeata*, *aculeata*, *aequalis*, *affinis*, *annulata*, *apenninica*, *arcuata*, *aspera*, *badenensis*, *berthelotiana*, *boneana*, *brevis*, *cancellata*, *candei*, *capitata*, *carinata*, *catesbyi*, *caudata*, *clava*, *clavulus*, *communis*, *conferta*, *constricta*, *cornicula*, *costata*, *costellata*, *cuspis*, *cuvieri*, *cylindracea*, *decemlocularia*, *dentalina*, *depressa*, *dubia*, *elegans*, *elongata*, *enneagona*, *fascia*, *ferussaci*, *filiformis*, *flexuosa*, *fragilis*, *fusuliniformis*, *gibba*, *gigantea*, *glabra*, *glans*, *hasta*, *hirsuta*, *hispida*, *humilis*, *inflata*, *intermittens*, *interrupta*, *irregularis*, *laevigata*, *lamarcki*, *lamellosa*, *legumen*, *limbata*, *linearis*, *lineolata*, *longicauda*, *longiscata*, *mariae*, *monile*, *nitida*, *nodosa*, *obliqua*, *oblonga*, *obscura*, *oculocularia*, *oligostegia*, *orthocera*, *ovicula*, *paucicosta*, *paupercula*, *polystigma*, *prima*, *pulchella*, *punctata*, *pyramidalis*, *pyrula*, *quadrata*, *radicula*, *radicularis*, *ranzanj*, *rapa*, *rudis*, *rugosa*, *scalaris*, *scorpionus*, *semirugosa*, *semistriata*, *septemcostata*, *simoniana*, *siphunculus*, *soldanii*, *spinicosta*, *spinulosa*, *stipitata*, *striata*, *striaticollis*, *strigosa*, *subarcuata*, *subclava*, *substriata*, *subulata*, *sulcata*, *tenella*, *tenuicosta*, *tuberculata*, *undecimcostata*, *undulata*, *urceolata*, *venusta*, *webbiana*, *zippei*.

Nodularia *androsaces*, *officinalis*, *opuntia*, *pavonia*, *tubulosa*.

Nodus *edentulus*.

Noeeta *brunicea*, *flavipes*, *guttularis*.

Noemacheilus *fasciatus*.

Nogagus *brevecaudatus*, *gracilis*.

Nogaus *latreillei*.

Nogrobs *vermicularis*.

Nola *albularis*, *centonalis*, *chlamitulalis*, *cristulalis*, *cucullalis*, *cucullatella*, *fuliginalis*, *monachalis*, *palliolalis*, *strigula*, *strigulalis*, *togatulalis*.

Nolites *albularis*, *centonalis*, *cristulalis*, *cucullatilis*, *strigulalis*, *togatulalis*.

Nomada *abdominalis*, *affinis*, *albuguttata*, *albomaculata*, *alternata*, *americana*, *angustula*, *annularis*, *annulicornis*, *apicalis*, *arenaria*, *argentata*, *armata*, *atrata*, *baccata*, *basalis*, *bicolor*, *bifasciata*, *bimaculata*, *bipunctata*, *bipunctula*, *bisignata*, *borealis*, *brunnea*, *capreae*, *cincta*, *cincticornis*, *colon*, *compta*, *confinis*, *conjungens*, *connexa*, *cornigera*, *dalei*, *dimidiata*, *dives*, *errans*, *fabriciella*, *fenestrata*, *fenestrina*, *ferruginata*, *ferruginea*, *festiva*, *flavineris*, *flavipes*, *flavoguttata*, *flavomaculata*, *flavopicta*, *fulvipes*, *furcata*, *fuscicornis*, *fuscipennis*, *germanica*, *goodeniana*, *guttula*, *hellwigiana*, *hillana*, *hirtula*, *hoffmanseggiana*, *infuscata*, *inquinata*, *integra*, *intermedia*, *interrupta*, *jacobaeae*, *kirbyella*, *kirbyi*, *knockiana*, *labiata*, *lanceolata*, *lateralis*, *lathburiana*, *leucophthalma*, *longicornis*, *luteola*, *mammillaris*, *marshamella*, *mauritauea*, *melanostoma*, *mela-*

- thoracica, infusa, imbricata, nana, neglecta, nigella, nigromoris, nigrita, nigrocincta, nubilis, numida, obliqua, obscura, obtusifrons, ochroleuca, pallens, panzeri, panzeriana, parvula, picta, pleurosticta, posilla, postica, proteus, pusilla, pusio, quadrinotata, robericottiana, rostrata, rubicunda, rubra, ruficeps, rufiventris, rufocincta, rufopicta, rutila, schaefferella, schotti, sexcincta, sheppardiana, signata, solidaginis, stigma, subcornuta, subfasciata, terminalis, tricolor, truncata, tuberculata, umbonata, unifasciata, variabilis, ventralis, vidua, vincta, vittata, vulpina, wilkinsoniana, xanthosticta, zebra.
- Nomalus** cophosioides.
- Nomeus** gronovii, maculosus, mauriti, nigrofasciatus, peroni, zonatus.
- Nomia** albocincta, armata, bispinosa, crassipes, curvipes, difformis, flavilabris, heteropoda, humeralis, indica, lobata, perforata, ruficornis, rufiventris, strigata, unidentata.
- Nomiades** acis, alcon, alsus, arion, damoetas, damon, erebus, euphemius, lysimach, pheretis.
- Nomiopus** apicalis.
- Nomius** cruentatus, graecus.
- Nomophila** hybridalis, incertalis, noctuella.
- Nonacris** transeana.
- Nonagria** arundinicola, arundinis, bathyerga, cannae, crassicornis, despecta, extrema, illuxa, fulva, geminipuncta, guttaeus, hellmanni, hessi, hospis, junci, neurica, paludicola, phragmitidis, pilicornis, russa, sparganii, typhae, ulvae, vectis, zollikoferi.
- Nonion** incrassatus.
- Nonionina** acervata, arctica, asterisans, auricula, boueana, browni, bulloides, canariensis, communis, compressa, costata, crassula, elegans, elongata, elyptica, erythraea, faba, falx, germanica, glabra, globosa, globulata, granosa, grateloupi, gravinensis, heteropora, incrassata, inflata, integra, laevigata, laevis, lamarki, limba, magdeburgica, melo, millepora, neglecta, pelagica, perforata, polita, pompilioides, punctata, punctulata, rugosa, semi-striata, sloanei, soldanii, sphaeroides, splendida, stelligera, striatopunctata, striatula, subcarinata, tuberculata, umbilicata, vulgaris.
- Nopojulus** punctulatus.
- Nops** guanabacoae.
- Norbanus** dysaules, pisius.
- Norbea** brookei.
- Norellia** pseudo-narcissi.
- Norna** lithophila.
- Norops** auratus, dorsalis.
- Northia** pristis.
- Nosodendron** fasciculare, hirtum, setigerum, striatum, unicolor.
- Nosoderma** denticulatum, duponcheli, echinatum, morbillosum, scabrosum, vicinum.
- Nosognatha** senegalensis.
- Nosophloeus** concinnus.
- Nossidium** pilosellum.
- Notacanthina** bispinosa, magnifica.
- Notacanthus** sexspinis. *Vide et Noto*→.
- Notaeus** agassizi, laticaudus.
- Notagagus** denticulatus, erythrolepis, latior, minor, pentlandi, zietenii.
- Notamia** (Polyz.) bursaria, loriculata.
- Notamia** (Verm.) scabra.
- Notanisus** versicolor.
- Notaphus** alternans, apicalis, articulatus, bifasciatus, castanopterus, ephippium, fasciatus, fumigatus, fuscovariegatus, galapagoensis, hamatus, incertus, intermedius, laticollis, nebulosus, nigripes, obliquus, pedestris, posticum, prostratus, rufomaculatus, sibiricus, stictus, tenebrosus, undulatus, ustulatus, variegatus, viridicollis.
- Notarchus** cuvieri, laciniatus, neapolitanus, pleii, punctatus, timidus.
- Notaris** acridulus, aethiops, bimaculatus, punctum.
- Notaspis** (Ar.) acromios, alatus, bipilis, cassideus, castaneus, clavipes, corynopus, dipus, horridus, humeralis, immarginatus, marginatus, obscurus, orbicularis, ovalis, rutilans, segnis, tegeocranus, theleproctus, vegetans.
- Notaspis** (Hym.) formiciformis.

- Notaxus hispanica*.
- Notelis lineata*, sex-punctata.
- Notemigonus auratus*.
- Noterus* bicolor, buqueti, capricornis, crassicornis, geeri, grandis, guttulus, laevigatus, laevis, luctuosus, quadrivittatus, semipunctatus, sparsus.
- Noteus bakeri*, quadricornis.
- Notherodius guarauna*, scolopaceus.
- Nothiophilus aquaticus*, biguttatus, porrectus.
- Nothosaurus andriani*, angustifrons, giganteus, mirabilis, muensteri, schimper, venustus.
- Nothosomus laevis*, sinuatus, octostychus.
- Nothris juniperella*, obscurella, pauperella, pedisequella, tremella, tripunctella, umbrella, verbascella.
- Nothrodes languidus*.
- Nothrophrontes destructor*.
- Nothrus* (Ar.) acuminatus, angulatus, bicarinatus, biciliatus, bicolor, bispinosus, bistriatus, biurus, biverrucatus, canaliculatus, convexus, doliaris, echinatus, farinosus, furcatus, gilvus, minimus, mutilus, pallens, palliatus, palustris, peltifer, piceus, pigerrimus, pollinosus, posticus, pulverulentus, rostratus, runcinatus, scaliger, sinuatus, sordidus, spinifer, theleproctus, ventricosus.
- Nothrus* (Col.) fuscus, uralensis.
- Nothura boraquira*, maculosa, major, medius, minor, nana, perdicaria, punctulata.
- Nothus anceps*, bipunctatus, clavipes, femoratus, praeustus.
- Notidamus biserratus*, contrarius, huegeliae.
- Notidanus griseus*, indicus, microdon, monge, muensteri, pectinatus, primigenius, recurvens, serratissimus, vacca.
- Notidobia pallipes*.
- Notiobia atrata*, ciliaris, nebricides.
- Notiodes apiculatus*, egenus, limatilis, nigrirostris.
- Notionomus australis*.
- Notiophilus apiculatus*, aquaticus, brevis, confusus, davisi, geminatus, laticollis, latior, latus, limatulus, marginatus, metallicus, necomanni, nitidulus, nitidus, novemstriatus, orientalis, palustris, parallelus, parvulus, punctatus, puncticollis, punctulatus, pusillus, quadripunctatus, rufipes, semiopacus, semipunctatus, semistriatus, sibiricus, striatus, substriatus, sylvaticus, tibialis.
- Notiophygus cinereus*, dentipennis, maculicornis, nigro punctatus, parvulus.
- Notiphila abdominalis*, aenea, aenescens, affinis, albicans, albiceps, albifrons, albilabris, albiventris, amoena, annulata, annulipes, bicolor, brevicornis, caesia, calceata, caudata, chinensis, chrysostoma, cinerea, cinerella, compta, concolor, difficilis, discolor, dorsata, dorsopunctata, erythrostoma, exotica, fasciata, femorata, flaveola, flaviceps, flavicornis, flavilabris, flavipes, flaviventris, fulvipes, fulvicornis, fuscella, geniculata, glabra, glabricula, glauca, grisea, griseola, guttata, guttiventris, immaculata, incana, indica, interstincta, lapponica, laticeps, leucostoma, littorea, maculata, maculipennis, madizans, marginella, mutata, nigella, nigra, nigricans, nigricauda, nigriceps, nigricornis, nigrina, nigripennis, nigripes, nitidula, nymphaea, obscura, obscurella, pallidula, pallipes, peregrina, picta, pilitaris, plumosa, posticata, producta, pulchella, pullula, punctato-nervosa, punctipennis, punctulata, pusilla, repleta, riparia, ruficeps, rufipes, rufitarsis, smaragdi, stagnicola, tarsata, trinervis, tristis, uliginosa, vittipennis.
- Notiphilus quadrata*, sanguineus, taeniatulus.
- Notistium gladius*.
- Notocanthus bonaparte*. *Vide et Nota*→.
- Notocelia debitoria*, ocellana, petrana, siliceana, triquetra, udmanniana.
- Notocera cruciatus*.
- Notoclea atomaria*, brunnea, castanea, immaculata, lineata, liturata, lutea, maculata, minor, obsoleta, octomaculata, ornata, punctata, quadrimaculata, reticulata, sex-pustulata, splendens, stictica, testacea, variolosa, verrucosa.
- Notocorax javano*, javanus, westermanni.
- Notocotylus triserialis*.

- Notocyrtus** clavipes, gibbus, sexfoveolatus.
Notodela coerulescens, diana, leucura.
Notodelphys ascidicola.
Notodon argentinus, bicolor, camelinus, carmelitus, dictaea, dromedarius, plumiger, querna, trepidus, trinacula, ziczac.
Notodonta argentina, bicolora, camelina, carmelita, chaonia, crenata, cucullina, dictaea, dictaeoides, dodonaea, dromedarius, frigida, ilicis, longara, melagone, milhauseri, nesea, palpina, perfusca, plumigera, querna, roboris, thalictri, torva, trepida, tritophus, unicornis, velitaris, ziczac.
Notoglossa sagittata.
Notognidion scirenga.
Notogonia ehrenbergi.
Notogymnus drepanensis.
Notolophus antiquus, gonostigma.
Notomastus latericeus.
Notommata aequalis, ansata, aurita, brachionus, brachyota, centura, clavulata, copeus, decipiens, felis, forcipata, forficata, gibba, granularis, hypopus, lacinulata, longiseta, myrmeleo, najas, onisciformis, parasitica, petromyzon, pleurotrocha, roseola, saccigera, syrinx, tigris, tripus, tuba, wernecki.
Notomya clavata, securiformis.
Notomys mitchelli.
Notonecta australis, bifasciata, grandis, grisea, insulata, marmorea, melanota, mexicana, minor, pallipes, triangularis, undulata, variegata.
Notopholis capensis, fitzingeri, moreotica, nigripunctatus.
Notophorus tajassu.
Notophthalmus miniatus, torosus, viridescens.
Notophyllum foliosum, longum, polynoide, viride.
Notophysis lucanoides.
Notopocorystes bechei, mantelli.
Notopterophorus elongatus.
Notopterus bontianus, buchauani, chetula, fontanesi, maculatus, ornatus, pallasi.
Notopus dorsipes.
Notopygos crinita.
Notornis mantelli.
Notosacantha echinata.
Notospermus drepanensis, gesserensis, viridis.
Notostenus viridis.
Notothernia coriiceps, cornucola, cyanobrancha, magellanica, marginata, phocae, purpuriceps, rossi, sima, tessellata, virgata.
Nototherium inerme, mitchelli.
Notoxus abdominalis, anchora, apicalis, apterus, armatus, australisive, axillaris, bicolor, bimaculatus, binotatus, bison, brachycerus, buqueti, castaneipennis, cavifrons, chaldaeus, collaris, congruus, cornutus, cribripennis, cruentatus, cucullatus, cumannensis, decoratus, dimidiatus, domesticus, dorsalis, dregeri, elegantulus, elongatus, ephippiger, equestris, excisus, fasciatus, fasciolatus, fulvicollis, funebris, fuscipennis, gigas, helvolus, hirtus, illigeri, immaculatus, inconstans, lancifer, laxis, lebasi, litigiosus, longicollis, maerens, major, marmoratus, mauritanicus, melanocephalus, miles, modestus, monodon, nectarinus, niger, nigripennis, obsoletus, pallidus, pantomelas, pilosus, planicornis, platycerus, pubescens, pulcher, quadrimaculatus, rodriguei, rufescens, ruficollis, ruficornis, rufitarsis, scabrosus, scenicus, senegalensis, sex-notatus, siculus, sobrinus, subfasciatus, taeniatus, talpa, testaceus, thoracicus, thunbergi, trifasciatus, undulatus, unicolor, unicornu, univittatus, variolatus, versicolor, virescens.
Notozona bifasciata.
Notrema fissurella, patelloides.
Notropis atherinoides.
Noturus flavus, gyrinus, luteus.
Novacula bimaculata, caerulea, coryphaenoides, coryphena, immaculata, lineata, novacula, pentadactyla, psittacus, punctulata, sexmaculata, tessellata, vulgaris.

Novaculina ~~constricta~~, ~~gangetica~~.

Novia ~~cylindrica~~.

Novius ~~cruciatatus~~, ~~sanguinolentus~~.

Nubecularia ~~loquaga~~.

Nubilia ~~argenti~~.

Nucifraga ~~brachythyechos~~, ~~caryocatactes~~, ~~guttata~~, ~~hamata~~, ~~hemispila~~, ~~macrorhynchos~~, ~~minor~~, ~~multipunctata~~, ~~platythyechos~~, ~~punctata~~, ~~ruficollis~~*.

Nucleocrinus ~~elegans~~.

Nucleolites ~~aequalis~~, ~~alpinus~~, ~~amplus~~, ~~amygdala~~, ~~analis~~, ~~aneocomensis~~, ~~approximatus~~, ~~asterostoma~~, ~~bomarei~~, ~~canaliculatus~~, ~~carinatus~~, ~~castaneus~~, ~~cerceleti~~, ~~clunicularis~~, ~~clypeatus~~, ~~collegnyi~~, ~~columbaria~~, ~~convexus~~, ~~coravium~~, ~~cordatus~~, ~~cordiformis~~, ~~crepidula~~, ~~crucifer~~, ~~depressa~~, ~~depressus~~, ~~dilatatus~~, ~~dimidiata~~, ~~edmondi~~, ~~edmundi~~, ~~elatus~~, ~~elongatus~~, ~~emarginatus~~, ~~excentricus~~, ~~faba~~, ~~gibbosus~~, ~~goldfussi~~, ~~gracilis~~, ~~granulosus~~, ~~glossyi~~, ~~grignonensis~~, ~~heptagona~~, ~~heteroclita~~, ~~inflata~~, ~~lacunifera~~, ~~lacunosus~~, ~~laevis~~, ~~lamarecki~~, ~~lapis cancer~~, ~~latiporus~~, ~~lyelli~~, ~~major~~, ~~marmini~~, ~~micraulis~~, ~~minimus~~, ~~morrisi~~, ~~mortoni~~, ~~muensteri~~, ~~nuclei~~, ~~obesus~~, ~~oblongus~~, ~~obovata~~, ~~olfersi~~, ~~orbicularis~~, ~~ovatus~~, ~~oviformis~~, ~~ovulum~~, ~~parallelus~~, ~~paraplesius~~, ~~patella~~, ~~patellaris~~, ~~patelloides~~, ~~planatus~~, ~~planulatus~~, ~~pyramidalis~~, ~~pyriformis~~, ~~renaudi~~, ~~requieni~~, ~~richardi~~, ~~roberti~~, ~~rotundus~~, ~~sarthacensis~~, ~~scribicularatus~~, ~~scutata~~, ~~scutella~~, ~~semiglobus~~, ~~semisulcata~~, ~~sinuatus~~, ~~sowerbyi~~, ~~speciosa~~, ~~subcarinatus~~, ~~subquadratus~~, ~~subtrigonatus~~, ~~terquemi~~, ~~testudinarius~~, ~~testudo~~, ~~thurmanni~~, ~~transversus~~, ~~truncatulus~~.

Nucleopygus ~~coravium~~, ~~meisus~~, ~~minor~~.

Nucras ~~chalybdea~~, ~~exigua~~, ~~tessellata~~.

Nucula ~~abbreviata~~, ~~abrupta~~, ~~accipiens~~, ~~acuminata~~, ~~acuta~~, ~~acutidens~~, ~~aegeensis~~, ~~aeolica~~, ~~aequalis~~, ~~aequaliterra~~, ~~aequilateralis~~, ~~ahreni~~, ~~albensis~~, ~~alpina~~, ~~amata~~, ~~amygdalea~~, ~~amygdaloides~~, ~~anglica~~, ~~angulata~~, ~~antiqua~~, ~~antiquata~~, ~~apiculata~~, ~~archiaciana~~, ~~arctica~~, ~~arcuata~~, ~~arduennensis~~, ~~argentea~~, ~~ascendens~~, ~~attenuata~~, ~~australis~~, ~~axiiformis~~, ~~baboensis~~, ~~belcheri~~, ~~bella~~, ~~bellatula~~, ~~bertrandi~~, ~~bicarinata~~, ~~bicuspidata~~, ~~biloba~~, ~~birostrata~~, ~~bisulcata~~, ~~divergata~~, ~~blochmanni~~, ~~böwerbanki~~, ~~brevirostris~~, ~~brogniarti~~, ~~caecilia~~, ~~caelata~~, ~~calcarensis~~, ~~calliope~~, ~~capraeformis~~, ~~carinata~~, ~~carinifera~~, ~~carolinensis~~, ~~caseoensis~~, ~~castor~~, ~~castrensis~~, ~~caudata~~, ~~chassyma~~, ~~chauveli~~, ~~cingulata~~, ~~clabornensis~~, ~~clavata~~, ~~claviformis~~, ~~coarctata~~, ~~cobboldiae~~, ~~coelata~~, ~~commutata~~, ~~complanata~~, ~~compressa~~, ~~conata~~, ~~convexa~~, ~~concentrica~~, ~~conemma~~, ~~convexa~~, ~~cordata~~, ~~cordiformis~~, ~~cornucliana~~, ~~costata~~, ~~costata~~, ~~costellata~~, ~~crassa~~, ~~crenifera~~, ~~crenistriata~~, ~~crispa~~, ~~cultelliformis~~, ~~cuneogi~~, ~~cuneata~~, ~~cuneiformis~~, ~~curvirostrum~~, ~~cuspidata~~, ~~cylindrica~~, ~~decheni~~, ~~decipiens~~, ~~delhiensis~~, ~~decussata~~, ~~deglandi~~, ~~delphinodonta~~, ~~delta~~, ~~deltoides~~, ~~depressa~~, ~~deshayesiana~~, ~~diaphana~~, ~~dilatata~~, ~~divaricata~~, ~~delabella~~, ~~donaciformis~~, ~~dubia~~, ~~duchasteli~~, ~~duvaliana~~, ~~eborea~~, ~~eburnea~~, ~~electra~~, ~~elenensis~~, ~~elliptica~~, ~~elongata~~, ~~emarginata~~, ~~equalis~~, ~~erato~~, ~~erumanni~~, ~~erosa~~, ~~erycinoides~~, ~~eudorae~~, ~~eurita~~, ~~excavata~~, ~~excisa~~, ~~exigua~~, ~~expansa~~, ~~faba~~, ~~fabula~~, ~~fabulata~~, ~~feronia~~, ~~fluviatilis~~, ~~foersteri~~, ~~formata~~, ~~fragilis~~, ~~gabrielis~~, ~~galeottiana~~, ~~gibbosa~~, ~~gigantea~~, ~~glaberrima~~, ~~glabra~~, ~~glacialis~~, ~~glendonensis~~, ~~goldfussi~~, ~~gouldi~~, ~~grandaeava~~, ~~gravi~~, ~~gregaria~~, ~~haesendoncki~~, ~~hamiltonensis~~, ~~hammeri~~, ~~hausmanni~~, ~~helfica~~, ~~impressa~~, ~~improcera~~, ~~incerta~~, ~~incompta~~, ~~incrassata~~, ~~inflata~~, ~~inflexa~~, ~~italica~~, ~~jacksoni~~, ~~japonica~~, ~~jugleri~~, ~~kazanensis~~, ~~krachtae~~, ~~lacryma~~, ~~lacrymaeformis~~, ~~laevigata~~, ~~lacrymistrum~~, ~~laevis~~, ~~lanceolata~~, ~~largilberti~~, ~~lata~~, ~~laternaria~~, ~~latissima~~, ~~leiorhynchus~~, ~~lentatilla~~, ~~levata~~, ~~levesquei~~, ~~licata~~, ~~lomatula~~, ~~lmosa~~, ~~linearis~~, ~~lineata~~, ~~lineolata~~, ~~lingualis~~, ~~lingulata~~, ~~longirostra~~, ~~longirostris~~, ~~luciniiformis~~, ~~lunulata~~, ~~lyrata~~, ~~machaeriformis~~, ~~macraetereformis~~, ~~magna~~, ~~magnifica~~, ~~mantelli~~, ~~margaritacea~~, ~~mariae~~, ~~marmorea~~, ~~maclureana~~, ~~media~~, ~~mediosjurenensis~~, ~~menkei~~, ~~miliaris~~, ~~minima~~, ~~minuta~~, ~~mirabilis~~, ~~mitralis~~, ~~montagui~~, ~~morreni~~, ~~mucronalis~~, ~~mucronata~~, ~~muensteri~~, ~~murchisoni~~, ~~musculosa~~, ~~myalis~~, ~~nana~~, ~~nasuta~~, ~~navicularis~~, ~~nicobarica~~, ~~nitida~~, ~~nucleus~~, ~~nuda~~, ~~obesa~~, ~~obliqua~~, ~~oblonga~~, ~~oblongoides~~, ~~obsoleta~~, ~~obtusa~~, ~~oelica~~, ~~opulenta~~, ~~ornata~~, ~~ornatissima~~, ~~ovalis~~, ~~ovata~~, ~~ovula~~, ~~ovum~~, ~~packeri~~, ~~palmae~~, ~~panda~~, ~~parilis~~, ~~parunculus~~, ~~parva~~, ~~pectinata~~, ~~pectuncularis~~, ~~pellia~~, ~~pellucida~~, ~~penita~~, ~~phalanta~~, ~~phaseolina~~, ~~philippiana~~, ~~phillipsi~~, ~~pisum~~, ~~placentina~~, ~~plana~~, ~~planata~~, ~~plicata~~, ~~polii~~, ~~polita~~, ~~pollux~~, ~~porrecta~~, ~~portlandica~~, ~~poststriata~~, ~~praeacuta~~, ~~primigenius~~, ~~prisca~~, ~~producta~~, ~~protei~~, ~~proxima~~, ~~puelcha~~, ~~pulcherrima~~, ~~pulchra~~, ~~puschi~~, ~~pusio~~, ~~pygmaea~~, ~~radiata~~, ~~recta~~, ~~rectangularis~~, ~~recurva~~, ~~renauxiana~~, ~~reticulata~~, ~~retusa~~, ~~reussi~~, ~~rhombodea~~, ~~rhomboides~~, ~~rostralis~~, ~~rostrata~~,

rugulosa, ryckholtiana, sapotilla, scapha, schomburgkii, seciiformis, sedgewicki, semen, semilunaris, semiornata, semistriata, sericea, serotina, serrata, shigua, munda, simplex, smithi*, solca, solenoides, spatulata, speciosa, spekeana, stabilis, sulcata, stotteri, striata, striatula, strigilata, subacuta, subaequalis, subclaviformis, subcompressa, subcordata, subcostata, subemineata, subcylindrica, subdeltoides, subelliptica, subglobosa, sublaevis, submargaritacea, subnulla, subobliqua, subobtusata, subovalis, subovata, subcurva, subtransversa, subtriangula, subtrigona, sulcata, sulcellata, sulcosa, tateana, tellinaeformis, tellinella, tellinoides, tellinula, teuella, tenera, tenuilineata, tenuirostris, tenuis, tenuistriata, tenuispinata, truncacornis, trigona, trigonula, truncata, tumida, turgida, ulysses, undata, undulata, unilateralis, variabilis, ventricosa, vibrayana, vicksburgensis, westendorpi, wetherelli, wynniensis, zinkeiseni.

Nuculana rostrata.

Nuculina miliaris.

Nuculites alta, appressa, bellastrata, chemungensis, concentrica, constricta, emarginata, faba, filosa, lamellosa, lirata, macroides, maxima, multifurcata, oblongata, planulata, poststriata, radiata, rostellata, scitula, subemarginata, sulcatina, triquetra.

Nucunella nysti.

Nudaria cinerascens, fusca, hemerobia, munda, murina, rotunda, senex.

Nullipora aculeata, agariciformis, articulata, byssoides, calcarea, cervicornis, compressa, erecta, fasciculata, globulus, glomerata, gracilis, granulosa, informis, lichenoides, lycoperoides, mamillifera, marticensis, navicula, nodulosa, palmata, polymorpha, provincialis, racemosa, racemus, ramosissima, trochanter, tuberosa, uvaria.

Nulliporites nodulosus.

Numenius arcuata, arquatula, aterrimus, atricapillus, australasianus, australis, brasiliensis, brevirostris, chichi, chih, cinerascens, cuvieri, cyanopus, falcinellus, femoralis, ferrugineus, gouarauna, gypsurum, hudsonius*, intermedius, islandicus, lineatus, longirostris, major, medius, melanopus, minutus, orientalis, punctatus, pusillus, rostratus, rufiventris, subarquata, syngeneios, tenuirostris, uropygialis, variabilis, virgatus, vociferus, vulturina.

Numeria agaritharia, capreolaria, diversaria, donzelaria, pulveraria.

Numida coronata, maculipennis, ptylorhyncha, rendalli.

Numidia erytroleuca.

Nummularia acuta, comptoni, elegans, exponens, laevigata, obtusa, variolaria.

Nummulina antiquior, assilinoides, biaritzana, cellulosa, complanata, crassa, curvospira, depressa, discoidalis, discorbiformis, ephippium, faujasi, fichteli, fortisi, globosa, globularia, globulina, granulosa, gyzezensis, intermedia, irregularis, laevigata, lenticularis, mamillata, mammillaris, mantelli, marginata, munchisoni, nitida, papillosa, perforata, placentula, planulata, polygyratus, radiata, radiolata, regularis, rotularia, rotulata, sanguantulae, scabrosus, seminum, songuantulae, stellata, undata.

Nummulites althausi, aspera, atacicus, aturica, biaritzana, cellulosa, chartersi, complanata, comptoni, concava, convexoplana, crassa, denarius, depressa, distans, elliptica, faujasi, fichteli, floridanus, fragilis, garansiana, garumnae, globularia, globulina, globulus, inflatus, irregularis, laevigata, latispira, lea, lenticularia, lenticularis, lenticulus, mamilla, mantelli, marginata, maxima, millescaput, modiolata, striata, moneta, montanus, nummiformis, nummularia, obtusa, onychomorpha, orbicularis, ovata, papyracea, patellaris, placentula, plana, plano-spira, polygyratus, radiata, ramondi, rhomboides, rotula, rotularius, sabothi, seminum, sinuosus, spira, spissa, striata, umbilicata, umbo reticulata, variolaria, vasca, verrucosa.

Nundina litura.

Nupharia rivularis.

Nura signata.

Nuria thermoicos, thermopylos.

Nursia granulata, hardwicki, herbsti.

Nuttainia concentrica, hibernica, obscura, sparsa.

Nychtophus lampanotus, metopoclampus, rafinesquei.

Nyctaeus aquilina.

Nyctala pinetorum, planiceps.

Nyctale abietum, acadica, dastypus, funerea, harrisi, richardsoni, siju, tengmalmi.

Nyctalemon orontes, patroclus.

Nyctalops stygius.

Nyctalus alecto, belangeri, heathi, temmincki, verrucosus.

Nyctea candida, cinerea, erninea, nivea, nyctea, wapacuthu.

Nyctegretis achatinella.

Nycteis brevicollis, madagascariensis.

Nyctelia andicola, angustata, antarticus, bremei, caraboides, caudata, cellulosus, conspurcata, corrugata, crenicosta, cristallisatus, cucullatus, darwini, dasypoides, decorata, dejeani, deplanatus, desertorum, discicollis, ebeninus, elegans, erebi, erotyloides, erythropus, fitzroyi, granulata, griseostriata, guerini, hopei, immaculata, laevigata, laevis, latissima, luczoti, macrocosta, mamilloneus, monilis, multicosta, newporti, nodosa, oblonga, pictus, pilipes, plicatus, plicatipennis, puncticollis, reticulata, rugosa, salix, satanicus, saundersi, senex, servillei, servus, solieri, stephensi, strangulatus, subulcata, sulcicollis, tentynoides, transversotruncata, undatipennis, ursinus, vestitus, westwoodi.

Nyctemera atralba, cafra, coleta, famula, hesperia, lacticinia, nerina, pagenstecheri.

Nycteola degeneria, falsalis.

Nyctereutes procyonoides, viverrinus.

Nycteribia biarticulata, blainvillei, dubia, dufouri, hermanni, hopei, jenynsi, latreillei, pedicularia, roylei, senegalensis, sykesi, vexata, westwoodi.

Nycteridium fischeri, mosquense.

Nycterina anthracina, lugubris.

Nycterinus abdominalis, ebeninus, rugiceps, thoracicus.

Nycteris affinis, albiventer, capensis, damarensis, daubentoni, discolor, geoffroyi, javanicus, hispidus, huzardi, poensis, thebaicus.

Nycterodius nycticorax.

Nycteropus acuminatus, anthracinus, ebeninus, ovalis, resplendens, rufipes.

Nycterus hispidus.

Nycteus haemorrhoidalis, haemorrhous, hispanicus, meridionalis, testaceus, thoracicus.

Nyctemerus argentatus, gemellari, pictus.

Nyctia (A.) candida.

Nyctia (Dipt.) carcelli, claripennis, maura, nitida, pusilla, rubescens, servillei, trifaria, trifasciata, vernalis.

Nyctiardea europaea, leuconotus, pileata, violacea.

Nyctibius aethereus, bracteatus, cornutus, forficatus, grandis, jamaicensis, longicaudatus, pallidus, pectoralis, rufus, steatornis, urutau.

Nyctibora crassicornis, holosericea, latipennis, sericea.

Nycticebus bengalensis, ceylonicus, javanicus, lori, potto, tardigradus.

Nycticeius macrotis, sericeus, tessellatus, varius.

Nycticejus borbonicus, heathi, humeralis, lasiurus, leucogaster, mystax, nigrita, noveboracensis, poepingi, prunosus, sayi, varius.

Nycticeus belangeri, bonariensis, chilensis, cyanopterus, mystax, poepingi, rafinesquei, savi, sculus, temmincki.

Nyctichelidon europaeus*, vulgaris.

Nycticorax americanus, ardeola, australasiae, badius, caledonicus, cayanensis, crassirostris, cucullatus, europaeus, gardeni, goisagi, griseus, infaustus, jamaicensis, leuconotus, limnophilax, manillensis, meridionalis, naevius, nycticorax, oceanicus, orientalis, pileatus, sibilatrix, violaceus, vulgaris.

Nyctidromus affinis, derbyanus, grallarius.

Nyctimene laganum, rosacea.

Nyctinomus acetabulosus, aegyptiacus, bengalensis, brasiliensis, condylurus, dilatatus, dubius, macrotis, murinus, nasutus, plicatus, pumilus, pusilus, ruppelli, tenuis.

Nyctiorhis amictus, athertoni, gularis.

Nyctipao crepuscularis, epheperis, latona.

Nyctipates asperata, carinata, costata, cylindrica, pastica, rugulosa.

Nyctipetes cunicularia, perlatus.

Nyctipithecus duruculi, felinus, lemuringus, oseryi, trivirgatus, vociferans.

Nyctiplanus rotundatus.

Nyctivociferator europaeus.

Nyctobates brevicornis, confusus, gigas, hypocrita, mermis, laevigatus, moerens, punctatus, rotundicollis, serrata, tibialis, transversalis.

Nyctocharis phylogaster.

Nyctocleptes dekan.

Nyctopetus tenebrioides.

Nyctophilus geoffroyi.

Nyctophus bonapartei.

Nyctoporis aequicollis, cristata.

Nyctornis aethereus, grandis.

Nyctotherus velox.

Nyctozoilus obesus.

Nygmia albina, arenacea, cagnatella, evonymella, helladia, irrorella, padella, plumbella.

Nymphalis aceris, acheronta, acilia, aconthea, actaea, adippe, adonia, aegeria, aeropus, aethiopa, aethiops, afer, agathis, aglaia, aidea, alcimeda, alimena, alpais, alphaea, alpheda, althea, amasia, amelia, amphiceda, ampbinnacus, amphiome, amphitoe, amulia, ancaea, annetta, anticlea, antilope, antinoe, antiochus, antiopa, arcanius, arethusus, argenissa, artemis, arthemis, assimilis, astina, atalanta, athamas, auge, bella, berenice, bernardus, heroe, bisaltide, holina, houeti, briseis, brutius, C-album, cadma, caenis, callisto, camilla, candiope, cardrena, cardui, castor, celtis, chiron, chloe, chromus, chrysis, cinxia, circe, claudina, clymenus, clytemnestra, cocala, condomanus, coresia, coriuna, cupavius, cyane, cyanippe, cymodoce, Cynthia, cyrna, cytherea, daedalus, daphne, decius, deiphile, dejanira, delphis, demetra, demodice, demophon, dia, dione, dirce, disconthea, disippe, dolon, doriclea, draco, dyndima, edwardsi, egesta, eleus, emilia, epaphea, ephyra, epigasius, epigia, epione, erihotes, erithonius, ermiina, etesipe, ethalion, etheocles, etheta, euclides, eudamippus, eudoxus, eulimene, eupale, euphemia, euphrone, euphrosine, eurinome, euryalus, evellina, fabius, fauna, ferentina, feronia, fidia, flavilla, francina, franck, frobenia, furcula, galanthus, galathea, gelania, geoffroyi, gnidia, halice, harmonia, helicopsis, helie, belidore, hermione, hersilia, hippona, horatius, hordonia, hostilia, hydarnis, hydaspis, hylas, hyperanthus, iapis, ilia, ines, io, iocaste, iole, iphiclea, iphis, irenea, iris, irma, ischaris, isidora, isis, itys, jacintha, janais, janira, jasius, johanna, laertes, lamina, lampedo, laodice, laphria, lasinassa, lathonia, laura, laurentina, leucophthalma, leucotboe, levana, liberia, ligea, liria, lirissa, livius, lubentina, lucilla, lucina, lucretia, lucretius, lycomedes, lycorias, lycurgus, lysandra, maera, macris, maia, margarita, marcia, marmax, marsolia, mathesius, medea, medon, melampus, meleagris, melicerta, melinoe, mesenteria, micalia, miltiades, misippe, morvus, mycerina, mygdonia, myrti, mytbra, nauplia, neareea, nesea, nessus, neste, nesus, oculus, oisis, ophione, opis, oppeli, orion, orphise, orsilochus, pales, pambilus, paphia, pavon, pelias, pellenis, perianther, perseae, perseis, phaedra, phliassa, phorcys, phraortes, phylaxis, pilosellae, pinthaeus, pitheas, pleione, pollux, polychloros, polyxo, populi, portia, postverta, procris, prorsa, protoclea, psaphon, pygea, pyracmon, pyramus, pyrrhus, rhodopensis, rogeri, ryphea, salmacis, salmasis, sangaris, satyrus, schreiberi, semele, semire, sempronius, serina, sibilla, siva, solon, sorana, soronus, stelenes, stratiotalus, strophia, sydonia, sylvina, syma, synachia, themistocles, thersander, thetis, thieste, thoe, thurius, thyone, tiridates, torrebia, triangulum, tulbaghia, typha, tytius, ursula, urticae, v-album, vacuna, valesiana, varanes, venilia, veranes, veronica, vitellia, volumna, xiphares, zetes, zoolina, zunilda.

Nymphes myrmeleonoides.

Nymphicus hisetus, novae-hollandiae.

Nymphidia pumila.

Nymphidion anius, nilus.

Nymphidium acheris, arminius, athemon, calyce, caricae, damon, jessa, lamis, leucosia, lysimon, mantus, molpe, phliasus, platea, telephus.

Nymphon aculeatum, arachnoideus, brevitar, giganteum, hirtum, johnstoni, johnstonianum, knoxi, longitarse, minutum, mixtum, pellucidum, phasma, similis, spinosum, stroemi. *Vide et Nymphum et Nymphum.*

Nymphula *tripunctata*, *lineatalis*, *interpunctalis*, *lemnalis*, *littoralis*, *lobulalis*, *magnificalis*, *nivealis*, *nudalis*, *numeralis*, *nymphæalis*, *perspectalis*, *potamogetalis*, *pulveralis*, *punctata*, *saturialis*, *transversalis*, *tripunctalis*, *undalis*, *unipunctalis*.

Nymphum *cardinalis*, *coccineum*, *dubium*, *femoratum*, *gracile*, *grossipes*, *hirsutum*, *spinosum*. *Vide et Nymphum et Nymphon*.

Nymula *enallus*, *gnosis*, *juli*.

Nymphona *ocellata*.

Nyroca *africana*, *americana*, *australis*, *brunnea*, *ferina*, *ferinoides*, *fuligula*, *fulva*, *leucophthalmus*, *maria*, *nyroca*, *valisneria*.

Nyssia *alpinaria*, *hemibycaria*, *hispidaria*, *pomonaria*, *tauaria*, *zonaria*.

Nysson *abdominale*, *auratus*, *auratus*, *decem-maculatus*, *dimidiatus*, *dissectus*, *dubius*, *dufouri*, *fasciatus*, *gibbulatus*, *guttatus*, *interruptus*, *maculatus*, *marginatus*, *minutus*, *nigripes*, *omissus*, *panzeri*, *quadriguttatus*, *quinqüespinosus*, *rufipes*, *spinosus*, *trimaculatus*, *weinrichi*.

Nyssus *coloripes*.

Nystagmus *aries*.

Nyttum *limbatum*.

Obba *maupila*, *papilla*, *planulata*.

Obelia *alterata*, *deflexa*, *disticha*, *lobulata*, *nana*, *radians*, *radiata*, *ramosa*, *serpens*, *sphaerulina*, *tubulifera*. [No. 10 a Coel.; others Polyz. *Teste* S. F. H.].

Obeliscus *anaeensis*, *bacterionides*, *brephos*, *calcareus*, *clavulus*, *decollatus*, *gnomon*, *geodalli*, *gracilifrons*, *maculatus*, *micra*, *minosarum*, *obeliscus*, *obtusatus*, *oryza*, *sceptrum*, *septenarius*, *stylus*, *subuliformis*, *sylvaticus*, *ventricosus*.

Obelus *cheirantioda*, *duplicatus*, *michaudi*, *polymorphus*, *preauxi*.

Oberea *amabilis*, *balcanica*, *caeca*, *depressa*, *erythrocephala*, *euphorbiae*, *flavipes*, *limbata*, *linearis*, *luteicollis*, *maculicollis*, *mauritanica*, *monostigma*, *myops*, *natalensis*, *ocellata*, *oculata*, *perspicillata*, *pupillata*, *ragusana*, *ruficeps*, *seminigra*.

Oberopa *monostigma*.

Obisium *carcinoides*, *dubium*, *dumicola*, *elunatum*, *fuscimanum*, *gracile*, *ischnocheles*, *maritimus*, *megachelum*, *muscorum*, *memorale*, *orthodactylum*, *pallipes*, *sesamoides*, *sylvaticum*, *tenellum*, *walckenaeri*.

Oblada *melanura*.

Oblata *tricuspidata*.

Oblicia *testacea*.

Obliquaria *atroviolacea*, *attenuata*, *bicolor*, *bullata*, *calendis*, *chloris*, *cliffordiana*, *cuprea*, *cyphya*, *decorticata*, *depressa*, *ellipsaria*, *fasciolaris*, *flava*, *flexuosa*, *fontinalis*, *interrupta*, *lateralis*, *lineolata*, *melanevra*, *nodulata*, *obliquata*, *pallens*, *plateolus*, *pusillus*, *quadrola*, *reflexa*, *retusa*, *rivularis*, *rubra*, *scalenia*, *sintoxia*, *sinuata*, *subrotunda*, *tenellus*, *triangularis*, *tuberculata*, *venus*, *verrucosa*, *violacea*.

Obolus *apollinis*, *ingricus*, *siluricus*.

Obovaria *cordata*, *crassa*, *obovalis*, *pachostea*, *retusa*, *stegaria*.

Obrium *aethiops*, *brevipenne*, *brunneum*, *cantharinus*, *dentatum*, *fabricianum*, *fasciatum*, *ferrugineum*, *furcatum*, *gracile*, *guttigerum*, *gynandropsidis*, *iumite*, *melanurum*, *minutum*, *obliquum*, *pallidum*, *pini*, *piniadeum*, *pulchellum*, *pusillum*, *pygmaeum*, *rubidum*, *rubrum*, *signatum*, *striata*, *subrotunda*, *syntaxis*, *torsa*.

Obstetricans *vulgaris*.

Ocalea *alpina*, *badia*, *castanea*, *concolor*, *decumana*, *murina*, *oblita*, *procera*, *prolixa*, *ruhlabris*, *spadicea*.

Occylotrachelus *aciculicollis*.

Oceania *ampullacea*, *binorpha*, *blumenbachii*, *cacuminata*, *conica*, *cymballoidea*, *danica*, *dineina*, *episcopalis*, *flavidula*, *funeraria*, *gibbosa*, *globulosa*, *hemisphaerica*, *heteronema*, *lenticula*, *lesueur*, *lineolata*, *marsupialis*, *microscopica*, *multicirrata*, *octocostata*, *octona*, *paradoxa*, *perla*, *phosphorica*, *pileata*, *rotunda*, *saltatoria*, *sanguinolenta*, *tetranema*, *tubulosa*, *turrita*, *viridula*.

Oceanites *grallaria*, *marina*, *wilsoni*.

- Oceanus (A.) strepitatus, parasiticus.
 Oceanus (Ceph.) flammeus.
 Ocellaria alcionides, angustata, benettiae, eupuliformis, ~~debeni~~, ~~granulata~~, ~~sericea~~.
 longipora, muricata, nuda, pedunculata, radiata, ramosa.
 Ocenebra erinacea.
 Ochetopus pallipes, spinicollis.
 Ochetorhynchus ruficaudus.
 Ochetostoma caouari, erythrogrammon.
 Ochina anobioides, castaneum, hederæ, nigra, ptinoides, sanguinicollis.
 Ochlerus cerdo, cinctus, coriaceus, lutosus, sordidus.
 Ochlia cerialis, exigualis, pantheralis.
 Ochodaeus bituberculatus, chrysomelinus, miliaris, obscurus, rufus, scymnoides.
 Ochralea flava.
 Ochria aurago, flavago, oo.
 Ochromela nigrorufa.
 Ochromolopis bifariella, byssinella, icella, sericella, vibicella.
 Ochromyia abdominalis, analis, bicolor, fasciata, fuscipennis, gigas, hyalipennis, javana, jejuna, lateralis, punctata.
 Ochropleura musiva, plecta.
 Ochropsis apicalis, australis, erosa, melanocephala, rufescens, subfasciata, vermicularis.
 Ochrostigma austera, melagona.
 Ochsenheimeria bisontella, bubalella, herculella, scabrosella, taurella.
 Ochtera melanocephala.
 Ochterus marginatus.
 Ochthebius aeneus, aeratus, ater, bicolor, bifoveolatus, crenulatus, cribricollis, difficilis, dilatatus, exaratus, exsculptus, fossulatus, foveicollis, foveolatus, fuscus, gibbus, granulatus, hybernicus, impressicollis, impressus, insubricus, lacunosus, margipallens, marinus, metallescens, nanus, nitidus, nobilis, pallidipennis, pallidus, pellucidus, pilosus, punctatus, pusillus, pygmaeus, quadricollis, quadrifossulatus, riparia, riparius, rufomarginatus, sericeus, sulcicollis.
 Ochthedromus aeneicollis, affinis, americanus, antiquus, axillaris, basalis, bimaculatus, cautus, chalcus, constrictus, contractus, cordatus, dilatatus, dorsalis, frontalis, fugax, gelidus, longulus, lucidus, niger, nitens, nitidus, patruelis, perspicuus, picipes, pictus, planatus, planipennis, planus, postremus, purpurascens, quadrimaculatus, rapidus, salebratus, subaeneus, substrictus, sulcatus, tetracolum, timidus, transversalis, trepidus, umbratus, variegatus, versicolor, viridicollis.
 Ochthenomus angustatus, indicus, lefebvrei, melanocephalus, punctatus, sinuatus, tenuicollis.
 Ochthephila abjecta, actinophora, bicarinata, cheiranthicola, consori, dealbata, depauperata, diadema, echinulata, innominata, lancerottensis, lentiginosa, leptosticta, maderensis, martigena, oxytropis, paupercula, pyramis, rotula, thiarella, tumulorum.
 Ochthephilum fracticorne.
 Ochthera manicata, mantis, mantispa, scombrii.
 Ochthiphila albiceps, elegans, flavipalpis, flavipes, geniculata, nigrimana, nigripes, polymorpha, polystigma. *Vide et Ochthiphila.*
 Ochthites brevicauda.
 Ochthoea oenanthoides, saya.
 Ochthosia stroemia.
 Ochthiphila aridella, cinerea, empiformis, juncorum, maritima. *Vide et Ochthe→et Ochthi→.*
 Ochyria aptata, ligustrata, munitata, propugnata, quadrifasciata.
 Ochyropus gigas.
 Ocypode urvillei. *Vide et Ocypode.*
 Ocladius asserculaticollis, baccicollis, costicollis, costiger, foveatus, glomeris, inaequalicollis, lacunatus, pertusa, salicorniae, senilis, subcarinatus, subfasciatus, sulcipes, textilis.
 Ocnaea calida, longicollis, micans.
 Ocnera granulata, lepidacantha.
 Ocneria detrita, pilumnina, rubea.
 Ocneros perspicillatus.

- Ocnoscelis* cyanoptera, purpurata.
Ocnotherium gigas.
Ocnus brunneus, lacteus.
Ocreale rectangulum.
Octipos bicolor, coccineus.
Octobothrium digitatum, hirundinaceum, lanceolatum, leptogaster, merlangi, palmatum, platygaster, rostellatum, sagittatum, scombri.
Octochila bitentaculata.
Octocoenia lugdunensis.
Octocotyle comatulae, lanceolata, truncata.
Octodon bridgesi, cumingi, cummingi, degus, kumingi.
Octoglossa femoralis.
Octogonotes banoni, cinctipennis, dimidiatus, quadrilineatus, rubicundus, thoracicus, tomentosa, vestitus.
Octolaimus warwicki.
Octomeris angulosus, stuchburii.
Octonus olosteon.
Octoplocamus mitra.
Octopodoteuthis sicula.
Octopoteuthis sicula.
Octopus aculeatus, aegina, albus, aldrovandi, americanus, antiquorum, arcticus*, areolatus, argus, atlanticus, backeri, bereuice, brevipes, brevitentacularis, carena, carenae, cassiopea, cephea, cocco, colossus, cordiformis, cyanea, didynamus, eudora, eyllas, favonia, filamentosus, fontainei, fontanianus, frayedus, geryonea, gracilis, gramosus, horridus, hawiensis, heteropus, horridus, hyalinus, indicus, koellikeri, leuodermis, lunulatus, macropodus, macropus, maculatus, maximus, medoria, membranaceus, microstoma, minimus, moschites, niger, niveus, octopodia, pictus, pilosus, polyzenia, quoyanus, ruber, saluti, saphenia, semipalmatus, sinensis, superciliosus, tehuelchus, testaceus, tetracirrhus, tetradymanus, tuberculatus, unguiculatus, undecirrhus, velatus, velifer, ventricosus, venustus, westerniensis.
Octostoma alosae, merlangi, scombri.
Octotemna singularis.
Octotemnus glabriculus, opacus.
Octotoma cincta, germari, hagenbachii, plicatula, scabripennis.
Oculina americana, axillaris, banksi, coalescens, coccinea, compressa, conferta, crassoramosa, dendrophylloides, diffusa, echidnaea, elegans, elisi, explanata, fissipara, flabelliformis, gemmata, hirtella, horrescens, incerta, infundibulifera, limbata, meyeri, micranthus, neustriaca, ocellata, oculata, pallens, palmata, petiveri, poppelacki, prolifera, ramea, raristella, reflexa, rosea, rugosa, solanderi, speciosa, sulcata, valentiniensis, varicosa, virginea, wagleri.
Ocyale atalanta, mirabilis, murina, rufa, rufofasciata.
Ocyalus latirostris.
Ocydromia dorsalis, flavipes, glabricula, melanopleura, nigripennis, nigripes, peregrinata, ruicollis, ruipes, scutellata.
Ocydromus (A.) brachypterus, dieffenbachii, fuscus, troglodytes.
Ocydromus (Col.) celer, flammulatus, impressus, modestus.
Ocydromyia fuscipennis.
Ocypeta pedata.
Ocypete (Ar.) derasa, detrita, draco, ferruginea, gracilipes, megacephala, melanogaster, murina, nobilis, pallens, rubra, setulosa, tersa, testacea, thoracica, vulpina.
Ocypete (Cr.) comata.
Ocypetes cavernarum, rubra, suilla, torquatus.
Ocyphaps lophotes.
Ocypoda albicans, angulata, appellans, aurantia, bispinosa, brevicornis, carnifex, cordinana, eques, fabricii, gaudichaudi, gigantea, granulata, heterochelos, hispana, hydrodroma, incerta, ippeus, lateralis, macrocera, microcheles, minuta, nigra, pugillator, pusilla, quadrata, quadratus, rhombea, rhomboides, rubra, rufopunctata, ruricola, saratan, senex, tetragona, tridens, unispinosa, vocans.

Ocyode angulata, arcuata, arenarius, citharoedicus, clavimana, convexa, costata, cursor, dilatata, fluviatilis, fossor, globosa, japonica, lactea, lata, longimana, mariani, pusilla, reticulatus, senex, tourlourou, tridens. *Vide et Ocyode.*

Ocyptamus fuscipennis, funebris.

Ocyptera albilabris, atrata, auriceps, bicolor, bifasciata, bimacula, bongalis, bosci, brassicaria, brevicornis, carbonaria, carinata, ciliata, coarctata, caecinea, compressa, costalis, costata, crassa, cylindrica, diabolus, diaphana, dimidiata, dolium, dorsalis, dosiades, dotadas, epytus, euchenor, exisa, fulva, fuscipennis, gracilis, hystrix, inabuta, intermedia, interrupta, lateralis, litturata, maculata, marginalis, morio, nigrita, pentatoma, picta, pilipes, pubera, pusilla, reflexa, roralis, rotundata, rufifrons, rufipes, scalaris, setulosa, similis, sinillima, simplex, soror, tachinaria, tremula, triquetra, umbratica, vittata, volvulus.

Ocypterus albovittatus, cinereus, dominicanus, fuscatus, leucogaster, leucorhynchus, mentalis, minor, personatus, rufiventer, sanguinolentus, superciliosus, viridis.

Ocypteryx lateralis.

Ocytus abbreviatipennis, alpestris, alpicola, angustatus, ater, brunripes, cerdo, chevrolati, compressus, confinis, confusus, cupreus, cyaneus, cyanochloris, depressus, falcifer, fulvipennis, fulvipes, fuscatus, gagates, gracilicornis, italicus, limbifrons, macrocephalus, masculus, megacephalus, micropterus, morio, nigrinus, olens, pedator, phaeopus, philonthoides, picipennis, picipes, planipennis, pullus, scabrosus, sculus, similis, syriacus, tartaricus.

Ocyrhoe cruciata, lineolata, melanospila, rosea. *Vide et Ocyroe.*

Ocyris oinops, oinopus.

Ocyroe cristallina, fusca, labiata, lineolata, maculata, perseae. *Vide et Ocyrhoe.*

Ocys currens, melanocephalus, striatum, tempestivus.

Ocythoe antiquorum, argos, cranchi, emarginatus, punctata, tridens, tuberculata.

Odacantha basalis, bifasciata, brasiliensis, cephalotes, cyanocephala, dorsalis, elongata, fasciata, litura, pensylvanica, praeusta, puncticolis, senegalensis, tripustulata. *Vide et Odo→.*

Odatria radiata.

Odatria ocellata, punctata, timorensis.

Odax algensis, balteatus, borbonicus, lineatus, moluccanus, pullus, semifasciatus, varius, vittatus.

Odenesis pini, potataria.

Odezia chaerophyllaria, chaerophyllata, tibialaria.

Odice acharis, inamoena, pamphilia, quieta, regularis.

Odinia peletieri, trinotata.

Odmaelurus genetta.

Odocantha acuminata, pennsylvannica. *Vide et Oda→.*

Odocoileus speleus.

Odogenius barbarus, fulvipes, longipennis, pilosus, rufipes.

Odoncineta papyracea.

Odonestis elizabetha, pini, potatoria, pruni, servula.

Odontoptera palpina.

Odontacanthus crenatus, heterodon.

Odontacheila desmaresti.

Odontaeus aeneas, costatus, filicornis, foveicollis, furcifer, lazarus, lusitanicus, mobilicornis, musculus, pallens, quadridens, sculpturatus.

Odontalus tridens.

Odontaspis acutissima, angustus, bronni, constrictus, contortidens, dubia, ferox, gracilis, hopei, mirabilis, oxyprion, pygmaea, raphiodon, regularis, raphiodon, subulata, taurus, undulata, verticalis.

Odonteus sparoides.

Odontia dentalis.

Odontidium laevissimum, rugulosum, trachea.

Odontina annulata, laevis, rugulosa, striata.

Odontionopa sericea.

Odontis aegyptiaca, australis, canaliculata, constricta, coronaria, fragarioides, labeo,

- maculosa*, *marmorata*, *modulus*, *nigra*, *nigrescens*, *pagodus*, *reticulata*, *rosea*, *subplicata*, *sulcata*, *tectum*, *tectum persicum*, *variegata*, *virescens*.
- Odontium** *coxendix*, *nitidulum*.
- Odontobius** *ceti*.
- Odontocephalus** *selenurus*.
- Odontocera** (Col.) *abdominalis*, *aurulenta*, *brachyptera*, *crinita*, *cylindrica*, *dice*, *eirene*, *eunomia*, *gracilis*, *maia*, *vitrea*.
- Odontocera** (Dipt.) *acuticornis*, *affinis*, *confinis*, *denticornis*, *spiniicornis*.
- Odontocerum** *griseum*.
- Odontocerus** (Cr.) *lutescens*.
- Odontocerus** (Neur.) *albicornis*, *maculipennis*.
- Odontocheila** *adonis*, *chrysochloris*, *cognata*, *distinguenda*, *egregia*, *mexicana*, *rugipennis*, *spiniipennis*.
- Odontochile** *applanata*, *aspera*, *auriculata*, *cristata*, *hausmanni*, *laticauda*, *rugosa*, *spinifera*, *subdepressa*, *tuberculata*.
- Odontocnemus** *fischeri*.
- Odontocorynus** *creperus*.
- Odontocyclas** *kokei*.
- Odontoderes** *australis*, *cacicus*.
- Odontodorcus** *moschiferus*, *tragulus*.
- Odontolabis** *baladena*, *cuvra*, *delesserti*.
- Odontomaches** *vestitus*.
- Odontomachus** *affinis*, *chelifer*, *haematoda*, *haematodes*, *hypocrita*, *insularis*, *unispinosa*.
- Odontomera** *ferruginea*, *maculipennis*.
- Odontomerus** (Col.) *bidentatus*, *serratus*.
- Odontomerus** (Hym.) *appendiculatus*, *dentipes*, *spinipes*, *striatus*.
- Odontomus** *chrysostigma*.
- Odontomyia** *albipennis*, *albomaculata*, *amyris*, *angulata*, *annulata*, *annulipes*, *anodonta*, *argentata*, *balius*, *brevipennis*, *canina*, *carinata*, *carinifacies*, *cincta*, *consobrina*, *criniata*, *cyanea*, *decora*, *dentata*, *discolor*, *dispar*, *dorsalis*, *elegans*, *emarginata*, *fasciata*, *fascifrons*, *felma*, *flavicornis*, *flavifasciata*, *flavipalpis*, *flavissima*, *frontalis*, *furcata*, *fuscipennis*, *garatas*, *guerini*, *berichsom**, *heteronevra*, *hieroglyphica*, *holosericea*, *hydrodroma*, *bydroleon*, *hydrophila*, *hydropota*, *ialemus*, *interrupta*, *lateremaculata*, *latifaciata*, *lefebvrei*, *limae*, *limbata*, *limbipennis*, *lunata*, *lutatius*, *maculifrons*, *marginella*, *megacephala*, *microleon*, *nigripes*, *obscura*, *ornata*, *pallidiventris*, *paron*, *personata*, *quadrilineata*, *rectifasciata*, *regis georgii*, *rostrata*, *rubricornis*, *rubrithorax*, *ruficornis*, *rufifacies*, *scutellata*, *semiviolacea*, *signaticornis*, *splendens*, *stricta*, *stylata*, *subdentata*, *tigrina*, *trimaculata*, *vertebrata*, *vicina*, *villosa*, *viridula*, *vittata*, *vulpina*.
- Odontonyx** *ornata*, *rotundatus*, *rotundicollis*.
- Odontopera** *bidentaria*, *bidentata*.
- Odontophorus** *balliviani*, *barbatus*, *capistratus*, *dentatus*, *guianensis*, *guttatus*, *leucophrys*, *lineolatus*, *macrourus*, *marmoratus*, *meleagris*, *pachyrhynchus*, *rufus*, *speciosus*, *stellatus*, *strophium*, *uru*.
- Odontopleura** *beyrichi*, *bispinosa*, *brighti*, *bronni*, *buchi*, *burmeisteri*, *centrina*, *cornuta*, *crassicornis*, *crenata*, *dentata*, *derelecta*, *dormitzi*, *dufrenoyi*, *dumortieri*, *elliptica*, *fordicula*, *geinitziana*, *germari*, *haushoferi*, *hoernesii*, *hoseri*, *impar*, *imperfecta*, *inermis*, *keyserlingi*, *lacerata*, *laportei*, *leonhardi*, *lindackeri*, *minuta*, *mira*, *mutica*, *neumanni*, *ovata*, *portlocki*, *prevosti*, *primordialis*, *quinqueloba*, *reichenbachii*, *rotundata*, *ruderalis*, *siemangi*, *steenstrupi*, *subterarmata*, *tenuicornis*, *tenuispina*, *tricornis*, *truncata*, *verneuilli*, *vesiculosa*, *zenkeri*, *zenonis*.
- Odontopsis** *armata*.
- Odontoptera** *carrenoi*, *spectabilis*.
- Odontopus** (Col.) *costatus*, *cyaneus*, *sempunctatus*, *tristis*, *violaceus*.
- Odontopus** (Hem.) *maculicollis*, *sanguinolens*.
- Odontopyge** *spinulosa*.
- Odontorhinus** *insperatus*.
- Odontorrhina** *hispida*, *pubescens*.

Odontorynchus *lutescens*.

Odontosaurus *voltzi*.

Odontoscelis (Col.) *albipennis*, *basalis*, *brunnipennis*, *caucasica*, *curtisi*, *cyaneus*, *dalderfi*, *darwini*, *desmaresti*, *iberica*, *lateralis*, *lineola*, *maculipennis*, *nittuloides*, *pallasi*, *striatus*, *substriatus*, *tentyrroides*.

Odontoscelis (Hem.) *fuliginosa*, *litura*, *pulcarius*, *scarabaeoides*, *schmidtii*, *schulzei*, *signatipennis*, *smidti*, *tibialis*, *unicolor*, *vinclulatus*.

Odontosia *camelina*, *carmelita*, *cucullina*, *palpina*, *plumigera*.

Odontostoma *allognotum*, *depressa*, *eolinum*, *globulosa*, *nitidum*, *opalinum*.

Odontostomia *decorata*, *doliaris*, *erythraea*, *plicata*, *solidula*, *subulata*, *ventralis*. *Vide et Odostomia*.

Odontostomus *bahiensis*, *balbo*, *exesus*, *fuscagulus*, *gargantula*, *hyalinus*, *leucotrema*, *pantagruelinus*, *vermiculatus*.

Odontota *crenata*, *flexuosa*, *fossulata*, *nigriceps*, *proxima*, *quadripunctata*, *rubrolineata*, *ventralis*.

Odontotarsus *caudatus*, *grammicus*, *lineatus*, *maurus*, *pictus*, *productus*, *purpurea*.

Odontothrips *phalerata*, *ulicis*.

Odontria *castanea*, *cinnamomica*, *striata*, *xanthosticta*, *zelandica*.

Odontura *aspericauda*, *spinulicauda*.

Odopeta *indefessa*.

Odoptera *abnaria*, *angularia*, *erosaria*, *fuscantaria*, *illumaria*, *illustraria*, *lunaria*, *tiliaria*.

Odostomia *acicula*, *acuta*, *affinis*, *alba*, *albelia*, *annae*, *biplicata*, *canaliculata*, *carychium*, *clathrata*, *clavula*, *conoidea*, *conspicua*, *crassa*, *cylindrica*, *decorata*, *decussata*, *diaphana*, *doliiformis*, *dubia*, *eulimoides*, *excavata*, *exigua*, *fenestrata*, *formosa*, *fusca*, *gemmulosa*, *glabrata*, *indistincta*, *insculpta*, *interrupta*, *interstincta*, *juniperi*, *labiata*, *lactea*, *laminata*, *limbia*, *marionae*, *muscorum*, *nigricans*, *nitida*, *notata*, *obliqua*, *oblonga*, *ovuloides*, *pallida*, *pellucida*, *perversa*, *plicata*, *plicatula*, *producta*, *protexta*, *rissoides*, *rufa*, *sandvicensis*, *scalaris*, *scillae*, *semicostata*, *seminuda*, *sexdentata*, *simillima*, *solidula*, *spiralis*, *striolata*, *subulata*, *tridens*, *trifida*, *truncatula*, *turrita*, *unidentata*, *vertigo*, *warreni*. *Vide et Odontostomia*.

Odynerus *affinis*, *albo-tricinctus*, *alecto*, *alternans*, *angustatus*, *annulatus*, *anormis*, *antelope*, *ardens*, *atropos*, *auctus*, *aurocinctus*, *bellone*, *bicinctus*, *bidentatus*, *bifasciatus*, *bispinosa*, *bisstrigatus*, *bivittatus*, *bizonatus*, *bosci*, *chiliensis*, *chloroticus*, *cognatus*, *connexus*, *consobrinus*, *constans*, *crassicornis*, *crenatus*, *crypticus*, *cyanipennis*, *dimidiatus*, *dufourii*, *duplicatus*, *egregius*, *elegans*, *enyo*, *erynnis*, *eumenoides*, *exilis*, *flavipes*, *flavus*, *fuscipes*, *geoffroyanus*, *gracilis*, *haematodes*, *histrio*, *hospes*, *humeralis*, *impunctatus*, *industrius*, *labiatus*, *lachesis*, *laevipes*, *leptieuri*, *lindeni*, *luteolus*, *mactae*, *maculatus*, *megaera*, *melanocephalus*, *miniatus*, *minima*, *muticus*, *nasidens*, *nigricornis*, *nigripes*, *notatus*, *notula*, *oculatus*, *oraniensis*, *orbitalis*, *ovi-ventris*, *parietum*, *parvulus*, *pictus*, *posticus*, *postscutellatus*, *quadricinctus*, *quadri-sectus*, *quinquefasciatus*, *quixensis*, *reumuri*, *reflexus*, *reniformis*, *renimacula*, *rossi*, *rotundatus*, *rubicola*, *rufidulus*, *rufipes*, *scoticus*, *similis*, *simplex*, *spinipes*, *spiricornis*, *splendidus*, *tsisiphone*, *triangulus*, *tricinctus*, *trifasciatus*, *trilobus*, *tri-marginatus*, *tripunctatus*, *uncinatus*, *variegatus*, *variolosus*, *vespiformis*, *viduus*, *xanthomelas*.

Oebia *numeralis*, *undulatus*.

Oecanthus *bipunctatus*, *italicus*, *niveus*, *rufescens*.

Oecistes *crystallinus*.

Oecobius *annulipes*, *domesticus*.

Oecodoma *cephalotes*, *hystrix*.

Oecophora *pavoniella*.

Oecophora *albilabris*, *andereggiella*, *angulosella*, *angustipennella*, *apicalis*, *arcuella*, *asterella*, *avellinella*, *baumella*, *bi-cingulella*, *bimaculella*, *brizella*, *brookella*, *caesiella*, *cerealella*, *coffeella*, *colitella*, *conjunctella*, *cornella*, *corylifoliella*, *crepusculella*, *cydoniella*, *cygnipennella*, *deauratella*, *disparella*, *dispuntella*, *dissitella*, *elongella*, *epilobiella*, *ericinella*, *eximia*, *falacella*, *farinatella*, *fastuosella*, *ferrugella*, *ferruginella*, *festaliella*, *festivella*, *flavimaculella*, *flavocerella*, *formosella*, *fundella*, *fuscifrontella*, *galactitella*, *gallipennella*, *goedartella*, *granella*, *gratiosella*, *gravatella*, *griseella*, *gutti-ferella*, *gysseleniella*, *harrisella*, *hemargyrella*, *hermannella*, *heydeniella*, *illuminatella*,

incongrua, interruptella, kiningerella, leucapennella, leuwenhockella, lineella, lineella, luteolella, magnificella, marginimaculella, merianella, metallella, micella, microdactylella, modestella, moritzella, moschettinella, noricella, olivella, olivella, ornatipennella, pallidella, passerella, passeriniella, pennella, phengitella, procerella, pruniella, pseudo-spretella, punctivittella, pygmaeella, restigerella, roesella, schaefferella, schmidtella, scyllaella, senescens, sericopezzella, serratella, signipennella, simploniella, sorbiella, squamosella, subaulella, sulphurella, superbella, syringella, tenebrella, terrenella, tetrapodella, tigratella, treitschkiella, tributella, trimaculella, unitella, upupaepennella, vitella, xylostella, zieglerella, zonella.

Oecothoa laeta, pallescens, silvatica, subterranea.

Oeda mernis, inflata, informis.

Oedalea hybotina, minuta, pallipes, pennata, stigmatella, tibialis.

Oedancalea dorsilinea.

Oedecnema dubia.

Oedemagena tarandi.

Oedemera adusta, aenea, affinis, analis, annulata, apicalis, apicalis, atrata, australis, axillaris, azurea, barbara, basalis, bicolor, bipartita, blossevillei, brevicollis, brevicornis, caerulea, carnolica, caucasica, chalybea, cinerea, clavipes, coarctata, coerulea, collaris, concolor, crassipes, croceicollis, cyanea, cyanescens, dimidiata, discoidalis, discolor, dispar, dorsalis, elegans, erythrocephala, femorata, flamen, flava, flavescens, flavicans, flavicollis, flavifrons, flavimana, flavipennis, flavipes, fraxini, fulvicollis, geniculata, glaucescens, grandis, grisea, hybrida, lateralis, leontodontis, lepturoides, limbata, livida, luctuosa, lurida, maculicollis, maculiventris, marginata, marginella, marmorata, melanocephala, melanophtalma, melanopyga, menetriesi, nigripes, notata, notoxoides, pallida, pallipes, paradoxa, penicillata, podagrariae, pubicollis, puncticollis, punctum, quadrinervosa, quadripunctata, quercus, rostrata, rubricollis, ruficollis, rufifrons, rufo-femorata, sanguinicollis, seladonia, sibirica, similis, stenoptera, striata, substriata, suturalis, testacea, testaceicollis, thalassina, thoracica, tibialis, tristis, unicolor, ventralis, vestita, virescens, viridana, viridipennis, viridipes, viridissima, vittata. *Vide et Aedemera.*

Oedesis longicornis.

Oediceros saginatus.

Oedicerus cyanipennis.

Oedichirus abdominalis, paederinus, terminatus, unicolor.

Oedinemus affinis, americanus, arenarius, bistriatus, capensis, crepitans, desertorum, europaeus, grillarius, griseus, longipes, macrocnemus, maculosus, magnirostris, major, natalensis, novae hollandiae, oedinemus, recurvirostris, senegalensis. *Vide et Aedicnemus.*

Oedicnemus superciliaris.

Oedicoryphus vittatus.

Oedionycha cinctella.

Oedionychis alacris, albicollis, bicolor, cincta, dissepata, figuratus, hispida, lunata, marginella, opulenta, plagiata, praecincta, pronta, sagulenta, thoracica. *Vide et Aedionychis.*

Oedionychus fallax, leptoccephalus, limbalis, limbatus, porculus, scalaris, sericeus, viridis, vulneratus.

Oedipoda aethiops, albicornis, albolineata, algeriana, apricaria, arenaria, balteata, barabensis, bicolor, biguttula, bisignata, brevicollis, caeruleans, caerulea, carbonaria, carinata, carolina, citrina, clausii, concinna, cothurnata, crassipes, cruciata, cruentata, discoidalis, discoidea, dorsata, edwardsi, elegans, fasciata, fenestralis, fischeri, flava, fusco-cincta, galinieri, gebleri, geniculata, germanica, gracilis, gratioiosa, grossa, haemorrhoidalis, hispanica, histrio, homoptera, hospes, hystrix, insubrica, leucoptera, lineata, longipennis, longipes, lorata, lugubris, luteicornis, macrocera, maderae, mauritanica, melanosticta, microptera, migratoria, migratorioides, miniata, minuta, moderata, montana, musica, mutabilis, nebulosa, nervoptera, nigripennis, nigrofasciata, nigro-fasciolata, oblitterata, obscura, octofasciata, oeningensis, pallidipennis, parallela, parapleura, phoenicoptera, pterosticha, pudica, pulla, pulverulenta, pulvinata, rhodopa, rosacea, rufipes, salina, scalaris, signata, smilaceum, sordida,

- straminea*, *stridula*, *strigata*, *subcaeruleipennis*, *sulphurea*, *thalassina*, *weichmanni*,
tuberculata, *turcomana*, *vagus*, *vastator*, *virescens*, *virginiana*, *viridula*, *xanthoptera*,
zini. *Vide et Aedipoda*.
Oedipus *platydactylus*, *titi*, *variegatus*.
Oedura *marinorata*, *rhombifer*.
Oegocera *rectilinea*.
Oello *cuvieri*.
Oeme (Col.) *indecora*.
Oeme (Cor.) *granulata**, *muensteri*.
Oemona *humilis*, *philippensis*.
Oena *capensis*, *murwensis*.
Oenanthe *albicollis*, *caprata*, *cinerea*, *climazura*, *cursoria*, *fervida*, *formicivora*, *fulcata*,
gutturalis, *imitatrix*, *leucorhoa*, *leucura*, *melanoleuca*, *monticola*, *nigra*, *pectoralis*,
perspicillata, *philippensis*, *pleschanka*, *ptygmatura*, *pyrrhonota*, *rubetra*, *rubicola*,
rufiventris, *sialis*, *sperata*, *stapazina*.
Oenas (A.) *arenaria*, *bicincta*, *cata*, *indicus*, *namaqua*, *ruficollis*. *Vide et Aenas*.
Oenas (Col.) *aper*, *atrata*, *bispustulata*, *chalybaeus*, *coccineus*, *crassicornis*, *melanura*,
nigricollis, *syriacus*, *wilhelmsi*.
Oenectra *pillerana*.
Oeneis (Col.) *nigraus*, *obscura*.
Oeneis (Lep.) *arethusae*, *bore*, *celaeno*, *jutta*, *norna*, *taygete*.
Oenerostoma *piniariella*.
Oenomaus *eumolphus*, *marsyas*, *ortygnus*, *palegon*, *rustan*.
Oenone (Hym.) *hians*, *mandibularis*, *ringens*.
Oenone (Verm.) *lucida*, *maculata*.
Oenophthira *pilleriana*.
Oenopia *addicta*, *cinctella*, *dorso-notata*, *kirbyi*, *litterata*, *luteo-pustulata*.
Oeonistis *entelliola*, *quadra*.
Oeroxyis *coerulea*.
Oerstedtia *armata*, *baculus*, *maculatus*, *pulchella*, *tubicola*.
Oestrus *auribarbis*, *bengalensis*, *cervi*, *clarki*, *duodenalis**, *elaphi*, *ericetorum*, *flavipes*,
fontanella, *gastricus**, *gastrophilus*, *libycus*, *maculatus*, *phobifer*, *pictus*, *rhinocerotes*,
rhinocerotis, *rubibarbis*, *salutaris*, *salutiferus*, *stimulator*, *stomachius*, *supplens*,
titillator, *uterinus*.
Oethra *depressa*, *fornicata*, *scruposa*.
Offula *patella*.
Ogcoderes *lobatus*.
Ogcodes *apicalis*, *cingulatus*, *fuliginosus*, *gibbosus*, *leucomeles*, *marginatus*, *nigripes*,
pallipes, *pubescens*, *varius*, *zonatus*.
Ogcodocera *dimidiata*.
Ogcosoma *granulare*.
Ognichodes *broussoneti*.
Ogygia (Cr.) *angustifrons*, *brongniarti*, *buchi*, *desmaresti*, *edwardsi*, *grandaeva*, *guettardi*,
murchisoni, *murchisoniae*, *portlocki*, *pusilla*, *radians*, *rugosa*, *vetusta*.
Ogygia (Lep.) *basilinea*, *flammatra*, *forcipula*, *imperita*, *ravida*, *signifera*.
Ogygies *latissimus*.
Oiacurus *lineatus*.
Oiceoptoma *affine*, *americanum*, *canadense*, *dispar*, *granigera*, *inaequale*, *lapponicum*,
marginale, *marginalis*, *nuda*, *obscura*, *opaca*, *rugosa*, *sinuata*, *terminatum*, *tetra-*
spilotum, *thoracica*, *trituberculatum*.
Oicodespina *scutigera*.
Oidemias *americana*, *fusca*, *leucocephala*, *nigra*, *patachonica*, *perspicillata*, *velvetina*.
Oides *bipunctata*, *livida*.
Oidicnemus *belloni*. *Vide et Aedi*→.
Oiketeticus *consortus*, *elongatus*, *kirbyi*, *macleayi*, *tertius*.
Oikopleura *bifurcata*, *chamissonis*.
Oileides *vulpinus*, *zephodes*.
Oinophila *v-flava*.

- Oinopota* ~~cellaris~~.
Oiorhinus pallipalpis.
Oithona nobilis, plumnifera, ~~splesdens~~.
Okenia elegans.
Oleacina aperta, poireti, truncata.
Olescira lamarecki.
Olene mendosa.
Olenecamptus serratus.
Olenus arcuatus, asaphoides, bisulcatus, bucephalus, fischeri, ~~forticula~~, gibbosus, humilis, latus, longicaudatus, macrocephalus, micurus, punctatus, pyramidalis, scarabaeoides, serotinus, spinulosus, tessini, triarthrus, undulostriatus.
Oleria astrea, clio, dero, flora.
Olesterus australis.
Oletera atypa, atypus, bicolor, picea.
Olethreutes arcuana.
Olfersia albipennis, americana, ardeae, bisulcata, canariensis, fossulata, fusca, fuscipennis, longipalpis, mexicana, pilosa, propinqua, rufipes, spinifera.
Olibrus aeneus, affinis, apicalis, bicolor, bimaculatus, corticalis, geminus, liquidus, millefolii, oblongus, piceus, pygmaeus.
Oligocephalus pulchricus.
Oliganus albus, hesopus, hexopus, maculatus.
Oligia erratricula, furuncula, latruncula, strigilis, vinctuncula.
Oligobranchus roseus.
Oligocera bipartita.
Oligocorynus discoideus, thoracicus.
Oligodon bitorquatus.
Oligodranes fumipennis, obscuripennis.
Oligomerus brunneus.
Oligoneuria anomala.
Oligopogon hybotinus.
Oligopus ater, niger, velifer.
Oligorus punctatus.
Oligos picarella, pruniella, pullatella, scriptella, terrella, vulgella.
Oligostomis analis, clathrata, reticulata.
Oligota apicata, atomaria, flavicornis, granaria, pedicularis, pentatoma, punctulata, pusillima, subtilis, tantilla.
Oligotoma saundersi.
Oligotricha chloronevra, phalaenoides, reticulata, strigosa.
Oligotrophus juniperina.
Oligura cyaniventer, flaviventer, rufescens.
Oligyra flammea, occidentalis, oresignae, sandwichensis, taeniata, zephirina.
Olina capensis, clavipes, hirtipes, nudipes, pallipes.
Olinda brasiliensis.
Olindia ulmana.
Olorhynchus comptropunctatus.
Olios algerianus, antillianus, barbarus, captiosus, castaneus, colombianus, digitalis, flavens, franklinus, freycineti, fuscus, grapsus, hispidus, leucosius, longipes, martius, oraniensis, pagurus, pinnotherus, provocator, rufipes, setulosus, sparassoides, spongiotarsi, taprobanus, ventrosus.
Oliska pencillatus.
Olisthaena nitida, planicollis.
Olisthaerus laticeps, megacephalus, nitidus, substriatus.
Olistheria vaninia, zatima.
Olisthoena cuprina.
Olisthops cyanomelas.
Olisthopus cinctus, fuscatus, graecus, hispanicus, micans, parmatum, puncticollis, punctulatus, rotundatus, sturmi.
Olistopus glabratus, sardous.

Olistus *atropus*, *malabaricus*, *ruppeli*.

Oliva *acuminata*, *affinis*, *agaronia*, *alabamensis*, *aldinia*, *alectona*, *alpina*, *amelia*, *anzora*, *ancillariaeformis*, *ancillarioides*, *audegavensis*, *angulata*, *anionina*, *aquatilis*, *arabica*, *araneosa*, *atalina*, *athenia*, *attenuata*, *aurantiaca*, *auricularis*, *australis*, *avellana*, *aveniformis*, *azemula*, *bicincta*, *bicingulata*, *biplicata*, *bombylis*, *branderi*, *branderis*, *brasiliana*, *brasilienis*, *brocchii*, *brongniarti*, *bulbiformis*, *bullula*, *caerulea*, *caldania*, *callosa*, *calosoma*, *canaliculata*, *caualifera*, *candida*, *carneola*, *caroliniana*, *cassilabra*, *cincta*, *clauophila*, *clavula*, *columba*, *columellaris*, *coniformis*, *conoidalis*, *constricta*, *contortuplicata*, *cruenta*, *cuningi*, *cyanea*, *cylindracea*, *cylindrica*, *dactyliola*, *dealbata*, *dimidiata*, *dubia*, *duclosi*, *dufresnei*, *duplicata*, *eburnea*, *edelona*, *egira*, *elegans*, *elongata*, *emeliodina*, *episcopalis*, *eridona*, *erythrostoma*, *esiodina*, *esmilota*, *esther*, *evania*, *fabagina*, *fallotina*, *fiubriata*, *flammulata*, *flaveola*, *floralia*, *fulgida*, *fulgurata*, *fulgurina*, *fulminans*, *funebalis*, *fusca*, *fusifera*, *fusiiformis*, *galeola*, *gaysiana*, *gibbosa*, *glandiformis*, *gracilis*, *granitella*, *greenoughi*, *guldungi*, *guttata*, *hamiltonia*, *harpularia*, *hepatica*, *hiatula*, *hieroglyphica*, *idonea*, *indusica*, *inflata*, *irisans*, *isis*, *ispidula*, *jaspidea*, *julieta*, *kalkontina*, *lacetina*, *lanceolata*, *laumontiana*, *lentiginosa*, *lepidula*, *lepta*, *leucophaea*, *leucostoma*, *leucozonias*, *leveriana*, *ligneola*, *litterata*, *lugubris*, *luteola*, *macleayi*, *maculata*, *mandarina*, *mantichora*, *marmini*, *masaris*, *maura*, *memnonia*, *mica*, *miliola*, *millepunctata*, *minima*, *muridina*, *mississippiensis*, *mitreola*, *modesta*, *monilifera*, *mucronata*, *multiplicata*, *mustelina*, *mutica*, *mygdonia*, *myodia*, *nana*, *natalia*, *nebulosa*, *uedulina*, *neolina*, *nilotida*, *nitelina*, *nitidula*, *nivea*, *nobilis*, *nux*, *obesina*, *obtusaria*, *octavia*, *olorinella*, *olympiadina*, *onaxis*, *oniska*, *oriola*, *oriolida*, *oryza*, *osidia*, *othonia*, *ozodona*, *padolida*, *panamensis*, *panniculata*, *pantherina*, *patula*, *pacillus*, *pellucida*, *peruviana*, *petiolata*, *philantha*, *phillipsi*, *pica*, *picholiua*, *picta*, *piudarina*, *pintamella*, *pipita*, *plicaria*, *polpasta*, *ponderosa*, *porphyracea*, *porphyria*, *prasinoides*, *propatula*, *puelcha*, *pulchella*, *pupa*, *pura*, *purpurata*, *pygmaea*, *quersolina*, *razamola*, *reticularis*, *roselina*, *rufifasciata*, *rufula*, *salisburyana*, *sanguinolenta*, *scripta*, *selasia*, *semistriata*, *senegalensis*, *sepulchralis*, *serena*, *siamensis*, *sidelia*, *sowerbyi*, *splendidula*, *stainforthi*, *staminea*, *steeeria*, *stelleta*, *striata*, *strigata*, *subangulata*, *subulata*, *subviridis*, *sylvia*, *taitensis*, *tehuelcha*, *tergina*, *tessellata*, *testacea*, *textilina*, *tigridella*, *tigrina*, *timoria*, *tisiphona*, *titea*, *todosina*, *tremulina*, *tricolor*, *triticea*, *tunquina*, *turritella*, *uudata*, *uudatella*, *ustulata*, *utriculus*, *valentina*, *ventricosa*, *venulata*, *vetusta*, *volutella*, *volvarioides*, *zanaeta*, *zeilanica*, *zenopira*, *zigzag*, *zonalis*.

Olivancillaria *auricularia*, *brasilienis*, *leucostoma*.

Olivanites *globosus*, *verneuili*.

Olivella *biplicata*, *columellaris*, *conoidalis*, *eburnea*, *mutabilis*, *oryza*, *puelchana*, *purpurata*, *tehuelchana*, *volutella*.

Olivia (Calc. Alg.) *androsaci*.

Olivia (G.) *otaviana*.

Oliviera *suavissima*.

Olivieria *lateralis*, *longirostris*.

Olivilla *biplicata*.

Olivina *columellaris*, *conoidalis*, *mica*, *miliola*, *myriadina*, *nivea*, *puelchana*, *tehuelchana*.

Ollicula *vorax*.

Oolygon *strigilata*.

Olophorus *typus*. *Vide et Holo→*.

Olophrum *alpestre*, *assimile*, *boreale*, *consimile*, *emarginatum*, *fusum*, *obtectum*, *piceum*, *rotundicolle*.

Olor *americana*, *bewicki*, *buccinator*, *coscoroba*, *ferus*, *gambiensis*, *minor*, *musicus*, *mutus*.

Olostomis *daurica*. *Vide et Holo→*.

Oloris *medusa*.

Olygyra *orbiculata*.

Olympia *moyonia*, *ricinoides*, *rugulosa*, *viviana*, *vulgaris*.

Olynthia *ruicapilla*.

Olynthoscelis *apterus*, *autumnalis*, *denticauda*, *serriacauda*.

Olynthus *iuachus*, *narbal*.

Olyra *laticeps*, *longicaudatus*.

Olyras *erathia*.

Omacantha *gigas*.

Omadius *bifasciatus*, *indicus*, *nebulosus*, *senegalensis*, *trifasciatus*.

Omal (Col.) *angusticollis*, *aterima*, *atripes*, *axillaris*, *fortestriata*, *polita*, *quadriplagiata*, *thermarum*.

Omal (L.) *inaequivalvis*.

Omalaxis *bifrons*, *disjunctus*.

Omalisus *bimaculatus*, *coccinatus*, *cruciatus*, *fraternus*, *mundus*, *obliquus*, *sanguinicollis*, *sanguinipennis*, *sculptilis*, *thoracicus*.

Omalium *abdominale*, *adustum*, *aeneum*, *alpestre*, *alpinum*, *amabile*, *appendiculatum*, *assimile*, *atrocephalum*, *bi-maculatum*, *bipustulatum*, *blattoides*, *boreale*, *brachypterum*, *brevicolle*, *brevicornis*, *brevipenne*, *brunneum*, *brunnipenne*, *brunnipes*, *caesum*, *canaliculatum*, *castaneum*, *causicum*, *complanatum*, *concinnum*, *conformatum*, *consimile*, *corticale*, *crenatum*, *cribrosum*, *cursor*, *denticolle*, *dentipes*, *deplanatum*, *depressum*, *excavatum*, *exiguum*, *fahraei*, *fenestrale*, *ferrugineum*, *fimetarium*, *florale*, *fossulatum*, *foveolatum*, *fuscipenne*, *fuscum*, *gyllenhali*, *heydeni*, *humerales*, *imhoffi*, *impressum*, *inflatum*, *iopterum*, *laeve*, *laevecolle*, *laeviusculum*, *lapidarium*, *lapponicum*, *latum*, *limbatum*, *lineare*, *longipenne*, *longulum*, *lucidum*, *luridum*, *macropterum*, *maculicorne*, *mandibulare*, *marginatum*, *marginicolle*, *megacephalum*, *melanocephalum*, *mesomelas*, *minimium*, *monilicorne*, *mouticolum*, *montivagum*, *nigriceps*, *nigricolle*, *nigrum*, *nitiduloides*, *nivale*, *oblongum*, *obscurum*, *ophthalmicum*, *ovale*, *ovatum*, *pallens*, *pallidipenne*, *pallidum*, *paludosum*, *pedicularium*, *philanthus*, *piceum*, *picipum*, *pilosulum*, *plagiatum*, *poratum*, *poratum*, *primulae*, *protectum*, *protogaea*, *pubescens*, *punctatum*, *punicantipennis*, *pusillum*, *pygmaeum*, *quadratum*, *quadrum*, *ranunculi*, *repandum*, *rivulare*, *robustum*, *rotundicolle*, *ruficornis*, *rufulum*, *rufum*, *rugosum*, *salices*, *salicinum*, *scutellatum*, *semicoleoptratum*, *sibiricum*, *sinuato-colle*, *sorbi*, *sordidum*, *staphylinoides*, *striatipenne*, *striatum*, *subpubescens*, *subrugosum*, *substriatum*, *sulcatum*, *tectum*, *tenuipes*, *testaceum*, *viburni*, *vile*.

Omalocephala (Dipt.) *fusca*.

Omalocephala (Hem.) *cincta*, *festiva*.

Omaloderus *intrepidus*.

Omalodes *angulatus*, *borealis*, *ebeninus*, *faustus*, *faveola*, *gagatinus*, *harrisi*, *laevigatus*, *lucidus*, *omega*, *pulvinatus*, *serenus*, *sobrinus*.

Omalogaster *brevipalpis*, *fulvicrus*, *grisea*, *limbivervis*, *microcera*, *nitidus*, *scutellaris*, *subrotundata*.

Omalomorpha *cylindrica*, *maxima*, *obscuricollis*.

Omalophia *africana*, *albicincta*, *analis*, *antennalis*, *aquila*, *atrata*, *australis*, *bimaculata*, *brevis*, *brunnea*, *carbonaria*, *carinata*, *caspia*, *castanea*, *castanoptera*, *ciliata*, *coracina*, *costigera*, *ferrugata*, *fusca*, *granuligera*, *granulosa*, *grisea*, *hirta*, *holosericea*, *humeralis*, *iberica*, *indica*, *inuba*, *iricolor*, *iridescent*, *judaica*, *limbata*, *lineata*, *marginella*, *marmorata*, *mutata*, *nemoralis*, *nigricans*, *nitida*, *nitidula*, *obscura*, *ochroptera*, *olivieri*, *pellucida*, *philippinensis*, *pilula*, *polita*, *proteicola*, *punctatissima*, *robusta*, *rubricollis*, *rufocuprea*, *rugosa*, *rubicola*, *sericans*, *sericea*, *spiraecae*, *strigata*, *strigosa*, *subaenea*, *tuberculata*, *umbrina*, *unguicularis*, *variabilis*, *vespertina*, *violacea*, *vittata*, *vittigera*.

Omalosoma *cyanea*, *vigors*.

Omalus *aeneus*, *cenopterus*, *coriaceus*, *fuscicornis*, *fuscus*, *hemipterus*, *nigricornis*, *nitidus*, *rufescens*.

Omalysus *apicalis*, *lineatocollis*, *lineatus*, *maculicollis*.

Omaplopus *longitarsus*.

Omascus *tenebrosus*.

Omaseus *aeneipennis*, *aeratus*, *affinis*, *altaicus*, *authracinus*, *armenus*, *aterrimus*, *attenuatus*, *australasiae*, *bisigillatus*, *brevipennis*, *bulweri*, *corpulentus*, *creticus*, *crubicollis*, *elongatus*, *fornicatus*, *fuscoaeneus*, *globosus*, *gracilis*, *hamatus*, *indicus*, *italicus*, *janthius*, *laevigatus*, *laticollis*, *leucophthalmus*, *magus*, *marginalis*, *maurus*, *melanarius*, *melas*, *mellyi*, *minor*, *nebroides*, *nigerrimus*, *nigrita*, *orinomum*, *pennatus*, *picipum*, *planicollis*, *politus*, *romuleus*, *rotundicollis*, *rufifemoratus*, *rugicollis*, *subpunctatus*, *sulcatus*, *tetricus*, *tomicus*, *validus*, *viridicollis*.

- Omaspides** clathrata.
- Omatoplea** alba, albicans, balmea, bembix, berea, glauca, gracilis, grubei, mutabilis, pellucida, peronea, polii, pulchra, punctata, rosea, rubra.
- Omazeus** distinctus, tingitanus.
- Ombrella** disculus, indica.
- Ombria** psittacula.
- Ometis** cerata, cetonoides.
- Omia** antirrhini, cymbalariae, linariae, puta, tenera.
- Omius** albolineatus, albosvittatus, alpinus, bisignatus, bohemaui, brunripes, chevrolati, companyonis, concinnus, crinitus, dubius, ebeninus, erynaeus, forticornis, fuscipes, geminatus, globosus, globulus, glomeratus, gracilipes, grandicornis, gravidus, hemisphaericus, hirsutulus, indigenus, interrupto-punctatus, inustus, lithargyreus, mollicornus, mollinus, myrmex, nitidus, oblongus, parvulus, pellucidus, pruinosis, rotundatus, ruficollis, rufipes, rugicollis, scabripennis, seminolum, seminulum, sericeus, sphaericus, sphaeroides, stanleyi, strigifrons, subnitidus, sulcifrons, tessellatus, vestitus, villosulus.
- Omnastrophes** aequipoda, arabicus, bartrami, bianconii, cylindraceus, eblanae, gigas, gronovii, laticeps, meneghini, oualaniensis, pelagicus, sloanei, todarus.
- Ommatidiotus** dissimilis.
- Ommatius** ademon, albovittatus, amyclaeus, androcles, angustiventris, auratus, auribarbis, chinensis, coeraebus, compeditus, conopsoides, coryphe, costatus, dimidiatus, dispar, flavipes, fulvidus, hecale, ialmus, lema, leucopogon, madagascariensis, marginellus, papus, pennus, pera, plautius, pumilus, pygmaeus, rufipes, saccas, tarchetius, tibialis.
- Ommatolampes** haemorrhoidalis, tetraspilotos.
- Ommatolampis** nodicollis, perspicillatus, variegata.
- Ommatolampus** cuvieri, germari.
- Ommatophoca** rossi.
- Ommatoplea** taeniata.
- Ommatostergus** pallasi.
- Ommatotriton** vittatus.
- Ommexecha** audouini, cyanopterum, germari, gracile, homalodemum, klugi, liaspis, lugubre, macropterum, oxypterum, pallidum, servillei, sommeri, trachypterum, virens.
- Ommidion** modestum.
- Omniretepora** anastomosa, crassa.
- Omobranchus** fasciolatus.
- Omocera** aureicornis.
- Omodocera** azureicornis.
- Omodrates** axillaris, lobipes, luridipennis.
- Omoietelus** apicicornis, crocicollis, duponcheli, gemmellatus, navicularis, orbignyanus, pallidus, signaticollis, spinolae, testaceus, umbonatus.
- Omolepida** casuarinae.
- Omolopia** vestita.
- Omoloplia** platypoda.
- Omphilus** arcuatus.
- Omphilus** abdominalis, armeriae, betulae, brullei, caeruleus, curvipes, dilatatus, dispar, distinctus, elongatus, erythrogaster, flavipennis, lepturoides, maroccanus, nigripalpis, ochraceipennis, ovalis, pilicollis, pinicola, puncticollis, ruficollis, rufiventris, rugicollis, sericeicollis, tibialis.
- Omphorus** stomachonis.
- Omphron** americanum, capense, flexuosum, labiatum, lecontei, limbatus, maculosus, madagascariensis, minutum, nitidum, oblongiusculum, pictum, sayi, sphaerium, suturalis, tessellatus, variegatus.
- Omopecta** axillaris, marginata.
- Omorghus** peruanus, suberosus.
- Omorphorus** indispositus.
- Omosita** colon, depressa, discoidea, nigrovaria.
- Omostenus** maculipennis.

- Omoteina humeralis*.
Omotes cucujides.
Omphale aetius, salicis.
Omphalina cuprea.
Omphalodus chorzowiensis.
Omphalophacus hemprichi.
Omphalostyla ustulata.
Omphemis lacustris, phaoxis.
Omphiscola glabra, pugio.
Omphra brevis, complanata.
Omphreus morio.
Omphyma verrucosa.
Ompok siluroides.
Omus audouinii, californicus, cylindricornis, dejeani.
Omyta deyrollei.
Oncaea crenata, marginata, pallida, perdix, purpurea, venusta, virginea.
Onchidella cinerea, granulosa, hardwicki, incisa, marmorata, nana, nigra, nigricans, patelloide, reevesi.
Onchidium ater, cinereum, cubense, ferrugineum, geographica, granulose, incisum, indiae, insularium, laeve, laevigatum, marmoratum, molle, nanum, nigricans, occidentale, patelloide, peroni, planatum, punctatum, secatum, sloanei, tonganum, vaigense, viridi-album.
Onchidoris diaphana, muricata, pusilla, sanguinea.
Onchidorus leachi.
Onchobothrium bifurcatum, coronatum, uncinatum, verticillatum.
Onchocephala quadrilobata, senegalensis.
Onchocerca reticulata.
Onchocotyle appendiculata.
Oncholaimus attenuatus, fovearum, muscorum.
Onchomerus pilicornis.
Onchorhinus cribrithorax, nodulosus, planatus, scabricollis.
Onchosoma dorsalis, ewingi, foveocollis, klugi, rufescens, tasmanica.
Onchus arcuatus, dilatatus, erectus, falcatus, hamatus, heterogyrus, murchisoni, plicatus, rectus, semistriatus, sublaevis, subulatus, sulcatus, tenuistriatus.
Oncideres amputator, frontalis, impluviata, vomitosa.
Oncinolabes beseli, forsteri, fuscescens, mollis.
Oncinopus neptunus.
Oncinotus arcuatus.
Oncocephalus armipes, dessicatus, griseus, notatus, squalidus.
Oncocera ahenella, bruandella, cardui, carnella, lotella, marisca, miniosella, ocella, sanguinella.
Oncoceras constrictum, eschwaldi, tortuosus.
Oncodes fumatus.
Oncolabis anticella.
Oncomera flavicornis, podagrariae.
Oncomeris flavicornis, robustus.
Oncomerus merianae.
Onconotus boschnaki, coriaceus, eversmanni, laxmanni, motschulskii, servillei.
Oncophorus beskidensis.
Oncorhinus xanthospilos.
Oncoscelis australasiae.
Oncotus capensis, testaceus.
Ondatra americana.
Onesia caerulea, claripennis, clausa, cuprea, cyanea, floralis, fulvipennis, gentilis, lepida, nigripalpis, prompta, quadriseriata, riparia, tessellata, toxonevra, velox, viarum, viridi-cyanea, viridula, viridularis, vulgaris.
Onichaeetus malayana.
Onichodon orchেসides.

Onichogalea *frenatus*, *inguifer*. *Vide et Onych*→.

Oniscia *alicia*, *cancellata*, *cithara*, *dennisoni*, *domingensis*, *exquisita*, *harpula*, *lamarecki*, *oniscus*, *strombiformis*, *triseriata*, *tuberculosa*, *verrucosa*.

Oniscites *derbyensis*.

Oniscoda *maculosa*.

Oniscodesmus *oniscinus*.

Oniscosoma *arcticum*.

Oniscus *acuminatus*, *affinis*, *agilis*, *americanus*, *angustatus*, *armatus*, *bicolor*, *bilineatus*, *bucculentus*, *caeruleatus*, *collinus*, *cylindraceus*, *emarginatus*, *fossor*, *fulgens*, *gracilis*, *granulatus*, *guadeloupensis*, *hirsutus*, *irroratus*, *laevis*, *latus*, *longicornis*, *maadid*, *mamillatus*, *marinoratus*, *minutus*, *musculus*, *obtusangulus*, *olivieri*, *ornatus*, *pantherinus*, *plumbeus*, *praegustator*, *pulchellus*, *scaberrimus*, *squillarum*, *suffocator*, *taeniola*, *testudo*, *thoracicus*, *tuberculatus*.

Onithochiton *gaimardi*, *hirtosus*, *undulatus*.

Oniticellus *bifurcatus*, *cinctus*, *concinus*, *cubiensis*, *flavipes*, *formosus*, *fulvicollis*, *fulvipterus*, *furcifer*, *impressus*, *maculatus*, *pallipes*, *pictus*, *planatus*, *quadrilaterus*, *speculifer*, *subcornutus*, *subdeletus*, *sulcicollis*, *thoracicornis*, *verticicornis*.

Onitis *aeneus*, *aeruginosus*, *alexis*, *ambigua*, *amyntas*, *apelles*, *aygulus*, *bison*, *bos*, *bubalus*, *calcaratus*, *caschmirensis*, *castaneus*, *chalcomelas*, *chevrolati*, *clinias*, *coronatus*, *corydon*, *cupreus*, *damaetas*, *damoetas*, *damon*, *deplanatus*, *diadema*, *femoratus*, *festivus*, *flavipes*, *fulgidus*, *furcifer*, *furcifera*, *fuscus*, *granulatus*, *himalayicus*, *iuernicrus*, *iuermis*, *inflexus*, *irroratus*, *jasius*, *laevigatus*, *lasius*, *maurus*, *meliboeus*, *menalcas*, *moeris*, *mopsus*, *natalensis*, *nicanor*, *niger*, *numida*, *obscurus*, *olivieti*, *pallens*, *pallipes*, *pamphilus*, *pecuaria*, *philemon*, *pictus*, *planifrons*, *planus*, *sophax*, *sphinx*, *stevani*, *strigatus*, *subcostalis*, *subtuberculatus*, *tityrus*, *tridens*, *trispinus*, *urus*.

Onocephala *strenua*.

Onocrotalus *antiquorum*, *brissoni*, *hernandezi*, *minor*, *phoenix*, *thagus*.

Onos *fusca*, *maculata*, *mustella*.

Ontaria *molossina*.

Ontherus *didymus*, *glaucus*.

Onthocharis *myrmidon*, *smaragdinus*.

Onthoeus *depressus*.

Onthophagus *abyssinicus*, *adelaidae*, *aeneus*, *affinis*, *alces*, *aleppensis*, *alpinus*, *ammon*, *amynta*, *analis*, *andalusicus*, *angulatus*, *angulicornis*, *anisocerus*, *anthracinus*, *antelope*, *anxius*, *aries*, *atramentarius*, *auchenia*, *auritus*, *australis*, *austriacus*, *badius*, *barbirussa*, *basalis*, *bicornis*, *bicornutus*, *bidentatus*, *biidus*, *bifurcatus*, *bimaculatus*, *blandus*, *bonariensis*, *bonasus*, *bos*, *bovillus*, *brama*, *brasiliensis*, *brevicornis*, *brucei*, *brunneus*, *bubalus*, *bucephalus*, *buculus*, *camelus*, *canadensis*, *capella*, *capitatus*, *capra*, *capeolus*, *capucinus*, *carbonarius*, *carolinus*, *castaneus*, *catta*, *cayennensis*, *centromaculatus*, *cereus*, *cervicornis*, *chrysolithus*, *circumscriptus*, *clypeatus*, *coenobita*, *columella*, *concinus*, *corniculatus*, *crenatosulcatus*, *crenatus*, *cruciatus*, *cruentus*, *curvicinctus*, *curvicornis*, *cuspidiusculus*, *cyanus*, *dama*, *decipiens*, *degener*, *dendriticus*, *difficilis*, *difformis*, *dillwyni*, *discolor*, *dispar*, *distinguendus*, *diversus*, *dromedarius*, *dubius*, *egenus*, *elegans*, *elliotti*, *emarginatus*, *erichsoni*, *eridanus*, *excavatus*, *femineus*, *fimbriatus*, *fissicornis*, *flavicornis*, *flavipes*, *flavofemoratus*, *foetidus*, *fracticornis*, *fucatus*, *fuliginosus*, *fulvipes*, *fuscatus*, *fuscipennis*, *gagates*, *gagatinus*, *gazella*, *giraffa*, *glabratus*, *glandicolor*, *globulus*, *gralicornis*, *greeni*, *haemorrhoidalis*, *hamadrias*, *harpax*, *hinnulus*, *hirculus*, *hircus*, *hirtus*, *hispanus*, *histeroides*, *hybneri*, *igneus*, *immaculatus*, *imperator*, *inaequalis*, *incensus*, *indistinctus*, *infucatus*, *infuscatus*, *intermedius*, *irroratus*, *isidis*, *jacchus*, *juvencus*, *juvenilis*, *lamicornis*, *laminiger*, *lancifer*, *larva*, *latebrosus*, *laticollis*, *laticornis*, *lemur*, *leucostigma*, *lineatus*, *lineolatus*, *lucidus*, *lunaris*, *luteicornis*, *macrocephalus*, *maki*, *marginalis*, *marginatus*, *marmoratus*, *maurus*, *medius*, *melanocephalus*, *mendax*, *menetriesi*, *mergacerus*, *minutus*, *mixtus*, *moeris*, *molossus*, *monoceros*, *morio*, *mundus*, *mutabilis*, *muticus*, *nasicornis*, *nasutus*, *niger*, *nigrocupreus*, *nigrovirescens*, *niscus*, *nitidicollis*, *nitidulus*, *nuchicornis*, *nutans*, *obliquus*, *obscurus*, *onitoides*, *ophion*, *orcas*, *ovatululus*, *ovatus*, *pallens*, *paniscus*, *pauperatus*, *phanoeides*, *picipennis*, *piliger*, *plancus*, *planicornis*, *planifrons*, *plutus*,

politus, porrectus, ~~posticus~~, prasinus, pronus, propinquus, prostans, protensus, ptox, punctatus, punctulatus, pygargus, quadratus, quadridentatus, quadripunctatus, quadri-tuberculatus, reticornis, reflexus, rhinoceros, rubellus, rubescens, rubricollis, rubripes, ruficapillus, ruficornis, rufipes, rugifrons, rugosus, sabaesus, sagax, sagittariae, scabricollis, schreibersi, sellatus, semicornis, seniculus, serratipes, shoensis, signatus, similis, simplex, sinicus, sisypoides, specularis, stellio, striatulus, strigatus, subaeneus, subfasciatus, sublaminatus, sublineolatus, subprominulus, subreticornis, subviolaceus, sulcator, suturalis, suturatus, suturellus, sycophanta, tages, taurinus, taurus, terminalis, terminatus, thoracicornis, thoracicus, tigrinus, triacanthus, tricinctus, tricornis, tricuspidus, tricuspis, tristis, trituberculatus, trochiscobius, truchmenus, tuberculi-collis, umbraculatus, umbrinus, undatus, unituberculatus, ursus, urus, vacca, variabilis, venustus, vicinus, vinctus, viridicatus, viridicollis, viridi-cyaneus, viridipennis, viridis, vitulus, vulcanus, vulneratus, xiphias. *Vide et Onto*→.

Onthophilus alternatus, exaratus, nodatus, pluricostatus, striatus, sulcatus.

Onthophagus rarus, sayi, signatipennis. *Vide et Ontho*→.

Onuphis conchylega, eremita, eschriehti, filicornis, tubicola.

Onus mustelus, riali, smiridus.

Onychia (Ceph.) cardioptera.

Onychia (Hym.) aculeata, bicolor.

Onychia (Lep.) ediogaster, moeniata, peribolata.

Onychocephalus acutus, libroni, capensis, congestus, delalandei, liberiensis, multilineatus, nigrolineatus, unilineatus, verticalis.

Onychocerus scorio, undatus.

Onychodactylus schlegeli, unguiculata.

Onychogalea lunata. *Vide et Onich*→.

Onychognathus fulgidus.

Onychophis barrowi, cuningii, fordi, franklini, lalandei, olivaceus, punctata.

Onychopirion fuliginosus, panaya, serrata.

Onychorhynchus castelnaui, regius.

Onychoteuthis amoena, angusta, armatus, banksi, bartlingi, belloni, bergi, cardioptera, conocauda, dussumieri, fabricii, fleuryi, kamtschatica, krohni, leptura, lessoni, lesueuri, lichtensteini, molinae, morisi, peratoptera, platyptera, smithi, unguiculata.

Onykia angulatus, cariboea.

Onypterygia angustata, apicalis, fauimii, fulgens, fulgipennis, hoepfneri, humilis, thoreyi, tricolor, viridipennis.

Onyrhynchus griseus, plumbeus.

Ooctonus hemipterus, heterotomus, insignis, litoralis, major, notata, pictus, sublaevis, vulgatus.

Oocyranus tarsatus, violaceus.

Oodes abaxoides, amaroides, americanus, angolensis, australis, bipustulatus, brasiliensis, cayennensis, chlorophanus, cupreus, duodecimstriatus, elongatus, exaratus, femoralis, gory, gracilis, grandis, helopioides, hispanicus, laevicollis, laevigatus, lepieuri, licinoides, linea, mauritanicus, metallicus, mexicanus, minutus, nigriceps, nigrita, pallipes, parallelus, pedinoides, picipes, pigmaeus, planus, politus, pulcher, punctato-striatus, puncticollis, quatuordecim-striatus, robustus, rufipes, semistriatus, senegalensis, similatus, similis, smaragdinus, striatus, subaeneus, sublaevis, sulcatus, tibialis, virens.

Ooedosoma acroleucum.

Oogaster lehmanni, menetriesi.

Oolina caudata, clavata, compressa, haidingeri, inornata, isabella, laevigata, melo, rariocosta, striata, striaticollis, vilardeboana.

Oomorphus concolor.

Oonops pulcher.

Oontelus reticulatus, rugosipennis.

Oophorus algerinus, crassicollis, instabilis.

Ops pistor.

Opsis dorsivarius, duboisi, nutator, oblongipennis.

Oopterus clivinoides, pallidus, rotundicollis, troberti.

- Oosomus* pariolus.
Ootheca mutabilis.
Ootoma xanthocerum.
Opadia funebrana.
Opaethus africanus, buffoni, erythrolophus, persa.
Opalina lumbrici, naidum, ranarum.
Opatrinus convexus, costulatus, geminatus, opacus, perforatus, pertusus, pullus, punctatus, striatus.
Opatrum acutangulum, acutum, adpressum, aegyptiacum, aequale, affine, agaricola, algericum, alternatum, angolense, angustatum, areolatum, armatum, assimile, attenuatum, australe, barbarum, beniniense, bicolor*, caesum, callosum*, capense, carinatum, cinereum, clathratum, complanatum, connatum, costatum, crenatum, curtum, cylindricum, dahli, dilatatum, dilectans, distinctum, elevatum, elongatum, emarginatum, famelicum, ferrugineum, fossor, foveolatum, fuscipes, geminatum, gibbosum, gigas, glabratum, grammicum, graniger, granulato-striatum, granuliferum, granulolum, grossum, heloptoides, hispidosum, hispidum, hoffmannseggi, holosericeum, iavanum, inquinatum, intermedium, interruptum, interstitiale, intricatum, latipes, latum, lilliputanum, lineare, lisbonense, longipalpe, lucifugum, lugens, lusitanicum, marginatum, melanarium, melitense, meridionale, micans, minutum, modestum, morbillosum, muricatum, nebulosum, nigrum, nitidulum, notum, obesum, oblougum, obscurum, occidentale, ovatum, parreissi, parvulum, patruale, pedestre, perforatum, perlatum, perplexum, pesthiense, piceitarsis, piceum, picipes, pictum, pilipes, plagum, porcus, prescotti, prolixum, pruinolum, pubescens, pulchellum, pullum, pulverulentum, punctulatus, purpureus, pygmaeum, ragusanum, rotundatum, rotundicollis, ruficornis, rufipes, rugosum, rugulosum, rusticum, saginatum, scutellare, seriolum, setulosum, sibiricum, simplex, sphaeroides, spretum, striatum, strigosum, sturni, subaratum, substriatum, subsulcatum, sulcatum, tenebriosum, terrosolum, tomentosum, triste, tuberculatum, tuberculicostatum, vagum, variegatum, variolosum, verrucosum, vestitum, viennense, virgatum.
Operaria benignum, exiguum, viridissimum.
Opercularia articulata.
Operculina (Inf.) bakeri, pulchella, roeseli.
Operculina (Rh.) ammonaea, angigra, angularis, boissyi, complanata, costata, cretacea, discoidea, gaimardi, granulosa, incerta, involvens, madagascariensis, magna, orbigny, pauciseptata, plicata, punctata, striata, subgranulosa, taurinensis, thouini.
Operophtera boreata, brumata.
Opetia lonchopteroides, nigra.
Opetiopalpus auricollis, collaris, luridus, obesum, scutellaris.
Opetiorhynchus rectirostris, ruficaudus, rufus, rupestris, striolatus, turdinus, vulgaris.
Opetiorhynchus albogularis, annumbi, antarcticus, lanceolatus, nigrofumosus, patigonius, ruber.
Ophelia (Ann.) acuminata, aulogaster, bicornis, coarctata.
Ophelia (Dipt.) agilis, cinerea, festiva, gracilis, lutescens.
Ophelimus sabella, ursidius, vannius.
Ophelina acuminata, aulogaster, mamillata.
Ophelmis rugosa.
Opheodrys aestivus.
Opheomorphus miliaris.
Ophiacantha groenlandica, setosa, spinulosa.
Ophiarachna gorgonia, incrassata, infernalis, septemspinosa.
Ophiarachne septemspinosa.
Ophicardelus australis, sandwichensis.
Ophicardia phyariana, xanthognatha.
Ophicephalus amibeus, argus, coramota, fuscus, grandinosus, indicus, iris, jovis, karuway, leucopunctatus, limbatus, maculatus, marginatus, micropeltes, miliaris, montanus, nigricans, ocellatus, planiceps, puticola, serpentinus, sowara, wrahl.
Ophichthys punctatus.
Ophicoma lubrica.

Ophideres elegans, imperator, materna, princeps.

Ophiderma salamandra.

Ophidiaster attenuatus, aurantius, columbiae, cylindrica, diplax, echinulatus, ehrenbergi, fusca, gracilis, granifera, guildingi, hemprichi, laevigata, leachi, marmorata, miliaris, multiforis, ophidianus, ornithopus, pusillus, pyramidatus, suturalis, tuberculatus.

Ophidium acutirostre, blacodes, bolcense, chrysocephalum, fierasfer, fulvescens, maculatus, marginatum, mucronatum, obtusirostre, ocellatum, parri, pellucidum, physiocephalum, punctatum, stigma, vassali.

Ophidomonas jenensis, sanguinea.

Ophidonais serpentina, vermicularis.

Ophileta complanata, levata.

Ophinectes cinereus, coerulescens, dorsalis, erythrocephalus, luteus, maculatus, major, punctatus, versicolor, viridis.

Ophiocephalus aurantiacus, barca, chena, gachua, lata, lucius, marulius, theophrasti, viridis.

Ophiocnemis marmorata.

Ophiocoma arctica, balli, bellis, bidentata, brachiata, canariensis, crassispina, dentata, echinata, erinaceus, filiformis, goodsiri, granulata, isocantha, lineolata, minuta, neglecta, nigra, nilssonii, parmularia, pica, picta, punctata, rosula, schoenleini, serpentaria, squamata, tumida, valenciae, wendti.

Ophioderma cinereum, longicauda, milleri, saxatilis, tenuibrachiata, variegata, wahlbergi.

Ophiodes (Hym.) montanus.

Ophiodes (Lep.) lunaris, tirrhaea.

Ophiodes (R.) striatus.

Ophiognathus ampullaceus.

Ophiogramma injunctaria.

Ophiolepis albida, annulosa, balli, brachiata, chilensis, ciliata, cineta, dubia, elegans, elongata, filiformis, florifera, imbricata, paucispina, punctata, reticulata, savignyi, schayeri, scolopendrica, squamata, sundervalli, tancredi, tenorii, trisquammosa, vicina.

Ophiomastix annulosa.

Ophiomorpha mantelli.

Ophiomorphus capensis, halophilus.

Ophiomorus miliaris.

Ophiomyxa lubrica, pentagona.

Ophion abbreviata, aggressor, analis, angustatus, aphidium, arcuatus, atratus, bedeguaris, bifoveolatus, bi-impressus, bilineatus, bombycivorus, brachiator, chloris, clathratus, clavator, coarctatus, combustus, cruentatus, dentator, dimidiator, dositheae, emarginatus, exhaustator, exhortator, extenuator, fabricator, fallax, femoratus, ferrugineus, festivator, flaveolatum, flavescens, flaviceps, flavidus, flavofuscus, flavo-lineatus, flavo-rufus, flavo-scutellatus, flavus, fomentator, frustrator, fuscator, fuscicornis, generator, geniculatus, glabratus, gracilis, inculcator, inflexus, intricatus, lateralis, latrator, lineator, longipenne, macilentus, macrurus, maculator, mandibulare, marginatus, merdarius, moderator, morio, mundus, nidulator, nigrator, nigricornis, nunciator, nutritor, obscurus, obtusator, operator, pallens, pallipes, pennator, petiolator, plicatus, pubescens, purgatus, quadrator, quaestor, rufus, rugosus, scutellatus, spectabilis, sphinx, spinator, striatus, tarsator, triangulare, tricolor, trilineatus, trilobus, trimaculatus, undulatus, univittatus, ventricosus, vinulae, vulnerator, xanthopus.

Ophionea cyanocephala, interstitialis, nigrofasciata, pensylvanica, surinamensis.

Ophionyx savignyi, scorpio, scutellum.

Ophiopeltis securiger, securigera.

Ophiopholis aculeata, annulosa, balli, brachiata, goodsiri.

Ophiophthalmus burtoni.

Ophiops macrodactylus.

Ophiopsila aranea.

Ophiopsis dorsalis, gracile, lineata, muensteri, penicillatus, procerus.

- Ophiopteris** coarctatus.
- Ophioscolex** glacialis, purpurea.
- Ophiosstoma** bifida, cristatum, cystidicola, denticulatum, dispar, ~~farinosa~~, globicola, hominis, lepturum, mucronatum, phocae, ponteri, pouteri, rajae, sphaerocephalum.
- Ophiotheres** cristatus.
- Ophiostrix** alopecurus, aspidota, ciliaris, comata, echinata, ferussaci, fragilis, fumaria, granulata, hirsuta, longipeda, minuta, nereidina, parasita, quinquemaculata, rammelsbergi, spinulosa, tricolor, triglochis, violaceus.
- Ophiotrix** quinquefissa.
- Ophis** (P.) W. Turton, Brit. Fauna, 1807, 87.
- Ophis** (R.) aeneus, albocinctus, dubius, heterurus, merremi, ocellatus, rhabdocephalus, saurocephalus, severus.
- Ophisaurus** (P.) punctatus, ramiger, striatulus.
- Ophisaurus** (R.) apus, lineatus, serpentinus, striatus, ventralis.
- Ophisoma** acuta.
- Ophisomus** gunnellus.
- Ophisops** elegans.
- Ophisternon** bengalensis, hepaticus.
- Ophisurus** acuticaudus, alternans, apicalis, baro*, boro, breviceps, cancrivorus, caudatus, colubrinus, compar, crocodilinus, dicellurus, fasciatus, guttatus, harancha, hijala, interinctus, minimus, nigripennis, obtusa, ocellatus, pallens, pardalis, parilis, piectus, porphyreus, regius, rostellatus, rostratus, semicinctus, sinensis, spadiceus, sugillator, vermiformis, versicolor, vimineus.
- Ophites** raphidioides, subcinctus, velitaris, versatilis.
- Ophithorax** colubrina, imberbis, ophis.
- Ophiuche** lividalis.
- Ophiura** abyssicola, aculeata, agassiz, albida, ammothea, angulata, annulosa, appressa, arenosa, aurora, bellis, bodotriacae, brachiata, brachycantha, bracteata, breviradiata, brevispina, cancellata, caput medusae, carinata, ciliaris, ciliata, cirrosa, cordifera, cunliffei, cuspidifera, cuvieri, echinata, egertoni, elegans, elongata, ferussaci, filiformis, flaccida, flemingi, fragilis, fuerstenbergi, gigas, granulata, granulosa, hexactinia, hopei, incrassata, indeterminata, isocantha, lacertosa, libanotica, lincki, lombricalis, longicauda, longipeda, loricata, macrospina, marmorata, milleri, minuta, moniliformis, murravi, neglecta, nereidina, nigra, noctiluca, obtusa, oligactes, paucispina, pentagona, phosphorea, picta, prisca, quinquemaculata, quinque-punctata, regularis, reticulata, retzii, rondeleti, rosula, rosularia, rufa, schlottheimi, scolopendrina, scutellata, scutellum, serrata, speciosa, sphaerulata, spinulosa, squamata, subcylindrica, telactes, tenore, tenorii, texturata, tricolor, trispina, variegata, violascens, vogesiaca, vulgaris.
- Ophiurella** bispinosa, carinata, egertoni, milleri, speciosa.
- Ophiurites** decafilatus, filiformis, pennatus.
- Ophiurus** baccidens, boro, breviceps, caput-medusae, grandoculis.
- Ophiura** alchymista, algira, anfractuosa, angularis, cailino, cingularis, concors, cracca, crassiuscula, crecca, dejeani, delta, discios, eriopoda, flexuosa, gentilis, gentilitis, geometrica, grandirena, hopei, illunaris, interpuncta, irregularis, jucunda, klugi, lathyri, leucomelas, lienardi, limosa, lubrica, luctuosa, ludiera, lunaris, lusoria, magica, marchali, mayeri, natlyi, nubilalis, panaceorum, pastinum, propitia, punctata, punctularis, rectangularis, regularis, repanda, rubricans, scapulosa, sincera, singularis, stolidia, syriaca, tirthaea, viciae.
- Ophiussa** cracca, ludica, viciae.
- Ophonus** abdominalis, agnatus, agricola, angustatus, annulatus, atricyaneus, azureus, brevicollis, caelestinus, caeruleipennis, caucasicus, cerinus, chlorophanus, columbinus, complanatus, convexicollis, cordatus, cordicollis, cribellum, denigratus, diffinis, discicollis, ditomoides, dorsalis, etruscus, foraminulosus, fulvipennis, fulvus, germanus, gracilis, hispanicus, hospes, incisus, interstitialis, laeviceps, laevicollis, laticollis, longicollis, maculicollis, maculicornis, meridionalis, minimus, mutabilis, nigricans, nitidulus, oblongiusculus, obscuripes, obscuritarsis, obscurus, obsoletus, opacipennis, opacus, ovipennis, pallidus, parallelus, picicornis, planicollis, planticola, porosus, pubescens, pumilio, punctatissimus, punctatulus, puncticeps, puncticollis, punctulatus,

reichardtii, rotundatus, rotundicollis, ruficus, rupicola, sabulicola, semirufus, similis, splendens, stictus, subcordatus, subpunctatus, subquadratus, suturalis, tataricus, transversus, undulatus, ustulatus.

Ophryas acantophis.

Ophryastes cinereus, sallei, sulcirostris, vittatus.

Ophrydia clavata, gyrimus, lagenula, lagenulata, nasuta, trochus.

Ophrydium versatile.

Ophryepa superciliosa.

Ophryessa superciliosa, umbra. *Vide et Ophryoessa.*

Ophryocerca ovum.

Ophryodactylus subviolaceus.

Ophryoessa auronitens, superciliosa. *Vide et Ophryessa.*

Ophryoglena acuminata, atra, aurantiaca, flavicans, nigricans.

Ophryops pallidus.

Ophthalmicus albipennis, angularis, ater, colon, dispar, erythrocephalus, figuratus, frontalis, grylloides, lapponicus, lineola, lituratus, loniceræ, luridus, ochropterus, pallidipennis, phaeopterus, plagiatus, ruficeps, sculus, steveni, ullrichi.

Ophthalmidion eschrichti, longissimum.

Ophthalmis lineæ, phedonia, punctigera.

Ophthalmoborus testaceus.

Ophthalmocoris sahlbergi.

Ophthalmophis partschi.

Ophthalmoplanis cyclopus, ocellus, polyphaemus.

Ophycoma granulosa.

Ophyessa azureus, bilineata, braziliensis, brevicaudatus, picta, plica.

Ophycephalus murenoideus.

Ophyodactylus æquinoctialis.

Ophyra analis, anthrax, caerulea, carbonaria, fumigata, leucostoma, nitida, pubescens, rostrata, rufipes, rutilans, stygia, virescens, viridescens.

Opihroa ontusa.

Opiestus ovalis.

Opigena fennica, polygonæ.

Opilio acanthopus, affinis, albescens, bucephalus, canescens, cinerascens, cirtanus, convexus, corniger, cryptarum, ephippiaster, fuscatus, glacialis, histrix, leucopheus, lucorum, luridus, militaris, nigricans, obliquus, rufescens, rufipes, saxatilis, serripes, similis, terricola, tridens.

Opilo chinensis, dorsali, fasciatus, indicus, mollis, schedia, testaceus.

Opilus albofasciatus, auripennis, basalis, callosus, castaneus, cinctus, congruus, distrophus, domesticus, dorsalis, fasciatus, fasciculatus, ferreti, frontalis, germanus, interruptus, mollis, obscurus, pallidus, pantomelas, patricius, planatus, porcatus, suberosus, taenatus, thoracicus, tristis, tropicus, univittatus.

Opinus proximus, rubropictus.

Opiptera bicolor.

Opis (Cr.) eschrichti, typica.

Opis (L.) angulosa, angustatus, annoniensis, arduennensis, bicornis, buvignieri, cardissoides, carusensis, coquandiana, cotteausia, davoustiana, dilatatus, elegans, excavatus, galeata, gibbosus, goldfussiana, haleana, hoeninghausi, hugardiana, lorientiana, luciensis, lunulata, moreausius, neocomiensis, ornata, paradoxa, phillipsiana, pulchella, pusilla, radisensis, raulineus, rhomboidalis, rupellensis, rustica, sabaudiana, sarthacensis, similis, thais, thalia, trigonalis, truellei, venus.

Opisthius richardsoni.

Opisthocornus africanus, cristatus, hoatzin, sasa.

Opisthognathus cuvieri.

Opisthoxia amabilaria, formosaria.

Opistognathus nigromarginatus, sonnerati.

Opistograptis crataegaria, crataegata.

Opistolophus fidelis.

Opistomum pallidum.

- Opisthophthalmus* capensis, latimanus, maxillosus, pallipes, pilosus.
Opisthoplatys australasiae.
Opithiocheirus chrysophthalmus.
Opitia lonchopteroides.
Opitomorphus brevirostris.
Opilus abnormis, acemulus, aethiops, ambiguus, analis, apiculatus, ~~basilus~~, bicolor, blandus, caelatus, caesus, caffer, carbonarius, caudatus, celsus, cephalotes, cingulatus, circulator, clarus, comatus, crassipes, decrescens, docilis, exiguus, exilis, fulgidus, funebris, fuscipennis, haemorrhous, impressus, instabilis, irregularis, leptostigma, levis, lugens, maculipes, magnicornis, melanocerus, nitidulator, ocellatus, ochrogaster, pactus, pallipes, parvulus, pendulus, placidus, polyzonias, procerus, pumilio, pygmaeator, reconditor, rudis, ruficeps, rufipes, rugosus, rusticus, saevus, scabriculus, singularis, spretus, sylvaticus, tacitus, testaceus, truncatus, victus, vindex, wesmaeli.
Oplarium aureum, bellidioides, convallaria, coronarium, cristatum, cruciforme, dentatum, dispar, eliantoides, ferox, floriferum, flosculosum, formosissimum, hyacinthinum, medicum, moniliforme, numismaticum, opalians, placentarium, pteroforum, rotiferum, speciosum, trocanterium, vasculosum, verticillatum, zinnia.
Oplegnathus conwayi, fasciatus.
Oplichthys langsdorfi.
Oplocephala armata, bituberculata, capra, chalybea, collaris, cornigera, goryi, baemorrhoidalis, hoffmansegi, janthina, picea, quadrituberculata, virescens, viridipennis.
Oplocephalus cuvieri.
Oplcnemus mucronatus.
Oplognathus kirbyi. *Vide et Hoplo*→.
Oplomerus spinipes.
Oplomus tripustulatus, violaceus.
Oplophora borsfieldi, punctata, sieboldi, sollyi, venustum.
Oploptera serraticornis.
Oplostomus fuliginus. *Vide et Hoplo*→.
Oplotherium concinnum, laticurvatum, leptognathum.
Opulus bibroni, braziliensis, maximiliani, sebae, torquatus.
Opomyza albinana, apicalis, asteia, atrimana, bicolor, bifasciella, bilineata, bimaculata, bipunctata, cinerella, circumdata, combinata, consobrina, discoidea, distincta, fasciata, ferruginea, flavipes, flavitarsis, florum, frontalis, fuscipennis, germinationis, glabra, gracilis, grisea, guttata, guttipennis, illota, laeta, leucopeza, maculata, marginella, marginipennis, modesta, nigriceps, nigrimana, nitida, pectoralis, punctella, punctipennis, quadrivitta, rufipes, sabulosa, scutellata, sororecula, tremula, tripunctata, ventralis, venusta, vicinineris.
Oporabia autumnaria, dilutata, filigrammaria, neglectata, punctipes.
Oporinia alpestrata, dilutata, byemana, nubilea, polycommata, rugosana, rupestrata, sertata, tortricella.
Opossum hirsutum.
Opostega auritella, crepusculella, reliquella, salaciella, saligna, scitella, spartifoliella, suffusella, tremulella.
Oppia cornuta, glaucina, nitens, splendens.
Opsanus cerapalus.
Opsarius albulus, anisocheilus, anjana, bacalia, bendelisis, bicirratu, brachialis, canarensis, daniconicus, dualis, fasciatus, goha, gracilis, isocheilus, latipinnatus, leucerus, maculosus, malabaricus, megastomus, mola, pholicepalus, rasbora, tbeensis.
Opshomala viridis. *Vide et Opsomala*.
Opsiceros bicornis, simus.
Opsimus quadrilineatus.
Opsomala bivittata, erythrogaster, fasciculata, filiformis, fumosa, gladiator, laticornis, marginicollis, pallida, pisciformis, punctipennis, sicala, sordida, taeniata, tibialis, varipes. *Vide et Opshomala*.
Oponais elinguis, marina, obtusa.
Oracanthus confluent, milleri, minor, pustulosus.
Oratoscelis communimacula.

Oratrina pulchella.

Orbellia nyopiformis, ornithivora.

Orbicella (Br.) buchi, caelata, corrugata, crassa, deformis, filosa, lamellosa, parmula, punctata, rugata, squamaeformis, striata, subtruncata, terminalis.

Orbicula affinis, anomala, antiquissima, buchi, caelata, cancellata, cincta, concentrica, corrugata, crassa, crispa, cumingi, davreuxiana, deformata, depressa, discoidea, discoides, elliptica, elongata, filosa, forbesi, granulata, humphriesiana, konincki, laevigata, laevis, lamellata, lamellosa, lata, latissima, lodensis, lugubris, maeotis, minuta, morrissi, multilineata, mutabala, nitida, norwegica, oblongata, obsoleta, parmula, perrugata, plana, plicata, punctata, quadrata, radiata, reflexa, reversa, rugata, silesiaca, sp. ind., speluncaria, squamiformis, squamosa, striata, strigata, subrotunda, subrugata, subtruncata, tarbelliana, tenuis, terminalis, trigonalis, truncata, turbinata, ungula, verneuli.

Orbiculina adunca, angulata, compressa, numismalis, numismata, rotella, uncinata, universa.

Orbiculites antiquus.

Orbiculoidea antiqua, babeana, charmassei, concentrica, davidsoni, davreuxiana, discoidea, forbesi, humphriesiana, konincki, laevigata, lata, lodensis, maeotis, minuta, morrissi, nitida, plana, plicata, quadrata, radiata, reflexa, subrugata, trigonalis, vesiculosa.

Orbiculus exoletus, prostratus, tigerinus.

Orbignyna ovata.

Orbis (G.) patellatus, rotella.

Orbis (Rh.) foliaceus, infimus.

Orbitina incomparabilis, truncatella.

Orbitoides alpius, dispansus, ephippium, mantelli, media, papyracea.

Orbitolina gigantea, lenticulata, radiata.

Orbitolites complanata, concava, conica, coscinodiscus, discoidea, discus, elliptica, fortisi, furcata, interstitia, karakaieusis, lenticulata, macropora, mamillata, mammularis, mantelli, marginalis, marginata, media, papillosa, papyracea, parmula, patellaris, pileolus, plana, pratti, radians, sella, stellaris, stellata, submedia.

Orbitremites derbiensis, globosus.

Orbitulites apiculatus, coscinodiscus, creplini, discus, distinctus, fungiformis, hemisphaericus, lenticularis, parmula, quadrangularis, reticulata, stellaris, texanus.

Orbona rufo, serotina.

Orbulina universa.

Orbulita bechi, brongniarti, disca, heterophylla, luscombi, minuta, modiolaris, sphaerica, striata.

Orbulites africana, biangularis, columnatus, complanatus, concava, crassa, cucullata, dorsalis, faujasi, laevis, lenticulata, macropora, marginalis, pileolus, striata, undosa.

Orca bidentatus, capensis, crassidens, desmaresti, gladiator, intermedia.

Orchelimum cuticulare, glaucium, gracile, herbaceum, vulgare.

Orchemia diana, gallicana.

Orchesella aquatica, bifasciata, bourleti, chilensis, cincta, cristallina, dimidiata, fastuosa, filicornis, flavescens, grisea, histrio, livida, luteola, mauritanica, melanocephala, musci, quadripunctata, quinquefasciata, rubrofasciata, rufescens, septemguttata, succincta, sylvatica, unifasciata, vaga, villosa.

Orchesia adusta, castanea, fasciata, gracilis, grandicollis, laticollis, micans, minor sepicola, sericea.

Orchestes alboscutellata, alni, aterrimus, atricapillus, aurifasciata, avellanae, bifasciatus, bi-maculatus, calcar, calceatus, capistrata, carnifex, cinereus, confinis, confundatus, crassus, crinitus, decoratus, depressus, ephippiatus, erythropus, fagi, ferrugineus, flavus, foedatus, fragariae, haematicus, hortorum, ilicis, iota, loniceriae, maurus, melanocephalus, melanocephalicus, mollis, monedula, mutabilis, nigricollis, ornatus, pallicornis, peregrinus, pilosus, plantaris, populi, pratensis, pulicaris, quercus, rhodopus, rufescens, rufipennis, rufitarsis, rufus, rugosus, rusci, saliceti, salicis, salicola, scutellaris, signatus, sparsus, stigma, subfasciatus, suturalis, tomentosa, viminalis, waltoni, weidenbachianus, x-album.

- Orchestia** brevicornis, chiliensis, cloqueti, deshayesi, euchore, fischeri, gayi, grandicornis, gryllus, gryplus, littorale, littorea, longicornis, megalophthalmus, montagui, nidrosiensis, perieri, platensis, quoyana, tristensis.
- Orchestoidea** tuberculata.
- Orchilus** cristatus, ignicapillus, pileatus, rufipes.
- Orcula** (Ech.) barthi.
- Orcula** (G.) conica, doliolum, dolium, gularis, trochus.
- Orcus** australasiae, bilunulatus, chalybeus, coeruleus, cyanocephalus, eversmanni, janthinus, nummularis, pallidilabris, quixensis, zonatus.
- Orcynus** alalonga, lanceolatus, latior.
- Oreas** (A.) azureus.
- Oreas** (Lep.) andromache, canthe, europa, helicta, jaira, leda, lena, lysodice, ocyrrhoe, oenomais, piera, proserpina, sapphira, thamyra, tulbaghia, zeliade.
- Oreas** (M.) canna, derbianus.
- Oreas** (Rh.) auricularis, subulatus.
- Oreaster** aculeatus, affinis, armatus, boysi, bulbiferus, carinatus, chinensis, clavatus, coronatus, desjardinsi, hiuleus, mammillatus, nodosus, obtusangulus, obtusatus, obtusus, ocellatus, orientalis, pistilliferus, regulus, reticulatus, squamatus, tuberculus, turritus, valvulatus, verrucosus.
- Orectochilus** bicosatus, costatus, cyanicollis, dimidiatus, discus, gangeticus, glaucus, involvens, madagascariensis, marginipennis, ornaticollis, philippinarum, pichincha, schoenherri, semivestitus, sericeus, specularis, speculum, villosus.
- Orectolobus** ornatum.
- Oreda** notata.
- Oregostoma** annulata, binotata, collare, discoideum, maculicornis, nigripes, rubricorne.
- Oregyia** coryli, ericae.
- Oreias** azureus, scoticus.
- Oreica** cristata.
- Oreina** (Col.) amphyctionis, basilea, hellenis, ignita, protogeniae, tristis.
- Oreina** (Lep.) blandina, cassiope, ligea.
- Oreinus** griffithi, guttatus, maculatus, plagiostomus, progastus, richardsoni.
- Orellia** flavicans, wiedemanni.
- Orenaia** alpestralis.
- Oreocephalus** cristatus.
- Oreocincla** aureus, dauma, heinei, lunulata, macrorhyncha, micropus, neilgherriensis, novae hollandiae, parvirostris, rostrata, spiloptera, varia, whitei.
- Oreodera** achatina, aerumnosa, cinerea, glauca, pubicornis.
- Oreica** gutturalis.
- Oreophasis** derbianus.
- Oreophilus** multipunctatus.
- Oreopholus** totanistrostris.
- Oreophorus** horridus, reticulatus, tenerrimus.
- Oreosoma** atlanticum, coniferum.
- Oreotetrax** caucasica, oreotragus, griseus.
- Oreotragus** scoparius, tragulus, typicus.
- Oreotrochilus** adela, adela, chimborazo, estella, jamesoni, leucopleurus, melanogaster.
- Orestia** alpina.
- Orestias** agassii, albus, cuvieri, humboldti, jussiei, luteus, mulleri, oweni, pentlandi.
- Oreus** acteus, amadis, elpenor, gnoma, licastus, porcus, thorates.
- Organites** fossilis, musicalis.
- Orgilus** obscurator.
- Orgya** aurolimbata, corsica, dubia, ericae, obscura, rupestris.
- Orgyia** abietis, alhagi, antiqua, coenosa, detrita, ericae, fascelina, gonostigma, liturata, pudibunda, selenitica, trigothelphas.
- Orgyja** achatina, fascelina, leucophaea, pudibunda, tephra.
- Oria** musculosa, sanguinea.
- Oribasia** stagnalis.

Oribata *acromios*, *alata*, *aurita*, *bipilis*, *cassidea*, *castanea*, *clavipes*, *coleoptratus*, *corynopus*, *cyclonotus*, *formica*, *geniculatus*, *horrida*, *humeralis*, *minor*, *nitens*, *notactis*, *pinnatus*, *segnis*, *simplex*, *tegeocrana*, *theloproctus*.

Oribates *angulatus*, *aterrimus*, *badius*, *calcaratus*, *climatus*, *coracinus*, *dasyopus*, *facula*, *flammula*, *fuscipes*, *fuscus*, *fusifer*, *gilvipes*, *globosus*, *globulus*, *lapidarius*, *mollicomus*, *orbicularis*, *ovalis*, *ovatus*, *papillosus*, *picipes*, *punctum*, *setosus*, *subterraneus*.

Oribita *concentrata*, *geniculata*, *glabrata*.

Origma *rubricata*, *solitaria*.

Orillia *curvinervis*, *pellucida*, *rectinervis*.

Orimus *cinctus*.

Orio *ornithoramphus*, *oxyahingus*, *oxyrhingus*, *zancleus*.

Oriolia *bernieri*.

Oriolus *acolchi*, *acrorhynchus*, *africanus*, *albistriatus**, *anais*, *arundinarius*, *ater*, *auratus*, *aureus*, *baruffi*, *bicolor*, *brachyrhynchus*, *broderipi*, *buffonianus*, *cacicus*, *cartagenensis*, *castanopteris*, *chinensis*, *chrysocephalus*, *coronatus*, *coudongan*, *cristatus*, *dominicus*, *flavocinctus*, *flavus*, *garrulus*, *gularis*, *hippocrepsis*, *hodsoni*, *indicus*, *jamaicensis*, *jupujuba*, *kundoo*, *larvatus*, *m'coshi*, *macrourus*, *maculata*, *maderaspatanus*, *melanocephalus*, *melanoris*, *meruloides*, *minor*, *moloxita*, *monacha*, *musae*, *musicus*, *mutatus*, *phillipensis*, *regens*, *ruforostris*, *sanguinolentus*, *sebanus*, *sericeus*, *sloanianus*, *squamiceps*, *striatus*, *strigipectus*, *tenuirostris*, *trailli*, *varians*, *variegatus*, *violaceus*, *viridis*, *xanthonotus*.

Orion *atropos*, *brunneus*, *lachesis*, *patagonus*.

Oris *ferussaci*.

Oriterus *destructor*.

Orites *caudatus*.

Orithyia *coccinea*, *globosa*.

Oriturus *mexicanus*, *sibiricus*, *wrangeli*.

Ormia *punctata*.

Ormiscus *variegatus*.

Ormoceras *backi*, *bayfieldi*, *crebriseptum*, *gracile*, *moniliforme*, *remotiseptum*, *tenuifilum*, *whitei*.

Ormocerus *aletes*, *bambyce*, *borges*, *drymo*, *latus*, *mandrocles*, *maritimus*, *pisuthrus*, *sabbas*, *simplex*, *trasullus*, *vernalis*, *vibulenus*.

Ormyrus *coeruleus*, *labotus*, *negrocyaneus*, *punctiger*, *tubulosus*.

Ornebius *nigripalpis*, *xanthopterus*.

Orneodes *dodecadactylus*, *hexadactylus*, *polydactylus*.

Ornepetes *nigricpes*.

Orneus *oenopion*.

Ornichthys *carolinensis*, *punctatus*.

Ornisma *cyanopogon*.

Ornismya *abeillei*, *albicollis*, *albirostris*, *albiventris*, *alinae*, *aline*, *allardi*, *amazili*, *amazilia*, *amethystina*, *amethystoides*, *anais*, *angelae*, *anna*, *arsennei*, *arsinoe*, *atala*, *audeberti*, *audeneti*, *auritus*, *avocetta*, *barroti*, *bicolor*, *bonapartei*, *brevirostris*, *caniveti*, *catharinae*, *cephalatra*, *chrysolopha*, *chrysura*, *cinnamomea*, *clarisse*, *clemenciae*, *coligena*, *colombica*, *colubris*, *constanti*, *cora*, *costa*, *costae*, *cristata*, *cyanea*, *cyanocephalus*, *cyanoopogon*, *delalandi*, *de lattare*, *delphinae*, *dumerili*, *duponti*, *ensifera*, *epomorphora*, *eriphile*, *erythronotos*, *eximia*, *fanny*, *feliciae*, *felicianae*, *furcata*, *gabriel*, *glaucopsis*, *glomata*, *gouldi*, *guerini*, *helenae*, *helianthea*, *heliodor*, *heloisa*, *henrica*, *heteropogon*, *heteropygia*, *hirundinacea*, *iris*, *isaacsoni*, *januariarum*, *jordani*, *jourdani*, *juliae*, *julie*, *kieneri*, *kingi*, *labrador*, *lactea*, *langsdorffi*, *latipennis*, *lessoni*, *lindenii*, *longirostris*, *lugubris*, *lumachella*, *maugei*, *mellivora*, *mesoleuca*, *microrhyncha*, *minima*, *montana*, *moschita*, *mulsanti*, *nattereri*, *niger*, *nigrotis*, *nuna*, *oenone*, *ornata*, *orthura*, *pampa*, *paradisaea*, *parzudhaki*, *paulinae*, *pennata*, *petasophora*, *phoebe*, *platura*, *poortmani*, *poucheti*, *prasina*, *recurvirostris*, *rami*, *ricordi*, *revolii*, *robinsoni*, *rubinea*, *rufula*, *sapho*, *sapphirina*, *sasin*, *senex*, *sephanoides*, *simplex*, *strumaria*, *superba*, *swainsoni*, *sylphia*, *temmincki*, *tephrocephalus*, *theresia*, *theresia*, *torquata*, *tricolor*, *tristis*, *underwoodi*, *vesper*, *vestita*, *vieilloti*, *viridis*, *viridissima*, *wagleri*, *wiedii*, *zemes*.

- Ornitharches** passeridum.
- Ornithichnites** crassus, culbertsoni, cuneatus, deani, divaricatus, diversus, gallinoides, giganteus, gracilis, ingens, minimus, minusculus, palmatus, parallelus, parvulus, robustus, tenuis, tetradactylus, tuberosus.
- Ornithobia** capensis, pallida.
- Ornithobius** anseris, atromarginatus, cygni, cygnorum, gonioplurus.
- Ornithocephalus** antiquus, bantensis, brevirostris, kochi, longirostris, muensteri.
- Ornithodoros** coriaceus, savignyi.
- Ornithoidichnites** cuneatus, danae, deani, delicatulus, divaricatus, elegans, elegantior, ex pausus, fulcoides, giganteus, gracilior, gracillimus, ingens, isodactylus, lyelli, macrodactylus, minimus, parvulus, redfieldi, rogersi, sillmani, tenuis, tetradactylus, tuberosus.
- Ornithomyia** australasiae, australis, avicularia, avicularis, biloba, brunnea, chilensis, chiliensis, columbae, confluenta, erythrocephala, fringillina, fulvifrons, fusciventris, hirundinis, intertropica, laticornis, nebulosa, nigricans, nigricornis, opposita, pallida, parva, platycera, plicata, remota, stenoptera, testacea, turdi, unicolor, varipes, vicina, viridis, viridula.
- Ornithoptera** amphinedon, amphisius, haliphron, helena, heliaca, hellen, panthous, pompeius, poseidon, priamus, remus, rhadamanthus, tithonus, urvilliana.
- Ornithopterus** lavateri, poseidon.
- Ornithopus** adamsanus, gallinaceus, gracilior, loripes, rectus.
- Ornithoramphus** coccoi.
- Ornithorhynchus** aculeata, anatinus, brevirostris, crispus, fuscus, hystrix, laevis, rufus.
- Ornithorincus** fuscus, rufus.
- Ornix** albicostella, alcyonipennella, ampliata, anatipennella, anglicella, anguliferella, angustipennella, anseripennella, ardeaepennella, argentipennella, argyropennella, auricella, auroguttella, autumnella, badiipennella, ballotella, binderella, binotapennella, bipunctella, caelata, caudulata, citrinella, colluripennella, columbaepennella, coracipennella, cothuruella, culcipennella, devoniella, emberizaepennella, eumenipennella, falconipennella, finitimella, flammeaepennella, flavipennella, fringilella, gallulipennella, gallipennella, gryphipennella, guttiferella, hilaripennella, hisabellella, icterella, ictipennella, laciniaepennella, lacunaescolella, laripennella, leucapennella, limosella, limosipennella, longestrictella, luctuosella, luscinaepennella, luteipennella, marginella, meleagripennella, murinipennella, niveicostella, ornatipennella, otidipennella, otitae, pallipennella, penicolella, pernicipennella, phasianipennella, rhamphastipennella, roscipennella, rupipennella, saxicolella, scoticella, serenella, signipennella, simpliciella, sternipennella, struthionipennella, sturnipennella, trochilella, trochilella, trochilipennella, troglodytella, turdipeunella, upupaepennella, vibicigerella, vibicipennella.
- Orobitis** altus, anceps, cardinatus, cyaneus, ferrugineus, fractipes, gigantea, globosus, gonopterus, impunctus, lambitus, lythri, marimoreus, niger, novalis, nucula, repens, strigicollis, tamarisci, trachyptomus.
- Orocetes** caerulea, cinclorhynchus, erythrogaster.
- Oroderes** humeralis.
- Orodus** cinctus, compressus, porosus, ramosus.
- Orognathus** conidens.
- Oronotus** coarctatus.
- Orontes** noctuides.
- Orophia** denisella, majorella, sordidella.
- Orophis** chamissonis.
- Orophius** mandibularis.
- Oropterus** coniger.
- Orospina** provincialis.
- Orotherium** ligeris.
- Orphanos** coletaria, evergistaria, famularia, luctinaria, tripunctaria.
- Orpheides** demoleus, epius.
- Orpheus** caerulescens, calandria, carolineensis, curvirostris, dorsalis, felivox, leucopterus, lividus, longirostris, melanotis, meruloides, modulator, montanus, parvulus, patagonicus, polyglottus, rufus, thenca, tricaudatus, trifasciatus, triurus.

Orphilus glabratus.

Orphne (Lep.) *horridaria*, *torvaria*.

Orphne (Neur.) *appendiculatus*.

Orphnea *laevigata*, *longimanus*, *pseudoscyllarus*, *pygmea*, *squamosa*, *striata*.

Orphnephila *devia*.

Orphnus *bicolor*, *impressus*, *macsleayi*, *meleagris*, *mysoriensis*, *nanus*, *nitidulus*, *picinus*, *senegalensis*, *verreauxi*.

Orrhodia *cruda*, *erythrocephala*, *glabra*, *ligula*, *polita*, *serpylli*, *silene*, *spadicea*, *vaccinii*.

Orsilochus *cornutus*.

Orsodachna *betulae*, *costata*, *ruficollis*, *vittata*.

Orsodacna *aruudinis*, *bicolor*, *cerasi*, *childreni*, *chlorotica*, *fulvicollis*, *hepatica*, *humeralis*, *inconstans*, *limbata*, *luctuosa*, *mespili*, *nematoides*, *nigriceps*, *nigricollis*, *obscura*, *oxyacantha*, *suturalis*, *testacea*, *tibialis*, *tricolor*, *tripia*, *trivittata*, *violacea*.

Orsodacne *armeniaca*, *cantharoides*, *coerulescens*, *glabrata*, *marginella*, *nigriceps*, *picipennis*, *ruficollis*.

Ortaldia *motmot*.

Ortalia *argillacea*, *calliops*, *duponti*, *flavola*, *fuuesta*, *guillebeaui*, *pallens*, *pallidifrons*, *variata*.

Ortalida *albiventer*, *araucuan*, *canicollis*, *caracco*, *garrula*, *goudoti*, *guttata*, *katraca*, *leucogaster*, *motmot*, *parrakua*, *poliocephala*, *ruficeps*, *ruficollis*, *squamata*, *vetula*.

Ortalis *aenea*, *albipennis*, *annonae*, *apicalis*, *arima*, *astrolabei*, *atomaria*, *basalis*, *bifasciata*, *bivittata*, *centralis*, *cerasi*, *chalybea*, *cinifera*, *connexa*, *costalis*, *crassipennis*, *dentipes*, *diopsides*, *elegans*, *fasciata*, *fenestrata*, *flavoscutella*, *friesi*, *fulminans*, *gangraenosa*, *guttata*, *isara*, *jucunda*, *juncorum*, *lacustris*, *lamed*, *ligata*, *longicornis*, *luctuosa*, *lugens*, *lugubris*, *macularis*, *maculipennis*, *marginata*, *marmorea*, *massyla*, *mentissa*, *moerens*, *nebulosa*, *nigrina*, *notata*, *nubila*, *ochraspis*, *omissa*, *ornata*, *oscillans*, *otroeda*, *paludum*, *palustris*, *parallela*, *picta*, *pulchella*, *pulicaria*, *punctifrons*, *punctulata*, *quadrifasciata*, *quinquemaculata*, *quinenotata*, *rivularis*, *rufipes*, *rufitarsis*, *rutilans*, *scutellaris*, *sororcula*, *syngenesiae*, *testacea*, *trifasciata*, *trimaculata*, *tristis*, *uliginosa*, *urticae*, *vau*, *vibrans*, *violacea*, *zetterstedti*.

Orthacanthus *cylindricus*, *decheni*.

Orthagoriscus *fasciatus*, *lanceolatus*, *mola*, *oblongus*, *planci*, *retzi*, *truncatus*. *Vide et Orthagoriscus*.

Orthalicus *adamsoni*, *livens*, *phlogerus*, *princeps*, *pulchellus*, *rex*, *sultan*, *undatus*, *zebra*, *zigzag*.

Orthambonites *aequalis*, *alta*, *convexa*, *crassicosta*, *dubia*, *eminens*, *flexuosa*, *lata*, *ovata*, *parva*, *plana*, *rotunda*, *rotundata*, *semicircularis*, *sphaerica*, *tetragona*, *transversa*, *trigona*.

Orthegia *urticae*.

Orthetrum *caerulescens*, *cancellatum*.

Orthis *actoniae*, *adscendens*, *aequivalvis*, *alata*, *alternans*, *alternata*, *anomala*, *anomioides*, *antiquata*, *applanata*, *arachnoidea*, *arcuata*, *argentea*, *arinaspis*, *ascendens*, *asmusi*, *australis*, *basalis*, *baylei*, *beaumonti*, *bechei*, *bellarugosa*, *berthoisi*, *biforata*, *biloba*, *bilobata*, *bisulcata*, *bouchardi*, *bronni*, *buchi*, *caduca*, *calcar*, *calcarata*, *callactis*, *calligramma*, *cambriensis*, *canalis*, *cancellata*, *carinata*, *cava*, *centrilineata*, *cineta*, *circularis*, *circulus*, *comata*, *compressa*, *concentrica*, *concinna*, *confinis*, *convivens*, *coradi*, *cora*, *corrugata*, *costalis*, *costata*, *crenistris*, *crenulata*, *crispa*, *crispata*, *cylindrica*, *dalmiani*, *dauidsoni*, *decipiens*, *deltthyroidea*, *deltioidea*, *demissa*, *depressa*, *desiderata*, *dichotoma*, *dilatata*, *disparitis*, *distincta*, *distorta*, *divaricata*, *dumontiana*, *dunensis*, *dutertrei*, *elegantula*, *ellipsoides*, *elongata*, *erratica*, *euglypha*, *excavata*, *eximia*, *expansa*, *extensa*, *fallax*, *fasciata*, *fascicularis*, *filiaria*, *filosa*, *fissicosta*, *flabellulifum*, *funiculata*, *galea*, *gibbera*, *grandis*, *granulata*, *granulosa*, *hamoni*, *hardensis*, *hians*, *hirundo*, *humboldti*, *huroniensis*, *hybrida*, *imbrex*, *impressa*, *inca*, *inflata*, *inflexa*, *insculpta*, *intercostata*, *interlineata*, *interplicata*, *interstitialis*, *irregularis*, *kellyi*, *keyserlingiana*, *konincki*, *laevis*, *laspei*, *lata*, *laticostata*, *latissima*, *lenaica*, *lens*, *lenticularis*, *lepis*, *leptaenoides*, *lewisi*, *limitaris*, *longisulcata*, *lunata*, *lusitanica*, *lynx*, *macroptera*, *macrostoma*, *marklini*, *melchlini*, *millepunctata*, *miniensis*, *multidentata*, *multifuscata*, *mulus*, *murchisoni*, *neglecta*, *noctilio*, *nucleus*,

oblita, obovata, orbicularis, orbiculata, orbigny, obtusa, occidentalis, oclusa, olivieriana, opercularis, ornata, orthambonites, oswaldi, ovalis, ovata, palliata, panderi, papilionacea, parallela, parra, partita, parva, pecten, pectinatus, pectinella, pelargonata, pelargonites, pennatus, peregrina, perveta, pinguissima, plana, planissima, plicata, plicatella, plicatus, polygramma, porcata, productoides, protensa, pseudopecten, pulchra, punctata, pusilla, pyrum, quadrata, quinquecostata, radialis, radians, redux, resupinatus, reversa, rigida, romingeri, rugifera, rugosa, rusticus, santonensis, sarmentosa, scabrosa, scholariensis, sedgwicki, semicircularis, semilunata, semiradiata, senilis, sericea, serrurieri, sharpei, simplex, sinuata, sol, sordida, spathulata, sp. ind., spüigera, spuria, striatella, striatula, strigosa, strogonowi, subarachnoidea, subequata, subjugata, sublaevis, subquadrata, sulcata, sulivani, tenuis, tenuissimestriata, tenuistriata, testudinaria, transversalis, triangularis, tricenaria, trigonula, truncata, tuberculata, tumida, umbella, umbonata, umbraculum, undata, undulata, unguiculus, unguiformis, ungula, venustula, verneuili, vespertilio, vetusa, virgata, virgulata, voisini, walsalli, wangenheimi, zürkeni, zonata.

Orthisima verneuili.

Orthocentrus anomalus, bifasciatus, debilis, flaviceps, fulvipes, incisus, intermedius, merula, neglectus, ridibundus, rufus, spurius, winnertzi.

Orthocera acicula, angularis, annularis, annulata, annulosa, arduennensis, ascicularis, attenuata, bicarinata, bilineatus, breyni, browni, cincta, circularis, conica, convexa, cordiformis, cylindracea, elegans, ellipticum, elongata, freieslebenense, gesneri, glabra, gygantea, imperforata, inaequalis, inducens, knorri, laevis, littua, microscopica, multistriata, obtusa, paradoxia, politum, pyramidalis, pyriformis, raphanoides, recta, rugosa, semistriata, septemcostata, simplex, spiralis, striata, striatum, subundata, sulcata, tenuistriata, trachea, undala, undulata.

Orthoceras aciculum, affine, alveolare, amplicameratum, anceps, angulare, annelatus, annellus, approximatum, arcuatum, arcuoliratum, articulatam, attenuatum, bacchus, barrandei, bilineatum, bisiphonatum, brachytomum, brevi-conicum, brighti, brongniarti, caetetes, calamitum, calamus, canaliculatum, castelnaui, clathratum, complanato-septum, conicum, conquestum, constrictum, convergens, coralliferum, coralliformis, cornu-ibex, cuvieri, cylindraceum, dactylophorum, decussata, dentaloideum, dilatatum, dimidiatum, distans, dubium, eccentricum, ellipsoideum, elongato-cinctum, filiferum, filiforme, filosum, fimbriatum, fusiforme, fusiformis, goldfussianum, gracile, gregarium, hercules, hernesii, humboldtiana, ibex, imbricatum, incertum, incomitatum, inequiseptum, junceum, laeve, lamellosum, laqueatum, laterale, latiannullatum, latiseptatum, latissimum, lineale, lineare, lineolatum, ludense, macromerum, marginale, markoei, marloense, martinianum, mocktreensis, moniliforme, mucronata, muensterianum, multicameratum, nummularius, ovale, paradoxicum, per-annulatum, perelegans, platymerum, pomeroense, primigenia, prolongatum, pulchellum, pygmaeum, pyriforme, radícula, raphanus, rectiannullatum, recticameratum, regularis, reticulatum, sacheri, salinarium, scalaria, scalpratium, scorpiurus, semipartitum, sp. ind., steinhaueri, striatulum, striatum, strigatum, strigillatum, sub-arcuatum, subcanaliculatum, subcentrale, subcostatus, subgregarium, sub-imbricatum, subulatum, sub-undulatum, sulcatulum, tentaculare, tenui-cinctum, tenuiseptum, teretiforae, textile, tracheale, triangulare, tuberosum, tubicinella, tumidum, undulostriatum, unguis, vagans, vertebrale, virgatum.

Orthoceratites acuaris, aequalis, aequicrassus, anachoreta, anceps, anglicus, angulatus, anguliferus, annulatus, arcuatus, aristofiensis, bacillus, baculites, bigsbyi, breyni, calamiteus, calycularis, cancellatus, carinatus, centralis, cinctus, circularis, cochleatus, coles, communis, compressa, conicus, conoideus, conus, cordiformis, costulatus, crassiventris, crassus, crenulatus, cypris, dannenbergi, decussatus, dimidiatus, dubius, duplicatus, duplex, echinoides, ellipticus, eremita, falcatus, fascicularis, fistulosus, flexuosus, frearsi, geinitzi, gesneri, giganteus, gigas, gracilis, grandis, granulatus, gregarioides, gregarius, hians, imbricatus, interruptus, irregularis, jovellani, koninckianus, lasinus, linearis, lineatus, loricatus, lorieri, macrocomis, maximus, muensterianus, multicameratus, multilineatus, multiseptatus, nautiloides, nodulosus, oceani, oelandicus, paradoxus, phillipsi, polyphemus, polythalamius, prolapsus, punctatus, regularis, remotus, rimulosus, rubens, schlotheimi, semiplicatus, serratus,

sinuatus, sp. ind., speciosus, spiralis, steinhaueri, striatipunctatus, striatulus, striatus, striolatus, subannularis, subattenuatus, subconicus, subdimidiatus, subdistans, subellipticus, subflexuosus, subfusiformis, sublaevis, sublinearis, subpyriformis, substriatus, subtrochleatus, sulcatus, telum, tenuis, tenuistriatus, terebellum, terebra, torquatus, tracheatus, trentonensis, triangularis, trochlearis, turbinatus, undulatus, vaginatus, ventricosus, venustus, vermicularis, vertebralis, virgatus, wissenbachi.

Orthoceratium cinereum, lacustre.

Orthocerina quadrilatera.

Orthocerus (Col.) hirticornis, muticus.

Orthochaetes caucasicus, setiger.

Orthochile soccata, unicolor.

Orthodera prasina.

Orthogenium femorale.

Orthognathus albofuscus, dejeani, lividus.

Orthogonius acrogonus, alternans, angulatus, angusticollis, brevithorax, brunnilabris, buqueti, cafer, capucinus, curvipes, deletus, dubius, duplicatus, femoralis, femoratus, hopei, lateralis, latus, longipennis, malabariensis, mellyi, opacus, picilabris, plicatus, profunde-striatus, puncticollis, senegalensis, strachani, sulcatus.

Orthogonys viridis.

Ortholitha bistrigata, coarctata, coassata, palumbata, plumbaria.

Orthomegas cinnamomeus, jaspideus, sericeus.

Orthomus acrogonus, barbarus, hespericus.

Orthoname aquata, lignata, vitalbata.

Orthonevra elegans, nobilis.

Orthonota carinata, cingulata, compressa, contracta, costata, curta, extrasulcata, inornata, parallela, pholadis, rigida, triangulata, undulata.

Orthonotus albipes, leucocephalus, nigripes, pallicornis, pilosus, rufifrons.

Orthonyx heteroclytus, icterocephalus, maculatus, ochrocephala, spinicaudus, temmincki.

Orthoperus atomos, communis, flavidus, nigrescens, picatus, picea, punctum, truncatus.

Orthophya longa, solida.

Orthoplevra damicornis, sanguinicollis.

Orthoprosopa nigra.

Orthopterus smithi.

Orthopus primaevus.

Orthorhapha coccinelloides.

Orthorhina palpina.

Orthorhinus (A.) hypoleuca.

Orthorhinus (Col.) aethiops, cylindrirostris, klugi, lepidotus, longimanus, pacificus, rugirostris, simulans, spilotus.

Orthorhynchus albicollis, amazilia, amethysticollis, amethystinus, aureo-ventris, auritus, bicolor, carbunculus, chlorolophus, colubris, cora, cristatus, fimbriatus, frontalis, furcatus, glaucopoides, helenae, leucogaster, leucurus*, macrourus, mellisuga, mellivorus, minimus, moschites, ornatus, ourissia, pamela, platurus, polytmus, ricordi, ruber, rubineus, sapphirinus, sephanioides, smaragdinicollis, suturalis, viridissimus.

Orthorinia palpina.

Orthoschizops latispina.

Orthosia amicta, biannularis, caecimacula, carnea, cavernosa, chaldaica, congener, cruda, daubei, farkasi, firma, gracilis, humilis, hyperborea, ilicis, instabilis, insueta, intermedia, kindermanni, laevis, litura, lota, lychnides, macilentia, miniosa, munda, murina, neglecta, nitida, ocularis, opima, ornatrix, pistacina, populeti, pulverulenta, rorida, rubella, rutilicilla, saportae, stabilis, subjecta, ypsilon.

Orthosoma badia, corticinum, cylindricum, unicolor.

Orthosteira brunnea, cassidea, cervina, cinerea, gracilis, microphthalma, obscura, platycheila, pusilla.

Orthostigma flavipes.

Orthostixis catenaria, cribraria, petaviaria.

Orthostoma (Col.) abdominalis.

- Orthostoma** (Cr.) *dentata*.
Orthostoma (G.) *communis*, *corallina*.
Orthostoma (Verm.) *pellucidum*.
Orthostomum *rubroinctum*.
Orthostylus *aureus*, *contrarius*, *decoratus*, *dufresnei*, *interruptus*, *inversus*, *laevus*, *latilabris*, *metaformis*, *ovoidens*, *perversus*, *pythogaster*, *rufogaster*, *sarcinosus*, *trifasciatus*, *ventricosus*, *viridis*.
Orthotaenia *alternana*, *alternata*, *aurofasciana*, *bentleyana*, *bifasciana*, *bistrigana*, *comitana*, *fasciana*, *formosana*, *fuligana*, *furfurana*, *gemma*, *gramineana*, *hastiana*, *haworthana*, *marmorana*, *micana*, *obsoletana*, *pinetana*, *politana*, *pulchellana*, *quadrana*, *quadrinaculana*, *resinella*, *septentrionana*, *subsequana*, *trifoliata*, *turionana*, *undulana*, *urticaria*, *venustana*.
Orthotelia *venosa*.
Orthotetes *radiata*, *socialis*.
Orthothrix *excavata*, *goldfussi*, *horrescens*, *lamellosus*.
Orthotomus *atrogularis*, *bennetti*, *cineraceus*, *edela*, *euculatus*, *flaviventris*, *lingoa*, *longicaudus*, *longirostris*, *nigricollis*, *patia*, *prinia*, *sepium*, *sericeus*, *sphenurus*, *sutorius*.
Orthratoriscus *aculeatus*, *alexandri*, *battarae*, *blochi*, *elegans*, *forficatus*, *ghini*, *hispidus*, *redi*, *retzi*, *rondeleti*. *Vide et Orthagoriscus*.
Orthragus *luna*, *oblongus*.
Ortica *mariua*.
Ortochile *nigro-caeruleus*.
Ortostelis *campanellae*, *pallida*, *rufa*, *scalaris*.
Ortygarchus *cayennensis*, *mangle*.
Ortygia (A.) *virginiana*.
Ortygia (L.) *costata*, *gallina*, *prideauxiana*, *subcordata*, *sulcata*.
Ortygiometra *argoondah*, *pentah*.
Ortygon *coturnix*.
Ortygis *dussumieri*, *gibraltarius*, *hottentotta*, *lepurana*, *luzoniensis*, *meiffreni*, *nigricollis*, *nivosus*, *ocellata*, *pugnax*, *rufus*, *rugosa*, *spinifera*, *varius*.
Ortygodes *variegata*.
Ortygiometra *affinis*, *albicollis*, *antarctica*, *aurita*, *bailloni*, *californica*, *carolina*, *cayanensis*, *chloropus*, *cinerea*, *cinuamomea*, *crex*, *dimidiata*, *eurizona*, *facialis*, *femoralis*, *flammiceps*, *flaviventer*, *fluminea*, *fusca*, *griseofrons*, *jamaicensis*, *lateralis*, *leucosoma*, *maculosa*, *marvetta*, *minutus*, *nigra*, *notata*, *noveboracensis*, *ocularis*, *olivacea*, *palustris*, *phaenicura*, *plumbea*, *porzana*, *pulchra*, *pusilla*, *pygmaea*, *ruficollis*, *setosa*, *spilonota*, *superciliaris*, *tabuensis*.
Ortyx *affinis*, *borealis*, *capistrata*, *castanea*, *coyolcos*, *cristata*, *cubanensis*, *dentata*, *douglasi*, *elegans*, *falklandica*, *fasciatus*, *guttata*, *leucophrys*, *leucopogon*, *leucotis*, *lineolata*, *macroura*, *marmoratus*, *massena*, *montezuma*, *montezumae*, *neoxenus*, *nigrogularis*, *ocellatus*, *parvicristatus*, *pectoralis*, *perrotiana*, *picta*, *plumifera*, *sonnini*, *spilogaster*, *squamatus*, *stellata*, *strophium*, *temminki*, *thoracicus*, *virginiana*, *virgiana*.
Ortyxelos *meiffreni*.
Orycteres *abderus*, *achilles*, *agamemnon*, *aries*, *augias*, *australis*, *bacchus*, *barbarossa*, *boas*, *cephalotes*, *cervicornis*, *chevolati*, *corniculatus*, *corydon*, *deucalion*, *dionysius*, *erebus*, *faunus*, *galapagoensis*, *gigas*, *grypus*, *haworthi*, *hector*, *inermis*, *inuus*, *laevigatus*, *latipennis*, *latus*, *madagascariensis*, *maimon*, *martabani*, *melanops*, *menalcas*, *monoceros*, *nasuceros*, *nasutus*, *nestor*, *ninus*, *orion*, *orsilochus*, *owariensis*.
Orycteropus *aethiopicus*, *capensis*, *senegalensis*, *talgoi*.
Orycterotherium *missouriense*, *oregonensis*.
Orycterus *maritimus*, *splendens*.
Oryctes *pyrrhus*, *rhesus*, *rhinoceros*, *senegalensis*, *siculus*, *silenus*, *simus*, *tuberculatus*.
Oryctoderus *latitarsus*.
Oryctomorphus *bimaculatus*, *maculicollis*, *morio*, *pictus*, *variegatus*.
Oryctomys *bottae*.
Orygma *luctuosa*.
Orygotherium *escheri*.
Oryssomus *subterminatus*.

- Oryssus* affinis, albo-punctatus, haemorrhoidalis, maurus, plumicornis, sayi, terminalis, unicolor.
- Orythia* capillata, hexanema, hexaphylla, incolor, labeschi, lutea, minima, octonema, purpurea, tetrachira, viridis.
- Oryttus* concinuus.
- Oryx* (M.) algazella, besoastica, capensis, equiua, gazella, leucophaea, leucoryx, monoceros, nasomaculata, oryx, pazan.
- Oryzaria* bosci.
- Osanius* argentatus.
- Oscabrella* laevis.
- Oscana* astacaria.
- Oscanius* lesueuri, luniceps, membranaceus.
- Oscinis* abbreviata, abdominalis, albipalpis, albisecta, annulifera, annulipes, approximatus nervis, aprica, argus, atricilla, atricornis, bicolor, bipunctata, brachiptera, brunnipes, brunnitarsis, calceata, capreolus, cereris, cincta, cinctella, circumdata, citrinella, cognata, cornuta, curvimeris, curvipennis, didyma, dubia, elegans, ephippium, erythrocephala, figurata, flava, flavella, flavifemorata, flavimana, flavipes, flavitarsis, frit, frontella, fuscipes, geminata, gracilis, herbarum, hypostigma, laeta, levis, lineata, lineella, lineola, longicornis, maculipennis, maura, melanoleuca, melanoptila, messoria, nana, nasuta, nebulosa, nigerrima, nigra, nigripes, nobilis, notata, obliqua, obscurella, oleae, ornata, osculipora, pallidiventris, pallifrons, palposa, parvula, phaeoptera, planifrons, plumigera, polita, pratensis, pumilionis, puncticollis, pusilla, rapta, ruficeps, rufimana, rufina, rufipes, rufitarsis, rufiventris, saltatrix, scalaris, scutellaris, sordidella, speciosa, sulcella, taeniopus, tarsata, thamnicoa, tibialis, trifasciata, troglodytes, umbraculata, vindicata, viridescens, vitripennis.
- Osculipora* aculeata, lateralis, royana, rugosa, truncata.
- Osirus* petagniana.
- Osmaea* grisea.
- Osmeroides* crassus, glarisianus, granulatus, lewesiensis, mantelli, megapterus, microcephalus, monasterii.
- Osmerus* albidus, arcticus, cordieri, eperlanus, falcatus, fasciatus, glarisianus, hebridicus, lemniscata, microdon, nehereus, saurus, tumbil, viridescens.
- Osmetectis* fusca.
- Osmia* acuticornis, adunca, aenea, albo-hirta, andrenoides, annulata, antiqua, atricapilla, atrocaerulea, aurulenta, baetica, bicolor, bicornis, buconis, byssina, caerulescens, canescens, chrysomelinus, cincta, cornuta, corrusca, emarginata, fasciata, ferruginea, fronticornis, fuciformis, fulviventris, fusca, gallarum, haematoda, hederæ, helicicola, hirta, hyalinipennis, interrupta, latreillei, leaiana, leucomelana, lignaria, luctuosa, marginella, melanippa, melanogaster, metallica, nasidens, nigriventris, notata, papaveri, parietus, parvula, pilicornis, punctatissima, purpurascens, pyrenaea, rubrorum, rufigastra, rufohirta, rutila, serratulæ, signata, spinigera, spinolæ, spinulosa, tricornis, tridentata, tuberculata, tunensis, versicolor, xanthomelana.
- Osmoderma* barnabita, beauvoisi, rugosa, scabrum.
- Osmosita* badia, castanea.
- Osmylus* chrysops, maculatus, phalaenoides, strigatus.
- Osorius* ater, brasiliensis, brunnicornis, brunnipes, cornutus, cylindricus, incisicrurus, intermedius, piceus, pygmaeus, rugiceps, rugifrons, tardus.
- Osphranter* antilopinus, isabellinus.
- Osphranteria* caerulescens, suaveolens.
- Osphromenus* notatus, vittatus.
- Osphronemus* gallus, goramy, olfax.
- Osphya* aeneipennis.
- Osprynchotus* capensis, flavipes.
- Ossifraga* albicilla, gigantea.
- Osteobrama* cotis, ogilbyi, vigorsi.
- Osteodesma* aeruginosa, bracteata, brasiliensis, brevifrons, corbuloides, hyalina, kutorgana, picta, rupicola, solimyalis, trapezoidalis, trapezoides.
- Osteodoma* brevifrons, cuneata, elongata.

- Osteogeniosus** blochi, gracilis, ingluvies, longiceps, macrocephalus, valenciennesi.
- Osteoglossum** arowana, bicirrhosum, formosum.
- Osteolepis** arenatus, brevis, intermedius, macrolepidotus, major, nanus.
- Osteopera** platycephala.
- Osteophilus** albus.
- Osteopilus** marmoratus.
- Osteoplax** erosus.
- Osteornis** ardeaceus, diomedius, scolopacinus.
- Osteorophea** immigratoria.
- Ostorhinchus** fleurieu.
- Ostracidium** decoratum, fuscum, succineum.
- Ostracion** aculeatus, agonus, argus, auritus, bicaudalis*, bicuspis, bituberculatus, boops, brevicornis, cyanurus, diaphanus, flavigaster, fornasini, horridus, immaculatus, lenticularis, lentiginosus, lineata, maculatus, micurus, nasutus, ornata, pentacornis, punctatus, quatuordecim-aculeatus, reevesi, sex-cornutus, spilogaster, stellifer, stictinotus, striatus, tobini, undecimaculatus, valentini, yalei.
- Ostracites** adavius, anomius, approximatus, auricularis, chamaeformis, chamatus, crista, crista galli, crista meleagris, crista urogalli, decussatus, diluvianus, duplicatus, eduliformis, flabellatus, foliaceus, fossula, gingensis, gryphaeatus, gryphoides, haliotiformis, haliotoides, isognomonoides, labiatus, laurifolium, lubiatus, mactroides, mysticus, orbiculatus, pectiniformis, planigerus, plicatissimus, plicatus, pusillus, pyramidans, serratus, sessilis, spinosus, spondylioides, subchamatus, sulcatus, tabulatus, unguatus, ventricosus.
- Ostracium** tesserula.
- Ostraea** praelonga, pustulosa, roemerii, subspendylioides. *Vide et Ostrea.*
- Ostralega** ater, europea, haematopus, leucopus, maculosa, palliata.
- Ostrea** abrupta, achates, acuminata, acuta, acuticosta, acutirostris, adelina, adpressa, adriatica, aequatorialis, aequivalvis, alabamiensis, alaeformis, alata, albertina, albicans, albida, alaicornis, alimena, alter, alvarezii, amata, ambigua, americana, amethystea, amor, amorpha, ampulla, angulata, angusta, angustata, angustivalvis, annonii, anomialis, antiqua, aquila, aranea, arborea, arca, archetypa, archiaci*, archiaciana, arcta, arcuata, arduennensis, arenaria, arietina, armata, asperima, atrata, aulaeum, auricularis, auris, aurita, australis, aviculaeformis, aviculoides, bathonica, beaumonti, bellovacina, biauriculata, bicolor, bifrons, blandina, boblayei, borealis, boussingaulti, bracteola, brasiliana, brevis, brevirostris, broderipi, bronni, bruguierii, bruntrutana, bullata, callichroa, callipera, canera, canadensis, canaliculata, canalis, capax, capillaris, capsula, carantoniensis, carina, carinata, carioni, carolinensis, castellana, caudata, cavata, chemnitzii, cinnabarina, circumnata, circularis, clavata, clytia, cochlear, cochlearia, colubrina, columba, columbiensis, complanata, complicata, compressirostra, compta, concentrica, conglomerata, conica, conirostris, conradi, constantiensis, convexa, cornucopiae, corrugata, corusca, costata, couloni, crassa, crassissima, crenata, crenatuloides, crenulata, crepidula, cretacea, crispa, crispata, crista, crista galli, cristata, cristatula, crocea, cruciata, cubitus, cucullaris, cumingiana, curvata, curvidorsata, curvirostris, cuvieri, cyathula, cymba, cymbiola, cymbium, cymbula, cymbularis, cypraea, cyruasi, cyrtoma, darwini, decemcostata, deformis, defrancei, delphinar, deltoidea, dentata, denticulata, dentifera, deperdita, depressa, deslonchampiana, diaphana, dichotoma, difformis, digitalina, digitata, dilatata, diluvii, discors, dispar, disparilis, distans, distorta, divaricata, diorilla, farsata, doublieri, dubia, duforenyi, duriuscula, eburnea, echinata, edula, eduliformis, edulina, electra, elegans, elephantopus, elliptica, elongata, emarginata, eparnacensis, equestris, erina, eruca, erucella, eugenia, eversa, exarata, excavata, exculenta, exilis, exogyra, exogyroides, exotica, expansa, explanata, extensa, falcata, falciformis, faretta, fasciata, ferrarisi, ferruginea, fibula, figurata, fittoniana, flabella, flabelliformis, flabelloides, flabellula, flabellum, flagellatus, foliacea, foliosa, fonticula, foveolata, fragilis, frecheti, frondosa, furcorum, fulva, fusca, gallina, galloprovincialis, gallus, gehrdensis, georgiana, gibba, gibbosa, gigantea, glaucina, goldfussi, gracilis, grandis, granulata, gregarea, gryphina, gryphoides, haitensis, haliotidea, haliotoides, hammeri, harpa, hellica, helvetica, hemicyclus, hemisphaerica, heraultiana, hersilia, heteroclista, hippopodium,

hippopos, hisingeri, huebleri, hybrida, hyotis, imbricata, imputata, inaequalis, inaequicostata, incerta, inconstans, incurva, indistincta, inflata, inflexa, inoceramoides, irregularis, isabella, italica, jacobaea, jaderensis, kharaschovensis, khorochovensis, knorri, kunkeli, labrella, lacerata, laciniata, laevigata, laevis, laeviuscula, lamellaris, lamellosa, larva, lateralis, laticarda, latirostris, latissima, leporina, lesueurii, levis, leymeri, liassica, limacella, limae, limax, limbata, lineata, lingua, linguatula, lingua, lingularis, lingulata, longicauda, longirostris, loscombia, luciensis, lunata, lurida, macroptera, magna, margaritacea, marginata, mariorata, marmorea, marshi, marshiiformis, martinsi, materculus, matheroniana, matoni, maxillata, meadei, megatera, megodon, melania, menoides, mesenterica, milletiana, minuta, mirabilis, monstrosa, montis, mosae, muensleri, multicostata, multiformis, multilamellata, multistriata, muscosa, mutabilis, myosotis, mytiloides, nana, nasuta, naumanni, navicularis, neglecta, neocomeniensis, nilssoni, nivea, nodosa, normanniana, numisma, obliqua, obliquata, oblongata, obscura, obsoleta, operculata, orbicularis, orbiculoides, orientalis, ornata, ovalis, palliata, panda, paradoxa, parva, patagonica, pauciplicata, pectinata, pectiniformis, pectuncularis, pellucida, pennaria, percrassa, peregrina, pernula, perversa, pes-hominis, pes-leonis, pes-pellicani, pest-tigris, phaedra, phasianoptera, phyllidiana, picta, pillae, pincerna, placunata, placunoides, plana, planicosta, planulata, plebeja, plicata, plicatella, plicatilis, plicatos-triata, plumosa, podopsidea, polymorpha, polyphemi, ponderosa, praegrans, prionota, prisca, prismatica, problematica, proboscidea, producta, profunda, proteus, pseudo-chama, pseudoedulis, pulchana, pulchella, pulchra, pulligera, punctata, punicea, purpurea, pusilla, pustulata, puticulus, pyrenaica, pyxidata, quadrata, radians, radiata, radiosa, raricosta, rarilamella, rastellaris, rastellum, rauliniana, rectangularis, recurvirostra, regularis, reniformis, retusa, rhizophorae, rhizopoda, ricordeana, rivoti, roemeri, rollandi, rosacea, rostralis, rotundata, rubella, rufa, rufescens, rugosa, rugulosa, rusciriana, rustica, saccellus, saginata, sandalina, sanguinea, santonenis, sapida, sarthacensis, saxatilis, scabra, scabrella, scalaria, scapha, schuebleri, scolopendra, sculpturata, scutata, scyphophila, sellaeformis, semicircularis, semicylindrica, semilunata, semiplana, semiplicata, sericea, serra, serrata, similis, simplex, sinuata, sinuosa, solitaria, sowerbyana, sparnacensis, spatulata, spatiosa, spatulata, spectra, spinosa, spiralis, spondylioides, spreta, squama, squamosa, squarrosa, squius, stentina, striata, strigulata, subangusta, subanomia, subarcuata, subauricularis, subauriculata, subcomplicata, subcrenata, subfalcata, subhippodium, subinflata, sublamellosa, sublobata, subnodosa, suborbicularis, subplana, subplicata, subpunctata, subserata, subsemilunata, subsubulata, sulcata, sulcifera, tabulata, tarbelliana, tayloriana, tegula, tegulanea, tegulata, tener, tenera, tenuistria, terebratula, testacea, tetragona, tombeckiana, tornabeni, torosa, trabeculata, transversa, trapezina, trapezoides, triatala, triangularis, truncata, truncatella, tuberculata, tuberosa, tubifera, tulipa, tumida, turbinata, tuonenis, uncinata, undata, undosa, undulata, ungula, ungula, ungula-equina, unguata, unguicularis, urgonensis, urtica, variabilis, vasculum, ventralium, venusta, versaliensis, vesicularis, vicentina, vicksburgensis, virgata, virgo, virgula, virleti, vomer, vulgaris, vulsella, vulsellaeformis, wegmanniana, willebadessensis, wisigothorum. *Vide et Ostrea.*

Ostrinia palustralis.

Otagon turdus.

Otala asperula, atomaria, consobrina, diaphana, groviana, haemastoma, incerta, indistincta, micellaria, microstoma, modesta, nana, plicatula, pouchet, punctigera, ravni, sulcata.

Otaria albicollis, aurita, australis, blainvillei, californiana, cinerea, coronata, fabricii, falklandica, flavescens, forsteri, guerin, hauvillei, jubata, krachenninkowi, lamarii, leonina, molinae, molossina, pagesi, pernettyi, peroui, platyrhynchus, porcina, pusilla, resima, shawi, stelleri, ulloae, ursina, weddelli.

Otarion diffractum, elegans, obtusum, pygmaeum, squarrosum.

Otavia corallina, pharaonis.

Othilia aculeata, luzonica, multispina, purpurea, spinosa.

Othius alternans, angustus, ater, californicus, fulgidus, fulvipennis, fuscicornis, glabricoruis, grandis, laevis, laeviusculus, lapidicola, macrocephalus, melanocephalus,

myrmecophilus, obscurus, pilicornis, punctipennis, sabiliformis, scoticus, sexpunctatus, subuliformis, suturalis, ustulatus.

Othonia fabricii, quinquedentata, sexdentata.

Othreis homaena, pomona.

Otidocephalus albopilosus, apioniformis, bicolor, boops, gazella, gibbus, myrmecodes, oculus, parvulus, pelliceus, pubescens, setulosus.

Otina otis.

Otiocephalus americanus, flavipennis, fornicarius, mexicanus, pilosus, poeyi.

Otiocerus abboti, coqueberti, degeeri, francilloni, reaumuri, schellenbergi, stollii, wolffi.

Otion auritus, bellianus, blainvillei, blainvillianus, coronularia, cuvieri, cuvierianus, depressa, dumerilianus, rissouanus, sacculifera.

Otiorynchus adscitus, adpersus, aerifer, affaber, affinis, agatium, agnatus, alpicola, alutaceus, ambiguus, anadolicus, angusticollis, angustior, anthracinus, argutus, armadillo, armatus, armeniacus, asphaltinus, ater, aterrimus, atroapterus, aureolus, auricapillus, auricomus, aurifer, auropunctatus, aurosparsus, aurospersus, australis, austriacus, bardus, bicostatus, bielzi, bifasciatus, bisulcatus, blandus, bohemicus, brachialis, brevicornis, bructeri, brunneus, caliginosus, cancellatus, carbonarius, carcelii, carinatus, carinthiacus, carmagnole, caudatus, chevrolati, chlorophanus, chrysocomus, chrysonus, chrysostictus, cirricollis, clathratus, clavipes, clemens, coccus, collaris, comosellus, comparabilis, concavirostris, concinnus, confusus, consentaneus, conspersus, conspiciabilis, corrugatus, corticalis, corvus, crassicornis, crataegi, cremieri, cribricollis, cribrosicollis, cribrosus, crispus, cuneiformis, cymophanus, dalmatinus, demotus, denigrator, densatus, depubes, desertus, dilwyni, distincticornis, dives, duinensis, dulcis, ebeninus, echinatus, elaboratus, elegantulus, elongatus, eremicola, erythropus, exilis, fagi, faldermanni, fasciculatus, femoralis, fissirostris, foraminosus, fortis, fossor, foveicollis, fraxini, frescati, fulvipes, fumularis, fuscipes, fusco-femoratus, fussi, gallicanus, gemmatus, geniculatus, gibbicollis, giraffa, glabellus, glabratus, glabricollis, globicollis, globithorax, globulipennis, globus, godeti, goerzensis, gracilis, gracillipes, grandicollis, grandineus, granicollis, granulatus, griseopunctatus, griseus, haematopus, helveticus, hirticornis, histrio, humatus, humilis, hungaricus, hypocrita, hystrix, impexus, implexus, impoticus, impressipennis, inaus, incivilis, inductus, infaustus, infernalis, inflatus, innocuus, insubricus, intercalaris, interstitialis, irritans, istriensis, juvenicus, juvenilis, kollari, krattereri, laevigatus, lanuginosus, lasius, lateralis, latipennis, lavandus, lefevrei, lepidopteris, lepidus, ligneus, ligustici, lima, litus, lithantracius, longicollis, longiventris, loricatus, lubricus, luctuosus, lugdunensis, lugens, malefidus, mandibularis, marquarti, mastix, mastyx, maurus, maxillosus, melancholicus, memnonius, meridionalis, metallesceus, moestificus, moestus, mollicornus, montanus, monticola, montivagus, morio, morulus, multicarinatus, multipunctatus, mutilatus, navarius, niger, nigripes, nigrita, nigrilus, nobilis, notatus, nubilus, obcaecatus, obscurus, obsidianus, obsitus, obtusus, oculus, opulentus, orbicularis, orientalis, ostentatus, ovalipennis, ovatus, pabulinus, partialis, parvicollis, pauper, pauperulus, pauxillus, pelliceus, perdix, perforatus, periscelis, perplexus, petrensis, piceus, picipes, pilosus, pineloides, pinastri, planatus, planithorax, plicicollis, plumpies, politus, polycoccus, populeti, porcatus, poricollis, proletarius, prolixus, pruinosis, psegmaticus, pseudomias, pubens, pubescens, pubifer, pullus, pulverulentus, pulverulus, pulvinatus, punctatissimus, puncticornis, punctiscapus, pupillatus, pusio, pyrenaicus, raucus, repletus, reticollis, rhacusensis, rhaeticus, romanus, roscidus, rotundatus, rufipes, rugicollis, rugifrons, rugipennis, rugosus, sabulosus, saevus, salebrosus, sanguinipes, sayi, scaber, scabricollis, scabridus, scabripennis, scabrosus, scalptus, scitus, scopularis, scrobicollis, scrobiculatus, sculptirostris, segnis, septentrionis, setifer, sibiricus, signatipennis, singularis, spatatensis, squameus, squamifer, squamiger, stomachosus, striatosetosus, strigirostris, subcinctus, subquadratus, subsignatus, substriatus, sulcatus, sulcifrons, sulcirostris, sulcogemmatus, sulphurifer, tenebricosus, tomentifer, tomentosus, transitorius, transparens, turbatus, turca, turgidus, uncinatus, unctuosus, unicolor, validicornis, variegatus, varius, vehemens, vellicatus, velutinus, vestitus, villosopunctatus, viridipunctatus, vitellus, vitis, vittatus, vorticosus, zebra.

Otiorynchus sculptus, simplex, squamosus.

Otiothops walckenaeri.

- Otis** abyssinica, afraoides, afroides, atriceps, aurita, australasianus, australis, barrowi, bengalensis, breviceps, brevipes, caerulescens, caffra, colei, deliciosa, denhami, edwardsi, ferox, fulva, gularis, himalayanus, indica, kori, ludwigi, macqueeni, major, marmorata, melanogaster, nigriceps, nuba, ruficollis, ruficrista, scolopacea, senegalensis, stanleyi, torquata, undulata, veroxi, vigorsi.
- Otisorex** longirostris, platyrhinus.
- Otites** bivittata, bucephala, elegans, formosa, fuscipennis, guttata, jucunda, nebulosa, nigripennis, porcus, pulchella.
- Otocoris** albigula, alpestris, bilopha, chrysolaema, cornuta, penicillata, scriba, sprangeri.
- Otocryptis** bivittata, wiegmanni.
- Otocyon** caffer, lalandei, megalotis.
- Otodus** acuminata, angustidens, apiculatus, appendiculatus, basalis, catticus, crassus, divergens, heteromorpha, lanceolatus, latus, levis, macrotus, marginatus, minor, minutus, mitis, nanus, obliquus, plicatilis, recticonus, rudis, salentinus, semiplicatus, serratus, subplicatus, sulcata, sulcatus, tricuspis, trigonatus, wilsoni.
- Otoes** jubata, ursina.
- Otoglena** papillosa.
- Otogyps** auricularis, calvus.
- Otolicinus** alleni, crassicaudatus, demidoffi, galago, garnetti, minutus, murinus, psilodactylus, senegalensis, teng.
- Otolithus** aequidens, analis, argenteus, aureus, biauritus, bispinosus, carolinensis, guatucupa, lateoides, leiarchus, macrophthalmus, maculatus, microdon, microlepidotus, nebulosus, peruanus, reevesi, regalis, rhomboidalis, ruber, senegalensis, striatus, toe-roe, tridentifer, versicolor, virescens.
- Otomys** albicaudatus, bisulcatus, rufifrons, typicus, unisulcatus.
- Otophis** eryx.
- Otophorus** haemorrhoidalis, humeralis, rubidus, sanguinolentus, scolytoides.
- Otopoma** albicans, auriculare, clausum, foliaceum, haemastomum, listeri, michaudi, politum, pygmaeum, spurcum.
- Otosaurus** cunningi, microlepis.
- Otosema** agarista, odora.
- Ostostomus** lagotis, lateralis, myotis, navicula, signatus.
- Ostostylis** sexsetacea.
- Otozoum** moodyi.
- Otrophesa** imbricata.
- Otus** (A.) abyssinicus, africanus, agrarius, americanus, arboreus, ascalaphus, asio, bengalensis, brachyotos, brasiliensis, bubo, capensis, communis, coromandus, crassirostris, europaeus, galapagoensis, gracilis, lacteus, leucotis, macrorhynchos, maculosus, madagascariensis, magicus, manadenis, mantis, mexicanus, microcephalus, noctua, otus, palustris, philippensis, reticulatus, scops, semitorques, siguapa, sinensis, stygius, sylvestris, ulula, virginiana, vulgaris, wilsonianus, wilsonius.
- Otus** (Lep.) abyssinicus, choerilus, cnotus, myron.
- Otygospiza** polyzona.
- Ouakaria** calvus, spixi.
- Ouistitis** argentata, iacchus.
- Oulangia** stokesiana.
- Oulastrea** crispata.
- Oulophyllia** reticulata.
- Oulophyllia** astroides, ataciana, bronni, confluent, corallina, crispa, disjuncta, elegans, excavata, labyrinthica, lamellobidentata, macropora, martiniana, meandra, michelini, montana, profunda, reussiana, spinosa, stokesiana, tuberosa, turbinata, valmondosiaca.
- Ourachaerus** caudatus.
- Ourapteryx** politata, sambucaria, sambucata.
- Ourax** erythrorhynchus, galeatus, mita, pauxi.
- Ourozeukthes** oweni.
- Ova** canaliferus.
- Ovalastrea** caryophylloides.

Ovatella bidentata, polita, punctata.

Ovibos moschatus.

Ovis ammonoides, aries anglicana, aries longipes, arkal, barual, burrhel, caglia, californianus, canadensis, cervina, cycloceros, cylindricus, cyprius, dubia, europae, gmelini, hodgsoni, hunia, laticaudata, longipes, mamillaris, montanus, musimon, musmon, nahoor, nayaur, nivicola, ophion, ornata, polii, primaeva, probaton, pygargus, sculptorum, silingia, tragelaphus, vignei.

Ovula acicularis, acuminata, adriatica, alba, angulosa, aspera, birostris, bullaria, cancellata, carnea, cepula, columba, costellata, cretacea, cristallina, deutata, depressa, fragilis, gibbosa, gigantea, haliotoidea, hordacea, intermedia, iota, kayei, lactea, leathesi, marticensis, media, nigerina, ovata, oviformis, papyracea, passerinalis, pharetra, punctata, purpurea, semen, spelta, tortilis, triticea, tuberculosa, ventricosa, verrucosa, virginea, volva.

Ovuliger carpi.

Ovulina ovata.

Ovulites elongata, globulosa, margaritula, pavantina.

Ovulum aciculare, acuminatum, adriaticum, aequale, angulosum, apertum, avena, birostre, breve, bulla, bullatum, carneum, coarctatum, concinnum, corrugatum, deflexum, dentatum, dorsuosum, emarginatum, formicarium, formosum, frumentum, gallinaceum, gibbosum, gracile, hordeaceum, inflexum, intermedium, lacteum, lanceolatum, longirostratum, margarita, marginatum, nubeculatum, obtusum, ovum, patulum, philippinarum, pyriforme, recurvum, retusum, rufum, secale, seminulum, simile, spelta, striatulum, subreflexum, subrostratum, triticeum, umbilicatum, uniplicatum, verrucosum, volva.

Ovum commersoni.

Owenia fusiformis.

Oxaea flavescens.

Oxelytrum aequinoctiale, thoracicum.

Oxicesta geographica, sericina.

Oxidercia toxevalis.

Oxigrapha abjectana, aerugana, asperana, irrorana, literana, notatana, treueriana.

Oxinoe glabra.

Oxipterus viridis.

Oxisma bifida.

Oxitricha ambigua, bulla, caudata, felis, gallina, gibbosa, jobloti, lepus, pelionella, pulex, pullastra, pullicina, transfuga, variabilis, volutator.

Oxiurus patagonicus. *Vide et Oxy→ (A.)*.

Oxoides obscurus.

Oxuderces dentatus.

Oxura psammodioides, setosa, vestita.

Oxya dorsigera, hyla, ornatissima, procera, velox.

Oxybeles homei.

Oxybelia capucinella, cuspidella, fasciella, variella.

Oxybelis aeneus.

Oxybelus americanus, andalusiacus, arabs, argentatus, armiger, bellicosus, bellus, bicolor, concinnus, dissectus, emarginatus, fasciatus, ferox, fischeri, fissus, furcatus, haenorrhoidalis, hastatus, interruptus, laetus, laevigatus, lamellatus, lancifer, latro, lineatus, mucronatus, nigricornis, nigripes, nigroaeneus, piceus, pugnax, pygmaeus, quadri-notatus, quatuordecimnotatus, raptor, savignyi, simplex, subspinosus, tridens, trispinosus, uniglumis, victor.

Oxycara blapsoides, pedinoides.

Oxycareus convexus, fasciatus, helferi, interruptus, lineolatus, plagiatus, preysleri, spitzyi, tardus.

Oxycephala fuscipennis, latipennis, maculipennis, nigripennis, pictipennis.

Oxycephalus armatus, oceanicus, piscatoris, piscatorius.

Oxycephas scabrius.

Oxycera affinis, analis, atra, cupraria, decipiens, dives, falleni, formosa, hegeteroides, hypoleon, leonina, liburna, longicornis, maculata, meigeni, metallica, morrisi, muscaria, nigra, nigricornis, pardalina, pulchella, pygmaea, tenuicornis, terminata, trilineata, variegata.

- Oxycerca* misoria.
Oxycheila acutipennis, aquatica, binotata, bipustulata, bisignata, distigma, femoralis, labiata, laportei, oxyoma, tristis.
Oxychila cellaria.
Oxychilus ericetorum, lucida, nitidulus.
Oxycnemus fulvus.
Oxycorynus melanocerus, melanops.
Oxycrepis leucocera.
Oxycypha discolor, lactea, luctuosa.
Oxyderces coelestinus, cretaceus.
Oxygaster anomalura.
Oxyglossus (A.) maculatus.
Oxyglossus (Col.) subcyaneus.
Oxyglossus (R.) lima.
Oxygnathus anglicanus, elongatus.
Oxygomphius frequens, leptognathus.
Oxygonia melanocera, nitens.
Oxygonia (Col.) dentipennis, rufipes, rufiventris, schoenherri, signata, viridula, zebrina.
Oxygonia (Hem.) alliacea, atroptera, chrysura, conica, dorsalis, erythropus, maculicornis, pacifica.
Oxygonius tenuis.
Oxygyrus inflatus, rangi.
Oxylaemus caesus, cylindricus.
Oxylides celmus, faunus, tharis.
Oxylophus afra, ater, coromandus, edolius, glandarius, levaillanti, serratoides, serratus.
Oxymerus abdominalis, aculeatus, approximatus, basalis, chevrolati, confusus, deletus, distinguendus, elongatus, klugi, lebasii, lineatus, nigricornis, nigriventris, pallidus, rivulosus.
Oxymicterus scalops.
Oxymyctera hispidulus, hispidus, megalonyx, nasutus.
Oxyna cinerea, femoralis, flavescens, maculata.
Oxynoderia biplagiata, irrorata, metallica, rubiginosa, rugosa, sericata, tristis, variegata.
Oxynoe olivacea.
Oxynopterus audouini, cumingi, javanus, latipennis, mucronatus.
Oxynota elegans.
Oxynotus (A.) rufiventer.
Oxynotus (Hem.) gibba, horridus, laceratus, monstrosus, trigonus.
Oxynotus (P.) centrina.
Oxynychus moerens.
Oxyomus alternatus, arenarius, cadaverinus, crenatostriatus, cylindricus, dilutus, excavaticollis, exsculptus, foveolatus, gracilis, granosus, opatroides, platensis, rubrotessellatus, strigatus, variolosus.
Oxyopes astutus, floricola, indicus, lineatus, salticus, scalaris, variegatus, viridans.
Oxyophthalmus elongatus, illotus, steveni.
Oxyops cancellatus, clathratus, foveosus, hopei, obliquatus, signatus, squamulosus.
Oxypate gelatella.
Oxyphora cardui, pyrethri, westernmanni.
Oxypilus annulatus.
Oxypyleura armata, basialba, basistigma, bufo, capitata, clara, contracta, limbata, marmorata, passa, polita, polydorus, sanguiflua, subrufa.
Oxypleurus nodieri, scutellaris.
Oxypoda abdominalis, advena, alternans, amicta, analis, angusta, angusticollis, assecta, atracapilla, cingulata, conviva, corticina, cunctans, cuniculina, curtula, elegantula, elongatula, exigua, exoleta, familiaris, ferruginea, filiformis, formiceticola, fuliginosa, fumida, gilvipes, gotschi, gracilis, helvola, hospita, infusca, lapidicola, lateralis, latiuscula, lentula, leporina, lindeni, litigiosa, lividipennis, longiuscula, luteipennis, maura, melanaria, moesta, myrmecobia, myrmecophila, nitidula, obfusca, occulta, opaca, pellucida, picea, praecox, procerula, prolixa, promiscua, prospera, pulchella,

ruficollis, ruficornis, rufipennis, sagulata, sericata, sericea, similis, spectabilis, steveni, subflava, suturalis, testacea, togata, umbrata, varia, vittata.

Oxypogon guerini.

Oxyporus angularis, arenarius, bipustulatus, brevis, caelatus, cephalotes, cinctus, dimidiatus, fasciatus, femoralis, fracticornis, fulgidus, lateralis, maior, marginalis, maxillosus, pulcher, punctatus, schoenherri, stygius, talpa, ulmi, vittatus.

Oxypselaphus pallidulus.

Oxyptera excisa, pictipennis.

Oxypterum kirbyanum, pallidum.

Oxypterus mongitori, rhinoceros.

Oxyptychus striatus.

Oxypyga scansor.

Oxyrachis quadrilineata, venosa, vitratus.

Oxyrhachis arietina, delalandei, gambiae, geuistae, tarandus.

Oxyrhamphus flammiceps.

Oxyrhin constrictus, tetragonurus.

Oxyrhina (Dipt.) frontalis, wahlbergi.

Oxyrhina (P.) basisulcata, complanata, crassa, crassidens, cyclodonta, desori, glauca, gomphodon, hastalis, haueri, heckeliana, heteromorpha, isocelica, lata, leptodon, mantelli, minuta, numida, oxyrhina, plicatilis, quadrans, retroflexa, sillimani, subinflata, triangularis, trigonodus, xiphodon, zippei. *Vide et Oxyrrhina.*

Oxyrhinchus virescens.

Oxyrhinus subsulcatus.

Oxyrhopus annulatus, petalarius.

Oxyrhynchus (A.) cristatus, flammiceps, serratus.

Oxyrhynchus (Col.) calandroides, discors, lateralis, rivulosus.

Oxyrhynchus (P.) deliciosus.

Oxyrhynchus (R.) acutirostris, granulatus, naricus, nasutus, proboscideus, semilineatus.

Oxyrrhina spallanzanii. *Vide et Oxyrhina* (P.).

Oxyrrhis marina.

Oxyrrhopus semifasciatus.

Oxysoma aurata, lineata, longipes, punctata, punctipes.

Oxysternon festivum, hilare, palemio, silenius, spiniferum.

Oxysternus crassus, maxillosus, maximus, nigripennis, rufus.

Oxystoma fuscirostris, genistae, ulicis.

Oxystomus (A.) carunculatus.

Oxystomus (Col.) cylindricus, grandis, vulneratus.

Oxystomus (M.) manatus.

Oxystomus (P.) hyalinus.

Oxystyla undata.

Oxytelus americanus, angustatus, antennatus, arenarius, armatus, asphaltinus, atricapillus, basalis, bengalensis, biarcuatus, bicornis, brachypterus, brasiliensis, brunnipennis, caelatus, caffer, caliginosus, carinatus, castaneipennis, collaris, complanatus, consobrinus, cordatus, cornutus, corticinus, crassicolis, cylindricollis, depressus, dubius, emarginatus, exiguus, fasciatus, femoralis, flavilabris, flavipes, foveatus, foveolatus, fracticornis, fronticornis, fuliginosus, fulvipes, furcatus, fuscipennis, humilis, immunis, impressus, incolumis, intricatus, laesus, laevicollis, lapponicus, laqueatus, latipes, longicornis, luteipennis, madagascariensis, melanocephalus, minimus, misellus, moerens, montivagus, mordax, morsitans, nanus, nitens, nitidulus, nitidus, nodifrons, opacus, pallidipennis, fuliginosus, pallipes, parvulus, fuscipennis, humilis, immunis, picipennis, politus, procerus, pulcher, pumilus, pusillus, pygmaeus, riparius, rivularis, ruficus, rugosus, rugulosus, sculptus, strigifrons, striolatus, sulcatus, taurus, terrestris, tricornis, trilobis, unicornis.

Oxytenis lamis, modestia, peregrina.

Oxytes obliqua.

Oxythyrea aeneicollis, amabilis, analis, clouaei, deleta, discicollis, helenae, lunata, niveoguttata, peroudi, septicollis, stictica, testaceoguttata.

Oxytrema crenulatum.

- Oxytricha* ~~ca~~ada, fusca, gibba, incrassata, lepa, lepus, lingua, pelliella, piscis, platystoma, pullaster, radians, rubra.
- Oxytropis* merremi.
- Oxyura* australis, maccoa.
- Oxyuris* alata, angulata, blattae orientalis, brachyura, brevicaudata, curvula, depressa, dilatata, flagellum, gracilis, gryllotalpae, laticollis, leuckarti, nodulosa, obtusa, obvelata, ornata, pugio, socialis, spinicauda, velocissima, vermicularis, verrucosa.
- Oxyurus* (A.) dorsomaculatus, ornatus, spinicauda, tupinieri.
- Oxyurus* (Hym.)² anomalipes, anteu, brevipennis, conicus, cornutus, frontalis, niger, roseus.
- Oxyurus* (Myr.) cinerascens, glabratus, pallidus, vestitus.
- Oxyurus* (Verm.) gadi, vermicularis, vermiformis.
- Ozaena* brunnea, castanea, dentipes, ditonoides, filiformis, glabra, goryi, granulata, gyllenhali, laevigata, lepieuri, lutea, megacephala, mexicana, morio, nigripennis, orientalis, parallela, polita, rogeri, testudinea, verticalis.
- Ozirhincus* longicollis.
- Ozius* frontalis, guttatus, rugosus, subverrucosus, truncatus, tuberculatus.
- Ozocera* interrupta.
- Ozodecerus* cavicaudatus, forficulatus, metallicus, ruficollis, tricuspidatus.
- Ozodera* bipartita, callidioides, xanthospilos.
- Ozodes* mexicanus, mucoreus, nodicollis, triangularis.
- Ozodicera* apicalis, gracilis, ochracea.
- Ozodura* orsini.
- Ozoena* aldrovandi, moschata.
- Ozolaimus* megatyphlon.
- Ozolus* gasterostei.
- Ozygothorium* escheri.
- Paca* maculata.
- Pachetra* leucophaea.
- Pachiloscelis* nigripes, rufipes.
- Pachirhyna* pulchella.
- Pachites* laforatus.
- Pachnaeus* azureus, griseus, litus, opilus.
- Pachnephorus* arenarius, cylindricus, decemnotatus, globosus, lepidopterus, sabulosus, tessellatus, villosus.
- Pachnoda* abyssinica, albigris, aulica, baxi, carmelita, chacea, cincta, fasciata, flaviventris, frenata, impressa, inscripta, intermedia, interrupta, laticincta, marginata, marginella, monacha, olivacea, picta, rufomarginata, semipunctata, sinuata, sobrina, soror, stehelini.
- Pacholenus* pelliceus, penicillus.
- Pachotelus* bicolor, fuscus.
- Pachrodema* castanea, substriata.
- Pachybdella* ratkai.
- Pachybrachis* argentatus, armeniacus, bivittatus, carbonarius, cariosus, byacanthinus, infaustus, mollis, morosus, scripticollis, sobrinus, sparsus, subfasciatus, viridissimus.
- Pachybrachius* biguttatus, luridus.
- Pachybrachys* azureus, bisignatus, cinctus, fimbriolatus, fulvipes, hieroglyphicus, hippophaes, histrio, lineolatus, maculatus, piceus, scripticollis, scriptus, signatifrons, tauricus, terminalis, viridissimus.
- Pachycarus* brevipennis, caeruleus, cyanescens, latreillei.
- Pachycephala* australis, falcata, fuliginosa, fusca, gilberti, glaucura, gutturalis, inornata, lanioides, longirostra, longirostris, macrorhyncha, melanura, olivacea, orpheus, pectoralis, rufiventris, rufogularis, simplex, striata, xanthoprocta.
- Pachycephalus* (A.) australis, olivaceus, pectoralis, rufiventris.
- Pachycephalus* (P.) cristatus.

- Pachycera** laevigata, minuta.
- Pachyceras** cecropogastri, xylophagorum.
- Pachycerina** seticornis.
- Pachycerus** albarius, atomarius, crucifer, formosus, karchini, menetriesi, planirostris, rugosus, scabrosus, segnis, sparsus, varius.
- Pachychila** acuminata, frioli, germari, hispanica, impressifrons, kunzci, nitens, pedinoides, punctata, punctulata, sabulosa, salzmanni, steveni, subcylindrica, subovata, sulcifrons, tripoliana.
- Pachycnema** alternans, calcarata, flavo-lineata, lineola, maculata, marginella, melano-spila, morbillosa, murina, pulverulenta, rostrata, signatipennis, squamosa, striata, tibialis.
- Pachycnemina** hippocastanaria.
- Pachycoelia** sulcicollis.
- Pachycolus** madagascariensis.
- Pachycoris** angularis, annularis, annulus, apicalis, aquila, arcuatus, atomarius, attenuata, aulicus, bigatus, bipunctatus, bosci, caffer, caudatus, chrysorrhoeus, circumductus, conicus, curculionoides, deplanatus, dichrous, exilis, fabricii, falcatus, fartus, flavescens, flavicinctus, flavolineatus, graniticus, guttatus, guttula, hebraicus, hirtipes, hirtus, illustris, incarnatus, irroratus, klugi, knochi, lanatus, leucopterus, lineatus, lineola, linnaei, lobata, luminosus, maculiventris, mexicanus, nebulosus, nepalensis, nitens, obliquus, obscuratus, ornatulus, parvula, pinguis, piperitia, porosus, punila, punctulatus, rubrocinctus, rufilabris, schousboei, stigma, variabilis, variegatus, virgatus, wolffi.
- Pachycormus** acutirostris, curtus, elongatus, esocinus, furcatus, gibbosus, giganteus, gracilis, heterurus, latipennis, latirostris, latus, leptosteus, macropomus, macropterus, uacurus, muensteri, striatissimus.
- Pachycranion** schoenherri.
- Pachycinites** compressus*.
- Pachydactylus** bergi, elegans, formosus, inaculatus, mariquensis, mentomarginatus, ocellatus, rugosus.
- Pachydema** nigricans.
- Pachyderes** atropos, ruficollis.
- Pachydissus** sericeus.
- Pachydomus** antiquitatus, carinatus, cuneatus, gigas, globosus, laevis, ovalis, pusillus, sacculus.
- Pachygaster** (Col.) adpersus, aeneopunctatus, aereus, aethiops, alutaceus, arenosus, argus, armadillo, atomaria, auricapillus, bisulcatus, biturigenis, bonariensis, brasiliensis, bructeri, brunnipes, caecus, calcaratus, candidatus, carynthiacus, caudatus, centro-punctatus, chlorophanus, chrysocomus, cinifer, clathratus, colibrinus, conspersus, corruptor, costato-punctatus, costulatus, cribricollis, cribrus, crispatus, dalmatinus, dissimilis, duidensis, epidaurensis, fagi, flabellipes, fraxoni, friulicus, gemmatus, giraffa, goerzensis, gracilipes, gracilis, griseo-punctatus, griseus, hirtipes, hispidulus, holosericeus, hottentotta, hungaricus, infernalis, inflatus, irroratus, laevigatus, lavandus, lepidopterus, ligustici, lugens, lusitanicus, mastix, maurus, maxillosus, meridionalis, moerens, monticola, morio, multi-punctatus, navaricus, niger, nobilis, orbicularis, ordinatus, ovatus, ovulum, parisiensis, pauper, pedemontanus, pertusus, picipes, pimelioides, pinastri, planatus, plumipes, porcinus, provincialis, pruinatus, pubescens, pulvereus, pulverulentus, punctatissimus, pyrenaicus, ragusensis, raucus, regularis, ruficapillus, rugicollis, rugifrons, septentrionis, setosus, silesiacus, singularis, squamiger, squamosus, squamulatus, sub-rotundus, sulcatus, sulcicollis, sulphuripes, tasmanica, tauricus, tenebricosus, unicolor, velutinus, ventricosus, villosus-punctatus, zebra.
- Pachygaster** (Dipt.) ater, flavipes, leachi, meromelas, pallipennis, rufitarsis, rugosus, tarsalis.
- Pachygaster** (P.) polyspondylus, spinosus.
- Pachygastria** medicaginis, quercus, spartii, trifolii.
- Pachyglossa** melanozantha.
- Pachygnatha** clercki, tristriata, xanthostoma.

- Pachynathus** degeeri, listeri. *Vide et Pachynathus.*
Pachygrapsus crassipes, parallelus.
Pachygroncha lineola.
Pachygrontha lineata.
Pachygyra deluci, kuorri, labyrinthica.
Pachylabra globosa.
Pachylarthrus cleodoxa, elyces, eurybia, flavicornis, herse, insignis, mustela, patellanus, smaragdinus, suilius, tyrphaeus.
Pachylis biclavata, compressicornis, gigas, grossus, hopei, laticornis, obscura, pharaonis, ruftarsis, tribulus.
Pachylobronchus ameiva, murinus.
Pachylocerus corallinus, pilosus, westermanni.
Pachylomma cremieri.
Pachylophus dispar.
Pachyloscelis audouini, fulvipes, ruftipes.
Pachylosticta albiventris, chalybea, tibialis, violacea.
Pachylota audouini.
Pachylotoma viridis.
Pachylus (Ar.) granulatus.
Pachylus (Col.) dispar, marginatus.
Pachymatisma johnstonia.
Pachymeria (Dipt.) aprica, ruralis.
Pachymeria (Hem.) agrestis, annularis, apicalis, armata, brachyptera, chiragra, echii, erratica, lyncea, nubila, pedestris, pini, plebeia, podagrica, quadrata, rolandri, ruficornis, rustica, sanguinea, sylvaticus, thymi, transversa, triangulum, urticae.
Pachymerina femorata, nitida, tumida.
Pachymeris sabuleti.
Pachymerium ferrugineum.
Pachymerus (Col.) bactris, lacertosus, micans, nigroaeneus, prionoides, staphylinus, torquatus, ullrichi.
Pachymerus (Hem.) abietis, affinis, albifasciatus, albobstriatus, annulicornis, anomalus, antennatus, arenarius, bidentulus, brachypterus, brevipennis, brunniipennis, carbonarius, consutus, contractus, decoratus, decurtatus, delineatus, dilatatus, ditomoides, dubius, echii, enervis, erraticus, fenestratus, fracticollis, geniculatus, hemipterus, hirsutulus, hirticornis, holosericus, ibericus, inermis, luniger, luscus, lynceus, marginepunctatus, nabiformis, nebulosus, nitidulus, nubilus, oculus, pallidipennis, pallidulus, pallipes, parallelus, pedestris, picipes, pictus, pineti, pini, praetextus, pulcher, quadratus, rhombeus, rhombimacula, rolandri, rusticus, sabuleti, sabulosus, silvestris, staphyliniformis, subaeneus, suberythropus, sylvaticus, tibialis, variabilis, varius, vulgaris.
Pachymerus (Hym.) calcitrator, vulnerator.
Pachymesia incisa.
Pachymorpha orientalis, sexguttata, simplicipes, squalida.
Pachymorphus aereus.
Pachymya aliformis, gigas.
Pachymyia vexans.
Pachynathus triangularis. *Vide et Pachynathus.*
Pachyneura fasciata.
Pachyneuron albutius, formosum, pruni.
Pachynolophus cesserasicum.
Pachynomus brunneus.
Pachynotelus albiventris.
Pachynotus angustatus, globicollis.
Pachyodon (L.) abductus, agrestis, aldami, amygdala, antiquus, attenuatus, bipennis, blaydsi, concinnus, crassissimus, crassiusculus, cuneatus, dawsoni, dubius, embletoni, exoletus, gerardi, hamatus, heyi, hybridus, imbricatus, lanceolata, lateralis, levedensis, listeri, nauus, nucleus, ovalis, pyramidatus, rhindi, rugosus, similis, smithi, subrotundus, subtriangularis, sulcatus, transversus, turgidus, vetustus.
Pachyodon (M.) mirabilis.

- Pachyonychus paradoxus*.
Pachyonyx affaber.
Pachyotus alopecotis, *bilabiatu*s, *iostoma*, *melanostomus*, *rhodospira*.
Pachypalpus ater, *brevicornis*, *crassicornis*, *flaviceps*, *semiflavus*.
Pachypeza pennicornis, *trivittata*.
Pachyphyllum bouchardi.
Pachypoma caelatus, *inaequalis*.
Pachypterus (Col.) *elongatus*, *mauritanicus*.
Pachypterus (P.) *atherinoides*, *luridus*, *melanurus*, *punctatus*, *trifasciatus*.
Pachyptila banksi, *caerulea*, *forsteri*, *fregatta*, *furcata*, *marina*, *vittata*.
Pachypus caesus, *candidae*, *cornuta*, *excavatus*, *impressus*, *siculus*, *truncatigons*.
Pachyra australis.
Pachyramphus (A.) *albescens*, *cuvieri*, *dimidiatus*, *minimus*.
Pachyramphus (R.) *crassirostris*.
Pachyrhamphus (A.) *atricapillus*, *minor*, *nigrescens*, *validus*.
Pachyrhina analis, *aurantiaca*, *cornicina*, *delegorguei*, *dentata*, *elongata*, *fasciata*, *ferruginea*, *histrion*, *imperialis*, *maculosa*, *mexicana*, *petiolata*, *pratensis*, *punctifrons*, *quadrilineata*, *sannio*, *scurra*.
Pachyrhinus comari, *hydrolapathi*, *leucogaster*, *mustella*, *myriophylli*, *quadridentatus*, *quadrinodosus*, *rufescens*.
Pachyrhizodus basalis.
Pachyrhynchus (A.) *albifrons*, *aterrimus*, *cajanus*, *chevrolati*, *cinerascens*, *cuvieri*, *leucogaster*, *marguatus*, *melanocephalus*, *niger*, *pectoralis*, *rufescens*, *rufo-ceps*, *semifasciatus*, *spixi*, *squamatus*, *swainsoni*, *variegatus*. *Vide et Pachyrhynchus*.
Pachyrhynchus (Br.) *roseus*.
Pachyrhynchus (Col.) *aglaiae*, *albuguttatus*, *ardens*, *biplagiatus*, *chlorolineatus*, *cinnamomeus*, *circuliferus*, *cumingi*, *decussatus*, *elegans*, *erichsoni*, *eschscholtzi*, *fahraei*, *fimbriatus*, *gemmans*, *gemmatus*, *globulipennis*, *inornatus*, *jugifer*, *latifasciatus*, *mandarinus*, *moniliferus*, *multipunctatus*, *orbifer*, *perpulcher*, *phaleratus*, *pretiosus*, *reticulatus*, *rhodopterus*, *roseomaculatus*, *rufo-punctatus*, *rugicollis*, *schoenherri*, *scintillans*, *speciosus*, *striatus*, *venustus*, *waltoni*.
Pachyrina crocata.
Pachyrisma grande.
Pachyrhynchus megacephalus. *Vide et Pachyrhynchus* (A.).
Pachys prodromaria.
Pachyscelis ammios, *clavaria*, *crinita*, *depressa*, *granulosa*, *hirtella*, *karelini*, *obscura*, *ordinata*, *porphyrea*, *quadricollis*, *tenebrosa*.
Pachyschelus scutellaris.
Pachyseris rugosa.
Pachysoma (Col.) *aesculapius*, *lacordairei*, *striatum*.
Pachysoma (Cr.) *affinis*.
Pachysoma (M.) *brachyotis*, *brachyotum*, *brevicaudatum*, *diardi*, *duvauceli*, *ecaudatum*, *melanocephalum*, *titthaechelus*.
Pachystethus viduus.
Pachystola textor, *variegator*.
Pachystoma corrugata, *crassa*, *globosa*, *puncticulata*.
Pachystomus (Dipt.) *syrphoides*, *subulatus*.
Pachystomus (P.) *apiatus*, *brachiatus*, *chedra*, *cocsa*, *margarodes*, *morar*, *schagra*, *tila*.
Pachystylum brevis.
Pachysylvia decurtata.
Pachyta (Col.) *alpina*, *analis*, *angusticollis*, *anthracina*, *attenuata*, *bimaculata*, *brunnipes*, *cerambyciformis*, *chalybea*, *clathrata*, *collaris*, *curvilineata*, *decempunctata*, *discoidea*, *dubia*, *duodecimmaculata*, *ebenina*, *erratica*, *erythrura*, *flavonotata*, *hirta*, *interrogationis*, *ione*, *lamed*, *laportei*, *liturata*, *livida*, *longipes*, *maculipennis*, *marginata*, *marginella*, *minuta*, *nigricollis*, *nupta*, *octomaculata*, *pecta*, *punctata*, *quadrifasciata*, *reticulata*, *rufula*, *scapularis*, *septemsignata*, *sericornis*, *servillei*, *sex-maculata*, *sextipunctata*, *signata*, *smaragdula*, *spadicea*, *strigilata*, *sublineata*, *suturalis*, *thoracica*, *trifasciata*, *variabilis*, *vidua*, *violacea*, *virginea*.

- Pachyteles** laevis, striola, tuberculatus.
Pachyteria bicolor, fasciata, klugianus.
Pachytes ovalis.
Pachythelia nigricans.
Pachytherium magnum.
Pachytoma (G.) occidentalis, viridis.
Pachytoma (Hem.) minor.
Pachytomus klugianus.
Pachytos hoperi, spinosus, striatus.
Pachytricha castanea.
Pachytrichus ursus.
Pachytus marginatus.
Pachyura etrusca, gracilis, monilis, myosurus.
Pachyurus linearis, squamipennis.
Pactolus bosci.
Pacu argenteus, lineatus, nigricans.
Pacuvia castanea.
Padaerus brasiliensis.
Padia bosci.
Padollus orbigny, rubicundus, scalaris.
Paec→ *Vide et Poec*→.
Paecilaeama limbatum.
Paecilaspis pantherina, sexdecimpustulata.
Paecilia multilineata, olivacea.
Paecilima U-flavum.
Paecilodus cephalaspis, jonesi, transversus.
Paecilomorpha passerinii.
Paecilonata aulica, laticollis, ornatcollis, speculifera, terminalis.
Paecilonitta georgica.
Paecilonota decorata, interrogationis, sanguinosa, scita.
Paecilus baeticus, cupreus*, kingi.
Paectes pygmaea.
Paederus aequinoctialis, aestuans, angolensis, angustatus, australis, badius, bicolor, biguttatus, binotatus, brevicornis, brevipennis, caffer, caligatus, capensis, castaneus, cephalotes, chalybeus, cinctus, coarctatus, coerulescens, collaris, columbinus, confinis, conspicuus, corticinus, crassus, cruenticollis, cyanipennis, cyanocephalus, discopunctatus, erythroderus, exiguus, eximius, extensus, extraneus, fastuosus, ferrugineus, ferus, filiformis, filum, fragilis, fulvicornis, fulvipes, fuscipes, fuscus, interruptus, javanus, laetus, laevigatus, lapidarius, latipes, limbatus, limnophilus, littoralis, littorarius, longicornis, longipennis, longiusculus, lusitanicus, madagascariensis, mandibularis, megacephalus, melampus, melanocephalus, melanurus, memnonius, mexicanus, minutus, morio, ochraceus, pallipes, peregrinus, proboscideus, procerus, pusillus, quadratus, quadricollis, riparius, rubicollis, rutilicornis, sabaeus, sanguinicollis, scabriculus, semicyaneus, senegalensis, tamulus, tempestivus, thoracicus, vestitus.
Paedisca achatana, albunea, alfredana*, amplatana, bimaculana, brunnichiana, cervana, ciniccolana, corticana, couleruana, crenana, delitana, demarniana, dissimulana, dumeriliana, externa, fervidana, foeneana, fultana, fuscilana, grandaevana, graphana, griseolana, hepaticana, hueberiana, immundana, mediana, melaleucana, modicana, molitana, monachana, nubilana, ophthalmicana, oppressana, parmatana, porphyrana, profundana, ravulana, rieseana, schreberiana, scraeberiana, scululana, semimaculana, similana, tenerana, turbidana, wellensiana, zelleriana.
Paelobius hermanni, tardus.
Paetrobius maritimus.
Pagellus acarne, bogaraveo, breviceps, calamus, canariensis, centrodontus, curtus, erythrinus, goreensis, leptosteus, lithognathus, microdon, mormyrus, penna, pernam-bucensis, rostratus.
Pagodella major, tectum-persicum.
Pagodus verus.

Pagophila eburnea.

Pagophilus groenlandicus.

Pagrus acarne, argenteus, argyrops, auriga, bertheloti, bogaraveo, bugaravella, caissoti, calamus, ehrenbergi, elegans, erythrinus, filamentosus, guttulatus, hirta, lanarius, latus, lineatus, lithognathus, longipilis, mediterraneus, micropterus, mormyrus, orphus, pagel, pagrus, penna, proteus, quadrituberculatus, spinifer, versicolor.

Paguma grayi, laniger, larvata, leucomystax, trivirgata.

Pagurus aculeatus, affinis, albo-punctatus, anachoretus, angulatus, annulicornis, annulipes, arenarius, arrosor, asper, aspersus, bimaculatus, brevicornis, brevipes, calidus, canaliculatus, carinatus, cavipes, chiereghini, chinensis, chlanarius, comptus, conformis, corallinus, crassimanus, cristatus, cristimanus, cruentatus, cuanensis, cultratus, decorus, deformis, dubius, edwardsi, elegans, elongatus, erythropus, excavata, faujasi, forbesi, forceps, frontalis, gaimardi, gamianus, gaudichaudi, gayi, gemmatus, gonagrus, granulatus, guttulus, hirsutus, hirtimanus, horridus, hyndmani, imbricatus, impressus, inaequalis, incisus, isochirus, labillardieri, laevimanus, laevis, lanuginosus, latens, laticaudus, lineatus, lividus, longicarpus, longitarsis, maculatus, megistos, mertensi, meticulous, miliarius, misanthropus, mysticus, nigratarsis, ocellatus, ornatus, pedunculatus, perlatus, pictus, pilosimanus, pilosiusculus, pilosus, platychelos, pollicaris, prideauxi, pubescens, pugilator, punctulatus, pustulatus, rubrovittatus, sanguinolentus, scolopetarius, sculptimanus, scutellatus, setifer, setosus, solitarius, spilophthalmus, spinifrons, spinimanus, spiriger, splendescens, streblonyx, stria, striatus, strigatus, strigimanus, sulcatus, symmetricus, taeniatum, thompsoni, tibicen, timidus, tomentosus, tricolor, truncatulus, tuberculosus, tympanistus, ulidia, ulidianus, unicolor, ursus, varians, venosus, vigil, villosus, virescens, vittatus, vulgaris, weddelli.

Paidia citrosa, munda, murina, senex, sulphurea, transpecta.

Paidium aeneum, candidum, cucullatum, fasciola, flaveolum, flavipes, nitens.

Paipalesomus pistriarius.

Pais decora.

Palacotherium ichingi. *Vide et Palaeotherium.*

Palaeastacus dixonii, macrodactylus.

Palaechinus ellipticus, gigas, konigi, multipora, sphaericus. *Vide et Palechinus.*

Palaeomon acanthurus, aciculatus, adriaticus, adspersus, affinis, anopthalmus, armiger, australis, beaupresi, bidens, biunguiculatus, brachydactylus, brasiliensis, brevirostris, caementarius, canaliculatus, carinatus, colombicus, creusa, custos, cydippe, dentatus, diversimanus, electra, elegans, fabricii, flavescens, glauca, heterochirus, hirtimanus, hispidus, hypsa, jamaicensis, lancifer, latreillei, leachi, longicornis, longimanatus, longipes, marmoratus, nicippe, niloticus, nitescens, noctilucus, offersi, ornatus, parvus, pelagicus, petithouarsi, pinnophylax, procles, recticornis, serratus, setiferus, spinipes, spinosus, splendens, sulcatus, tarentinum, tenuicornis, trilianus, varians, villosus, vulgaris, walchi. *Vide et Palemon.*

Palaeno roemeri.

Palaeobalistum orbiculatum.

Palaeobassaris steinheimensis.

Palaeobates angustissimus.

Palaeobatrachus diluviana, goldfussi.

Palaeobdella nilotica.

Palaeoceros granulatus.

Palaeochaeres major, typus.

Palaeochelys bussenensis.

Palaeocherus major, typus.

Palaeocidaritis nereis, prisca, protei, rossica.

Palaeocoma cunliffei, fuerstenbergi, milleri.

Palaeocyclus porpita.

Palaeocyon primaevus, troglodytes, validus.

Palaeogale fecunda, pulchella.

Palaeomephitis steinheimensis.

Palaeomeryx bojani, eminens, kaupi, medius, minimus, minor, nicoleti, pygmaeus, scheuchzeri.

Palaeomys arvernensis*, castoroides.

Palaeoniscum arenaceum, dorsale, eupterygium, laterale, latum.

Palaeoniscus agassizi, alberti, angustus, arcuatus, beaumonti, blainvillei, brongniarti, carinatus, catopterus, comptus, comtus, decorus, dunkeri, duvernoy, egertoni, elegans, exsculptus, freieslebenensis, freieslebeni, fultus, gelberti, glaphyrus, latus, lepidurus, longissimus, macrophthalmus, macropomus, macropterum, magnus, megacephalus, minutus, monensis, ornatissimus, ornatus, ovatus, pygmaeus, robinsoni, robisoni, speciosus, striolatus, tschevkin, voltzi, vratislaviensis.

Palaeophis longus, porcatus, toliapicus, typhaeus.

Palaeophrynos dissimilis, gessneri, grandipes.

Palaeopora favosa, subtilis.

Palaeorhynchum coleii, egertoni, glarisianum, latum, longirostris, medium, microspondylum.

Palaeornis (A.) alexandri, anthopeplus, barbatus, barrabandi, bengalensis, bitorquatus, borneus, caniceps, columboides, cubicularis, cucullatus, cyanocephalus, erythrocephalus, erythrogenys, flavicollaris, flavitorques, incarnatus, inornatus, longicauda, lucianae, malaccensis, melanorhynchus, melanura, modestus, mystaceus, nigrirostris, nipalensis, novae-hollandiae, papuensis, pondicerianus, rhodocephalus, rosaceus, schisticeps, torquatus, xanthosomus.

Palaeornis (R.) cliffi.

Palaeosaurus cylindricum, cylindrodon, platyodon, sternbergi.

Palaeosmia murchisoni.

Palaeospalax magnus.

Palaeospongia cyathiformis.

Palaeoteuthis honoratianus.

Palaeotherium aurelianense, bairdi, brivatensis, buxovillanum, commune, crassum, curtum, equinum, giganteum, girondicum, indeterminatum, isselanum, latum, magnum, majus, medium, minus, occitanicum, ovinum, parvulum, privatense, prouti, schinzi, tapiroides. *Vide et Palaeotherium.*

Palaeothrissum blennioides, elegans, inaequilobum, macrocephalum, magnum, parvum, phractonotum.

Palaeotriton scheuchzeri.

Palastes bicolor.

Palaestra rubripennis.

Palaestrinus aureus, mutillarius, sykesi.

Palaetrogos steinheimensis.

Palaminus brevicollis, ferrugineus, pallidus, piceus, pilosus, testaceus, variabilis.

Palamopus dananus.

Palapteryx dromioides, geranoides, ingens, struthoides.

Palarus ambustus, dongalensis, flavipes, fulviventris, histrio, laetus, lepidus, maculatus, rupeus.

Palechinus dispar, elegans, phillipsiae. *Vide et Palaechinus.*

Palemon antennarius, brevicarpus, cogneti, crenulatus, ensiferus, forceps, gaudichaudi, gracilimanus, grandimanus, inermis, japouicus, laevirhincus, lamarrei, latirostris, longipes, longirostris, malcolmseni, margaritaceus, marginatus, microramphos, uatator, nipponensis, olivieri, parvulus, paucidens, pristis, punctatus, pusillum, quoyanus, spinimanus, trisetaceus, xiphias. *Vide et Palaemon.*

Paleryx depressus, rhombifer.

Pales (Ar.) crucigera.

Pales (Col.) ulema.

Pales (Dipt.) blondeli, brunicans, florea, laevigata, libatrix, myoidea, petrosa, pumicata, setipennis, strenua, tessellata, vernalis, viridescens.

Palestrida bicolor.

Palethrocoris disciger, scapha.

Palicus granulatus.

Palidostoma osseus.

Palimphyes brevis, crassus, gracilis, latus, longus.

Palimpsestis flavicornis, octogesima, or.

Palingenestes kosmokratis.

Palingenia dorsalis, horaria, indica, longicauda, puella.

Palinurina intermedia, longipes, pygmaea.

Palinurus americanus, argus, buergeri, compressus, dasyopus, frontalis, gigas, guttatus, interruptus, japonicus, laevicauda, lalandei, langusta, locusta, longibrachiatus, longimanus, margiuatus, muensteri, penicillatus, perciformis, polyphagus, regleyanus, ricordi, rissoni, spinosus, squamifer, sueri, sulcatus, taeuiatus, trigonus, versicolor, vulgaris.

Palla decia.

Pallasia (Dipt.) globosa, ovata.

Pallasia (Verm.) chrysocephala, gaimardi, negata.

Pallene (Cr.) breverostriis, chiragrus, circularis, discoidea, intermedia, sericea, spinipes.

Pallenis tricolor.

Pallenura javensis, sulphurea.

Pallium striatum.

Pallodes annulifer, atramentarius, fervidus, obsoletus, silaceus.

Palloptera ambusta, arcuata, gangraenosa, inusta, marginella, trimacula, trimaculata, umbellatarum, unicolor, usta, ustulata.

Pallosoma barbara, caeruleans, carinata, cyanea, nigrita, obscura.

Palmipes membranaceus, stokesi.

Palmipora albicornis, complanata, dilatata, fasciculata, parasitica, solanderi, squarrosa, tuberculata.

Palmon bellator, capitellatus, clavellatus, fraternus, idomene, insularis, melleus, obscurus, olenus, pachymerus, religiosus.

Palmula sagittaria.

Palmlaria soldanii.

Palmyra aurifera, ocellata.

Palola viridis.

Paloplotherium annectens.

Palopoda tersa.

Palpada scutellata.

Palpares cognatus, furfuraceus, latipennis, libelluloides, manicatus, pardus, radiatus, spectrum, tessellatus, zebatus.

Palparia acinacidea, arbustea, argentea, argyrea, aurifera, baccaestria, barba, campea, cardui, carnea, caudea, cespitica, consorta, culmea, cultrea, falsa, funea, geniculea, gigantea, hirta, hortuea, lambertella, latistria, ocella, palea, pascuea, petrificica, pineti, pratea, rhombea, rorea, sanguinea, striga, tentaculea, tetrix, tristis.

Palpibraca haemorrhoea.

Palpimanus gibullus, haematinus.

Palpita perspicilis, unionalis, urticalis.

Palpomya lalandei.

Palpomyia basalis, ortulana, rufipes, scutellata, serripes, spinipes, succincta.

Palpoplevra confusa, dimidiata, jucunda, lucia, marginata, portia, vestita.

Palpostoma testacea.

Palpula bicostella, binotella, bitrabicella, clarella, criella, daphniella, ericella, labiosella, punctella, pyropella, rostellula, semicostella.

Palthis angulatus.

Paludestrina affinis, andecola, atomus, auberiana, australis, candiana, charruana, conica, conulus, culminea, cumingi, deshayesi, desmaresti, elongata, fusca, globulus, intermedia, isabelleana, laevigata, lapidum, macrostoma, miliola, nana, nigra, paludinaeformis, parchappii, pendula, peristomata, petitiana, piscium, pusilla, pyramidalis, semi-striata, sextonus, striata, striatula, subulata, subumbilicata, terebellata, ulvae, varicosa.

Paludicella articulata, ehrenbergi, procumbens.

Paludicola (A.) albifrons, nipalensis.

Paludina abbreviata, achatina, achatinoides, acicula, acuminata, acuta, adjaciensis, affinis, alleghanensis, amethystea, ampullacea, anatina, anatinum, andicola, angularis, angulata, angulifera, angulosa, anthracina, arvernensis, aspersa, atomaria, atomus,

atra, atrata, australis, austria, balthica, beaumontiana, bengalensis, benzi, bermondiana, bicarinata, bicolor, bi-monilifera, bosquiana, breugheli, brevis, brunnea, buccinoides, bulimoides, burroughiana, canaliculites, carbonaria, carinata, carinifera, casaretto, castanea, chinensis, cibratica, cincinnatensis, cingulata, circinata, clathrata*, coarctata, coerulescens, concinna, concolor, conica, conoidea, conulus, coosaensis, cornea, coronata, costata, crassa, crystallina, cucullata, cumingi, cuspidata, cyclostoma, cyclostomaformis, cyclostomatiformis, deccanensis, decipiens, decisa, decollata, denticulata, deshayana, desmaresti, desnoyersi, diaphana, dilatata, disiuncta, dissica, dissimilis, doliaris, draparnaldi, dubuissoni, duchasteli, dupotetiana, efasciata, elongata, exigua, exilis, expansilabris, extensa, fasciata, ferruginea, ferussina, flammea, flammulata, fluminensis, fluviorum, fontinalis, fragilis, francesi, francisci, fusca, fuscus, genicula, georgiana, gibba, gigas, glabrata, globulus, grana, granulum, granum, grayana, hagenowi, haleiana, hammeri, helvetica, heterostrophia, hyalina, impura, impurata, incerta, incrassata, inflata, integra, intermedia, intertexta, jamaicensis, javanica, kickxi, knysnaensis, kraussiana, lapidum, lecythis, lecythoides, lenta, limosa, lineata, listeri, longicornis, lustrica, lutosa, macrostoma, magnifica, marginata, media, melanoides, michahellesi, michaudi, microstoma, miliola, minuta, minutissima, moquiniana, morissoni, multiformis, mumia, muriatica, muricata, mussoni, nana, naticoides, nickliniana, nigra, nitida, nobilis, nuclea, nuttalliana, nymphea, nysti, obsoleta, obtusa, octona, olivacea, orbicularis, ovata, oxythopis, pallida, paludinaeformis, paludinaria, parchappii, parreyssi, parva, parvula, patula, peristomata, petrosa, picta, piscium, planata, ponderosa, porata, porrecta, porrii, preissi, protracta, pulchella, pulchra, punctum, pupa, pusilla, pygmaea, pyramidalis, pyramidata, quadrata, regularis, remossii, rimata, rivularis, roemeri, rotundata, rubens, rubiginosa, rufa, salentina, salinasi, salinesii, savignyi, saxatilis, scalariformis, scalaris, schusteri, seminalis, sepulchralis, sicula, similis, sinensis, sinistrosa, solida, solidula, spinosa, spirata, stagnalis, stagnorum, striata, striatella, striatula, stricklandiana, subangulata, subcarinata, subcarinatus, subcostatus, subfusca, subglobosa, sublentia, sublineata, suboperta, subpurpurea, subulata, succinea, succineata, sulculosa, sussexiensis, tentaculata, terebra, thermalis, transversa, tricarinata, tricostata, trigonostoma, triton, troostiana, troscheli, truncata, truncatuloides, turrita, ulvae, unicarinata, unicolor, variabilis, varicosa, ventricosa, virens, virginica, viridis, vitrea, vitula, vivipara, viviparoides, vulgaris, yatesi, zonata.

Paludinella balthica, cingulata, fontinalis, littorina, minutissima, prasina, psittacina, viridula, vulgaris.

Paludinicola vermicularis.

Paludomus chilinoides, conica, funiculatus, gardneri, globulosa, loricatus, neritoides, nigricans, olivaceus, pictus, retusa, spiralis, stephanus, sulcatus, tennanti, undatus.

Palumbis torquata.

Palusia brunicornis, femoralis, flavescens, flavicornis, menyanthidis, pallidicornis, punctata, sagittariae, testacea.

Palythoa argus, auricula, bertholleti, caesia, denudata, flavoviridis, fuliginosa, glareola, gostyncii, lesueuri, mamillosa, nymphaea, ocellata, perii, savignyi. *Vide et Polythoa?*

Palythoe antipathes, muricata, papillosa.

Pamatorhynchus erythropterus, senegalus. *Vide et Pom—.*

Pamborus alternans, cunninghami, elongatus, guerinii, morbillosus, viridis.

Pamera bilobata, constricta, contracta, dorsalis, fallax, fera, una, vincta.

Pamina trilineata.

Pammene mediana, trauniana.

Pamphagus canescens, carinatus, cristatus, cucullatus, cymbiformis, discoideus, elephas, emarginatus, fuscus, gallinaceus, griseus, hespericus, horridus, lateralis, marmoratus, nigropunctatus, numidicus, reticulatus, serratus, serripes, turcius, virens.

Pamphila actaeon, bucephalus, comma, fritillum, lavaterae, linea, malvae, marrubii, metis, paniscus, phylacus, sylvanus, sylvius, vitellius.

Pamphilus alpinus, amplexus, arbustorum, arvensis, auritus, betulae, campestris, cingulatus, circumcincta, cyaneus, cynosbati, depressus, dimidiatus, erythrocephalus, faustus, flavus, haemorrhoidalis, histrio, longicornis, lutescens, plagiatus, populi, pratensis, punctatus, reticulatus, saltuum, signatus, silvaticus, sylvatica, tessellatus.

- Pamphractus** andersoni, hydrophilus, squamatus.
- Pamphusia** monticolana.
- Pamponerus** germanicus.
- Pan** africanus.
- Panaeola** pulchella.
- Panagaeus** amabilis, angulatus, armatus, australis, bifasciatus, bipustulatus, brevicollis, cereus, chalocephalus, chlorocephalus, cruciatus, crucigerus, crux major, denticollis, elegans, elongatus, erichsoni, eximius, fasciatus, festivus, geniculatus, grandis, grossus, impictus, klugi, laetus, lepieuri, mexicanus, microcephalus, myops, nobilis, notulatus, obscuricornis, ornatus, parvicollis, pretiosus, quadridentatus, quadriguttatus, quadrimaculatus, quadripustulatus, quadrisignatus, raddoni, reflexus, regalis, savagei, sayersi, scabricollis, selenoderus, sinuaticollis, stenocephalus, strachani, tomentosus, transversalis, trimaculatus, tropicus, versutus, vicinus, westermanni.
- Panaphilis** perdis.
- Panara** iarbas, satnius.
- Pancalia** fusco-aenea, fusco-cuprea, latreillella, leuwenhockella, merionella, woodiella.
- Panchax** buehneri, kuhli, lineatus, melanopterus, panchax, pictum.
- Panchlora** exoleta, indica, madrae, prasina, pulchella, surinamensis, viridis.
- Panchrysia** aurea.
- Panda** pinguis.
- Pandalus** annulicornis, borealis, brevirostris, narwal, pelagicus, punctulatus.
- Pandarus** (Col.) brunneus, dardanus, extensus, femoralis, gibbulus, marginata, sinuatus, subcylindricus.
- Pandarus** (Cr.) alatus, australis, bicolor, bosci, carchariae, cranchi, dentatus, fissifrons, lamnae, lividus, pallidus, strigosus, vulgaris.
- Pandea** conica, rotunda, saltatoria.
- Pandeleteius** nubilosus, pauperculus, tibialis.
- Pandemis** cerasana, croceana, oporana, pasquayana, pronubana, reticulana, ribeana, sorbiana, textana.
- Pandemos** arcassa, lagis, liberia, placidia.
- Pandicilla** cianecula, suecica.
- Pandion** albigularis, alticeps, americanus, blagrus, carolinensis, fasciatum, fluvialis, fulvus, gouldi, haliaetos, haliaetus, humilis, ichthyaetos, indicus, leucocephalus, medium, orientalis, planiceps.
- Pandocia** conchilega.
- Pandora** (Ar.) striata.
- Pandora** (Coel.) flemmingi, striata.
- Pandora** (Dipt.) basalis, scutellaris.
- Pandora** (L.) aequivalvis, arcuata*, arenosa, brevifrons*, brevis, ceylonica*, cistula, clavata, crassidens, defrancei, depressa, discors*, elongata, flexuosa, glacialis, margaritacea, maxima, nasuta, oblonga, obovata, obtusa, punctata, radiata*, rostrata, trilineata, unguiculus.
- Pandora** (Lep.) prola.
- Pandorina** (Inf.) elegans, hyalina, leuwenhoecki, mora, sphaerula.
- Pandorina** (L.) arenosa.
- Panemeria** arbuti, heliaca.
- Panesthia** affinis, angustipennis, javanica, morio, transversa.
- Pangasius** buehneri, djabul, macronema, micronemus.
- Pangolinus** brachyurus, javanicus, typus.
- Pangonia** adjuncta, albicostata, albifasciata, albifrons, albithorax, alboatra, allemanica, amboinensis, analis, angulata, angusta, anthracina, appendiculata, ardens, atricornis, aurata, aurimaculata, auralans, badia, barbata, basalis, basilaris, bescki, bicolor, bifasciata, binotata, brevipalpis, brevirostris, cafra, castanea, cellulata, cervus, chrysopilla, chrysostigma, cingulata, clavata, comprehensa, concolor, conjugens, conjuncta, constans, contigua, cornuta, crassa, crassipalpis, depressa, directa, dives, divisa, dorsalis, dorsoguttata, dorsomaculata, eriomera, exeuns, fasciata, fascipennis, fenestrata, ferruginea, flavipes, fulva, fulvifascia, fulvithorax, fulviventris, funebris, furcata, fuscipennis, fusiformis, gemella, gemina, gibbula, gulosa, guttata, hebes,

- metra*, *mitioralis*, incompleta, inconspicua, jacksoni, jaksoniensis, lasiophthalma, lateralis, laterina, latipalpis, leucomelas, leucopogon, lingens, longipalpis, longirostris, lugubris, lurida, macquarti, macroporum, maculata, maculipennis, maculiventris, margaritifera, marginalis, marginata, mauritanica, media, melanopyga, micans, minor, molesta, multifaria, nana, nigripennis, nigrivittata, nigro-hirta, nigro-notata, nobilis, notabilis, obesa, ocellus, ornata, parva, patula, piceo-hirta, picta, plana, planiventris, prasiniventris, proboscideus, quadrimacula, roei, rostrata, rufa, ruficornis, rufo-hirta, rufo vittata, semiflava, senegalensis, sexfasciata, singularis, solida, sorbens, spiloptera, subappendiculata, submacula, suturalis, tabauiformis, tabanipennis, tenuistria, testacea, testaceiventris, testaceomaculata, thoracica, translucens, tricolor, umbra, unicolor, varicolor, variegata, varipennis, venosa, violacea, viridiventris, vulpes, winthemi, xanthopogon.
- Pangonius** mauritanicus, rostratus.
- Pangrapta** decoralis, loricalis, repugnalis, resistralis.
- Pangus** pennsylvanicus, scaritides.
- Paniculina** secunda.
- Paniscus** areolatus, fuscipennis, glaucopterus, inquinatus, lineatus, luteus, melanopus, nigriventris, productus, rufus, testaceus, virgatus.
- Pannychistes** rufipes.
- Panolia** acuticornis, eedi, platyceros.
- Panolis** beltis, flammea, piniperda.
- Panopaea** abbreviata, abducta, abrupta, acuta, acutisulcata, aequata, agassizi, albertina, aldouini, aleriae, americana, angusta, antarctica, antiqua, arago, arctica, arcuata, arduennensis, arenacea, asteriana, basteroti, baumonti, bivoniae, brongniartina, buvigneri, calceiformis, carteroni, castellanensis, constanti, coquimbensis, cornelia, corrugata, cottaldina, crassa, cretacea, crithea, danae, decurtata, dejanira, delia, delicatissima, depressa, deshaysi, dilatata, dubia, dunkeri, dupiniana, elatior, elea, elegans, elongata, elongatissima, ensis, erina, ewaldi, galatea, galdrina, generosa, gentilis, gibbosa, glabra, glycimeris, goldfussi, gracilis, grandis, gregaria, gurgites, hallie, hellica, hersilia, hesione, hians, hiantula, hippia, hylax, hylla, idalia, inaequivalvis, inflata, intermedia, ipswisensis, irregularis, japonica, jugleri, jurassi, keyserlingi, laevigata, laeviuscula, lata, lateralis, latissima, lepechiniana, liasina, lunulata, mactroides, mandibula, margaritacea, marginata, massiliensis, menardi, musculoides, navis, neocomiensis, normaniana, norvegica, oblata, obliqua, oblonga, oblongata, obtusa, orbigniana, orientalis, ovalina, ovalis, paramecioides, parvula, pelea, peregrina, pherusa, phileta, pholadina, plicata, porrecta, prevosti, puella, pyrenaica, pyrria, quadrata, qualeniana, recta, reflexa, regularis, remensis, ringmeriensis, robinaldina, robusta, roemerii, rostrata, rotundata, rudolphii, rugosa, scaphoides, securiformis, sinistra, sinuata, sinuosa, solandri, solenoides, sowerbyi, spengleri, striata, striatula, subaequivalvis, subelongata, subintermedia, subovalis, subrecurva, subrostrata, subsinuosa, substriata, tellina, tenuistria, tenuisulcata, toarcensis, urgonensis, ventricosa, vetusta, voltzi, zelandica, zieteni. *Vide et Panopea, Panopeus.*
- Panopaeus** chilensis, crenatus.
- Panope** ceti, faujas.
- Panopea** (L.) aldrovandi, cretosa, faujas, goldfussi, semire, tsiPHONE. *Vide et Panopaea.*
- Panopea** (Lep.) lucretia.
- Panopeus** caystrus, dentatus, formio, herbsti, limosus, wurdemanni. *Vide et Panopaea, etc.*
- Panophrys** chrysalis, faretta, flava, leucas, rubra, vernalis.
- Panoplia** (Ar.) denticulatus.
- Panoplia** (Lep.) augustana, lecheana.
- Panops** baudini, flavipes, flavitarsis, meridionalis, ocelliger.
- Panormella** lo-fasi.
- Panorpa** affinis, alpina, angustipennis, apicalis, appendiculata, bipennis, borealis, charpentieri, cognata, communis, confusa, debilis, furcata, javanica, nebulosa, punctata, rufa, rufescens, ruficeps, rufo-stigma, subfurcata, terminata, venosa.
- Panscopus** erinaceus, rufinasus.
- Pansmicrus** fasciatus, rufus.
- Panstegia** aerealis, opacalis.

- Panstenon** oxylus, pidius.
Panthalops hodgsoni.
Panthea coenobita.
Panthera pardalaria.
Pantherophis guttatus.
Panthiades pelion, thallus.
Pantholops hodgsoni.
Panthus crassicornis, flavovarius.
Pantilius tunicatus.
Pantocometis hirsuta.
Pantodactylus concolor, orbignyi.
Pantodinus klugi.
Pantolia ebenina, flavo-marginata, iris, rubrofasciata, scapha, striata.
Pantomelas ephippium.
Pantomorus albosignatus, cervinus.
Pantophthalmus tabaninus.
Pantoplanes anthribiformis.
Pantoporia frobenia, hordonia, mardania, nefte, phaerusa.
Pantoteles erythrorhynchus, tenuirostris.
Pantorchium armatum, asperum, enchelys, lagenula, volvox.
Panulirus argus, guttatus, japonicus, occidentalis, ornatus, penicillatus, sulcatus, taeniatus.
Panurginus niger.
Panurgus aretos, ater, calcaratus, canescens, cephalotes, dentipes, lobatus, nasutus, octomaculatus, unicolor, ursinus, venustus.
Panurus biarmicus.
Panus barbicornis, rhina.
Panyptila cayennensis.
Panzeria lateralis, minor, sanguinea, tricineta.
Paonias excaecatus, myops, pavonina, salicis.
Papa (=Pupa) cocchi.
Paphagus sidero.
Paphia (L.) roissyana, undulata.
Paphia (Lep.) actorion, aidea, appias, arginussa, basilia, boebera, electra, eribotes, glabrata, glycerium, halice, helie, horsfieldi, huegeli, inachus, itys, jasius, laertes, medon, morvus, nessus, octavius, orion, otrere, paralekta, pasibula, phidile, philumena, pleione, pollux, polycarnes, portia, ryphea, troglodyta, ursula, varanes, verticordia, xenocrates.
Papilio abeona, acaciae, acantha, achaeus, achanta, acidalia, acidulia, acis, actaea, actaeon, adamas, adamastor, adippine, adippoides, admetus, adrasta*, adyte, aecius, aeclus, aegeria, aegeus, aegistus, aegon, aelia*, aelianus, aello, aemulius, aenippe*, aeolus, aesculapius, aetherie, aetherius, aethiopellus, aethiops, agacles, agamedes, aganippe, agathokles, agathon, agave, agestis, agestor, agetes, aglaja, agricola, agrippa, agrius, aidoneus, alaetas*, albunea, alcimedon, alcinous,alcon, alcyone, alecto, alexanor, alexis, allica*, allionii, alloiis, alphonsus, alsarius, alsus, altheae, alticus*, alveolus, alveus, amandus, amanga, amantus, amathusia, ambrax, americus, amiatus, amphotrite, amyntus, anacreon, anaetus, andraemon, androcles, angusta, antharis, anthe, anthelea, anticrates, antinous, antiochus, antiopa, apastris, apelles, aphaea, aphirape, apisaeon, apollo, apollo delius, aracinthus, aracynthia, arbates, arcadius, arcanius, arcas*, archelaus, archidamas, archimedes, arcturus, arete, arethusia, arge, argiades*, argiolus, argus, argus argiades, arinus, arion, arisbas, aristaea*, aristaeus, aristodemus*, aristolochiae*, aristor, arria, arriphus, arsilache*, artaxerxes, artemis, arthemis*, arycles, ascalaphus, ascalus, asclepiades, astasia, asteria, astina, astorion, astyanax*, astylus, astynome, atalanta, athalia, athene*, atratus, atropos, atticus, atys, augias, augustus, aurora, ausonia, autonoe, axion, baeticus, baeton, ballus, basaltides, bathycles, battus, belemia, belemida, bella, bellargus, belledice, bellerophon, berecynthus, bertolis, betulae, biblis*, bibulus, birchi, bitias, blumei, boisduvali, boisduvallianus, bolina, bolivar, bonelli, bootes, bore,

brama, branchus, brassicae, bruno, briseis, brontes, hryce, bryoniae*, bunichus, busiris, byzene*, C-album, caecilia, caesar, caletor, callidice, canilla, canopus, capaneus, caractacus, cardamines, cardui, caroletta, carolina, carthami, cassander, cassandra, cassiae, cassiope, castor, catena, catillina, catullus, caudius, caunus, ceirhones, cecilia, ceepros, celeno, celline, celsus, celtis, ceranus, ceraunus, cerisyi, ceronus, cerri, cersonia, cethosia, ceto, chamissouia, chaon, chara, chariclea, charidamas, charideia*, charlotta, charmione, charopus, cheiranthi, chermes, childrenae, chloe, chloridice, chorinaeus, chryseis, chrysippus, chrysotheme, cincinnatus, cinnus, cinxia, cipris, circe, clarus*, claudia*, claudius, cleanthe, cleo, cleodoxa, cleopatra, cleotus, clericus, climene, clite, cleanthus, clonias, clotho, clytie, coelus, coenus, columbus, comma, concordia, coor, cordala*, cordula, coresilaus, corethrus, corinna, coriolanus, coristheus, corydon, corythalia, cramerianus, crataegi, curtius, cymochles, cymon, cynira, cynthia, cyparissus, cyrene, cynrus, damaetus, damon, damone, danae*, daphne, daphnis, daplidice, daunus, decemmaculata, deione, deiopea, dejanira, delalande, delesserti, delia, delius, democritus, demoleus, demosthenes, descombesi, deucalion, devilliers, dia, dia lapponica, diana, dictynna, dindus, dionysos, dioscrides, dioxippe, dirpyha, dispar, disparilis, dolus, domitianus, donzeli, dorcus, dorion, dorylas, drimachus, dubius, duponcheli, dymus, echedorus, echelus, edusa alba, egena, egeria, electron, elphenor, encelades, endochus, ennius, ennomus, eos, epidaus, epiphorbas, epistrophus, epistygne, erate, erebus, erechtheus, erectheus, ergane, ericus, erithalion, eros, erostatus, erynaeus, erynis, eryssus*, erythia, erythromelas, escheri, esculi, eucrate, eudora, eumedon, euphanes*, eupheme, euphemus, eupheno, euphrosyne, euridice, euripides, europome, eurybia, eurybia, eurymas, eurytis*, eurytris, eurytus, evagoras, evan, evander, evenion, evippus, evombar, fascelis, fauna, fausta, feisthameli, festivus*, fidia, floridor, francisca, freija, freya, frigga, fritillum, frontinus, fulgurator*, fulminator, galathea, galba, galene, galenus, ganesa, garamantis, garamas, gelon, gemellus, geminus, gesion*, geticus, glacialis, glandon*, glauce, gliciria, glycerion, glycinae, goante, golgus, gordius, gorge, grayi, griela, gyas, halius, hamptediensis*, hannibal*, harmonides, harmonides, harpalyce, harrisianus, hecate, hectorides, helice, helle, hellen, heraclitus, hercules, hermione, hero, heros, herse, herta, hesiodus, hihisci*, hiera, hippocrates, hippodice, hippolytus*, hipponoe*, hippothoe, hispulla, hospiton, hudsonius*, huttunius*, hyacinthus, hyale, hylas, hylasus*, hypenor, hyperici, hysipyle*, I-album, ianthe, iapygia*, icarinus, icarius, ichnusa, ida, idalia*, idmon, ilia, ilicis, ilioneus, imerius, immaculatus*, indica*, ines*, ingae, io, ioides*, iolaus, iole, iphigenia*, iphis, irene, iris, isarchus, isidorus, isis, ismenias*, isocrates, iswara, jammula*, janthe, jolaus, julia*, junonia*, jurtina, jutta, kotzehuea, krusensternia, L-album, lahienus, lachesis, laius, lampetie, lampsacus, laodocus, lapponica*, larinia, larissa, lasinassa, lathona, lathyria, latreilli, latreillianus, laura, lavatherae, ledebouria, legeri, leosthenes, leototes, lepidus, leucaspis, leucogramma, leucomelas, leucothoe, levana, lica, liciria*, ligea, linceus, lincus, linea, lineata*, lineola, liriopie*, lisias, livius, longirostris, lucanus, lucas, lucianus, lucidator, lucilla, lucina, lucius, luteus*, lyaeus, lycagus, lycaon, lycoraeus, lycorias, lylius, lynceus, lysimon, lysithous, lyssa, macareus, machaon, macleayanus, madyes, maecenas, maera, maevius, malvae, malvarum, manlius, manto, mantoides, marcellinus, marchandae, marchandi, maria, marianna, marmorae, matura, maurisius, meatus, medea, medesicaste, medusa, megaera, megarus, meges, melanides, melanops, meleager, melihoeus, memercus, mentor, merope, merope, metis, mezentius, militaris, minereus, minutus*, mithridates, mnemon, mnemosyne, mnestra, monous, montana, montezuma, monticola, morania, morope, muretus, mygdon, myrmidone, mysia, nanus, napaea, napaeae, napi, narcaea, narcissus, narica, nasica, nausinous, neesius, nelamus*, neleus*, nelo, nemiausiaca, neocides, neoridas, nephalion, nephele, nephelus, nepos, neptunus, nerene, nerva, niamus, niobe, no japonicum, nobilis, norax, norna, nostradaemus, nox, numa, numitor, occitanica*, oebalus, oculus, oeme, oenomaus, opleus, optilete, orbifer, orbitulus, oribazus, ormenus, ornythion, orophanes, ovidius, oxynius, paeon, palaeno, palephrates, pales, pamphila, pandora, pandrosus, paniscus, panoptes, paphia, paphioides*, paradoxus, paralecta, paramegaera, paridion, parisia, parmenio, parrhasius, parthaou, parthenie*, pasiphae, paullinae, payeni, peas, pelopidas, pelopus*, penthesilea, peon, perditus, pericles, perimale, perrhehus, persephone, persiphone, petilia, petronius, petus, phaedra,

phaenon, phaeton, phalaenoides, phaon, pharnaces, pharte, phegea, pheretes, phiestus, phiala, phicomone, philea, philenor, philippus, philolaus, philomela, philomene, philoxenus, phylaea, phleas, phocides, phoebe, phocbus, phorbis, phoreus, photius, phronima, phryne, pigmaeus, pilumnus, piuthoris*, pirata, pirene, piriuous, pisistratus, pitlio, plato, plautilla, plautus, plexaris, plinius, plinthus, pluto, podalirius, podarca, podarce, polaris, polidamus*, polixenus, pollux, polybius, polychaon, polychloros, polycor, polydama, polyeuctes, polygius, polymeda, polymetus, polyphontes, polyxena, populi, porina*, priapus, procida, prometheus, proneus, pronoe, propertius, prorsa, proserpina, proto, protodama, provincialis*, pruni, psamathe, psodea, psyche, ptolomaeus, punilo, punctum-album*, pygmaeus, pylarge, pyramis, pyramus, pyrochles, pyronia, pyrophoros, pyrha, pyrrhomelaena, pythius, quercus, rapae, ravindra, reboris, regulus, renatus, rhamni, rhea, rhesus, rhetenor, rhipheus, rhodensis, ridleyanus, riparti, riperti, roboris, rogeri, roxelana, roxelina, rubi, rubricollis, rumanzovia, rumina, rurik, russiae, sakuni, saltator, salustius, salvanus, sao, saportae, sapphira, satius, saturnus, satyrion, scaea, scamander, scipio, seoea, sebrus, selenis, semele, semiargus, semiramis, scrapis, sertorius, servillei, siciliae, sricula, sidae, silvius, sinapis, smilax, sophocles, speculum, sphyrus, spini, spio, spondiae, steeveni, steropes, sthenclus, sthenio, stilbon, strabo, striatus, stygne, suetoniuss, sugriva, sulfurea, suwarovius, sybilla, sylla, sylvanus, tacitus, tages, tagis, tarpeja, tarquinus, tartarus, teleclus, telicatus, temenes, tereas, tertullianus, tessellum, thalestris, thalia, thaumas, theano, thocla, themis, themistocles, theocritus, theophrastus, thetis, thetys, thia, thore, thrasibulus, thrax, thucydides, thyelia, thymbraeus, thyria, tigellius, tipha, tiphon, tiresias, tisiphone, titania, tithonus, titus, trapejus, tremulae, tritonia, trivia, trojanus, trophonius, tullia, tunbergi, turnus, tyche, tyndarellus, tyndarus, typhon, tyrtaeus, unedonis, urticoe, urvillianus, v-album, valdensis, varanes, varuna, varus, velleda, venula, vespasius, vibrius, victorinus, vidura, virgaureae, virginiensis, virgula, volcanica, W album, westermanni, xanthe, xanthomelas, xenocles, xenodamus, xenophon, xylostei, zagreus, zealeucus, zephyritis, zeryntius, zetes, zonaras.

Papillon bias.

Papio babuin, barbella, cinerea, cynocephalus, gelada, hamadryas, leucophaeus, maimon, melanotus, ochreateus, porcaria, silenus, silvestris, sphinx, wurmbi.

Papyridea apertum, ringens, soleniforme, transversum.

Para jacana.

Parablops pauper.

Parabolina spinulosa.

Paracairius costatus, verrucatus.

Parachilia bufo, melanocala.

Paracletus cimiciformis.

Paracolax barbalis, derivialis, grisealis, nemoralis, tarsicrinalis, tarsiplumalis, uucinalis.

Paracoris paradoxus, unicolor.

Paracrucis cyanipes.

Paracyathus aequilamellosus, brevis, caryophyllus, crassus, desnoyersi, pedemontanus, procumbens, stokesi, turonensis.

Paracyclas elliptica.

Paracyon cynocephalus.

Paradigalla earunculata.

Paradisaea sexilis.

Paradisea alba, aurantia, aureus, candida, chalybea, domicellarum, fulva, ignota, major, minor, nigricans, oriolus, papuana, parkinsoniana, pica, rubra, sefilata, tibicen, vaillanti, violacea, wilsoni.

Paradisoa sanguinea.

Paradoxides acuminatus, arcuatus, becki, bimucronatus, bohemicus, boltoni, brevimucronatus, bucephali, dormitzeri, eatoni, forcipata, forficula, gibbosus, gracilis, grotei, harlani, inflatus, laciniatus, latus, linnaei, longicaudatus, macrocephalus, pusillus, quadrimucronatus, rotundatus, rugulosus, scarabaeoides, scaraboides, spinosus, spinulosus, tessini, tetragonocephalus, triarthrus, trivirgatus.

Paradoxites actinurus, latus, longicaudatus, pyramidalis.

Paradoxornis flavirostris, gularis, ruficeps.

Paradoxurus albifrons, annulatus, ater, aureus, binotata, bondar, crossi, derbyanus, derghanus, dubius, felinus, finlaysoni, grayi, hamiltoni, hermaphroditus, hirsutus, jourdani, lanigera, larvatus, leucogena, leucomystax, leucopus, linsang, musanga, musangoides, nigrifrons, nipalensis, nubiae, ogilbyi, pallasi, pennanti, philippensis, philippinensis, prehensilis, quadriscriptus, quinquelineatus, typus, zebra, zeylanicus.

Paradoxus boltoni.

Paragia decipiens, odyneroideus, tricolor.

Paragonia tasimaria.

Paragryllus martini.

Paragus aegyptius, aeneus, albifrons, albipes, algius, annulipes, antimenes, arcuatus, ater, bicolor, bifasciatus, bimaculatus, borbonicus, coadunatus, compeditus, dispar, femoratus, fuscipennis, geniculatus, haemorrhous, lacerus, latus, nigrites, numida, obscurus, politus, punctulatus, quadrifasciatus, rufo-cauda, scutellaris, serratus, sigillatus, strigatus, taeniatus, testaceus, tibialis, transatlanticus, triangularis, trianguliferus, zonatus.

Paralcyon dea.

Paralcyonium elegans.

Paralepis borealis, choregonoides, coregonoides, hyalinus, sphyrenoides.

Parallelia ammonia, bistriaris, parallelaris.

Paralelomorphus aetion, arenarius, caspius, crenulatus, cylindronotus, eurytus, fischeri, hispanus, impressicollis, inderiensis, laetus, laevigatus, laticollis, macrocephalus, mandibularis, marginatus, persicus, rivularis, sabuleti, salinus, strigifrons, volgensis, volhynensis.

Parallelosomus planicollis.

Paralystra emma.

Paramaecium acuminatum, ambiguum, bifrons, bullatum, capitatum, compressum, contortum, corniculatum, cuspidatum, gibbosum, kolpoda, lobulosum, lugens, mutilum, ovatum, perforatum, pinnatum, sinaiticum, splendens, sulcatum, trifoliatum, truncatum, tuberosum, unbratum, uncinatum, variegatus, vespertilio, viridescens. *Vide et Paramaecium, Paramoecium.*

Paramaya dehaani.

Paramecium dioxinum, fusus, incubus, lamella, milium, nucleus, oceanicum, pigrum, pisciforme, terebra, viride. *Vide et Paramaecium.*

Paramecops farinosus, pacca.

Paramecosoma abietis, bicolor, caucasica, denticulatum, elongata, inconspicuum, melanocephala, minuta, pilosula, serrata, unicolor.

Paramecus cordiger, cylindricus, laevigatus, niger, parallelus.

Parameria femorata, graeca.

Paramesia (Dipt.) riparia, roberti, wesmaeli.

Paramesia (Lep.) bifidana, cerusana, gnomana, subtripunctulana, tenella, tripunctulana.

Paramesius rufipes.

Paramicippa platipes, sex-spinigera, subclivosa, tuberculosa.

Paraminus eumelus, scurra, talaus.

Paramithrax barbicornis, edwardsi, gaimardi, peroni, rotundatus.

Paramoecium colymbus, dubium, kolpodinum, lamellinum, oryziformis, paradoxum, solea. *Vide et Paramaecium, Paramoecium.*

Parandra brunnea, caspia, fasciata, ferruginea, glaber, glabrata, laevis, lineolata, mandibularis, mamillata, mordax, polita, purpurascens, purpurea.

Paranema globifer.

Paranephrops planifrons.

Paranormus fischeri, l'herminieri.

Paranonea prasina.

Paranthrene pepsidiformis.

Paranthrene asiliformis, brosiiformis, myrmosaeformis, tineiformis, vespiformis.

Parapholas bisulcata, californica, janelli.

Parapoinx albargentalis, nivealis, stratiotalis, suppedalis.

Pararge egeria, xyphia.

Parascidia flava.

- Parascotia** carbonaria, fuliginaria, trepidaria.
- Parasemia** aguitaria, lapponica, plantaginis, transversella.
- Parasia** nevropterella.
- Parasnilia** centralis, cylindrica, elongata, faujasi, fittoni, gravesiana, mantelli, poculum, punctata, serpentina.
- Parastasia** bicolor, binotata, bipunctata, canaliculata, confluens, dimidiata, discolor, femorata, horshfieldi, melanocephala, nigriceps, nitidula, obscura, rubrotessellata, rufolimbatata, rufopicta, rugosicollis, scutellaris, westwoodi.
- Parastata** guttula.
- Parastichtis** didyma, hepatica, suspecta, vilis.
- Parastrea** affinis, amicornum, amplior, auauas, caryophylloides, deformata, denticulata, doreyensis, fragum, gervillei, gratissima, lifoliana, lobata, meandrites, nantuacensis, radiata, rotulosa, rousseaui, savignyi, stricta, urvilliana.
- Paratenetus** fuscus, lebasii, punctatus.
- Parathyris** cedonulli, pandiona, perspicilla.
- Paratropes** lycoides.
- Paraxanthus** hirtipes.
- Pardalisca** cuspidata.
- Pardalotus** affinis, africanus, australis, brevirostris, caeruleus, cristatus, flavescens, gularis, hirundinacea, maculatus, melanocephalus, obsoletus, ornatus, percussus, pipra, punctatus, quadragintus, rubricatus, striatus, superciliosus, thoracicus, uropygialis.
- Pardia** tripunctana.
- Pardosa** striatipes.
- Pareas** carinata.
- Parexus** recurvus.
- Parias** flavomaculatus, ornata, variegata.
- Pariboea** spinipalpis.
- Parides** aeneas, echelus, gargasus, lysander, sessostis, vertumnus.
- Pariocela** laticeps.
- Pariopeltis** triscalis.
- Parisoma** frontale, galinieri, monacus, subcaeruleum, viroides.
- Paristemia** apicalis, platyptera.
- Parix** graminicola, graminicola, viridis.
- Parkinsonius** mirabilis.
- Parmacella** alexandrina, calyculata, cumingi, gervaisi, mauritius, mesopotamiae, nigricans, olivieri, palliolum, punctata, reticulata, taeniata, taunaisii, unguiformis, valenciennesi, valenciennii, variegata, virescens.
- Parmacellus** palliolum, rutellum.
- Parmaphorus** bellardii, elongatus. *Vide et Parmo*→.
- Parmena** algerica, antarctica, bicincta, fasciata, hirsuta, pilosa, pubescens, rugosula, solieri, unifasciata.
- Parnophorus** ambiguus, angustus, bellardi, breviculus, convexus, corrugatus, elegans, fissurella, fragilis, gibbosus, granulatus, intermedius, laevis, patelloideus, sinensis. *Vide et Parma*→.
- Parmula** (G.) cocciformis.
- Parmula** (Hem.) bistrigata, gibbula, vertebralis.
- Parnassius** actius, apollo, clarus, corybas, delius, dellius, delphius, hardwicki, helios, hypsipyle, jacquemonti, mnemosyne, nomion, phoebus, rumina, smintheus, stubendorfi.
- Parnopes** carnea, denticulata, elegans, fischeri, viridis.
- Parnus** algericus, asiaticus, auriculatus, bicolor, brasiliensis, caspius, cinctus, dumerili, elateroides, fastigiatus, griseus, hydrobates, impressus, lithophilus, longimanus, longipes, luridus, lutulentus, minutus, montanus, nitidulus, niveus, obscurus, ovatus, picipes, pilosellus, pubescens, punctatus, punctulatus, rufipes, sericeus, striatus, punctatus, striatus, substriatus, sulcatus, vienensis, viennensis, villosus, vittatus.
- Paroaria** capitatus, cucullata, dominicana, gularis, nigrigenis, nigraurata.
- Parodon** suborbitale.

- Paroides** ~~hammatus~~, *capensis*, *caudatus*, *flammiceps*, *longicaudus*, *pendulinus*, *pensilis*, *smithi*.
- Paromalus** *aequalis*, *affinis*, *bistriatus*, *complanatus*, *conjunctus*, *flavicornis*, *minimus*, *parallelepipedus*, *pumilio*, *rouzeti*, *seminulum*, *tenellus*, *troglodytes*.
- Paropia** *scanica*, *scutata*.
- Paropis** *pallidipennis*, *sorbi*.
- Paropsis** (Col.) *aegrota*, *amboinensis*, *amica*, *atomaria*, *australasiae*, *beata*, *bimaculata*, *cassidoides*, *chlorotica*, *circumdata*, *coccinelloides*, *crocata*, *decemguttata*, *dilatata*, *duodecimpustulatus*, *erudita*, *fallax*, *flavicans*, *geniculata*, *granulosa*, *hectica*, *hieroglyphica*, *immaculata*, *incarnata*, *insignita*, *inspersa*, *intacta*, *interlita*, *irrisa*, *laesa*, *lepida*, *lignea*, *litrata*, *maculata*, *marmorea*, *miliaris*, *minor*, *morbillosa*, *multi-punctata*, *nigerrima*, *nobilitata*, *uotata*, *nucea*, *nuda*, *obliterata*, *obscura*, *obsoleta*, *octolineata*, "oliv.," *orphana*, *pallipes*, *papulosa*, *picea*, *polyglypta*, *porosa*, *punctulata*, *remota*, *rufipes*, *rugulosa*, *sanguinicollis*, *sanguinipennis*, *scutifera*, *seriata*, *serpiginosa*, *sempustulata*, *signata*, *suturalis*, *testacea*, *trifasciata*, *ustulata*, *variolora*, *venusta*, *vicina*.
- Paropsis** (P.) *signata*.
- Paropus** *alternata*.
- Parotia** *aurea*, *psittacalis*, *sexsetacea*.
- Parra** *aenea*, *albinuca*, *alpina*, *arata*, *atricollis*, *calidris*, *canulus*, *capensis*, *cinclus*, *cordifera*, *corrora*, *cristata*, *gallinacea*, *grisea*, *gymnostoma*, *helvetica*, *hypoleucos*, *hypomelana*, *interpres*, *macularia*, *melanoviridis*, *naevia*, *ochropus*, *phaenicura*, *pugnax*, *sanderling*, *sinensis*, *squatarola*, *superciliosa*, *vanellus*.
- Parrhasius** *acmon*, *arogeus*, *hemon*, *lisus*, *polybetes*, *timoleon*.
- Parthenia** (Dipt.) *bosci*, *carolinae*, *cylindrica*.
- Parthenia** (G.) *bulinea*, *crenata*, *elegantissima*, *fasciata*, *glabra*, *indistincta*, *metcalfi*, *pallida*, *scalaris*, *terebra*, *turris*, *turrita*, *varicosa*, *ventricosa*.
- Parthenie** *fasciata*, *lineata*.
- Parthenopa** *leucogaster*.
- Parthenope** (Cr.) *angulifrons*, *calappoides*, *contracta*, *contraria*, *cyrnus*, *diacantha*, *fornicata*, *laciniata*, *macrocheles*, *mediterranea*, *punctatissima*, *reticulata*, *spinimana*, *tarpeius*, *valida*.
- Parthenope** (Dipt.) *neocomiensis*.
- Parthenope** (L.) *formosa*.
- Parthenos** *andremona*, *nubilis*, *sylvia*.
- Partula** *amabilis*, *auricula*, *auriculata*, *australis*, *brumalis*, *bulimoides*, *carteretensis*, *compressa*, *conica*, *decussatula*, *densilineata*, *diminuta*, *dumartroyi*, *fabia*, *flavescens*, *fragilis*, *ganymedes*, *gibba*, *glabrata*, *gonocheila*, *grisea*, *guanensis*, *hyalina*, *inflata*, *isabellina*, *lineata*, *lutea*, *maximiliana*, *navigatoria*, *otaheitana*, *putica*, *pusilla*, *radiolata*, *recluziana*, *rosea*, *rubescens*, *rufa*, *solidula*, *spadicea*, *unidentata*, *varia*, *virgulata*, *zebrina*.
- Partulus** *australis*, *carteriensis*, *roseus*, *torosus*, *vanicorensis*.
- Parula** *americana*, *mexicana*.
- Parulus** *ruficeps*.
- Parus** *abietum*, *aemodius*, *albigena*, *albigena*, *amorusus*, *annexus*, *aplonotus*, *atricapilla*, *atriceps*, *atricristatus*, *atrogularis*, *barbatus*, *bokharensis*, *bombycilla*, *borealis*, *caerulescens*, *calendula*, *candatus*, *carbonarius*, *carolinensis*, *cayaneus*, *cinctus*, *cinerescens*, *cinereus*, *coeruleatus*, *coerulescens*, *dichrous*, *dorsatus*, *dubius*, *elegans*, *erythrocephalus*, *exilis*, *fasciatus*, *ferrugineus*, *flavicollis*, *flavocristatus*, *frigoris*, *fringillago*, *fuliginosus*, *furcatus*, *fuscus*, *griffithi*, *hortensis*, *inornatus*, *iouschistos*, *japonicus*, *iouschistos*, *lathamii*, *ledouci*, *leucomelas*, *leuconotus*, *leucopterus*, *leucotis*, *longicaudatus*, *luctuosus*, *lugubris*, *melalophos*, *melanophos*, *melanotis*, *melanotus*, *minimus*, *minutus*, *mitratus*, *montanus*, *monticolus*, *niger*, *nuchalis*, *pensilis*, *quadri-color*, *quadrivittatus*, *robustus*, *rubidiventris*, *rufescens*, *ruccicus*, *salicarius*, *satrapa*, *schistinotus*, *scythus*, *senilis*, *septentrionalis*, *sericophrys*, *seriophrys*, *sultaneus*, *sumatrensis*, *sylvestris* *ater*, *teneriffae*, *trivirgatus*, *ultramarinus*, *urostigma*, *variegatus*, *xanthogenys*, *zelandicus*.
- Parydra** *aquila*, *coarctata*.
- Paryphes** *andreae*, *diabolicus*, *fenestratus*, *humeralis*, *laetus*, *megaera*, *miniaceus*.

Paryphus lobatus.

Pasimachus californicus, depressus, laterisulcatus, marginatus, mexicanus, obtusus, punctulatus, rotundipennis, sublaevis, substriatus, subsulcatus, sulcatus.

Pasiphaea tarda.

Pasiphaea brevirostris, distincta, sivado.

Pasites maculata, schotti, unicolor.

Pasithea (Cr.) gibba, rectirostris.

Pasithea (G.) aciculata, cancellata, claibornensis, diaphana, eburnea, elegans, exarata, guttula, laevigata, lugubris, minima, nigra, notata, ornata, ovulum, secale, sordida, striata, subula, sulcata, turbinopsis, umbilicata.

Pasithea (Verm.) chrysoccephala.

Pasithoe umbonata, vesiculosa.

Passaleutus geniculatus.

Passalites nemorivagus.

Passalodon rostratus.

Passaloecus corniger, gracilis, insignis, monilicornis, singularis, turionum.

Passalurus ambiguus.

Passalus abortivus, aculeatus, acuminatus, aduncus, aethiops, affinis, africanus, agnoscendus, angulatus, anguliferus, approximatus, armatus, assimilis, australasicus, australis, barbatus, bicanthatus, bicolor, bidentatus, bihastatus, brasiliensis, caelatus, caesus, cancrus, cantori, carbonarius, cayennensis, caylor, cephalotes, chevrolati, ciliatus, cirratus, coarctatus, compar, conpergus, coniferus, contractus, convexus, cornutus, crenatus, crenistrius, crenulatus, cylindraceus, cylindrus, depressus, dilatatus, distinctus, edentulus, elongatus, emarginatus, exaratus, fronticornis, furcillabris, geometricus, gibbosus, glaberrimus, goryi, grandis, hamatus, hieraticus, hopei, hostilis, imberbis, inaequalis, incertus, insularis, interstitialis, laevis, laterisculptus, latifrons, latipennis, longulus, lottinus, maillei, mancus, manouffi, marginatus, medius, moluccanus, morbillosus, morio, mucronatus, muticus, nasutus, naviculator, neelgheriensis, occipitalis, orientalis, palini, parvulus, pelliculatus, pentaphyllus, piceus, pilifer, planiceps, platyrhinus, plicatus, politus, polyphyllus, pronus, pugionatus, punctatissimus, punctato-striatus, puncticollis, punctifrons, quadricollis, quadri-dentatus, quadrifrons, recticornis, robustus, rugiceps, rusticus, savagei, semicylindricus, sexdentatus, sicatus, sinuatus, sinuosus, spectabilis, spinifer, striato-punctatus, striolatus, sub-armatus, subcornutus, sulcatus, suturalis, teres, tetragonus, tetraphyllus, timoriensis, tlascala, toriferus, torpidus, transversus, tricuspatitus, tridens, trituberculatus, tropicus, unicornis, validus, vicinus, villosus, vulneratus.

Passandra bistriatum, brasiliensis, columbus, concolor, crassicornis, fasciata, rubro-lineata, sexstriata.

Passer alpicola, arboreus, arctous, arcuatus, australis, calcaratus, cannabina, capensis, carduelis, cinnamomeus, cisalpina, concolor, cristatus, cruciger, diffusus, dominicanus, elegans, erythrocephala, erythrophys, flaveolus, fringilla, hispaniolensis, indicus, italicus, jagoensis, jugiferus, marchionessarum, molitensis, montanina, montanus, montefringilla, motitensis, oryx, papaverina, petronia, pileatus, pusillus, pyrrhonotus, pyrrhopterus, roseus, rufipectus, ruppeli, rutilans, salicicola, spinus, spiza, teydea.

Passerculus lincolni, palustris, passerinus, savanna.

Passerella cinerea, hyperborea, iliaca, rufo, townsendi, unalascensis.

Passerina atricapilla, bicolor, borealis, capensis, caudacuta, ciris, collaris, cyanea, discolor, dumetorum, flava, flavifrons, flaviventris, hyemalis, jacarina, jacarini, lapponica, leclancheri, lepidia, leucophrys, maritima, melanocephala, montana, monticola, musica, nigricollis, nivalis, olivacea, ornata, oryzivora, palustris, pecoris, pratensis, pusilla, quadricollis, rufescens, ruficapilla, savanna, socialis, sphenura.

Passerita mysterizans, nasuta.

Passus dasypleurus, graculus, parastictus.

Pastinaca hastata, macchura.

Pastinachus uarnak.

Pastor amoenus, bicolor, blythi, calva, cantor, capensis, carunculatus, columbinus, contra, corythaix, cristatella, dauricus, docilis, dominicanus, elegans, fuscus, galla, gallinaceus, ginginianus, gregicolus, griseus, leucocephalus, mahrattensis, malabaricus,

malatensis, mauritanus, melanopterus, musicus, nigrocaeruleus, oricularis, pagodarum, pegasus, roseus, ruficollis, saularis, sericeus, setifer, sinensis, sturninus, temporalis, terricolor, trailli, tricolor, tristis, turdiformis, upupa.

Pasythea gracilis, quadridentata, tulipifera.

Pataecus fronto.

Patagona gigas.

Patara albata, guttata.

Patella acinaces, acuminata, acuta, adela, adunca, aeruginosa, alba, albescens, albicosta, albidula, alboradiata, algira, alta, altera, alternata, alveus, ambigua, amoena, anceps, ancyloides, angulata, angulosa, antillarum, antiqua, antiquissima, apertura, apicina, apiculata, appendiculata, araneosa, araucana, ardosiae, argentata, argentaurum, argentea, argenvillei, argyropsis, asmi, aspera, aspersa, atricapilla, atromarginata, aubentonensis, aurantiaca, aurea, auricula, auricularia, auriculata, aurifera, australis, azorica, barbata, bifidus, bimaculata, bonardi, borbonica, borni, bourouniensis, calcarea, callosa, calyptra, campaniformis, campanulata, cancellata, candei, candida, capillata, capulina, carditoides, carinata, cassida, castanea, cecilianae, cerea, chalcidonica, chiliensis, cingulata, cingulum, cinnamomea, citrullus, clealandi, clelandi, clypeater, clypeola, clypeus, cochleata, coerulea, comosa, compressa, compressiuscula, concephionis, conica, conspicua, constricta, cornea, cornucopiae, costaria, costata, costulata, crassa, crassicosta, crocata, cruentata, crystallina, cupuloidea, curvata, cuspidata, cyanea, cymbium, cymbularia, cymbuloides, cypria, cypridium, decora, deserti, dentata, depressa, diaphana, dichotoma, diemensis, digitata, dilatata, dimidiata, disciformis, discoidea, discors, distorta, dubia, dubio-radiata, duclosi, dulcis, dunkeri, duplicata, echinulata, elegans, elliptica, elongata, epidermidea, equalis, exarata, exilis, explanata, extensorum, favaniana, fenestrata, fimbriata, fissa, fissurata, flexuosa, forbesi, fornicata, fragilis, fungoidis, fusco-lutea, galathea, garnoti, gaudichaudi, gigantea, glabra, gorgonica, granulata, granulosa, greenwoodi, grisea, grossa, guttata, hartlepolensis, heptagona, hiantula, hyalina, illuminata, imbricata, implicata, incisa, inconspicua, indica, inornata, insessa, insignis, instabilis, intorta, irregularis, jacksoniensis, japonica, javanica, klipsteini, kochi, laevigata, laevis, laevisima, lamarcki, lamellosa, laqueare, lata, lateralis, latissima, leucophaea, leucouzoua, limbata, lineata, lineolata, lobata, longicosta, lowei, lucernaria, luctuosa, lusitana, luteola, macroschisma, maculata, madagascariensis, malicolor, mamillata, mammillaris, margaritaria, maxima, mazatlantica, membranacea, mexicana, militaris, minuta, monticolor, mucronata, muricata, mytiliformis, uanus, neglecta, neptuni, nigra, nigroalba, nigro-squamosa, nisoria, nitida, nodosa, novemradiata, nuda, oblonga, obscura, oblecta, octocostata, oculus hirci, olivacea, onychitis, opea, orbis, oregana, orichalcea, ornata, ovalis, ovata, pallescens, papyracea, parallelogrammica, parasitica, parvula, patina, paumotensis, pediculus, pennata, peroni, persona, persouoides, peziza, pholidota, pileata, pileolus, pileus, pinaria, piperata, plana, plumbea, poculum, polaris, polii, polita, polygona, pretrei, primigenia, pruinosa, pulchella, punctata, punctatissima, puncturata, punica, purpurascens, purpurina, pustulosa, pyramidata, radiata, radiatilis, raricosta, reticulata, retifera, retortella, retrorsa, reussi, reynaudi, richeltonia, riparia, rivulosa, rotalis, rouxi, rubida, rubraurantiaca, rubro-costata, rugosa, ryckoltiana, sahana, sagittata, saturni, scabra, schmidtii, scurra, scutellata, scutellaris, scutellata, scutiformis, semistriata, serpulae formis, sinuata, sinuosa, solaris, solaris, solida, speciosa, spectrum, spinifera, spinosa, spirorostri, squama, squamaeformis, squamulata, stella, stellata, stellularia, striata, striatula, strigilata, strigilis, sturnus, subannulata, subgranularis, subplana, subquadrata, subradiata, sulcata, supajurensis, tabularis, talcosa, tarentina, tectum, tenella, tenera, tentorium, tenuicostata, tenuis, tenuissima, tenuistriata, tessellata, tessoui, textilis, tricornis, trochoides, tuberculifera, turtonia, umbellata, umbelloides, umbonata, undata, undecim-costata, undulata, unguis, unguis-almae, unguliformis, variabilis, variegata, vespertina, violacea, virginum, viridescens, viridis, viridula, vitrea, xerampelina, zebra, zebrina, zonata.

Patellites acutus, antiquus, calyptraeformis, cingulatus, concentricus, conicus, cornucopiaeformis, costatus, discoides, fissuratus, limbatus, mitratus, peltatus, pennicostes, pileatus, primigenius, primordialis, vetustus, vinariensis.

- Patelloida** conoidea, depicta, elongata, flammea, fragilis, orbicularis, pileopsis, punctata, rugosa, septiformis, squamosa, stellaris, striata.
- Patelloidea** alveus, amaena, vitrea.
- Patelloides** antarctica, pectinata, virginea.
- Patellus** roseus.
- Patera** ccrebriformis.
- Pathoderma** orientalis.
- Patina** laevis.
- Patinula** lithuana, monachalis.
- Patiria** coccinea, crassa, granifera, obtusa, ocellifera.
- Patrobus** alpinus, americanus, augicollis, assimilis, aterrimus, borealis, campestris, depressus, excavatus, fossifrons, foveocollis, hyperboreus, lacustris, lapponicus, longicornis, ovipennis, rufipennis, rufipes, septentrionis, sibiricus.
- Patrocles** querelans.
- Patrus** javanus.
- Patula** (G.) alternata, perspectiva, pygmaea, rotundata, rudrata, rupestris, septemradiata.
- Patula** (Lep.) ascripunctella.
- Patularia** ovata, rotundatus.
- Paulia** horrida.
- Paulinia** muscosa.
- Pausus** aethiops, affinis, armatus, baconis, bifasciatus, bowringi, boysi, burmeisteri, cilipes, cochlearis, cognatus, cornutus, cucullatus, cultratus, curvicornis, denticornis, denticulatus, excavatus, flavicornis, fulvus, granulatus, hardwicki, hearseyanus, hystrix, jerdani, joussetini, klugi, latreillei, limaei, nauceros, parrianus, ploiophorus, politus, rhinoceros, ruficollis, rufitarsus, saundersi, setosus, shuckardi, sinicus, spui-coxis, stevenianus, tibialis, trigonicornis, verticalis.
- Pausus** bihamata, bucephalus, cruciatus, denticornis, fichtelli, pilicornis, thoracinus, turcicus.
- Pauxi** alector, galeata, mitu, pauxi, tomentosa.
- Pavo** aldrovandii, assamensis, javanicus, spicifer.
- Pavona** cristata, lactuca.
- Pavonaria** quadrangularis, scirpea.
- Pavonella** pugnax.
- Pavonia** (Cor.) agaricites, ampliata, angulata, boletiformis, cactus, clavus, contigua, crassa, crispa, cristata, decussata, divaricata, elephantotus, explanulata, flabelliformis, formosa, frondifera, hemispherica, infundibuliformis, irregularis, lactuca, lata, latistella, meandrinoides, obtusangula, papyracea, plicata, praetorta, siderea, tuberosa, undata, venusta.
- Pavonia** (Lep.) anaxandra, aorsa, berecynthus, carpini, cassiae, darius, pyri, spini, telemachus, xanthus.
- Pavoniaria** tetragona.
- Paxillomma** cremieri.
- Paxillus** (Ceph.) belemnoides.
- Paxillus** (Col.) crenatus, leachi.
- Paxyloma** apicalis.
- Paxylomma** buccata.
- Paxyodon** leve, ponderosum.
- Paykullia** fuliginosa, riparia, rubricornis.
- Pecchiolia** argentea.
- Pechipogo** pectitalis, plumigeralis.
- Pechipogon** barbais.
- Peckia** aterrima, imperialis, lamanensis, lanipes, plumipes.
- Pecten** abbreviatus, abjectus, actinodes, actinodus, aculeata, aculeatus, acuminatus, acute-plicatus, acuticosta, acuticostatus, acutiradiatus, aduncus, aequalis, aequicostatus, aequistriatus, affinis, alatus, alberti, albinus, albolineatus, aldrovandi, alessii, alpinus, alternans, alternatus, ambiguus, anatipes, angelicae, anisopleurus, anisotus, annulatus, anonyms, antiquatus, antoni, aptiensis, arachnoides, arachnoides,

araneosus, aratus, arcellus, archiaciana, arcuata, arealis, arenicola, arenosus, arinus, armigerus, armoricanus, articulatus, asper, asperimus, aspersus, asperulatus, asperulus, asperus, astierianus, atavus, audouini, aurantiacus, aurantius, auriatriatus, australis, aviculatus, barbatus, barbesillensis, hathus, beauvoisi, beaveri, hellis, benedictus, beraudi, besseri, beudanti, biaritzensis, bifidus, biformis, bifrons, bisquamosus, bistriatus, blainvilleus, boissyi, borealis, horni, houeii, brevauritus, brocchii, brongniarti, brucei, buchi, hurdigalensis, byssifer, calvatus, calvus, calypso, canillus, campaniensis, canaliculatus, cancellatus, carbonarius, carinatus, carteronianus, cassianus, castor, cenomanensis, centralis, cephus, chiragra, cicatrisatus, cinctus, cingendus, circularis, citrinus, clathratus, clintonius, coarctatus, coelatus, cognatus, collineus, comans, comatus, complanatus, complicatus, compositus, comptus, concavum, concavus, concentricopunctatus, concentricostriatus, concentricus, concinnus, conjux, conoideus, consimilis, conspersus, convexus, coquandianus, corallinoides, corallinus, cornea, corneolus, corneus, cortesi, coruscans, costangularis, costarius, costatus, costulatus, cottalidmus, coyanus, crassicostratus, crassitesta, crassus, craticula, crebricostatus, crenatus, crenulatus, crescens, cretosus, crinitus, crispus, cristatus, cristularis, croceus, curvatus, cygnipes, danicus, darius, darwinianus, decemcostatus, decemnarius, decemplicatus, decemradiatus, decheni, decipiens, decoratus, decussatus, delesserti, deluci, demissus, dentatus, denticulatus, dentifer, deornatus, depilis, depressus, deshayana, deshayesi, deshayesi, dextilis, diaphanus, digitalis, digitatum, digitatus, disciformis, discites, discoloratum, discors, discrepans, dislocatus, dispalatus, dispar, dissimilis, distans, distriatus, divaricatus, diversus, dolabriformis, doris, dubius, duforenyi, dujardini, dunnasi, duodecim-lamellatus, duplicatus, duplicicosta, dutemplei, eboneus, eboeus, electrum, elegans, eliminatus, elixatus, ellipticus, elongatus, eolus, equivalvis, erebus, erythrocentis, esopus, espallaci, exasperatus, excavatus, excisus, exiguus, exilis, exoletus, exoticus, expansus, extensus, fabricii, facsimile, falax, fallax, fasciculatus, faujasi, fenestratus, fibrosus, filatus, fimbrriatus, fittoni, flabellatus, flabelliformis, flabellulum, flabellum, flagellatus, flammeus, flavescens, flavidulus, flavus, flemingi, flexuosus, florens, floridus, foliaceus, forbesi, fragilis, fragilissimus, fragosus, fraterculus, fuchsi, fuci, fulvicostatus, funiculatus, furtivus, fuscopurpureus, fuscus, gallienae, galloprovincialis, geinitzianus, gemmatus, genis, gentilis, gerardi, germaniae, gervilli, gibbosus, gibbus, gigantea, giganteus, girardinus, glaber, glabratus, globosus, gloria-maris, goldfussi, gracilis, grandaevus, grandis, granosus, granulifer, granulocostatus, granulatus, gratissimus, gravesi, grayi, greenlandicus, griseus, gryphaeatus, guttatus, halleanus, hardingi, hashachi, hastatus, haueri, hausmanni, hedonia, hehli, hemisphericus, herrmannseni, hexactes, hians, hispidus, histrionicus, hoeninghausi, hofmanni, holbrookii, holgeri, hoskynsi, humphreysi, hybridus, icelandicus, illawarensis, illegalis, imbricatus, imbrifer, immaculatus, imperialis, inaequalis, inaequicostalis, inaequicostatus, inaequistriatus, inaequalis, inca, incarinatus, incomparabilis, inconstans, incrassatus, incrustatus, incurvatus, indicus, inflatus, inflexus, infumatus, innominatus, insularum, intercostatus, interstitialis, interstriatus, intertextus, intextus, inversus, irradians, irregularis, isabella, isabellae, islandicus, jacobaeoides, jamesoni, janus, japonicus, jeanoti, jeffersonius, joannis, jonesi, josslingi, jugleri, jugosus, klipsteini, knockonniensis, kokcharofi, laevicostatus, laevigatus, laevis, laganum, lamalii, lamarecki, lamellosus, laminata, laminosa, landsburgii, laugrunensis, laqueatus, latiauratus, laticostata, laticostatus, latissimus, latus, laurenti, leiostis, leniusculus, lens, leonhardi, leopoliensis, lepidolaris, lepidus, leymerii, lilli, limaeformis, limatus, lineatocostatus, lineatus, lineolaris, lineolatus, linteatatus, lischkei, lividus, lucidus, luciensis, lugdunensis, lunaris, lusitanicus, luteus, lyelli, macassarensis, macgillivrayi, macrotis, macrotus, mactatus, maculatus, maculosus, madisonius, magellanicus, magnificus, major, makowi, maltonensis, malviniae, mantellianus, marcus, margheritae, marginatus, marrobianus, martinianus, marylandicus, matheronianus, matronensis, medius, megalotis, meleagrinoideus, mellevillei, membranaceus, membranosus, menkei, micans, michauxi, micheloti, micropleura, micropterus, midas, mille cateniferus, milleri, minerva, miniaeus, minutus, minutus, mirabilis, muscellus, mitis, modestus, moniliferus, monotomus, monspeliensis, mortoni, mosae, muensteri, multi carinatus, multicostatus, multi-radiatus, multistriatus, mundus, murchisoni, muricatus, muscosus, mustellinus,

natans, nebulosus, neptuni, nereï, nexilis, nicaeus, niciensis, nilsoni, nilssoni, nireus, niso, nisos, nitida, niveus, nodosiformis, nodosocostatus, noduliferus, nodulosus, normandi, northamptoni, notabilis, nothus, novemplicatus, nudus, numularis, obliquissimus, obliquus, oblitus, obrinus, obscura, obsoletus, oceani, ochroleucus, octocostatus, octoplectus, ocyrrhoe, opis, orbicularis, orbiculatus, ornatus, oroutes, orphanus, ottonis, ovato-costatus, ovatus, oxygonum, palaemon, palinurus, palliatus, palmatus, pandarus, pandorae, papyraceus, paradezii, paradoxus, paranensis, parisiensis, partitus, parvus, passerinus, passyi, patagonensis, patagonicus, pealei, pectoralis, pellucens, pellucidus, pera, permistus, perplanus, personatus, pes felis, phaseolus, philenor, philippi, philipsianus, phillipsi, phillis, philocles, pictatus, pictus, plagiostomus, planicostatus, planoclathratus, plauosulcatus, planus, plebeius, plica, plicatus, podolicus, politus, pollux, polymorphus, polytrichus, pomatia, porphyreus, poulsoni, primigenius, princeps, principalis, priscus, proboscideus, propatulus, propinquus, protei, proteus, pseudanusium, pseudolina, ptychodes, ptychotis, pulchellinus, pulchellus, pulcher, pulcherrimus, pullus, pumilus, punctatus, purpuratus, pusillus, pusio, pusioides, puzosianus, pygmaeus, pyxidatus, quadraginta, quadrucostata, quadriradiatus, quinquecostatus, quinquelineatus, radians, radiatus, rari-costatus, rarispinus, rastellinum, rastellum, raulinianus, reconditus, rectangulus, reevei, reflexus, regius, regularis, requienianus, reticulatus, reussi, revolutus, rietus, rhypheus, rigida, rinulosus, robinaldinus, rogersi, roseburiensis, roseus, rosinon, rothomagensis, rotundatus, rotundus, royanus, ruber, rubicundus, rubidus, rubromaculatus, rudis, rugosus, rugulosus, rusticus, ryckholtsi, sabinus, sandbergeri, sanguineum, sanguineus, sanguinolentus, sarmenticius, saturnus, sauciatus, scabrellus, scabridus, scabriusculus, scabrotus, scalaris, scarburgensis, sclerotis, scutellaris, sectus, sedgwicki, segregatus, semicungulatus, semicircularis, semicostatus, seminudus, semiplicatus, semistriatus, senatorius, seniensis, septemcostatus, septemplicatus, septenarius, sericeus, serrato-punctatus, serratus, sexcostata, sibericus, silenus, simbirskensis, similis, simplex, sinensis, singaporinus, sinuosus, sol, solaris, solarium, solea, solidus, somrowensis, sowerbyi, spatulatus, spatulaeformis, spiniferus, spinosus, spinulosus, splendidus, spurius, squama, squamatus, squamifer, squammatus, squamosus, squamula, squamulatus, squamuliferus, squamulosus, staszycii, stellaris, striatissimus, striato-costatus, striato-punctatus, striatulus, striaturus, striatus, strictus, striolatus, stutchburiensis, subacutus, subaffinis, subalternans, subaratus, subarmatus, subarticulatus, subauriculata, subbarbatus, subcalthratus, subcan-cellatus, subcingulatus, subclavatus, subcomatus, subconcentricus, subconcinus, subdecoratus, subdecussatus, subdemissus, subdepressus, subdiaphanus, subdiscoirs, subduplicatus, subelongatus, subfibrosus, subfimbriatus, subglaber, subgranulatus, subgranulosus, subimbricatus, subinterstriatus, subirregularis, sublaevigatus, sublaevis, sublevis, submuricatus, subnodosus, subobsoletus, subopercularis, suborbicularis, subornatus, subplicatus, subpulchellus, subpunctatus, subquinquelineatus, subreconditus, subrotundus, subrufus, subrugosus, subscabriusculus, subserratus, subspinosus, subspinulosus, subsquamula, substriatus, subtextorius, subtripartitus, subulatus, subundulatus, subvirgatus, subviridis, succineus, sulcatus, sulcirostris, sulphureus, superbus, suprajurensis, tabulatus, tehuelchus, tenuicollis, tenuicostatus, tenuis, tenuistriatus, tenuisulcatus, terebratulaeformis, terebratularis, terebratuloides, ternatus, testae, tetramerus, texturatus, textus, thetidis, thorenti, tigrinus, tigris, tournali, tranquebaricus, transversus, triangularis, triaratus, tricenarius, tricostatus, trifidus, trigeminatus, triginti-radiatus, tripartitus, triplicata, trisulcus, tubulifer, tumbeizianus, tumescens, tumidus, tunica, turgidus, uncinatus, undatus, undulatus, undulosus, unicolor, vagans, valdaicus, valentini, valoniensis, variabilis, varians, varicolor, variegatus, velatus, velutinus, ventralabrum, ventricosus, venustus, verda-chellensis, verneuli, versicolor, versicostatus, vesicularis, vestitus, vicenarius, vimineus, violaceus, virgatus, virginianus, virgo, virguliferus, vitreus, vittatus, voithi, voltzi, vulgaris, weissii, westendorpianus, zeisneri, zelandiae.

Pecticoma paradoxa.

Pectinalis foliosa.

Pectinaria aegyptis, arenaria, auricoma, belgica, capensis, castanea, groenlandica, guildingi, nigrescens, setiformis, subcylindrica.

Pectinia (Cor.) foliosa, pectinata.

Pectinia (Hym.) aterrima, lactuca.

Pectinites aculeatus, anomalus, antiquus, articulatus, asper, aviculatus, chamicticus, cretosus, discites, excentricus, fragilis, gigas, grypheatus, bispidus, irregularis, limbatus, lineatus, longicollis, melitensis, muensteri, operculatus, peticulatus, primigenius, priscus, punctatus, quinquecostatus, radiatus, regularis, reticulatus, salinarius, senatorius, subreticulatus, subspinosus, tegulatus, textorius.

Pectinium discites, gibbum, glabrum, histrionum, islandicum, jacobaea, japonicum, laurenti, lineatum, maximum, nodosum, pellium, pes felis, pleuronectes, pusio, tranquebaricum, turgidum, variegatum, varium, ziczac.

Pectinura vestita.

Pectocera cantori, mellii.

Pectodon verticillaris.

Pectoralina hebraica.

Pectunculina complanata, deltoidea, guerangeri, multistriata, scalaris, semiaurita.

Pectunculites aculeatus, pulvinatus.

Pectunculus acuticostatus, alternatus, ambiguus, americanus, angulatus, angusticostatus, annulatus, anomalus, apjohni, aradasi, aratus, arcaceus, aretatus, aspersus, assimilis, auriculatus, aurifluus, aurita, australis, aviculoides, belcheri, bicolor, bourgeoisianus, brevirostris, broderipi, calvus, cancellatus, carolinensis, carolinianus, castaneus, circularis, concinnus, cor, corbuloides, corrugatus, costarius, costatus, costulatus, crassus, cuneus, decisus, declivis, decussatus, delectus, delesserti, deletus, deltoideus, depressus, dispar, elegans, elephantopus, ellipsis, flammeus, formosus, gemitzi, giganteus, globulus, glycimerinus, glycimeris, granulata, granulatoidea, granulatus, hamula, hemicardo, birtus, hoeninghausi, holosericeus, holosericus, idoneus, inaequalis, inflata, insculptus, insubrica, intermedius, kaschewarowi, latiaerea, latiscostatus, lens, lentiformis, lineatus, lividus, longior, lunulatus, maculatus, marmoratus, marrotianus, marullensis, miliaris, minimus, minor, minutus, mississippiensis, morum, multicostatus, multistriatus, nanus, nitens, nodosus, nuculatus, nudicardo, nummarius, nummiformis, nyster, obliqua, obliquus, oblongus, obovatus, obsoletus, obtusatus, oculatus, oolithicus, orbiculus, ovatus, pallens, pallium, parcipictus, parilis, passus, patulus, paytensis, pecten, pectinatus, pectiniiformis, pectinoides, pennaceus, perdis, perplanus, pertusus, petschorae, pilosellus, pilosus, planicostalis, planus, plumstediensis, polydonta, polyodon, polyodonta, pseudocardium, pseudopulvinatus, pulvinatus, pulvinulatus, punctatus, pusillus, pygmaeus, quinquerugatus, radians, raripictus, recissus, renauxianus, requienianus, reticulatus, reussi, rhomboideus, romulaea, roseus, rubens, scalaris, scriptus, semi-truncatus, septentrionalis, sericatus, sculus, spadiceus, spinescens, spurcus, stamineus, stellatus, striatularis, strigilatus, subauriculatus, subauritus, subaustralis, subconcentricus, subdecussata, sublaevigatus, sublaevis, subobliquus, subovatus, subpulvinatus, subsulcatus, sulcatus, tellinaeformis, tenuicostatus, tenuistriatus, terebratularis, tessellatus, textatus, textus, tomentosus, transversus, tricenarius, trigonella, tumulus, umbonatum, umbonatus, undatus, undulatus, variabilis, ventruosus, violacescens, violascens, vitreus, zonalis.

Pecula griscapilla, neglecta, verna.

Pedaerus filiformis.

Pedalion (L.) ebbippium*, isognomon, perna*, torta.

Pedalion (P.) gigas.

Pedanus sphaeroides.

Pedapholus brasiliensis.

Pedaria nigra, tuberculata.

Pedetes (Col.) brightwelli.

Pedetes (Cr.) ruficornis.

Pedetes (M.) cafer, capensis, typicus.

Pedeticus marmoratus, variegatus.

Pediacus depressus, dermestoides, fuscus.

Pediasia contaminialis, fascelinalis, immistalis, inquinatalis, lutealis, ochrealis, squalidalis.

Pedicellaria bidentata, dentata, exotica, rotifera.

Pedicellina belgica, echinata, gracilis.

Pedicia albivitta, *contermia*, *crassipes*, *gracilis*, *rivosa*.

Pedicularia sicula.

Pediculus acanthopus, *affinis*, *anserinus*, *bufali-europci*, *capitis*, *cervicalis*, *chelidonius*, *chloropodis*, *collurionis*, *cornicis nigrae*, *corporis*, *crabronis**, *crassi-ornis*, *eurygaster*, *eurysternus*, *hapalinus*, *leptocephalus*, *lyriocephalus*, *macrocephalus*, *melis*, *melittae*, *mustelae*, *nigritarum*, *pelecani*, *phocae*, *phoeopodis*, *phthiriopsis*, *piliferus*, *pleurophaeus*, *prognos*, *pubescens*, *saccatus*, *saviae*, *serratus*, *setosus*, *sphaerocephalus*, *spiculifer*, *spiniger*, *spinulosus*, *steuopsis*, *tabescentium*, *tenuirostris*, *totani*, *tringae*, *tuberculatus*, *tubescientium*, *upupae*, *urii*, *urogalli*, *vanelli*, *ventricosus*, *vestimenti*.

Pediliphorus auratus.

Pedilophorus rutilans.

Pedilus dispar, *fulvipes*, *fuscus*, *guttula*, *imus*, *lugubris*, *marginicollis*, *nigricans*, *pulcher*, *ruficollis*, *rufithorax*.

Pedina arenata, *aspera*, *gervillei*, *gigas*, *granulosa*, *ornata*, *pubescens*, *rotata*, *suaica*, *sublaevis*.

Pedinus abbreviatus, *acuminatus*, *aequalis*, *affinis*, *altaicus*, *arcuatus*, *clathrata*, *con-nubialis*, *dermestoides*, *femorale*, *femoralis*, *fornicatus*, *gibbosus*, *gibbus*, *glaber*, *gracilis*, *granulosus*, *helopioides*, *hybrida*, *laticollis*, *latiusculus*, *luctuosa*, *meridianus*, *ovatus*, *politus*, *pruinosis*, *punctatus*, *quadratus*, *ruficollis*, *ruficornis*, *sebaudus*, *strigosus*, *subdepressus*, *sulcatus*, *suturalis*, *tauricus*, *ulyssiponensis*.

Pedionomus microurus, *torquatus*.

Pediophis coronella.

Pediophylax dorsalis.

Pedioplanis burchelli.

Pedipes adansonii, *affinis*, *afra*, *alpina*, *coniformis*, *crassidens*, *globulosus*, *incrassatus*, *mirabilis*, *octanfracta*, *ovalis*, *ovata*, *ovulus*, *quadridens*, *toruatilis*.

Peditaithya suberistatus.

Pedius laevissimus, *longicollis*.

Pedonoecus costatus, *galapagoensis*, *pubescens*.

Pedopsaris ludovicianus.

Pedum spondyleoideum, *spondyloides*.

Pegasia cylindrella, *dodecagona*, *laternarius*, *latirostris*.

*Pegassus draco**.

Pegea (Asc.) octofores.

Pegea (G.) carnea.

Pegedictis ictalops.

Pegomya brunea, *brunicornis*, *brunicea*, *cerasi*, *flavipes*, *hyoscyami*.

Pegomyia basilaris, *bicolor*, *diaphana*, *flavescens*, *fulgens*, *inanis*, *longipes*, *mitis*, *myoidea*, *nigrifrons*, *setaria*, *thoracica*, *versicolor*.

Pegylis morio.

Peirates affinis, *bimaculatus*, *brevipennis*, *carinatus*, *maculipennis*, *quadrinaculatus*, *rufus*, *servillei*, *spinipes*, *strepitans*, *stridulus*, *sulcicollis*, *triguttatus*.

Pelaeus armatus.

Pelagella paretii.

Pelagia (Med.) australis, *conifera*, *cyanea*, *denticulata*, *discoidea*, *flaveola*, *guineensis*, *labiche*, *lessoni*, *lessoniana*, *noctiluca*, *panopyra*, *parthenopenis*, *phosphorea*, *purpurea*, *quinquecirrha*, *tetrachira*, *unguiculata*.

Pelagia (Polyz.) clypeata, *defranciana*, *eudesi*, *infundibulum*, *insignis*.

Pelagia (Pter.) alba, *americana*.

Pelagios monachus.

Pelagius monachus.

Pelagocyon monachus.

Pelagosaurus typus.

Pelagus (L.) elixatus, *vanuxemi*.

Pelamis bicolor, *chloronotis*, *curio*, *fasciatus*, *fuscatus*, *granulatus*, *marginatus*, *megophias*, *ornata*, *sarda*, *schneideri*.

Pelamys bicolor, *chiliensis*, *orientalis*, *sarda*, *unicolor*.

Pelargoderus tessellatus, *vittatus*.

- Pelatea** klugiana.
- Pelates** quadrilineatus, quindecimalis, quinquelineatus, sexlineatus.
- Pelecanoides** berardi, garnoti, urinatrix.
- Pelecanopus** pelecanoides.
- Pelecanus** americanus, australis, carunculata, chinensis, conspicillatus, crispus, dilophus, fuscescens, fuscus*, gaimardi, javanicus, lineogaster, lophurus, madagascariensis, major, minor, mitratus, molinae, olivaceus, pica, plotus, rufescens, uriel. *Vide et Peli*→.
- Pelecia** retusalis.
- Pelecinus** annulatus, bipunctata, clavator, duponcheli, fuscator, guerini, politurator, rufus, spinolae, thoracicus, tibiator.
- Pelecium** cyanipes, laevigatum, refulgens, sulcatum, violaceum.
- Pelecocera** flavicornis, lugubris, scaevoides, tricineta.
- Pelecoda** rostrum.
- Pelecophora** catoirei, illigeri, nigrolineata.
- Pelecophorus** vittatus.
- Pelecopselaphus** angularis, depressa.
- Pelecopsephalus** subigneus.
- Pelecorhynchus** maculipennis.
- Pelecotoides** conicollis, gigantea, maculata, strigata.
- Pelecotoma** bioculatum, bonellii, dufouri, fischeri, flavipes, helva, jani, latreillei, leachi, leucophaea, mosquense, murina, steveni.
- Pelecus** affinis, albulus, bacaila, bibie, clupeoides, cultratus, diffusus, flavipinnis, leucerus, niloticus, novacula, pholicephalus.
- Pelecyphorus** asidoides, capensis, foveolatus, mexicanus, picipes.
- Pelecystoma** luteum, tricolor.
- Pelikocheilus** caprinus, distortus, sileni, undulatus. *Vide et Peli*→.
- Peleropus** apicalis, fallax, melancholicus, mixtus.
- Peleteria** abdominalis, javanica, lalandei, leschenaldi, rubescens.
- Peleus** aeacus, gentius.
- Pelia** (Cr.) pulchella.
- Pelia** (Lep.) lamis.
- Pelias** (Cr.) niloticus.
- Pelias** (R.) berus, cherssea, dorsalis, niger.
- Pelicanus** gangeticus, violaceus. *Vide et Pelecanus*.
- Pelicius** barbarus.
- Pelicism** carinatum.
- Pelidium** caeca.
- Pelidna** alpina, brissoni, calidris, ciucius, dominicensis, macrorhynchos, minuta, minutilla, pectoralis, platyrhynchos, pusilla, pygmaea, schinzi, semipalmata, subarquata, temmincki, variabilis.
- Pelidnota** adelaida, aeruginosa, amoena, aulica, bimaculata, burmeisteri, chalcothorax, chamaeleon, chlorana, cuprea, cuprifrons, cupripes, cyanipes, cyanitarsis, elongata, emerita, equestris, fulva, fuscoaenea, glaberrima, glauca, glaucipennis, gracilis, granulata, herbacea, ignita, laeta, langsdorfi, laniventris, latipennis, liturella, lucida, luridipes, marginata, metallica, micans, modesta, nitescens, notata, ornatissima, pallida, pallidipennis, prasina, psittacina, pulchella, punctata, purpurea, rostrata, rubriventris, rufipennis, rugulosa, semiaurata, sordida, strigosa, sumptuosa, sumtosa, terminata, testacea, testaceovirens, tibialis, unicolor, versicolor, victorina, virescens, viridana, vitticollis, xanthogramma, xanthospila.
- Pelidonota** bicolor.
- Pelikocheilus** paru. *Vide et Peli*→.
- Pelina** (Col.) hydropica, lebasii.
- Pelina** (Dipt.) aeuea.
- Peliocypas** hamatus, luridus, signifer, suturalis.
- Peliusa** labiata.
- Pella** crassicornis.
- Pellona** affinis, castelnaeana, champil, ditchela, ditchoa, dussumieri, filigera, grayana, iserti, leschenaulti, melastoma, micropus, motius, novacula, orbignyana, soborni, vimbella.

- Pellonia** calabraria, vibicaria.
Pellorneum olivaceum, ruficeps.
Pelmatopus hummeli.
Pelobates fuscus, trinii.
Pelobatus adamsi, aureolus, chalcens, costipennis, fassii, heros, lugolensis, steveni.
Pelobius freycineti.
Pelochyta arontes, helops, vidua.
Pelodes leucopareja.
Pelodytes affinis, nasutus, punctatus.
Pelogonus indicus, marginatus, perbosci.
Pelolorhinus sparsus.
Pelomedusa adansoni, galeata, gehafiae, subrufa.
Pelonaia corrugata, glabra.
Pelonectes platycephalus.
Pelonium amabile, amaeum, apicale, auripenne, buqueti, cleroides, collare, cribripenne, decorum, flavo-limbatum, gallerucoides, humerale, kirbyi, lampiroydes, lituratum, luctuosum, marginipenne, nigro-signatum, ornatum, pilosum, praeustum, pulchellum, quadrisignatum, scoparum, scutellatum, sex-notatum, suturale, testaceum, variable, vetustum, viridipenne, vittatum.
Pelonomus brasiliensis, picipes.
Pelopaeus arabs, architectus, bimaculatus, caementarius, caeruleus, comandelicus, cyaneus, cyaniventris, fasciatus, femoratus, flebilis, fuscus, histrio, interruptus, javanus, madraspatanus, pectoralis, petiolatus, sardonius, servillei, solieri, spinolae, tibialis, vindex. *Vide et Pelopoeus.*
Pelophila borealis, elongata, eschscholtzi, gebleri, laevigata, marginata, ochotica.
Pelophilus agassizi, gebleri, madagascariensis, oeningensis.
Pelophis alternans.
Pelophylax esculenta.
Pelopoeus abbreviatus, affinis, assimilis, bengalensis, compressicornis, eckloni, erithrocephalus, figulus, flavipes, hemipterus, jamaicensis, lunata, spirifer, unicolor. *Vide et Pelopaeus.*
Pelops acromios, auritus, hirsutus, occultus, phaeonotus, tardus, torulosus, ureaceus.
Pelor (Col.) asiaticus, avidus, blapoides, blaptoides, rugosus, tauricus.
Pelor (P.) aurantiacum, filamentosum, japonicum, maculatum, obscurus, sinense, tigrinum.
Peloria heckeli*, rueppelli*.
Peloronta exuvia.
Peloropus ulula.
Pelororhinus angustatus, argentosus, granulosus, maculosus, margaritaceus, variegatus.
Pelorosaurus conybearei.
Pelorosomus blaptoides, rugosus, spinipes, steveni, tauricus.
Pelors cuvieri.
Pelorus rufimanus.
Pelorychus brehmi.
Peloryctes arenarius.
Peloscolex variegatus.
Pelosia depressa, griseola, helveola, plumbeola.
Pelosoma lafertei, muscerda.
Pelta coronata, cumingi.
Peltarion spinosulum.
Peltarium bicostatum, caudatum, halophilum, marginatum, ovatum, punctatum, sulcatum.
Peltastes (Ech.) acanthodes, marginalis, pentagonifera, pulchellum, punctata.
Peltastes (Hym.) dissectorius, micratorius, necatorius, nigrator, pini, pollinctorius.
Peltastes (Orth.) hastatus, specularis, venosus.
Peltidium purpureum.
Peltdocotyle rugosa.
Peltis brasilica, dentata, fraternus, marginata, oblonga, orientalis, ovalis, pubescens, pusilla, rugosa, septentrionalis, squamulosa, tricotata, yvani. *Vide et Pettis.*

- Peltocephalus** quoyi, tracaxa.
Peltogaster carini, paguri.
Peltoides cayennensis, senegalensis.
Peltonotus morio.
Peltophora cruenta, picta, rubromaculata.
Peltophorus polymitus.
Peltophryne peltocephalus.
Peltops blainvillei.
Peltopterus rugosus.
Peltoura bucklandi, scaraboides.
Pelurga comitata, obeliscata, sagittata.
Pelusios castanea, subnigra.
Pelvis hippopus.
Pempelia behri, colacalis, dionysia, euphorbiella, lignosella, obductella, obscura, ornatalis, palumbalis, quercalis, rubidinella, serpylletorum, sororiella, subornatella, thymiella, turturella.
Pempheris malabarica, mangula, mexicana, molucca, nesogallica, otaitensis, oualensis, schomburgki, touea, vanicolensis.
Pemphia alberti, sueuri.
Pemphigus affinis, bumeliae, bursarius, degeeri, gnaphalia, lactucae, lonicerae, pedunculi, ranunculi, xylostei.
Pemphix alberti, spinosa, sueuri.
Pemphredon albilabris, annulatus, assimilis, caliginosa, concolor, crassipes, fuscipennis, geniculata, hyalipennis, inornatus, insignis, jurinei, leucostoma, luctuosus, lugens, lugubris, marginatus, minutus, montanus, morio, nitida, ocellaris, oraniense, pallipes, quadripunctatus, tibialis, unicolor, varicornis.
Pemphredon tristis.
Pempsamakra dispersa, tillides.
Penaeus affinis, brevicornis, carinatus, crassicornis, distinctus, fluviatilis, indicus, lamellatus, manilensis, punctatissimus, semisulcatus, setiferus, styliferus, sulcatus, trisulcatus. *Vide et Peneus*.
Pendina cynosbana, fasciana, gentianeana, incarnatana, ocellana, pruniana, roborana, salicana.
Pendulinus (A.) abeillei, ater, auricapillus, banana, californicus, cayanensis, chrysocephalus, cucullatus, dominicensis, flavigaster, hypomelas, icterocephalus, jamacii, lessoni, longirostris, macrourus, maculialatus, medius, narbonensis, nidipendulus, nigricornis, periporphyus, polonicus, rufaxillus, rufigaster, solitaris, viridis.
Pendulinus (Hem.) ater, bidentatus, bilineatus, bipunctatus, gigas, grossus, guttatus, hasticornis, maculatus, quadrilineatus, spinosus, striatus, uniguttatus.
Penecerus rubiginosus.
Penella diodontis, plumosa, pustulosa.
Penellus blainvillei.
Penelope aburri, adpersa, albiventer, albiventris, alector, araucuan, borealis*, canicollis, circinnata, cometa, garrula, goudoti, guttata, jacuacu, jacu-eaca, jacupeba, jacupemba, jacutinga, leucogastra, leucoptera, motmot, obscura, paraca, parrahoua, parraqua, pileata, pipile, poliocephala, purpurascens, ruficeps, rufiventris, squammata, superciliaris, vetula, yacou.
Peneroplis auris, carinatus, dilatata, dubius, elegans, elliptica, fleuriausi, gervillei, laevigata, lanatus, opercularis, orbicularis, orbignyi, polystomatium, protea, pulchellus.
Penestes tigris.
Peneta auriculata.
Peneus antennatus, caramote, cocco, cristatus, foliaceus, longirostris, mars, membranaceus, orbigyanus, quadricolor, siphonoceros, spinosus. *Vide et Penaeus*.
Penguina arctica.
Penia eschscholtzi.
Penicillus annulatus, capitatus, penicillus, phoenix, ventilabrum.
Peniculus fistula.
Penitella conradi, tubigera, wilsoni, xilophaga.

- Pennaria** cavolinii, disticha, lundigera, parasitica.
- Pennatula** alba, borcalis, cynomorium, diluvii, granulosa, setacea.
- Pennella** sagitta.
- Penniretepora** antiqua, disticha, dubia, geinitzi, gracilis, grandis, leasdalei, pluma.
- Pennisetia** anomala.
- Pentaceros** (Ech.) aculeatus, armatus, chinensis, cumingi, franklini, grandis, granulosa, hiuleus, muricatus, nodosa, reticulata, turritus.
- Pentaceros** (P.) capensis, richardsoni.
- Pentaccladia** elegans.
- Pentacoenia** elegantula, microtrema, pulchella.
- Pentacosmia** scoparia.
- Pentacrinites** agassizi, alternans, annulatus, basaltiformis, bicoronatus, briareus, britannicus, bronni, carinatus, cingulatus, cretaceus, decorus, didactylus, dubius, excavatus, fasciculosus, fossilis, goettingensis, goldfussi, hamptoni, johnsoni, jurensis, kloedeni, laevis, lanceolatus, lepidotus, milleri, moniliferus, nodulosus, pentagonalis, priscus, propinquus, rotundus, scalaris, scriptus, sowerbyi, stelliferus, subangularis, subbasaltiformis, subulcatus, subteres, tuberculatus, vulgaris.
- Pentacrinus** alpinus, alternans, asteria, bajocensis, brauni, britannicus, buvignieri, caput medusae, cenomanensis, crassus, cylindricus, dichotomus, didactylus, entrocha, europaeus, fittoni, gastaldi, goldfussi, gracilis, granularis, hiemeri, inornatus, johnsoni, laevigatus, liasinus, marcosanus, milleri, moniliformis, neocomensis, nicoleti, nodotianus, oceani, paradoxus, pratti, propinquus, subcrenatus, sublaevigatus, venustus.
- Pentacta** crocea, diquemari, dissimilis, doliolum, frondosa, fusiformis, gaertneri, hyndmanni, inhaerens, lactea, laevis, minuta, montagui, neilli, peduncularis, pellucida, penicillus, pentactes, tentaculata.
- Pentactes** planciana, tetraquetra.
- Pentadactylosaster** oculus.
- Pentadactylus** duvauceli.
- Pentadia** corona, reniformis, spatangus, trigona.
- Pentagonaster** dübeni, pulchellus, regularis, semilunata, stellifera.
- Pentagonia** peersi.
- Pentagonica** erichsoni, ruficollis.
- Pentagonites** cincta, crenularis, equalis.
- Pentalasmis** sulcata. *Vide et Pentelasmis.*
- Pentalepas** laevis, pollicipes, vitrea.
- Pentamerus** acutolobatus, aequalis, aylesfordi, bashkiricus, beaumonti, borealis, bubo, caducus, conchidium, deshayesi, dilatatus, galeata, globosus, integer, knighti, laevis, latus, linguiferus, longissimus, magnus, oblongus, obtusus, optatus, orbiculatus, ovatus, pelagicus, plicatus, problematicus, saint-hilairei, samoedicus, sella, sieberi, sphaeralis, sphaericus, sphaeroides, transversus, ventricosus, vogulicus.
- Pentaphyllus** melanophthalmus, testaceus.
- Pentaplatarthrus** natalensis, paussoides.
- Pentapodus** nubilus, vitta.
- Pentapora** cervicornis, foliacea, taenialis, tubulata.
- Pentapriion** gerreoides.
- Pentapus** aurolineatus, iris, peroni, porosus, setosus, unicolor, vitta, vittatus.
- Pentastoma** coarctata, denticulatum, emarginatum, furcocercum, gracile, megastoma, moniliforme, oxycephalum, proboscideum, subcylindricum, subtriquetrum, taenioides. *Vide et Pentostoma.*
- Pentastomum** bifurcatum, didelphidis, euryzonum, fera, geckonis, recurvatum, setteni.
- Pentasyderina** ehrenbergi, tessellata.
- Pentatoma** abrupta, acroleucum, aculeata, acuminata, aegyptiaca, aequalis, aequinoxialis, africana, agathina, albipes, albomarginata, albomarginellus, albo-notata, albobunctata, aliena, alliaceum, amoena, analis, anchorago, angularis, antiquensis, aparines, arborea, atrox, augur, aurantiacum, baccarum, bengalensis, berylina, bicolor, bicolorata, bidens, bifasciatum, bifibula, bifida, biguttata, bimaculata, binotata, bipunctata, bison, bronzia, bubalus, bufo, buonopozziensis, caenosa, calceata,

calenus, calva, capicola, carnifex, chilense, chinensis, chloris, chlorocephala, ciliata, cincta, clanda, coeruleus, collaris, complanata, concentricum, concinna, conjugens, consimilis, consociata, crassa, crassiventris, crassula, crocipes, cruciata, crudelis, cruenta, cucullatus, cuningi, custos, cynica, decoratum, delia, dentata, dentifrons, deplanata, didyma, difficilis, dimidiata, discolor, dissimilis, distinguenda, dumosus, elegans, emarginata, eryngis, erythrasis, exapta, fabricii, faceta, falleni, fascifera, ferrugator, festiva, fibulatum, fieberii, fimbriata, fimbriolatum, flavicollis, flavicornis, flavomarginatus, formosus, frontalis, fumipennis, furcata, fuscus, gamma, germari, gladiator, gloriosa, grandispinum, grata, griseus, haemorrhoidalis, harrisi, hilaris, hirtipes, bisteroides, hostilis, ignobile, incarnatum, inconspicua, indica, inserta, interrupta, interstincta, jaksoniensis, janus, juniperinum, laborans, lanatus, lanceolata, lata, lateralis, laticornis, leii, le reddii, leucogrammum, ligata, limbatum, lineatocollis, linx, litura, liturata, lunata, lunula, lurida, luteicornis, luteipennis, luteo-varia, macraspis, macrocnemis, marginale, marginata, marginella, maurus, melancanthus, melanocephala, miniata, miniatocollis, morio, mucronata, nepalensis, nervosa, nigricornis, nigripes, nigrolineatus, nigro-violacea, nitida, nobilis, notatum, notulatum, oblonga, obscura, octopunctata, oleraceus, orbitalis, ornatus, orthacantha, ovalis, pallidus, pallicornis, pallipes, pantherina, pavonina, pennsylvanica, pensylvanica, perlata, perspicua, petiti, phymatophora, picea, pictum, platygaster, plicatocollis, polita, prasina, propinqua, proxima, pulchella, pulchra, punctata, punctipes, purpurea, purpuripennis, pusillum, pustulata, quadrimaculata, reflexa, regalis, regia, regulare, roei, rubro-fusca, rufipes, rufospilota, rugicollis, rugulosa, rutilans, rutilum, sanguinipes, saucia, scabricorne, scarabaeoides, schellenbergi, scissicollis, scutellata, semimarginata, semivittatum, senilis, septemdecimmaculata, serratum, serva, smaragdula, spectabilis, spilota, spiniceps, spinulosa, splendens, stigmatica, stollis, subferruginea, sublurida, subsericea, tenebraria, tenebrosa, tessellata, tetrastigma, torquata, torrida, trifasciata, trilineata, trimaculata, tri-notata, tripunctigera, tristigma, tristigmata, tristis, tristriata, umbrina, undata, unicolor, varia, varicolor, variegata, variolaria, varipennis, ventralis, vernalis, verrucosa, violacea, violascens, viridi-aenea, viridicollis, viridis, vitrea, wilkinsoni, wolfi, ylofa, ypsilon.

Pentatrematites acuta, angulata, astriformis, inflata, oblonga, orbicularis, pentangularis, piriformis, planus. *Vide et Penta*→.

Pentatremites orbignyanus, pentangularis.

Pentelasmi anatifera, anserifera, chelonae, dentata, dilatata, donovani, fascicularis, hilli, inversus, laevis, leachi, obesus, pellucidus, radians, radula, spirulae, spirulicola, striatus. *Vide et Pentelasmi*.

Pentetagonaster chilipora, costata, dutempleana, dutemplei, fleurbausa, jurensis, malbosii, moulini, quinqueloba, schulzei, scutata, stratifera, tubulata, variabilis.

Pentetrematites gracilis. *Vide et Penta*→.

Penthaleus amictus, bipustulatus, erythrocephalus, erythropus, guttatus, baematopus, militaris, ovatus, pallipes, rhodomelas, saxatilis, virescens.

Penthe funerea, obliquata.

Penthea vermicularis.

Pentheres leucomelas, leuconotus, leucopterus, niger.

Pentheria concolor, flaviscapulatus, laticauda, rubritorques.

Penthetria (A.) macroura.

Penthetria (Dipt.) atra, collaris, fulvicollis, funebris, heros, iaponica, melanaspis, nigrita, plagiata, thoracica.

Pentheus punctatus.

Penthius atomaria, farinosus, granulosus, molestus, parvulus, pinguis, subcylindricus, variegata.

Penthimia atra, coeruleipennis, longivittata.

Penthina aceriana, acutana, amoena, areolana, atropunctana, bicinctana, capreana, carbonana, cynosbana, dimidiata, grevillana, bartmanniana, incarnatana, leucomelana, lienigiana, lugubrana, luscana, minorana, neglectana, ocellana, ocbroleucana, ochromelana, oculana, pauperana, praelongana, revayana, sauciana, servillana, simplana, sororculana, sororiana, suffusana, thapsina, triquetrana, ulmana, variegana.

Penthola frontalis, melaena.

- Penthophera** detrita, morio, nigricans, rubea.
- Penthus** tenebrosus.
- Pentila** undularis.
- Pentilia** castanea, egea, insidiosa.
- Pentodon** algerinus, aries, bilobus, brunneus, caminaris, castaneus, curtus, distans, elatus, emarginatus, mongolicus, monodon, nireus, pimelioides, punctatus, puncticollis, subdilatus, sulciferus, tauricus, ventricosus.
- Pentonyx** americana, andersoni, capensis, gehafie.
- Pentostoma** taenoides. *Vide et Pentastoma.*
- Pentremite** florealis, globosa, pyriformis.
- Pentremites** acutus, angulatus, astraformis, campanulatus, cherokeeus, derbiensis, elliptica, inflatus, lateriformis, melo, norwoodi, oblongus, orbicularis, orbignyanus, ovals, pailletti, pentangularis, puzos, reinwardti, schulzei, stelliformis, tennesseae, truncata, verneuili.
- Pentremitidea** paillettei, schultzi.
- Peperonota** harringtoni.
- Pephredo** capillata, heteractilus, hirsuta, potamogeti.
- Pephricus** paradoxus.
- Pepis** plutus, strenua, thalassina.
- Peplia** ariste, caricae, damaena, lamis, lisimaena, mante, menalcis, molpe, pelidna, pelope.
- Peplidia** maderae.
- Pepliphorus** cyanus, euchyals.
- Peploptera** acromialis, augustata, cylindriciformis, dorsata, eckloni, florida, postica, stricta, trifida, trilineata, tritaeniata.
- Peplosmilia** austeni.
- Pepoaza** andecola, coronata, dominicana, flavida, gutturalis, irupero, livida, maritima, montana, murina, nivea, polyglotta, pyrope, rixosa, variegata, velata.
- Peprilus** crenulatus.
- Pepsis** abbreviata, affinis, albifrons, amethystina, apicalis, arenaria, argentata, atrata, atripennis, atrox, auripennis, bicolor, bonariensis, castanea, chiliensis, cincta, coerulea, coeruleana, crucis, cyanea, cyanescens, cyanipennis, decolorata, decorata, dimidiata, dives, domingensis, elegans, elevata, elongata, equestris, errans, fasciata, femorata, ferruginea, fervens*, festiva, flavicornis, flavipennis, floralis, fulvipennis, fuscipennis, gigas, gracilis, grossa, haemorrhoidalis, heros, hirtipes, inclyta, johannis, lepeletieri, limbata, lusca, lutaria, luteicornis, luteipennis, macula, marginata, maxillaris, maxillosa, menechma, mutabilis, nigrita, nitida, obscura, ocellata, ornata, pensylvanica, petiti, plumbea, pretiosa, pubescens, pulchella, quadrata, quadripunctata, reaumuri, rubra, ruficeps, ruficornis, rufipennis, rufipes, saphirus, seladonica, sericans, sericea, sericornis, severa, smaragdula, sommeri, speciosa, stellata, sulphureicornis, T, terminata, thomae, thoreyi, thunbergi, tibialis, tomentosa, vagabunda, varipennis, violacea, virescens, viridis, viridisetosa, xanthocera.
- Pera** amnica, appendiculata*, fluviatilis, gibba, henslowiana.
- Peracle** flemingi, physoides.
- Peracyon** cynocephalus.
- Perameles** affinis, arenaria, bougainvillei, doreyanus, ecaudatus, fasciata, fusciventer, gunni, harveyi, lagotis, lawson, macrura, myosurus, nasuta, obesula, tuckeri.
- Peramys** brachyurus, crassicaudata, pusilla, tristriata.
- Peranema** contorta, globulosa, inflata, limpida, margaritifera, marina, nebulosa, protracta virescens.
- Peras** nigra.
- Perasia** ora, strigillaris, ule.
- Perca** aculeata, acuta, aegyptiaca, ambasis, americana, angusta, antarctica, areata, argentata, argentea, argus, beaumonti, boops, brunnich, calcar, channus, chrysops, ciliata, cyprinodon, diacantha, elongata, fernandeziana, flava-purpurea, flavescens, fourcroy, fulva, fulviflamma, gracilis, granulata, grunniens, hexagonata, holocentrus, italica, korker, laevis, latus, lepidota, lorenti, loubina, marginata, marina, merra, microstoma, minima, minuta, mitchilli, moguntina, mucronata, murdian, nebulosa, nigrescens, nigropunctata, notata, pentacantha, plumeri, plumieri, praslin, prognathus,

psittacus, pulchella, punctata, punctulata, regia, ringens, robusta, rubra, sacer, safgha, salmonea, samuara, scandens, septentrionalis, serrato-granulata, sinuosa, spinifer, spinifera, stridens, triacantha, trucha, trutta, umbra, uraschista, urodeta, vanloo, varia, variabilis, vitrea, whitei.

Percarina demidoffi.

Percina bimaculata.

Percis cancellata, colias, cylindrica, emeryana, hexophthalma, maculata, nebulosa, niethemera, ocellata, polyophthalma, pulchella, punctata, punctulata, semifasciata, sexfasciata, xanthozona.

Percnopterus aegyptiacus, aura, egyptianus, giganteus, monachus, niger, urubu.

Perconia atomaria, cembraria, dispersaria, glarearia, immoraria, irroraria, quinquaria, rosidaria, strigillaria.

Percophis brasilianus, brasiliensis.

Percopsis guttatus, pellucida.

Percosia diffinis, laticollis, pastica, patricia, sicula, timida.

Percostoma angustum.

Percus bilineatus, brunneipennis, ebenus, loricatus, navaricus, nepalensis, piger, politus, ramburi, villae.

Perdicula rubicula, rubicolor.

Perdix (A.) adansoni, aeruginosus, algira, altaica, argoondah, aurita, australis, barbarica, belgica, bonhami, borealis, californica, capensis, capueira, caucasica, charltoni, chukar, cineracea, cinereo-alba, clamator, clappertoni, concentrica, coqui, coronata, coturnix, cranchi, cristata, cruenta, curvirostris, damascenus, dentata, erckelli, erythrorhyncha, fasciata, fuscus, gardneri, graeca, griseogularis, gularis, guttata, gutturalis, gutturata, gymnophthalmos, hardwicki, hepburni, heyi, javanica*, lechoho, lereva, levaillanti, levaillantoides, lineolatus, longirostris, lunulata, macrorhyncha, maculata, megapodia, melanocephala, naevia, neoxenus, nigelli, ocellata, ocellula, olivacea, orientalis, pectoralis, pentah, personata, picta, plumifera, polonica, punctulata, raalteni, realteni, rubiginosa, rubricollis, rufo-alba, rufo-alba, rupestris, rupicola, saxatilis, scutata, sephaena, sonnini, sphenura, swainsoni, textilis, thoracica, torquata, torqueola, tuturnix, vaillanti, varia, ventralis. *Vide et* **Perdix**.

Perdix (G.) reticulatus.

Perdix gularis, labatiei, ocellula, tetrao. *Vide et* **Perdix**.

Perforatella bidentata.

Perga bella, bicolor, dorsalis, ferruginea, kirbyi, latreillei, lewini, lewisi, polita, scabra, ventralis.

Perialia eyrei, ornata.

Peribleptus scalptus.

Peribolites radiata.

Peribolus adansoni, andansoni, mauritanus.

Pericalles perpulcher.

Pericallia evonymaria, matrona, syringaria.

Pericallus ligneus.

Pericalus alternans, cicindeloides, guttatus, ornatus, undatus.

Pericephas macronemus.

Pericera bicorna, cornigera, cornudo, cornuta, heptacantha, ovata, setigera, taurus, tiarata, villosa.

Periclimenes insignis.

Pericopis cruenta, eurocilia, tricolora, turbida, zerbina.

Pericoptus truncatus.

Pericosmus spatiosus.

Pericrocotus affinis, ardens, brevirostris, cinereus, elegans, erythropygius, flagrans, flammeus, flavogularis, igneus, miniata, minutus, modestus, peregrinus, princeps, roseus, solaris, speciosus, subflavus, xanthogaster.

Pericyma albidentaria.

Peridea serrata, trepidi.

Perideraeus granellus.

Peridinetus irroratus, maculatus, sellatus, signatus, zinckeni.

- Peridinium** acuminatum, adriaticum, alpinum, cineta, cornutum, deltiense, divergens, furca, fuscum, fusiforme, fusus, macroceros, michaelis, monas, oculatum, pulvisculus, pyrophorum, tabulatum, tridens, tripos.
- Peridroma** aequa, idonea, saucia, suffusa.
- Peridromia** arethusa, feronia.
- Periechocrinites** articulosus, costatus, globosus.
- Perieocrinites** articulosus, costatus, globosus.
- Perieges** bardus.
- Periglyphus** gastris.
- Perigona** pallida.
- Perigonimus** muscoides.
- Perilampus** (Hym.) alexinus, angustus, antennatus, auratus, aureo-viridis, auriceps, cyaneus, entellus, femoralis, hyalinus, laevifrons, lepreos, megacephalus, micanus, nigricornis, nitens, pallipes, platigaster, saleius, splendidula, splendidus, triangularis, violacea.
- Perilampus** (P.) aequipinnatus, cachijs, canarensis, devario, elingulatus, guttatus, macropodus, macropterus, macrouru, malabaricus, mysoricus, ostreographus, perseus, psilopteromus, recurvirostris, reticulatus, striatus, thermophilus.
- Perilitus** abdominator, aethiops, affinis, albiditarsus, albitarsis, atrator, bimaculatus, brevicollis, brevicornis, brevipes, caligatus, cerealium, chlorophthalmus, chrysophthalmus, cinctellus, clavatus, colon, conjungens, consimilis, consuetor, conterminus, deceptor, delator, dilutus, dispar, distinguendus, erythrogaster, fasciatus, filator, flaviceps, formosus, fuscipes, gracilis, ictericus, idalius, jaculator, laticeps, leviventris, longicaudis, longicornis, luteus, micropterus, obfuscatus, obsoletus, pallidus, pallipes, pendulator, peregrinus, petiolaris, petiolatus, picipes, profligator, pulchricornis, rubens, rubriceps, ruficeps, rufipes, ruralis, rutilus, scutellator, secalis, simulator, tabidus, terminatus, unicolor, versicolor, vexator, wesmaeli, xanthomelas.
- Perilopa** peltidea, vestita.
- Perilypa** atralis.
- Perilypus** carbonarius.
- Perimachetus** australis, tenebricosus.
- Perimecus** communis, fulvipes, similis.
- Perinephela** fuscalis, glabralis, lancealis, nubilalis, ostentalis, silacealis.
- Perineura** dualis.
- Periodon** marginalis.
- Periodus** koenigi, marginalis.
- Periope** auscultator.
- Periophthalmus** argentilineatus, borneensis, freycineti, kalolo, koelreuteri, modestus, novemradiatus, papilio, ruber, schlosseri, septemradiatus, tredecimradiatus.
- Periops** hippocrepis, pyramidum.
- Periorges** subsignatus.
- Peripaedium** heliops.
- Peripatus** blainvillei, juliformis.
- Periphanes** delphini, spectabilis.
- Periphoba** amalia, dumeti.
- Periphys** aspericollis.
- Peripia** peroni, variegata.
- Periplacis** glaucoma.
- Periplaneta** americana, atterrma, atrata, australasiae, brunnea, melanaria, orientalis, ustulata.
- Periples** elongatus.
- Periploma** anguliferum, antiqua, argentaria, biarmica, colombiana, compressa, corallina, donaciformis, elongata, inaequalis, jurensis, lenticularis, myalis, neocomiensis, obtusa, ovata, planiuscula, planulata, robinaldina, rupicola, sapho, simplex, trapezoides.
- Peripora** ligeriensis*.
- Periporphyrus** atropurpuratus, erythromelas.
- Perisama** amyntichus, bonplandi, euriclea, humboldti, lebasii, oppeli, orbignyi, philinus.

- Perischodomus* biserialis.
Periscopus goudoti.
Perismilia bilobata, elongata, hippuritiformis, martiniana.
Perisoreus canadensis, infaustus.
Perisphaeria affinis, ciliata, cingulata, dispar, erythrocephala, flavicornis, fusca, gracilis, granicollis, micans, stylifera, unicolor, versicolor, verticalis.
Perisphaerus armadillo, laevis.
Perispongia conica, reflexa.
Peristedion cataphracta, chabrontera, malarinat, moluccense, orientale.
Peristera afra, bitorquata, boliviana, bronzina, calcoptera, cambayensis, capensis, castanea, chalcospilos, chrysauchenia, cinerea, cristata, cruziana, cuprea, dominicensis, dubia, dussumieri, elegans, erythroptera, geoffroyi, humeralis, humilis, jamaicensis, larvata, malaccensis, martinica, mayeri, mexicana, montana, mystacea, pectoralis, picturata, risoria, rufaxilla, scripta, suratensis, tenera, trifasciata, turtur, tympanistria, vinacea, violacea.
Peristerea auriculata.
Peristethium cataphractum.
Peristoma merduneniana.
Peritehus bellicus, bisignatus, chrysorrhæus, familiaris, famularis, globulus, griseus, lateralis, latifrons, leucogrammus, necessarius, noxius, puncticollis, rudis, rusticus, schoenherri, seminulum, senex, setulifer, sphaeroides, trivialis.
Peritrema lobularis.
Peritricha candida, cometa, cylindracea, cylindrica, granata, medusa, ovulum, parhelia, pleuronectes, polyporum, signata, sol, vacillans.
Peritrichia capicola, cinerea, dimidiata, distincta, nigrita, nitidipennis, proboscidea.
Perizoma albulata, blandiata.
Perla abdominalis, abnormis, aegyptiaca, affinis, alpina, angustata, annularis, annulicauda, arenosa, baetica, barcinonensis, bicolor, bifasciata, bipunctata, brasiliensis, burmeisteri, caligata, capitata, caucasica, cephalotes, chlorella, cincta, citronella, costalis, couloni, cymodocea, debilis, dilaticollis, dispar, dubia, duvauceli, fenestrata, ferrerii, flaviventris, frontalis, fuscipennis, gayi, geniculata, grandis, griseipennis, guerini, hispanica, hyalina, imhoffia, impunctata, infusca, intricata, klugi, limbata, litura, longicauda, lutaria, lutea, lycorias, maculata, madritensis, malaccensis, marginata, media, mexicana, microcephala, minima, minor, montana, morio, nervosa, nigra, nigrocincta, nivicola*, nubecula, nubes, obscura, occipitalis, pallida, parisina, pennsylvanica, picta, picteti, polita, proxima, pygmaea, rectangula, reticulata, rivulorum, ruficrus, selysi, sericornis, servillei, taura, tenella, tibialis, torrentium, variegata, venosa, ventralis, virens, virescens, viridella, viridis, vitripennis, vitticollis, xanthenes.
Perlamantis alliberti.
Perlamater inflata, punctata, vulgaris.
Perlamorpha hieroglyphica, peleus.
Perna alata, algerica, aliformis, americana, antiqua, avicularis, aviculoides, bachelieri, bicolor, californica, canina, chaetas, communis, complanata, corallina, costellata, crassitesta, cretacea, dentifera, elephantina, ephippium, erecta, femoralis, fischeri, fragilis, francei, gaudichaudi, gueuxi, hagenowi, incisa, isogonum, isogonoides, lamarekii, lanceolata, legumen, listeri, luciensis, lusitanica, marsupium, marticensis, maxillaris, maxillata, mulleti, mytiloides, nucleus, obliqua, obliquata, ovata, pes lutrae, picta, plana, planorbis, polita, quadrata, quadrilatera, rauliniana, ricordeana, rostrata, royana, rugosa, rupella, silicea, soldanii, subspathulata, suevica, sulcata, torta, tranquebarensis, vetustus, vulsella.
Pernis albigularis, albogularis, apium, apivorus, bharatensis, cristatus, elliotti, jerdoni, maculosa, madagascariensis, ptilorhynchus, ruficollis, torquata, vesparum.
Pernites lithophagus.
Pernopsis pyrrhoptera.
Perodicticus geoffroyi.
Perognathus fasciatus.
Peromatus notatus.
Peromeles aequalis.

Peromyscus arboreus.

Peronaea asperana, borana, consimilana, controvvittana, coronana, costimaculana, desfontaniana, favillaceana, logiana, obsoletana, reticulana, rufana, schalleriana, trigonana, tristana, variegana.

Peronea abildgaardana, albicostana, albipunctana, albistriana, alboflammeana, albovittana, arietana, bentleyana, bistriana, boscana, brunneana, capucina, controvvittana, chantana, cirrana, combustana, crassana, cristalana, cristana, desfontaniana, divisana, eximiana, fagana, fulvocristana, fulvovittana, gumpinana, lacordairana, latifasciana, leachana, lefebvriana, lichenana, lipsiana, logiana, lorqueniana, mar-morana, plumbosana, profanana, radiana, ramistriana, reticulana, ruficostana, ruficristana, semirhombana, semiustana, sequana, sericana, similana, spadiceana, striana, strigana, subcristalana, subcristana, substriana, subvittana, umbrana, unicolorana, variegana, vittana.

Peronecera fuscipennis, lucidipennis.

Peronia (Dipt.) rostrata.

Peronia (G.) alderi, mauritiana, partenopea, parthenopeia, peroni, punctata, tongensis.

Peronopsis integra.

Perophora melsheimeri.

Peropus (P.) bilobus.

Peropus (R.) mutilatus, oualensis, peroni, variegatus.

Perothis dubia, eschscholtzi.

Perothops mucidus.

Perotis buqueti, caeca, cuprea, lavateri, lugubris, striata, unicolor.

Perperus innocus, insularis, obscurus.

Perreyia lepida.

Perryhybris eieidias, epimeditana, eueidias.

Perrisia urticae.

Perrona tritonum.

Persa persa, turaco.

Persephona lamarcki, latreillei, lichtensteini.

Persicola avellana, lineata, maculata.

Persicula carneola, variabilis.

Persona anus.

Perspicilla leucoptera.

Perteretum obliquum, rectum.

Perthostoma aurantiacum, testaceum.

Perus niambu*.

Peryphus affinis, agilis, albipes, alpinus, angustatus, astrabadensis, atrocaeruleus, biguttatus, bimaculatus, brevis, brunnicornis, brunnipes, caucasicus, coelestinus, coeruleus, concinnus, concolor, conformis, corpulentus, crenatus, cruciatus, crucigerus, cupreus, dalmatinus, decorus, deletus, depressiculus, difficilis, dimidiatus, elegans, elongatus, eques, erosus, fasciolatus, fellmanni, femoratus, fluvialis, fraxator, fuscicornis, fuscomaculatus, hispanicus, incertus, latus, leachi, litigiousus, littorale, littoralis, lucidus, lunatus, maritimus, menetriesi, modestus, multipunctatus, neglectus, nitidulus, nitidus, nordmanni, oblique-lunatus, obscurellus, obsoletus, olivaceum, ovalis, ovipennis, pallidipennis, persicus, picipes, pictus, planus, praeustus, prasinus, prudens, pulcherrimus, punctato-striatus, quadrimaculatus, rufipes, rupestris, rupicola, saxatilis, scopulinus, sordidus, stomoides, tetraspilotus, tibialis, transbaicalicus, transparens, tricolor, ustus, varicolor, violaceus, viridis-aeneus.

Petacula canicularis.

Petalaster columbia, hardwicki.

Petalepas schlegeli.

Petalifera petalifera.

Petaloccephalus coronatus.

Petalochirus biguttatus, cruciatus, rubiginosus, variegatus.

Petalochilus gemellus.

Petalocochus domingensis, sculpturatus.

Petalodes (Col.) laminosus.

- Petalodes* (Hym.) unicolor.
Petalodus acuminatus, dentatus, hastingsi, hastingsiae, laevissimus, marginalis, psittacinus, radicans, rectus, rhombus, sagittatus, serratus.
Petalophora (Col.) costata.
Petalophora (Dipt.) capitata.
Petalopora pulchella.
Petalops elegans.
Petalopteryx syriacus.
Petalopus (Col.) metallicus.
Petalostoma coronatus.
Petalura carovei, flavipes, gigantea, selysi.
Petascelis bilobus, dilatatus, remipes, tribulus.
Petasia (G.) bideus, cobrestana, dolopidia, edentula, fabricii, fulva, trochiformis, unidens.
Petasia (Lep.) cassinea, grisea, sinistra.
Petasia (Orth.) cruentata, olivacea.
Petasida ephippigera.
Petasina fabricii, fulva.
Petasophora anars, cyanotus, delphiniae, geoffroyi, gouldi, iolota, serrirostris, thalassina.
Petaurista flaviventer, leucogenys*, macroura, peroni, pygmaea, sciurea, taguanoides.
Petauristes femorata, posticata, varia.
Petauristus borealis, canadensis, taguan.
Petaurus ariel, breviceps, cooki, flaviventer, leucogaster, macrourus, peroni, pygmaeus, sciureus, taguanoides.
Petavia sakum.
Peteina erinacea.
Petraia aequisulcata, bina, celtica, decussata, dentalis, gigas, koehi, pauciradialis, pluriradialis, profunda, quadrata, radiata, regulus, rugosa, semistriata, subduplicata, tenuicostata, uniserialis, ziczac.
Petreus thetys.
Petricia punctata.
Petricola abbreviata, amygdalina, arcuata, bidentata, bullata, californica, canaliculata, carditoides, centenaria, chamoides, chilensis, compressa, concinna, coralliophaga, dordieri, costata, costellata, cylindracea, dactylus, denticulata, depressa, discors, divergens, elegans, elliptica, eremita, exilis, fabagella, fornicata, fragilis, gibba, inflata, irus, laevis, lamellosa, lapicida, linguatula, lithophaga, lucinalis, monstrosa, nivea, nuciformis, oblonga, ochroleuca, patagonica, peregrina, pholadiformis, rariflamma, robusta, roccellaria, rubra, rugosa, ruperella, rupestris, semilamellata, sinuosa, solida, striata, subglobosa, suborbicularis, sulcata, tenax, tenuis, variabilis, ventricosa.
Petrobius spinimanus.
Petrochelidon americana, fulva, leucoptera, leucorhoa, melanogaster, meyeri, nigricans.
Petrocincla affinis, albicapilla, brevipes, concolorhyncha, cyanea, cyanota, eremita, erythrogastra, europaea, explorator, homochroa, leucoceps, longirostris, maal, manillensis, pandoo, rufiventris, rupestris, saxatilis, semirufa.
Petrocossyphus affinis, aurantiiventer, castaneocollis, citrinus, cyaneus, cyanus, cyclo-rhynchus, ferrugineoventer, goureyi, maal, manillensis, michahellis, pandoo, pandu, polyglottus, saxatilis, unicolor.
Petrodroma bailloni, fusca, mexicanus, muraria, sanguinea.
Petrodromus tetradactylus.
Petrodus patelliformis.
Petrogale concinna, inornata, lateralis, penicillatus, robusta.
Petrogallus fuscus.
Petrognatha gigas.
Petroica albifrons, australis, bicolor, coccinea, coccinogaster, cucullata, dieffenbachi, erythrogaster, fusca, goodenovi, jardini, macrocephala, modesta, monticola, multicolor, phoenicea, pulchella, pusilla, rhodinogaster, rhodogastra, rosea, ruficollis, rufiventris, superciliosa, toitoi.
Petrolepis caucasica, radiata, specularis, venosa.
Petromus typicus.

Petromys typicus.

Petromyzon adriaticus, americanus, appendix, argenteus, bicolor, caecus, cirrhatu8, lampetra, leucopterus, lumbricalis, mordax, niger, nigricans, nigrum, plumbeus, septoeuil, tridentatus.

Petronason bicolor, collana, flamniceps, longicauda, niger, psittacus, pulchellus, ruppelli, viridis.

Petronia brachydactyla, dentata, petronella, rupestris.

Petrophassa albipennis.

Petrophila (A.) cyanocephala, turdoides.

Petrophila (Lep.) fluviatilis.

Petrophilus findeli.

Petrophora diversilineata, divisata, maeniata.

Petroscirtes ancyledon, bankieri, mitratus, variabilis.

Pettis quadrilineata. *Vide et Peltis*.

Petunculus ovatus.

Peucea bachmani, lincolni.

Peziza cacabus.

Pezodontus cupreus.

Pezolochus rufipes.

Pezomachus abbreviator, aberrans, acarorum, aemulus, agilis, alacer, alienus, analis, anceps, anthracinus, applanatus, aquisgranensis, aries, astutus, atricapillus, attentus, audax, avarus, bellicosus, bicinctus, bicolor, blandus, bonellii, brachypterus, brachyurus, callidus, calvus, canaliculatus, carnifex, cautus, celer, circumcinctus, comes, congruus, consobrinus, consociatus, corruptor, currens, cursitans, cyanurus, debeyi, debilis, decipiens, declivis, denudatus, derasus, detritus, discedens, distinctus, dromicus, dubitator, ecarinatus, edentatus, emarcidus, ephippiger, esenbecki, exareolatus, fallax, fasciatus, faunus, festinans, flavipes, formicarius, formosus, forticornis, fraudulentus, fulveolatus, furax, furtivus, fuscicornis, gentilis, geochares, glabratus, gracilis, gravenhorsti, helvolus, hemipterus, hoffmannseggii, hopei, hortensis, hostilis, humilis, imbellis, immaturus, impotens, incertus, incubitor, ineptus, inermis, infirmus, inquilinus, insectator, insolens, instabilis, integer, intermedius, juvenilis, kiesenwetteri, languidus, latrator, latro, lepidus, leptogaster, lividus, longipennis, lucidulus, lugubris, lutescens, maugeri, mediocris, meigeni, micropterus, micurus, modestus, molestus, muelleri, nanus, neesi, nigricornis, nigritus, nigrocinctus, notabilis, ochraceus, parvulus, pedestris, pedicularius, peregrinator, petulans, posthumus, proditor, protuberans, providus, proximus, puberulus, puerilis, pulcher, pulex, pulcarius, pumilus, quaesitorius, ratzeburgi, reconditus, rotundiventris, rufulus, scitulus, sedulus, sericeus, simulans, sordidus, spadiceus, speculator, spurius, squalidus, steveni, subzonatus, sudeticus, sylvicola, tener, terebrator, timidus, tonsus, transfuga, tristis, trux, unicolor, vagabundus, vagans, venatorius, venustus, vicinus, viduus, vigil, vorax, vulnerans, vulpinus, xylochophilus, zonatus.

Pezophaps solitaria.

Pezophorus terrestris.

Pezoporus (A.) terrestris.

Pezoporus (Col.) coarctatus.

Pezus niambu, serratus, yapura, zabele.

Phabalectryo nicobarica.

Phabotypus palumbarius.

Phacecerus olivaceus.

Phacecorynes sommeri.

Phacellocera scopulicornis.

Phacellocerus buqueti.

Phacellophora camtschatica.

Phacellopterus rufulus.

Phacellus boryi, latreillei.

Phacelobarus singularis.

Phacelomonas pulvisculus.

Phacelura paludinae.

Phacemastix *barinoides*.

Phacephorus *vilis*.

Phacites *lenticularis*, *multilocularis*, *oolithus* *gothlandicus*, *serpulites*, *vertebralis*.

Phacochorus *aethiops*, *aethiopicus*, *africanus*, *haroja*, *incisivus*, *koiropotamus*.

Phacodes *lentiginosus*, *mossmanni*, *personatus*.

Phacodus *punctatus*.

Phacolepis *brama*, *buccalis*, *latus*.

Phacops *anchiops*, *apiculatus*, *arachnoides*, *asper*, *boeckii*, *brevicauda*, *brevipes*, *brongniarti*, *brunni*, *bulbiceps*, *callicephalus*, *caudatus*, *cephalotes*, *ceratophthalmus*, *conophthalmus*, *cryptophthalmus*, *cultrifrons*, *dalmanni*, *decorus*, *dejeani*, *deshayesi*, *dubius*, *dujardini*, *eichwaldi*, *elongatus*, *exasperatus*, *extensa*, *foecundus*, *gelasinus*, *globiceps*, *glockeri*, *goldfussi*, *granulatus*, *hausmanni*, *hawlei*, *hoeninghausi*, *horridus*, *hoseri*, *intermedius*, *jamesi*, *lacmatus*, *laevigatus*, *laevis*, *laticauda*, *laticaudus*, *latifrons*, *lubatus*, *macrophthalmus*, *maximus*, *micronatus*, *murchisoni*, *obtusicaudatus*, *oculatus*, *odontocephalus*, *ovoides*, *parabola*, *pentagonus*, *phillipsi*, *plicata*, *proaeus*, *proavius*, *protractus*, *protuberans*, *punctata*, *quadratus*, *reclinatus*, *reussi*, *rotundifrons*, *ruderalis*, *sclerops*, *sieberi*, *signatus*, *socialis*, *solitarius*, *sphaericus*, *spiniifer*, *stellifer*, *sternbergi*, *subvariolaris*, *trapeziceps*, *truncatocaudatus*, *tuberculatus*, *variolaris*, *verruifer*, *weaveri*.

Phacopteryx *granulata*.

Phacostomus *dimidiatus*, *patellanus*, *planus*, *similis*.

Phacus *longicauda*, *tripteris*, *triquetra*.

Phaea *dapsilis*, *dilecta*, *saperda*.

Phaeca *nilssoni*, *phoenicura*, *rubecula*, *suecica*.

Phaedinus *microthorax*, *moestus*, *tricolor*.

Phaedon *adonidis*, *affinis*, *armoraciae*, *aucta*, *betulae*, *carniolicus*, *clavicornis*, *cochleariae*, *concinna*, *cyanopterus*, *fastuosa*, *foveolatus*, *gomphoceros*, *marginella*, *nigromaculatum*, *polygoni*, *puncticollis*, *raphani*, *semimarginata*, *sibiricus*, *tumidula*, *unicolor*, *viride*, *vitellinae*.

Phaedia *insularis*, *terricola*.

Phaediopus *candidus*, *togatus*.

Phaegorista *agaristoides*.

Phaen→ *Vide et Phen*→, **Phoen**→.

Phaenobranchus *cepedei*.

Phaenoptera *septentrionalis*.

Phaenicocerus *rotundicollis*.

Phaenicophaeus *leucogaster*, *pyrrhocephalus*, *tricolor*.

Phaenicophaus *calyorrhynchus*, *javanicus*, *leucogaster*, *melanognathus*, *montanus*, *superciliatus*, *viridis*.

Phaenicopterus *croizeti*, *ignipalliat*, *parvus*.

Phaenicornis *aureopygia*, *brevirostris*, *flammeus*, *peregrina*, *princeps*, *sordidus*.

Phaenicura *caeruleocephala*, *cyaneola*, *leucocephala*, *nipalensis*, *rubricauda*, *ruticilla*, *schisticeps*, *suecica*, *tricolor*.

Phaenithon *albosparsus*, *callosus*, *clavicornis*, *costatus*, *cryptocephaloides*, *figuratus*, *gravis*, *guttulatus*, *implicatus*, *incouditus*, *leopardinus*, *moerosus*, *nigropunctum*, *plagiatus*, *semigriseus*.

Phaenocora *megalops*.

Phaenognatha *erichsoni*.

Phaenognathus *thalassinus*.

Phaenomeris *besckii*, *magnifica*.

Phaenomerus *sundewalli*.

Phaenops *assimilis*, *longipes*, *subcuprea*.

Phaeochlaena *bracteola*, *medarda*, *mononeura*, *priverna*, *privigna*, *tendinosa*.

Phaeochrous *senegalensis*.

Phaeocyma *calycantha*, *flustuaris*, *lunifera*.

Phaeogenes *alternans*, *amaenus*, *argutus*, *bellicornis*, *callopus*, *cephalotes*, *coryphaeus*, *eques*, *eximius*, *flavidus*, *fulvitaris*, *fuscicornis*, *histrion*, *homochlorus*, *impiger*, *infimus*, *ischiomelinus*, *jucundus*, *juvenilis*, *linatus*, *macilentus*, *melanogonus*,

minutus, modestus, nanus, nigrideus, ophthalmicus, planifrons, promarius, rusticatus, scutellaris, semivulpinus, stimulator, suspicax, trepidus, vafer, versutus.

Phaeopus arquatus, borealis, gaurana, phaeopus, pygmaeus.

Phaeoxantha bifasciata, cruciata, klugi, lineata, nigricollis, testudinea.

Phaesyle brullaria, caesiaria, coraciaria, cyanaria, flavicinctaria, malvaria, miaria, polaria, psittacaria.

Phaesyloides albilata, caesiata, centaureata, flavicincta, griseicinctata, rubigininctata, rupestrata, venosata.

Phaethon catesbyi, edwardsi, flavirostris, fulvus, lepturus, membranaceus, uovae hollandiae.

Phaethonides archiaci, latens, membranaceus, planicauda, striatus.

Phaethornis eremita, eurynome. *Vide et Phoethornis.*

Phaeton (A.) lepturus. *Vide et Phaethon.*

Phaeton (Cr.) archiaci, lateus, planicauda, striatus.

Phaethornis anthophilus, apicalis, augusta, augustae, bourcierii, brasiliensis, ciliatus, conurus, davidianus, emiliae, eurynomus, gey, hispidus, intermedius, leucophrys, malaris, melanotis, philippii, pretrei, pygmaeus, rufigaster, squalidus, superciliosus. *Vide et Phaethornis.*

Phaetusa galericulata, magnirostris, melauotis.

Phagocata gracilis.

Phagonia flavicornis, smaragdina.

Phaiona steropes.

Phaiopecos blythi, brachyurus, jerdoui, pectoralis, tristis.

Phakellopleura fascicularis.

Phakellura hyalinata.

Phalacrocorax africanus, albidus, albigula, albus, atriceps, bicristatus, brasiliensis, brazilianus, brevirostris, capeusis, carbo, carboides, carunculatus, cirratus, cirriger, cristatus, dilophus, erythrops, flavirhynchus, floridanus, fuscicollis, gaimardi, graculus, hypoleucus, imperialis, javanicus, leucogaster, leuconotus, leucurus, lugubris, magellanicus, medius, melanoleucos, niger, novae hollandiae, pelagicus, perspicillatus, punctatus, pygmaeus, resplendens, sarmentonius, sinuosus, splendens, sulcirostris, townsendi, urile, varius, violaceus.

Phalacroma applanatum, bibullatum, carinatum, ellipticum, emarginatum, gibbosum, laevigatum, nudum, ovatum, priscum, quadrinotatum, scutiforme.

Phalacromya submetallica, subrostrata.

Phalacropterix fucella, muscella, plumistrella, vitrella.

Phalacrus achillaeae, aeneopiceus, aeneus, affinis, analis, apicalis, apicalis, bisignatus, brunneus, capensis, caricis, castaneus, cognatus, consimilis, corruscus, corticalis, cybioides, difformis, dimidiatus, flavicornis, geminus, globosus, granulatus, grossus, immaculatus, latus, leachiellus, lemnae, lemniae, mandibularis, maritimus, marmoratus, minutus, multistriatus, nigrinus, niteus, nitidulus, nitidus, ovatus, pallipes, pedicularis, penicillatus, piceorrhoeus, piceus, picipes, politus, pulchellus, punctatostriatus, punctulatus, pusillus, pygmaeus, quadrimaculatus, rufipes, stephensi, striatipennis, striatus, substriatus, testaceus, trichopus, ulcis, vicinus.

Phalaena abbreviana, abietana, abildgaardiana, abrotani, aceraria, acetosella, acmeptera, aegyptiacum, aenealis, aerifera, albago, albana, albicapitella, albicincta, albicinctata, albicollis, albidana, albipes, albipuncta, albipunctata, albocincta, albodactyla, albiviridata, alburnea, alienata, allionana, allionella, alpella, alphaea, alpinalis, aluce, aluco, amaryllidis, amataria, ambigua, amphinome, anchoreta, anella, angustata, anomalata, anomalella, apiciaria, apiformis, arcella, argus, arnicae, artesiaria, arundinis, asclepiades, asinata, aterrimus, atomaria, augur, aurago, aurantiaria, aurella, aureolaria, auricella, auricoma, aurosignata, aurotus, australasiae, avida, badiata, badierana, baeticaria, baja, barbarella, barbata, baumanniana, bentleiana, berberata, bergstraessella, biangulata, bicolor, bicommatata, bierkandiana, bifasciata, bifasciana, bifasciata, bifasciella, bifurcata, biliturana, bimaculana, binotata, biselata, bistortae*, bistrigata, blancardella, blattariae, blattariella, boleti, bombella, bombycalis, bombycata, borana, boscana, brassaria, brunnichiana, bufo, buoliana, bupleuraria, buringerana, burmanniana, caecimacula, caesiata, calcanthata, calodactyla, camelus,

canaliculata, canina, capreae, capreolaria, caprimulgus, carbonata, carinata, caricae, carinata, cassinia, castalia, castanea, cebraria, cecropia, centaureata, centrana, centrolemea, centuriella, cerasi, cerella, certhia, cervinata, cespitalis, chalcis, chalcites*, chenopodiaria, chione, ciliata, cinerata, cinnamomea, circulella, citri, citrina, clausthaliana, clavaria, clavis, clematella, colonnella, colutella, combrella, communana, communifasciata, compositella, compressae, compta, conchella, concordaria, conica, consignata, consobrinaria, consona, conspersana, contaminaria, contiguaria, contiguata, contristata, convergens, conversa, convoluta, convolvulalis, conwayana, coraciata, corchori, cordigera, cornella, coronae, costaestrigata, costana, costovata, crasticornis, crataegata, credula, crepuscularia, cretana, crini, cristana, croceago, crosalis, crotalariae, crotiana, crucis, crux, cryptella, crystallana, cuneata, cunicularia, curtalis, curvatula, cuspidella, cydoniella, cylindrella, cynera, cynosbana, cypria*, cytherea, cytisaria, daldorfana, dama, daphnella, decemguttella, decimana, decoloraria, decolorata, decussata, deflorata, degenerata, delia, denisella, dentina, dentostrigata, deperdita, derasata, derivata, desfontainana, destituta, devastator, diagonalis, dictaeoides, dilecta, dilutata, dimidiata, dimidiella, dioscoreae, discoloria, distincta, dives, dolichos, dorsella, drurella, dumetata, elata, elatata, electrica, elegans, elevana, elongata, emarginata, emarginella, enzenbergella, ephippiger, epione*, equestaria, equestris, ericae, eriophora, erosaria, erxlebella, erythrinae, euphorbia, exanthemaria, exigua, exiguella, fabricella, fagata, fagella, falcata, falsella, fasciaria, fasciella, fenestrata, ferrago, ferugalis, festicella, festiva, fibulella, figura, filicata, fimbriata, fixa, flava, flavago, flavicaria, flavifrontella, flavocincta, flavostrigata, flexuosa, flos-lactata, formosata, formosella, fortiicata, francillana, francisca, frangula, frangutella, frugalis, fuliginata, fulminans, fulvata, funerella, turvella, fuscago, fuscata, fusco undata, fyestella, galiata, ganna, genuinana, geoffroyella, geographica, geryon, gigantella, gilvago, gilvaria, glaciata, glarearia, glaucans, gleihella, gliraria, gloriosae, gnoma, gnophera, gonoptera, gossypii, gotenaaria, gramella, grandella, grandis, grata, grisea, grisea, grisea, grisea, grisea, grisea, grisea, guttaria, hattorfella, haustulifera, helcitaria, heliophila, helwigiana, hemedactylella, hepararia, heparata, hermanniana, hexapterata, hibisci, hieracii, hieroglyphica, hircus, histrio, hustrionica, horridaria, hortella, hortularia, hubnerella, hyalina, hypatia, hypericata, illeis, ilibata, imitaria, immanata, immoraria, immorata, impluviata, inclyta, indiana, infrequentata, innocua, innotata, inornata, inscriptata, insectella, insititialis, inpersata, instabilis, insulata, interrupta, inundana, irius, isertana, italiana, italica, itynx, janthina, jaquiniana, jesuita, jodutta, knochella, lacera, lactata, lacteella, laeustrata, laeta, laetana, laevigana, lancea, lanceolata, lantanae, lappae, laterana, latinus, latucina, leonina, leucana, leucodactyla, leuconota, leucopictana, leucoptera, libaria, lichenes, lignata, limbata, limbella, limbo-undata, limosaria, liniaria, lineataria, lineella, linetella, lipsiana, literata, longipes, lucinata, lucipeta, lugubrella, lugubrina, lunana, lusca, luscana, luteago, luteomarmorata, lynceata, machaonaria, maculata, maculella, maeniana, magnella, mappa, margaritalis, marmorea, matrona, maurella, megalaginis, mediella, mediopunctaria, megacephala, megaera, megalops, melanata, melastigma, mellearia, mellomella, mercatoria, meretrix, microrhaea, migadactyla, milhauseri, militaris, mineus, mitterbachiana, mixta, mixtana, modestia, mollis, monethina, moniliata, morpheus, munitata, murinaria, musculella, muscella, mutabilis, myzodana, myllerana, myopa, myosaria, nebulana, nebulata, neuroptera, nigricana, nigritaria, nigrosericeata, nitelaria, nitens, nitescentula, nitidana, nitidella, nivalis, niveana, nivella, noctacula, noctilio, noctuina, notana, nyctemerella, obfuscaria, obscurana, obsoleta, ochrealis, ochreata, ochrodactyla, octopunctella, oculitaria, oleagina, oleella, oliiviella, omicronata, ophitata, or, orichalcea, ornataria, osculata, osseata, osseata, ostorius, pagana, palliata, pallidata, pallium, palmata, palumbella, pannerella, paphos, papyracea, par, partita, parvella, pasquayana, patibulum, patroclus, pauperata, pavonia, paykullella, paykulliana, pectinella, pennatula, peponis, perfuscata, perla, persicella, perspicillum, petrata, petrifacta, pfugiana, phylirata, phyllina, phyllira, phytumeae, picta, pigraria, piella, pillerana, pilosaria, piniperda, pistacina, pityata, plagiata, plumbearia, plumbella, plumbeolata, plumigera, pluripunctata, politalis, pollinalis, polygonalis, polygoni, polyzona, pomana, populana, popularis, poraria, porphyralis, posticaria, praeatomata, praenotata, pratanaria,

prelatella, procellata, prodromaria, profundana, promissa, promulella, propugnata, prosanana, psittacata, pteridis, pudoralis, punctulana, punctum, punicago, punicalis, pupilla, purpurina, pusilla, pusillata, pustulella, pyraliata, quadrella, quadriannulata, quadricincta, quadrimaculata, quadripunctalis, quadripunctata, quadripunctella, quadripustulata, quaestionis, quercetana, radiata, ramosa, rayella, reclusa, reflexa, regalis, regia, regulata, rejecta, renata, repanda, repandaria, retata, retusa, reussiella, rhamnata, rhexia, rhododactyla, rhomboidea, ribis, rivagana, rivulana, rivulata, roborana, roboraria, roborina, rohoris, romanana, rossiana, rostrata, rubago, rubicunda, rubidata, rubiginata, rubro-viridata, rufifasciata, rumigerata, rupella, ruptata, rusticata, rutana, rutila, saccharii, saga, saldonana, sambucata, sanguinolenta, saponariae, saturnus, scalaris, schmidiana, schreherella, schulzella, schumacherana, sciurea, sciurearia, scopioliana, scoriacea, scutosa, segetis, seladonia, selenitica, semicana, seppella, sculpchrella, seriata, sericeata, serici, serva, sesis, setosa, sex-punctana, sexpunctella, sidae, simplicata, sinuella, smidiana, solani, solata, sordiarina, spargani, sparmanella, spicula, spinachiata, spinula, spiralis, spissicella, sponsana, stagnata, steinkellnerana, sticticaria, stigmatella, stolidia, stratiolata, striatella, stricta, strigata, strigella, strigilata, strigulana, stroemella, stroemiana, stuposa, subconcolorata, subfimbriata, subfulvata, subfuscata, subhactata, subocellana, subroseata, subrufata, subsericeata, subterranea, subtristata, subumbrata, suffumata, sulphurago, sulphurana, sulphuratella, sylvana, sylvata, sylvaticata, sylvestrata, sylvestrella, syringella, taminata, tanacetii, tarquinius, temerata, tenebraria, terebra, ternata, tersata, tesserella, testacea, testudo, tetracella, texta, thunbergella, tibiale, tibialis, tiliaria, tiliana, tirrhaea, titania, trapezana, trapeziana, trauniana, trax, triangulana, tricolorata, triconnua, trifasciana, trifolii, trigeminata, trigonata, trigutella, trigutta, trilinearia, trimacula, trimaculana, trimaculata, trinalis, trinotata, tripunctana, tripunctella, trique, tristana, tristella, tristrigaria, tritophus, troglodyta, turbata, typicoides, U nigrum, umbellana, umhrago, umbraria, unangulata, undana, undata, undella, unguicana, unguiculata, unifasciata, unilobata, unipunctata, ursina, ursularia, urticae, ustalella, uvella, V-albana, V-argenteum, V-ata, vahliana, vampyrus, variana, variegana, variegata, vauaria, velutalis, venkleriana, vernana, verruca, vespertilio, vestilella, vetulata, viburnana, viciella, vincularia, viudella, vinetella, violacea, virescens, viretata, virginialis, virgulata, viriditigrana, vitalbata, vitana, vitisana, vitisella, vitella, vitulina, vorax, rufa, sciurea, ursina, viverrina, volans, vulpina, xanthopus, xanthopasa, xanthographa, xylophthorum, yeatiana, zebeana, zebu, zonaria. *Vide et Phalena.*

Phalaenites creuata, ohsoleta.

Phalaenivora europaea, vocifera.

Phalaenoides glyciniae.

Phalaenomorpha incuhans.

Phalangella flabellaris, phalangea.

Phalanger pygmaeus, quoy, sciurea, viverrina.

Phalangista apicalis, hanksi, bougainvillei, canescens, canina, cavifrons, chrysorrhous, concinna, cooki, cucullata, cuvieri, felina, fuliginosa, gliriformis, incana, lanuginosa, macroura, maculata, melanura, neilli, nina, nudicaudata, orientalis, papuaensis, petaurus, pygmaea, quoy, rufa, sciurea, ursina, viverrina, volans, vulpina, xanthopus.

Phalangistes acipenserinus, cataphractus, fusiformis, japonicus, laevigatus, loricatus, priscus, stegophthalmus.

Phalangium acanthopus, aculeatum, africanum, albounilineatum, alpinum, annulatum, annulipes, barbarum, bicolor, bicuspidatum, bistriatum, canceroides, chrysomelas, cirtanum, copticum, cornigerum, crassum, crista, dorsatum, dubium, echinatum, erinaceus, fasciatum, filipes, flavimanum, flavounilineatum, granarium, grandis, grossipes, helwigi, hemisphaericum, hirtum, hispidum, hystrix, horridum, infusatum, instabile, levipes, lineola, listeri, longipes, lupatum, mamillatum, melanotarsum, monacantha, nigromaculatum, nigrum, numidicum, oraniense, palpinale, phaleratum, propinquum, qobticum, quadripunctatum, ramipalpe, ruhens, rudipalpe, rufum, rugosum, savignyi, spiniferum, spinipes, spinosum, spinulosum, succineum, triangulum, tricuspidatum, triste, troguloides, tuberculatum, tuberculiferum, uncatum, urnigerum, variegatum, vittatum.

- Phalangodes** armata.
Phalangodus anacosmetus.
Phalangogonia obesa.
Phalangopsis annulipes, araneiformis, brevipes, fuscicornis, gracilipes, lapidicola, longipes, loricata, robustus, tessellata.
Phalangoptyon bimaculatum.
Phalanta phalanta.
Phalaris absinthii*, cerasi, populi, salicis, tanacetii, vitis.
Phalaropus angustirostris, antarcticus, cinerascens, cinereus, fimbriatus, frenatus, griseus, hyperboreus, lobatus, platyrhynchos, ruficollis, rufus, stenodactylus, vulgaris, williamsi, wilsoni.
Phalcobaenus montanus.
Phalena aniculosata, limbata, zenobia. *Vide et Phalaena.*
Phalera (Col.) bimaculata, cadaverina, hemisphaerica, maculipennis.
Phalera (Lep.) bucephala, bucephaloides.
Phaleria auricularis, bipunctata*, bisignata, brasiliensis, cadaverina, capensis, capra, castanea, cayennensis, chrysomelina, cistelina, cornifrons, cornuta, corticina, crenata, culinaris, diaperma, ephippiger, fagi, furcifera, gayi, humeralis, livida, owariensis, pallens, pallida, pellucens, picipes, picta, polita, riederi, rufa, testacea, tricornis.
Phaleris aleutica, camtschatica, cerorhynca, cristatella, dubia, microceros, nodirostra, psittacula, pygmea, superciliata, superciliosum, tetracula.
Phalidura draco, kirbyi, mirabilis.
Phalium alca, areola, clathratum, decussatum, edentulum, erinaceus, extinctum, flammeolum, glaucum, granuloseum, quadratum, sulcatum.
Phallusia arabica, clava, cristata, gelatinosa, holothuroides, intestinalis, livida, mam-millata, monachus, nigra, rustica, sulcata, turcica, urtica.
Phaloe cruenta.
Phalonia decimana, tesserana.
Phalops ciconia, divisa.
Phamius reichenbachii.
Phanaeus abas, acrisius, actaeon, bellicosus, belzebul, bonariensis, carnifex, chryserythrus, columbi, conspiciellatus, corydon, dardanus, davus, demon, difformis, ducalis, dux, faunus, festivus, fulgens, heros, hilaris, igneus, imperator, jasius, kirbyi, laevicollis, laevipennis, lautus, meleagris, melibaeus, menalcas, menelas, miles, milon, mimas, minos, molock, nobilis, palaeno, palliatus, pegasus, planicollis, satyrus, subtricornis, telamon, thalassinus, torrens, tridens, vindex. *Vide et Phaneus.*
Phanemya musca.
Phanerobranchus dipus, platyrhynchus, tetradactylus.
Phaneroptera acanthocephala, alipes, angustifolia, bilineolata, brevis, citrifolia, cruenta, curta, curvicauda, dalmatina, falcata, fausta, germari, gracilis, hystrix, irrorata, laetabilis, lilifolia, macra, macropoda, maculosa, margineguttata, nodicornis, oblongipennis, pallens, parumpunctata, perlaria, phyllacantha, praeusta, rectaungula, rufo-notata, servillea, trigintiduoguttata, venusta, vetusta, zebra.
Phanerostomum cribrum, globulosum, integerrimum, ocellatum.
Phanerotinus cristatus, nudus.
Phanerotoma (Col.) brunneum, convexum, elongatum, grande, granulatum, opacum, ovatum, plicatum, pubescens, ruficorne, rugulosum, subcostatum, suturale.
Phanerotoma (Hym.) dentatum, rugiferum.
Phaneus sylvanus. *Vide et Phanaeus.*
Phania appendiculata, curvicauda, flavipalpis, lateritia, obscuripennis, simillima, taeniata, thoracica, vittata.
Phanoderus (Ar.) collaris, horridus, inermis.
Phanoglene barbigere, micans.
Phanoptes pulcher.
Phantasma filiforme, thoracicum.
Phantoma variabilis.
Phanus vitreus.
Phaonia (Dipt.) aricioidea, canaliculata, vagatoria, viarum, villana.

- Phaonia** (Med.) okeniana.
Phaops albugo, germari, thunbergi.
Phaps chalcopetra, elegans, histrionica, leucotis, picata.
Pharaonus fasciculatus.
Pharetra auricoma, menyanthidis.
Pharetria socialis.
Pharetrium fragile.
Pharmacis aestimaria, ento, flina, huebneri, libaria, sartaua.
Pharomachus mocinno.
Pharopteryx nigricans.
Pharostoma pulchrum.
Pharus (Col.) brouzeti, quadristillatus, sex-guttatus.
Pharus (L.) legumen.
Phascochaeres aeliani.
Phascochaerus africanus, typicus.
Phascogale affinis, albipes, apicalis, calurus, crassicaudata, flavipes, leucogaster, leucopus, macroura, minima, murina, pencillatus, rufogaster, swainsoni, virginiae.
Phascogalea melas.
Phascolarctos cinereus, flindersi, fuscus, koala.
Phascolomis vomatus.
Phascolomys bassi, fossor, fuscus, latifrons, mitchelli, ursinus.
Phascolosoma carneum, concharum, granulatum, longicolle, pallasi, scutatum.
Phascolotherium bucklandi.
Phasganus declivis.
Phasgonophora condalus.
Phasgonura viridissimus.
Phasia agrestis, albifacies, albipennis, analis, ancora, argentifrons, arvensis, atropurpurea, aurulans, axillaris, basalis, brachyptera, bucephala, campestris, cana, cinerea, convexa, crassipennis, diluta, discoidalis, discoidea, fasciola, flavipennis, flaviventris, freyreisi, grisea, hamata, helva, hemiptera, hirtipes, hyalipennis, lateralis, muscaria, nana, nebulosa, nervosa, nigra, nubeculosa, nubilipennis, obesa, oblonga, obscuripennis, opaca, ornata, pennipes, punctata, pusilla, pygmaea, ruficeps, semicinerea, speciosa, subcoleoptrata, taeniata, umbrata, umbripennis, vagans, varia, variabilis, violacea, zonella.
Phasiamea metallica.
Phasiane arenacearia, artesiaria, lineolata, obliquaria, palumbaria, partitaria, petraria, plumbaria, rippertaria, scutularia, vincularia.
Phasianella abbreviata, actiuscula, adpressa, affinis, ambigua, angulifera, angulosa, angusta, articulata, basterotina, beadlei, bessarabica, bicarinata, bifasciata, bloedei, bolina, brevis, bulimoides, buvignieri, caecilia, calliope, canalis, capensis, carinifera, cassiana, cassiope, cincta, concinna, concolor, consobrina, corneus, decussata, delia, elegans, elongata, elongatissima, ervyna, fasciata, flammulata, flava, formosa, fulminata, gaultina, gerolsteineusis, gigas, hagenovi, haleana, heddingtonensis, hommairei, incerta, inflata, inflexa, intermedia, iris, jason, kichinevae, klipsteiniana, kochi, laevis, lamellosa, lehmanni, leymerici, lymnearis, lineata, lineolata, lymnaeoides, marmorata, mauritiana, melanoides, meleagris, menkei, microtricha, minuta, muensteri, multisulcata, nebulosa, neocomiensis, neritina, neritoidea, orbicularis, ovata, ovula, pallida, paludiformis, paludinaeformis, paludinaris, paludinaris, parisiensis, partschi, perdis, perforata, peruviana, phasianoides, picta, plicata, polita, preissi, prevostina, princeps, prisca, pulchella, pulchra, pullus, punctata, punctulata, pusilla, pygmaea, pyramidata, reticulata, royana, rubella, rubens, scriptus, semistriata, similis, solida, sowerbyi, speciosa, spirata, splendida, striata, striatella, striatula, striatus, stylifera, subangulata, subclathrata, substriatula, subulata, subumbilicata, subventricosum, sulcata, sulcosa, supracretacea, tenuis, tessellata, tricostalis, trouvillensis, turbiniformis, turbinoides, umbilicata, undatella, unifascialis, varia, variabilis, varicosa, variegata, ventricosa, venusta, vieuxi, vinctus, viridis, vittata, zebrina.
Phasianellus crassior.
Phasianema lineolata, sulcata.

Phasianurus *acutus*, *virgosi*.

Phasianus *adriatica**, *albo-cristatus*, *albo-torquatus*, *americanus*, *amherstiae*, *auritus*, *castaneus*, *columbianus*, *crawfurdi*, *crossoptilon*, *cruentus*, *erythrophthalmus*, *fasciatus*, *gallinacens*, *gardneri*, *garrulus*, *hamiltoni*, *ignitus*, *indicus*, *katraca*, *lathamii*, *leucomelas*, *lineatus*, *marginatus*, *melanocephalus*, *momoul*, *mongolicus*, *muthura*, *nigro-crispus*, *nipalensis*, *pocrasia*, *purpureus*, *reevesi*, *reynaudi*, *rufus*, *satyra*, *soemmerringi*, *staceyi*, *torquatus*, *variegatus*, *veneratus*, *versicolor*, *wallichi*.

Phasis *nais*, *palmus*, *salmonesus*.

Phasma *acanthocephalum*, *acanthophora*, *acheron*, *acicularis*, *acuticorne*, *affine*, *ambigua*, *angulata*, *angulatum*, *annulata*, *armatum*, *arumatia*, *atrophicum*, *baculus*, *bennetti*, *bicornis*, *bicoronata*, *bicuspidatum*, *bidentata*, *bifoliatum*, *bimaculata*, *bimaculatum*, *bioculata*, *bi-biguttatum*, *bituberculatum*, *bojei*, *brachypterum*, *brevipenne*, *briareus*, *bufo*, *buprestoides*, *calamus*, *celebicum*, *chilensis*, *chlorophylla*, *cinerea*, *cinereum*, *conocephalum*, *corniceps*, *coronata*, *coronatum*, *costata*, *curtipes*, *curvipes*, *deplanatum*, *despectum*, *diacanthos*, *diacis*, *diardi*, *draconinum*, *elongata*, *fasciata*, *fasciatum*, *femorata*, *ferruginea*, *filiformis*, *filum*, *flabelliformis*, *flavicorne*, *flavo-maculata*, *forsteri*, *fuscus-annulatum*, *galacpterum*, *gallicum*, *geniculosum*, *gibbosa*, *gigas*, *goliath*, *graciosa*, *grandis*, *gulare*, *helvolum*, *heteropoda*, *hilare*, *hookeri*, *hopei*, *horridus*, *horstokki*, *inermis*, *inflexipes*, *iridescens*, *jamaicensis*, *japonicum*, *javanum*, *labiata*, *laceratum*, *lacertinum*, *lichenale*, *lineatum*, *lineolatum*, *lugens*, *luteo-viride*, *mackloti*, *maculatum*, *maculicollis*, *manicatum*, *marginatum*, *mesoplatum*, *minans*, *muelleri*, *naevium*, *nematodes*, *nigro-annulatum*, *nigrofasciatum*, *niponense*, *nodosum*, *noli-metangere*, *nympha*, *obscurum*, *oculata*, *ohrtmanni*, *ornatum*, *osiris*, *perspicillaris*, *phthisica*, *phyllopus*, *pilosipes*, *plocaria*, *prasinum*, *pulchellum*, *quadriguttatum*, *reinwardti*, *reticulata*, *reticulatum*, *roseum*, *rossium*, *rubicundum*, *semiannulata*, *servillei*, *siccifolia*, *simplex*, *sordidum*, *spiniceps*, *spinicollis*, *spiniger*, *spinosum*, *tessulata*, *tiaratum*, *titan*, *tithonus*, *trigona*, *unicolor*, *uniforme*, *varicornis*, *venosum*, *vermicularis*, *verrucosum*, *vinosum*, *violescens*, *viridimarginatum*, *vittata*.

Phasmatocarcinus *discophthalmus*, *glauca*.

Phasmodus *ranettriformis*.

Phataginus *macrurus*.

Phatnoma *laciniata*.

Phaylomerinthus *cinereus*.

Phebellia *aestivalis*.

Phegornis *mitcheli*.

Pheidole *providens*.

Phelsuma *cepedianus*, *crepidianus*, *lineatum*, *ornatum*, *trilineatum*.

Phemiades *augias*, *edippus*, *ephesus*, *epictetus*, *phineus*.

Phen → *Vide et Phaen* →, *Phoen* →.

Phenax (Hem.) *auricoma*, *variegata*.

Phene *gigantea*, *ossifraga*.

Phenes *raptor*.

Phengodes *cinnamomata*, *flavicollis*, *floccosa*, *orbignyi*, *pennicornis*, *plunicornis*, *plumosa*, *praeusta*, *pulchella*, *roulini*, *testaceus*.

Phenice *fasciolata*, *fritillaris*, *stellulata*.

Phenolia *grossa*.

Pheosia *dictaea*, *dictaeoides*.

Pherbellia *vernalis*.

Pherbina *boschi*, *cayennensis*, *communis*, *flavescens*, *gentilis*, *germana*, *limbata*, *paludosa*, *reticulata*, *soror*, *vicina*.

Pherocoma *abdominalis*.

Pheropsophus *amaenus*, *bifulcatus*, *bisulcatus*, *goudoti*, *humeralis*, *impressicollis*, *lineifrons*, *longipennis*, *maculatus*, *pictus*, *quadripustulatus*, *stenoderus*, *tenuicostis*.

Pherusa (Cr.) *alba*, *fucicola*, *punctata*.

Pherusa (G.) *adriatica*, *barbata*, *goodsiri*, *mulleri*, *obscura*.

Pherusa (Polyz.) *tubulosa*.

Pherusa (Verm.) *plumosa*.

Pheugopedius *coraya*, *genibarbis*.

- Phiale** berina, crocea, gratioa, ministerialis, modesta, rufoguttata, virgo.
- Phialina** cygnus, cygnus, hirudinoides, proteus, pupa, versatilis, viridis.
- Phiaris** metallica, penderiana.
- Phibalapteryx** angustata, badiata, cognata, lapidaria, liguaria, lignata, lineolata, polygrammaria, tersaria, tersata, virgata, vitalbaria, vitalbata.
- Phibalocera** fagana, nigrana, quercana.
- Phibalosoma** lepeletieri.
- Phibalura** chrysopogon, crisopogon, cristata, flavirostris.
- Phidiana** caerulea, inca, longicauda, northumbria, patagonica.
- Phidippus** alchymista, arrogans, asinarius, auctus, carolinus, castrensis, chalcodon, cincinnatus, cyanidens, dubiosus, electus, elegans, fascipes, fulgidus, insignarius, lunatus, metallicus, mundulus, nitens, paludatus, personatus, purpurifer, regius, rufimanus, smaragdifer, tessellatus, testaceus, togatus, variegatus.
- Phidola** maculicornis.
- Phidonia** plumbeolata.
- Phigalia** pilosaria.
- Phila** convexiuscula, curta, dubia, gilvipes, maunerheimi, obtusa, punctatella, quadri-impressa, vulnerata.
- Philacea** juliana.
- Philaematus** pungens.
- Philaeterus** socia.
- Philammus** alpestris.
- Philampelus** hornbeckiana.
- Philander** brachyurus, cinereus, dorsigerus, marsupialis, murinus, nudicaudus, opossum, virginianus.
- Philanthus** abdelcader, abdominalis, albofasciatus, algericus, allionii, analis, apivorus, bicolor, biguttatus, bilineatus, canaliculatus, capensis, circularis, clypeatus, coarctatus, colon, decemmaculatus, dimidiatus, dufouri, furcipennis, histrio, indicus, loeflingi, lunulatus, macula, major, nigrita, osbecki, pallidus, petiolatus, politus, punctatus, pygmaeus, raptor, rubidus, rutilus, rybyensis, schoenherri, sieboldti, solivagus, spiniger, trilineatus, trilineatus, trifidus, variegatus, venustus, vertilabris, zonatus.
- Philax** barbarus, costatipennis, moreleti, nivalis, plicatus, senegalensis, variolosus.
- Philea** roscida.
- Philedon** albifrons, auricornis, auriculata, auriculatus, auritus, australasiana, bouroensis, buceroides, caerulea, calva, carunculata, carunculatus, chrysopterus, chrysotis, cincinnatus, cochinchinensis, cocinichina, corniculatus, cucullata, cuculliger, cyanops, dumerili, eupogon, fasciculata, garrulus, goruck, graculina, lunata, malabaricus, marmoreus, melanocephala, melanodera, mellivora, meluccensis, monachus, musicus, naevius, niger, nobilis, novae hollandiae, olivaceus, paradoxus, pharoides, phrygius, picatus, rubrifrons, seniculus, viridicollis, viridis, xanthotis, xantotus.
- Philedone** cinctana, costana, gerungana, walkerana.
- Philemon** albifrons, auricornis, auritus, chrysopterus, chrysotis, cincinnatus, cinereus, cucullatus, cyanops, cyanotis, erythrotis, fasciculatus, garrulus, icterops, marmoreus, melanocephala, monachus, naevius, nigricollis, olivaceus, ornatus, phrygius, picatus, sagittatus, viridicollis, viridis.
- Philentoma** castaneum, cyanomelas, pyrrhoptera, rubiginosus.
- Philepitta** geoffroyi, sericea.
- Philereme** rhannata, velutata.
- Phileremos** alpestris, bicornis, cornutus, glacialis, moreatica, pallidus, scriba, subalpinus.
- Phileremus** dufouri, kirbyanus, niveatus, oraniensis, punctatus.
- Philerus** farinosus.
- Philesternus** carunculatus.
- Philetaurus** lepidus, socius.
- Phileurus** affinis, agnus, alatus, bajulus, castaneus, cephalotes, chinensis, complanatus, cribratus, cylindricus, depressus, didymus, explanatus, femoratus, fimbriatus, foveicollis, hircus, integer, lacunosus, laticollis, latipennis, microps, morio, nasicornis, ovis, piliger, planatus, platypterus, pusio, quadrituberculatus, rugosus, senegalensis, sinodendrius, subcostatus, truncatus, uninodis, valgus, variolosus, vervex.

- Philhydrus** (Col.) fimbriatus, fulvipes, limbalis, ochraceus, spadiceus, vicinus.
Philhydrus (R.) pisciformis.
Philia haemorrhoeica, sanguinolenta.
Philine quadrata, scutulum. *Vide et Philine*.
Philinta flava, pallipes, testacea.
Philippia luteum.
Philistina rhynophylla.
Philline aperta, catena, punctata. *Vide et Philine*.
Philipsastrea cantabrica, hennahi, parallela, torreana.
Phillipsia brongniarti, coelata, colei, derbyensis, discors, eichwaldi, gemmulifera, globiceps, jonesi, kellyi, maccovi, mucronata, obsoleta, ornata, uralica, pustulatus, quadriserialis, raniceps, seminifera, truncatula.
Phillipsocrinus caryocrinoides.
Philopneuste fuscata, reguloides.
Phillyra mammeata, riparia.
Philobia aestimaria, alternaria, cordiaria, flavicaria, lituraria, notataria, signaria.
Philocalis pulchra.
Philocalus succinctus, zonatus.
Philochlaenia ambitiosa, brevipes, brevitarsis, comata, delicatula, lineatocollis, murina, truncata, virescens.
Philochloenia compacta.
Philochthus aeneus, biguttatus, fumatus, fuscipes, grandicollis, guttula, haemorrhous, orbicollis, subfenestratus, viridanus.
Philodendros praeornata.
Philodicus javanus.
Philodina aculeata, citrina, collaris, erythrophthalma, hirsuta, macrostyla, megalotrocha, roseola.
Philodontis palpina.
Philodromus abboti, affinis, albini, argenteatus, aureolus, calidus, cespiticolis, cespitum, clarki, clercki, collinus, dispar, fabricii, fallax, formicinus, fuliginosus, funebris, fuscoclimbatus, fuscomarginatus, gracilentus, inquisitor, jejunos, junior, limacum, limbatus, linnaei, luteus, maculatus, mistus, oblongiusculus, oblongus, ornatus, pallidus, parallelus, pernix, praeceps, pulchellus, punctatus, quadrilineatus, rhombiferus, rufus, senilis, tigrinus, trilineatus, variatus, walckenaeri.
Philodryas olfersi.
Philognoma decius, laodice, lichas, varanis.
Philohela minor.
Philoica advena, atrica, cicurea, civilis, domesticus, linotina, notata.
Philolimnos gallinula, minor, stagnatilis.
Philomachus cayanus, pugnax, spinosus, ventralis.
Philomela atricapilla, curruca, hippolais, hortensis, luscini, modularis, nisoria, oenanthe, orphea, phoenixurus, polyglotta, regulus, rubecula, rubetra, rufa, salicaria, sibilatrix, suecica, sylvia, troglodytes.
Philometra recticaudata, reticulatum.
Philomycus carolinensis, dorsalis, flexuolaris, fuscus, oxyurus, quadrilus.
Philomyrmax insignis.
Philonexis alcaeus, atlanticus, eylais, hyalinus, microstomus, quoyanus, tuberculatus, velifer, venustus.
Philonicus albiceps.
Philonorhynchus viridis.
Philonthus abdominalis, aciculatus, adscitus, aeratus, aeripennis, aeruginosus, agilis, agnatus, albilabris, albionicus, albipes, alcyoneus, alpestris, alumnus, ambiguus, amoensis, analis, angularius, angusticollis, antennatus, apicornis, asphaltinus, astutus, ater, aterrimus, atramentarius, atratus, attenuatus, bicolor, bilineatus, bimaculatus, binotatus, bipustulatus, bisignatus, bistriatus, blandus, boops, brevis, brunneus, caffer, californicus, candens, carbonarius, caucasicus, cautus, celer, cephalotes, chalceus, chalcopterus, chrysurus, cicatrisosus, cinctulus, cinerascens, coelites, cognatus, columbianus, compressicollis, concinnus, consors, consputus, corallicola, corruscus,

corvinus, costatus, coxatus, cribratus, cribricollis, cupreus, cupripennis, curtatus, cyanescens, cyanipennis, debilis, decorus, dimidiatipennis, dimidiatus, discoideus, dives, egenus, egregius, elatus, elongatus, ephippium, erraticus, exiguus, fasciatus, feralis, ferrugatus, fervidus, fibularius, figulus, filum, fimbriolatus, finetarius, flagraus, flavipennis, flavolimhatus, fonicola, frigidus, frontalis, fucicola, fuliginosus, fulvipes, fumigatus, furvus, fuscicornis, fuscipes, fuscus, fusiformis, gaudichaudi, gilvipes, gracilis, gracilicornis, graciosus, gratus, haematurus, harrisi, helvolus, hepaticus, herilis, hospes, humilis, hybridus, immundus, impressicollis, impressus, inconspicuus, infirmus, inquietus, intaminatus, intermedius, iopterus, janthinipennis, labilis, laetulus, laetus, laevicollis, laevigatus, laminatus, lateralis, lathrobioides, lepidus, leucotus, llesgicus, linearis, lituratus, lividipes, lomatus, longicornis, lucidus, ludicrus, lugens, lustralis, luxurians, mandibularis, marginatus, maurorufus, melancholicus, melanocephalus, melanopterus, micans, microcephalus, minax, minutus, mirabilis, molochinus, montanus, montivagus, morio, morulus, nanus, natalensis, nauticus, niger, nigerrimus, nigripennis, nigripes, nigrita, nigro-aeneus, nitens, nitidulus, obscuripennis, obscurus, opacus, opulentus, orbus, orphanus, osseticus, pachycephalus, pacificus, palliatus, pallipes, palmula, paradisianus, parumpunctatus, pavidus, pediculus, phaeopus, picatus, piceatus, picipennis, pilipes, placidus, politus, praecox, pretiosus, procerulus, prolixus, promptus, pruinosus, puella, pulchellus, pullus, punctalellus, puncticollis, punctifer, punctiventris, punctus, pusillus, pyrenaeus, quisquiliarius, rubidus, rubripennis, rubromaculatus, ruficollis, ruficornis, rufimanus, rufipennis, rufipes, salinus, sanguinolentus, scintillans, scitus, scutatus, scybalarius, sericeus, sideropterus, siegwaldi, simplex, sobrinus, sordidus, sparsus, splendens, splendulus, stenoides, stragulatus, stygicus, subfuscus, succinctus, suspectus, suturalis, tachiniformis, testaceipennis, thermarum, thoracicus, trepidus, trossulus, turbatus, turbidus, umbratilis, umbrinus, vapidus, variabilis, varians, variegatus, varicolor, varius, ventralis, vernalis, viduus, vilis, viridanus, xantholoma, xanthopterus, xanthopus, xanthopygus, watsoni.

Philodius lefebvrei, nostradamus.

Philopeton parapleurus, plumbeus.

Philophlaeus australis.

Philophloeus eucalypti, fuscipennis.

Philopota conica, histrio, liturata, maculicollis, murina, nitida, ovata, tuberculata, turbinata, vidua.

Philopotamus affinis, angustipennis, antennatus, bimaculatus, concolor, conspersus, costalis, dorsalis, dubius, fulvipes, instabilis, irroratus, lanceolatus, longipennis, maculatus, marginepunctatus, montanus, nebulosus, nubilus, obliquus, obscurus, obsoletus, ochroleucus, opacus, pellucidulus, reticulatus, scopulorum, stigma, tenellus, trimaculatus, variegatus.

Philopterus aguiiae, alcae, annulatus, apiastri, aquilinus, argulus, astrocephalus, atratus, atro-marginatus, attenuatus, auratus, baculus, bassani, bilineatus, brevicollis, brevicornis, brevifrons, brevis, cameratus, canuti, capreolus, celidoxus, cephalus, chelicornis, chrysophthalmi, cincli, cingulatus, claviformis, colchici, colymbinus, communis, compar, conicus, crassipes, cruciatus, cuculi, cursor, curtus, cuspidatus, cyclothorax, cygni, cygnorum, decipiens, diomedae, discocephalus, dispar, dissimilis, ebraeus, elongatus, eugrammicus, excisus, falcicornis, fenestratus, fissus, fringillae, fulicae, fulvus, furvus, fuscicollis, fusco-marginatus, fusiformis, glandarii, gonopleurus, gracilis, grammicus, guttatus, gyricornis, haematopi, heterographus, hiaticulae, hologaster, holophaeus, houbarae, humeralis, hypoleucus, icterodes, iliacus, incompletus, jejunos, juncus, lari, latifrons, leontodon, leucopleurus, leucopygus, limbatus, limosae, luridus, macrocnemis, marginalis, melanocephalus, merguli, meropis, merulae, merulensis, microthorax, minutus, modularis, nebulosus, nisi, numenii, numidae, numidianus, nycthemerus, obscurus, ocellatus, ochrops, oedionemi, olivaceus, ortygis, ostralegi, pallescens, paradoxus, pari, passerinus, pastoris, pederiformis, pelagicus, pertusus, phaeops, phalaropi, picae, piceus, plateae, platygaster, platyrhynchus, platystomus, podiceps, polytrapezius, prionitis, punctatus, punctifer, quadripustulatus, ralli, rallius, rectangularis, reguli, rostratus, rubecula, rufus, scolopacis, semi-signatus, serratus, serrilimbus, squalidus, staphylinoides, stellaris, stellatus,

stenopyx, stramineus, strepsilaris, struthionis, sturui, styliifer, subcuspidatus, superciliosus, tadornae, temporalis, tenuis, ternatus, tessellatus, testudinarius, tetraonis, thalassidromae, triangulifer, tricolor, uncinosus, upupae, vanelli, variabilis, variatus, versicolor, viscivori.

Philopyra effusa, livida, perflua, pyramidea, tetra, tragopogonis.

Philorca picipes.

Philorchemon paradisea.

Philorhiza fasciata.

Philortyx fasciatus.

Philoscia ehrenbergi, marmorata, moscorum, muscorum, olfersi, picta, sellowi, spinosa, sylvestris, vittata.

Philoscotus silphoides.

Philothermus montandoni.

Philurus circinnatus.

Philydor albogularis, rufo collaris, superciliaris.

Philydrus griseus, lividus, megerlei, melanocephalus, nigrita, pallidus, volkmari.

Philygria flavipes, guttata, punctatopervosa.

Philypnoides surakartensis.

Philypnus dormitator, ocellicauda, ophicephalus, sinensis.

Philyra (Col.) helopioides.

Philyra (Cr.) globosa, granigera, humilis, pisum, platycheir, porcellana, scabriuscula.

Phimodera galgulina, humeralis, nodicollis.

Phimosus infuscatus.

Phinus violaceus.

Phlaea cassidoides, livida. *Vide et Phloea.*

Phlaeobium sinuato-colle.

Phlaeodes crenana, demarniana, estreyerana, frutetana, immundana, monachana.

Phlaeomys cuningii.

Phlaeothrips aculeata, annulicornis, coriacea, flavipes, pedicularia, pini, statices, ulmi.

Phlaeotrupes caelatus.

Phlebodes pertinax, saturnus.

Phlebopenes splendidus.

Phlegenthonius carolina, celeus, cluentius, hannibal, lucetius, paphus.

Phlegon buqueti.

Phleusa cynea.

Phlexis wagneri.

Phlias serratus.

Phlocerus menetriesi.

Phloea corticalis, corticata, longirostris, paradoxa, subquadrata. *Vide et Phlaea.*

Phloeobium marginicollis.

Phloeobius griseus.

Phloeoborus asper, rudis, scaber.

Phloeocharis minutissima, subtilissima.

Phloeocoris corticatus, paradoxus.

Phloeonaeus caelatus, caesus.

Phloeonemus granulatus.

Phloeonomus heeri, inflatus, lucidus, minimus, monilicornis, pusillus, pygmaeus.

Phloeopemon acuticornis.

Phloeophagus aeneopiceus, aterrimus, ebeninus, fallax, ferrugineus, hispidus, lignarius, minimus, pallidus, sculptus, silbermanni, spadix, uncipes.

Phloeophilus agrestis, sulcifrons.

Phloeopora colubrina, corticalis, latens, religata, reptans, subtusa.

Phloeostichus denticollis.

Phloeothrips albipennis.

Phloeotragus albicans, annulicornis, gigas, heros, hottentottus, imhoffi, prasinatus, pustulatus, varicolor.

Phloeotrupes grandis, procerus.

Phloeophila irrorana.

- Phlogophora** adalatrix, empyrea, fovea, lucipara, meticulosa, scita.
Phlogris melpomene.
Phloiocopus buqueti, guerini, suberosus, tricolor.
Phloiophila irrorana.
Phloiophilus bimaculatus, cooperi, edwardsi.
Phloiotribus oleae.
Phlyctaenia sambucalis, thyrallis.
Phlyctaenodes pustulosus.
Phlyctinus agrestis, albomixtus, callosus, egenus, gallina, hariosus, inaequalis, metallescens, monstrosus, murinus, oblongus, pauper, testatus, varius.
Phlysacium paradoxum.
Phobelius crenatus, lucifugus.
Phoberia atomaris, lunaris, punctularis, rufimargo, tirrhaea.
Phoberus horridus.
Phobetr tricuspis.
Phobetron abbotana, hiparciana.
Phobophorus paccatus.
Phoca aegyptiaca, albicauda, albicollis, albigena, ambigua, annelata, ansoni, ansonina, antarctica, bicolor, byroni, byronia, californiana, candicans, canina, carcinophaga, caspica, choris, cinerea, communis, concolor, coxi, cristata, cucullata, desmaresti, discolor, dorsata, dubia, equestris, falklandica, flavescens, forsan, forsteri, frederici, gryphus, grypus, halichoerus, hauvillei, hermanni, bomei, isidorei, jubata, lagura, lakhtak, lapponum, largba, leonina, leopardina, lepecheni, leptonyx, leucogaster, leucopla, linnaei, littoralis, lutris, lyelli, mitrata, muelleri, nautica, nigra, norvegis, occitana, ochotensis, parsonsi, pedroni, pilayana, pilayi, platythrix, pontica, proboscidea, resima, rugidens, schreberi, scopulicola, sibirica, stelleri, testudinea, thienemannii, tigrida, tropicalis, viennensis, weddelli.
Phocaena australis, bivittata, commersoni, communis, cortesi, crassidens, edwardsi, grampus, grisea, homei, leucocephala, melas, pectoralis, rissoanus, rissonnus, superciliosa, ventricosa, vulgaris. *Vide et Phocoena.*
Phocides alardus, cruentus, lisiades.
Phocodon scillae.
Phocoena gladiator, globiceps, orca, phocoena. *Vide et Phocaena.*
Phodilus badius.
Phoebe (Ar.) floricola, rupicola, saxicola.
Phoebe (Col.) bicornis.
Phoebeis eypri, drya, eubule, jugurtba, melanippe.
Phoedinus debauei, lanio.
Phoen→ *Vide et Phaen*→, *Phen*→.
Phoenicircus carnifex, militaris, nigricollis.
Phoenicocerus dejeani.
Phoenicocrinites simplex.
Phoenicodera scapularis, varicollis.
Phoenicophaeus jerdoni, longicaudatus, nigriventris, tristis.
Phoenicophaus barroti, caniceps, chlorophaeus, corallirhynchus, crawfurdi, cumingi, curvirostris, elongatus, pyrrhocephalus, sumatranus, viridirostris.
Phoenicopterus americanus, antiquorum, bahamensis, parvus, roseus.
Phoenicornis affinis, elegans.
Phoenicosoma azarae, bidentata, bepatica.
Phoenicothraupis rubica, rubicoides.
Phoenicrus muralis.
Phoeniculus notatus, unimaculatus.
Phoenicura atrata, coeruleocephala, frontalis, fuliginosa, leucocephala, leucoptera, macgri-goriae, major, muraria, plumbea, reevesi, rubeculoides, suecica, supersiliaris, tethys.
Phoenicurus ruficilla.
Phoenisoma aestiva, ardens, azarae, bivittata, lutea, olivacea, rubra.
Phenodus fallax, rufomarginatus.
Phoenoeus imperator.

Phoemeris cyanea.

Phoenops insignata.

Phoethornis superciliosus. *Vide et Phaethornis.*

Pholadidea loscombiana.

Pholadites amygdalinus, caudatus, musculoides.

Pholadomia subdinnensis.

Pholadomya abrupta, acuminata, acuta, acuticostata, acutisulcata, aequalis, aequivalvis, agassizi, allica, alpina, alternans, amathusia, ambigua, ampla, anaglyptica, angulata, angulifera, angulosa, angustata, anomala, antica, archiaciana, arcuata, aspiata, aspasia, audax, belloua, bernardiana, bicostata, biplicata, birostris, bolina, brongniarti, bucardium, canaliculata, cancellata, candida, candidoides, carantoniana, cardissoides, carinata, caspica, castellanensis, caudata, cincta, cingulata, clathrata, clytia, complanata, compressa, compta, concatenata, concealata, concentrica, concinna, conformis, connectans, constricta, contraria, cor, cordiformis, cornueliana, corrugata, costellata, crassa, crista, crista, cuneata, curta, curvata, cylindrica, decemcostata, decorata, decussata, deltoidea, depressa, dilata, dixonii, douaciformis, donacina, dubia, dubois, dutempleana, echinata, elegantula, elliptica, elongata, emarginata, engelhardti, erina, escheri, esmarki, euglypta, exaltata, fabacea, favrina, fidicula, flabellata, foliacea, galloprovincialis, geinitzi, gibbosa, gigantea, gigas, glabra, glendonensis, goldfussi, gracilis, granosa, hausmanni, hemicardia, heraulti, hesternia, heteropleura, hortulana, hugii, idea, inflata, inornata, intermedia, iridinoides, kasimiri, knorri, konincki, laevis, laeviuscula, latesulcata, ligeriensis, lineata, lirata, longirostris, loricata, lyrata, malleana, major, margaritacea, mariae, marrotiana, martini, marylandica, media, mellevillei, michelini, micularis, moulinsi, muensteri, multicostata, murichsoni, myacina, nana, neocomensis, nitida, nodosa, nodulifera, normaniana, novelliana, nuda, nymphacea, obliqua, obliquata, oblitterata, obsoleta, obtusa, occidentalis, omaliana, orbiculata, ovalis, ovulum, paradoxa, parvicosta, parvula, paucicosta, pectinata, pelagica, petschorae, phillipsi, plana, plicata, plicosa, polymorpha, pontica, prevosti, producta, protei, pulchella, puschi, radiata, rauliniana, recurva, regularis, reticulata, retusa, rhomboidalis, roemeri, rostralis, rostrata, royana, royan, royeriana, rugosa, russiensis, scalprum, scheuchzeri, scutata, semicostata, siliqua, similis, simplex, solenoides, striata, striatula, subangulata, subcarinata, subplicata, subradiata, subtruncata, sulcata, tenera, tenuicosta, terebrans, texta, trapezicosta, trapezicostata, trigonata, triquetra, truncata, tumida, umbonata, undata, uralensis, urania, varuensis, ventricosa, virgulosa, voltzi, weissii, zietenii.

Pholadopsis pectinata.

Pholas acuminata, altior, antipodum, aperta, arcuata, australasiae, baugieri, birmanica, branchiata, branderi, californica, callosa, calva, chilensis, cithara, clavata, compressa, concamerata, conoidea, conoides, constricta, cordieri, cornea, cornueliana, corticaria, costata, crassa, crenulatus, crista, crispatus, cruciger, cuneata, cuneiformis, curta, cylindricus, dactyloides, darwini, dilatata, dimidiata, explanatus, falcata, fayollesi, fragilis, gibbosa, giganteus, globosa, globulosa, goodalli, hians, hommairei, icaunensis, mcei, janellii, jouanneti, julan, lamarcki, lamellata, lamellosa, lanceolata, laqueata, lata, latissima, licaon, ligamentina, manilensis, manillae, marmoratus, melanura, multistriata, mytiloides, obliquata, oblongata, oblecta, ovalis, ovata, ovum, palmula, papyracea, papyraceus, patula, pechelli, penita, petrosa, poperiana, priscus, pusillus, quadra, recondita, rhomboidea, rivicola, roemeri, roperiana, rostrata, rugosa, sclerotites, scutata, sebaiana, semicostata, semi-striata, silicula, similis, spathulata, spinosa, striatus, subcylindrica, subtruncata, sulcata, teredinaeformis, toarcensis, tridens, triquetra, truncata, tuberculatus, tubifera, unguata, ventricosa, vibonensis, waldeimii, xilophaga.

Pholcus americanus, atlanticus, barbarus, caudatus, geniculatus, globulosus, impressus, nemastomoides, phalangioides, quadripunctatus, rivulatus, senoculatus, sexoculatus.

Pholebia praecisa, rugosa.

Pholeophilus capensis.

Pholetaera bifasciata, dispar, livens, nigropunctata, rustica, spuria.

Pholicodes inauratus, lepidopterus, plebejus, rubiculosus, syriacus, trivialis.

Pholidolaemus bucephala.

Pholidophorus angustus, becheri, cognatus, crenulatus, dorsalis, flesheri, furcatus, fusiformis, gracilis, hartmanni, hastingiae, intermedius, laevis, latimanus, latiusculus, latus, leptocephalus, limbatus, longimanus, longiserratus, loricatus, macrocephalus, maximus, microuyx, microps, minor, muensteri, onychius, ornatus, pachysomus, parvus, pusillus, radians, radiato-punctatus, stabianus, stricklandi, striolaris, taxis, tenuiserratus, uraeoides.

Pholidosaurus schaumbergensis.

Pholidotus dejeani, irroratus, lepidosus, reicheti, spixi.

Pholidotus reicheti.

Pholis bufo, carolinus, laevis, novemlineatus, parvidens, quadrifasciatus, smyrnensis, solaris, subbifurcatus, trigloides.

Phollicodes plebejus. *Vide et Pholi-*.

Pholoe baltica, inornata, minuta.

Pholus crantor, ficus, leaon, strigilis.

Phoneus rufus, servillei.

Phoneutria fera, ochracea, rubibarbis.

Phonipara bicolor, caniceps, canora, gutturalis, lepida.

Phonius sanguinipennis.

Phonophilus portentosum.

Phonygama ater, chalybaeus, keraudreni, viridis.

Phora abdominalis, agilis, albipennis, algira, annulata, anthracina, arcuata, aterrima, atra, atricapilla, bicolor, bovistae, caliginosa, canariana, concinna, consorta, convexa, crassicornis, cursitans, dauci, debilis, dimidiata, erythrocerata, fasciata, femorata, flava, flavicornis, flavimana, flavipalpis, florea, fuliginosa, funebris, fuscipes, galeata, gracilipes, helicivora, heracellellae, hyalinata, incrassata, longipes, luctuosa, lugubris, lutea, maculata, mordellaria, nigra, nigripennis, nitidula, nudifrons, ochropa, opaca, pallipes, pereunis, picta, pulicaria, pumila, pusilla, putris, quadrata, rapida, rufescens, ruficornis, rufipennis, rufipes, scapularis, serrata, similis, sordidipennis, sphigicides, stictica, sulphuripes, urbana, velutina, vicina, villosa, vitripennis.

Phoracantha aberrans, biguttata, curvispina, dorsalis, elongata, gigas, hamata, imbellis, impavida, inscripta, obscura, punctatus, quinaris, recurva, robusta, rubripes, semipunctata, senio, synonyma, tricuspis, ventralis.

Phoracanthus allapsa.

Phoradesma graminaria.

Phoraea flavescens, humeralis, myoidea, scutellaris.

Phoraspis albicollis, atomaria, cassidea, conspersa, elegans, fastuosa, flavipes, leucogramma, luteola, nigra, pallens, pantherina, picta, unicolor.

Phorbia arvensis, claripennis, grisea, musca, rustica.

Phorcis epistygne*, gorge, scaea.

Phorcus (Cr.) reynaudi, striatus.

Phorcus (G.) margarita, margaritaceus.

Phorcynia allantophora, cruciata, cudonoidea, cyclophylla, dodecagona, forskalea, istrophora, mesonema, mollicina, petasella, pileata, purpura, purpurea, ren, sphaeroidalis, undosa, undulosa.

Phorella arvensis, atrata, despecta, florum, morio, squalida.

Phorinia aurifrons, borealis, gracilis, macquarti, micromera, minor.

Phormia caerulea, cuprea, fulvifacies, philadelphica, regina, squaleus, terrae-novae, vittata.

Phorocera acutangulata, aestuans, agilis, albiceps, angusta, antiopis, apricans, assimilis, bercei, biserialis, blanda, bombycivora, botyvora, caesifrons, catae, ciliata, cilipes, cinerea, cirrata, claripennis, concinnata, confinis, cuculliae, cylindrica, delecta, distincta, elongata, familiaris, fasciata, fera, flavifrons, flavipennis, frontosa, gagatea, gracilis, graciliseta, grammata, guerini, inepta, iovora, lateralis, leucomelas, limpidipennis, minuta, munda, myoidea, nitens, nitida, noctuarum, orgyae, ortholidis, pallidipalpis, pavidata, pieridis, praecox, prorsae, pullata, pumicata, pusilla, pygerae, rapida, rubrifrons, rufipalpis, schistacea, scutellaris, scutellata, taeniata, tenuiseta, tessellata, testacea, unicolor, varipalpis, velox, vernalis.

Phorodesma bajularia, smaragdaria

- Phoroncidia** aculeata.
Phorophylla palpata.
Phorostoma subrotunda.
Phorphyrops spiropes.
Phorus agglutinans, bellardi, brongniarti, calculiferus, canaliculatus, cereus, colligens, conchyliophorus, confusus, corrugatus, crispus, cumulans, deshayesi, extensus, exutus, gigas, gravesianus, humilis, indicus, infundibulum, insignis, leprosus, onustus, pallidulus, parisiensis, plicomphalus, scutarius, solarioides, solaris, subconchyliophorus, testigerus, umbilicaris.
Phos articulatus, crassus, gaudens, retecosus, roseatus, senticosus, varicosus, veraguensis, virgatus.
Phosphaenus hemipterus.
Phosphila turbulenta, ursipes.
Phosphora electrica.
Phosphorax noctilucus.
Phosphuga affinis, atrata, biguttata, laevigata, orientalis, subrotundata.
Phostria tedeae, temira.
Photinus albicinctus, albomarginatus, bicolor, blattoides, caliginosus, collaris, congrua, corruscus, decoratus, diaphanus, discoidalis, discoideus, fabricii, filicornis, fulgidus, giganteus, glaucus, guttulus, hespera, ignitus, infuscatus, lateralis, laticornis, linearis, lividus, lucidus, lucifer, luctuosus, luniferus, lycoides, maculatus, maculosus, marginatus, nitens, obscurus, occidentalis, olivieri, pallidus, pectinatus, pensylvanicus, phosphoreus, pyralis, quadri-maculatus, quinque-notatus, rufus, savignyi, thoracicus, truncatus, venustulus, viduus, vittatus, vittigerus.
Photis reinhardi.
Photuris cincticollis, femoralis, rubicunda.
Phoxichilidium coccineum, fluminense, globosum, mutilatum, petiolatum.
Phoxichilus aculeatus, femoratus, grossipes, hirsutum, hirtus, monodactylus, proboscideus, spinipes, spinosus.
Phoxinellus alepidotus, italicus, zeregi.
Phoxinus laevis, lumaireul, marsilii.
Phoxomela abrupta.
Phoxopteris badiana, comptana, cuspidana, dahlbomiana, derasana, divisana, falcana, harpana, juliana, lamana, lanceolana, mitterpachiana, myrtillana, naevana, nitidulana, penkleriana, radiatana, ramana, sicilana, taeniana, tineana, uncana, unguicana, venosana.
Phoxopterix crenana.
Phoxopteryx selenana.
Phoxus holboelli, plumosus.
Phractocephalus bicolor, gogra, itchkea, kuturnee.
Phragmaticola olivacea.
Phragmatobia fuliginosa.
Phragmipora cellularis, reticulata.
Phragmoceras arcuatum, brateri, compressum, conicum, flexistria, inaequiseptum, nautilium, spinosum, ventricosum.
Phragmoceratites subventricosus.
Phragmolites compressus.
Phratora coerulescens, dumont, funesta, vitellinae.
Phrenapates bennetti.
Phrenotrix temia.
Phreoryctes menkeanus.
Phrethornis chrysobronchos, superciliosus.
Phricodia avia, eumidide, hircia, polybia, rustica.
Phricodus histrix, hystrix.
Phrictia lingia, porcia.
Phrictus diadema.
Phrissoma crispum, giganteum.
Phrissopoda splendens.

- Phrissopodia* *brullei*, ~~impetialis~~.
Phronima *atlantica*, ~~coeni~~, *custos*, *sedentanus*.
Phrosia *scirpi*.
Phrosina *macrophthalma*, *nicetensis*, *semilunata*.
Phrurolithus *corollatus*, *erythrocephalus*, *festivus*, ~~hamatus~~, ~~humatus~~, ~~minimus~~, ~~ornatus~~,
pallipes, *rufescens*, *trifasciatus*.
Phryganea *aegrota*, *albicans*, *altaica*, *antiqua*, *atomaria*, ~~auricola~~, *auricollis*, *barbata*,
beckwithi, *bicolor*, *biguttata*, *borealis*, *brevis*, *buccata*, *charpentieri*, *chrysocephala*,
concentrica, *damica*, *digitatus*, *dossuaria*, *elegans*, *femorata*, *fenestrata*, *flubriata*,
flavipennis, *fluxuosa*, *fuliginosa*, *fulvipes*, *fumigata*, *fuscata*, *fuscimanus*, *fuscimervis*,
griseola, *guttifera*, *guttulata*, *hectica*, *hirsuta*, *interpunctata*, *interrogationis*, *in-*
terrupta, *laevis*, *lateralis*, *leschenaulti*, *lunaris*, *maculata*, *minor*, *mixta*, *montana*,
nigriceps, *nigricornis*, *nigridorsa*, *nigriventris*, *noctuaeformis*, *nubila*, *numerosa*,
ochrata, *pantherina*, *pellucida*, *picicornis*, *pilosula*, *puberula*, *puncticollis*, *radiata*,
renalis, *rubricollis*, *rufoicollis*, *rupestris*, *sabella*, *semifasciata*, *sericea*, *signifer*, *stigmatella*,
striata, *subfasciata*, *subpunctulata*, *swammerd[am]iana*, *tincta*, *tortriciana*, *trifasciata*,
trimaculata, *tuberculosa*, *vestita*, *viridiventris*, *virata*, *vittatus*.
Phryganeolitha *vetusta*.
Phryganophilus *auritus*.
Phrygilus *alaudina*, *atriceps*, *carbouaria*, *euclideanus*, *formosa*, *fruticeti*, *gayi*, *plebejus*,
rusticus, *unicolor*, *vulgaris*.
Phrygonis *corinnaria*, *cultaria*, *julianaria*.
Phryneta *crucifera*, *margaritifera*, *marmorea*.
Phryniscus *australis*, *ignescens*, *nigricans*, *tricolor*.
Phryno *agilis*, *aurulenta*, *brunea*, *bucentoidea*, *hemisphaerica*, *nigripes*, *rustica*.
Phrynocephalus *auritus*, *caudivolvulus*, *guttatus*, *helioscopus*, *interscapularis*, *melanurus*,
nigricans, *ocellatus*, *ocellifer*, *olivieri*, *reticulatus*, *strigatus*, *tickelli*, *varius*.
Phrynoceros *vaillanti*.
Phrynoderma *cutipora*.
Phrynohyas *zonata*.
Phrynoidis *asper*.
Phrynomorphus *nitidus*.
Phrynops *belli*, *geoffroana*, *miliusi*, *rufipes*.
Phrynopsis *atra*, *dorsalis*, *savignyi*.
Phrynosoma *blainvilliei*, *bufoninum*, *cornuta*, *douglasi*, *harlani*, *orbiculare*, *wiegmanni*.
Phrynos *caudatus*, *ceylonicus*, *cheiracanthus*, *grayi*, *lunatus*, *marginemaculatus*, *medius*,
nigrimanus, *palmatus*, *pumilio*, *reniformis*, *scaber*, *variegatus*, *whitei*.
Phrysopoda *cyanea*, *maculata*.
Phryxe *agilis*, *arvensis*, *athalie*, *blondeli*, *bombycivora*, *carceli*, *ciliata*, *cinerascens*,
coarctata, *consobrina*, *depressa*, *flavipalpis*, *florida*, *frontalis*, *griscens*, *larvicola*,
lasiocampae, *macquarti*, *microcera*, *palesioidea*, *pavoniae*, *pieridis*, *prompte*, *punctata*,
rotundata, *sabulosa*, *scutellaris*, *scutellata*, *servillei*, *similis*, *sphingivora*, *subrotundata*,
superba, *tiphaecola*, *vanessae*, *velox*, *villica*, *zonata*.
Phryxus (Cr.) *hippolytes*, *paguri*.
Phryxus (Lep.) *caicus*, *livornica*.
Phtheochroa *amandana*, *rugosana*, *singulana*.
Phthiracarus *contractilis*.
Phthiria *canescens*, *capensis*, *cinctum*, *cingulata*, *conspicua*, *convergens*, *dubia*, *fulva*,
gaedei, *hypoleuca*, *maculata*, *maura*, *nigra*, *pulicaria*, *pulicaris*, *punctata*, *punctipennis*,
rustica, *scutellaris*, *subnitens*, *umbripennis*, *vagans*. *Vide et Phthiria*.
Phthiridium *biarticulatum*, *blainvilliei*, *hermanni*, *latreillei*, *pediculare*, *vespertilionis*.
Phthirium *eruditum*, *rubrum*, *sambuci*, *scabiei*.
Phthirius *inguinalis*.
Phthora *crenata*.
Phthiria *albida*. *Vide et Phthiria*.
Phucocoetes *latitans*.
Phumosia *abdominalis*, *belvosii*, *pallidula*.
Phusia *diasena*.

Phycidea *nimbella*.

Phyciodes *cocyta*, *huliope*.

Phycis (Lep.) *abietella*, *achatinella*, *adelphella*, *adornatella*, *advenella*, *aethiopella*, *ahenella*, *alpigiusella*, *angusta*, *angustella*, *annulatella*, *anthracina*, *antiopella*, *argyrella*, *auriciliella*, *bella*, *binaevella*, *bistriga*, *bistrigella*, *bivitella*, *boletella*, *brunneella*, *candelisequella*, *caucella*, *cantenerella*, *carbonariella*, *carnella*, *ceratoniella*, *chalybella*, *chrysorrhoeella*, *emerella*, *cinnamomella*, *cirillella*, *cirrigerella*, *compositella*, *consociella*, *contubernea*, *coronatella*, *cribrella*, *cristea*, *cristella*, *crypta*, *dahliella*, *decorella*, *depositella*, *dignella*, *dilucidella*, *diluta*, *dilutella*, *divisella*, *dubiella*, *elongella*, *elutea*, *elutella*, *epipalpella*, *etiella*, *fascia*, *flavella*, *formosa*, *fuliginella*, *fumella*, *funiculella*, *fusca*, *gemina*, *genistella*, *germarella*, *gilveolella*, *gregella*, *grossulariella*, *holosericella*, *immistella*, *impurella*, *incanella*, *inscriptella*, *interpunctella*, *janthinella*, *laternella*, *legatea*, *legatella*, *lignella*, *lotella*, *luridella*, *marilella*, *marmorea*, *matricella*, *medicella*, *melanella*, *miniosella*, *nebulea*, *nebulella*, *nimbella*, *obductella*, *obtusa*, *obtusella*, *origanella*, *ornatella*, *osseatella*, *palumbea*, *palumbella*, *parasitella*, *perfluella*, *perornatella*, *pinguis*, *plumbaginella*, *porphyrella*, *posticella*, *prodomella*, *propinquella*, *pudicella*, *pudorella*, *punctella*, *quadratella*, *quercella*, *rectella*, *recurvella*, *rhenella*, *roborella*, *rosicella*, *rubiginella*, *rubrotibiella*, *rufa*, *rufella*, *semirufa*, *simulella*, *spadicella*, *squalidella*, *suavella*, *tauricella*, *terebrella*, *tetricella*, *transversella*, *trapezella*, *tumidella*, *umbraticella*, *verrucea*, *verrucella*, *vesperella*, *vinetella*, *wagnerella*, *zinckenella*.

Phycis (P.) *agrammus*, *albidus*, *blennoides*, *furcatus*, *fusca*, *gmelin*, *lepus*, *limbatus*, *longipinnus*, *macronemus*, *macrophthalmus*, *marginatus*, *mediterraneus*, *mustelarius*, *phycis*, *punctatus*, *ranina*, *setosus*, *siculus*, *tinca*, *yarrelli*.

Phycita *advenella*, *angusta*, *angustella*, *bilineata*, *binaevella*, *bistriga*, *cardui*, *carnea*, *consociella*, *contubernea*, *cristea*, *decuriella*, *diluta*, *dilutella*, *elutea*, *elutella*, *fascia*, *formosa*, *fusca*, *gemina*, *hostilis*, *ligatea*, *marmorea*, *nebulea*, *nebulella*, *obscura*, *obtusa*, *palumbea*, *pinguis*, *porphyrea*, *rhenella*, *rufa*, *sanguinea*, *semirufa*, *spicicella*, *spissicornis*, *tristrigella*, *tumidana*, *tumidella*, *verrucea*.

Phycogorgia *fucata*.

Phycoma *archadia*, *gages*, *marcellina*.

Phycus *canescens*.

Phygadeuon *abdominator*, *afflictor*, *ambignus*, *arridens*, *assimilis*, *basizonus*, *bifrons*, *bimotatus*, *brevis*, *caliginosus*, *campoplegoides*, *cephalotes*, *cerinostomus*, *cnemargus*, *commutatus*, *cretatus*, *curvus*, *desertor*, *diaphanus*, *digitatus*, *discedens*, *dumetorum*, *erythrogaster*, *erythrosteichis*, *excelsus*, *exiguus*, *facialis*, *flaveolatus*, *flavimanus*, *humator*, *gelactus*, *gilvipes*, *graminicola*, *gravipes*, *hercynicus*, *ieiunator*, *improbis*, *inundus*, *labralis*, *laevigator*, *larvatus*, *leucostigmus*, *mesozonius*, *nigrita*, *nitidus*, *nycthemerus*, *ovatus*, *oviventris*, *parviventris*, *plagiator*, *podagricus*, *praelatus*, *procerus*, *profligator*, *pumilio*, *quadrispinus*, *rufinus*, *rugulosus*, *sectator*, *semiorbitatus*, *senilis*, *sericans*, *speculator*, *sperator*, *spinolae*, *subtilis*, *teneriventris*, *tenuipes*, *terminatus*, *triannulatus*, *troglydites*, *vagabundus*, *vagans*, *variabilis*, *varipes*, *vulnerator*.

Phygas (Col.) *convexus*, *microcephalus*, *nitidus*, *semicollis*.

Phygas (Lep.) *taurella*.

Phyla *convexuscula*, *punctatella*.

Phylan *affinis*, *agricola*, *brunnipes*, *carbonarius*, *crenatus*, *exaratus*, *gibbum*, *grandicollis*, *lugubris*, *meridionalis*, *planicollis*, *punctulatus*, *quadratus*, *ulyssiponensis*.

Phylax (Col.) *costatus*, *emarginatus*, *gravidus*, *lineatus*, *messenius*, *obscuripennis*, *phaculus*, *tentyrioides*.

Phylax (Hym.) *annulicornis*, *calcarator*, *chlorophthalmus*, *discolor*.

Phylethus *populi*, *populneus*.

Phyllhydrus *pisciformis*.

Phylidornis *eques*.

Phyllamphion *elegans*.

Phyllangia *americana*, *conferta*.

Phyllanthus *capucinus*.

Phyllarthrius *africanus*, *unicolor*.

- Phyllastraea* tubifex.
- Phyllastrephus* capensis, lugubris, scandens, senegalensis, terrestris.
- Phyllecthris* dorsalis.
- Phyllerastes* ornatus, undatus.
- Phyllhydrus* pisciformornis.
- Phyllida* borbonica*.
- Phyllidia* albomigra, arabica, depressa, flava, nigra, ocellata, papillosa, pustulosa, trilineata, varicosa, verrucosa.
- Phyllidoce* lamellosa.
- Phylline* coccinea, diodontis, grossa, hippoglossi.
- Phyllirhoe* bucephalus, lichtensteini.
- Phylliroe* amboinensis, bucephalum*, lichtensteini, punctulatum, roseum, rubrum.
- Phyllis* (Col.) fulvipes.
- Phyllis* (Dipt.) brunea, flava, plumosula, rohrelliformis.
- Phyllium* agathyrus, bilobatum, bioculatum, brevicorne, chlorophyllum, crurifolium, donovani, gelonus, geryon, gorgon, pulchrifolium, robertsoni, scythe, stollii.
- Phyllobaenus* dislocatus, humeralis, transversalis.
- Phyllobasileus* calendula, proregulus.
- Phyllobates* bicolor, melanorhinus.
- Phyllobius* acuminatus, aeruginosus, albidus, albomarginata, alneti, alpinus, angustatus, angustior, argentatus, atrovirens, aurifer, betulae, brevicollis, brevis, caesius, calcaratus, canescens, canus, celadonius, cervinus, chloris, chlorizans, cinereipennis, cinereus, contemptus, cylindricollis, dispar, dorsalis, faeculentus, femoralis, fessus, flavidus, fulvago, fulvipes, fumigatus, grypsatus, gyratus, hebes, hirtellus, impressifrons, impressirostris, incanus, jucundus, ligurinus, lineatocollis, longipilis, maculicornis, mali, minutus, mixtus, mus, mutus, nigripes, oblongus, obovatus, obscurior, pallidipennis, pallipes, parvulus, pellitus, pictus, piliferus, pineti, planirostris, pomaceus, pomonae, psittacinus, pyri, scutellaris, seriehispidus, sinuatus, subdentatus, sulcirostris, suratus, taeniatus, tereticollis, thalassinus, trivialis, uniformis, valgus, varius, verecundus, vespertinus, virens, viridans, viridicollis.
- Phyllobothrium* lactuca, thridax, tumidulus.
- Phyllobrotica* bisignata, lunata.
- Phyllocaenia* cottaldina, icaunensis, neoconiensis.
- Phyllocephala* aegyptiaca, congesta, distans, furcata, hysteroides, irrorata, plicata, rostrata, senegalensis.
- Phyllocerus* flavipennis, fulvipennis, spinolae.
- Phyllocharis* aeneipennis, bicincta, callizona, cyanicornis, cyanipes, klugi, octodecemguttata, sinuata, splendens, undulata.
- Phyllocheirus* servillei.
- Phyllochoreia* unicolor.
- Phyllocnemis* stemmalis.
- Phyllocnistis* saligna, suffusella.
- Phyllocoenia* arachnoides, archiaci, compressa, corbarica, cribraria, doublieri, glomerata, grandis, intermedia, irradians, irregularis, lucasiana, macrocona, marticensis, neptuni, oceani, pediculata, regularis, sculpta, striata, vallisclausae, varians, variolaris.
- Phyllocoris* nemorum.
- Phyllocrania* insignis, paradoxa.
- Phyllocrina* krinicki, stveni.
- Phyllocrinus* malbosianus.
- Phylloda* aurea.
- Phyllodactylus* europaeus, gymnopygus, lesueuri, lineatus, peroui, porphyreus, pulcher, strophurus, tuberculosus, vittatus, wagleri.
- Phyllodecta* vitellinae.
- Phyllodes* (Cor.) laciuiatum.
- Phyllodes* (Lep.) consobrina, conspicillator, ustulata.
- Phylloidesma* ilicifolia, phydonia, populifolia, quercifolia, tremulifolia.
- Phylloidesmum* fastuosum, hyalinum.
- Phyllodia* parnelli.

- Phyllodoce** ~~acumata~~, bilineata, clavigera, costata, foliosa, fusca, geoffroyi, ~~gervillei~~, gigantea, ~~greenlandica~~, incisa, lamelligera, laminosa, maculata, maxillosa, mucosa, mulleri, pellucida, pulchra, pusilla, quadricornis, rathkii, sanguinea, saxicola, viridis, vulgaris.
- Phyllodroma** aperta, curtulabris, cylindricollis, semi-cyanea.
- Phyllodromia** (Dipt.) albiseta, melanocephala, vocatoria.
- Phyllodromia** (Hem.) adusta, hemiptera, laponica, maculata, marginata.
- Phyllodus** cretaceus, depressus, haueri, irregularis, marginalis, medius, multidentatus, planus, polyodus, subdepressus, toliapicus, umbonatus.
- Phyllocladus** luteola.
- Phylloecia** punctata.
- Phylloecus** faunus.
- Phyllognathus** bacchus, curvicornis, gibbifrons, mermis, punctato-striatus, silenus.
- Phyllogorgia** dilatata.
- Phyllolepis** concentricus, tenuissimus.
- Phyllolithodes** papillosus.
- Phylloma** corticale.
- Phyllomanes** chivi, mystacalis, olivaceus.
- Phyllomedusa** bicolor.
- Phyllomorpha** algerica, capicola, erinaceus, histrix, latreillei, paradoxa, pellicula, persica.
- Phyllomorphus** erinaceus, laciniatus, madagascariensis, paradoxus.
- Phyllomya** volvulus.
- Phyllomys** brasiliensis.
- Phyllomyza** flavitarsis, litura, securicornis.
- Phyllonomus** madagascariensis.
- Phyllonorycter** rajella.
- Phyllonotus** adustus, axicornis, brevitrons, calcitrapa, capucinus, cervicornis, endeva, eurystomus, imperialis, inflatus, palmarosae, saxatilis, scorio, trunculus.
- Phyllopertha** abbreviata, adaphora, aegyptiaca, arcuata, arenaria, brevis, campestris, circumcincta, cruciata, cyanocephala, errans, horticola, lineolata, macularis, maculata, mesopotamica, moreletiana, occidentalis, pauperata, perrisi, sabulosa, suturalis, ustulipennis, villosella.
- Phyllophaga** fraterna.
- Phyllophasis** galanthi, veranes.
- Phyllophora** (Cr.) cornuta.
- Phyllophora** (Dipt.) nigra.
- Phyllophora** (M.) amplexicaudata, megalotis, nigra.
- Phyllophora** (Orth.) citrifolia, habasqui, speciosa.
- Phyllophorus** (Col.) gigas.
- Phyllophorus** (Ech.) urna.
- Phyllopeuce** aedula, affinis, arborea, bonelli, brevirostris, coronata, eversmanni, fitis, fuscata, griseolus, hippolais, ictalina, indica, javanica, lugubris, megarhynchus, montana, nitidus, occipitalis, pinetorum, rama, rufa, sibilatrix, solitaria, sylvestris, sylvicola, tristis, trochilus, umbro-virens, xanthoschistos.
- Phyllopora** (Polyz.) ehrenbergi, permiana.
- Phyllopeuce** hippolais.
- Phyllopeuce** sylvicola.
- Phylloptera** bicordata, cassinaefolia, citrifolia, fenestrata, gaimardi, gramineae, lanceolata, lantholia, marginella, myrtifolia, oblongifolia, octo-maculata, ovalifolia, prasina, proteifolia, punctum-album, quoyi, retinervis, salicifolia, sanguinolenta, thoracica, viridicata.
- Phyllopteryx** foliatus.
- Phyllorhina** diadema, griseus, minuta, nobilis.
- Phyllornis** aurifrons, casuarhynchus, cochinchinensis, cyanopogon, hardwicki, icterocephalus, jala, jerdoni, malabaricus, mulleri, mysticallis, sonnerati, venusta, virens.
- Phylloscelis** atra, pallescens.
- Phylloscopus** affinis, brunneus, fuscatus, lugubris, magnirostris, modestus, nitidus, pulcher, reguloides, schisticeps, tristis, trivirgatus, trochilus, umbro-virens, viridanus.

Phylloscyrtus elegans.

Phyllosoma affinis, australe, brevicorne, cassidum, clavicorne, commune, cranchi, canifrons, detruncata, duperreyi, freycineti, guerini, laticorne, longicornis, longipes, mediterranea, parthenopaeum, punctata, reynaudi, sarniense, stylii, stylicornis, stylifera.

Phyllostoma albescens, amblyotis, bennetti, bicolor, bidens, bilabiatum, brachyotum, brevicaudum, calcaratum, childreni, cirrhosum, crenulatum, discolor, dorsale, elongata, elongatum, erythromos, excisum, falcatum, fuliginosum, funarium, grayi, hastatum, humerale, infundibuliforme, innominatum, jamaicense, lanceolatum, leachi, leucostigma, lilium, lineatum, longifolium, macrophyllum, obscurum, oporaphilum, personatum, perspicillata, planirostre, plecotus, pusillum, redmanni, rotundum, soricinum, spasma, spectrum, superciliatum, sylvicolum, vampyrus, verrucata, waterhousei.

Phyllotomus frenatus, lineatus, lituratus, megalotis, quixensis, soricinus, spectrum, spiculatus, vittatus.

Phylloteles pictipennis.

Phyllotocus bimaculatus, erythropterus, macleayi, navicularis, pusillus, rufipennis, ustulata.

Phyllotoma (Col.) reflexa.

Phyllotoma (Hym.) aethiops, affinis, annulata, cerasi, conformis, ephippium, fuscipennis, intercus, leucopoda, minuta, monilicornis, morio, nemoralis, nemorata, nigrita, ovata, puella, rosae, serva, simplex, spinarum, vagans, ventralis.

Phyllotreta lepidi, nemorum, quadripustulata, rivularis, rugifrons.

Phyllotrox pallidus, rufus, semirufus.

Phyllotrupes cyanipennis.

Phylloxera coccinea, longirostris, quercus.

Phyllurus cuvieri, inermis, milii, novae hollandiae, platyura, vulgaris, whitei.

Phyllyphanta producta.

Phylus pallipes.

Phymaphora pulchella.

Phymasterna lateoguttata.

Phymastrea profundior, valenciennesi.

Phymata crassipes, erosa, integra, macrocephalus.

Phymateus cinctus, leprosus, miliaris, morbillosus, punctatus, scabiosus.

Phymatoderus bizonatus.

Phymatidoma tuberculata.

Phymatodes aereus, amoenus, analis, brevicollis, collaris, dimidiatus, fennicus, humeralis, lepidus, nigricollis, nigrinus, praeustus, testaceus, thoracicus, tuberculatus, variabilis, varius.

Phymatopterus piceus.

Phymaturus palluma.

Phymeroda equalis.

Phymesoda dubia, lacustris.

Phyria punctulata.

Phyrrhocrax crinitus. *Vide et Pyrrhocorax.*

Physa acuta, adansonii, alba, ancillaria, antoni, aurea, australiana, australis, borbonica, brasiliensis, bullata, buschi, castanea, charpentieri, christoli, columnaris, concolor, contorta, cornea, cubensis, cyanea, cylindrica, dalmatina, diaphana, distorta, doliolum, draparnaudi, elliptica, elongata, fluviatilis, fontana, fontinalis, fragilis, galloprovincialis, gardanensis, georgiana, gibbosa, gigantea, glabra, globosa, guerini, gyrina, hildrethiana, hypnorum, impluviata, inflata, integra, ludoviciana, ludwigi, marginata, marmorata, mexicana, michaudi, microstoma, moluccensis, nana, natalensis, nitens, novae hollandiae, obesa, oblonga, osculans, panamensis, parvissima, pectorosa, perisiana, peruviana, philippii, planorbula, plicata, pomilia, princeps, prinsepi, producta, pulchella, pyrum, reticulata, rivalis, rivularis, rivularis, sayi, scalaris, scalata, scaturinginum, semiplicata, sinuata, solida, sowerbyana, spiculata, striata, subarata, subopaca, tabulata, tongana, troostensis, tropica, turrita, umbilicata, variabilis, venustula, vinosa, virginea, wahlbergi.

Physalaemus bilineatus, cuvieri.

Physalia antarctica, arethusa, atlantica, australis, azoricum, boiei, caravella, cristallina, cynbiformis, escholtzi, gigantea, hyalina, megalista, obversa, olfersi, pelagica, pelagica, physalis, producta, rosacea, thalia, utriculus, velificans.

Physalis elongata, gainardi, jubartes, rorquala, tuberculosa, vulgaris.

Physaloptera abbreviata, alata, bilabiata, clausa, dilatata, megalostoma, retusa, saginata, spirula, strongylina, tenuicollis, turgida.

Physalus acutus-rostratus, antarcticus, antiquorum, arethusa, australis, boops, brasiliensis, cylindricus, fasciatus, iwasi, musculus, sibbaldi, verus.

Physapus ater, atratus, coa, cynorrhedi, obscurus, ulmifoliorum.

Physauchenia pallens.

Physchiosoma globosum, pyriforme. *Vide et* *Fischiosoma*.

Phyiscis furcatus.

Physegaster maculatus.

Physegenua vittata.

Physematium atlanticum, vermiculare.

Physeta sufflator.

Physeter antiquus, bidens, breviceps, cylindricus, mular, orthodon, polycyphus, pterodon, sulcatus, trunpo.

Physetops tartaricus.

Physicerus speciosus.

Physignathus corincinus, lesueuri.

Physis longipennis, siculus.

Physocnemum brevilineum, ligneum, proteus.

Physocoeus inflatus.

Physocoryna scabra.

Physocrotaphus ceylonicus.

Physodactylus bescki, henningi.

Physodera dejeani, eschscholtzi.

Physoderes notata.

Physodeutera adonis, angusticollis.

Physogaster mendocinus, peruanus, tomentosus.

Physognathus obscurus.

Physolaesthus australis.

Physomerus (Col.) calandroides.

Physomerus (Hem.) affinis, angustior, bispinus, calcar, grossipes, lineatocollis, obscuricornis, rhombeus, rhombifer, subseratus, terminalis.

Physonemus arcuatus, subteres.

Physonota alutacea.

Physoon echinatus, fusiformis.

Physopalpa nysa.

Physopelta affinis, erythrocephala.

Physophora ambigua, cupulita, glandifera, tectum, tetrasticha, vesiculosa. *Vide et* *Physosphora*.

Physoplia crassicornis, nigrata.

Physopsis africana.

Physorhinus (Col.) erythrocephalus, sturni, xanthocephalus.

Physorhinus (M.) galapagoensis, proboscideus.

Physorhynchus barbicornis, crux, lucidus.

Physoscelus pallipes, ruiventris.

Physostomum bombycillae, frenatum, irascens, marginatum, mystax, sulphureum.

Physothorax boyeri, goureaui, laevirostris, maillei.

Physophora alba, australis, discoidea, disticha, forskal, intermedia, mizonema, musonema mazonema, radicans, ulophylla. *Vide et* *Physophora*.

Phytaecia acuminata, azurea, cirteensis, erythrocnema, guerini, malachitica, rubricollis, virescens, vittigera, warnieri. *Vide et* *Phytoecia*.

Phytalus apicalis, bolivensis, laevigata, obsoletus, piceus, pruinosis, pubicollis.

Phytholaema mutabilis.

Phyto nigra, nigro-grisescens, palpalis, prompta.

Phytobaenus amabilis.

Phytobius caniculatus, comari, cuprifer, granatus, hydrophilus, inaequalis, leucogaster, myriophylli, notula, quadricornis, quadridentatus, quadrinodosus, quadrispinosus, quadrituberculatus, rufescens, sulcicollis, velaris, velatus, waltoni.

Phytocoris adpersus, aethiops, agilis, albida, albipennis, albofasciatus, albstriatus, alpina, ambiguus, angulata, apicalis, arbustorum, artemisiae, ater, aurulentus, betuleti, bicolor, bifasciatus, bimaculatus, binotatus, bipunctata, bohemanni, campestris, capillaris, chenopodii, chorizans, clavatus, contaminata, cordiger, coryli, crassicornis, dalmanni, danicus, divergens, dolabratus, elongatus, ericetorum, erythromelas, erythrophthalmus, falleni, femoralis, ferrugatus, filicis, flavomaculatus, flavomarginatus, flavosparus, flavo-varius, fulvo-maculata, gothicus, gracilis, graminicola, grandis, gyllenhalii, histrionicus, hyalinipennis, instabilis, institutus, kalni, lateralis, leucocephala, llesgica, limbatus, lineolatus, longicornis, lugubris, luridus, lutescens, marginata, marginellus, melanocephalus, minutissimus, molliculus, montanus, mutabilis, nassata, nemoralis, nigripes, nigrita, nigrigula, nigrovittatus, obscurellus, obscurus, pabulina, pallens, pallicornis, pallidus, pallipes, passerinii, pastinacae, paykulli, pinastri, pinetella, populi, prasina, pratensis, pulicaris, pullatus, punctata, puncticollis, punctulatus, punctum, pygmaeus, pyrrhula, querceti, reicheli, revestitus, roseus, rubicunda, rubricata, rubromarginatus, ruficollis, rufipennis, rufiventris, rugicollis, saltitans, salviae, sanguineus, schmidtii, scriptus, scutellaris, seladonicus, semiflavus, seticornis, sexguttatus, sexpunctatus, striata, striatella, tanacetii, tenellus, testaceus, thoracicus, thunbergii, tiliae, trilineatus, tripustulatus, tunicatus, ulmi, umbratilis, variabilis, varicornis, viridis, viridulus.

Phytocrinus europaeus.

Phytodietus albipalpus, astutus, blandus, calceolatus, caligatus, chrysostomus, corvinus, coryphaeus, errabundus, formosus, microtamis, niger, plantarius, rusticus, segmentator, splendidulus.

Phytoecia affinis, analis, argus, azurea, cephalotes, ciuctipennis, cyclops, cylindrica, diademata, epippium, faldermanni, femoralis, flavescens, flavipes, fumigata, graeca, birsutula, jourdani, limbata, lineola, longuida, maculosa, molybdaena, nigricornis, pallipennis, pretiosa, puncticollis, punctum, rufimana, scutellata, sibirica, tibialis, vestita, virescens, virgula, vittigera. *Vide et Phytacia.*

Phytogyra cottaldina, magnifica, tuberosa.

Phytolopsis punctata.

Phytopmetra aenea, albilinea, anomala, apicosa, arbuti, arcuosa, bankiana, bifasciosa, bractea, chrysis, circumflexa, crassiuscula, dipsacea, festucae, fusca, gamma, glyptica, grandirena, illustris, interrogationis, iota, leucomelas, luctuosa, ludicra, lusoria, lutescens, mi, minuta, monilis, nigrirena, orichalcea, rufa, scopulepes, straminea, sulphurea, unca, venustula.

Phytomia cbrysopyga.

Phytomyptera nitidiventris.

Phytomyza abdominalis, affinis, agromyzina, albiceps, albipennis, albipes, analis, annulipes, aquilegiae, atomaria, atra, atricornis, caffa, confinis, elegans, fasciata, femoralis, festiva, flava, flaviceps, flavicornis, flavilabris, flavipes, flaviventris, flavo-scutellata, fuscula, geniculata, ilicis, incisa, lateralis, liturata, maculipes, marginella, minima, morio, nigra, nigricans, nigricornis, nigripennis, nigrigella, nigrigula, nitidicollis, notata, obscura, obscurella, oscinina, pallicornis, pallida, praecox, pullula, pygmaea, ruficornis, rufipes, scutellata, stylata, sulphuripes, tenella, terminalis, varipes, viduata, vitripennis, zonata.

Phyton limum.

Phytonomus alternans, alternatus, anceps, angusticollis, armillatus, arundinis, auro-lineatus, austerus, austriacus, balteatus, brunnipennis, canescens, chlorocomus, circumvagus, comptus, confusus, consinus, constans, contaminatus, crinitus, cubae, curtus, cyrtus, dapalis, dauci, deportatus, desertus, dissimilis, distigma, distinguendus, diversus, dorsatus, elegans, elongatus, farinosus, fasciculatus, fulvipes, fuscatus, fuscescens, gebleri, germari, gimmerthali, bispidulus, bistrio, ignotus, incitus, incomptus, insidiosus, intermedius, isabellinus, julini, kunzii, laticollis, latipennis,

- hiliputanus*, *hirsutus*, *maculatus*, *mali*, *melanocephalus*, *melarhynchus*, *meles*,
mixtus, *montanus*, *mutabilis*, *nebulosus*, *nigrirostris*, *nitropunctatus*, *oblongus*,
ochraceus, *ovalis*, *oxalis*, *palumbarius*, *palustris*, *parallelogrammus*, *parcus*, *pastinacae*,
pedestris, *phaeopus*, *philanthus*, *picicornis*, *picipes*, *pictus*, *plagiatus*, *plantaginis*,
pollux, *polygami*, *posticus*, *punctatus*, *punctellus*, *rubrovittatus*, *rufipes*, *rufus*,
rumicis, *salviae*, *scapularis*, *schuppeli*, *sejugatus*, *setosus*, *signatus*, *socialis*, *somatus*,
spissus, *striatus*, *sublineata*, *subsulcatus*, *suspicius*, *suturalis*, *tessellatus*, *tigrinus*,
trivittatus, *turbatus*, *variabilis*, *variegatus*, *varius*, *velutinus*, *viciae*, *viennensis*,
villosulus.
Phytophilus *cruciferus*, *pelopoioides*, *schoenherri*.
Phytopsis *cellulosum*, *tubulosum*.
Phytosaurus *cubicodon*, *cylindricodon*.
Phytoscaphus *articollis*, *chloroticus*, *ictericus*, *inductus*, *lixabundus*, *nepalensis*, *siamensis*.
Phytosotus *spinifer*.
Phytotoma *abyssinica*, *angustirostris*, *bloxami*, *ferreo-rostre*, *guisobalito*, *molina*, *rutila*,
silens.
Phytotribus *unicolor*.
Phyxelis *glomerosus*, *rigidus*, *setiferus*.
Phyza *fontinalis*, *hypnorum*.
Piabucina *erythrimoides*.
Piabucu *argentina*, *schizodon*, *vittata*.
Piabucus *bi-maculatus*, *gibbosus*, *melanurus*, *vulgaris*.
Pialea *lomata*.
Piaromias *mauratus*, *karelini*, *schrenki*.
Piaya *americana*, *brachyptera*, *brasiliانا*, *cayana*, *cayanensis*, *caryogaster*, *cinnamomeiventris*, *circe*, *cornuta*, *dominica*, *erythrophthalma*, *erythrorhyncha*, *ferruginea*,
macroura, *mehleri*, *melacorypha*, *melanorhynchus*, *minor*, *minuta*, *nacira*, *pluvialis*,
punctulata, *ridibunda*, *rutila*.
Piazomias *egenus*, *globulicollis*, *perroteti*, *prasinus*, *pullatus*, *schrenchi*, *virescens*,
viridanus.
Piazorhinus *scutellaris*.
Piazorus *conjunctus*.
Piazurus *balistes*, *bidentatus*, *bispinosus*, *bistriatus*, *calcaratus*, *caprimulgus*, *cerastes*,
cliliatus, *compactus*, *condyliatus*, *contumeliosus*, *defector*, *fraudentus*, *imbellis*,
incommodus, *maculipes*, *melanostichus*, *misumenus*, *nitis*, *notabilis*, *obesus*, *ochrocephalus*,
operosus, *ostracion*, *phlesus*, *pleuronectes*, *propinquus*, *rosenscholdi*,
sagmatus, *stipitosum*, *subundatus*, *succivus*, *taciturnus*, *umbrinus*, *varipes*, *varius*,
versicolor.
Pica *africana*, *albicapilla*, *albicollis*, *albiventris*, *azurea*, *beecheyi*, *bennetti*, *bottanensis*,
bullocki, *caerulea*, *caledonica*, *caribaea*, *caudata*, *cayanus*, *chloronotus*, *chrysops*,
cinerea, *collei*, *coronata*, *crassirostris*, *cristata*, *cristatella*, *cyana*, *cyaneus*, *cyano-*
chlora, *cyanomelas*, *cyanopogon*, *cyanoptera*, *erythrorhyncha*, *erythrorhynchus*,
europaea, *ferruginea*, *formosa*, *fuliginosa*, *galericulata*, *germanica*, *gingensis*, *glandaria*,
gularis, *hiemalis*, *hudsonica*, *infausta*, *japonica*, *larvata*, *leucolopha*, *luteola*, *mauri-*
tatica, *megaloptera*, *melanocephalus*, *melanoleuca*, *mori*, *mystacalis*, *nebuli*, *nigra*,
nigro-alba, *nuchalis*, *nuttalli*, *olivaceus*, *ornata*, *panderi*, *peruvianus*, *pica*, *pileata*,
phaeorum, *rufa*, *rufigaster*, *rufiventris*, *rufus*, *rusticorum*, *san-blasiana*, *senegalensis*,
septentrionalis, *serica*, *sieberi*, *sinensis*, *speciosa*, *stelleri*, *tibetana*, *vagabunda*,
varia-japonica, *ventralis*, *zanoe*.
Picathartes *gymnocephalus*.
Picerthia *litari*.
Picicorvus *columbianus*, *murali*.
Piconotus *carbonarius*, *humeralis*, *humeraloides*, *inornatus*, *niveoventer*, *ochrocephalus*,
simplex.
Picooides *alpinus*, *arcticus*, *europaeus*, *hirsutus*, *montanus*, *septentrionalis*, *tridactylus*,
variegatus.
Picolaptes *affinis*, *albugularis*, *albolineatus*, *angustirostris*, *bivittata*, *brunneicapillus*,
capistrata, *cinnamomeus*, *coronatus*, *guttata*, *lacrymiger*, *leucogaster*, *lineataiceps*,

miniatus, obsoletus, ocellatus, promeropirhynchus, rufinucha, scolopaceus, solidus, spixi, squamatus, superciliosus, tenuirostris, wagleri, zanatus.

Picomerus bidens.

Piculus minutus, nipalensis, rufifrons.

Picumnus abnormis, albosquamatus, buffoni, cayennensis, cinnamomeus, cirratus, exilis, granadensis, inominatus, lichtensteini, minutissimus, minutus, ocellatus, olivaceus, orbignyana, pygmaeus, rufiventris, temmincki.

Picus abyssinicus, aethiopicus, affinis, africanus, albifrons, albobrodis, altivolans, analis, analis, arator, arcticus, atratus*, atriventris, atrothorax, auduboni, aurtantia, aurtantia*, aurtantius*, auratus, auriceps, aurifrons, aurocapillus, aurocristatus, aurentulus, awokera, ayresi, badioides, badius, barbatus, biarmicus, bicolor, borealis, brachyurus, brazilensis, brunneus, brunnifrons, buffoni, cactorum, callonotus, campestris, cancellatus, carente, caucapillus, cauciceps, caupileus, capensis, cardinalis, castaneus, cathpharius, cathphorius, cayennensis, ceylonus, chilensis, chlorogaster, chlorio, chlorolophus, chlorozostus, chrysocloros, chrysogenys, chrysonotus, chrysosternus, cinereigula, cirris, cissa, comatus, concretus, coronatus, crawfordi, cristatus, cynaedus, darjellensis, dimidiatus, diophrys, dominicanus, drycolaptes, dubius, elegans, erythrauchen, erythrocephalus, erythrogaster, erythronotus, erythropis, erythropis, exilis, fernandinae, flavescens, flavicans, flavicollis, flavifrons, flavigula, flavinucha, flaviventris, formicivorus, frondium, fulvigaster, fulviscapus, fulvus, fumigatus, funebris, fuscescens, fusco-fulvus, gairdneri, galeatus, gayaquilensis, gracilis, graminicus, granti, grantia, grateloupensis, griseocephalus, griseus, guatemalensis, gularis, guttaeatus, guttatus, gutturalis, gutturalis, haemasoma, haematogaster, haematribon, hardwicki, harrisi, hemprichi, herminieri, himalayensis, hirsutus, hodgsoni, horsfieldi, hortorum, hueberi, hyperythrus, hypopolius, hypoxanthus, icterocephalus, icteromelas, imperialis, indicus*, intermedius, ischnorhynchus, jardiini, javensis, jubatus, jugularis, jumana, jynx, karelini, kingi, kirki, kizuki, kizuki, labarum, langsdorffi, larvatus, lathamii, le contei, lessoni, leucogaster, leucomelanus, leucomelanus, leuconotus, leucopogon, leucotos, lewis*, lichtensteini, lineatus, luridus, macei, mackloti, macrocephalus, maculatus, maculifrons, maculipennis, maculosus, magellanicus, maharattensis, majoroides, martini, maximus, medianus, melanocephalus, melanochlorus, melanogaster, melanopogon, melanopterus, melanotus, melanurus*, mentalis, meridionalis, meropirostris, mexicanus, micropus, minimus*, minutus, mitchelli, modestus, montanus, multifasciatus, murinus, mystaceus, nanus, nattereri, neglectus, nepaulensis, niger, nigriceps, nigro-coccineus, notatus, nuchalis, numidicus, numidus, nuttalli, obscurus, obsoletus, occipitalis, ochraceus, olivaceus, olivinus, oriolus, ornatus, palalaca, parvus, pectoralis, peralainus, percussus, phillipsi, pileatus, pinetorum, pipra, pitius, pityopicus, poecilophos, poecilosophos, polleus, polyzonus, porphyromelas, portoricensis, pubescens, pulverulentus, punctatus, puncticeps, punctigula, punctulatus, punctuligerus, puniceus, pygmaeus, pyrrhogaster, pyrrhonotus, pyrrhotis, quadrimaculata, quereuum, querulus, radiolatus, rafflesii, rivoli, robustus, rubescens, rubicatus, rubidicollis, rubiginosus, rubricapillus, rubricollis, rubrifrons, rubriventris, rubropygialis, ruficeps, rufoviridis, rufus, ruppeli, saucius, scandens, scapularis, schoensis, scutatus, septentrionalis, shorei, similis, smithii, sonnerati, sordidus, spilogaster, spilolophus, squamacollis, squamatus, squamosus, striatus, stricklandi, strictus, striolatus, subocularis, sultaneus, sumptuosus, supercilialbus, superciliaris, swainsoni, syriacus, temmincki, tephrodops, thoracinus, tige, tinnunculus, torquatus, tricolor, tridactylus, tristis, tukki, undatus, uadous, undulatus, validus, varius, vieillotii, villosus, virgatus, viridanus, viridicanus, vittatus, wilsoni, xanthoderus, xanthotaenia, yucatanensis.

Pieris acalis, acaste, achine, ada, aenippe, aganippe, agathina, agathon, agave, ageleis, albina, alba, amaryllis, amasene, amata, amathonte, ammonia, amphione, amyntis, anactorie, anguitia, apollo, argenthona, argia, aripa, aruna, aspasia, asterpe, augusta, ausia, ausonia, autodice, autonoe, autothisbe, bagoe, bajura, balidia, belemia, belia, belisama, belladonna, bellezina, brassicae, brassicoides, brigitta, bryoniae, buniae, caenis, callidice, callirhoe, calydonia, calypso, candida, cardamines, castalia, catogramma, celestina, chariclea, charina, charmione, cheiranthis, chiliensis, chione, chloridice, chloris, cirrha, clemanthe, cleomes, clytie, cneora, coronea, coronis, crataegi,

creona, crisia, erithoe*, cronis, cronissa, cruciferarum, दौरα, danae, daphidice, demophila, descombesi, dorimene, dorothea, doxo, dracontis, drusilla, ega, egialea, egnatia, elathea, eleone, eleonora, eleusis, elodia, elorea, elvina, empeda, enarete, endeis, enodia, enyo, eperia, epicharis, ergane, eriphia, eris, erycinia, eubotia, eucharis, eudora, eudoxia, eumelis, eupheme, eupheno, evippe, evonima, fabia, fausta, flippantha, gabia, genutia, gidica, glaphyra, glauce, glaucippe, glauconome, gliricea, habra, halimede, harpalyce, hecabe, hedyle, helcida, helica, helvia, herla, higinia, hippa, hirlanda, horsfieldi, hyale, hyoma, hyparete, hypatia, ianthe, idotea, ilaire, ilea, iobaea, ione, isandra, isse, joppe, josephina, judith, laia, lalage, lanassa, larima, lathyri, lea, lena, leporis, leucania, leucippe, leucodice, lherminieri, liberius, libitina, libythea, licea, limnoria, lycimnia, lycida, lypera, machaon, maenacte, malatha, marana, marchali, margarita, marianne, matuta, melania, melia, melite, menestho, mesentina, methymna, metra, moinea, monuste, musa, mysca, mysis, nabellica, napi, narica, neda, nehemia, nemesis, neombo, nerissa, nicippe, nigrina, nina, niseia, nysa, oleracea, omphale, orbona, orceis, oxytelinus, palaeno, pamelā, panda, pandione, pasiphae, pasithoe, paulina, penicillatus, periboea, perigone, perimale, phaiiceps, phaloe, phaola, pharis, phiale, phileris, philete, philoctetes, philonome, philyra, phisadia, phronima, phryne, phryxe, pigea, pirene, pitys, placidia, plexaris, podalirius, polycaste, polyxena, poppea, protocharis, protodice, protomedia, psamathe, pylotis, pyrene, pyro, pyrrha, rachel, rapae, raphani, rhamni, rhea, rhena, rochalia, rouxi, saba, sabellicae, salacia, scyllara, severina, simplonia, sinapis, sinoe, smilax, soracta, sorakta, spio, sthenobaea, suasa, swainsoni, sylvia, tagis, teutonia, thalassina, theodice, theora, thermesia, thestylis, thisbe, thymatus, thyria, timorensis, titea, tritogenia, valeria, vallei, vallonā, venilia, viardi, virginia, vocula, zarinda, zelmira.

Pierites freyeri.

Piesarthrius reichi.

Piescephalus adherens.

Piesma capitatum, laetum, maculata, marginatum, melanocephalum, tricolor.

Piesmopoda rubicundella.

Piesmus submarginatus.

Piestocera dircaeoides.

Piestocystis crispa, dithyridium, martis, rugosa, taxi, variabilis.

Piestodesmus moreleti.

Piestosoma depressa, flavomaculata.

Piestus capricornis, erythropus, fulvipes, lacordairei, mexicanus, minutus, pygmaeus, spinosus, sulcatus.

Piezia angusticollis, aptinoides, axillaris, circumcincta, lateralis, laticollis, limbatella, lineolata.

Piezocera bivittata, coriacea.

Piezocorynus dispar.

Piezoderes winthemi.

Piezogaster albonotatus.

Piezonotus suturalis.

Piezophyllus shuckhardi, spencei.

Piezopleura angulosa.

Piezorhina cinerea.

Piezorhopalus nitidulus.

Piezorhynchus nitidus.

Piezosternum mucronatum.

Piezotrachelus asphaltnus, erotalariae, fallax, germari, herbsti, languidus, pullus.

Pika alpinus.

Pileola gibraltarum, neritoides.

Pileolus altavillensis, costata, dexter, laevis, moreanus, neritoides, plicatus, radiatus.

Pileoma caprodes, semifasciatum, zebra.

Pileophorus nicticans.

Pileopsis albida, alta, ampliata, ancyliiformis, angustus, antiquata, aequensis, arquata, astericola, bistriata, brauni, bredai, carnicolor, cassidens, compressa, compressiuscula, conica, conoides, contorta, corniculum, cornucopia, cornuta, crenulata, crispa,

crystallina, cytherae, declinata, depressa, dilatata, eliiensis, elegans, elongata, extensus, gamoti, gracilis, graduatus, granulosa, intorta, iurensis, laevigata, lineata, militaris, minutus, mitrula, naticoides, neglecta, neritoides, opercularis, paleacea, paretti, patelloides, pennata, pilosus, plana, prisca, pustulosa, quadriloba, radiata, reticulata, retortella, rosea, rotunda, rotundata, rugosa, spiralis, spirirostris, squamaeformis, striatula, striatus, subrufa, substriata, sulcata, sulcosa, tenella, tricostata, trigona, trilobus, tubifer, ungarica, ungaricoides, unguis, variabilis, vetusta.

Pilidion lineatum.

Pilidium commodum, fulvum, gyrans*.

Piliger grylloides.

Pilinurgus hirtus.

Piliolites ohioensis.

Pilioloba salar.

Piliscelotus vitreus.

Pilophorus bifasciatus*.

Pilopsis sinuosa, spirata.

Pilumnoides perlatus.

Pilumnus (Cr.) aestuarii, androssyi, bispinosus, cupulifer, dilatipes, dioxippe, fimbriatus, forskali, granulatus, harrisi, helia, hirtellus, lanatus, lunatus, merope, peroni, quoyi, scabriusculus, spinifer, spinimanus, tomentosus, ursulus, vauquelini, vespertilio, villosus, xanthoides.

Pimelepterus altipinnis, bosquii, dussumieri, fuscus, incisor, indicus, laevifrons, lembus, marciae, oblongior, reynaldi, tahmel, vaigensis.

Pimelia abbreviata, acervata, aculeata, afer, affinis, aggregata, alternata, alutacea, angulata, angulosa, angusticollis, anomala, antbracina, antiqua, arabica, arenacea, asper, aspera, asperata, asperula, atlantis, baetica, bajula, balearica, banki, barbara, barthelemyi, bicarinata, bicolor, bifurcata, boyeri, brevicollis, buprestoides, canaliculata, canariensis, cancellata, canescens, caniculata, capensis, capillata, capito, carinata, cephalotes, clathrata, claudia, clavaria, comata, convexa, coordinata, coriacea, corrugosa, costata, cothurnata, crassipes, crenata, cribra, cribripennis, crinita, cursor, cylindrica, dejeani, denticulata, depilata, deplanata, depressa, derasa, dermestoides, distincta, dolatata, dubia, duponti, elongata, emarginata, exantbematica, extensa, femorata, flavipes, frioli, gadiuni, gemmata, gigantea, globosa, goryi, graeca, grandis, granifera, granulata, granular, baemorrhoidalis, belopioides, hemisphaerica, besperica, hirta, hispanica, hispida, hottentotta, imbricata, inaequalis, incerta, inflata, interjecta, intermedia, interpunctata, interrupta, interstincta, interstitialis, irrorata, lacunosa, laminata, lateralis, latipes, latreillei, leachi, levigata, lima, lineata, lucidula, lurida, lusaria, macropus, marginata, maura, mauritanica, meridionalis, metallica, metopotapba, miliaris, mittrei, mongeneti, monilifera, monilis, montana, morbillosa, musiva, neglecta, nodosa, obesa, oblongum, obsoleta, obtusa, ornata, oxysterna, papillosa, parallela, perevostbicovii, perlata, persica, phymatodes, picicornis, piligera, plintbota, polita, pubescens, punctata, puncticollis, punctigera, punctulata, radula, reticulata, rotunda, rotundata, rufipes, rugatula, rugulosa, ruida, ryssos, salebrosa, sardea, sarpa, scabrosa, schoenberri, sennariensis, sericata, sericella, serrata, serratula, serricosta, serrulata, servillei, similis, simplex, sparsa, spinulosa, subglobosa, sublaevigata, subquadrata, subscabra, suturalis, tenuicornis, tibiana, timarchoides, tomentosa, tristis, tuberculata, tuberosa, ulcerosa, undata, undulata, urtica, valida, varicosa, variolaris, variolosa, veles, velutina, ventricosa, verrucosa, verruculifera, vestita, villosa.

Pimella quadricollis.

Pimelodes conirostris, coruscans, cyclopum, felis, filamentosus, fossor, genidens, lateristrigus, macropterus, octocirrhus.

Pimelodus aeneus, albidus, angio, aor, arehaima, argenteus, argentinus, argyrus, arius, ascita, asperus, atberinoides, atrarius, auratus, bagarius, bagre, bajad, barbancho, barbus, batasio, biscutatus, blochi, bonderius, botius, bufonus, caerulescens, cantonensis, carcio, carnaticus, catus, caudafurcatus, cavasius, cavia, cenia, chandamara, cbarus, chilensis, clarias, commersonni, conirostris, conta, cous, cranchi, cristatus, ctenodus, cupreus, cyanochloros, cyclopum, deppei, docmac, eques, erythropterus,

exsolana, fasciatus, felis, foina, fulvi-draco, turcatus, furcher, gagata, gagora, galetus, gracilis, grommens, gulio, guttatus, hara, hemioliopterus, herzbergi, hilarii, indicus, insularis, jatus, javus, lateristrigus, laticeps, lemniscatus, limosus, lividus, lutescens, maculatus, mangois, mangurus, manillensis, melas, membranaceus, menoda, militaris, mona, murus, musculus, mustelinus, namdia, nangra, natalis, nebulosus, nella, nenga, nigricans, nigrodigitatus, nodosus, notatus, occidentalis, pallidus, pangasius, pati, pentlandi, peroni, pirinampu, platypogon, pullus, punctulatus, pusillus, quadrifasciatus, quelen, rama, raninus, rigidus, rita, rugosus, sadleri, sagor, sapo, sebacia, seongtee, sellons, silondia, sona, spixi, stegelichi, synodontis, tachisurus, telchitta, tengana, tengara, thumberg, urua, vachia, variegata, velifer, viridescens, viscosus, vittatus, vulgaris, xanthocephalus, zungaro.

Pimelopus laevis, nothus, porcellus.

Pimephales promelas.

Pimpla abbreviator, abdominalis, accusator, aethiops, alternans, angens, annulipes, apicalis, approximator, arctica, arundinator, aterrima, atrata, barbator, bicolor, bicornis, bilineata, bipartita, brevicornis, caerulea, calobata, caloptera, castanea, caudata, ceratites, cicatricosa, cinctator, clavata, compunctor, concolor, continua, coronator, cossivora, crassicornis, crassipes, crenator, cyanipennis, cylindrator, decorator, degener, dentata, dentator, didyma, dohrni, dorsiger, elongator, ephippiator, ephippium, examinador, excavata, extensor, fasciata, flavicans, flaviceps, flavipes, fronticornis, fuscicornis, fuscipes, ghiliani, graminellae, humida, illecebrator, imitator, instigator, interrupta, intricatoria, irritator, laevis, laticeps, linearis, longicauda, longiseta, longiventris, lunator, macula, madida, mandibularis, manifestator, marginella, margellatoria, mediator, mediatoria, melanocephala, melanopyga, meliorator, mensurator, mesocentra, mixta, monocera, necator, nervator, nigriceps, nigrolineata, notator, nucum, oculatoria, oruata, ovivora, pedator, pennator, persessoria, petiolatus, phoenicea, pictipes, pomorum, pudibundae, punctata, punctulata, punctum, reissigi, resinellae, roborata, rufata, ruficollis, rufipes, scania, segmentator, semirufa, senator, sponsa, spuria, stercorator, strigator, strobilellae, strobilorum, subcornuta, tarsalis, terebrans, terminalis, tricolor, trilineata, turionellae, vagatoria, varicornis, variegata, vesicaria, vetula, viduata, vipioides, vittata.

Pinacia fulvidorsalis, molybdaenalis.

Pinacodbella kolenatii.

Pinaris angelicella, apiella, badiella, carduella, depunctella, flavella, gilvella, hamiferella, herachiella, malvella, rubidella, yeatiella, zephyrella.

Pinarus spiculus, squalidus.

Pincina composita*, elliptica*, globosa*, oblonga.

Pingouin pica, torda.

Pinguipes brasiliensis, chilensis, fasciatus.

Pinicola (A.) rubra.

Pinicola (Hym.) juhi.

Pinicolar enucleator.

Pinna adusta, affinis, afra, alta, ampla, angustana, arata, arcuata, argentea, atropurpurea, bicarinata, bronni, buchi, cancellata, capricornus, carnea, chinensis, compressa, conica, cornuformis, costata, cottae, crassa, crassissima, cuceata, decussata, deflecta, degenera, deltodes, depressa, detusa, diluviana, dolabrata, dorsata, elegans, fenestrata, fissa, flabelliformis, flabellum, flexicostata, folium, gallica, galliennei, gigas, gracilis, granulata, granulosa, hartuanni, hastata, imbricata, inflata, italicus, ivaniskiana, konneki, laevigata, laevis, lanceolata, ligeriensis, lineata, listeri, lubrica, luciensis, margaritacea, marginata, maura, membranacea, mitioides, mitis, moreana, moulini, mutica, nebulosa, neptuni, nigra, nigricans, nigrina, nodulosa, nuttalli, obliquata, ornata, patagonica, perna, petasenculus, pinnigera, prisca, quadrangularis, radiata, recticostata, renauxiana, restituta, rigida, robinaldina, rostriformis, rugosa, rugoso-radiata, russiensis, saussurei, semicostata, seminuda, serrata, sigmoidea, socialis, squamifera, squamosissima, striata, striolata, subquadrivalvis, subrugosa, subtetragona, sulcata, sulcifera, suprajurensis, tenera, tenuistria, tetragona, transversa, triangularis, truncata, tuberculosa, tubularis, varicosa, viminea, virgata, zelandica.

Pinnigena bathonica, rugosa, saussurei.

- Pinnites** cretaceus, clavilanga, flabelliformis, nodus, rostratus, substriatus, unguatus.
- Pinnixa** cylindrica, transversalis.
- Pinnoctopus** cordiformis.
- Pinnopsis** acutirostra, ornatus.
- Pinnotherelia** laevigata.
- Pinnotheres** auritus, bipunctatus, byssouiae, chilensis, cranchi, cylindraceus, cylindricus, depressum, ferrugineus, glaberimus, latreillei, maculatum, minutus, modiolae, monodactylum, montagui, mytilorum, orientalis, ostreum, pheladis, pumphyllax, pisum, plicatus, pusillus, semicylindricus, sexpes, transversalis, tridacnae, varians, veterum, villosulus.
- Pinophilus** aegyptius, albipes, brevicollis, brunneus, caliginosus, capensis, cayennensis, complanatus, crassicollis, cribratus, flavipes, fulvipes, javanus, latipes, lividipennis, longicornis, majus, niger, obscurus, palmatus, picipes, punctatus, suffusus, sulphuripes, tenebrosus, terminatus, torosus.
- Pinotus** inachus, talaus.
- Pinus** rostellaria.
- Piodes** coriacea.
- Pionea** bifascialis, conquisitalis, stramentalis.
- Pionus** barrabandi, brachyurus, flavifrons, fuscicapillus, guineensis, guilhelmi, le vaillanti, maximiliani, melanocephalus, melanotis, menstruus, meyeri, pachyrhynchus, purpureus, rufiventris, senegalus, senilis, sordidus, vinaceicollis, vulturinus.
- Pionycha** maculata, tristis.
- Piophila** affinis, albipennis, apii, atrata, bipunctata, caeruleascens, caica, casei, confinis, distincta, flavipes, flavitarsis, foveolata, laevigata, latipes, lonchaeoides, luteata, metallica, nigra, nigriceps, nigricornis, nigrimana, nitida, pectoralis, petiasonis, pilosa, punctipennis, pusilla, pygmaea, ruficoxa, scutellaris, varipes, vicina, viridicollis, viridis, vulgaris.
- Piosoma** setosum.
- Pipa** bufonia, curucu, laevis, tedo, vulgaris.
- Pipastes** arboreus.
- Pipilio** ater, liris.
- Pipillo** fusca, macrouyx, personata, ruitorques, superciliosa.
- Pipilo** arctica, cinerea, erythrophthalma, fusca, macronyx, maculata, oregonus, personata, rufescens, rufopileus, superciliosus, tboracica, torquatus.
- Pipilopsis** atripileus, canicularis, flavipectus, fulviceps, opbtalmicus, personatus, rubrostris, ruficeps, semirufus, superciliaris.
- Pipistrellus** albolimbatus, kubli, lepidus, leucippe, leucogaster, marginatus, nathusii, nigricans, nigrita, nilssonii, tricolor, typus, ursula.
- Pipiza** acuminata, albifrons, albipila, albitarsis, albohirta, annulata, anthracina, artemis, atra, aurifrons, austriaca, biguttata, biguttula, bimaculata, binotata, buccata, calceata, campestris, carbonaria, ebalybeata, coerulescens, costalis, fasciata, fenestrata, festiva, flavitarsis, fulvimana, funebris, geniculata, guttata, beringi, byalipennis, interrupta, lateralis, leucopeza, longicornis, lucida, luctuosa, lugubris, lunata, luteitarsis, maculipennis, melancholica, morionella, morosa, nigripes, noctiluca, notata, obscura, obscuripennis, obsoleta, ornata, quadriguttata, quadrimaculata, ratzeburgi, ruficornis, ruftborax, sabulonum, sericea, signata, strigata, tibialis, tristis, vana, varians, varipes, virens, vitrea, vitripennis.
- Pipodes** tridactylus.
- Pipra** africana, atra, aurantia, aurantiaca, auricapilla, aurocapilla, australis*, brunnea, caerulea, candei, carnifex, caudata, cepbaleucos, chloris, chlorocapilla, chloromeros, chrysopogon, chrysoptera, coccinea, coerulescapilla, cornuta, coronata, cyanea, cyanocapilla, cyanocephala, desmaresti, elata, elegantissima, erythrolophos, europaea, fasciata, fastuosa, filicauda, filifera, flavogaster, forficata, frontalis, fulva, galeata, galericulata, gularis, gutturosa, herbacea, ignicapilla, lanceolata, laplacei, linearis, lineata, longicauda, manacus, militaris, manacus, oxyura, pareolides, pectoralis, percussa, perspicillata, pileata, plumbea, polyglotta, pussilla, pyrrhocephala, rubrifrons, rubrocipilla, squalida, strigellata, strigilata, striolata, superciliosa, tedo, tyrannulus, virens, viridis, vitellina.

Pipraeidea *cyanea*.

Pipreola *chrysipodota*.

Piprisoma *agila*.

Piprites *chlorion*, *pileata*.

Pipunculus *albinus*, *albitarsis*, *annulipes*, *ater*, *auctus*, *campestris*, *dentipes*, *dispar*, *dubrensis*, *exiguus*, *flavipes*, *fulvipes*, *fuscipes*, *fuscus*, *geniculatus*, *haemorrhoidalis*, *halteratus*, *holosericeus*, *lateralis*, *maculatus*, *modestus*, *monticola*, *nigritulus*, *obscurus*, *obtusinervis*, *opacus*, *pilosus*, *pratorum*, *reipublicae*, *rufipes*, *ruralis*, *scutellatus*, *spinipes*, *spurius*, *succini*, *sylvaticus*, *unicolor*, *varipes*, *vittipes*.

Pirarara *bicolor*.

Pirates *abdominalis*, *balteatus*, *flavipes*, *fuliginosus*, *fulvoguttatus*, *morio*, *mutillarius*, *myrmecinus*, *picipes*, *pictus*, *pungens*, *roseus*, *rufipennis*, *spheginus*, *stridulus*, *ululans*, *unicolor*.

Piratesa *nigro-annulata*.

Pirausta *conversalis*, *intermedialis*.

Pirena (G.) *acus*, *annulata*, *aurita*, *granulosa*, *madagascariensis*, *nigra*, *scalariformis*, *spuosa*, *terebialis*.

Pirena (Tun.) *plusea*.

Pirene *chalybaea*, *eximia*, *graninea*, *rubi*, *scylax*, *varicornis*.

Pirenella *mannullatum*.

Pirenestes *sanguineus*.

Pirgo *laevis*.

Pirimela *denticulata*.

Pirina *montanuvillensis*.

Pirolina *ceti*.

Pisa *aculeata*, *aries*, *armata*, *aurita*, *barbicornis*, *biaculeatus*, *bicornia*, *bicornuta*, *chiragra*, *cornuea*, *corallina*, *cornigera*, *diacantha*, *dumerili*, *fascicularis*, *gibbsi*, *heros*, *incisus*, *intermedia*, *monoceros*, *mutica*, *nodipes*, *planasia*, *quadridens*, *sinope*, *spinipes*, *styx*, *tetraodon*, *thalia*, *trispinosa*, *xyphias*.

Pisania *antarctica*, *cincta*, *fasciolata*, *igneae*, *laevigata*, *lineata*, *lineolata*, *littorinoides*, *nodulosa*, *striata*, *striatula*, *undosa*, *violacea*, *vittata*.

Pisicola *fasciata*, *geometra*, *linearis*, *maculata*, *marginata*, *marina*, *percae*, *piscium*, *respirans*, *tessellata*, *vittata*.

Pisidia *asiatica*, *blutei*, *lamarcki*, *linnaeana*, *sayana*, *socia*, *viridis*.

Pisidium *abditum*, *abruptum*, *acutum*, *amicum*, *appendiculata*, *australe*, *caliculatum*, *emerea*, *diaphanum*, *dubium*, *duplicatum*, *fontinale*, *gassiesianum*, *gregarium*, *henslowianum*, *joannis*, *limosum*, *lumstenianum*, *miliun*, *nitidum*, *normandianum*, *obliquum*, *obtusale*, *paludosum*, *pfeifferi*, *pulchellum*, *pusillum*, *pygmaeum*, *roseum*, *semen*, *spinosus*, *supinum*, *tenellum*, *thermale*, *viatianum*.

Pisitoe *hispidosa*, *levifrons*.

Pisobia *muuta*, *temmincki*.

Pisodus *oweni*, *politus*.

Pisoides *tuberculosus*.

Pison *argentatus*, *auratus*, *niger*, *obscurus*, *peletieri*, *punctifrons*, *rufipes*, *spinolae*, *westwoodi*, *xanthopus*.

Pisoodon *coleanus*.

Pisorhina *menadensis*.

Pissocles *albesignatus*, *annulatus*, *apiatus*, *conspersus*, *hercyniae*, *juniperi*, *marginalis*, *marinoreus*, *nigrosignatus*, *notatus*, *obscurus*, *ocellatus*, *oculatus*, *pantherinus*, *piceae*, *pini*, *piniphilus*, *pulverosus*, *pupillatus*, *roreus*, *rufitarsis*, *tessellatus*, *undatus*.

Pissodes *affinis*, *annulatus*, *argus*, *armatus*, *bellicosus*, *bimaculatus*, *brasilienis*, *bufo*, *choicus*, *circularis*, *collaris*, *cribrosus*, *cylindricus*, *dealbatus*, *dubius*, *echinatus*, *erythrocephalus*, *erythrorhynchus*, *fabricii*, *femoratus*, *flammiger*, *gylleuhali*, *hercyniae*, *hercyniae*, *hispidus*, *insignatus*, *laevigatus*, *macellus*, *myops*, *nebulosus*, *nemorensis*, *notatus*, *obscurus*, *obsoletus*, *onychinus*, *ornatus*, *piceae*, *picturatus*, *pini*, *piniphilus*, *polymitus*, *prodigialis*, *ptinicornis*, *pulverulentus*, *punctum*, *pygmaeus*, *scutellaris*, *sericeus*, *setosus*, *squamosus*, *strobili*, *terribilis*, *trachypterus*, *tribulus*, *umbrosus*, *validirostris*, *variabilis*, *verrucosus*.

- Pistosaurus* longaevis.
Pisum gallicum.
Pitangus chilensis, sulphuratus.
Pithanotes falsus.
Pithecheir melanurus.
Pithecia adusta, albinasa, capillaementosa, chiropotes, chrysocephala, dubius, guapo, hirsuta, inusta, israelita, leucocephalus, melanocephala, miriquollina, monachus, nocturna, ochrocephala, pithecia, pogonias, rufibarba, rufibarbata, rufiventer, sagulata, satanas, stenorhina, ursina.
Pithecus abeli, aethiops, agilis, antiquus, arctoideus, cinerea, cinereus, gesilla, imius, irridiventris, lar, leuciscus, maimon, malacensis, maurus, morio, nemaeus, pentelicus, petauristus, porcarius, pyrrhonotos, sabaeus, satyrus, syndactylus, talapoin, troglodytes, variegatus, varius.
Pithelemur indri.
Pithes sylvanus.
Pithesciurus saimiri.
Pithitis aenea, smaragdula.
Pitho quinquedentata, sexdentata.
Pithonoton rostratum, spinosum.
Pithophilus atomarius.
Pithylus luteus.
Pithys albifrons, leucophrys, leucops, pectoralis.
Pitonellus archiacianus, calliferus, depressus, heliciformis.
Pitonillus cepaceus, dubius.
Pitonnellus muricinus.
Pitta abdominalis, angolensis, arvensis, atricapilla, baudii, bengalensis, boschi, brachyura, brevicauda, caerulea, celebensis, coccinea, coronata, cucullata, cyanea, cyanoptera, cyanura, cyanuroides, elegans, erythrogaster, gigas, glaucina, grallaria, granatina, irena, iris, mackloti, macrorhyncha, macularia, malaccensis, maxima, media, melanocephala, nigricollis, nipalensis, novae-guineae, nuchalis, nympa, pulih, rodogaster, schwaeri, strepitans, thoracica, tiniens, velata, venusta, versicolor, vigorsi.
Pituophis melanoleucus.
Pitylus ardesiacus, atro-chalybeus, atro olivaceus, atro purpuratus, aureo-ventris, brissoni, canadensis, cardinalis, chrysogaster, chrysopeplus, cyaneus, dorsigerus, erytromelas, flavo cinereus, gnatho, grossa, gularis, guttatus, lazulus, magnirostris, melanocephalus, olivaceus, personatus, picatus, poliogaster, portoricensis, potoricensis, superciliaris, torridus, violacea.
Pityophagus dermestoides, ferrugineus.
Pityriasis gymnocephalus.
Pitys oparana.
Pivelodus ceruleus.
Placenta communis, lincolni, papyracea, sella.
Placentula asterisans, auricula, crassula, faba, globulus, incrassata, pompilioides, pulvinata.
Placobranchus ocellatus.
Placocoenia macrophthalma.
Placocyathus apertus, nysti.
Placodes (Col.) caffer.
Placodes (Lep.) amethystina, spencei, virgo.
Placodon muensteri.
Placodus andriani, gigas, impressus, muensteri, rostratus, rostratus.
Placomus coralloides, ericoides.
Placoparia grandis, macroptera, zippei.
Placophyllia dianthus.
Placopsilina cenomana, cornueliana, neocomiensis, scorpionis.
Placopsis ocellata.
Placosaurus rugosus.
Placosmia arcuata, carusensis, cuneiformis, cymbula, elongata, parkinsoni, rudis.

- Placosoma conchylium*.
Placostegus crystallinus, fimbriatus.
Placosternum taurus.
Placosteus arcuatus, macandrinus, undulatus.
Placostylus bootis.
Placothorax agassizi, paradoxus.
Placotrochus caudeanus, laevii.
Placuna armata, complicata, ebbippium, jurensis, lincolni, nodulosa, papyracea, pectinoides, placenta, placentiformis, scabra, sella, sinuosa, solida.
Placunanomia abnormalis, alope, cepio, colon, cuningi, echinata, foliata, ione, machrochisna, patelliformis, rudis, zealandica.
Placusa adscita, atrata, carbonaria, complanata, depressa, despecta, infima, pumilio, scapularis.
Plaesconia arca, charon, vannus.
Plaesiocomia rara.
Plaesiorrhina reflexa.
Plaesiorrhina abbreviata, cineta, depressa, mediana, plana, trivittata.
Plaesus javanus.
Plagia elata, transversa.
Plagiocephalus (Dipt.) lobularis.
Plagiocephalus (Hem.) pachymerus.
Plagiocera (Dipt.) cruciger, thoracica.
Plagiocera (Hym.) apicalis, leachi.
Plagiodera acnea, aerea, arcata, armoraciae, circellaris, praecincta, praetexta, prasini-pentus.
Plagiodontia aedrium.
Plagiognatha felix, laciniolata.
Plagiogonus arenarius, sabulicola.
Plagiola depressa, fasciolaris, flava, leptodon, obliquatas, verrucosa.
Plagiope tuberculatus.
Plagiopeltis duplicata.
Plagioptychus paradoxus, toucasianus.
Plagiopyga ferruginea.
Plagiorhynchus flavomaculata.
Plagiostoma acuticosta, alternans, ambiguum, antiquata, aspera, bistriatum, brightoniensis, cardiiformis, concentrica, denticulatum, diana, dubium, dumosum, duplicata, duplicatum, echinatum, elegans, elongata, elongatum, gibbosa, gigantea, granulata, granulatatum, granulosum, gregalis, hermanni, hoperi, inaequicostatum, inaequivalvis, intermedium, interpunctatum, interstinctum, juliobonae, laeve, laevigata, laevis, laeviusculum, lineata, lucida, lunaris, mantelli, marginatum, obliquata, obscura, ovalis, ovatum, pectinoides, pelagica, punctata, pusillum, regulare, rigida, rigidulum, rusticum, schlotheimi, securis, semilunaris, semisulcatum, spinosa, striata, terebratularis, transversa, valoniensis, ventricosum.
Plagiostomatites mantelli.
Plagiotelum irinum.
Plagiotoma lumbrici.
Plagiotricha armilla, aurantia, camelus, cercarioides, kolpodina, lagena, phoebe, sinuata, striata, succisa, vibronides, viridis.
Plagithmysus pulverulentus.
Plagiusa auro-limbata, favosquamis, grammica, melampetala, nigro-labeculata.
Plagidis dolabraria.
Plagusia abbreviata, brasiliensis, clavimana, cynoglossa, depressa, dipterigia, grandisquamis, immaculata, japonica, lactea, lingua, melanorhynchus, monopis, planissima, puncticeps, sayi, semicylindrica, serripes, spinosa, squamosa, tessellata, tomentosa, trulla, tuberculata.
Planaria (G.) alba, nitens, pellucida.
Planaria (Verm.) acuminata, affinis, appendiculata, assimilis, aurantiaca, bicornis, bilinearis, bilobata, bioculata, bistrigata, bituberculata, brochii, brunnea, caeca,

carnea, convoluta, cornuta, crenata, crocea, cruciata, ~~discomata~~, ~~discompariana~~, dorsalis, dubia, edinensis, ehrenbergi, elegans, elliptica, elongata, emarginata, excavata, filiformis, flaccida, flava, flexilis, flexuosa, fontana, formosa, fulva, gibba, gigas, gonoccephala, granulata, grisea, griseus, grossula, heteroclita, hirudo, incisa, lactea, lactiflora, leucophaea, lichenoides, limacina, limbata, longiceps, lunata, lutea, luteola, macrocephala, macrostoma, maculata, mammillata, muelleri, mutabilis, mydae, neapolitana, nigra, nigricans, nigro-fusca, notulata, oceanica, ocellata, oculata, pallasi, pallida, pellucida, perforata, pulla, punctuata, pusio, quadrangulata, quadri-oculata, quadripunctata, retusa, rutilans, sargassicola, semilineata, siphunculus, stiagata, subauriculata, subtentaculata, tasmaniana, teres, tigrina, torva, torvodes, truncata, tuberculata, tubulosa, ulvae, unicolor, unipunctata, vaginuloides, velellae, velox, ventricosa, verrucosa, viganensis, violacea, virens, viridata, viridis, vitta, vittata, vulgaris, zebra.

Planariola rubra.

Planax atropurpurea.

Planaxa brevis, decollata, nigra.

Planaxis acuta, acutus, affinis, areolatus, breviculus, buccinoides, canaliculata, castaneus, circinatus, desmarestiana, discrepans, donatiana, elfordiana, fitchiana, imbricata, laevigata, laevigatum, lineatus, lineolata, lineolatus, loques, minuta, molliana, mollis, multisulcata, nucleus, obsoletus, olivacea, piliger, planaxis, planicostatus, proxima, punctata, pyramidalis, raricostata, reticulata, riparia, rissoides, rosacea, sandwicensis, savignyi, semisulcatus, striata, sulcata, taeniatus, tenuis, trifasciata, turulosa, undulata.

Planicus apicalis.

Planella cristata.

Planes clypeatus, linnaeana, minutus.

Planetella extremis.

Planetes (Col.) bimaculatus.

Planetes (Dipt.) extremus.

Planetis guttatus.

Planiceps erythrocephalus, fulvicollis, lacordairei, latreillei, variipennis, venustus.

Planidiscites anguialis.

Planispira coluber, exceptiuncula, proxima, zonalis, zonaria.

Planites ammonius, anguinus, angulatus, armatus, banksi, bifidus, birchi, bisulcatus, blagdeni, cingulatus, compressus, conybeari, coronatus, costatus, crenatus, davaei, fibulatus, giganteus, goodhalli, knorrius, listeri, parkinsoni, perarmatus, plani-costatus, planulatus, plicatilis, serpentinus, subarmatus, tenui-costatus, triplicatus.

Planocera elliptica, folium, gaimardi, pellucida, sargassicola, suesensis.

Planoceros gaimardi.

Planodes quaternaria.

Planorbis acronicus*, acutus, aequalis, affinis, albescens, albicans, albus, alexandrinus, ammon, ammonicus, ammonitiformis, anatinus, auceps, andecolus, angulatus, annulatus, antillarum, antrosus, applanatus, arcticus, armigerus, bellis, benguelensis, bicarinata, bicarinatus, boissyi, brongniartiana, buchanensis, caenosus, calathus, campanulatus, cannarum, cantori, capillaris, caribaeus, carinatus, catillus, charteus, chilensis, chinensis, cimex, clausulatus, collapsus, complanatus, compressus, concavo-spira, connivens, contortus, convexusculus, coretus, corinna, corneus, cornicula, corniculum, cornu, cornuarietis, corpulentus, costatus, costulatus, crassus, cristatus, cultratus, cumingi, cumingianus, cylindricus, decipiens, deflectus, deformis, dentatus, dentiens, dentiferus, depressissimus, depressus, devians, dilatatus, dilatus, disciformis, discorbis, disjunctus, distortus, divaricatus, draparnaldi, dubius, dufouri, ehrenbergi, elevatus, equalis, eques, etruscus, euomphalus, exacuus, exacutus, exustus, ferrugineus, fokkesi, fontanus, fovealis, fuliginosus, fuscus, gangeticus, gilberti, glaber, glabratus, gracilis, guadaloupensis, gyrorbis, gyrosa, haldemani, havanensis, helici-formis, helicoides, helioeus, helophilus, hemisphaerula, hemistoma, hindsiensis, hispidus, humilis, imbricatus, impressa, indicus, inflatus, intermedius, inversus, jugleri, kermatoides, kraussi, labiatus, lacustris, laevigatus, laevis, lanierianus, lateralis, legatorum, lens, lenticularis, lentus, leucostoma, liasinus, limayana, limonis,

lineatus, lineatus, lugubris, lundii, lutescens, macnabianus, maculatus, mantelli, marginatus, marmoratus, massiliensis, maya, megastoma, metidgensis, metiojensis, michaudi, minutulus, montanus, moquini, moricandi, multivolvis, nanus, natalensis, nautilus, neglecta, nigricans, nitidula, nitidulus, numulus, obesus, obliquus, obscurus, obstructus, obtusus, obvolutus, olivaceus, opercularis, orbiculus, orientalis, ovatus, oxyostoma, pallidus, panamensis, papyraceus, parallelus, paropseides, parvus, peregrinus, perezi, perforatus, peruvianus, pfeifferi, philippianus, planatus, planulatus, platystoma, prevostinus, proboscideus, prominens, pseudoammonius, pseudorotundatus, purpura, radiatus, redfieldi, regularis, reticulatus, retusus, reventlowi, rhombeus, rota, rotella, rotula, rotundatus, ruppelli, septemgyratus, sericeus, sheppardi, sibiricus, siliceus, similis, simplex, sindiacus, solidus, sowerbyi, sparnacensis, spinorbis, spirorbis, splendidus, spratti, stramineus, striatus, subangulata, subangulatus, submarginatus, subovatus, taeniatulus, tenagophilus, teuellus, tennenti, tervarianus, tondanensis, tricarinatus, trilobatus, trivolvis, trochoides, trochoideus, tumidus, turgidus, umbilicatus, umbilicatus, vermicularis, verticelloides, vetustus, villosus, virens, viridis, vorticulus, wallichianus.

Planorbites laevis.

Planorbulina angulata, difformis, mediterraneensis, nitida, rubra, umbilicata, vermiculata, vulgaris.

Planospirites ostracina.

Planularia angusta, arcuata, auricula, auris, bronni, compressa, costata, crepidula, crepidularis, cuneata, cymba, denticulata, depressa, elliptica, elongata, glauca, incurva, intermedia, laevis, longa, nodosa, oblonga, orbiculata, pelagi, reticulata, rhomboidalis, rostrata, semicircularis, striata.

Planulina aethiops, apiculata, areolata, argus, ariminensis, aspera, conspersa, dubia, elegans, foliacea, gemmacea, globularis, hemprichii, heptacyclus, hexacyclus, incerta, lenticula, libyca, lugubris, nana, nebulosa, nitida, obliqua, oceani, ocellata, orbigny, ornata, osnabrugensis, planosconvexa, porosa, pyramidum, quaternana, sicula, soldanii, spatiosa, speciosa, splendida, squamula, tenuis, turgida, vitrea, zborzewskii.

Planulites angustiseptatus, compressus, costellatus, inaequistriatus, inflatus, laevigatus, linearis, parvulus, planorbiformis, planus, pygmeus, semistriatus, serpentinus, striatus, sublaevis, sulcata, umbilicatus, undulatus.

Plasmopora petaliformis.

Plastenis retusa, subtusa.

Plastologus costatus.

Plastron caeruleus.

Platacantha cerea.

Platacanthus ubinoi.

Platalea azaza, chlororhynchos, flavipes, nivea, uudifrons, pyrrhops, regia, rufipes, telfairi, tenuirostris.

Platamodes dentipes.

Platanista gangeticus, plantanista.

Plataspis biloba, bucephalus, coccifornus, coenosa, coracina, flaviceps, hemisphaerica, mungo, nigrita, nigriueutris, nitida, scipio, subaenea, vahli, xanthogramma.

Platax albipunctatus, altissimus, arthriticus, batavianus, blochi, ehrenbergi, gaimardi, gallina, gampret, guttulatus, lapi, leschenaldi, macropterygius, micropterygius, minor, ocellatus, orbicularis, papilio, pentacanthus, pinnatus, punctulatus, quadrula, raynaldi, scalaris, teira, vesperilio, woodwardi, xanthopus.

Platea mexicana.

Plateia ebale, somniculosa.

Platemys bowerbanki, bullocki, gaudichaudi, geoffreana, gibba, hilarii, macquaria, martinella, miliusi, newwiedi, planiceps, radiolata, rufipes, schweiggeri, spixi, wagleri.

Plateosaurus engelhardti.

Platessa asperrius, balteata, carnaria, clinensis, cornuta, cyclops, dwiniensis, elongata, ferruginea, flesus, glabra, latus, linanda, linandoides, microcephalus, ocellaris, orbignyana, papilio, passer, pavonia, platessa, platessoides, pola, pseudoflesus, pusilla, quadrocclata, rostrata, russelli, scapha, sinensis, variegata, velfracta, vulgaris.

Platesthes akidoides, silphoides.

- Platetrum** conspurcatum, depressum.
Platignus compressus.
Platimeris fulvilabris.
Platinites striata.
Platinx elongatus, gigas.
Plationycus variegatus.
Platiope leucogramma.
Platiprosopus acutangulus.
Platipteryx globulariae.
Platirostra edentula.
Platisma gagates.
Platisus obscurus.
Platonyx (Col.) ornatus.
Platophrys ocellatus.
Platops hardwicki, lineata, richi, rugulosa, xanthina.
Platurus fasciatus, laurenti, platurus.
Platyarthron bilineatum.
Platyarthrus hoffmannseggii.
Platyaspistes alternans, glaucus, marginalis, prasinus, venustus.
Platyauchenia limbata.
Platyblemmus delectus, lusitauicus, ramburi, umbraculatus, velatus.
Platybunus denticornis, incanus, uncatus.
Platycantharus cucujiformis.
Platycanthus auratus, isosceles.
Platycara anisura, australis, brucei, lissorhynchus, maculatus, nasuta.
Platycarcinus antiquus, dentatus, edwardsi, irroratum, longipes, novae-zelandiae, pagurus, sayi.
Platycelia ehrenbergi.
Platycephala (Dipt.) agrorum, culmorum, madagascariensis, nigra, planifrons, umbraculata, variegata.
Platycephala (Hem.) metallica.
Platycephalus asper, bassensis, borboniensis, carbunculus, chacca, cirronasus, clavatus, crocodilus, cultellatus, dormitator, endrachtensis, fuscus, grandispinis, guttatus, inops, insidiator, isacanthus, japonicus, laevigatus, longiceps, madagascariensis, madurensis, malabaricus, neglectus, pristiger, punctatus, rodericensis, saxatilis, scaber, serratus, sihamis, spinosus, sumatranus, suppositus, tasmanus, tentaculatus, timoriensis, tuberculatus, undecimalis, vittatus.
Platycephus carinatus.
Platycera bivittata, subundata.
Platyceras cirriformis, dumosum, expansum, gebhardi, haleotes, nodosus, sulcatus, trilobatum, tubifer, ventricosum, vetusta.
Platycercomys platyurus.
Platycercus adelaidae, amboinensis, ater, atrogularis, auriceps, bamardi, baueri, browni, caelestis, caledonicus, cornutus, erythronotus, erythropterus, erythrotis, eximius, flaveolus, flavigaster, flaviventris, haematogaster, haematonotus, hypophonicus, hyginus, icterotis, ignitus, jonquillaceus, melanurus, multicolor, novae-guineae, novae-seelandiae, pacificus, palliceps, pennanti, phaeton, pileatus, pulcherrimus, purpureocephalus, rufifrons, scapulatus, setarius, splendens, splendidus, stanleyi, tabuensis, ulietanus, unicolor, venustus, vulneratus, xanthogaster, zonarius.
Platycerus auriculatus, balbi, capensis, caraboides, depressus, foveicollis, furcatus, orionensis, piceus, pilmus, quercicola, quercus, rufipes, scaritoides, securidens, semitorquatus, sepultus, silesiacus, sub-laevis, tenebrioides, virescens, viridi-aeneus.
Platycheilus alternatus, anomalous, axillaris, brevis, cicatrix, cinereus, dimidiatus, discolor, dispar, flavipennis, glabripennis, hoploides, intermedius, lepidotus, litiginosus, lupinus, melanurus, musculus, nitens, nitidulus, puerilis, pusillus, pyropygus, semihirtus, semivirgatus, squamosus, virgatus.
Platychiele pallida.
Platyichiria umbrosa.

Platychora *fabaei*, polita.

Platychnus *hielwsteini*, *bonelli*, *creutzeri*, *depressus*, *fabrii*, *herzi*, *osseticus*, *prachkini*, *regularis*, *riedeli*, *steveni*.

Platyclerus *elongatus*, *planatus*.

Platycloster *cornens*.

Platycnema *pulicaris*, *tibiella*.

Platycnemis *acutipennis*, *diversa*, *latipes*, *subdilata*, *syriaca*, *tibialis*.

Platycnemus *lateritius*, *marginipes*, *membranipes*, *pennipes*.

Platycoelia *alternans*, *boliviensis*, *flavostriata*, *lutescens*, *marginata*, *olivacea*, *pomacea*, *prasina*, *quadrilineata*, *validae*.

Platycopes *alternans*, *argyrellus*, *gonopterus*, *prasinatus*, *pygmaeus*, *spathulatus*, *squalidus*, *turgidus*, *virens*.

Platycoris *bipunctata*, *rubromarginata*, *varia*.

Platycorynus *indigaceus*.

Platycorystes *ambiguus*, *isenbecki*.

Platycrana *affinis*, *annulipes*, *curvipes*, *hectica*, *jamaicensis*, *maculatus*, *punctata*, *rafflesi*, *reticulata*, *rosea*, *rugicollis*, *stolli*, *venustula*, *viridana*.

Platygrana *gryllodes*.

Platycrinites *anaglypticus*, *ann dixonii*, *antheliontes*, *brevis*, *coronatus*, *decagonus*, *depressus*, *elongatus*, *exsculptus*, *gerolsteiniensis*, *granulatus*, *hieroglyphicus*, *huntsvillae*, *insculptus*, *laevis*, *mucronatus*, *ornatus*, *pentangularis*, *pileatus*, *polydactylus*, *rugosus*, *spinosus*, *striatus*, *tabulatus*, *trigintidactylus*, *tuberculatus*, *ventricosus*.

Platycrinus *armatus*, *buchi*, *burlingtonensis*, *contractus*, *corrugatus*, *diadema*, *discoideus*, *elongatus*, *expansus*, *gigas*, *goldfussi*, *granuliferus*, *interscapularis*, *lacinatus*, *macrocheirus*, *megastylus*, *microstylus*, *ornatus*, *phillipsi*, *planus*, *punctatus*, *rosaceus*, *similis*, *triacontadactylus*, *vesiculosus*, *yandelli*.

Platydictyla *duvauceli*.

Platydictylus (Orth.) *buqueti*, *gaimardi*, *helvolus*, *marginipennis*, *sauleyi*, *surinamensis*, *vicinus*.

Platydictylus (R.) *aegyptiacus*, *americanus*, *bivittatus*, *cepedianus*, *cuvieri*, *delalandi*, *fascicularis*, *gecko*, *guttatus*, *hasselti*, *horsfieldi*, *munguis*, *jamori*, *japonicus*, *leachianus*, *lugubris*, *mauritanica*, *milberti*, *monarchus*, *muralis*, *ocellatus*, *ornatus*, *rapicauda*, *reevesi*, *seychellensis*, *squalidus*, *stentor*, *theconyx*, *vittatus*.

Platydema *affinis*, *americana*, *analis*, *antennata*, *apicalis*, *basalis*, *bicolor*, *bifasciatus*, *carbonaria*, *chevrolati*, *clypeatus*, *cruentata*, *cyanea*, *cyanescens*, *dejeani*, *diophtalma*, *duponti*, *elliptica*, *erythrocephala*, *europaea*, *excavata*, *fasciata*, *fasciata*, *flaviceps*, *fuliginosa*, *fuscipes*, *globata*, *hemisphaerica*, *hieroglyphica*, *histrio*, *infuscata*, *janus*, *laevipes*, *laevis*, *maculicollis*, *maculosa*, *nigricornis*, *notata*, *pallens*, *palliditarsis*, *picea*, *pici-cornis*, *picilabrum*, *picipes*, *polita*, *quadrifasciata*, *quadrinotata*, *rufa*, *rufipennis*, *rufiventris*, *silphoides*, *subcostata*, *transversa*, *tristis*, *tuberculata*, *varians*, *variegata*, *violacea*, *virens*.

Platyderus *nitidus*, *ruficollis*.

Platydesmus *polydesmoides*.

Platydius *subpurpurascens*.

Platygaster (Dipt.) *anthracinus*, *arcticus*, *attenuatus*, *bifurcicornis*, *brunnipennis*, *brunnipes*, *consobrinus*, *filicornis*, *gladiator*, *hyemalis*, *minutus*, *parvulus*.

Platygaster (Hem.) *abietis*, *ferrugineus*, *marginatus*.

Platygaster (Hym.) *abaris*, *abas*, *abia*, *abisares*, *acco*, *acrisius*, *aegaeus*, *affinis*, *alienus*, *apterus*, *asclepius*, *athamas*, *athanaeus*, *automenes*, *belus*, *bosci*, *bucolion*, *catillus*, *cebes*, *chrysippus*, *cleodaeus*, *cochleatus*, *contorticornis*, *cotta*, *craterus*, *crates*, *cratinus*, *ctesias*, *cyrillus*, *decurvatus*, *deiphyla*, *dictys*, *dryope*, *drypetes*, *elissa*, *emiuis*, *ensifer*, *erato*, *eriphyle*, *eulimerus*, *euryale*, *evadne*, *forticornis*, *furius*, *galenus*, *gorge*, *gorgo*, *grandis*, *gyge*, *halia*, *hyllus*, *ilione*, *iolas*, *isus*, *jasius*, *laodice*, *laricis*, *larides*, *leda*, *leptines*, *lysicles*, *mamertes*, *manto*, *matuta*, *minthe*, *munitus*, *muticus*, *myles*, *nerceus*, *nice*, *niger*, *nisus*, *nodicornis*, *nydia*, *obscurus*, *oebalus*, *oecelus*, *olorus*, *orcus*, *otus*, *osaces*, *otanes*, *otreus*, *ovulorum*, *ozines*, *paches*, *pallipes*, *pedasus*, *pelias*, *philhna*, *pisus*, *pleuron*, *plotinus*, *prorsa*, *punctiger*, *pyramidalis*, *remulus*, *rhanis*, *roboris*, *ruicornis*, *rutubus*, *sagana*, *scelionoides*, *scutellaris*,

- secalis, seron, siphon, sonchis, sosis, spiniger, sterope, strato, striolatus, subulatus, sylea, taras, tarsi, thersippus, tipulae, tisias, trebius, tristis, tuberosus, unicolor, unifracticornis, vaenia, ventralis, vestinus, xenarchus, xeneus, zethus, zosine.
- Platygaster** (P.) affinis, africanus, indicus, macrophthalma, megalopterus, parva, verticalis.
- Platygaster** (R.) multicarinatus.
- Platygenia** barbata, exarata, macleai, zairica.
- Platygnathus** (Col.) octangularis, parallelus.
- Platygnathus** (P.) jamesoni, minor, paucidens.
- Platygnathus** (R.) rugosus.
- Platyholmus** dilaticollis, nigrilus.
- Platyja** ancea, chorebe, pritanis, sergilia, umminea.
- Platylabus** arnatus, cothurnatus, daemon, decipiens, dimidiatus, errabundus, iridipennis, niger, nigricollis, orbitalis, pactor, pedatorius, rufiventris, rufus, sollicitus, tricingulatus, variegatus.
- Platylaemus** colei.
- Platylepas** pulchra.
- Platylepes** lactaria.
- Platylophus** (A.) galericulatus.
- Platylophus** (Ar.) alpestris, bucephalus, grandissimus, heegeri, pinetorum, rufipes.
- Platymera** gaudichaudi.
- Platymiris** biguttatus, discolor, ducalis, formicaria, fulvipes, lythodes, myrmecodes, pyrrhula, rubropicta, tergemina.
- Platyperus** eckloni, germari, lehmanni, wiuthemi, zeyheri.
- Platymesopus** erichsoni, tibialis, westwoodi.
- Platymetopus** amoenus, exaratus, figuratus, guineensis, interpunctatus, laticeps, lepidus, quadrinaculatus, schoenherri, tessellatus, thunbergi, vestitus.
- Platymischus** dilatatus.
- Platymya** (Dipt.) aestivalis, blondeli, rubescens.
- Platymya** (L.) dilatata, hiantula, longa, minuta, rostrata, tenuis.
- Platyna** hastata.
- Platynaspis** bipustulata, bisbipustulata, bisignata, flavilabris, kollari, solieri, villosa.
- Platynocera** murina.
- Platynochaetus** rufus, setosus.
- Platynochaetus** derceto, erichsoni.
- Platynodes** westermanni.
- Platynomerus** caspius.
- Platynoptera** duponti, goryi, lyciformis, lycoides.
- Platynopus** catena, militaris, varius.
- Platynotus** (Col.) arcuatus, carbonarius, crenatus, dentipes, detritus, difformis, dilatatus, excavatus, fascicularis, granulatus, insularis, laevigatus, morbillosus, obscurus, plumosus, reticulatus, rugosus, serratus, setosus, striatus, undatus, variolosus.
- Platynotus** (Cr.) aegypticus, boltoni, trentonensis.
- Platynotus** (Hem.) apterus.
- Platynotus** (R.) semitaeniata.
- Platynus** anchomenoides, angustatus, angusticollis, assimilis, atratus, bembidioides, blandus, carbo, chaceus, complanatus, cupreus, cupripennis, decens, decorus, depressus, elegans, elongatus, erythrocephalus, erythropus, extensicollis, fulvipes, gagates, lenis, longiventris, marginatus, nigriceps, nitidulus, piceus, placidus, punctiformis, quadripunctatus, retractus, ruficornis, rufitarsis, scrobiculatus, sordens, subcordatus, truncatus.
- Platyodon** ruficollis.
- Platyomida** binodis.
- Platyomus** aerolithus, aeruginosus, agonista, albarius, apiarius, argyreus, auricephalus, bescki, bicoloratus, bisignatus, boisduvali, canescens, canus, carinirostris, cavirostris, chlorostictus, clarus, croesus, cultricolis, cuspidatus, dalmani, diana, duponti, elegans, ermineus, exanguis, faldermanni, fasciatus, glaucus, gyllenhalii, hybridus, hystricosus, isabellinus, lacteus, lebasii, lepidus, leucozonus, molitor, mutabilis, niveus, nodipennis, novemmaculatus, ochroleucus, opalinus, perlepidus, piscatorius, placidus,

prasinus, puber, quadrisignatus, rufipes, saucius, scripta, septemmaculatus, septempunctatus, signatus, silbermanni, sordidus, transversesignatus, undulatus, virginalis, viridimaculatus, viridipes, wahlenbergi, westermanni.

Platyonichus bipustulatus, depurator, henslowi, latipes, nasutus, ocellatus, rugulosus.

Platyonychus punctatus.

Platyonyx blainvillei, brongniarti, bucklandi, cuvieri, minutus, ornatus, oweni.

Platyope bassi, collaris, dichotoma, grandis, granulata, karelini, leucogramma, leucographa, lineata, mongolica, oblitterata, proctoleuca, unicolor.

Platyormus turgidus.

Platyostoma arenosa, lineata, ventricosa.

Platypalpus aeneus, albiseta, albocapillatus, alexippus, algirus, ambiguus, annulatus, anuulipes, articulatus, bacis, bicolor, bivittatus, calceatus, candicans, castanipes, comptus, cothurnatus, cursitans, dichroa, dissimilis, exiguus, fasciatus, flavicornis, flavipalpis, flavipes, fulvipes, fuscipennis, infuscatus, longicornis, lutea, maculipes, minimus, minutus, mundus, niger, nigrifemoratus, nigratarsis, nitidus, pallidiventris, pallipes, pectoralis, robustus, ruficornis, ventralis.

Platypeza anomala, aterrima, atra, boletina, brunnipennis, consobrina, dorsalis, fasciata, fumipennis, furcata, bolosericea, infumata, media, modesta, ornata, picta, rufa, rufiventris, subfasciata, vittata.

Platyphanes gibbosus, vittatus.

Platyphyllum concavum, coriaceum, maculipenne, obscurum, perspicillatum, scabricolle, viridifolium.

Platyphyllus camellifolius.

Platypleura affinis, albiger, basifolia, basimacula, basi-viridis, brevis, capensis, cervina, chloronota, decora, divisa, fulviger, gemina, hilpa, hirtipennis, ocellata, pbalaenoides, plumosa, punctigera, reducta, semiclava, semilucida, signifera, simplex, spinx, straminea, stridula, subfolia, varia.

Platypodia oweni.

Platypodus furca.

Platyprosopus beduinus, elongatus, fuliginosus, tamulus, titan.

Platyptera (Dipt.) borealis, platyptera.

Platyptera (P.) aspre.

Platypteryx compressa, culttraria, falcataria, lacertinaria, spinula.

Platypterna deaniana, delicatula, laticorne, tenuis.

Platypterus (Col.) panzeri.

Platypterus (P.) bourgomvillei, flavescens, fusco-virens, longispinis, taenianotus.

Platypterygia borealis.

Platypteryx curvatula, falcata, falcula, bamula, harpagula, lacertinaria, lacertula, sicula, spinula, unguicula.

Platyptilia calodactyla, megadactyla, ochrodactyla, petradactyla, rhododactyla.

Platypus (A.) altensteini, barrowi, borealis, faberi, ferinus, fuligulus, fuscus, glacialis, glaucion, histiflonicus, hornschuebi, leisleri, leucocephalus, leucophthalmus, marilus, minutus, mollissimus, niger, perspicillatus, rufinus, spectabilis, stelleri.

Platypus (Col.) abbreviatus, apicalis, australis, compositus, cylindricus, dentatus, denticornis, extremodontatus, flavicornis, fuscus, insignis, linearis, maravignae, peiroleri, poeyi, praemorsus, procer.

Platypus (M.) longirostra.

Platypygus chrysanthemi.

Platyrhacus fuscus, rufipes, scaber.

Platyrhamphus pusillus.

Platyrhina schoenleini, sinensis.

Platyrhinus aculeatus, clairvillei, latirostris, spiculosus.

Platyrhopelus angustus, aplustrifer, denticornis, dentifrons, intermedius, laevifrons, mellei, suturalis, unicolor, westwoodi.

Platyrrhynchos albicollis, auricularis, aurantius, barbatus, bicolor, borbonicus, brachyurus, collaris, coronatus, cristatus, cyanoleucos, duponti, flavigaster, fuscus, horsfieldi, leucocephalus, leucophaius, leucotis, maculatus, melanoleucus, melanops, musicus, mutata, mystaceus, naevius, nasutus, olivaceus, paradisi, perspicillatus, platurus,

polychopterus, regius, rostratus, rubecula, rufescens, ruicaudatus, ruficollis, ruiventris, vanikorensis, vclatus, viresceus.

Platyrhynchus (A.) albiventris, brevirostris, capensis, ceylonensis, chrysoceps, cincreus, collaris, ferrugineus, filicauda, flaviventer, fuscus, guerini, gularis, hirundinaceus, lherminieri, marginatus, murinus, nebulosus, obscurus, paganus, prasinus, problema-ticus, pseudogilia, pusillus, ruicauda, striatus, sulphurescens, uraniae, xanthopygus.

Platyrhynchus (Col.) betulae, waltonianus.

Platyrhynchus (M.) leonina, molossinus.

Platyrinchus (A.) fuscus, ornatus.

Platyroptilon miersi.

Platyrhynchos cancomus.

Platyrhynchos (A.) olivaceus, pitangua, rostratus.

Platyrhynchos leucoryphus, nuchalis, rupestris.

Platyrhynchus (A.) collaris, desmaresti, nebulosus.

Platyrhynchus (Col.) betulae.

Platysaurus capensis, guttatus.

Platyscelis angustatus, gages, glaber, hypolitha, hypolithos, labialis, melas, picipes, politus, rugifrons, spinolae.

Platyscelum savignyi.

Platyschisma cirroides, depressum, helicoides, jamesi, kirchholmiensis, oculus, rotundatum, uchtensis, zonites.

Platyschista pallasi, sp.

Platysma adoxa, aethiops, affinis, angustata, anthracina, aterrima, badia, brasiliana, brunnea, castanipes, chalybea, coerulescens, conformis, convexa, crenata, cuprea, dahli, diligens, dimidiata, elongata, elongatus, empetricula, eschscholtzi, fastidita, findeli, fossifrons, foveocollis, foveolatum, gracilis, guentheri, heyeri, inquinata, interstincta, kasbeliana, laevigata, laevistriata, latibula, lepidula, leucophthalma, licinoides, littoralis, longicollis, madida, magus, maurusiacus, menticola, molopsoides, negligens, nigerrima, nigra, nigriceps, nigrita, norwichi, oblonga, oblongo-punctata, ochracea, orientalis, ovoidea, paludosa, panzeri, picimana, pinguedina, pulchellum, puuctatosulcata, rotundicollis, rufa, rufipes, siagonica, solers, strenua, striato-punctata, stygia, triseriata, tristis, urvillei, ventricosa, vernalis, versicolor, viator.

Platysma (Col.) abruptum, algricum, angustatum, atratum, attenuatum, carolinum, castaneum, coarctatum, cylindricum, dalmatinum, depressum, depressus, filiforme, frontalis, gracile, humile, laevicollis, lineare, lineata, luzonicum, oblongus, ovatum, parallelum, picipes, rimarium.

Platysomus (P.) althausi, browni, fischeri, fuldai, gibbosus, intermedius, macrurus, micropteryx, parvulus, parvus, rhombus, spixi, striatus.

Platysqualus tiburo.

Platystacus chaca.

Platysteira brevicauda, capensis, castanea, collaris, desmaresti, leucopygialis, melanoptera, monacha, perspicillata, pistrinaria, pririt, scita, senegalensis, torquata. *Vide et* Platystira.

Platystera lobata, longipis.

Platysternon megacephalum.

Platysternus hebraeus.

Platystethus americanus, brunnipennis, caliginosus, cornutus, cribricollis, foveatus, immunis, laevis, morsitans, nodifrons, pallidipennis, spiculus, spinosus, sulcatus, trilobus.

Platysthetus capita, longicornis, splendens, striatulus.

Platystiera typica.

Platystira melanoptera, peltata, pririt. *Vide et* Platysteira.

Platystoma (M.) asphalmina, australis, bifasciata, cincta, decora, fascipennis, laeta, latipennis, maculipennis, microcera, ocellata, orientalis, pubescens, rufipes, semi-nationis, stictica, umbrarum.

Platystoma (P.) affine, coruscans, emarginatum, fasciatum, lima, orbignianum, pardale, planiceps, platyrhynchus, seenghala, spatula, tigrinum, truncatum, vaillanti.

Platystomus (A.) blainvilliei.

Platystomus (M.) dugong.

- Platystrophia* biforatus, costata, dentata, tcheffkini, terebratuliformis.
Platystyla hoffmanseggi.
Platytarsus aurosus, setiger.
Platytelus horridus.
Platyterma amoenus, cincticorne, comptum, decorum, femorale, inaltum, nephele, nobile, prasinum, remotum, teliforme, terminale.
Platytes cerusellus.
Platytona haematodes.
Platytonus sabulosus.
Platytrachelus pistacinus.
Platytrachus goldfussi, stokesi.
Platyulus audouini, audouinianus.
Platyura abdominalis, atrata, baumhaueri, bicolor, bifasciata, brunnipennis, carbonaria, cingulata, discoloria, dorsalis, erythrogaster, fasciata, femoralis, fittoni, flava, flavipes, fulvipes, inconspicua, insolita, interrupta, intincta, laticornis, lineata, maculata, magna, marginata, nana, nemoralis, nigricornis, ochracea, pallida, pallipes, punctata, ruficollis, rufipes, semirufa, servula, signata, sobria, subconvexa, subterminalis, succincta, testacea, tipuloides, unicolor, vitripennis.
Platyurus (A.) affinis, corniculatus, lepturus, niger, rubecola.
Platyurus (R.) schneiderianus.
Plax adunea.
Plaxemya sugillatrix.
Plaxiphora carmichaelis.
Plaxiscelis fusca.
Plea minutissima.
Plebejus rusticus.
Plectia costalis, dimidiata, dorsalis, femorata, fulvimacula, heteroptera, hilaris, ignicollis, lugubris, maura, ruithorax, similis, velutina, vittata.
Plecomera quadraticollis, thunbergi.
Plectotoma latreillei.
Plectotus auritus, barbasteilus, brachypterus, brevimanus, christi, communis, cornutus, homochrous, isabellinus, lecontei, leucomelas, macrotis, maugéi, peroni, rafinesquei, timorensis, townsendi, velatus, vulgaris.
Plectambonites convexa, crassa, imbrex, inversa, lata, oblonga, ovata, planissima, semiglobosa, testudinata, transversa, triangularis, uncinata.
Plectana aculeata, acuminata, acuta, affinis, alata, arcuata, armata, armigera, asciata, atlantica, aureola, bifurcata, bisicata, bullata, clavatrix, clypeata, crassispina, curvicauda, curvispina, cyanospina, degeeri, diussa, dubia, duplicata, elipsoides, fissipina, flabellata, flaveola, fornicata, furcata, geminata, gladiola, globulata, gracilis, hecata, hexacantha, incisa, inversa, irradiata, lata, lepeletieri, linnaei, lygeana, macrocantha, mauricia, militaris, mucronata, patruela, pentacantha, pentagona, picta, plana, praetextata, pungens, quinqueserrata, reduviana, saccata, sagittata, sector, servillei, sexserrata, sloanei, spinosa, squamosa, stellata, taeniata, tetraedra, transtoria, transversalis, triangularis, triserrata, variegata, velitaris, versicolor, vespoides, vigorsi.
Plectanocotyle elliptica.
Plectes caucasicus, deplanatus, ibericus, nothus.
Plectiscus albipalpus, collares, collaris, erythrostoma, flavopictus, impurator, pallipes, phoenicea, senator, zonatus.
Plectoderes collaris.
Plectonycha aequinoctialis, correntina, immaculata, tenuicollis, variegata.
Plectophora northiae, spadiceus.
Plectoramphus lanceolatus.
Plectorhynchus chaetodonoides.
Plectorhyncha lanceolata.
Plectorhynchus balteatus, blochi.
Plectostylus broderipii, cactivorus, coquimbensis, hildrethi, onca, peruvianus, pulicarius.
Plectris aenea, afflicta, angerona, barda, binotata, brevis, caliginosa, contaminata, crassa,

cuprescens, decolorata, flavohirta, fulva, grenadensis, indigena, laticeps, latifrons, lignicolor, marmorata, mus, neglecta, obsoleta, perplexa, pubescens, rubescens, rugulosa, rugulospennis, scutalis, scutellaris, subcostata, subdepressa, tomentosa, violascens.

Plectrochaerus moricandi.

Plectrocnemia conspersus, dorsalis, longipennis, senex.

Plectrodera scalator.

Plectrofanus mustelina.

Plectrolepis rugosus.

Plectrophanes borealis, calcaratus, groenlandicus, hiemalis, lapponicus, montana, mustelina, ornata, pictus, smithi, townsendi.

Plectrophorus (Col.) lutra, serrimanus.

Plectrophorus (G.) cornutus, costatus, orbignyi.

Plectropoma aculeatum, areolatum*, brasilianum, chloropterus, chlorurus, dentex, ephippium, hispanum, leopardinus, macrophthalmos, maculatum, melanoleucum, monacantha, nigrorubrum, patagonica, paytensis, pictum, puella, punctatum, semicinctum, serratum, susuki.

Plectropomus calcarifer, cyclostomus, fasciatus, maculatus, melanoleucus.

Plectropterus gambensis, melanotos.

Plectropus (R.) longipes, minitans, pictus.

Plectroscelis angustula, aridella, breviuscula, concinna, confusa.

Plectrotarsus gravenhorsti.

Plectrura spinicauda.

Pledopora truncata.

Plegaderus caesus, discus, dissectus, pusillus, saucius, transversus, vulneratus.

Plegadis falcinellus.

Plegmatoptera prasina.

Pleiodon macmurtriei.

Pleione aeolides, alcyonea, carunculata, complanata, eolides, tetraedra, vagans.

Pleionemus macrospondylus.

Plejona vexillum.

Plekocheilus gracilis, undulatus.

Plemys fluctuata, fluviata, gemmata, lapidata, procellata, rubiginata, stragulata.

Pleomorpha atra, concolor, davisii, ruficollis, rufipes.

Pleonomus tereticollis.

Pleophylla fasciatipennis.

Plerocheilus interruptus.

Plerocymia bilineata, certata, cervinata, dubitata.

Plerogyra laxa.

Plesia (Col.) geniculata, melanura, micans, sexmaculata, vicina.

Plesia (Dipt.) analis, fasciata, marginata.

Plesia (Hym.) abdominalis, analis, dorsalis, ephippium, flavescens, fuliginosa, haemorrhoidalis, maculata, menechma, namea, nigripes, obscura, pentatarsostinus, romandi, rufipes, sellata, serena, sexcincta.

Plesiastrea quatrefagiana, urvillei, versipora.

Plesictis croizeti, genetoides.

Plesina liturata, nubilipennis, phalerata.

Plesiocera algira.

Plesiogale angustifrons.

Plesiomma nigra, testacea.

Plesiops coeruleolineatus, corallicola*, melas, nigricans.

Plesiosaurus affinis, arcuatus, auxois, bernardi, brachycephalus, brachyspoudylus, carinatus, chilensis, constrictus, costatus, doedicomus, dolichodeirus, extarsostinus, giganteus, grandipinnis &*, grandis, hawkinsi, macrocephalus, macromus, mega-cephalus, pachyomus, pentagonus, priscus, profundus, recentior, rugosus, speciosus, subconcaus, subtrigonus, tessarestarsostinus, triatarsostinus, trigonus, trochanterius.

Plesiosorex talpoides.

Plestiodon aldrovandii, anthracinus, auratus, belli, erythrocephalus, harlani, laticeps, pulchrum, quinque-lineatum, sinense.

- Plethodon* cinerea, erythronota, glutinosa, granulatum.
Plethodus expansus, oblongus.
Plethosoma coerulea, cristaloides.
Pleuracanthus (Col.) cribratus, inconspicuus, sulcipennis.
Pleuracanthus (Cr.) arachnoides, laciniatus, punctatus, tuberculatus.
Pleuracanthus (P.) cylindricus, laevissimus, marianus, planus, serratus.
Pleurasoma sulcatum.
Pleuraster arenicola, obtusa.
Pleuraulaca alcyonea.
Pleureterites anisocta, bifasciata, concentrica, divisa, lateristria, latiuscula, obliqua, stellata, striata.
Pleurobema conica, mytiloides, cuneata.
Pleurobrachia pileus, rhododactyla.
Pleurobranchidium della chiaiei, maculatum, meckeli.
Pleurobranchus argenteus, aurantiacus, blainvillei, brevifrons, calyptraeoides, citrinus, contarinii, cornutus, de haani, denotarisi, elongatus, forskahli, granulatus, lesueurii, limacoides, luniceps, mamillatus, meckeli, mediterranei, membranaceus, montagui, oblongus, oceani, ocellatus, patagonicus, perforatus, peroni, plumula, porosus, punctatus, reticulatus, savii, scutatus, sideralis, sordidus, stellatus, testudinarius, tuberculatus.
Pleurocera acuta, gonula, quadrosa, verrucosa.
Pleurocerus acutus, oblongus.
Pleurocora alternans, explanata, gemmans, haueri, konincki, pailletteana, ramulosa.
Pleurocrinus mucronatus.
Pleuroctenium granulatum, minutum.
Pleurodeles waltl.
Pleurodema bibroni, bufoninum, darwini, elegans.
Pleurodictyon problematicum.
Pleurodon miliaris, ovalis.
Pleurodonta acutissima, cepa, granifera, josephinae, lamarcki, lapicida, leucoma, soror.
Pleurodonte inaequalis, isognomostomos, leucerna, lychnuchus, sinuatam.
Pleurodus affinis, rankinei.
Pleuromonas jaculans.
Pleuromya aequistriata, alberti, alduini, alta, angusta, arenacea, crassa, decurtata, donacina, elongata, galathea, gibbosa, glabra, gresslyi, mactroides, musculoides, ovalis, pholadina, radiatus, recurva, rostrata, rotundata, solenoides, striatula, tellina, tenuistria, unioides, varians, ventricosa, volzii.
Pleuronectes albus, americanus, apoda, aquosus, aramaca, arel, argenteus, arnoglossus, arsius, asper, barbatus, borealis, boscia, calimanda, chilarus, chrysopterus, cicatricosus, citharus, commersoni, cristatus, cyclops, dentatus, diaphanus, erumei, fasciatus, ferruginea, grohmanni, jerreus, laevis, lascaris, leotardi, lingula, lioderma, luscus, luteus, maculatus, maculosus, maeoticus, mangilla, megastoma, melanogaster, microcephalus, microchirus, microstomus, minutus, mollis, monochirus, nalaka, nasuta, nauphala, nigricans, nigromanus, oblongus, orientalis, ornatus, pan, passarinus, patarachia, pavoninus, peguza, pellucidus, pictus, pilosus, pinguis, plagusia, planus, podas, poteus, quadridens, quadrituberculatus, quensei, rhombeus, rondeleti, rotundus, saxatilis, saxicola, scapha, sinensis, spinosus, striatopinnatus, surinamensis, theophilus, triocellatus, tuberculatus, turbot, uniozellatus, uniporrus, variegatus, zentilis.
Pleuronectia laevigata.
Pleuronectites decussatus, disciformis, discites, discus, laevigatus, pusillus.
Pleuronectoides solea.
Pleuronema crassa, marina.
Pleuropachus costalis.
Pleurophorus (Col.) alternans, caesus, elongatulus.
Pleurophorus (L.) costatus.
Pleurophyllidia lineata, neapolitana, undulata.
Pleuropterus rufus, ternatensis, variegatus.
Pleuropus pellucidus.

Pleurorhynchus *aequicostatus*, *aliformis*, *armatus*, *attenuatus*, *australis*, *crassifrons*, *cuneus*, *elongatus*, *fusiformis*, *giganteus*, *hibernicus*, *inflatus*, *longipennis*, *miuax*, *nodosus*, *pristis*, *trapezoidalis*, *trigonalis*, *vomer*.

Pleurosaurus *goldfussi*.

Pleurostoma *echinata*, *lacunosum*, *zonalis*.

Pleurostrichus *sepiiformis*, *subtesellatus*.

Pleurota *bicostella*, *marginella*, *pyropella*, *rostrella*, *semicostella*.

Pleurothyris *olfersi*.

Pleurotoma *abbreviata*, *abundans*, *abyssicola*, *aciculina*, *aculeata*, *aculeatum*, *acuminata*, *acuta*, *acutangularis*, *acuticosta*, *acutirostra*, *adansonii*, *adusta*, *aegeensis*, *aegrota*, *aeruginosa*, *affinis*, *agassizii*, *alabaster*, *albella*, *albibalteata*, *albicans*, *albicincta*, *albicostata*, *albida*, *albifuniculata*, *albina*, *albinodata*, *albicincta*, *alboraculata*, *albo-vittata*, *alternata*, *amoena*, *amphiconus*, *anceps*, *angicostata*, *angulata*, *angulifera*, *angulosa*, *annulata*, *apicata*, *aquatilis*, *aquensis*, *arata*, *aracana*, *archiaci*, *arctata*, *arcuata*, *argillacea*, *armillata*, *articulata*, *aspera*, *asperulata*, *astriata*, *aterrima*, *atrata*, *attenuata*, *augusta*, *aureola*, *auricula*, *auriculifera*, *axis*, *babylonica*, *baetica*, *banfium*, *basteroti*, *baumonti*, *becki*, *belgica*, *bella*, *bellacrenata*, *bellardii*, *bellulum*, *bertrandi*, *beyrichi*, *bicanalifera*, *bicarinata*, *bicatena*, *bicineta*, *bicungulata*, *bicolor*, *bijubata*, *bilineata*, *bimarginata*, *biscatenaria*, *bistriata*, *bivonae*, *blainvillei*, *blumi*, *boholensis*, *boomi*, *boothi*, *boreale*, *borsoni*, *bosqueti*, *brachystomum*, *bracteata*, *bredai*, *breislakia*, *brevicauda*, *brevicaudata*, *brevicula*, *brevirostrum*, *brevis*, *brocchii*, *broderipii*, *brunnea*, *buccinoides*, *caelata*, *caeruleans*, *cagayanensis*, *calcarata*, *callifera*, *calloiope*, *callosa**, *canaliculata*, *cancellatum*, *candida*, *candidissima*, *candidula*, *cantharis*, *capillaris*, *carbonaria*, *cardinalis*, *carenae*, *carinata*, *carinifera*, *cassilabrum*, *casta*, *castaneus*, *catapbractus*, *catena*, *catenata*, *cavernosa*, *cedonullii*, *celebensis*, *centrifuga*, *ceritbina*, *cerithioides*, *chauveti*, *cheilotoma*, *childreni*, *chinensis*, *cincta*, *cinctellum*, *cinerea*, *cingillata*, *cingulata*, *cingulifera*, *cinnamomea*, *circulata*, *circumsecta*, *cirrata*, *clara*, *clarisea*, *clatbrata*, *clavata*, *clavicularis*, *clavula*, *clavulina*, *clavulus*, *coarctata*, *coccinata*, *coccinea*, *coclearis*, *collaris*, *colon*, *columnae*, *colus*, *comarmondi*, *comma*, *communis*, *compta*, *concatenata*, *concentricostata*, *concinna*, *congesta*, *conica*, *conformis*, *conoides*, *consimilis*, *consors*, *conspicuum*, *contigua*, *contorta*, *contracta*, *controversa*, *conulus*, *coquandi*, *coralli*, *corbis*, *cordieri*, *coreanica*, *cornea*, *cornuta*, *coronata*, *corrugata*, *corusca*, *costaria*, *costata*, *costellaria*, *costellata*, *costulata*, *costulifera*, *crassilabrum*, *crassinoda*, *crebricosta*, *crebriplicata*, *crenata*, *crenularis*, *crenulata*, *crispa*, *crispata*, *cristata*, *crocata*, *cryptorrbaphe*, *cumingi*, *cupraea*, *curvata*, *curvicoستا*, *curvirostris*, *cycladensis*, *cyrilli*, *daedala*, *daphnelloides*, *debilis*, *decliva*, *decorata*, *decussata*, *delicata*, *delosensis*, *deluci*, *dentata*, *denticula*, *dentifera*, *denudata*, *depygis*, *dertonensis*, *deshayesi*, *desnoyersi* *detecta*, *diadema*, *digitale*, *dimidiata*, *diminuta*, *discors*, *dissimilis*, *donata*, *dorsata*, *dorvilliae*, *dubia*, *dubasteli*, *dufouri*, *dujardini*, *dumonti*, *duplicata*, *dupuisi*, *dysoni*, *eboroides*, *ebur*, *eburnea*, *echinata*, *efficta*, *egyptiaca*, *elaborata*, *elatior*, *elegans*, *elongata*, *elongatula*, *erica*, *exarata*, *exasperata*, *exentrica*, *exilis*, *eximia*, *exorta*, *fagina*, *fallax*, *farinensis*, *farrani*, *fascellina*, *fascialis*, *felina*, *fenestrata*, *ferrandi*, *ferruginea*, *filipes*, *filosa*, *fimbriata*, *flammea*, *flavescens*, *flavidula*, *flavipes**, *flavocincta*, *flexilis*, *flexuosa*, *foraminata*, *forbesi*, *fornicaria*, *fortbiensis*, *fortis*, *foveolata*, *fragilis*, *fucata*, *fulgurans*, *fulminata*, *fulva*, *funiculata*, *funiculus*, *furcata*, *fusca*, *fuscata*, *fuscescens*, *fuscocincta*, *fusco-lineata*, *fusiformis*, *fusoidea*, *fusoidea*, *fusus*, *galeritum*, *galli*, *garnonsi*, *genmata*, *genei*, *gentilis*, *geslini*, *gibberula*, *gibbosa*, *ginannia*, *ginnaniana*, *glaberrima*, *glabrata*, *glumacea*, *goldfussi*, *gracilentata*, *gracilis*, *gradata*, *granaria*, *grandis*, *granicostata*, *granifera*, *granosa*, *granulata*, *granulato-cincta*, *granulatum*, *granulosa*, *grata*, *gratulepei*, *gravesi*, *gravi*, *grayi*, *greenlandica*, *griffithi*, *grueri*, *guarani*, *guerini*, *guldingi*, *haitensis*, *barfordiana*, *harpula*, *hastula*, *bausmanni*, *beberti*, *heckeli*, *henikeri*, *heptagona*, *bexagona*, *bexagonalis*, *hexagonum*, *bindsi*, *hirsuta*, *hoeninghausi*, *hoffmanni*, *hondurasensis*, *hyalina*, *hystrix*, *igniflua*, *impages*, *imperati*, *imperialis*, *implicata*, *impressa*, *inarrata*, *incilifera*, *incisa*, *incrassata*, *indica*, *induta*, *inermis*, *inflata*, *inflexa*, *innexa*, *inquinata*, *insculpta*, *intermedia*, *interrupta*, *intorta*, *isabella*, *jani*, *jaquensis*, *javana*, *jayana*, *jouanneti*, *jubata*, *jugleri*, *kieneri*, *konincki*, *labeo*, *labiata*, *lactea*, *laeta*, *laeviana*, *laevicostata*, *laevigata*, *laevigatum*, *laevis*, *lajonkairi*,

lamarcki, lanceolata, lanceolatum, languida, laqueata, laticlavata, latilabris, laurensi, la viae, lehoni, lesueuri, leucostoma, leucotropis, leufroyi, leunisi, ligata, limatula, linearis, lineata, lineolata, lirata, livida, longirostris, longiscata, lonsdalei, loprestiana, luctuosa, lunatum, lurida, luteofasciata, lyciaca, lynneiformis, lyra, lyratum, maegillivrayi, macilenta, macrostoma, maculata, maculosa, maggiori, major, maravignae, margaritifera, margaritula, marginata, marmorata, marylandica, maura, menkei, merita, metalfiana, metula, meyracina, mica, micans, michaudi, michelini, michelotti, militaris, minor, minutum, mississippiensis, mitra, mitraeformis, mitrata, mitreola, mitrula, modesta, modiola, molleri, monile, monilifer, monilifera, moniliferum, monreni, monlini, mucronata, multicostrata, multilineata, multilineolata, multinoda, multiplicata, multisepta, munsteri, muricata, muricoidea, mutica, mystica, nana, nassoides, nebula, neglecta, nexa, nigerrima, nigra, nigrescens, nitens, nitida, nivale, nobilis, nodata, nodifera, nodosa, nodularis, noduliferum, nodulosa, novae zelandiae, nupera, nux, nysti, obeliscus, obesa, obescostata, obesum, obliqua, obliquata, obliquicostata, oblita, oblitterata, oblonga, obnubila, obscurata, obtusa, obtusangula, occata, occidentalis, olivacea, olyra, omalis, ondatis-ruga, opalus, orbigny, ornata, oryza, oweni, oxytropis, paciniana, pagodus, palensis, palliata, pallida, pannus, papalis, papillaris, pardalis, paria, parisiensis, partita, partschi, parva, parvula, patagonica, patula, paxillus, payraudeaui, pellisphocae, pentagonalis, perlatum, perroni, perversum, pessulata, petiti, philberti, philippii, philippinensis, pica, picta, pillae, planilabrum, plebera, pleurotoma, plicata, plicatilis, plicatula, pliciferum, plicosa, plumbea, pluricarinata, poliana, polita, polygona, polynesiensis, porcellana, poweri, pretiosa, prevestina, priscus, propinqua, prorata, provincialis, pseudo-carinata, pseudocolon, pseudofusus, pseudoharpula, pseudospirata, pudica, pulchella, pulchra, pumula, punctata, puncticincta, purpurea, pusilla, pustulata, putillus, pygmaea, pygmaeum, pyramidata, pyramidella, pyramidula, pyranis, pyrenoides, pyrulata, quadrata, quadrifasciata, quadrilineata, quadrillum, quisqualis, quoyi, radiatum, radula, ramosa, raricosta, rava, recta, reticosta, reevei, reflexa, regia, regularis, remotelineata, renieri, requienii, reticulata, retusa, rhomboedra, rigida, rissoides, robusta, rochetiae, roemeri, romana, rosacea, rosaria, rosea, rostrata, rotaedens, rotata, rotifera, rotulata, rubida, rubiginosa, rubinicolor, rubricata, rubrifasciata, rude, rudis, rufa, rufescens, rugifera, rugosa, rugulatus, rugulosum, rustica, sacerdos, sacra, saint-ferrioli, salinasi, saturata, sayi, scabriusculum, scabrum, scacchi, scalaria, scalaris, scalpata, scarabaeus, schantaricum, schreibersi, scobinata, sculpta, secalinum, selysi, semen, semicolum, semicostata, semigranosa, semilaeve, semilineata, semimarginata, seminifera, seminuda, semiplicata, semistriata, septangularis, servata, sigillata, signoidea, similis, simplex, sinensis, sinistralis, sinuata, sinuosa, sismondiae, smithi, solida, sordida, sotteri, speciosa, spectabilis, spectrum, spicata, spinescens, spinifera, spinosa, spinosum, spinulosa, spiralis, spirata, splendidula, spurca, spuria, squamulata, stoffelsi, stolidula, stria, striarella, striata, striatula, striatulata, strigilata, striolaris, striolata, striolatum, strombiformis, strombillus, subaequalis, subaffinis, subangulata, subattenuata, subcanaliculata, subcarinata, subcostata, subdepressa, subdentata, subdenticulata, subcaudata, subelegans, subequalis, subfusiformis, subgranulata, subgranulosa, subinterrupta, sublaevigata, sublineata, submarginata, subrostrata, subspinata, subspinosa, subtuberculata, subula, subulata, subvaricosa, sulcata, sulcatula, sulcosum, suturalis, symmetrica, tabulata, tallavignesi, tantula, taxatum, taxus, tayloriana, tenella, teniata, tenuiplicata, tenuis, tenuistriata, terebra, terebralis, teres, tessellata, textile, textiliosa, thiarella, ticaonica, tigrina, tincta, tornata, tornata, torquatum, transversaria, trevillianum, tricarinata, tricateneria, tricolor, trifasciata, trilineata, triticea, tritonis, tritonoides, trochiformis, tuberculata, tuberculifera, tuberculosa, turbida, turbinelloides, turgida, turrella, turricula, turris, turritelloides, ulidiana, umbilicata, undata, undatella, undaticosta, undatiruga, undosa, undulata, unedo, unicolor, unifascialis, unifasciata, unimaculata, uniserialis, unizonalis, urnula, ustulata, vahli, valenciennesi, varicosa, variculosa, variegata, variegatum, vauquelinii, ventricosa, venusta, vermicularis, versicolor, vexillum, vidua, villiersi, violacea, virgata, virginea, virginiana, virgo, viridula, vitrea, vittata, volgeri, volutella, vulgatissima, vulpecula, vulpina, vultuosa, waterkeyni, werneriana, woodi, zebra, zigzag, zimmemmanni, zonata, zonulata. *Vide et Pleurotome.*

Pleurotomaria abbreviata, abilita, actaea, actinomphala, acuta, acutimargo, aequilatera, agassizi, agatha, agathis, aglata, ajax, aleyone, alimena, albica, allimpia, allobrogensis, altaica, altavittata, amalthea, ambigua, amoenae, amyntas, anglica, angulata, angulatus, canaliculatus, angulosa, anstedii, antiopa, antiquata, antitropata, aonis, araneosa, arduemensis, armata, aspera, astieriana, athalia, atomaria, attenuata, avellana, balteata, baltica, barremensis, bangieri, beaumonti, benediana, biangulata, bicarinata, bicatenata, biffonsi, bilueata, bilix, binodosa, bischofi, biserrata, bistriata, bitorquata, blandina, blodeana, bolina, bourgeoisei, brandis, brevili, breviphcata, brongiartiana, bronni, buchiana, caelata, calcar, calix, callosa, canaliculata, canalicula, cancellata, cancellato cingulata, capillaria, carinatus, carthusiae, cassisiana, catenata, catenulata, cauchyana, cincta, cingulata, cingulifera, cirriformis, cirtoides, clathrata, cochlea, coepa, complanata, compressa, concava, concentrica, conenna, conica, conoidea, constricta, contraria, coronata, costata, costato-fasciata, credneri, crenata, crenistria, crotaloides, cydippe, cypraea, cypris, cytherea, dalcidensis, debuchi, derpiens, decorata, decussata, defrancei, delphinulata, delphiuloides, dentata, depressa, deshayesi, deslongchampsii, devonica, dictyota, dimorpha, discoidea, discus, disticha, distincta, dives, dubia, dumonti, dupiniana, electra, elegans, eliana, ellipsoidea, elliptica, elongata, escheri, espallaciana, eudora, euterpe, exaltata, exarata, excavata, expansa, falcata, fallax, fasciata, fancignyana, fibula, filigrana, filosa, fissicarna, fittoni, flammigera, fleuriensis, formosa, foveolata, fraga, fragilis, freynoyana, funata, fusiformis, galatea, galeottiana, gallienae, gaultina, geinitzi, gemmulifera, gerolsteinensis, gibsi, gigantea, gigas, glabrata, glycerie, goepperti, goldfussi, gracilis, granulata, granulifera, granulosa, griffithi, guerangeri, gurgitis, guttata, gyrocycla, gyroplata, hainesi, haueri, heliciformis, helicoides, hesione, hisingeri, honi, humboldti, hyphanta, imbricata, impendens, inconspicua, indenta, indica, inflata, insculpta, intermedia, interstitialis, itieriana, jason, johannis austriacae, jurensis, karpinskiana, konincki, laevigata, laevis, lahayesi, laticincta, latifasciata, lenticula, lenticularis, lima, limbata, linealis, lineata, lineato-punctata, lineolata, linkiana, lirata, listeri, lloydi, lonsdalei, lorieri, luciensis, maccoyana, mailleana, marcoussana, marginata, margine-nodosa, marrotiana, matheroniana, medusa, meyeri, micromphala, midas, millepunctata, minerva, minuta, mirabilis, monilifer, monilifera, monticulus, moorei, mopsis, moreausiana, morrisiana, moutonianus, muensteri, muensteriana, multicarinata, multicinctus, murchisoni, mutabilis, mysis, naticoides, neocomiensis, neptuni, nerei, nobilis, nodosa, nodulosa, noeggerathi, normaniana, notabilis, nucleolata, nuda, nysti, obesa, obsoleta, obtusa, octavia, orbignyana, ornata, ornatissima, ouralica, ovoidea, pagodus, pailletteana, palamedes, palemon, pales, palinurus, pallium, pamphilus, panope, paphia, paris, patula, paucistriata, peneae, pentagonalis, penultima, percarinata, peresi, permiana, perseus, pervetusta, phidias, philoces, physospira, pictetiana, plana, planata, planiuscula, platyspira, plicata, plicato-nodosa, polita, pollux, portlockiana, poulsoni, precatória, princeps, principalis, procera, protei, proteus, provincialis, pulchella, punctata, punctulata, puzosi, pyramidalis, quadrata, quadricarinata, quadricincta, quadrilineata, quadristriata, quenstedtii, quinquecinctus, radians, radiata, radula, regalis, regina, reticulata, rhodani, robinaldi, rotellaeformis, rotuloides, rotundata, rouillieri, rouxi, royana, rustica, ryckholtiana, sabaudiana, saccata, santonesae, sauseana, saussureana, saxoni, scala, scalarifasciata, scalaris, scarpacensis, scripta, sercubinula, sculpta, secans, sedgwicki, seriato-granulata, serri-limba, simplex, sismondai, solarium, sowerbyana, sp. ind., speciosa, sphaerulata, spiralis, spuria, squamula, strialis, striatella, striatus, strigosa, strobilus, strzeleckiana, studeri, subangulata, subancellata, subcancellatus, subclathrata, subconca, subconica, subconicoidea, subcoronata, subcostata, subdecorata, subdentata, subelongata, subfasciata, subfaveolata, subgracilis, subgranulata, subgigantea, subgradata, subintermedia, sublaevigata, sublaevis, sublenticularis, sublimbata, sublineata, submonilifera, subnodosa, subornata, subplana, subplatyspira, subplicata, subpunctata, subradians, subreticulata, subrotundata, substriata, subulcata, subtaeniata, subtilis, subtilistriata, subtricincta, subtrochiformis, subtuberculosa, subtuerita, subundulata, subvittata, sulcata, sulcatula, sulcomarginata, sulcosa, suprajurensis, suturalis, syssolae, tabulata, taeniata, talliensis, texta, textilis, texturata, thetis, thiarella, thurmanni, tornata, tornatilis, torosa, toucasiana, triangula, tri-

- carinata*, *tricineta*, *triulata*, *triton*, *trochiformis*, *trochoides*, *tuberculato costata*,
tuberculosa, *tuberculosum*, *tumida*, *tumidula*, *tunstallensis*, *turbinea*, *turbinoidea*,
turgida, *turgidula*, *turrita*, *ulmanni*, *umbilicata*, *undata*, *undosa*, *undulata*, *uniangulata*,
unisulcata, *variata*, *varicosa*, *velata*, *venusta*, *verdachellensis*, *verneuli*, *vieilbanci*,
virgulata, *vittata*, *worthiana*, *yvanti*, *zonata*.
Pleurotomarium *helicoides*, *inflatum*.
Pleurotome *carinata*, *costata*, *derasa*, *polita*. *Vide et Pleurotoma*.
Pleurotomites *turris*.
Pleurotrema *calcarina*.
Pleurotrocha *constricta*, *gibba*, *leptura*, *petromyzon*, *renalis*.
Pleurotuchus *chrysobronchus*, *desjardini*, *typicus*.
Pleuroxus *uncinatus*.
Plexaura *antipathes*, *arbusculum*, *brevis*, *crassa*, *flexuosa*, *friabilis*, *heteropora*, *homonalla*, *macrocythara*, *miniacea*, *olivacea*, *reticulata*, *sasappe*, *suberosa*, *viminalis*.
Plexippus *albolineatus*, *albovittatus*, *aureus*, *bivittatus*, *erythrocephalus*, *flavoguttatus*,
guttatus, *hepaticus*, *janthinus*, *lacertosus*, *ligo*, *mimicus*, *mutillarius*, *nigrifrons*,
orichalceus, *rufus*, *seladonicus*, *selectus*, *senegalensis*, *sexmaculatus*, *succinctus*,
taeniatus, *thalassinus*, *tricolor*, *undatus*, *versicolor*, *viduus*, *vittatus*.
Plexocera *mirabilis*.
Plica *punctata*.
Plicaphora *plicatula*.
Plicatella *carinifera*, *cingulifera*, *craticulata*, *filosa*, *infundibulum*, *lineata*, *nassatula*,
ocellata, *polyzona*, *rustica*, *triserialis*, *tuberculata*, *turbinelloidea*, *variolosa*.
Plicatocrinus *hexagonus*, *pentagonus*.
Plicatula *ampla*, *angulosa*, *armata*, *aspera*, *asperrima*, *auriculata*, *australis*, *bajocensis*,
barbadensis, *beaumontiana*, *carteroniana*, *crassidentata*, *cristata*, *delloidea*, *densata*,
depressa, *dilatata*, *elegans*, *elegantula*, *elongata*, *filamentosa*, *foliis*, *gibbosa*, *imbricata*,
inflata, *jurensis*, *konincki*, *laevigata*, *laxa*, *mantelli*, *marginata*, *martini*, *miocenica*,
multicostata, *mytilina*, *neptuni*, *nodosa*, *obliqua*, *oceanica*, *ostraciformis*, *pectinoides*,
pedum, *peregrina*, *placunaea*, *pliocenica*, *radiata*, *radiola*, *ramosa*, *rapa*, *rarisipina*,
regularis, *reniformis*, *roemeri*, *roissyi*, *rudis*, *rugosa*, *rugulosa*, *rupeella*, *rustica*,
sarcinula, *septemcostata*, *solida*, *spinosa*, *squamula*, *striata*, *tegulata*, *tubifera*,
urticosa, *ventricosa*.
Plicostoma *intestinalis*.
Plinthacrus *delegorguei*.
Plinthærus *irroratus*, *maculicollis*, *mexicanus*, *phaleratus*, *quadrimaculatus*, *venosus*.
Plinthina *macroporum*.
Plinthisus *brevipennis*.
Plinthus *anceps*, *caliginosus*, *carinatus*, *chevrolati*, *fallax*, *findeli*, *gerlii*, *granulatus*,
granulifer, *humuli*, *iligeri*, *illotus*, *megerlei*, *mucronatus*, *parreyssei*, *porculus*, *schalleri*,
silphoides, *squalidus*, *stevani*, *sturmi*, *styrianus*, *tigratus*, *tischeri*, *trochanterius*.
Pliocnemus *macrospondylus*.
Pliopithecus *antiquus*.
Pliosaurus *wosinskii*.
Ploa *frontalis*, *liturata*, *minutissima*, *striola*.
Ploas *aegeriformis*, *cyllenia*, *flavescens*, *fuliginosa*, *fuscipennis*, *grisea*, *hirticornis*, *lurida*,
lusitanica, *pictipennis*, *rhagioniformis*.
Plocaederus *australasiae*.
Plocamera *sericella*.
Plocamium *triangulare*.
Plocealauda *typica*.
Plocepasser *mahali*, *pileatus*, *superciliuosus*.
Ploceus *abyssinica*, *affer*, *alecto*, *atricapillus*, *atrigrula*, *aurantius*, *aureoflavus*, *aureus*,
auricapillus, *aurifrons*, *baglafaecht*, *bengalensis*, *bicolor*, *brachypterus*, *capensis*,
capitalis, *castaneo-fuscus*, *caudacutus*, *chrysogaster*, *collaris*, *cristatus*, *cucullatus*,
dubius, *erythrocephala*, *erythropus*, *fasciatus*, *flammiceps*, *flaviceps*, *flavigula*,
flavocapillus, *flavoviridis*, *franciscanus*, *fringilla*, *fringilloides*, *fuscovulvus*, *galbula*,
gregarius, *gutturalis*, *intermedius*, *isabellinus*, *jonquillaceus*, *larvatus*, *lepidopterus*,

luteolus, madagascariensis, malimbicus, manyar, mariquensis, maritimus, melanocephalus, melanogaster, melanotis, nelicourvi, niger, nigerrimus, nigricollis, nigroventris, nitens, obscurus, ocularius, oryx, oryzivora, passerinus, patersoni, pecoris, pensilis, personatus, petiti, philippina, ruber, rubiginosus, rubriceps, rubricollis, rufoceps, rufovelatus, sanguinirostris, senegalensis, socia, spilonotus, stictonotus, subarreus, superciliosus, surinamensis, taba, tahatali, textor, velatus, xanthomelas.

Plochiocera nodicornis.

Plochionicerus monilicornis, violaceus.

Plochionus aeneipennis, alternans, amendus, australis, binotatus, boisduvali, bonfilsii, brunneus, fenestratus, pradierii, quadrinotatus, timidus, vittatus.

Plocia mixta, notata.

Plociomerus maculatus.

Plocogaster M-album, mammosus.

Plocoscypia benettiae, contortolobata, expansa, formosa, labyrinthica, laxa, meandrinoides, michelini, morehella, rugosa.

Plodia interpunctella.

Ploeotia vitrea.

Ploesconia affinis, balleata, charon, cithara, crassa, longiremis, patella, radiosa, scutum, subrotunda.

Ploiaria bispinosa, brevipennis, errabunda, erratica, fraterna, maculata, madagascariensis, obscura, pallida, tipularius, vagabunda.

Plojaria ambigua, pilipes.

Ploseria diversaria.

Plotia dolabrata, guttata, telescopium.

Plotoseus ikapor.

Plotosius lineatus.

Plotosus albilabris, anguillaris, canus, horridus, limbatus, lineatus, macrocephalus, macrophthalmus, marginatus, megastomus, microceps, multiradiatus, tandanus, thumbergianus, unicolor, viviparus.

Plotus congensis, leucogaster, levaillanti, melanogaster, niger, novae hollandiae, rufus.

Plumaria arborea.

Plumatella allmani, campanulata, cristata, crystallina, emarginata, familiaris, fruticosa, fungosa, gelatinosa, lucifuga, punctata, repens.

Plumipeda superbus.

Plumularia angulosa, arcuata, banksi, bipinnata, brachiata, bullata, catharina, cristata, crucialis, cupressina, echinulata, elegans, exilis, falcata, filamentosa, fimbriata, flexuosa, frutescens, gaimardi, glutinosa, gracilis, hypnoides, macleodi, myriophyllum, obscura, patagonica, pelagica, pennaria, pennatula, pinnata, pluma, scabra, setacea, simplex, speciosa, spicata, sulcata, uncinata, urceolifera.

Plusia accentifera, aemula, aerea, ain, amethystina, ancora, asclepiadis, aurifera, biloba, bractea, celsa, chalytis, chrysis, circumflexa, circumscripta, coelonota, concha, confusa, consona, daubi, deaurata, divergens, divergens, dives, duvernei, eriosoma, eugenia, falcifera, festucae, gramma, illustris, inscripta, interrogationis, jota, laureum, macrogramma, mandarina, microgramma, modesta, moneta, mya, ni, orichalcea, percontationis, pulchrina, questionis, rectangula, renardi, sevastina, superba, triplasia, uraliensis, urticae, virgo, zosimi.

Plusiotis adelaida, amalia, anomala, auripes, costata, laniventris, victorina.

Plutella acinacidella, albiguttella, alpella, angelicella, antennella, arenella, asperella, bicingulata, canaella, chalybaeella, conscriptella, dalella, daphnella, daucella, decemguttella, echiella, evonymella, falcella, fasciella, fissella, funerella, griseolana, harpella, horticola, humnageli, hybridella, immaculicornella, irrorella, laterella, lithopennella, litorella, lobella, lotella, malvella, marginella, marmorosella, messingiella, metznerella, moniella, nebulella, nemorella, niveella, pedella, perficella, plumbella, populella, porrectella, prodromella, putridella, rorrella, rostellula, rubidella, scabrella, schmaltzella, semicostella, seniella, sequella, sexpunctella, signella, silacella, sordidella, striatella, subfalcata, sylvella, tremella, triangulosella, tripunctella, umbrellula, unitella, verbascella, vitella, xylostella.

Pluteus paradoxus.

- Pluvialis* ~~atra~~, ~~torquata~~, pusillus, squatarola, torquatus, virginica.
- Pluvianellus* ~~socialis~~.
- Pluvianus* armatus, chlorocephalus, cinereus, melanocephalus, spinosus.
- Plyctolophus* citrino-cristatus, cristatus, eos, galeritus, leadbeateri, ~~liemtorhynchus~~, moluccensis, parvulus, philippinarum, productus, rosaceus, sulphureus, tenuirostris.
- Pnesthes* instabilis, ligata.
- Pneumabranchnus* albinus, cinereus, leprosus, striatus.
- Pneumodermis* atlantica.
- Pneumodermion* cucullatum, mediterraneum, pellucidus, peroni, ruber, violaceum.
- Pneumora* discolor, marmorata, obliqua, ocellata, papillata, papillosa, rubens, serrata, spinulosa, variolosa.
- Pneustes* prehensilis.
- Prigalio* pectinicornis.
- Prigocichla* harmonica.
- Pnoepyga* albiventer, concolor, pusillus, rufiventer, unicolor.
- Poabius* biatriatus, nitens.
- Pocadius* carbonarius, ferrugineus, fulvipennis, helvolus, rubidus.
- Pochazia* fasciata, fumata.
- Pocillopora* acuta, agariciformis, andreossi, apiculata, approximata, brevicornis, caespitosa, clavaria, coerulea, danicornis, elegans, elongata, favosa, fenestrata, glabra, grandis, henricchi, informis, interstincta, ligulata, meandrina, plicata, polymorpha, raristella, sertifera, solanderi, squarrosa, stigmataria, verrucosa.
- Pocilopores* patelliformis, subalpinus.
- Pococera* gibella.
- Podabacia* cyathoides.
- Podabrus* (Col.) alpinus, banaticus, curtus, flavipes, laevicollis, lunulatus, marginellus, modestus, nigriventris, puberulus, punctatus, rugulosus, schoenherri, vittatus.
- Podabrus* (M.) crassicaudatus, macrourus.
- Podabrus* (P.) centropomus, cottoides.
- Podacanthus* typhon, unicolor, viridiroseus.
- Podager* diurnus, gouldi, nacunda, nattereri.
- Podagrica* fuscicornis.
- Podagrion* splendens.
- Podalgus* bonariensis, complanus, cuniculus, dasypleurus, deiphobus, exaratus, fossor, juvenis, nasutus, obesus, sarpedon, talpa, validus, variolosus, villosus.
- Podalirius* (Cr.) typicus.
- Podalirius* (Hym.) acervorum, albi-ventris, crassipes, dumetorum, furcatus, hirsuta, hispanicus, lucisus, lanipes, parietinus, pilipes, quadri-maculatus, rotundata, seminuda, versicolor, vulpinus.
- Podalirius* (Lep.) europaeus, pompilius.
- Podarcis* grammica, irritans, muralis, taurica, velox.
- Podargus* auritus, australis, brachypterus, cinereus, cornutus, cuvieri, fullertoni, gracilis, humeralis, javanensis, javanus, macrorhynchus, megacephalus, novae hollandiae, ocellatus, papueusis, phalaenoides, plumiferus, stanleyanus, stellatus, strigoides.
- Podenereis* corniculata, punctata.
- Podhomala* suturalis.
- Podica* personata, senegalensis.
- Podiceps* albicollis, ambiguus, americanus, antarcticus, arcticus, auritus, australis, bicornis, calipareus, canogularis, carolinensis, cayennensis, chilensis, chiliensis, cinereus, cornutus, dominicanus, dominicus, fluviatilis, griseogena, gularis, kalipareus, leucopterus, longirostris, major, melanogenius, mitratus, nestor, nigricollis, noctivagus, novae hollandiae, occipitalis, patagiatus, philippensis, poliocephalus, pygmaeus, recurvirostris, rolland, rubicollis, rufopectus, subcristatus, surinamensis.
- Podilymbus* brevirostris.
- Podinema* teguixin.
- Podionophora* perla.
- Podionops* wahlbergi.
- Podischnus* agenor, tersander.

- Podisma** appulum, calabrum, campanum, communis, dimidiata, dispar, giernae, gracilis, labiata, longicrus, pedestris, prinnoa, rufipes, tenuis.
- Podistra** alpina.
- Podisus** albiseptus, pallipes, punctipennis, strigipes, vittipennis.
- Podium** giganteum, gorianum, luteipenne, nigripes, rufipes, rufiventre.
- Podoa** senegalensis.
- Podobdella** endlicheri, surinamensis.
- Podobeus** fuscus.
- Podocephalus** nitidus.
- Podocerus** calcaratus, capillatus, cylindricus, leachi, pelagicus, pulchellus, variegatus.
- Podoces** panderi.
- Podocnemis** dumeriliana, expansa, sextuberculata, tracaxa, unifilis.
- Podocoryna** carnea.
- Podocratus** duelmense.
- Podocys** minutus.
- Pododesmus** decipiens.
- Pododus** (Hem.) orbicularis.
- Pododus** (P.) capitatus.
- Podogaster** coarctatus.
- Podontia** affinis, grandis, impressicollis, nigrovaria, quatuordecimpunctata, splendens, tricolor.
- Podophis** chalcides, quadrupes.
- Podophora** atrata, pedifera.
- Podophrya** fixa.
- Podophthalmus** spinosus.
- Podophthalmus** buchi, defrancei, vigil.
- Podopilumnus** fittoni.
- Podops** bispinosus, cinereus, curvidens, dubius, fibulatus, galgulinus, gibbus, inuncta, laceratus, lapponicus, luridus, neglectus, nodicollis, rudis, sculus, spinifera, tangirus, tangyra.
- Podopsis** arcuata, gryphoides, hirsuta, intussulcata, lamellata, spinosa, striata, truncata.
- Podorrhoa** aplis, colonorum, sanguinolenta, sinaita, tuberculata.
- Podoscirtus** crocinus.
- Podostoma** protea, rufa.
- Podura** albocincta, argenteocincta, argentula, armata, bicolor, bifasciata, caerulea, canescens, cellaris, cingula, cursitans, cyanocephala, fasciata, femoralis, foenstrarum, fuliginosa, fumigata, fusiformis, gilvula, infernalis, iricolor, nicoleti, nigra, nigro-maculata, nitida, olivacea, pilosa, riparia, rivicola*, rubricauda, rufescens, rufipes, seticollis, similata, simplex, stagnorum, striata, succincta, trifasciata, variegata, velocissima, viridula.
- Podysma** calabrum.
- Poebrotherium** wilsoni.
- Poec**→ *Vide et Paec*→.
- Poecila** atricapillus, borealis, carolinensis, erythrocephalus, frigoris, jouchistos, kamtschatkensis, lugubris, melanotis, minimus, nuchalis, sibiricus, vinipectus.
- Poecilaema** marginale.
- Poecilaspis** aegrota, angulata, bonariensis, cancellata, conjuncta, corticina, decemnotata, decempustulata, decemverrucata, deplanata, ducalis, duodecimmaculata, duodecimnotata, duodecimverrucata, duplicata, encausta, erichsoni, fastidita, haematodes, histrio, impressipennis, intricata, invasa, macularis, nervosa, nigropicta, octopustulata, ordinata, ornata, pardalina, pavonia, pictipennis, porcata, proxima, punctulata, quatuordecimplagiata, quinquefasciata, rubro-delineata, rubroguttata, rufescens, rufireticulata, sedecimmaculata, subnervosa, suturella, testudinaria, texta, vittifera, xanthoptera.
- Poecile** ater, atricapilla, carolinensis, lugubris, palustris.
- Poecilia** (Lep.) aprilina, chalconia, deceptricula, fraudatricula, glandifera, par, perla, raptricula, receptricula, runica, spoliatricula.
- Poecilia** (P.) bogotensis, coenicola, decemmaculata, dominicensis, dubia, fasciata, fusca,

gracilis, japonica, latipes, majalis, punctata, spheonops, surinamensis, unimaculata, vivipara.

Poeciloptera pyralina, roscida, tortricina. *Vide et Poeciloptera.*

Poecilopus muelleri.

Poecillus aeneicollis.

Poecilma ardea, capucinum, ciliatuum, cinctipes, erimarse, furfuraceum, hostis, jaspideum, ostracion, papaveratum, spiculum, spinosum, stipitosum, versicolor, wiedi.

Poecilocampa populi.

Poecilocera bufonia, cincta, hieroglyphica, leprosa, morbillosa, olivacea, ornata, papillosa, pennicornis, picta, punctata, sanguinolenta, spumans, squarrosus, vittata.

Poecilochroma communana, maculana, maurana, melaleucana, occultana, piceana, profundana, semifuscana, solandriana, sordidana, trapezina, udmanniana.

Poecilocoris childreni, dives, druraci, hardwicki, interruptus, latus, longirostris, obsoletus, pulcher, purpurascens.

Poeciloderma lepturoides.

Poecilodus aliformis, angustus, foveolatus, obliquus, parallelus, sublaevis, transversus.

Poecilomorpha afer, atripes, plagiata, senegalensis, tomentosa.

Poecilonitta bahamensis, erythrorhyncha.

Poecilonota conspersa, rutilans, scita, venezuelae.

Poecilophasia marginaria, marginata.

Poeciloptera (Hem.) acuminipennis, albicosta, antica, aspericollis, aurora, brasiliensis, candida, eoromandelic, cuculata, dentifrons, dianthus, dominicensis, falcata, jodi-formis, maculata, marginella, maria, melanaria, nodipennis, ocellata, papilionaria, phalaenodes, producta, pulverulenta, septentrionalis, tricolor, truncaticornis, umbraculata. *Vide et Poeciloptera.*

Poeciloptilia anseripennella, canaepennella, falconipennella, roscipennella, signipennella, sittaepennella.

Poecilornis rufivertex, sparverius.

Poecilosoma (Col.) metallicum, ornatum, semirufum, undatum, varipes, versicolor.

Poecilosoma (Hem.) ambigua, campestris, concinnus, cordigera, filicis, flavovarius, gyllenhali, haemoptera, immunis, intricatum, kalini, leucocephalus, maculipennis, mutabilis, pistacinae, pratensis, pulicarius, punctulatus, rosea, rubicundus, rubricatus, rufipennis, sanguinea, tenella, tripustulatus, umbellatarum, variabilis, variatum.

Poecilosoma (Lep.) chrysis, pulchra.

Poecilosoma (P.) maculatum.

Poecilothraupis igniventris.

Poecilus adstrictus, aeneus, altaicus, barbarus, bicolor, boehni, castanipes, caucasicus, chalcitis, coarctatus, coeruleovirens, confluent, crenatostriatus, crenulatus, crocipes, cupreus, cupripennis, cursorius, cyaneus, decipiens, dilatatus, dilutipes, dimidiatus, elegans, erythropus, fraternus, fulgidus, gebleri, gressorius, impressicollis, infuscatus, karelini, koyi, laevicollis, laevigatus, lapidus, laticollis, latigaster, lepidus, lucublandus, marginalis, marginatus, mauritanicus, micans, monedula, mongolicus, nigroviridis, nitens, nitidicollis, nitidus, numidicus, obscurus, parallelus, pinguedineus, planatus, planodiscus, punctatostriatus, puncticollis, punctulatus, quadricollis, reflexicollis, reichi, ruffemoratus, rugosus, scitulus, semiplicatus, similis, striatopunctatus, thalassochroma, ullrichi, ventricosus, versicolor, viaticus.

Poederus bernieri, goudoti, klugi, ruficeps.

Poedisca policolana.

Poekilocera polymita.

Poekilocerus hieroglyphicus, ligneolus, pictus, punctiventris, roseipennis, sanguinolentus, sonnerati, vignaudi, vulcanus.

Poekilopleuron bucklandi.

Poekilosoma ornatum, quadrimaculata, rufipenne.

Poek → *Vide et Poec* →.

Poecera irrorata, olivacea, perspicillata, porphyrea, sanguinolenta.

Poephagomys ater.

Poephagus grunniens.

Poephila acuticauda, cincta, leucotes, mirabilis, personata.

- Pogognathus** auratus.
- Pogonia** erythromelas, laevirostris, sulcirostris.
- Pogonias** (A.) bidentatus, bifrenatus, brucei, dubius, frontalis, haematops, hirsutus, lavirostris, melanocephala, niger, personatus, rubicon, rubrifrons, salti, senegalensis, sulcirostris, undatus, unidentatus, vieilloti.
- Pogonias** (P.) chromis, fasciatus, major, minor, nigripinnis, unidentatus.
- Pogoniulus** parvus.
- Pogonius** levallanti, stephensi.
- Pogonobasis** opatroides, ornata, verrucosa.
- Pogonocerus** concolor, fasciculatus, nebulosus, thoracicus.
- Pogonocherus** adpersus, aquilus, balteatus, bimaculatus, complanatus, crinitus, cyaneus, fascicularis, fasciculatus, gilvellus, hispidus, homoides, lusitanicus, mixtus, nebulosus, obtusus, ornatus, ovalis, penicillatus, perroudi, pilosus, quadrituberculatus, quercus, saperdoides, scutellaris, sertifer, setosus, subovatus, tigrinus, variegatus, vestitus, virgatus.
- Pogonocichla** margaritata, ruficapilla, stellata.
- Pogognathus** barbatus, courbiua.
- Pogonophorus** analis, coeruleus, frolichi, fulvibarbis, nitidus, rufescens, rufibarbis, rufomargiatus, spinibarbis, spinilabris, terminatus.
- Pogonornis** cincta.
- Pogonostoma** chalybeum, coerulescens, cyanescens, nigricans, sericeum, vernum.
- Pogonotarsus** plumiger.
- Pogonothraupis** atricapilla.
- Pogonus** aeruginosus, angustus, apicalis, apricans, bicolor, brevicollis, brevipennis, burrelli, caffer, chalceus, cordicollis, depressus, dubius, filiformis, flavipennis, flavipes, fulvipenne, gilvipes, gracilis, halophilus, hispanicus, iridipennis, lamprus, littoralis, longicornis, luridipennis, luridus, maculipennis, meridionalis, micans, minutus, oceanicus, orientalis, pallidipennis, pallipes, punctulatus, pygmaeus, rectus, riparius, rufoaeneus, salinus, senegalensis, smaragdinus, testaceus, virens, viridanus.
- Pogostoma** leucops.
- Poicephalus** aureus, barrabaudi, geoffroyi, melanocephalus, pileatus, senegalensis, swinderianus, taranta, torquata.
- Poioccephalus** magnirostris, senegalus.
- Poiocera** flavopunctata, lepida, luzoti, maculata, pallida, perspicillata, servillei.
- Polactoma** diactiua, lobata, oblongus.
- Polasmus** pectinatus.
- Polemarchus** gigas.
- Polia** (L.) legumen.
- Polia** (Lep.) advena, albimacula, asphodeli, bimaculosa, bischoffi, caerulescens, caesta, canteneri, cappa, celsia, chi, chioleuca, clandestina, corsica, dubia, dumosa, dysodea, farinosa, felicina, filigrana, flavicincta, herbida, leuconota, livia, luteocincta, macrogamma, nebulosa, nigrocincta, niteus, occulta, ochroleuca, olivacea, perinx, picta, platinea, polymita, polyzona, proluxa, pumicosa, scotochlora, seladonia, serena, serratilinea, suda, templi, tephroleuca, tetrophthalmia, texta, tincta, venusta, viridicincta, xanthocyanea, zeta.
- Polia** (Verm.) armata, baculus, bembix, berea, bilineata, canescens, carminiani, coerulea, coronata, crucigera, delineata, filum, flavescens, fumosa, geniculata, glauca, humilis, mandilla, mutabilis, oculata, opaca, pulchella, punctata, purpurea, pusilla, quadrioculata, rosea, sanguirubra, siphunculus, vermiculus, violacea.
- Policere** lineatus.
- Polidea** aenea, conspersa.
- Poligyra** plicata.
- Polihierax** semitorquatus.
- Polinices** albus, uber.
- Polinoe** scutellata.
- Poliornis** indicus, liventer, pernopus, poliogenys, pyrrhogenys, rufipennis, teesa.
- Poliospiza** atrigularis, gularis, tristriatus, xanthopygius

- Polistes** acteon, africana, albimacula, americana, analis, angulata, annularis, apicalis, areata, arietis, atrophica, attenuata, aurulenta, bengalensis, bernardi, bicolor, biguttatus, billardieri, bioculata, bistriata, bucharensis, cajennensis, chartaria, chinensis, chlorostoma, cincta, coerulea, cubensis, cyanea, cyanipennis, diadema, dorsalis, dorsata, erythrocephala, fasciata, ferruginea, flavicans, fulvofasciata, fusca, fuscata, fuscipennis, gallica, geoffroyi, hebraea, hectica, humilis, ignobilis, infundibuliformis, infuscata, interrupta, labiata, lanio, lateralis, lecheguana, lefebvrei, liliacea, linearis, lineata, macaensis, major, marginalis, marginata, media, mellifica, metrica, minor, morio, multipictus, myops, nestor, nigripennis, onerata, orientalis, ornata, pacifica, pallens, pallipes, parvula, pedunculata, petrolata, phthisica, poeyi, propinqua, pubescens, punctum, pygmaea, rejecta, romandi, rubida, rubiginosa, rufoa, rufipennis, schach, squamosa, striata, sumatrae, tabida, tamula, tatua, tenebricosa, tepida, testacea, unicolor, urceolata, valida, varia, variabilis, variegata, versicolor, virginea.
- Polistichus** albicornis, boyeri, brunneus, clandestinus, discoideus, fasciolatus, unicolor, vittatus.
- Polistomorpha** surinamensis.
- Polita** cellaria, clara, contorta, crystallina, fulva, glabra, hyalina, lenticularis, lucida, nitens, nitidosa, nitidula.
- Pollachius** carbonarius, poutassou, typus, virens.
- Pollaclasis** ovata.
- Pollenia** agilis, algira, atramentaria, atrata, autumnalis, bicolor, caerulescens, cyanescens, floralis, fulvicornis, fulvipalpis, intermedia, lanio, metallica, micans, nana, olivacea, pediculata, pruinosa, pubescens, pumila, recta, rudis, ruficornis, rufipalpis, rufoipes, tomentosa, varia, vernalis, vespillo, viatica, violacea, virescens, viridiventris, vivida.
- Pollia** camaelii, cancellaria, cingulata, distorta, haemastoma, ignea, iostoma, linea, lineolata, maculosa, mauritii, melanostoma, plumata, pulchella, scabra, spiralis, tineta, tranquebarica, trochlea, undosus, variegata.
- Pollicipes** angustatus, antiquus, asper, bronni, carinatus, concinnus, conicus, cornucopia, elegans, elongatus, glaber, gracilis, hausmanni, homei, jurensis*, laevis, liasinus, maximus, medius, minutus, mitella, mortoni, nilssoni, obliqua, ooliticus, ornatissimus, peroni, planulatus, polymerus, quadricarinatus, radiatus, reflexus, rigidus, ruber, scalpellum, smythii, solidulus, spinosa, sulcatus, tomentosus, uncinatus, undulatus, unguis, validus.
- Pollicita** peripatus.
- Pollontes** vesicularis.
- Pollyxenus** lagurus, fasciculatus. *Vide et Polyxenus.*
- Polochrum** repandum.
- Polophilus** aegyptius, bengalensis, caeruleus, gigas, lathamii, leucogaster, maurus, phasianus, rufus, senegalensis, sinensis, tolu, variegatus, viridis.
- Polpocara** picipes.
- Polpochila** parallela.
- Polpogenia** asioides.
- Polposipus** herculeanus.
- Poltys** illepidus.
- Polyacanthus** aper, chinensis, cupanus, echii, fasciatus, hasselti, opercularis, paludosus.
- Polyancistrus** serrulatus.
- Polyarthra** platyptera, sexpennis, trigla.
- Polyarthron** aegyptiacum, pectinicornis.
- Polyastra** confluens, venosa.
- Polybia** fasciata, liliacea.
- Polybius** henslowii.
- Polyblastus** alternans, boiei, drewseni, palaemon, pinguis, varitarsis.
- Polyboroides** radiatus, typicus.
- Polyborus** albogularis, australis, brasiliensis, cheriway, chimachima, chimango, degener, galapagoensis, hypoleucus, megalopterus, novae zelandiae, ochrocephalus, taeniurus, vulgaris.
- Polybostrichus** longosetosa.

- Polybothris** aeneo-maculata, ancora, aureocyanea, carcharis, cassidea, cassidoides, chalcocysea, erosa, garnoti, lamina, rotundipennis, schoenherri, sex-foveolata, solea, stigmatipennis, sumptuosa, zivetta.
- Polybotris** croesus.
- Polybrachionia** linnaeana, mathewsi.
- Polycanthus** spinachia.
- Polycaon** chilensis, chiliensis, equipunctata.
- Polycelis** bilinearis, elegans, fallax, laevigatus, modestus, nigra, nigro-fusca, pallida, pallidus, pulla, tasmanica, tigrinus, vaginuloides, viganensis.
- Polycentropus** concinnus, concolor, fuliginosus, irroratus, multiguttatus, picicornis, pyrrhoceras, senex, subpunctatus, trimaculatus.
- Polycentrus** schomburgki.
- Polycephalus** bovinus, cerebrialis, coenurus, echinococcus, granosa, granulosis, humanus, ovinus.
- Polycera** capensis, citrina, cornuta, cristata, dubia, flava, fusca, lessoni, modesta, ocellata, ornata, pennigera, plebeja, pudica, punctilucens, quadrilineata, typica, varians, webbi.
- Polycerus** stoloniferus.
- Polycesta** aegyptiaca, brasiliensis, cubae, depressa, excavata, jamaicensis, karakera, montesuma, porcata, thomae, velasco.
- Polychaetus** subquadratus.
- Polychalca** multicava, rudaria.
- Polychrates** scutellatus.
- Polychroma** bicincta, decemmaculata, erythroptera, flavopicta, rufipennis, scalaris, septemmaculata.
- Polychrus** acutirostris, anomalus, fasciatus, geometricus, guianensis, gutturosus, mar-morata, neovidanus, virescens.
- Polychrysia** moneta.
- Polycirrus** medusa.
- Polycitor** botryllus, crystallinus, departmentatus, mollissimus.
- Polyclada** natalensis, pectinicornis.
- Polycladodes** pallasi.
- Polycladus** darwini, gayi, maculata, semilineatus.
- Polyclaeis** bohemani, equestris, maculatus, parvus.
- Polycleis** plumbeus.
- Polyclinum** ascidioides, aurantium, constellatum, cylindricum, cythereum, diazona, ficus, fuscum, hesperium, isiacum, saturninum, saturnium, uranium, variolosus, violaceum.
Vide et Polyclinum.
- Polyclonia** borbonica, mertensi, theophila.
- Polyclinum** papillosum, septosum, stellatum, vesiculosum, viride. *Vide et Polyclinum.*
- Polycoelia** donatiana.
- Polycomus** lanuginosus.
- Polycorynus** compressicornis, pantherinus.
- Polycyclus** elongatus, renieri.
- Polycyphus** arenatus, buchi, nodulosus, stellatus, textilis.
- Polycyrtus** capitator, femoratus, histrio, leprieuri, lucidator, quadrisulcatus, rufiventris, sartor, sphacelatus.
- Polycystis** naegeli.
- Polycystus** mathewsi.
- Polydacrys** depressifrons, modestus.
- Polydactylus** plumieri.
- Polydaedalus** albigularis, capensis, nilotica.
- Polydatus** lucius.
- Polydectus** cupulifera.
- Polyderces** adpersus, zonatus.
- Polydermus** pallipes.
- Polydesma** nycterina, umbricola.
- Polydesmus** acutangulus, aper, beaumonti, bibroni, bicolor, bifasciatus, bilineatus, blainvillei, brandti, canadensis, capensis, clathratus, collaris, complanatus, conspersus,

dasyptus, dealbatus, dentatus, denticulatus, depressus, dilatatus, duuali, edentulus, elegans, erichsoni, erythropygos, gayanus, gervaisi, glabratus, glaucescens, goudoti, granosus, granulatus, grayi, guerini, hamatus, impressus, klugi, lateralis, leachi, macilentus, margaritiferus, mauritanicus, mauriti, mexicanus, meyeri, moniliaris, nanus, newporti, olfersi, oniscinus, pallipes, pennsylvanicus, piceus, pilidens, planus, polygonatus, princeps, pustulosus, rosaceus, roulini, rubescens, rubromarginatus, rugulosus, scaber, scabratus, schomburgki, serratus, stigma, stigmatosus, testaceus, thrax, tridentatus, velutinus, vermiformis, virgiuensis, zebatus.

Polydictya basalis.

Polydius coelestinus, prodigus, prodiguus, steveni

Polydonta (Dipt.) bicolor.

Polydonta (G.) abbreviata, carinata, castanea, dilatata, elegans, gibbosa, granulata, imbrum, lessoni, listeriana, plicata, sandwichensis, tiarata, tuberculata.

Polydonte pedipes.

Polydotes imperator.

Polydora cornuta, speculigera, testudinum.

Polydorus thoas.

Polydrosus americanus, armipes, astutus, bardus, chrysomela, crinitus, dilutus, dorsualis, ferrugineus, flavipes, flavovirens, fulvicornis, glabratus, herbeus, impressifrons, intermedium, lateralis, leucaspis, mollis, ornatus, pallipes, picoides, planifrons, rubi, sericeus, sparsus, squalidus, thalassinus, undatus, vagabundus, vilis, viridicinctus, vittatus, xanthopus.

Polydrusus aeratus, aeruginosus, aethiops, albomaculatus, alneti, amaurus, argentatus, atomarius, aripes, aurulans, aurulentus, azureus, barbipennis, betulae, canus, carbonarius, carniolicus, cervinus, cinerascens, cinnamomeus, circumductus, confluent, contemptus, corruscus, cupreosaeus, dasypterus, dorsalis, festivus, flavescens, flavicornis, flavipes, fulvicornis, guttatus, hirtellus, hispidulus, holosericeus, impressifrons, mustus, iris, lateralis, lineatus, maculosus, mali, marginatus, melanotus, micans, modestus, mollis, morosus, muralis, mustela, nitens, nobilis, nubifer, oblongus, pallipes, paradoxus, parvulus, perplexus, picus, piliferus, planifrons, prasinus, pulchellus, punctatus, pyri, ruficornis, rufipes, rufulus, rugipennis, seleneus, sericeus, sinuatus, smaragdinus, spartii, speciosus, squamosus, sticticus, tessellatus, undatus, uniformis, variegatus, vespertinus, vilis, virens, viridicollis, viridinotens, viridipennis, viridis.

Polyeres duforenyi.

Polyergus rufescens.

Polyglypta bogotensis, costata, dorsalis, flavomaculata, lineata, maculata, nigella, nigriventris, pallipes, pilosa, sicala, tredecim-costata, viridimaculata.

Polygomphius gigas.

Polygona fusiformis.

Polygonia C album, C aureum, cingillaria, fasciatus, I album, progne, triangulum.

Polygonus lividus.

Polygrammate hebraicum.

Polygraphus pubescens, tarsalis.

Polygyra albolabris, auriculata, avara, carabinata, contortuplicata, deutifera, dorfeuilliana, elevata, fatigata, fraterna, gularis, helicycloides, heligmoidea, hirsuta, infecta, insularum, major, monodon, obvoluta, palliata, pennsylvanica, planorbula, polygyrata, profunda, septemvolva, subglobosa, thyroideus, tridentata, troostiana, zelete.

Polygyratia polygyrata.

Polyhirma cailliaudi, ferreti, graphipteroides, intermedia, leucospilota, macilenta, polioluma, tetrastigma.

Polylepas kleini, mitella, scalpellum, sinensis, vulgaris.

Polylobus maculipennis, melanocephalus.

Polymera fusca.

Polymeres demetarum, obliquestriata.

Polymerus holosericeus.

Polymesoda caroliniana.

Polymita carnicolor, globulosa, picta, versicolor.

Polymixia nobilis.

Polymixis ligustre, polymita.

Polymonus inequalis.

Polymorphina aculeata, acuta, anceps, armata, australis, burdigalensis, campanulata, caudata, cenomanensis, clavata, communis, complanata, compressa, consecta, crassa, crassatina, cylindroides, damaecornis, deformis, depressa, digitalis, dilatata, echinata, elongata, equalis, frondiformis, fusiformis, gibba, globosa, globulosa, glomerata, grateloupi, gutta, inequalis, irregularis, lacrima, laevigata, liassica, lingua, lucida, minuta, nitida, oblonga, obscura, obtusa, ovata, problema, pupa, regularis, roche-fortiana, rugosa, soldanii, spicaeformis, subdepressa, sulcata, teretiuncula, thouini, translucida, trigonula, truncata, tuberosa.

Polymus nigricornis.

Polynema atratus, crassicornis, elegans, euchariformis, flavipes, fumipennis, fuscipes, gracilis, laeta, latipennis, longula, ovulorum, pulla, pusillus, similis.

Polynemus americanus, approximans, artedis, asiaticus, aureus, commersoni, decadactylus, emoi, enneadactylus, gelatinosus*, heptadactylus, hexanemus, indicus, lineatus, longiplis, mango, melanocheir, multifilis, niloticus, paradiscus*, plumieri, quadrifilis, quinquenarius, risua, sele, sexifilis, sex radiatus, sextarius, teria, tetradactylus, toposui, tridactylus, tridigitatus, uronemus, xanthonemus.

Polynevea apicalis, palliata.

Polynice bifrons.

Polynices planulatus, sphacelatus.

Polynoe astericola, blainvillei, cirrata, cirrosa, clava, elegans, extenuata, fasciculosa, floccosa, foliosa, fulgurans, gelatinosa, granulosa, imbricata, impar, impatiens, laevis, lepidota, levis, longa, longissima, lunulata, maculata, minuta, muricata, plumosa, punctata, scabra, scolopendrina, setosissima, squamata, viridis.

Polyodon (A.) gularis, importunus, nigrintentum, occipitalis.

Polyodon (P.) folium.

Polyodonta (G.) elegans.

Polyodonta (L.) nucleus.

Polyodonte scarabaeus.

Polyodontes annulatus.

Polyodontus angustatus.

Polyommatus acaciae, achaeus, acis, acmon, admetus, adonis, aegon, aelianus, aesculi, agathon, agestis, agestor, akasa,alcon, alexis, alphaeus, alsus, amarah, amictus, amyntas, anthele, apidanus, aquilo, argiolas, argiolus, argus, arion, argeus, artaxerces, asabinus, asteris, augustus, aunus, ballus, bathis, bazochi, beon, betulae, bochus, boeticus, cajus, calaethis, calus, candens, cassius, celerio, celestis, ceranus, ceraunus, ceronus, cethegus, chryseis, chrysus, cippus, cissus, cithonius, cleobis, clyton, cnejus, columella, comyntas, coretas, corydon, crataegi*, cupentus, cyanus, cyllarus, damaeus, damastus, damon, dispar, dolilus, donzeli, dorylas, dumenili, duponcheli, echion, elis, elpis, ematheon, emolus, endymion, epicles, epiphama*, epixanthe, erebus, ergeus, erinus, eros, erylus, ethemon, eumedon, eumolpus, euphemus, eurydice, evadrus, evandras, evippus, falacer, faunus, favonius, filenus, franklini, gabelus, gabinius, gabriel, ganymedes, gordius, hafis, halesus, harpax, hecateus, helius, helle, helus, hemon, heraldus, herodotus, hespericus, hiere, hippothoe, hubneri, hugon, hyacinthus, hylais, hylas, hylla, hypoxanthe, icarinus, icarius, idas, inachus, iolas, iphis, irus, isarchus, isis, ismarus, ismenias, isocrates, jania, jarchas, jebus, jesus, kefersteini, labradus, lacon, lacturnus, ladon, lagus, lara, larydas, lausus, lefebvrei, liger, lincus, lingeus, lisus, longinus, lorquini, lucia, lybas, lycabas, lycidas, lygdamus, lynceus, lysimon, mars, marsyas, mauritanicus, megacles, megarus, melanops, meleager, melibaeus, messapus, meton, micyclus, minutus, myopa, myseus, narbal, nautes, nebis, nedymond, nicias, ochsenheimeri, optilete, orbitulus, orcas, ortygnus, orus, osiris, ottomanus, parrhasius, parsimon, pavana, pelagon, perion, petalus, petavius, petus, phaedrus, phalerus, pheretes, philaeas, philanthe, philiasus, pholas, piriuthus, plata, plinius, polibetes, polonus, polybe, polycletus, polysperchon, pruni, puspa, pythagoras, quercus, ripperti, risimon, roxus, rubi, rustan, salmaceis, saportae, sapphirus, sebadadis, sena, sichaeus, simaethis, sinnis, sphinx, spini, strabo, strephon, strophius, symethus, syncellus, tamu, tarquinius, telenus, telephii, telicanus, terambus, thales, theis,

theophrastus, thersamon, thespis, thestylis, thoe, thyra, thysbe, tithonus, titus, triton, turcicus, ubaldus, valens, venulius, venus, virgauraea, virgaureae, vulcanus, w-album, webbianus, xanthe, xenophon, zeuxo.

Polyonychus mucidus.

Polyopthalmus agilis, dubius, ehrenbergi, pictus.

Polyopsia analis, bipunctata, praeusta.

Polyoptilus erichsoni, lacordairei.

Polyzoa lacordairei.

Polypedates buegeri, goudoti, natalensis, rugosus.

Polypedotes chalconotus, leucomystax.

Polyphaenis prospicua, xanthochloris.

Polyphaga aegyptica.

Polyphasia (Lep.) amaeana, centumnotata, commanotata, concinnata, immanata, marmorata, perfusca, russata, saturata.

Polyphemopsis elongatus.

Polyphemus bruguiereus, dilatatus, fusiformis, gigas, glans, kindti, occidentalis, oleaceus, pediculus, solidulus, stagnorum, subulatus, suturalis.

Polyphillastrea icaunensis.

Polyphoni laevigatus.

Polyphractus platycephalus.

Polyphrades argentarius, cinereus, laticollis, murinus, paganus, perignarus.

Polyphylla fullo, leucogramma, melolontha, variolosa.

Polyphyllastrea plana, provincialis, toucasiana. *Vide et Polyphill*→.

Polyphyllia (Coel.) coadunata, cristata, echinata, pelvis, sigmoides.

Polyphyllia (Cor.) explanatum, fungia, galeriformis, leptophylla, patellata, pileiformis, substellata, talpa.

Polyphyllum rubescens.

Polyphysa aspergillosa, australis, mediterranea, rubescens.

Polyplanus sickershusanus.

Polyplectron argus, bicalcaratus, chalcum, chinquis, emphanum, hardwicki, libetanus, lineatum, thibetanus.

Polyppectrum napoleonis.

Polypleurus geminatus, punctatus.

Polyplex bulbosa, crenatus, gracilis, purpurascens, rugosus.

Polyploca xanthocera.

Polypogon barbalis, cribralis, derivalis, emortualis, nemoralis, tarsicrinalis, tentaculatus.

Polypora biarmica, bifurcata, dendroides, fastuosa, flexuosa, flustreiformis, goldfussiana, infundibuliformis, infundibulum, marginata, multiporata, orbicribata, papillata, retiformis, verrucosa.

Polyporus chameleon.

Polypothecia agariciformis, biloba, cepaeiformis, clavellata, complexa, dichotoma, divaricata, expansa, fissa, fleuriausi, gregaria, latissima, maxima, novemloba, obliqua, octoloba, palmata, pictonica, pyriformis, quadriloba, quinqueloba, septemloba, sexlobata, sphaerocephala, triloba, undulata.

Polyprion americanus, cernium, massiliense.

Polyptera chamissonis.

Polypterus bichir, endlicheri, niloticus, palmas.

Polypteryx cupido.

Polyptychus dentatus, juglandis, populi, quercus, timesius.

Polypus (Ceph.) antiquorum, longipes.

Polypus (Coel.) briareus, isochirus, megalochirus, viridis.

Polyrhapis horrida, papulosa, spinipennis.

Polyrhizodus magnus, pusillus.

Polyscelis variabilis.

Polyschisis hirtipes.

Polyscopus costatus.

Polyselmis viridis.

Polysitus faretus, metallescens, ventricosus.

- Polysphincta** areolaris, carbonator, elegans, latistriata, multicolor, percontatoria, rufipes, soror, tuberosa, varipes.
- Polyspila** philadelphia.
- Polystemma** adriaticum, albicans, pellucidum, pulchrum, pusillum, roseum.
- Polystichtis** cerea, lucinda, mandane, ocyptore, zeangira.
- Polystichus** brevipennis.
- Polysticta** guttata, stelleri.
- Polysticte** quopopa.
- Polystodes** ichneumoneus.
- Polystoechotes** sticticus.
- Polystoma** (R.) midae.
- Polystoma** (Verm.) appendiculatum, armatum, denticulatum, duplicatum, integerrimum, loliginis, ocellatum, proboscideum, sanguicola, sanguineum, taenioides, thynni, venarum.
- Polystomella** aculeata, alvareziana, ambigua, angularis, antonina, articulata, berthelotiana, calcar, canariensis, complanata, compressa, costata, costulata, crassula, craticulata, crenulata, crista, depressula, dion, discoidalis, etrusca, fichtelliana, flexuosa, gaimardi, gulielminae, hauerina, indigena, josephina, laevigata, laevigatula, lanieri, lessoni, listeri, macellus, margaritacea, obtusa, oceanensis, owenianum, planulata, poeyana, regina, rotula, rugosa, sagra, savii, semistriata, strigilata, subcarinata, subumbilicata, umbilicata, umbilicula, ungeri, uniforata, vortex, vulgaris.
- Polystomus** axillaris.
- Polyteles** guerini, steveni.
- Polytelis** barrabandi, melanura.
- Polythoa** variabilis. *Vide et Palythoa.*
- Polytmus** aglaiae, albicollis, amazili, anais, antoniae, aquila, arsinoe, atricapillus, aureoventris, aurescens, aurentus, brevirostris, buffoni, caeruleogaster, candidus, chionogaster, chrysobronchos, chrysurus, cinereicollis, cinnamomea, cirrochloris, columbicus, corallirostris, coruscans, cuvieri, cyanifrons, cyanopectus, cyanotus, cyanurus, de latreii, delphinae, dominicus, dumerili, edwardsi, elegans, eliciae, ensipennis, eriphile, erythronotus, euryptera, fallax, franciae, furcatus, furcifer, geoffroyi, georginae, glaucopis, glaucopoides, goudoti, gramineus, hirsutus, holosericeus, hypoleucus, iolatus, jugularis, largipennis, lazulus, leucurus, macrourus, mango, margaritaceus, mazepa, mellisugus, milleri, minullus, multicolor, nigrofasciatus, norissi, oenone, pampa, paradiseus, pella, phaeopyge, polytmus, porphyurus, prevosti, quadricolor, riefferi, ruckeri, rufus, saucerrottei, senex, serrirostris, simplex, sophiae, superciliosus, tephrocephalus, thalassinus, thaumatias, verticalis, viridipallens, viridis, viridissimus, watertoni.
- Polytoma** vella.
- Polytomurus** formosus, speciosus.
- Polytomus** (Coel.) caeruleus, halyosoma, lamanon.
- Polytomus** (Col.) femoratus, marginatus, mystacinus.
- Polytoxus** sanguineus.
- Polytrema** arduennensis, avellana, brunnescens, catenifera, clavula, compressa, corallina, cretosa, dilatata, escharoides, ficulina, flabellum, gnomidium, granulata, incrustans, licheniformis, lobata, mamilla, mamillata, marticensis, meandra, mesenterina, micropora, miniacea, nuciformis, obtusata, pavonia, polymorpha, pseudo-tuberosa, pygmaea, pyriformis, sphaera, spongoides, spongites, subfibrosa, subincrustans, subirregularis, subpyriformis, subspongites, subtuberosa, truncata, tuberosa, urceolata.
- Polytremacis** blainvilliana, bulbosa, complanata, glomerata, macropora, micropora, supracretacea.
- Polytremaria** catenata.
- Polytrichius** fasciatus.
- Polytropia** crispata, imbricatus, lapilla, rugosa.
- Polytrophus** cornutus.
- Polytrypes** elongatus.
- Polyxenes** cribratus.
- Polyxenia** alderi, cyanostylis, flavobrachia, leucostyla, undulosa.

- Polyxenus** lagurus, platycephalus, rubromarginatus. *Vide et Pollyxenus.*
- Polyzoa** opuntia.
- Polyzona** rubrum, variolosus.
- Polyzoniium** germanicum.
- Polyzonus** bifasciatus, manillarum.
- Polyzosteria** aenea, australis, decipiens, limbata, occidentalis, orientalis.
- Pomacanthus** arcuatus, asfur, aureus, balteatus, canescens, cingulatus, lutescens, paru, quiquecinctus, sordidus, subarcuatus.
- Pomacea** annularis, linearis, maculata, orbata, variegata.
- Pomacentrus** albifasciatus, biocellatus, brachialis, burdi, caeruleus, chrysurus, emamo, emarginatus, enneadactylus, falcula, fasciatus, fuscus, latifrons, leucostictus, limula, littoralis, marginatus, nigricans, notostigmus, nuchalis, pavo, planifrons, pristiger, punctatus, scolopseus, setifer, summana, taeniops, trilineatus, trimaculatus, tripunctatus, vanicolensis, viridis.
- Pomacera** bigoti.
- Pomachilius** nigriceps.
- Pomachilus** subfasciatus.
- Pomadasy** argenteus.
- Pomanotis** rubescens.
- Pomarinus** fuscus.
- Pomatia** adpersa, advena, antiquorum, aperta, cincta, crassilabrum, ligata, lucorum, lutescens, mazzullii, melanostoma, mutata, nivosa, orientalis, pomatia, radiosa, subplicata.
- Pomatias** (G.) carthusianum, maculata, nouleti, porro, scalarinum, striolatum, studeri.
- Pomatoceros** tricuspis, triquetra.
- Pomatocrinus** jaegeri.
- Pomatomus** cuvieri, skib, telescopus.
- Pomatonota** dregei.
- Pomatorhinus** albicollis, assamensis, erythrogeus, ferrugilatus, ferruginosus, frivulus, geoffroyi, horsfieldi, hypoleucos, isidori, leucogaster, melanurus, montanus, nepalensis, olivaceus, pelotus, phayree, rubeculus, rubiginosus, ruficollis, schisticeps, superciliosus, suya, temporalis, trivirgatus, turdinus.
- Pomatorhynchus** [le tschagra]. *Vide et Pam*→.
- Pomatostomus** bornensis, rubeculus, superciliosus, temporalis.
- Pomaulax** japonicus, undosus.
- Pomella** neritoides.
- Pomognathus** eupterygius.
- Pomolobus** chrysochloris.
- Pomophractus** egeroni.
- Pomotis** appendix, bono, catesbeyi, fasciatus, gibbosus, gulosus, holbrookii, incisor, nitida, raveneli, rubri-cauda, solis, tetracanthus, vulgaris.
- Pomoxis** annularis.
- Pompilus** bifasciatus, fasciatellus, grandis, rubellus.
- Pompilus** abdominalis, abnormis, affinis, albifrons, albigena, albispinus, albonotatus, alienus, alternatus, ambiguus, americanus, amethystinus, amoenus, analis, annulatus, anticus, apicalis, architectus, arduus, argyrellus, argyrostoma, assimilis, ater, aterrimus, atripennis, atrox, audax, aureosericeus, auripennis, australis, basalis, bicolor, bilunatus, binotatus, bipartitus, bituberculatus, blandus, bretoni, brevipennis, brunneus, caccineus, calcaratus, calipterus, capensis, capitatus, captivus, castaneus, cellularis, chalybeatus, chilensis, ciliatus, ciuctellus, cingulatus, clavipes, clypeatus, coccineus, cognatus, collaris, compressus, comptus, concinnus, consobrinus, corniculus, cornicus, crassicornis, cruentus, curtus, decemguttatus*, dedjaz, dichrous, difformis, dimidiatus, discolor, dispar, diversus, ductor, elegans, erictorum, erraticus, fabricii, fasciatus, fascipennis, femoralis, femoratus, ferrugineus, ferruginipennis, festivus, fischeri, flavipes, flavus, formosus, frontalis, fuliginosus, fulvipennis, fulvipes, fulvus, fumigatus, fumipennis, fuscipennis, gentilis, gibbulus, glabratus, gracilis, graellsii, gravesi, grohmanni, gutta, haemorrhoidalis, heros, hirticeps, histrio, hyalipennis, ichneumoneus, incisus, induratus, infuscatus, itinerator, laetus, lepidus, leucopterus, lindenii, lutei-

cornis, luteipennis, maculipennis, marginatus, medius, melanarius, melanurus, melas, mellipes, meridianus, micans, militaris, minor, minutulus, minutus, modestus, moestus, morio, nebulosus, neglectus, nervosus, nigerrimus, nigrita, nigrifulus, nigrocyaneus, nitidulus, nobilis, notatus, nubilipennis, nudipes, obscurus, octopunctatus, olivieri, operculatus, ornatus, paulinieri, pectinipes, pelteri, petiolatus, phaeopterus, phaleratus, philadelphicus, pictus, planiceps, plebejus, plumbea, proximus, pulcher, punctatus, punctipes, punctum, pyrenaeus, quadripunctatus, quadrivittatus, quinque-notatus, regius, rubellus, ruficeps, ruficornis, ruficus, rufiventris, rusticus, rutilus, salvus, sanguinolentus, sellata, semicinctus, senilis, septemmaculatus, sericans, sericatus, sericeus, serripes, sesquialterus, sculus, signatipennis, speciosa, spinimanus, spinosus, spissus, splendidulus, strigosus, subcyaneus, subcyaneus, subfasciatus, subnebulosus, sugillatus, sulphurescens, tamisieri, terminatus, teutomus, thoracicus, tibialis, trifasciatus, tripunctatus, tumidus, turcicus, umbrosus, unifasciatus, variabilis, varicornis, varius, vespiformis, vicinus, violaceipennis, waltii, xanthocerus, zonatus.

Pompostola ariaratus, eryx, hyparchus, rhabus.

Pomus cauliculatus, insularum, rossi, scalaria, zonatus.

Ponera abyssinica, affinis, apicalis, araneoides, bicolor, bispinosa, clavata, contracta, crassinervis, crassinoda, croatica, elongatula, flavicornis, fuliginosa, gagates, gigantea, globosa, grandis, longaeva, nitida, nodosa, quadridens, rugosa, tarsalis, tarsata, tuberculata, ventrosa, villosa.

Ponerobia rubronotata.

Pongo abeli, wurmbi.

Pontarachna punctulum.

Pontia (Cr.) atlantica, edwardsi, nerii, patersoni, raynaudi, savignyi, tinei.

Pontia (Lep.) acaste, aenippe, alcesta, amata, arne, ausonia, belemia, belia, brassicae, calidice, cardamines, casta, chariclea, chlorodice, chrysidice, chrysonome, chrysoteme, coronis, crataegi, crokeri, daira, danae, daplidice, dorothea, douei, dynamene, elathea, ephyia, eris, erothoe, eucharis, eulimene, eupheme, eupheuo, eupompe, evagore, evarne, glauce, glauconoma, halimede, henningia, hierte, hyparete, judith, laodamia, leucodice, liagore, marianne, medusa, melia, mercedes, mesentina, metra, napaea, napi, narcaea, narica, nina, oleracea, olga, phicomone, pirene, pleione, protomedia, pyrothoe, rapae, raphani, sabellicae, sinapis, sylvicola, tagis, thyria, titea, tritogenia, valeria, venilia.

Pontoaetus blagrus, humilis, ichthyaetus, leucogaster, leucoryphos, melanoleucus, nanus.

Pontobdella areolata, depressa, lubrica, muricata, spinulosa, verrucata.

Pontocardia cruciata.

Pontocheilodon anglica, caspia.

Pontoleo jubata.

Pontonia armata, custos, domestica, macrophthalma, nipponensis, parasitica, pulsatri, thyrenus.

Pontophilus bispinosus, pristis, spinosus, trispinosus.

Pontoporeia femorata.

Pontoporia blainvillei.

Poodytes gramineus, nasturtii.

Poophagus olivaceus, sisymbrii.

Poospiza cabanisi, cinerea, hispaniolensis, hypochondria, lateralis, melanoleuca, nigrorufa, olivacea, thoracica, torquata.

Popilja biguttata, fasciculata, femoralis, maculata, nigrita, nitidicollis, parvula, pilifera, plicatipennis, quadriguttata, splendida, subvittata, suturalis, theicola, varicoloreae.

Poppillia acuta, adamas, aemula, aeneas, beryllina, biguttata, bipunctata, brunnea, caschmirensis, castanoptera, castor, cetrata, chlorion, complanata, concolor, cupricollis, cyanea, cyanoptera, dichroa, difficilis, dorsigera, fimbriata, formosa, gemma, huegeli, japonica, lucida, luteipennis, maclellandi, marginicollis, minuta, mutans, nasuta, nitida, olea, pollux, regina, relucens, rufipes, rugicollis, sandyx, scalpta, scutellaris, semirufa, smaragdula, sticticollis, sulcata, sulcipennis, truncata, varia, vidua, virescens, viridissima.

Porambonites acuminata, aequalis, aequirostris, alta, brevis, costata, dentata, elevata, fenestrata, intercedens, intermedia, lata, latissima, maxima, minima, parallela, parva,

pentagona, plana, recta, reticulata, rotunda, rotundata, striata, subrecta, surrecta, teheffkini, transversa, triangularis, trigona, truncata, turgida, undata.

Porania gibbosa, pulvillus.

Porcellana acanthocheles, acanthophora, affinis, angulosa, annulipes, armata, asiaticus, bluteli, bosci, cinctipes, coccinea, cristata, dehaani, dentata, desmaresti, elongata, exos, galathina, granaria, granulosa, grossimana, hexapus, hirsuta, hirta, japonica, laevigata, lamarecki, leachi, lobifrons, longicornis, longimana, macrocheles, maculata, magnifica, minutus, natalensis, obesa, ocellata, parvula, pilosa, pisum, platycheles, polita, pulchripes, punctata, pura, quinqueplicata, rugosa, rugosimanus, sayi, sculpta, secalina, sociata, soriata, spinifrons, squamulata, streptochirus, striata, subpilosa, tuberculata, tuberculifrons, tuberculosa, versimana, violacea, virescens, viridis.

Porcellanites seelandicus.

Porcellata sexspinosa.

Porcellia armata, buchi, cincta, cingulata, costata, edouardi, eiffiensis, levigata, nodulosus, ornata, parvula, poeyi, puzo, radiatus, retrorsa, striata, verneuili, woodwardi.

Porcellio affinis, alexandrinus, amoenus, asper, bovaei, brevicaudatus, brunneus, chilensis, ciliatus, cinerascens, confluens, conspersus, crassicornis, crenulatus, cucercus, degeeri, dilatatus, dubius, echinata, ehrenbergi, emarginatus, ferrugineus, fimbriatus, flavipes, frontalis, fuscovariegatus, gayi, granarus, graniger, granulatus, griseus, hoffmannseggii, insignis, insularis, interruptus, klugi, laevis, liliputanus, limbatus, lugubris, maculicornis, nigra, nigricans, ochraceus, olivieri, ornatus, ovatus, pallasi, panzeri, pictus, platysoma, poeyi, politus, pruinosis, pulcher, punctatus, rathekei, ratzeburgi, reaumuri, scaber, serialis, sericea, sexfasciatus, spinicornis, spinifrons, sublaevis, swammerdami, sylvestris, syriacus, taeniola, trilineatus, tristensis, tristis, truncatus, uniformis, urbicus, variabilis, varius, wagneri, zealandicus.

Porcula salvania.

Porcus (M.) babirusa, vulgaris.

Porcus (P.) bayad, docmac.

Porella cervicornis.

Poria caesia, chrysomeloides, circumflexa, coxalis, cyanea, haematura, sanguinitarsis, togata.

Porites acerisus, aculeata, alceornis, angulata, arenacea, astreoides, astroides, banonis, cellulosa, cervina, cinctus, clavaria, collegniana, collegnoana, complanata, compressa, conglomerata, contigua, cribripora, cylindrica, damicornis, deshayesiana, discoidea, divaricata, elegans, elongata, erosa, expatiata, favosa, flabelliformis, flexuosa, fragosa, furcata, glaber, impressus, informis, inordinata, interstincta, leiophylla, levis, lichen, limosa, lobata, macarthurii, megastoma, michelini, monticulosa, mordax, muriculus, nigrescens, nodosus, ornata, palmata, panicea, petalliformis, polymorphus, punctatus, pyriformis, recta, reticulata, reticulosa, rosacea, rus, scabra, spumosa, subdigitata, swindernana, tener, tuberculosa, tubulata, venosa, verrucosa, vetusta.

Porizon albipennis, annulator, boops, borealis, claviventris, dissimilis, erucator, erythrostomus, exhaustor, fulvipes, fumipennis, gilvipes, gravipes, harpurus, hostilis, italicus, locator, linguarius, marginellus, mediator, microcephalus, minator, moderator, nigritulus, nutritor, obsoleto, pygmaeus, raptor, rufinus, saltator, triangularis, truncatus.

Porcephalus crotali.

Poroderma africanum*, pantherinum, submaculatum, variegatum.

Porodragus restitutus.

Poromya anatinoides, globulosa, granulata, lata, nitida, pulchella.

Poronia adansoniana, parreyssi, petitiana, purpurata, rubra, scalaris, semilunum.

Poropleura bacca, chinaera, coelestina, cuprea, klugi, monstrosa.

Poropteris abstersus, antiquus, conifer, odiosus, succosus.

Pororhynchus labeornis.

Porospira comes, indica, priuceps, quaternata.

Porospongia acetabulum, impressa, intermedia, jurensis, marginata, micropora, neo-comiensis.

Porpacus cornirostris, horridus.

Porpe fibrana.

Porphyraspis bescke, circumdata, coccinea, costipennis, erythroceras, intricata, rugosa, sanguinea, tristis, xanthocera.

- Porphyria** *carneolus, flammeola, fusca, ispidula, miniata, minuta, taeniata, tentorialis*.
- Porphyrinia** *matutina, purpurina, rosina*.
- Porphyrio** *albus, allenii, antiquorum, bellus, brasiliensis, calvus, chlorynotus, cimerus, cyaneicollis, cyanocephalus, cyanoleucos, dorsalis, erythropus, flavirostris, hiacinthinus, indicus, madagascariensis, maderaspatanus, martinicus, melanocephala, melanotus, mexicanus, phaenicura, poliocephalus, pulverulentus, purpureus, samoensis, simplex, smaragdinus, smaragnotus, tavoua, veterum, viridis, vitiensis*.
- Porphyriops** *crassirostris*.
- Porphyritis** *porphyralis, punicealis, purpuralis*.
- Porphyronota** *carnifex, cinnamomea*.
- Porphyrophora** *armeniaca, frischii, hameli, margarodes, polonica, radicum graminis*.
- Porphyrops** *aeneicoxa, amictus, annulatus, annulipes, argentinus, argyrius, aulicus, auricollis, chetifer, communis, consobrius, crassipes, cupreus, decoratus, diaphanus, elegantulus, fascipes, flavicollis, flavicoxa, flaviventris, fulgens, fulvipes, geniculatus, hirtipes, insulus, latipes, leucocephalus, maculipes, micans, nasutus, nemoralis, nigripes, nitidus, obscuratus, ochraceus, pallipes, pallitarsis, palmipes, pilosicornis, pumilus, quadrifasciatus, riparius, rufipes, scutellatus, splendidus, suturalis, tarsalis, thoracicus, versicolor, vestitus, vittatus, wilsoni*.
- Porpita** (Cor.) *centrifuga, centripeta*.
- Porpita** (Ech.) *denudata*.
- Porpita** (Med.) *appendiculata, atlantica, chrysocoma, coerulea, disticha, forskahli, forskalea, gigantea, glandifera, globosa, granulata, indica, kuhli, linneana, lütkeana, mediterranea, moneta, nuda, pacifica, porpita, radiata, ramifera, reinwardti, umbella, velella, vulgaris*.
- Porpites** *echinatus, globulatus, haemisphaericus, lenticulatus*.
- Porrectaria** *albicosta, anatipennella, anatipennis, anseripennella, argentula, ballotella, binotella, coracipennis, cygnipennis, flavi caput, flos-lactis, fusco-aenea, fusco-cuprea, gallipennis, grandipennis, gryphipennis, leucapennella, leucapennis, lineola, lixella, lutaria, obscura, ochrea, oleae, onopordiella, ornata, ornatipennella, otidipennella, picaepennis, rufipennis, rufo-cinerea, spinicornis, squalorella, struthionipennella, triatomea, vulpecula, wockeella*.
- Porrorhynchus** *marginatus*.
- Porrostoma** *discoideus, erythropterum, marginatus, rufipennis*.
- Portax** *picta, tragocamelus*.
- Porthesia** *auriflua, chrysorrhoea*.
- Porthetes** *zamia*.
- Porthetis** *elephas, terrulenta*.
- Porthetria** *beatrix, brotea, dispar, lunatra*.
- Porthmeus** *argenteus*.
- Portlockia** *bufo, laevis, macrophthalma, nupera, sublaevis, tuberculata*.
- Portumnus** *latipes, monodon*.
- Portunus** *arcuatus, armiger, barbarus, biguttatus, bimaculatus, boja, catharus, cedonulli, chaptali, convexus, corrugatus, cribrarius, crucifer, cyanophthalmus, defensor*, dentata, denticulatus, diacantha, dubius, emarginatus, erythrodactylus, euchromus, gladiator, granulatus, guttatus, hastatoides, hericarti, infractus, integrifrons, lancifer, leachi, leucodon, leucodontes, levifrons, littoralis, lividus, longipes, macropipus, maculatus, maenas, maravigna, marmoreus, menoides, miles, ocellatus, pelagicus, pelagicus, peruvianus, pictus, pleurocanthus, plicatus, poissoni, polybioides, prymna, pusillus, reticulatus, rondeleti, ruber, sanguinolentus, serratus, sexdentatus, spinosus, tenuipes, trilobus, tropicalis, truncatus, tuberculatus, valantieni, valencienei, valentieni, variegatus, velutinus, vernalis*.
- Porus** *ochraceus*.
- Porzana** *dimidiatus, fluminea, immaculata, leucophrys, maruetta, palustris, plumbea, rufescens*.
- Posidonia** *alata, alveata, anodontoidea, anomala, arcuata, becheri, bronni, buchi, canaliculata, costata, gigantea, lateralis, lirata, membranacea, minuta, orbicularis, ovata, radiata, revelata, similis, socialis, speciosa, truncata, tuberculata, vetusta*.

- Posidonomya** *aguta*, *amygdalina*, *aurita*, *becheri*, *bellistriata*, *bellula*, *clarae*, *complanata*, *concentrica*, *costata*, *dubia*, *elegans*, *elliptica*, *elongata*, *germaniae*, *gibbosa*, *glabra*, *grandis*, *hemisphaericus*, *inflata*, *kimmeridgensis*, *lata*, *lineata*, *lobata*, *lommeli*, *minuta*, *mutyloides*, *muensteri*, *neptuni*, *neri*, *nobilis*, *obovata*, *obtusa*, *pardai*, *regularis*, *rugosa*, *scalaris*, *scylla*, *semiauriculata*, *semiorbicularis*, *semistriata*, *striata*, *subacuta*, *subcostata*, *subobovata*, *suborbicularis*, *subtextilis*, *subundata*, *sulcata*, *trigona*, *undata*, *venusta*, *vetusta*, *wengensis*.
- Postemma** *brachelytrum*.
- Posterobranchaea** *maculata*.
- Posthon** *gracilis*.
- Potadoma** *frethi*, *laevis*.
- Potamanthus** *aeneus*, *apicalis*, *brunneus*, *castaneus*, *cinctus*, *costalis*, *delectus*, *dispar*, *erythrophthalmus*, *ferreri*, *fuscus*, *geeri*, *gibbus*, *halteratus*, *helvipes*, *hyalinus*, *inanis*, *luteus*, *marginatus*, *minor*, *roseus*, *stigma*, *submarginatus*, *talcosus*.
- Potamaria** *piceti*, *schmidtii*.
- Potamia** (Ar.) *piratica*, *serrata*.
- Potamia** (Cr.) *chilensis*, *dentata*, *latifrons*, *schomburgki*.
- Potamia** (Dipt.) *littoralis*, *pallipes*.
- Potamides** *acutus*, *carbonarius*, *cinctus*, *concavus*, *dubium*, *duplex*, *funatum*, *funiculatum*, *goldfussi*, *hausmanni*, *intermedium*, *iostomus*, *lamarcki*, *lapidum*, *margaritaceus*, *plicatus*, *politus*, *rigidus*, *rugosa*, *tenuis*, *turbinatus*, *turritus*, *ventricosus*.
- Potamidum** *variable*.
- Potamiphus** *opercularis*.
- Potamis** (G.) *acutus*, *cinctus*, *concavus*, *dubius*, *duplex*, *funiculatum*, *intermedius*, *margaritaceus*, *palustre*, *plicatus*, *politus*, *rigidus*, *ventricosus*.
- Potamis** (Lep.) *achilles*, *anaxarete*, *berecynthia*, *cassiae*, *cinna*, *demophoon*, *invirae*, *iris*, *laertes*, *leonte*, *menelaus*, *teucer*, *thalpius*.
- Potamobius** *astacus*, *fluvialilis*.
- Potamochelys** *javanicus*.
- Potamodus** *fluvialilis*.
- Potamomya** *gregaria*, *nimbosa*, *ocreata*, *plana*.
- Potamon** *fluviale*.
- Potamophila** *subviridis*.
- Potamophilus** (Col.) *acuminatus*, *cinereus*.
- Potamophilus** (Cr.) *cordillierae*, *germari*, *goudoti*, *orientalis*.
- Potamophilus** (M.) *barbatus*.
- Potamophis** *lushingtoni*, *striatula*.
- Potamotherium** *valletoni*.
- Poterioceras** *approximatum*, *fusiforme*, *ventricosus*.
- Poteriocrinites** *crassus*, *dactyloides*, *dudleyensis*, *isacabus*, *minimus*, *municipalis*, *plicatus*, *quinquangularis*, *radiatus*, *rostratus*, *tenuis*.
- Poteriocrinus** *abbreviatus*, *alternatus*, *conicus*, *crassimanus*, *egertoni*, *fusiformis*, *gracilis*, *granulosus*, *impressus*, *latifrons*, *longidactylus*, *nobilis*, *nuciformis*, *pentagonus*, *subgracilis*.
- Poteriophorus** *niveus*, *vittatus*.
- Pothea** *frontalis*, *ventralis*.
- Potomaria** *analis*, *assimilis*, *fuscocupreus*, *hyalina*.
- Potomida** *batava*, *corrugata*, *elongata*, *littoralis*, *sicula*, *sinuata*.
- Potomomya** *subangulata*.
- Potomophila** *bulimoides*.
- Potorous** *murinus*.
- Potos** *caudivolvulus*.
- Potto** *bosmani*.
- Pradocrinus** *baylii*.
- Praepeditus** *lineatus*.
- Praepodes** *canescens*, *cervinus*, *elegans*, *farinolentus*, *lepidopterus*, *marmoreus*, *murinus*, *nubilis*, *pictus*, *roralis*, *scalaris*, *tredecimmaculatus*.
- Praeugena** *carbonaria*, *rubripes*.

- Praia** dubia.
- Praniza** branchialis, caeruleata, fuscata, maculata, marina, mauritiana, mesasoma, montagui, obesa, plumosa, reinhardi, ventricosa.
- Praocis** aenea, audouini, chevrolati, costata, costatula, cribrata, cucullata, curta, depressa, dilaticollis, gayi, gravidus, hirtuosa, minutus, nigro-aenea, parva, peltata, pentagonus, pleuroptera, punctata, pygmeus, rotundatus, rufilabris, rufipes, rufitarsis, rugatus, sanguinolenta, spinipes, spinolae, subaenea, subcostata, submetallica, subreticulata, subsulcata, sulcata, sylphoides, tibialis, ursina, variolosa, viaticus, vilis.
- Praon** exoletus.
- Praosis** hirticollis, pilula.
- Prasocuris** aucta, beccabungae, hannoverana, marginella, metallica, phellandri, picea, violacea.
- Praticola** anthoides, campestris, fuliginosa.
- Pratincola** caprata, ferrea, fervida, glareola*, hemprichi, indica, insignis, leucorrhoea, leucura, pallasi, pastor, rubetra, rubicola, sibilla.
- Prattia** glandulosa.
- Praunus** flexuosus, integer.
- Praya** diphyes.
- Prays** coenobitella, repandella, scriptella.
- Precis** dryope, octavia.
- Preia** lucretia.
- Premnas** biaculeatus, semicinctus, trifasciatus, unicolor.
- Premnocopus** undulatus.
- Prenadilla** cyclopus.
- Prepodes** blandus, camoleon, cinerascens, costatus, depressicollis, gentilis, humilis, impressus, inaequalis, leucographus, luctuosus, novemdecimpunctatus, obsoletus, ornatus, plebejus, pulcher, quindecimpunctatus, regalis, spectabilis, sphacellatus, vittatus.
- Prepona** amphimachus, amphitoe, chalciope, deiphile, demodice, demophile, demophon, lycomedes, pheridamas.
- Prepopharus** diffinis, obliteratedus.
- Prepopterus** aeneus.
- Presbys** canifrons, unirufus.
- Presbytes** cephalopterus, chrysomelas, cristata, entellus, flavimana, frontalis, frontatus, johni, maura, melalophos, naemeus, obscura, pyrrhus, rubicunda, sumatranus.
- Presbytis** albigena, barbei, chrysomelina, cinerea, comata, humeralis, mitrata, nobilis, phagrei, thersites.
- Pria** cinerascens, dulcamarae, nigritula, pallidula, truncatella.
- Priacanthus** arenatus, argenteus, bennebari, bonariensis, boops, carolinus, cruentatus, dubius, fax, fulgens, hamruhr, holocentrum, japonicus, macracanthus, macrophthalmus, macropterus, macropus, nipponius, speculum, tayenus.
- Priamides** amosis, anchises, brissonius, capys, caudius, echemon, euristeus, evander, hippason, hipponous, julus, marcius, neophilus, oxymanduas, pompejus, tullus.
- Priamus** helicoides.
- Priapul** caudatus, hibernicus, priapus.
- Primaevus** buansu.
- Primno** guerini, lutescens, macropa.
- Primnoa** antarctica, australasiae, lepadifera, rossi.
- Princeps** agavus, ajax, anchises, arbates, capys, caudius, chalcus, crassus, demoleas, echelus, echemon, erithonius, hector, hypolitus, hyppason, lysander, machaon, marcius, meges, pammon, panope, philenor, polydamas, polydorus, pompejus, protesilaus, sesostris, stichius, thoas.
- Prinia** brunniformis, buehanani, cursitans, cysticola, familiaris, flaviventris, franklini, fusca, gracilis, hodgsoni, ictica, inornata, lepida, longicaudata, macroura, mistacea, neglecta, olivacea, pileata, rufescens, rufifrons, socialis, stewarti, subhemalayana, sylvatica.
- Prinobius** germari, myardi.
- Priocella** garnoti.

- Priocera* abdominalis, albomaculata, bispinosa, castanea, decorata, inornata, maculata, miersiana, pusilla, pustulata, reichei, rufescens, spinosa, trinitata, variegata.
- Prionemis* abdominalis, affinis, albifrons, annulatus, capensis, coriaceus, exaltatus, fasciatellus, femoralis, flavus, fuscus, gyllenhali, hyalinatus, luteipennis, mellerborgi, minor, minutus, nebulosus, notatus, nudipes, obtusiventris, parvulus, pusillus, sericatus, subpetiolatus, tripunctatus, variegatus, wahlbergi.
- Priodon* (Coel.) sagittarius.
- Priodon* (P.) annularis, annulatus.
- Priodontes* giganteus.
- Priofinus* aequinoctialis, arctica, cinerea.
- Priognathus* monilicornis.
- Priomerus* (Dipt.) fasciatus.
- Priomerus* (Hym.) pachymerus.
- Prion* banksi, turtur, vittata.
- Prionacalus* atys, lphis.
- Prionapterus* flavipennis, staphylinus.
- Prionapteryx* nebulifera.
- Prionastraea* venusta.
- Prionastrea* abdita, aegyptiaca, alimena, ambigua, ameliata, angustata, aranea, bellula, bernardiana, blandina, cabanetiana, callaudi, confluens, corallina, crassior, crispa, diversiformis, dubia, explanata, favosa, gibbosissima, goldfussiana, gracilis, grandiflora, grandis, guettardiana, helianthoides, icaunensis, infundibulum, irregularis, lamellosissima, ligeriensis, limitata, lobata, luciensis, magna, magnifica, magnostellata, michelini, microcoma, moneta, muensteriana, mutabilis, noe, obtusata, ornata, polygonalis, profundicella, punctata, quoyi, rathieri, rousseaui, seychellensis, striata, subinfundibulum, sulphurea, supracretacea, tombeckiana, vesparia.
- Prionella* beauvoisi, villosa.
- Prionesthis* funerarius.
- Prionia* (L.) globosa.
- Prionia* (Lep.) lacertula, squalida.
- Prionilites* serrulatus, teretisculus.
- Prionites* bahamensis, brasiliensis, caeruleocephalus, carinatus, coeruliceps, cyanogaster, dombeyanus, gularis, lessoni, levillanti, martii, mexicanus, momota, rubricapillus, semisulcatus, superciliaris, superciliosus, tutu, yucatanensis.
- Prioniturus* discosurus, platurus.
- Prionocera* pubescens.
- Prionocerus* coeruleipennis, pertyi, senegalensis.
- Prionocheilus* verneuili.
- Prionochilus* maculatus, percussus, thoracicus.
- Prionodera* bicolor, lutra.
- Prionoderma* ascaroides, lanceolata.
- Prionodes* fasciatus.
- Prionodon* (M.) gracilis, pardicolor, pardicotor.
- Prionodon* (P.) obvelatus.
- Prionodus* iguana.
- Prionolepis* angustus.
- Prionomerus* abdominalis, aesopus, bifasciculatus, bigibbosus, carbonarius, chiragra, fasciculifer, flavicornis, leprieuri, mucidus, nubiculosus, rufirostris.
- Prionomyia* armata, atra, femorata, morio, pusilla, rufitarsis.
- Priononyx* fervens, thomae.
- Prionopelma* viridis.
- Prionopeltis* aeneas, archiaci, ascanius, astyanax, hector, memnon, paris, polydorus, polymnestor, priamus, striatus, troilus.
- Prionophora* cylindrica.
- Prionopleura* bifasciata, cognata, crucicollis, crux-nigra, flavocincta, hopei, monochroa, rugicollis.
- Prionoplus* reticularis.
- Prionops* albifrons, concinnatus, cristatus, geoffroyi, plumatus, poliocephalus, talacoma.

- Prionopus** *acanthomerus*,
Prionorhynchotus *apus*,
Prionorhynchus *cranchianus*,
Prionostoma *brasiliensis*,
Prionothea *coronata*,
Prionotus (Coel.) *convolutus*, *folium*, *geminus*, *giganteus*, *pristus*, *sagittarius*, *stalaris*, *teretiusculus*,
Prionotus (Col.) *praeustus*, *semivittatus*, *truncatus*,
Prionotus (Hem.) *cristatus*, *serratus*,
Prionotus (P.) *birostratus*, *carolinus*, *dentatus*, *evolans*, *horrens*, *lineatus*, *miles*, *pileatus*, *punctatus*, *strigatus*, *tribulus*,
Prionurus *eoune*, *laticlavus*, *microlepidotus*, *scalprum*,
Prionus *acanthopus*, *alutaceus*, *amazonus*, *americanus*, *antelope*, *arnauta*, *asiaticus*, *atratus*, *bidentatus*, *bituberculatus*, *brachypterus*, *brevicollis*, *brevicornis*, *brunneus*, *cacicus*, *caeruleus*, *californicus*, *canaliculatus*, *cayennensis*, *cilipes*, *cinctus*, *cinnamomeus*, *coeus*, *columbinus*, *corallifer*, *corticinus*, *corticornis*, *crenatus*, *cumingi*, *cupripennis*, *damicornis*, *dasytomus*, *dentatus*, *denticornis*, *dentipes*, *desmaresti*, *elegans*, *emarginatus*, *erythromerus*, *excellens*, *fasciatus*, *favieri*, *fissicornis*, *flabellicornis*, *flammiger*, *gagatiua*, *germari*, *giganteus*, *hayesi*, *hemipterus*, *iciunus*, *inaequalis*, *indicus*, *laevigatus*, *laticollis*, *lepidopterus*, *limae*, *lugubris*, *mandibularis*, *martii*, *maxillosus*, *megacephalus*, *melanopus*, *mercurius*, *muticus*, *nobilis*, *ooliticus*, *ornatus*, *pallasi*, *palmatus*, *palparis*, *paradoxus*, *pectinicornis*, *pensylvanicus*, *persicus*, *pertyi*, *piceus*, *pictus*, *pilosicollis*, *pocularis*, *prachypterus*, *pubicornis*, *pulcherrimus*, *quadrimaculatus*, *quadripustulatus*, *quadrispinosus*, *reticularis*, *reticulatus*, *rufipennis*, *rupeus*, *sanguineus*, *scabricollis*, *scabricornis*, *scutellaris*, *serricollis*, *serricollis*, *serridens*, *serripes*, *similis*, *spadiceus*, *spencei*, *spiniicollis*, *spinipennis*, *spinipes*, *subcoriaceus*, *subsulcatus*, *sudeticus*, *sulcatus*, *umbrinus*, *uncinatus*, *versicolor*, *yolofus*,
Prionychus *ater*, *fusca*, *melanarius*,
Priophorus *albipes*, *brullei*, *geniculatus*, *pilicornis*,
Priopis *argyrozona*,
Prioptera *bimaculata*, *decemmaculata*, *decemnotata*, *decempustulata*, *decemsignata*, *impustulata*, *maculipennis*, *maerkeli*, *octomaculata*, *octopunctata*, *pallidicornis*, *quadrimpressa*, *quadrisignata*, *sexmaculata*, *westernmani*,
Priopus *frontalis*,
Prioscelida *tenebrionoides*,
Prioscelis *crassicornis*, *fabricii*, *raddoni*, *serratus*,
Priotelus *apiatus*, *calceatus*, *dejeani*, *equestris*, *jucundus*, *lividus*, *octomaculatus*, *serripennis*, *stellio*, *temnurus*, *tigrinipennis*, *truncatus*,
Prismatocerus *auritulus*,
Prisodon *obliquus*, *trigonum*, *truncatus*,
Prisomera *femoratum*, *phyllopus*, *spinicollis*,
Prisopus *cornutus*, *draco*, *flabelliformis*, *manicatus*, *marchali*, *nympha*, *ohrtmanni*, *sacratu*, *spiniceps*, *spinicollis*,
Pristacanthus *marinus*, *securis*,
Pristhesancus *dorycus*,
Pristhevarma *bipunctata*,
Pristibatis *pectinata*,
Pristidurus *melanostomum*,
Pristigaster *argenteus*, *cayanus*, *lichtensteini*, *martii*, *phaeton*, *tardoore*, *tartoor*,
Pristigenys *macrophthalmus*,
Pristilophus *aethiops*, *alternans*, *famulus*, *femoralis*, *fusiformis*, *impurus*, *insitivus*, *laevigatus*, *marginicollis*, *melancholicus*, *mesochrous*, *montivagus*, *morio*, *pellos*, *reichei*, *sagitticollis*, *sericans*, *servus*, *sordidus*, *trisulcatus*,
Pristimerus *pardalinus*,
Pristina *inaequalis*, *longiseta*,
Pristinais *inaequalis*, *longiseta*,
Pristinotus *schreibersi*,

- Pristiodon* rollinatus.
Pristiophorus cirratus.
Pristiphora atra, duplex, fusca, myosotidis, pallipes, rufipes, testacea, testaceicornis, varipes.
Pristipoma argenteum, argyreum, auratum, auritum, bennetti, bilineatum, brasiliensis, cantharinum, caripa, catharinae, chloronotum, chrysobalion, commersoni, conceptionis, coro, crocro, dussumieri, fasciatum, furcatum, gallinaceum, gnoraca, grammopoeilum, grunniens, humilis, japonicum, jubelini, kaahan, leucurum, lineatum, melanopterum, mucronata, nageb, nandus, octolineatum, paikeli, paikelli, perotaei, pihloo, punctulatum, quorana, rangi, rodo, rogeri, ronchus, rubrum, scapulare, serrula, sexlineatum, simmene, stridens, suillum, surinamensis, therapon, virginicus, viridense.
Pristipomus hasta.
Pristiptera angulosa, blanda, decemimpressa, iridea, plagata, senatoria, sexfoveata, sobrina, subsimilis.
Pristis acutidens, agassizi, anisodon, bisulcatus, contortus*, dubius, granulosa, hastingiae, lathamii, mississippiensis, perotteti, tentaculatus.
Pristobatus antiquorum, cirrhatus, cuspidatus, dubius, emarginatus, granulosis, microdon, pectinatus, semisagittatus.
Pristocera atra, depressa.
Pristocnemus pustulatus.
Pristodactyla advena, americana, corvina.
Pristoderus scaber.
Pristolepis marginatus.
Pristomerus vulnerator.
Pristonema coccinea.
Pristonichus piceus.
Pristonychus algerinus, alpinus, alternans, americanus, amethystinus, amoenus, angustatus, baeticus, barbarus, caspius, caucasicus, chalybeus, chilensis, cimmerius, coeruleus, conplanatus, convexusculus, convexus, crenatus, cyanipennis, cyrtulus, delmatus, elegans, elongatus, grandis, gratus, hepaticus, insignis, janthinus, mannerheimi, mauritanicus, oblongus, polyphemus, pretiosus, punctatus, quadricollis, rufitarsis, sardous, schreibersi, subcyaneus, tauricus, terricola, venustus.
Pristophora cincta.
Pristorhynchus ellipticus.
Pristotis cyanostigma, fuscus, trifasciatus, violascens.
Pristurus flavipunctatus.
Proagosternus niveus, ochraceus.
Prohateus roseus.
Prohatus arcuatus.
Probolus fossorius.
Probosca cinerea, incana, plumbea, unicolor, viridana.
Proboscoidactyla flavicirrhata.
Proboscidea (M.) calcarata, canina, lineata, monticola, rivalis, saxatilis.
Proboscidea (Verm.) bifida, filigera, rubra.
Proboscina boryi, lamourouxii, sertularioides.
Proboskidia patina.
Procapra picticaudata.
Procarduelis nipalensis.
Procas granulicollis, picipes, pyrrhodactylus, steveni.
Procellaria anglorum, anjunho, antarctica, atlantica, berard, brevipes, brevirostris, bullocki, bulweri, cinerascens, columbina, cooki, flavirostris, forsteri, fuliginosa, garnoti, glacialoides, grallaria, gravis, gularis, harlic, hastitata, hyemalis, inexpectatis, jamaicensis, kuhli, larvata, leachi, lessoni, leucocephala, leucomelas, leucoptera, leucorhoa, lugubris (Bonap., Atti 6 Riun. Sci. Ital. 1844 (1845), 445 [teste E. Hartert]), macroptera, melanonyx, meridionalis, mollis, munda, nigra, nivea, oceanica, orientalis, ossifraga, parvirostris, rostrata, sandaliata, sericea, similis, solandri, tenuirostris, tridactyla, tristis, turtur, velox, vittata, vulgaris, wilsoni, yelkouan.
Procephalus jacquieri, metallicus, ornatus, succinctus, trinotatus.

Procerata soldana.

Procerodes wheatlandi.

Proceros (P.) maculatus, vittatus.

Proceros (Verm.) *argus, cristatus, sauguinolentus, velutinus.*

Procerus (Col.) *aegyptiacus*, *aeneus*, *audouini*, *bosphoranus*, *caucasicus*, *caspicus*,
duponcheli, *gigas*, *olivieri*, *scabrosus*, *sommeri*, *syriacus*, *tauricus*.

Procerus (M.) *caribaeus*, *platyceros*, *tarandus*.

Procervus dimorphe.

Processa canaliculata.

Prochilodus argenteus, *binotatus*, *brama*, *costatus*, *dobulinus*, *humboldti*, *insignis*, *lineatus*, *nigricans*, *reticulatus*, *rubro-taeniatus*, *taeniurus*.

Prochilus (M.) *labiatus*, *malayanus*, *ursinus*.

Prochilus (Orth.) australis.

Prochilus (P.) *macrolepidotus*, *maculatus*.

Prochoma audouini.

Prochyliza xanthostoma.

Procnias carunculata, cucullata, cyanotropus, heinei, hirundacea, lumbriciferus, melanocephalus, tersa, variegata, ventralis, viridis.

Procnopis *argentea*, *atrocoerulea*, *melauonota*, *melanota*, *vassori*.

Proconia excavata, obtusa.

Procris americana, *ampelophaga**, *cirtana*, *cognata*, *globulariae*, *laevicosta*, *melas*, *nebulosa*, *obscura*, *pruni*, *sepium*, *statices*, *viridipulverulenta*, *vitis*.

Procrustes abasicus, bannaticus, banoni, cerisyi, coriaceus, duponcheli, excavatus, fischeri, foudrasi, graecus, impressus, kindermannii, luctuosus, melancholicus, punctatus, rectoimpressus, rugosus, spretus, talychensis, urvillei.

Proctacanthus *aurolineatus*, *barbatus*, *flavipennis*, *fulviventris*, *longus*, *milberti*, *mystaceus*, *nigriventris*, *niveus*, *philadelphicus*, *rubricornis*, *rubriventris*, *rufiventris*, *tibialis*, *urvillei*.

Proctarrelabis agrionioides, annulicornis, capensis, hamatus.

Proctonotus *mucroniferus*, *pilosus*, *splendidus*.

Proctophana basalis, tomentosa.

Proctoporus pachyurus.

Proctopus (A.) *auritus*

Proctopus (R.) pallasii.

Proctostegus proctostegus, prototypus.

Proctotretus bibroni, chilensis, cyanogaster, darwini, fitzingeri, gracilis, kingi, multi-maculatus, nigromaculatus, pectinatus, pictus, signifer, tenuis, wiegmanni.

Proctotropis *nigra*.

Proctotrupes abruptus, aculeator, apterogynus, areolator, ater, basalis, bicolor, bimaculata, brevicornis, brevipennis, calcar, campanulator, caudatus, curtispennis, elongatus, fuscipes, gladiator, gravidator, laricis, ligatus, longicornis, minor, nigra, obsoletus, pallipes, parvulus, viator.

Procula douei.

Procyon annulatus, brachyurus, cancrivorus, concolor, gymnocercus, hernandezi, lotor, nasua, nivea, obscurus, priscus, psora.

Prodidomus rufus.

Prodiplus fuscus, leucomelas, torquatus.

Prodontia dimidiata.

Prodotes albirostris, proditor.

Prodotiscus rufulus.

Producta analoga, aurita, brachythaerus, calva, calymene, caperata, corrugata, costata, costellata, depressa, dubia, edelburgensis, elegans, fimbriata, flexistria, fragaria, granulosa, hemisphaerica, incurvata, intermedia, interrupta, lacinata, leonhardi, lirata, margaritacea, maxima, membranacea, mesoloba, monilifer, muricata, ovalis, pectiniformis, pectinoidea, pectinoides, plicatilis, praelonga, problematica, pugilis, pustulosa, quincuncialis, rugata, rugosa, semipunctata, setosa, striata, tenuicincta, tortilis.

Productus abscissus, aculeatus, aequalis, andii, antiquatus, arcuarius, areatus, asperimus, boliviensis, brevis, buchianus, cameratus, cancrini, capacii, carbonarius,

- christiani, conoides, compressus, concentricus, concinnus, confragosus, congruus, convexus, cora, coracoides, corbis, costatus, crassus, depressus, deshayesianus, dissimilis, dorsalis, dubius, elegans, elevatus, eminens, ermineus, excelsus, expansus, extensus, fasciatus, flabellatus, flemingi, fragilis, gaudryi, geinitzianus, genuinus, gerardi, giganteus, goldfussi, griffithianus, gryphoides, hamatus, hemisphaericus, hemisphaerium, hepar, horrescens, horridus, humboldti, humerosus, inca, incurvus, intermedius, keyserlingianus, latirostratus, latissimus, latus, lepis, leplayi, leuchtenbergensis, lewisianus, limaeformis, lineolatus, lobatus, longispinus, lorieri, mammatus, marginalis, marginatus, martini, medusa, membranaceus, minimus, minutus, murchisonianus, nefedievi, nystianus, oblongus, obtusus, orbicularis, orbignyanus, ovatus, papillatus, parallelus, pettiararis, pectinoides, personatus, peruvianus, planissimus, planus, pocillum, porrectus, proboscideus, productoides, pteratus, pterygoideus, punctatus, pyxidiformis, quadrangularis, quinqueradiatus, robertianus, rotundatus, rotundus, sarcinulatus, scabriculus, scoticus, semicircularis, semiglobosus, semireticulatus, sinuosus, speluncarius, spinosus, spinulosus, striatus, subaculeatus, sublaevis, suborbicularis, subquadratus, subrotundus, subseriatus, sulcatus, sulcipes, tenuis, tenuistriatus, testudinatus, tetragonus, thecarius, transversus, trigonus, truncatus, tubarius, tubuliferus, twamleyi, umbonillatus, uncinatus, undatus, undiferus, undulatus, variolatus, verneuilianus, villiersi.
- Proeces** filum, macer, nigrifrons.
- Proetus** angelini, asaphoides, bohemicus, boops, buchi, complanatus, confusus, convexus, cuvieri, decorus, discretus, dubius, dufresnoyi, elegantulus, fallax, fischeri, forchhammeri, frontalis, gracilis, inaequicostatus, intermedius, leirus, lepidus, longulus, loveni, mancus, micropygus, mucronatus, myops, ovalifrons, platycephalus, reussi, ryckholti, sculptus, tuberculatus, unguoides, venustus.
- Prognatha** americana, humeralis, quadricorne.
- Prognathus** rufipennis.
- Progne** chalybea, domestica, dominicensis, fusca, modesta, purpurea, tapera.
- Proictes** hirtipennis.
- Proithera** diurnis.
- Proleptus** acutus, obtusus.
- Proleucopus** arenarius.
- Promachus** fasciatus, leoninus, maculatus.
- Promeces** carbonarius, clavicornis, jucundus, leprieuri, longipes, sinensis, violacea.
- Promechus** aeneus, splendidus.
- Promecoderus** brunnicornis, clivinoides, concolor, degener, dischirioides, gibbosus, gracilis, lottini, subdepressus.
- Promecognathus** laevissimus.
- Promecops** arcuatus, boops, cerussatus, cinctus, clitellarius, cognatus, dorsalis, episcopalis, fallax, gracilis, impuratus, lepidus, leucothyreus, limbatus, lunatus, nubeculosus, nubifer, parvulus, posticus, rhombicus, rhombifer, scrobicollis, setiger, torvus, umbratus, vagabundus, viator, vulpinus.
- Promecopectera** marginalis.
- Promecosoma** abdominale.
- Promecothea** diluta, peteli.
- Promenites** bilobata, lunula.
- Promerops** aterrimus, aurantius, azureus, caeruleus, cafer, capensis, erythrorhynchus, fastuosus, magnificus, mexicana, minor, paradiseus, purpureus, pusillus, regius, resplendescens, senegalensis, striata, superbus.
- Prometheus** (Lep.) casmilus.
- Prometheus** (P.) atlanticus.
- Prometopia** confluens, sexmaculata.
- Pronaeus** apicalis, campbelli.
- Pronites** adscendens, alta, convexa, costata, excelsa, humilis, lata, marginata, oblonga, plana, praiceps, praerupta, rotunda, tetragona, transversa.
- Pronoe** capito.
- Pronoeus** aeneus.
- Pronomaea** picea, rostrata.

- Prooxys crenatus*, delirator.
Propalaeotherium argenticum, isselanum.
Proparus chrysaeus, chrysopterus, chrysotis, ignotinctus, leucotis, vinipectus.
Propasser pulcherrima, rhodochroa, rhodopepla, sordida.
Prophanes aculeatus, metallescens, simplex, striato-punctatus.
Propilidium ancyloide.
Propithecus diadema.
Propomacrus arbaces, binucronatus.
Propora tabulata.
Proporus cyclops.
Proptera alata, pallida, phaidra.
Propterus microstomus.
Propterygia hyposticta.
Propus sulcatus.
Propylea quatuordecim-punctata.
Propyrrhula rubeculoides, sipahi, subhemachalana.
Proranus ghiliani.
Prorocentrum micans, viride.
Prorodon compressus, niveus, teres, viridis, vorax.
Proporopus denticulatus, lingua.
Prosacantha dubia, longicornis, spinosula, tibialis.
Prosayleus apteropterus, comosus, dispar, hopei.
Proscarabaeus autumnalis, rugicollis, tectus, violaceus, vulgaris.
Proscenula grisea, nucleata, viridis.
Prosccephaladeres obesus, punctifrons.
Proscopia acuminata, brevicornis, brevirostris, canaliculata, femoralis, flavipes, gibbosa, gigantea, granulata, hispida, occidentalis, oculata, ophiopsis, punctata, radula, rostrata, ruficornis, scabra, sica, spinosa, striata, subaptera.
Proscratea complanata, fulvipes, funebris.
Proseicela flavipennis, vittata.
Prosenia conica, dorsalis, longitarsis, rufiventris, siberita, syberita, vexans, vittata.
Proserpina allognota, bidentata, discoidea, eolina, globulosa, linguifera, nitida, pisum, pulchra.
Proserpinus gaurae, gorgoniades, oenotherae.
Prosimia albifrons, albinus, brissoni, bugi, catta, cinerea, collaris, frederici, fulva, macromongoz, micromongoz, mongooz, nigra, nigrifrons, ocularis, rubra, rufa, rufifrons, subcincta.
Prosobonia leucoptera.
Prosodes (Col.) attenuata, behri, brevis.
Prosodes (Hym.) ater.
Prosodasys trachinoides.
Prosophon helies.
Prosopis albilabris, albipes, alcyonea, annularis, annulata, antennata, armillata, atrata, bifasciata, bipunctata, colorata, dilatata, elliptica, emarginata, flavilabris, frontalis, icteroptera, labiata, leucopa, minuta, nigrita, nitidula, pedunculata, personata, picta, punctata, rhodia, scabra, scutellata, signata, similis, trigona, varians, variegata.
Prospistoma punctifrons, variegatum.
Prosopocera lutulenta.
Prosopocoilus cavifrons.
Prosopon (Cr.) hebes, marginatum, rostratum, simplex, spinosum, tuberosum.
Prosopon (Hym.) montanum.
Prosoponia collaris, leachi, multiguttata, schneideri, spencei.
Prosopus cyanura.
Prosorinia hodgei, purpurea, viridis.
Prospelates vittatus.
Prostemna bicolor, buessi, guttula.
Prostenus blandus, caeruleus, femoratus, hirsutus, laticornis, periscelis, pilosus, violaceus.
Prosternon aeruginosus, bipustulatus, helosericeus.

- Prosthemadera** *cinninata*, *novae seelandiae*.
Prosthiostomum *arctum*, *elongatum*, *gracile*.
Prostoma *armatum*, *candidum*, *clepsinoides*, *clepsinoideum*, *croceum*, *fasciatum*, *gracilis*, *lactiflora*, *lineare*, *littorale*, *lombricoideum*, *marginatum*, *melanocephala*, *pulchra*, *quadrioculata*, *suboviforme*.
Prostomus *australis*, *mandibularis*, *scutellaris*, *squalidus*, *tenebriosus*.
Prosymna *meleagris*.
Prosymnus *cribripennis*.
Protaetia *acuminata*, *alboguttata*, *ambigua*, *anovittata*, *arrogans*, *bensoni*, *bifenestrata*, *bipunctata*, *chlorotica*, *ciliata*, *cinnamomea*, *confusa*, *coreensis*, *cupripes*, *difformis*, *dubia*, *ferruginea*, *flavoguttata*, *goudoti*, *guerini*, *guttulata*, *leprosa*, *leucopyga*, *maculata*, *mandarinae*, *manillarum*, *marmorea*, *megaspilota*, *obscura*, *philippensis*, *piperina*, *prolongata*, *quadriadspersa*, *regalis*, *resplendens*, *schaumi*, *spectabilis*, *speculifera*, *squamipennis*, *stolata*, *taciturna*.
Protalector *leuwenhoecki*.
Protalina *agglutinans*.
Protarachne *diadematis*.
Protaster *sedgwicki*.
 [Protée tetradactyle.]
Proteides *amphion*, *assaricus*, *clonius*, *exadeus*, *lyciades*, *mercurius*, *renaldus*, *zestos*.
Proteinus *atomarius*, *brachypterus*, *brevicollis*, *clavicornis*, *macropterus*, *minutus*, *ovalis*, *parvulus*, *pulcaricus*.
Proteles *cristatus*, *lalandei*, *typicus*.
Protenomus *saisanensis*.
Proteocordylus *diluvii*.
Proterops *nigripennis*.
Protesilaus *leilus*, *protesilaus*, *swainsonius*.
Proteus *aleator*, *anguineus*, *angulosus*, *antoxantos*, *aphanes*, *auriculatus*, *bifrons*, *bilobus*, *bulbosus*, *bursaria*, *cataphractus*, *caudatus*, *ciclydium*, *cinereus*, *cochlearius*, *comosus*, *corniculatus*, *crenatus*, *crystallinus*, *cuspidatus*, *dendroides*, *denticulatus*, *deses*, *diffiliens*, *echinatus*, *figulus*, *flavescens*, *floriferus*, *formidosus*, *funebis*, *geometra*, *gleicheni*, *hirtus*, *humilis*, *hyacinthus*, *hyalinus*, *infundibuliformis*, *kolpoda*, *larvatus*, *lateralis*, *lichnoides*, *liliaceus*, *luteolus*, *macherophorus*, *maculatus*, *malleator*, *mexicanus*, *monodon*, *muricatus*, *nasutus*, *naviger*, *nebulosus*, *neo caesariensis*, *nimbosus*, *ocellatus*, *odontata*, *osteologus*, *peregrinus*, *perfoliatus*, *piger*, *praeceps*, *radians*, *reticulatus*, *rostratus*, *rubius*, *sinicus*, *spinifex*, *tabellarius*, *tetradactylus*, *tridens*, *tripos*, *truncatellus*, *tuberosus*, *versicolor*, *vesiculatus*.
Prothoe *francki*.
Prothyma *quadripunctata*.
Prothymia *aenea*.
Proto (Cr.) *pedata*.
Proto (G.) *laevigatus*, *maraschini*, *suprajurensis*, *terebialis*, *turriculatus*, *vetusta*.
Protobatrachus *nodicaudatus*.
Protocantharus *carabi*.
Protocardia *concinnum*, *germanicum*, *hillanum*, *striatulum*, *truncatum*.
Protocerius *colossus*, *druryi*, *grandis*, *molossus*.
Protochoerus *prismaticus*.
Protocobitis *fossilis*.
Protocrinites *oviformis*.
Protogenia *escheri*.
Protogonius *fabius*, *hippona*.
Protokyon *molossi*, *tardigradus*.
Protomantis *dregeri*.
Protomedeia *calcareia*, *lutea*, *notata*, *uniformis*.
Protomedeia *fasciata*.
Protomyia *affinis*, *amoena*, *anthracina*, *buklandi*, *jucunda*, *latipennis*, *longa*, *lygaeoides*.
Protomys *paradoxus*.
Proton *pedatum*.

- Protonesis delegorguei*.
Protonia fusca.
*Protonopsis fusca, horrida**.
Protopalus stephensi.
Protopithecus brasiliensis.
*Protopterus (P.) anguilliformis**, *annectens*.
Protopterus (R.) rhinocryptes.
Protornis glarniensis.
Protorosaurus macronyx, speneri.
Protosepiola communis.
Protovirgularia dichotoma.
Protozoon balaenarum.
Protractus erichsoni.
Protula bispiralis, cinerea, desiderata, intestinum, intricata, protensa, rudolphi.
Prox moschatus.
Proxenus hospes.
Proxys victor.
Prunella palustris, schoenobanus.
Prunocystites fletcheri.
Prymnoa flavellum, verticillaris.
Prymnothonus hookeri.
Prypnus canaliculatus, cicatriconis, fallax, granicollis, porculus, pygmaeus, quinque-nodosus, squalidus, subtuberculatus, trituberculatus.
Psacasta afra, anthriboides, conspersa, neglecta, nigra, pedemontana, tuberculata.
Psadiroma bicolor, rubra.
Psairoptera albitoris, angustata, apicalis, bimaculata, biumbrata.
Psalarus bifurcatus.
Psalidium anatolicum, interstitiale, maxillosum, sculpturatum, vestitum, vittatum.
Psalidognathus erythrocerus, friendi, limenius, modestus, superbus.
Psalidomyia fucicola.
Psalidophora brunneipennis, croceipennis, lherminieri.
Psalidoprocne cypselina.
Psalidopteris lytaea, nycha.
Psalidostomus erythrocnemus, femoratus, ibex, morio, polydontus, tibialis, triangularis.
Psaliodus compressus.
Psalis (Lep.) securis.
Psalis (Orth.) americana, morbida.
Psallidium articulatus, maxillosus, subaeneum.
Psaltia exilis.
Psaltriparus personatus.
Psalurus bifurcatus, macropterus.
Psamatha chalybea.
Psamathe (Ann.) fusca, venusta.
Psamathe (Cr.) mucronata.
Psammaechus boudieri, desjardinsi.
Psammaecius punctulatus.
Psammetichus crassicornis.
Psammeticus costatus, gracilis, pilipes.
Psammobia aegyptiaca, affinis, alba, angulata, angusta, antiqua, antiquata, aurantia, basteroti, bipartita, biradiata, cayennensis, cerina, circinalis, coerulescens, compressa, costata, costulata, cumana, declivis, decora, decussata, deflorata, denticulata, discors, discrepans, donacina, dumonti, eborea, elongata, feroensis, figlina, filosa, flavicans, flexuosa, florida, fragilis, fusca, galathaea, gracilis, incarnata, inconspicua, jugosa, kuesteri, labordei, laevigata, laevis, laminosa, laskeyi, legumen, lessoni, lineolata, lintea, livida, maculosa, mississippiensis, nasuta, nitida, orbicularis, pacifica, papyria, pellucida, polygona, pudica, pulchella, punctura, purpureo-maculata, radiata, rigida, rotundata, rudis, rugosior, rugulosa, scopula, semicostata, serotina, solenoides, solida, solidula, squamosa, stangeri, striatella, strigilata, subpapyracea, taeniata, tarentina,

- tellinella, tellinoides, tongana, uniradiata, vespertina, vespertinalis, vespertinoides, violacea, virgata, vitrea, zonalis.
- Psammobius** ruficollis, sulcicollis, vulneratus.
- Psammochora** desertosa.
- Psammocola** aurantia, florida, labordei, leporina, lucinoides, pulchella, regia, tellinella, vespertinalis, violacea, virgata.
- Psammocora** columna, exesa, fossata, obtusangula, plicata.
- Psammodes** longicornis, penetrans.
- Psammodius** aegialioides, arenarius, asper, caesus, canaliculatus, ciliatus, cylindricus, elevatus, elongatus, insculptus, interruptus, laevicollis, laevipennis, limbatus, porcatus, porcicollis, rugosulus, sabuleti, sabulosus, saucius, stercorator, sulcicollis, vulneratus.
- Psammodromus** cinereus, edwardsi, edwardsianus, hispanicus.
- Psammodus** angustissimus, asper, canaliculatus, cinctus, contortus, cornutus, elytra, gibberulus, heteromorphus, laevissimus, linearis, longidens, magnus, obtusus, orbicularis, porosus, punctatus, reticulatus, rugosus, subreticulatus, subteres, tenuis, turgidus.
- Psammoechus** bipunctatus.
- Psammoenas** burnesi.
- Psammolepis** paradoxus.
- Psammomys** noctivagus, obesus, pinetorum, tamariscus.
- Psammoperca** datnioides.
- Psammophila** affinis, atrocyanea, canescens, incana, madeirae, senilis, viatica.
- Psammophis** antillensis, cerasogaster, condanarus, crucifer, cruciger, dahli, elegans, flagelliformis, girondicus, lacertina, moniliger, nigrofasciatus, oxyrhynchus, pulverulenta, schokari, seychellensis, sibilans, temmincki.
- Psammophylax** rhombeatus.
- Psammorycter** vermileo.
- Psammoryctes** ater, noctivagus.
- Psammosaurus** batrachoides, caspius, griseus, laticostatus, scincus, tau.
- Psammosteus** arenatus, granulatus, maeandrinus, paradoxus, undulatus, vermicularis.
- Psammotaea** candida, carnea, donacina, rosea, serotina, solenoides, tarentina, violacea, zonalis.
- Psammotea** alba, dubia, striata.
- Psammothea** laevigata, pellucida.
- Psammotherme** flabellata.
- Psammotrupes** dentifrons.
- Psammuros** algira.
- Psammylla** littoralis.
- Psamotis** pulveralis.
- Psapharus** infaustus.
- Psar** variegatus.
- Psaris** affinis, atricapillus, aurantium, brasiliensis, cayanus, cristatus, cuvieri, erythrogenys, exilis, guianensis, habia, inquisitor, jardini, melanoleucus, mexicanus, naevius, natteri, niger, pileata, roseicollis, selbyi, semi-fasciatus, strigatus, suriname, tityroides, variegatus, virgata.
- Psarisomus** dalhousiae.
- Psarocolius** aeneus, anticus, auricollis, badius, baltimore, bananae, bicolor, bifasciatus, bullocki, cartagenensis, castaneus, caudacutus, chopi, chrysocephalus, chrysopterus, coztototl, cristatus, croconotus, cucullatus, curaeus, cyanocephalus, cyanopus, flaviceps, flavigaster, frontalis, gubernator, guirahuro, gularis, gymnops, haemorrhous, icterocephalus, icteronotus, icterus, jamacai, leucopteryx, melanicterus, melanocephalus, melanocholicus, melanopsis, mesomelas, militaris, nidipendulus, nigerrimus, olivaceus, palliatus, pecoris, pectoralis, perspicillatus, phoeniceus, pustulatus, pyrrhopterus, rufescens, rufigaster, sericeus, solitarius, sulcirostris, tanagrinus, virescens, viridis, xanthornis.
- Psaropholus** trailli.
- Psarus** abdominalis, arcuatus, bicinctus, ornatus, quadrifasciatus.
- Psaryphis** nana.
- Psecadia** decemguttella, fumidella, sexpunctella.

- Psecas cyaneus*.
Psectrapus bipartitus.
Psectrascelis brevis, *discoicollis*, *glabratus*, *guerini*, *mamilloneus*, *pilipes*, *subdepressus*.
Pselaphacus curvipes, *dentatus*, *dentipes*, *giganteus*, *gracilipes*, *hopei*, *maculatus*, *malayanus*, *meandrinus*, *nigropunctatus*, *poecilosomus*, *puncticollis*, *quinquevotatus*, *rubricatus*, *semiclastratus*, *signatipennis*, *signatus*, *sparsus*, *transversalis*, *trifasciatus*.
Pselaphus acuminatus, *ambiguus*, *bipunctatus*, *brevicornis*, *brunneus*, *bulbifer*, *carinatus*, *castaneus*, *caucasicus*, *chennium*, *clavicornis*, *contaminatus*, *dentatus*, *erichsoni*, *eyrigaster*, *flavipes*, *fossulatus*, *fuscatus*, *glabricollis*, *glabriculus*, *gracilis*, *grimmeri*, *haenaticus*, *hamaticornis*, *heisei*, *herbsti*, *impressifrons*, *impressus*, *insignis*, *karsteni*, *longiclavus*, *longicollis*, *longipalpis*, *mucronatus*, *nanus*, *nigricans*, *nodicoruis*, *oculatus*, *puncticollis*, *riparius*, *rubellus*, *ruber*, *rufipes*, *securiger*, *signatus*, *styriacus*, *sulcicollis*, *sulcifrons*, *tenuicornis*, *testaceus*, *transversalis*, *tripunctatus*, *venustus*, *xanthopterus*.
Psen alni, *assimilis*, *aterrinus*, *atra*, *atratum*, *basalis*, *bicolor*, *caliginosus*, *caprifolii*, *concolor*, *depressus*, *dufouri*, *equestre*, *fuscipennis*, *leucopus*, *lucorum*, *mellipes*, *minutus*, *nylandri*, *phaeopterus*, *pyri*, *rufa*, *serraticornis*, *sylvaticus*, *unicolor*.
Psenes auratus, *cyanophrys*, *guamensis*, *javanicus*, *leucurus*.
Psephides paradoxa.
Psepholax barbifrons, *coronatus*, *sulcatus*.
Psephophorus polygonus.
Psephotus haematogaster, *haematonotus*, *multicolor*, *pulcherrimus*.
Psetta maeotica, *maximus*, *rhombus*.
Psettodes belcheri.
Psettus argenteus, *commersoni*, *rhombeus*, *sebae*.
Pseudacris nigrita.
Pseudaelurus quadridentatus.
Pseudagrilus leonensis, *splendidus*.
Pseudalius filum.
Pseudameiva striata.
Pseudaptinus albicornis.
Pseudaradus brevicornis.
Pseudaspis canus.
Pseudechis porphyricus.
Pseudelaps furcatus.
Pseudibis papillosa.
Pseudis merianae, *paradoxa*, *sardoa*.
Pseudonothrix belgicaria, *favillacearia*, *pennulataria*.
Pseudoameiva calcarata.
Pseudobdella nigra.
Pseudobelus bipartitus, *laevis*, *striatus*.
Pseudoblaps curvipes, *substriatus*.
Pseudoboa brunnea, *caerulea*, *carinata*, *contortrix*, *coronata*, *fasciata*, *krait*.
Pseudobranchius striata.
Pseudobufo subasper.
Pseudocarcinus bellangeri, *gigas*, *mercenaria*, *ocellatus*, *rumphii*.
Pseudococcus cacti.
Pseudocephalus formicides.
Pseudocervus wallichi.
Pseudochamaeleo bilineatus.
Pseudochamaeleon cocteau, *nebulata*.
Pseudocheirus cooki.
Pseudochlamys megalostomoides.
Pseudochromis adustus, *flavivertex*, *fuscus*, *olivaceus*.
Pseudocoenia bernardina, *digitata*, *elegans*, *octonis*, *ramosa*, *suboctonus*, *subramosa*.
Pseudocolaspis coerulea, *metallica*, *setosa*.
Pseudocordylus algoensis, *fasciatus*, *melanotus*, *microlepidotus*, *montanus*, *subviridis*.
Pseudocrystes armatus, *sicarius*.

- Pseudocrinites** bicopuladigita, bifasciatus, magnificus, oblongus, quadracopuladigita, quadrifasciatus.
- Pseudocryobius** breviusculus, confusus, deplanatus, frigidus, kamtschaticus, latiusculus, nivalis, oblongiusculus, ochoticus, ochropus, paludosus, pullulus, quinquepunctatus, ruficollis, subgibbus, subtilis.
- Pseudodactylus** belli.
- Pseudodiffugia** gracilis.
- Pseudodon** inocularis.
- Pseudoelaps** agilis, atrocinctus, cingulatus, getulus, pantherinus, γ, zae.
- Pseudoerix** annulatus.
- Pseudoeryx** aeneus, annulatus, carinicaudus, daudini, doliatus, martii, pyrrhogrammus, schistosus, strigoventris, subulatus.
- Pseudoflata** nigricornis.
- Pseudograpsus** pallipes, penicilliger.
- Pseudohelops** tuberculatus.
- Pseudoips** quercana.
- Pseudoliva** obtusa, ovalis, plumbeum.
- Pseudoluscinia** savii.
- Pseudolycus** atratus, cinctus, haemopterus, marginatus.
- Pseudomaria** graeca.
- Pseudomaseus** costulatus, deplanatus, depressiusculus, nigrilus.
- Pseudomops** dimidiatus, laticornis, oblongatus.
- Pseudomorpha** excrucians.
- Pseudomus** apiatus, cacuminatus, fistulosus, militaris, notatus, sedentarius, semicribratus, turgidus, viduus.
- Pseudomya** errans, melanthis, temenus, tipulina.
- Pseudomyrma** bicolor.
- Pseudomys** australis, greyi.
- Pseudophonus** alpinus, anisodactylus, armenus, circumpunctatus, colchicus, cribripennis, decipiens, elegans, griseus, hospes, inderiensis, interstinctus, minimus, poeciloides, punctatissimus, saxatilis, splendens, sturmi, subsimilis, tauricus, terrestris, uniformis.
- Pseudopanthera** crocearia, macularia.
- Pseudophana** europaea, hyalinata, noctivida, pallida, pannonica.
- Pseudophis** schotti.
- Pseudophloeus** dalmanni, falleni, genoi, lobatus, obscurus.
- Pseudophryne** australis, cretaceus.
- Pseudophyllus** femoratus, graniger, leuconotus, longicaudus, myops, neriifolius, oleifolius, quadratuberculatus, stolli, titan, uninotatus.
- Pseudoprocne** cayennensis.
- Pseudops** griseus.
- Pseudopsis** sulcatus.
- Pseudops** fischeri, gracilis, opeli, oppeli, serpentinus.
- Pseudorhombila** quadridentata.
- Pseudorhynchus** flavescens, lessoni, sicarius.
- Pseudornis** dicruroides.
- Pseudorthomus** amaroides.
- Pseudosalamandra** naevia.
- Pseudoserica** marmorea.
- Pseudosphex** polistes, zethus.
- Pseudosteropus** schmidtii.
- Pseudostoma** bulbivorum, bursaria.
- Pseudostomum** faeroense.
- Pseudoterpna** coronillaria, cytisaria, ecchloraria.
- Pseudotomia** atromargana, atropurpurana, aurana, comitana, compositella, dorsana, ehippana, fraternana, gundiana, jacquiniana, lediana, lunulana, nigricana, nitidana, obscurana, petiverella, populana, proximana, puncticostana, sequana, simpliciana, strigana, strobilella, trauniana, trigonana.
- Pseudotriton** major, montanus, nigra, ruber, salmoneus, subfuscus.

Pseudotroctes setosus.

Pseudotyphlops ceylanicus, oxirhynchus, philippinus, polygrammicus.

Pseudoxycheila lateguttata.

Peustes dieperinki.

Psila abdominalis, apicalis, atra, atrimana, bicolor, dubia, fimetaria, gracilis, intermedia, nigra, nigricornis, pallida, pallipes, pectoralis, rosae, rufa, signata, villosula.

Psilax pronus.

Psilites bella.

Psilcephala confinis, eximia, imberbis, lapponica.

Psilcephalus barbatus.

Psilocera (Col.) anthracina, atra, brullei, brunripes, coerulea, elegans, goudoti, pubescens, pusilla, spinipennis, viridis.

Psilocera (Hym.) obscura, verticillata.

Psiloceros claviger.

Psilocerus occultans.

Psilocladus miltoderus.

Psilocnemis leucosticta.

Psiloconopa meigeni.

Psilodactylus madagascariensis.

Psilodema melis.

Psilodera affinis, bipunctata, capensis, fasciata, valida.

Psilodon schuberti.

Psilogaster anthomyiarum, cupreus, heteropterus, melanostomus, nitens, pallipes, striolatus, tibialis.

Psilogrammurus canina, vulpina.

Psilomorpha tenuipes.

Psilomyia atra, bicolor, dubia, fimetaria, gracilis, intermedia, nigra, pallida, rosae.

Psilonotus (Hym.) achaeus, adamas, hortensia.

Psilonotus (P.) electricus, rostratus.

Psilopa cinerella, fuscella, glauccella, incurva, longula, madizans, marginella, nigrigella, nitidula, pallidula, tarsella.

Psilopogon pyrolophus.

Psiloptera attenuata, auriflua, comorica, filiola, humerosa, marginipennis, pilosus, maculata, pleurites, rubromarginata, seriata, tuberculata, variabilis, wurtenbergi.

Psilopus (A.) albogularis, brevirostris, eulicivorus, fuscus, hayi, modesta, olivaceus.

Psilopus (Col.) brachypterus, ingenuus.

Psilopus (Dipt.) aeneus, albicoxa, albifrons, algirus, amatus, amoris, anceps, apicalis, basilaris, bituberculatus, brevicornis, caelestis, carus, caudatus, chrysoprasi, cingulipes, clathratus, conicornis, connexus, consobrinus, contristans, corculum, crinipes, cupido, delicatus, desjardini, diffusus, discretifasciatus, dispar, ducalis, dux, equestris, fasciatus, femoratus, flavicornis, flavimanus, gemmans, gemmarius, gemmatus, gemmeus, gemmifer, globifer, grandis, guttipennis, guttula, guyanensis, imperialis, incisuralis, inficitus, laetus, leprieuri, lobipes, longicornis, longulus, lugens, macula, metallifer, mundus, nervosus, nigripes, nigro fasciatus, nigrofemoratus, nigro pilosus, nitens, obscurus, pachygyna, pallens, parallelus, patibulatus, pilipes, pilosus, platypterus, portoricensis, posticatus, pretiosus, pulcher, pusillus, quadricolor, radians, rectus, regalis, rufiventris, sayi, senegalensis, sidneyensis, signatus, siphio, smaragdinus, smaragdulus, stigma, suavius, superbus, tibialis, tipularius, tricolor, trifasciatus, trigeminans, violaceus, virgo, zonatulus.

Psilorhinus albicapillus, bullocki, chilensis, cyanocephalus, flavirostris, gubernatrix, magnirostris, mexicanus, morio, occipitalis, sinensis.

Psilorhynchus (Col.) bifasciatus.

Psilorhynchus (P.) sucatio, variegatus.

Psilota anthracina, atra, coerulea, nigra, ruficornis, viridis.

Psilothrix protensus.

Pilotus carbonicus, hoffmanseggii, nubi'a, ventralis.

Psilura monacha.

Psilus abdominalis, acuminatus, affinis, antennatus, apicalis, bosci, brevicornis, cenoptera,

clitatus, edon, congener, conicus, cornutus, elongator, excisor, fucicola, fuscus, hemipterus, maculipes, minimus, perelegans, primus, quartus, secundus, sericeicornis, terminatus, tertius, trachilus.

Psithyroedus locustella.

Psithyros belis, ceculus, faro, stellatarum.

Psithyrus aestivalis, arenarius, barbutellus, bellus, campestris, frutetorum, inops, interruptus, leucoproctus, metaleucus, ornatus, pyrenaeus, quadricolor, rossiiellus, rupestris, sylvestris, varius, vasco, vestalis.

Psittaca calita.

Psittacara auricapillus, erythrogenys, frontatus, guianensis, leucotis, lichtensteini, macrognathos, nana, nanday, nobilis, patagonica, perlata, squamosus, versicolor, vittatus, xanthoptera.

Psittacaria rectirostris.

Psittaciostro icterocephala.

Psittacodis fieldi, gramineus, intermedius, magnus, paragua, sumatranus, tarabe, westermanni.

Psittacodon falcatus, psittacinus, sedgwicki.

Psittacopsis psittacea.

Psittacula barisese, batavensis, batavica, cana, chrysoptera, conspicillata, coulaci, culacissi, cyanicollis, desmaresti, diopthalma, galgula, hueti, incerta, indica, kis-kis, kuhli, leucophthalma, loxia, lunulata, malaccensis, melanopectera, melanotus, microptera, minor, modesta, passerina, philippensis, pileata, pullaria, purpurata, pyropyga, reticulata, roseicollis, rubifrons, rufifrons, st thomae, simplex, smaragdinus, stigmata, surda, suri-suri, swindermanianus, taranta, torquata, tovi, tui, vernalis, viridissima, vulturina.

Psittaculus gregarius, lessoni, smaragdinus, tui, xanthopterygius.

Psittacus acuticaudatus, amazoninus, ambiguus, annulatus, aourou, arimanon, asiaticus, augustus, auranus, aureus, auricapillus, auriceps, aurifrons, auro-palliat, australis, badiceps, banksianus, barbatulus, barnardi, barrabandi, baueri, bengalensis, bicollaris, bitorquatus, bontii, bouqueti, brachyurus, brownii, buccalis, byroni, cactorum, caeruleatus, caerulifrons, caica, calthopticus, calthropae, capistratus, capitatus, cardinalis, cayennensis, chalcophterus, chiripepe, chiriri, chloris, chlorolepidotus, chryseurus, chrysogaster, chrysopogon, chrysostomus, cinereicollis, cloropterus, clusii, eoccineus, columbrinus, concinnus, cooki, cotorra, coulacissi, cristatus, cruentatus, cucullatus, cumanaensis, cyanauchen, cyaneocapillus, cyanicollis, cyanogaster, cyanomelas, cyanonothus, cyanopsis, cyanopterus, cyanopygus, cyanotis, cyanurus, decorus, desmaresti, diadema, discolor, discosurus, discurus, docilis, dorsalis, dufresneanus, eburnirostrum, edwardsi, eos, erithropis, erithrurus, erubescens, erythrocephalus, erythrogaster, erythronotus, erythrothorax, erythrurus, euchlorus, europs, euteles, farinosus, fieldi, fimbriatus, flammipes, flavicollis, flavifrons, flavigaster, flavigula, flavinuchus, flavirostris, flavitorquis, flaviventris, frenatus, frontalis, frontatus, fuscicapillus, fuscicollis, galeatus, geoffroyanus, geoffroyi, ginguianus, glaucus, goliath, griseus, guaruba, guildingi, guttatus, himalayanus, hueti, humeralis, hypophoni, hypopolis, hyginus, icterocephalus, icterotis, illigeri, incertus, infuscatus, iris, jahnilma*, jaquilina, jendaya, jonquillaceus, kuhli, langloisi, lateolus, lateralis, lathamii, leachi, lepidus, leptorhyncha, leucogaster, leucorhynchus, leucotis, levaillanti, lichtensteini, linnaei, longicauda, lunatus, luteicapillus, luteus, macrotarsus, maculatus, maitaca, malaccensis, malachitaceus, manillensis, maximiliani, melanocephalus, melanonotus, melanorhynchus, melanotis, melanotus, melanurus, mercenarius, meyeri, microglossus, micropterus, mitratus, monachus, mulleri, multicolor, mystaceus, narcissus, nasicus, nenday, nestor, nigricollis, noira, nonpareil, nuchalis, ochrocephalus, ochropterus, omnicolor, omocephalus, pachyrhynchus, pascha, patagonus, pavua, pecqueti, personatus, pesqueti, petzi, peziporus, phigy, phoenixcephalus*, phrygius, pitidi, placentis, platurus, poikilorrhynchus, poliocar, pretrei, pumilio, punilo, purpura, purpureocephalus, pygmaeus, pyrocephalus, pyrrhopterus, qrebiensis, radhea, raja, rectirostris, regulus, reticulatus, rex, ricinatus, roscicollis, rubrifrons, rueppelli, rufirostris, rufiventris, st thomae, sapphirinus, scapularia, scapulatus, sebanus, semirostris, semitorquatus, senilis, setarius, simplex, sincialo,

sintillatus, solandri, solitarius, spadiceocephalus, sparmani, spurius, squameus, streptophorus, stavorum, stigmatus, strenuus, sumatranus, surdus, swainsoni, swinderianus, taranta, temminki, tenuirostris, ternatensis, thalassinus, timneh, torquatus, tricolor, tumultuosus, ultramarinus, undulatus, unicolor, vaillanti, vasa, vaza, velatus, vennisus, venustus, verticalis, vibrissa, vinaceicollis, vinaceus, viridissimus, vulturinus, xanthops, xanthosomus, zonarius.

Psittinus malaccensis.

Psittirostra psittacea, sandvicensis.

Psittorostra olivacea.

Psittospiza prasina, riefferi.

Psittrichas pecqueti.

Psoa americana, chilensis, dubius, gracillipes, grandis, herbsti, italica, rupeus.

Psoas tibialata.

Psocus affinis, alboguttatus, atomarius, bifasciatus, binotatus, bipunctatus, boreellus, ciliatus, conspurcatus, contaminatus, costalis, domesticus, dubius, fasciatus, fenestratus, flaviceps, flavidum, flavidus, fuscipennis, hyalirius, immaculatus, immunis, infuscatus, irroratus, lasiopterus, lucifugus, maculatus, maculipennis, megastigmus, microphthalmus, morio, naso, nebulosus, nervosus, nigricans, nigricornis, oblitteratus, obscurus, obsoletus, ochropterus, pedicularius, phaeopterus, quadrimaculatus, quatuor punctatus, rufescens, similis, stigmaticus, striatus, strigosus, subfasciatus, subfunipennis, subnebulosus, subocellatus, subpunctatus, variegatus, venosus, vitripennis, vittatus.

Psodos alpinata, canitiaria, chaonaria, dubitaria, equestrata, fuscaria, horridata, moeraria, tibialata, trepidaria.

Psoidos alpinata, horridaria, torvaria, trepidaria, venetaria.

Psolinus brevis.

Psolus appendiculatus, granulatus, pentactes, phantapus, phantopus, squammosus, timana.

Psomeles irroratus, lateralis, lepidus, luctuosus, melancholicus, mutilatus.

Psophia grus, leucoptera, pavonia, scolopacea, virgo, viridis.

Psophodes crepitans, nigrogularis.

Psorodes boyeri, calcarata, dejeani, dentipes, duponti, echinata, gratilla, inflata, substriata, trapezicollis.

Psorophora bosci, ciliata, molesta.

Psoroptes equi.

Psyche (Lep.) agrostidis, albella, angustella, apiformis, atra, atrella, bombycella, calvella, carpini, cinerella, fasciculella, febretta, fenella, fusca, fuscella, glabrella, graminella, graminum, helicinelletta, hirsutella, hirtella, lichenum, muscella, nigrella, nitidella, nudella, opacella, pectinella, pineella, plumella, plumifera, plumistrella, politella, pruni, psychodella, pulla, quercus, radiella, reticella, retiella, stetinensis, stigmatella, triquetrella, undulella, uralensis, vestita, viciae, viciella, vilosella.

Psyche (Pter.) globulosa, sepium.

Psychidium brunnipes, globulum.

Psychobius spinobe.

Psychoda albipennis, alternata, aterrita, aurea, auriculata, calceata, canescens, concinna, degenera, fuliginosa, fusca, hirta, humeralis, muraria, nana, nigrofusca, nubila, oxyptera, palustris, phalaenoides, sexpunctata, tripunctata, tristis, variegata.

Psychoides verhuella.

Psychomyia acuta, annulicornis, latreillei, tenuis.

Psychopsis mimica.

Psychotoe duvauceli.

Psychmatocerus wagleri.

Psychmbranchus cinereus, intricatus, protensis.

Psylla abietis, aceris, aeruginosa, alaterni, alni, alpina, ambigua, apiophila, argyrostigma, betulae, buxi, buxus, calthae, carpini, castanea, celsa, cerasti, coeruleocephala, coffea, costatopunctata, crataegi, crataegola, dubia, ericae, euonymi, eupoda, fagi, ferruginea, flavicornis, fraxinicola, fumipennis, fuscinervis, fuscipes, genistae, graminis, heydeni, hippophaes, insignis, luteola, mali, marginata, melanoneura, modesta, occulta,

- oleae. Oleagina, peregrina, persicae, pieta, pini, pruni, purpurascens, pyri, pyricola, pyrisuga, quercus, rufula, saliceti, salicis, salicola, senecionis, simplex, simulans, sorbi, spartii, spartiophila, subfasciata, subgranulata, ulicis, urticae, viridis, viridula, visci.
- Psylliodes** affinis, alpina, callinotus, chlorophana, cupronitens, dulcamarae, ecalcarata, hyosclami, luteipes, napi, picea, picipes, propinqua, punctulata, rapae.
- Psyllobora** bistigmosa, cincta, confluens, cosnardi, decipiens, dissimilis, divisa, galbula, germari, graphica, hybrida, intricata, lata, lenta, lineola, luctuosa, margino-notata, mocquersyi, nana, punctella, roei, rufosignata, viginti-maculata.
- Ptenidium** alutaceum, apicale, boudieri, corpulentum, elongatum, evanescens, fuscicorne, gressneri, laevigatum, littorale, melas, minutissimum, myrmecophilum, nitidum, obsuricorne, perpusillum, punctatum, pusillum, terminale, vittatum.
- Ptenoedus** rufescens.
- Pteracantha** fasciata.
- Pteracanthus** smidti.
- Pteraclis** carolinus, guttatus, ocellatus, papilio, trichipterus, velifera.
- Pterapherapteryx** hexapterata*, sexualisata.
- Pterapon** trivittatus.
- Pteraspis** lyelli.
- Pteraster** capensis, militaris.
- Pteraulus** cristatus, sulcatipennis.
- Pterelachisus** bertei.
- Pterelas** webbi.
- Pterichthys** arenatus, cauciformis, carinatus, concatenatus, cornutus, depressus, granulatus, hydrophilus, israelitorum, latus, major, milleri, norwoodensis, oblongus, productus, quadratus, testudinarius. *Vide et Pterychthys.*
- Ptericoptus** dorsalis.
- Pterinaea** truncata.
- Pterinea** appressa, bicarinata, bilsteinensis, bisulcata, cardiiformis, carinata, clathrata, concentrica, costata, cuneata, desquamata, elegans, elongata, fasciculata, fimbriata, goldfussi, intermedia, laevis, lamellosa, lineata, macroptera, modiolaris, orbicularis, ovata, panopoeaformis, pholadis, plana, planulata, polyodonta, posidoniaformis, punctulata, pygmaea, radians, radiata, reticularis, reticulata, seckendorffi, silurica, spinosa, squamosa, sublaevis, suborbicularis, tenuicostata, thompsoni, trigona, triqueter, undata, ventricosa.
- Pterinoxylus** difformipes.
- Ptermistis** capensis, cranchi, rubricollis.
- Pternistes** swainsoni.
- Pteroaetus** verreauxi.
- Pterobalaena** minor.
- Pterobothrium** crassicolle, heteracanthum, interruptum, macrurum.
- Pterocalla** ocellata.
- Pterocephala** giornoa.
- Pterocephalus** massena.
- Pterocera** aglaia, alata, amyntas, angulata, aranea, ariadne, armigera, arsinoe, arthemis, aspasia, athulia, atractoides, aurantia, beaumontiana, bicarinata, bombylans, carinella, cassiope, chiragra, cingulata, cirrus, clio, conica, cornuta, costata, costellata, doublieri, dupiniana, elongata, emerici, eola, eudora, fittoni, galatea, gaultina, glaucus, gracilis, hamulus, hamus, inanis, incerta, inflata, inflatus, inornata, keyserlingi, lacinia, laevis, liasina, lorieri, macrostoma, marginata, maxima, millepeda, moreausiana, multiples, musca, myurus, naticoides, neocomiensis, nodifera, nodosa, novemdactylus, oceanii, oolithica, palmata, paradoxa, pelagi, pellucens, pes pelecani, philippi, philipsi, polycera, ponti, pseudobicarinata, pseudoscorpio, pupaeformis, rectangularia, retusa, robusta, rochatiana, rupellensis, scorpio, scorpius, sexcostata, speciosa, stella, strombiformis, subbicarinata, subretusa, supracretacea, tetracera, toucasiana, tricarinata, tridactyla, trifida, truncata, truncatus, verneuili, vespa, vesperitilo, violacea.
- Pteroceras** balanus, carinatus, caudata, chiragra, collegni, crocatus, curvicauda, elongatum, gracilis, millepeda, minuta, multiples, nodosa, pes pelecani, purpuratum, rugosum, semicarinata, tenuistria.

- Pterocerites** pes pelecani.
- Pterocerus** radix.
- Pterochalinus** apivorus.
- Pterocheilus** coxalis, dentipes, interruptus, klugi, laetus, simpliciipes, tinniens.
- Pterochilus** grandis, latipalpis, mauritanicus, numida, ornatus, pallasi, phaleratus, pulcher, quinquefasciatus, unipunctatus.
- Pterochirus** dubius, elongatus.
- Pterochroza** aridifolia, aurantiifolia, bullaei, colorata, cristata, erosa, illustrata, ocellata, picturata, speculata, trapeziformis.
- Pterocles** alchata, arenarius, bicinctus, caspius, coronatus, exustus, fasciatus, guttatus, gutturalis, indicus, lichtensteini, multi-guttatus, multi-signatus, namaqua, personatus, pictus, quadricinctus, senegalensis, senegalus, setarius, simplex, tachypetes, tricinctus, variegatus.
- Pteroclorus** roboris.
- Pterocolus** oventus.
- Pterocoma** (Col.) brevicollis, gracilicornis, piligera, sarpae, tuberculata.
- Pterocoma** (Crin.) pinnata, scutellata.
- Pterocormus** means.
- Pterocosmus** bilpa.
- Pterocyanea** caeruleata, circea, discors, maculirostris, novae hispaniae.
- Pterocyclos** albersi, biciliatum, bilabiatus, hispidus, parvus, prinsepi, rupestris.
- Pterocyclus** affinis, cachinnans, chrysopterus, delesserti, erythrocephalus, feliciae, imbricatus, lineatus, rufifrons, setifer, variegatus.
- Pterodactylus** brevirostris, bucklandi, conirostris, crassirostris, crocodilocephaloides, geunmingi, giganteus, grandis, lavatus, longicaudus, longipes, longirostris, macronyx, medius, meyeri, muensteri, nettecephaloides, ornis, secundarius, sueticus.
- Pterodicticus** potto.
- Pterodictya** ephemera, nigrolineata.
- Pterodina** clypeata, elliptica, patina.
- Pterodon** parisiensis, requieni.
- Pterodonta** carinella, elongata, gaultina, gracilis, guerangeri, inflata, intermedia, laticoides, ovata, pupoides, scalaris.
- Pterodontia** analis, flavipes, macquarti, mellii, virmondi, waxeli.
- Pteroglossus** (A.) albivitta, albivittatus, aldrovandi, ambiguus, aracari, arara, ararae, bailloni, beauharnaesi, bitorquatus, brevirostris, caeruleus, castaneorhynchus, castanotis, chrysis, coeruleo, croceus, cucullatus, culik, derbianus, dimidiatus, dubius, erythropygus, erythropygus, flavirostris, glaber, gouldi, haematopygus, humboldti, hypoglaucus, indicus, inscriptus, langsdorffi, luteus, maculatus, maculirostris, nattereri, nigridens, nigrirostris, pavoninus, piperivorus, piscivorus, pluricinctus, poecilosternus, poeppigi, prasinus, regalis, reinwardti, scriptus, sturmi, sulcatus, torquatus, ulocomus, varius, wagleri, wiedi.
- Pteroglossus** (Col.) atrogularis, lichtensteini, melanorhynchus, microrhynchus, suturalis.
- Pterogon** gorgon, gorgoniades, inscriptum, oenotherae.
- Pterogorgia** acerosa, anceps, fasciolaris, guadalupensis, sancti thomae, setosa, stricta, turgida, violacea.
- Pterogyra** excavata.
- Pterohelaus** guerini, insularis, kollari, parallelus, peltatus, piceus, reichei, striatopunctatus, walkeri.
- Pterois** antennata, brachyptera, cincta, geniserra, lunulata, miles, muricata, radiata, russeli, volitans, zebra.
- Pterolasia** distincta, squalida.
- Pterolepis** aptera, armillata, chabrieri, pustulipes, ramburi, spoliata.
- Pteroleptus** longicauda.
- Pteroloma** forsstroemi, pallidum.
- Pterolonche** albescens, pulverulenta.
- Pterolophia** camura, commixta, digesta, hybrida, ignobilis, imbuta, jacta, ommista, vitticollis.
- Pterolyra** beroides.

Pteromalus aberrans, abieticola, abila, acco, acicularis, acraea, acrotatus, acuminatus, aecus, aemulus, aeneus, aenoe, aequus, aerosus, aeson, affinis, agilis, aglaope, aglaus, albescens, albinervis, albipennis, albitarsis, alcmán, alimentus, allutius, alope, alopus, alternans, altus, amabilis, ambiguus, ammisos, amoenus, amphimedon, amplius, amyntor, anaxenor, anaxis, anchinoe, androbius, angustus, annulatus, anomalicornis, anomalipennis, antho, anticus, antorides, aollius, aper, apertus, apharetus, aphidis, aphidivorus, apicalis, apum, arborivagus, archia, archidemus, arestor, ariomedes, ariovistus, artembares, artemon, aspilus, assimilis, atomos, atramentarius, atricornis, attenuatus, audouini, aurifacies, aurifer, aurinitens, automedon, axos, azureus, balux, baryerus, basalis, baton, bebius, bebyce, belesis, bellus, berecynthos, berylli, bicaliginosus, bicolor, bidentis, bienna, bifasciatus, bifrons, bimaculata, binaevius, binumbatus, binubeculatus, bivestigatus, blandus, boreus, bouchianus, bracteatus, brandti, brassicae, brevicornis, brevirauiulus, breviscapus, brevivitta, brunnicans, bryce, bubaris, cabades, cabarnos, calanus, calenus, caligatus, caligetus, camma, campestris, capitatus, capnopterus, carcinus, carina, carinatus, carinus, cassotis, catenatus, catillus, cavus, cecidomyiae, celer, cephalotes, cepio, cercides, cercophrus, cerinopus, ceropasades, cerpheres, cerycus, chalceus, chalcolampus, chalcamelas, chalcophanes, chalybaeus, charops, chermis, chloris, chlorospilus, chrysammos, chrysus, chrysis, chrysos, cincticornis, cinctus, cingulipes, cingulum, clandestinus, claripennis, clavatus, claviger, cleophanes, cliens, coccorum, codrus, coelius, coeno, coeruleus, collaris, colosseus, cones, communis, compactus, complanatus, compos, compressus, comptus, concinnus, concisus, concolor, confinis, congruus, conifer, conoideus, conspersus, constans, contermius, continuus, contractus, cordairei, corion, coryphe, cosingas, costis, costigator, crassicornis, crassipes, crassus, cratylus, crinifrons, cristatus, crocale, erotopus, erotus, cruciatus, cryptophagus, cubocephalus, cupreus, cuprifrons, cuprinus, eurtus, cyamon, cyanocephalus, cylindraceus, cyniphis, dahlbomi, daimenes, dalmanni, damo, decedens, decipiens, decisus, decorus, deiochus, delectus, deplanatus, depressus, deryllus, despectus, detritus, deucetius, deudorix, devorator, diachymatis, difficilis, diffinis, dilectus, dilutipes, dimidiatus, diminutor, diomedon, dipoenos, dipsas, dirutor, discoideus, discolor, discus, distinguendus, diversus, dives, divisus, docinus, domesticus dorsalis, doryssus, drepanon, driopides, druso, dubius, dufouri, dymnus, dynastes, ecarinatus, ection, egregius, eimersbergensis, elatus, eleuthera, elevatus, elpinice, elymus, elyros, emathion, eminens, empoclus, endomychi, eneubulus, epicles, epimelas, epistenus, equestris, erasippus, eremita, ergias, eryx, esuriens, etearchus, eucerus, euctemon, eulinene, eupterus, europs, eurynotus, euryops, eurypon, euthymus, exerescentium, exiguus, exilis, eximius, exoletus, exquistus, exsertus, extensus, extensus, fabia, facilis, fallax, famulus, fasciatus, fasciculatus, fasciventris, fascipalpis, faunigena, faustina, favorinus, felginas, femoralis, ferox, fertilis, fervidus, festivus, filicornis, flamiger, flavicornis, flavipalpus, flavipes, flavitarsis, flavius, fontanus, formosus, foveolatus, fraxini, fucicola, fugax, fulgidus, fulvipennis, fulvipes, fulvi-ventris, fumipennis, furtivus, fuscescens, fuscicornis, fuscipennis, fuscipes, futilis, gallerucae, gallicus, galloni, gaudens, gemmarum, generalis, geniculatus, gentilis, genuinus, gigon, glabellus, glabriculus, glautias, glechomae, gnavis, gonatas, gorgasus, gorgias, gracilicornis, gracilis, grandiclava, grandis, gratus, gryneus, guttatus, gynetus, habilis, halidayanus, hebes, hecato, hedymeles, helice, helvipes, hemipterus, herbaceus, herboidus, hercyniae, hermachus, hermeas, hesus, hilaris, hippo, hirtipes, höhenheimensis, honestus, humilis, hybreae, hylloe, hypocyaneus, hyrtacina, hyrtacus, lambe, iera, illudens, illustratus, imbutus, immaculatus, immundus, impar, impeditus, impressifrons, inanis, inatos, incertus, inclusus, inclytus, inconspicuum, incubator, inermis, iners, infectus, infestus, infinitus, innoxius, inops, inornatus, inquilinus, inscius, insidiator, insignis, intermedius, intestinalis, invenustus, ipsea, iras, isarchus, janira, japis, jejunos, jouaneusis, jucundus, juncus, klugi, laeta, laetus, laevis, lampe, lanceolatus, laogore, laricellae, larvarum, larymua, laticeps, laticornis, latifrons, latipennis, latreillei, latus, lausus, lautus, lazulinus, learchus, lebaeida, lebene, lelex, lentulus, leodocus, leogoras, lepidus, leptogaster, leptostictus, lethargicus, leuce, leucocephalus, leucopezus, limbatus, linearis, lisios, longicornis, longulus, lucidus, lucilla, lugens, lugubris, luniger, lunula, lutescens, lyttus, macrocephalus, macromerus, maculipennis, maculiscapus, naerens, major, mandibularis, maurus, mazaces,

meconotus, mediocris, megachlorus, megareus, melancholicus, melanoceras, melano-chlorus, merope, mesapos, mese, mesochlorus, meyeriucki, microcerus, microgasteris, microneurus, minutissimus, minutus, mirus, mixtus, mobilis, modestus, molestus, monochrous, morys, multicarinatus, multicolor, mundus, musaeus, musearum, mutia, mutilus, mycale, mydon, myle, naus, napaeus, naubolus, naucus, navis, neesi, neglectus, neostadiensis, nephele, nervosus, nestocles, niger, nigricans, nigro-aeneus, niphe, nitfactus, nitescens, nobilis, nodulosus, notabilis, nubeculosus, nubilipennis, nubilus, nuperus, nyctinus, nypsius, obductus, obscuratus, obscurellus, obscurus, obessorius, obtusus, obvolitans, occultus, oceia, ocellus, odites, oeax, omisus, omnivorus, opacus, operosus, opheltes, opimus, opisthotonus, opulentus, orbiculatus, orchestis, ornius, ormenus, ornatus, orneus, onyctus, oroetes, orontas, orsippus, ortalus, orthagus, orthica, otos, ovatus, ovulorum, oxygene, oxynties, pachygaster, pachymerus, palipes, palpigerus, papaveris, parvulus, patro, patulus, pellucidiventris, pellucidus, perditor, peregrinus, perfectus, perpetuus, pervasus, perversus, petiolatus, petioliventris, pexatus, phalarisarna, phasis, phylaxis, phyllus, picinus, picipes, pilosellus, pilosus, piugus, pione, pirus, placidus, plagiatus, planiusculus, planus, platycerus, platynotus, plenus, pogonochoeri, politus, polycyclus, polyphagus, poutiae, posticus, praelongus, praepes, praepileus, praepotens, praetermissus, prasinus, prianus, princeps, processioneae, promulus, pronax, propinquus, prothous, proximus, psittacenus, psyllus, pubicornis, pulcherrimus, pulchriceps, pullus, punctatus, punctifrons, punctum, pungens, purpureus, pusillus, pygmaeanae, pygmaeus, pyttalus, quadratus, quadrinota, quadrum, quaesitus, quercus ramuli, questionis, ramealis, ramulorum, rapax, recouditus, redactus, regius, remotus, repandus, reptans, revelatus, rhaeo, rhinthon, rhoebus, rhombicus, rhytium, ripaetes, robustus, rotundatus, rotundiventris, rufinus, rufipes, rufiventris, ruralis, rusticus, salicis, saltatorius, samus, sapphirus, saptine, saravus, saturatus, saxeseni, scabriculus, scenicus, scopas, segmentarius, seladonius, semiclavatus, semifascia, seinotus, seniculus, separatus, sequester, servulus, sestius, signatus, similis, simplex, simulans, sincerus, singularis, siseuna, smaragdinus, sobrinus, sobrius, socius, sodalis, solidus, solutus, sophax, sophron, sparsus, spectabilis, sphaerogaster, spicatus, spinolae, splendidus, statutus, stenogaster, stenomerus, stenonotus, stenotelus, strenuus, stupidus, styrys, subaequalis, sublaevis, subniger, subpunctatus, subquadratus, subterraneus, subulifer, sub-virescens, suia, sulphuripes, sunides, suspensus, sybarita, sybritia, sylvarum, sylvicola, tarsatus, tedanius, teliformis, telon, temesa, temperatus, tenebricus, tenellus, tenuicornis, tenuis, tenuiscapus, terebrans, tereus, terminalis, thalassinus, themiso, thessalus, thestor, thoracicus, tibialis, tibiellus, tiburtus, tigas, timaea, toxus, toxicate, transiens, transversus, traulus, tricolis, tricolor, triqueter, tristis, trochilus, trossulus, truncatellus, tychon, ulmi, unca, unicolor, urgo, vagans, vaginatus, vala, validus, vallatus, vallecua, variabilis, varians, variolosus, varius, varro, velox, ventricosus, venustus, vernalis, verticalis, verticillatus, vibullius, vicinus, vindalius, vindex, violaceus, virens, virescens, viridicans, viridulus, vitripennis, vitula, vopsicus, vorax, vulgaris, vulso, walkeri, xanthe, xanthopterus, zagreus, zelleri, zelus, zonaras.

Pteromalus albiventer, alpinus, aurantiacus, caniceps, cucullatus, derbianus, elegans, europaeus, fimbriatus, genibarbis, giganteus, grandis, griseiventer, horsfieldi, hudsonius, inornatus, leachi, lepidus, leucogenys, magnificus, melanotus, momoga, mononga, monoga, nitidus, nobilis, oral, oregonensis, pearsoni, pelii, petaurista, philippensis, punctatus, ruscicus, sabinus, sagitta, setosus, sibiricus, squamicaudus, striatus, turnbulli, virginianus, volans, volucella, vulgaris.

Pteronarcys biloba, californicus, proteus, regalis.

Pteroncoma linearis.

Pteronites angustatus, latus, sulcatus, ventricosus.

Pteronotus (G.) acanthopterus, gibbosus, hemitripterus, phyllopterus, pinnatus, quinque-tentaculatus, stuchburgi, tricarinatus, trigonularis, tripteroides, uncinarius.

Pteronotus (M.) davyi.

Pteronura sambachi, sanbachi.

Pteronus ater, difformis, dorsatus, j. aperi, laricis, myosotidis, pini, testaceus.

Pteropexis bicolor.

Pterophanes temmincki.

Pterophora ~~carphodactylus~~, pentadactyla.

Pterophorus ~~acanthodactylus~~, adactypus, aetodactylus, aridus, haptodactylus, bipunctidactylus, carphodactylus, citridactylus, dentiferus, didactylus, distans, ehrenbergiensis, fischeri, flavedodactylus, fuscodactylus, galactodactylus, hemidactylus, heterodactylus, heraci, inframaculella, laetus, lithoxydodactylus, loewei, lunaedactylus, malacodactylus, marginellus, metneri, microdactylus, mictodactylus, niseidactylus, obscurus, obsoletus, osteodactylus, pallidactylus, paludum, phaeodactylus, pilosellae, ptilodactylus, puuctidactylus, siceliota, similidactylus, spilodactylus, tetradactylus, trigonodactylus, tristis, xanthodactylus, zetterstedti, zophodactylus.

Pterophyllum scalaris.

Pteroplatea altavela, canariensis, hirundo, maclura, micrura.

Pteroplatys annulipes, arrogans, bilineatus, dimidiatipennis, elegans, fasciatus, gracilis, lycoides, nigriventris, pulcher, rostainei, suturalis, transversalis, variabilis.

Pteroplectus macleayi.

Pteropleura horsfieldi.

Pteroplus acuminatus, nodifer.

Pteroplura horsfieldi.

Pteropodocys phasianella.

Pteropogon gorgon, oenotherae.

Pteropsis curvi, obovata.

Pteropsophus lissoderus.

Pteropterus radiatus.

Pteroptochos affinis, albicollis, albiventris, analis, ater, griseicollis, guttatus, indigoticus, magellanicus, megapodus, manus, orthonyx, paradoxus, rhinolophus, rubecula, rubicapillus, semis, speluncae, squamiger, tarni.

Pteroptochus acutirostris, femoralis.

Pteroptrix aestus, artis, celsus, dimidiatus, doricha, evanescens, hemera, janias, menes, thone.

Pteroptus abdominalis, acuminatus, limosinae, muris, plecotinus, rhinolophinus, sciarae, vespertilionis.

Pteropus (A.) africanus*, pelagicus, pyrrocephalus, surinamensis, vociferus.

Pteropus (Hem.) siccifolius.

Pteropus (M.) amplexicaudatus, assamensis, brachyotis, brevicaudatus, cephalotes, chrysoproctus, collaris, conspiciatus, dasymallus, diardi, dussumieri, duvauceli, ecaudatus, edulis, edwardi, edwardsi, egyptiacus, epomophorus, flavus, funereus, gambianus, geoffroyi, griseus, haldemani, hottentottus, javanicus, jubatus, keraudren, kerandrenus, labiatus, leachi, leneocephalus, leschenaulti, leucocephalus, mackloti, macrocephalus, marginatus, mariannus, medius, melanocephalus, minimus, niger, nudus, paliatus, pallidus, peroni, personatus, phaiops, pirivarus, poliocephalus, pselaphon, pyrivorus, rostratus, rubricollis, rufus, samoensis, schoensis, seminudus, stramineus, titthaechelus, tongunus, torquatus, ursinus, vanikorensis, vulgaris, wahlbergi, whitei.

Pterorrhiza excentricum, marginatum, radicans.

Pterosoma plana.

Pterostichus adoxus, adstrictus, aethiops, amethystina, angustatus, augustus, antennatus, anthracinus, ater, aterrimus, haeri, baldensis, beckenhaupti, bicolor, bilineipunctatus, brevoorti, bruni, hruunus, hruunipes, burmeisteri, castaneus, caudiculis, civilis, clairvillei, concolor, contractus, coracinus, cordatus, corvinus, crihratus, cupreus, cylindricus, de cristofori, depressus, dilatatus, dimidiatus, dissimilis, distinguendus, drescheri, dubius, dufourii, duratii, duvali, edurus, elongatus, eumetricola, erythropus, escheri, externe-punctatus, fasciato-punctatus, fastiditus, femoratus, findei, flavo-femoratus, fossulatus, fusco-aeneus, gracilis, grajus, gressorius, hagenbachii, heeri, herculeaneus, heteronema, holomelanus, impressus, indus, infuscatus, inter-punctatus, interruptestriatus, italicus, jurinei, justusi, klugi, kokeili, lepidus, lineato-punctatus, lucidus, luzoti, macer, mandibularis, maurus, melanarius, metallicus, micans, minor, monticola, montivagus, morio, muhlfeldi, multipunctalis, multi-punctatus, mutus, niger, nigrita, oblongo-punctatus, oblongus, obtusus, octopunctatus, orbata, ordinatus, ornithomum, pauzeri, parumpunctatus, patruelis, peiroleri, peruanus, picimanus,

- picipennis, pinguedineus, pinguis, placidus, planus, prasinus, prevosti, prolixus, punctatissimus, punctulatus, pygmaeus, pyrenaicus, rapax, regularis, rhaeticus, riparius, rufipalpis, rufipes, rugulosus, rutilans, schoenherri, selmanni, septentrionalis, sereipunctatus, seximpressa, sinuato-punctatus, sodalis, sollicitus, staphyliniformis, strenuus, striola, stygius, subcordatus, tenuis, transversalis, truncatus, turcomanicus, ullrichi, unicolor, vagans, variolatus, ventricosus, vernalis, vicinus, viridinitens, welschi, ziegléri.
- Pterostoma** salicis.
- Pterotarsus** binaculatus, brasiliensis, eschscholtzi, histrio, marmoratus, rugosus, tuberculatus, walckenaeri.
- Pteroteuthis** arabica, vulgaris.
- Pterotrachaea** hippocampus.
- Pterotrachaea** aculeata, adamastor, blainvilleana, cuvieri, desmarestia, desmarestiana, eydouxii, keraudreni, lesueuri, peroni, placenta, quoyana, rufa, umbilicata.
- Pterotropis** setosus.
- Pteroxia** cultrella.
- Pterurus** flexuosus, hardwicki, maculatus, tripiorosa.
- Pteruthius** aenobarbus, erythronotus, erythropterus, flaviscapis, melanotis, rufiventer, viroides, xanthochlorus, xanthochloris.
- Pterychthys** alatus. *Vide et Pterichthys.*
- Pterycombus** brama.
- Pterydactylus** brevivrostris.
- Pterygia** (G.) denticulata, faba, flammea, pallida, stipon.
- Pterygia** (Hem.) arietina, bifida, brachycera, capitata, crassicornis, cruciata, hispida, macquarti, pileata, quadridens, quinquetuberculata, satanas, tripodia, tuberosa.
- Pterygistes** leislerei, proterus.
- Pterygocephalus** paradoxus.
- Pterygocerus** arenarius.
- Pterygophorus** bifasciatus, cinctus, cyaneus, interruptus.
- Pterygosoma** agamae*.
- Pterygotus** anglicus, leptodactylus.
- Pthirus** inguinalis.
- Ptichodis** bistrigata.
- Ptilia** brasiliensis, melanuros, pilicornis, pubicornis.
- Ptilinopus** coralensis, elphinstonii, ewingi, furcatus, purpuratus, swainsoni.
- Ptilinus** aspericollis, ater, bicolor, bucephalus, costatus, cylindricus, denticornis, flabellicornis, grandicollis, haemorrhoidalis, hederæ, impressifrons, laevis, laticollis, niger, pallens, pubescens, ruficornis, serricollis, serricornis, testaceus.
- Ptiliognatus** cinereus.
- Ptiliognys** cinereus, nitens.
- Ptilium** affine, angustatum, apterum, atratum, bovinum, breve, canaliculatum, caucasicum, depressa, dilutum, elongatum, excavatum, ferrari, fluvicorne, fuscipenne, fuscum, haemorrhoidale, inquilinum, kunzei, latum, marginatum, marinum, minimum, minutissimum, pallidum, quadratum, rotundatum, sericans, sitkaense, spinipenne, sulcatum, suturale, tauricum, teuellum, testaceum, thoracicum, transversale, trisulcatum, volans.
- Ptilocera** americana, atraementaria, bruunicornis, caminaria, cilipennis, conica, cylindrica, foeda, lateralis, maculata, melanis, melanocephala, nigra, nigro-grisescens, palpalis, parvicornis, prompta, quadridentata, rectangularis, smaragdina, tomentosa, umbratica.
- Ptilocercus** lowii.
- Ptilocerus** fuscus.
- Ptilochloris** arcuatus, lunatus.
- Ptilocolepus** turbidus.
- Ptilodactyla** atra, castanea, decumana, elateriua, elongata, gigas, lacordairei, linearis, madagascariensis, nitens, nitida, obesa, ornata, sericea, thoracica.
- Ptilodictya** acuta, costellata, cruciformis, dichotoma, elegantula, explanata, fucoidea, labyrinthica, lanceolata, pavonia, ramosa, recta, sublancoolata.
- Ptilodon** camelina.

- Ptilogonys** armillatus, griseiventer, leucotis, nitens, obscurus, townsendi.
- Ptilogyna** fuliginosa, marginalis, ramicornis.
- Ptiloleptus** cristatus.
- Ptilomera** laticauda.
- Ptilonopus** cinctus, cyano-virens, emiliae, erythrocephalus, fasciatus, flavigaster, ~~haly-~~sericens, hyogaster, hypogaster, jambu, leucocephalus, leucogaster, macronotus, maculatus, madagascariensis, magnificus, melanocephala, monachus, naina, nitidissimus, occipitalis, oopa, pectoralis, perlatus, perousei, porphyreus, pulchellus, pulcherrimus, purpureoleucephalus, rivolii, roseicollis, strophium, superbus, taitensis, turturoides, virens, viridis, viridissimus, xanthogaster, xanthura.
- Ptilonorhynchus** albostris, holosericeus, macleayi, niger, nuchalis, smithi, squamulosus, violaceus, viridis.
- Ptilonotus** superbus.
- Ptilopachus** erythrorhynchus, fuscus, ventralis.
- Ptilophora** variegata.
- Ptilophorus** dufouri.
- Ptilophyllum** godeyi.
- Ptilophyrus** coronatus.
- Ptilopterium** ferrugineum, fuscum, microscopicum.
- Ptilopus** acuticollis, aereus, albomaculatus, argus, atramentarius, aulicus, aurifer, chirographus, chlorophanus, curvipes, hispidus, memmonius, mercator, mundus, proteus, pruinosis, spretus, valgus, villosipes, vittatus.
- Ptilorhynchus** buccoides.
- Ptiloris** paradiseus, victoriae.
- Ptilostomus** poicilorhynchus, rufigaster, senegalensis.
- Ptilotis** auricomis, auritus, chrysops, chrysotis, cratitius, flava, flavescens, flavigula, fumata, leucotis, lewini, melanops, ornatus, penicillatus, plumulus, pyrotis, sonorus, unicolor, versicolor.
- Ptilotopus** americanorum.
- Ptiloturus** cafer, capensis.
- Ptilotus** (A.) cincta.
- Ptilotus** (M.) australis, sciureus.
- Ptinella** abbreviatella, angustata, angustula, aptera, aterrima, bicolor, brachyptera, curta, depressa, excavata, formicaria, gracilis, haemorrhoidale, kunzei, limbata, microscopia, oblonga, pallida, pulchella, ratisbonensis, suturalis, testacea.
- Ptinus** abietis, bidens, bidentatus, bimaculatus, boleti, boletorum, brunneus, carinatus, castaneus, cerevisiae, clavipes, coarcticollis, concinnus, cylindricus, dilophus, dubius, ducalis, elegans, exulans, fascicularis, ferruginosus, fissicornis, fossulatus, frontalis, fuscus, gibbicollis, globosus, globulum, globulus, hirtellus, hirticollis, hololeucus, humeralis, inermis, italicus, laevis, lapidarius, lepidus, lichenum, lusitanus, mauritanicus, micans, murinus, museum, niger, nigricornis, nigripennis, nitidus, nobilis, obesus, ornatus, ovatus, palliatus, pallidus, pallipes, paniceus, piceus, pilosus, pulchellus, pusillus, pygmaeus, pyrrhocephalus, quadrimaculatus, quadripunctatus, quadrisignatus, quercus, raptor, regalis, rhododactylus, rotundicollis, rubellus, ruficornis, rufipes, rufus, salinus, sex-signatus, similis, spinicollis, spitzyi, subpillosus, sulcatus, suturalis, sycophanta, tenuicornis, tessellatus, villosulus.
- Ptiocerus** attenuatus, brunneus, goryi.
- Ptiolina** nigra, obscura.
- Ptochiomera** nodosus.
- Ptochus** adpersus, bisignatus, carinerostris, circumcinctus, deportatus, fasciolatus, longicollis, perdix, porcellus, rufipes, setosus, subsignatus, tessellatus, tigrinus.
- Ptomaphagus** anisotomoides, davisii, fumatus, opacus, truncatus, velox, watsoni, wilkini.
- Ptomaphila** lachrymosa.
- Ptosima** amabilis, indica, irrorata, luctuosa, novem-maculata, planata, vinosa.
- Ptyas** blumeubachi.
- Ptychacanthus** dubius, faujasi, sublevis.
- Ptychina** biplicata.
- Ptychocephalus** radiatus.

- Ptychoceras** adpressus, astierianus, emericianus, gaultinus, laevis, puzosianus, siphon.
- Ptychodera** flava.
- Ptychoderes** bicallosus, cinereus, elongatus, nebulosus, tricostrifrons, variegatus, virgatus, viridanus.
- Ptychodes** (Col.) insularis, politus, trilineatus, vittatus.
- Ptychodes** (L.) feldmanni, globosa.
- Ptychodus** acutus, altior, arcuatus, articulatus, concentricus, decurrens, depressus, gibberulus, knorri, latissimus, mammillaris, marginalis, mortoni, oweni, paucisulcatus, polygyrus, polypyrus, rugosus, spectabilis, sulcatus, triangularis.
- Ptychogaster** emydoides.
- Ptycholepis** bollensis, maximus.
- Ptycholuma** lecheana, livoniana, obsoletana.
- Ptychomphalus** cirriformis, compressa, expansa, polita, solanoides, striatus.
- Ptychomya** agassizi, robinaldina.
- Ptychonotus** cristatellus, dumerili, fasciatus, gracilis, lineatus, nasutus, richardi, vermiculatus.
- Ptychoparia** pulchra, striata.
- Ptychophorus** brahma, cribrosus, fluctiger, gambiensis, intrusus, leucostictus, semiluctuosus, setosus, spiniventris, undatus.
- Ptychophyllum** stokesi.
- Ptychopleurus** faujasi.
- Ptychopoda** aversata, bisetata, centrata, contiguaria, decoraria, decorata, dilutaria, fimbriolata, fuliginata, fumata, immutaria, immutata, incanata, inornata, lactata, lactearia, limboundata, lividata, marginata, marginepunctata, ornata, osseata, purpurata, putataria, remutata, reversata, rubraria, rubropunctaria, scutulata, sublactata, subochreate, subroseata, subsericeata, thymiararia, trigeminata, vernaria, vibicaria, virgularia, virgulata.
- Ptychoptera** albinana, contaminata, lacustris, metallica, nigra, paludosa, pectinata, quadrifasciata, scutellaris.
- Ptychopterus** dimidiatus.
- Ptychopteryx** affinis, contaminata, subnebulosa.
- Ptychoramphus** aleuticus.
- Ptychosaurus** blainvillei, plica, punctatus.
- Ptychotrochus** conulus, tenuiplicatus, turbinatus.
- Ptychozoon** homalocephalum, horsfieldi.
- Ptyelus** angulatus, argocephalus, bifasciatus, dianthi, distinctus, ferrum-equinum, griscenscens, morabilis, spumarius, trivirgatus.
- Ptygmatis** bifurcata, bruntrutana, conimbrica, crenata, eschwegi, fleuriauxa, hieroglyphica, imbricata, mandelslohi, olisiponensis, trachaea, triplicata, voltzi.
- Ptygoderus** pectinatus.
- Ptygostomum** oligoporum.
- Ptygura** melicerta.
- Ptylodictya** palmata, squamata.
- Ptylopora** flustriformis, pluma, pulcherrima.
- Ptynx** costatus, fuscescens, nebulosa, uralensis.
- Ptyobrachus** arundinaceus, brevis, erythreus, gracilis, guthrianus, hardwicki, linearis, multidentata, parvidentata, raitborua.
- Ptyocerus** capensis, mystacinus, nebulosus.
- Ptyodactylus** feillai, fimbriatus, gecko, guttatus, hasselquisti, lineatus, lobatus, sarrube.
- Ptyonura** albifrons, brunnea, macloviana, maculirostris, mentalis, rufivertex, striaticeps.
- Pucrasia** macrolopha.
- Puella** barbara, hyalinata, irina, nitidula.
- Puer** niger.
- Puffinuria** berardi, garnoti, urinatrix.
- Puffinus** aequinoctialis, anglorum, arcticus, assimilis, brasiliensis, brevicaudus, carinipes, chlororhynchus, cinereus, columbina, desolata, flavirostris, fuliginosus, lessoni, leucomelas, lherminieri, major, melanopus, munda, obscura, pacifica, puffinus, scotorum, sericeus, sphenurus, tenuirostris, vulgaris, yelkouan.

Pugilina fasciata, laevis.

Pugiunculus discors, elegans, simplex, striatulus, undulatus.

Pugmeodon schinzi.

Pulex bifasciatus, bovis, canis, columbae, echidnae, elongata, erinacei, felis, gallinae, gigas, hirundinis, hominis, hyaenae, jaculans, lemmus, leporis, martis, melis, muris, musculi, prurigeus, pungens, rufus, sciurorum, segnis, sturmi, talpae, terrestris, typhlus, vespertilionis.

Pullastra antiqua, arenicola, aspersa, aurea, bistrata, carditoides, complanata, crassistria, crenata, decussata, distans, elegans, elliptica, exotica, geographica, irus, laevis, lagonkairei, nana, nebulosa, nucleus, oblita, ovalis, parallela, peregrina, perforans, perovalis, peruviana, petiti, prototypa, rariflamma, recondita, speciosa, striato-costata, virgata, virginea, vulgaris.

Pulvinites adansonii, oblonga, rupellensis.

Pulvinulus asterisans, repandus.

Puma atratus, discolor.

Puncticulis arenatus.

Puncturella flemingi, noachina.

Pupa acuminata, adjuncta, admodesta, affinis, albilabris, alpicola, alvearia, anconostoma, angelica, antiqua, antiquissima, antivertigo, antoni, apennina, arata, archiaci, arida, armifera, ascaniensis, auberiana, aurantia, auris bovina, auris cervina, auris leporis, auris malachi, auris silenii, auris vulpina, avena, avenacea, badia, bergeri, bergomensis, bicolor, bidens, bidentata, bigoriensis, bigrauta, biplicata, blainvilleana, boileausiana, brasiliensis, brauni, brevicostis, brevis, britannica, bulimoidea, bulimoides, calathiscus, calcarea, callierates, candida, capensis, capillaris, capitata, caprearum, caprella, cassida, cerea, cereana, cheilogona, chemnitziana, chrysalis, cinerea, clavulata, coenopicta, columella, columellaris, concolor, copica, conspersa, contorta, contracta, conus, corrugata, corticaria, costulata, crystallum, cupa, curta, curvidens, cyclostoma, cylindra, cylindracea, cylindrica, cylindrus, dealbata, decollata, decora, decumana, defrancei, dentata, dilucida, dimidiata, distorta, doliolium, dolium, duplicata, edentula, egregia, elata, elatior, elegans, elegantula, elongata, erythrostroma, exesa, exigua, exilis, fallax, farinesi, farinosa, fasciata, fasciolata, ferrari, fontana, fragilis, frumentum, funicula, fuscus, fusiformis, fusulus, fusus, germanica, gibbosa, glans, goniostoma, goodali, gouldi, grandis, granum, gruneri, gularis, hassiaca, heptodonta, hexodon, hoppei, huttoniana, hyalina, idolum, inflata, infundibuliformis, inornata, insularis, inversa, iratiana, jamaicensis, jehennei, johni, juniperi, kokeili, kurri, kutschigi, labiata, labrosa, labyrinthus, lacera, lactaria, lamarki, lapidaria, largillierti, larteti, lata, lavalleana, listeri, lucana, lunatica, lusitanica, lyonetiana, lyrata, maculosa, marginalba, marginata, maritima, marmorata, martiniana, megacheilos, melanastoma, mellita, michaudi, micheli, microstoma, microtragus, miliola, milium, minuta, minutissima, modesta, modica, modiolina, modiolus, monodon, monticola, moquiniana, moulinsiana, muhlfeldti, multicosta, multidentata, mumia, mumiola, muscorum, nana, neumeyeri, nobilior, nodosaria, noerdlingensis, nouletiana, obesa, oblitterata, obtusa, occulta, octodentata, odontostoma, ovata, oviedoiana, oviformis, ovularis, ovulum, pachygastra, pacifica, pagoda, pagodula, palanga, palangula, pallida, papillaris, paradesi, parcedentata, parraiana, parreyssi, partioti, patula, pellucida, petodon, peponum, petitiana, petivieriana, pfeifferi, philippii, placida, plicata, plicatula, plicidens, poeyana, polyodon, porrecta, pottebergensis, primitiva, procera, pumilio, pusilla, pusillima, pygmaea, pyrenaearia, pyrenaica, quadridens, quadrigranata, quinqueidentata, quinquelamellata, quinqueplicata, regis, remiensis, retusa, rhodia, rillyensis, ringens, rosea, rosmaessleri, rubella, rubicunda, rufescens, rugosa, rupestris, rupicola, sagraia, sarda, sardoa, savii, schmidtii, schuebleri, schultzi, scyphus, secale, seductilis, selecta, sempronii, senegalensis, septemdentata, septemplicata, servilis, sexdentata, shuttleworthiana, simplex, sinistrorsa, sinuata, sorghum, sowerbyana, spelaea, sphinctostoma, spixi, splendens, squalina, steeri, sterri, striata, striatella, strobilus, subantiqua, subdiaphana, substriata, subulata, sulcata, sulculata, tantilla, tapanianana, tappiana, teneidens, teneucostata, tiarula, tortuosa, tournfortiana, transitus, tricallosa, tricuspidata, tricuspis, tridens, tridentalis, tridentata, trigonostoma, trilamellata, triplicata, tristensis, truncata, truncatella,

umbilicata, umbilicus, unicarinata, unidentata, uniplicata, utriculus, uva, valsabina, variabilis, variolosa, venetzi, ventricosa, vergnesiana, versipolis, vertigo, violacea, vulcanica, wahlbergi, zebra. *Vide et Papa et Puppa.*

Pupella (Inf.) annulus, clavata, farcimen, index, lutra, pupa, solea, verminus.

Pupilla conica, corcyrensis, cupa, cylindrica, dilucida, dolioleum, dolium, draparnakii, gularis, marginata, muscorum, pagodula, triplicata, umbilicata.

Pupina aurea, bicanaliculata, exigua, fusca, grandis, humilis, keradrini, lubrica, mindorensis, mitis, nunezi, pellucida, similis, sowerbyi, vitrea.

Pupinella pupiniformis.

Puppa lyonetianus, partula. *Vide et Pupa.*

Pupula acicularis, lineata, polita.

Purpura abbreviata, aberrans, aegrota, affinis, alata, alba, albens, albo-labris, albo-marginata, alveolata, ampullaceum*, amygdala, angulata, angulifera, aperta, arachnoidea, arachnoides, armigera, ascensionis, aspera, atterrma, attenuata, avenacea, bezoar, bicarinata, bicolor, biconica, bicostalis, bimaculata, biserialis, bitubercularis, bizonalis, blainvillei, bonellii, brendusius, brevidens, brevis, bucciniformis, buccinoidea, bufo, bufonides, bulbiformis, bulbus, calcarata, callaoensis, callidera, callosa, calvitoma, canaliculata, cancellaroides, cancellata, carinata, carinifera, cariosa, carneipes, carolensis, cassidiformis, cataracta, centiquadra, chaidea, chocolatum, chrysostoma, cingulata, clandestina, clathrata, clavus, corcinea, columellaris, concatenata, conradi, consul, corniculata, cornigera, coronata, coronatum, costa striata, costata, costifera, costularis, costulata, crassa, crassilabrum, crispata, crispatum, cruenta, cruentata, cucurbita, cuspidata, cyclopus, decemcostata, decussata, delessertiana, deltoidea, denti, depressa, desertum, diadema, digitata, distorta, dubia, dumosa, echinata, echinulata, edwardsi, elata, emarginata, engonata, exilis, exsculpta, fasciata, fasciolaris, fenestrata, filosa, fiscella, floridana, foliacea, fragum, francolinus, freycineti, fucus, fusiformis, galea, gemmulata, gibberula, gibbosa, gigantea, glabra, glabrata, glirina, gradata, granaria, granatina, granulata, grateloupiana, gravesi, grayi, guinensis, haemastoma, haematoma, harpa, baustorium, haustum, helena, bippocastanum, biulca, borrida, byppocastanea, imbricata, imperialis, incisa, inconstans, incrassatum, inerma, insignita, intermedia, iostoma, janelli, javanica, kieneri, kiosquiformis, laciniosa, lagenaria, lamarcki, lamellosa, lanstorium, lapierrea, lapilloides, lapillus, lassaigne, laudunensis, laurentiana, lefevrei, ligata, lima, limbosa, lineata, lineolata, lobata, luteosoma, macrostoma, maculosa, mancinella, margarita, marginalba, marginata, marginatra, marginatum, martinii, melanostoma, melones, minuta, miticula, monacantha, monodon, monodonta, monstrosa, moreausia, morus, muricata, muricina, muricoides, musiva, mutica, nassoides, nassoides, neglecta, neritoidea, neritoides, nodulifera, nodulosa, novae hollandiae, nucleus, nuttalli, nux, nympha, oblonga, ocellata, ochrostoma, orbigny, ovalis, patula, peruviana, pica, picta, pileopsis, planaxoides, planospira, pleurotomoides, plicata, pomum, pothuanii, quadridentata, quoyi, rafinesquia, rapa, reticulata, retusa, rosana, rudis, rudolphi, rufostoma, rugosa, rupestris, rustica, saecellum, sanguinolenta, savignyi, saxicola, scabra, scabriuscula, scalariformis, scalaris, scobina, semiimbricata, septentrionalis, sertum, smaragdula, spathulifera, speciosa, sphaeridea, spiralis, spirata, squamigera, squamosa, squamulosa, striata, stricta, striolata, subdeltoidea, subrostrata, subturrita, succincta, taeniata, tectum, tessellata, tetragonium, texata, textilosa, thiara, thiarella, torulosa, triangularis, trigona, triserialis, tritoniformis, trochlea, truncata, tuberculata, tumida, tumulosa, turbinella, turbinoides, turgida, undata, unifascialis, variegata, venosa, vexillum, violacea, viverratoides, wahlbergi, woldemari, xanthostoma.

Purpurea blosvillei.

Purpuricenus aetnensis, affinis, angulatus, axillaris, barbarus, bilineatus, bipunctatus, boryi, budensis, cinctus, dalmatinus, decem-punctatus, desfontaini, dumerili, elaeagri, eloeagri, ehippium, fellowsi, globulicollis, halodendri, koebleri, loreyi, medici, menetriesi, novem-punctatus, rubripennis, sellatus, sericeus, servillei, temminckii, wredei.

Purpurina brevis, elegantula, lapierrea, moreausia, nassoides, pulchella, pumila, tborenti, turbinoides, unilineata.

Purpuroidea nodulata.

Pusa murina, *orientalis*.

*Puschia** *planata**.

Pusia *microzonis*.

Pusichthys *uranoscopus*.

Pusionella *aculeiformis*, *buccinatus*, *nifat*, *pusio*.

Pusiostoma *fulgurans*, *mendicaria*, *punctata*, *turturina*.

Pustularia *cicercula*, *globulus*.

Pustulipora *canariensis*, *costulata*, *curta*, *deflexa*, *echinata*, *fruticosa*, *gracilis*, *laevis*, *nitida*, *primigenia*, *rustica*.

Pustulopora *anomala*, *biformis*, *clavula*, *echinata*, *goldfussi*, *gracilis*, *hagenowi*, *heteropora*, *labati*, *macrostoma*, *madreporacea*, *mamillata*, *oculata*, *phillipsi*, *proboscidea*, *pseudospiralis*, *pustulosa*, *radiciformis*, *semiclausula*, *sparsa*, *verticillata*, *verucosa*, *zealandica*.

Putorices *kathiah*.

Putorius *africanus*, *alpinus*, *altaicus*, *communis*, *erminea*, *eversmanni*, *foetidus*, *furo*, *hermellanus*, *larvatus*, *lutreocephalus*, *lutreola*, *minimus*, *mustela*, *nivalis*, *noveboracensis*, *nudipes*, *putorius*, *rufus*, *sarmatica*, *sibirica*, *striatus*, *subhemachalanus*, *vison*, *vulgaris*, *zorilla*.

Pycanum *amethystinum*, *jaspideum*.

Pycina *zemba*.

Pycna *strix*.

Pycnodonte *laevigata*, *radiata*.

Pycnodus *achillis*, *angustus*, *biserialis*, *bucklandi*, *complanatus*, *couloni*, *cretaceus*, *depressus*, *didymus*, *discoides*, *elongatus*, *faba*, *gigas*, *gracilis*, *granulatus*, *hartlebeni*, *lugii*, *jugleri*, *latidens*, *latior*, *latirostris*, *mantelli*, *marginalis*, *microdon*, *minor*, *minutus*, *muensteri*, *muralti*, *nicoleti*, *obtus*, *orbicularis*, *ovalis*, *parallelus*, *parvus*, *platessus*, *preussii*, *priscus*, *rhomboidalis*, *rhombus*, *rostratus*, *rugulosus*, *scrobiculatus*, *semilunaris*, *splendens*, *subclavatus*, *subdeltoideus*, *tolliapicus*, *triassicus*, *trigonus*, *tristychius*, *umbonatus*.

Pycnogonum *balaenarum*, *littorale*.

Pycnomerus *fuliginosus*, *sulcicolle*, *terebrans*.

Pycnotus *arsinoe*, *aurigaster*, *bengalensis*, *bimaculatus*, *brunneus*, *cafer*, *capensis*, *chrysorrhous*, *crocorrhous*, *cyaniventris*, *dispar*, *dumeticolus*, *euptilotus*, *finlaysoni*, *frusqueti*, *flavescens*, *flavicollis*, *flavirictus*, *flaviventris*, *flavulus*, *goiavier*, *gourdini*, *gularis*, *haemorrhous*, *inornatus*, *jocosus*, *leucogenys*, *leucogrammicus*, *leucotis*, *leuculus*, *melanocephalus*, *metallicus*, *monticola*, *nigricans*, *nigropileus*, *obscurus*, *occipitalis*, *ochrocephalus*, *plumiferus*, *plumosus*, *priocephalus*, *pusillus*, *rubineus*, *rufocaudatus*, *simplex*, *squamatus*, *striatus*, *tympanistrigus*, *xantholaemus*, *yourdini*, *xantholaimus*.

Pycnopus *bufo*.

Pycnosphrys *grammiceps*.

Pycnosterinx *discoides*, *dorsalis*, *heckeli*, *russeggerli*.

Pyctes *chukor*.

Pyctis *aureolaris*, *flaveolaris*.

Pyctoderes *gallina*.

Pyctoris *hypoleuca*, *hypoleucos*, *rufifrons*.

Pygaera *anastomosis*, *anchoreta*, *bucephala*, *bucephaloides*, *curtula*, *reclusa*, *timon*, *torrefacta*.

Pygaeus *coleanus*, *dorsalis*, *egertoni*, *gibbus*, *gigas*, *jemelkai*, *nobilis*, *nuchalis*, *oblongus*.

Pygargus *dispar*, *vulturinus*.

Pygarrichius *leucosternus*.

Pygaster *brevifrons*, *costellatus*, *depressus*, *dilatatus*, *inflatus*, *laganoides*, *patelliformis*, *pilleus*, *semisulcatus*, *sublaevis*, *truncatus*, *umbrella*.

Pygathrix *nemaus*.

Pygaulus *affinis*, *cylindricus*, *depressus*, *desmoulini*, *macropygus*, *ovatus*, *pulvinatus*, *subaequalis*.

Pygidicrana *bivittata*, *marmoricrura*, *pecta*, *v. nigrum*.

Pygidium *dispar*, *fuscum*.

Pygirhynchus *coronatus*.

- Pygmaena** fuscaria, venetaria.
Pygmaeus edwardi.
Pygmeodon schinzi.
Pygocentrus niger, nigricans, palometa, piraya.
Pygoda polita, serrata.
Pygodactylus gronovii.
Pygolampis ardens, bifurcata, gigantea, pallipes, taedifer, xanthophotis.
Pygoprists denticulatus, fumarius, serrulatus.
Pygopterus bonnardi, bucklandi, greenocki, humboldti, jamesoni, latus, lomardi, lucius, mandibularis, scoticus, sculptus.
Pygopus cariococoa, lepidopus, squamipes, striatus.
Pygora conjuncta, cultrata, erythroderes, lenocinia, punctatissima.
Pygorhynchus affinis, brongiarti, crassus, crucifer, cuvieri, delbosi, desmoulinsi, desori, gouldi, grignonensis, heptagonus, minor, mortoni, obovatus, rostratus, rugosus, scutella, sopitanus, subcarinatus, subcylindricus, subfoliatus, testudinarius, tumidus.
Pygoscelis antarctica, antipoda, papua.
Pygurus acutus, affinis, apicalis, blumenbachi, coarctatus, columbianus, conicus, depressus, faujasi, florealis, fungiformis, geometricus, hartmanni, jurensis, marmonti, meyeri, nichelini, minor, montmollini, nasutus, obovatus, orbiculatus, productus, pulvinatus, rostratus, tenuis, trilobus, varians.
Pylarus (Ar.) bicolor, pumilus.
Pylarus (Col.) designatus.
Pylodictis limosus.
Pylophilus griseus.
Pylus anthicides, bicinctus, fatuus.
Pylydrusus coeruleus.
Pyractonema albomarginatum, binotatum, borealis, brevipenne, compressicorne, falsa, fissicolle, interrupta, lugubre, nigripenne, rhododerum, vicenum.
Pyragra fuscata.
Pyralis aenalis, albofascialis, alienalis, alpestralis, angustalis, anomala, antiqualis, asinalis, atralis, badialis, bahiensis, brunnealis, capealis, capreolatus, cardinalis, chlamitulalis, cinctalis, elathralis, comitalis, cucullatalis, desertalis, dimidialis, elongalis, fascialis, flegialis, floralis, fraumiana, fueslynialis, fulgidipennana, fulvalis, gilvalis, godarti, haematalis, hamana, hercyniana, honestalis, hottentotana, institalis, longalis, lucidalis, lunulana, lutealis, manualis, marginalis, marginatus, mixtana, mixtoma, monachalis, netricalis, novalis, nyctemeris, nymphaealis, obsitalis, opacalis, paludalis, pectinalis, perlucidalis, pictalis, pinguiculis, pinguinalis, potamogalis, proclitana, pustulalis, renalis, ribeana, rivulana, rostralis, rubigana, rubricalis, rufescalis, ruficolalis, rupestralis, saldonana, sartalis, scutalis, selenalis, sepulchralis, serpentalis, squalidalis, stachydalis, suppandalis, taenialis, terminalis, terriculalis, tetragonalis, undulalis, vespertalis, vestalis, vitis, vittalis, weissenbornialis, zonana.
Pyramea lucifer.
Pyrameis atalanta, calliroe, cardui, carye, dejeani, gonerilla, huntera, itea, myrina, tammeamea.
Pyramidea foveolata, marmorata, mauritiana, nilotica, obalisca, virgata.
Pyramidella acicula, alberti, ambigua, antiqua, arenosa, arnoudi, auriscati, canaliculata, cancellata, carinata, cincta, corrugata, costulata, eburnea, elaborata, elongata, exarata, exigua, fasciata, glans, graciis, hordeola, laeviuscula, larvata, maculosa, magnifica, minuta, mitraeformis, mitreola, mitrula, musculosa, nerinea, nitida, palangula, planulata, plicata, plicosa, punctata, solida, spirata, striatella, sulcata, suturalis, terebella, terebellata, terebellum, turella, unisulcata, ventricosa.
Pyramidula rupestris.
Pyramimonas tetrarhynchus.
Pyramis (Col.) crassicornis.
Pyramis (G.) acutissimus, adamsi, albulus, albus, approximatus, arenaria, binghami, bryereus, calythiscus, candidus, carinatus, cimex, cingillus, crenatus, crystallinus, decussatus, discors, discrepans, disjunctus, elegantissimus, fusca, fuscatus, glabrus, graphicus, indistinctus, interruptus, labiosus, lacteus, laevis, lamarecki, maculatus,

nidens, nitidissimus, nitidus, nivosus, obtusus, oweni, parvus, politus, pullus, punctura, pyramidillus, reticulatus, retiformis, ruber, sandvicensis, semicostatus, semistriatus, similimus, similis, spiralis, spirolinus, striatulus, striatus, strigatus, subarcuatus, subrufus, subtruncatus, subulatus, sulcatus, trifasciatus, truncatus, turriculus, ulvae, unicus, unifasciatus, ventrosus, viridis, vittatus, zetlandicus.

Pyramis (Med.) tetragona.

Pyramus ellipticus, myiformis.

Pyrauga aestiva, albicollis, azarae, bidentata, bivittata, chlorocephala, cinerea, coccinea, cucullata, cyanicterus, erythrocephala, erythromelas, erythropis, flammiceps, hepatica, icteromelas, icteropus, leucoptera, livida, luctuosa, ludoviciana, mexicana, mississippensis, olivacea, rosea-gularis, rubicus, rubra, rubriceps, sanguinolenta, versicolor.

Pyratomena fenestralis, lucifera.

Pyrausta anguinalis, arundinalis, castalis, cespitalis, cingularis, comitalis, comparalis, dubitalis, dulcinalis, fascialis, floralis, fucatalis, furvalis, haematalis, lemnalis, moestalis, nerialis, normalis, octomaculalis, ostrinalis, peltalis, phoenicealis, porphyrialis, pudicalis, punicealis, purpuralis, pygmaealis, rubricalis, rugofascialis, sanguinalis, sartalis, scutalis, sicularis, simplicalis, sordidalis, stygielis, virginalis.

Pyraustes nerialis.

Pyraustra atosanguinalis.

Pyrzus baudini, ebeninus, palustris.

Pyrellia aenea, albo-fasciata, australis, bicolor, cadaverina, calida, cuprea, cyanicolor, desjardinsi, eriophthalma, fasciata, fervida, flavicornis, ignita, lasiophthalma, littoralis, maculipennis, nitida, ochricornis, ochrifacies, polita, purpureo-fasciata, serena, tasmaniae, usta, violacea, vivida.

Pyrena dufresnei.

Pyrenestes albifrons, coccineus, frontalis, ostrina, sanguinea.

Pyrgelis elata.

Pyrgiscus elongatus, kochi.

Pyrgisoma biarcuatus, kieneri.

Pyrgita amandava, arctica, arcuata, biarcuata, borsonica, brachyrhynchos, brasiliensis, campestris, capensis, chloris, cinerea, cinnamomea, ciris, cisalpina, coccothraustes, concolor, cristata, cucullata, diffusa, domestica, dominicana, elegans, flavicollis, grisea, gularis, hamburgia, hispanica, iagoensis, ignicolor, intercedens, itala, mariposa, melanoleuca, minor, montana, motitensis, nigricollis, nitens, oryx, pagorum, peruviana, peruviansis, petronia, quelea, rupestris, rustica, saxatilis, septentrionalis, silens, simplex, swainsoni, viridis.

Pyrgo laevis, mediterranea.

Pyrgodera armata.

Pyrgoma anglicum, cancellata, crenatum, fratercula, lobata, monticulariae, spongiarum, stellata, sulcatum, undata.

Pyrgopolon mosae.

Pyrgops inops.

Pyrgota undata.

Pyrgula annulata.

Pyrgus (Lep.) alveolus, carthami, fritillum, malvae, malvarum, oileus, oreus, sertorius, sidae, syrichtus, tessellum, textor, vindex.

Pyria armata, canaliculata, oculata, plurimacula, reichei, smaragdula, stilboides, tridens.

Pyriglena atra, domicella, funebris, maura, picea.

Pyrina cassidularis, castanea, cylindrica, depressa, desmoulinsi, dubia, echinonea, freucheni, goldfussi, ovata, ovulum, petrocariensis, pygaea, rotula.

Pyrinia rutilaria.

Pyripora contexta, crenulata, dispersa, perforata, pyryformis, tuberculum.

Pyritonema fasciculatus.

Pyrocephalus cinnamomeus, circumcinctus, coronata, divaricatus, dubius, nanus, obscurus, parvirostris, rubineus, virgata.

Pyrochroa elegans, grandis, infumata, inornata, kiesewetteri, longamonilis, ruficollis, thoracica.

Pyroderus granadensis, oreuocensis, scutatus.

- Pyrodes (Col.)** *angulatus*, *bifasciatus*, *caeruleus*, *columbinus*, *fastuosus*, *heterocerus*, *nitidus*, *scutellaris*, *smithianus*, *speciosus*, *tennicornis*, *thomae*, *vittatus*.
- Pyrodes (Lep.)** *rheediana*.
- Pyrois** *cinnamomea*, *perflua*, *pyramidea*.
- Pyromelana** *onyx*.
- Pyronia** *ida*, *narica*, *tithone*.
- Pyronota** *festiva*, *laeta*, *refulgens*.
- Pyropa** *furcata*.
- Pyrophila** *tetra*, *tragopodinis*.
- Pyrophorus (Ar.)** *helveticus*, *semirufus*, *siciliensis*, *tyrolensis*.
- Pyrophorus (Col.)** *acuminatus*, *acutipennis*, *adumbratus*, *angusticollis*, *angustus*, *boops*, *brevicollis*, *buphthalmum*, *canaliculatus*, *candelarius*, *candens*, *carinatus*, *causticus*, *cephalotes*, *cincticollis*, *cinerarius*, *clarus*, *coecus*, *comissator*, *crassus*, *cucujus*, *depressicollis*, *diffusus*, *divergens*, *elongatus*, *extinctus*, *facifer*, *flammiger*, *formosus*, *foveolatus*, *fugidus*, *fulvotomentosus*, *gemmiferus*, *gibbicollis*, *grossicollis*, *havanensis*, *hebes*, *helvolus*, *ignifer*, *ignigenis*, *ignitus*, *illuminans*, *indistinctus*, *lampadion*, *laticollis*, *longipennis*, *lucens*, *lucerna*, *lucidulus*, *lucifer*, *lucificus*, *lucifugus*, *luculentus*, *luminosus*, *lusciosus*, *lychniferus*, *microspilus*, *nictitans*, *noctilucus*, *nyctolampis*, *nyctophanus*, *nyctophilus*, *obscuratus*, *observator*, *occiduus*, *ocellatus*, *ornamentum*, *parallelus*, *pellucens*, *perspicax*, *perspicillatus*, *phosphorescens*, *phosphoreus*, *physoderus*, *plagiophthalmus*, *planicollis*, *punctatissimus*, *pyralis*, *pyraustes*, *pyrophanus*, *pyropoecilus*, *pyrotis*, *pyrrhoderus*, *quadraticollis*, *quadricollis*, *raninus*, *retrospiciens*, *rubripes*, *scintillans*, *speculator*, *spurius*, *strabus*, *tuberculifer*, *vitticollis*.
- Pyrophthalma** *affinis*, *melanocephala*, *sarda*.
- Pyrophyla** *pyramidea*.
- Pyrops** *albipennis*, *annularis*, *candelaria*, *obscurata*, *punctata*, *serrata*, *servillei*, *tenebrosa*.
- Pyropteron** *chrysidiforme*.
- Pyropterus** *affinis*.
- Pyropus** *sapphirinus*.
- Pyrosoma** *atlanticum*, *elegans*, *giganteum*, *lutea*, *phosphorescens*, *pigmaea*, *rufum*.
- Pyrota** *engelmanni*, *mylabrina*, *vittigena*.
- Pyrrha** *nipalensis*, *saturata*.
- Pyrrhalauda** *nigriceps*.
- Pyrrhia** *purpurago*, *roseago*, *rutilago*.
- Pyrrhocerus** *apterus**, *haematideus*.
- Pyrrhococcyx** *brachypterus*, *cayanus*, *minutus*.
- Pyrrhocorax** *alpensis*, *alpinus*, *crinitus*, *graculus*, *leucopterus*, *montanus*, *pyrrhocorax*, *rupestris*, *saxetaceus*, *violaceus*.
- Pyrrhocoris** *aegyptius*, *annulus*, *apterus*, *bicolor*, *calamariensis*, *carinifex*, *clavimanus*, *coqueberti*, *discoidalis*, *forsteri*, *gutta*, *koenigi*, *nigripes*, *obliquus*, *ophthalmicus*, *poecilus*, *princeps*, *pyrrhomelas*, *rubiginosus*, *ruficollis*, *schlangenbuschi*, *scutellaris*, *solenis*, *suturalis*, *sutrellus*.
- Pyrrhodes** *papuensis*.
- Pyrrhogrya** *edocla*, *irenea*, *meria*, *nearea*, *otolais*, *sulpitia*, *tipha*.
- Pyrrholaemus** *brunneus*.
- Pyrrholinota** *rosaeicolor*.
- Pyrrhomitris** *cucullata*.
- Pyrrhoplestes** *epauletta*, *rubeculoides*.
- Pyrrhopyge** *amyclas*, *arnas*, *bixae*, *hyperici*, *phidias*.
- Pyrrhorhynchus** *arcuata*, *aureipectus*, *formosa*, *riefferi*, *viridis*.
- Pyrrhospiza** *punicea*.
- Pyrrhotes** *abdominalis*, *bicolor*, *fraterna*, *griseiventris*, *obscura*.
- Pyrrhula** *abeillei*, *alaudina*, *albifrons*, *albicollaris*, *angolensis*, *aurantia*, *auranticollis*, *bicolor*, *bouvronides*, *brachyptera*, *caerulea*, *capistrata*, *caucasica*, *caudata*, *cinerea*, *cinereola*, *cinnamomea*, *coccinea*, *coerulea*, *coerulescens*, *collaria*, *collaris*, *coronata*, *crassirostris*, *crenistrostris*, *crispa*, *cruentata*, *diops*, *enucleator*, *epauletta*, *erythrina*, *erythrocephala*, *erythromelas*, *europaea*, *falcistrostris*, *frontalis*, *fusca*, *germanica*, *githaginea*, *glauco-caerulea*, *griseiventris*, *grossa*, *gularis*, *hamburgica*, *hudsonica*,

inornata, leucomelas, lineata, lineola, longicauda, major, minor, misya, modularis, nana, nigerrima, nigra, nigricollis, nigro-rufa, nipalensis, noctis, olivaceus, panicivora, payraudaei, pectoralis, peregrina, pileata, purpurea, pusilla, pusillus, pyrrhomelas, pyrrhula, rhodochlamys, rosea, rubra, rubrirostris, rufa, rufescens, rufiventris, rufobarbata, sanguinolenta, sibirica, striolata, superciliosa, synoica, telasco, torquata, torrida, violacea, viridis, vulgaris.

Pyrrhulagra portoricensis, ruficollis, violacea.

Pyrrhulauda australis, cruciger, frontalis, grisea, leucotis, simplex, smithi, verticalis.

Pyrrhulina filamentosa.

Pyrrhulinota roseata.

Pyrrhuloides epauletta.

Pyrrhuphonia aenea, cinerea, jamaica.

Pyrrocis lesueuri, obliquata.

Pyrrota coryphaeus, nigerrima.

Pyrrula sibirica.

Pyryla abbreviata, acutissima, ampla, angulata, aruana, australasia, belcheri, bengalina, bezoar, bispinosa, borbonica, brighti, bucephala, bulbiformis, bulbus, bullatus, burdigalensis*, canaliculata, cancellata, candelabrum, carica, carinata, carnaria, cingulifera, citrina, clathrata, clathroides, clava, clavarioides, clavella, coarctata, cochlidium, coerulea, condita, consors, corona, coronata, cornuta, costata, cottae, crassa, crassicauda, cretacea, decussata, deformis, depressa, distans, elata, elegans, elegantissima, elongata, eospila, fasciata, fenestrata, ficoides, ficus, fittoni, fulva, galeodes, geometra, gracilis, granifera, greenwoodi, hippocastanum, hunteria, idoleum, imperforata, indenta, intermedia, jauberti, jaurinia, kieneri, lactea, laevigata, lainei, lignaria, lineata, longirostra, martiniana, mawae, maweae, megacephala, melongena, microtricha, minax, minima, modesta, monile, morio, moulinsi, myristica, neritoidea, nexilis, nodosa, ochroleuca, papyratia, paradiasiaca, patula, penita, perversa, petropolitana, planulata, planulatus, plicata, ponderosa, pondicherriensis, pseudopapyracea, pugilina, pyrus, quadrata, rapa, rapulum, reticulata, rusticola, rusticula, sacellum, sagittata, salmo, santangeli, smithi, spirata, spirillus, squamosa, squamulata, stromboides, subcarinata, subrostrata, sulcata, sulcosa, tarbeliana, ternatana, transversalis, tricarinata, tricostata, tuba, tulipa, undulata, varicosa, ventricosa, versicolor, vespertilio.

Pyrulina acuminata.

Pyrus bulbiformis*.

Pytelia afra, bicolor, melba, phoenicoptera, satyrus.

Pytheus jugosus.

Pythia abbreviatus, acuta, aequalis, denticulata, dubia, exigua, fermini, flammea, myosotis, oblonga, ovulum, patulus, pepita, reflexilabris, rictans, scarabaeus, subula, triplicata.

Pythina deshayesiana.

Pytho americanus, castaneus, coeruleus, depressus, festivus, kolwensis, niger, pallida.

Pythomorphus sieboldi.

Python amethystinus, belli, bivittatus, bora, elapiformis, hieroglyphicus, houttuyni, jamesoni, liberiensis, molurus, natalensis, ordinatus, peroni, punctatus, regius, rhynchops, schneideri, sebae, spilotes, tigrinus, tigris.

Pythonides cerberus, herennius, jovianus, orcus.

Pythonissa bicolor, exornata, fuliginea, fumosa, fusca, holobera, lucifuga, lugubris, maculata, nana, nigra, nocturna, occulta, tricolor, variana.

Pyticera duponti.

Pytilia phaenicoptera.

Pyura ruolinae.

Pyxicephalus adpersus, americanus, delalandei, natalensis.

Pyxinia rubecula.

Pyxis arachnoides, madagascariensis.

Quedius acuminatus, analis, arboricola, atriceps, atricillus, atripennis, attenuatus, auricomus, bardus, boops, brevis, brunnipennis, bupthalmus, caliginosus, capucinus, castanopterus, chlorophanus, chrysurus, collaris, corticalis, cruentus, curtus, cyanipennis, denudatus, dilatatus, dorsalis, erythropterus, fimbriatus, flavipennis, frenatus, frontalis, fulgidus, fuliginosus, fulvipes, fuscipennis, gracilis, haemopterus, haemorrhoidalis, haemorrhous, hirtipennis, humeralis, hyperboreus, impressus, incompletus, infuscatus, inquinatus, labiatus, laevicollis, laevigatus, lateralis, lathburyi, lepidulus, longipennis, lucidulus, mauro-rufus, maurus, microps, molochinus, monticola, morio, nemoralis, nigricornis, nigrulus, nitescens, nitidus, obliteratus, obscurus, ochropterus, pallipes, pediculus, peltatus, peregrinus, perspicax, picatus, picicollis, picicornis, picipennis, picipes, plagiatus, plancus, praecox, punctatellus, pygmaeus, pyrrhopus, riparius, rufipes, rufitarsis, rufo-cinctus, saturalis, satyrus, scintillans, scitus, seminidus, semiobscurus, sericans, sericopterus, skrinshiranus, speculator, suturalis, tenellus, terminatus, transparent, tristis, umbrinus, unicolor, variabilis, vicinus, virgulatus, viridulus, xanthopus.

Quelea sanguinrostris.

Querquedula acuta, americana, angustirostris, bimaculata, brasiliensis, caerulata, capensis, carolinensis, caudacuta, circa, crecca, creccoides, discors, erythrorhyncha, falcaria, falcata, formosa, glaucopterus, glaucitans, greenlandica, hina, hottentotta, humeralis, ipeutiri, javana, javensis, maculirostris, manillensis, multicolor, novae hispaniae, puna, querquedula, scapularis, strepera, subcrecca, torquata, vulgaris.

Querula cineracea, cinerea, cruenta, fusco-cinerea, lumachelli, militaris, minor, purpurea, rubricollis, scutata.

Quinqueloculina affinis, agglutinans, akneriana, angularis, angustissima, antillarum, araucana, argus, ariminensis, aspera, auberiana, badensis, berthelotiana, bicarinata, bicostata, bidentata, birostris, bosciana, boueana, bronniiana, buchiana, bulloides, candeiana, carinata, concava, concinna, contorta, cora, costata, crassa, cuvieriana, depressa, dilatata, disparilis, dubia, dutemplei, elegans, enoplostoma, ferussaci, flavescens, flexuosus, foeda, glomerata, grinzigenensis, gualtieriana, guancha, haidingeri, hauerina, inaequalis, inca, irregularis, isabellei, josephina, juleana, laevigata, lamarciana, lamellata, latidosata, lenticularis, limbata, longirostra, lyra, magellanica, mariae, mayeriana, meridionalis, notata, nussdorfensis, oblonga, oculus, orbicularis, ovata, parisiensis, partschi, patagonica, pauperata, peregrina, peruviana, placenta, plana, planciana, poeyana, polygona, porosa, prisca, pulchella, punctata, punctulata, pygmaea, rawackensis, regularis, rodolphina, rotunda, rugosa, sagra, st beati, saxorum, schreibersi, secans, seminulum, semistriata, signata, soldanii, striata, striatula, striolata, subangulata, subcarinata, suborbicularis, subrotunda, sulcata, sulcifera, suturalis, tenuis, triangularis, tricarinata, trisulcata, turgida, undulata, ungeriana, variabilis, variolata, verneuilliana, vulgaris, zigzag.

Quiscal fulgida, jamaicensis, ludoviciana, navicularis, nitens, purpurea, saularis, vulgaris.

Quiscalus atroviolaceus, baritus, breweri, corvinus, crassirostris, ferrugineus, inflexirostris, lugubris, macrourus, major, mexicanus, peruvianus, purpuratus, purpureus, quiscala, subalaris, tenuirostris, versicolor.

Rabdophorus ephippium.

Racemis ovalis.

Rachava orbicularis.

Rachicerus fulvicollis*.

Rachidion nigrutum, obesum.

Rachiodes spinicollis.

Rachistus ater, litoralis, pictus, sulphuripes, terebrator.

Rachus quadripunctatus.

Rachycentron typus.

Rachys rubripes.

Raclitia indica.

Racoma brevis, chrysochlora, gobioides, labiatus, nobilis.

Raconda russeliana.

Racophorus palmatus.

Radamas jugleri, macrocephalus.

Radinosomus acuminatus.

Radiolites acuta, acuticostata, agariciformis, alata, angeioides, angulosa, calceoloides, conica, cylindracea, desmouliniana, elegans, elliptica, excavata, fleuriausa, gallo-provincialis, germari, hoeninghausi, horrida, ingens, irregularis, jouanneti, lamarki, lamellosa, lapeirousei, lombricalis, mammillaris, marticensis, martiniana, neocomiensis, pailletteana, plicata, polyconilites, rotularis, royana, saxoniae, sinuata, socialis, squamosa, subdilatata, toucasiana, triangularis, turbinata, undulata, ventricosa.

Radiopora conjuncta, formosa, gregaria, landrioti, pustulosa, radians, substellata, tuberculata, undulata.

Radipora stellularis.

Radius brevirostris, volvus.

Radix auriculatus.

Radsia barnesi.

Radula unublicata.

Raeboscelis longipes, nigroviolaceus, purpureus.

Ragas unica.

Ragonycha fulvicollis, melanura.

Ragonychus terminalis.

Raia americana, antiqua, aspera, bicolor, biocularis, bispecularis, bispinosus, chantenay, chilensis, desmaresti, eglantiera, flossada, fluviatilis, freminvillei, gaimardi, intermedia, jussieui, kunsua, lemprieri, lintea, maculata, madarensis, marginata, microocellata, mobular, mucronata, nasuta, oculata, ornata, punctata, quadrimaculata, quinque-maculata, radula, rapensis, rostellata, rostrata, rubus, sancur, scherit, speculum, virgata, vomer. *Vide et Raja*.

Rainieria calceata.

Raja acus, africana, alba, apteronota, asperima, asterias, atra, baracola, barbata, bavosa, bicolor, bonasus, brasiliensis, capensis, centoura, cephaloptera, chagrinea, cotodera, columbus, cruciata, cuculus, cuvieri, diabolus, diaphanes, dipterygia, edentula, episcopus, erinaceus, falsavela, fasciata, fenestrata, fimbriata, flagellum, granulosa, giorno, giorniana, guttata, hispanica, imbricata, jojenia, kenojei, laevis, lima, maclura, macrorhynchus, maculata, manatia, marginata, maroccana, micrura, morula, mosaica, mucosa, mucosissima, naevus, narcus, nasuta, nichofi, nigra, orbicularis, ornata, philippii, picta, pigara, platypterus, poecilura, pontica, quadriloba, quatuoroculus, radiata, rostrata*, salviani, say, schultzi, smithi, spiralis, thouniana, timlei, uarnak, undulata. *Vide et Raia*.

Rallites bailloni, exilis, fuscus, pusillus.

Rallus abyssinicus, aethiops, akool, albicollis, albiventer, antarcticus, aquaticus, ardeoides, assimilis, australis, bailloni, bicolor, brachipus, caeruleus, caesius, caffer, cayanensis, celebensis, chircote, chloropus, cinereus, cinnamomeus, concolor, cursor, cuvieri, dieffenbachi, dimidiatus, dubius, ecaudata, elegans, exilis, fasciatus, fuscescens, germanicus, gigas, grinetta, griseopectus, griseus, guarauna, gularis, helias, immaculatus, intermedius, javanicus, kiolo, lagurus, lateralis, leucopyrrhus, lewini, limicola, lineatus, longirostris, luridus, maculosus, madagascariensis, mangle, maximus, melanophaius, melanops, melanurus, minulus, mixtus, neglectus, nigra, nigricans, nitosus, novae hollandiae, noveboracensis, olivaceus, ortygometra, paludosus, paykulli, pectoralis, peyrousei, poliocephalus, poliotis, quadristrigatus, rougeti, rubiginosus, rufescens, ruficeps, ruficollis, rufopectus, rufopectus, rufopennis, rufus, rytirhynchus, sanguinolentus, serica, setosus, sinensis, stolidus, sumatranus, superciliaris, superciliosus, tanneusis, troglodytes, varians, ypacaha, ypacaha.

Ramphastos aldrovandi, ambiguus, azara, bailloni, callorhynchus, carinatus, chlororhynchus, citreolaemus, citreopygus, cuvieri, edentulus, erythrosoma, forsterorum, inca, levaillanti, maculatus, maculirostris, maximus, osculans, pavonicus, pectoralis, poecilorhynchus, sulfuratus, temninki, tricolor, tucai, vitellinus.

Ramphichthys rostratus.

- Ramphidiona** vulgaris.
Ramphidium trahalis.
Ramphocaenus melanurus, trimialis, viridis.
Ramphocelus affinis, atro, coccineus, dimidiatus, purpureus, sanguinolenta.
Ramphocinclus brachyurus, gutturalis, tremulus, variegatus.
Ramphodon maculatum, naevius.
Ramphogordius lacteus.
Ramphomicon abeillei, heteropogon, inornatus, microhyncha, tiniceps, sabinae.
Ramphomyia amoena, gracilipes, obscura, rufirostra, squamigera.
Ramphopis affinis, atrococcineus, atrosericeus, brasilia, coccinea, dimidiatus, flammigerus, icteronotus, jacapa, luciani, nigrogularis.
Ramphorhynchus longicaudus, macronyx.
Ramphosaurus belli.
Ramphosus aculeatus.
Ramphotyphlops multilineatus.
Ramphus aeneus, alni, beccabungae, bifasciatus, calcar, fagi, ilicis, jota, pulicarum, saliceti, salicis, scanicus, tomentosus, varians, viminalis.

Ramph- *Vide et Rhamph-*

- Rana** alba, alliacea, alpina, aquensis, arvalis, aurantia, aurea, bengalensis, boans, brama, brasiliana, bufonia, cachinans, calcarata, canagica, castanea, catesbeiana, caucasica, clamata, clamitans, coerulea, coriacea, cruenta, cruentata, cutipora, daudini, delalandei, dentex, diluviana, dorsalis, dubia, fasciata, flaviventris, flaviviridis, fontinalis, fusca, fuscigula, gaimardi, galamensis, gigas, glacialis, gracilis, grayi, grunniens, gryllus, halecina, hexadactyla, hispanica, horiconensis, ignea, juminensis, kuhli, labyrinthica, latrans, lentiginosa, leschenaulti, leveriana, macrocephala, macrodon, maculata, maculiventris, malabarica, malayana, maritima, mascareniensis, megastoma, melanosticta, melanota, mephitica, meriana, miliaris, missuriensis, mugiens, mystacea, nigrita, obstetricans, oppeli, ornata, oxyrhinus, pachybrachion, pachypus, palmipes, palustris, papua, pardalis, pennsylvanica, picta, platyrhinus, plicata, pollicifera, pumila, punctata, pusilla, pustulosa, pygmaea, quadrilineata, rubella, rugosa, rugulosa, sanguine-maculata, scapularis, schneideri, scotica, scutata, semilunata, sibilatrix, squamosa, subsaltans, sylvatica, temporaria, thaul, tigerina, tigrina, verrucosissima, viridis, vittigera, zebra.

Ranaria melanota.

Ranatra capensis, fusca, glandifera, gracilis, macrophthalmia, nigra, pilipes.

Randasia granulata, luzonica, spinulosa.

Ranella abbreviata, affinis, albivaricosa, albo-fasciata, anceps, aquensis, argus, bartonensis, becki, bibroni, bilineata, binotata, bitubercularis, broccii, bronni, bufo, bufonia, caelata, californica, caucellata, candisata, caudata, caudiseta, clathrata, coriacea, costata, crassa, cruentata, crumena, crumenoides, cuspidata, deshayesi, du boisi, elegans, elongata, foliata, gigantea, granifera, granulata, gyrrinata, gyrrinus, hastella, incerta, intermedia, kingi, korytricensis, laevigata, lanceolata, lemania, leucostoma, livida, longispina, margaritula, marginata, michaudi, miocenica, muriciformis, nana, neglecta, nitida, nobilis, nodosa, papilla, papillosa, pectinata, perca, plicata, polyzonalis, ponderosa, pulchella, pusilla, pustulosa, pygmaea, pyramidalis, pyramidata, ranina, rhodostoma, rosea, rugosa, scabra, semigranosa, semiranella, siphonata, spinosa, spinulosa, subgranosa, tenuis, thesites, triquetra, tuberculata, tuberosa, tuberosissima, ventricosa, venustula, verrucosa, vexillum.

Rangia cyrenoides.

Rangifer (Col.) myriada.

Rangifer (M.) sylvestris, tarandus.

Raniceps fuscus, jago, niger, trifurcatus.

Raniletta edwardsi.

Ranilia muricata.

Ranina aldrovandi, dorsipes, laevis, maresiana, patinea, raninus, serrata.

Raninoides levis.

Ranoidea jacksoniensis.

Rantus binotatus, divisus, luteicollis, maculicollis.

- Ranularia* labiata, longirostra.
Ranzania typus.
Rapana flavescens, foliacea, rapa.
Rapara serpentina.
Rapella papyracea, pseudo-papyracea, rapa.
Raphanella gemmata, jobloti, podura, rapunculoides, urtica, urticae.
Raphanister campanulatum.
Raphanulina humboldti.
Raphia connexa, hybris, saliceti.
Raphidia boetica, cognata, crassicornis, hispanica, londonensis, margaritacea, riedeliana, xantostigma.
Raphidogaster purpuripennis.
Raphidopalpa vinula.
Raphidophora maculata.
Raphigaster abdominalis, carrenoi, flavolineatus, germari, guildingi, incarnatus, longitudinalis, luteus, monsoni, neglectus, punctulatus, transversalis, validus, virescens.
Raphiglossa eumenoides, odyneroides.
Raphignathus ruberrimus.
Raphignatus lapidum, ruber.
Raphiocera armata.
Raphiosaurus subulidens.
Raphipterus chilensis.
Raphirhinus adscendens, cupriventris, obliquatus.
Raphirus attenuatus, boops, fulvicollis, fumatus, fuscipes, nigricornis, nitipennis, picipennis, praecox, ruficollis, rufipennis, semiaeneus, semiobscurus, sericopterus.
Raphistoma planistria, staminea, striata.
Raphitoma angusta, bucciniformis, cancellata, cancellina, coerulans, columnae, comma, continuum, contribulis, costata, desmoulinsi, gracilis, harpula, haueri, hispidula, hystrix, hypotetica, incrassata, inflata, juliana, leufroyi, nana, payraudeau, philberti, plicatella, pumilio, purpurea, quadrillum, reticulata, ringens, rudis, scacchii, scalaria, semicostata, septem-angularis, septem-angulata, sigmoidea, stria, submarginata, sulcatula, textilis, vulpecula.
Raptor reichei.
Rasahus carinatus, sulcicollis.
Raspaila typica.
Raspelia dichotoma, disciplina, divaricata, stipata, tupha, typus.
Rastrites fugax, gemmatus, linnaei, peregrinus.
Rataboura hamiltoni, hardwicki.
Rataria cordata, mitrata, pocillum.
Ratasa alienalis.
Ratellus typicus.
Ratelus capensis.
Rathkia blumenbachiana.
Rathymus carbonarius.
Ratis medusae.
Rattulus carinatus, clavus, sinaiticus.
Rattus ater, decumanus, donovani, uemorivagus, niviventer.
Ratulus cercarioides, delphis, lunaris, lynceus, musculus, togatus.
Rauna angusta, multipes.
Raya rubropygia, sericeogula.
Rayacheila inderiensis.
Rayneria aura, pallida, typus, volubilis.
Realia belangeri, cattaroensis, dubia, egea, erosa, hieroglyphica, minutissima, oparica, rubens.
Reaumuria blondeli, capitata, desvoidyi, lalandei, melanura, olivieri, timorensis.
Receptaculites bronni, neptuni, orbis.
Recervus duvaucelli.
Rechodes peltoides, serratus.

Reckur affinis, punctatus.

Rectes dichrous, ferrugineus, kirrocephalus.

Recurvaria affinis, albimaculea, alterna, angusta, aspera, atra, betulea, blattariae, cinerea, clematea, contigua, diffinis, dodecea, domestica, falciformis, fulvescens, fuscescens, geoffroyi, guttifer, huebneri, interrupta, juniperi, lambda, listeri, lunaris, lutarea, maculea, marginea, marmorea, nana, nebulea, nigra, nivea, populi, prosima, punctifera, quadripuncta, rhombea, rufescens, rustica, sarcitea, sequax, silacea, subcinerea, subrosea, tephioleuca, thumbergi, tripuncta.

Recurvirostra atricapilla, fissipes, leucocephala, novae-hollandiae, occidentalis, rubricollis.

Redia gracilis.

Redunca capreolus.

Reduvius inscriptus.

Reduvius acuminatus, acutus, albipennis, albonmarginatus, amoenus, analis, angulosus, armillatus, ater, bieeps, bilineolatus, binotatus, brachiatus, brasiliensis, chiragra, clavipes, coccineus, conatus, corallinus, cordatus, crassipes, crinipes, eruciatus, cruciger, crudelis, crux, cyaniventris, cylindripes, dimidiatus, dorsalis, dorycus, eburneus, elegans, elongatus, epbippiger, erythrocephalus, fasciatus, fenestratus, fissus, flavipes, flavovarius, fornicarius, frontalis, geniculatus, gibbus, haematogaster, infestans, inflatus, insidiosus, iopterus, lanipes, laportei, lateralis, lepturoides, leucogrammus, limbatus, lineatus, linitaris, longicollis, lucidus, lunatus, luridus, maculipennis, marginellus, miltosoma, montanus, morbillosus, musculus, mutilarius, nebulosus, niger, nigricans, notata, novenarius, obsoletus, obtusus, ornatus, pallens, pallipes, papillosa, pectoralis, pedestris, picipes, pictus, plumicornis, pulchellus, purpureus, pustula, quadrituberculatus, raptatornis, ruber, rubidus, rubiginosus, rubricus, rufipennis, rufus, sanguinolentus, scutellaris, serripes, sex-spinosus, sinuosus, spinidorsis, spinifer, spissipes, stapbylinus, stolli, subapterus, tabidus, tarsatus, thoracicus, tibialis, tricolor, trimaculatus, tuberculatus, unifasciatus, variegatus, venator, ventralis, vesiculosus.

Regalecus maculatus, russeli.

Regenia albogularis, ocellatus.

Registoma exiguum, fuscum, grande, pellucidum, simile, vitrinum.

Regnosaurus northamptoni.

Reguloides calendula, castaneiceps.

Regulus aestiva, affinis, americanus*, annulosa, aureocapillus, auricapillus, auriflamma, azarae, brachyrynchos, byronensis, calendula, canadensis, carbunculus, castaneoceps, chloronotus, ebrysocephalus, cristatus, cristaurea, crococephalus, cuvieri, erocbroa, flaveolus, flavicapillus, flaviventris, fortipes, fuliginiventris, fulviventris, guira, hippolais, hypolais, inornatus, ludoviciana, lugubris, mauriciana, mauritanus, modestus, mystacea, nattereri, nilssoni, nitidus, omnicolor, pensilis, plumulosus, proregulus, pyrocephalus, regulus, rubineus, rufus, satrapa, schisticeps, septentrionalis, sibillans, sylvicolus, thoracicus, tricolor, tristis, trochiloides, trochylus, varius, viridanus, vulgaris, wilsoni.

Reichenbachia junceorum.

Reithrodon cbinchilloides, cuniculoides, typicus.

Rembus aegyptiacus, aegyptius, assimilis, auricinctus, goryi, impressicollis, impressus, laticollis, latifrons, major, obtusus, orientalis, politus, senegalensis, striatopunctatus.

Remipes denticulatifrons, marmoratus, mesogallicus, sulcatus, testudinarius.

Remiz pendulinus.

Remopleurides colbyi, dorso-spinifer, lateri-spinifer, longi-capitatus, longicostatus, platyceps.

Remphan bopei.

Remus sericeus.

Reniella dilatata.

Reniera atra, forcellata, variabilis.

Renilla americana, violacea.

Renoidea glabra, marginata, oblonga, rotundata

Renulina complanata, opercularis.

Renulites opercularia, opercularis.

Reophax *scorpius*.

Repeimus *aeneus*, brownii.

Requienia *ammonia*, *archiaciana*, *caractonensis*, *carinata*, *cenomanensis*, *delarueana*, *depressa*, *gryphoides*, *laevigata*, *lamellosa*, *lonsdalei*, *marticensis*, *micellini*, *navis*, *ornata*, *rugosa*, *subaequalis*, *toucasiana*, *varians*.

Rescula *rubra*.

Resthenia *scutata*.

Retellia *claropunctata*.

Retepora *alveolaris*, *alveolata*, *ambigua*, *ameliana*, *angustata*, *antiqua*, *antiquissima*, *applicata*, *arborea*, *archimedes*, *beaniana*, *bizarritiana*, *bifurcata*, *boloniana*, *brauni*, *cancellata*, *cellulosa*, *clathrata*, *contexta*, *costata*, *crassa*, *cyathiformis*, *cylindrica*, *dendroides*, *dispar*, *disticha*, *edwardsi*, *ehrenbergi*, *elegans*, *ellisii*, *ellisiana*, *elongata*, *exigua*, *explanata*, *favosita*, *fenestrata*, *ferussaci*, *flabellata*, *flabelliformis*, *flabellulum*, *flabellum*, *flexuosa*, *flustracea*, *flustriformis*, *foliacea*, *frondiculata*, *fructuosa*, *frustulata*, *gracilis*, *granulosa*, *gualteriana*, *hisingeri*, *incepta*, *infundibulum*, *irregularis*, *langethali*, *laxa*, *lichenoides*, *lonsdalei*, *martis*, *membranacea*, *nitida*, *nodulosa*, *obliqua*, *pertusa*, *phillipsiana*, *pluma*, *polyporata*, *prisca*, *producta*, *pusilla*, *pyromachi*, *radians*, *ramosa*, *reticulata*, *retiformis*, *ripisteria*, *rubeschi*, *scobinosa*, *solanderi*, *solanderia*, *speciosa*, *spinosa*, *subcancellata*, *tenella*, *tenuifila*, *terebrata*, *trigona*, *truncata*, *undata*, *undulata*, *veneris*, *versipalma*, *vibicaria*, *violacea*, *virgulacea*. The following were omitted: *echinulata*, Blainv., Dict. Sci. Nat. LX. 1830, 398; *ellisi*, *idem*. 399; *flabelliformis*, *idem*. 399; *spinifera*, *idem*. 398; *ellisium*, Lam., H. N. An. s. Vert. II. 1836, 283 [teste S. F. H.].

Reteporidae *cancellata*, *lichenoides*.

Reteporina *prisca*.

Reteporites *digitalia*, *infundibuliformis*, *normaniana*, *royana*.

Reticularia *imbricata*, *lineata*, *microgemma*, *reticulata*, *striatella*.

Reticulipora *clathrata*, *dianthus*, *girondina*, *ligeriensis*, *ramosa*.

Reticulites *boletiformis*, *deformatus*, *lithuanus*.

Retinia *buoliana*, *cupressana*, *duplana*, *formosana*, *pinicolana*, *resinana*, *turionana*.

Retispongia *hoeninghausi*, *oeninghausi*.

Retusa *discors*, *obtusa*, *plicata*.

Retusites *levis*.

Retzia *adrieni*, *baylei*, *bouchardi*, *oliviani*, *salteri*.

Rha- *Vide et Ra-*.

Rhabdites *aceti*, *feculorum*, *glutinis*, *knorrianus*, *terricola*, *triangularis*, *tritici*, *tuberculorum*.

Rhabdocoris *arcuata*.

Rhabdodon *fuscus*.

Rhabdogale *mustelina*.

Rhabdophis *subminiatus*.

Rhabdopora *megastoma*.

Rhabdosia *tharops*, *vaninia*.

Rhabdosoma *armatum*.

Rhacheosaurus *gracilis*.

Rhachinotus *africanus*.

Rhacodia *caudana*, *effractana*, *emargana*, *forskaleana*, *neglecta*, *picipes*, *rosana*, *rufescapa*, *striolata*, *tenuis*.

Rhacoessa *fimbriatus*, *hypoxantha*.

Rhacolepis *brama*, *buccalis*, *latus*, *olfersi*.

Rhacophorus (Lep.) *conspersus*, *decoloratus*.

Rhacophorus (R.) *moschata*, *reinwardti*, *rheinwardti*.

Rhadiargus *variabilis*.

Rhadina *acredula*, *rufa*, *sibilatrix*.

Rhadine *larvalis*.

Rhadinocerus *afflictus*, *conicollis*.

Rhaebus *gebleri*, *mannerheimi*.

Rhagigaster *analis*, *binotatus*, *ephippiger*, *haemorrhoidalis*, *integer*, *mandibularis*, *morio*, *unicolor*.

- Rhagio** albicornis, albifrons, annulatus, aureus, cibarius, conspicuus, floralis, floreus, formosus, fuscipennis, genius, grus, heyshami, holosericeus, immaculatus, intermedius, inutilis, maculata, mystacea, nigro-fasciatus, nobilitatus, politus, puber, strigosus, subsultans, syrphoides, vagans, vitripennis.
- Rhagiomorpha** coucolor, lepturoides, oculifera, plagiata, sordida, unicolor.
- Rhagium** attenuatum, bi-color, cephalotes, cyaneum, cyanipenne, daedaleum, decoloratum, dispar, ecoffeti, fasciculatum, investigator, lineatum, nitidum, pictum, quadrimaculatum, rufipes, rufiventre, salicis, sericeum, thoracicum, trivittatum, unifasciatum.
- Rhagocrepis** aequinoctialis, dorsalis, planicollis, riedeli.
- Rhagodactylus** brasiliensis.
- Rhagodera** tuberculata.
- Rhagonycha** atricapilla, binodula, fugax, nigricollis, sericata.
- Rhagopteryx** brahma.
- Rhagorhina** auricularis.
- Rham-** *Vide et Ram-*.
- Rhamnusium** glaucopterum, salicis.
- Rhamphastos** ariel, culminatus, hypoglaucus, swainsoni, tocard. *Vide et Ramphastos*.
- Rhamphidia** inornata, longirostris, minuta, pulchra, scapularis.
- Rhamphina** longirostris, pedemontana.
- Rhamphocelus** brasilius, flammeigerus, icteronotus, passerina.
- Rhamphocetus** luciani.
- Rhamphocoenus** rufiventris.
- Rhamphodes** etiella.
- Rhamphognathus** paralepoides, pompilius.
- Rhamphomyia** agasicles, albipennis, alipes, alpestris, americana, anaxo, anomalipennis, anthracina, appendiculata, atra, atripennis, bicolor, bilineata, caesia, cana, canaliculata, carbonaria, cilipes, cinerascens, cinerea, clypeata, cophas, coracina, costata, crinitarsis, culicina, dana, daria, dentipes, dispar, dissimilis, distans, ecetra, erythrophthalma, falleni, ferruginea, ficana, filata, flava, flavipes, flavirostris, flaviventris, flexicauda, fuliginella, geniculata, gibba, glauella, gracilipes, hirtula, holosericea, hyalina, infumata, infuscata, laevipes, latipennis, longipes, lucidula, lugubrius, maculipennis, mallos, marginata, minytus, modesta, nigripes, nigri-ventris, nitida, nitidivittata, nitidula, nodipes, obscura, obscurella, obscuripennis, pallidiventris, paradoxa, pennata, phemius, picipes, piliger, plumipes, poplitea, quinquelineata, rugicollis, saniculace, schistacea, sciarina, scolopacea, simplex, spinipes, spissirostris, stigma, stigmosa, sulcata, tarsata, tenuirostris, tephraea, tibialis, tibiella, umbripennis, ungulina, variabilis, vespertilio.
- Rhamphomyza** aethiops, alata, albo-segmentata, alpina, anomalina, arctica, caudata, consobrina, dispar, fuscipennis, fraternella, fuscipennis, fuscula, griseola, hybotina, hybrida, lacteipennis, lividiventris, metatarsata, morio, nigripennis, nitida, niveipennis, obscura, oedalina, plumifera, pusilla, reflexa, rufipes, tenuicornis, tipulariata, unicolor, vesiculosa, villosa.
- Rhamphopis** melanogaster.
- Rhamphorhynchus** gemmingi, longicaudus, macronyx, muensteri.
- Rhamphostoma** gangeticus, tenuirostris.
- Rhamphosus** aculeatus.
- Rhamphus** aeneus, pulicarius.
- Rhanis** (Ar.) albiger, flavigera, nigrita.
- Rhanis** (Col.) pulchella.
- Rhaphiderus** scabrosus.
- Rhaphidia** affinis, confinis, londinensis, maculicollis, major, media, megacephala, schneideri.
- Rhaphidochir** laevis.
- Rhaphidophora** palpata, picea.
- Rhaphidosoma** burneisteri.
- Rhaphigaster** acutus, bicinctus, ehloris, grisea, liturata, marginalis, mensor, nigripes, octopunctatus, pallescens, punctipeunis, quadrimaculata, rugiventris, sparsus, torquatus.
- Rhaphiocera** impartita, ornata, spinithorax.

- Rhaphiodon** gibbus, vulpinus.
Rhaphiorhynchus planiventris.
Rhaphipodus suturalis.
Rhaphipterus chilensis.
Rhaphirhinus fasciatus, phosphoreus.
Rhaphirhynchus longimanus, nitidicollis, scobinrostris, signifer.
Rhaphitelus maculatus.
Rhaphium aculeatum, albifrons, angusticorne, appendiculatum, basale, bipartitum, biseriatum, brevicorne, caliginosum, commune, confine, consobrinum, crassipes, cupreum, denticulatum, dilatatum, discigerum, discolor, dissectum, elegantulum, ensicorne, fasciatum, fascipes, fissum, flavipalpe, fractum, hamatum, hoffmeisteri, lanceolatum, laticornis, longicorne, longiseta, macrocerum, maculicorne, metathesis, nasutum, nemorum, nigripes, obscuripes, pallidus, penicillatum, praerosum, punctatum, rufipes, scholtzi, spinicoxum, sulcipes, vitripenne, xiphias, zelleri.
Rhathymus bicolor.
Rhax melana, melas, phalangioides.
Rhea casuarius, darwini, novae-hollandiae, pennata, rhea.
Rhedia atra, bombylans, capensis, diversa, fulva, sicula, testacea, vernalis, vicina.
Rhescyntis cassandra, erythrinae, hippodamia, sylla.
Rhetus crameri.
Rheumaptera hastata.
Rhexenor annularis.
Rhexius insculptus.
Rhigelura senegalensis.
Rhigus agricola, araneiformis, assimilis, atrox, bidentatus, coelestinus, conspurcatus, dejeani, faldemanni, fischeri, gyllenhali, horridus, hypocrita, irroratus, latruncularius, mannerheimi, multipunctatus, mutillarius, myrmosarius, phaleratus, schueppeli, tribuloides.
Rhinamphus aestiva, parus, pinus, rathbonia, ruicapilla.
Rhimanphus blackburniae, castaneus, coronatus, maculus, nigrescens, pensilis, striatus, virens.
Rhina (Col.) affaber, afzelii, barbicollis, barbicornis, barbirostris, cerasi, costalis, cylindrica, ebrosa, formicaria, lineola, nigra, plagiata, pruni, scrutator, sinensis, squatinus, verrirostris.
Rhina (P.) anchylostomus.
Rhinalazon nasica.
Rhinaria angulata, argentosa, costata, cristata, excavata, granulosa, grisea, lophata, maculosa, pusio, rugosa, schoenherri, sextuberculata, transversa, variegata.
Rhinaspis (Col.) schranki.
Rhinaspis (R.) proboscideum.
Rhinaster cristata, longicaudatus, macrurus, prasinata.
Rhinastus latisternus, pertusus.
Rhinatrema bivittatum.
Rhinaulax maculipennis.
Rhincodon typus.
Rhincolus ventricosus.
Rhinecanthus amboynensis, conspicillum, lineatus, ornatissimus.
Rhinechis agassizi, ammodytes, scalaris.
Rhinedomus senticosus.
Rhinelepis aspera. *l'ide et Rinelepis.*
Rhinella albicans. *l'ide et Rinella.*
Rhinellus furcatus, nasalis, nasicus.
Rhinemys gibba, nasuta, radiolata, rufipes.
Rhinesomus concatenatus, triqueter.
Rhineta brevicornis, punctata, schotti, scotti.
Rhingia austriaca, bicolor, campestris, femorata, ferruginea, monostigma, nasica, nigra, scaevoides, testacea.
Rhinia testacea.

- Rhinichthys** marmoratus.
- Rhinobates** rueppelli.
- Rhinobatis** armatus, duhameli.
- Rhinobatus** (Col.) brevis, buccinator, carlinae, cylindrirostris, cynarae, flavescens, fringilla, jaceae, marmoreus, odontalgicus, olivieri, planifrons, pulverulentus, scolymi, sturnus, subcostatus, sulcifrons, teres, tessulatus, trivius, turbinatus, ursus, virscens, vittatus.
- Rhinobatus** (P.) anchylostomus, annulatus, banksi, blochi, bougainvillei, brevirostris, cemiculus, cirsi, columna, columnae, coronandeli, djidseus, electricus, fasciatus, granulatus, horkeli, hynnicephalus, laevis, laevissimus, ligonifer, obtusus, philippi, rhinobatus, russellianus, schlegeli, thovini, vulgaris.
- Rhinobothryum** macrorhinus.
- Rhinochrysis** asperulus.
- Rhinocephalus** planiceps.
- Rhinoceroidea** alleghaniensis.
- Rhinoceros** acrotherium, africanus, alleghaniensis, annulatus, antiquitatis, bicornis, brivatus, burchelli, camus, cucullatus, cuvieri, elatus, fossilis, goldfussi, incisivus, indicus, inermis, keitloa, ketloa, kirchbergense, leptodon, leptorhinus, lunellensis, megarhinus, mercki, minimus, minutulus, minutus, molassicus, nebraskensis, niger, orwelli, pachygnathus, palaeindicus, pallasi, perimensis, platyrhinus, plicatus, pygmaeus, schleiermacheri, sibiricus, sidero-jurassicus, sinus, sinus, sivalensis, sondaicus, steinheimense, sumatranus, sumatrensis, tapirinus, tetradactylus, ticheorhinus, tichorhinus.
- Rhinochoerus** americanus, anta, malayanus.
- Rhinoclavus** aluco, asperum, brevis, diemensis, fasciatum, lemniscatus, lineatum, morus, obeliscus, semi-granosum, subulatum, touranni, vertagus, vulgatus.
- Rhinocoeta** cornuta, obscura.
- Rhinocola** aceris, ericae.
- Rhinocrypta** lanceolata.
- Rhinocurus** araneosus.
- Rhinocyllus** antidontalgicus, brevis, depressirostris, inquilinus, latirostris, olivieri, planifrons, thaumaturgus.
- Rhinocypha** fenestrella, fulgipennis, heterostigma, infumata, rutilans, tineta, vitrella.
- Rhinoderma** darwini.
- Rhinodes** armeniaca, aterrimus, barbicornis, caliginosus, carbonarius, cerasi, creutzeri, cyanescens, erythrocerus, indigena, maura, melanocerus, niger, nigratus, olyra, phlegmaticus, pinastri, pruni, rhina, ruficornis, rufus, scutellaris, statua, violaceus.
- Rhinodipsas** maculata.
- Rhinodon** typicus.
- Rhinolaccus** formicarius.
- Rhinolithodes** wossnesenskii.
- Rhinolophus** affinis, alpinus, aurantius, bicolor, bifer, bi-hastatus, caffer, capensis, clivus, commersoni, cornutus, crumeniferus, deformis, diadema, dukhunensis, eryotis, ferrum equinum, fulgens, fumigatus, geoffroyi, gigas, griseus, hippocrepis, hipposideros, insignis, javanicus, landeri, larvatus, lepidus, luctus, macrotis, major, martini, megaphyllus, minor, mitratus, morio, murinus, nippon, nobilis, perniger, philippinensis, pusillus, pygmaeus, rouxi, rubidus, soricinus, speoris, subbadius, tragatus, tricuspidatus, tridens, trifolius, uni-hastatus, vulgaris.
- Rhinolphus** armiger.
- Rhinomacer** collaris, lepturoides, rhinomacer, umbellatorum.
- Rhinomya** (A.) lanceolata.
- Rhinomya** (Dipt.) gagatea.
- Rhinomys** jaculus.
- Rhinomyza** edentula, fusca.
- Rhinoncus** albicinctus, bruchoides, canaliculatus, castor, crassus, denticollis, flavipes, gramineus, granulipennis, grypus, guttalis, inconspicuous, interstitialis, leucostigma, paganus, pericarpus, pyrrhopus, quadricornis, quadri-tuberculatus, rufipes, sparse-setosus, spartii, subfasciatus, sulcicollis, tibialis.
- Rhinonictis** aurantius.
- Rhinophis** oxyrhynchus.

- Rhinophoca* proboscidea.
- Rhinophora* bicincta, brunnicornis, cilipennis, deceptoria, deceptricula, gagatea, hottentota, hyalinata, inornata, laeiventris, lucidiventris, metallica, nigripennis, nuda, obscuripennis, pallidicornis, pusilla, rapida, rectangularis, simplicissima, subpellucida, tessellata, tonsa, triangulata, umbratica.
- Rhinophrynus* dorsalis.
- Rhinopirus* erpeton.
- Rhinoplax* galeatus, plicatus.
- Rhinoplia* bengalensis, bottae, mutans, pallidicollis, polita, senegalensis.
- Rhinopoma* carolinensis, dubia, hardwicki, microphyllus.
- Rhinopomastes* minor, pusillus.
- Rhinopomastus* cyanomelas, smithi.
- Rhinopsis* abbotti.
- Rhinoptera* adspersa, javanica, lalandei, marginata, quadriloba.
- Rhinopus* insignis.
- Rhinosaurus* gracilis, jasykovi.
- Rhinosciurus* tupaoides.
- Rhinusia* adsclella, costella, fasciella, ferrugella, fissella, flammella, fuliginella, fulvella, inulella, juniperella, lemniscella, sequella, silacella, sordidella, sylvella, tinctella, tripunctella, ustulella, vitella.
- Rhinosimus* aeneus, coeruleocephalus, collaris, fulvirostris, nigripennis, planirostris, quadriguttatus, roboris, ruficollis, viridipennis.
- Rhinosphon* rufo-fuscum.
- Rhinostoma* coccinea, nasua, proboscidea, rufo-fusca.
- Rhinotia* dermestiventris, haemoptera, kirbyi, lyciformis, marginella, pectoralis, praeusta, similis, variegata.
- Rhinotragus* analis, anceps, dorsiger, festivus, marginatus, puniceus, rubricornis, suturalis.
- Rhinotyphlops* lalandei.
- Rhinuchus* declivis, nasulus.
- Rhinusa* acephalus, antirhini, intaminata, tricolor.
- Rhinyptia* indica, infuscata, reflexa, rostrata.
- Rhipheus* dasycephalus.
- Rhipicephalus* capensis, decoloratus, limbatus, linnei, rutilus, sanguineus, senegalensis, sculus, simus.
- Rhipicera* abdominalis, attenuata, brunnea, cyanea, druraci, femorata, femoratus, fulva, marginata, mystacina, proserpina, pumilio, reichei, vetusta.
- Rhipidia* extincta, irrorata, maculata, maior, parumpunctata, picta, propinqua.
- Rhipidocerus* australasiae.
- Rhipidogyra* daniana, flabellum, lucasiana, micheliniana, occitanica, plicata.
- Rhipidolepis* elegans.
- Rhipidophorus* ater, rubropictus.
- Rhipidura* alba, albigula, albiscapa, albofrontata, arrogans, atricapilla, aureola, auricapilla, bicolor, cantator, ceyloneusis, collaris, dryas, euryura, flabellifera, fuliginosa, fuscoventris, gularis, hypoxantha, isura, javanica, laticauda, lessoni, melanoleuca, melanura, motacilloides, nebulosa, nigritorquis, ochracea, ochrogaster, pectoralis, perlata, perspicillata, phoenicura, picata, poligenys, preissi, rubifrons, rufiventris, semicollaris, setosa, squamata, superciliosa, threnothorax.
- Rhipiphorus* affinis, apicalis, binotatus, nigrithorax, praeustus, rugipennis, sulcatus, vittatus. *Vide et Ripiphorus.*
- Rhipipteryx* ater, brullei. *Vide et Ripipteryx.*
- Rhipistoma* ellipticum, leachi.
- Rhipodomys* leucodactylus.
- Rhipozonium* lacinulatum.
- Rhisotragus* aulicus, flavescens, meridionalis, nigrescens, rubidus, torridus.
- Rhisotrogus* aequinoctialis, aestivus, ater, caspius, fervida, friwaldskii, magagnoscii, pini, ruficornis, serratus, solstitialis, subsulcatus, tartaricus, transversus, vernalis, zealandicus.
- Rhitigaster* alternipes, irrorator.

- Rhizangia** brauni, brevissima, martini.
Rhizinia curvata, oblongata.
Rhizobius bajulus, burmeisteri, carnifex, discimacula, *discolor*, evansi, helianthem, javeti, lineatellus, litura, pilosellae, pini, subterraneus, ventralis, xanthurus.
Rhizochilus antipathum.
Rhizocorallium jenense.
Rhizodus hiberni.
Rhizolitha lambda.
Rhizomys badius, castaneus, cinereus, decan, dekan, macrocephalus, minor, sinensis, splendens, sumatrensis.
Rhizophagus capito, coeruleus, humeralis, nanus, nitidulus. *Vide et Rhizophagus.*
Rhizophysa chamissonis, discoidea, filiformis, heliantha, mela, melo, mertensi, peroni, planostoma, rosacea.
Rhizoplatys cribrarius.
Rhizorus adelaides.
Rhizosolenia americana, barbata, calyptra, campana, ornithoglossa, pileolus.
Rhizostoma aculeata, aldrovande, aldrovandi, borbonica, borlasi, brachyura, brassiciflora, capillata, corona, cruciata, cuvieri, dubreuilii, forskali, leptcephalus, leptopus, loriferum, lutea, mertensi, mosaica, papon, papua, perla, perse, purpurea, rosea, theophila, tuberculifer, undulata, viridis.
Rhizoterus vacca.
Rhizothera longirostris.
Rhizotrochus typus.
Rhizotrogus amphytus, aprilius, assimilis, attenuatus, barbarus, beaticus, carduorum, cicatricosus, clypeatus, collaris, costulatus, deserticola, dispar, drakei, euphytus, fervens, flavicans, flavicornis, foveolatus, fraxinicola, gabalus, genei, gerardi, grandis, grossus, hirticollis, incertus, inflatus, intermedius, limbatipennis, lineicollis, lividigaster, longimanus, maculicollis, marginipes, metallica, monticola, numidicus, obesus, ochraceus, paganus, pallidifrons, pallidipennis, pallidus, pallipennis, rubidus, rufescens, sahlbergi, scutellaris, sedakovi, serraticollis, sicelis, signatus, subvittatus, tauricus, thoracicus, tropicus, truncatipennis, tusculus, vernus, vicinus, vitticollis.
Rhizoxenia primula, rosea, thalassantha.
Rhodactinia daevisi*.
Rhodaraea calycularis.
Rhodaria sanguinalis.
Rhodeus amarus, elongatus, indicus, latior, macrocephalus.
Rhodia pyriformis.
Rhodites centifoliae, eglanteriae, rosae.
Rhodocera cleopatra, clorinde, farinosa, gueneana, lacordairei, leachiana, lycorius, lyside, maerula, ramni, wallichi.
Rhodocrinites canaliculatus, costatus, crenatus, echinatus, granulatus, gyratus, mutabilis, quinquangularis, quinquepartitus, tortuosus, verus.
Rhodocrinus abnormis, gothlandicus.
Rhodogastria amasis, mauriti, melanthus.
Rhodona punctata.
Rhodope veranii.
Rhodophaea advenella, consociella, dubiella, epelydella, legatella, obtusella, perfluella, recurvella, rhenella, rubrotibiella, suavella, tumidella.
Rhodophysa helianthus, melo, rosacea.
Rhodosoma verecundum.
Rhodostethia rossi.
Rhodostoma coffea, fabula, nucleus.
Rhodostrophia calabraria, vibicaria.
Rhoea latreillei.
Rhogalia epigenana.
Rhogmus fimbriatus.
Rhomalea centurio, eques, gigantea, miles, tibialis.
Rhombeus serratus.

- Rhombcephalus** brevis, gambiae, parvus, politus, viridifrons.
Rhombodera atrorufa, virgata.
Rhomboides rugosus.
Rhombomys lacernatus, melanurus, meridianus, pallidus, robustus, tamaricinus.
Rhombonyx holosericea.
Rhombopalpa decempunctata.
Rhomborhina apicalis, cantori, clypeata, distincta, dives, heros, hyacinthina, japonica, mellii, microcephala, pilipes, resplendens.
Rhomborrhina clypeata, opalina, resplendens.
Rhombura oxyura.
Rhombus (G.) imperialis.
Rhombus (P.) aculeatus, argentipinnis, argus, barbatus, candidissimus, cinnamomeus, crenulatus, cristatus, cryptosus, diaphanus, fitzingeri, gesneri, grandisquama, heterophthalmus, hirtus, kirchbergensis, kleini, laevis, lentiginosus, lunatus, luteus, macropterus, maderensis, maeoticus, magnus, mancus, mangili, maximus, minimus, myriaster, nudus, ocellatus, pantherinus, parvimanus, plebeius, podas, punctatus, ramosus, rhombites, rhomboides, rhombus, scapha, setiger, soleaeformis, stellosus, theophilus, torosus, triacanthus, unimaculatus, xanthurus.
Rhonchus carangoides.
Rhondella phaenicurus, phoenicurus, rubecula.
Rhopaea verreauxi.
Rhopalea neapolitana.
Rhopalia olivieri, spinolae, vittata.
Rhopalidia maculiventris, pallens, rufithorax.
Rhopalocerca tardigrada.
Rhopalocerus setosus.
Rhopalodon mantelli, murchisoni, wangenheimi.
Rhopalogaster longicornis.
Rhopalomelus angusticollis.
Rhopalomera punctipennis, similis, vittifrons. *Vide et Ropal*→.
Rhopalophora axillaris, cupricollis, pulverulenta, resplendens, rubida, sanguinicollis. *Vide et Ropalophora*.
Rhopalophorus clavicornis, coronatus, horridus.
Rhopalostyla festiva, maxima, obscuricollis, punctata, vittata.
Rhopalum clavipes, nigrinum, pallipes, tibiale, zonatum.
Rhopalus capitatus, crassicornis, errans, hyosciami, miriformis, parumpunctatus, rufus, schillingi, tigrinus.
Rhopia mediterranea, seposita.
Rhopoterpe formicivora, gularis, guttata.
Rhostax karelini, menetriesi.
Rhy- *Vide et Ry-*.
Rhyacia birivia, lucipeta.
Rhyacionia buoliana, gemmana, hastana, hastiana, ministrana, turionana.
Rhyacophila angularis, armeniaca, articularis, atomaria, azurea, barbata, biguttata, ciliata, comata, decolorata, dorsalis, flavipes, granulata, incolor, irrorella, laevigata, laevis, lanata, lanigera, latipennis, lepida, longipennis, melas, microcephala, nebulosus, nigrocincta, obfuscata, penicillus, pubescens, setifera, stigma, tomentosa, torrentium, tristis, umbrosa, vernalis, vulgaris. *Vide et Ryacophila*.
Rhyephenes caciuss, incas, maillei.
Rhygmacera nitida.
Rhynarius austriacus, minutus, obscurus, pratensis, sylvestris.
Rhynchaea africana, alba, australis, bengalensis, capensis, hilairea, madagascariensis, maderaspataana, occidentalis, orientalis, picta, semicollaris, variegata. *Vide et Rynchaea*.
Rhynchaenus abbreviatus, abdominalis, abietus, absinthii, acanthion, acetosae, acredulus, aeneus, aesopus, aestuans, aethiops, affinis, alauda, alienatus, alismatis, alni, amoenus, amylaceus, analis, angulus, annulatus, antirrhini, apiatus, apicalis, araneus, arcuatus, argula, armeniaca, arnicollis, armiger, armillatus, artemisiae, articus, arundinis,

asellus, asperatus, asperifoliarum, aspis, assimilis, aterrimus, atomarius, atramentarius, atratulus, atratus, atriplicis, atrirostris, avarus, beccabungae, bicolor, bicornis, bidens, bifasciatus, bifrons, bigibber, biguttatus, bilineatus, bilobus, bimaculatus, binodulus, bi-notatus, bipunctatus, bispinosus, bituberculatus, blattariae, bombinus, borealis, borraginis, bovinus, brassicae, brunneus, bubo, bufo, c album, caecus, calcar, calcaratus, calidus, caliginosus, camelus, campanulae, canus, capra, capreae, caprimulgus, capucinus, carbonarius, cardui, carinatus, carpini, castor, caudatus, cerasi, cerasorum, cerastes, chamaeleon, ebamaeopsis, chinamidis, chinensis, chiragra, chloris, chrysanthemii, cinctus, cinerascens, clavipes, cocbleariae, collinus, colon, coluber, comari, concentricus, conspersus, constrictus, contractus, convexus, cornutus, coronatus, costatus, costirostris, crassus, crenatus, cruciatus, crucifer, crux, cultratus, cuprirostris, curvirostris, cyanicollis, cyanipennis, cylindrirostris, cylindrus, cynarae, dauci, decoratus, defloratus, denticulatus, dentipes, deplanus, depressicollis, depressus, destructor, deustus, didymus, dimidiatus, diocletianus, discoides, disjunctus, dissimilis, dorsalis, doryphorus, draco, druparum, dufresnei, dumetorum, duplicatus, ebenus, echii, elongatus, epilobii, equestris, equiseti, cricae, erinaceus, erysimi, erythrocheme, esuriens, evolans, excavatus, exclamationis, exiguus, fabricii, fagi, fauulus, fascicularis, fasciculatus, fasciculosus, fenestratus, ferox, festivus, festucae, fimbriatus, flavicornis, flavipes, floralis, foetidus, fragariae, fraxini, frigidus, fringilla, frit, frontalis, fulini, fusco-maculatus, gagates, gazella, gerani, germanus, gibbus, gladiator, globosus, globulus, globus, gracilis, graminis, granulatus, gravis, gulosus, guttalis, guttatus, guttula, haemorrhoeae, haemorrhoidalis, baustellatus, hebes, herculeanus, hirtulus, hortorum, hortulanus, hystrix, ilicis, inconspicuum, incurvus, indigena, intermedius, interstitialis, interstitiosus, iota, irroratus, jaceae, jamaicensis, julini, lamella, lamii, lanipes, lapathi, lateralis, laticollis, latirostris, lemnae, leopardus, leucogaster, limosus, linariae, linealecollis, lineicollis, litura, lonchbaeoides, loniceriae, lucifugus, luridus, lutosus, lutulentus, lutulosus, lysimachiae, lythri, macropus, majalis, maleficus, mangiferae, marginatus, marmoreus, medietudinis, melaleucus, melanocephalus, melarhynchus, mendicus, metallinus, miles, miliaris, mixtus, moestus, mucoreus, multiguttatus, multituberculatus, murinus, musculus, myriophylli, nanus, nasutus, nebulosus, nereis, nero, nigrirostris, nigrita, nigrifolius, nitidus, notatus, notula, nucum, obsoletus, ocellatus, ocratus, ocularis, oleus, olivaceus, onopordinis, ornatus, pacca, pallidulus, palpebra, pantherinus, parallelus, parasita, pardalis, parvulus, pascuorum, pastinacae, pavo, pectoralis, pedestris, pericarpus, pbilantibus, phlegmaticus, pbleus, piceae, picirostris, pictus, pilipes, pilosus, pinastri, pineti, pini, pinipbilus, pipa, plagiatum, plantaginis, plantaris, planulus, planus, pleuronectes, pollinarius, pollux, polygami, pomorum, porcatus, porculus, posticus, proboscideus, pruni, pseudacori, ptiuoides, pubescens, pulicarius, pumilio, punctatus, punctiger, punctulatus, punctum, pupillator, pusio, pyrrhocerae, quadricornis, quadrilineatus, quadrimaculatus, quadri-nodosus, quadrituberculatus, quadri vittatus, querceti, quercicola, quercus, quinquepunctatus, quinquetuberculatus, rana, rapbani, repandus, rhamni, rbina, rosae, rubetra, rubi, rubicundus, rubricus, rufescens, rufirostris, rugulosus, rumicis, sahlbergi, salicariae, saliceti, salicinus, salicis, salicivorus, salicorniae, sanctus, sanguinirostris, scaber, scabratus, scanicus, scirpi, sciurus, scorpio, scortillum, scropbulariae, scutellaris, segetis, semi-cylindricus, semi-rufus, seniculus, septem-tuberculatus, serratus, sexguttatus, sexmaculatus, sextuberculatus, signatus, signifer, sisymbri, smidti, solani, solieri, sordidus, spargani, sparsutus, sphaerops, spinipes, squalidus, squameus, squamifer, statua, stellio, steveni, stigma, stolidus, strepidus, striatus, strix, stultus, stygius, sub-fasciatus, subrufus, subspinosus, suillus, sulcatulus, sulcicollis, sulcirostris, suspiciosus, suturalis, syrites, T album, taeniatum, tardigradus, taurus, temporarius, tenuirostris, tessellatus, testaceus, testudo, teter, teutonius, thapsus, tigris, timidus, torquatus, tortrix, tragia, tremulae, tricinatus, tricolor, trifasciatus, trifolii, trimaculatus, trochilus, troglodytes, typhae, ulmi, ulula, umbellae, umbraculatus, unca, undulatus, unifasciatus, ursus, ustulatus, vaginalis, validirostris, validus, variabilis, varians, varicosus, variegatus, varipes, varius, velaris, velatus, venosus, venustus, verbasci, verruca, vespertilio, viciae, viduatus, villosus, viminalis, violaceus, viscaria, vorax, vulneratus, vulpeculus, ynca, zebra, zonatus. *Vide et Rhynchaenus.*

semiplicata, serrata, subacuta, subplicata, subsimilis, sulcata, tetracraedra, thalia, theodori, trilobata, variabilis, varians, vespertilio, wurtembergensis, zietenii, zignodiana.

Rhynchophorus barbirostris, bicolor, borassi, carbonarius, carinatus, cicatricosus, crustatus, cycadis, elegans, erythropterus, ferrugineus, funebris, immunis, inaequalis, interstitialis, nitidipennis, nitidulus, noxius, pascha, pertinax, phaenicis, placidus, politus, praepotens, reaumurii, rectus, rubiginus, schach, serrirostris, truncatus, venatus, vulneratus, zimnermanni.

Rhynchoprion (Ar.) americanum, collurionis, columbae, longinatum, marginatum.

Rhynchoprion (Dipt.) persicum.

Rhynchops albicollis, albirostris, brevirostris, cinerascens, orientalis.

Rhynchorhinus branchialis.

Rhynchosaurus articeps.

Rhynchoscolex simplex.

Rhynchosia longirostris.

Rhynchospira indica.

Rhynchostomis curculionoides.

Rhynchoteuthis alatus, antiquatus, asterianus, astierianus, coquandianus, dutemplei, emerici, hasta, honoratianus, larus, tuberculatus, unidentatus.

Rhynchotus fasciatus, perdix, rufescens.

Rhynch- *Vide et Rynch-*.

Rhyncholites tuberculatus, unidentatus. *Vide et Rhyncholites*.

Rhyncholus augustatus, ater, australis, brevis, brunneus, chloropus, corticalis, crassirostris, culinaris, cylindrirostris, cylindrus, elongatus, elumbis, encaustus, exiguus, ferrugineus, filiformis, hispidulus, lauri, lignarius, linearis, nitidulus, oryzae, piceus, plebejus, polixus, porcatus, praeustus, procer, pulvereus, punctatulus, puncticollis, quercicola, reflexus, schoenherri, sculpturatus, submuricatus, sulcatus, sulcistrostris, teretirostris, trivialis, troglodytes, truncorum, velutinus. *Vide et Rhyncholus*.

Rhyncops flavirostris, melanurus.

Rhynocoris annulatus, cruentus.

Rhynsimus genei, spinolae.

Rhyparia grossulariaria, melanaria, purpurea, zerah.

Rhyparochromus agrestis, antennatus, apicalis, arenarius, brevipennis, brunneus, chiragra, coleopratus, contractum, dimidiatus, echii, erraticus, flavipes, impressicollis, irroratus, luctuosus, luscus, maculipennis, marginecollis, marginepunctatus, microp-terus, nubilus, obtusus, pedestris, pineti, pini, plebeius, podagricus, pubescens, punctatus, puncticollis, pygmaeus, quadratus, rolandri, rusticus, sylvaticus, sylvestris, varius.

Rhyparophilus alternans.

Rhyparosomus horridus, inaequalis, surdus.

Rhyparus setulosus. *Vide et Ryparus*.

Rhyphus cinctus, fenestratum, fuscatus, fuscipennis, maculatus, ochraceus, priscus, punctatus, scalaris, variegatus. *Vide et Rypus*.

Rhysmotes centaureae, dipsacea, petiolatus.

Rhysodes aratus, brasiliensis, canaliculata, europaeus, exaratus, guildingi, liratus, monilis, sculptilis, strabus, sulcatus, trisulcatus.

Rhysotracheus bimaculatus, myops, quadrimaculatus.

Rhyssa amoena, approximata, clavata, curvipes, leucographa, levigata, lunator, marginalis, oblitterata, persuasoria, superba, terminalis.

Rhyssalus clavator.

Rhyssomus algericus, asper, cribrus, godarti, inaequalis, rufiper, scaber, verrucosus.

Rhyssocarpus squalidus.

Rhyssomatus aciculaticollis, bicoloratus, crispicollis, marginatus, morio, nigerrimus, novalis, patinacollis, polycoccus, rufus, semicostatus, strangulatus, strigicollis, subcostatus, vehemens, viridipes.

Rhytelminthus taeniola.

Rhythirrinus inaequalis.

Rhytia cocale, hypermnestra, materna.

- Rhyticephalus** aulacnотus, brevicornis.
Rhytideres plicatus.
Rhytiderus decempunctatus.
Rhytidophloeus albipes.
Rhytidostomus catostomus, elongatus.
Rhytiphora caprina, detrita, mista, nigrovirens, piperitia, rugicollis, tuberculata.
Rhytirhinus acerbus, anaglypticus, angusticollis, annulipes, axillaris, clitellarius, crispatus, curtus, dentatus, dilatatus, excisus, horridus, humilis, impressicollis, informis, lefebvrei, nodifrons, pilipes, quadrituberculatus, seriespinosus, setiger, sordidus, transversetuberculatus, turpis, variegatus.
Rhytis bipunctata, claviceps, coniceps, granulata, nodosa, paradoxa, proposcidea, rectangulum, salvelini, solida, tricuspidata.
Rhyxiphloea corticina.
Rhyaena capensis.
Rhyzo- *Vide et Rhizo-*.
Rhyzodes costatus, planus.
Rhyzopertha cincta, pusilla.
Rhyzophagus abbreviatus, affinis, bipustulatus, caeruleipennis, collaris, cribratus, cyanipennis, cylindricus, depressus, dimidiatus, dispar, ephippiger, erythropterus, ferrugineus, fimetarius, grandis, longicollis, minutus, paralleloecollis, parallelus, parvulus, perforatus, politus, puncticollis, punctulatus, quadripustulatus, rufus, unicolor. *Vide et Rhizophagus*.
Rhyzophorus histeroides. *Vide et Ryzophorus*.
Rhyzopora reticulata.
Rhyzospongia pictonica.
Ricania corticina, crocea, cyanescens, donovani, equestris, fasciata, fulgens, hospes, hyalina, iodiipennis, klugi, marginella, obscura, ocellata, oculata, paecilopteroides, panorpaepennis, pellucida, planipennis, reticulata, rosea, servillei, splendida, trimaculata.
Richardia laterina, podagrica, saltatoria, trivittata, unifasciata.
Ricinella dactyloides, purpurata, violacea.
Ricinula acuminata, alveolata, arachnoides, aspera, bella, calcarata, carbonaria, cavernosa, chaidea, clathrata, concatenata, concinna, contracta, crocostoma, dealbata, deformis*, digitata, echinulata, elata, elegans, elongata, fuscillum, forticostata, funiculata, heptagonalis, histrio, horrida, iostoma, lauta, mendicaria, miticula, morus, muricata, mutica, nodus, ocellata, papillosa, pisolina, porphyrostoma, pulchra, recurva, rosea, rutila, scabra, siderea, spectrum, trifasciata, turbinella, zonata.
Ricinus anseris, buteonis, caponis, ciconiae, circi, columba, corvi, cuculi, cygni, diomedae, emberiza, gruis, haematopi, hirundinis, houbarae, lacertarum*, meleagridis, mergi, motacillae, oriolis, pari, phasianis, picae, recurvirostri, sternae, strigis, tinnunculi, vulturis.
Rictularia cristata.
Rimamphus citrinus, vitrinus.
Rimator malacoptilus.
Rimella lucida, rimosa.
Rimula acuta, apiculata, blainvillei, clathrata, conica, cornucopiae, cucullata, flemingi, fragilis, galeata, minutissima, noachina.
Rimularia fragilis.
Rimulina glabra.
Rinelepis acanthicus, genibarbis, histrix, strigosa. *Vide et Rhinelepis*.
Rinella mamillaris, myrtillina, nasus. *Vide et Rhinella*.
Ringicella globulosa.
Ringicula acuta, auriculata, australis, bonelli, buccinea, caron, costata, exserta, globosa, grandinosa, incrassata, laevigata, marginata, mississippiensis, propinquans, punctilabris, pyramidalis, ringens, semistriata, striata, turgida, ventricosa.
Ringinella alpina, elementina, incrassata, inflata, lacryna, mailleana, turgida.
Rinortha chlorophaea.
Riopa albopunctata, bougainvillei, hardwicki, punctata, rueppelli.

Ripaecola *arundinacea**, *locustella*, *salicaria*.

Riparia *europaea*.

Ripidicala *cochinchinensis*, *euryura*, *flabellifera*, *javanica*, *leucogaster*, *perlata*, *phoenicura*, *pondericiana*.

Ripidius *anceps*, *megalophus*, *pectinicornis*, *pyrrholophus*.

Ripidophora *hexadactyla*.

Rhiphorus *ambiguous*, *angulatus*, *angustulus*, *apicalis*, *bicolor*, *bifasciatus*, *bipunctatus*, *collaris*, *eruentus*, *discicollis*, *dubius*, *fasciatus*, *flavicornis*, *fulvipennis*, *humeralatus*, *impressus*, *indicus*, *longipes*, *maxillosus*, *niger*, *nigricornis*, *plumatus*, *quadri-maculatus*, *quadripunctatus*, *rubidus*, *ruficollis*, *sanguinolentus*, *succinctus*, *tarsatus*, *thoracicus*, *tristis*, *uniformis*, *ventralis*. *Vide et Rhipiphorus*.

Ripipteryx *marginatus*. *Vide et Rhipipteryx*.

Risculus *molvae*.

Risella *aurata*, *lutea*, *melanostoma*.

Risophilus *atricapillus*, *brunnicollis*, *cinerea*, *nivea*.

Rissa *tridactyla*.

Rissoa *abbreviata*, *aberrans*, *abyssicola*, *acicula*, *acinus*, *acuta*, *affinis*, *alata*, *alba*, *albella*, *albida*, *anpulla*, *anatina*, *angulata*, *angusta*, *anomala*, *approxima*, *aquensis*, *arata*, *arctica*, *arenaria*, *areolata*, *aspera*, *auberiana*, *auriscalpium*, *baldacconii*, *balliae*, *barleei*, *beani*, *bidentata*, *binghami*, *biserta*, *bisulca*, *bonelli*, *boryi*, *bosci*, *braunni*, *brevis*, *brunni*, *bruguierae*, *bryerea*, *buccinalis*, *buccinoides*, *bulimoides*, *calathiscus*, *calathus*, *canaliculata*, *canariensis*, *cancellata*, *candida*, *caribaea*, *carinata*, *carinutula*, *caspia*, *castanea*, *cerithina*, *chesneli*, *cimex*, *cimicoides*, *cinerea*, *cingillata*, *cingillus*, *cingulata*, *cingulus*, *clathrata*, *communis*, *concinna*, *confinis*, *conus*, *cornea*, *coronata*, *cossurae*, *costata*, *costellata*, *costulata*, *crassicosta*, *crassistriata*, *crenulata*, *crux*, *crystallina*, *curta*, *cyclostomata*, *decorata*, *decussata*, *delicata*, *denticulata*, *deshayesiana*, *desmaresti*, *desnoyersi*, *diaphana*, *dictyophora*, *dimidiata*, *discrepans*, *disjuncta*, *distans*, *divisa*, *doliolum*, *dubia*, *dubiosa*, *duboisii*, *dupiniana*, *duplicata*, *ehrenbergi*, *elata*, *elegans*, *elongata*, *eulimoides*, *europaea*, *excavata*, *exigua*, *eximia*, *extranea*, *fallax*, *fasciata*, *fenestrata*, *fragilis*, *freminvillae*, *fulgida*, *fulva*, *fuscata*, *galvagni*, *gaulardi*, *gibsoni*, *gigantea*, *gioenia*, *glabra*, *globulus*, *gougeti*, *gracilis*, *gradata*, *granulata*, *granulum*, *graphica*, *grateloupi*, *gravitellensis*, *grossa*, *guerini*, *harveyi*, *haueri*, *hyalina*, *inca*, *incerta*, *inconspicua*, *insenghae*, *insignis*, *intermedia*, *interrupta*, *joenia*, *labiata*, *labiosa*, *lactea*, *laevigata*, *laevis*, *laevissima*, *lanciae*, *lefebvrei*, *leighi*, *liasina*, *lilacina*, *lineolata*, *listeri*, *littorea*, *liturata*, *macrostoma*, *maculata*, *mamoi*, *mandralisci*, *marginata*, *marmorata*, *matoniana*, *melanostoma*, *melanura*, *micchaudi*, *minuta*, *minutissima*, *mitreola*, *montagui*, *mucronata*, *multicostata*, *multiplicata*, *murietica*, *nana*, *nigra*, *nitida*, *obliquata*, *oblonga*, *obscura*, *obsoleta*, *obtusa*, *opalina*, *orbignyi*, *ornata*, *ovattella*, *ovulum*, *pallida*, *paludinioides*, *parva*, *parvus*, *pedicularis*, *perpusilla*, *philippii*, *pinnae*, *plica*, *plicata*, *polita*, *porifera*, *praeusta*, *princeps*, *proxima*, *pucilla*, *pulchella*, *pulcherrima*, *pulchra*, *pulla*, *pullus*, *punctata*, *punctulum*, *punctum*, *punctura*, *puncturata*, *pupoides*, *purpurea*, *pusilla*, *pygmaea*, *pyramidilla*, *quadrangula*, *radiata*, *reticulata*, *retiforma*, *rimata*, *rubra*, *rudis*, *rufa*, *rufilabrum*, *rugosula*, *rupestris*, *sabulum*, *sandvicensis*, *sarsi*, *saxatilis*, *scabra*, *scabriuscula*, *scalarella*, *scalariformis*, *scalaris*, *scalaroides*, *scrobiculata*, *sculpta*, *semicostata*, *semicostulata*, *semistriata*, *similis*, *simplex*, *sinuosa*, *solidula*, *soluta*, *souleyetana*, *sowerbyi*, *spinosa*, *spiralis*, *splendens*, *splendida*, *striata*, *striatula*, *striatus*, *stricta*, *strigata*, *striolata*, *striosa*, *subangulata*, *subcanaliculata*, *subcarinata*, *subcarinata*, *subelegans*, *submarginata*, *subrufa*, *subsolata*, *substriata*, *subsulcata*, *subulata*, *subumbilicata*, *subventricosa*, *succincta*, *sulcata*, *sulzeriana*, *supracostata*, *tenera*, *tenuis*, *tenuistriata*, *terebellum*, *terebrahis*, *tervaricosa*, *testae*, *textilis*, *tricolor*, *tridentata*, *tristriata*, *triolata*, *truncata*, *tuberculata*, *turbinata*, *turricula*, *turriculata*, *turritella*, *ulvae*, *unicarina*, *unifasciata*, *unisulca*, *ustuertensis*, *varicosa*, *ventricosa*, *ventrosa*, *venusta*, *violacea*, *virgata*, *virginea*, *vitrea*, *vittata*, *warreni*, *zetlandica*.

Rissoella *glaber*.

Rissoina *acuta*, *browniana*, *cancellata*, *catesbyana*, *clavula*, *cochlearella*, *duplicata*, *elegantissima*, *grandis*, *inca*, *incerta*, *laevis*, *obliquata*, *obtusa*, *polita*, *sagraiana*, *scalarioides*, *sloaniana*, *striato-costata*.

- Ristella** turki.
- Rivellia** bosci, herbarum, viridulaus.
- Rivicola** fontinalis.
- Rivula** sericealis.
- Rizophysa** planestoma.
- Robertina** arctica, austriaca.
- Robulina** aculeata, antiqua, ariminensis, austriaca, calcar, canariensis, clypeiformis, costata, crassa, crenata, cultrata, cummingi, depressa, discoides, echinata, ehrenbergi, gibba, haueri, imperatoria, inornata, integra, intermedia, laevigata, lenticulus, lepida, marginata, muensteri, nitida, obtusa, orbicularis, ornata, papillosa, planciana, plicata, pulchella, radiata, rosacea, rotunda, rugosa, similis, simplex, soldanii, stellifera, striolata, subcultrata, sublaevis, subnodosa, sulcata, virgata, vortex.
- Robulus** cultratus.
- Roccus** comes, striatus.
- Rochus** murchisoni.
- Rocinela** danmoniensis, deshayesiana, mediterranea.
- Rodens** armillatus.
- Rodolia** chermesina, fumida, roseipennis, rubea, ruficollis, rufopilosa.
- Roeselia** agrestis, albulana, ancipitalis, antiqua, arvensis, centonana, confusalis, cristulana, cucullatana, curvicornis, cylindrica, flavescens, flavisquamis, interrupta, lamia, magica, nigrina, silvatica, strigulana, togatulana.
- Roeslerstammia** assectella, aurocapitella, cariosella, chenopodiella, fumigatella, grautella, icetella, modestella, perlepidella, quadriguttella, scopolella, tenebrella, vesperella.
- Rogas** affinis, alternator, annulicornis, annulipes, ater, balteatus, bicolor, bifasciatus, biglumis, braconius, calenator, chlorophthalmus, circumscriptus, clavator, clavatus, collaris, compressa, coxalis, cruentus, cunctator, decorator, decrescens, dimidiatus, dissector, dorsalis, excubitor, exsertor, flaviceps, flavipes, fragilis, funestes, gasterator, geniculator, hariolator, indagator, infirmus, interstitialis, lanceolator, lanceolatus, limbator, linearis, longicaudis, lustrator, luteus, marginator, mediator, melanopterus, monilatus, mutuator, nidulator, nitidus, nobilis, oblitteratus, obscurator, ochraceus, pallidicornis, pallipes, pectoralis, picipes, praerogator, quaestor, reticulator, rubidus, rubiginosus, ruficornis, rugator, rugulosus, seriatus, signatus, similis, simplex, spathuliformis, subucola, sulcatus, tabidus, tenuis, testaceus, thoracicus, umbratilis, varius, vestigator, zygaenae.
- Rogenia** alba.
- Rohita** belangeri, brevis, buchanani, caloasi, calbosis, chagunio, chalybeata, changunio, chrysophekadion, cursis, dussumieri, duvauceli, erythrura, fimbriata, fimbriatus, gobioides, goniis, hasselti, joalius, leiorhynchos, leschenaulti, lineata, macrosomus, microcephalus, morala, moralius, muscha, nandina, reynauldi, rohita, rostellatus, rouxi, tricoides, vittata.
- Rohrella** blondeli, cognata, dorsalis, fragilis, germana, humeralis, punctata, soror, testacea.
- Rohtee** ogilbyi, pangut, tecta, vigorsi.
- Rollulus** cristatus, niger, ocellatus, oclea, roulroul, superciliosus.
- Rollus** geographus.
- Romalaeosoma** arcadius, sophron, zampa, zeuxis.
- Romalea** marci, microptera.
- Romaleosoma** cato, ceres, cyparissa, cyrna, edwardsi, eleus, eupalus, francina, ianassa, janassa, medon, parva, perseis, themis.
- Romeris** aromatica.
- Romicia** calcarata.
- Romilius** zotale.
- Rondania** cucullata.
- Ronia** catenulata.
- Ropalodontus** perforatus.
- Ropalomera** clavipes, femorata, flaviceps, maculipennis, pleuropunctata, rufipes, spinosa, stictica. *Vide et* **Rhopalomera**.
- Ropalophora** marginicollis. *Vide et* **Rhopalophora**.

Ropalopus clavipes, femoratus, insubricus.

Rophites quinquespinosus, trispinosus.

Roptrocerus eccoptogastri, xylophagoruni.

Rorqualus antarcticus, boops, borealis, musculus, rostratus.

Rosacea ceutensis, plicata.

Rosacella dicquemartiana.

Rosacilla confluens, depressa, disciformis, flabelliformis, polystoma, ~~seppulaeformis~~.

Rosalia alpina, funebris.

Rosalina affinis, ammoniformis, ammonoides, araucana, arcuata, auberi, beccarii, bertheloti, bulloides, candeiana, catesbyana, clementiana, consobrina, eora, depressa, dubia, edwardsiana, foveolata, galiciana, globigera, globularis, imperatoria, inca, isabelleana, italica, laevigata, linneiana, lorneiana, marginata, mediterranea, mediterraneensis, micropora, moniliformis, obtusa, opercularis, orbicularis, ornata, parisensis, parkinsoniana, pertusa, peruviana, poeyi, rugosa, sauleyi, semimarginata, semistriata, siennensis, simplex, soldanii, squammosa, tenerrima, valvulata, vesicularis, viennensis, vilardeboana.

Rosmarus arcticus.

Rossia dispar, glaucopsis, jacobii, macrosoma, palpebrosa, rosea, subalata.

Rostellaria acuta, acutirostris, aegion, aladraconis, alata, alpina, americana, ampla, angulata, angulosa, anserina, antiqua, aonis, arcuata, arenarium, astieriana, athleta, bicarinata, bidentata, bipinosa, boussingaulti, brevirostra, brongniartiana, buccinoides, calcarata, canaliculata, cancellata, carinata, carinella, caudata, cingulata, cirrus, coarctata, collegii, columbaria, columbata, columbina, composita, corvina, costae, costata, costellata, crassilabrum, curta, curvirostra, curvirostris*, curvirostrum, cuvieri, decussata, deluci, dentata, dentula, detrita, diffusa, divaricata, drunensis, dupuiana, elatus, elongata, emarginulata, fissus, fissura, fissurella, fittoni, fusiformis, fusus, gargasensis, gaudichaudi, geinitzi, gigantea, glabra, gracilis, granulata, grasiata, hamulus, hamus, hebli, hupei, indarum, indurata, inflata, inornata, ionica, irregularis, itieriana, labiosa, labrosa, laevigata, laevis, lamarcki, laqueata, lejeunei, lucida, macroptera, macrostoma, mailleana, margerini, marginata, maxima, megaera, megaloptera, monodactylus, moutoniana, mucronata, muleti, mutica, myurus, neckeriana, nereis, nodifera, nodosa, noueliana, obsoleta, oolithica, orbignyana, ornata, ovata, oxyptera, palliata, papilionacea, parkinsoni, pauperata, pennata, pes ardeae, pes carbonis, pesgraculi, pespelicani, phillipsi, plicata, plurimacosta, povisi, powisi, provincialis, pupaeformis, pusillus, pyrenaica, pyriformis, rectirostris, requieniana, retusa, reussi, rimosa, robinaldina, roemeri, royeriana, rubicunda, scalaris, scalata, schlotheimi, securiformis, semicarinata, semilineata, serrata, serresiana, simplex, sinensis, sinuata, solida, sowerbyi, spinigera, spirata, stenoptera, striata, subcomposita, subcostata, subelongata, submarginata, subpunctata, subsabulata, subulata, sulcatus, tenuis, tenuistria, tenuistriata, timotheana, tricostrata, tridactyla, trifida, tubercularis, turrita, unicornis, uttingerianus, varicosa, varusensis, velata, vesperilio, westphalica.

Rostellum ternatum.

Rosthramus sociabilis.

Rostratula capensis, indica, sinensis, viridis.

Rosthramus hamatus, niger.

Rotalia ammoniformis, ampla, angulata, antarctica, antillarum, areolata, argus, armata, audouini, auricula, beccarii, bisaculeata, borealis, brongniarti, bulloides, burdigalensis, caracolla, carinata, centralis, cochlea, communis, complanata, conica, consobrina, constricta, contacta, corallinarum, cordieriana, crassa, crassula, deformis, denaria, depressa, discifera, discoides, discus, dorsalis, dubia, dufresnei, egena, elegans, elliptica, erebi, fasciata, ferussaci, gaimardi, gaudichaudi, gervillei, gibbosa, glaucopsis, globulina, gommunis, grateloupi, guerini, gyroidina, impressa, inflata, intermedia, italica, jurensis, kalenbergensis, laevigatulus, laevis, lenticula, lepida, leptodiscus, limbata, mammillata, maremini, marginata, menardi, micheliniana, millepora, muensteri, nitida, nivea, northamptoni, obscura, ocellata, omphaloides, orbicularis, ornata, pandorae, papillosa, parvispira, pelagica, perforata, peruviana, pileus, pisana, planostigma, planulina, polyrrhaphes, propinqua, pulchella, punctata, punctulata, quaternaria, remora, roemeri, rosacea, rosea, saxorum, scabra, semi-marginata, siennensis,

- soldanii, *Sphaerophora*, ~~quammosa~~, stellata, stigma, subcarinata, ~~ind~~marginata, subrotunda, subtortuosa, suessionensis, sulcata, terquemi, thouini, tortuosa, trochus, turbo, turgida, umbilicata, umbilicata, umbilicus, voltzana.
- Rotalina** aculeata, affinis, akneriana, alvarezi, angulata, antillarum, badensis, baileyi, berthelotiana, boueana, canariensis, caribaea, conoidea, contexta, cordieriana, crassa, cryptomphala, cultrata, deformis, depressa, dubia, dutemplei, haidingeri, haueri, hirsuta, jurensis, kalemburgensis, lamarekiana, lenticula, marginata, micheliniana, nana, nitida, partschiana, patagonica, patella, peruviana, polyrraphes, reticulata, rotundata, sagra, scaphoidea, schreibersi, soldanii, spinimargo, truncatulinoides, umbilicata, ungeriana, voltziana.
- Rotalites** cidarollus, corticalis, denticulina, depressa, discorbula, radiatus, storillus, trochidiformis, tuberculosa.
- Rotella** aequalis, anomala, archiaciana, callosa, carinata, compressa, conica, costata, defrancei, diaphana, expansa, formosa, gigantea, glabrata, goldfussi, guamensis, heliciformis, helicinaeformis, helicoides, javanica, lenticularis, lineolata, lucida, minuta, monilifera, nana, polita, pusilla, rosea, sagittata, semi-striata, solarioides, striata, subconica, suturalis, umbellicata, vestiaria, vestrius, wurmi.
- Rotidus** cylindricus, proteus.
- Rotifer** albivestitus, brachyurus, citrinus, confervicola, crucigera, erythraeus, macrourus, quadricircularis, redivivus, tardigradus, tardus, vulgaris.
- Rotula** (Ech.) augusti, digitata, rumphii.
- Rotula** (G.) hexapora, multiloba.
- Rotularia** complanata, couloni, cristata, lituus.
- Rovetus** teamineki.
- Rox** lobata.
- Roxana** arcuana.
- Roxania** cranchi.
- Rubecola** ferrea.
- Rubecula** akahige, arborea, atrata, familiaris, flavolivacea, foliorum, komadori, pinetorum, rubecula, rufigularis, septentrionalis, tithys.
- Rubellio** fluviatilis.
- Rubetra** albi-striata, lapidaria, rubicola.
- Rubigula** aberrans, dispar, gularis.
- Rubricapilla** alnus.
- Rubula** soldanii.
- Rucervus** elaphoides.
- Rudolpha** monodon.
- Ruficilla** muralis.
- Rufipes** albicollis, picta, torquata, vulgaris.
- Rugilus** affinis, chilensis, dentatus, depressus, exiguus, fragilis, fuscus, immunis, orbiculatus, punctipennis, rufipes, similis.
- Ruma** maura.
- Rumia** crataegata.
- Rumina** decollata.
- Runa** comptoni, decemfissa.
- Runcina** hancocki.
- Rupellaria** bottari, striata.
- Rupellia** echinocephala.
- Rupicapra** americana, capella, pudu, pyrenaica, rupicapra, tragus, ysard.
- Rupicola** (A.) aurantia, elegans, rupicola, viridis.
- Rupicola** (G.) rupestris.
- Rupiscartes** alticus.
- Rupisuga** nicensis.
- Ruppellia** annulipes, semiflava, tenax, vinosa.
- Rusa** aristotelis, equina, heterocervus, jaraya, kuhli, lepida, mariannus, molluccensis, nipalensis, peroni, philippinus, sika.
- Rusina** ferruginea, tenebrosa.
- Russa** lupelaphus.

- Rusticola** europaea, grutto, javanica, migratoria, minor, sylvestris, vulgaris.
- Rusticus** aetolus, argus, calanus, cupido, guidus, hamo, minimus, minyas*, paca, vulcanus, xanthospilos.
- Rutela** aenea, aeruginosa, alliacea, alternans, amazona, analis, aulica, bicolor, biguttatus, bimaculata, bi-punctata, bi-vittatus, bracteata, brunnea, brunni-pennis, brunnipes, caesarea, capucina, castaneus, cetonioides, chloropyga, chloropyra, chrysis, cinnamomea, clavata, coerulea, convexa, corrusca, eupraea, cuprea, cyanipes, cyanitarsis, demissa, dorcyi, elongata, emarginata, emerita, fasciata, festiva, flavovittata, formosa, francisca, fucata, fulgida, fulvipennis, glabrata, glauca, gloriosa, gracilis, granulata, guadulpensis, heraldica, histeroidea, histerio, ignita, jamaicensis, lacerata, lacunosa, laeta, laugsdorffii, lanigera, lateralis, latreillei, lauta, lineatocollis, lineola, liturella, lucida, lurida, lutea, manicata, marginicollis, minuta, modesta, nitescens, oblitterata, olivacea, olivieri, ornata, picta, polita, porosa, prasina, pulchella, punctata, pustulata, retusa, rubiginosa, ruficollis, rufipes, tunica, sinuata, smaragdina, smaragdula, sordida, splendida, striata, subsulcata, sulcata, sumptuosa, surinamensis, suturalis, terminata, tetradactyla, trichioidea, tricolor, trigona, tristis, versicolor, viridi-aenea, viridis, viriditarsis, viridula, xanthospila.
- Ruticilla** albifrons, arborea, atra, atrata, aurea, caeruleocephala, cruralis, cyana, cyaneocula, erythrogaster, erythronota, frontalis, fuliginosa, gibraltariensis, grandis, hortensis, leucocephala, leucoptera, luscini, macgregoriae, melanura, nigricollis, phoenicurus, plumbea, reevesi, rubeculoides, rufiventris, schisticeps, simplex, sylvestris, titys.
- Rutidosoma** globula.
- Rutilus** angustacarinata, australasiae, decora, desvoidyi, dubia, elegans, flavipennis, formosa, fulgida, fulvipes, furcotestacea, imperialis, inornata, leonina, lepida, media, minor, oblonga, pellucens, plumicornis, regalis, rubriceps, setosa, sinuata, speciosa, splendida, testacea, urvillei, vidua, viridi nigra, vivipara.
- Rutilus** amblops, anomalous, compressus, melanurus, plargyrus, storerianus.
- Ruvettus** pretiosus. *Vide et Rovettus.*
- Ruvulus** sculptus.
- Ry-** *Vide et Rhy-*
- Ryacophila** variegata. *Vide et Rhyacophila.*
- Rygchium** annulatum, annuliferum, balteatum, crypticum, europaeum, lefebvrei, oculatum, quinquefasciatum.
- Rygnodus** modestus, pedinoides.
- Rynchaea** picta, sinensis. *Vide et Rhynchaea.*
- Rynchaenus** reide, roddamii, rubromaculatus, scapularis, setiger, tereticollis, vacca, velutinus, vetulus, viduus, vitellus, zamiae. *Vide et Rhynchaenus.*
- Rynchites** politus, rubricollis, rugosus, ursus, virescens. *Vide et Rhynchites.*
- Ryparus** desjardinsi, tomentosus. *Vide et Rhyparus.*
- Ryphus** alternatus, marginatus. *Vide et Rhyphus.*
- Rypticus** arenatus, bicolor, saponaceus.
- Ryssochiton** politus.
- Rytina** borealis, cetacea, gigas, manatus-borealis, stelleri.
- Rytinota** dardana, scabriuscula, tessulata.
- Ryzaena** capensis, coase, namagensis, suricatta, surikates, tetradactyla, typicus, zenik.
- Ryzophorus** polita. *Vide et Rhyzophorus.*

S. affinis (=Bryocoris), arcuata (=?).

Saara hardwicki.

Sabanaea cingilla, eburnea, interrupta, paucicostata, plicata, rubra, ulvae, unidentata, unifasciata, ventrosa.

Sabella aggregata, amoena, antiqua, arenaria, armiger, aspredienseis, calamis, carnea, cirrata, compressa, conchillita, coriacea, crassicornis, curta, dentaloides, denudata, diaphana, euplacana, fabricia, filialghifera, flabellata, fragilis, gelatinosa, gracilis, indica, infundibulum, josephinae, lanigera, latisetosa, lucullana, luxuriosa, magnifica, membranacea, neglecta, nodosa, octocirrata, papillosa, pavonina, penicillus,

- quadragularis, reniformis, setiformis, spallanzanii, subcylindrica, terredula, trigona, tubicola, tubiformis, tubularia, unispira, ventilabrum, vesiculosa, villosa, volutacornis.
- Sabellaria** africana, alveolata, anglica, aurata, capensis, chrysocephala, crassissima, elongata, gaimardi, incerta, longispina, lutea, magnifica, negata, reptans, rissoi, tubulosa, uncinnata, ventricosa.
- Sabellides** cristata, octocirrata.
- Sabellina** brachycera, tenuis.
- Sabethes** locuples, longipes, scintillans.
- Sabinea** (G.) ulvae.
- Saburra** cirrigera.
- Sacalius** aureus, barbarus, indicus, procyonoides, syriacus.
- Sacchiphantes** abietis.
- Saccobranthus** singio.
- Saccocoma** filiformis, pectinata, tenella.
- Saccoderes** inflata, sex-foveolatus, vesiculosa.
- Sacomys** anthophilus.
- Saccopharynx** ampullaceus.
- Saccophora** (Lep.) melsheimeri.
- Saccophora** (Med.) tilesii.
- Saccophorus** albus, borealis, bursarius, mexicanus, pineti.
- Saccopteryx** (Dipt.) fuliginosa.
- Saccopteryx** (M.) lepturus.
- Saccosoma** wagneri.
- Saccostoma** auritum.
- Saccostomus** campestris.
- Sacculina** carcini*.
- Sachana** depressa.
- Sachondrus** variolosus.
- Sachroa** alata.
- Saconites** granularis.
- Saenuris** lineata, neurosoma, variegata.
- Saerangodes** rubripennis.
- Saga** (Cr.) denticulata, mysiformis, obscura.
- Saga** (Orth.) azurea, elegans, ephippigera, indica, matoliae, ornata, serrata, vittata.
- Sagaris** cultellator.
- Sagaritis** orseis.
- Sagda** alveolata, australis, gularis.
- Sagenocrinites** expansus, giganteus.
- Sagenocrinus** expansus.
- Sagitta** bipunctata, britannica, diptera, exaptera, mediterranea, triptera.
- Sagittella** equipennis, maequipennis, tuberculata.
- Sagittula** hominis, longirostrum.
- Sagoin** midas, mortis, niger.
- Sagouin** apella, argentatus, capucinus, leucocephalus, midas, oedipus, pithecius, rosalia.
- Sagra** adonis, aenea, amethystina, bicolor, boisduvali, buqueti, carbunculus, chrysoclhora, coeruleata, cyanea, dentipes, druryi, empyrea, fabricii, femorata, formosa, fulgida, gahneri, heterodera, ignita, inda, longicollis, mærosa, nigrita, odontopus, perlucida, petenii, pygmaea, quadratocollis, senegalensis, seraphica, speciosa, splendida, superba, tridentata, urama, walworthi, weberi.
- Sagrina** pulchella, rugosa.
- Sagriva** vittata.
- Saguinus** lugens, personatus, sciureus, ursula, vidua.
- Saica** rubella.
- Saiga** tartarica.
- Saimiri** sciurea.
- Saimiris** entomophagus, ustus.
- Saiphos** equalis.
- Sairis** hians, scombroides.

Sais cyrianassa, pamelae, rosalia.

Salacia (Coel.) tetracythara.

Salacia (Cr.) tuberculosa.

Salacia (Lep.) phyllodoce.

Salamandra abdominalis, agilis, alleganiensis, atra, auriculata, becheri, bislineata, cincta, cinerea, cirrigera, coccinea, corsica, cylindracea, dorsalis, elegans, erythronota, fasciata, flavissima, funebris, fusca, genei, gigantea, glutinosa, granulosa, guttata, guttoslineata, haldemani, horrida, ignea, ingens, intermixta, jeffersoniana, lacepedei, longicauda, longicaudata, lugubris, lurida, maculata, maculoquadrata, maculosa*, maxima, melanosticta, millepunctata, naevia, nebulosa, nigra, ogygia, opaca, palmipes, perspicillata, picta, pleurodeles, porphyritica, punctatissima, quadridigitata, quadrimaculata, rubra, rubriventris, salmonea, scheuchzeri, scutata, sinciputalbidia, spalotata, subcristata, subfusca, symmetrica, talpoidea, tigrina, tridactyla, unguiculata, variegata, variolata, venenosa, venosa, vulgaris.

Salamandrache crassicaudis.

Salamandrina attenuata, perspicillata.

Salamandroides giganteus, jaegeri, subviolaceum.

Salamandrops gigantea.

Salamis anacardii, antilope, augustina, ceryne, cloantha, erythra, sabina, toreumata.

Salangana brevirostris, esculenta, fuciphaga, vestita.

Salanx cuvieri, reevesi.

Salar ausoni, bailloni, ferox, gaimardi, namagcush, schieffermulleri, scouleri, spectabilis.

Salarias alticus, atlanticus, biseriatus, castaneus, cavernosus, cyanostigma, cyclops, dama, dussumieri, fasciatus, forsteri, fraenatus, frontalis, fuscus, gibbifrons, guttatus, kingi, lineatus, marmoratus, melanocephalus, meleagris, niger, nigrovittatus, oryx, perioptthalmus, quadricornis, quadripennis, quadripinnis, rubropunctatus, ruficaudus, saliens, sebae, simus, striatus, sufejanus, textilis, unicolor, variolatus, variolosus, varus, vermiculatus, viridis, vomerius.

Salaris flaviumbrinus, rivulatus.

Salax (Col.) lacordairei.

Salda albipennis, arenicola, atra, bicolor, bullata, campestris, cincta, clavipes, coleoprata, coriacea, costalis, elegantula, erythrocephala, flaviceps, flavipes, grylloides, lateralis, littoralis, longipennis, luteipes, maculata, marginalis, nemoralis, nigra, ocellata, opacula, pallicornis, pallipes, picea, pilosa, pratensis, riparia, saltatoria, serratulae, steveri, striata, sylvestris, uliginosa, zosterae.

Salae horsfieldi, jerdoni.

Salenia anthophora, areolata, clathrata, depressa, geometrica, gibba, heliophora, hemisphaerica, hoffmanni, leucorhodon, minima, ornata, peltata, personata, petalifera, rugosa, scripta, scutiger, stellulata, studeri, trigonata, tripartita, umbrellae.

Salia (Dipt.) blondeli, bombycivora, cirrata, echinura, erythroptera, metallica, nigricornis, velox.

Salia (Lep.) minimalis, salicalis.

Salicaria affinis, aralensis, arundinacea, brunneiceps, cautans, cantillans, carex, cisticola, elaeica, galactotes, italica, languida, leucoptera, locustella, luscinioides, olivetorum, pallida, phragmitis, rufescens, salina, turdina-orientalis.

Salicornaria farcinoides, gracilis, sinuosa.

Salicorniaria fistulosa (Templeton, Mag. Nat. Hist. IX. 1836, 469 [nn., teste S.F.H.]).

Salius (Hym.) alni, bicolor, bidens, bifasciatus, calceatus, carnifex, decoratus, erythrops, femoratus, haematitius, hellmanni, humboldti, ilicis, jota, loniceriae, maculatus, populi, pratensis, quercus, ruftarsis, rusci, saliceti, salicis, sanguinolentus, schiodtei, scutellaris, sexpunctatus, stigma, unicolor.

Salius (P.) halticus.

Salmacis (Ech.) bicolor, dussumieri, globator, pepo, rarispinus, sulcatus, vandeneckei, varius, virgulatus.

Salmacis (M.) aethiopa, nemestrina.

Salminus cuvieri, hilarii, maxillosus, orbignyanus.

Salmo albus, alleganiensis, altivelis, americanus, amethystus, arabatsch, ascan autumnalis, besala, caecifer, callaris, cambricus, canadensis, cenerinus, cetti, clarki

cupreiformis, *cupreoides*, *confinis*, *coregonoides*, *cumberland*, *aurilus*, *cylindricus*, *cyprinoides*, *digitalis*, *eperianus*, *erythracus*, *erythrogaster*, *erythrorhynchus*, *faris*, *ferox*, *filamentosus*, *fluvialilis*, *fontinalis*, *fulvus*, *gadoides*, *gaedini*, *gairdneri*, *gracilis*, *harengus*, *hearni*, *icinus*, *illancken*, *immaculatus*, *japonensis*, *kysutsch*, *labradoricus*, *labrax*, *laevigatus*, *lagocephalus*, *latus*, *lemaeus*, *leucomaenis*, *lewesianus*, *lodde*, *lucidus*, *lycaodon*, *mackenzii*, *malina*, *marasena*, *melampterus*, *microps*, *microstomus*, *muikisi*, *myops*, *uasutus*, *nefasch*, *nigresceus*, *nobilis*, *nrrka*, *uummifer*, *ochiutus*, *ocla*, *ohidus*, *omiscosmaycus*, *omul*, *orientalis*, *otsego*, *pacificus*, *pallidus*, *parr*, *paucidens*, *peleot*, *pelet*, *penhshensis*, *phmoe*, *polcur*, *proteus*, *purpuratus*, *quinat*, *reidur*, *renatus*, *rilla*, *rossi*, *rostratus*, *runseha*, *rutilus*, *salar*, *sahao*, *sanguinolentus*, *scouleri*, *signifer*, *siscowet*, *siskiwit*, *socialis*, *sphyræna*, *spirinchus*, *spurius*, *striatus*, *tapdisma*, *thymalloides*, *tirus*, *trutta-salar*, *truttula*, *tschawytscha*, *tsuppitch*, *tugun*, *tullibee*, *variegatus*, *varius*, *ventricosus*, *villosa*.

Salmophasia *elongata*, *oblonga*.

Salmosaurus *lacerta*.

Salpa *affinis*, *amphoraeformis*, *antarctica*, *antheliophora*, *appendiculata*, *aspera*, *bicornis*, *biensis*, *bigibbosa*, *bipartita*, *birostrata*, *cabota*, *caerulea*, *caerulescens*, *caudata*, *cylindrica*, *clostra*, *conica*, *connata*, *cordiformis*, *cornuta*, *costata*, *cristata*, *cyanea*, *cyanogaster*, *cylindrica*, *diphyrgia*, *dolium*, *dubia*, *elephantina*, *emarginata*, *espenbergi*, *femoralis*, *ferruginea*, *filoroides*, *forskali*, *fusiformis*, *garnoti*, *gibba*, *gibbosa*, *hexagona*, *horneri*, *informis*, *infundibuliformis*, *laevis*, *lineata*, *longicauda*, *microstoma*, *monotoma*, *mucosa*, *multitentaculata*, *neapolitana*, *nephodea*, *nucleata*, *octaedra*, *octofora*, *pelagica*, *polymorpha*, *proboscidalis*, *punctata*, *pyramidalis*, *quadrangularis*, *ratkeana*, *rhomboides*, *rubrolineata*, *runcinata*, *scrofa*, *scutigera*, *septemfasciata*, *socia*, *sonata*, *spinosa*, *suborbicularis*, *thalia*, *tilerii*, *triangularis*, *tricuspidata*, *tricuspidata*, *truncata*, *vaginata*, *vivipara*, *zonaria*.

Salpina *bicarmata*, *brevispina*, *lynceus*, *mucronata*, *mutica*, *redunda*, *spinigera*, *ventralis*.

Salpinctes *mexicanus*, *obsoletus*.

Salpingia *hassalli*.

Salpingus *aeneus*, *ater*, *bicolor*, *bimaculatus*, *cursor*, *denticollis*, *foveolatus*, *humeralis*, *hybridus*, *lutratus*, *mutillatus*, *piceae*, *planrostris*, *quadriguttatus*, *quadrimaculatus*, *roboris*, *rufescens*, *ruficollis*, *viridipennis*.

Salpinx *cleusina*, *gamelia*, *nemertes*.

Salpiza *pileata*.

Salpornis *spilonota*.

Saltator *albicollis*, *atra*, *atriceps*, *atricollis*, *auranti-rostris*, *axarae*, *bicolor*, *caerulescens*, *cayanensis*, *cyanopterus*, *elegans*, *guadelupinus*, *icterophrys*, *icteropyga*, *maculatus*, *maculipectus*, *magna*, *magnoides*, *martinicensis*, *melanoleucus*, *melanopis*, *niger*, *olivaceus*, *olivascens*, *orenocensis*, *psittacinus*, *purpurascens*, *riefferi*, *rubicoides*, *rubicus*, *ruficapillus*, *rufiventris*, *similis*, *sordidus*, *striatipictus*, *validus*, *vigorssi*, *virescens*, *viridis*.

Saltella *longipes*, *nana*, *nigripes*, *sellata*.

Salticella *saltatrix*.

Salticus *abietis*, *aeneus*, *affinis*, *agilis*, *albifrons*, *albobimaculatus*, *albicinctus*, *albotrimaculatus*, *albovittatus*, *algerinus*, *angustatus*, *annulipes*, *arenarius*, *ater*, *aurantius*, *basseleti*, *berbruggeri*, *berolinensis*, *bicolor*, *bivittatus*, *blancardi*, *borealis*, *boryi*, *bovaei*, *brasiliensis*, *brasnieri*, *brevipes*, *catesbaei*, *chalybeius*, *cinctus*, *cirtanus*, *confusus*, *crux*, *cupreus*, *decorus*, *distinctus*, *doriaei*, *erraticus*, *erythrogaster*, *fallax*, *fasciatus*, *flavescentemaculatus*, *flavipalpus*, *flavipes*, *formicaeformis*, *formicarius*, *fuliginus*, *fulviventris*, *fulvopilosus*, *fulvotrilineatus*, *fulvounilineatus*, *gesticulator*, *gracilis*, *grossipes*, *guichenoti*, *guyoni*, *heterophthalmus*, *hilarulus*, *igneus*, *jucundus*, *lepidus*, *leucogramma*, *levaillanti*, *liliputianus*, *limbatus*, *littoralis*, *luctuosus*, *maculatus*, *maestus*, *mandicator*, *mauritanicus*, *melvillensis*, *meticulosus*, *monardi*, *moreleti*, *mutabilis*, *mutilloides*, *nicoleti*, *nigrifrons*, *nigripes*, *nigromaculatus*, *nitidiventris*, *nitidus*, *nivoyi*, *numidus*, *obscurus*, *oraniensis*, *paludivagus*, *pini*, *pomatius*, *propinquus*, *pubescens*, *purpuratus*, *pustulatus*, *quadripunctatus*, *quinquepartius*, *ravoislaei*, *rufifrons*, *rufolimbatus*, *rufolineatus*, *runphi*, *sanguinolenta*, *scenicus*, *scelopax*, *sloani*, *sumptuosus*, *sundevalli*, *tardigradus*, *testaceolineata*, *theisi*, *tigrinus*, *unifasciatus*, *vaillanti*, *variegatus*, *xanthogramma*.

Salvator merianae, nigropunctatus, teguixin.

Salyavata variegata.

Samaris cecropia, cristatus, cyuthia.

Samia promethea.

Sandalium aculeatum, pictum.

Sandalus brevicollis, brunneus, corarius, fuscus, goudoti, knochi, mystacinus, niger, petrophysa, rubidus.

Sandat coro, lucioperca.

Sandrus coro, lucioperca.

Sangaris concinna.

Sanguinolaria alpina, angustata, arcuata, attenuata, biradiata, californiana, carinata, compressa, defflorata, dichotoma, diphos, dorsata, elegans, elliptica, fusca, gibbosa, gracilis, hollowaysi, iridescens, laevigata, lamarcki, lamellosa, lata, lirata, livida, lusoria, maxima, neptuni, nuttalli, oblonga, obovata, obtusa, occidens, okeni, parvula, phaeolina, plicata, punctata, pusilla, pygmaea, roemerii, rosea, rotunda, rugosa, soleniformis, sordida, striata, subcarinata, sulcata, tellinaria, tellinoides, transversa, trigona, truncata, tumida, undata, undulata, ungeri, vespertina, vetusta, violacea.

Sanguinolites angustatus, arcuatus, contortus, costellatus, curtus, discors, elegans, iridinoides, liratus, plicatus, radiatus, sulcatus, transversus, tricostratus, tumidus, undatus.

Sanguisuga albipunctata, carena, chlorogaster, egyptiaca, granulosa, hypochlora, interrupta, japonica, marginata, medicinalis, meridionalis, muricata, obscura, officinale, swampina, troctina, verbaui, zeylanica.

Sannazaria pallida.

Sannionite crepitaculum.

Sanzinia madagascariensis.

Sao hirsuta, nana.

Sapajou cornutus, saimiri.

Sapajus jacchus.

Saperda absyrti, acuminata, acuta, adpersa, affinis, albicans, albicincta, albida, albilatera, albocincta, albuguttata, albomarginata, albonotata, albo-scutellata, albosignata, altaica, alternata, amicta, ampliata, angusticollis, annulata, antennata, apicalis, argentata, argus, asphodeli, atkinsoni, atomaria, attenuata, aurata, aureola, aurlenta, azurea, baccueti, baleanica, balteata, basalis, bicolor, bicuspidata, bi-dentula, bifasciatus, biguttata, bilabilis, biloba, bipunctata, bivittata, bosci, caerulea, calcarata, cana, canescens, capra, capreola, capreolus, cardui, carissima, cassandra, cava, centrolinaeata, ciliaris, clicornis, cincticornis, cinerea, cingulata, cinnamomea, cirrata, clavicornis, coerulea, collaris, compacta, conspersa, cornuta, costata, crassicornis, cretata, crinicornis, cyanella, cynarae, dahli, dasycera, decandollei, decempunctata, decora, dentipennis, depressa, deusta, dimidiata, diopbthalma, discoides, dubia, duponcheli, ecbii, elongatula, emarginata, estellae, euphorbiae, ferrea, festiva, fimbriata, flammata, flavescens, flavipes, fricator, fulvicollis, fumigata, fuscipes, gebleri, geminata, genei, gilvimana, giraffa, glauca, globulicollis, gracilicornis, gracilis, graeca, guerini, bemispila, hirsuticornis, hirsutula, hirticornis, birtimana, holosericea, humeralis, ictérica, incensa, inornata, interrupta, juglandis, juncea, juvenca, kirbyi, laeta, lanifica, lata, lefebvrei, lemniscata, leprosa, leucospila, leucospis, lichenigera, jima, lineata, lineosa, liturata, loniceræ, luctuosa, macularis, maculata, maculicornis, maculosa, mandarina, marginata, marginella, marginevittata, marmorea, melanobolica, miles, millefolii, mirabilis, modesta, moesta, molybdaena, mulfeldi, multi-guttata, multipunctata, murina, musiva, mutica, nephele, nigra, nigriceps, nigricornis, nigrifrons, nigratarsis, nigromaculata, nigrovirens, obliqua, obliquata, oblongoguttata, obscuricornis, ocellata, ochracea, octoguttata, ocellaris, oculati collis, olivacea, opbthalmica, palliata, pannonica, patruelis, paulla, pectoralis, pennicornis, perforata, pergrata, pboebe, picta, pilosicornis, poecila, praetextata, pulchella, pulchra, pullata, puncticollis, punctigera, punctum, pupillata, quadri-cornis, quadri-maculata, quadri-notata, quattuordecimmaculata, quercus, ragusana, rubescens, rubricollis, rubropunctata, ruficornis, rugicollis, scopulicornis, scovitzii, scripta, scutellata, seyoli, senegalensis, seydlia, signata, simplex, smaragdina, sobrina, solidaginis, spectabilis, spencei, spinosa, spissicornis, strigosa, subaenea, sublineata, sulphurata, tenuicornis,

terminata, testacea, tigrina, togata, tremulae, triangularis, trichocera, trigeminata, trilineata, tripunctata, trivittata, tuberculata, umbellatarum, uncinata, undata, unicolor, ustulata, vanikorensis, varicornis, varius, venusta, verbasci, verticalis, vestita, villicornis, villosa, virginea, virgula, viridicincta, vitta, vittifera, vittigera, vulpina, zschorni.

Saphaea proboscidea.

Saphanus cylindraceus, piceus, spinosus.

Saphenia balearica, bituberculatus.

Sapheosaurus thiollieri.

Sapphirina fulgens, indicator.

Saprinus aemulus, aeneus, aeratus, algericus, amoenus, antiquulus, apricius, assimilis, aterrinus, azureus, bicolor, bigener, biguttatus, bisignatus, blandus, californicus, chalcites, concinnus, conformis, conjungens, connectens, crassipes, cruciatus, cupratus, cupreus, curtus, cyaneus, decoratus, deletus, deterius, dimidiatipennis, dimidiatus, distinguendus, equestris, externus, flexuosofasciatus, fraternus, furvus, gilvicornis, granarius, immundus, imperfectus, impressus, incisus, innubus, interruptus, intricatus, laetus, lateralis, lautus, lepidus, lugens, maculatus, mancus, mauritanicus, melas, metallicus, minutus, modestus, niger, nitidulus, nitidus, oregonensis, ornatus, palmatus, patruelis, pavidus, pennsylvanicus, piceus, placidus, planiusculus, praecox, prasinus, procerulus, proximus, pseudo-cyaneus, pulchellus, pullus, punctatissimus, puncticolis, quadriguttatus, quadristriatus, rotundatus, rubripes, rufipes, rugifrons, rutilans, sabuleti, semipunctatus, sparsipunctatus, speciosus, speculifer, sphaeroides, splendens, spretulus, subattenuatus, sulcifrons, tripartitus, turcomanicus, uralensis, venustus, virescens.

Sapromyza affinis, albiceps, albitrons, ambusta, americana, amida, analia, anisodactyla, apicalis, arcuata, argus, basalis, baumhaueri, bengalensis, bicolor, biguttata, binotata, bipunctata, bipunctella, biseriata, biunbrata, blepharipteroides, brunnitarsis, chlorophthalma, chrysophthalma, citrina, conferta, consobrina, contigua, corollae, costata, decempunctata, decipiens, dichromata, dimidiata, dorsalis, dubia, duodecimpunctata, falleni, fasciata, femorella, flava, flaveola, flavipalpis, flaviventris, frontalis, fuscicornis, fuscipes, fusco-testacea, geminata, geniculata, grata, grossipes, guttulata, guyanensis, hilarella, illota, interstincta, intonsa, inusta, laeta, lebasii, levis, limbinerva, litura, longipennis, longiseta, lupulina, lutea, mactans, maculipennis, marginata, melanogaster, melanura, mellina, multipunctata, nigrimana, nigripes, notata, novempunctata, obesa, oblique punctata, obscuripennis, obsoleta, octopuncta, pallida, pallidiventris, philadelphia, placida, platycephala, plumicornis, porcaria, praecusta, punctata, puncticornis, quadrinotata, quadripunctata, quinquemaculata, resinosa, rivosia, roberti, rorida, rubescens, saltuum, scropharia, scutellata, senilis, septentrionalis, setiventris, sexmaculata, sexnotata, seppunctata, simplex, sordida, spinitarsis, suavis, subfasciata, subvittata, suillorum, tarsella, tenera, testacea, tibialis, transversa, trifasciata, trimaculata, trinotata, tubifer, umbellatarum, unguicella, unicolor, usta, ustulata, vigintipunctata, vittata, wiedemanni.

Saprophilus maxillosus.

Sapyga annulata, biguttata, centrata, cylindrica, decempunctata, decipiens, fiduciaria, maiorta, octoguttata, prisma, punctata, quadripunctata, quinquepunctata, sexcincta, sexguttata, seppunctata, similis, subulata, varia, volvulus.

Saracenia italica.

Saraglossa madagascariensis, spilopterus.

Saragus laevicollis.

Saraphia pleyfelia, sex-dentata, tridentata, unidentata, uniplicata.

Sarapus glabratus.

Sarchirus argenteus, vittatus.

Sarchophaga pygmaea.

Sarcinula angularis, archiati, astreata, astroites, auleticon, bougainvillei, chalcidea, chalcidica, concordis, conoidea, contexta, costata, divaricata, divergens, dubia, ellisi, erecta, fascicularis, faveolata, favosa, geometrica, glabra, gratissima, hexagonalis, hystrix, irregularis, laperousiana, longissima, microphthalma, mirifica, musicalis, organum, pauciradiata, perforata, phillipsi, placenta, plana, punctata, quincuncialis, quoyi, ramosa, sulcata, tuberosa.

Sarciophorus albiceps, bilobus, fuscus, pectoralis, pileatus, tricolor.

Sarcochitum polyomm.

Sarcoconus eyenhardtii, foliaceus, heptacanthus, imbricatus, triangularis.

Sarcodictyon catenata.

Sarcogyps ponticerianus.

Sarcophaga acerba, aegra, affinis, agricola, albicans, albiceps, albida, albifrons, albipennis, alpina, amata, anaces, anxia, argyrocephala, arvensis, arvorum, aspera, atriceps, atropos, auriceps, aurifrons, avida, bipunctata, brevigaster, brunnicans, caerulea, caerulescens, calida, campestris, carinaria, cayennensis, chilensis, chlorogaster, chrysostoma, circumcisa, clathrata, collinaris, comta, crassipalpis, cruentata, cubensis, depressiformis, diinidiata, dissimilis, diversimaculata, edax, erythroceras, erythrura, evonymellae, flaviceps, flavicostata, flavifrons, floralis, fuliginosa, fulvipalpis, fulvipes, fuscipalpis, genarum, georgina, gravis, grisea, haematodes, haemorrhoea, haemorrhoidalis, hemisphaerica, hirtipes, humilis, immaculata, immanis, impatiens, importuna, ingens, inoa, inops, intricaria, irrequieta, jejuna, lambens, lasiostyla, lateralis, laticornis, laticrus, latifrons, lineata, lineatocollis, longicornis, luteifrons, maculata, madagascariensis, mauritiana, melanura, misera, modesta, morio, mortuorum, musca, muscaria, nigriventris, nigro cyanea, notata, obscura, obsoleta, occidua, offuscata, opima, ortogesa, pallipalpis, parvula, phoenicurus, pigmaea, plinthopyga, praeceps, praedatrix, praedo, princeps, proerna, propinqua, pudica, pumila, pusilla, pygmaea, quadrata, quadrivittata, querula, rabida, rapax, rediviva, redux, regularis, rubella, ruficauda, ruficornis, rufipalpis, rufipes, rufiventris, ruralis, sinuata, squamigera, stimulanus, striata, sugens, surinamensis, tenuipalpis, terminalis, tertripunctata, tessellata, thornax, trigonomaculata, trivittata, unicolor, vagans, varia, varipes, vespillo, vicina, vigil, violenta, vittata, vorax.

Sarcophilus ursinus.

Sarcophinanthus papillosus, sertum.

Sarcophora nana.

Sarcophyton lobulatum, plicatum.

Sarcopsylla canis, penetrans.

Sarcopterus ruber.

Sarcoptes avicularium, bovis, cati, cynotis, dromadarii, dysenteriae, equi, exulcerans, hippopodos, hominis, museulinus, nidulans, ovis, palumbinus, passerinus, rupicaprae, scabiei, strigis, vegetans.

Sarcoptilus grandis.

Sarcoramphus californicus, condor, gryphus, papa.

Sarda sarda.

Sardinella anchovia, aurita, granigera, leiogaster, lineolata, longiceps, neohowi.

Sarea caeca.

Sarginites pygmaeus.

Sargodon tomicus.

Sargus acutirostris, affinis, alchidas, amethystinus, analis, andreas, annularis, annulipes, arenosus, argenteus, aries, armatus, ascensionis, azureus, bagosas, bicolor, bipunctatus, bispinosus, brasiliensis, caeruleicollis, capensis, cervinus, cimicoides, claviventris, coarctatus, corrigiolatus, cursitans, cuvieri, cyaneus, cylindrica, decorus, dorsalis, echemon, elongatus, ephippium, falleni, fasciatus, filiformis, flavicornis, flavipennis, flavipes, flaviventris, flavolineatus, formosus, furcifer, gemmifer, geniculatus, haterius, hirticornis, holosericeus, hoplistes, hortulanus, hottentottus, humerimaculatus, hypoleon, inermis, infuscatus, jomnitanus, jucundus, lateralis, limbatus, lineatus, longipennis, macquarti, macula, melampogon, melleus, metallinus, minimus, niger, nigrifemorata, nigripes, nitidus, noet, notatus, nubecularis, obscurus, ovicephalus, ovis, pachygaster, pallidus, pallipes, petiolatus, posticus, puntazzo, raucus, reaumuri, rhomboides, rondeleti, ruficornis, rusuccritanus, salviam, sapphirinus, sargus, sitifensis, speciosus, splendens, stamineus, sulphureus, taeniatus, tenebrifer, testaceus, thoracicus, trilineatus, trivittatus, unimaculatus, vespertilio, vetula, viridis, vulgaris, xanthopterus, xanthopus.

Sariama cristata.

Sarcovia brasiliensis.

- Sarkidiornis** africanus, melanotus, regius, sibilatrix.
Sarmaticus classicarius, sarmaticus.
Sarochalinus ater, rhinolophus.
Sarophorus tuberculata.
Saropoda bimaculata, byssina, furcata, humilis, latizona, lutulenta, sigillabris, rotundata, subglobosa, tenella, vulpina.
Sarotes regia.
Sarothrocera lowi.
Sarothrocrepis corticalis.
Sarothrus areolatus, canaliculatus, levigatus.
Sarrotrium tauricum, tuberculatum. *Vide et Sarrotrium.*
Sarrothripa ramosana, revayana.
Sarrothripus afzeliana, degenerana, dilutana, ilicana, lathamiana, punctulana, ramosana, revayanus, stonanus, stoninus, undulanus.
Sarrotrium celtis, clavicorne, crassicorne, crenulatum, hirticorne, hispidum, tereticorne. *Vide et Sarrotrium.*
Sarsia gemmifera, prolifera, pulchella, tubulosa.
Sasa cristata.
Sasia abnormis, ochracea.
Sastragala unguittata.
Sastrapada flava, subspinosa.
Saturnia acetes, affinis, agathylla, alcinoe, alinda, alopia, angasana, apollinaris, arata, argus, assama, assamensis, atlantica, baubiniæ, belina, boisduvali, carpini, cecropia, certhia, coecigena, cynthia, delegorguei, epimethea, ethra, forda, helena, hera, bersilia, iris, isabellæ, isis, janetta, katinka, laplacei, larissa, leto, lola, lucina, maja, mangiferae, martii, menippe, nimosæ, minor, mylitta, mythimnia, nebrophone, nenia, orbignyana, pandora, pavonia, pernotteti, phædusa, promethea, pyretorum, pyri, sancti pauli, silhetica, simla, sinope, smilax, spini, suraka, tau, trifenestrata, tyrrenna, vacuna, vulgaris, wahlbergi, zuleika.
Satyra (A.) cornuta, lathamii, macrolopha, melanocephalus, nepaulensis, pennanti, temmincki.
Satyra (Dipt.) unguolata.
Satyrus (A.) cornutus.
Satyrus (Lep.) abdel-kader, abeona, achanta, adolpheï, adrastus, aegeria, aello, aethiops, afra, alycone, alecto, alopi, amphitrite, andromeda, anthe, anthelia, aphidius, arachne, aranea, arcanioides, arcanus, arcesilaus, arcet*, archebates, archemor, arcous, areolatus, arete, aretbusa, arge, argenteus, argulus, autonoe, balder, baldus, banksia, bathseba, belzebub, betra, boabdil, bootes, brahminus, briseis, brixius, bryce, byses, cæcilia, cantheus, canthus, cassiope, cassius, cassus, caumas, celia, celmis, ceto, chelys, chenn, chilensis, chormæus, circe, clueria, clymene, clytus, coctei, constantia, cordula, cœmus, cyanites, dalmata, damaris, darceti, davus, dejanira, denina, dindymene, doxippe, disa, doritis, dorus, dorycus, doxes, dromus, echo, embla, epipbron, eudora, eûropa, euryale, eurythris, evias, fauna, fidia, fortunatus, funebris, galathea, galesus, gelanor, geyeri*, girondius, goante, gorge, griela, grimon, gripus, hanifer*, herilla, hermes, hermione, hero, herseis, hesione, hiera, hylata, hyperanthus, hyperbius, hyranna, hysius, ida, iphis, irius, isana, jauria, laches, lachesis, larissa, lea, leander, leila, lefebvrei, lena, leuromelas, ligea, lupinus, lydius, lyllus, lyssa, macbabeus, mæderapal, mæpius, mamurra, mandane, manpa, manto, medusa, megaera, mebadeva, melampis, melas, melusina, mermeria, merope, mineus, mnestra, moera, montrolii, mynosa, narcissus, narela, natalii, necys, neelgheriensis, neomiris, neoridas, nereis, nerine, nerina, nœpète, ocyrrhoe, oedipus, oeme, oeno, orchamus, orchus, orcus, oryx, pacarius, padina, pæon, pagyris, pamphilus, panda, parisatis, penelea, penelope, perithus, periphas, phædra, phares, pharte, pherusa, philerope, phileus, philoctetes, phronis, phrynos, piera, podarce, polydonta, prieuri, procida, psodea, psyche, quantius, rebecca, renaudia, roxelana, saadi, saraswati, shakra, scipio, semele, servatius, shiva, singa, soybus, stitius, stygne, swaha, tamatavae, tarpeius, teneates, thelphassa, thionius, toluanta, tristis, valentina, verma, virgilia, xiphia, zangis, zopyrus.
Satyrus (M.) rufus, tulpii.

- Saucerottia** atala, caligatæ, cyanogenys, erythronota, goudoti, saucerotti, typica.
- Sauloprocta** laticauda, melanoleuca, motacilloides, picata.
- Saura** colonorum, spinalis.
- Saurichthys** acuminatus, angustus, apicalis, brevicornis, conidens, costatus, inflexus, listroconus, longicornus, longidens, mougeoti, semicostatus, tenuirostris.
- Saurida** nebulosa, tombil.
- Sauridis** modestus.
- Sauripteris** taylori.
- Sauritolepis** taylori.
- Saurocephalus** inaequalis, lanciformis, monasteri, striatus, substriatus.
- Saurocercus** longicauda.
- Saurocetus** gibbesi.
- Saurodactylus** desertorum, flavipunctatus, gaudichaudi, mauritanicus, timoriensis.
- Saurodon** lanciformis, leanus.
- Sauroidichnites** abnormis, baileyi, barratti, deweyi, emmonsii, heteroclitus, jacksoni, longipes, minutans, palmatus, polemarchius, tenuissimus.
- Sauromorphus** meticulousus.
- Saurophagus** bairdi, flavus, lictor, sulphuratus, swainsoni.
- Saurophis** lacepedei, seps, tetradactylus.
- Sauropsidium** laevissimum.
- Sauropsis** (P.) intermedius, latus, longimanus, micropodius, mordax, scoticus.
- Sauropsis** (R.) erythronotus.
- Sauropus** primaevus.
- Sauorhamphus** freyeri.
- Sauorhynchus** tenuirostris.
- Saurostomus** esocinus.
- Saurothera** bottae, californiana, dominicensis, jamaicensis, marginata, merlini, vetula.
- Saurus** anolis, argyrophanes, badi, badimottah*, carinatus, coronatus, depressus, fasciatus, ferox, foetens, gracilis, griseus, intermedius, lacerta, lemniscatus, limbatus, longirostris, lucius, macrura, meleagrides, meleagris, mullii, minutus, myops, nehereus, saurus, synodus, trachinus, trivirgatus, truncatus, tumbil, undosquamis, variegatus, vulgaris.
- Sava** coronata.
- Savia** aguti, americana, paca.
- Savignella** ciliata, geoffroyi.
- Savignia** froutata.
- Savignium** laevigatum.
- Saxicava** anatina, antarctica, antiqua, arctica, australis, bilineata, blainvillei, californica, carditoides, clavis, conchotrypa, conglobata, costata, depressa, dispar, distorta, elongata, fragilis, gallicana, glabrata, grignonensis, groenlandica, guerini, legumen, margaritacea, meridionalis, miocenica, modiolina, oblonga, pectorosa, phaseolus, pholadis, planata, plicata, purpurascens, purpurea, rhomboides, rugosa, rustica, solida, striata, tenuis, turgida, ungana, vaginoides, veneriformis.
- Saxicola** albicaudata, albicoccygea, albicollis, albifrons, albiscapulata, albofasciata, amphileuca, aurantia, aurita, bicolor, bifasciata, cachinans, caprata, chrysorrhoa, cinerea, coryphaea, cranipes, cursoria, deserti, erythraea, erythropygia, eurymlaena, explorator, familiaris, ferrea, fervida, formicivora, frontalis, fruticeti, fruticola, fulcata, fumifrons, gularis, hemprichi, hottentotta, imitatrix, incomta, infusca, insignis, isabellina, iardini, leptorhyncha, leucocampter, leucomela, leucomelana, leucoptera, leucura, leucuroides, libanotica, longirostris, lugens, lugubris, macularia, media, melana, melanura, meloleuca, merula, mitrata, moesta, monacha, montana, monticola, morio, multicolor, nigra, nigrorufa, oenanthe, oenanthoides, olivea, opistholeuca, orampes, pallida, pastor, philippensis, phoenicurus, picata, pileata, pratorum, pyrrhonotus, rhodinogaster, rostrata, rubecola, rubeculoides, rubetra, rubicola, rufiventer, rufocinerea, saltator, saltatrix, saturator, semirufa, septentrionalis, sialis, sibilla, solitaria, sordida, sperata, splendens, squalida, stapazina, suecica, superciliaris, thoracica, tites, tithys, violacea, vittata, xanthomelana, xanthoprimum.
- Saxidomus** nuttalli.

Saxinis basilaris, fragilis, omogera, quadrina, saginata, sagittaria.

Sayris bimaculatus, camperi, hians, recurvirostra, rondeleti, serrata.

Scabricola crenifera, filosa, granatina, granulosa, leucostoma, scabriuscula, serpentina, terebralis, texturata.

Scacchia elliptica, inversa, ovata.

Scaea stenogyra.

Scaeva abbreviata, affinis, albirimaria, allostriata, alneti, ambigua, angustata, annularis, annulata, annulipes, arctica, arcuata, auricollis, balteata, barbifrons, bifasciatus, bilineata, cincta, cinctella, clypeata, concava, confinis, conopsea, corollae, corrusca, decora, diaphana, dimidiata, dispar, dubia, elegans, emarginata, excisa, ferruginea, festiva, flavicincta, floralis, florum, fulviventris, geminata, glauca, glauca, grossulariae, guttata, hilaris, hyalinata, immarginata, interrupta, iris, lapponica, lasiophthalma, lata, latiniana, limbata, lineola, luniger, lunulata, macularis, maculicornis, manicata, marginata, melanostoma, melissae, mellina, menthastris, musica, mutata, nectarea, nigritarsis, nigrocaeruleus, nitens, nitidicollis, nitidula, nobilis, nycthemera, obliqua, obscura, ochrostoma, octomaculata, ocymi, olitoria, peltata, podagrata, polita, pyrastris, quadratus, quadriguttata, relicta, ribesi, rosarum, rostrata, saltatrix, salviae, scalaris, scambus, sculpta, scutata, scutellaris, senilitica, sericans, sexmaculata, solitaria, staminea, subflexuosa, syrphoides, taeniata, tarsata, thymastri, topiaria, transfuga, triangulifera, tricineta, umbellatorum, undulata, unicolor, unifasciata, venusta, venustus, vittigera, volitans.

Scalaria abrupta, acicula, aciculina, aculeata, acuminata, acuta, adriatica, alata, albensis, albulda, albolineata, alernicostata, ambigua, amoena, amplicosta, annulata, antiqua, aurita, australis, babilonica, bicarinata, bicostata, bicrenata, brevis, brochii, brunella, bullata, canaliculata, cancellata, candeana, carinata, catanaensis, chilensis, clandestina, clathratulus, clathrus, communis, compacta, concinna, conica, conifera, connexa, cornigera, coronata, corrugata, costata, costato-striata, costellata, costulata, crassicostata, crassilabrum, creberrima, crenata, crenulata, crispa, curvilineata, cyclostoma, decorata, decussata, denticulata, denudata, diadema, diana, disjuncta, dubia, dupiniana, eburnea, echinaticosta, ehrenbergi, elatior, elegans, elenensis, eschrichti, essingtonensis, eximia, expansa, fasciata, ferussaci, fimbriata, fimbriosa, foliacea, foliaceicosta, francisci, friabilis, frondicula, frondosa, fusca, gastyna, gaultina, geniculata, genuina, georgettina, glabrata, gracilenta, gracilis, gradata, granulosa, greenlandica, groenlandica, gurgitis, hamulifera, hellenica, hexagona, hotessieriana, humphreysi, hyalina, immaculata, imperialis, inconspicua, indistincta, insignis, interrupta, irregularis, jomardi, kayei, lactea, laevigata, lamellosa, lanceolata, laxata, leopoliensis, ligata, limata, lineata, lineolata, lyra, maculosa, magellanica, magnifica, marmorata, maroccana, martinii, melanoidea, micropleura, microstoma, mindorensis, minuta, mitraeformis, modesta, monilifer, monocycla, mucronata, muensteri, multicostata, multilamella, multistriata, muricata, mutica, massula, neglecta, notha, novangli, obesa, obliqua, oblita, obtusa, obtusicostata, othotensis, ovalis, pachypleura, pallas, pallasi, parva, philippii, philippinarum, planicosta, planulata, plicata, plicosa, polenburgi, polita, porrecta, pretiosa, pridouxiana, principalis, procera, pseudoscalaris, pulchella, pulcherrima, pulchra, pumicea, pusilla, pygmaea, pyramidalis, quinquefasciata, raricosta, raricostata, rauliniana, repheata, reticulata, retusa, rhodani, ricordeaua, rubro-lineata, rudis, rugosa, rugulosa, rustica, scaberrima, semicostata, serrata, sessilis, sillimani, similis, spirata, statuminata, striata, striatula, subcylindrica, subdecussata, subinterrupta, subpretiosa, subpumicea, subspinosus, subtilis, subtruncata, subulata, subundosa, subundulata, subvaricosa, suturalis, tenera, tenuicostata, tenuilamella, tenuis, tenuistriata, terebralis, textorii, texturata, tilesii, torulosa, trevelyana, tricotata, trifasciata, trigintanaria, trinaeria, trochiformis, tumida, turbinata, turricula, turrita, turritellata, turtoni, turtonia, turtonis, uncinaticosta, undosa, varicosa, variegata, venosa, venusta, vestalis, vulpina, webbi, zonata.

Scalarus scalatus.

Scalenium planum, undulatum.

Scales pilosus.

Scalibregma inflatum.

- Scalicerus* *pediculus*.
Scalidion *hilaris*.
Scalis *minax*.
Scalites *angulatus*, *domanicensis*, *issodon*, *planistria*, *roemeri*, *standinensis*, *striatus*.
Scalops *aquaticus*, *argentatus*, *breweri*, *canadensis*, *cantata*, *latimans*, *pehnsylvanica*, *townsendi*.
Scalpellum *laeve*, *levis*, *magnum*, *ornatum*, *papillosum*, *siciliae*, *vulgare*.
Scambus *echinatus*, *galeatus*, *setifer*.
Scapanes *australis*, *solidus*.
Scapanus *breweri**, *townsendi*.
Scapha (Col.) *nigra*, *poecila*.
Scapha (G.) *fasciata*, *undulata*.
Scaphander *attenuata*, *bronni*, *catenatus*, *conica*, *fortisi*, *giganteus*, *librarius*, *lignarius*, *parisiensis*, *patulus*, *targionius*.
Scapharea *inaequivalvis*.
Scaphella *elongata*, *fulgetinus*, *fusiformis*, *junonia*, *maculata*, *papillaris*, *papillosa*, *stromboides*, *undulata*, *volvacia*, *zebra*.
Scaphidema *bicolor*.
Scaphidium *acuminatum*, *armadillo*, *atomarium*, *basale*, *bicolor*, *castaneum*, *concolor*, *consobrinum*, *convexum*, *deletum*, *dubium*, *fasciatum*, *ferrugineum*, *globosum*, *griseum*, *haemorrhoidalis*, *limbatum*, *mexicanum*, *nigripes*, *nigrum*, *octopunctatum*, *pardalis*, *piceum*, *punctatum*, *pusillum*, *quadriguttatum*, *quadripustulatum*, *simile*, *terminatum*, *unicolor*.
Scaphidomorphus *bitaeniatus*, *chamoeleo*, *crabronoides*, *duponcheli*, *berbsti*, *impluviatus*, *notatus*, *opalizans*, *praeustus*, *quinquepunctatus*, *undatus*, *zigaena*.
Scaphidura *atroviolaceus*, *barita*, *crassirostra*.
Scaphidurus *ater*, *niger*, *palustris*.
Scaphigenia *bubalus*, *cornuta*, *gazella*, *kollari*, *religiosa*.
Scaphinotus *elevatus*, *flammeus*, *heros*.
Scaphiodactylus *funesta*, *moesta*, *opaca*.
Scaphiodon *amir*, *capoeta*, *damascinus*, *fratercula*, *guttatus*, *macrolepis*, *maculatus*, *niger*, *peregrinorum*, *progastus*, *richardsoni*, *saadi*, *socialis*, *tinca*, *trutta*, *umbla*.
Scaphiopus *solitarius*.
Scaphiosoma *minutum*.
Scaphirhynchus *rafiniesquei*.
Scaphisoma *agaricina*, *assimile*, *convexa*, *limbatum*, *terminatum*.
Scaphites *afflictus*, *alpinus*, *bicoronatus*, *binodosus*, *bowerbanki*, *compressus*, *conradi*, *constrictus*, *costatus*, *cuvieri*, *dentatus*, *equalis*, *geinitzi*, *gigas*, *grandis*, *hillsi*, *hippocrepis*, *hugardianus*, *inflatus*, *nicolleti*, *obliquus*, *ornatissimus*, *ornatus*, *phillipsi*, *plicatellus*, *proboscideus*, *pulcherrimus*, *puzosi*, *quadrispinosus*, *refractus*, *reniformis*, *rochatianus*, *roemeri*, *solidus*, *striatus*, *tenuistriatus*, *tridens*, *trinodosus*, *trispinosus*, *uptonensis*, *yvauii*.
Scaphium *castanipes*, *immaculatum*.
Scaphodus *heteromorphus*.
Scaphophyllia *cylindrica*.
Scaphorhynchus *atriceps*, *audax*, *chrysocephalus*, *flaviceps*, *pitangua*.
Scaphorynchus *sulphuratus*.
Scaphula (G.) *patula*.
Scaphula (Hem.) *alutacea*, *centromaculata*, *flavicans*, *semiatra*.
Scaphula (L.) *celox*.
Scaphura *bicolor*, *chalybea*, *denuda*, *edwardsi*, *ferruginea*, *kirbyi*, *nitida*, *vigorsi*.
Scapites *bifurcatus*.
Scapteira *inaequalis*, *inornata*, *leiocerca*, *lineata*, *maculata*, *nebulosa*, *pulchella*, *punctulata*.
Scapteromys *tumidus*.
Scapterus *guerini*, *longicollis*.
Scaptobius *acicularis*, *caffer*, *capensis*.
Scaptocoris *amyoti*, *callidus*, *castanea*, *molginus*, *tabulatus*, *terginus*.
Scaptodera *rdhamisthus*.

Scaptomyza apicalis, graminum.

Scarabaeides deperditus.

Scarabaeus abderus, achilles, acuticollis, aeneas, aequinoctialis, affinis, aidoneus, alpinus, anaglypticus, antillarum, anubis, araneoides, arator, arbicola, arenarius, ascanius, atronaculatus, atronitidus, attaminatus, azureus, barbicorne, belangeri, bicolor, bifrons, bilituratus, bituberculatus, bombyliiformis, bonellii, bovinus, branchus, brevis, bubulus, buculus, bufo, burdigalensis, cacicus, caeruleocephalus, caminari, cancrioides, caudius, canaliculatus, capucinus, castaneus, castor, chilensis, chorinaeus, chrysomelinus, ciliaris, cili, citricola, clavatus, clinias, clypeatus, complanatus, conflagens, conjugatus, coprinus, copronymus, cordalis, cornifex, crassus, crinitus, croesus, cultor, cunctator, cuniculus, curtus, cuvieri, cyaneus, davus, degeeri, depressus, diana, digitatus, dimidiatus, donovani, dubius, dufresnei, dytiscoides, edentulus, egeriei, elatus, elongatus, emarginatus, entellus, ericetus, erythropterus, europaeus, exaratus, excavatus, excrementi, fastuosus, femoralis, femoratus, ferrugineus, fidius, fimetarius, fimosus, foedatus, fossator, fossor, fossula, foveatus, fulvus, furcatus, gagates, galenus, geminatus, gemmatus, gilvipes, glaber, gladiator, glaucus, glaucus, globosus, gloriosus, glycon, gonager, graculus, graminicola, greeni, grypus, guttulus, hector, herculeanus, hippocrates, hirtus, histeroides, hoppei, hottentottus, humanus, humeralis, ibrydus, iliricus, imbricatus, impressus, indicus, inermis, intermedius, intricatus, iulii, juba, jupiter, koprinus, laevicollis, laevis, lamarki, laticollis, latipes, linealis, lobatus, loxanus, lucidus, luniger, lutosus, lutulentus, maculosus, margo, maritimus, marmoratus, marschalli, medius, meles, mentor, meridionalis, metallinus, miarophagus, microcephalus, minor, mixtus, modestus, monachus, monodon, mormon, mucronatus, mundus, mutator, nigellus, niger, nigriceps, nigro-ciliatus, nigro-sulcatus, nitidulus, oblongus, obscurior, obscurus, obtusus, occidentalis, opacus, ornatus, ovalis, ovariensis, parvus, pauson, pearsoni, pedestris, pensvallensis, petiveri, phocus, pini, porcus, porcatus, proboscideus, pumilus, puncticollis, punctulatus, punctulus, purpurascens, pustulosus, pygmaeus, pyrenaicus, quadridecemmaculatus, quadridens, quadrifoveatus, quadrutuberculatus, relictus, reticulatus, rhododactylus, richi, rubicollis, rufescens, ruficrus, rugulosus, ruficola, salicis, sanctus, sanguinolentus, savignyi, sericeus, serratulae, spencei, spilotus, spiniger, splendens, squalens, stercoratus, stercorosus, striatulus, strigatus, strigosus, sturmi, subinermis, substriatus, sulcicollis, sutura, tauricus, tessellatus, theseus, thestius, thoas, thoracicus, titornis, titus, tricornis, tridentatus, trispinosus, tristis, truncatus, tuberculatus, tumefactus, tumidus, tumulosus, turpis, umbrosus, unguicularis, unicolor, uniformis, varius, verticornis, vittatus, volvens, xanthomela, zebra.

Scarabus abbreviatus, castaneus, cecilli, clausus, costulatus, cumingianus, fusiformis, imbricum, labrosus, lekithostoma, myotis, petiverianus, plicatus, pollex, pyramidatus, striatus, triangularis, trigonus, undatus.

Scaradon fasciatus, punctatus.

Scarcina argyrea, imperialis, punctata, quadrimaculata.

Scardia aereella, auranciella, aurentiella, butelinella, boletella, casanella, mediella, parastella, picarella, subquadrimaculella.

Scardinius dergle, erythrophthalmus, heegeri, hesperidus, homospondylus, plotizza, rubilio, scardafa.

Scaridium longicaudum.

Scariphaeus luridipennis.

Scaris ferruginea, punctata.

Scarites abbreviatus, aeneus, affinis, alternans, angustus, anthracinus, arenarius, asphal-tinus, attenuatus, auriculatus, bacchus, barbarus, beckwithi, bengalensis, bipustulatus, brevicornis, brunneus, bucerdo, bucida, caffer, capicola, carinatus, cayennensis, cephalotes, chinensis, collaris, collinus, corrugatus, corvinus, costatus, crenulatus, cribripennis, cylindricus, cylindrinotus, denticollis, depressus, dimidiatus, distinctus, doguerai, fleggeri, elongatus, emarginatus, ephialtes, ephialtus, eurytus, exaratus, exasperatus, excavatus, exulptus, feisthameli, fischeri, fladermanni, gagates, gaga-tinus, georgiae, gervon, glaberrimus, glabratus, globosus, globulus, glypticus, goudoti, grandis, guineensis, herbsti, heros, hespericus, heterogrammus, hope, impressicollis, impressus, intermedius, interruptus, laordairei, laetus, laevicollis, laevigatus, laevis,

languidus, lateralis, lenaeus, levaillanti, linearis, lignatus, lusitanicus, macleayi, madagascariensis, magellanicus, mancus, melaniarius, molopinus, morio, natalensis, nigrilus, nitidus, oblongus, octoguttatus, oetopunctatus, orientalis, otus, ovipennis, parallelus, parvus, patruelis, perplexus, persicus, peruvianus, piceus, picicornis, planatus, planus, platynotus, politus, polyphemus, procerus, punctato-striatus, punctum, pyracmon, quadratus, quadriceps, quadricollis, quadrimaculatus, quadri-punctatus, reticulatus, rotundipennis, ruficornis, rugiceps, rugicollis, rugosus, sabuleti, salinus, savagei, saxicola, schroetteri, sculptilis, scutosus, selene, semicircularis, senegalensis, seriepunctatus, sexpunctatus, silenus, striatus, sturui, subcylindricus, subdepressus, sublaevis, substriatus, subsulcatus, subterraneus, subterreus, sylvestris, tauricus, tenebricosus, terricola, thelouensis, trilineatus, troglodytes, unicolor, uni-punctatus, vicinus, viridis, volgensis.

Scarphia directa.

Scartelaos calliurus, chrysophthalmus, viridis.

Scartes murinus.

Scarus abildgaardi, acroptilus, aeruginosus, alternans, amplus, arcuatus, auritus, auro-frenatus, baliensis, bennetti, bicolor, blochi, bottae, bowdichi, caeruleus, caeruleus, capistratoides, capistratus, capitaneus, catesbyi, chadri, chloris, chlorodon, chryso-pomus, chrysopterus, coccineus, coelestinus, coeruleo-punctatus, coeruleus, collana, cretensis, creticus, cruentatus, cyanescens, cyanognathos, cyanurus, denticulatus, diadema, dubius, dussumieri, enneacanthus, erythron, fasciatus, festivus, flavescens, flavomarginatus, formosus, forskaeli, forsteri, frenatus, frondosus, frontalis, georgii, gibbus, globiceps, guacamaia, guttatus, hertit, kakatoe, lacerta, latus, lepidus, limbatus, longiceps, loro, lunulatus, maculosus, magrathi, mastax, mentalis, mertensi, micro-gnathos, muricatus, mutabilis, naevius, nigricans, nuchipunctatus, ocellatus, oviceps, ovifrons, pectoralis, pepo, prasiognathus, pulchellus, pullus, punctulatus, purpuratus, pyrostethus, quadrispinosus, quinquefasciatus, quoyi, radians, rivulatoides, roseiceps, rostratus, rubiginosus, rubripinnis, rubronotatus, rubroviolaceus, rueppeli, russeli, scaber, scabriusculus, sexvittatus, sculus, sidjan, spilurus, spinideus, striatus, sumbawensis, taeniopterus, taeniurus, tricolor, trilobatus, trispinosus, turchesius, vaigiensis, variegatus, venosus, vetula, virens, viridescens.

Scatella aestuans, buccata, cinerea, comata, despecta, laeustris, leucostoma, lutosa, noctule, paludum, quadrata, quadriguttata, sibilans, sorbillans.

Scatharus graecus.

Scathops latrinarum.

Scatimus cucullatus.

Scatina claripennis.

Scatomyza affinis, antennata, argus, borealis, frontata, fucorum, fuscinervis, glabrata, griseola, heteromyzina, inquinata, litorea, lutaria, maculipes, muscaeformis, muscaria, muscina, scybalaria, signata, spurca, squalida, stercoraria, suilla, villipes.

Scatonomus barbatus, chalybeus, fasciculatus, myrmidon, smaragdinus, viridis.

Scatophaga albis, analis, apicalis, arrogans, atra, audouini, bicolor, bipunctata, bispinosa, buccata, calida, capensis, carolinensis, chaerophylli, ciucta, cineraria, cinerea, claripennis, contigua, cornuta, crassipennis, cucularia, decipiens, diadema, ephippium, eximia, exotica, fasciata, flavipennis, flexuosa, formosa, fucorum, furcata, fuscinervis, gemmata, gracilis, graminum, griseola, holosericea, hottentotta, humeralis, humilis, incisa, inquinata, intermedia, lateralis, latipalpis, lefebvrei, limbata, litorea, lobata, lutaria, macilentia, marginata, marina, maritima, marmorea, merdaria, merdivora, morio, nemorosa, nigra, nigricans, nigricornis, nigripennis, oblitterata, oceana, ochrocephala, onopordinis, ostiorum, pallida, pallipes, parisiensis, pectoralis, porcaria, pubescens, punctata, reticulata, rosae, rudis, rufa, ruficeps, rufifrons, rufipes, scropharia, scybalaria, serotina, signata, soror, spurca, squalida, stercoraria, stictica, suilla, tessellata, thoracica, trimaculata, umbrarum, unilineata, urticae, villipes, zamel.

Scatophagus argus, bougainvillei, fasciatus, frontalis, multifasciatus, ornatus, pur-purascens.

Scatophora carolinensis, merdaria.

Scatops dubius, latrinarum, leucopezus, niger, rufa, vernalis.

- Scatopse** albipennis, albitarsis, atrata, brevicornis, clavipes, femoralis, flavicollis, flavipes, flavitarsis, fulvitarsis, fuscinervis, fuscipes, geniculata, glabra, halterata, infumata, maculata, major, minuta, nectaria, nigripennis, nitens, notata, obscura, ochracea, picea, picipes, pulicaris, punctata, pusilla, recurva, reptans, scutellata, soluta, transversalis, tristis.
- Scaurus** aegyptiacus, barbarus, calcaratus, carinatus, distinctus, dubius, elegans, gigas, gracilis, hespericus, miliaris, perlatus, pinella, porcatus, punctatostratus, puncticollis, sancti-amandi, scabridus, varvasi, vicinus, viennensis.
- Scelaenopla** angusticostata.
- Sceleocantha** glabricollis, pilosicollis.
- Sceliages** hippas, iopas.
- Scelidotherium** bucklandi, leptocephalum, oweni.
- Scelio** acta, ater, clavicornis, duris, gobar, longicornis, ruficornis, rugosulus.
- Sceliphron** cyaneum, fuscum, lunatum, madraspatana, spirifer.
- Scelodonta** curculionoides.
- Scelodromus** knoxi.
- Sceloenopla** spinipes.
- Scelophysa** militaris, pruinosa.
- Sceloporus** aeneus, formosus, grammicus, horridus, microlepidotus, pleurostictus, scalaris, spinosus, torquatus, undulatus, variabilis.
- Scelosodis** castaneus.
- Scelospiza** francesi.
- Scelotes** anguineus, bipes, linnaei.
- Scelotrema** crassicaudatum, formosum.
- Scenopimus** ater, domesticus, femoratus, fenestralis, furcinervis, glabrifrons, halteratus, niger, nigripes, orbita, pallipes, ruhtarsis, rugosus, scutellatus, sepilis, sulcicollis, vitripennis, zelleri.
- Scepsis** nivalis.
- Schaefferella** litigiosa.
- Schaenichus** australis, chinensis, minuta, minutilla, pectoralis, pusillus, schinzi, temmincki. *Vide et Schoenichus.*
- Schaenicola** intermedia, pyrroluloides.
- Schedophilus** medusophagus.
- Schematiza** axillaris, dimidiata, flavifasciata, frenata, lycoides.
- Schidax** spatularia, squammularia, squammularia, venetaria.
- Schidonychus** brasiliensis.
- Schiffermuelleria** procerella, schaefferella, schrankella.
- Schilbe** auratus, boalis, garua, basselquisti, intermedius, isidori, mystus, pabo, scharuf, senegalensis, uraniscopus, vulgaris.
- Schillee** sykesi.
- Schilus** pallasi.
- Schimatocheilus** leprieuri.
- Schinia** bifascia, grahlenta, obtusangulus, trifascia.
- Schismaderma** lateralis.
- Schistocephalus** dimorphus.
- Schistostege** dealbata, decussata, exalbata, nubilata.
- Schistura** aculeata, balgaa, dario, geta, grandis, montana, punctata, rupecula, savona, scaturigina, subfusca, zonata.
- Schisturus** cyclopterus, cyprinaceus, gobiinus, lota, molae, paradoxus, pectoralis, salmoneus.
- Schizaspidia** funaria.
- Schizaster** acuminatus, aequissus, agassizi, ambulacrum, atropos, bellardi, borsoni, canaliferus, cerasus, cersinus, cubensis, cultratus, diulfensis, eurynotus, foveatus, fragilis, gener, globulus, goldfussi, graecus, grateloupi, incertus, intermedius, latus, obliquatus, ovatus, parkinsoni, raulini, rimosus, scillae, stellatus, studeri, subincurvatus, verticalis, vicinialis.
- Schizhoris** zonurus.
- Schizia** servillei.

- Schizocephala** *basornis*, *chalybea*, *oculata*, *stricta*.
Schizocera *hyaloptera*, *inaequalis*, *obscura*, *palipes*, *xanthoptera*.
Schizocerus *furcatus*, *nasicornis*, *ochrostigma*, *peleteri*.
Schizocheilus *brasilienis*.
Schizochelus *bicoloripes*, *flavescens*.
Schizochiton *lucisus*.
Schizocrinus *nodosus*, *spina*, *striatus*.
Schizodactylus *moustrousus*.
Schizodon (M.) *fuscus*.
Schizodon (P.) *fasciatus*.
Schizodus *devonicus*, *rossicus*, *rotundatus*, *schlotheimi*, *sulcatus*, *truncatus*.
Schizogenius *canaliculatus*, *ferrugineus*, *gracilis*, *impressicollis*, *strigicollis*, *sulcatulus*, *sulcifrons*, *tristriatus*, *xanthopus*.
Schizognathus *macleayi*, *nigripennis*.
Schizoloma *amictum*.
Schizoneura *corni*, *costata*, *lanigera*, *lanuginosa*, *reanuri*, *tremulae*, *ulmi*.
Schizonicha *cervina*.
Schizonycha *abyssinica*, *brevicollis*, *cribrata*, *elongata*, *fuscescens*, *henningi*, *heudeloti*, *nilotica*, *vicina*, *xanthodera*.
Schizophrys *serratus*, *spiniger*.
Schizopyga *analis*, *minuta*, *podagrica*, *tricinctulata*.
Schizopyge *curvifrons*, *longipennis*, *nasus*, *niger*, *plagiostomus*, *sinuatus*.
Schizorhina *atropunctata*, *bassi*, *besti*, *guerini*, *obliquata*, *philipsi*, *plumigera*, *princeps*, *rugosulcata*, *succinea*, *thoreyi*. *Vide et Schizorrhina, Schizzorrhina*.
Schizorhis *africana*, *concolor*, *leucogaster*, *personata*, *zonarius*.
Schizorrhina *palmata*, *philipsi*, *rugosa*. *Vide et Schizorrhina, Schizzorrhina*.
Schizostoma *antitorquata*, *babylonicum*, *bistriata*, *buchi*, *buddi*, *catillus*, *clathratum*, *constrictum*, *contraria*, *costata*, *curta*, *cylindracea*, *delphinuloides*, *dentata*, *excisa*, *fasciatum*, *funiculatum*, *gracilis*, *increscens*, *laciniatum*, *latifasciatus*, *marginata*, *pagoda*, *puzosi*, *radians*, *radiata*, *serrata*, *striatellum*, *subcostatum*, *taeniatum*, *tricincta*, *vittatum*.
Schizostomum *productum*.
Schizothorax *barbatus*, *curvifrons*, *edeniana*, *esocinus*, *huegeli*, *intermedius*, *longipennis*, *micropogon*, *nasus*, *niger*, *plagiostomus*, *planifrons*, *ritchiana*, *sinuatus*.
Schizotreta *elliptica*.
Schizotus *cervicalis*.
Schizo→ *Vide et Schyzo*→.
Schizura (A.) *maluroides*.
Schizura (Lep.) *ipomaeae*.
Schizzorrhina *xanthopyga*. *Vide et Schizorrhina, Schizzorrhina*.
Schlotheimia *antiquata*.
Schoeniclus *albescens*, *arundinaceus*, *emclus*, *magnus*, *subarquata*. *Vide et Schaeniclus*.
Schoenicola *platyura*.
Schoenicera *sexnotata*.
Schoenis *artemis*, *cinxia*.
Schoenobates *walkeri*.
Schoenobrus *forficellus*, *gigantellus*, *mucronatus*, *mucronellus*.
Schoinobates *leucogenys*.
Schrankia *taeniatus*, *turfosalis*.
Schreckensteinia *festaliella*.
Schyzocera *axillaris*, *peleteri*.
Schyzognathus *prasinus*.
Schyzops *aegyptiaca*.
Schyzorrhina *gymnopleura*, *insularis*, *variolosa*. *Vide et Schizorrhina, etc.*
Schyzo→ *Vide et Schizo*→.
Sciadion *furvata*.
Scidocephalus *megalodiscus*.

Sciaena *adusta*, *aquila*, *argentata*, *argentea**, *argyrea*, *aurata*, *auratus*, *boops*, *caprodes*, *chimonis*, *chromis*, *ciliaris*, *ciliata*, *corboasprensis*, *crocea*, *croker*, *cultrata*, *dux*, *elongata*, *figaro*, *fimbriata*, *formosa*, *fusca*, *gadoides**, *gibbosa*, *gigas*, *grisea*, *guttata*, *gymnodon*, *heptacantha*, *hololepidota*, *imberbis*, *japonica*, *lucida*, *macroptera*, *maculata*, *malabarica*, *melanura*, *miles*, *mulg*, *multifasciata*, *nebulosa*, *nobilis*, *opercularis*, *oscula*, *pama*, *pentadactyla*, *rubella*, *saxatilis*, *smirnensis*, *squamipennis*, *squamosissima*, *trutta*, *vittata*.

Sciaenurus *bowerbanki*, *crassior*.

Sciaphila *abrasana*, *achatana*, *agrestana*, *albulana*, *alpicolana*, *asperana*, *canescana*, *cerusana*, *cinctana*, *communana*, *cretacea*, *crysanthæana*, *cupbana*, *diversana*, *duplana*, *fasciolana*, *festivana*, *fragosiana*, *frutetana*, *fuligana*, *bistrionana*, *borridana*, *hybridana*, *incertana*, *inundana*, *literana*, *loewiana*, *mendiculana*, *modestana*, *musculana*, *naevana*, *nitidicollis*, *nubilana*, *peiziana*, *pumicana*, *quadrana*, *rosaceana*, *rugosana*, *segetana*, *stephensiana*, *stramentana*, *striana*, *styriacana*, *subjectana*, *sylvana*, *terreana*, *virgureana*, *wahlbomiana*.

Sciaphilus *afflatus*, *asperatus*, *auratus*, *barbatulus*, *bellus*, *carinula*, *birtipennis*, *hispidus*, *latiscrobes*, *meridionalis*, *muricatus*, *ningnidus*, *oblongus*, *pusillus*, *scitulus*, *setiferus*, *setobulus*, *smaragdinus*, *viridis*.

Sciapila *diuræana*.

Sciapteryx *costalis*.

Sciapus *contristans*, *lobipes*, *nervosus*, *tipularius*.

Sciara *abbreviata*, *abdominalis*, *acuminata*, *affinis*, *americana*, *annulata*, *aprilina*, *atra*, *atrata*, *bicolor*, *bilineata*, *bimaculata*, *bore*, *brevipennis*, *brunnipes*, *carbonaria*, *caudata*, *cincta*, *cognata*, *compressa*, *costalis*, *costata*, *dimidiata*, *distincta*, *exigua*, *exilis*, *fasciata*, *femorata*, *fenestralis*, *fenestrata*, *flavipes*, *florilega*, *fraterna*, *fucata*, *fulviventris*, *fuscata*, *fuscipennis*, *fuscipes*, *gigantea*, *glabra*, *gracilis*, *birtella*, *birticornis*, *birtipennis*, *hyalipennis*, *ingenua*, *iridipennis*, *lateralis*, *leucophaea*, *lineata*, *longicornis*, *longipes*, *lunata*, *lurida*, *lutea*, *maculata*, *melanocephala*, *minima*, *minutula*, *modesta*, *monio*, *memoralis*, *nervosa*, *nigra*, *nigricornis*, *nigripes*, *nigrita*, *nigropicea*, *pallida*, *pallipes*, *pectoralis*, *perpusilla*, *picipes*, *pilosa*, *polita*, *praecipua*, *praecox*, *prisca*, *propinqua*, *pruinosa*, *pulicaria*, *punctata*, *pusilla*, *quinquelineata*, *robusta*, *rotundipennis*, *rufa*, *rufoanda*, *rubicollis*, *scatopsoides*, *scutellata*, *segetum*, *sericata*, *sylvatica*, *sordida*, *striata*, *strigata*, *subterranea*, *testacea*, *thomae*, *thoracica*, *tipularis*, *trivittata*, *unicolor*, *variabilis*, *venosa*, *viridipes*, *vitripennis*, *vittata*.

Sciatheras *trichotus*.

Scilliodus *antiquus*.

Scimbalium *anale*, *planicolle*, *testaceum*.

Scina *ensicorne*.

Scinacodes *nasus*.

Scinax *aurata*, *bipunctata*, *variolosa*.

Scincoides *ocellatus*.

Scincus *aeneus*, *agilis*, *algira*, *aterrimus*, *atrocostatus*, *aurata*, *azureus*, *bicolor*, *bilineatus*, *bistriatus*, *bivittatus*, *bojeri*, *boutoni*, *brachypus*, *brougainvillei*, *caesius*, *carinatus*, *cepedei*, *compressicauda*, *croizeti*, *crotaphomelos*, *cruentatus*, *cyanogaster*, *cyanurus*, *cyprus*, *decemlineatus*, *de la sagra*, *duarria*, *dumerli*, *erythrocephalus*, *fossor*, *gallivasp*, *gigas*, *harbai*, *bemprichi*, *bomolocephalus*, *interpunctata*, *jomardi*, *lateralis*, *laticeps*, *mabouya*, *melanurus*, *moniliger*, *monotropis*, *muelleri*, *multifasciatus*, *multilineatus*, *multiseriatus*, *nicitensis*, *nigro-coeruleus*, *nigro-luteus*, *nigropunctatus*, *niteticus*, *noctuae*, *ocellatus*, *ocraceopunctus*, *octolineatus*, *oualaniensis*, *pannonicus*, *pavimentatus*, *punctatus*, *quadrilineatus*, *quinquelineatus*, *quinquetaeniatus*, *rufescens*, *rutilus*, *sanctus*, *savignyi*, *schneideri*, *scincoides*, *sepiiformis*, *sepsoides*, *sloanei*, *smaragdinus*, *taeniolatus*, *telfairi*, *tiligugu*, *tirus*, *trilineatus*, *tristatus*, *trivittatus*, *tropisurus*, *tuberculatus*, *undecimstriatus*, *unicolor*, *variegatus*, *ventralis*, *viridipunctus*, *vittatus*, *whitei*. *Vide et* **Sincus**.

Sciobia *peduncularis*, *quadrangularis*, *spinosa*.

Sciobius *aciulatifrons*, *bistrigicollis*, *cinctus*, *deplanatus*, *granipennis*, *griseus*, *impressicollis*, *lateralis*, *muricatus*, *porcatus*, *pullus*, *scapularis*, *squamulosus*, *tottus*, *varius*, *wahlbergi*.

Sciocoris aradiformis, arenicola, capensis, complanatus, conspurcatus, cribrosus, europaeus, leucogrammus, longulus, luctuosus, marginatus, mundus, orbicularis, paleaceus, pallens, planus, tenebrosus, terrulentus, unbraculatus, umbrina, ventralis.

Sciodromia immaculata.

Sciodus lacteus.

Sciomyza acuticornis, affinis, albiceps, albitarsis, albo-costata, analis, annulipes, atriseta, austera, bicolor, brevipennis, brunnipennis, brunnipes, bucephala, cinctipes, cinerella, concentrica, coxata, defecta, dorsata, dryomyzina, dubia, fascialis, fasciata, flaviceps, fulvipennis, funipennis, fuscinervis, fuscipennis, fuscipes, glabricula, griseola, grisescens, limbata, limbipennis, melanaspis, monilis, nana, nasuta, nigrimana, nigripalpus, nigripennis, notata, obliqua, obscura, obsoleta, obtusa, orientalis, pallida, pallidiventris, picta, plumbella, pusilla, reticulata, reversa, rufa, ruficeps, rufiventris, schoenherri, simplex, striata, testacea, thoracica, ventralis, virgata.

Scione incompleta.

Sciophila affinis, annulata, anomala, antarctica, bifasciata, cinerascens*, cingulata, circumdata, collaris, defossa, dilatata, elegans, fasciata, fenestella, ferruginea, fimbriata, fulva, fusca, geniculata, grisea, halterata, hirta, hirticollis, hyalinata, incisurata, lineata, lineola, littoralis, lutea, maculata, marginata, melanocephala, nigra, nigriventris, notabilis, obliqua, ochracea, ornata, pallipes, pictipennis, pilosa, pilosula, punctata, rufa, stratana, striata, subincana, sylvatica, tenera, tergemina, thoracica, trilineata, trivittata, unimaculata, univittata, vetusta, vitripennis.

Sciopterus flavipes.

Scirpearia cylindrica.

Scirpophaga phantasmella.

Scirtes adpersus, bremeri, compressicornis, depressus, fasciatellus, fasciatus, hemisphaerica, lividus, orbicularis, orbiculatus, pallens, pallescens, pictus, praeustus, saltator, senegalensis, subulalis, tibialis, variegatus. *Vide et Scyrtes.*

Scirtetes acotion, arundinis, aulacotis, balticus, decumanus, elater, jaculus, platyurus, spiculum, tetradactylus, vexillarius.

Scirus elaphus, hexophthalmus, latirostris, longirostris, obisium, paludicola, sagax, setirostris, stabulicola, vulgaris.

Scissirostrum pagei.

Scissodesma nitida, spengleri.

Scissurella angulata, aspera, bertheloti, conica, costata, crispata, decussata, elegans, laevigata, montforti, orbignyi, plicata, striatula.

Scitala languida, sericans.

Sciuroptera fimbriata, turnbulli.

Sciuropterus alboniger, americanus, baberi, chrysotrix, fuscocapillus, horsfieldi, layardi, magnificus, momoga, nobilis, pearsoni, sabrinus, sagitta, senex, sibiricus, spadiceus, villosus, volans, volucella.

Sciuropus rufipes.

Sciurus (*A. pro Seiurus*) sulfurascens.

Sciurus affinis, albiceps, albovittatus, alpinus, americanus, annulatus, ater, atrodorsalis, auduboni, aureogaster, auriventer, barbei, belcheri, berdmorei, bicolor, bilineatus, bivittatus, bottae, brachyotes, bredai, brodiei, buccatus, caniceps, capistratus, carolinensis, carolinianus, castaneoventris, catesbyi, caucasicus, cepapi, chinensis, chrysonotus, chrysuros, cinereus, clarkii, coliaei, conicus, delesserti, dimidiatus, dorsalis, douglasi, elphinstoni, ephippium, erythrogaster, erythrogenys, erythropus, exilis, ferrugineus, ferruginiventris, finlaysoni, flavimanus, fossilis, fossor, fuliginosus, fulviventer, fulvus, fusco variegatus, gambianus, gilvularis, gingicus, ginginianus, grammurus, grenatensis, grisei-venter, griseocaudatus, hiemalis, hippurus, humeralis, hypoleucus, hypopyrrhus, igniventris, insignis, italicus, kelaarti, keraudreni, labradioris, langsdorffi, lanigerus, lanuginosus, lateralis, layardi, leporinus, leschenaulti, leucomus, leucotis, levaillanti, lewisi, lineatus, lis, locria, locroides, lokriah, lokroides, longipilis, ludovicianus, lysteri, macroura, macroxus, macruroides, magnicaudatus, maclellandi, melanotis, melanotus, migratorius, modestus, molli-pilosus, multicolor, murinus, mustelinus, nigrescens, nigrovittatus, norfolkicus, occidentalis, ocellularis, olivascens, pembertoni, penicillatus, pennsylvanica, philippinensis, plantani, poenensis,

- praetextus, prevosti, priscus, pusillus, pygerythrus, pyrrhonotus, pyrrhopus, pyrropus, quadrivittatus, rafflesi, redimitus, richardsoni, ruber, rubriventer, rubrolineatus, rufiventer, rufobrachiatus, rufogaster, rufogularis, rufonigra, russatus, sabrinus, setosus, splendidus, stangeri, stramineus, striatus, subauratus, sublineatus, syriacus, teantenti, tenementi, tenuis, texianus, townsendi, tricolor, tridecimlineatus, tristriatus, utlensis, vajo, variabilis, variegatoides, vittatus, xanthius.
- Sclerhelia** hirtella.
- Sclerocardius** bohemani.
- Sclerocephalus** haeuseri.
- Sclerocerus** linearis.
- Sclerochroa** rufa.
- Sclerococcus** granulatus.
- Scleroderma** abdominalis, contracta, cylindrica, domestica, fasciata, formiciformis, fulvicornis, fusca, fuscicornis, intermedia, mexicana, minuta, nitida, pedunculus, picea, rufescens, ruficornis, thoracica, unicolor.
- Sclerodus** decoratus, pustuliferus, Ag. in Murch., Sil. Syst. 1839, 606, 704 [teste E.I.W.].
- Sclerognathus** costatus, cyprinella, cyprinus.
- Sclerolepis** decoratus.
- Scleron** orientale.
- Scleropterus** offensus, serratus.
- Sclerosomus** coccosus, granulosus, incommodus.
- Sclerostoma** costatum, equinum, galeatum, hypostomum, quadridentatum.
- Sclerostomus** costatus, cruentus, cucullatus, darwini, plagiatus, rubripes.
- Sclerotrichum** echinatum.
- Sclerurus** albogularis, caudacutus, guatemalensis, ruficollis.
- Sclerurus** amoenus.
- Scobinella** caelata.
- Scobius** scutatus.
- Scodion** conspersaria, emucidaria, favillacearia, lentiscaria, perspersaria, turturaria.
- Scolcobrotus** westwoodi.
- Scoleophagus** ferrugineus, mexicanus, minor, niger, sericeus.
- Scoleophis** atrocincta.
- Scolelepis** squamosa.
- Scoletoma** fragilis.
- Scolex** aculepharum, auriculatus, bilobatus, bilobus, dibothrius, gigas, lophii, mnemiae, percae, polymorphus, quadrilobus, tetrastomus.
- Scolia** abdominalis, aboti, aliena, amabilis, analis, antennata, apicalis, apicornis, arabica, argentea, atra, aureipennis, aureola, bidens, biguttata, binotata, bipunctata, boeberi, caeruleans, canescens, capitata, carbonaria, castanea, cbilensis, cincta, concolor, confluenta, cyanea, cyanipennis, dealbata, dejeani, dimidiata, discolor, dispar, distincta, dorsata, dubia, elegans, ephippium, eriophora, erythrogaster, fallax, fasciatella, fasciatopunctata, flaviceps, fossulana, fulva, funerea, fusca, fuscata, garrula, grisea, haematogastra, hirta, hirtella, hirticollis, hoffmannseggii, hyalina, infusata, interrupta, interstincta, klugi, laeta, lateralis, leonina, longicornis, lucosa, maculata, marginata, marginella, melanoptera, mendica, micans, mutillaeformis, nobilitata, obscura, octomaculata, ornata, palatina, petiti, plebeja, procer, pubescens, quadricincta, quadrinotata, rubra, rufipes, rufiventris, rufozonata, rutila, sareptana, scbrencki, sericea, servillei, sexpustulata, sicala, sinuata, stygia, syriaca, tricineta, tricolor, tridentata, trifasciata, undata, vagans, varicolor, vestita, vetula.
- Scolicia** prisca.
- Scoliodon** laticaudus, priscus.
- Scoliophis** atlanticus.
- Scoliopteryx** libatrix.
- Scoliostoma** dannenbergi.
- Scolitantides** battus, hylas.
- Scolithus** linearis.
- Scolixedion** penulatum.
- Scolobates** crassitarsus, italicus, longicornis.

Scolopacinus *rufiventris*.

Scolopax *alpina*, *australis*, *bengalensis*, *borealis*, *braziliensis*, *brehmi*, *caffa*, *castanea*, *coelestis*, *douglasi*, *drummondi*, *dubia*, *dupla*, *elegans*, *equestris*, *frenata*, *gallinacea*, *gallinago*, *gigantea*, *hardwicki*, *horsfieldi*, *hyemalis*, *indicus*, *jardreka*, *lamotti*, *leucophaea*, *leucurus*, *littorea*, *longirostris*, *maculata*, *madagascariensis*, *magellanicus*, *mauritanica*, *media*, *meridionalis*, *nebularia*, *nigra*, *pacifica*, *palustris*, *paraguaiiae*, *paykulli*, *pectinicauda*, *pinetorum*, *pyrenaica*, *rubripes*, *sabini*, *sakhalina*, *saturata*, *solitaria*, *stenoptera*, *stenura*, *striata*, *stricklandi*, *sumatrana*, *sylvestris*, *trachydactyla*, *undulata*, *vociferus*, *wilsoni*.

Scolopendra *affinis*, *algerina*, *ambigua*, *anguina*, *angulata*, *angulipes*, *angusta*, *angustata*, *anomia*, *audax*, *aurantipes*, *bahiensis*, *banatica*, *bilineata*, *brandtiana*, *brevis*, *canidens*, *ceylonensis*, *childreni*, *chilensis*, *cingulatoides*, *clavipes*, *complanata*, *concolor*, *costata*, *crassipes*, *cristata*, *crudelis*, *dalmatica*, *de haani*, *elegans*, *erythrocephala*, *eydouxiana*, *fabricii*, *filiformis*, *flava*, *foecunda*, *formosa*, *fulva*, *fulvipes*, *gambiae*, *germanica*, *gervaisi*, *gervaisiana*, *gigas*, *graeca*, *grayi*, *guildingi*, *hardwicki*, *herculeana*, *hispanica*, *histrionica*, *hopei*, *horrida*, *horsfieldi*, *hortensis*, *inaequalis*, *inaequidens*, *incerta*, *inermipes*, *inermis*, *infesta*, *italica*, *leachi*, *limbata*, *lineata*, *lobidens*, *longicornis*, *lucasi*, *lutea*, *mactans*, *marginata*, *maxima*, *megacephala*, *miniata*, *mordax*, *multidens*, *multispinata*, *nigrifrons*, *obscura*, *oraniensis*, *ornata*, *pallida*, *pallipes*, *penetrans*, *picta*, *placeae*, *planiceps*, *planipes*, *platypoides*, *platypus*, *polita*, *pomacea*, *prasina*, *pulchra*, *punctidens*, *punctipes*, *punctiventris*, *rarpina*, *richardsoni*, *rubriceps*, *rubripes*, *rufoollis*, *sagraea*, *sandwichiana*, *savignyi*, *scabriventris*, *scopoliana*, *semi-pedalis*, *septemspinosa*, *sexspinosa*, *silhetensis*, *spinicauda*, *spinigera*, *spinipes*, *spinulosa*, *squalidens*, *subminiata*, *subspinipes*, *sulcicornis*, *sulcidens*, *sulphurea*, *tigrina*, *tongana*, *trigonepoda*, *trigonopoda*, *tuberculidens*, *valida*, *varia*, *variegata*, *violascens*, *viridicornis*, *viridifrons*, *viridipes*, *viridis*, *westwoodi*, *zonata*, *zwickiana*.

Scolopendrella *immaculata*, *notacantha*.

Scolopendropsis *bahiensis*, *helvola*.

Scoloplos *armiger*, *quadricuspida*.

Scolopocryptops *aurantiaca*, *ferruginea*, *longitarsis*, *melanostoma*, *miersi*, *minor*, *sex-spinosa*, *viridis*.

Scolops *sulcipes*.

Scolopsides *bilineatus*, *bimaculatus*, *cancellatus*, *caninus*, *frenatus*, *ghanam*, *inermis*, *kate*, *kurita*, *lycogenis*, *margaritifera*, *monogramma*, *pectinatus*, *personatus*, *phaeops*, *potomitis*, *rupeli*, *taeniatus*, *taeniopterus*, *temporalis*, *torquatus*, *vosmeri*.

Scolopsis *aurata*, *bimaculatus*, *cancellata*, *lineatus*, *longulus*, *sayanus*.

Scolopteris *bidens*, *penicillatus*, *tetracanthus*.

Scolymus *capitellum*, *ceramica*, *cornigerus*, *globulus*, *mitis*, *pugellaris*, *rhinoceros*, *umbilicaris*.

Scolytus *abietinus*, *affinis*, *anthracinus*, *bostrichus*, *brevis*, *dactyliperda*, *flavicornis*, *flavipes*, *fraginii*, *haemorrhous*, *labiatus*, *laricis*, *melanocephalus*, *minimus*, *monographus*, *muticus*, *picolor*, *pictus*, *polygraphus*, *pyri*, *quadrispinosus*, *scolytus*, *serratus*, *suturalis*, *testaceus*, *thoracicus*, *ulmi*, *villosus*, *vittatus*.

Scomber *alalunga*, *allitteratus*, *antiquus*, *armatus*, *ascensionis*, *atun*, *australasicus*, *balantiophthalmus*, *bisus*, *botla*, *brasilensis*, *canagurta*, *capensis*, *carolinus*, *chrysozonus*, *commersoni*, *coretta*, *crysos*, *delphinalis*, *dentatus*, *dentex*, *equula*, *flexuosus*, *forsteri*, *germo*, *glauiscus*, *gracilis*, *grex*, *griscenscens*, *guttatus*, *heberi*, *helvolus*, *hippos*, *kanagurta*, *koelreuteri*, *lacerta*, *lactarius*, *lanceolatus**, *lanzardus*, *leopardus*, *liza*, *loo*, *macarello*, *macrophthalmus*, *maculatus*, *maculosus*, *madagascariensis*, *malabaricus*, *maldivicus*, *microlepidotus*, *nigricollis*, *palaenitus*, *plumbeus*, *pneumatophorus*, *ponticus*, *punctatus*, *quadripunctatus*, *rochei*, *rostratus*, *saltator*, *sarda*, *scombrus*, *sloanei*, *speciosus*, *surus*, *sypterus*, *taso*, *thonus*, *undulatus*, *unicolor*, *vernalis*, *vulgaris*, *zebra*, *zonatus*.

Scombresox *camperi*, *equirostrum*, *forsteri*, *lemuridens*, *saurus*, *scutellatum*, *storeri*.
Vide et Scombresox.

Scomberoides *commersonianus*, *noeli*, *saltator*.

Scomberomorus *plumieri*.

Scombresox *rondeleti*, *saurus*. *Vide et Scombresox.*

Scombrinus ~~seychellensis~~.

Scopsia *striata*.

Scopaeus *bicolor*, *didymus*, *erichsoni*, *exiguus*, *fasciatellus*, *infirmus*, *laevigatus*, *minimus*, *minutus*, *pulchellus*, *pusillus*, *pygmaeus*.

Scoparia *cembrae*, *dubita*, *mercurea*, *pyralea*, *resinea*, *subfusca*.

Scopelodes *unicolor*.

Scopelophis *seychellensis*.

Scopelopus *inops*.

Scopelosoma *satellita*.

Scopelus *amethystinus*, *punctatus*, *angustidens*, *attenuatus*, *balbo*, *benoisti*, *bonapartei*, *borealis*, *caninianus*, *cocco*, *coruscans*, *crocodilus*, *elongatus*, *glacialis*, *humboldti*, *maderensis*, *maurolica*, *metopoclampus*, *pennanti*, *rafinesquei*, *resplendens*, *risso*, *sphyræna*, *stellatus*.

Scophthalmus *diurus*, *hirtus*, *maximus*, *punctatus*, *rhombus*, *unimaculatus*.

Scopiphora *vagans*.

Scopodes *boops*, *sigillatus*.

Scopolia *anacantha*, *angusticornis*, *borealis*, *carbonaria*, *costata*, *cunctans*, *fulvicornis*, *gravicornis*, *lateralis*, *latifrons*, *lugens*, *parasitica*, *picta*, *rufipes*, *rupestris*, *sophialis*, *succincta*, *viatica*.

Scopophorus *montanus*, *ourebi*.

Scops *albifrons*, *aldrovandii*, *asio*, *atricapilla*, *bubulus*, *capensis*, *carniolica*, *ceylonensis*, *choliba*, *clamator*, *cristata*, *ephialtes*, *europaeus*, *grammicus*, *griseus*, *gymnopodus*, *javanicus*, *lempiji*, *leschenaulti*, *lettia*, *lettioides*, *leucotis*, *lophotes*, *magicus*, *malabaricus*, *malayanus*, *manadensis*, *mantis*, *megalotis*, *menadensis*, *minuta*, *noctula*, *novaezelandiae*, *paradisea*, *pennata*, *philippensis*, *portoricensis*, *rutilus*, *scops*, *senegalensis*, *streptans*, *sumia*, *superciliaris*, *trichopsis*, *undulata*, *vipio*, *virgo*, *vulgaris*, *watsoni*, *zorca*.

Scoptes *alpheus*, *crotopus*, *protumnus*.

Scopula *aenealis*, *aerealis*, *alpinalis*, *borealis*, *bourjotalis*, *clathralis*, *dentalis*, *dilutalis*, *elutalis*, *ferratalis*, *flagellalis*, *frumentalis*, *fulvalis*, *furvalis*, *inquinalis*, *institalis*, *longipedalis*, *lutealis*, *maculalis*, *margaritalis*, *nebulalis*, *nivealis*, *numeralis*, *nyctemeralis*, *ohvalis*, *opacalis*, *pallidalis*, *paludalis*, *palveralis*, *perlucidalis*, *pinetalis*, *prunalis*, *pustulalis*, *quadrimaculalis*, *rufimitralis*, *signalis*, *sophialis*, *sticticalis*, *stramentalis*, *suffusalis*, *uliginosalis*, *umbralis*, *umbrosalis*.

Scorpaena *aculeata*, *africana*, *asperella*, *aurita*, *barbata*, *bicapillata*, *bicirrata*, *bicolorata*, *brachiata**, *brachion**, *branchion*, *brasiliensis*, *bufo*, *burra*, *bynoensis*, *cardinalis*, *carinata*, *chiloprista*, *cirrrosa*, *commersoni*, *cottoides*, *cruenta*, *dactyloptera*, *diabolus*, *ergastulorum*, *erythraea*, *fasciata*, *flava*, *fucata*, *furia*, *gibbosa*, *grandicornis*, *guamensis*, *histrio*, *inermis*, *istriensis*, *jacksoniana*, *kuhli*, *laniaria*, *leonina*, *lutea*, *madurensis*, *mahe*, *malabarica*, *massiliensis*, *mauritiana*, *miles*, *militaris*, *monodactyla*, *neglecta*, *nesogallica*, *nigra*, *notata*, *novaequineae*, *oxycephalus*, *panda*, *papuensis*, *picta*, *plebeia*, *plumieri*, *polyprion*, *purpurata*, *rascassa*, *rawakensis*, *rubropunctata*, *scorpaena*, *scrofna*, *stokesi*, *strongia*, *ustulata*, *vaigiensis*, *venosa*.

Scorpaenopsis *neglecta*, *nesogallica*.

Scorpio *acohasicus*, *aethiops*, *amoreuxi*, *armillatus*, *bahiensis*, *biaculeatus*, *bicolor*, *carolinianus*, *cheliferoides*, *citrinus*, *crassicauda*, *cumingi*, *curvidigitatus*, *de geeri*, *edwardsi*, *ehrenbergi*, *elatus*, *europaeus*, *exoticus*, *fasciatus*, *filum*, *forcipula*, *fuchsi*, *funestus*, *gigas*, *gervaisi*, *glaber*, *gracilicauda*, *gracilis*, *granulosus*, *granulatus*, *hardwicki*, *hemprichi*, *kochi*, *leptochelis*, *lepturus*, *lesueuri*, *libycus*, *liosoma*, *longicauda*, *macrocentrus*, *maculatus*, *madagascariensis*, *margaritatus*, *maurus*, *melanophysa*, *nigrifrons*, *nigrocinctus*, *obscurus*, *ochripes*, *orbignyi*, *pallipes*, *palmatius*, *peroni*, *picescens*, *quinquestratus*, *rebendorfensis*, *reticulatus*, *rupestris*, *scaber*, *schweiggeri*, *septemdentatus*, *spinax*, *spinicaudus*, *squama*, *terminalis*, *thebanus*, *trichiurus*, *vanbenedeni*, *variegatus*, *vittatus*, *waigensis*, *whitei*.

Scorpius *aequipennis*, *chilensis*, *georgianus*.

Scorpius *algericus*, *algericus*, *aquilejensis*, *banaticus*, *carpathicus*, *concinus*, *germanus*, *massiliensis*, *mons-pessulanus*, *naupliensis*, *niciensis*, *oravitzensis*, *provincialis*, *rufus*, *sicanus*, *tauricus*, *tergestinus*.

Scortimus *navicularis*.

- Scortizus** *maculatus*, *tulirovittatus*, *vittatus*.
Scortornis *climacterus*.
Scotaena *trifasciata*.
Scotaeus (A.) *nycticorax*.
Scotaeus (Col.) *corallipes*.
Scotasmus *carinirostris*.
Scotera *gibbosa*.
Scotia (Lep.) *cinerea*, *obscura*, *tenebrosa*, *umbrosa*.
Scotia (Verm.) *rugosa*.
Scotiaptex *cinerea*.
Scotinus *asidoides*, *bituberculatus*, *brasiliensis*, *crenicollis*, *crucifer*, *quadricollis*, *squalidus*, *tuberculatus*.
Scotiomyza *fuscipennis*.
Scotioptera *melaleuca*, *pellucida*.
Scotiptera *punctata*.
Scotobius *armentarius*, *asperatus*, *bullatus*, *cacicus*, *clathratus*, *collaris*, *costatus*, *crispatus*, *elongatus*, *exaratus*, *gayi*, *granosus*, *muricatus*, *obesus*, *ovalis*, *perlatus*, *pilularius*, *planatus*, *planicosta*, *porcatus*, *punctatus*, *punctellatus*, *rugosulus*, *substriatus*, *tristis*, *tuberculatus*, *varicosus*, *vulgaris*.
Scotodes *annulatus*.
Scotoeborus *murinus*.
Scotopelia *peli*.
Scotophila *livida*, *porphyrea*, *tetra*, *tetrapogonis*.
Scotophilus (A.) *acadica*, *perlatus*, *tengmalmi*.
Scotophilus (M.) *australis*, *belli*, *blossevilei*, *borbonicus*, *capensis*, *castaneus*, *coromandra*, *cubensis*, *dingani*, *discolor*, *falcatus*, *fuliginosus*, *fulvus*, *gouldi*, *greeni*, *greyi*, *hasselti*, *heathi*, *hodgsoni*, *javanicus*, *kuhli*, *laevis*, *lasiurus*, *leachi*, *leisleri*, *lobatus*, *macleayi*, *maderaspatanus*, *meyeni*, *morio*, *murinus*, *noctula*, *noveboracensis*, *pachypus*, *polythrix*, *pruinosis*, *pumilus*, *schreibersi*, *serotinus*, *temminckii*.
Scotopterix *canaria*, *furvaria*, *limosaria*, *obscuraria*, *pullaria*, *respersaria*, *taeniolaria*.
Scotopteryx *tenebrata*.
Scotornis *albicollis*, *climaturus*, *trimaculatus*.
Scotosia *rhamnaria*, *rhamnata*, *sparsaria*, *vetularia*, *vetulata*.
Scotylus *minutus*.
Scrapter *bicolor*, *brullei*, *lagopus*, *niger*, *punctatus*.
Scraptia *americana*, *bi-impressa*, *flavicollis*, *fusca*, *fuscula*, *lutea*, *minuta*, *nigricans*, *ovata*, *pallipes*, *pusilla*, *rugosa*, *sericea*, *serriceus*.
Scrobicularia *arenaria*, *calcarea*, *clementina*, *inflata*, *minuta*, *phaseolina*, *tenuis*.
Scrobiger *splendidus*.
Scrobodus *ovatus*, *subovatus*.
Scrophia *cuvieri*.
Scrophicephalus *longipinnis*.
Scruparia *chelata*, *loricata*.
Scrupocellaria *reptans*, *scruposa*.
Sculda *pennata*.
Scurria (Ar.) *fasciata*, *geniculata*.
Scurria (G.) *mitra*, *scurra*.
Scutacarus *femoris*.
Scutella (Ech.) *aberti*, *affinis*, *altavillensis*, *ambigena*, *ambigua*, *aurita*, *biûssa*, *bifora*, *bilinearifera*, *bioculata*, *brongniarti*, *caroliniana*, *cassidulina*, *clypeastriformis*, *crustuloides*, *decadactyla*, *decemfissa*, *dentata*, *depressa*, *desmoulinsi*, *digitatus*, *elliptica*, *emarginata*, *excentrica*, *faujasi*, *fibularis*, *germanica*, *gibbosa*, *gibbercula*, *hemisphaerica*, *hexapora*, *inaurita*, *incisa*, *inflata*, *integra*, *jonesi*, *laganum*, *latissima*, *lenticularis*, *lesueuri*, *lyelli*, *macrophora*, *marginalis*, *nummularia*, *occitana*, *octodactyla*, *orbicularis*, *parma*, *patagonensis*, *paulensis*, *pentapora*, *pileus-sinensis*, *placenta*, *polygona*, *porpita*, *producta*, *propinqua*, *pyramidella*, *quadrifora*, *quinquefaria*, *quinquefora*, *quinqueloba*, *radiata*, *reticulatus*, *rogersi*, *rumphi*, *sexforis smithiana*, *stellata*, *striatula*, *subrotunda*, *tetrapora*, *trifaria*, *truncata*.

Scutella (G.) *crenulata*, *tridescens*, *rosea*, *subtetragona*.

Scutellera *aeneiformis*, *albipennis*, *albolineata*, *atricapilla*, *aurata*, *banksi*, *basalis*, *baudini*, *bulonata*, *binotata*, *bufo*, *buqueti*, *cincta*, *comes*, *corallifera*, *cordigera*, *curta*, *cyanipes*, *cyanipoda*, *decemguttata*, *decorata*, *deplanata*, *desfontainei*, *dichro*, *dilaticeollis*, *dispar*, *donovani*, *druræi*, *dubia*, *dux*, *ephippium*, *eques*, *erythrocephala*, *eupoda*, *excavata*, *fabricii*, *flavolineata*, *fuliginosa*, *furcifera*, *galii*, *gambiae*, *germari*, *gibbosa*, *globus*, *grammica*, *hardwicki*, *hebraica*, *impressa*, *interrupta*, *inuncta*, *lateralis*, *latipes*, *lineata*, *maura*, *nebulosa*, *nigellæ*, *nigra*, *nobilis*, *ochrocyanea*, *pagana*, *pallida*, *papua*, *pedemontana*, *peroni*, *picta*, *pilosula*, *pinguis*, *praslini*, *pulchella*, *punctatissima*, *purpurascens*, *reynaudi*, *rimotata*, *rubro-lineata*, *rubro punctata*, *schoenherri*, *sellata*, *semipunctata*, *senator*, *sexmaculata*, *signata*, *smaragdula*, *stockerus*, *stokerus*, *tongæ*, *trimaculata*, *tuberculata*, *unicolor*, *viridipunctata*, *wahli*.

Scutelligera *ammerlandia*.

Scutellina (Ech.) *complanatus*, *elliptica*, *hayesiana*, *lenticularis*, *nummularia*, *obovata*, *placentula*, *supera*.

Scutellina (G.) *crenulata*.

Scutellum *costatum**.

Scutigera *araneoides*, *australiana*, *capensis*, *coleoptrata*, *downesi*, *dubia*, *elegans*, *floridana*, *gouldingi*, *hardwickæ*, *latreillei*, *longicornis*, *longipes*, *longitarsis*, *maculata*, *nobilis*, *oweni*, *rubro-lineata*, *rufipes*, *rugosa*, *serratipes*, *smithi*, *vesuviana*.

Scutiphora *picta*.

Scutum *rosaceum*.

Scutus *antipodes*, *elegans*.

Scydmaenus *abbreviatus*, *affinis*, *agilis*, *alpinus*, *angulatus*, *angustatus*, *bicolor*, *brevicornis*, *brunneus*, *californicus*, *castaneus*, *chevrieri*, *cinnamomeus*, *clavatus*, *claviger*, *clavipes*, *cognatus*, *collaris*, *conicollis*, *cornutus*, *crassicornis*, *croaticus*, *dalmanni*, *deflexicollis*, *dennyi*, *denticornis*, *elongatulus*, *exilis*, *fabricii*, *fimetarius*, *flavicornis*, *fleischeri*, *geoffroyi*, *gibbosicollis*, *gibbosus*, *gibbulus*, *godarti*, *gracilis*, *grimmeri*, *helferi*, *hellwigi*, *hervolus*, *hirticollis*, *hirtus*, *holzeri*, *illigeri*, *impressus*, *intrusus*, *kunzei*, *lapidarius*, *laticollis*, *linnei*, *longicollis*, *maerklini*, *megelei*, *minimus*, *minutissimus*, *minutus*, *motshulskii*, *nanus*, *oblongus*, *obscuricornis*, *olivieri*, *panzeri*, *parallelus*, *perforatus*, *pilosicollis*, *propinquus*, *pubicollis*, *puncticollis*, *punctipennis*, *pusillus*, *quadratus*, *quadrifollis*, *rarus*, *rossi*, *rotundipennis*, *rubens*, *rubicundus*, *ruficornis*, *rufus*, *rutilipennis*, *schaumi*, *schoenherri*, *scutellaris*, *sparshalli*, *spinimanus*, *steveni*, *styriacus*, *subpunctatus*, *subtilis*, *tarsatus*, *tauricus*, *testaceus*, *thoracicus*, *truncatellus*, *tuberculatus*, *validicornis*, *vernalis*, *vicinus*, *vulpinus*, *wetterhalli*, *wighami*, *zimmermanni*.

Scyliorhinus *africanus*, *barbatus*, *breviculus*, *caniculus*, *cirratus*, *delarochianus*, *dentatus*, *fasciatus*, *indicus*, *isabellus*, *lambarda*, *maculatus*, *myops*, *ocellatus*, *punctatus*, *punctulatus*, *russellianus*, *tigrinus*, *tuberculatus*, *unicolor*, *variegatus*, *waddi*.

Scylium *africanus*, *barbatus*, *cirratus*, *fasciatus*, *indicus*, *isabella*, *lobatus*, *maculatus*, *ocellatus*, *punctatus*, *russellianus*, *tigrina*, *waddi*. *Vide et Scyllium*.

Scylla *crassimanus*, *olivacea*.

Scyllaea *fulva*, *ghomfodensis*, *grayæ*, *hookeri*, *margaritacea*. *Vide et Scyllea*.

Scyllarus *arctos*, *australis*, *carinatus*, *cicada*, *ciliatus*, *dubius*, *haani*, *incisus*, *insularis*, *latus*, *mantelli*, *punctata*, *quoyi*, *sculptus*, *sieboldi*, *sineusis*, *squammosus*, *tridentatus*, *ursus minor*.

Scyllea *tentaculata*. *Vide et Scyllaea*.

Scyllia *griseum*, *quinquecornuatum*.

Scyllibacus *orientalis*.

Scylliodus *antiquus*.

Scyllium *angustum*, *artedii*, *buengeri*, *canicula*, *capense*, *catulus*, *chilense*, *crassiconum*, *ferrugineum*, *freycineti*, *griseum*, *heptagonum*, *humboldti*, *lima*, *maculatum*, *malaisianum*, *marmoratum*, *melanostomum*, *ornatum*, *pantherinum*, *pictum*, *plagiosum*, *priseum*, *punctulatum*, *quinquecornutum*, *spinosus*, *stellaris*, *tigrinum*, *tuberculatus*, *tygrinum*, *variegatum*. *Vide et Scyllium*.

Scymnorhinus *lichia*.

Scymnus abietis, affinis, ahrensi, albidicollis, albipes, americanus, analis, apetzi, apicalis, arcuatus, argutus, atonius, atriceps, auritulus, basalis, bifasciatus, biflammulatus, biguttatus, bilucernarius, bilunulatus, bimaculatus, binævatus, binotatus, bioculatus, bipustulatus, bis bipustulatus, bisbispignatus, bisignatus, bispinatus, biverrucata, borealis, brasiliensis, brevipinna, brullei, capitatus, carcharias, castanopteris, castroemi, caudalis, cervicalis, chatchas, collaris, colon, connectens, constrictus, corpulentus, creperus, curtisi, cyanescens, deyrlei, discoideus, discolor, dorsalis, fasciatus, fastigiatus, femoralis, ferrugineus, flavicollis, flavifrons, flavilabris, flavipes, floralis, fonscolombei, formicarius, formicetorum, fraxini, frontalis, fulvicollis, fulvipes, galapagoensis, gilvifrons, guimeti, histeroides, icteratus, impexus, incertus, incinctus, inderihensis, juniperi, kiesewetteri, labordei, laboulbenei, lacustris, levaillantii, lichia, limbaticollis, limbatus, loewi, luridus, marginalis, marginicollis, margipallens, microporus, minutus, moreletti, morio, myrmidon, nicaeensis, nigrinus, nubilus, obliquus, oblongosignatus, obscurus, ochroderus, ornatus, pallidipennis, pallipes, parvulus, phlaeus, pilatus, punctatus, punctum, pygmaeus, quadridrillum, quadris lunatus, quadrisnotatus, quadrisverrucatus, quadrisvittatus, quadrisvulneratus, quercus, redtenbacheri, rosenhaueri, rostratus, rubicundus, rubidus, rufipes, scutellaris, seminulus, spectabilis, spinosus, stigmatopterus, stragulatus, tardus, tautilus, tenebrosus, terminatus, testaceus, thiolieri, thoracicus, ventralis, vicinensis, vittatus, vulgaris, waterhousei, xanthaspis.

Scypha botryoides*, cancellata*, complicata*, coronata*, foliacea*, laevigata, ovata, papillaris, tubulosa.

Scyphella flavicornis, nigricornis.

Scyphia acuta, alternans, alveolites, angularis, angustata, anomala, armata, articulata, auricularis, beaumonti, benettiae, bifrons, bronni, buchi, byssoides, calopora, cancellata, capitata, cariosa, cellulosa, clathrata, clavarioides, clavata, claviformis, conoidea, constricta, corniculum, costata, crateriformis, cylindrica, cymosa, decheni, decorata, dichotoma, dictyota, eichwaldi, elegans, empleura, excavata, fenestrata, fistularis, foraminosa, fragarioides, fragilis, fungiformis, furcata, galiciana, gracilis, heteromorpha, heteropora, hieroglyphica, humboldti, infundibuliformis, intermedia, isopleura, labyrinthica, lithuana, longiporata, mammillaris, manon, mantelli, marginata, maximiliana, micrommata, micropora, milleporacea, milleporata, monilifera, muensteri, murchisoni, neesi, neocomiensis, obliqua, odontostoma, oeynhausi, os ranae, paradoxa, parallela, parvula, pedunculata, pertusa, piriformis, pistilliformis, polymorpha, polyommata, porosa, procumbeus, propinqua, psilopora, punctata, quinquelobata, quitzinensis, radiata, radiformis, ramosa, reticulata, retiformis, rugosa, sacki, samueli, schlotheimi, schweiggeri, scrobiculata, secunda, socialis, stellata, sternbergi, striata, striatopunctata, subcaespitosa, subcariosa, subfurcata, subseriata, subseriatae affinis, sulcata, sulcifera, tenuis, tenuistria, terebrata, tetragona, texata, texturalis, texturata, trilobata, tuberculata, tuberosa, tubulosa, turbinata, uvaeformis, venosa, verrucosa, verticillites, zippei.

Scyphicus teres.

Scyphidia pyriformis, ringens, rugosa.

Scyphis mucilaginosus, punctatus.

Scyphistoma filicorne.

Scyphius (Ar.) albellus, cerinus, coarctatus, cylindricus, diversicolor, elongatus, obliteratus, pratensis, pyrrholeucos, reflexus, terricola, violaceus.

Scyphius (P.) annulatus, cultirostris, fasciatus, littoralis, papacinus.

Scyphocrinites elegans.

Scyphocrinus heterocostalis, nodosus, striatus.

Scyphophorus acupunctatus, anthracinus, interstitialis.

Scyphius diaphanus.

Scyris alexandrina, indicus.

Scyrtes californicus, hemisphaericus, lividus, orbicularis, orbiculatus, solstitialis, suturalis, variegatus. *Vide et Scirtes.*

Scytale ammodytes, anguiformis, bizonatus, brachyorrhos, catenatus, contortrix, coronata, distincta, gronovii, krait, niger, piscivora, scheuchzeri.

Scytalinus serpentinus.

- Scytalopus* acutirostris, albogularis, femoralis, fuscus, indigoticus, magellanicus, niger.
- Scytalus* cupreus.
- Scytaster* kuhli, milleporellus, pistorius, semiregularis, stella, subulatus, variolatus, zodiacalis.
- Scythale* pyramidum.
- Scython* bicolor.
- Scythris* chenopodiella, elongella.
- Scythropia* alternella, crataegella, leucatelja, luctuella, monarchella, reticulella, scopolella, sturnella.
- Scythrops* australasiae.
- Scythropus* mustella.
- Scytodes* (Ar.) bertheloti, bizonata, cameratus, erythrocephala, fusca, globula, laeta, longipes, mithras, nigella, ouosites, rufescens, rufipes, thoracica, tigrina.
- Scytodes* (Hym.) granulatus, opacus, parvus.
- Scytonotus* laeviscolis, nodulosus, scabricollis.
- Sebastes* albofasciatus, argus, bougainvillei, capensis, caurinus, ciliatus, filifer, imperialis, inermis, kuhli, longiceps, maculatus, maderensis, malabarica, marmoratus, minutus, norvegicus, ocellatus, oculatus, pachycephalus, pandus, percoides, serrulatus, sinensis, vachelli, variabilis, ventricosus, viviparus.
- Secutor* insidiator.
- Sedgwickia* attenuata, bullata, corrugata, gigantea, globosa, minima.
- Segestria* bavarica, dentata, erythrina, florentina, gracilis, perfida, pulchra, pussilla, ruficeps, saeva, senoculata, singularis, thoracica.
- Segetia* cerasina, implexa, neglecta, xanthographa.
- Segmentina* armigera.
- Sehirus* albomarginatus, albomarginellus, cinctus, morio.
- Seiranota* perspicillata.
- Seiren* arborea, prateusis, ricardi, rupestris.
- Seisura* cinerea, flava, inquieta, maculata, neglecta, nitida, volitans.
- Seiurus* aquaticus, aurocapillus, colombianus, l'herminieri, ludovicianus, motacilla, novaeboracensis, tenuirostris. *Vide et Sciurus* (A.).
- Sejus* detritus, echinatus, hirsutus, inermis, litura, muricatus, spinosus, testaceus, togatus, viduus.
- Selache* maximus, rhinoceros.
- Selachops* flavocincta.
- Selachus* maximus.
- Seladerma* athanis, bicolor, breve, capreae, cernus, convexum, epulo, laetum, lalage, letus, mazares, saurus.
- Selagia* argyralis, lythargyralis, perialis.
- Selagis* caloptera, spenceri.
- Selandri* cerasi.
- Selandria* adumbrata, aethiops, albilabris, albipes, alternipes, annulipes, atra, betuleti, biloba, brevicornis, brevis, chrysorrhoea, cinereipes, cinxia, consorta, costalis, dorsalis, ephippium, ferruginea, fraxini, fuliginosa, fulvicollis, fulvicornis, funerea, fusca, fuscipennis, fuscula, geniculata, hyalua, klugi, labialis, lineolata, luteiventris, melanosterna, morio, ornata, ovata, pallida, parvula, pulchella, punctigera, pusilla, robinsoni, rosae, ruficrurus, rufitarsis, scapularis, serva, signata, spinolae, stigma, stramineipes, tenuicornis, testudinea, tibialis, uncta, varipes, verna, versicolor, vitis.
- Selanonius* walkeri.
- Selasia* albofasciata, bicincta, decipiens, maculicollis, uigracollis, rhipiceroides, rubripennis, unicolor.
- Selasoma* tibialis.
- Selasphorus* rufus.
- Selatosomus* aeueus, bimaculatus, cruciatus.
- Selbia* zelandica.
- Seleima* aurata.
- Selene* argentata, argeutea, gallus, quadrangularis.

- Selenia* (Lep.) defunaria, ilhunaria, illustraria, lanaria.
Selenia (P.) luna.
Selenidera laugsdormi, maculirostris, nattereri.
Selenis perforata, spinifex.
Selenisca gratiosa.
Selenites lunata.
Selenocephalus obsoletus.
Selenodera piperivorus, reinwardti.
Selenoderus lamina.
Selenodes dalecarliana, textana.
Selenopalpus chalybeus, lateritius, subviridis.
Selenopeltis beyrichi, buchi, humboldti, stephani.
Selenophorus aboxoides, aeneocupreus, aequioctialis, aeratus, aereus, aerugineus, affinis, alternans, amaroides, anceps, angulatus, aurichalceus, beauvoisi, blandus, caliginosus, chalcosomus, chalybeus, confinis, confusus, coracinus, cupreus, cuprinus, cupripennis, cursorius, discopunctatus, ellipticus, exaratus, exilis, flavilabris, fossulatus, foveolatus, fulvipes, gagatinus, galapagoensis, granarius, harpaloides, impressus, impunctus, irideus, iripennis, lacordairei, limbolaris, lineatopunctatus, lubricipes, lucidulus, luctuosus, lugubris, maurus, metallicus, micans, multipunctatus, myrmidon, obtusus, oehropus, orientalis, ovalis, parallelus, parumpunctatus, pedicularius, piceus, planipennis, promptus, pulcarius, pullus, punctulatus, pyritosus, quadricollis, rufo-marginatus, scaritides, scitulus, senegalensis, sinuatus, speciosus, steveni, stigmatosus, subaeneus, subpunctatus, tenebrosus, troglodytes, vagans, variabilis, varicolor, variegatus, vicinus, viridescens.
Selenops aegyptica, aissus, annulipes, brasiliensis, celer, fugitivus, omalosoma, peregrinator.
Selenopsis subaperta.
Selenoptychus rotundatus.
Selenosema thuni.
Selenostomus paradoxus.
Seleucides albus.
Seleucidis acanthalis.
Selidosema plumeria, punctularia.
Selimnus diorea.
Selista forceps*.
Selius bilobus.
Sellaria anglicana, polonica.
Selochusa forficatus, forficata.
Selonodon bicolor.
Selopoda fusca.
Selosphorus anna, costae, platycercus, ruber.
Selysius emarginatus, mystacinus.
Semanopteris adelaidae, depressus, subaequalis.
Semanotus undatus.
Semasia cana, fulvana, grossana, hypericana, lanceolata, perlepidana, pomonella, pupillana, rheediella, rufana, scopiolana, splendana, subsequana, woerberana.
Sematura aegistus, empedocles, lunus.
Semblis americanus, fasciata, geniculata, gracilis, grammatica, nigra, nitida, pallipes, praetexta, pygmaea, tripunctata.
Semeiophorus vexillarius.
Semele reticulata.
Semelina lybia.
Seminota hahni, leprieuri.
Seminula pentahedra, pisum, rhomboidea.
Semionotus bergeri, curtulus, latus, leptoccephalus, macropterus*, minor, minutus, nilssonii, pentlandi, punctatus, pustulifer, rhombifer, spixi, striatus.
Semiophora gothica.
Semiophorus pondiceriana, velicans, velifer.

Semioscopis ~~anella, avellana~~ella, steinkellnerella.

Semiotellus ~~comatus~~.

Semiothisa ~~agmataria~~, alternaria, fasciosaria, gambaria, lunbularia, lituraria, notalaria, signaria.

Semiotus (Col.) ~~angusticollis~~, apionus, convexicollis, cornutus, distinctus, fulvicollis, hircatus, ~~germanus~~, illigeri, intermedius, lignarius, ligneus, linnei, quadricollis, regalis, sanguinicollis, schaumii, seladonius, speciosus, taeniatatus, virgatus.

Semiotus (Hym.) ~~clarus~~, dice, diversus, maerens, merula, mundus, praestans, quadratus, scoticus, tarsalis, tauriscus, theopis, ~~varians~~.

Semiris fusca.

Semnia auritalis, cruentella, punctella.

Semnocebus avala.

Semnopithecus albocinctus, albogularis, auratus, bicolor, buku, cephalopterus, chrysomelas, comatus, cristatus, cucullatus, dussumieri, entellus, fascicularis, ferrugineus, flavimanus, frontatus, fuliginosus, fulvogriseus, halonifer, hypoleucos, johni, jubatus, kra, larvatus, latidorsatus, leucomeros, leucopymnus, maurus, melalophus, mitratus, monspessulanus, nasalis, nasicus, nimaus, nestor, nigrimanus, nobilis, obscurus, olivaceus, pileatus, polycomos, pruinosis, pyrrhus, recurvus, rubicundus, satanas, schistaceus, sirmensis, subhimalayanus, sumatranus, vellerosus.

Semotilus ~~cephalus~~, diplemia, dorsalis, notatus.

Senaspis flaviceps.

Senelops spixi.

Senetainia rubriventris.

Senex australis.

Senira bicolor.

Senobasis ~~analis~~, fenestrata.

Senoclitia fasciata.

Senogaster coerulescens.

Senometopia affinis, agilis, agrestis, alacris, amoena, angustipennis, arvicola, atropivora, aurifrons, bicincta, blondeli, bombycivora, catocalae, ciliata, ciligera, concolor, crassicornis, crataegellae, distincta, doris, flavisquamus, floricola, glauca, gnava, grisea, heraclaei, lepida, libatrix, lugubris, macrocera, meditata, mitis, myoidea, nemestrina, nigripes, pilipennis, pratensis, pumicata, puparum, silvestris, spinipennis, variegata, velox, vernalis.

Senoprosopis diardi.

Senopterina brevipes, decora, femorata, immaculata, oenea.

Senostoma variegata.

Senoxicera albibarbis.

Senta flammaea, sericea, ulvae.

Separatista ~~chemnitzii~~, grayi, helicina.

Sepedon (Dipt.) aenescens, annulatus, aquaticus, crishna, ferrugineus, ferruginosus, haefneri, imbutus, javanensis, macropus, palustris, peleterii, plumbellus, pseudosacori, senegalensis, senex, sphegeus.

Sepedon (R.) ~~brongniarti~~, haemachates, rhombeata.

Sephanoidea fernandensis, galerita, stokesi.

Sephela linearis.

Sephina pustulata.

Sepia aculeata, affinis, antillarum, apama, australis, bilineata, blainvillei, bosci, cardiop-tera, carunculata, chrysophthalmos, cuvieri, defrancei, elegans, gibba, gigas, granulata, hastiformis, hierredda, indica, inermis, latimanus, lefebvrei, longirostris, longispina, lycidas, maculata, niestus, microcheirus, microcosmus, minima, mucronata, myrsus, nigra, ornata, papillata, parisiensis, pelagica, peroni, pbaraonis, plangon, polypus, prisca, rouxi, rubens, rupellaris, sagitata, savigniana, savignyi, sepiacephora, sinensis, sinope, subulata, tourannensis, varietas, vermiculata, vicellius.

Sepialites gracilis, striatulus.

Sepidium acuminatum, aeneum, aliferum, barbarum, barthelemyi, bidentatum, bois-duvali, carbonarium, cinnamomum, costatum, dongolense, douei, dufouri, ecbinatum, ferrugineum, flexuosum, genei, glabratum, hispanicum, maillei, mittrei, morbillosum,

multispinosum, obtusum, plicatum, proximum, requieni, scutelliforme, senegalense, serratum, servillei, siculum, tomentosum, transmutatum, uncinatum, variegatum, vestitum, wagneri.

Sepioloa atlantica, desvigniana, dispar, japonica, lineolata, macrosoma, oweniana, palpebrosa, rondeleti, rondeletiana, stenodactyla, subalata.

Sepioloidea lineata.

Sepioteuthis australis, biangulatus, blainvilliana, guinensis, hemprichi, lessoniana, loliginiformis, lunulata, madagascariensis, major, mauritana, mayor, papuensis, sepiacea, sepioides, sinensis, sloani, venusta.

Seps chalcidica, croceus, equalis, falcatus, fragilis, gronovii, monodactylus, montana, multivirgata, niger, pentadactylus, peroni, schneideri, sexlineata, sheftopusik, tetradactylus, tridactylus, vittatus.

Sepsis albitarsis, annulipes, atripes, barbipes, bicolor, ciliata, complicata, concinna, cornuta, costalis, coxarum, cylindrica, cynipsea, depilis, duplicata, falleni, flavimana, flavipes, fulgens, gracilis, halidayi, hilaris, immaculata, impunctata, indica, lateralis, lealii, linearis, lucida, maculipes, marginata, minor, minuta, motatoria, nigricornis, nigripes, nitens, nitidula, nodosa, ornata, pectoralis, pilosa, punctum, pusilla, putris, referens, rufa, ruficornis, rufipes, rufocincta, scutellaris, stercoraria, superba, tarsalis, tricolor, varipes, vicaria, violacea.

Septa parkinsoni, rubecula, rubicunda, scarlatina, spengleri, triangularis, tritonina.

Septaria arenaria, borbonica, cylindracea, elliptica, mediterranea, tarbelliana, tuberculosa.

Septastrea forbesi, hirtolamellata, multilateralis, ramosa, subramosa.

Septifer bilocularis, cumingi, excisus, fuscus, krausii, virgatus.

Septis lateritia, lithoxylea, materina, mucens, poltodon, rurea.

Seraphisa lineata, modesta.

Seraphs convolutus.

Seraphys terebellum.

Serenthia atricapilla, laeta, ruficornis.

Sergestes arachnopus*, atlanticus.

Serialaria acervata, alternata, convoluta, cornuta, crispa, falcata, lendigera, precatatoria, semi-convoluta, spiralis, unilateralis, verticillata.

Seriatopora acuta, antiqua, caliendrum, cervina, cretacea, cribaria, grignonensis, hystrix, laxa, lineata, macrostachys, nuda, obtusa, ocellata, octoptera, subulata, valida.

Serica aquila, asperula, attenuata, australis, bimaculata, brasiliensis, brunnea, cinnamomea, columbiana, detera, elata, ferrugata, ferruginea, flavimana, fucata, fugax, fuscipennis, geminata, holosericea, marginata, marginella, melanaria, micans, pallescens, parvula, pelliculata, pruinosa, sinica, sulzeri, tessellata, tristis, velutina, vestita.

Sericaria disparata, leptoptera, mori, ranaeceph.

Sericesthis aureorufa, glabra, gouldi, pruinosa, rufipennis, rugosiceps.

Sericocera algira, bifasciata, compressa, crinocea, fuscipennis, lateralis, leucozona, nigripes, nitida, palpata, pictipennis, producta, spinolae, vulvula.

Sericoda bembidioides.

Sericoderus thoracicus.

Sericodon jugleri.

Sericoides chiliensis.

Sericogaster (Col.) argentatus.

Sericogaster (Hym.) fasciatus.

Sericoides reichei.

Sericomyia bombiformis, borealis, chrysotoxoides, filia, lapponum, limbipennis, militaris, mussitans, sexfasciata.

Sericore flexulana.

Sericoris abietisana, alternata, artemisiana, astrana, aurofasciana, bifasciana, bipunctana, cespitana, conchana, daleana, duponchelana, duponcheliana, elutana, euphorbiana, fasciolana, formosana, fulgidana, fuligana, furfurana, gemmana, gigantana, gramineana, grapholithana, herbana, indusiana, lacunana, lucivagana, marmorana, metallicana, micana, obsoletana, olivana, palustrana, penthinana, politana, porrectana, postremana, pulchellana, pullana, quadrimaculana, rurestrana, striana, subsequana,

- ~~sudetana, tenebrosa, tetterana, textana, tiedemanniana, umbrosa, undulana, urticana, usckeniana~~
Sericornis citreogularis, frontalis, humilis, laevigaster, maculatus, magnirostris, osculans, parvulus, schulziana, siderana.
Sericosoma fasciatus.
Sericosypha sumptuosa.
Sericostoma atratum, capillatum, festivum, flavicorne, galeatum, hirtum, leachi, maculatum, mibiium, multiguttatus, vittatum.
Sericothrips staphyinus.
Sericulus anais, aurantiacus, aureus, chrysocephalus, magnirostris, mellinus, regens.
Sericus brunneus, fugax.
Serilophus lunatus, lunulatus, rubropygia.
Serinetia rufa.
Serinus butyracea, canaria, canariensis, canicollis, citrinelloides, flavescens, hortulanus, leucopygos, luteolus, meridionalis, nigriceps, orientalis, serinus, striolata, syriacus, tristriatus, xanthopygus.
Seriosomus brunneus, brunnipennis.
Serioides atricapillus.
Seriola argyromelas*, aureovittata, binotata, bipinnulata, bonariensis, bosci, cosmopolita, cultrata, dubia, dumerili, dussumieri, falcata, fasciatus, gracilis, intermedia, lactaria, lalandei, leiarchus, picturata, purpurascens, quinquerediata, rafinesquei, rivoliiana, rueppeli, speciosus, succincta, zonata.
Serielella caerulea, porosa, violacea.
Seriscius pubescens.
Serisomus cristatus.
Serlion terminalis.
Serolis fabricii, gaudichaudi, latifrons, orbigny, paradoxa, quadricarinata, trilobitoides.
Serpe crocodilus, humboldti, microstoma.
Serpentaria fragilis.
Serpentarius africanus, cristatus, secretarius.
Serpentina quadristriata.
Serpophaga albocoronata, nigricans, parulus.
Serpula accumulata, alata, ambiguus, ammonia, ammonioides, amphisbaena, ampullacea, anfracta, anguina, anguinoides, angulata, angulosa, annellus, annularis, annulata, antareticus, antiqua, antiquata, aquaria, archemides, arcuata, armata, articulata, arundo, aspera, attrahens, avita, barbata, bardensis, bicanaliculata, bicornis, bicostata, bipartita, biplicata, bispiralis, boa, buccinula, caespitosa, calyptrata, canaletto, canaliculata, canalifera, canteriana, capillaris, capitata, caput serpentis, carbonaria, carinata, carinella, carinula, caudata, cereolus, chorda, cincta, cingulata, circinata, circinnalis, cirriformis, clava, clavaeformis, clavata, clavigera, coaceruata, colon, colubrina, communis, complanata, complexa, compressa, concamerata, conformis, conglutinata, conica, conjuncta, conoidea, contorta, contortus, contracta, convoluta, convolutata, cordineri, corniculum, cornu arietis, cornucopia, corona, corrugata, costalis, cristata, crassa, crenato-striata, cristata, crystallina, cubiculata, decussata, delphinula, dentifera, depressa, deshayesi, dilatata, discors, draconocephala, elegans, elongata, enneagona, epithonia, erecta, eruca, exigua, fascicularis, fastigiata, filaria, filiformis, filigrana, filosa, fimbriata, flaccida, flagelliformis, flagellum, fluctuata, fragilis, funiculosa, fuscata, gastrochaenoides, geranae, gibbosa, gigantea, glaberrima, globosa, glomerata, gordialis, graeca, grandis, granifera, granulata, granulosa, gregalis, grignoniensis, heliciformis, helicina, heptagona, heterostropha, hexagona, hexicarinata, humulus, ilium, imbutiformis, implicata, incurvata, indica, infundibularis, inscripta, intercepta, intermedia, interrupta, intestinalis, intestinum, intorta, javanum, kingicola, lacerata, lactea, laevigata, laevis, lagena, lenticularis, leonhardi, libera, limata, limax, lineata, lirata, lithogena, lituoformis, lituola, lituus, lobata, lombricus, lophoda, lucida, lumbricalis, macrocephala, macropus, marginata, maxima, meandra, minima, minuta, minutissima, monilifera, montagui, mulleri, multicristata, mutabilis, nautioides, nebulosa, nodosa, nodulosa, nodus, noeggerathi, nuda, nummularia, oblonga, obscura, obtusa, omphalodes, onyx, operculata, ornata, pallida, panamensis, parallela,

parvula, pectinatus, peltata, pentagona, pentangulata, ~~peltata~~, ~~per~~versa, pervia, philippi, pholadea, placenta, planorbiformis, planorbites, plexus, plicaria, plicatilis, polita, polytrema, porosa, prismatica, problematica, prolifera, protensa, proteus, punctata, pusilla, pustulosa, pygmaea, quadrangularis, quadrata, quadricarinata, quadrilata, quadrimaculata, quadristriata, quinquangularis, quinquangulata, quinquecarinata, quinquecristata, quinquesulcata, radicans, recta, rectangulum, regularis, retorta, reversa, richardi, riolensis, rosea, rotula, rugosa, runcinata, rupestris, rustica, sahellaria, scabrosa, scalaris, scalata, semiplicata, serpentina, serpentina, serrata, sexangularis, similis, simplex, sinistrorsa, sinuata, siphon, socialis, solarium, solitaria, sowerbyana, spinosa, spinulosa, spiralis, spirographis, spirolinites, spirulea, squamosa, squamulosa, stellata, striata, stricta, subangulata, subannulata, subcarinata, subcincta, subcingulata, subfalcata, subgranulosa, subinvoluta, subquadrangula, subrugosa, substriata, subtilis, subtorquata, sulcata, sulcataria, sulfurata, tenuis, tetragona, texta, tortrix, tortuosa, torulosa, trachinus, triangularis, triangulata, tricarinata, tricristata, tricuspidata, tricuspis, trilatera, trilineata, triquetra, triquetroides, triserrata, trochiformis, trochleata, tuba, tubaeformis, tubularia, tubulus, turbinata, turbinella, turhoides, umbilicata, umbiliciformis, uncinata, undulata, unilineata, urae, vallotina, valvata, variabilis, variegata, venatorium-cornu, venusta, vermes, vermetus, vermicella, vermicularis, vermiculites, vertebralis, vibicata, viperina, virginica, volubilis, volvox, vortex, warni.

Serpularia anglostomus, bicrenata*, centrifuga, circinalis, crenata*, serpula, spiruloides, tortuosa.

Serpulites carbonarius, coacervatus, contorquatus, curtus, exuviatus, gordialis, lithuus, lituus, longissimus, lumbricalis, membranaceus, muricinus, nummularius, peniformis, umbilicatus.

Serpuloides dentifera, inoperculata, varians.

Serpulorbis polyphragma.

Serranus acutirostris, aeneus, aka-ara, alboguttata, albomaculata, alexandrinus, altivelis, altiveloides, analis, angularis, antheas, apus, ara, arara, areolatus, argentinus, argus, argyro-grammicus, asperans, aurantius, auratus, awo-ara, hataviensis, biguttatus, bivittatus, boelang, hoenack, hontoo, borbonicus, borbonius, brunneus, cabrilla, caeruleopunctatus, caninus, cardinalis, catus, cerauna, chlorocephalus, chlorostigma, coioides, colonus, conceptionis, confertus, corallicola, coronatus, couchi, crapao, creolus, cuvieri, cyanopodis, cyanostigma, cyanostigmatoides, delissi, dermochirus, dermopterus, diacanthus, diacopaeformis, dichropterus, emarginatus, epinelephus, afer, epistictus, erythraeus, erythrogaster, erythrurus, fasciatus, fascicularis, filamentosus, fimbriatus, flavescens, flavimarginatus, flavocaeruleus, flavus, formosus, furcifer, fuscoguttatus, fuscus, gaimardi, galeus, geographicus, gigas, gilberti, goreensis, guativere, guttatus, gymnopareius, hemistiktos, heptatus, hexagonatus, hoeveni, horridus, humeralis, impetiginosus, inermis, irradians, itajara, kawamebari, labri-formis, lanceolatus, latifasciatus, lemniscatus, leopardus, lepidopterus, leucogrammicus, leucostigma, limbatus, lineatus, louti, lunulatus, luridus, luti, lutra, maculatus, maculosus, malabaricus, marginalis, marginatus, megachir, melanurus, mentzeli, merra, micronotatus, microstomus, milaris, miniatus, mitis, mo-ara, morio, morrhua, myriaster, nebulosus, nigriceps, nigriculus, nigripinnis, niveatus, nouleny, occipitalis, oceanicus, octocinctus, oculatus, olfax, oncus, orientalis, ouatilibi, oxyrhynchus, pachycentron, pantherinus, papilionaceus, pardalis, parkinsoni, pavoninus, peruanus, phaeistomus, phaeton, pixanga, poecilonotus, polyphekadion, polypodophilus, psillacinus, punctatus, puncticeps, punctulatus, quoyanus, radialis, radians, rasor, reevesi, reticulatus, rivulatus, rogaa, roseus, rosmarus, ruberrimus, rufus, rupestris, salmonoides, salmonopsis, sarnicus, scriba, semifasciatus, semipunctatus, sexfasciatus, sexmaculatus, shihpan, siagonotus, sonnerati, spiloparaeus, spilurus, stellans, stigmapomus, striatus, suillus, summana, taeniocheirus, taenioops, tauvina, telfairi, tigrinus, tigris, tinca, tonsor, trimaculatus, tsrimenara, tumilabris, undulosus, ura, urodelus, variegatus, variolosus, ventralis, virescens, vitta, zanana, zananella, zonatus.

Serrasalme marginatus.

Serrasalmo albus, aureus, bimaculatus, emarginatus, niger, nigricans, scotopterus, stagnatilis, undulatus. *Vide et Serro*→.

- Serrasalmus** caribe, citharus, denticulatus, humeralis, marginatus, minto, piraya.
Serriger coffini, reichei.
Serripes groenlandicus*.
Serristrostrum carbonarium, sittoides.
Serrocerus bistriatus, striatus.
Serropalpus barbata, caniculatus, coriarius, fuscus, impressus, lineatus, obsoletus, quadrimaculatus, serratus, spinicollis, substriatus, tenuis, thoracicus, tomentosus, umbrinus, vandoueri.
Serrosalmo rhombeus. *Vide et Serra*→.
Serrosalmus rhombeus.
Sertularella polyzonias, rugosa.
Sertularia abietinula, antipathes, antiqua, arbuscula, arcta, articulata, beani, bicuspidata, bifida, ciliata, confervaeformis, crisioides, cuscata, dentata, distans, disticha, divariata, divergens, dives, dumosa, ellisi, elongata, ericoides, fallax, fascis, filicina, fruticosa, fusca, gaudichaudi, gayi, geniculata, gracilis, hibernica, hydriformis, indivisa, johnstoni, laevis, lamourouxi, laxa, lorculata*, lycopodium, margareta, millefolium, milneana, nimosa, muricata, obliqua, pallasi, patagonica, pectinata, pelagica, pelagica, picta, pinnata, plumea, prolifera, quadridentata, ramosa, reptans, rigida, scandens, sericea, serra, splendens, tridentata, tubiformis, turbinata, uber, ulex, unilateralis, vidovichi.
Servillia echinata, pilosa, subpilosa, ursina.
Ses pellionella.
Sesarma affinis, africana, barbata, cinerea, curvata, graptochirus, haematocheir, helicoides, impressa, indica, intermedia, longipes, picta, pisoni, quadrata, recta, reticulatus, subintegra, taeniolata, tetragona, trapezoidea.
Seserinus michochirus, vachelli, xanthurus.
Sesia aerifrons, allantiformis, andreaeformis, anthraciformis, anthraciniformis, asiliformis, astatifformis, bembeciformis, bibioniformis, brosisformis, cephiiformis, ceriaeformis, chalciformis, chrysodiformis, cimbiciformis, cynipiformis, doryliformis, emphytiiformis, empiformis, euceraeformis, euglossaeformis, fenestrina, formicaeformis, halletiformis, hylaeiformis, ichneumoniformis, icteropus, infernalis, laphriaeformis, leucomelaena, loewi, mamertina, masariformis, melanocephala, melliniiformis, mellinipennis, miniainiformis, mutillaeformis, nephrotomaeformis, nomadiformis, oenotherae, ophiomiformis, oryssiiformis, palpina, philanthiformis, polistiformis, prosopiformis, rhingiaeformis, ruficaudis, schizoceriformis, schmidt, schmidtiformis, scoliaeformis, serratifformis, sireciformis, sirphiformis, sphingiformis, statuiiformis, stelidiformis, taediformis, tenthrediniformis, thynniformis, thyreiformis, tineiformis, triannuliformis, trivittata, typhiaeformis, vespiformis.
Setaria albogularis.
Setella (Cr.) aciculus, crassicornis, gracilis, longicauda, tenuicornis.
Setella (Lep.) marmorella.
Setellia afra, apicalis, liturata.
Sethenira testacea.
Setia bibioniformis, conopiformis, dioctriaeformis, leucopsiformis, muscaeformis.
Setifer caudatus, ecaudatus.
Setiger mauris.
Setina ancilla, andereggi, aurita, complana, cribrum, deplana, depressa, eborina, ephemera, flavicans, irrorea, jacobaeae, kuhlveini, luteola, pulchra, quadra, roscida, rubicunda, rubricollis, sembris, sororecula, unita.
Setipinna megalura, truncata.
Setis chrysidiformis.
Setodes aspersella, punctatella, punctella, respersella.
Setogyps imperialis.
Setophaga albidiadema, auricapilla, aurocapilla, bonapartei, bruniceps, budyoides, caesia, canadensis, castanea, castaneocapilla, chrysogaster, cinnamomeiventris, flaveola, glauca, melanocephala, miniata, mitrata, multicolor, nigra, nigroaenicta, olivater, ornata, picta, rubra, ruficauda, rufifrons, rufopectus, russeicauda, rutililla, selbyi, verticalis, vulnerata.

- Setornis* *eriniger*.
Sexloculina *haueri*.
Sheltopusik *didactylus*, *novaehollandiae*.
Siagona *angustata*, *atrata*, *bicolor*, *brunnipes*, *buqueti*, *cafra*, *dejeani*, *depressa*, *dorsalis*, *europaea*, *flesus*, *fuscipes*, *gerardi*, *goryi*, *herculeana*, *hirta*, *jenissoni*, *mandibularis*, *oberleitneri*, *picta*, *pilosa*, *plana*, *pubescens*, *rufa*, *ruficornis*, *rufipes*, *schuppei*, *senegalensis*, *sulcicollis*.
Siagonium *humerales*, *quadricorne*.
Sialia *arctica*, *caeruleocollis*, *mexicana*, *occidentalis*, *sialis*, *wilsoni*.
Sialis *azurea*, *bilineata*, *dorsata*, *flavilatera*, *fuliginosus*, *imbecilla*, *immarginata*, *infumatus*, *lutaria*, *niger*.
Siamanga *syndactyla*.
Siaphos *aequalis*.
Sibia *annectans*, *capistrata*, *gracilis*, *nigriceps*, *nipalensis*, *picaoides*, *pieaoides*.
Sibilatrix (A.) *locustella*.
Sibilatrix (R.) *gracilis*.
Sibinia *albo-lineata*, *alpina*, *arenaria*, *cana*, *centromaculata*, *cuprifer*, *dorsalis*, *femoralis*, *fraxini*, *fugax*, *graudicollis*, *humeralis*, *lineata*, *lineolata*, *parallela*, *picrostris*, *polylineata*, *potentillae*, *primita*, *quinque-notata*, *quinque-punctata*, *schneideri*, *sericea*, *signata*, *signita*, *sodalis*, *sparsuta*, *suturalis*, *tomentosa*, *unca*, *velutina*, *venusta*, *virescens*, *viscaria*, *vittata*, *vulpina*.
Sibon *annulatus*, *catenularis*, *nebulatus*, *punctatissimus*.
Sibynis *amylaceus*, *attalicus*, *bilineatus*, *cervinus*, *concinus*, *dorsalis*, *fulvirostris*, *irroratus*, *jucundus*, *lepidotus*, *luteoviridis*, *multiguttatus*, *punctirostris*, *rufirostris*, *sublineatus*, *suturellus*, *tibialis*, *tibiellus*, *unicolor*, *urbanus*, *variatus*, *viscaria*, *zebra*.
Sibynomorphus *mikani*.
Sibynon *nebulata*.
Sibynophis *geminatus*.
Sicarius *thomisoides*.
Sicus *aureus*, *fenestratus*, *unicolor*.
Sicyases *sanguineus*.
Sicydium *cynocephalum*, *lagocephalum*, *laticeps*, *obscurum*, *plumieri*.
Sicyogaster *marmoratus*.
Sicyonia (Cr.) *bispinosa*, *carinata*, *cristata*, *lancifer*, *parvula*, *sculpta*.
Sicyonia (Lep.) *apseudes*, *doris*, *sara*, *thamar*.
Sida *brachyura*, *cristallina*.
Sidemina *infundibuliforme*.
Siderastraea *agariciaformis*, *cadomensis*, *defrancei*, *incrustedata*, *lamourouxii*, *meandrinoides*, *microsolena*, *parisiensis*, *notata*, *websteri*.
Siderastrea *funesta*, *galaxea*, *globosa*, *italica*, *pulchella*, *savigniana*, *senegalensis*.
Sideria *achatana*.
Sideridis *evidens*, *ferruginea*, *luteago*, *nictitans*, *xanthographa*.
Siderodactylus *adstringatus*, *cuspidatus*, *galamensis*, *herbaceus*, *murinus*, *pelliculatus*, *rhodinus*, *sagittarius*.
Siderolina *calcytrapoides*, *defrancei*, *indica*, *laevigata*.
Siderolites *calcitrapes*, *calcitrapoides*, *de gervillei*, *spengleri*.
Siderolithes *hexagonus*.
Siderolithus *calcitrapoides*, *hexagonus*, *laevigatus*.
Siderone *galanthidis*, *ide*, *isidora*, *itylus*, *itys*, *marthesius*, *zethus*.
Sideropora *digitata*, *elongata*, *mordax*, *palmata*, *scabra*, *sexradiata*, *subdigitata*.
Sideroporus *calcitrapa*.
Sidnyum *turbinatum*.
Sidomenia *vestita*.
Sidonia *tessellaria*.
Siga *liris*.
Sigalion *arenosum*, *blainvillei*, *boa*, *estellae*, *herminiae*, *idunae*, *mathildae*, *squamosum*, *tetragonum*, *vittatum*.

Sigalphus *arculatus*, affinis, *alternipes*, *ambiguus*, *angustatus*, *annularis*, *annulatus*, *basilaris*, *benellii*, *brevicornis*, *carinatus*, *caudatus*, *complanellae**, *contractus*, *curculionum**, *cylindrus*, *dentator*, *elegans*, *fasciatus*, *fenestratus*, *flavipalpis*, *floricola*, *foveolatus*, *fumatus*, *gracilis*, *gravenhorsti*, *gravidator*, *hians*, *hilaris*, *inaneus*, *irrorator*, *klugi*, *macrocephalus*, *mandibularis*, *mutabilis*, *obscurus*, *oculator*, *oculatus*, *pallidipennis*, *pallipes*, *pellucens*, *planifrons*, *retusus*, *rufescens*, *runpes*, *scaber*, *scabriusculus*, *semirugosus*, *sericeus*, *similis*, *striatulus*, *tenthredinum*, *tibialis*, *vitripennis*.

Siganus *forskilii**, *fuscus**.

Sigara *coleoprata*, *grisea*, *hyalinipennis*, *leucocephala*, *lineata*, *minutissima*, *nigripennis*, *punctata*, *striata*, *undulata*.

Sigaretus *acuminatus*, *adansoni*, affinis, *apertus*, *arctatus*, *audouini*, *bilix*, *canaliculatus*, *cancellatus*, *cariatus*, *carolinus*, *clathratus*, *concavus*, *convexus*, *coriaceus*, *costatus*, *crenatus*, *curionii*, *cuvierianus*, *cymba*, *declivus*, *delesserti*, *depressus*, *deshayesi*, *deshaysianus*, *elegans*, *excavatus*, *filicatus*, *flavus*, *flexilis*, *furcatus*, *globosus*, *gratelupianus*, *grayi*, *groenlandicus*, *haltoides*, *helicoideus*, *helotoideus*, *insculptus*, *italicus*, *javanicus*, *kindelaninus*, *laevigatus*, *lamarckianus*, *latifasciatus*, *leachi*, *linneanus*, *listeri*, *maculatus*, *mamillaris*, *martinianus*, *maximus*, *michaudi*, *mississippiensis*, *morelli*, *neritoideus*, *papillus*, *pellucidus*, *perspectivus*, *perspicuus*, *petitianus*, *planulatus*, *planus*, *politus*, *roseus*, *rugosus*, *similis*, *sinuatus*, *stomatellus*, *striatus*, *subglobosa*, *sulcatus*, *tentaculatus*, *tenuicinctus*, *tonganus*, *translucidus*, *turonicus*, *uctae*, *unifasciatus*, *vitreus*, *vitrinaeformis*, *zonalis*, *zonatus*.

Sigelus *silens*.

Sigerpes *piceus*.

Sigillina *australis*.

Sigmodon *harlani*, *hispidum*.

Sigmodus *caniceps*.

Siguana *ottomis*.

Silago *burrus*.

Silbornyia *fuscipennis*, *micans*.

Silenus *brunneus*, *javanicus*, *veter*.

Silicaria *anguina*.

Silicularia *gracilis*, *rosea*.

Siliqua *floridana*, *lucida*, *nuttalli*, *radiata*.

Siliquaria *anguina*, *articulata*, *australis*, *brevifissurata*, *claibornensis*, *costae*, *cristata*, *echinata*, *florina*, *gigas*, *glabra*, *granti*, *lactea*, *laevigata*, *lima*, *muricata*, *notata*, *occlusa*, *papillosa*, *polygona*, *polygonalis*, *rosea*, *spinosa*, *spiralis*, *squamata*, *squamata*, *striata*, *terebella*, *tuberculata*, *turbinata*, *vitis*.

Siliquarius *anguilus*.

Siliqueella *bursaepastoris*.

Silis *amoena*, *armaticollis*, *denticollis*, *difficilis*, *laeta*, *longicornis*, *marginalis*, *pallens*, *pallida*, *plana*, *rubricollis*, *simplicicollis*, *spenicollis*, *tricolor*.

Sillago *acuta*, *bassensis*, *burrus**, *chondropus*, *ciliata**, *domina*, *erythraea*, *japonica*, *maculata*, *punctata*, *sihama*.

Silo *atratus*, *flavipes*, *gracilicornis*, *maculicornis*, *minutus*, *pallipes*, *pusillus*.

Silonia *diaphina*, *lurida*.

Silopa *dimidiata*, *fumata*, *glabrata*, *hepatica*, *nigella*, *praecox*, *pubescens*, *tempesta*.

Silpha *abbreviata*, *acuminata*, *affinis*, *alpicola*, *alpina*, *altaica*, *apicalis*, *armeniaca*, *assimilis*, *bicarinata*, *bicolor*, *bimaculata*, *blattoides*, *brunnea*, *brutia*, *californica*, *capensis*, *carinata*, *carniola*, *castanea*, *caudata*, *cayennensis*, *cervaria*, *clypeata*, *collaris*, *costata*, *cribrata*, *daurica*, *discicollis*, *dispar*, *erythrura*, *evanescens*, *excisa*, *ferruginea*, *figurata*, *flava*, *formosa*, *gibba*, *granulata*, *griesbachiana*, *haemiptera*, *hirta*, *hispanica*, *humator*, *intricata*, *ioptera*, *lacrymosa*, *lineatocollis*, *lutea*, *melanura*, *minuta*, *minutissima*, *mongolica*, *montana*, *mortuorum*, *multipunctata*, *mutilata*, *nitida*, *nitidula*, *obsoleta*, *opanolata*, *orientalis*, *perforata*, *perlata*, *phaeogaster*, *phaeorrhaea*, *polita*, *puncticollis*, *punctulata*, *pusilla*, *ramosa*, *recta*, *rosea*, *ruficollis*, *ruficornis*, *ruipes*, *ruithorax*, *sculptipennis*, *sericea*, *sibirica*, *similis*, *simplicicornis*, *simplicipes*, *sowerbyi*, *sphaeriae*, *stratum*, *striola*, *subsinuata*, *subterranea*, *terminata*,

testacea, tomentosa, terquata, truncata, truncatella, tuberculata, unicolor, unicostata, verrucosa, violacea.

Silphodes dubia, gambiensis, indica, madagascariensis, philippensis, sumatrensis.

Silphomorpha albopicta, fallax, guttigera, maculata, oretocheiloides.

Silubosaurus stokesi.

Siluboura ceylonicus.

Silundia chandramara, gangetica.

Silurella bosci, cyclopina.

Silurus anostomus, argentinus, athu, auritus, bicirrhis, boalis, borealis, callicrurus, canis, cerulescens, chechra, cochinchinensis, coecutiens, cornutus, cotylephorus, eupreus, cuvieri, duda, filamentosus, ganepinus, garua, gurgu, gyrinus, hemioliopterus, hexadactylus, hypophthalmus, indicus, japonicus, lamghur, laticeps, linna, limosus, lividus, maculatus, malabaricus, marinus, melas, microcephalus, micronemus, minutus, mollis, mononema, muelleri, mysoricus, nebulosus, niloticus, ocellatus, olivaris, pabda, pabo, pallidus, parkeri, punctatus, schall, siuensis, singio, triostegus, vaillanti, viscosus, wallagoo, xanthocephalus, xanthosteus.

Silusa alpicola, rubiginosa, rubra, rufa.

Silvanus advena, asperatus, bicornis, bidentatus, brevicornis, castaneus, dentatus, denticollis, denticulatus, elongatus, exilis, ferrugineus, frumentarius, lapidarius, latus, planus, serratus, sex-dentatus, similis, singularis, surinamensis, unidentata.

Silvia bidelensis, loquax. *Vide et Sylvia.*

Silvius algirus, appendiculatus, denticornis, eristoloides, esenbecki, fusconiger, isabellinus, laticornis, nubipennis, personatus, rufipes, vituli, vulpes.

Simaethis angustana, dentana, dentata, fabriciana, lutosa, myllerana, pariana, punctosa. *Vide et Simoe*→.

Simplephilus coronatus, diadema, discolor, petrolatus, pictus, triangulum, vertilabris.

Simia abeli, albifrons, albimana, albo-cinerea, antiquensis, anubis, aurata, caraya, carbonaria, carpolegus, cephaloptera, chameck, chiropotes, chrysopes, cineria, comata, comosa, concolor, cristata, cuvieri, cynopsis, dentata, dussumieri, edwardsi, engyittithia, erythraeus, fascicularis, ferruginea, flavescens, flavicauda, fuliginosa, fulvo-fusca, geoffroyi, glauca, golok, hoolock, johni, lagotricha, larvata, leonina, leucampyx, leuciscus, leucophea, leucopygma, libidinosa, lugens, lynx, mauritius, melalophos, melanocephala, moloch, monachus, morio, nasicus, nasuta, nigra, pann, parvilamnis, patas, pennanti, pennantiana, pileata, pongo, pyrrhonotos, radiata, rafflesii, rufiventris, sagulata, satanas, senes, siliens, speciosa, sphingiola, syndactyla, tragopogus, trivirgata, ursina, variegatus, vetulus, villosa, viridis, wagleri, wurmbi.

Simiolus ceilonicus.

Simnia nicaensis, purpurea.

Simo elegantulus, hirticornis, simo.

Simodontus aeneipennis.

Simoethus leos, rex. *Vide et Simae*→.

Simorhynchus cinerea, cristatus, psittacula.

Simornis rubropygia, sericeogula.

Simosaurus gaillardoti, mougeoti.

Simotes albivertex, zibethicus.

Simplegades colubratu.

Simplegas funatus, margaritaceus, solarium, undulosus, virgatus.

Simplocaria acuminata, concolor, maculosa, metallicus, nitida, picipes, semistriata, strigosa.

Simulopsis angularis, atrovirens, obtusa, sulculosa.

Simulia annulitarsis, anomala, argyreata, aurea, auricoma, cana, canescens, cincta, columbaczensis, elegans, fasciata, ferruginea, fuscipes, hirtipes, incana, latipes, lineata, maculata, marginata, minutissima, nana, nigra, ornata, pallipes, picta, posticata, pubiventris, pusilla, pygmaea, rufa, rufipes, sericata, sericea, subfasciata, varia, variegata, vernum, vittata.

Simulium affinis, cinereum, colombachensis, crassitarsis, devorum, equinum, flavipes, humidum, invenustum, luteocornis, nasale, nigrimana, pertinax, picipes, pubescens, ruficorne, tarsatum, tibiale, trifasciatum, venustum, vernum.

Simyra dentinosa, dubiosa, eogene, fluxa, musculosa, nervosa, punctosa, venosa.

- Sincus* ~~ganzini~~. *Vide et Scincus*.
Sindris ganzini.
Sinea javanensis, multispinosa, punctipes.
Sinemuria dufreni.
Sinetheres prehensilis.
Singa anthracina, conica, hamata, herii, melanocephala, nigrifrons, nitidula, sanguinea, trifasciata, tubulosa.
Singhala tenella.
Singilis bicolor, mauritanica, soror.
Sinodendron americanum, chileographum, cornutum, digitatum, juvenilis, rugosum, unideutatum.
Sinoxylon bispinosum.
Sintor quadrilineatus.
Sinya musculosa.
Siola boillaei, garnieri.
Siona dealbaria, dealbata, decussata, griseata, nivearia.
Sipalus (Col.) bracteolatus, burmeisteri, cylindraceus, granulata, guineensis, hypocrita, immundus, leprosus, luteosignatus, memnonius, mendicus, misumenus, papulatus, porriginosus, rubetra, rugicollis, scutellaris, sphacelatus, striatus, subulatus.
Sipalus (M.) orientalis.
Siphalomphix bonariensis.
Siphalus fuscus.
Siphia erythaca, leucomelanura, nobis, signata, strophia, superciliaris, tricolor.
Siphlophis audax, fitzingeri.
Siphneus (M.) aspalax.
Siphneus (R.) ornatum.
Sipho calthrata, noachina, striatus.
Siphodictyon gracile.
Siphodictyum gracile.
Siphona analis, cinerea, cristata, flavifrons, geniculata, irritans, maculata, maculipennis, minutata, nigrovittata, tachunaria.
Siphonaria acuta, adansonii, albicante, algesirae, alternata, alternicosta, amara, angulata, aspera, atra, australis, bisiphites, capensis, characteristica, concinna, conica, coreensis, cornuta, costata, crebricostata, denticulata, diemenensis, exigua, gigas, guamensis, inculta, jonasi, konincki, laevis, laeviuscula, lateralis, lecaninum, lepida, lessoni, lineolata, mammillaris, maura, mouretus, natalensis, normalis, obliquata, oculus, peruviana, pica, plana, plicata, punctata, radiata, scutellum, sipho, sowerbyi, striatocostata, subrugosa, tristenis, variabilis, vasconiensis, viridis, zelandica, zonata.
Siphonella (Dipt.) nucis, oenea, oscinina, ruficeps, ruficornis.
Siphonella (Polyz.) gracilis.
Siphonenteron bilineatus, elegans.
Siphonia acaulis, ampullacea, anguilla, arbuscula, biseriata, brevicostata, cervicornis, clava, costata, cratera, cylindrica, ficoidea, ficus, diadema, dichotoma, edita, elongata, excavata, fittou, fusiformis, goldfussi, heterostoma, imbricato-articulata, incrassata, iufundibulum, konigi, krausei, lagenaria, lycoperdites, lycoperdoides, morrisiana, multiformis, multioculata, nuciformis, ocellata, oligostoma, piriformis, pistillum, polymorpha, praemorsa, punctata, ramosa, stipitata, ternata, tuberosa, typhum.
Siphonina fimbriata.
Siphoniotyphlus plumatus.
Siphonium fasciatum.
Siphonocoetes typicus.
Siphonophora portoricensis.
Siphonophyllia cylindrica, ibicina.
Siphonops annulata, interrupta, mexicanus.
Siphonostoma (G.) costata, porrectum.
Siphonostoma (Verm.) diplochaitus, inhabile, parasiticum, plumosum, uncinata, vaginiferum, villosum.
Siphonostomum edwardsi, papillosum.

- Siphonotreta** aculeata, anglica, conoides, curta, fissa, fornicata, tentorium, unguiculata, verrucosa.
- Siphonotus** (Myr.) brasiliensis, luteolus.
- Siphonotus** (Nud.) geographicus.
- Siphonura** breviceuda, chalybea, punctulata, sericea, variolosa, viridiaenea.
- Siphopsis** flexuosa, tubicella.
- Siphostoma** abaster, acus, agassizi, etbon, ferruginea, pelagicus, phlegon, pyrois, rbyn-cbaenus, rotundatus, rubescens, tiphle, viridis.
- Siphunculus** arcuatus, dentata, echinorhynchus, tuberculatus.
- Siproeta** trayja.
- Sipunculus** ambiguus, balanophorus, bernhardus, capitatus, clavatus, edulis, eremita, fasciolatus, flavus, forbesi, genuensis, granulosa, harveyi, johustoni, leachi, lumbrisci-formis, macrorhynchopterus, margaritaceus, marius, uordfolcensis, oxyurus, pallasi, papillosus, phalloides, rufo-umbriatus, scutatus, strombus, tenuicinctus, tigrinus, tuberculatus, villosus, vulgaris.
- Siredon** axolotl, maculatus, mexicanus.
- Siren** anguina, intermedia, pisciformis, striata.
- Sirena** maculosa.
- Sirene** lacertina.
- Sirenocyamus** rhytinae.
- Sirenoidis** didactylum.
- Sirex** augur, bimaculatus, bizonatus, duplex, fascicornis.
- Siro** crassipes, rubens, testudinarius.
- Sironia** tithia.
- Sirthena** carinatus.
- Siryne** canus.
- Sisiphus** quadricollis.
- Sisor** rabdophorus.
- Sissirostrum** dubium.
- Sissurella** orbignyi.
- Sistrum** album, dactyloides, horridum, nodum, ricinus.
- Sisyphe** helwigi, schaefferi.
- Sisypus** (Col.) barbarossa, bowringi, capensis, caschmirensis, crispatus, hessi, hirtus, indicus, longipes, minutus, neglectus, ocellatus, rugosus, schaefferi, signatus, spinipes, submarginatus, subnervis, tauscheri.
- Sisyra** fuscata, morio, nigripennis.
- Sitana** ponticeriana.
- Sitanus** barbipennis, exiguus.
- Sitarea** dejeani, scorzonerae.
- Sitarida** hopei.
- Sitaris** adusta, apicalis, humeralis, melanura, necydalea, rufipennis, rufipes, solieri, spectabilis.
- Siteytes** albiceratus, albicinctus, cirricollis, lugubris, multicarinatus.
- Sithon** iebus, melampus, nedymond, umbratus.
- Sitochroa** crocealis, gilvalis, palealis, selenalis, sulphuralis.
- Sitona** affinis, alba, albesens, ambiguus, ambulans, anchora, arcticollis, argutulus, aspera, attavina, attratus, bimaculata, bispilota, brevicollis, cachecta, callosus, calosa, cambrica, canescens, canina, canus, caudata, chloropus, cinerea, corycaea, costata, cribricollis, crinita, decora, discoideus, durecis, elegans, fascicularis, femoralis, flavescens, flavipes, foedus, fusca, gemmellatus, globosa, globulicollis, gracilicornis, gressorius, grisea, haemorrhoidalis, hinnulus, hirsutula, hirta, hirticornis, hispidula, humeralis, humilis, incana, indifferens, inops, insulsus, languidus, lateralis, latifrons, latipennis, lepidus, limosa, lineata, lineatulus, lineella, longiclavis, longulus, luctuosa, lurida, macularis, maculata, maculipennis, margarum, meliloti, nanus, neophytis, nigriclavus, obscuripes, obsoleta, occator, octopunctatus, orientalis, palliata, pallipes, pisi, pisivora, pleuritica, promptus, puncticollis, regensteiniensis, rubiginosa, ruficlavis, rufipes, rugulosa, scansoria, scissifrons, serrimana, setosa, setulosa, simplex, sparti, striatellus, strumosa, sturni, subaurata, sulcifrons, suturalis, tibialis, tibiellus, ulicis, verrucosa, vestita, waterhousei.

Sitones albarius, bicolor, bituberculatus, californius, chloroloma, cinerascens, conspectus, constrictus, cylindricollis, discoideus, geniculatus, intermedius, lividipes, longicollis, maculatus, mauritanicus, medicaginis, oculatus, ordinarius, semipilus, seriesetosus, setosus, setuliferus, sulcifrons, tenuis, trisulcatus, turbatus, variegatus, virgatus, viridifrons.

Sitonia costata [err. pro *Sitona*].

Sitophilus banoni, exaratus, frumenti, gotschi, granarius, incarnatus, linearis, mellerborgi, oryzae, quadrinotatus, remotepunctatus, rugosus, sculpturatus, setulosus, stigmati-collis, subfasciatus, subsignatus, taitensis, viduus.

Sitta advena, affinis, azurea, caesia, castanea, castaneoventris, chrysoptera, cinnamomea-ventris, corallina, curvirostris, flavipes, foliorum, formosa, frontalis, fusca, himalayensis, leucopsis, melaina, melanocephala, nepalensis, neumayeri, otatare, punctata, puncto-rum, pusilla, pygmaea, saxatilis, septentrionalis, sericea, stulta, suriaca, varia, velata.

Sittace acuticaudata, anaca, aracanga, ararauna, aurea, cactorum, caninde, chiripepe, chlorogenys, cruentata, euops, flaviveutris, glauca, gujanensis, hyacinthina, illigeri, jendaya, lepida, leptorhyncha, leucotis, ludoviciana, lutea, macao, macavuanna, melanura, militaris, murina, nenday, nobilis, pachyrhyncha, patagonica, pertinax, petzi, severa, solstitialis, spixi, tirica, tricolor, tui, tuipara, virescens, vittata, xanthoptera.

Sittasomus amazonus, erythacus, flammulatus, olivaceus, perlatus, sylviellus, temminckii.

Sittella chrysoptera, leucocephala, leucoptera, melanocephala, pileata.

Sitularia triangulariformis.

Siva (A.) chrysotis, cyanouroptera, nipalensis, occipitalis, strigula, vinipectus.

Siva (Hem.) strigicollis.

Sivatherium giganteum.

Skeletodes tetrops.

Skenea aequalis, atomus, carinata, catillus, concava, cutleriana, depressa, divisa, funata, laevis, uitidissima, ovata, perangulatus, planorbis, rota, serpuloides, umbonata.

Skeponopodus guebuca, typus.

Slabberia halterata.

Smaragdina ferulae, limbata, menetriesi.

Smaragdites (A.) aurulentus, cristatus, longicaudus, maugei, tobaci, viridis, viridissimus.

Smaragdites (Hym.) admirabilis.

Smaridia macilenta, miniata, nicoleti, papillosa, phlogina, sambuci, squamata, vestita.

Smaris acarapeba, alcedo, angustatus, balteatus, britannus, chryselis, erythrurus, expalpis, gagarella, gora, gracilis, impressa, insidiator, italicus, lineatus, maena, martinicus, mauri, mauritanus, melanurus, mendola, miniatus, osbecki, oyena, papillosus, porosus, royeri, smaris, sparoides, vulgaris.

Smeia virginea.

Smerdis (Cr.) armata, formosus, vulgaris.

Smerdis (P.) latior, macrurus, micracanthus, minutus, pygmaeus, ventralis.

Smerinthus astylus, cerisyi, demi-paon, geminatus, jamaicensis, lycambes, modestus, ocellata, panopus, populi, quercus, rosacearum, tiliae, tremulae.

Smicorhina sayi.

Smicra lepieuri.

Smicronyx caecus, cyaneus, erichsoni, fallax, jungermanniae, politus, reichel, variegatus.

Smicrornis brevirostris, flavescens, occidentalis.

Smidia cupraea, flavipalpis, myoidea, vernalis.

Smiera accila, anpyx, biguttata, clavipes, dares, enyo, fidius, fulvescens, lamyus, macleani, masus, melanaris, nigrifex, peiroleri, petiolatus, pielus, pratinus, punctata, pylas, side, sispes, subpunctata, teleute, xanthostigma.

Smigrostoma littorale.

Smilax americanus.

Smileceras solitarium.

Smilia apicalis, axillaris, bifoliata, brunnea, brunnea-fasciata, brunnicornis, campestris, centralis, colon, diceros, dorsata, fasciata, flavipennis, flavipes, flexuosus, fornicata, genistae, griseus, incumbens, inflata, informis, lacca, malina, nigrofasciata, pallens, peltata, prasina, pugionata, pugnax, sellata, teligera, vaginata, vittata, vittatipennis, vitulus, xanthographa.

- Smiliorachis** bipunctata, bispina, notata, variegata.
Smilium peroni.
Smilocomptus burgueti.
Smilodon (M.) populator.
Smilodon (R.) crenatus, laevis.
Sminthurus aquaticus, bilineatus, fuscus, lupulinae, pallipes. *Vide et Smyntus*→.
Sminthus betulinus, loriger, nordmanni, vagus.
Smithornis capensis.
Smodicum cucuiiforme, impressicolle.
Smynthuroides betae.
Smyntus bicinctus, bourleti, capucinus, couloni, deformis, echii, exiguus, fuliginosus, fulvipes, fuscus, globosa, guttatus, laterculus, liliputianus, lusseri, oblongus, ochraceus, ornatus, pinetorum, polypodus, punctatus, signatus, sulphureus, viridis.
Smyrna blomfeldi, karwinski.
Socomia paradoxa.
Sogines punctulatus.
Solanderia gracilis.
Solanocrinites costatus, jaegeri, scrobiculatus.
Solanocrinus bronni.
Solariella maculata.
Solariopsis pellis serpentis [*err. pro Solaropsis*].
Solarites pseudoperspectivus.
Solarium acies, aetbiops, affine, albense, alpinum, alveatum, ammonites, amoenum, angulatum, anonymum, antiquum, antrosium, arcbitae, areola, asperum, asterianum, australe, axacuum, benstedii, biangulatum, bicanaliculatum, bicarinatum, bicinctum, bifrons, bilineatum, bistriatum, bisulcatum, branderianum, brochii, bronni, caelatum, calix, canaliculatum, cancellatum, candidum, carcitanense, carinatum, carocollatum, castellanensis, castrensis, catenatum, catillus, ebennitzi, cingulum, cirroide, complanatum, conoideum, coronatum, cotswaldiae, cratera, crenulosum, cyclostomum, cylindraceum, danae, dealbatum, delphinuloides, delphinulum, dentatum, denticulatum, depressum, desbayesi, dilatatum, discoideum, discus, disjunctum, dorsuosum, dublieri, dumonti, dupinianum, egenum, elaboratum, elegans, elevatum, fasciatum, fenestratum, formosum, fragile, fuliginosum, fulvum, funginum, gibbosum, granatum, grande, granosum, granulato-costatum, granulatum, guerangeri, henrici, herberti, heteroclitum, hugianum, humile, hybridum, imperforatum, implexum, incisum, inornatum, laevigatum, laudunensis, luteum, lyelli, maculatum, marginatum, martinianum, maximum, millegranum, minimum, miserum, modestum, moniliferum, nanum, neglectum, neocomiense, nitidum, nodosum, nubilum, nuperum, nysti, ornatum, patellatum, patulum, pentangulatum, perversum, petropolitanum, philippii, pictum, placentale, planatum, plano-concavum, planorbillus, planorbis, plicatum, plicatum, polygonium, pomeli, pseudo-granulatum, pseudoperspectivum, pulchellum, pulchrum, purpuratum, pygmaeum, quadratum, quadriceps, quadrifasciatum, quadriseriatum, quadristriatum, radians, radiatum, raristriatum, reticulatum, roebatianum, sartbacensis, scalare, scrobiculatum, semisquamosum, semistriatum, serpens, siculum, simplex, sowerbyi, spectabile, spiratum, stalagmium, stellatum, stramineum, subangulatum, subornatum, subpunctatum, sulcatum, tabulatum, tessellatum, tibirianum, tingryanum, tollotianum, tricarinatum, tricostratum, trilineatum, triliratum, triplex, trochiforme, trochleare, trochoides, turbinoides, umbrosum, variegatum, verrucosum, virgatum, vitreum, zonatum.
Solaropsis brasiliensis, belica.
Solaster endeca, furcifer, papposa.
Soldania annulata, carinata, elegans, limia, nitida, orbicularis, spirorbis, trivoluta.
Solea arnogglossa, brasiliensis, buglossa, cinerea, cithara, cynoglossa, foliacea, hexophthalma, humilis, impar, isostoma, kleini, lascaris, limanda, lingua, liturata, luctuosa, lutea, mangitii, monochir, nasuta, ocellatus, oculata, ommatura, orientalis, ovalis, ovata, pegusa, plagiusa, platessa, rhomboide, rondeleti, rudis, scriba, solea, tbeopbila, variegata, vulgaris, zebra, zebrina.
Solecardia eburnea.

Solecrtus acteon, acuminatus, acutidens, aequalis, affinis, albus, antiquatus, appendiculatus, basteroti, blainvillei, californianus, candidus, coarctatus, compressus, constrictus, cyclopeus, depressus, deshayesi, dilatatus, dombeyi, dubius, effusus, elegans, elongatus, fragilis, gibbus, guerangeri, hallowaysi, inflexus, javanicus, legumen, lucidus, nuttalli, obscurus, ovalis, parisiensis, pelagi, petschorae, platensis, pseudotagal, pudicus, quadratus, radians, radiatus, robinaldinus, solidus, squama, strigilatus, subcompressus, subteres, tellinella, violaceus, warburtoni.

Solegnathus hardwicki.

Solemia australis, biarnica, borealis, mediterranea, phillipsiana, primaeva, puzosiana, velum, ventricosa, volti.

Solen abbreviatus, acinaces, acuminatus, acutidens, adansoni, aegypticus, aequalis, affinis, africanus, albicans, albida, albus, altus, ambiguus, americanus, amethystus, angulatus, angustatus, antiqua, antiquatus, appendiculatus, arctica, aulos diphos, becki, bidens, biradiata, bouchardi, brevis, californianus, cancellatus, candidus, caribaeus, carinatus, centralis, cerinus, ceylonensis, cbemnitz, coarctatus, coerulescens, complanatus, compressus, comprinatus, constrictus, conversus, corneus, costatus, cruentus, cultellatus, curtus, cylindraceus, dealbatus, declivis, defloratus, depressus, deshayesi, dichivis, directus, dixonii, dombeyi, dupinianus, effusus, elegans, ellipticus, elongatus, ensiformis, exaratus, flammeum, fragilis, gallicus, gari, gaudichaudi, genuis, gigas, gladiolus, gracilis, guerangeri, guineensis, hausmanni, helveticus, hians, incurvus, inflatus, inflexus, intermedius, javanicus, jurensis, konincki, laevigata, lamarcki, lamellosus, legumen, ligula, linearis, lividus, lustbeidi, macrodon, magnodentatus, magnus, marginatus, maximus, mediterranea, medius, michaudi, multiradiatus, multistriatus, nahautensis, nitidus, novacula, novaculina, obliquus, oblonga, obtusa, olivii, orbiculatus, orientalis, ovalis, pallidus, papyraceus, parisiensis, patulus, pelagicus, philippinarum, pictus, pinna, pinnaeformis, planulatus, planus, plebejus, politus, prunneri, purpureus, pygmaeus, repandus, robinaldinus, rostratus, scalprum, schultzeanus, scopula, sculptus, scarius, siliquoides, sloani, solidus, splendens, squama, squamosus, strigillatus, subfragilis, subrostrata, subteres, subvaginoides, tellinella, tenuis, truncata, truncatulus, truncatus, vaginoides, variegatus, ventrosus, versicolor, vetustus, violaceus, viride, viridi-aeneus, viridis.

Solenastrea bournoni, bowerbanki, forskaliana, gibbosa, hemprichiana, sarcinula, tenuilamellosa, turonensis.

Solenella norrisi.

Solenimya abnormis, normalis, parvula.

Solenites cultratus, diluvianus, leguminoides, minor, mytiloides, tellinarius, vaginatus. *Vide et Solenn*→.

Solenius caesus, dives, fossorius, fuscipennis, grandis, interruptus, lapidarius, octonotatus, petiolatus, punctatus, rubicola, scaber, vagus.

Solennites annulatus. *Vide et Solen*→.

Solenobia anderreggella, clathrella, lapidicella, lefebvyriella, lichenella, minorella, pectinatella, pectinella, pseudo-bombycella, undulella.

Solenocera philippii.

Solenocotyle chiajei.

Solenocurtus banetianus, legumen.

Solenodon paradoxus.

Solenoglossus zeylanicus.

Solenophorus (Col.) streperus.

Solenophorus (Verm.) grandis, megaloccephalus, ovatus.

Solenopsis (Hym.) mandibularis.

Solenopsis (L.) minor, moricandi.

Solenoptera (Col.) canaliculata, cinnamipennis, fulvipes, lineata, quadrilineata, taslei, thomae.

Solenoptera (Lep.) meticulousa, scita.

Solenopus caciucus, percheroni, regalis, sexmaculatus, spinicollis.

Solenorhinus porifer.

Solenosternus puucticollis.

Solenosthedium furciferum, lynceum.

- Solenostomus paradoxus*, scolopax.
Soleria rustica.
Soletellina effusa, lamarecki, nitida, occidentis, ovalis, radiata, repanda, tellinella.
Solidula mosaica.
Solieria binotata, brunicosa, cinerascens, ciurea, dimidiata, elongatus, femoralis, festiva, fuscana, gagatea, germana, immaculatus, inanis, lateralis, modesta, nana, nigra, nitens, pacifica, pulverulenta, ruficus, vicina.
Solpuga araneoides, barbara, brevipes, cubae, gryllipes, intrepida, limbata, melona, phalangista, spinipalpis, venenosa.
Somateria borealis, danica, dispar, faroensis, islandica, leisleri, megauros, mollissima, norwegica, planifrons, platyuros, saint cuthberti, spectabilis.
Somaticus rugosum.
Somatipongia pulchella.
Somatodes misumenus, sanctus.
Sometia stomoxyformis.
Somias variegatus.
Somileptes bispinosa, unispina.
Sommeria culta.
Somniosus brevipinna.
Somoplatus substriatus.
Somula decora.
Soosoo bordaii, gangeticus.
Sophia (Coel.) diploptera.
Sophia (Dipt.) filipes, gagatea, pellucida, punctata, vittata.
Sophone nicaensis.
Sophron inornatum.
Sophronia derivalis, emortualis, illustrella, sicariellus.
Sorex alba, albus, alpinus, amphibius, antinori, aterrimus, bicolor, brachygnathus*, brevicaudatus, brevicaudus, caerulescens, cafer, canaliculatus, capensis, capensoides, carinatus, carolinensis, castaneus, caudatus, cerulescens, ciliatus, cinereus, cinnamomeus, concinnus, concolor, constrictus, cooperi, coronatus, cunicularius, cyaneus, dasyurus, dekayi, dichrurus, dsinezumi, eremita, etruscus, feroculus, ferrugineus, fimbriatus, fimbripes, flavescens, fluviatilis, fodiens, forsteri, franciscus, fulvaster, geoffroyi, giganteus, glis, gmelini, gracilis, guineensis, güldenstaedti, hedenborgianus, hermanni, herpestes, hibernicus, himalaicus, hydrophilus, indicus, infumatus, jaculus, kinezumi, labiatus, labiosus, leucurus, lineatus, longirostris, luricaudatus, macropus, macrotrichus, macrourus, madagascariensis, mariquensis, melanodon, melanotis, minimus, montanus, murinus, musculus, natans, nemorivagus, niger, nigricans, nigripes, pachyurus, palustris, paradoxus, parvus, perrotteti, personatus, platycephalus, poensis, proboscideus, psilurus, pulchellus, pumilio, pumilus, pusillus, pygmaeus, radiatus, religiosus, remifer, rhinolophus, richardsoni, rozeti, rubridens, rusticus, sericeus, serpentarius, setifer, sikimensis, soccatus, sonnerati, stagnalis, suaveolens, talpoides, tenuis, thoracicus, tucutuco, umbrinus, varius, viarius, vulgaris.
Soridia lineata.
Sorites depressus, dominicensis, edentulus, orbiculus, radiolatus, undatus.
Sormetus adansonii.
Soronia grisea, marmorata, punctatissima.
Soroplex campestris.
Sorubim caparary, infraocularis, jandia, pirauaca.
Sospita chinensis, tigrina.
Sosybius major, minor.
Sosylus rufipes.
Sowerbya crassa.
Spaelotis augur, birivia, cataleuca, confusa, distinguenda, dumetorum, fimbriola, fugax, gilva, gricescens, helvetina, latens, lucipeta, nyctemera, policola, praecox, pyrophila, ravida, remigera, senna, sibirica, squalida, valesiaca.
Spalacopsis stellio, stolata, suffusa.
Spalacopus poeppigi.

- Spalangia** endius, erythromera, flavipes, fuscipes, glabricollis, gonatopoda, hirta, homalaspis, hyaloptera, leptogramma, nigra, nigripes, nigroaenea, rugulosa, spuria, subpunctata, umbellatarum.
- Spalangius** politus.
- Spalax** brasiliensis, caecutiens, canis, maritimus, murinus, pallasi, talpinus, trivittata, typhlus, vittata, zokor.
- Spallanzania** gallica, picea.
- Spania** (Dipt.) edeta, falleni, nigra.
- Spania** (Lep.) messingiella.
- Spaniodon** blondelli, elongatus.
- Spanioneura** fonscolombei.
- Spaniopus** dissimilis.
- Sparacta** cristata.
- Sparactes** cristatus, robustus, superbus.
- Sparactus** interrupta.
- Sparasion** carinatus, cephalotes, famelicus, frontalis, inermis, tibiale.
- Sparassus** americanus, amoenus, angulatus, argelasius, ferrugineus, fuscus, ligurinus, montanus, nigricans, ornatus, pallens, punctipes, roseus, rubripes, smaragdina, smaragdulus, spinicrus, tricolor, vestitus, virescens, walckenari.
- Sparatta** pelvimetra.
- Sparedrus** testaceus.
- Sparganothis** adustana, consimilana, griseana, luteolana, mixtana, pilleriana, rolandiana, strigana.
- Spargispongia** rugosissima. *Vide et Sparsi*→.
- Sparisoma** abildgardi.
- Sparnodus** altivelis, elongatus, macrophthalmus, micracanthus, ovalis.
- Sparsispongia** concinna, polymorpha, pulvinarium, radiosa, ramosa, rugosum, tuberosa. *Vide et Spargi*→.
- Spartecerus** angustatus, caesus, foedus, obesus, sellatus.
- Spartiophila** litura, sexpunctata.
- Spartocera** batatas, pubera.
- Spartocerus** affinis, bicolor, bimaculatus, dorsalis, erythromelas, geniculatus, intermedius, lateritius, laticornis, scutellatus, subfulvus.
- Spartophila** caraganae, lineata, menetriesi, spartii.
- Spartycerus** rondani.
- Sparus** acara, acutirostris, adottus, adriaticus, alcedo, aldrovandii, altus, anthias, argenteus, argus, argyrophthalmus, atlanticus, atrarius, auratoides, auratus, aureolineatus, aureoruber, aureo-vittatus, bajonado, bicinctus, bidens, bifasciatus, bilobatus, bolcanus, brachion, britannus, brunnichi, bufalus, bufonites, caeruleus, caissoti, calamara, calcaratus, cantabrus, cantarella, canthareus, cardinalis, carudse, castaneola, catesby, caxis, cayanensis, centrodontus, cepedianus, cetti, chaetodontoides, chinensis, chloropterus, choerorynchus, chrysomelanus, chrysopterus, cinereus, clavieria, commersoni, coracinus, corvina, crassirostris, cruentatus, decussatus, dentex, desfontaini, diacanthus, digramma, dubius, ellipticus, ephippium, erythrops, erythropterus, falcus, forsteri, gaiolus, gibbosus, gibbus, grandoculis, gymnocephalus, hamrur, harak, hardwicki, hasta, hemisphaericum, hemisphaerius, hexagonus, holocyaneus, insulae-stercus, juba, lapina, lepisurus, lineatus, linki, lividus, luna, lunulatus, lutianus, macrophthalmus, maculatus, magnificus, mahsenus, malabaricus, massiliensis, mauropsaro, meaco, mediterraneus, melanopterus, melanotus, melanurus, mendola, microstomus, milii, miniatus, minutus, mocasinus, mupa, mylii, mylostomus, nhoquanda, niger, nippon, nobilis, norvegicus, notatus, oblada, oblongus, ocellatus, olivaceus, ophthalmicus, orientalis, ornatus, osbecki, ovicephalus, ovis, oxyrhynchus, pagel, pantherinus, passeroni, pavo, pentagramma, percula, pogonathus, polinymus, polymna, porgy, psittacus, pullus, punctulatus, puntazzo, ramak, ramentaceus, reticulatus, rostratus, rupestris, salin, saltator, scandens, scina, scirenga, sciurus, scriba, semifasciatus, semiluna, serran, sigillatus, spartotus, sparolus, sparulus, spicaroides, stigma, striatus, superbus, surinamensis, testudineus, tranquebaricus, triangulum, tricuspidatus, tridens, trifasciatus, trilineatus, trilobatus, trimaculatus

varatulus, variegatus, venenosus, vermicularis, verres, vetula, violaceus, virescens, viridiaureus, vosmaeri, vosmerianus, vulgaris, zanturus, zipolus, zonatus, zophorus.

Sparvius ardosiaceus, badius, bicolor, caeruleascens, cinereus, cirrocephalus, gabar, gilvicollis, guttatus, hyemalis, leucorhous, lineatus, lunulatus, macronus, madagascariensis, magnirostris, major, melanoleucus, melanops, minutus, montachus, musicus, niger, nigricans, nisus, niveus, orientalis, palumbarius, platypterus, ruficollis, rufiventris, semitorquatus, striatus, subniger, superciliaris, tachiro, tricolor.

Spatagus macroporus, vulgaris. *Vide et Spatangus.*

Spatialia argentina, bicolora.

Spatangites ovalis, suborbicularis.

Spatangus acuminatus, acutus, ambulacrum, amygdala, ananebytoides, aquitanicus, arcibiaci, arcuarius, argillaceus, asterias, atropos, australasiae, australis, bicordatus, bigibbus, brissoides, bucardium, bucklandi, bufo, canaliferus, capistratus, carinatus, cavernosa, cbitonnosus, cbloriteus, colombianus, columbaria, complanatus, compressus, cor, cor-anguinum, cor-avium, cor-testudinarium, cordatus, cordiformis, corsicus, crassissimus, crispisulcatus, cristatus, crux-andreae, cuneatus, delphinus, depressus, desinaresti, elatus, elongatus, excavatus, excentricus, fissus, fossarius, gibbus, globosus, grandis, granulatus, grignonensis, belvetianus, bemisphaericus, bieroglyphicus, hofnanni, incertus, integer, intermedius, lacunosus, laevis, lamarki, lateralis, leskei, meridionalis, miliaris, nuplica, mosae, muensteri, nicoleti, nodulosus, obesus, obliquatus, oblongus, ocellatus, omalii, ornatus, orthonotus, parastatus, parieti, parkinsoni, pectoralis, pendulus, petalodes, philippii, pillula, placenta, planulatus, planus, prunella, pulpinus, punctatus, pyriformis, radiatus, reaumuri, requieni, retusus, rostratus, rumpflii, sambiensis, scillae, sculus, simplex, spinosissimus, stella, stellatus, stellifer, sternalis, studeri, subalpinus, subcordatus, subglobulosus, suborbicularis, truncatus, tuberculatus, ungula, unicolor, ventricosus, veronensis, vulgaris. *Vide et Spatagus.*

Spatha coelestis, elongata, nilotica, rubens, siliquosa, soleniformis.

Spathegaster petioliventris, tricolor.

Spathidium hyalinum.

Spathidopteryx capillata.

Spathius brevicaudis, clavatus, curvicaudis, erythrocephalus, exannulatus, minutus, ocbropes, pallipes, pedestris, radzayanus, rubidus, rugosus, sulcatus.

Spathobatis bugesiacus.

Spathophora biclavata.

Spathoptera albilatera, picta.

Spathulea clypeata.

Spathura addae, peruana, rufocaligata, underwoodi.

Spatula capensis, clypeata, platatea, rhynchotis.

Spatularia folium, reticulata, spatula.

Spectrum atrophicum, baculus, bivittatum, calamus, celerio, eupborbiae, femoratum, ferula, filiforme, gigas, ligustri, necydaloides, rossi, rossium, rubidum, tiliae.

Speiredonia euspira, feducia, belicina, laminosa, obscura, retorta, zamis.

Spelectos corythaix, erythrolophus, persa.

Spelerpes belli, bilineata, cirrigera, guttolineata, longicauda, lucifuga, montana, porphyritica, rubra, salmonea.

Spenia binghami.

Speo bifasciata, tornatilis.

Speothos pacivorus.

Speotyto cunicularia.

Speranza brunneata, sylvaria.

Sperchaeus cerisyi.

Spercheus emarginatus, platycephalus, senegalensis, sordidus, tessellatus.

Sperchius lucidus.

Spermagra erythrocephala.

Spermatias hirudine.

Spermatinus chararum.

Spermatogonius cercopitheci.

- Spermestes* acuticauda, bicolor, cheet, cucullata, fuscoluteus, leuconota, lineoverter, malacca, melanocephalus, nana, poensis.
- Spermokrates* cameli.
- Spermolegus* montanellus.
- Spermologa* carduelis, linaria, lulensis, spinus.
- Spermologus* rufus.
- Spermophaga* cyanorhynchus, haematina, margaritata.
- Spermophagus* albo-sparsus, canescens, cardui, cicatricosus, cistelinus, convolvuli, euphorbiae, guttulatus, hoffmanseggi, hottentottus, irroratus, lupinus, moerens, musculus, puncticollis, robiniae, rufiventris, semifasciatus, sophorae, subfasciatus, sublineatus, subsignatus, sulcifrons, titivitiatus, tomentosus, tragacanthae, variolosus, punctatus.
- Spermophila* abeillei, adoxa, alaudina, albocollaris, albugularis, americana, angolensis, anoxantha, aurita, bicolor, bouvionides, caerulescens, capistrata, chrysocephala, cinerea, cinerea, cinnamomea, collaria, collaris, crassirostris, daubentoni, falcirostris, flabellum, fusciventris, glauco-caerulea, grisea, griseoventris, gutturalis, haitii, hypoleuca, ignobilis, inornata, leucoptera, leucopterygia, lineola, longicauda, luctuosa, martinicensis, melanocephala, minuta, moreletii, mutans, mysia, nasuta, nigra, nigricollis, nigroaurantia, nigrogularis, nigro-rufa, noctis, olivacea, olivaceo-flava, ornata, pectoralis, peruviana, plebeia, pyrrhomelas, rufo-barbata, superciliosa, talasco, torquata, torqueola, violacea.
- Spermophilus* annulatus, becheyi, brevicauda, brunneiceps, citillus, clarki, concolor, dauricus, douglasi, erythrogenys, evermanni, franklini, fulvus, grammurus, griseus, guttatus, guttulatus, hoodii, intermedius, jacutensis, lateralis, leptodactylus, leucostictus, ludovicianus, macrourus, mexicanus, mugosariensis, musicus, parryi, pruinosis, richardsoni, rufescens, speciosus, spilosoma, superciliosus, townsendi, tridecimlineatus, undulatus, xanthopyrmus.
- Spermophora* meridionalis.
- Spermopipes* subhimachalus.
- Spermosciurus* getulus.
- Spermospiza* haematina.
- Sphadasmus* camelus, carinicolis, incallidus, setifer.
- Sphaena* binghami, birghami.
- Sphaenia* californica.
- Sphaenognathus* feisthameli, lividus, prionoides.
- Sphaenophorus* crassus, rubrotenellatus.
- Sphaenops* capistrata, sepsoides.
- Sphaenoptera* pharia.
- Sphaenorhynchus* lactea.
- Sphaenothecus* bivittatus, cyanicollis, tomentosus, trilineatus.
- Sphaera* corrugata.
- Sphaeratrix* latifrons.
- Sphaerella* subvexa.
- Sphaerelytrus* nigerrimus.
- Sphaerexochus* caliris, juvenis, mirus.
- Sphaeridium* africanum, agnaticum, americanum, anale, apicalis, cafferum, carbonarium, centri-maculatum, chrysomelinum, conspurcatum, crenatum, daltoni, depressum, diaperinum, dimidiatum, flavicorne, flavipes, flavum, glabratum, haemorrhous, hydrophiloides, immundum, impressum, laeve, littorale, lunulatum, melanum, melanarium, melanocephalum, mellipes, merdarium, minutum, nigricolle, nitidulum, obscurum, obsolutum, occalatum, orbiculare, pallidum, pictum, praetextatum, punctulatum, pygmaeum, quadrinaculatum, rufum, scapulare, scarabaeoides, scutellatum, semistriatum, senegalensis, striolatum, substriatum, tauricum, terminatum, testaceum, triste, unicolor, unistriatum, vicinum.
- Sphaeridops* amoenus.
- Sphaeriestes* aeneus, ater, denticollis, immaculatus, quadri-pustulatus, virescens.
- Sphaeriodactylus* cinereus, elegans, punctatissimus.
- Sphaerion* cyanipennis, melanurum, procerum, rugicolle, triste.

- Sphaeripalpus** viridis.
- Sphaerites** gemmatus, glabratus, politus.
- Sphaerium** acervosum, mauritanicum.
- Sphaerius** acaroides, arenarius.
- Sphaerocera** communis, coprivora, curvipes, denticulata, fuliginosa, gramineipes, hydropneusta, monilis, scabricula, subcinerea, subsultans, vaporariorum.
- Sphaerocharis** margaritacea, marginicollis.
- Sphaerocoris** annularis, annulus, argus, impluviatus, lateritia, ocellatus, polysticta, punctaria, quadrinotata, rusticus, simplex, tigrinus.
- Sphaerodactylus** argus, cinereus, nigropunctatus, oxyrhinus, porphyreus, richardsoni.
- Sphaerodema** annulatum, rotundata.
- Sphaeroderma** cardui, centaureae, globosa, insolita, mercurialis, orbiculata, testaceus.
- Sphaeroderus** bilobus, brevoorti, lecontei, niagarensis, nitidicollis, stenostomus.
- Sphaerodon** grandoculis.
- Sphaerodorum** flavum, peripatus.
- Sphaerodus** annularis, ciuctus, cingulatus, conicus, crassus, cylindricoides, depressus, discus, flavidus, gigas, hybridus, irregularis, jurassicus, lens, mammillaris, microdon, minimus, minor, mitrula, neocomensis, oculus serpentis, parvus, poliodon, pygmaeus, rhomboidalis, rugulosus, semiglobosus, subannularis, submamillaris, subradiatus, subtruncatus, tenuior, tenuis, tetragonus, truncatus.
- Sphaerogaster** (Col.) arcnoides.
- Sphaerogaster** (Dipt.) arcticus.
- Sphaeroidina** bulloides.
- Sphaeroma** aculeata, armata, biappendiculata, bidentata, boryi, bumastiformis, cinerea, curtum, diadema, dicantha, dumerili, dydima, emarginata, faveolatum, gaimardi, gastaldi, gayi, gibbosa, gigas, globator, granulata, griffithsi, hirsuta, jurinei, lesueuri, leucura, macrocephala, micracantha, montagui, perforata, prideauxianum, propinqua, pubescens, quadridentata, quoyana, rugicauda, savignyi, semipunctata, serrata, siliense, spongiosum, subgranulosum, tristense, verrucauda, walckenaeri.
- Sphaerometopa** acroleuca.
- Sphaeromias** aethiops, albomarginatus, annulitarsis, elegans, varipes.
- Sphaeromorphus** basiliacus, bicinctus, chalcens, ebeninus, globulus, humeralis, nanus, nitidus, politus, pyritosus, semipunctatus, semistriatus, seriatus, sesquistriatus, volvox.
- Sphaeromus** australis, paganus.
- Sphaeromyas** concinnus, varipes.
- Sphaeronites** arachnoideus, aurantium, balticus, citrus, granatum, leuchtenbergi, pomum, punctatus, tessellatus, testudinarius, wahlenbergi.
- Sphaeronychus** melanurus.
- Sphaeropalpus** cinctus.
- Sphaerophoria** annulipes, bengalensis, bifasciata, calceolata, dispar, dubia, flavicauda, limbata, loewi, melissae, menthastris, nigricoxa, nitidicollis, organi, pholanthus, picta, scripta, strigata, taeniata.
- Sphaerophorus** castaneus.
- Sphaeropoeus** hercules, insignis.
- Sphaerops** anomalus.
- Sphaeropterus** albolineatus.
- Sphaeropyx** irrorator.
- Sphaerorhinus** carinicollis, rotundipennis, setiger, spongicollis, villosulus.
- Sphaerosira** volvox.
- Sphaerosoma** quercus.
- Sphaerosporostes** cedri.
- Sphaerostoma** (G.) jamesoni.
- Sphaerostylus** goryi.
- Sphaerotherium** compressum, convexum, elongatum, gronovii, grossum, klugi, kutorgae, lichtensteini, microstictum, obtusum, punctatum, punctulatum, retusum, rotundatum, rugulosum, testaceum, titanus.
- Sphaerotus** costatus, cribratus, curvipes, gravidus, laevigatus, mexicanus, politus, thoracicus.

- Sphaerozoum** fuscum.
Sphaerula lythri.
Sphaerularia bombi.
Sphaerulites agariciformis, bioculata, bournoni, calceoloides, crateriformis, cristata, cylindracea, dilatata, duvauxi, ellipticus, expansus, falcatus, foliacea, gracilis, hoeninghausi, imbricata, ingens, jodamia, jouanneti, lillii, mortoni, navis, patula, plicatus, ponsiana, problematicus, requieni, rotularis, saxoniae, saxonica, turbinata, ventricosa. *Vide et Spherulites.*
Sphaetes crassicus.
Sphagebranchus bimaculatus, catostomus, coccus, formosissimus, imberbis, oculatus, quadratus, serpa, spallanzanii.
Sphairidion acephalocystis.
Sphalax capensis, hudsonius, talpinus, typhlus.
Sphaleroptera alpicolana, capillana, diniana.
Sphallomorpha decipiens, nitiduloides, suturalis.
Sphargis coriacea, mercurialis, pseudostracion.
Sphasus alexandrinus, algerianus, arcuatus, conchinchinensis, fossanus, gentilis, gracilipes, heterophthalmus, idiops, indicus, italicus, lanceolatus, lineatipes, lineatus, pallidus, thalassinus, timorianus, transalpinus, variegatus, viridans, vittatus.
Sphazigaster apennini.
Sphacia bembeciformis.
Sphecius speciosus.
Sphécodes (Hym.) africanus, collaris, confertus, divisa, fuscipennis, geoffrella, gibba, hispanicus, latreillei, maculatus, monilicornis, nigripes, olivieri, pellucidus, picea, rufiventris, rugosus, similis, sphecoides, subquadratus.
Sphécodes (Lep.) pusaria.
Sphecomorpha (Col.) chalybea.
Sphecomorpha (Lep.) incendiaria.
Sphecomymia undata, valida, vittata.
Sphécophaga vesparum.
Sphécotera viridis.
Sphécothera grisea, maxillaris, virescens.
Sphécotheres canicollis, flaviventris, maxillaris, vieilloti.
Sphégigaster aculeata, ariope, clavicornis, flavicornis, fronto, lasthenes, megapterus, pallicornis, pedunculiventris, rufipes.
Sphégina clunipes, elegans, flava, loewei, nigra.
Sphena cleryana.
Sphenacanthus serrulatus.
Sphenaeacus punctatus.
Sphenaria elongata, karelini.
Sphenarium purpurascens.
Sphenella linariae, signata.
Sphenia angulata, argentea, binghami, costulata, cylindrica, decussata, dispar, michelottii, subtumida, swainsoni, victoria.
Spheniscus antarcticus, catarractes, chiloensis, chrysocome, comtus, cribratus, demersa, erotyloides, ferrum equinum, guttafasciatus, guttatus, humboldti, kirbyi, maculatus, magellanicus, marginatus, minor, novae hollandiae, pictus, quadrimaculatus, undina.
Sphenocephalus (P.) fissicaudus.
Sphenocephalus (R.) melano-genys.
Sphenocercus oxyurus.
Sphenocorynes quadripunctatus.
Sphenoderia lenta.
Sphenodus longidens, planus.
Sphenoeacus africanus, galactotes, gramineus, punctatus.
Sphenogenius clathratus.
Sphenolepis (Hym.) pygmaea.
Sphenolepis (P.) cuvieri, squamosseus.
Sphenoma abdominale.

Sphenomorphus melanocephalus.

Sphenonchus conicus, elongatus, hamatus, martini, subulatus.

Sphenophis coccinea.

Sphenophorus abbreviatus, adpersus, aduncus, aequalis, albicollis, ambiguus, anceps, angustus, ardesius, atratus, austerus, bifasciatus, bisbispinatus, brunnipennis, brutus, callosus, canaliculatus, canalipes, carbonarius, carinicolis, cariosus, castaneipes, cicatricosus, cicatripennis, cicatristriatus, cincticollis, cinctus, coesifrons, compressirostris, confusus, contractus, crenatus, crudus, cultrirostris, decoratus, defricatus, de haani, delumbatus, discolor, dispar, ensirostris, fahraei, fallax, ferrugineus, flexuosus, fossor, gagatinus, glabricollis, hebetatus, hemipterus, hoegbergi, hypocrita, imunus, implicatus, imus, inaequalis, incurtus, latus, larvalis, lateritius, lebasii, leprosus, leucographus, liratus, longicollis, maculatus, maculifer, maurus, melancholicus, melanocardius, melanocephalus, memnonius, meridionalis, monilis, mutilatus, naegelianus, necydaloides, nigerrimus, nubilus, obsoletus, opacus, parumpunctatus, parvulus, perforatus, pertinax, piceus, placidus, planipennis, polygrammus, pulchellus, pumilus, punctatostriatus, pustulosus, quadrimaculatus, quadrisignatus, quadrivittatus, rectus, regelianus, reticulaticollis, retusus, rimoratus, rusticus, sacchari, sanguineus, saucius, sayi, schoenherri, senegalensis, sereipunctatus, sericans, sericeus, sierrakowskyi, signaticollis, sordidus, spadiceus, spinolae, squamosus, stigmaticus, strangulatus, striatiformis, striatus, strigosus, subcarinatus, suturalis, terebrans, tetricus, tredecimpunctatus, truncatus, validirostris, variabilis, variegatus, venatus, zanzibae.

Sphenops sepsoides.

Sphenoptera aegyptica, aenea, angolensis, antiqua, arabica, ardea, ardua, asiatica, aurulenta, australis, bassi, hravaisi, brevis, canaliculata, capensis, carceli, carduorum, chalybea, chrysostoma, conica, coracina, corrugata, cribrata, cuneiformis, cupraria, cuprifrons, cupriventris, dejeani, derugata, dianthi, diffinis, dilaticollis, diversa, dongalensis, dumolii, exarata, excavata, filiformis, fossulata, fulgens, furcatipennis, gehleri, gemellata, geminata, gemmellata, gigantea, glabrata, hypocrita, inaequalis, indica, intermedia, iridiventris, lapidaria, lateralis, litigiosa, lobicollis, longiuscula, magna, mailleii, metallescens, metallica, meyeri, neglecta, nilotica, obtusa, orientalis, owariensis, parallela, parvula, perroteti, pharaon, proxima, quinquepunctata, raucha, rotundicollis, rugulosa, schahra, scovitzii, semistriata, senegalensis, similis, smyrnensis, somcheticus, splendens, splendidula, striata, striolata, sulcifrons, tamarisci, thalassina, tri-lineata, trispinosa, vittaticollis, zoubkoffi.

Sphenopyga anumbi.

Sphenorhina lineolata, rubra.

Sphenorynchus abdinii.

Sphenosaurus clavirostris, sternhergeri.

Sphenosoma (Col.) acuminata.

Sphenosoma (R.) punctatus.

Sphenostethus serripennis.

Sphenostoma cristatum, leucopsis.

Sphenotrochus andrewsiana, crispus, granulosus, intermedius, milletianus, mixtus, nanus, pulchellus, semigranulosus.

Sphenura (A.) acaciae, alhicollis, brunnea, cinnamomea, coraya, erythroptera, fringillaris, frontalis, longirostris, mentalis, poliocephala, ruficeps, squamiceps, striata, striolata, subulata, sulphurascens, superciliaris, tibicen.

Sphenura (Col.) fricator, novemguttata.

Sphenurus semitorquatus.

Spheracra dorsalis.

Spheroma spinosa, trigona. *Vide et Sphaeroma.*

Spheropezium leptodactylum, ovoidactylum, pachydactylum, thaerodactylum.

Spherulites da rio, duplovalvata, flabellaris, requieni, umbellata, ventricosa. *Vide et Sphaerulites.*

Sphex aegyptia, affinis, afra, albifrons, albisecta, anomalipes, argentea, argentifrons, argyria, atrata, aurifrons, aurocapillus, beniniensis, bicolor, bicolorata, bispinosa, bohemanni, caeruleus, caliginosa, campestris, castaneipes, chilensis, cinerascens,

~~emarginata~~ rufonicta, coerulea, coerulescens, confinis, croesus, crucis, desertorum, dives, dolihi, dorycus, dumerici, emarginata, ehippica, eximia, fabricii, fera, ferruginea, flavipennis, fuliginosa, fusca, fuscatus, habena, jamaicensis, lanieri, latreillei, latro, leuconota, lineola, luteipennis, maudihulare, maxillosa, melanopa, micans, minuta, mucronata, nigerrima, nigrita, obscura, occitanica, olivieri, opaca, ornata, paulinieri, pelopoeiformis, philadelphica, prasinus, proditor, pruinosa, pubescens, pulchra, punctalata, rufonicta, sericea, servillei, sessilis, solieri, songarica, splendida, subfuscatus, subtruncata, tenuis, thunbergi, trichargyra, tricolorata, vicina, violaceipennis, xanthoceros.

Sphiggurus insidiosus, melanurus, spinosa, variegatus, villosa.

Sphinctus serotinus.

Sphindus dubia, gyllenhalii.

Sphingurus bicolor.

Sphinterops umbrifera.

Sphintharus flavidus.

Sphinx acacia, accentifer, acharon, achilleae, agrius, amelia, aulophaga, andromacha, angelicae, anaei, annulata, anone, ardenia, argentata, argentiflua*, argynnis, astragali, atavus, athamantiae, australasiae, banchiformis, batus, bellidus, bembeciformis, bicinctus, boisduvali, brizae, brosimis, capistrata, caudata, celerio, cerbera, chalcidiformis, chalcidius, charon, chloptera, chloros, cinerea, collaris, columbina, convolvuli, crassipes, cretica, croesus, culiciformis, cynarae, cynipiformis, cyparissae, cyti, dahli, diptera, dolichus, druraci, dumolii, empiformis, ephemeraeformis, ergoti, eripha, erynnis, erythrus, eryx, euphorbiae, eucilia, excaecata, exulans, fasciata, fausta, faustina, filipendulae, flabelliformis, flammeus, flavicornis, fuciformis, gallii, geryon, glaucopsis, glycyrrhizae, godarti, gorgou, guineensis, gyon, haemorrhoidalis, halterata, hedyari, hilaris, hippocrepidis, hippocrepis, hippophaes, iphimediae, jaminearum, juniperi, laphriaeformis, latreillei, leachi, lefeburei, lethe, leucophiformis, ligustri, livornica, loeta, loniceriae, maja, medicaginis, megillaeformis, melloti, melissa, muscaeformis, myops, myrtea, nicaea, nigricornis, nomadaeformis, ochus, ophioniformis, orneus, orobi, osiris, pandora, panthalon, parthenii, passalis, phacae, phegea, phegeus, philanthiformis, poecila, polistes, punctum, pungens, purpuralis, pylotis, pyralidiformis, pythia, quaterna, quercus, quinque-maculatus, radamanthus, rhagioniformis, rubicundus, s-maculata, salicis, saportae, sarpedon, scabiosa, scolaeformis, sedi, semizonatus, sesia, solani, sordida, sperhii, statices, stellarum, stoechades, stomoxysformis, styx, substrigilis, systrophaeformis, theas, thysse, tineiformis, transalpina, triangularis, tridyma, trimaculata, triptolemus, typhon, vespertilioides, vespertilio, vigil, virginica, zygothylus. *Vide et Sphynx.*

Sphixea fulminans.

Sphiximorpha petronillae.

Sphocodes semiaeneus.

Sphodros abboti, aedificatorius, audouini, lucasi, milberti, nigripes, tarsalis, walckenaeri.

Sphodrus angusticollis, armeniacus, brunneus, cimmerius, coeruleus, complanatus, dalmatinus, dauricus, elongatus, gigas, goliath, gracilis, grandis, inequalis, janthinus, laticollis, leucophthalmus, longicollis, ovalis, parallelus, picicornis, picipes, planicollis, planus, punctatus, rufitarsis, rugipennis, schrenki, sericeus, spiniger, subcostatus, subcyanus, subviolaceus, tericola, thoracicus, tilesii.

Sphoeriodactylus sputator.

Sphoerophoria analis, contigua, sinuata.

Sphoerotus gravidus, politus.

Sphongophorus hallista, henneti, biclavatus, clavaria, guerini, mirabilis, paradoxus, spatulatus.

Sphora australis, nigricans.

Sphraena borealis.

Sphynx castaneus. *Vide et Sphinx.*

Sphyra porata.

Sphyracephala brevicornis.

Sphyradium ferrari.

Sphyraena acus, affinis, afra, agam, amiei, aureoviridis, barracuda, becuna, bolcensis,

- chinensis, commersoni, dussumieri, esocina, flavicauda, forsteri, gracilis, guachaneho, japonica, jello, maxima, nigripinnis, obtusata, picuda, plumieri, spet, sphyraena, viridensis, vulgaris.
- Sphyaenodus** conoideus, crassidens, gracilis, lingulatus, priscus.
- Sphyrna** blochi, denticulata, dubia, lata, mokarran, prisca, serrata, suberrata, tiburo, tudes, zygena.
- Spicara** flexuosa.
- Spilodes** sticticalis.
- Spilogaster** binotata, caesia, dispar, duplicata, fulvicornis, hirtipes, lasiophthalma, maculipennis, notata, pertusa, quadrivittata, quadrum, quinquemaculata, tetrastigma, tibialis, uliginosa.
- Spilomicrus** sericeicornis, stigmatalis.
- Spilomyia** diophthalmus, femoratus, impigera, vespiformis.
- Spilonota** alhetana, aquana, argyrana, comitana, costipunctana, cynosbatella, foenella, nigricostana, nubiferana, pilugiana, quadrana, rosaecolana, rusticana, sticticana, straemiana, sylvestrana, tetragonana, trigeminana, trimaculana, ustulana, vitiana, vittana.
- Spilophora** trigemina, trimaculata.
- Spilornis** bacha, bido, cheela, holospilus, undulata.
- Spilosoma** aerea, arge, cunea, egle, lubricipeda, menthastri, nais, papyratia, radiata, urticae, walkeri.
- Spilota** aerea, basalis, duvauceli, eydouxii, fuscae-viridis, ignicollis, irrorella, leotaudi, levii, lineatopennis, maculicollis, nitidula, pallidipennis, pulchra.
- Spilote** grossulariata.
- Spilotes** pullatus.
- Spilothyrsus** altheae, lavatae, malvae.
- Spina** lesbia.
- Spinacanthus** blennioides.
- Spinachia** pentagona, spinachia, vulgaris.
- Spinacanthus** polyspondylus.
- Spinaria** armator, fuscipennis, inermis.
- Spinax** acanthias, americanus, blainvillei, fabricii, gunneri, major, marginatus, mediterraneus, niger, primaevus, rotundatus, spinax, nyatus.
- Spintherulus** costatus.
- Spindalis** bilineatus, multicolor, nigricephala, pretrei.
- Spiniger** albispinus, ater, eburneus, eburneus, flavovarius, limbatus, thoracicus.
- Spinigera** longispina, ovata, rostellariformis, spinosa.
- Spinopora** dixonii, elegans, mitra, protaeus.
- Spintharis** fasciolata, frontalis, humeralis, integerrima, maculicornis, prasina, pumila, refulgens, viridissima, xanthocera.
- Spinther** oniscoides.
- Spintherops** cataphanes, dilucida, spectrum.
- Spinturnix** vespertilionis.
- Spinus** abnormis, alnearius, betularum, cannabinus, carduelis, citrinella, fernandezianus, flavirostris, linaria, medius, miliaris, viridis.
- Spio** (Ar.) ehippiata, unguata.
- Spio** (G.) caudatus, coccineus, crenaticornis, laevicornis.
- Spio** (Verm.) quadricornis, ventilabrum, viridis, vulgaris.
- Spione** trioculata.
- Spionereis** multicornis, seticornis.
- Spioniades** almon, artemides, psecas.
- Sipola** agrestis, obscura, pratensis, sepiaria.
- Spira** variegata.
- Spiraculum** hispidum, parvum, rupestris.
- Spiralina** carinata.
- Spiramella** bispiralis.
- Spiratella** limacina.
- Spiraxis** aberrans, costulosa.

- Spirialis** australis, bulinoides, clathrata, flenungi, jeffreysi, macandrewi, rostralis, trochiformis, ventricosa.
- Spiricella** unguiculus.
- Spirifer** acanthosus, acuminatus, acuticostatus, acutus, aequirostris, alaeformis, alatus, ambiguus, anosofoi, antarcticus, aperturalis, archiaci, arenosus, attenuatus, barrandei, beaui, beirensis, bidorsatus, bifidus, bigugosa, bijugatus, biloba, bisulcatus, blasi, bohviensis, bouchardi, brachynota, brandis, bronnianus, bruguieri, buchi, buchianus, cabanillas, cabedanus, calceola, cameratus, cassiana, cassidea, chama, cheeheli, cheiropteryx, chilensis, choristites, cinctus, coarctatus, colibri, concentricus, conchidium, condor, conoideus, consobrinus, corculum, costalis, crassicosatus, crassus, crebristria, crispus, cristatus, crucialis, cultrijugatus, cuneatus, curvatus, curvirostris, cuspidatus, cyrtana, cytherea, dalmani, darwini, deflexus, dentatus, de roissy, dichotomus, distans, dorsata, dorsatus*, duodenarius, elevata, elongatus, exaratus, exporrectus, exsul, ezquerria, fasciger, fastigiatus, faustulus, filaria, fimbriatus, fischeri, fischerianus, glaber, glukanus, gloveri, granosus, granuliferus, guyoti, hawkinsi, heteroclytus, humboldti, huroniensis, hystericus, ignitus, imbricata, inaequivalvis, incrassatus, indentatus, indifferens, inermis, insularis, interlineatus, jugatus, keilhausi, keilovi, konmckianus, labellum, laevicosta, laevigatus, laevis, lamarki, lamellosus, laminosa, lata, lenticularis, lineata, linguiferoides, liratus, lonsdalei, loriger, lyelli, lynx, lyra, macropleurus, macropterus, martini, maximiliani, medialis, mediotextus, mentzeli, mesacostalis, mesastrialis, mesogonia, meusebachianus, minerva, minimus, minutus, mosquensis, multicostatus, multiplicatus, muralis, murchisoni, murchisonianus, musca, najadum, nereis, nobilis, nucleolus, oblatum, obtusus, oceanus, octoplicatus, orbigny, ornithorhynchus, osteolatus, ostiolatus, ovatus, oxypterus, pachyrhynchus, paillettei, panderi, panduriformis, pecten, pectinoides, pellico, pentaedra, pentagonus, pentlandi, permianus, perversus, petasus, phalaena, pinguis, pinnatus, pisum, planicostata, plicatellus, plicatus, pollens, porambonites, princeps, priscus, procerimus, proteus, psittacinus, ptychodes, ptychoides, punctatus, pusio, pyramidalis, quadridratiatus, quichua, radiatus, rariplectus, rectangularis, rectus, recurvatus, resupinatus, reticulata, rhomboidalis, robustus, roemerianus, rojasi, rostratus, rotundatus, rousseau, rugulatus, saranae, schrenckii, sculptilis, secans, seminoi, sheppardi, signensis, sinuatus, sowerbyi, speciosus, spurius, stokesi, strangwaysi, striatulus, striatus, strigocephaloides, strigoplocus, strix, subalatus, subconicus, sublamellosus, subrostratus, subspeciosus, subspurius, subsulcatus, sulcatus, superbus, superstes, tasmaniensis, tasmani, tcheffkini, tenellus, tenticulum, tenuicosta, terebratuliformis, thetidis, tiro, togatus, trapezoidalis, triangularis, tridens, trigonalis, tripartitus, triplicatus, triton, troosti, tumidus, uncinatus, unidiferus, undulatus, unguiculus, urei, venus, verneuili, verrucosus, vetulus, viator, walcotti, zickzack.
- Spirifera** affinis, arachnoidea, avicula, bicarinata, calcarata, clathrata, connivens, convoluta, costata, crenistria, decemcostata, decora, decussata, disjuncta, distans, duodecimcostata, duplicosta, elliptica, elongata, expansa, extensa, filaria, fimbriata, furcata, fusiformis*, gigantea, glabristria, globularis, grandaeva, heteroclitia, hirundo, humerosa, inornata, insculpta, integricosta, lata, laxa, linguifera, megaloba, mesoloba, mesomela, microgemma, nuda, oblitterata, ovalis, oviformis, papilionacea, paucicostata, phalaena, plauata, planosulcata, plebeia, protensa, pulchella, quinqueloba, radialis, resupinata, rhomboidea, rudis, semicircularis, semilis, septosa, sexradialis, simplex, squamosa, subconcentrica, subradiata, symmetrica, transiens, trapezoidalis, tri-radialis, trisulcosa, unguiculus, vespertilio.
- Spiriferina** chilensis, hartmanni, linguiferoides, microptera, octoplicata, ostiolata, oxyptera, pinguis, signensis, verrucosa, walcoti.
- Spirigera** ambigua, blodeaua, campamanensis, ceres, circe, compressa, concentrica, crista-galli, decussata, expansa, ezquerria, ferronesensis, harpya, hecate, helmeseni, herculea, hispanica, lamellosa, meyerendorfi, passer, pectinifera, pelapayensis, plebeia, pusohana, quadricostata, quinquecostata, roissy, serpentina, toreno, tricostata, trigonella, tumida, vultur.
- Spirigerina** affinis, arimaspus, aspera, barrandei, cuneata, desquamata, dumosa, ferita, hystrix, lepidia, marginalis, mulleri, oliviani, princeps, quadricostata, reticularis, spinosa, tribulis.

- Spirulina** ammonis.
Spirillina vivipara.
Spirillum pellucidum, spirorbis, tenue, vagans, vulula, volutans.
Spirillus rostratus.
Spiris graminica.
Spirobolus annulatus, bungi, carnifex, caudatus, dealbatus, dubius, elegans, festivus, grandis, marginatus, nigerrimus, nigricans, obscurus, obtusatus, olfersi, olivaceus, praelongus, pulvillatus, ruficollis, sanguineus, seychellarum, similimus.
Spirobotrys aegaea.
Spirobranchus capensis.
Spirochaeta plicatilis.
Spirocyclistus acutangulus, apiculatus, bicolor, cylindricus, fuscus, maximus.
Spirodiscus cochlearis, fulvus.
Spiroglyphus marginatus, mirabilis.
Spirographis magnifica, penicillus, reniformis, spallanzanii, ventilabrum.
Spirulina acicularis, aequalis, agglutinans, austriaca, carinata, clavata, cylindracea, denticulata, irregularis, laevigata, lagenalis, legumen, nautiloides, pedium, semilittus, striata, subarcuata, sulcata.
Spirolinities bucklandi, comptoni, cylindracea, depressa, lyelli, mantelli, murchisoni, stokesi.
Spiroloculina ambullaris, angulosa, antillarum, badenensis, berthelotiana, bicarinata, canaliculata, caudata, concentrica, cymbium, depressa, dilatata, dubia, elegantissima, elongata, excavata, galeata, grateloupei, lagena, limbata, lyra, minor, nitida, orbicularis, orbiculus, ornata, ovalis, perforata, plicata, poeyiana, pulchella, rostrata, rotunda, striata, tricarinata, tuba, vulgaris, webbiana.
Spiropoeus fischeri.
Spiropora capillaris, cenomana, cespitosa, elegans, glomerata, tetragona, tetraquetra.
Spiroptera abbreviata, aculeata, acutissima, affinis, alata, anatis, anthuris, attenuata, bicuspis, bidens, bilabiata, citilli, clausa, colymbi, contorta, coronata, crassicauda, cysticola, decora, denudata, dilatata, elongata, euryoptera, falcinella, falconis, fallax, fulciae, fulicae, gallinulae, gracilis, hamata, hominis, humana, hystricis, inflata, intermedia, laticauda, laticaudata, laticeps, leonis, leptopectera, media, megalostoma, megastoma, nasicola, nasuti, obtusa, obvelata, ornata, physalura, quadriloba, ralli, revoluta, rubella, rudolphi, rudolphiana, saginata, sanguinolenta, simiae, stereura, sterna, strigis, strongyliformis, strongylina, strumosa, sturni, talpa, tenuicollis, tigridis, triaenophora, truncata, turgida, uncinata, upupae, ursi arcti, vanelli.
Spiroirba umbiliciformis.
Spirorbis alba, ambigua, ammonites, amonia, anfracta, angulosa, annulus, antarctica, antiqua, arietina, baltica, bicarinata, canaliculata, cancellata, caperatus, carinata, carinatus, communis, conica, conoidea, conulus, convoluta, cornea, cornu arietis, cornucopia, corrugatus, crenato-striata, cristata, crustacites, cyclostoma, defrancei, disjuncta, elegans, gallica, globosus, gracilis, granulata, granulatus, heliciformis, helix, heteroclitus, heterostrophus, hoeninghausi, intermedius, lamellosa, lituitis, lucida, magnifica, maximus, minuta, miocenicus, mitis, nautiloides, omphalodes, omphalotes, ornata, permianus, planaria, planorbiformis, pontica, porosa, porrecta, pusilla, reversa, rotula, rugosa, semi-striata, serpuliformis, sinistrorsa, spirorbis, spiruleus, stellaris, striata, striatulus, subcarinata, subrugosa, tenuis, tricostalis, truncata, tubanella, tuberculata, vitrea, vulgaris, zelandica.
Spirostomum ambiguum, filum, virens.
Spirostreptus annulatus, antipodarum, appendiculatus, attenuatus, audouini, bahiensis, bicuspidatus, brevicornis, capensis, ceilanicus, cinctus, clavipes, crassus, curvicaudatus, erythropareus, fasciatus, flavofasciatus, flavotaeniatus, gracilicornis, gracilipes, gracilis, guerini, indus, javanicus, kollari, laticollis, maculatus, melanopygus, microsticticus, nigrolabiatus, nutans, obtusus, pachysoma, punctilabium, quadricollis, rotundatus, rubripes, ruficeps, sebae, subuniplicatus, sulciocollis, surinamensis, trigonyer, triplicatus, trisulcatus, validus, vittatus, walkeraeri.
Spirozoites belemnitiophagus, raspaili.
Spirula arcuatella, australis, compressa, convolvans, eifelensis, fragilis, gracilis, interrupta, nodosa, peroni, spengleri, sulcata, unguiculata.

Spirulaea nummularia.

Spirulea fragilis, prototypus.

Spirulina tenella.

Spirulirostra bellardii.

Spirulites australis.

Spirura ruegastoma, talpae.

Spirula aegyptiaca, crassa, elongata, fragilis, lamarecki, nicobarica, ovata, pellucida, rugosa, sayi, similis, solanderi, solida, solidissima, striatella, subparilis, subtruncata, tenera, triangularis.

Spiza amoena, caerulea, ciris, cucullata, cyanea, dominicana, jacarina, larvata, leclancheri, palustris, versicolor.

Spizaetus albescens, albugularis, alboniger, ambustus, ater, atricapillus, bellicosus, borneonensis, caligatus, ceylonensis, cirratus, cirrhiatus, coronatus, cristatellus, fuscescens, fuscus, grandis, hastatus, isidorii, kieneri, leucurus, limnaetus, lynnaetus, maculosus, melanoleucus, milvodes, niger, nipalensis, occipitalis, orientalis, ornatus, pulcher, punctatus, rufitinctus, spilogaster, tyrannus, variegatus.

Spizella canadensis, pallida, pusilla, socialis.

Spizites punctatus.

Spizixos canifrons.

Splanchnococcus echinatus, laevis.

Spogostylum mystaceum.

Spondyliosoma gulinunda.

Spondylis sphaericollis, tertiarius, upiformis.

Spondylomorom quaternarium.

Spondylosaurus frearsi.

Spondylus aculeatus, acutecostatus, aduncus, albidus, albus, alternans, ambiguus, americanus, aonis, arachnoides, armatus, asiaticus, asper, asperrimus, asperulus, aurantius, auriculatus, avicularis, biformis, bifrons, bucci, calcaratus, candidus, capillatus, carantonensis, ciliatus, cisalpinus, citreus, coccineus, complanatus, comtus, concentricus, coquandianus, coralliphagus, costatus, crassicosta, crassisquama, crassus, croceus, cumingi, delesserti, dentatus, denticostatus, desbayesi, detritus, digitatus, divaricatus, dubius, ducalis, dumosum, duplicatus, dutempleauus, ecbinoides, elongatus, excavatus, fimbriatus, fragilis, friddani, gibbosus, globulosus, goldfussi, gracilis, granulatus, gregalis, gryboideus, guadalupae, gussoni, bagenowi, herinaeus, hippuritorum, hystrix, imbricatus, imperialis, lamarecki, laticeps, latus, leucacantha, lima, limbatus, livaeus, lingua-felis, longispina, longitudinalis, microlepos, minimus, minutus, mioceuius, monachus, multilamellatus, multistriatus, muricatus, muticus, nicobaricus, nilssoni, nodulosus, nudus, nysti, obesus, obliquus, oinalii, palensis, petroselinum, planicostatus, plicatus, podopsidens, princeps, punctulatus, radians, radiatus, radula, ramosa, rarisipina, rastellum, renauxianus, requiemianus, roemeri, rostratus, royanus, santonensis, satal, schlotheimi, sinensis, spathuliferus, spinosus, striato-costatus, striato-spinosus, striatus, strigilis, strigosus, subcalcaratus, sublaevis, subplicatus, subspinosus, subsquamosus, substriatus, subvelatus, sulcatus, tenuispinosus, tenuistriatus, truncatus, tuberculosus, undulatus, unicolor, velatus, violacescens, zonalis.

Spongarium aequistriatum, edwardsi, interlineatum, interruptum.

Spongelia elegans.

Spongia abietina, acicularis, aciculosa*, aggregata, albescens, alcyonoides, amarantbina, amphidiscus, amplexans, ampulla, ananas, anatipes, angulato-porosa, angulosa, antipates, appendiculata, arborescens, areolata, asparagus, aspericornis, atlantica, aurea, auricularis, barba, benettiae, bilamellata, binodis, biuncinata, boletiformis, bombycina, botellifera, botryoides, brassicata, bullata, bursaria, byssoides, cactiformis, cactoides, caerulea, calcaneum, calix, calyciformis, campana, cancellaria, cancellata, capitata, carbonaria, carduus, cariosa, carlinoides, catablastes, caudigera, cellulosa, ceramoides, cespitosa, cinerea, cinnabarina, cladonia, clathratohyalina, clathroides, clavarioides, columbae, colus, communis, compacta, complanata, complicata, confervicola, confederata, conjuncta, contorto-lobata, conus, convoluta, corallina, coriacea, coronata, costifera, crassiloba, cribrosa, cribrum, crispata, cristata, crocea,

cucullata, tuniculosa, euvieria, cyathina, cylindrica, cymaeiformis, cymosa, dactyloides, damaecornis, deltoidea, dentata, digitalis, domuncula, echidnaea, elongata, eudivia, ephydatia, epilobi, eschariformis, expansa, fastigiata, fava, favosa, fenestrata, filamentosa, fimbriata, fissurata, fistulosa, flammula, flexuosus, floriceps, flustraeformis, foliacea, fornicifera, foveolaria, fragilis, froudifera, fruticosa, fuliginosa, furcata, globosa, globularis, granatum, helvelloides, hemisphaerica, herculanea, heterogona, heteroloba, hispida, imperati, implexa, inciso-lobata, incrustans, inflata, informis, intestinalis, isidis, johnei, juniperina, koenigi, labelum, lacera, laciniata, lacinulosa, lacunosa, laevis, lagenaria, lamellaris, lamellifera, leporina, leviuscula, licheniformis, limbata, lobata, longicuspis, loricaris, luteola, lyrata, macrocaulis, utacrodactyla, maculata, mammillaris, manillifera, marginata, megorima, membranosa, meseuterina, miniata, multidigitata, multiporella, muricina, myrobalanus, napiformis, nervosa, nicaeensis, nidusavis, nigrescens, nivea, obovalis, ocellata, officinalis, osculifera, ostracina, otto, ovata, pala, palus, panicea, panne, papillosa, papyracea, parasitica, patera, pavonia, pencilliosa, penicillus, pennatula, perfoliata, perlevis, pes leonis, peziza, phalloides, philippensis, pilosa, pilula, pistilliformis, placenta, plana, plancella, plicata, plicifera, pluma, plumosa, pluriloba, polyphylla, porosa, pseudosiphonia, pulchella, pulvinata, purpurea, quadrangularis, radiatus, radiciformis, rauea, ramosa, raphanus, reticularis, rigida, rimosa, rimulosa, rosea, rubispina, rubra, sanguinea, sanguisuga, sartaginula, scariola, scrobiculata, scyphonoides, selagine, semitubulosa, sepiiformis, septosa, seriatia, serpentina, sertularia, setosa, setulosa, Sinclairi, sinuosisima, spiculifera, spinosa, spongilloides, sportella, stellata, stellatum-sulcata, stellifera, striata, strigilata, strobilina, subcarnosa, subcircularis, subdichotoma, suberia, subplicata, subrotundus, subtriangularis, sulcataria, sulfurea, sulphurea, syphonoides, tabula, terebrans, terebrata, thiaroides, townsendi, triangularis, triasica, trigeris, triseta, truncata, tubaeformis, tuberculata, tubulifera, turbinata, turgida, typhina, typus, umbellata, umbilicata, undulata, urceolata, urceolus, urtica, usitatissima, vaginalis, varia, vasculum, venosa, ventrilabrisformis, verrucosa, versicolor, vinoso, virgata, virgultosa, vola, vulpina, xerampelina.

Spongicola venusta.

Spongilla alba, cinerea, comosa, erinaceus, friabilis, lacustris, meyeri, philippensis, plumosa, pulvinata, ramosa.

Spongiobranchea australis, elongata.

Spongiphora croceipennis.

Spongites alcyonatus, confluens, cyathoides, cylindricus, dentata, favus, fruticulosa, infundibuliformis, labyrinthicus, lopus, marginatus, nodosa, officinalis, pumicosa, racemosa, rugosus, saxonicus, stalactitica, townsendi, urceolatus.

Spongodes celosia.

Spongolithis acicularis, acus, amblycephala, amblyopora, anchora, ansa, anthocephala, aspera, auricularis, bialata, binodes, biuncinata, brachiata, cancellata, capitata, caputserpentis, cenoccephala, clavus, collaris, comosa, cruciata, dentata, eruca, fistulosa, foraminosa, fustis, herculanea, heteroconus, inflexa, ingens, leptostauron, mesogongyla, nais, neptunia, palus, pes mantides, philippensis, porosa, pulsabulum, quadricuspidata, ramosa, st andreae, septata, serpentina, setosa, stellata, trachystauron, trianchora, triceris, triseta, uncinata, unguiculata, vaginata, verticillata.

Spongolithus appendiculata, monile.

Spongophyllum dubium.

Spongopodium obscurum.

Spongopus verticalis.

Spongos botryoides, coarctatus, jamaicensis, labyrinthicus, lucerna, meandrinoides, ovatus, townsendi, tuber.

Spongylosaurus fahrenheitii.

Sponsor aeneus, caeruleus, convexus, desjardinsi, parvulus, pinguis, splendens.

Sporadina dytiscorum*, juli*, reduvi.

Sporadipus glaber, maculatus, stellati, ualanensis.

Sporobiotus moniliformis.

Sporophila alaudina, americana, bicolor, castaneiventris, cinerea, cinereola, corallina, crassirostris, falcirostris, flabellifera, luctuosa, nigra, othello, telasco, torrida.

Sporopipes lepidopterus.

Sporopsycha anatum.

Sporothlastes castanotis, cincta, guttata, nitida, oculaea, temporalis.

Spratella fimbriata, pumila.

Spreo bicolor, fulvipennis, morio.

Spudaeus scaber.

Squalius albus, aphyia, aula, balteatus, berag, berak, cavedanus, cephalopsis, compressus, delineatus, dobula, dolabratus, elingulatus, grislagine, lepidus, leuciscus, majalis, microlepis, muticellus, orientalis, pareti, rodens, rostratus, savignyi, souffia, tenellus, turskyi, uhliiva.

Squalodon grateloupi.

Squalo-raia dolichognathus.

Squaloraja polyspondyla.

Squalus americanus, anisodon, annulatus, appendiculatus, arcticus, argus, assierus, auriculatus, barbarus, breviculus, caecchia, caeruleus, cambricus, canis, cepedei, cepedianus, ciliaris, cuvier, delarochianus, dentoides, edentulus, elegans, elephas, fasciatus, ferox, fulgens, glacialis, granulatus, groenlandicus, gronovianus, gunneri, gunnerianus, guttata, himnulus, homianus, indicus, infernus, innominatus, isabella, isodus, laevis, lamia, laticeps, littoralis, lobatus, macrodous, maculatus, maou, martellus, melastomus, microcephalus, milberti, monensis, nasus, nicaensis, norvegianus, obscurus, ocellatus, pectinatus, pelegrius, philippensis, philippi, phillipsi, pictus, platycephalus, plumbeus, prionurus, punctata, punctatus, rhinophanes, rondeleti, selanoneus, selanonus, semisagittatus, spallanzanii, spurius, striatus, tentaculatus, terrae-novae, tuberculatus, uyato, vacca, vulpinus, waddi, zebra.

Squamella bractea, oblonga.

Squatarola cincta, cinerea, fusca, grisea, helvetica, modesta, squatarola, urvillei, varia.

Squatina alifer, angelus, dumeril, fimbriata, laevis, lobata, muelleri, oculata, vulgaris.

Squilla affinis, antiqua, arenaria, armata, broadbenti, bruno, carinata, cerisi, chiragra, ciliata, costata, crocea, desmaresti, dubia, dufresnei, empusa, eusebia, fasciata, ferussaci, glabriuscula, haesus, harpax, latifrons, microphthalma, monoceros, multicarinata, neglecta, nepa, oculata, oratoria, quadrispinosa, scabricauda, scorpio, spinifrons, stylifera, triodona, vittata.

Squillerichthus spinosus, typus.

Stachyria australis, dorsata, flavescens, flavipes, gemina, marginella, meridionalis, punctata.

Stachyris chrysaee, nigriceps, pyrrhops, ruficeps.

Stagnia nymphaeaeum.

Stagnicola (A.) chloropus, minor, septentrionalis, stagnalis.

Stagnicola (G.) communis, elegans, minuta, octonfracta, palustris, stagnalis, vulgaris.

Stagobius troglodytes.

Stagonolepis robertsoni.

Stalachtis calliope, euterge, nedusia, phaedusa, phlegia, susanna.

Stalagmium aviculoides, margarataceum, nysti.

Stalagmosoma albella, cynanchi.

Stalita taenaria.

Stannatella carinata, funatus [= *Stomatella*].

Stanosthetus karsteni.

Staphylinus abdominalis, aeneicollis, aeneus, aereus, aericeps, aethiops, afer, agilis, abeneus, albipes, alpicola, alpinus, alternans, amabilis, anceps, angustatus, angusticollis, anthrax, apicalis, apicicornis, arcticus, assimilis, ater, aterrimus, atratus, atricillus, atrox, attenuatus, aurifluus, azureus, badiipennis, badius, baltimorensis, batychnus, bicinctus, bicolor, biguttatus, bimaculatus, binotatus, biplagiatus, bisulcatus, blandus, boops, brachypterus, brasiliensis, brevicornis, brevipennis, brunneus, brunnipennis, buqueti, caeruleipennis, caffer, calidus, caliginosus, callistus, canaliculatus, capensis, capito, capucinus, carbonarius, carynthiacus, cassipes, castaneus, castanopterus, cayennensis, celer, cephalotes, chalcopygus, chalybeipennis, chilensis, chloris, chloropterus, chrysaster, chrysis, chrysocephalus, chrysocomus, chrysomelinus, chrysoterpis, chrysurus, ciliaris, cinctulus, cinctus,

cinerarius, cinereus, cingulatus, ciugulus, cinna=pterus, coenosus, coerulescens, columbitus, compressicollis, compressus, comptus, concinnus, concolor, conformis, connexus, contaminatus, corruscus, crassicollis, crassus, cribratipennis, cruciatus, cupricollis, cupreus, cursor, cyanelytrius, cyaneus, cyanicollis, cyanicornis, cyanipennis, cyanomelas, cyanopterus, cylindricus, dahlí, daldorfi, debilis, deceptivus, decoratus, decorus, denigrator, dentatus, diaphanus, dimidiaticornis, dimidiatus, discoideus, distinctus, distinguendus, divisus, dubius, ebeninus, elegans, elongatus, emmesus, ephippiatus, episcopalis, equestris, erichsoni, erithacus, erythrocnemis, erythropennis, erythropterus, exsertus, extensus, exulans, fabricii, facialis, fasciatus, faustus, fellmani, femoratus, ferox, fctialis, fimbriatus, fimetarius, flavicornis, flavipennis, flavipes, flavopunctatus, floralis, fodiens, formosus, fossator, fragilis, fugax, fulgescens, fuliginosus, fulminans, fulvipennis, fulvipes, fulvomaculatus, fumarius, fumigatus, fuscatus, fuscescens, fuseicola, fuscicornis, fuscipennis, fuscipes, fuscomaculatus, fuscus, gentilis, germanus, giganteus, glaber, glabratus, glabricollis, goryi, gravenhorstii, groenlandicus, haematodes, haemorrhoeus, haemorrhoidalis, havaniensis, herculeanus, hilaris, hirtus, hispanicus, hybridus, ibericus, ignavus, immundus, immunis, impressifrons, inauratus, incaius, insignis, interjectus, intermedius, inversus, iopterus, iracundus, irregularis, italicus, janthinipennis, janthinus, juvenis, laetulus, laetus, laevicollis, laevigatus, laminatus, lanio, lapponicus, laqueatus, latebricola, lateralis, laticollis, latro, latus, leachi, leiocephalus, lentus, lepidus, leucomus, leucophthalmus, leucopus, levicollis, limbatus, linearis, longiceps, lucens, lucidus, luctuosus, luganensis, lugens, lugubris, luridipes, luridus, lutarius, macrocephalus, maculosus, mandibularis, marginalis, marmoratus, masculus, matutinalis, mauro-rufus, maurus, maxillatus, maxillosus, megacephalus, megaloccephalus, melanarius, melanocephalus, melanopus, melanurus, meridionalis, mesomelinus, metallicus, micans, microcephalus, minutus, moestus, molochinus, monticola, morio, mulsanti, multipunctatus, murinus, mus, myrtillinus, mysticus, nanus, nebulosus, nero, nigrans, nigrescens, nigricapillus, nigriceps, nigrinus, nigripes, nigrita, nigratarsis, nigrutilus, nigrutus, nigriventris, nigrocephalus, nitens, nitidicollis, nitidipennis, nitidulus, nitidus, nobilis, normannicus, oblongus, obscurus, obsidianus, occultus, ochraceus, ochripennis, ochropterus, ochropus, opacus, ornatus, palliatus, pallipes, palmula, paradisianus, parum-punctatus, parvicornis, parvulus, parvus, pedator, pennsylvanicus, peregrinus, phoenicurus, picimanus, picipennis, picipes, pictus, plagiatus, planatus, planus, posticalis, praecox, procerulus, procerus, propinquus, protensus, pubescens, pulchellus, pullus, punctatellus, punctatus, puncticeps, puncticollis, punctipennis, punctus, purpurascens, purpureus, pusillus, pustulatus, pyaster, pyropterus, pyrostoma, quadraticeps, quadri-impressus, quadripunctatus, quisquiliaris, regalis, relucens, rigidicornis, rotundicollis, rubripennis, ruficollis, ruficornis, rufilabris, rufimanus, rufipalpis, rufipennis, rufipes, rufitarsis, rufo-cinctus, rufus, rugifrons, rupicola, rutilus, sanguinicollis, sanguinolentus, saphyreus, sapphirinus, scenicus, scintillans, scitus, segmentarius, semiobscurus, semipolitus, sepulchralis, sericans, sericeicollis, sericeus, sibiricus, simplex, sinuatus, sordidus, speculum, splendens, splendidulus, stenoides, sub-fuscus, sub-punctatus, subuliformis, superbus, suturalis, tachiniformis, tarsalis, tenellus, tepidus, terminalis, terminatus, thoracicus, thoracinus, tomentosus, tottus, tricornis, tricolor, trimaculatus, tristis, truncatipennis, umbratilis, umbrinus, undatus, unipunctatus, uralensis, ustulatus, vagans, vagepunctus, vagopunctatus, variabilis, varicolor, variegatus, varius, velitaris, velox, velutinus, ventralis, venustus, vernalis, versicolor, vicinus, viduatus, villosus, violaceus, virgo, xanthocerus, xantholoma, xanthopygus, zonatus.

Starna cinerea.

Starnaenas frenata, melancholica.

Starnoenas cyanocephala.

Stathmophorus destitutus, fuscus, lapponicus.

Statira agroides, caelata, viridipennis.

Statyra aenea, caraboides, flava, gagatina, ovalis, resplendens, servillei, unicolor.

Stauria astreiformis.

Staurocephalus munchisoni.

Staurogmus acuminatus, latus, muricatus.

- Staurophora* (Med.) *laciniata*, *mertensi*.
Stauropus *fagi*, *fagis*.
Staurosoma *parasiticum*.
Staurotypus *odoratus*, *pensylvanica*, *triporcata*.
Stavorinius *paragua*.
Stearopterus *bagre*.
Steatoda *picta*, *redimita*.
Steatoderus *ferrugineus*.
Steatomys *pratensis*.
Steatornis *caripensis*, *steatornis*.
Steenstrupia *flaveola*, *rubra*.
Stegana *annulata*, *hypoleuca*, *nigra*, *pallipes*.
Stegania *dilectoria*.
Steganolophia *prunata*.
Steganopleura *annulosa*, *bichenowi*, *modesta*, *rufo-cauda*.
Steganoptycha *angulana*, *boeberana*, *cinerana*, *cuspidana*, *pavonana*, *retusana*, *rhombi-fasciana*, *rubiana*, *stictana*, *subuncana*, *tetraquetra*, *triquetra*, *unipunctana*.
Steganopus *lobatus*, *tricolor*.
Steganostoma *picta*, *princepsi*.
Steganura *paradisea*, *sphaenura*, *verreauxi*.
Stegaspis *folium*, *fronditia*, *squamigera*.
Stegastes *imbricatus*.
Stegocephalus *inflatus*.
Stegomphix *elegans*.
Stegopterus *obesus*, *septus*, *suturalis*, *vittatus*.
Stegostoma *carinatum*, *fasciatus*.
Steira (Col.) *costata*.
Steira (Pter.) *lamanoni*.
Steirastoma *brevis*, *depressa*, *lacerta*, *stellio*.
Steirodon *citrifolius*, *prasinius*, *thoracicus*.
Steirolepis *bufonia*, *carinicaudus*, *heterolepis*, *microlophus*, *peruviana*, *quadrivittata*, *semitaenata*, *thoracica*, *tigris*, *xanthostigma*.
Steironotus *arenarius*, *carinatus*, *rosei-ventris*, *schreibersi*, *torquatus*.
Steirophis *chrysargus*.
Steleopyga *americana*, *orientalis*, *trichoprocta*.
Stelidopterus *longipennis*.
Stelidota *alternans*, *coenosa*, *didyma*, *geminata*, *orphana*, *rudrata*, *strigosa*.
Stelis *aterrima*, *minuta*, *obesa*, *octomaculata*, *tridentata*.
Stellaria (A.) *dispar*.
Stellaster *belcheri*, *childreni*, *comptoni*, *elegans*, *equestris*, *incei*.
Stellerus *borealis*.
Stellifer *capensis*.
Stelliferus *capensis*.
Stellio *argyropus*, *azureus*, *bicarinatus*, *brevicauda*, *brevicaudatus*, *caucasi*, *cordylina*, *cordylus*, *cyanogaster*, *cyprius*, *dicyanalis*, *discosomus*, *hasselquisti*, *helioscopa*, *hexagonus*, *microlepidotus*, *muricatus*, *niger*, *orbicularis*, *pelluma*, *peruvianus*, *platyrus*, *plica*, *podagricus*, *quetzpaleo*, *spinipes*, *torquatus*, *undulatus*, *uralensis*, *vulgaris*.
Stellipora *antheloidea*.
Stellispongia *astroites*, *conglobata*, *conica*, *costata*, *cylindrica*, *fasciculata*, *mammillaris*, *mammillata*, *manon*, *microstella*, *mosensis*, *odontostoma*, *pseudosiphonia*, *reptans*, *rotula*, *rugosa*, *stellaris*, *stellatum*, *stellifera*, *subrotula*, *substellata*, *sulcataria*, *turbinata*, *variabilis*.
Stellognatha *maculata*.
Stellonia *angulosa*, *echinitis*, *endeca*, *glacialis*, *helianthus*, *hispida*, *lumbricalis*, *papposa*, *rubens*, *tenuispina*, *violacea*, *webbiana*.
Stelloria *elegans*, *rustica*.
Stelmius *praecinctus*.

- Stematumenia** scyphus.
Stemmatopus cristata.
Stemmiulus bioculatus.
Stemmoderus singularis.
Stenamma westwoodi.
Stenaspis castaneipennis, rimosus, unicolor, verticalis.
Stenaxis annulata.
Stene ferrugineus.
Stenecorus bicolor, palliatus.
Stenelmis canaliculatus, consobrinus.
Stenelophus obliquus, steveni.
Steneodon cultridens, megantcreon.
Steneofiber castorinus.
Steneosaurus cadomensis, priscus, rostro-major, rostro-minor.
Stenopteryx hirundinis*.
Stenholma tentyrioides.
Stenias grisator, mioni.
Stenidia blanda, corrusca, cyanea, edwardsi, troberti, unicolor.
Stenidius cruciger, tenuipes, vittatus.
Steno alternatus, compressus, frontatus, fuscus, malayanus, rostratus.
Stenobothrium appendiculatum, macrobothrium.
Stenocantharus debilis.
Stenocara bonellii, cavifrons, conifera, fabricii, gracilipes, laevicollis, longipes, miliaris, morbillosa, rotundata, ruficornis, sex-lineata, winthemi.
Stenocephalus (Col.) setipennis.
Stenocephalus (Hem.) neglectus, nugax.
Stenocera (Col.) elegans.
Stenocera (Hym.) derceto, erichsoni, walkeri, walleri.
Stenoceras verneuilli.
Stenocercus roseiventris.
Stenocerus anatinus, aspis, collaris, frontalis, fulvitaris, garnoti, nigrotessellatus, nubifer, tessellatus, varipes, velatus.
Stenocheila salzmanni.
Stenochia amethystina, aurata, bicolor, caerulea, chalcodes, compta, cribripennis, cupripes, cyanicornis, cyanipes, flavofasciata, haemorrhoidalis, pavoni, picta, procera, rufipennis, rufipes, rugosa, rutilans, viridis.
Stenochorus acanthocerus, antennatus, assimilis, atomarius, brunnea, cantharinus, conspicuus, cruciger, desertus, didymus, dorsalis, gigas, hispicornis, latus, longipennis, longipes, mitchelli, mythicus, planus, plicatus, pulverulentus, quadrinotatus, rhombifer, roei, sentis, simplex, solandri, stigma, striatus, strigosus, stuposus, suturalis, trimaculatus, tunicatus, undulatus, vicinus.
Stenocionops taurus.
Stenocnema pudibunda.
Stenocnemus chevrolati, jaegeri, pallidipes.
Stenocoris gracilis.
Stenocorus affinis, angulatus, angustatus, annulicornis, atomarius, aurichalceus, balteatus, hidens, bifasciatus, biguttatus, bispinosus, carinatus, cinerascens, comatus, cyaneus, dens, dimidiatus, discoidens, duplex, elegans, elongatus, festivus, flavo-signatus, fuscus, hemipterus, hirticornis, hirtus, immaculatus, irroratus, lacordairei, lepturoides, limbatus, linearis, litteratus, longipes, luteolus, modestus, mucronatus, mysticus, oblitus, obscurus, pictus, pilosus, praecox, pubescens, punctatus, putator, quadrigeminatus, quadrimaculatus, quadripunctatus, quadrisignatus, ramosus, rigidus, rotundipennis, rubripes, salicis, scutellatus, sex-lineatus, spinicornis, spretus, stigma, sulcatus, tricolor, tuaimanus, unicolor, varicolor, viridipennis, vittatus.
Stenocorynus crenulatus, lateralis.
Stenocrates cultor, holomelanus, laborator, saucius.
Stenodactylus (R.) elegans, eversmanni, garrulus, geckoides, guttatus, mauritanicus, pipiens, scaber.

- Stenodema** virens.
Stenodera sexpunctata.
Stenoderma chilensis, rufa, undatum.
Stenoderus abbreviatus, concolor, deustus, fastigiatus, grammicus, maculicornis, ostricella, pulcher, rectus, roei, sinclairi, suturalis.
Stenodes (Lep.) elongata.
Stenodes (Verm.) acus.
Stenodontes armatus, australis, denticornis, exsertus, mandibularis.
Stenogaster (Col.) angustus, annulipes, atomaria, badius, bitaeniatus, catharinae, diffusa, farciventris, fossulatus, gibber, globithorax, incertus, irroratus, juvenis, lebasi, linearis, morosus, murina, nubila, paleolatus, pulverosus, rufiventris.
Stenogaster (Hem.) costalis, ditomoides, pallens, sculus, turdus.
Stenoglossa variegata.
Stenognathus melanarius.
Stenophus abdominalis, affinis, alacer, albipes, americanus, atratus, badipennis, badius, brunnipes, carbonarius, chevrolati, cinctus, columbinus, comptus, concinnus, conjunctus, consputus, convexicollis, coptoderus, crenulatus, cruciger, debilis, dimidiatus, discolor, discophorus, dissimilis, dorsalis, dorsiger, elegans, ephippium, exiguus, flaviceps, flavicollis, fugax, fuliginosus, fulvipes, fuscatus, fuscipennis, humeralis, iridescens, lentulus, longicollis, lucidus, luridus, maculatus, marginatus, marginellus, melanocephalus, meridianus, micans, minutus, morio, niger, nigricollis, nitidulus, ochropezus, pallidus, pallipes, persicus, plebejus, proximus, quinquepustulatus, rubescens, rufus, sinuatus, skrimshirani, smaragdulus, spretus, stveni, subtilis, suturalis, symmetricus, terminalis, unicolor, vaporariorum, velox, versicolor, vespertinus, ziegleri.
Stenolytra caerulea.
Stenoma bicolor, griseanum, litura.
Stenomela pallida.
Stenomera (Col.) blanchardi.
Stenomera (P.) interrupta.
Stenomesius maculatus, pulchellus.
Stenomorpha blapsoides, costata, subpilosa.
Stenomorphus angustatus.
Stenopelmatus dregei, erinaceus, pattersoni, portentosus, talpa.
Stenopelmus rufinasus.
Stenophrus compressus.
Stenophylax alpestris, arcticus, meridionalis, nigradorsus, pantherinus, pilosus, puberulus, striatus.
Stenophylla cornigera.
Stenopoda cinerea, fusca, lateralis, pallipes, squalida.
Stenopora columnaris, crassa, crinita, incrustans, independens, informis, mackrothi, ovata, scabra, spinigera, tasmaniensis.
Stenops (Col.) aviculus.
Stenops (M.) bengalensis, ceylonicus, gracilis, javanicus, potto, syrichta, tardigradus.
Stenoptera orbonella.
Stenopterus abdominalis, albicans, albitarsis, ambiguus, apicalis, aurulentus, braconides, brevipennis, crinitus, decorus, dispar, femoratus, flavicornis, flavipes, gracilis, hirtipes, laetus, lucidus, luridus, mauritanicus, molorchoides, murinus, praeustus, pulverulentus, punctatus, rufus, sanguinicollis, ustulatus.
Stenopteryx (Dipt.) hirundinis, pygmaea.
Stenoptilia carphodactyla, microdactyla, mictodactyla, pterodactyla, ptilodactyla, scarodactyla, tephrodactyla.
Stenopus (Cr.) setiferus, spinosus.
Stenopus (G.) cruentatus, lividus.
Stenorhynchus (A.) ruficauda.
Stenorhynchus (Cr.) rostratus. *Vide et Stenorynchus.*
Stenorhynchus (M.) leptonyx, serridens, weddelli.
Stenorhynchus (R.) natalensis.

- Stenorynchus** *egyptius*, *longirostris*, *phalangium*, *seticornis*, *tenacirostris*. *l'ide et Stenorynchus* (Cr.).
- Stenoscelidea** *albo-varia*, *bicoloripes*.
- Stenosida** *tenuicollis*.
- Stenosides** *graciliformis*.
- Stenosoma** (Col.) *foudrasi*.
- Stenosoma** (Cr.) *acuminata*, *eruginosa*, *filiforme*, *filiformis*, *hectica*, *irrorata*, *lineare*, *pusillum*, *viridula*.
- Stenosphenus** *rufipes*.
- Stenostira** *scita*.
- Stenostola** *ferrea*, *nigripes*, *pergrata*, *tiliae*.
- Stenostoma** (Col.) *rostrata*, *variegata*.
- Stenostoma** (G.) *auritum*, *capueira*, *convexa*, *puru*.
- Stenostoma** (P.) *pulchella*.
- Stenostoma** (R.) *albifrons*, *bilineatum*, *cairi*, *goudoti*, *nigricans*.
- Stenostomum** *leucops*, *unicolor*.
- Stenotaenia** *acuminata*, *linearis*.
- Stenotarsia** *coccinea*, *erocata*, *velutina*, *vermiculata*.
- Stenotarsus** *affaber*, *brevicollis*, *signatus*.
- Stenothorax** *subspinosus*.
- Stenotoma** *desjardinsi*.
- Stenotrachelus** *rouillieri*.
- Stenotrema** *avara*, *convexa*.
- Stentor** (Inf.) *aureus*, *caerulescens*, *igneus*, *muelleri*, *polymorphus*, *pruniformis*, *pygmaeus*, *roeseli*, *socialis*, *solitarius*, *ursinus*.
- Stentor** (M.) *chrysurus*, *flavicaudatus*, *fuscus*, *niger*, *seniculus*, *stramineus*.
- Stentorina** *biloba*, *cucullus*, *infundibulum*, *multiformis*, *polymorpha*, *roeseli*, *stentorea*.
- Stenura** *abdominalis*, *americanus*, *armata*, *atra*, *bifasciata*, *cincta*, *cruentata*, *cyanea*, *elegans*, *inflexus*, *luridipennis*, *melanura*, *nebulosa*, *nigra*, *octonotata*, *oxyptera*, *quadrifasciata*, *quinqesignata*, *septempunctata*.
- Stenus** *aceris*, *aemulus*, *aeneus*, *aerosus*, *affaber*, *affinis*, *agilis*, *alpestris*, *anguinus*, *angustatus*, *angustulus*, *annularis*, *annulipes*, *arctulus*, *arculus*, *argus*, *argyrostomus*, *ariolus*, *asphaltinus*, *assimilis*, *ater*, *aterrimus*, *atratus*, *atricornis*, *attenuatus*, *augur*, *basalis*, *bifoveolatus*, *biguttatus*, *bimaculatus*, *bimaculosus*, *binotatus*, *bipunctatus*, *bipunctulatus*, *bipustulatus*, *bisulcatus*, *boops*, *brunnipes*, *buphthalmus*, *caerulescens*, *callidus*, *callosus*, *campestris*, *canaliculatus*, *carbonarius*, *cautus*, *chalcites*, *cicindeloides*, *cinerascens*, *circularis*, *clavicornis*, *clavulus*, *cognatus*, *colon*, *colonus*, *colubrinus*, *conicus*, *contractus*, *cordatus*, *crassus*, *cribratus*, *croceipes*, *cupreus*, *curvipes*, *cyaneus*, *declaratus*, *egenus*, *elongatus*, *erythropus*, *eumerus*, *excubitor*, *exiguus*, *femoralis*, *femoratus*, *femorellus*, *ficus*, *filum*, *flavicornis*, *flavipes*, *floralis*, *foraminosus*, *formicetorum*, *fornicatus*, *fossulatus*, *frontalis*, *fulvicornis*, *fulvipes*, *fuscicornis*, *fuscipes*, *gayi*, *geminus*, *geniculatus*, *gilvipes*, *glacialis*, *gonymelas*, *gracilis*, *guttula*, *guynemeri*, *hispanicus*, *hospes*, *humilis*, *immunis*, *incanus*, *incrassatus*, *intricatus*, *lugalis*, *juncorum*, *kamtschaticus*, *kirbyi*, *labilis*, *laevior*, *laevis*, *languidus*, *latifrons*, *lineatulus*, *longicollis*, *longipes*, *lubricus*, *lucens*, *lustrator*, *maculipes*, *maritimus*, *marshami*, *maurus*, *melanarius*, *melanopus*, *mendicus*, *metallicus*, *minutus*, *monticellii*, *montivagus*, *morio*, *nanus*, *niger*, *nigriclavus*, *nigricornis*, *nigritulus*, *nitens*, *nitidusculus*, *nitidulus*, *nitidus*, *obliquus*, *obscurus*, *oculatus*, *opacus*, *operosus*, *opticus*, *ossium*, *paganus*, *pallipes*, *pallitarsis*, *palpalis*, *palposus*, *palustris*, *phaeopus*, *picipennis*, *picipes*, *pilosulus*, *plancus*, *planifrons*, *plantaris*, *princeps*, *proboscideus*, *proditor*, *prolixus*, *providus*, *pubescens*, *pumilio*, *punctatissimus*, *punctatus*, *pusillus*, *quadripunctatus*, *riparius*, *rotundatus*, *rufimanus*, *rufitarsis*, *rugosus*, *rugulosus*, *ruralis*, *rusticus*, *scabrior*, *scrutator*, *similis*, *simplex*, *solutus*, *speculator*, *spissicornis*, *stigmula*, *strumosus*, *stygius*, *subaeneus*, *subimpressus*, *submarginatus*, *subrugosus*, *sulcicollis*, *sylvester*, *tarsalis*, *tempestivus*, *tenuicornis*, *teres*, *teritcola*, *unicolor*, *vafellus*, *vestigialis*.
- Stenygra** *angustata*, *coarctata*, *histrio*, *ibidionoides*, *tricolor*.
- Stenyo** *longicornis*.

Stephanoceros ~~subornatus~~, *glacialis*.

Stephanocoenia *angulosa*, *bernardiana*, *carantonensis*, *conciina*, *coniacensis*, *cottaldina*, *desportesiana*, *elegans*, *excavata*, *fleuriausa*, *florida*, *formosa*, *grandipora*, *haimiei*, *icaunensis*, *intermedia*, *intersecta*, *irregularis*, *littoralis*, *micellini*, *plana*, *sinemuriensis*, *subornata*, *trichiformis*, *tuberosa*.

Stephanocora *gibbosa*, *hemprichi*, *meyeri*.

Stephanocrinus *angulatus*.

Stephanodon *mombachensis*.

Stephanohydra *fusca*.

Stephanomia *alveolata*, *amphitritis*, *amphytridis*, *cirrosa*, *contorta*, *foliacea*, *helianthus*, *heptacantha*, *hippopoda*, *imbricata*, *laevigata*, *melo*, *ophiura*, *prolifera*, *tectum*, *triangularis*, *uvaria*.

Stephanophorus *caerulea*, *caeruleus*.

Stephanophyllia *bowerbanki*, *discoides*, *elegans*, *imperialis*, *italica*, *micellini*, *suecica*.

Stephanops (Col.) *nasutus*.

Stephanops (Inf.) *cirratus*, *lamellaris*, *muticus*.

Stephanopus *polianus*.

Stephanorhynchus *curvipes*.

Stephanucha *areata*.

Stephanurus *dentatus*.

Stephanus *acutus*, *bicolor*, *coronator*, *coronatus*, *diadema*, *frontalis*, *furcatus*, *indicus*, *minutus*, *niger*, *rupeipes*, *serrator*.

Stephastoma *actinoides*.

Stephylla *fusca*, *lutescens*, *pallida*.

Steraspis *boyeri*, *scabra*, *semigranosa*, *speciosa*, *squamosa*, *superhiens*, *triangularis*.

"*Stercoraires*" *lessoni*.

Stercorarius *antarcticus*, *catarrhactes*, *cepphus*, *crepidatus*, *longicaudatus*, *longicaudus*, *pomarinus*.

Sterculia *coelestina*, *elegans*, *formicaria*, *fulgens*, *leprieuri*, *splendens*.

Steremnius *tuberosus*.

Stereocerus *grandiceps*, *similis*.

Stereoma *amicta*, *anchoralis*, *angularis*, *clitellata*, *cognata*, *concolor*, *consimilis*, *libertina*, *lunaris*, *marginella*, *robusta*, *tetraspilota*.

Stereopalpus *mellyi*.

Stereopsammia *humilis*.

Steriphus *solidus*.

Sterletus *gmelini*, *ruthenus*.

Sterna (A.) *acutifluida*, *acuticauda*, *acutirostris*, *affinis*, *albifrons*, *anglica*, *antarctica*, *aranea*, *arctica*, *argentacea*, *argentata*, *argentea*, *atricapilla*, *aurantia*, *bengalensis*, *bergi*, *brachypus*, *brachytarsa*, *brachyura*, *hrevirostris*, *camtschatica*, *canescens*, *cayana*, *cayennensis*, *cerulea*, *chloropodia*, *cinerea*, *cristata*, *delamotta*, *dongali*, *dougalli*, *elegans*, *erythrorhynchus*, *exilis*, *fluviatilis*, *frenata*, *frontalis*, *fusca*, *galericulata*, *gracilis*, *grisea*, *guttata*, *havelli*, *hirundinacea*, *hybrida*, *inca*, *infuscata*, *javanica*, *lacustris*, *lanifera*, *leucopareia*, *leucoptera*, *longipennis*, *longirostris*, *lunata*, *maddougalli*, *macro-tarsa*, *macroura*, *macrura*, *maculata*, *magnirostris*, *maxima*, *media*, *megalops*, *megarhynchus*, *melanauchen*, *melanogaster*, *melanoptera*, *melanorhyncha*, *melanura*, *meridionalis*, *navigatrix*, *nitzschi*, *novae hollandiae*, *oahuensis*, *oceani*, *palustris*, *pelecanoides*, *philadelphus*, *plumbea*, *poliocera*, *poliocerca*, *pomarina*, *rapida*, *rectirostris*, *regia*, *risoria*, *schillingi*, *seena*, *senegalensis*, *senex*, *senilis*, *serratus*, *sumatrana*, *super-gillaris*, *teuurostris*, *teretirostris*, *trudeaui*, *tschegrana*, *unicolor*, *varia*, *velox*, *wilsoni*.

Sternacanthus *undatus*.

Sternachus *virescens*.

Sternarchus *albifrons*, *albus*, *asiaticus*, *oxyrhynchus*.

Sternaspis (Col.) *caliginosus*, *conspicillatus*.

Sternaspis (Verm.) *elegans*, *thalassemoides*.

Sternechus *candidus*, *decemmaculatus*, *denudatus*, *egenus*, *extortus*, *formus*, *fuscoaeneus*, *guerini*, *hamatus*, *inconditus*, *insularis*, *irroratus*, *russatus*, *sahlbergi*, *subsignatus*, *trachypomus*, *tuberculatus*, *tuberosus*, *uncipennis*.

- Sternella** *bellicosa*.
- Sternocera** *basalis*, *bramina*, *castanea*, *chrysidoides*, *chrysis*, *dasypleuros*, *diardi*, *dissimilis*, *feldspathica*, *interrupta*, *irregularis*, *laevigata*, *liturata*, *nitidicollis*, *orientalis*, *rugosipennis*, *sternicornis*, *unicolor*.
- Sternodes** *karelini*, *mannerheimi*.
- Sternodonta** *amabilis*, *ornata*, *palinii*, *princeps*, *regalis*.
- Sternolophus** *rufipes*, *unicolor*.
- Sternopastor** *contra*.
- Sternoptix** *caelebs*, *celebes*, *mediterranea*.
- Sternoptyx** *cyanea*, *gardeni*, *hermanni*, *olfersi*.
- Sternopygus** *aequilabiatus*, *lineatus*, *macrurus*, *tumifrons*, *virescens*.
- Sternothaerus** *bosci*, *leachianus*, *odoratus*, *trifasciatus*.
- Sternotherus** *castaneus*, *derbianus*, *niger*, *nigricaus*, *sinuatus*, *subniger*.
- Sternotomis** *amoena*, *aper*, *bohemani*, *cailliaudi*, *ferreti*, *nivisparsa*.
- Sternuchus** *gibbulus*.
- Sternula** *antillarum*, *danica*, *fissipes*, *melanorhynchus*, *minuta*, *nercis*, *pomarina*.
- Sternus** *lacrymans*.
- Steroderus** *aeneus*, *borealis*, *caucasicus*, *dilatipennis*, *insignis*, *mannerheimi*, *maurisiacus*, *montanus*, *ochoticus*, *oethiops*, *orientalis*, *rugulosus*, *strigicollis*, *subtilis*, *variabilis*, *virescens*.
- Steromphala** *cinereus*.
- Sterope** (Cr.) *armatus*, *interruptus*, *ovalis*.
- Steropes** (Col.) *caspicus*.
- Steropes** (Lep.) *aracanthus*, *bernieri*, *jacchus*, *malgacha*, *ornata*, *paniscus*, *pecta*, *rhadama*.
- Steropezom** *elegans*, *elegantius*, *ingens*.
- Steropus** *aethiops*, *borealis*, *brevis*, *cognatus*, *concinus*, *convexus*, *gagatinus*, *globosus*, *hottentotta*, *illigera*, *lacordairei*, *madidus*, *maurisiacus*, *montanus*, *nicaeensis*, *obtus*, *orientalis*, *rugulosus*, *subtilis*, *virescens*.
- Sterparola** *conspicillata*.
- Sterrha** *interpunctaria*, *interpunctata*, *sericearia*.
- Sterrhopterix** *calvella*, *hyalinella*, *nigricaus*, *opacella*, *vestitella*.
- Sterrhopteryx** *febrilla*.
- Stethaspis** *suturalis*.
- Stethodesma** *haematopus*, *lobata*, *melanoptera*, *strachani*.
- Stethorectus** *ingens*.
- Stethoxus** *ater*.
- Stevenia** (Dipt.) *nigripennis*, *nitens*, *tomentosa*, *velox*.
- Stanelia** *fuscaria*, *hippocastanaria*.
- Sthenias** *grisator*.
- Sthenonia** *albida*.
- Sthenopus** *mollis*.
- Sthereus** *borealis*, *fasciculatus*, *quadrituberculatus*.
- Sthienera** *angulosus*.
- Stibara** *tetraspilota*, *trilineata*.
- Stibeutes** *bonellii*, *gravenhorsti*, *heinemanni*.
- Stibula** *cyniformis*.
- Stichaeus** *hexagrammus*, *punctatus*, *unimaculatus*.
- Stichaster** *striatus*.
- Stichodactyla** *mertensi*.
- Stichophora** *cyanea*.
- Stichopora** *cancellata*, *clypeata*, *irregularis*, *labyrinthica*, *pentasticha*, *richteri*, *tetragona*.
- Stichopus** *albofasciata*, *chloronotos*, *cinerascens*, *flammeus*, *leucospilota*, *lucifuga*, *lutens*, *pentagonus*, *tuberculosis*, *unituberculatus*.
- Stichotricha** *secunda*.
- Stictea** *arbutana*, *bugnionana*, *flammeana*, *helvolana*, *kollarana*, *rosetana*, *senecionana*.
- Stictia** *carolina*, *chilensis*, *continua*, *maculata*, *punctata*, *signata*, *spinosa*.
- Stictopora** *acuta*, *elegantula*, *fenestrata*, *glomerata*, *ramosa*.
- Stictosomus** *semicostatus*.

- Stigmaeus** ~~conatulus~~, cruentus, humilis, kermesinus, megacephalus, scapularis.
- Stigmatium** bifasciatum, cicindeloides, elaphroides, gilberti, natalense, rufiventre, sericellum, specularis.
- Stigmatrachelus** chlorostomus, cinctus, concinnus, fucosus, gemmifer, isabellinus, lynceus, ochreateus, octomaculatus, ornatus, psittacus, squamifer, striatogemellatus, turbatus, viridans.
- Stigmodera** adelaidae, amoena, assimilis, auricollis, aurifera, australasiae, bicincta, bicolor, buqueti, caloptera, cancellata, carinata, chiliensis, colorata, comes, compta, conjuncta, consimilis, conspicillata, curtisi, cyanicollis, cyanura, decemguttata, dejeani, delectabilis, donovani, elegantula, equestris, erythroptera, erythrura, excellens, eximia, fasciata, femorata, flavo-picta, fortnumi, funerea, gayi, gracilis, grandis, granulata, gratiosa, guerini, haemastica, haemorrhoidalis, hamatifera, hilaris, hoffmannseggii, imperator, insignis, juno, kirbyi, klugi, lebasii, lessoni, luteipennis, macleayi, macularia, magnifica, media, miles, mitchelli, nero, obscuripennis, ocelligera, octospilota, pallidiventris, parallelogramma, parryi, patricia, percheroni, peroni, perplexa, picta, princeps, principalis, punctifera, purpurea, regalis, reichii, sagittaria, sanguinolenta, sanguinosa, saundersi, sexplagiata, signaticollis, smaragdina, spinolae, stricklandi, superba, thoreyi, trifasciata, trizonata, variabilis, vegeta, versicolor, vetusta, virginea, viridis, vulnerata, xanthopilosa.
- Stigmonota** composana, corollana, dorsana, germarana, immaculana, internana, jungiana, lathyrana, lunulana, orobana, redimitana, schrankiana, trauniana.
- Stigmus** ater, fraternus, parallelus, pendulus, pusillus.
- Stigoma** tripunctata.
- Stilbe** chrysoleucas.
- Stilbia** anomala, anomalata, stagnicola.
- Stilbium** princeps.
- Stilbopteryx** costalis.
- Stilbum** calens, hedenborgii, oculata, sexdentatum, splendidum, viride, wesmaeli, westermanni.
- Stilicus** affinis, angularis, bimaculatus, carinatus, dentatus, formicarius, fragilis, fuscipes, geniculatus, jugalis, orbiculatus, ruficornis, rufipes, similis, subtilis, tristis.
- Stilifer** acicula, astericola, subulatus, turtoni.
- Stiliger** modestus, ornatus.
- Stilpnogaster** aemulus.
- Stilpnotia** denudata, salicis.
- Stilpnus** (Hym.) blandus, deplanatus, dryadum, gagates, pavoniae.
- Stimnus** conicus.
- Stiphilus** quadripunctatus.
- Stipiturus** malachurus.
- Stipula** ramosa.
- Stiretrosoma** circumdata, erythrocephala.
- Stiretus** abdominalis, atricapillus, bidens, cayennensis, chalybaeus, cinctellus, coccineus, coeruleus, custos, decemguttata, diana, fumosus, erythrocephala, eupus, fimbriatus, floridanus, gibbus, laticornis, loratus, lythrodes, personatus, punctatus, quinquepunctatus, rubromaculatus, rugosus, septemguttatus, smaragdula, trilineatus, violacea.
- Stizocera** unicolor.
- Stizopus** laticollis.
- Stizostedion** salmoneum.
- Stizus** abdominalis, aberrans, aegyptius, apicalis, armata, basalis, bifasciatus, bizonatus, cingulata, concolor, conicus, delesserti, elegans, fasciatus, fulvicornis, fulvipes, grandis, luniger, melanopterus, mioni, nigricornis, ornatus, perrisi, pictus, repandus, ruficornis, rufipes, rufocinctus, savignyi, sinuatus, speciosus, terminalis, tridens, tridentata, unicinctus, vespiiformis.
- Stoasodon** narinari.
- Stoastoma** anthonianum, blandianum, chittyanum, cumingianum, fadyenianum, gouldianum, hollandianum, jayanum, leanum, lindsleyanum, moricandianum, petitianum, pfeifferianum, pisum, redfieldianum, tappanianum, wilkinsoniae.

Stolephorus commersoni, japonicus, risso.

Stolida cinerea.

Stomatella articulata, auricula, cancellata, carinata, coccinea, concinna, costellata, decolorata, elegans, fulgurans, imbricata, irisata, japonica, lutea, maculata, malukana, margaritana, minima, monilifera, nigra, orbiculata, phymotis, porcata, rubra, rufescens, sanguinea, speciosa, sulcata, sulcifera, tigrina, tumida. *Vide et Stannmatella.*

Stomateus cryptosus, longipinnis.

Stomatia acuminata, angulata, aspera, auricula, auriformis, australis, candida, carinata, ciucta, compressa, costata, crispata, decussata, duplicata, ermani, funata, furcata, gaultina, goldfussi, haliotoides, imbricata, irasata, jurensis, lineata, lirata, maculata, minima, muensteri, neritoides, nigra, notata, obscurata, pallida, perversa, phymotis, planulata, reticulata, rubra, rugosa, rugulosa, substriata, subsulcosa, sulcifera, sulcosa, zonalis.

Stomatopora compressa, conica, dichotoma, dispersa, divaricata, echinata, fascicularis, geminata, gracilis, granulata, hagenowi, intermedia, major, media, rauea, serpens.

Stomax furunculus.

Stombus bojei, cornuta, dorsatus, megastoma, scutata.

Stomia boa.

Stomianodon cbrysoplekadion.

Stomias barbatus, boa, ferox*, fieldi, leucopterus.

Stomina rubricornis.

Stomion galapagoensis, helopoides, laevigatus.

Stomis americana, granulatus, italicus, maxillosus, pumicatus, rostratus.

Stomobrachiota lenticularis.

Stomobrachium octocostatum.

Stomoctea octopallipes.

Stomodes gyrosicollis, rudis, tolutarius.

Stomodon bilineatus.

Stomodonta antivertigo, avena, edentula, farinesi, fragilis, granum, marginata, megacheilos, muscorum, pabuula, pigmaea, plicatula, ringens, rugosa, secale, umbilicata, ventricosa.

Stomoxis irritans, keironi.

Stomoxys aculeata, aenos, bibens, cothurnata, cristata, cybira, cyborus, dira, famelica, flava, flavipennis, fuscus, geniculata, gigantea, humeralis, infesta, inimica, irritans, libatrix, longipalpis, melanogaster, minuta, musciformis, nebulosa, pedemontana, pungens, stimularis, sugillatrix, tenera, trifaria, variegata, vexans.

Stomphax cruciostri.

Stonalota granulata.

Stoporalia albicaudata, indigo, melanops.

Storena coerulea, cyanea.

Storeus signatus, variegatus.

Storilus radiatus.

Storthis livida.

Storthygocerus ladenbergi, subulifer.

Strachia chambereti, cruciger, festiva, herbaceum, histrionica, limbata, oleracea, ornata, picta.

Strachyris chrysaea, nigriceps, pyrrhops.

Stramonita baemastoma, bederacea.

Strangalia acuminata, americana, armata, atra, attenuata, aurulenta, binotata, calcarata, capitata, chalybea, coarctata, convexa, cordifera, cruciata, cruentata, delata, distigma, elegans, emaciata, emarginata, externe-punctata, famelica, ferruginea, fulvilabris, holosericea, impunctata, instabilis, labiata, lateralis, lineola, luteicornis, melanura, nana, nigra, nigrella, obliterata, obscura, obsoleta, plebeja, pubescens, punctatus, fasciata, quadrifasciata, quagga, ruficollis, scalaris, sexmaculata, sexnotata, similis, sinuata, strigosa, subargentata, subhamata, subspinosa, tenuior, undulata, unicolor, villica, vitticollis.

Strangaliodes albosquamatus, aureosquamosus.

Strangia arborea.

- Straparollus** aequilateratus, alatus, angulatus, annulatus, archiaci, articulatus, bronni, carinatus, catenulatus, circularis, complanatus, cordensis, dionysii, discors, discus, heliciformis, helacinus, hemisphaericus, kircholmiensis, labadyei, leonhardi, levatus, magnus, matutinus, maximus, perturbatus, pervetustus, petropolitanus, planorbis, priscus, profundus, pseudoqualterius, qualterianus, radiatus, rotula, rugosus, schmurri, serpens, sinister, sordidus, subcarinatus, subsulcatus, sulcatus, tenuistriatus, uchtensis, uniangulatus, verneuili, wahlenbergi, waschkinae.
- Straparolus** acutus, ammonitaeformis, antiquus, cassianus, catilloides, catillus, cingulatus, dentatus, dupiniana, fallax, guerangeri, helicoides, hians, konincki, laevigatus, lepidus, liasinus, martinianus, minutus, moutoniana, nodosus, pentagonalis, perangulatus, perversus, pileopsideus, pugilis, pulchellus, quadratus, radians, reconditus, sapho, serus, soiuae, subaequalis, subhelicoides, tabulatus, tuberculatus, tuberculosus.
- Strategus** aloeus, anchoreta, antaeus, fascinus, jugurtha, julianus, morinon, surinamensis, syphax, titanus.
- Stratiomyia** flavifrons, nasuta, pulchella, ruficornis, vicina.
- Stratiomys** albitarsis, analis, anilis, annulata, anubis, atrata, auriflua, badius, barca, bilineata, bimaculata, brevicornis, cenisia, chloraspis, concinna, conica, cuprina, decora, dorsalis, edentula, equestris, fasciata, fascipennis, ferina, flaviventris, goniphora, halterata, hastata, hirtuosa, hunteri, hydrodroma, hydropota, inermis, infusata, intermedia, jejuna, leucopsis, limbata, lineata, lineolata, longicornis, longifrons, lunata, marginata, meigeni, melanopsis, nigrifrons, nigrita, nigro-dentata, norma, nuberulosa, nymphis, ornata, paludosa, panthaleon, pardalina, pellucida, pigra, potamida, pulchra, pusilla, pygmaea, quadridentata, riparia, rostrata, russica, septemguttata, sericeiventris, siderogaster, subvittata, thoracica, tomentosa, triangulata, trivittata, ventralis, vertebrata, virens, virgo, viridana.
- Stratiotes** clivinoides.
- Stratipora** brevissima.
- Strauzia** armata, inermis.
- Stravolaema** echinorhynchus.
- Strebla** africana, vespertilionis.
- Streblocera** fulviceps.
- Streblota** crista, nesea.
- Streblote** clarissa, ornanda, panda.
- Streblus** tortuosus.
- Strenes** setulosus.
- Strenia** clathraria, clathrata, tessellaria.
- Strepera** anaphonensis, arguta, cinerea, fuliginosa, melanoptera, plumbea, versicolor.
- Strephodes** craigensis, gracilis, multilamellatum, pseudo-cerataes, trochiformis, vermiculoides.
- Strephon** (R.) bilineatus.
- Strephona** elegans, erythrostoma, ispidula, maura, sanguinolenta, senegalensis, textilina.
- Strephuris** agilis.
- Strepsiceros** capensis, kudu.
- Strepsidura** armata, costata, ficulneus, interruptus.
- Strepsilas** borealis, collaris, grenovicensis, interpres, littoralis, melanocephalus.
- Streptaxis** aberrata, albida, alveus, blandigiana, caneana, comboides, contusa, cumingiana, deformis, deplanata, distorta, dunkeri, funcki, glabra, maugerae, nobilis, ovata, pagoda, perroteti, pyriformis, reclusiana, rimata, subregularis, troberti, uberiformis.
- Streptocerus** speciosus.
- Streptocitta** caledonicus.
- Streptolasma** bina, pleuriradialis.
- Streptoplasma** corniculum, crassa, expansa, multilamellosa, parvula, profunda.
- Streptorhynchus** pelargonatus, senilis, spurius.
- Streptospondylus** altdorfensis, cuvieri, geoffroyi, major.
- Streptostoma** agile, gracile.
- Strichosa** eburata.
- Strigatella** acuminata, lineata, zebra.

Strigea candida, falconis, palumba.

Strigia maxillaris.

Strigiceps cinerascens, cyaneus, jardini, leucopogon, pallidus, pygargus, swainsoni, uliginosus.

Strigidia cuprea, fulvipennis, rubripennis.

Strigilla carnaria, divaricata, pisiformis.

Strigina poae.

Strigocephalus brevirostris, hurtini, defrancei, gigauteus, porrecta, sulcipennis, sumtuosa.

Strigoderma aenea, arboricola, chalybeicollis, columbica, cupriceps, fulgicollis, insignis, mexicana, nigrita, peruviansis, pygmaea, vestita, villosula.

Strigoides leucolophus.

Strigops habroptilus.

Strigoptera bipustulata, inornata, obsoleta.

Strigula fusiformis, maculata, ornata, purpurea.

Stringophorus germarius, horsfieldi, longipes, rufipennis, zebra.

Strinsia tinca.

Stripsifer zebra.

Stripsipher ambiguus, latipennis, niger, sexmaculatus, sordidus.

Stripsypher bimaculatus.

Strix aegolios, africana, albifrons, albomarginata, americana, aquilina, aretica, atricapilla, badia, barbata, boobook, brachyura, brama, butalis, californica, canadensis, candida, candidus, capensis, caspia, castaneops, castanoptera, cayana, choliha, cinerea, clamata, cornuta, crassirostris, crucigera, cubae, cunicularia, cyclops, dalhousiana*, dalhousiei*, dasypus, decussata, delicatulus, delicatus, doliata, dumeticola, erminea, fasciata, fernandica, ferox, ferruginea, forficata, frontalis, frontata, fuliginosa, fulva, furcata, fusca, fuscescens, georgica, grallaria, gutturalis, guttata, hardwicki, helvola, hirsuta, hylophila, indranei, ketupu, lactea, larvata, latrans, lempiji, leptogrammica, leschenaulti, leucotis, licua, lindrothi, lineata, longimembris, longirostris, luguhris, lulu, macrocephala, macrorhyncha, macroura, maculata, maculosa, magica, margaritacea, maugei, microphthalmos, midas, minutissima, montana, nacurutu, nana, nisoria, noctula, novae-hollandiae, nudipes, occipitalis, octoradiata, orientalis, otis, pagodarum, passerinoides, perlata, persica, personata, piscatrix, poensis, pratincola, psilodactyla, psilopoda, pulsatrix, pumila, punctatissima, pygmaea, radiata, rufescens, rufipes, sandwichensis, scutulata, selo-puto, sinensis, sonnerati, spadiceus, stitula, strepitans, sumatrae, superciliaris, superciliosa, swinda, sylvatica, tenebriosus, torquata, transatlantica, tridactyla, turcomana, undulata, zonca.

Strobila octoradiata, sarsi.

Strobiliphaga enucleator, psittacea.

Strobilophaga caucasica, sipahi, subhimachalus.

Strobilurus torquatus.

Strobilus ovatus, turratus.

Stroggulus auritus.

Stromateus aculeatus, albus, angulatus, atous, candidus, cinereus, depressus, figa, gibbosus, gihbus, griseus, hexagonus, knorri, maculatus, major, microchirus, punctatissimus, rhombus, securifer, triacanthus.

Stromatium harbatum, hirtum, strepens.

Stromatocerium rugosum.

Stromatopora capitata, concentrica, distans, foliata, goldfussi, incrustans, irregularis, nummulitisimilis, polymorphus, porosa, rugosum, striatella, subtilis, sulcata, verticillata.

Strombella gihherula, luhuanus, mauritiana, pugilis, succincta, troglodytes, urceus, vittata.

Strombidea dubia, erythrostoma, mutabilis, plicata, tridentata, urceus.

Strombites canaliculatus, canalis, denticulatus, globulatus, jenensis, papilionatus, pugnans, speciosus.

Strombodes australis, conaxis, distortus, emarciatum, helianthoides, incurvus, pentagonus, plicatum, rectus, simplex, stellaris, truncatus, vermicularis, wenlockensis.

Stromboscerus schuppeli.

Strombosoma unipunctatum.

Strombus ~~acipiter~~, acipitrinus, acicula, acutus, adansonii, ambigua, anatellus, arescens, artasanus, athenius, auricularius, auriculifera, auris asini, ~~auris~~-dianae, auritus, australis, bartonensis, bifrons, bituberculatus, bonellii, bubonius, bulbulus, byronensis, callosus, campbelli, canalis, canarium, cancellatus, chemnitzii, chiragra, columba, conoideus, contortus, cornutus, cornutus, corrugatus, crenatus, crispatus, cristatus, curvirostris, cylindricus, decussatus, deformis, delucianus, deperditus, digitatus, dilatatus, dubius, dupinianus, elegans, epimellus, erythrinus, fasciolaroides, fissura, fissus, floridus, fortis, fusiformis, fusoides, galea, galeatus, gallus, gibbosulus, gibbosus, giganteus, glabratus, goliath, gracilior, gracilis, granulatus, guttatus, haemastoma, haitensis, helli, heuprichi, incertus, incisus, inermis, inflexa, inornatus, integer, intermedius, isabella, ismarius, italicus, jamar, japonicus, jugosus, labiatus, labrosus, laciniatus, laevilabris, laevis, lineatus, lineolatus, lituratus, lobatus, maculatus, marginatus, mauritanus, melanastomus, melanostomus, melastomus, mercati, minimus, mutabilis, nigricans, nodosus, nodulosus, novae zelandiae, obliquatus, obtusus, oceani, olydius, ornatus, orosinus, pacificus, papilio, papilionatus, pelagi, persicus, pertinax, peruvianus, petrosus, plicatus, polyfasciatus, ponderosus, ponti, proximus, pseudoscorpio, pulchellus, pusillus, pyrolatus, quadratus, radians, rarinus, reticulatus, roncanus, rugosus, ruppelli, samar, samarensis, sayi, scalariformis, scalatus, septimus, siboldi, sinuatus, sloanei, solitarius, subcancellatus, subspicosus, swainsoni, taeniatus, tankervillei, terebellatus, terebralis, thersites, tricornis, trigonus, troglodytes, truncata, truncatus, tuberculiferus, turboformis, turritus, uncatatus, undulatus, unicornis, unicornus, vanikorensis, variabilis, varicosus, ventricosus, volutaefornis, zonatus.

Strongilus silaceus.

Strongygaster delicata, exigua, globuli.

Strongylium cayennensis, chalconatum, flavicorne, humerale, moestum, rufipenne, seductor.

Strongyloceros spelaeus.

Strongylocoris leucocephalus.

Strongyloderus serraticollis.

Strongylomma caffra.

Strongylopterus dentipes, ovatus.

Strongylopus fasciata.

Strongylorhinus ochraceus.

Strongylosoma concolor, cylindraceum, gervaisi, guerini, iuloides, pallipes, spilonotum, trilineata, vermiformis.

Strongylostoma assimile, radiatum.

Strongylotes brachialis, lemniscatus, squamans.

Strongylura caudimaculata.

Strongylurus scutellatus, varicornis.

Strongylus acutus, adustus, alatus, ambiguus, ammonis, analis, anatis, aneurysmaticus, annulatus, annulifer, ardeae, armatus, asininus, ater, atratus, bicolor, bifurcus, cameli, capitellatus, capreoli, cernuus, ciliatus, colon, colubri, contortus, convolutus, cornutus, costatus, costellatus, crenulatus, criniformis, dentatus, denudatus, depressus, dimidiatus, dispar, dorcadis, elephantii, elongatus, falconis fulvi, ferrugineus, fervida, filaria, filicollis, floralis, foinae, galeatus, giganteus, gigas, glabratus, patens, horridus, humeralis, hypostomus, hystricis, illustris, imperialis, inflexus, invaginatus, laevis, lenum, leonis, leptcephalus, leptosomus, litura, lupi, Merubrum, maculatus, major, melanurus, mergorum, micrurus, minor, minutus, muticus, myoxi, nigrinus, nodularis, nodulosus, obscurus, orientalis, ornatatus, papillosus, paradoxus, patens, pectoralis, pictus, polygyrus, praeustus, purpureus, pusillus, pyrenaicus, quadri-punctatus, radiatus, retortaeformis, rufescens, rufus, scutellatus, sericeus, strigatus, strigosus, subauricularis, suis, sulcatus, tardae, tenuis, tetracanthus, tetragonocephalus, thoracicus, tigridis, tinctus, trachealis, trigonocephalus, trigonophalus, tristis, tubifex, tubiformis, uncinatus, ursi, vagans, variegatus, veinulosus, ventricosus, venulosus, villosus, viperacae, vitulorum, vulpis, vulturis.

Strophalosia excavata, gerardi, goldfussi, horrescens, morrisiana, parva, productoides, spinifera, spinulosus, subaculeata.

Strophia (Lep.) batis, derasa.

Strophidia caudaria.

Strophidon africana, echidna, flavimarginata, grisea, hepatica, literata, longicaudata, maculata, punctata, unicolor.

Strophoconus africanus, auricula, cribrus, gemma, gibbus, graecus, ovum, spiroloculina.

Strophodus angustissimus, angustus, arcuatus, asper, elytra, favosus, irregularis, longidens, magnus, orbicularis, ovalis, punctatus, radiato-punctatus, radiatus, reticulatus, subreticulatus, sulcatus, tenuis.

Strophomena aculeata, acutiradiata, alternata, antiquata, applanata, arctostriata, bifurcata, camerata, carinata, chemungensis, compressa, convexa, cornuta, corrugata, crebristriata, crenistria, deflecta, delthyris, deltoidea, demissa, depressa, elegantula, eliptura, elongata, euglypha, expensa, filosa, flabellum, gibbosa, goldfussi, impressa, inaequistriata, interstitialis, lachrymosa, laevis, lima, lineata, modesta, mucronata, nassula, nasuta, nervosa, pecten, pectinacea, perplana, pluristriata, punctulifera, pustulosa, radiata, recta, rectilateris, rhomboidalis, rugosa, scabrosa, sericea, setigera, sp. ind., striata, subplana, syrtalis, tenuilineata, tenuistriata, transversalis, umbraculum, undulosa, varistriata.

Strophomenes flexilis, gervili, laevigata.

Strophosomus albosignatus, alternans, ancorifrons, angulicollis, asperifoliarum, atomarius, claeophorus, cinereus, cognatus, coryli, cristatus, crucifer, crucifrons, dilaticollis, faber, fulvicornis, globosus, granicollis, gravis, hirtus, illibatus, inductus, limbatus, longulus, nebulosus, nigricans, nodulipennis, obesus, obliquecinctus, obsoletesignatus, oxyops, peruanus, peruvianus, pilosellus, praelongatus, pupillatus, retusus, rotundicollis, rufipes, scrobiculatus, septentrionis, setulosus, squamulatus, subrotundus, subsulcatus, sus, turpis.

Strophostoma laevigata, striata, tricarinatum.

Strophura spinigera.

Struthidea cinerea.

Struthiolaria crenulata, gigas, inermis, laevis, microscopica, nodulosa, oblita, ornata, papillosa, papulosa, prima, scutulata, straminea, sulcata, tricarinata, umbilicata, vermis, vernis.

Struthus coelebs, hyemalis, oreganus, surinama.

Strychnos nux-vomica. [*Quasi avis vera planta cit. ab Waterhouse.*]

Strymon acaciae, beon, betulae, esculi, ilicis, lyuceus, mars, melinus, mopsus, pan, pruni, spini, W album.

Sturio vulgaris.

Sturisoma rostrata.

Sturmia atropivora, concolor, floricola, luteipalpis, scutellata, vanessae.

Sturnella capensis, collaris, hippocrepis, loyca, ludoviciana, magna, militaris, neglecta, torquata.

Sturnia cana, elegans, erythropygia, malabarica, pagodarum.

Sturnira spectrum.

Sturnopastor jalla, melanoleucus, melanoptera, temporalis.

Sturnus albus, amblyramphus, americanus, aterimus, carunculatus, chilensis, cineraceus, domesticus, guttatus, hippocrepis, hollauidae, holosericeus, maculatus, magna, pimalot, predatorialis, punctatus, pyrrhocephalus, septentrionalis, subroseus, sylvestris, tenuirostris, torquatus, unicolor, varius, virescens.

Styela canopus.

Stygia argynnis, auge, australis, belzebul, elongata, infausta, lateralis, polymena, sabaea, terebellum.

Stygnus armatus, ferrugineus, forcipatus, inflatus, triacanthus.

Stylacium isabellinum.

Stylaria paludosa, parasita, proboscidea.

Stylarioides moniliferus.

Stylaster flabelliformis, gemmascens, gracilis, granulosus, rosea, sanguineus.

Stylastraea inconferata, irregularis.

Stylaxis flemingi, major.

Stylephorus argenteus.

- Stylia** *identis*, *maculata*, *mentharum*.
Stylifer *asteriscola*, *corallina*, *globosus*, *primogenia*, *stylifera*.
Stylina (Cor.) *archiaci*, *arduennensis*, *astroides*, *babeana*, *bacciformis*, *bourgueti*, *conoidea*,
crassa lamella, *deluci*, *depravata*, *echinulata*, *gaulardi*, *lobata*, *macandrina*, *microcoma*,
microplithalma, *nantuacensis*, *pereziana*, *provincialis*, *renauxi*, *reticulata*, *rupellensis*,
sexradiata, *stellaris*, *striata*, *stricta*, *thyrsiformis*, *tubulosa*, *tumularis*.
Stylina (G.) *stylifera*.
Stylinais *proboscidea*.
Styliola *corniformis*, *gracillima*, *obtusa*, *primaeva*, *recta*, *sedgwicki*, *striata*, *subula*,
tenuis, *ventricosa*, *virgula*.
Styliscus *armatus*.
Stylloceras *ladenbergi*, *subulifer*.
Styllocerus *ratwa*.
Stylochus *folium*, *maculatus*, *mertensi*, *palmula*, *papillosus*, *pellucidus*, *sargassicolus*,
suesensis.
StylOCOENIA *emarciata*, *lapeyrousiana*, *lobato=rotundata*, *monticularia*, *taurinensis*.
Stylocyathus *dentalina*.
Stylodon *studeriana*, *unidentata*.
Stylogaster *stylatus*.
Stylogyra *flabellum*.
Styloides *acicula*, *lubricus*.
Stylonychia *appendiculata*, *cimex*, *histrio*, *lanceolata*, *mytilus*, *pustulata*, *silurus*.
Stylophora (Cor.) *armata*, *danae*, *digitata*, *ehrenbergi*, *emarciata*, *monticularia*, *palmata*,
pistillaris, *raristella*, *rugosa*, *subseriata*.
Stylophora (Dipt.) *zonata*.
Stylopora *solida*.
Stylops *dalei*, *haworthi*, *kirbyi*, *melittae*, *spencei*, *tenuicornis*, *walkeri*.
Stylorhynchus (Prot.) *longicollis*, *oligacanthus*, *ovalis*.
Stylosmilia *brevis*, *cottaldina*, *micbelini*, *organisans*.
Stylosomus *ilicicola*, *minutissimus*, *tamariscus*.
Styphlus *cuneipennis*, *muscorum*, *penicillus*, *setosus*, *setulosus*, *ulcerosus*, *unguicularis*.
Styphrus *corpulentus*.
Stypotrupes *ajax*, *endymion*, *tetanus*.
Styracodus *acutus*.
Styryngomyia *gracilis*, *venusta*.
Styripus *cyanemus*.
Subelymenia *evoluta*.
Suberites *domuncula*, *ficus*, *typus*, *volubilis*.
Subretepora *reticulata*.
Subuculus *penicillus*.
Subula (Dipt.) *nigritibialis*.
Subula (G.) *blainvillei*, *citripes*, *dimidiata*, *maculatus*, *spectabilis*.
Subulina *carinulata*, *crotalariae*, *cyanostonia*, *malaguetana*, *monoceros*, *octona*, *propinqua*, *pupaeformis*, *sericata*, *striatella*, *terebraster*, *turritellata*.
Subulites *abbreviata*, *elongata*.
Suburites *massa*.
Succinea *abbreviata*, *acuta*, *aegyptiaca*, *aequinoctialis*, *amphibia*, *angularis*, *angustior*,
aperta, *appendiculata*, *arenaria*, *aurea*, *australis*, *avara*, *balthica*, *barbadensis*, *bensoni*,
brevis, *bullina*, *buschi*, *caduca*, *calycina*, *campestris*, *candearia*, *canella*, *cepulla*,
chiloeusis, *cingulata*, *citrina*, *concosa*, *concordialis*, *contorta*, *corsica*, *crassinuclea*,
crocata, *cucullata*, *cuvieri*, *depressa*, *elegans*, *exarata*, *fragilis*, *fulgens*, *gayana*,
georgiana, *gouldiana*, *gracilis*, *groenlandica*, *guatemalensis*, *haliotidea*, *helicoidea*,
humerosa, *imperspicua*, *indica*, *inflata*, *infundibuliformis*, *laevipes*, *laevis*, *latior*,
levantina, *longiscata*, *lumbalis*, *luteola*, *magellanica*, *major*, *mamillata*, *manuana*,
mediolanensis, *menkeana*, *modesta*, *mulleri*, *nuttalliana*, *obliqua*, *oblonga*, *obtusa*,
oregonensis, *ovalis*, *ovata*, *pacifica*, *pallida*, *papillata*, *patula*, *petiti*, *pfieiferi*, *picta*,
pinguis, *procera*, *progaster*, *pudorina*, *pusilla*, *putamen*, *putris*, *reflexa*, *retusa*, *rotunda*, *rubescens*, *rubicunda*, *rugosa*, *rusticana*, *sagra*, *salleana*, *semiglobosa*, *semiserica*,

solidula, spectabilis, spurca, striata, subgranosa, sulculosa, tahitensis, tamsiana, texasiana, tigrina, totteniana, tranquebarica, undulata, unguis, variegata, venusta, vermata, vesicalis, virescens, vitrinoides, wardiana, yucarum, zephyrina.

Suchosaurus cultridens.

Suda hojeri.

Sudis gigas, hyalina, niloticus, pirarucu.

Suphalacca flavipes, macleanianus, macrocerus, quadri-punctatus, senex, surinamensis, versicolor.

Suillia arcuata, cinerea, claripennis, communis, flaveola, fragilis, fungorum, lineata, liturata, sex-notata, tuberivora, violascens.

Suiriri coronata, icterophrys, suiriri.

Sula alba, americana, australis, bassanus, candida, capensis, communis, cyanops, dactylatra, erythrorhyncha, fiber, fusca, leucogaster, leucophea, maculata, major, melanura, parva, personata, piscator, plotus, rubripeda, rubripes, serrata, variegata, vulgaris.

Sulcobuccinum fissuratum, obtusum, semicostatum, tiara.

Sulcopora fenestrata, scalpellum.

Sulcoretopora parallela, raricosta.

Sulcularia badia, papyracea.

Sulculeolaria biacuta, minuta, quadrivalvis.

Suncus sacer.

Sundarus neniator.

Sunetta coerulescens, oblitterata, scripta.

Sunias callicopis, lucia, melpomene, phyllis.

Sunius anguinus, angustatus, asper, attenuatus, bimaculatus, binotatus, bipunctatus, bisignatus, brunneus, bruniceps, coarctatus, curtulus, dimidiatus, diversus, exiguus, filiformis, filum, hybridus, immaculatus, intermedius, labeo, lateralis, limbatus, linearis, longiceps, longiusculus, marginalis, melanocephalus, neglectus, ochraceus, prolixus, pulchellus, pulcher, pusio, rubricollis, signatus, stigma, sulcicollis, testaceus, tricolor, tristis, troglodytes, unicolor.

Suphenia dinema.

Suphis cinicoides, doubledayi, forsteri, gibbulus.

Suricata capensis, zenik.

Surikata viverrina.

Surnia africana, borealis, canadensis, chouchou, cunicularia, funerea, lineata, minutissima, naevius, nisoria, niseuella, nivea, nyctea, passerina, passerinoides, ulula, uralensis.

Surniculus dicruroides, lugubris, nigricans, rubiculus.

Surphus segnis. *Vide et Syrphus.*

Sus aeliani, albirostris, americana, antediluvianus, antiquus, aper, barbatus, belsiacus, celebensis, choerotherium, collaris, diluviana, europaeus, fasciatus, giganteus, haria, hysudricus, indicus, javanicus, kairopotamus, koiropotamus, larvatus, lemuroides, leucomystax, major, mastodontoides, ogygius, palaeochoerus, papuensis, priscus, proavitus, provincialis, rostratus, serresi, sivalensis, soemmeringi, tagnicati, tapiotherium, tener, timoriensis, trux, verrucosus, vittatus.

Susa platanista.

Suthora fulvifrons.

Sutura ephippium.

Suya blythi, buchanani, criniger, inornata, jerdoni, lepida, neglecta, robusta, sylvatica.

Swammerdamia anthyllidella, cerasiella, heroldella.

Syacium micurum, ocellatum, solaeformis.

Syarctus collaris.

Sybaris immunis.

Sybines sellatus.

Sybistroma appendiculata, crinipes, discipes, dufouri, nodicornis, patellipes.

Sycalis brasiliensis, chloris, luteocephala, luteoventris, minor.

Sycanus collaris.

Sycidium reticulatum.

Sycobius bicolor, collaris, cristatus, gregalis, malimbus, melanotis, melanotus, nigerrimus, nigricollis, nitens, rubriceps, rubricollis, st thomae, scutatus.

Sycocrinites anapeptamenus, clausus, jacksoni.

Sycocystites angulosus, senckenbergi, striatus.

Sycon humboldti, poireti.

Sycophaga crassipes.

Sycorax silacea.

Sycotypus ficus, reticulatus.

Sycozoa sigillinoides.

Sylbeocyclus carolinensis, europaeus, minor.

Sylectra congemalis, mirandalis.

Sylepta amandalis, incomptalis.

Syllectra congemmalis, mirandalis.

Syllepis marialis.

Syllepte incomptalis.

Syllis armillaris, cornuta, fulgurans, gracilis, longocirrata, maculosa, monilaris, noctiluca, prolifera, rudolphi, tiedemanni, tigrina, vittata.

Syllithria haematalis, sanguinalis.

Sylochelidon aurantia, balthica, caspia, magnirostris, poliocerca, schillingi, seena, strenuus.

Sylpha bicolor.

Sylvania phoenicuroides.

Sylvanus denticulatus, fagi, planatus, quadricollis, sexdentatus, zimmermanni.

Sylvia (Ar.) abdominalis, atra, rubiginosa, similis, vittata.

Sylvia (Av.) abietina, acredula, aedonia, aestiva, agilis, agricola, akahige, alba, albicans, albicapilla, albicollis, albifrons, alpina, altiloqua, amaurocephala, andersoni, angusticauda, anilis, annulosa, anthoides, arada, arborea, ardens, ardesiaca, ardosiaeca, argyrotis, arundinacea, arvens*, asiatica, atricapilla, atrogularis, auduboni, aurantia, auranticollis, auricapilla, auricollis, aurigula, auropapillus, australasiae, autumnalis, azuricollis, babaecaea, bachmani, badiceps, barbata, bicolor, bifasciata, bivittata, bloxami, boarula, boeticata, bonariensis, bonellii, borbonica, brachyptera, brasiliana, brevicaudata, brevirostris, brunnea, burkei, caerulea, caerulescens, calendula, calidris, caligata, calliope, campestris, canadensis, canicapilla, capinera, caprata, carbonata, cariceti, caroliniana, casta, castanea, castaneo-coronata, cayana, celatus, certhiola, cetti, childreni, childrensis*, chivi, chrysocephala, chrysogastra, chrysops, chrysopus, cineraria, cingalensis*, cinnamomea, cisticola, citrinella, coerulecula, collybita, concolor, conspiciata, coromandelica, coronata, coryphaeus, crassirostris, cristata, culicivora, cuneata, curruca, cyane, cyanecula, cyanicollis, cyanomelas, cyprica, delafieldi, diophrys, diphone, discolor, domestica, dorsalis, dumicola, erithraeus, erythrogaster, erythrogenis, erythronota, erythropys, familiaris, fasciata, ferruginea, fervida, fitis, flammea, flava, flaveola, flavescens, flavicauda, flavicollis, flavigastra, flaviventris, flavopygia, fluvialis, fondis-jala, formosa, fruticeti, fruticola, fulicata, fulva, fulvescens, fulvicapilla, furva, fuscata, fuscens, fuscicollis, fuscolutea, galactotes, garrula, gilva, gracilis, grisea, griseicollis, grisella, griseorufa, griseothorax, grypania, guttata, guyanensis, halsei, herbicola, hirundinacea, horticola, hottentota, ictalina, ictorops, ignicapilla, iliaca, imitatrix, indica, inornata, javanica, juncidis, komadori, lanceolata, lateralis, leucoblephara, leucoblepharides*, leucogastra, leucomela, leucophaea, leucopharidea*, leucophrys, leucopogon, leucops, leucoptera, leucura, limonella, lineata, liventer, livida, longicauda, longicaudata, loquax, lugens, lugubris, lunulata, luscinioides, lyura, macgillivrayi, macloviana, macrops, macroura, magellanica, magna, magnolia, maritima, marylandica, mauritiana, melanoleucos, melanopogon, melanops, melanorhoa, melanoxantha, meleuca, melodia, meodia, merula, mesoleuca, mexicana, minuta, montana, musica, mystacea, natalensis, nattereri, nebulosa, nemorosa, nigrescens, nigricans, nigrifrons, nisoria, nitida, obscura, orientalis, orphea, oxyura, palpebrosa, paludicola, palustris, pammelaina, pardalina, parus, passerina, pectoralis, peregrina, personata, perspicillata, petasodes, philadelphia, philomela, philomela, phragmitis, phryganophila, pilaris, pipreola, pitayumi, platyura, plumbea, poicilotos, polyglotta, provincialis, pseudotracheas, pumila, pusilla, pyrrholeuca, pyrrhonotos, pyrrhophrys, rama, rara, rathboni, rathbonia, reevesi,

reguloides, regulus, rhodogastra, richardsoni, rosco, rubicola, rubetra, rubida, rubiginosa, rubina, rubricapilla, rubricata, rubricollis, rubrigaster, rufa, rufescens, ruficapilla, ruficeps, ruficollis, rufiventris, ruppeli, ruscicola, russeicauda, russeola, sagittata, salicaria, sarda, sardani, saxatilis, scita, semirufa, senegalensis, sericea, sibilans, sibilatrix, solitaria, speciosa, sphagnosa, spinus, strepera, striata, striolata, subalpina, subcaerulea, subcristata, swainsoni, sylvestris, syrinx, taeniata, tamarixis, tenella, tatrix, thoracicus, tiphia, tolmaei, torquata, townsendi, trochilus, turdella, turdina, turdoides, umbrinovirens, umbrovirens, undata, velata, venusta, versicolora, verticalis, vigorsi, virens, virescens, viridicans, viridicata, viscivora, wilsoni, wolff, xanthogaster, xanthorhoa, zeylouensis*, zeylouica. *Vide et Silvia.*

Sylvia (Dipt.) apicalis, cinerea, mollis, punctata, quattuor-punctata.

Sylviaxis guttatus, magellanicus, paradoxus.

Sylvicapra mergens.

Sylvicola aestiva, agilis, americana, auduboni, aureola, blackburnia, blackburniae, canadensis, castanea, chrysocephala, citrinella, coerulea, coronata, decurtata, discolor, eoa, flavicollis, formosa, icterocephala, inornata, maculosa, maritima, montana, nigrescens, occidentalis, pannosa, pardalina, parus, pensilis, peregrina, petechia, pharetra, pinus, pumila, pusilla, pyrrholeuca, pyrrhonota, rathboni, regulus, rubida, rubricapilla, ruficapilla, ruficollis, striata, superciliaris, swainsoni, sylvestris, taeniata, tigrina, townsendi, virens.

Sylvietta brachyura, icteropygialis, lutescens, rufescens.

Symiorhynchus desmuri, maluroides.

Sylviparus modestus.

Sylvius sylveiri.

Syma hirticornis, torotoro.

Symbathocrinites granulatus, tennesseae.

Symbathocrinus conicus.

Symbiotes latus, pygmaeus, troglodytes.

Symbius blattarum.

Symbranchus caligans.

Symbrenthia hippocla.

Symetha pandu.

Symethus fluviatilis.

Symira argentacea, degener, externa, fulva, impudens, impura, nervosa, pudorina.

Symmachia colubris, domitianus, ochima, probetrix.

Symmachlas nigrina.

Symmalthes kollari.

Symmela clypeata, curtula, elegans, instabilis, longula, mutabilis, nitida, opaca, pallipes, tenella, uniformis, varians.

Symmerista albicosta, politia.

Symmerus ferrugineus.

Symmoca picarella, signella.

Symmorphocerus monticola.

Symmorphus (A.) leucopygus.

Symnopleurus aciculatus.

Sympecma fusca.

Sympetrum basale, flaveatum, rufostigma, scoticum, vulgatum.

Symphaedra aérope, alcandra, evelina, lysandra, thyelia.

Symphalangus syndactylus.

Symphedra thyelia.

Symphelos solidago.

Symphemia atlantica, melanura, semipalmata.

Symphodus fulvescens.

Symphurus nigrescens.

Symphyletes nodosa.

Symphyllia agaricia, bisinuosa, grandis, guadulpensis, indica, macroreina, radians, sinuosa, valenciennesi.

Symphynota alata, benedictensis, bi-alata, bilineata, complanata, compressa, cygnea,

- discoides, globosa, gracilis, inflata, laevissima, magnifica, ochracea, tenuissima, woodiana.
- Symphysodon* discus.
- Symphysopus* birtus.
- Symphysurus* brevicaudatus, intermedius, laeviceps, laevis, oblongatus, palpebrosus.
- Symphytocrinus* baccula, caryophyllum, florifer, mespiliformis, minutus, pulchellus, tiara.
- Sympiezopus* aciculatus, cinctus, pauper.
- Sympiezorhynchus* tristis.
- Sympiezorhynchus* camelus, inafectatus, signatus.
- Sympistis* alpestris, melaleuca, rupestris, tristis, vidua.
- Symplecta* cincta, marginata, punctipennis, similis, stictica.
- Symplectes* bicolor, chrysomus, nigricollis, princeps, sancti thomae.
- Sympodium* caeruleum, coralloides, fuliginosum, massa, ochraceum, roseum, rubrum.
- Sympterygia* bonapartei.
- Synagrus* abyssinica, cornuta, mirabilis, sericea.
- Synaïrema* alpina.
- Synalaxis* flammulatus.
- Synallaxis* albescens, albiceps, anthoides, bitorquata, brunnea, cantor, caudacutus, cinerascens, cinereus, cinnamomea, dorsomaculata, elegans, flavogularis, fuliginiceps, garrulus, leucocephala, major, maluroides, maximiliani, melanops, pallidus, patagonica, punctata, ruficapilla, ruficauda, rufifrons, rufogularis, rutilans, setaria, sordidus, spinicauda, stenura, stissitura, striaticeps, tecellata, theloti, torquatus, troglodytoides, tupinieri. *Vide et Synnalaxis.*
- Synanaceae* grossa.
- Synanceia* aspera, asteroblepa, bicapillata, bicirrhatus, brachio, breviceps, elongata, erosa, trachynis.
- Synanceja* cervus, didactyla, horrida, papillosus, rubicunda, uranoscopa, verrucosa.
- Synanthedon* cynipiformis, megillaeformis, oestriiformis, systrobiformis.
- Synantherina* socialis.
- Synapha* fasciata.
- Synaphe* augustalis, bombycalis, comparalis, connectalis, corticalis, curialis, netricalis, punctalis, renalis, suppandalis.
- Synaphia* dujardini.
- Synaphodus* gergovianum.
- Synapta* beseli, doreyana, duvernoia, fusus, henslowana, hydriformis, intonsa, maculata, mammillosa, oceanica, papillosa, punctulata, radiosa, reciprocans, sieboldi, viridis, vittata.
- Synaptura* commersoniana, zebra.
- Synaptus* erivanus, filiformis, gurgistanus, unguiserris.
- Synargis* oditus, orestessa, phyllea, sorane, tytia.
- Synarmostes* scabrosus, tibialis.
- Synastrea* agaricites, ambigua, arachnoides, arausiaca, arduennensis, ataxensis, babeana, bellula, boletiformis, cadomensis, cistela, clathrata, collinaria, complanata, composita, concentrica, concinna, conferta, confusa, conica, consobrina, corbarica, crenulata, cristata, decipiens, defranciana, discoides, excavata, filamentosa, firmasiana, flexuosa, frondescens, genevensis, geometrica, gyrosa, hemisphaerica, icaunensis, jurensis, lamellostriata, lamourouxii, langrunensis, lennisii, leunisi, lobata, luciensis, ludovicina, magna, meandra, media, micrantha, moreana, neocomiensis, neptuni, oceani, pinnata, pseudomeandrina, pulchella, ramosa, renauxiana, requieni, rotata, simonneliana, superposita, teissieriana, tenuissima, textilis, tombeckiana, undulata, zietenii.
- Synbothrium* fragile.
- Synbranchus* fuliginosus, grammicus, gutturalis, laevis, lineata, pardalis, transversalis.
- Syncallia* stellata.
- Syncalypta* arenaria, cretifera, echinata, bispidus, maritima, paleata, setiger, setosa, spinosa, striatopunctata.
- Syncerus* bornonensis, brachycerus.
- Synchaeta* baltica, oblonga, pectinata, tremula.

- Synchita** desjardinsi, fuliginosa, granulata, nitidula, obscura, parvula, picta, quadriguttata, rugosula, striatopunctata, mudata, variegata.
- Synchloe** anguitia, autodice, belemia, bonplandi, callidice, chloridice, daplidice, erodyle, glauca, hellica, hippodrome, janais, lacinia, marina, saundersi.
- Synchroa** punctata.
- Synchyta** mediolanensis.
- Syncoryna** chamissonis, decipiens, glandulosa, listeri, loveni, multicornis, pusilla, ramosa, sarsi.
- Syncorypha** hyacintha.
- Syncrypta** volvox.
- Syndactylus** siamang.
- Syndalimia** clemataria.
- Syndemis** cuphulana, diversana, griseana, hybridana, murinana, musculana, pascuana, rivulana, walbomiana.
- Syndesus** brasiliensis, cornutus.
- Syndosmya** alba, apelina, intermedia, nucleola, occitana, occitauica, prismatica, purpurascens, radiata, segmentum, tenuis, truncata.
- Synemon** mopsa, nais, silene, sophia, theresa.
- Synemosyna** ephippiata, formica, noxiosa, picata, scorpionia.
- Synercticus** heteromerus.
- Synergus** (Hym.) albipes, aphidicida, apicalis, australis, basalis, bipunctatus, bispinus, carinatus, connatus, crassicornis, erythrocerus, erythroneurus, erythrostomus, exaratus, fascialis, flavicornis, flavipes, hayneanus, immarginatus, incrassatus, klugi, luteus, melanopus, nervosus, nigricornis, nigripes, orientalis, palliceps, pallicornis, pallipes, physocerus, ruficornis, rugulosus, socialis, tibialis, variolosus, varius, vulgaris, xanthocerus.
- Synstramenura** jungermannianum.
- Syneta** betulae, carinata, rubicunda.
- Syngamus** trachealis.
- Syngaster** annulicornis, dorsalis, erythromelas, fasciatus, flavipennis, fuscipennis, geniculatus, lepidus, luteus, macula, maculipennis, nigricornis, ruiventris, semistriatus.
- Syngea** alecto, pitho, pronoe.
- Syngilis** bicolor.
- Syngnathus** abaster, acicularis, affinis, agassiz, anguisigola, anguisigulastris, argentatus, argus, asper, blainvillaeus, boaja, breviculus, brevirostris, bucculentus, californiensis, carce, caspius, chorda, conspicillatus, crinitus, cuncalus, deocata, deokhata, erectus, ethon, faciatus, fasciatus, ferrugineus, flagellum, flavofasciatus, fluviatilis, foliatus, fucicola, fuscus, hardwicki, hymenolomus, longirostris, lumbriciformis, nigrolineatus, opisthopterus, papacinus, pecki, peckianus, penicillus, perlatus, phlegon, ponticus, punctatus, pyrois, rhynchaenus, rondeleti, rotundatus, rubescens, salenostomus, serratus, spicifer, spinosus, taeniolatus, tenuirostris, tiedemanni, typhloides, variegatus, violaceus, viridescens, viridis.
- Syngrapha** ain, divergens.
- Synhelia** gibbosum, meyeri, sharpeana.
- Synhydra** parasites.
- Synia** (Col.) melanaria, melanopepla.
- Synnalaxis** aegithaloides, brachyurus, candei, cinnamomeus, fuliginosus, gularis, striatocollis, unirufus. *Vide et Synalaxis et Synallaxis.*
- Synocladia** virgulacea.
- Synodontes** scheilan.
- Synodontis** arabi, batensoda, clarias, humeratus, maculosus, membranaceus, nigrita, schal, serratus, shal, synodontes.
- Synodus** (Cr.) vorax.
- Synodus** (P.) argenteus, chinensis, erythrinus, fasciatus, macrocephalus, malabaricus, palustris, tareira, vulpes.
- Synoetheres** insidiosa.
- Synoicum** aurantiacum, ficus, fungosum, pelagicum, subgelatinosum.

- Synoicus** 海狗耳, *chinesis*, *diemenensis*, *sordidus*.
Synonyma *grandis*, *versicolor*.
Synophrus *politus*.
Synophrys *hopei*.
Synopsis *lichenaria*, *petrificaria*, *sociaria*, *viduaria*.
Synornis *joulaimus*, *leucura*.
Synotheres *dubia*, *magna*.
Synpalamides *mimon*.
Synthlibonotus *rufipes*.
Synthliboramphus *antiquus*, *temminckii*.
Synthliborhynchus *fahraei*.
Synthocus *deformis*, *hopei*, *rechei*, *spinulosus*.
Synthoeus *truncatus*.
Synthropus *sphaericollis*.
Synthymia *monogramma*.
Syntomis *annulata*, *aterea*, *bicincta*, *cerbera*, *collaris*, *creusa*, *cyssa*, *diaphana*, *fenestrata*, *godarti*, *huebneri*, *imae*, *klulweini*, *lateralis*, *latreillei*, *mestrali*, *minuta*, *myodes*, *natali*, *ochsenheimeri*, *passalis*, *persica*, *phegea*, *polydemon*, *schoenherri*, *sperbius*, *thelebus*.
Syntomium *aeneum*, *nigroaeneum*.
Syntomopus (Hym.) *incurvus*, *thoracicus*.
Syntomopus (Lep.) *cinnamomea*.
Syntomus *truncatellus*.
Synuchus *vivalis*.
Synura *uvella*.
Sydon *biarmicum*.
Syphaeotides *aurita*, *fulva*.
Sypho *radiata*, *striata*.
Syphona *clausa*, *consimilis*, *fuscicornis*, *humeralis*, *melanocera*, *pusilla*, *quadrinotata*, *sylvatica*, *testacea*, *tristis*.
Sypilus *orbignyi*.
Sypteris *pallasi*.
Syrichthus (Lep.) *arsalte*, *domicella*, *festiva*, *leucodesma*, *natalensis*, *spurius*.
Syrichthus (Col.) *syrichthus*, *verus*.
Syrichthus (Lep.) *alveus*, *fritilloides*, *fritillum*, *orbifer*, *proto*, *therapne*.
Syricoris *cespitana*, *charpentierana*, *gemmana*, *plumbana*, *reliquana*, *rivulana*, *striana*, *undulana*.
Syrichthus (Lep.) *altheae*, *alveolus*, *baetica*, *calaliae*, *carlinae*, *carthami*, *centaureae*, *cirsii*, *cynarae*, *eucrate*, *fritillum*, *lavaterae*, *malvae*, *marrubii*, *onopordi*, *sao*, *serratulae*, *sidae*, *tesselum*. *Vide et Syrighthus et Syrichtus*.
Syringites *imbricatus*.
Syringogyra *viridis*.
Syringopora *bifurcata*, *bouchardi*, *caespitosa*, *catenata*, *catenifera*, *conferta*, *distans*, *elegans*, *fascicularis*, *filiformis*, *geniculata*, *gracilis*, *laxa*, *lonsdaleiana*, *parallela*, *ramulosa*, *reticulata*, *serpula*, *vermicularis*, *verticillata*.
Syrinx *forbesi*, *granulosus*, *harveyi*, *nudus*, *papillosus*, *tenuicinctus*, *tesselatus*.
Syritta *bulbus*, *decora*, *fasciata*, *flaviventris*, *indica*, *latitarsata*, *nigricornis*, *nigrifemorata*, *orientalis*, *pipiens*, *proxima*, *spinigera*.
Syrma *caudata*.
Syrmatia *aulestis*, *chorinea*, *dorilas*, *nyx*, *rhete*.
Syrmaticus *reevesi*, *soenmeringi*.
Syrnia (A.) *funerea*, *passerina*, *psilodactyla*.
Syrnia (Lep.) *hypois*, *iphianassa*, *marmorides*, *mineis*, *mycerina*, *occidua*, *strix*, *zenobia*.
Syrnium *aedium*, *albitarse*, *albugularis*, *albotarse*, *aluco*, *cayennensis*, *cinereum*, *faciatum*, *fuscescens*, *griseatum*, *hylophilum*, *indranee*, *macabrum*, *microphthalmum*, *nebulosum*, *newarense*, *nivicola*, *niviculum*, *ocellatum*, *personatum*, *philippense*, *polygrammicum*, *seloputo*, *sinense*, *squamulatum*, *strepitans*, *stridulum*, *suinda*, *ululans*, *virgatum*, *zonocercus*.

Syromaster *apicolor*, *horridus*, *prasinus*, *scurra*.

Syromastes *fraterculus*, *fundator*, *histris*, *inconspicuus*, *longipennis*, *marginatus*, *obliquus*, *quadratus*, *reflexulus*, *scapha*, *spiniger*, *tasmanicus*.

Syrphus *adligatus*, *adolesceus*, *aegrotus*, *aegyptius*, *aesctes*, *albus*, *agnon*, *agorae*, *agrolas*, *albitarsis*, *albomaculatus*, *albostrictus*, *alcidiae*, *alpinus*, *alneti*, *alpicola*, *alternans*, *ambulans*, *americanus*, *amissas*, *amoenus*, *amplus*, *analis*, *anchoratus*, *annulipes*, *anthophorinus*, *anthraciformis*, *antiphates*, *antiquus*, *apiformis*, *arcuatus*, *arcuicinctus*, *asileus*, *assimilis*, *aureus*, *auricollis*, *auripulveratus*, *automenes*, *babylla*, *bacchides*, *balteatus*, *barbarus*, *barbifrons*, *basalis*, *basilaris*, *berberidis*, *bicinctus*, *biscruciatu*, *bolyras*, *bombiformis*, *borealis*, *bosci*, *bucephalus*, *caerulescens*, *calceolatus*, *caliginosus*, *canicularis*, *capensis*, *chalybeatus*, *chiquiteusis*, *chlorus*, *chrysocomus*, *cimbiciformis*, *cinctus*, *cingulatus*, *clarapex*, *clypeatus*, *coarctatus*, *collaris*, *convexus*, *concinuus*, *confrater*, *conjunctus*, *consimilis*, *corolloides*, *coronandensis*, *costalis*, *crenatus*, *cristatus*, *curialis*, *cylindricus*, *damastor*, *decorus*, *delineatus*, *diaphanus*, *dilatatus*, *dimidiatus*, *discolor*, *disjunctus*, *dispar*, *diversipes*, *duplicatus*, *emarginatus*, *excavatus*, *exoticus*, *fascifrons*, *fascipennis*, *fasciventris*, *femoralis*, *fenestratus*, *ferrugineus*, *flavipennis*, *flaviventris*, *flavocinctus*, *fraterculus*, *fraternus*, *freyeri*, *fulvicornis*, *fulvifrons*, *fulvipes*, *fulviventris*, *funeralis*, *fuscanipennis*, *fuscotibialis*, *gastrostactus*, *gayi*, *geminatus*, *geniculatus*, *globulus*, *gracilis*, *grandicornis*, *granditarsa*, *grossulariae*, *grossus*, *guttatus*, *haidingeri*, *hieroglyphicus*, *hortensis*, *humeralis*, *hyalinatus*, *hyperboreus*, *iavanus*, *immaculatus*, *implicatus*, *incertus*, *infumatus*, *interruptus*, *intersectus*, *iridipennis*, *iris*, *lacerus*, *laevigatus*, *laphriformis*, *latifascies*, *latifasciatus*, *latifrons*, *latrans*, *lesueuri*, *leucozonus*, *limbatus*, *lobatus*, *longicoruis*, *lunatus*, *luniger*, *lunulatus*, *macilentus*, *maculatus*, *maculipennis*, *maculosus*, *maidis*, *manicatus*, *marginatus*, *megilliformis*, *melanostoma*, *melissae*, *mellarius*, *mellinoides*, *melliturgus*, *minutus*, *modestus*, *musicus*, *mutabilis*, *naso*, *nasutus*, *natalensis*, *nectarinus*, *neglectus*, *nigrifemoratus*, *nigrinus*, *nigripes*, *nitidicollis*, *nitidiventris*, *nobilis*, *nuba*, *obliquus*, *obscurus*, *octomaculatus*, *oestraceus*, *oestri-formis*, *orientalis*, *ornatus*, *ortas*, *paganus*, *pallidicornis*, *peas*, *pellucidulus*, *peltatus*, *phaeostigma*, *philadelphicus*, *philanthus*, *piceus*, *picipes*, *pictus*, *placidus*, *planifacies*, *plumata*, *politus*, *pratensis*, *productus*, *profusus*, *propinquus*, *pulchellus*, *pumicatus*, *punctatus*, *pusillus*, *quadratus*, *quadrinaculatus*, *radaca*, *ranunculi*, *regulus*, *ropalus*, *rostratus*, *rubricornis*, *rupepelli*, *rufiventris*, *rufofasciatus*, *ruralis*, *sargoides*, *scambus*, *scutatus*, *scutellaris*, *scutellatus*, *securiferus*, *seleniticus*, *seminiger*, *senegalensis*, *serarius*, *sexguttatus*, *sexmaculatus*, *sexnotatus*, *sexquadratus*, *similis*, *sinuatinervis*, *sinuatus*, *sticticus*, *subfasciatus*, *succinctus*, *sydneyensis*, *taeniatus*, *tarsalis*, *tectus*, *terminalis*, *testaceicornis*, *tibicen*, *topiarius*, *tricinctus*, *trigonus*, *tropicus*, *tympanites*, *umbellatarum*, *unicolor*, *univittatus*, *urbanus*, *venustus*, *vernalis*, *vernus*, *vicinus*, *viduus*, *vinctorum*, *virgatus*, *viridaurus*, *viridiceps*, *vitripennis*, *vulpinus*, *winthemi*, *xanthopterus*. *Vide et* **Syrphus**.

Syrphaptes *pallasi*, *paradoxus*, *tibetanus*.

Syrphodia *deceperitaria*.

Syrtis *carinata*, *crassimana*, *crassipes*, *erosa*, *fasciatus*, *fortificata*, *manicata*, *marginata*, *monstrosa*, *prehensilis*, *serrata*.

Syssaura *drepanula*, *falcula*, *honesta*, *sicula*, *zerbina*.

Syssphinx *molina*.

Systaltocerus *platyrhinus*.

Systasis *encyrtoides*, *tenuicornis*.

Systella *hopei*, *rafflesi*.

Systema *blanda*.

Systemoderes *amaenus*, *dasytoides*, *viridipennis*.

Systole *albipennis*, *platyptera*.

Systolosoma *breve*.

Systema *gibbosus*.

Systemus *albus*, *apogon*, *arutilus*, *assimilis*, *beso*, *canius*, *carnaticus*, *chola*, *chrysopterus*, *chrysosomus*, *conchoni*, *dorsalis*, *gelius*, *gibbosus*, *immaculatus*, *kolus*, *leptosomus*, *luteus*, *maderaspensis*, *malacopterus*, *pyropterus*, *rubrostrictus*, *sophore*, *tetrarupagus*, *ticto*, *tripunctatus*, *tristis*.

Systropha (Hym.) *hiemata*, spiralis.

Systropha (Lep.) *aureola*, cereola, cygneola.

Systrophus *brasiliensis*.

Systropus *atratus*, eumenoides, faenoides*, fumipennis, macilentus, niger, nitidus, ophioneus.

Sython *thymbraeus*.

Syzygonia *aenea*, cyanocephala, cyanoptera.

Syzygops *cyclops*, hystrix.

T lichtensteini.

Tabanus *abdominalis*, *abstersus*, *acutipalpis*, *adustus*, *advena*, *aethiops*, *affinis*, *africanus*, *agrestis*, *agricola*, *albibarbis*, *albicans*, *albidicollis*, *albidus*, *albilateralis*, *albilinea*, *albimacula*, *albimediis*, *albipalpis*, *albiscutellatus*, *albitibialis*, *albvittatus*, *alboater*, *albohirtus*, *albo-maculatus*, *albulus*, *alcicornis*, *alexandrinus*, *algricus*, *algrus*, *alpinus*, *amabilis*, *amanus*, *americanus*, *angustifrons*, *angustus*, *annulatus*, *antecegens*, *anthracinus*, *aphanopterus*, *apicalis*, *apricus*, *arabicus*, *ardens*, *argentiferus*, *ater*, *aterrimus*, *atricornis*, *attenuatus*, *auribarbis*, *auricinctus*, *auriflamma*, *aurifluus*, *auripilus*, *auripunctatus*, *aurora*, *austriacus*, *barbarus*, *basalis*, *basirufus*, *basi-vitta*, *bicinctus*, *bicolor*, *bifasciatus*, *biguttatus*, *bimaculatus*, *bipartitus*, *bivittatus*, *bonariensis*, *borealis*, *brasiliensis*, *brevior*, *brevivitta*, *brunneus*, *caerulescens*, *caesius*, *callidus*, *callosus*, *capensis*, *capreolus*, *carbo*, *carbonarius*, *carbonatus*, *carolinensis*, *castaneoventris*, *castaneus*, *catenatus*, *cerberus*, *cervicornis*, *cheliopterus*, *chilensis*, *chinensis*, *chlorophthalmus*, *chrysophilus*, *cilipes*, *cinerarius*, *cinerescens*, *cinereus*, *cingulatus*, *circumdatus*, *circumfusus*, *clausus*, *coffeatus*, *colombensis*, *colon*, *comitans*, *completus*, *concolor*, *confinis*, *conformis*, *confusus*, *connexus*, *consanguineus*, *consequa*, *consocius*, *constans*, *contactus*, *conterminus*, *cordiger*, *costalis*, *crassicornis*, *crassus*, *curvipes*, *cyaneo-viridis*, *cyaneus*, *damicornis*, *decisus*, *depressus*, *derivatus*, *desertus*, *detersus*, *dimiclis*, *dimidiatus*, *diminutus*, *discifer*, *discus*, *ditaenia*, *ditoeniatus*, *diurnus*, *diversipennis*, *dives*, *dorsiger*, *dorsilinea*, *dorsivitta*, *dorso-bimaculatus*, *dorso maculatus*, *dorsonoratus*, *dubius*, *edentulus*, *elegans*, *elongatus*, *erraticus*, *erythrotelus*, *exulans*, *fallax*, *fascipennis*, *fenestratus*, *ferreus*, *ferifer*, *ferrugatus*, *ferrugineus*, *ferruginosus*, *fervidus*, *festivus*, *flammans*, *flavescens*, *flavibarbis*, *flaviceps*, *flavifacies*, *flavipes*, *flaviventris*, *flavus*, *formosus*, *fraterculus*, *fraternus*, *frontalis*, *fullo*, *fulvescens*, *fulvicornis*, *fulvifasciatus*, *fulviger*, *fulvilateralis*, *fulvimeius*, *fulviventris*, *fulvo-frater*, *fulvohirtus*, *fulvulus*, *fulvus*, *fumatus*, *fumipennis*, *funebis*, *fuscatus*, *fuscinervis*, *fuscipennis*, *fuscofasciatus*, *fuscocervosus*, *fusco-punctatus*, *fuscus*, *gentilis*, *gigas*, *glaber*, *glauco-pis*, *glaucus*, *globicornis*, *gracilis*, *gregarius*, *grossus*, *guineensis*, *guttatus*, *guttipennis*, *guyanensis*, *hebes*, *hilaris*, *hirtitibia*, *hirtus*, *hispidus*, *histrion*, *honestus*, *hottentotta*, *hybridus*, *hyetomantis*, *imitans*, *immanis*, *impar*, *imperfectus*, *importunus*, *impressus*, *incertus*, *incisuralis*, *incisus*, *inconspicuus*, *indicus*, *infans*, *infestans*, *infusus*, *innotabilis*, *insemitus*, *insularis*, *intermedius*, *istriensis*, *ixostactes*, *januarii*, *janus*, *javanus*, *jucundus*, *lageniferus*, *lapponicus*, *lasiophthalmus*, *lateralis*, *latifrons*, *latipes*, *lativentris*, *lativitta*, *latus*, *lepidotus*, *leucaspis*, *leucoloma*, *leucomelas*, *leucophilus*, *ligatus*, *limbatinevis*, *limbatus*, *limpidapex*, *lineola*, *litigiosus*, *lividus*, *longipennis*, *lucidulus*, *luctuosus*, *lugubris*, *lunulatus*, *luridus*, *macro-donta*, *macrops*, *macula*, *maculatissimus*, *maculicornis*, *maculipennis*, *maculiventris*, *major*, *manifestus*, *marginalis*, *marginatus*, *maroccanus*, *megerlei*, *melanocerus*, *mentitus*, *meridionalis*, *micans*, *microcerus*, *microdonta*, *miles*, *minor*, *missionum*, *mitidjensis*, *modestus*, *molestus*, *monochroma*, *monogramma*, *montanus*, *morio*, *mutatus*, *nanus*, *nebulosus*, *nemoralis*, *nepos*, *niger*, *nigerrimus*, *nigrescens*, *nigricans*, *nigrimanus*, *nigripalpis*, *nigripes*, *nigriventris*, *nigro-caeruleus*, *nigrovittatus*, *nigrum*, *noctis*, *notabilis*, *obconicus*, *obliquemaculatus*, *obliquus*, *obsoletus*, *ochraceus*, *ochroleucus*, *oculus*, *olivaceiventris*, *oplus*, *opulentus*, *orientalis*, *orientis*, *pallidus*, *pallipennis*, *palpinus*, *parallelus*, *parvidentatus*, *patulus*, *pellucidus*, *perlinea*, *perplexus*, *peruvianus*, *pervasus*, *piceiventris*, *piceus*, *pictipennis*, *planiventris*, *planus*, *plebejus*, *pluto*, *posticus*, *postponens*, *potator*, *praepositus*,

primitivus, priscus, proximus, psolopterus, pubescens, pudens, puella, pumilus punctifrons, punctipennis, punctum, pungens, pusillus, pyrausta, pyrrhus, quadrimaculatus, quatuornotatus, quinquelineatus, quinquevittatus, recedens, redactus, regis georgii, reinwardti, remotus, rousseti, ruber, rubescens, rubicundus, rubidus, rubiginipennis, rubiginosus, rubripes, rubrithorax, rubriventris, rufescens, ruficrus, rufipennis, rufipes, rufithorax, rufiventris, rufofrater, rufovirer, rufus, ruralis, sagittarius, sanguineus, sarpa, scalaris, scitus, scoeiae, scutellaris, scutellatus, secundus, segmentarius, senior, sequens, servillei, siccus, sidneyensis, signatus, sinuatus, simplex, sinularis, sinicus, socialis, socius, solstitialis, sorbillans, spodopterus, stigma, subelongatus, sublunaticornis, submacula, subnexus, subvarius, sudeticus, sugens, sulphureus, sumatrensis, surinamensis, taeniatus, taeniola, taeniotus, tarandi, taurinus, tenens, tenuicornis, terminatus, terminus, terrae-novae, testaceiventris, testacomaculatus, testaceus, tetrapunctus, theotaenia, thoracicus, tibialis, tinctus, tomentosus, transiens, triangulum, triceps, tricolor, trifascia, trifasciatus, trigonophorus, trilineatus, trimaculatus, trimotus, tripunctifer, trispilus, tristis, tritus, trivittatus, truncatus, turbidus, umbrinus, umbrinosus, unicolor, unimaculatus, univentris, ustus, vagus, validus, valteri, variatus, varipes, varius, variventris, vestitus, vetustus, vicarius, vicinus, viduus, villosus, virgo, viridi-flavus, viridis, viridiventris, vituli, zonalis.

Tabularia dumortieri.

Taccocua affinis, infuscatus, leschenaulti, sirkee.

Tachaea nemoralis.

Tachea lucifuga, montana, mutabilis, nemoralis, novae hollandiae, sylvatica.

Tachina abdominalis, aberrans, abrupta, acronyctae, acuticornis, admete, aelops, aemula, aenea, acquabilis, aestiva, aestuans, affinis, agilis, agnita, agrestis, alacris, albicans, albiceps, albicincta, albicollis, albida, albifrons, albicincta, albinervis, albisquama, albo-cingulata, albis, algens, alligans, alterna, amabilis, amasia, ambigua, ambivius, ambulans, ambulatoria, amica, amisas, amoena, ampel, amphicornis, amphiro, analis, anxias, angelicae, angulicornis, angustipennis, anicula, anthemon, anthracina, antiqua, apicalis, apicifera, aprica, aratoria, arctica, arcuata, areos, argentifera, argentigera, argyreata, argyrocephala, armata, arvensis, arvicola, assimilis, asytos, atra, atramentaria, atrata, atrifrons, aurata, aurea, auriceps, aurifera, aurifrons, aurulenta, austera, barbata, basalis, basiflava, beelzebub, bella, bellatrix, bibens, bicincta, bicingulata, bicolor, bifasciata, biguttata, binaculata, bipartita, bisignata, blanda, bohemannii, bombylans, borealis, bosci, brevicornis, brevipennis, breviseta, breviventris, brotea, brunripalpis, buccata, bucephala, bura, caesia, callida, calliphron, campestis, candens, capitata, carbonaria, carbonifera, cassotis, cerceis, chalconota, chalybeata, chrysiceps, chrysocephala, chrysophora, chrysoprocta, ciliaris, cilipes, cincta, cinerea, cingulata, circumflexa, claripennis, clausa, clesides, clymene, collaris, columbina, comita, concinnata, confinis, conica, connexa, connivens, consobrina, conspersa, constans, continua, contraria, convergens, convexifrons, convexula, copulata, coracina, coras, cornuta, corpulenta, corusca, corylana, coryphaeus, corythus, costata, crassicornis, crassitarsus, crisia, cruciata, crucigera, crudelis, cunctans, cuneicornis, curvicauda, curvinervis, cylindracea, cylindrica, cymelus, daemon, damippus, dasyops, decisa, decorata, demens, depleta, devia, diabolus, diabrachys, diadema, diaphana, diaphanipennis, digramma, diligens, diluta, dimidiata, diniele, discolor, disuncta, dispar, distincta, diversa, dolosa, doris, dorsalis, dorycus, dubia, duplinervis, dyas, echinata, egens, elegantula, enarete, epicydes, epileuca, erinaceus, errans, erratica, esuriens, evolans, excavata, excisa, excohiata, exigua, exilistyla, exoleta, fallax, famelica, familiaris, fascialis, fasciata, fascipennis, fastuosa, fatua, fauna, femoralis, fenestrata, fera, ferina, ferox, ferruginea, festinans, festiva, fimbriata, fnitima, fischeri, flava, flavescens, flavicans, flava, flavipennis, flavipes, flavo-scutellata, floralis, florum, foeda, forcipata, frontosa, fulgens, fulva, fulvicornis, fulvipes, fumata, funebris, funesta, furibunda, fusiformis, futilis, gagatea, gagatina, genarum, genibarbis, goniculata, germana, gibbulus, gimmerthali, glabrata, glauca, globosa, globula, gnava, gonlaeformis, gonlaeoides, gramma, grandis, gratiosa, grisea, griseicollis, griseola, grisesens, grossa, grossicornis, haematodes, haemorrhoidalis, hebes, helvola, helymus, heraclea, hirta, hirticornis, hispida, histrio, hortensis, hortulana, hyalina, hyalini-

pennis, ~~hybrida~~, ~~hystrix~~, iavana, ictérica, idiotica, ignobilis, illustris, imberbis, imbratus, imbuta, ~~inanis~~, incana, incisa, incompta, inconspicua, inculta, incurva, inepta, iners, infantula, infirma, inflexa, infuscata, innocens, innoxia, inornata, intermedia, interrupta, interruptella, intricata, inumbrata, inusta, invaria, ipthime, irrequieta, isis, iterans, laeta, laetabilis, lamia, larvarum, lata, lateralis, laticollis, laticornis, latifrons, lentis, leocrates, lepida, leucocephala, leucocoma, leucomana, leucomelana, leucomelas, leucophaea, leucophrys, leucoptera, libatrix, limbata, lindermanni, linearicornis, lithranthrax, littoralis, longicornis, longipes, longirostris, lota, lucagus, lucida, lucorum, luctuosa, ludio, lugens, lugubris, lurida, lusoria, macilenta, macrocera, macroglossae, macularia, macularis, maculata, maculipennis, maculiventris, maculosa, magica, maguicornis, marginata, marginella, marklini, marmorata, masurius, maura, meditata, medococcus, megaleas, melaleuca, melanax, melania, melanocephala, melanopyga, melanura, mella, mellea, melobosis, menapis, menestho, meridionalis, mestor, mesula, metallica, metallifera, mimula, minuta, minutissima, mitis, mobilis, modesta, moerens, morio, morosa, munda, mundula, muscaria, mutabilis, mutata, nana, nasuta, nectarea, neglecta, nemea, nemestrina, nemorum, nepia, nervosa, nigra, nigricornis, nigrina, nigripennis, nigripes, nigrisquamata, nigrita, nigratarsis, nigri-ventris, nitens, nitida, nitidula, nobilis, notabilis, notata, nuba, nubila, nymphidius, nysas, obesa, obliquata, oblonga, obscura, obsidiana, obsoleta, occidentalis, occulta, ocypterata, ocypterina, oestracea, offusca, olizon, onchestus, opaca, opiter, orasus, orbata, orbilius, orga, orientalis, ornata, pabulina, pacifica, pacta, pagana, pagasus, pallipalpis, pallipes, pamesos, panaetius, pansa, pantherina, parallela, parasita, parvicornis, parvula, patula, pavidā, pavoniae, pectinata, pellucens, pellucida, perflida, perturbans, petalus, phalerata, philonis, phoeoptera, picea, piceiventris, picta, pilipennis, pilatarsis, pinguis, pitho, plebeja, plumigera, polita, polyodon, popularis, potans, potens, praeceps, praecox, praefica, praepotens, praetervisa, pratensis, prisca, procera, prolixa, prompta, protuberans, provida, pruinosa, psamathe, pubicornis, pulchella, pullata, pullula, punctifera, punicata, puparum, pusilla, pygmaea, pyrrhaspis, pyrrhocera, pyrrhopyga, pyste, quadra, quadrata, quadrimaculata, quadrinotata, quadripustulata, radicum, rapida, recta, reinwardti, rhoeo, robusta, roralis, rotundata, rotundaticornis, rotundicornis, rotundiventris, rubescens, rubiginosa, rubrica, rubricornis, rubricosa, rudis, ruicauda, ruiceps, ruicornis, ruifrons, ruifina, ruipes, ruiftarsis, ruralis, ruricola, rustica, rutila, sacontala, saltatrix, saltuum, salva, sanguinea, sannio, schistacea, scotinus, scutellaris, scutellata, scutelligera, segonax, selecta, semicincta, seminigra, semizonata, separata, seria, sericea, setigera, setilatera, setipennis, signata, signifera, silacea, silvatica, silvestris, simplex, simplicatarsis, simulans, singularis, socia, sorbillans, sordidisquama, soror, sosicles, sosilus, spathulaeformis, spathulata, spectabilis, speculatrix, speculifera, spermenda, spinipennis, spinosa, spreta, squamosa, stabulans, stachiptera, stimulans, straminifrons, strenua, strigata, strigifrons, stulta, stupida, subfasciata, subrotunda, subterranea, subtineta, succincta, suffusa, sugens, sybarita, taeniata, taenionota, telestho, temera, tenebricosa, tepens, tephra, terminalis, tessellata, tessellum, tetraptera, thaumas, thermophila, theutis, thymis, tibialis, tincta, titan, titormus, tragica, transiens, tremula, tremida, trianguli, trincta, tringulata, trifasciata, trilineata, trimaculata, trina, tristis, trivittata, trixoides, trizonata, truncata, turrata, tyche, umbratica, umbrinervis, unicolor, urbana, ursina, usta, vagabunda, vagans, validicornis, vallata, varia, variegata, venosa, ventralis, venusta, verritus, versicolor, verticalis, vertiginosa, vetula, vetusta, viatica, vibrissata, vicina, vidua, viduata, vilis, villica, villicornis, violenta, virginea, virgo, viridaurea, viridis, viridulans, vivida, vivipara, vorax, vulgaris, vulnerata, vulpina, westermanni, xanthaspis, xanthocera, xychus, xylosteanā, zebrina, zelica, zonella.

Tachinus amoenus, analis, angularis, aterrimus, atricapillus, atricaudatus, axillaris, basalis, batychrous, bicolor, bi-maculatus, bi-notatus, bipustulatus, brevicollis, brunneus, brunnipennis, castaneus, caucasicus, cernuus, cinctellus, cincticollis, cinctus, collaris, conformis, convexus, corticinus, dahli, degenera, delecta, delicata, demylus, depressus, discoideus, dissimilis, dubius, elatus, elongatus, exilis, ferrugineus, fimbriatus, fimetarius, flavellus, flavipes, formosus, frigidus, fulvipes, geminatus, hepaticus, hortensis, humeralis, humidus, humilis, hybridus, immaturus, immunis, inclinans, intermedius, intricatus, ipsea, laticollis, latiusculus, latus, lepidus, limbatus,

limbosus, lunulatus, luridus, marginalis, marginatus, marginellus, marginicollis, melanarius, melanocephalus, memnonius, merdarius, naus, niger, nigricornis, nigripes, nitidulus, nitidus, nobilis, notatus, obscurus, obsoletus, olmus, pallens, piceus, picipes, pictus, pronus, propinquus, pulchellus, pullus, puncticollis, punctus, pygmaeus, quatuordecimpunctulus, rubidus, rufescens, rufipennis, rufipes, rufitarsis, rutilus, scapularis, signatus, silphoides, sordidus, sowerbyi, splendidus, striatus, suturalis, terminalis, terminatus, trimaculatus, tristis, tropicus, unicolor.

Tachis rufescens.

Tachiurus rufipes.

Tachornis phoenicobia.

Tachuris nigricans, omnicolor, rubrigaster.

Tachus dimidiatus, staphylinus.

Tachybulus uiger.

Tachycineta bicolor, thalassina.

Tachycnemis seychelliensis.

Tachydosaurus rugosus.

Tachydroma caleanea, luteicornis, pygmaea.

Tachydromia abdominalis, aeneicollis, agilis, albicornis, albiseta, albo-capillata, analis, annulata, annulinana, annulipes, apicalis, arenaria, arrogans, articulata, atra, bicolor, bivittata, brevicornis, brunripes, calceata, candicans, castanipes, celer, celeripes, ciliaris, cimicoides, cingulata, collaris, confinis, connexa, consorta, cothurnata, coxata, cursitans, curvinervis, curvipes, dichroa, dissimilis, ecalceata, ephippiata, exigua, exilis, fasciata, fascipes, femoralis, fenestrata, flavicornis, flavipalpis, flavipes, fulvipes, fuscicornis, fuscimana, fuscipennis, fuscipes, geniculata, gilvipes, glabra, glabrata, graminum, grossipes, hyalipennis, infuscata, lineata, longicornis, longiseta, lutea, luteicornis, macula, maculata, maculimana, maculipenne, maculipes, major, mantispa, melanocephala, minuta, moriella, nervosa, nigra, nigrina, nigripennis, nigripes, nigritarsis, nigritella, nitida, niveiseta, notata, nubila, oratoria, pallida, pallidiventris, pallipes, pectoralis, picipes, plumbea, portaeola, praecatoria, pubicornis, pulcaria, pygmaea, rapida, rufipes, sabulosa, semihyalipennis, similis, socculata, sordida, stigmatella, straminipes, stringiformis, taeniata, terricola, tibialis, truncorum, umbripennis, unguiculata, varipes, venosa, ventralis, vivida, vocatoria, vulgaris.

Tachydromus (A.) asiaticus, burchelli, capensis, chalcopertus, collaris, coromandelici, coromandelicus, europaeus, gallicus, orientalis, senegalensis.

Tachydromus (R.) japonicus, schreibersi, seps, typus.

Tachydromyia aenea, albifrons, flava, flavicornis, meigenia, nigra, pygmaea, sericea.

Tachyerges fulvitarsis, nitidulus, pubescens, rufitarsis, saliceti, salicis, scutellatus, stigma.

Tachygaster austriacus.

Tachyglossus aculeatus, hystrix, setosus.

Tachygonus fasciculosus, horridus, hydropicus, lecontei, leprieuri, phalangium.

Tachymenis peruviana.

Tachymeris peruviana.

Tachynectes leopardina.

Tachynus carus, glaber.

Tachyopus lecontei.

Tachypetes (A.) aquila, leucocephalus, minor, palmerstroni.

Tachypeza albitarsis, arenaria, arrogans, brevipennis, calcaea, cursitans, fenestrata, graminum, heeri, hirta, hyalipennis, morio, praelusio, terricola, tibialis, umbrarum, winthemi.

Tachyphonus albitempora, archiepiscopus, auricapillus, axillaris, bonariensis, brevipes, canicularis, capistratus, capitatus, chloricterus, cirrhomelas, coronatus, cristata, cristatellus, delatrei, desmaresti, elegans, flavinucha, flavopectus, fringilloides, gularis, igniventris, involucreatus, leucopterus, loricatus, luctuosus, lunulatus, margaritatus, ochropygos, olivaceus, olivi-cyaneus, palmarum, penicillatus, phoeniceus, phoenicius, quadricolor, ruber, rubescens, ruficeps, rufiventer, rufo-gularis, sanguinolentus, saucicus, serrirostris, somptuosus, subsulphureus, suchi, taeniatus, tenuirostris, vaillanti, versicolor, victorini, vigorsi.

Tachypleus heterodactylus.

Tachyporus abdominalis, acaudus, acuductus, affinis, albicornis, alpinus, analis, angustatus, anticus, apicalis, arduus, armeniacus, atratus, atriceps, basalis, bicolor, bi-maculatus, binotatus, bipunctatus, bipustulatus, boleti, brunneus, capillaricornis, carbonarius, caucasicus, cellaris, chloroticus, chrysomelinus, cinctus, cingulatus, collaris, cordatus, corticinus, crassicornis, crassus, diffinis, dimidiatus, dissimilis, distinctus, erythropterus, faber, fasciatus, fimetarius, flavescens, flavicornis, flavipes, formosus, fulvus, fumipennis, fuscus, globulus, granulum, humeralis, humerosus, hypnorum, interruptus, jocosus, lacrymosus, lateralis, laticollis, lepidus, libens, limbatus, littoreus, livens, macropterus, maculipennis, marginalis, marginatus, marginellus, marginicollis, melanurus, memnonius, merdarius, minimus, moestus, nanus, niger, nigriceps, nigricollis, nigripennis, nitidicollis, nitidulus, nitidus, nodicornis, obscurellus, obtusus, opicus, pallens, pallipes, pedicularius, piceus, pisciculus, pisciformis, posticus, pubescens, pulchellus, pullus, punctatus, punctulatus, punctus, pusillus, putridus, pygmaeus, pyrrhoceras, pyrrhopterus, rufescens, ruficollis, ruficornis, rufipes, rufo-marginatus, rufus, saginatus, scitulus, scutellaris, sericeus, signatus, silphoides, solutus, splendidus, striatus, subterraneus, subtestaceus, subulatus, suturalis, tersus, testaceus, thoracicus, transversalis, tri-notatus, truncatellus, variegatus, ventriculus, vittatus.

Tachyptena tau.

Tachyptera (Lep.) adippe, aegeria, aglaia, antiopa, apollo, atalanta, aurora, brassicae, Caebun, cardui, castor, celtis, cinxia, crataegi, cynthia, daplidice, edusa, euphrosyne, galathea, hermione, hyale, hyperanthus, ianira, iantha, io, iris, latonia, levana, lucilla, maurisius, medea, paphia, pilosellae, polychloros, populi, prorsa, rapae, rapi, rhamni, sibilla, sinapis, tremulae, urticae.

Tachypterus fasciatus.

Tachypus acutus, andreae, auratus, bipunctatus, caelatus, celer, chalcus, chlorophanus, coriaceus, cromerense, elongatus, flavipes, hortensis, nebulosus, orichalcicus, pallipes, picipes, pictus, properans, striatus, tibialis, varipes, vinetus.

Tachys aereus, analis, anceps, angustatus, anomala, arenarius, bifasciatus, binotatus, bisignatus, bruuueus, cardioderus, caspia, corruscus, decoloratus, dimidiata, dolosus, exigua, fasciatus, flammula, flavipes, furvus, globulus, gracilis, haemorrhoidalis, inaequalis, laticollis, longula, maritimus, mendax, minimus, minutissimus, misellus, nana*, niger, obtusus, occultus, pallidus, parallela, parvulus, pulchellus, pumilio, pusillus, quadriguttatus, quadrinotatus, quadri-signatum, rivularis, rubicundus, rufescens, rufipes, scitulus, scutellaris, sequax, transparens, virens, vittata, vittatus, vivax.

Tachysaurus japonicus.

Tachyscelis rubropunctatus.

Tachyspiza soloeusis, sulcatus, sulcifrons, taurica, terminatus, testacea.

Tachysurus sinensis.

Tachyta picipes.

Tachytes albocincta, anathema, argentata, atrata, aurifrons, aurulenta, bella, bicolor, dives, etrusca, ferrugineipes, illudens, jurinei, matronalis, murina, nigra, nigripennis, nigrita, obsoleta, opulenta, pagana, paloptera, panzeri, pompiliformis, sordida, tarsina, tessellata, tricineta, tricolor, unicolor.

Tachytiorchis albinotatus, erythronotus, leucops, pterocles.

Tachyusa atra, balteata, carbonaria, coarctata, concinna, constricta, exarata, ferialis, flavitarsis, flavocincta, fugax, laesa, lata, nigrita, rubicunda, scitula, sulcata, umbratica.

Tadarida teniotis.

Tadoma poecilorrhyncha.

Tadorna belloni, casarca, cristata, erythrorhyncha, familiaris, georgica, gibbera, littoralis, maritima, moschata, naevosa, nivea, pnoe, radjah, rubra, rutila, tadorna, viridicapilla, vulpanser, vulpina.

Taenia abbreviata, acuta, aequabilis, alaudae, alcae picae, ambigua, amphisbaenae, amphitricha, angulata, angustata, anthocephala, armata, armillaris, attenuata, aurita, bacillum, belones, bifaria, bonasiae, brachycephala, breviarticulata, brevicollis, calycina, campanulata, candida, canis lagopodis, capillaris, capitellata, capito, capsae, carina, charadrii, ciliata, coccothraustes, colubri, colymbi cornuti, colymbi cristati,

compacta, coraciae, caedifera, coronata, coronula, corvi cornicis, corvorum, crassiceps, crassicollis, crassipora, crassula, crenulata, cruciata, cuneiceps, curvirostrae, cyprini idi, decipiens, decrescens, dendrocolaptis, denticulata, didelphidis, difformis, dilatata, diminuta, echinorhyncha, emberizarum, eperlani, exigua, expansa, farciminula, fasciata, felis pardi, fenestrata, festiva, filicollis, filiformis, fimbriata, foiuae, fragilis, fringillarum, frontina, fulicae, furcigera, gadi pollachii, gallinaginis, genettae, gracilis, hominis, humana, hydatigena, hyracis, idi, inarmata, iuerme, indata, intermedia, interrupta, inversa, lacertae, laevigata, lamelligera, lanceolata, lari cani, lari-ridibundi, lata, lateralis, laticollis, leptocephala, leptosoma, liguloides, longamulata, longiceps, longicollis, longirostris, loxiae, lumbricoides, macrocephala, macrophalla, macro-rhyncha, mamillana, margaritifera, marmotae, megacantha, megalops, megastoma, meropis, microcephalos, microps, microscopica, microsoma, microstoma, minuta, motacillae, multiceps, multiformis, multistriata, murina, muris, musculi, muscularis, mustelae, mutabilis, myoxi, naja, nasifera, nasuta, neglecta, obtusata, ocellata, oetolobata, oligotoma, opuntioidea, orioles, ovium, paradoxa, parallelepipedum, pardi, parina, pelecani, perfoliata, phasiani, picimedii, piriformis, pistillum, planiceps, platycephala, platydera, plicata, pollachii, polymorpha, porosa, prismatica, proboscidea, proboscis, punctata, purpurata, pyramidalis, pyramidata, quadrata, racemosa, rajae batis, ratti, rectirostris, renkina, rhinaria, rhinaris, rhomboidea, rubané, rugosa, saccifera, scalaris, scolecina, scolopacis, scolopendra, scutigera, serpentiniformis, serpentuliformis, serrata, servata, setosa, sinuosa, sittae, solecina, soricis, speciosa, sphaerocephala, sphaerophora, sphenoccephala, stentorea, sternae, striata, strigis, struthiocamelis, struthionis, stylosa, sulmonis, tadornae, tenella, tenuicollis, teuurostris, tenuis, tetraodontis molae, tiara, totani, treutleri, trilineata, tringae, tripunctata, tuberculata, tumens, turdi, turdorum, undulata, unguicula, unilateralis, upupae, ursi maritimi, vaginata, variabilis, vespertilionis, vulgaris, zebrae.

Taenianotes minutus.

Taenianotus lativittatus, triacanthus.

Taeniaptera trivittata.

Taeniocampa ambigua, carnea, gothica, gracilis, instabilis, miniosa, opima, populeti, rubella, rubricosa, stabilis.

Taeniodera antiqua, cinerea, egregia, flavo-punctata, histrio, malabariensis, monacha, quadrilineata.

Taeniodon ellipticus.

Taenioptera (A.) alpiua, atricapilla, coronata, dominicana, flava, irupero, murina, nengeta, nivea, pyrope, variegata, velata.

Taeniotis buqueti, lineatus, pulverulentus, scalaris, subocellatus.

Taeniothrips brevicornis, decora, dispar, primulae.

Taeniura grabata, lymna, meyeri, notoro.

Taenodema aenea, cincta, cyanescens, vestitus, villosa.

Taenosoma gracile, pusillum.

Tagelus guineensis.

Tagenia affinis, algerica, angustata, caerulea, carinata, corsica, cylindrica, elongata, filiformis, frioli, funerosa, gaudis, hesperica, hispanica, indica, insulana, intermedia, laevicollis, leucospila, minuta, oblitterata, orientalis, picea, pilifera, pilosa, pubescens, pumila, punctiventris, pusilla, sabulosa, sardoa, sicula, smyrnensis, striatopunctata, subcostata, sulcicollis.

Tagiades jupiter, paulinus.

Tagona acuminata, macrophthalma, tinodactyla.

Takydromus quadrilineatus, sexlineatus.

Talaeporia inconspicua, lapidicella, triquetrella.

Talamita crenata*, sexdentata. *Vide et Thalamita.*

Talegalla cuvieri, lathamii.

Talegallus lathamii.

Taleporia glabella.

Talides astylos, athenion, broteus, celaenus, obscurus, ramusis, sinois, striga.

Talis quercella.

- Talitrus** beaucoudraii, brevicorne, carinatus, chilensis, cicada, cloqueti, cyaneae, edwardsi, gamarellus, grillus, littoralis, locusta, longicornis, medusarum, nicaeensis, platycheles, quadrifidus, rubropunctatus, saltator, tripudians.
- Taloeporia** petrella, tabulella.
- Talona** tridens.
- Talpa** acutidentata, antiqua, aurata, brachychir, caeca, capensis, citrina, cristatus, cryptura, cupreata, fossilis, leucura, machrina, magna, micrurus, minuta, pensilvanica, purpurascens, radiata, rufa, sericea, versicolor, wogura.
- Talpasorex** longicaudata. *Vide et Talposorex.*
- Talpina** foliacea, pungens, ramosa, sentiformis, solitaria.
- Talpoides** aspalax, capensis, hudsonius, maritimus, minor, talpinus, typhlis, typhlus.
- Talposorex** pensilvanica, platyurus. *Vide et Talpasorex.*
- Tamaria** fusca.
- Tamatia** aurifrons, bicincta, bitorquata, chacurii, collaris, erythropygos, fusca, gularis, leucops, leucotis, leucotus, macrodactyla, macrodactylus, macrorhynchus, maculata, melauoleucus, melanotus, somnolenta, tamajae, tamatia.
- Tameigastra** mediterranea.
- Tamia** hudsonia, palmarum, quadrivittata, striata.
- Tamias** americana, grammurus, hindei, lysteri, minimus, rubrolineatus, striatus, townsendi, utbensis, vittatus.
- Tamiclea** cinerea.
- Tamnolanus** ferrugineus, gutturalis.
- Tamnophilus** affinis, aspersiventer, aterrimus, atropileus, bernardi, capistratus, cinereus, fuliginosus, lafresnayaus, leucocephalus, lividus, maculatus, minutus, othello, rufater, rufus.
- Tamyris** acastus, apastus, aulestes, criniscus, exadeus, laonome, maenas, nurscia, salius, virbius, zeuleucus.
- Tanagra** aboas, affinis, albo-frenatus, analis, archiepiscopus, argentata, argentea, arthus, assimilis, atricapilla, atriceps, atricollis, aurantiaca, aureata, auricapilla, auricodis, auricollis, aurifrons, aurlenta, axillaris, barbadensis, brunnea, caerulescens, cana, caudensis, canicapilla, capistrata, capitalis, capitata, celaeo, chaerophyllata, chalybea, chlorocyanica, chloptera, chrysogaster, citrinella, coelestis, comata, constantii, coryphaea, cucullata, cyanicollis, cyanocephala, cyanomelas, cyanoventris, darwini, decumana, dentata, desmaresti, diaconus, diademata, diva, dominicana, dubusia, dumetorum, elegans, episcopus, erythrocephala, erythromelas, erythrorhyncha, erythrotis, eximia, fasciata, fastuosa, festiva, flammata, flammiceps, flava, flavicollis, flavifrons, flavinucha, flaviventris, formosa, frugilegus, fulva*, gnatob, graninea, grandis, grisea, guira, gutturalis, hirundinacea, ignescens, igniventris, inornata, iridina, jugularis, labradorides, leucocephala, leucophaea, leucoptera, leverianus, linnaei, loricata, luciani, ludoviciana, lunulata, macularia, malmibica, mancipium, martialis, maximiliani, melanonota, melanota, melanotha, mesoleuca, mexicana, mississippi, modesta, montana, multicolor, musica, muta, nigrigula, nigro-aurita, nigrogularis, nigroviridis, olivacea, olivascens, olivi-cyanica, ornata, pallidinucha, palmarum, palpebrosa, pardalotes, parzudakii, penicillata, peruviana, picatus, pileata, porphyria, porphyrio, prasina, prelatus, pretrei, psittacina, punicea, purpurascens, riefferi, rubricollis, ruficollis, ruficornis, rufiventris, rufivertex, rutula, sanguinolentus, savia, schistaceus, schrauki, semirufus, sercoptera, sialis, sumptuosa, speculifera, superciliaris, swainsoni, taciturna, taeniata, tephrocephala, thoracica, tibialata, trichroa, umbilicalis, valida, vassori, vegeta, velia, vicarius, victorini, viridis, vittata, yeni, zena, zenoides, zonoides.
- Tanagrella** iridina, multicolor, ruficollis, tenuirostris.
- Tanais** brasiliensis, curculio, dubius, dulongi, edwardsi, elongatus, gayi, gracilis, macrocheles, orstedii, savignyi, tomentosus.
- Tanaos** bicolor, fallax, sanguineus.
- Tancredia** donaciformis, sulcata.
- Tangara** albo-cristatus, major, malimbica, rufa, sulva.
- Tangavius** involucratus.
- Tantalides** falcinellus, guarauna.

Tantulus arcuatus, bresciensis, candidus*, capensis, ephouskyca, fossilis, fuscus, guarauna, lacteus, luzoniensis, melanops, niger, phaeopus, pictus, plumicollis, rhodinopterus, rodopteron. *Vide et Tentulus.*

Tanychilus cistelides, dubius, gibbicollis, metallicus, striatus.

Tanyglossa aethiopica, analis, atropos, brunnea, cingulata, deusta, ferruginea, fusca, guttata, haustellatus, hirsuta, maura, mauritanica, multipunctata, obscura, picea, proboscidea, pulchra, rostrata, thoracica, vittata.

Tanygnathus (A.) gala, macrorhynchus, marginatus, mülleri, mulleii.

Tanygnathus (Col.) collaris, laticollis, terminalis.

Tanymecus acutus, aegrotus, affinis, albomarginatus, albus, alutaceus, argentatus, argyrostomus, bidentatus, canescens, cervinus, chloroleucus, circumdatus, confertus, confinis, confusus, convexiformis, cruciatus, graminicola, humilis, lacaena, lateralis, leucophaeus, lineatus, longulus, marginalis, nigrans, musculus, nebulosus, niloticus, niveus, palliatus, planifrons, praecanus, protervus, robustus, rudis, rusticus, rutilans, sciurus, sibiricus, sparsus, squameus, steveni, trivialis, umbratus, urbanus, variabilis, variegatus, villicus, viridans, vittiger.

Tanypeza abdominalis, apicalis, bicolor, callitarsis, elegans, longimana.

Tanyproctus carbonarius, olivieri, persicus.

Tanyptera ichneumonea.

Tanypus (A.) australis.

Tanypus (Dipt.) albipes, annulatus, arundineti, ater, barbitarsis, bicolor, bilineatus, binotatus, carneus, choreus, ciliatus, cincta, concinnus, consobrinus, crassinervis, crassipes, crux, culiciformis, decedens, dilaticollis, discolor, dubius, elegans, fasciatus, fasciculatus, ferruginicollis, festivus, flabellicornis, gibbus, gratus, hirsutus, incarnatus, lactepennis, laetus, lateralis, lentiginosus, littoralis, lugubris, luteus, maculata, maculipennis, melanops, melanurus, mouilis, morio, motatrix, nebulosus, nemorosus, nervosus, nigrimanus, nigropunctatus, notatus, nubilus, nudipes, obscurus, ornatus, pallens, pallicornis, pallidulus, pictipennis, plumipes, plumosus, praecox, pubicornis, pubitarsis, punctatus, punctipennis, pusillus, rufus, signatus, sordidus, sylvaticus, tenuis, tibialis, trifascipennis, turpis, unifascipennis, unimaculatus, variegatus, varius, viridis, zonatus.

Tanyrhynchus affaber, albidulus, asiaticus, bardus, biguttatus, brevis, carinatus, costirostris, inflatus, longulus, loripes, porifer, pulverulentus, rudis, squalidus, strigirostris, suturalis, tenuirostris, terranus, tibialis, tibiellus.

Tanysiptera dea, nympha.

Tanysphyra gracilis.

Tanysphyrus lemnae.

Tanystoma striata.

Taoniscus pavoninus.

Tapada putris.

Tapaya deserti.

Tapeigaster annulipes.

Tapeina bicolor, coronata, dispar, picea.

Tapeinotus ephippiger.

Tapeinus pictus, rufus.

Tapenopsis costatus.

Tapera brasiliensis.

Tapes aurea, decussata, litteratus, pullastra, radiata, violacea, virginea.

Taphaeus affinis, conformis, fuscipes, irregularis, nigricornis.

Taphasus longimanus.

Taphazous brevicaudus, cantori, crassus, fulvidus, longimanus, philippinensis, pulcher, senegalensis. *Vide et Taphozous.*

Taphoxenus cellarum, dauricus, elongatus, gigas, goliath, gracilis, grandis, interstitialis, laticollis, ovalis, parallelus, planicollis, ruftarsis, subcostatus, thoracicus, tilesi.

Taphozous bicolor, crassus, lepturus, leucopterus, mauritanicus, mauritanus, melanopogon, nudiventris, perforatus, saccolaimus. *Vide et Taphazous.*

Taphria alpigena, breviuscula, vivalis.

- Taphrocerus *alboguttata*.
 Taphroderes *brevipes*, *distortus*, *foveatus*, *foveolatus*, *quadrisignatus*, *sexmaculatus*, *sinus*, *striolatus*, *whitei*.
 Taphrorhynchus *assamensis*.
 Taphrostethus *quinquecostatus*.
 Tapina *americana*.
 Tapinocera *brevicornis*.
 Tapinodon *gresslyi*.
 Tapinoma *collina*.
 Tapinotus *sellatus*.
 Tapinus *inconspicuus*.
 Tapir *arvernensis*, *indicus*, *maypuri*, *pinchaque*, *poirieri*, *sinus*.
 Tapirodon *gressleyi*.
 Tapirotherium *larteti*.
 Tapirulus *hyracinus*.
 Tapisus *altifrons*, *americanus*, *anta*, *antiquus*, *bicolor*, *giganteus*, *helveticus*, *indicus*, *malayanus*, *mastodontoides*, *minor*, *minus*, *orientalis*, *parvus*, *priscus*, *proavus*, *roulini*, *rufus*, *suillus*, *terrestris*, *villosus*.
 Tapoa *tafa*.
 Tarache *aprica*, *ardoris*, *caloris*, *candefacta*, *insolatrix*, *opalina*, *solaris*.
 Tarachia *austerata*, *castigata*, *sobrinata*.
 Tarachodes *perlodes*.
 Taractes *asper*.
 Taraguira *darwini*, *smithi*, *torquata*.
 Tarandus *lapponum*, *rangifer*, *schottini*.
 Tarantula *apuliae*, *cursor*, *media*.
 Taras *antiquatus*.
 Tarasion *fagi*.
 Taraxis *abnormis*.
 Tarbophis *fallax*.
 Tarentola *aegyptiaca*, *americana*, *ballorini*, *bibroni*, *borneensis*, *capensis*, *clypeata*, *delalandi*, *mauritanica*, *stellio*.
 Tarichia *lugubris*, *torosa*.
 Tarisa *virescens*.
 Tarpa *bucephala*, *caesariensis*, *cephalotes*, *fabicii*, *flabellicornis*, *flavicornis*, *hispanica*, *judaica*, *klugi*, *levaillanti*, *megacephala*, *olivieri*, *panzeri*, *pectinicornis*, *phaenicia*, *plagioccephala*, *quinquecincta*, *scripta*, *spiraeae*, *spissicornis*.
 Tarpheus *gibbulus*.
 Tarsier *pallasi*. *Vide et Tarsius*.
 Tarsiger *chrysaeus*.
 Tarsipes *rostratus*, *spenseae*.
 Tarsius *bancanus*, *daubentoni**, *fischeri*, *fuscimanus*, *fuscus*, *macrotarsus*, *pusillus*, *spectrum*, *tarsius*. *Vide et Tarsier*.
 Tarsostenus *albofasciatus*, *univittatus*.
 Tarsus *macrotarsus*.
 Tartare *fusca*, *longirostris*. *Vide et Tatare*.
 Tarus *angularis*, *axillaris*, *basalis*, *coadunatus*, *crassicollis*, *gebleri*, *humeralis*, *laevigatus*, *macularis*, *obliquus*, *perforatus*, *rectangulus*, *sabulosus*, *subcyaneus*.
 Tasgius *confinis*, *rufipes*.
 Tata *rugosa*.
 Tatare *fuscus*, *longirostris*, *luscini*, *otaitiensis*, *otatare*.
 Tatusia *apar*, *hybridus*, *mataco*, *minuta*, *mirim*, *peba*, *quadricincta*, *septemcinctus*, *tatouay*, *tricincta*, *villosa*.
 Taumacera *deusta*.
 Taurichthys *varius*, *viridis*.
 Tauroceras *cornutus*.
 Taurocerus *ciuctus*, *edessoides*.
 Tauroma *aeruginosa*, *anchoralis*, *antiqua*, *aureicornis*, *azureicornis*, *bicornis*, *coracina*

- comata*, creberrima, eximia, gilhera, ignava, malachitica, punctipennis, reichei, scabrosa, smaragdina, taurus, truncata, viridicoerulea.
- Taurus** indicus, latifrons, urus.
- Tautoga** alia, americana, caerulea, chogset, fasciata, fucicola, fusca, inscripta, latelavia, luculenta, melapterus, mertensi, niger, parila, psittacula, rubens, sexfasciata, tessellata, tetrica.
- Taxidea** labradorica, leucurus.
- Taxidia** leucurus.
- Taxila** drupadi, echerius, egeon, erato, fatua, fylla, neophron, orphua, tantalus.
- Taxisus** dipterus.
- Taxocrinus** egeroni, granulatus, macrodactylus, nobilis, orbigny, polydactylus, tuberculatus.
- Taxotherium** parisiense.
- Taxus** gulo, melcs, mellivorus, vulgaris.
- Tayassu** patira, pecari.
- Taygetis** celia, fatua, mermeria, thamyra, virgilia, ypthima.
- Tchiltrea** gainardi.
- Tchitrea** affinis, atriceps, atrocaudata, atrochalybeia, borbonica, caeruleocephala, cristata, cyanomelas, ferreti, holosericea, leucogaster, melanogaster, mutata, nebulosa, pectoralis, pretiosa, princeps, rufa, rufiventris, torquata.
- Teba** aculeata, cantiana, caperata, carthusianella, cingenda, fulva, hispida, nilssoniana, rufescens, spinulosa, virgata. *Vide et Theba.*
- Tebenna** comptella, festivella, laspeyresella, maculatella.
- Tebenophorus** caroliuensis.
- Technites** trifasciatus.
- Tectarius** coronatus.
- Tectocoris** affinis, binotata, childreni, cyanipes, gambiae, hardwicki, interrupta, javana, nepalensis, nobilis, oblonga, obscura, purpurascens.
- Tectura** cassis, conica, flammea, fragilis, fulva, parva, parvula, punctata, stellaris, striata, tessellata, virginea.
- Tectus** pagodalis.
- Tefflus** delegorguei, megerlei.
- Tegenaria** africana, agrestis, annulipes, antipodiana, arboricale, atrica, australensis, campestris, civilis, coarctata, cubicularis, domestica, emaciata, flavens, fuliginea, guyoni, insularia, intricata, longipalpis, longipes, lycorina, medicinalis, mixta, murina, nemorensis, pagana, persica, petrensis, saeva, saxatilis, scalaris, senegalensis, silvicola, stabularia, torpida.
- Tegostoma** comparalis.
- Tegula** elegans.
- Teinocera** nitidicollis.
- Teinodactyla** aeneicollis, californica, conspiciabilis, holsatica, oblitterata.
- Teinopalpus** imperialis, parryae.
- Teira** punctata.
- Teius** ameiva, brevicarinatus, caeruleocephalus, collaris, crocodilinus, cyaneus, lemni-scatus, monitor, uigropunctatus, striata, viridis.
- Tejus** boscianus, cyaneus, cyauomela, lateristriga, murinus, ocellifer, teyou, tritaeniatus.
- Telchinia** bendis, cephea, horta, issoria, mycenaea, ranavalona, saronis, serena, zetis.
- Telea** ambiguella, caesiella, comptella, crataegella, curtisella, leucastella, lutarella, polypheme, subfasciella.
- Teleas** aegle, aratus, asramanes, ater, bassus, brasilas, cephisus, chesias, chylleue, clavicornis*, dalmanni, discolor, doto, elatior, ergenna, fornicatus, fumipennis, galba, glaucus, hemipterus, lamus, latus, linnei, longicornis, longipes, lycaon, maculatus, medon, mermerus, metabus, metallicus, minutus, misellus, muscaeformis, niger, ocyroe, paula, pedestris, phalaenarum, procris, pumilio, punctatissimus, pusillus, rufipes, semistriatus, smerdis, solidus, therycides, timareta, truncatus, varicornis, xenetus, zetterstedti.
- Telebois** (Crin.) annulatus.
- Telegallus** cuvieri.
- Telegonus** (Ar.) versicolor.

Telegonus (Lep.) anaphus, midas, morpheus, phocus, talus, tarchon.

Telegraphus maculipennis.

Teleia (Hem.) corouata.

Teleia (Lep.) abietana, confixana, sudoriana, veterana.

Telemiades a vitus, epicalus, salatis.

Telenomus aethra, alcon, andria, apitius, arminon, ater, belenus, brachialis, charmus, chrysolaus, cleostratus, coilus, colotes, cteatus, dicaeus, dorsennus, eris, heteropterus, horus, iapyx, mentes, nauplius, orphne, othis, othonia, phyllas, pilumnus, sitius, stilpo, theste, tritia, trophonius, turesis, vibius, vinicius, zethos.

Telesaurus asthenodeirus, bollensis, cadomensis, chapmanni, priscus, soemmeringi.

Telephanus atracapillus.

Telephonus gutturalis, leucorhynchus, major.

Telephoromyia rufipes.

Telephorus (Col.) abdominalis, acutipennis, adultus, aethiops, affinis, alpicola, alpinus, analis, apicalis, assimilis, attavinus, axillaris, barbarus, benneti, bicolor, biguttatus, bilineatus, bipunctatus, cantianus, chalybeus, chilensis, cinctus, clypeatus, confinis, crassicornis, curtisi, cyaneus, cyanomelas, cyanurus, decolorans, denticornis, deustus, dilatatus, dilaticornis, discicollis, discoideus, dispar, dubius, ephippiger, excisus, femoralis, fenestratus, flavilabris, flaviventris, fossulatus, fragilis, fulvipennis, fuscus, gaudichaudi, geniculatus, germari, griseipennis, heros, immaculicollis, janthinipennis, laevicollis, lituratus, longicornis, luctuosus, luteicollis, luteus, maculicollis, magellanicus, malthinius, mandibularis, marginatus, marginicollis, marginipennis, mauritanicus, minutus, nepalensis, nigriceps, nigricornis, nigrifrons, nigripes, nigrita, nigritaris, nivea, opacus, palliatus, pallipes, pellucidus, pictus, pilosus, praeustus, pulchellus, puncticollis, purpurascens, rectus, rhombicus, rubricollis, rubromarginatus, rubrosignatus, ruficeps, ruficollis, rufiolus, rugifrons, rusticus, samouellei, schaefferi, scitula, scriptus, scutatus, scutellaris, senegalensis, sinuatus, sulcicollis, terminalis, tertiaris, testaceipes, tibialis, translucidus, transversalis, tricolor, trimaculatus, tripartitus, tristis, unicolor, unipunctatus, violaceus, westwoodi, xanthomelas.

Telephorus (Moll.) australis.

Telescopella undulata.

Telescopium fuscum, indicator, semianuulatus.

Telescopus subannulatus.

Telesiops granulata, leiocéphas.

Telestes aphya, cabeda, muticellus, savignyi.

Telesto (Coel.) alburnum, aurantiaca, fruticulosa, lutea, pelagicum, pelagica.

Telesto (Cr.) uroceras.

Telesto (Lep.) perroni.

Telias ovulorum.

Teliops bicolor.

Telistrophis torsala.

Tellenides triangularis.

Tellimya bidentata, elliptica, glabrum, lactea, ovata, suborbicularis, substriata, tenuis.

Tellina acuta, aegae, aegle, aeneus, aequilatera, aequistriata, agatha, aglaia, aglaurae, ala, alata, alba, albaria, albescens, albida, albinella, alcyone, alita, alta, alternata, alternidentata, amata, ambigua, amnea*, ampliata, ampullacea, anatina, ancilla, angulata, angulosa, angustata, anonala, antonii, apelina, aperta, arcata, arcuata, areolata, argilaris, articulata, asperrima, assimilis, astartea, aulica, aurea, aurora, benedeni, biangularis, bicolor, bipartita, biplicata, birmanica, bitruncata, bodegensis, bogotina, branderi, brasiliana, brevifrons, brevirostris, broccii, bruguieri, burneti, caduca, caerulea, canadensis, canalensis, canaliculata, candida, capsoides, carinulata, carnea, carteroni, casta, cayennensis, childreni, chinensis, chloroleuca, cicercula, clathrata, cleyana, coarctata, columbiensis, compressa, compta, concentrica, concinna, conspicua, constricta, convexa, corbinoides, corbis, corbuloides, cordiformis, corneola, coruscans, costae, costata, costulata, crassa, craticula, crucigera, cruenta, crystallina, cuisensis, culter, cumana, cumingi, cuspis, cycladiformis, cygnus, cyrenoides, declivis, decora, decussata, decussatula, delanouana, deltoidalis, demissa, densus, dentata, dentex, denticolata, deshayesi, diaua, dichotoma, dilatata, diphos, discrepans, discus,

dispar, di~~s~~triata, divergens, dombeyi, donacella, donacialis, donaciformis, dunelmensis, dyctioidea, eborea, eburnea, edentula, egena, elegans, elliptica, elongata, elucens, emacerata, emarginata, ervilia, erycinoides, exarata, exculata, exilis, fabricii, fausta, felix, ferroensis, ferruginea, festiva, filosa, fimbriata, flavescens, flexuosa, formosa, fragilis, fragilissima, frigida, fucata, fusca, galataea, gelida, gibba, gigantea, gigas, glabella, globosa, goldfussi, gouldi, gracilentia, gracilis, grandis, granulosa, gruneri, gubernaculum, guilfordiae, guildingi, guinaica, hantonensis, hensiowana, hensiowiana, hermaphrodita, hians, hiattelloides, hiberna, hilaris, hippoidea, huaffoensis, humboldtiana, hyalina, imbellis, immaculata, inaequalis, inaequistriata, incarnata, incerta*, inconspicua, inflata, inornata, insculpta, intastriata, interrupta, iridescens, iris, irus, japonica, jonasi, jubar, jugosa, juvenilis, laceridens, lactea, lacunosa, laeta, laevis, lamarecki, laruellosa, lamellulata, lancea, lantivy, laskeyi, lata, lateralis, latirostra, laura, lenis, lenticula, ligamentina, lilium, lima, limosa, lineata, lineolata, lineta, listeri, litoralis, longicallus, lucerna, lucida, lucialis, ludwigi, lunulata, lupinoides, lusoria, lutea, lux, lyra, maculosa, madagascariensis, margaritina, marginalis, mars, mediterranea, mera, mexicana, meyeri, micans, miles, mirabilis, moreana, munda, muriatica, muricata, nasuta, natalensis, nitens, nitida, nivea, nobilis, nuculiformis, nux, nymphalis, obliqua, obliquilineata, oblita, oblonga, obovata, obruta, obsoleta, obtusa, occidentalis, oceani, ochroleuca, olimpica, opalina, orbiculata, oregonensis, ostracea, oudardi, ovalis, ovaloides, ovata, oweni, pallescens, panamensis, papyracea, papyria, parthenopaea, patellaris, pectorosa, pelagustris, pellucida, perovata, perplexa, perula, petalum, petitiana, pharaonis, philippi, philippinarum, pinguis, plagia, plana, planissima, plebeia, pleurosticta, polii, polita, polygona, pondicherriensis, praetenuis, pretiosa, princeps, prisca, pristis, producta, proletaria, pronuba, prora, proxima, psammotella, pseudo~~don~~acialis, pseudorostralis, pudica, puella, pulchella, pulcherrima, pumila, purpurascens, purpureus, pusilla, pustula, pygmaea, radiata, radiatula, radula, rastellum, ravenelli, reflexa, regia, reichel, renauxi, revoluta, rhodora, rhomboidalis, rhomboides, rigida, rivicola, robusta, rodon, roemeri, rostralina, rostralis, rotundata, royana, rubens, rubescens, rubicunda, rubra, rubrohyalina, rudis, rufescens, rugosa, sanguinea, scabra, scalaris, scalaroides, scalpellum, scandula, scoditina, secta, semen, semicostata, semidentata, semiovalis, semizonalis, senegalensis, serica, sericina, serrata, serratula, sexradiata, sillimani, similis, siucera, sinuata, sobralensis, sol, solida, sordida, souleyeti, sowerbyi, speciosa, spectabilis, spinosa, splendens, splendida, squamula, squamulosa, stagnicola, staurella, striata, striatella, striatula, stricta, strigata, strigilata, subalpina, subcarinata, subconcinna, subdecussata, subequalis, subfilosa, suborbicularis, subplana, subradiata, subrosea, subrotunda, subtenuistria, subtenuistriata, subtilissima, subtruncata, subuncinata, subzonaria, sulcata, sulphurea, telata, tellinoides, tenera, tenta, tenuilamellosa, tenuissima, tenuistria, tenuistriata, textilis, tigerina, timorensis, timoriensis, tithonia, togata, tongana, triangularis, tridentata, trigona, truncata, truncatula, tuberculata, tulipa, tumescens, tumida, umbonella, undulata, unicastalis, unimaculata, uniradiata, valtonis, variabilis, varians, vectiana, vernalis, verrucosa, vespertina, vestalis, vicksburgensis, violacea, virgo, virgulata, zonaria.

Tellinides acuminatus, coccinea, emarginatus, oblonga, opalina, ovalis, politus, purpureus, roseacea, rosea, striata, timorensis, triangularis, truncatulus.

Tellinites anceps, asserculatus, carbonarius, cardissaeformis, cingulatus, comprimatus, corbularius, corneaeformis, dubius, elongatus, glabratus, gnidus, laevigatus, lucinius, margaritaceus, minutus, musculitiformis, paganus, politus, priscus, problematicus, radiatus, rhaeticus, rostratus, sanguinarius, scobinatus, solenoides, virgatus.

Tellinomya anatiniformis, dubia, gibbosa, nasuta, sanguinolarioidea.

Telmatias alticeps, brachyoptera, brehmi, faeroensis, nisoria, peregrina, septentrionalis, stagnatilis, stenoptera.

Telmatobius peruvianus.

Telmatodytes arundinaceus, bewicki.

Telmatophilus caricis, spargani, typhae.

Telmessus serratus.

Telmia exigua, sagitta, spinula.

Telopes dispar.

- Telophonus** erythropterus, leucopsammicus, longirostris, trivirgatus.
Telophorus bacbakiri, collaris, cucullatus, leucogrammicus, longirostris, senegaleus.
Telostoma mytili, zeylonus.
Telphusa dentata, fluviatilis, indica.
Telura vitticollis.
Temana lacuna, pallidula, puteolus, variabilis.
Temenis arcadia, erigone, hadouia, laomedia, merione, orea, phaesyla.
Temera hardwicki.
Temia levallanti, vaillanti.
Temnaspis bipartitus, fervidus, javanus, rubens.
Temnistia ventricosa.
Temnocera spinigera, violacea.
Temnocerus planirostris, ruficollis.
Temnochila aenea, coerulea.
Temnodera testacea.
Temnodon antarctica, leptacanthus, saltator.
Temnognatha pulchella.
Temnolaimus aeneicollis.
Temnopsis taeniatus.
Temnoplectron rotundum.
Temnopleurus bothryoides, excavatus, pulchellus, reynaudi, torceumatus, toreumaticus, woodi.
Temnopterus aculeatus.
Temnorhopalon scabrosum.
Temnorhynchus (Col.) coronatus, diaua, repandus, retusus.
Temnorhynchus (R.) sundewalli.
Temnoris atrifrons, fulvifrons.
Temnoscheila aenea, splendens.
Temnostoma (Col.) sulcatipennis.
Temnurus albicollis, altirostris, aterrimus, frontalis, leucoptera, occipitalis, pallidus, rufus, sinensis, truncata, vagabundus.
Temora finmarchica.
Tenarea undulosa.
Tenaris jaira, nysa.
Tendra zostericola.
Tenebrio aeratus, aereus, aerugineus, aeruginosus, angulatus, anthracinus, aratus, arboreus, arenosus, aries, armatus, asperatus, assimilis, australis, badius, barbatus, bidens, bifoveolatus, biimpressus, bipustulatus, bovistae, brunneus, caeruleus, caffer, caniculatus, castaneus, ceramboides, chrysops, ciliatus, coccineus, colydioides, contractus, convexiusculus, coracinus, corvinus, costatus, crenatus, cupreus, cyanipennis, cyanipes, dentatus, depressus, diaperinus, difformis, digitatus, effossus, elongatus, femoralis, ferrugineus, foveolatus, fulvipes, fuscus, glaber, glabricollis, gracilis, grandis, guineensis, hispanicus, histerioides, hottentotta, humeralis, humilis, impressus, interstitialis, juglandis, laevicollis, laevis, laticollis, latus, longipennis, longipes, loripes, madens, maximus, minimus, navalis, nigricans, nigrinus, nigritus, nitidulus, obsoletus, ochraceus, opacus, opatroides, orientalis, piceus, pullus, reflexus, reticulatus, retusus, rubripes, rufinasus, rufipes, rufus, sinuato-collis, striatellus, stygius, sublaevis, subrugosus, sulcator, suppressus, tenebrans, terminatus, testaceus, transversalis, tripartitus, trogosa, tucumanensis, vagans, valgus, vicinus, virescens.
Tenerus abbreviatus, bifasciatus, bimaculatus, cingalensis, cyanopterus, dimidiatus, lineatocollis, pictus, praeustus, signaticollis, terminatus.
Tengyra sanvitali, stygia.
Tenrec caudatus, setosus, subspinosus.
Tenrecus ecaudatus, semispinosus.
Tentacularia coryphaena, coryphaenae, cylindrica, subcompressa.
Tentaculina ferussaci.
Tentaculites alternans, annulatus, fissurella, flexuosa, irregularis, minutus, ornatus, regularis, scalaris, sp. ind., sulcatus, tenuis.

Tentalus chalcopertus. *Videa* Tantalus.

Tenthaca leucurus, pelvica.

Tenthredo adumbrata, aeruginosa, aethiops, agilis, agrestis, albata, albicauda, albicoxa, albida, albumana, albipalpis, albipes, albipuncta, albiventris, alboscapula, albi, alpina, alternans, alternipes, amaura, ambigua, amoena, analis, angelicae, angustata, annulata, annuligera, annulipes, anomala, antennata, anthracina, antica, aperta, apicalis, arcuata, articulata, assimilata, assimilis, atterrata, atra, atratula, atricornis, aucupariae, aureatensis, australis, axillaris, baetica, balteata, basalis, basilaris, bella, betuleti, bincta, bicolor, bifasciata, biguttata, bipartita, bipunctata, bipunctula, bizonata, blanda, bohemanni, borealis, brasiliensis, brevicornis, brevis, brunnea, bruniventris, calceata, caliginosa, candidata, captiva, carinata, cacinthiaca, carpmi, caucasica, centifoliae, cerasi, cerasorum, cerea, chrysorrhoea, chrysura, cincta, cinereipes, cingillum, cingulata, cingulum, cinxia, citreipes, cixia, cognata, collaris, colou, comma, compressicornis, confinis, conformis, confusa, consobrina, conspicua, coqueberti, coracina, cordigera, coronata, coryli, costalis, costata, cothurnata, coxalis, crassula, crassus, crataegi, crispinae, crocea, croceiventris, curvipes, cylindrella, cylindrica, dahli, de geeri, delicatula, deserta, didyma, dimidiata, discolor, dispar, diversipes, dolens, dolosa, dorsalis, dubia, dumetorum, duodecimpunctata, eborina, eglanteriae, elegantula, elongatula, ephippium, equiseti, erythrogaster, erythrogona, erythropus, etrusca, exillaris, fagi, fallax, femoralis, fera, ferruginea, filicis, filiformis, finitima, flava, flavens, flavicornis, flavilabris, flavipennis, flavipes, floricola, formosa, fraxini, fuliginosa, fulva, fulviceps, fulvicornis, fulvipes, fulvaria, funebris, funerea, fusca, fuscata, fuscicornis, fusciformis, fuscitarsis, fuscula, gagathina, geeri, geniculata, gibbosa, gilvipes, glabrata, gouagra, grata, grossularia, grossulariae, guerini, guttata, haematodes, haematopa, haematopus, heteroneura, histrio, hortulana, humboldti, humeralis, humerella, hungarica, hyalina, hybrida, hylotomoides, ictérica, idriensis, ignobilis, immersa, inpressa, insignis, instabilis, intercus, intermedia, interrupta, ischiadica, japonica, juvenilis, kohleri, konineki, labiata, lacrymosa, lactiflua, lapponica, laserpitii, lateralis, lateritia, latizona, lepida, leskei, leucogona, leucomela, leucozonias, liberta, limbalis, limbata, linearis, lineolata, litura, livida, lividiventris, longicornis, longobarda, lucida, lucorum, luctuosa, lugens, lugubris, luridiventris, lutea, luteipennis, luteiventris, luteocincta, luteola, lutescens, macula, maculipes, maculosa, madida, mandibularis, marginella, marklini, mediocris, melanaria, melanocephala, melanopyga, melanosterna, meridiana, micans, microcephala, militaris, minuta, mixta, mouiliata, montana, monticola, morio, mutilata, mysotidis, nana, napata, nebulosa, neglecta, nervosa, nigerrima, nigra, nigricans, nigripennis, nigripes, nigrita, nigrofasciata, nitida, nitidula, nivosa, notha, nyctea, obesa, obscura, obsoleta, obtusa, ochropoda, olivacea, opaca, opacomaculata, ornata, ovata, pallens, pallicornis, pallida, pallidiventris, pallipes, palmata, palustris, parvula, patellata, pelletieri, pellucida, perla, picipes, picta, pictipes, pinastris, pinguis, plaga, plagiata, plana, plebeja, postica, procera, propinqua, proxima, pulchella, pullula, pulverata, pumila, punctigera, punctulata, punctum, pusilla, pygmaea, pyri, quadricincta, quadrimaculata, rapae, ratzeburgi, relictæ, repanda, ribis, rossi, rubecula, rubi, rubiginosa, rubripes, rufa, rufimana, rufpectus, rufipedata, rufipes, rufiventris, rufocincta, ruralis, rustica, rutilicornis, saliceti, salicis pentandrae, sambuci, sanguinicollis, sareptana, scalaris, schaefferi, schoenherri, schranki, scissa, scopoli, scrophulariae, scutellaris, segmentata, semicincta, semicolon, sericans, serotina, serva, sexannulata, sexpunctata, sigma, similis, simplex, simulans, socia, socialis, sordida, soror, spiuloe, spreta, spuria, stictica, stilata, stramineipes, strigosa, sturmi, subcoerulea, subfusca, subinterrupta, subjecta, succincta, sulphurea, tarsata, tenella, tenera, tenuicornis, tenuis, terminalis, tessellata, testacea, testaceipes, testudinea, teutona, thoracica, thoracina, tibialis, timida, togata, togatus, trabcata, tremula, trichocera, tricincta, triplicata, tristis, truncata, uliginosa, umbratica, uncta, uncinata, unicolor, usta, variegata, varipes, vassa, velox, verna, verticalis, verticata, vespoides, vestigialis, vetusta, vicina, vidua, viduata, viennensis, villosa, viminalis, viridis, vitis, waldheimi, winthemi, xanthocera, xanthopus, xanthopyge, zetterstedti, zona, zonata, zonula.

Tentyria abbreviata, acutangula, aegyptiaca, aequalis, affinis, alpina, amoena, angulata, angulosa, angustata, angusticollis, arenaria, atramentaria, aucta, audouini, barbara,

bass, bella, hesperi, bipuncta, brevis, campestris, celluola, constricta, convexa, cribrata, cribrata, curculionoides, curta, cylindrica, dardana, dejeani, deplanata, depressa, deserta, duponti, elegans, elongata, emondi, eremita, excavata, fischeri, flores, gallica, gebleri, gibbosa, gigas, glabra, glabrata, globata, globithorax, goudoti, gracilis, grandicollis, grandis, grossa, helopioides, hispida, implana, impressa, incerta, interrupta, italica, kindermanni, klugi, laevicollis, laevigata, lata, latialis, laticollis, latreillei, lepida, levicollis, levigata, levis, ligurica, lineata, longicollis, macrocephala, maillei, marocana, maura, minuta, monticola, mucronata, nitida, nomas, oblonga, olivieri, orbicollis, orbiculata, peiroleri, podolica, polyceps, propinqua, punctata, punctatostriata, puncticollis, punctipennis, pygmaea, quadrata, quadricollis, ramburi, reflexa, reichei, rugosa, rugulosa, salzmanni, sardea, scabripennis, scabriuscula, senegalensis, seriatopunctata, sibirica, sicula, solieri, strigosa, striipuncta, subconvexa, subcostata, subdepressa, subfossulata, subquadrata, subrugosa, substriata, tagenoides, taurica, tenebrosica, tessulata, thunbergi, tristis, undulata, variolosa, ventralis, vicina, vieta.

Tenus genei.

Teonoma drummondii.

Tephraea confinis, morosa, mozambica, pulverulenta, punctulata.

Tephritis abrotani, absinthii, acrostacta, aenea, aestiva, aestuans, alciphron, alethe, algiva, alternata, angustipennis, annonae, antiqua, apicalis, aprica, arctii, argentea, argus, argyrocephala, arnicae, arnicivora, artemisiae, asteris, aterrima, atrata, bardanae, basalis, biarcuata, canariensis, capitata, cardui, centaureae, centralis, cerasi, coerulea, cognata, combinata, cometa, conica, conjuncta, connexa, conura, corniculata, cornuta, crassipennis, cylindrica, cynipsea, demandata, dilacerata, discoidea, dispar, dorsalis, elongata, erythrocephala, fallax, fasciata, fasciventris, fenestrata, flava, flavescens, flavicauda, flavilabris, flavipes, florescentiae, florum, forcipata, fossata, fucata, gaedi, gangraenosa, gnaphalii, grandis, grossificationis, guttata, guttularis, hamifera, hebe, hessi, hieracii, hordei, hyoscyami, immaculata, impunctata, incisa, innotata, intermissa, interrupta, irrorata, jaceae, jacobaeae, lappae, laticauda, leontodontis, levis, lucida, luctuosa, lugubris, lychnides, macula, maculata, major, mali, manicata, marginalis, marginata, marginepunctata, meigeni, mellea, minuta, morio, nebulosa, nigritula, obliqua, obscura, obsoleta, octopunctata, onopordinis, pallens, pallida, pantherina, parietina, pini, plantaginis, pugionata, punctata, punctella, punctum, papillata, putris, quadrifasciata, quadrincisa, quadripunctata, quinquefasciata, rehata, reinhardi, rivosae, rivularis, rosae, rotundiventris, rufitarsis, ruralis, senegalensis, septemmaculata, serratilae, socialis, solstitialis, sonchi, spoliata, strigula, stylata, syngenesiae, terminata, tessellata, theora, trimaculata, tussiliginis, unicolor, unifasciata, varipennis, vibrans, vicina, violacea, wengeri, westermanni, wietemanni, winthemi, zetterstedti, zoe. *Vide et Tephritis.*

Tephrocystia denotata, inturbata, minutata, pimpinellata, pumillata, pusillata, residuata, subnotata, subumbrata, valerianata.

Tephrodornis affinis, concolor, erythropygia, griseola, gularis, hirundinaceus, indica, leucura, obscura, ocreatus, pelvica, pondiceriana, silens, superciliosus, sylvicola, virgatus.

Tephronia cineraria, corticaria, scabraria.

Tephrosia ambigua, consonaria, crepuscularia, extersaria, laricaria, punctularia.

Tephrys abdominalis, pusilla. *Vide et Tephritis.*

Tetracolus subfasciatus.

Terambus ambrosiacus, corruscus, moschatus, rosarum.

Teramocerus acutipennis, assimilis, badius, erythroderes, exilis, gracilis, interruptolineatus, janthinus, laevigatus, laevis, mannerheimi, plumirostris, punctirostris, schoenherri, subfasciatus, tarsatus.

Teraphosa avicularia*, caementaria, fasciata, venosa.

Terapon quadrilineatus, servus, sexlineatus, timoriensis.

Terapopus hottentottus.

Teras (Hym.) amentorum, terminalis.

Teras (Lep.) abietana, abildgaardana, albidorsana, apiciana, aquilana, arctica, caudana, ciliana, comariana, comparana, contaminana, cretacea, cristana, crutana, dissonana,

effractana, emargana, erebana, excavana, favillaceana, ferrugana, hastiana, indecorana, janthana, lipsiana, logiana, longulana, lucidana, maccana, mixtana, nebulana, obtusana, proteana, pulverana, radiolana, rhombana, rubidana, sabulana, scabrana, schalleriana, selasma, sparsana, suavana, torquana, umbraculana, umbrana, variana.

Terasion fagi.

Terathopius ecaudatus.

Teratichthys antiquitatis.

Teratodes (Ar.) attalicus, depressus.

Teratodes (Lep.) vulgana.

Teratodes (Orth.) monticollis.

Teratopteris harpago.

Terebella arenaria, biseta, borealis, buccina, chinensis, chrysodon, cirrata, cirrhata, compressa, conchilega, constrictor, cristata, curta, decorata, flexilis, gigantea, incerta, inflata, infundibulum, lapilloides, longicornis, lumbricalis, lutea, madida, medusa, misenensis, multisetosa, nebulosa, parvula, prudens, quinqueseta, scylla, setiformis, subcylindrica, tentaculata, variabilis, ventricosa, venustula, zelandica, zosterica.

Terebellaria antilope, gracilis, ramosissima, tenuis.

Terebellides elegans, stroemi.

Terebellopsis brauni.

Terebellum (G.) album, belemnitoideum, brauni, brongniartianum, carcassense, convolutum, fusiformis, obtusum, obvolutum, procerum, roseum, sabuletum, seipitum, spirata, subulatum, terebra, triplicatum, variegatum.

Terebellum (Verm.) cylindrarium.

Terebra acicula, aciculata, aciculina, acuminata, acus, affinis, africana, alba, albicostata, albidula, albula, alveolata, amanda, ammiralis, anomala, areolata, argus, armillata, aspera, aurora, babylonica, basteroti, bicincta, bifrons, bipartita, bistriata, buccinoidea, caelata, caerulescens, canaliculata, canalis, cancellata, candidum, carnea, casta, castanea, cerithiina, chalybaea, chlorata, cincinnata, cincta, cinerea, cinereum, cingula, cingulifera, columellaris, commaculata, concinna, consors, conspersa, constricta, copula, cornucopiae, coronata, corrugata, cosentini, costata, costellata, costulata, crenulata, curvilirata, cuspidata, digitella, dimidiata, dislocata, divisurum, duplicata, dussumieri, eburnea, edentula, elata, elegans, elongata, fasciolata, fatua, favat, felina, fenestrata, feticilis, flammea, flava, fluminea, fluviatile, fulgurata, funiculata, fusca, fuscata, fusco-maculata, gemmulata, gigantea, glauca, gracilis, granulata, granulosa, hastata, hectica, hennahi, heterostropha, inaequalis, inconstans, interincta, inversa, italica, jamaicensis, knorri, laevigata, laevis, lamarki, lanceata, lanceolata, larvaeformis, laurina, lepida, ligata, lineata, lineolata, lingualis, lividula, luctuosa, maculata, melaniana, melanoides, mera, micans, minuta, monile, mucronata, multiplicata, muricina, murina, muscaria, myuros, nassoides, nebulosa, neglecta, nereis, nexilis, umbrosa, nitida, nivea, nodosa, nubeculata, obconica, obesa, obliqua, oblongoguttata, oculata, orizoides, ornata, patagonica, penicillata, perlata, pertusa, perversa, petiti, phallus, picta, plicata, plicatula, plumbea, polygyra, portlandica, pretiosa, pugio, pulchra, punctata, punctatostriata, punctulata, pusilla, pygmaea, radiata, radula, raphanula, reticulata, robusta, roseata, rudis, rustica, scabrella, scalarina, scalaris, senegalensis, serotina, simplex, sinuosa, specillata, speciosa, spectabilis, spicatus, straminea, striata, striatula, strigata, strigilatum, strigillata, striolata, stylata, subulata, succincta, succinea, sulcata, sulcifera, taeniolata, tantula, tenera, tenuiscata, tessellata, textilis, tigrina, torquata, tricolor, triseriata, tubercularis, tuberculata, tuberculosa, tuberosa, undata, undulata, undulifera, uncostata, varicosa, varicosissima, variegata, venosa, venusta, vetusta, violascens, virginica, vittata, vulcani.

Terebracites strigilatus.

Terebralia ebenium, heteroclitus, palustre, sulcatum, telescopium.

Terebratella astieriana, bourgeoisii, canaliculata, carantonensis, decemcostata, fleuriausa, loricata, menardi, neocomiensis, oblonga, orthiformis, parisiensis, pectita, pectunculoides, pectunculus, plicata, quadrata, reticulata, santonensis, subpentagona, vanuxemiana, zeisneri.

Terebratula aberdinia, abnormis, abyssicola, aculeata, acuminata, acuminatissima, acuta, acuta-plicata, acuticosta, acutidens, adrieni, aenigma, aequalis, aequilateralis, affinis,

agassizi, akolpo, ala, alarica, alata, albensis, alecto, alesiensis, algoensis, almuensis, amalthea, ambigua, amblygona, amphitoma, ampulla, amygdala, amygdaloides, anceps, andii, angularis, angulata, angusta, anisodonta, annularis, antidichotoma, antinomia, antiplecta, antiquata, antisienensis, aperta, appressa, aprinus, aptycha, arabilis, arachne, archiaci, arcuata, arduennensis, arenosa, argentea, arinaspus, articulus, ascia, assellus, aspera, atlantica, atoma, attenuata, auriculata, aurita, australis, avellana, axine, bajocina, barrandci, baucis, baugieri, baylei, beaumonti, becksi, beirensis, berenice, bernardina, beudantia, biangularis, bicanaliculata, bidens, bidentata, bifera, bifida, biglobulosa, biloba, bilobata, bipartita, buplicata, buplicata ferruginosa, birostris, bisinuata, bistriata, bisuffarcinatus, bisulcata, bitoma, bivulnerata, blodeana, bolliana, bordiu, borealis, boubee, bouchardi, bouei, bovidens, brevirostris, brocchii, bronni, bucculenta, buchi, bulga, bulla, bullata, burtini, caiqua, calloviensis, camelina, camella, campomanesi, canaliculata, canalifera, canalis, cancellata, canipes, capensis, capewelli, capillata, cardiformis, cardiospermiformis, cardita, cardium, carinata, carnea, carteroniana, cassiana, cassidea, castanea*, causoniana, ceres, chanviniana, chilensis, chrysalis, cingulata, circe, cistellula, coarctata, cognata, colletti, collinaria, colonna, columbina, columnae, comata, communis, compressa, compta, comta, concava, concentrica, concinna, conflexa, confusa, contracta, contraplecta, convexa, cor, corallina, cordata, cordiformis, coreanica, cornuta, corvina, corymbosa, costata, cranium, crassa, crassificata, crebricosta, crenata, crenulata, crispa, crispata, crista galli, crithea, cruenta, crumena, cuboides, cuneata, cuneolus, curvirostris, cuspidata, cybele, cycloides, cymbaeformis, cymbulia, cynocephala, daleidensis, dapine, de buchi, decemcostata, decemplicata, decipiens, decollata, decurtata, decussata, deflexa, deformata, defrancei, delbosa, deltoidea, dentata, dentata, deplanata, depressa, deroissyi, deschamps, deshayesi, deslongchamps, desnoyersi, desquamata, detruncata, didyma, difformis, digitata, digona, dilatata, dimidiata, diodonta, diphoros, diphya, diphyoides, disparilis, distans, distorta, dolomitica, domeykana, dorsalis, dorsata, dorsato-radiata, dubia, duboisi, dufrenoyi, duplicata, duplemeana, duvali, duvalli, echinulata, elata, elegans, elumata, elongata, emarginata, ephemera, equestris, erina, erythroleuca, eucharis, eurydice, eusticta, euthyra, excavata, eximia, expansa, ezquierra, faba, famula, facta, faujasi, ferita, ferronesensis, ficoides, fimbria, fimbriata, fischeri, fischeriana, fissuracuta, fittoni, flabellata, flabellula, flabellulaeformis, flabellum, flavescens, flexistria, flexuosa, florella, floridana, flustracea*, fontainei, fragilis, frenum, frontalis, furcata, furcillata, fusiformis, gallienae, gallina, garantiana, gaudichaudi, gaudryi, geinitziaua, gervillei, gervilliana, gibba, gibbsiana, gigantea, gisii, globata, globosa, globulus, granulata, granulifera, granulosa, gravesi, grayi, gryphus, guadalupae, gualteri, gussignensis, haidingeri, hamifera, harlani, harpyia, hastata, haueri, haussmani, hebe, hebertiana, hecate, helmersenii, helvetica, hemisphaerica, hemisphaeroidica, henrici, hepatica, herculea, heteroclitia, heyseana, hians, hippopus, hirundo, hispanica, hoeninghausi, humbletonensis, humboldti, humeralis, huotina, hysterica, hysteriolita, ignaciana, imbricata, inaequilaetera, inca, inconspicua, inconstans, incrassata, incurva, indentata, inlegans, inflexa, insignis, insperata, insularis, integra, intermedia, interpicata, irregularis, japonica, johannis austriacae, jugleri, juno, jurassensis, juvenis, keyserlingi, kickxi, kleini, labiata, labradorensis, lachryma, lacrymosa, lacunosa, lacunosus, laevicosta, laevigata, laevis, laeviuscula, lamellosa, lampas, lapillus, lata, lateralis, laticosta, latisinuata, latissima, latona, lens, lenticularis, lentiformis, lentoidea, leopoldina, lepida, leveillei, lewisi, lima, limbata, lineata, lineolata, linguata, lingularis, linneana, livida, livonica, locellus, longa, longirostris, longitudinalis, longiuscula, loricata, lucinoides, luna, lunaris, lunifera, lupinus, lynx, lyra, lyrata, maceana, macloviana, macrocephala, magas, major, malvinae, mantelliana, mantiae, marcosana, marginalis, mariae, marsiliana, marsupialis, martini, matercula, maxilata, maxima, media, megaera, megatrema, melonica, membranifera, menardi, mentzeli, meridionalis, mesogona, meyerendorfi, michelini, microrhyncha, minerva, minima, minor, minuta, miocenica, modica, mowaca, monas, monstruosa, montolearensis, moorei, moreana, norlandia, moutoniana, mucronata, muensteri, multicarinata, multicostata, multiformis, multiplicata, multistriata, murchisoni, muricata, mutabilis, mutica, navicula, neapolitana, neglecta, nerviensis, nestiana, nigricans, niobe, nitens, nobilis, nomada,

aveniplicata, micella, miciformis, nucleata, nucleus, nuclea, nuda, nudissimalis, nympha, nysti, obesa, obliqua, oblitera, oblonga, oboliva, obovata, obsoleta, obtrita, obtusa, occulta, octoplicata, oliviani, omalogastyr, orbicularis, orbiculata, orbignyana, ornata, ornithocephala, orthiformis, ovalis, ovata, ovoides, ovum, oxyptycha, oxyrynchos, pala, papilio, paradoxa, parvirostris, parvula, passer, patagonica, paucicosta, pauperata, pecten, pectinata, pectinifera, pectiniformis, pectita, pectoralis, pectunculata, pectunculoides, pectunculus, pedata, pedemontana, pelapayensis, peltata, pennata, pentaedra, pentagona, pentagonalis, penteraster, pentatoma, pera, peregrina, perovalis, personata, peruviana, phaseolina, phaseolus, phillipsi, philomela, phoenix, picta, pinguis, pisum, plana, planitiata, plano-sulcata, planulata, platyloba, plebeja, pleurodon, plica, plicata, plicatella, plicatilis, plicato-dentata, plumbea, poeyana, polystoma, pomeli, porrecta, praegnans, praelonga, praemarginata, primipilaris, primula, princeps, prisca, proava, proboscidalis, prominula, promontorium, proserpina, pruniformis, pseudo-jurensis, psittacea, psittaceaeformis, psittacula, psyche, pugnus, pulchella, pulchra, pulla, punila, punctata, puscheana, puschiana, pusilla, pygmaea, quadrata, quadricostata, quadrifida, quadriplecta, quadruplicata, qualeni, quinquecostata, quinqueplicata, radialis, radians, radiata, recurva, reflexa, renieri, reniformis, repeliniana, rescisa, resupinata, reticularis, reticulata, retorquata, retracta, reversa, revoluta, rhombea, rhomboidalis, rhomboidea, richardiana, rigida, rimosa, ringens, ringicula, robertoni, roemeri, rogoznicensis, roissy, rosea, rostraliina, rostrata, rostriformis, rotunda, rotundata, royeriana, roysii, royssiana, ruhella, rubicunda, rubra, rugosa, rugulosa, rupellensis, rustica, sacculus, salinaria, salteri, sandonia, sanguinea, sanguinolenta, santonensis, sappho, saracena, sarthacensis, sartorii, sauvagei, sayi, scabra, scabrella, scaldensis, scalprum, schlotheimi, schnuri, schulzi, scobinata, scrobiculosa, securis, sella, sellaris, semicircularis, semicostata, semiglobosa, semilaevis, seminula, seminulum, semiorbis, simplex, semiplicata, semi-striata, semisulcata, senticosa, septata, septentrionalis, septigera, serpentina, serrata, sexangula, sexradiata, sigriz, sima, similis, simplex, sinuata, sinuosa, socialis, soldaniana, solitaria, soricina, sowerbyana, sowerbyi, spadae, spathica, spatulata, sphaera, sphaerica, sphaeroidalis, sphaeroides, sphaeroides, spinifera, spinosa, spinulosa, spiriferoides, spondylodes, squamata, squamosa, staszyci, strajeskiana, striata, striatella, striatula, stricklandi, strigiceps, strogonofi, subacuta, subalata, subangusta, subarenosa, subbidentata, subbipartita, subcamelina, subconcava, subconcentrica, subcrispata, subcurvata, subdentata, subdimidiata, subelongata, subferita, subfragilis, sublaevis, sublagenalis, sublepidi, sublobata, subobesa, suborbicularis, subovalis, subpectoralis, subpentagona, subpentagonalis, subplicata, subplicatella, subpulchella, subresupinata, subrotunda, sub-sella, subsimilis, substriata, subsufflata, subtriloba, subtrilobata, subtriquetra, subundata, subventricosa, succinea, sufflata, sulcata, sulcato-sinuosa, sulcifera, sulcirostris, superstes, sylphidea, tamarindus, tarda, tattrica, tayloriana, tcbibatcheffi, tegulata, tenuissima, tenuistriata, teretior, testudinaria, tetraedra, tetragona, thalassina, theodori, thetis, thisbe, toreno, tornacensis, toucasiana, transversa, triangularis, triangulata, tricostrata, trifoliata, trigonelloides, trilatera, trilineata, trilobata, triodont, tripartita, triplicata, triquetra, tritoma, truncata, tulipa, tumida, turpis, ulothrix, umbonata, umbonella, umbra, undata, undulata, unguiculata, unguiculus, unguis, ungula, uncostata, urna-antiqua, uva, valenciennei, vanuxemiana, variabilis, varians, velox, vendocinensis, venei, venetiana, ventriabrum, ventricosa, ventroplana, verneuili, verrucosa, versilofi, vespertilio, vicinalis, viquesneli, virgo, virleti, vitrea, voltzi, vulgaris, vulgata, vultur, wahlenbergi, walcottii, wilmingtongensis, wilsoni, wissmani, wurmi, yuennanensis, ypsilon, zelandica.

Terebratulina aquensis, auriculata, biauriculata, campaniensis, caput serpentis, chrysalis, dutempleana, ebinulata, floridana, gracilis, lacryma, martiniana, microscopica, ornata, parracena, philippii, phillipsi, striata, tenuistria, tenuistriata, venei.

Terebratulites acuminatus, acutus, aequirostris, alatus, angustus, aperturatus, approximatus, artifex, asper, bicanaliculatus, biforatus, bisuffarcinatus, chitoniformis, chrysalis, coarctatus, communis, complanatus, comprimatus, concavus, crenatus, cristatus, curvatus, decoratus, dimidiatus, dissimilis, elongatus, eriensis, explanatus, fragilis, giganteus, gracilis, grandis, gryphus, helvetius, intermedius, lacunoides, lacunosus, laevigatus, lagenalis, lateralis, latus, laxus, limbatus, loricatus, marsupialis,

- micilioscopicus, monticulatus, navicula, nucleatus, obliquus, oblongus, ostiolatus, papillatus, paradoxus, parasiticus, parva, pecten, pectiniformis, pectunculatus, pectunculoides, pectunculus, pelargouatus, peltatus, peregrinus, planiformis, plicatellus, priscus, radiatus, regularis, reticulatus, rostratus, sarcinulatus, scaphula, senticosus, spectosus, spiroso, squamiger, striatissima, striatulus, subhistoricus, subsimilis, substriatus, suffarcinatus, sufflatus, sustarcinatus, tegulatus, tenuissimus, trigonellus, triquetrus, umbraculum, variabilis, varians, vermicularis, vestitus, vicinalis, vulgaris.
- Terebripora** antiqua, irregularis, ramosa.
- Terebrirostra** arduennensis, canaliculata, lyra, neocomiensis.
- Terebrum** tigreum.
- Teredina** bacillum, clavata, hoffmanni, personata, striata.
- Teredo** amphisbaena, annularis, antenautae, antiqua, antiquatus, arenaria, argonnensis, bacillum, bipalmulata, bipennata, bruguieri, burtini, calamus, carinata, causoniana, clavata, cossus, dentatus, deshali, dorsalis, echinata, elongata, fatalis, fimbriata, fistula, fleurius, gigantea, gregata, malleolus, mediterraneus, megotara, minima, nana, nigra, nortonensis, palmulatus, pedicellatus, pennatifer, personata, petiti, requienianus, rotundus, senegalensis, simplex, subericola, substriata, tarbelliana, tibialis, tournali, truncata, vulgaris.
- Teredolites** clavatus.
- Teredosoma** nitida.
- Teredus** nitidus.
- Terekia** cinerea, javanica.
- Terellia** abrotani, alciphron, florescentiae, luteola, nebulosa, palleus, palpata, serratulae, wengeri.
- Teremyia** laticornis.
- Terenia** delicatula, grossipes, laticrus, suillorum.
- Teretrius** peruanus, picipes.
- Tergilla** familiaris.
- Tergipes** adpersus, affinis, aterritus, brochi, bullifer, coronata, despectus, dicquemari, edwardsi, fustifer, lacinulatus, maculata, pulcher, rupium, tergipes, tilesi.
- Terias** agave, albula, arbata, blanda, brenda, brephos, brigitta, bulaea, candida, charmione, defforata, delia, desjardinsi, deva, dina, drona, egnatia, elathea, elorea, elvina, euterpe, flavescens, floricola, gentilis, gnathene, gratiosa, harina, hecabe, herla, hyona, lucunda, laeta, leuce, lisa, mana, messalina, mexicana, musa, nicippe, nise, pallida, phiale, pleione, proterpia, pulchella, pyro, rahel, senegalensis, sinoe, smilax, stygma, stygmula, suava, tenella, thymetus, tilaha, vallona, venusta, westwoodi, xantochlora.
- Terina** fasciaria, perfidaria.
- Terinos** clarissa, sinha.
- Termatosaurus** albertii.
- Termes** angustatus, bremeri, castaneus, cephalotes, cingulatus, costatus, croaticus, cumulans, debilis, decumanus, devastans, dirus, dubius, ferruginosus, flavicollis, flavipennis, flavipes, floripes, fossile, frontalis, fuscum, grandaevus, grandis, haidingeri, insignis, lividus, marginipenne, mauricianus, molestus, montana, nasutus, nigricans, obesus, obscurus, ochraceus, pallidipennis, pallidus, pristinus, procerus, pusillus, quadricollis, radicum, ripperti, spectabilis, spinosum, subhyalinus, trinervius, viarum, viator.
- Terna** emerea, elegans, pusilla.
- Teropalpus** maculipennis, puncticollis, suturalis.
- Terphis** nodosa.
- Terpne** papilionaria.
- Terpsiphone** borbonica, cristata, ferreti, melanogastra, paradisi.
- Terrapene** bicolor, carolina, caspica, clausa, concinna, couro, europea, floridana, geographica, maculata, mühlenbergi, nebulosa, palustris, picta, punctata, reticulata, retzi, rubriventris, scabra, scorpioidea, serrata, triporecata, virgulata.
- Tersa** cayana, ventralis.
- Tersina** caerulea, tersa, ventralis.
- Tesia** albiventer, auriceps, castaneocoronata, caudata, concolor, cyaniventer, flaviventer, rufiventer, squamata.

- Tessaratoma** alternata, apicalis, bicornis, canaliculata, chinensis, flavicornis, ~~obscura~~, papillosa, robusta, sonnerati. *Vide et Tessarotoma.*
- Tessarocerus** affinis, bihamatus, inermis, retusus.
- Tessarodon** angulatus, piceus.
- Tessaromma** undatum.
- Tessaropa** tenuipes, ventralis.
- Tessarops** maritima.
- Tessarotoma** cuprea, flavicorne, javana, ossa-cruenta, proxima, ~~scutellaris~~, taurica. *Vide et Tessarotoma.*
- Tesserocerus** productus, ustulatus.
- Tesserodon** hollandiae.
- Testacella** ambiguus, bruntoniana, companyoni, cornica, corinna, costata, europaea, galliae, germaniae, guadeloupensis, haliotoidea, haliotoides, larteti, matheroni, maugei, ovum, scutulum, sicula, unguis.
- Testacellus** bisulcatus, haliotideus.
- Testudinella** argula, clypeata.
- Testudo** actinodes, amboinensis, angulata, antiqua, arachnoides, areolata, arran, belli, bertrami, bispinosa, boiei, bosci, cafra, cagado, calcarata, caouane, carbonaria, carolina, centrata, cepediana, cinerea, clausa, concentrica, concinna, coui, cuvieri, daudini, denticulata, depressa, dorsata, duncani, ecaudata, elegans, elephantina, elephantopus, emys, erosa, euphratica, europaea, fasciata, fimbriata, flava, floridana, forsteni, foveolata, galeata, geographica, geometrica, gigantea, giganeus, gigas, glutinata, graeca, graii, graja, granosa, granulata, gronovii, hercules, horsfieldi, iberia, insculpta, juvencella, lamanoni, livida, longicollis, lutaria, luteola, marginata, martinella, mauritanica, media, melanocephala, minuta, molassica, mühlenbergi, neraudi, niger, nigricans, nigrita, nilotica, oculifera, odorata, palustris, panama, pardalis, pedestris, peltastes, pennsylvanica, perraulti, picta, plana, planaria, planiceps, planitia, polyphemus, porphyrea, pulchella, punctata, punctularia, purgoti, pusilla, radiata, rafsch, reticularia, reticulata, retusa, retzi, rotunda, rubriventris, rugosa, schoepfi, schweiggeri, scorpioides, scripta, sculpta, sellovi, semimembranacea, semiserrata, serpentina, serrata, serresi, signata, spengleri, stellata, subrufa, tabulata, tentoria, terekay, terrestris, tessellata, tetradaetyla, tricarinata, verroxi, virgulata, vosmaeri, whitei.
- Tetanocera** albitarsis, algira, angulifera, aratoria, arrogans, bimaculata, bispinosa, bivittata, canadensis, catenata, chaerophylli, cincta, claripennis, consobrina, costalis, crinicornis, cucularia, cucullaria, dictyodes, divisa, dorsalis, elata, fenestrata, ferruginea, flavescens, flavifrons, frontalis, gracilis, graminum, guttularis, hieracei, hispanica, interstincta, irrorata, lacera, laevifrons, limbata, lineata, marginata, marginella, maritima, nemorum, nova, nubila, oblitterata, obscuripennis, ~~obsolata~~, paludosa, planifrons, plumosa, pratorum, prominens, punctata, punctipennis, recta, reticulata, robusta, rufa, rufifrons, sciomyzina, sigma, silvatica, stictica, struthio, testacea, trifaria, umbrarum, unicolor, unipunctata, ustulata, variegata, varipes, vicina, vittata, vittigera, zelleri.
- Tetanops** flavescens, myopina, sanguiuiceps.
- Tetanura** pallidiventris.
- Tetha** (Lep.) ambusta, bipuncta, dilata, duplaris, flavicornis, fluctuosa, gracilis, octogesima, oo, or, retusa, ruficollis, saliceti, scoriacea, subtusa, xanthoceros.
- Tethia** lincurium, lyncurium, opuntia, pumex, regularis, simplex, syphonifera. *Vide et Tethya.*
- Tethium** tubiferum.
- Tethya** asbestella, aurantium, carnosa, cavernosa, cirrhosa, complanata, cranium, cydonium, donati, ficus, lacuata, lyncurium, mammillosa, penicilliformis, pilosa, prunum, pulvinata, pyrifera, simplex, sphaerica, verrucosa. *Vide et Tethia.*
- Tetraaechma** sanguineomaculata.
- Tetrabothriorhynchus** migratorius, octobodiae, sepieae officinalis.
- Tetrabothrium** autocephalum, auriculatum, cylindraceum, emarginatum, heteroclitum, macrocephalum, sphaerocephalum, triangulare, tumidulum, vulpis.
- Tetracampe** flaviceps, impressa.
- Tetracaulodon** brevirostre*, godmani, kochi, longirostre, mastodontoideum, tapiroides.
- Tetracelis** fontana, mytili.

- Tetracerus** *foles*, *pacerois*, *quadriconis*, *subquadriconis*, *subquadriconutus*.
- Tetracha** *bifasciata*, *bifascialis*, *insignis*, *lacordairei*, *limata*, *mellyi*, *quadrisingata*, *somneri*, *testudinea*, *virginica*.
- Tetrachila** *conchella*.
- Tetracrita** *squamulosa*.
- Tetracnemis** *dubia*, *elegantula*, *selenophora*, *spuria*.
- Tetracnemus** *diversicorum*.
- Tetracoenia** *dupiniana*.
- Tetracrinites** *formosus*, *recoarensis*.
- Tetracrinus** *moniliformis*.
- Tetradactylus** *chalcidicus*.
- Tetradrachmum** *arcuatum*.
- Tetraglenes** *insignis*.
- Tetraglathia** *aenea*, *ananitica*, *argyra*, *armigera*, *aurata*, *bengalensis*, *bicolor*, *casula*, *celebesiana*, *cibrysochlora*, *culicivora*, *cylindrica*, *dandridgei*, *deinagnatha*, *elongata*, *epetrides*, *extensa*, *imbriata*, *flava*, *fulva*, *gibba*, *gibbosa*, *gracilis*, *grallator*, *granulata*, *labialis*, *laboriosa*, *lacerta*, *linearis*, *lunaris*, *lutea*, *mandibulata*, *nitens*, *obtusata*, *pelusia*, *protensa*, *refulgens*, *rubra*, *sanctitata*, *similis*, *sternalis*, *trapezoides*, *versicolor*, *violacea*, *viridis*, *zorilla*.
- Tetragona** (Coel.) *hispidum*, *quinquedentatus*.
- Tetragona** (P.) *bimaculatus*, *truncatum*.
- Tetragoneura** *distincta*, *birta*.
- Tetragonis** *murchisoni*.
- Tetragonoderus** *arcuatus*, *bax*, *bilunatus*, *crux*, *cursor*, *dilatatus*, *fasciatus*, *figuratus*, *interruptus*, *lecontei*, *leprieuri*, *nigrostriatus*, *punctatus*, *quadriguttatus*, *quadrinaculatus*, *quadrinotatus*, *quadrisingatus*, *quadrum*, *repandus*, *rhomboporus*, *rvularis*, *sericatus*, *sticticus*, *transversus*, *trifasciatus*, *undatus*, *variegatus*, *viridicollis*.
- Tetragonolepis** *altivelis*, *angulifer*, *bouei*, *confluens*, *dorsalis*, *heteroderma*, *leacbi*, *leposomus*, *magnevillei*, *mastodonteus*, *monilifer*, *muensteri*, *murchisoni*, *obscurus*, *ovalis*, *polidotus*, *pustulatus*, *radiatus*, *semicinctus*, *speciosus*, *striatus*, *striolatus*, *subseratus*, *trailli*.
- Tetragonopterus** *abramis*, *artedii*, *aureus*, *calceus*, *fasciatus*, *grandisquamis*, *gronovii*, *interruptus*, *latus*, *linnaei*, *maculatus*, *melanurus*, *orbicularis*, *orbignyanus*, *peruanus*, *rufipes*, *rutilus*, *scabripinnis*, *schomburgki*, *spilurus*, *taeniatus*, *vienta*, *wappi*.
- Tetragonum** *belzonii*.
- Tetragonurus** *atlanticus*, *cuvieri*, *simplex*.
- Tetragonus** (Col.) *chinensis*, *debaan*, *splendens*.
- Tetragonus** (Lep.) *catantus*.
- Tetragramma** *brongniarti*, *depressum*, *planissimum*, *variolare*.
- Tetragulus** *caviae*.
- Tetralasmis** *birsutus*.
- Tetralobus** *auricomus*, *australasiae*, *cimereus*, *duponti*, *flabellicornis*, *fortnumi*, *goryi*, *hopei*, *macrocerus*, *manglesi*, *natalensis*, *parryi*, *robustus*, *rondani*, *rotundifrons*, *savagei*, *subsulcatus*.
- Tetralonia** *atricornis*, *basizona*, *grobmanni*, *tarsata*.
- Tetralopha** *militella*, *robustella*.
- Tetrameres** *haemochrous*.
- Tetramerocrinites** *formosus*, *simplex*.
- Tetramesa** *iarbas*.
- Tetraneura** *rugicornis*, *ulmi*.
- Tetranichus** *trombidinus*.
- Tetrantaris** *truttae*.
- Tetranychus** *caudatus*, *cristatus*, *fervidus*, *lutearius*, *populi*, *prunicolor*, *russeolus*, *salicis*, *socius*, *spinigerus*, *telarius*, *tiliarium*, *ulmi*, *urticae*, *viburni*.
- Tetrao** *africanus*, *alpinus*, *arborea*, *arragonicus*, *arragonius*, *asiaticus*, *attagas*, *bengalensis*, *brachydactylus*, *cambaiensis*, *capensis*, *caucasica*, *cbata*, *coticus*, *crassirostris*, *cristata*, *curvirostris*, *empetrum*, *ericus*, *franklini*, *fusca*, *guttata*, *belveticus**, *hudsonicus*, *intermedius*, *islandicus*, *islandorum*, *juniperorum*, *lagophoides*, *leucurus*, *maculatus*,

indoleus, marmoratus, medius, obscurus, ocellatus, phasianellus, pileatus, reinhardi, ~~reinhartii~~, sabini, saliceti, senegalensis*, subalpinus, torquatus, tympanistes, urophasianus, urophasianellus, urophasianus, variabilis, variegatus, zeylonicus.

Tetraodon argenteus, bicolor, calamara, calamaroides, diadematus, firmamentum, graumatocephalus, gronovii*, hamiltoni, iuermis, kinhardtii (*err. pro. kunhardtii*), lacrymatus, laevisissimus, leiopleura, leiurus, lunaris, mappa, margaritatus, modestus, oviformis, pantherinus, papua, pardalis, parvus, perspicillaris, peccilonotus, porphyreus, potamophilus, reticulatus, rivulatus, rubripes, scaber, semistriatus, sordidus, stellatus, stictonotus, striolatus, vermicularis, xanthopterus.

Tetraodorhina ebenina, rubro-fasciata.

Tetraogallus altaicus, caucasicus, himalayensis, nigelli.

Tetraonyx (Col.) bicolor, bimaculatum, bipunctatum, cinctus, collare, crassa, cruciatus, discicollis, dispar, femorata, flavicollis, flavipennis, frontalis, limbatus, luctuosa, maculatus, octomaculatum, quadrilineata, quadrinaculatus, rupicollis, septemguttatus, sexguttatum, subnigra, transversalis, ventralis, vittata.

Tetraonyx (R.) affinis, batagur, lessoni, longicollis.

Tetraoperdix nivicola.

Tetraopes annulatus, cordifer, dimidiata, femoratus, laeta, quinqueimaculatus, testator, tornator, varicornis.

Tetraophthalmus splendidus.

Tetrapedia diversipes.

Tetraphyllus bicolor, formosus, latreillei, reaumuri, splendidus, sumptuosus.

Tetraplodon pectinatum.

Tetrapodichnites didactylus.

Tetrapsellium pulchrum.

Tetrapterus minor, priscus.

Tetrapteryx capensis.

Tetrapturus belone, georgii, herscheli, indicus.

Tetrarhynchobothrium tenuicolle.

Tetrarhynchus appendiculatus, attenuatus, claviger, cysticus, discophorus, elougatus, foveolatus, gracilis, grossus, lingualis, longicollis, macrobothrius, megabothrius, megacephalus, minimuscysticus, minutus, morhuae, notidanus, papillosus, pleuronectis maximus, scolecinus, solidus, squali, strumosus, tenuicollis, tetrabothrium.

Tetras empetram.

Tetrasiphon hydrocora.

Tetraspilus basilaris.

Tetrastemma assimile, bioculatum, candidum, dubium, flavidum, fuscum, groenlandicum, longicapitatum, lumbricoideum, quadripunctata, rufescens, sipunculus, subpellucidum, varicolor.

Tetrastes bonasia.

Tetrastichus abantidas, abydenus, acesius, achaemenes, adalia, aega, agathocles, agrus, alcithoe, amenon, amynus, anodaphus, anteius, anticlea, anysis, anyta, apama, arathis, archideus, aristaeus, armoeus, arses, articas, asopus, athenais, athyrte, attalus, autonoe, baucis, bermius, beroe, biguttatus, brunchus, bunus, cacus, catus, caudatus, chares, charoba, cleonica, clito, conon, cyrrhus, daimachus, daïra, deilochus, deioces, deipyrus, deldon, diaphantus, dotus, dymas, ecus, eleuchia, emesa, endemus, epicharmus, epidius, eratus, euagoras, euedochus, eupolis, eurytus, evonymellae, fannius, faucula, februs, flavifrons, gala, gaus, glycon, granulatus, haemon, hippasus, hippis, hypsistus, idithyia, idothea, ione, isander, lacaena, lachares, lagus, lamius, lelaps, leocrates, leucone, ligus, lycidas, lycippe, lyridice, mandanis, marbis, mazaeus, menius, metra, miser, molo, monesus, murcia, mutilia, mycerinus, myron, myrsus, narcaeus, natras, naucles, neis, nerio, norax, novatus, numeria, nymphis, orithyia, orodes, oropus, orsedice, orsillus, otys, oxathres, pampyles, paralus, pawsis, phalis, phuneus, plangon, polybaea, pronomus, prosymma, proto, quercens, rabirius, racilla, rapa, renale, rhacius, rhipheus, rhode, rhoeo, rhosaces, sandace, scadius, silius, sino, sinope, smilis, sotades, suero, suevius, tachos, tenerus, teridae, totis, triarius, tulis, tymber, tyrtoeus, upis, vaccus, vacuna, valens, valerus, vicellius, vincius, voranus, xenares, xenocles, xeuxes, xixuthrus, zaleucus, zenocia, zeuxo, zoilus, zopyrus, zosinus.

Tetrastoma playfairi.

Tetrataxis conica.

Tetratoma cupricollis, desmaresti, dimidiatum, obsoleta, pallida, picta, tessellata, variegata, virgo.

Tetrix (A.) niger, sylvicola.

Tetrix (Orth.) acuminata, arenosa, areolata, argillacea, asinodaesus, belphegor, belzebuth, bilineata, bimaculata, bimaculatus, bipunctatum, bivittata, carinata, cnemodota, coronata, cucullata, depressa, dimidiata, dorsalis, ensifer, exclamationis, harpago, lateralis, laticeps, lucifer, marginata, meridionalis, mucronata, nutans, obscura, ornata, oxycephala, panzeri, parvipennis, polymorpha, producta, quadrimaculata, scapularis, scutellatum, sordida, striata, subulata, thoracica, uncinata.

Tetroda histeroides.

Tetrodon aerostaticus, alboplumbeus, angusticeps, annulatus, argenteus, argyropleura, atratus, batrachoides, bimaculatus, bondardus, capistratus, carduus, caria, cinctus, commersoni, compressus, curvus, cutcutia, dissutidens, facies caerulea, fasciatus, fluviatilis, geometricus, glaber, gularis, guttifer, hispidus, immaculatus, implutus, insignitus, lagocephalus, laterna, lunaris, maculatus, manuilensis, marmoratus, marmoreus, mathematicus, meleagris, naritus, nigropunctatus, nigroviridis, ocellatus, pachycephalus, pachygaster, patoca, pennanti, physa, plumeri, pseudopterus, psittacus, punctatus, reticularis, reticulatus, richei, semispinosus, simulans, solandri, spadiceus, stellatus, strigosus, tepa, turgidus, virgatus.

Tetronyx baska.

Tetrophthalmus suturalis.

Tetrops praecusta.

Tetrophthalma chiloensis.

Tetropus productus.

Tetroras angiova.

Tetrorrea cilipes.

Tetrosomus turritus.

Tetroxia spinifera.

Tettigades chilensis, compacta.

Tettigometra atra, atrovirens, bicolor, dorsalis, impresso-punctata, laeta, obliqua, piccola, pistacina.

Tettigomyia annulata, lutea, musca. *Vide et Tettigomyia.*

Tettigonia acuminata, adscendens, adorabilis, adpersa, affinis, albicaus, algira, argentata, arundinis, atra, aurata, australasiae, basalis, basilaris, bicincta, bifasciata, bifida, biguttata, bipustulata, brunnea, candidissima, carinata, castaneae, chlorescens, chrysophthalma, ciliaris, cincta, coagulata, collaris, colorata, comes, concinna, costalis, crenata, cuspidata, diadema, dispar, dorsalis, duodecimpunctata, elegantissima, elegantula, erythrocephala, exaltata, exilis, fabae, farinaria, fasciata, fenestrata, festiva, flavicollis, flavoguttata, fraxini, frontalis, fulgida, geometrica, gigantea, glaucumaculata, gratiosa, guttata, haemorrhoea, harrisi, hexaptera, hieroglyphica, impressa, incarnata, interrupta, intersecta, irrorata, lania, lateralis, leucocephala, leucophthalma, limbata, lineata, longivittata, lunulata, lurida, macroptera, maculata, mannifera, marginata, marmorata, miniata, mixta, mollipes, muscaria, nigrolineata, nitidula, obliqua, obscura, oblecta, obtusa, oecatoria, octolineata, ornata, oxitura, philaemata, phosphorea, prasina, pubera, pubescens, pulchella, pulcherrima, punctata, purpurata, pusilla, pygmaea, quadrifasciata, quadrimaculata, quadri-notata, quadripunctata, quadriverrucata, quadrivittata, quercus, quinquemaculata, rosae, rubra, rufescens, ruficollis, rufiventris, rutilans, saccata, salicina, sanguinea, sanguinicollis, sanguinolenta, scutellata, sericea, sexnotata, similis, spumaria, striata, strumosa, sulcicollis, sumptuosa, suturalis, thoracica, tomentosa, transversa, triangularis, trifasciata, trisignata, tristriata, truncatipennis, truncatula, tympanum, ulmi, umbrosa, undata, undulata, unicolor, urtica, varia, vernicosa, versuta, vespiformis, victima, virens, virescens, viridis, vitis, vitrea, vitripennis, vittata, xanthocephala.

Tettigopsis nudipes, pedo, serrata.

Tettix bipunctatus, bispinosa, meridionalis, nutans, schranki, subulata.

Tettagomyia tabaniformis. *Vide et Tettagomyia.*

Tetrya acaroides, aethiops, affinis, alholineata, alternata, anchorago, annulus, arabs, arcuatus, argus, baro, billardieri, bispinosa, bosci, carbonaria, caudata, cerintlie, chrysorrhoea, cinctipes, cinerea, coccinea, cognata, comes, costata, cribraria, cyanipes, daldorfi, denovani, desfontaini, diana, diophthalma, dispar, dorsalis, druraci, duodecimpunctatus, eques, excellens, fabricii, fimbriata, flavipes, flavolineata, fuliginosa, fulvicornis, furcifer, gernerii, gibba, globus, grammicus, granulata, heliopioides, hispina, hottentottus, humeralis, illustris, imperialis, impressa, inuncta, irroratus, lanata, lapponica, lateralis, liligera, lineata, lineola, litura, lundii, lurida, lyncea, marginata, marimorata, maroccanus, maura, mucorea, multipunctata, neglecta, nigellae, nigra, nigrolineata, nobilis, obliqua, ocellata, orientalis, paedemontanus, pagana, pallipes, patricius, pedicellata, picta, regalis, rustica, scarabaeoides, schangini, schestedi, schoenherri, schousbouei, schulzi, semipunctata, senator, sexpunctatus, signata, silphoides, smidti, stigma, stockerus, stolidi, strigata, subspinosa, tangira, tibialis, trilineata, tuberculata, vahlii, violacea, wolffii.

Teuchestes brunneus, fossor, sylvaticus.

Teudopsis agassizi, ampullaris, bollensis, buneli, caumonti, piriformis.

Teuthis australis, chirurgus, concatenata, dorsalis, parva, sumatrensis.

Teutobochus rex.

Textilaria aculeata, americana, areolata, flesus, incrassata, pleuronectes, semipunctata, stichopora. *Vide et Textularia.*

Textilia ammiralis, auratus, bullatus, communis, pyramidatus, rubiginosus.

Textor alecto, aureicapillus, aureiflavus, capitalis, castaneo-fuscus, cucullatus, dinemelli, erythrorhynchus, flavigula, flavoviridis, galbula, larvatus, malimbus, mariquensis, melanocephala, melanotis, rubiginosus, spilonotus, subaureus, vitellina.

Textrix agilis, ferruginea, montana, torpida, vestita.

Textularia abbreviata, aciculata, acuta, agglutinans, anceps, angularis, articulata, aspera, baudouiniana, brunniana, bulloides, candeiana, capreolus, caribaea, carinata, caudata, communis, compressa, concinna, conica, consecta, conulus, cuneiformis, deltoidea, dentata, deperdita, digitata, dilatata, echinata, ehrenbergi, elliptica, elongata, foeda, gibbosa, globulosa, gracilis, gramen, haueri, janiformis, laevigata, laevis, lanceolata, lingula, lobata, marginata, mariae, mayeriana, media, nussdorffensis, oblonga, obsoleta, obtusa, obtusangula, ovata, oviformis, pala, partschi, pectinata, perforata, pigmea, plana, praelonga, punctata, punctulata, quadrangularis, rugosa, sagittula, sauleyana, scalpelliformis, spica, spinosa, striata, subangularis, subangulata, subelongata, tricarinata, triquetra, triticum, trochioides, trochus, tuberosa, tumida, turbo, turris. *Vide et Textularia.*

Thaenionotus torvus.

Thaerodontis cineraceus, flavimarginata, maculata, nigricans, ophis, reticularis, reticulata, stellata.

Thais (G.) fucus, haemastoma, minuta.

Thais (Lep.) apollina, cassandra, cerisyi, cerisyi, creusa*, honnorati, hypsipyle, medesicaste, meta*, polyxena, rumina.

Thalamia parietalis.

Thalamita admete, annulata, callianassa, chaptali, crenata, crucifera, erythrodactyla, prymna, pulchra, truncata. *Vide et Talamita.*

Thalamocoenia ornata.

Thalamopora cribrosa, siphonoides, vesiculosa.

Thalamospongia cottaldina.

Thalamus polimitus.

Thalanema capitata.

Thalarctos maritimus, polaris.

Thalassa flaviceps, montezumae, pentastigma, prasina, reyi, similaris.

Thalassadroma australis. *Vide et Thalassidroma.*

Thalassarctus maritimus.

Thalassema echiura, edulis, forcipata, neptuni, rupum, scutatus, vulgaris.

Thalasseus anglica, candicans, canescens, cantica, caspia, elegans, pelicanoides, polio-cercus, regius, torresi, trudeaui, velox.

- Thalassianthus* aster.
Thalassides coburgensis.
Thalassidroma bullocki, bulweri, fregatta, fuliginosa, furcata, grallaria, hypoleuca, leachi, leucogaster, lineata, marina, melanogaster, melitensis, nereis, oceanica, pelagica, tropica, wilsoni. *Vide et Thalassadroma*.
Thalassina anomala, davyana, deltura, emerii, grandidactylus, littoralis, mutatoria, scorpioides, scorpionoides, stellata, styrhyncha, subterranea, talpa.
Thalassites (A.) magnirostris, melanotis.
Thalassites (L.) concinna, crassiuscula, listeri.
Thalassobius testaceus.
Thalassochelys caretta.
Thalassoma purpurea.
Thalassorhinus platyrhynchus, vulpecula.
Thalassornis leuconotus.
Thaleops ovata, ovatus.
Thalera aestivaria, bupleuraria, putata, thymiaria.
Thalia leucophthalmus.
Thaliella ornata.
Thalis trilineata.
Thaliura ripheus.
Thalassoetis pelagicus.
Thallepus ornatus.
Thallis compta, ianthina, viuula.
Thalliurus blochi.
Thalpophila (Col.) abbreviata, polita.
Thalpophila (Lep.) prospicua, texta.
Thalurania cyanifrons, eriphile, furcatus, glaucopsis, nigrofasciatus, schreibersi, viridipectus, wagleri, watertoni.
Thalycra australis, sericea.
Thamnasteria digitata, gigantea, lamourouxii, magnavilla, microstella, stellulata.
Thamnastrea affinis, cadomensis, dendroidea, micrantha.
Thamniscus dubius.
Thamnobia albiscapulata, albospectularis, atrata, cambayensis, cinnamomeiventris, coryphaea, frontalis, fucata, leucophrys, melaena, paena, pectoralis, ptymatura, ruiventer, scapularis.
Thamnobius (Col.) dregei, eckloni, thoreyi, zeyheri.
Thamnobius (R.) poecilostoma.
Thamnodus melanocephala.
Thamnodynastes punctatissimus.
Thamnolaia albiscapulata, cinnamomeiventris, semirufa.
Thamnomanes caesius, glaucus.
Thamnophilus (A.) affinis, agilis, alapi, albicans, albicollis, albiventer, albonotatus, ambiguus, atricapillus, aurantius, auratus, axillaris, badius, bicolor, brevirostris, caeruleus, canadensis, capistratus, caudacutus, chloropterus, cinnamomeus, cirrhatus, coraya, cristatellus, cristatus, curvirostris, cyanocephalus, doliatus, fasciatus, ferrugineus, fuliginosus, griseus, guianensis, gularis, guttatus, immaculatus, jani, leachi, leucocephalus, leuconotus, lineatus, lividus, longicaudatus, longicaudus, luctuosus, maculatus, major, melanocephalus, melanogaster, meleagris, minutus, multi-striatus, myothermus, mystaceus, naevius, niger, nigricans, obscurus, olivaceus, palliatus, pectoralis, pileatus, quixensis, radiatus, ruber, rubicus, rubiginosus, ruficapillus, ruficeps, ruficollis, rufifrons, rufinus, rufiventer, rufus, rutilus, sabini, scalaria, scapularis, schistaceus, severus, stagurus, stellaris, striatus, strictothorax, strigilatus, swainsoni, tchagra, torquatus, undulatus, varius, vigorsi, virescens, viridis.
Thamnophilus (Col.) armicollis, asphaltinus, atramentarius, barbicornis, barbitus, brunnipes, carbonarius, carnifex, cerasi, duplicatus, flavicornis, frontalis, linearis, memnonius, uorosis, nitidus, olyra, pallidus, pandura, phlegmaticus, pruni, punctirostris, rhina, rufus, stygius, trifoelatus, trucidatus, violaceus.
Thamnophis saurita.

- Thamnoplus** *atrocapillus*.
Thamnopora *madreporacea*, *milleporacea*.
Thamnotettix *adumbrata*, *antennata*, *atricapilla*, *biguttata*, *confinis*, *cruentata*, *cyane*, *flaveola*, *griscens*, *intermedia*, *lunulata*, *paludosa*, *phragmitis*, *plebeja*, *prasina*, *punctifrons*, *quinquenotata*, *reticulata*, *sordida*, *striatula*, *stupidula*, *subfuscula*, *tincta*, *torneella*.
Thanaos *cervantes*, *marloyi*, *obscurus*, *tages*.
Thanas *rustan*.
Thanasimus *abdominalis*, *accinctus*, *acerbus*, *acutipennis*, *bipustulatus*, *capensis*, *columbicus*, *confusus*, *costicollis*, *eburneo-cinctus*, *formicarius*, *gayi*, *impressus*, *indicus*, *monilis*, *mutillarius*, *nudatus*, *pictus*, *prasinus*, *proteus*, *quadrinaculatus*, *ruficeps*, *subsimilis*, *substriatus*, *verreauxi*.
Thanatophilus *sinuata*.
Thanatus *formicinus*, *oblongus*, *parallelus*, *striatus*, *trilineatus*.
Thaneroclerus *accinctus*, *buqueti*, *dermestoides*, *sanguineus*.
Tharops (Col.) *melasoides*.
Tharops (Lep.) *menander*, *thersander*.
Tharrhaleus *altaicus*, *atrogularis*, *montanellus*, *strophiatius*.
Tharsis *elongatus*, *germari*, *intermedius*, *microcephalus*, *parvus*, *radiatus*.
Thaumalea (A.) *amherstiae*, *picta*, *superba*.
Thaumalea (Cr.) *depilis*.
Thaumalea (Dipt.) *tarda*, *testacea*.
Thaumaleus *typicus*.
Thaumantias *aeronautica*, *convexa*, *cymbaloidea*, *diaphana*, *gibbosa*, *globosa*, *hemisphaerica*, *inconspicua*, *leucostyla*, *lineata*, *lucida*, *lucifera*, *maculata*, *melanops*, *multicirrata*, *octona*, *pileata*, *pilosella*, *plana*, *punctata*, *quadrata*, *sarnica*, *thompsoni*.
Thaumantis *arcesilaus*, *diores*, *eumeus*, *oda*, *odana*.
Thaumas (Inf.) *socialis*.
Thaumas (Lep.) *capensis*, *cecrops*, *vespertilio*.
Thaumas (P.) *alifer*, *draco*, *fimbriatus*.
Thaumasia (Ar.) *adpersum*, *senilis*.
Thaumastura *cora*, *fanny*, *vesper*.
Thaumantias *albicollis*, *bicolor*, *brevirostris*, *caeruleus*, *candidus*, *caniveti*, *cyaneus*, *doubledayi*, *leucogaster*, *leucotis*, *mellisugus*, *milleri*, *ourissia*, *thaumantias*.
Thaumatopeoa *pityocampa*.
Thaumatosaurus *oolithicus*.
Thaumaturus *furcatus*.
Thaumetopoea *pityocampa*, *processionea*.
Thea (Col.) *variegata*, *vigintiduo=punctata*.
Thealia *acanthophora*.
Theano *cruciatius*, *pusilla*.
Theatops *postica*.
Theba *adjecta*, *agnata*, *apicina*, *arenaria*, *arenosa*, *bicarinata*, *bicolor*, *caespitum*, *campestris*, *candidula*, *carthusiana*, *carthusianella*, *cemenolea*, *charpentiera*, *cisalpinia*, *clandestina*, *concinna*, *conica*, *conoidea*, *conspurcata*, *corrugata*, *costulata*, *crenulata*, *cretica*, *decussata*, *ekloniana*, *elata*, *epiglottidea*, *ericetorum*, *erythrostoma*, *fallaciosa*, *fimbriolata*, *incarnata*, *instabilis*, *interjecta*, *javanula*, *lauta*, *lecta*, *leucas*, *leucaster*, *leucostoma*, *maritima*, *meridionalis*, *michaudi*, *monilifera*, *muehlfeldti*, *neglecta*, *nilssoniana*, *obsoleta*, *obvia*, *pisana*, *planata*, *polymita*, *portosanctae*, *punctatofasciata*, *pyramidata*, *pyramidella*, *quimperiana*, *requieni*, *roseo-tincta*, *rosetti*, *rubella*, *rugosiuscula*, *sectilis*, *simia*, *striatula*, *strigata*, *strigilla*, *strigosula*, *subdentata*, *tergestina*, *terveri*, *thymorium*, *tingitana*, *trochoides*, *variegata*, *villosa*, *virgata*, *zonata*. *Vide et Teba*.
Theca *anceps*, *forbesi*, *lanceolata*, *triangularis*.
Thecacera *pennigera*.
Thecadactylus *laevis*, *pollicaris*, *rapicauda*.
Thecesternus *humeralis*.
Thecia *expatata*.

- Thecidea* antiqua, corallina, cordiformis, dubia, essensis, hieroglyphica, hippocrepis, mediterranea, papillata, radians, radiata, recurvirostris, rugosa, spondylea, testudinaria, tetragona, triangularis.
- Thecidium* digitatum, pumilum.
- Thecla* ahdominalis, acis, acmon, actaeon, aetolus, agrippa, arjuna, arsace, augustus, battus, bazochi, beon, hetulae, hubastus, calanus, caudatula, celmus, ceranus, chitra, colus, cupentus, cyllarus, damon, didymaon, dindymus, drona, echion, epicles, falacer, faunus, favonius, gabriela, galathea, halesus, hemon, herodotus, hugo, humuli, hyberici, ilicioides, ilicis, imperialis, irus, isocrates, janias, jarbas, kissuma, liparops, Malhum, macaria, malika, marsyas, melihaeus, menalcas, meton, moncus, mopsus, narada, nasaka, nedymond, nila, nippon, nissa, orcas, ortygnus, pan, phaleros, pholcus, poeas, polybe, pruni, psyche, quercus, rama, ravindra, rohoris, romulus, rustan, sassanides, sichaeus, silenus, simaethis, sito, smilacis, sorya, spini, sugriva, syla, sylvanus, syncellus, thales, thallus, thetis, titus, varuna, vesulus, vidura, xenophon.
- Thecocyathus* mactra, tintinnahulum.
- Thecodactylus* caudiverba, sarube, seychelliensis.
- Thecomyia* longicornis.
- Theconyx* seychellensis.
- Thecophyllia* arduennensis, beaumonti, cyclolitoides, decipiens, elongata, granulata, guettardi, luciensis, numismalis, patellata, ponderosa, sarthacensis, sessilis.
- Thecosmilia* buvignieri, confluens, crassa, cylindrica, glomerata, lobata, ramosa, requieni, rudis, seminuda, suheylindrica, trichotomum, trilohata, turhina.
- Thecostegites* auloporoides, bouchardi, parvula.
- Thectodus* crenatus, glaber, inflatus, tricuspidatus.
- Thelaira* ahdominalis, hifasciata.
- Thelastoma* appendiculatum, attenuatum, lahiatum, robustum.
- Thelaxes* quercicola.
- Thelazia* rhodesi, rhodii.
- Thelazius* rhodesi.
- Thelepus* hergmanni.
- Thelia* acuminata, antica, himaculata, hracheata, camelus, citrina, cyrtops, ephippigera, excelsa, expansa, galeata, miltoglypta, monticola, pallida, planeiflava, porphyrea, scalaris, sculpta, tuherosa, ursus.
- Theliconus* nussatella, terehra.
- Thelida* filiformis, vespertilinea.
- Theliderma* irrorata, lachrymosa, metanevra, nodulosa, peruviana, pustulosa, verrucosa.
- Thelidomus* brazilensis.
- Thelima* complanata.
- Theloderma* (R.) leporosa.
- Thelotornis* capensis.
- Thelpheusa* leschenaulti, nilotica, perlata.
- Thelphusa* berardi, cumingi, cunicularis, dehaani, depressa, erythropus, gracilipes, grapsoides, rotunda, senex, serrata, spinigera.
- Thelxiope* palpigera.
- Thelyphonus* angustus, antillanus, australianus, brasilianus, caudatum, giganteus, linganus, manilanus, proscorpio, rufimanus, rufipes, spinimanus.
- Themeon* rigatus.
- Themesia* auricapilla, daris.
- Themira* leachi, minor, phantasma, pilosa, putris, orientalis.
- Themiste* hennahi.
- Themisto* (Cr.) arctica, brevispinosa, crassicornis, gaudichaudi, longispinosa.
- Themisto* (Nud.) clavigera, flava, quadrilineata.
- Themisto* (Verm.) carunculata.
- Themognatha* variabilis.
- Thenaropus* heterodactylus, leptodactylus, ovoidactylus, pachydactylus, sphaerodactylus.
- Thenus* indicus.
- Theoclytes* chlorophaea, foliata, lobipes, undata.
- Theocolax* formiciformis.

Theodoxus lutetianus, redivivus.

Theogenes neptunus.

Theonistes rouxi.

Theonoa chlatrata, globosa.

Theope lagus, terambus.

Theorus uncinatus, vernalis.

Thera confierata, firmaria, fulvata, juniperaria, juniperata, similaria, simulata, variaria, variata.

Theraneis vittata.

Therapha cinerea, hyosciami.

Therapis citrinaria, evonymaria, flavicaria.

Therapon cinereus, glibul, jarbua, obscurus, oxyrhynchus, puta, quadrilineatus, rubricatus, servus, squalidus, theraps, transversus, trivittatus, xanthurus.

Therates acutipennis, basalis, coracina, dimidiata, festiva, fulvipennis, humeralis, javanica, labiata, marginatus, parmatana, payeni.

Theresia tandrec.

Theretra equestris, nechus, tersa.

Thereua venusta.

Thereus lausus.

Thereva abdominalis, albicans, albifrons, albilabris, albina, albipennis, albipes, anilis, annulata, aperta, apicalis, appendiculata, arcuata, ardea, atripes, betula, bilineata, binotata, bipunctata, bisignata, bivittata, brevicornis, caeruleus, caesia, chilensis, cincta, cinerea, cimifera, circumscripta, claripennis, concolor, confinis, conformis, conspicua, cylindrica, didyma, dimidiata, dispar, dubia, eximia, fascipennis, flavescens, flavicornis, flavilabris, frontalis, fulva, funebris, fuscinervis, fuscipennis, germana, grisea, hirtipes, holosericea, hyalipennis, imberbis, inconstans, lanata, lanipes, lapponica, lateralis, latifrons, lugeus, lugubris, lunulata, luteola, macularis, marginata, marginula, melaleuca, microcephala, misella, muscaria, nana, nervosa, nigella, nigra, nigripennis, nigripes, nitida, niveipennis, notabilis, notata, nuba, nudifemorata, obtecta, olivieri, pennipes, pictipennis, pilipes, plebeja, plumipes, poeciloptera, porcellus, punctipennis, pygmaea, quinquevittata, rubicunda, ruficaudis, ruficornis, rufipes, rustica, senex, senilis, singula, spilopecta, spinulosa, subfasciata, subtilis, taeniata, tenuitarsus, tergisa, thoracica, tricolor, tristis, tuberculata, valida, varia, variabilis, varipes, vicina, vittigera.

Theria (Dipt.) palpalis.

Theria (Lep.) fuscaria, ruficaparia.

Therias sari.

Theridion acuminatum, affine, agreste, albens, albocinctum, albolineatum, albomaculatum, alveolus, ambiguum, anchorum, anglicanum, angulatum, anticum, aphane, argus, armatum, attritum, backi, benignum, bicolor, bicorne, bituberculatum, blandum, boreale, breve, bucculentum, callens, cancellatum, carolinum, cheliferum, citreum, civicum, comatum, concinnum, cornutum, cristatum, cruciatum, dentatum, denticulatum, dentipalpe, dispar, distinctum, dorsiger, dysderoides, elongatum, erythrocephalus, erythropus, extensum, fictitium, filipes, flavomaculatum, foliaceum, formosum, frondeum, fulvolimulatum, funebre, funerarum, fuscum, globosum, guttatum, incertum, intentum, leoninum, lepidum, leuconotum, levipes, lichenis, liliputanum, lineatum, longimanum, longipalpe, luctuosum, luatum, lyra, maculatum, mandibulare, marginellum, marmoratum, maxillare, maxillosum, melanurum, minimum, minusculum, modestum, monoceros, morologum, nebulosum, nervosum, nigromarginatum, nigropunctatum, obscurum, ocellatum, onustum, opimum, ornatum, oscitabundum, ovatum, pallipes, parallelum, parvipalpe, paykullianum, pectitum, peritum, pertenuis, phaeopus, pictum, pulchellum, pullulum, punctatum, punicum, purpureum, pusillum, pygmaeum, quadriguttatum, quadripunctatum, quadri-signatum, redimitum, reticulatum, riparium, roscidum, roseum, rubicundum, rubripes, rufipes, rufithorax, rufolineatum, rufum, saxatile, serpentinum, sexualbomaculatum, signatum, silvestre, sisiphum, sphaerula, spinipes, studiosum, sublatum, sulcifrons, superbum, terrestre, thoracicum, tibiale, tinctum, transversum, tredecimguttatum, triangulifer, trigonum, triste, typicum, umbrosus, uncinatum, urticae, varians,

- variegatum*, *variegatum*, *venenosum*, *ventrosus*, *venustum*, *verecundum*, *vernale*, *versutum*, *vicinum*, *virgatum*, *viride*, *vittatum*, *vulgare*, *walkenarium*, *zonatum*.
Theridium *aulicum*, *braccatum*, *castaneum*, *coracinum*, *grossum*, *irroratum*, *lunatum*, *pallidum*, *redimitum*, *reticulatum*, *saxatile*, *simile*, *sisyphus*, *tenellum*, *tepidariorum*, *triste*, *varians*, *venustissimum*, *verecundum*, *vittatum*.
Therina (Dipt.) *femoralis*, *nigra*.
Therina (Lep.) *fervidaria*.
Therinia *breviaria*, *lactucinaria*, *onustaria*, *sambucaria*, *stricturaria*, *strigaria*.
Theriobius *rugatus*.
Theriodomys *jourdani*.
Therion *amictum*, *cerinops*, *circumflexum*, *enecator*, *fibulator*, *flaveolatum*, *gracilipes*, *lugubre*, *ruficorne*, *tenuicorne*, *xanthopus*.
Theristicus *caerulescens*, *melanopsis*.
Theristis *acinacidella*, *cultrella*, *nemorella*, *pterella*.
Theritas *cypria*, *mavors*, *venus*.
Therius (Col.) *fulvipes*, *luridipennis*, *rugatus*, *suturalis*.
Thermesia *abadirina*, *acronias*, *gotenaari*, *scolopacea*.
Thermonectus *incisus*, *irroratus*, *nimbatus*.
Thermonetus *incisus*, *margineguttatus*, *ornaticollis*.
Thermophila (Col.) *leucospelota*, *ranzanii*.
Thermophila (Lep.) *aecus*, *angelicae*, *charon*, *cytisi*, *filipendulae*, *glycirhizae*, *hypocrepidis*, *lonicerae*, *medicaginis*, *orobi*, *peucedani*, *transalpina*, *trifolii*, *viciae*.
Thermophilus *capensis*.
Thermospongia *sphaerica*.
Theron *tenuirostre*.
Theropithecus *gelada*.
Theroscopus *cingulatus*, *dromicus*, *elegans*, *esenbecki*, *gravenhorsti*, *inaequalis*, *ingrediens*, *pedestris*, *subzonatus*, *trifasciatus*.
Thespis *aptera*, *brachyptera*, *fasciata*, *guerini*, *infumata*, *livida*, *parva*, *purpurascens*, *quinquemaculata*, *sulcatifrons*.
Thestias *aenippe*, *balice*, *marianne*, *pirene*, *venilia*.
Thestius *archytes*, *ematheon*, *gabrielis*, *hyacinthus*, *lycabus*, *pholcus*.
Thestor *ballus*, *petalus*.
Thetia *perspicillata*.
Thetidia *plusiaria*.
Thetis (Inf.) *diffuens*, *tenax*.
Thetis (L.) *cerina*, *laevigata*, *major*, *minor*, *parva*, *sowerbyi*, *trigona*, *undulata*.
Thetis (Nud.) *cornigera*, *fimbria*, *leporina*, *parthenopeia*, *polyphylla*.
Thetys *vagina*.
Thia (Col.) *pusilla*.
Thia (Cr.) *blainvillei*, *polita*, *rostrata*.
Thiania *pulcherrima*, *sumptuosa*.
Thiara *fasciata*, *hollandri*.
Thiarella *coronata*, *diadema*, *lugubris*, *millepora*, *papalis*, *pontificalis*, *puncticulata*.
Thiatyra *flexuosa*.
Thicolia *varians*.
Thimalia *platyura*, *poioccephala*, *subrufa*.
Thinobatis *ferruginea*, *rotundicollis*, *rufipes*.
Thinobius (Col.) *brevipennis*, *ciliatus*.
Thinocorus *gayi*, *ingae*, *orbignyianus*, *rumicivorus*, *swainsoni*.
Thinophilus *flavipalpis*, *maculicornis*.
Thinornis *frontalis*, *novae seelandiae*, *rossi*.
Thinotretis *africana*, *bifasciata*.
Thiocephala *subbrunnea*.
Thiodia *citrana*, *sulphurana*.
Thiosmus *chilensis*, *mapurito*, *nasuta*, *quitensis*.
Thirates *brunnichiana*, *mediana*, *profundana*, *scopoliana*.
Thiridia *themisto*.

Thisanotia auriferalis, *chrysocephala*, *roralis*.

Thisbe belise.

Thlasia brunnipennis.

Thliboscelus camellifolia.

Thlipsomyza castanea, *compressa*, *heteroptera*, *variegata*.

Thoa beani, *edwardsiana*, *halecina*, *lamourouxiana*, *muricata*, *patagonica*, *savignyi*, *spinosa*, *tehuelche*.

Thoas agavius, *androgeus*, *evander*, *lysithous*, *paris*.

Thoe erosa.

Tholera cespitis, *extrema*, *furva*.

Tholera illiberalis.

Tholodus schmidi.

Tholus funerarius.

Thominx manica, *tridens*.

Thomisoides crustosa, *deformis*, *fumosa*, *lanuginosa*, *minorata*, *rubripes*, *terrosa*.

Thomisus abbreviatus, *albinus*, *aleatorius*, *angulatus*, *annulipes*, *argentatus*, *asper*, *asperatus*, *atomarius*, *aureolus*, *bicolor*, *bicoloratus*, *bilineatus*, *borealis*, *brevipes*, *buffoni*, *bufo*, *calycinus*, *cancerides*, *canceridis*, *caucroides*, *capparinus*, *castaneus*, *caudatus*, *celer*, *cerinus*, *cespiticolens*, *cinereus*, *citreus*, *citreus georgiensis*, *clavatus*, *clercki*, *conspersgatus*, *cordiformis*, *corona*, *cristatus*, *cruentatus*, *cuneatus*, *dauci*, *delicatulus*, *delphinus*, *depressus*, *desidiosus*, *devius*, *diadema*, *diana*, *dispar*, *ditissimus*, *dorsatus*, *dubius*, *duttoni*, *edwardsi*, *emarginatus*, *ericarum*, *exaratus*, *exiguus*, *farinarius*, *fartus*, *ferox*, *flavescens*, *flavipes*, *floricolens*, *foederatus*, *formosipes*, *formosus*, *fucatus*, *fuliginosus*, *fuscatus*, *globosus*, *graciosus*, *grapsus*, *griseus*, *hermanni*, *hirsutus*, *hirtus*, *hystria*, *horridus*, *hystrix*, *incertus*, *indiligens*, *iners*, *infumatus*, *jejuna*, *lalandei*, *lamarcki*, *lateralis*, *lemniscatus*, *lentus*, *leopardinus*, *leucosia*, *levipes*, *liliputianus*, *limbatus*, *litturatus*, *lucasi*, *luctans*, *luctuosus*, *luteolus*, *lynceus*, *maculosus*, *malacostraceus*, *marcidus*, *marginatus*, *martynei*, *maugi*, *morbillosus*, *nobilis*, *nodosus*, *numida*, *oblongus*, *obscurus*, *ochraceus*, *octomaculatus*, *onustus*, *oscitans*, *pagurus*, *pallidus*, *pardus*, *parvulus*, *peroni*, *phrygiatus*, *pictus*, *pigrus*, *pilosus*, *pini*, *pianotheres*, *plagusius*, *pratensis*, *pubescens*, *purpuratus*, *quadrilineatus*, *regia*, *rhomboicus*, *robustus*, *rotundatus*, *rugatus*, *rugosus*, *sabulosus*, *sanguinolentus*, *secatus*, *similis*, *spectrum*, *sphericus*, *sphinx*, *spinipes*, *spissus*, *stelloides*, *stigmatisatus*, *sulcatus*, *tenuis*, *tigrinus*, *togatus*, *transversatus*, *trematus*, *triangularis*, *tricuspidatus*, *truncatus*, *trux*, *tumefactus*, *turgidus*, *ulmi*, *variabilis*, *varians*, *venatorius*, *venulatus*, *verrucosus*, *viaticus*, *villosus*, *violaceus*, *virescens*, *viridis*, *vulgaris*.

Thomomys bottae, *rufescens*.

Thonius flavipennis, *maculatus*, *pavoninus*, *unicolor*.

Thoosa bulbosa, *cactoides*.

Thopeutis respersalis.

Thopha chloromera, *perulata*, *saccata*, *varia*.

Thoracantha anchurus, *flabellata*, *furcata*, *latreillei*, *nasua*, *romandi*, *striata*.

Thoracoceras acuminatum, *affine*, *attenuatum*, *brongniarti*, *crepitacullum*, *cuvieri*, *distans*, *duplex*, *gracile*, *paradoxum*, *spirale*, *vaginatum*, *vestitum*.

Thoracon striatus.

Thoracophorus walckenaeri.

Thoracostichus immobilis.

Thorasena pectoralis.

Thoraxophorus corticinum.

Thore trifasciata.

Thorectes desjardini, *laevigatus*, *lineicollis*, *puncticollis*, *rotundatus*, *simplicidens*, *subgeminalis*, *subrugosulus*.

Thoreyella brasiliensis.

Thorictes dracaena, *grandicollis*.

Thorictis bicarinata.

Thorictus castaneus, *germari*, *mauritanicus*, *puncticollis*.

Thoron metallicus.

Thous acmon, *anthus*, *mesomelas*, *senegalensis*, *tokla*, *variegatus*.

Thovana ~~albugata~~.

Thracia (Hem.) javanica, nervosa, sinuosa.

Thracia (L.) alata, alta, brevirostra, brevis, casani, chauviniana, conradi, convexa, corallina, corbuloidea, corbuloides, curta, cypris, declivis, depressa, distorta, dubia, elongata, fabula, frearsiana, gibbosa, glabra, gnidia, granulosa, inaequalis, inflata, lata, lens, magnifica, maravignae, montagui, myopsis, nicoleti, oblata, ovalis, ovata, phaseolina, phillipsi, pholadomyoides, pinguis, plicata, praetenuis, pubescens, recurva, reichel, roemer, similis, subangulata, subdepressa, subrugosa, sulcata, taurica, tetragona, transversa, trapezoides, triangularis, trigona, trigonalis, truncata, ventricosa, viceliacensis, villosiuscula, vulvaria.

Thracides aepitus, aletes, melius, phidon, salius.

Thrasaetos guianensis, harpyia.

Thrasaetus coronata.

Thraupis archiepiscopus, cana, cyanocephala, cyanoptera, episcopus, glaucolpa, olivascens, ornata, sayaca, serioptera, striata, vicarius.

Thremmaphilus pagodarum, roseus.

Threnodes atralis, cacuminalis, pollinaris.

Threnoedus rubricollis.

Threpterus maculosus.

Threskiornis aethiopica, melanocephala, strictipennis.

Thrinchus accessorius, baicalensis, campanulatus, limbatus, muricatus, schrenki, serri-cornis, turritus.

Thriothorus fasciato-ventris, guttulatus, leucotis, maculipectus, obsoletus, rosaceus, rufalbus, striatulus. *Vide et Thry-*.

Thriothurus americanus, ludovicianus, pinus, rectirostris, torquatus.

Thripobrotus bivittatus.

Thripophaga aurita, striolata.

Thrips aculeata, acuminata, aptera, atrata, bicolor, brachiata, brevicornis, cerealium, conica, corymbiferarum, cynorrhodi, decora, denticornis, discolor, dispar, ericae, fungi, fuscipennis, grossulariae, haemorrhoidalis, leucantheme, leucoptera, livida, longipennis, manicata, myriophylli, nitidula, ochraceus, olivinus, pallens, phalerata, picipes, primulae, rufa, subaptera, ulicis, ulmifoliorum, vulgatissima.

Thriptera (Col.) crinita, maille, persica, varvasi, villosa.

Thrissa hamiltoni, mystax, mystus, setirostris. *Vide et Thryssa*.

Thrissonotus colei.

Thrisops cephalotes, cephalus, formosus, gracilis, intermedius, mesogaster, micropodius, ovatus, salmoneus, subovatus.

Throsus clavicornis, constrictor, dermestoides, elateroides, niger, obtusus, pusillus.

Thryothorus aequinoctialis, albipictus, arundineus, bewicki, carinatus, coraya, genibarbis, gladiator, guttatus, littoralis, longirostris, ludovicianus, luscinius, melanos, modulator, obsoletus, palustris, platensis, polyglottus, rutilans, rutilus, striolatus, venezuelanus. *Vide et Thri-*.

Thryphera gymnops.

Thryptocera abdominalis, atra, basilaris, bicolor, ciliata, cinerea, cingulata, erythroceras, exoleta, flavipalpis, fracticornis, frontalis, fulvipes, grisea, immaculata, laticornis, latifrons, leucoptera, magica, microcera, pilipennis, rubrifrons, sorbillans, testacea, zonata.

Thryssa macrognathos, porava. *Vide et Thrissa*.

Thuiaria articulata, thuias, zelandica.

Thulea nigra.

Thya maurus, pullata, pygmaea.

Thyamis abdominalis, anchusae, atriceps, atricilla, atricornis, ballotae, brunnea, castanea, collaris, confinis, convexa, dimidiata, dorsalis, femoralis, flavicornis, fuscescens, fuscicollis, hilaris, holsatica, laeta, laevis, lurida, lutescens, melanura, nasturtii, nigricans, nigrocilla, ochroleuca, pallens, parvula, picipes, pratensis, pulex, pusilla, quadripustulata, suturalis, tabida, testacea, thapsi, thoracica, verbasci.

Thyas (Ar.) venusta.

Thyas (Lep.) honesta.

Thyasira flexuosa.

Thyatira (L.) lactea.

Thyatira (Lep.) albicosta, batis, derasa.

Thyellina angusta, prisca.

Thylacinus cynocephalus, barrisi, spelaesus.

Thylacis nasuta, obesula.

Thylacites affinis, albicans, argentatus, argillaceus, argyrellus, aspergillatus, atratulus, aurarius, borealis, canus, capillatus, carinula, cataractus, cervinus, chalcogrammus, comatus, coryli, costatus, crenatus, elongatus, faber, festivus, fritillum, fulla, geminatus, glabratus, glaucus, globosus, griseus, hirsutulus, hirtellus, hirtus, inauratus, incanus, juvencus, lacaeus, lactens, lanuginosus, lapidarius, lasius, lateralis, laticollis, licinus, limbatus, lineolatus, maculatus, marmoratus, micans, microps, microsus, muricatus, mus, ningnidus, oblongus, obtusus, oniscus, piliferus, pilosellus, pilosus, planifrons, puber, pulveratus, quadrilineatus, querens, rattus, robiniae, roborosus, rotundicollis, rugosus, sabulosus, scabriculus, serosus, smaragdinus, squameus, squamiger, squamulatus, subsignatus, subterraneus, sulcirostris, suturalis, tessellatus, trifasciatus, turbatus, umbrinus, variegatus, vicinus, vittatus.

Thylacium aggregatum, sylvani.

Thylacoderes eumolpoides.

Thylacotherium broderipi, bucklandi, ferox, prevosti.

Thylacurus latro.

Thylamys elegans.

Thyllis compressa, crassa, obesa, turgida.

Thylodrias contractus.

Thylogale eugeni.

Thymallus signifer, thymalloides, thymallus, umbrosa, vexillifer, vulgaris.

Thymalus aeliani, americanus, brunnea, ferrugineus, grossus, gymnogaster, gymnotherax, limbatus, lunatus, marginicollis, mertensi, oblongus, ontariensis, pallasi.

Thymara zaida.

Thymele acastus, actaeon, alveolus, aracinthus, bixae, dichroa, dirpha, erechtheus, feisthameli, florestan, gnetus, lugubris, malvae, meuoetius, mercatus, odix, oileus, ophia, opbion, orida, pandion, phalos, pittbeus, proteus, ramanatek, ratek, sabadius, tages, tbrax, tbridas, triton.

Thymelicus actaeon, linea, puer, pustula, venula, vibex, virgula, vitellius.

Thynnoides nigripes, rubripes.

Thynnus (Hym.) aetbiops, affinis, analis, annulatus, anthracinus, apicalis, ater, australasiae, australis, browni, clitellatus, consobrinus, cornuta, decipiens, depressus, dimidiatus, fasciatus, fervidus, flavilabris, flaviventris, flavoguttatus, frontalis, fulvipes, fumipennis, gracilis, gravidus, grayi, guerini, haematodes, haemorrhoidalis, histrio, humilis, hyalinatus, ichneumoneus, intermedius, interruptus, klugi, labiatus, laetus, lateralis, leachiellus, lepidus, maculipennis, marginalis, mediterraneus, melleus, mystacinus, nigriceps, obscuripennis, obscurus, odyneroides, olivieri, ornatus, pedestris, philantoides, picipes, pictus, pubescens, pugionatus, pulchellus, purpuripennis, quadricinctus, rubripes, ruficeps, rufipes, rufiventris, scoliaeformis, scutellaris, senilis, shuckardi, sphegeus, tarsatus, tricolor, trifasciatus, trifidus, trochanterinus, tuberculi-ventris, variabilis, variegatus, varius, versicolor, vinculatus, vulpinus, westwoodi, zonatus.

Thynnus (P.) affinis, alalonga, apterus, argentivittatus, atlanticus, balteatus, bicarinatus, bilineatus, bolcensis, brachypterus, brasiliensis, brevipennis, coretta, guttatus, leachianus, macropterus, maculatus, maculosus, mediterraneus, obesus, orientalis, pacificus, pelamis, pelamys, propterygius, regalis, rocheanus, sarda, sibi, thuina, thunnina, thynnus, unicolor, vagans, vulgaris.

Thyone (Ech.) fusus, impatiens, portlocki, raphanus.

Thyonidium commune, pellucidum.

Thyreaspis undecim-punctata.

Thyreocephalus jekeli.

Thyreocera affinis, annulicornis, cincta, crinicornis, flavipes, hirticornis, bistrio, laticornis, oblongata, spectabilis.

Thyreocoris adpersa, albipennis, atomarius, austriaca, bipustulatus, bufo, cinctus,

- circumscripta*, *cicadiformis*, *coccinelloides*, *complanata*, *cribarius*, *cribrarius*, *cucullata*, *deplanatus*, *dodecimpunctatus*, *flaviceps*, *flavipes*, *globus*, *grammica*, *hemisphericus*, *heteroides*, *lineata*, *maculata*, *melolonthoides*, *metallicus*, *nepalensis*, *nigrita*, *nigri-ventris*, *nitidus*, *nubilus*, *pallipes*, *papua*, *punctatus*, *quadratus*, *scarabaeoides*, *seminulum*, *septus*, *silphoides*, *sphaerula*, *stigmatus*, *transversus*, *vahli*, *variegatus*, *vermiculatus*.
- Thyreodon* *cyaneus*, *marginipennis*, *morio*.
- Thyreonotus* *corsicus*, *semi-aeneus*.
- Thyreophora* *anthropophaga*, *cynophila*, *furcata*.
- Thyreopterus* *armatus*, *ater*, *binotatus*, *brevicollis*, *cuspidatus*, *femoratus*, *flavosignatus*, *frontalis*, *impessus*, *laticollis*, *latipennis*, *limbatus*, *maculatus*, *spinosus*, *subangulatus*, *subappendiculatus*, *tetrasemus*, *undulatus*, *unicolor*.
- Thyreopus* *clypeatus*, *cribrarius*, *interruptus*, *patellatus*, *pterotus*.
- Thyretes* *amazoula*, *montana*.
- Thyreus* (G.) *paradoxus*.
- Thyreus* (Hym.) *scutellaris*, *vexillatus*.
- Thyreus* (Lep.) *abbotti*, *lugubris*.
- Thyridia* *aedesia*, *dero*, *hippodamia*, *ilione*, *psidii*, *themisto*.
- Thyridium* *cupriventre*, *cyanitarse*, *flavipenne*.
- Thyridophila* *pyrrhopa*.
- Thyridopteryx* *ephemeraeformis*, *nigrescens*, *plumifera*.
- Thyris* *fenestrina*, *lugubris*, *maculata*, *pyralidiformis*, *sepulchralis*, *vitrina*.
- Thyronidium* *drummondi*.
- Thyroptera* *bicolor*, *tricolor*.
- Thysia* *lateralis*.
- Thysites* *altivelis*, *atten**, *atun*, *chilensis*, *lepidopodea*, *lepidopoides*.
- Thysophorus* *pennicornis*, *speciosus*, *spinolae*.
- Thyrus* *bogeri*.
- Thysania* *agrippina*, *odora*.
- Thysanodactylus* *bilineatus*.
- Thysanodes* *jucunda*.
- Thysanopeltis* *speciosa*.
- Thysanopoda* *australis*, *tricuspidata*.
- Thysanopodus* *elongatus*.
- Thysanosoma* *actinoides*.
- Thysanotus* *anchomenoides*.
- Thysanozoon* *aurantiacum*, *dicquemaris*, *diesingi*, *flavum*, *fockei*, *muelleri*, *panormus*, *violaceum*.
- Thysanus* *ater*.
- Thysbe* *pulcherrima*.
- Thysonotus* *athemaena*, *danis*.
- Tiara* (Coel.) *papalis*, *sarsi*.
- Tiara* (G.) *attenuata*, *aurantia*, *caffra*, *catenata*, *corrugata*, *costellaris*, *crenata*, *foraminata*, *isabella*, *lineata*, *lyrata*, *melongina*, *millecostata*, *mucronata*, *multicostata*, *muricata*, *nivea*, *nodosa*, *plicaria*, *regina*, *rosea*, *rubra*, *semplicata*, *simplicata*, *sulcata*, *taeniata*, *terebralis*, *virgo*, *vittata*, *vulpecula*.
- Tiaris* *belli*, *cruentus*, *funerea*, *jacarina*, *megapogon*, *omissa*, *ornata*, *pusillus*, *sophiae*.
- Tiarocera* *cornuta*, *rhinoceros*.
- Tiarodes* *versicolor*.
- Tiaropsis* *diademata*.
- Tibesia* *ruficollis*.
- Tibiana* *fasciculata*, *ramosa*.
- Tibicen* *annulatus*, *flaveolus*, *hyalinatus*, *orni*, *vitreus*.
- Tichodroma* *alpina*, *brachyrhynchos*, *erythroptera*, *europaea*, *fusca*, *macrorhynchos*, *muraria*, *phoenicoptera*.
- Tichogonia* *africana*, *bilocularis*, *brardi*, *chemnitzii*, *excisa*, *polymorpha*, *virgata*, *wiegmanni*.
- Tichonia* *deplanella*, *pulverella*, *tinctella*.

Tichornis cenchris.

Tichotripis accessella, cuculipennella, melcagripennella, ~~niscella~~, nanella, punulella, testaceella.

Tiedemannia (Pter.; Chiaje et Beneden) cristallina, napolitana, vittata.

Tiedemannia (Pter.; Kroln) creniptera.

Tiga amictus, grantia, rafflesi, rubropygialis, shorei, tridactyla.

Tiger europaea, iltis.

Tigillites danieloi, desfontainei, dufenoyi.

Tigridia aceste, dirce, zingha.

Tigris regalis.

Tigrisoma brasiliense, leucolopha, lineata, mexicana, tigrina, undulatum.

Tijuca nigra.

Tilapia sparrmanni.

Tilesia (P.) gracilis.

Tilesia (Polyz.) distorta.

Tiliqua aenea, affinis, albolabris, ascensionis, aterrima, australis, belli, bibroni, bicolor, bistriatus, buchanani, capensis, carinatus, casuarinae, chinensis, cunninghami, cyanura, duperreyi, elegans, entrecasteaux, erythrocephalus, essingtoni, fasciata, fasciatus, fernandi, gigas, grisea, guichenoti, interrupto-punctata, jamaicensis, kingi, labillardieri, lateralis, lesueuri, leucopsis, maculata, microcephala, microlepis, multicarinatus, naevia, napoleonis, nigrolutea, oecidua, ocellata, ornata, pulchra, punctata, quinquelineatus, quinquestriatus, reevesi, richardi, rubriventris, rufescens, rufo-guttata, similis, sincoides, sloani, stoddarti, striata, subrufa, taeniolata, tenuis, trilineata, trivittata, tuberculatus, vachelli, vanicorensis, whitei, zelandica.

Tillicera chalybea, javana, mutillaeicolor.

Tilloclerus auriconus.

Tilloidea pubescens, senegalensis, unifasciata.

Tillus abdominalis, acutipennis, aeneas, albofasciatus, antennatus, aterrimus, aulicus, auricomus, azureus, balteatus, bicolor, bifasciellus, bimaculatus, bipunctatus, bosci, carus, cingulatus, collaris, compressicornis, confragratus, cylindricollis, decorata, distinctus, elegans, fasciatus, fastigiatus, hilaris, hopei, hyalinus, inornatus, lineato-collis, longulus, louveli, marginatus, marmoratus, nigripes, notatus, novem-maculatus, pallidipennis, pectinicornis, peripateticus, personatus, picipennis, pilosus, prolixus, pubescens, pulchellus, quadripunctatus, rubrofasciatus, sanguineicollis, sexmaculatus, sexpunctatus, succinctus, terminatus, thoracicus, transversalis, tricolor, undulatus, unifasciatus, venustus, viduus, virens, zonatus.

Tima bairdi, flavilabris.

Timalia albogularis, caudata, chataraea, chloris, chrysaee, erythronotus, erythroptera, flammiceps, grisea, gularis, horsfieldi, huttoni, hyperythra, hypoleuca, leucotis, lugubris, maculata, malcolmi, mitrata, nigriceps, nigricollis, nipalensis, pectoralis, peltotis, pileata, poecilorhyncha, poliocephala, pyrrhophaea, pyrrhops, rufescens, ruficeps, somervillei, squamata, striolata, striata, thoracica, thoracina, trichorrhos, xanthochlora.

Timandra (Col.) armata.

Timandra (Lep.) amataria, emutaria, exemptaria, imitaria, subroseata, variegata.

Timarcha aeneicornis, aerea, affinis, angulicollis, apricaria, armeniaca, balearica, coriaria, crassipes, endora, femoralis, gallacciarum, generosa, geniculata, gibba, globata, globosa, hispanica, hummeli, iberica, laevicollis, laevigata, metallica, micaensis, occidentalis, orbiculata, pimeloides, pratensis, punctata, punica, rotundata, rubra, rugosa, sardea, scutellaris, subcyanea, tenebricosa, turbida, ulyssiponensis.

Timetes chiron, coresia, corinna, corita, crethon, eleucha, harmonia, iole, merops, oechalia, orsilochus, psophus, themistocles, thetys, thonis.

Timia (Dipt.) apicalis, basalis, erythrocephala.

Timia (Lep.) cinerea, margarita.

Timixos meruloides.

Timnus vulgaris.

Timoclea (L.) ovata.

Timon ocellatus.

Timoriena triangulata.

Timorus suturalis.

Timpanomium plani.

Tinactor fuscus, *guatemalensis*.

Tinagma *dentella*, *lithargyrellum*, *metallicella*, *perdicella*, *saltatricella*, *transversella*.

Tinamotis elegans, *occellata*, *pentlandi*.

Tinamus *adpersus*, *atro-capillus*, *boracuirea*, *brevipes*, *canus*, *cinereus*, *cinnamomea*, *kleei*, *maculosus*, *maior*, *medius*, *minor*, *nanus*, *noctivagus*, *obsoletus*, *parvirostris*, *pileatus*, *rufescens*, *soui*, *strigosus*, *tao*, *tataupa*, *undulatus*, *vermiculatus*.

Tinea *furcata*, *leptosomus*, *tinca*, *vulgaris*.

Tinea *achatinella*, *achillella*, *acuminella*, *aglaella*, *agrostella**, *aileyella*, *albella*, *albi-frontella*, *albipunctella*, *alpinella*, *ammanella*, *amphonycella*, *ampliella*, *anatipennella*, *anderschella*, *andricella*, *angustella*, *anseripennella*, *anthyllidella*, *antiqua*, *arbustella*, *arcuatella*, *ardeliella*, *argentimaculella*, *asperella*, *atri-capitella*, *augustella*, *aurella*, *auricella*, *auriciliella*, *aurilucella*, *aurifrontella*, *auritella*, *aurivitella*, *auro-purpurella*, *australasiella*, *avellanella*, *basochesella*, *betae*, *bifariella*, *bimaculella*, *binaevella*, *bipunctella*, *biselliella*, *bistrigella*, *bitrubicella*, *bivittella*, *boisduvaliella*, *boletella*, *borboniella*, *brockeella*, *bubarella*, *byssinella*, *caenobitella*, *cagnagella*, *canapennella*, *cancellella*, *carbonella*, *carduella*, *cariosella*, *carpinetella*, *cerasiella*, *cervinella*, *chenopodiella*, *christiennella*, *chrysis*, *cicatricella*, *cinereo-punctella*, *clandestinella*, *cloacella*, *cnorella*, *commatella*, *complanella*, *conchella*, *concinella*, *conscriptella*, *consociella*, *conspersella*, *conturbarella*, *corticella*, *cosuna*, *crassicornella*, *crataegella*, *crinella*, *crinitella*, *cuclipennella*, *cupriacella*, *cypricella*, *dariella*, *decorella*, *decurtella*, *deliella*, *deplanella*, *depunctella*, *destructor*, *dibaphiella*, *dipoltella*, *disparella*, *domicolella*, *donovanella*, *dumetella*, *emortuella*, *ensigerella*, *ericella*, *ericetella*, *falconipennella*, *fascinelina*, *fenestrella*, *festaliella*, *festivella*, *fischerella*, *flavella*, *flavescentella*, *flavimitrella*, *flavipunctella*, *flos-lactella*, *formosella*, *frankella*, *fucella*, *fulgidella*, *fuliginosella*, *fulvimitrella*, *funestella*, *fusca*, *fuscatella*, *fuscinella*, *fuscipunctella*, *fuscus-aurellus*, *fuscus-cuprella*, *fuscus-iridella*, *gallinella*, *ganomella*, *geerella*, *gelatella*, *gemarella*, *glandella*, *goldeggella*, *granitella*, *grimmella*, *griseolella*, *harrerella*, *heraciella*, *hippophaela*, *hirtella*, *honorella*, *hybridella*, *hypericella*, *ianthinella*, *ictella*, *illigerella*, *imella*, *immistella*, *inspersella*, *interpunctella*, *inulella*, *involutella*, *italica*, *I V-ella*, *I W-ella*, *jurinella*, *knockella*, *kollarella*, *labiosella*, *lanecolella*, *lantarella*, *lapella*, *laricella*, *laricis*, *latreillella*, *leopoldella*, *leptosoma*, *leucogastrella*, *leucomella*, *literella*, *lotella*, *lucella*, *lucidella*, *luctiferella*, *luctificella*, *luculella*, *lutosella*, *luzella*, *Mclementinella*, *macrocerella*, *magnella*, *maidis*, *malella*, *malvella*, *maryella*, *mayrella*, *mediofasciella*, *medio-pectinella*, *megeriella*, *melanella*, *merianella*, *mespilella*, *metaxella*, *micropygoptera*, *minimella*, *misella*, *moestella*, *moellella*, *monacella*, *morizella*, *mucidella*, *mucronella*, *murinella*, *muscaella*, *mytilella*, *nautila*, *nauus*, *neglectella*, *nigripunctella*, *nivea*, *notatella*, *nubeculella*, *ochraceella*, *oculohelmerella*, *olivella*, *omphaciella*, *onustella*, *oporella*, *orbonella*, *orichalcella*, *orthipennella*, *padifoliella*, *palliatella*, *paludella*, *panzerella*, *penella*, *perenurus*, *pericella*, *periella*, *pfeifferella*, *phasianipennella*, *phengitella*, *phragmitella*, *phryganella*, *pilulella*, *podevinella*, *posticella*, *praecanella*, *prodromella*, *proximella*, *pruniella*, *pseudobombycella*, *pudicella*, *pudorella*, *pulchella*, *pulverella*, *punctaurella*, *purpurella*, *pusilella*, *pygmaella*, *pyrophagella*, *quadriguttella*, *quadririgella*, *radicella*, *redimitella*, *repandella*, *rhenella*, *ricciardella*, *rigaella*, *rorrella*, *rosella*, *rubrifasciella*, *rubro-aurella*, *rufella*, *ruficapitella*, *rufipunctella*, *ruicolella*, *sangio-vannella*, *saturella*, *schrunkella*, *scissella*, *selasella*, *semialbella*, *semicostella*, *semifasciella*, *semifuvella*, *sequella*, *sericella*, *sericiella*, *servillella*, *sempunctella*, *siciella*, *silvella*, *solidaginis*, *soroculella*, *spartiella*, *spartifoliella*, *speciosella*, *spilotella*, *spinella*, *spinifoliella*, *splendella*, *spuriella*, *strigatella*, *subbimaculella*, *subbistrigella*, *subpurpurella*, *sulphurella*, *swammerdamella*, *sylvella*, *tanacetella*, *tenebrella*, *tessella*, *testaceella*, *testacella*, *tigrella*, *tiliella*, *tostella*, *trapezella*, *treitschkeella*, *tricinctella*, *tricolorella*, *trifasciella*, *trigonella*, *trimaculella*, *triquetrella*, *tristigmatella*, *tristrigella*, *truncicolella*, *ulmifoliella*, *unifasciella*, *urticaella*, *uvae*, *vaccinella*, *verrucarella*, *vibicella*, *vinacella*, *violacella*, *viridella*, *vitella*, *vitrella*, *waloffella*, *yeatiella*, *zeella*, *zephyrella*, *zieglerella*, *zinkeella*, *ziukella*.

Tineites ~~litophanes~~.

Tingis affinis, alata, antica, arcuata, brunnea, capucina, cardui, carinata, cassidea, cervina, ciliata, cinerea, circumdata, clavicornis, collaris, coucinna, corticea, costata, crassicornis, cristata, dilatata, echii, eryngii, erythrophthalma, foliacea, gossypii, gracilis, grisea, humuli, hyalina, laeta, lupuli, maculata, marginata, melanocephala, mutica, nigrina, nobilis, oblonga, obscura, oxyacanthae, pallida, parvula, pedicularis, pilicornis, pilosa, plexus, punctata, pusilla, pyri, quadri-maculata, reticulata, rhomboptera, ruficornis, sacchari, sidae, simplex, sinuata, spinifrons, spinosissima, subglobosa, testacea, triangularis, verna, virescens.

Tingra tropicalis.

Tinnunculus alaudarius, cenchris, cenchroides, cinnamominus, columbarius, gracilis, interstinctus, phalaena, punctatus, rupicoloides, rupicolus, sparrerius, sparverius, sparveroides, tinnunculus, vespertinus.

Tinochorus eschscholtzi, orbignyianus, swainsoni.

Tinodes albipes, ciliaris, cognatus, concinnus, fimbriata, flaviceps, flavipes, flavo-maculatus, fuliginosus, funereus, hirtipes, luridus, lutescens, marshamellus, nigripunctatus, opacus, pallescens, phaeops, picicornis, pulchellus, pusillus, pygmaeus, pyrrhocerus, simplex, subaurata, subnebulosa, subochracea, subpunctatus, unipunctata, xanthocera.

Tinoporus baculatus.

Tinopus longipes.

Tintinnus campanula, cothurnia, denticulatus, inquilinus, pedicellatus, sessilis, subulatus.

Tiphia abnormis, albilabris, atra, bipunctata, brevipennis, capensis, caroliniana, cayennensis, ctenoptera, ciliata, cineta, cingulata, erythrocephala, flavipennis, formicula, grossa, ichneumoniformis, inornata, interrupta, marginata, minuta, namea, obscura, punctata, quadripustulatus, ruficornis, rufifrons, serena, tarda, transversa, unicolor.

Tiphis parisiensis, tubifer.

Tiphle heptagonus, hexagonus.

Tiphys (Cr.) chloropus, decoratus, electus, geminus, latipes, marginepunctatus, novem-maculatus, obscuratus, ornatus, podagricus, sagulatus, trifurcalis, vatrax.

Tiphysa plumbea.

Tipula acetosae, aemula, affinis, agaricina*, albifasciata, albilatus, albimanus, albo-costata, albovittata, alterna, analis, annulata, annulicornis, antennata, antiqua, arctica, armillaris, atomus, aurantiaca, bifasciata, bimaculosa, borealis, brachypteryx, brevicornis, brevisrostris, breviterebrata, breviventris, byssina, caesia, castanea, cerea, cervina, cineta, cingulata, clandestina, clara, clavata, collaris, conica, consanguinea, costalis, crassicornis, cunctans, curvicornis, dentata, depressa, diana, dilatata, dispar, dorsimacula, duplex, dux, eburnea, elegans, erioptera, erythrocephala, excisa, fascipennis, fenestrata, ferruginea, festiva, filipes, fimbriata, flavescens, flavicans, flavilinea, flavipalpis, flavipennis, flavirostris, flavo-lineata, frigida, fuliginosa, fulvipennis, furca, fusca, fuscata, fuscipennis, glabricollis, glomerata, goezei, gracilipes, grandis, guttipennis, guttulifera, hellenororum, hortensis, hortulana, humilis, iavana, imperialis, interrupta, inventa, iridicolor, irrorata, juncea, lactipennis, laetabilis, lateralis, latevittata, limbata, limitata, lineata, lineola, longicornis, longimana, longipennis, longipes, longitarsis, lugubris, lunata, lunulicornis, luridirostris, luridiventris, lurido-rostris, lutea, luteipennis, macrocera, maculatipennis, maculipennis, maculosa, marginata, marmorata, marmoripennis, melanoceros, melanomera, mellea, modesta, monochroa, montana, multipunctata, nana, nervosa, nigricornis, nigrithorax, nodicornis, nodulicornis, nodulosa, nova, nubeculosa, nudicornis, oblique-fasciata, obscura, obscuripennis, obsoleta, oblecta, ochracea, oxyacanthae, pabulina, pagana, pallidinevris, paludosa, pectinata, pedata, peliostigma, petiolata, picta, pictipennis, platyura, populea, praepotens, pratorum, protogaea, pruinosa, psylla, puncticornis, pusilla, quadriaria, quadrimaculata, quadristriata, quadrivittata, ramicornis, recticornis, remota, reposita, resurgens, rostrata, rubi, rubripes, rubriventris, ruina, rufipennis, rufistigmosa, rufiventris, salicina, salicis, sannio, scalaena, scalaris, scripta, scurra, selene, selenitica, senex, septemlineata, serricornis, seticornis, signata, simplicicornis, sisymbrii, soror, speculum, spilota, stigma, stigmatella, stigmosa, submarmorata, subnodicornis, subsultans, subunilineata, suffusa, tenera, tenuicornis, terminalis,

testacea, tetraptera, tihæ, trifida, trimaculata, trina, triplex, trivittata, truncorum, umbra, unca, ungeri, unifasciata, vaginalis tritici, varia, varicornis, varipennis, velutina, venusta, vernalis, vicaria, vittata.

Tipulodes inia, neglecta.

Tiranites gigas.

Tiresias (Col.) serra.

Tiresias (Cr.) insculptus.

Tirus marmoratus.

Tischera innitidella, niveella.

Tischeria angusticollella, complanella, emyella, gaunacella, ricciardella.

Tisiphone (Lep.) acanthe, cordace, hercyna, pasyphæ, tulbachi, zeline.

Tisiphone (R.) cuprea, oxiana, rhodostoma.

Tisoo siphonalis.

Titaea orsinome.

Titaena alcyonea, columbrina, erichsoni.

Titanio comitalis, normalis.

Titanomys visenoviensis.

Titanus giganteus.

Thoreia bonplandi, humboldti, irene, megara, pavouii, tyro.

Tithys agamemnon.

Titiza lightfooti, schoenobaena.

Tituboea arabica, contigua, dispar, filitarsis, illigeri, laticollis, macropus, octopunctata, octosignata, oliveri, parviceps, paykullii, sexmaculata, sexpunctata.

Tityra affinis, albescens, albifrons, albitorques, atricapilla, brasiliensis, brevirostris, castanea, cayana, cinerascens, citrina, cristata, cuvieri, eques, erythrogenys, guianensis, habia, inquisitor, jardini, leucogaster, major, marginata, megacephala, minima, mitrata, modesta, nattereri, nigra, pectoralis, personata, pileata, rufa, rufescens, ruficauda, ruficeps, selbyi, semifasciata, splendens, strigata, surinama, tityroides, variegata, versicolor, vieilloti, viridis.

Tityus aethiops, arrogans, bahiensis, carinatus, caspius, caucasicus, clathratus, congener, denticulatus, ducalis, fallax, fatalis, griseus, hottentotta, infamatus, lineatus, longimanus, macrurus, marmoreus, mucronatus, mulatinus, nebulosus, perfidus, serenus, striatus, variegatus, varius.

Tivela tripla, vulgaris.

Tlanoma dentipes.

Tlos muriger.

Tmesidera assimilis, rubricollis, rufipennis, violacea.

Tmesiphorus carinatus, costalis.

Tmesisternus bicinctus, distinctus, jaspideus, lineatus, marmoratus, mirabilis, oblongus, septempunctatus, spinicollis, sulcatus, tessellatus, trivittatus, unipunctata, variegata.

Tmesorrhina amabilis, concolor, iris, simillana.

Tmetoceros abyssinicus.

Tmetothrips pallens, subaptera.

Tmolus basilides, crolus, echion, eurytulus, megacles, sylidus.

Tochites granulifer.

Tockus fasciatus, flavirostris, gingalensis, ginginianus, griseus, limbatus, melanoleucus, nasutus, poecilorhynchus, sulcatus, sulcirostris.

Todarus argo.

Todiramphus chlorocephalus, cinnamomina, collaris, coronata, diops, divinus, forsteni, funebris, lazuli, macleayi, occipitalis, platyrostris, pyrrhopygia, recurvirostris, sacer, sancta, saurophaga, sordidus, vagans, venerata.

Todirostrum auriculare, chrysocrotaphum, cinereicollis, cinereum, diops, ecaudatum, flavifrons, furcatum, granadense, griseum, gulare, maculatum, margaritacei venter, melanocephalum, orbitatum, palpebrosus, platycircus, plumbeiceps, plumbeum, recurvirostrum, ruficeps, speciferum, squamaecristae, sylvia.

Todus brachyurus, cancruma, cinereus, crinitus, cyanocephalus, dominicensis, griseus, limbatus, maculatus, marginatus, megacephalus, melanocephalus, multicolor, olivaceus, poliocephalus, portoricensis, rubecula, sylvia, xanthogaster.

- Toelodon* maquense.
Tolarenta wilkinsoni.
Tolmerus pyragra.
Tolyte orsiloche, riphea, velleda.
Tolypeutes globulus, octodecimcinctus, quadricinctus, tricinctus.
Tolyphus granulatus.
Tomares ballus.
Tomarus maimon.
Tomaspis furcata, nigricans.
Tomella (Dipt.) gueriui.
Tomella (G.) clavicularis, filosa, lineata, lineolata.
Tometes altipinnis, trilobatus, unilobatus.
Tomicephalus sanguinicollis.
Tomicondon chilensis, poecilophthalmos.
Tomicus affinis, bidens, calligraphus, curvidens, eruditus, flavus, fuscus, gulosus, laricis, micrographus, monographus, pini, piniperda, polygraphus, psilonotus, pubescens, pusillus, thoracicus, truncatus, typographus, villosus.
Tomigerus clausus, cumingi, gibberulus, principalis.
Tomocerus celer, ferruginosa, longicornis, uiger, plumbeus, spiricornis.
Tomoderus brevicollis, compressicollis, constrictus, cruciatus, divisus, hirtulus, interruptus, signaticornis, sulcicollis, vinctus.
Tomogaster eydouxi.
Tomogeres boysi, elliptica, matheroni, ringens, turbinatus, urgonensis.
Tomogerus depressus.
Tomognathus leiodus, mordax.
Tomoligus minimulus.
Tomomyza anthracoides.
Tomopteris ouisciformis.
Tomopterus pretiosus, staphylinus.
Tomyris oxiana.
Tonatia bidens.
Tonia atlantica.
Tonicia atrata, castanea, cerasina, elegans, fastigiata, fulva, grayi, laevigata, lineata, lyrata, rubra.
Topaza atra, fimbriata, flabellifera, henrica, mellivora, opaca, pella, pyra, violacea.
Topentis acuminalis, amplalis, gigantalisis, labiosalis, lanceolalis, mucranalis, phantasma-talis, phragmitalis, respersalis, succilialis.
Tophoderes fasciculosus, ferrugatus, frenatus, funebris, stigma.
Tor hamiltoni.
Torcula exoletus.
Torgos auricularis.
Toria nipalensis.
Torinia cylindrica.
Tornatella abbreviata, acuta, acutus, affinis, albensis, alligata, auricula, bacca, bifasciata, biplicata, bullaoides, bullata, cabanetiana, cancellata, carnea, cineta, clathrata, coccinata, conica, conspicua, costellata, crenatus, cretacea, curculio, cuspidata, dargelasi, dormoisiaua, elegans, elongata, elongatus, fasciata, flammea, fragilis, francii, gigantea, glabra, globosa, globulina, inflata, insculpta, intermedia, labiosa, lacryma, lactea, laevigata, lamarchi, maculosa, marginata, media, miliola, nitidula, noae, nysti, oryza, ovalis, ovulum, papyracea, pedipes, pellucida, pomilia, popei, prisca, pulchella, pulla, punctata, punctatosulcata, punctostriata, punctulata, pusilla, pyramidata, retusus, scalaris, semen, semistriata, siebaldi, simulata, solidula, spirata, striatella, striatopunctata, striatus, subglobosus, sulcata, tessellata, truncatula, turricula, turriculata, turrita, venusta, virgata, voluta, woodi.
Tornatellina archimedis, bilamellatus, cernica, clausa, cubensis, cumingiana, ferussaci, globosa, minuta, ovata, petitiana, philippii, reclusiana, trochiformis, trochlearis, turrita.
Tornatilla bacca.

Torneutes *bouchanti*, *capensis*, *obscurus*, *pallidipennis*.

Tornitella *bullata*.

Tornus *subcarinata*.

Torpedo *brasiliensis*, *capensis*, *chilensis*, *dipterygia*, *emarginata*, *galvani*, *gigantea*, *hebetans*, *immaculata*, *japonica*, *maculata*, *marmorata*, *narke*, *nigra*, *nobiliana*, *occidentalis*, *ocellata*, *oculata*, *panthera*, *picta*, *punctata*, *timlei*, *trepidans*, *unimaculata*, *variegata*, *vulgaris*, *walshi*.

Torquatella *muscorum*, *triplicata*.

Torquatrix *scytale*.

Torquilla *avena*, *callosa*, *cinerea*, *curta*, *cylindracea*, *dupoteti*, *farinesi*, *frumentum*, *gastrodes*, *gracillina*, *granum*, *hordeum*, *hornhecki*, *humilis*, *kokeli*, *megacheilos*, *nana*, *pachygastra*, *polyodon*, *polyplicata*, *pyrenaica*, *ringens*, *secale*, *spelta*, *striata*, *tricolor*, *variabilis*, *vulgaris*.

Torrea *vitrea*.

Tortricodes *hyemana*, *punctulana*.

Tortrix (Lep.) *abilgdaardana*, *acerana*, *achatana*, *acutana*, *adiunctana*, *adpersana*, *aduncana*, *adustana*, *aeneana*, *aethiopiana*, *ahrensiana*, *alhana*, *alhersana*, *albidana*, *albipalpna*, *albi-striana*, *alpestrana*, *alphonsiana*, *alpicolana*, *alpinaria*, *amaenana*, *ambigua*, *ambustana*, *ameriana*, *amiantana*, *anana*, *angulana*, *angustiorana*, *antennana*, *antiquana*, *apicana*, *aquilana*, *arbutana*, *areolana*, *argillaceana*, *asellana*, *asperana*, *asperana*, *asperulana*, *aspidana*, *aspidiscana*, *atromargana*, *atropurpurana*, *aurana*, *aurofasciana*, *australana*, *australanae*, *australis*, *autumnana*, *baeherana*, *baumanniana*, *bentleiana*, *bergmanniana*, *hetuleana*, *biangulana*, *bifasciana*, *bifidana*, *bilunana*, *himaculana*, *bipunctata*, *bistriana*, *blandana*, *borana*, *boreana*, *boscana*, *brachiana*, *brunneana*, *brunnichana*, *caelatana*, *caespitana*, *cana*, *capreana*, *carpiniana*, *castaneana*, *caudana*, *cebrana*, *cerasana*, *cespitana*, *chalybeana*, *characterana*, *charpentierana*, *charpentieriana*, *christiana*, *chrysitana*, *ciliana*, *cinerana*, *cinereana*, *cineriana*, *cingulana*, *cinnamomeana*, *cirsiana*, *citrana*, *clorana*, *combustana*, *communana*, *comparana*, *composana*, *comptana*, *conchana*, *confixana*, *congenerana*, *consimilana*, *contaminana*, *conwayana*, *corollana*, *coruscana*, *corylana*, *costana*, *costipunctana*, *cotini*, *crameriana*, *crataegana*, *crenana*, *cretaceana*, *croceana*, *cruentana*, *cupressana*, *cuspidana*, *cynosana*, *dahlana*, *daldorfiana*, *dealbana*, *decorana*, *decretana*, *densana*, *derasana*, *desfontainiana*, *deutschiana*, *diana*, *diheliana*, *dimidiata*, *diminutana*, *dipsacana*, *divellana*, *diversana*, *divisana*, *divitana*, *donzelana*, *doronicana*, *dorsana*, *dumetana*, *dumicolana*, *duplana*, *ectypa*, *effractana*, *egenana*, *egestana*, *elegantana*, *emargana*, *ephippiana*, *equitana*, *excavana*, *exiguana*, *eximinana*, *expallidana*, *externana*, *fabriciana*, *fasciana*, *fasciolana*, *ferrugana*, *fimbriana*, *fissana*, *flammeana*, *flavana*, *flexulana*, *floricolana*, *foenana*, *formosana*, *forskaleana*, *forsko-leana*, *forsterana*, *fractifasciana*, *francillana*, *fraternana*, *frutetana*, *fulvana*, *fulvipunctana*, *furfurana*, *galiana*, *gelatana*, *gemmana*, *gemmulalis*, *germarana*, *germingana*, *gilvana*, *glareana*, *gnomana*, *graphitana*, *griseana*, *grossana*, *grotiana*, *hamana*, *hartmanniana*, *haslana*, *helvolana*, *hermineana*, *histrionana*, *hofmannseggana*, *horridana*, *hybridana*, *hydrargyrana*, *hyemana*, *hypoleucana*, *icterana*, *icteriana*, *ilicana*, *incarnatana*, *infidana*, *inopiana*, *insequana*, *insolatana*, *insulana*, *interjectana*, *interruptana*, *jungiana*, *kaekeritziana*, *klugiana*, *knockiana*, *kollarana*, *kublweiniana*, *labeculana*, *lathamiana*, *lathoniana*, *lathyra*, *latifasciana*, *laviceana*, *lediana*, *lepidana*, *leporinana*, *leprosa*, *leucopterana*, *lienana*, *lithoxylana*, *litturana*, *livonana*, *locupletana*, *loeflingiana*, *longana*, *lucana*, *lundana*, *lundiana*, *luteolana*, *lutosana*, *maculana*, *maculosana*, *magnana*, *marcidana*, *margaritana*, *marginana*, *maurana*, *mayrana*, *megeleana*, *melaleucana*, *mercuriana*, *ministrana*, *mixtana*, *monetulana*, *murinana*, *naevana*, *nana*, *nebulana*, *neriana*, *nigricana*, *nigricostana*, *nigro-maculata*, *nitidana*, *novichiana*, *nubiferana*, *nubilana*, *nyctemerana*, *obliquana*, *oblongana*, *obscurana*, *obsoletana*, *obtusana*, *ochreana*, *ochroleucana*, *onustana*, *opacana*, *oporana*, *oxycanthana*, *padana*, *pallasana*, *palleana*, *pallidana*, *pallioli*, *palpana*, *panzerana*, *parmatana*, *parreyssiana*, *parvulana*, *pauperana*, *paykulliana*, *pectinana*, *peramplana*, *perfuscana*, *perlana*, *perlepidana*, *petiverana*, *petrana*, *picana*, *pictana*, *plagana*, *plehejana*, *plumbana*, *plumbeolana*, *plumbosana*, *poecilana*, *populana*, *porcana*, *porphyriana*, *posticana*, *prasinana*, *pratana*, *prodromana*, *productana*,

profanana, pronubana, proximana, pruneticolana, psorana, pudorana, puellana, pulchellana, pulicana, pullana, pulverana, purpurana, pustulana, pygmaeana, pyrastrana, quadrana, quadrimaculana, quadripunctana, radiana, ramana, ratana, rectifasciana, reticulana, retusana, rheediana, rhombifasciana, ribeana, rigana, rivulana, roeselana, rogana, rolandriana, romaniana, rosana, roseana, rosetana, rosetana, rotundana, rubellana, rubiana, rubigana, rubraana, ruficiliana, rutilana, salicetana, sanguinana, sapineana, sauciana, schalleriana, scharfenstemiana, schrankiana, schreibersiana, seitana, scrophulariana, scutulana, sellana, sellaria, semi-albana, semifasciana, semilunana, senecioniana, sesquilineana, sexpunctana, siliceana, simpliciana, sineana, smeathmanniana, sociana, sodaliana, sorbiana, sordidana, spadiceana, spartiana, spectrana, spixiana, squamana, stictana, sticticiana, stigmatana, straminea, stramineana, striana, strigana, strobilana, stroemiana, subroseana, subsequana, subneana, sudoriana, sulphurana, trochilana, turioniana, ulicetana, ulmana, unculana, undatana, unguicana, unicolorana, unifasciana, unipunctana, unipunctata, unitana, ustulana, vappana, variegana, varroniana, venustana, vepretana, verbascana, vernana, verrucana, vibrana, viduana, vineulana, viridana, vitelliana, vulgana, vulneratana, vulpinana, walbomiana, walckenaerana, weirana, wellensiana, zachana, zaegana, zetteriana, zinkenana, zoegana.

Tortrix (R.) annulata, boa, bottae, brachyura, colubrina, coralinus, eryx, iaculus, maculatus, melanosticta, miliaris, pseudoeryx, punctata, reticulata, rufa, russeli, seytae, xenopeltis.

Tortulosa tortuosus.

Torula alpinata, equestraria.

Torymus abbreviatus, abdominalis, admirabilis, aeneus, affinis, albomaculatus, amethystinus, amoenus, anephelus, annulatus, appropinquans, approximatus, armatus, associatus, ater, auronitens, aurulentus, azureus, bedeguaris, bipunctatus, brachyurus, calcarata, caliginosus, caudatus, chalybaeus, chlorinus, chlorocopes, chrysis, chrysocephalus, cingulatus, collaris, compressus, congener, congruus, contractus, conubernalis, crinicaudis, cultriventris, cupreus, cyaneus, cyaninus, cynipidium, dentipes, difficilis, distinctus, dorsalis, dresdensis, druparum, dubius, elegans, erythrothorax, euehlorus, fasciatus, fastuosus, foersteri, fulgens, fulgidus, fuliginosus, fuscipes, galli, globiceps, incertus, kaltenbachii, longicaudis, medius, metallicus, militaris, minor, minutus, modestus, muscarum, nanus, nigricornis, nitidulus, nobilis, noerdlinger, obscuripes, obsoletus, ocreatus, onjunctus, pallidicornis, pallitarsis, parellinus, pavidus, phormis, pictus, propinquus, pubescens, pumilus, punctum, purpurascens, quercinus, regius, rubripes, rufipes, saphirinus, sapphyrinus, speciosus, spilopterus, splendidus, stigma, subterraneus, tarsatus, truncatus, viridis, viridissimus.

Torymus globiceps.

Tosena fasciata.

Tosia aurata, australis, grandis, lunata, regmaris, rubra, semilunata, tubercularis.

Tostegoptera lanceolata.

Totanus acuminatus, aegocephalus, affinis, ater, australis, bartramius, brevipes, calidris, campestris, candidus, chloropus, chloropygius, cinclus, crassirostris, damacensis, ferrugineicollis, ferrugineus, fistulans, flavipes, floredanus, fuliginosus, fuscocapillus, fuscus, gambetta, glareoides, glareola, glottis, glottoides, gregarius, griseopygius, griseus, guttatus, guttifer, himantopus, horsfieldi, hypoleucus, incanus, indicus, javanicus, kuhli, lapponicus, lathamii, leucophaeus, leucophrys, leucopterus, leucourus, leucurus, limosa, littoralis, longicauda, longipes, macropterus, macularia, maculatus, maritimus, marioratus, melanoleuca, melanopygius, natans, natator, nigellus, niger, nutans, oceanicus, ochropus, palustris, pedestris, polynesiae, pugnax, pulverulentus, punctatus, pusillus, rivalis, rufifrons, rufus, sasashe, semicollaris, semipalmatus, silvestris, solitarius, speculiferus, stagnatilis, striatus, sylvestris, tenuirostra, titares, totanus, variegatus, virgatus, vociferus.

Touraco persa.

Touyou americana.

Toxares deltiger.

Toxaster bertheloti, ~~edmonii~~, complanatus, couloni, cuneiformis, gibbus, micrasterformis nicaeensis, oblongus, roulini, semistriatus, texanus, verany.

Toxeres pistori.

Toxerites disjunctus, truncata.

Toxeuma ericae, fuscicornis.

Toxeus maxillosus.

Toxeutes arcuatus, argala, attenuatus, fasciatus, gronovii, tantalus.

Toxicophis leucostoma.

Toxicum curvicone, geniculatum, nigripes, richesianum.

Toxocampa cracca, limosa, ludicra, lusoria, pastinum, rectangularis, viciae.

Toxocera limbiventris.

Toxoceras aequalicostatus, annularis, astierianus, baugieri, bituberculatus, cornuelianus, cylindricus, duvalianus, elegans, emericanus, garani, gracilis, honnoratianus, joubertianus, moutonianus, nodosus, obliquatus, obliquus, obigny, plicatilis, rarispina, requienianus, royerianus, tenuis, tuberculatus, varusensis.

Toxodera denticulata, tenuipes.

Toxodon angustidens, paranensis, platensis.

Toxolasma cinerascens, cyclips, flexa, lividus.

Toxonevra fasciata.

Toxophora aegeriiformis, amphitea, appendiculata, aurea, aurifera, carcelii, cuprea, fusca, iavana, lepidocera, leucopyga, maculata, zilpa.

Toxophorus attenuatus, brentioides, disjunctus, fasciatus, gronovii.

Toxorhina brevipalpa, congirostris, pulchella.

Toxorhinus cultriostri.

Toxostoma (A.) curvirostris, longirostre, rediviva, rufus, vetula.

Toxostoma (G.) globularis.

Toxotes antiquus, jaculator.

Toxotrema complanata, globularis.

Toxotus aesculi, atratus, chrysogaster, cinctus, coarctatus, cursor, decoloratus, dentipennis, dentipes, dispar, dives, geniculatus, humeralis, interrogationis, laevis, lateralis, maculosus, meridianus, minutus, mirabilis, noctis, nodicollis, obliquus, persicus, pictus, quadrimaculata, rudibus, rugipennis, schaumii, seductor, sericeus, splendens, taeniatus, tataricus, tomentosus, verneuili, vittatus.

Trachea atriplicis, melanospila, piniperda, porphyrea, praecox.

Trachelacanthus stschurovskii.

Trachelia maculicollis, octolineata, pustulata.

Tracheliastes maculatus, polycopus, stellifer.

Trachelina anas, anser, olor, stricta.

Trachelium (Col.) signatum.

Trachelium (Hem.) bicolor, fulvipes.

Trachelius ambiguus, anas, anaticula, aninga, ciccr, colymbus, cygnus, falx, fasciola, globuliferus, lamella, laticeps, meleagris, ovum, planaria, proteus, strictus, stylatus, teres, trichophorus, tricophorus, utriculus, vorax.

Trachelizus adustus, bisulcatus, clavicornis, dorsalis, ferrugineus, notatus, populeus, puncticollis, rufus, scrobicollis, sulcirostris, turgidirostris, uncimanus, vasseleti.

Trachelobdella kollari, muelleri.

Trachelocerca biceps, olor, sagitta, viridis.

Trachelochismus pinnulatus.

Tracheloeum laticolle.

Trachelogerrhon trachelogerrhos.

Trachelomonas areolata, aspera, cucullata, cylindrica, emarginata, granulata, laevis, nigricans, pyrum, volvocina.

Trachelonetta acuta.

Trachelopterus coriaceus.

Trachelorachys fumicolor, pustulatus.

Trachelotherium giraffa.

Trachelotis vigorsi.

- Trachelus** (Col.) modestus.
- Trachelus** (Hym.) compressus, haemorrhoidalis, pygmaeus, satyrus, tabidus, troglodita.
- Trachichthys** mediterraneus.
- Trachidermis** intermedius, uncinatus.
- Trachidermus** efasciatus, richardsoni.
- Trachina** denudans, lineolata, longimana.
- Trachinotus** affinis, anomalus, argenteus, auratus, bailloni, blochi, cayennensis, cupraeus, drepanis, falcatus, falciger, fuscus, glaucus, gorensis, marginatus, maxillosus, melo, mookalee, myrias, oblongus, paitensis, pampanus, quadripunctatus, rhomboides, russeli, spinosus, tenuiceps, teraia.
- Trachinus** aureo-victatus, blochi, cirrhosus, cirrosus, cornutus, dracunculus, major, paganus, radiatus, spinulosus, trichodon, vahnus, varagnola, vipera.
- Trachodes** contractus, costatus, exsculptus, hystrix, ptnodes.
- Trachops** cirrhosus, fuliginosus, protractum.
- Trachurus** alicolus, aquilus, clupeoides, fasciatus, imperialis, saurus, sculus, vulgaris.
- Trachusa** adunca, amethystina, argentata, aterrima*, atra, aurulenta, bicolor, bicornis, byssina, centuncularis, cincta, coerulescens, couica, conigera, derasa, disjuncta, florentinum, fronticornis, fuliginosa, fulviventris, fusca, globosa, haematoda, hirta hirtipes, holosericea, interruptum, lagopoda, lanata, liturata, lobata, maculata, manicatum, maxillosa, muraria, pluviipes, pubescens, rotundatum, rufa, ruipennis, serratula, serratulae, sticticum, strigata, strigosa, truncorum, tuberculata, tumulorum, variegatum, ventralis.
- Trachyaspsis** lardyi.
- Trachycara** fusca.
- Trachycephalus** dominicensis, elongatus, geographicus, marmoratus, nigromaculatus, subcristatus.
- Trachycycus** marmoratus.
- Trachyderes** abbreviatus, annulatus, audouini, auricomus, badius, basalis, bi-color, bi-cornis, bislineatus, blandus, boisduvali, cardinalis, cayennensis, cinctus, cingulatus, conformis, cruentatus, dejeani, dimidiatus, duponti, ebeninus, elegans, equestris, fabricii, fasciatus, flavescens, flavipes, fulvipennis, germari, gloriosus, hirticornis, homoplatus, humeralis, imperialis, intermedius, interruptus, juvenis, lacordairei, latreillei, lineatus, lineolatus, maculicornis, marginatus, marmoratus, microthorax, morio, multistriatus, nigripes, nigropennis, notatus, octolineatus, oculatus, olivieri, orbigny, porcatus, proximus, puncticollis, quadri-oculatus, reichei, ruber, rubripes, ruipipes, scabricollis, scapularis, scutellaris, signaticollis, signatus, simplicipennis, solieri, spadicus, striatus, strigatus, sub-fasciatus, substriatus, succiuctus, superbus, testaceus, thoracicus, transversalis, tricolor, variabilis, variegatus, vauthieri, venustus, vicinus, virens, zonatus.
- Trachyhyas** rugosus.
- Trachylepis** punctata, savignyi.
- Trachymerus** croceoplagiatus.
- Trachynotus** (Col.) acuminatus, aeneus, carinatus, curculioides, elongatus, goryi, humeralis, lacunosus, leucographus, reticulatus, rugosus, vittatus.
- Trachynotus** (Hym.) foliator.
- Trachypachus** inermis, luteipes, quadricollis, sibiricus, transversicollis, zetterstedti.
- Trachypelmus** subcristatus.
- Trachypeltis** multicarinatus.
- Trachypetra** bufo.
- Trachypetus** clavatus.
- Trachypylaeus** aquilus, bisfoveolatus, chamomillae, confinis, digitalis, echinatus, hirsutus, hispidulus, hispidus, metallicus, notulatus, simplex, sordidus, sphaeroides, spinimanus, spinulosus, spurcus, squalidus, squamulatus, sulcicollis, tessellatus, tigrinus, ventricosus.
- Trachyploeus** alternans, anoplus, aristatus, asperatus, asphaltina, brevis, erinaceus, horrens, inermis, lanuginosus, laticollis, melanothrix, notulatus, sabulosus, scaber, scabriculus, setarius, spatulatus, spinimanus, squalidus, squamifer, squamosus, squamulatus, stipulatus, villosulus, waltoni, waltonianus.

- Trachypholis *hispidum*.
 Trachyphonus *cafer*.
 Trachyphyllia *amarantus, gombrovi*.
 Trachypteris *decastigma*.
 Trachypterus *argenteus, bogiparus, bonelli, costae, cristatus, falx, hiatula, luteus, leiopterus, remipes, repandus, rondeleti, spinolae, taenia*.
 Trachypus *gomesi*.
 Trachys *acephala, aceducta, acuminata, aenea, apicata, aurulenta, bali, capensis, cruenta, ephippium, exigua, fasciata, fastigiata, floridensis, gracilis, indica, leonensis, marmorea, minuta, nana, obsoleta, obiotica, ovata, parva, phlyctaenodes, pulchella, pumila, purpurea, pusilla, pusio, pygmaea, quadrinotata, reflexa, rugosa, scrobiculata, senegalensis, socia, speculum, terminans, tessellata, troglodytes*.
 Trachysaurus *peroni, rugosus, typicus*.
 Trachyscelis *aphodioides, flavipes, opatroides, rufus, villosus*.
 Trachysmia *duponcheliana, rigana*.
 Trachysomus *adpersus, cristatus, faunus, fragifer, gibber*.
 Trachysphyrus *imperialis*.
 Trachytes *oraniensis*.
 Trachyteuthis *ensiformis, oblonga*.
 Trachytherium *raulini*.
 Tragelaphus *angasi, decula, eurycerus, hippelaphus, seriphis, strepsiceros, sylvatica*.
 Tragidion *coquus, fulvipenne, lynceum*.
 Tragium *hircinum*.
 Tragocephala *formosa, hamata, nobilis, variegata*.
 Tragocerus *australis, bidentatus, bifasciatus, flavicomus, lepidopterus, spencei, subfasciatus*.
 Tragomma (G.) *acies, albanica, algira, compressa, croatica, gemonensis, verticillus*.
 Tragopa (A.) *satanas*.
 Tragopa (Hem.) *aenea, alacris, albimacula, andreae, bajulus, bipartita, bistriata, chi, cinicoides, coccinella, cyanea, dimidiata, dohrni, ephippium, frontalis, fulvovaria, funerula, globus, humeralis, involuta, marmorea, nitida, obliqua, ovalis, picta, punctatissima, sacra, tripartita, vespertilio, xanthocephala*.
 Tragopan *abyssinicus, hastingi, melanocephalus, satyra*.
 Tragops (M.) *bennetti, christi*.
 Tragops (R.) *nasutus, pavoninus, xanthozonius*.
 Tragopus *asper, tuberosus*.
 Tragos *acetabulum, acute-marginatus, acutimargo, astroites, binneyi, capitatum, cepaeiformis, coronalis, deforme, difforme, echinatus, enorme, foraminosum, fungi-forme, globularis, hippocastanum, hybridum, incrustans, involutum, juglans, mamillatus, michelini, milleporatum, moschatellinum, patella, pertusum, peizoides, pisiforme, polymorphum, radiatum, ramosum, reticulatum, rugosum, semicirculare, sphaeroides, spongiosum, stellatum, sulcatum, tuberculatum, tuberosum, tunstallensis, verrucosum*.
 Tragosoma *depsarium*.
 Tragulus *kanchil, memenoides, mimenoides, rufescens*.
 Tragyderma *pilicollis*.
 Trama *radicis, troglodytes*.
 Tranes *sparsus, vigorsi*.
 Tranus *vittatus*.
 Trapelocera *hoernes, leptodonta, rhabdophora, verneuilli, vesiculosa*.
 Trapelus *aralensis, bibroni, flavimaculatus, hispidus, mutabilis, oegyptius, rudrata, sanguinolenta, savignyi, sinaitus, subhispidus*.
 Trapezia *affinis, coerulea, cymodoce, dentifrons, digitalis, digitatis, ferruginea, flavo-punctata, glaberrima, integra, rufopunctata, tigrina*.
 Trapezites *symmokus*.
 Trapezium *cymodoce, hians, perfectum*.
 Traphecorynus *anxius, inaequalis*.
 Travisia *forbesi, oestroides*.

Trebius *audatus*, spinifrons.

Trechocorys *adonidium*.

Trechona *bistriata*, *drassiformis*, *icterica*, *incana*, *lycosiformis*, *zebra*.

Trechus *abdominalis*, *alpicola*, *amaurocephalus*, *angustatus*, *angusticollis*, *antarcticus*, *apicalis*, *assimilis*, *audouini*, *austriacus*, *bannaticus*, *bifasciatus*, *brasiliensis*, *californicus*, *castanopterus*, *caucasicus*, *chalybeus*, *collaris*, *conjunctus*, *consputus*, *convexus*, *corruscus*, *croaticus*, *crux*, *decorus*, *discus*, *dorsalis*, *elegans*, *elongatulus*, *flavicollis*, *flavipes*, *flavus*, *fulvus*, *fuscipennis*, *fuscus*, *glacialis*, *harpalinus*, *immunis*, *incilis*, *kamtschatkensis*, *laevipennis*, *laevis*, *latebricola*, *laticollis*, *latipennis*, *latus*, *liopleurus*, *lithophilus*, *littoralis*, *longhii*, *longicornis*, *macrocephalus*, *maculicornis*, *mariae*, *melanocephalus*, *meridianus*, *metallesens*, *micropterus*, *micros*, *minutissimus*, *minutus*, *montanus*, *nigriceps*, *nigricornis*, *nigrinus*, *nitidus*, *nivicola*, *obtus*, *ochreatus*, *ovatus*, *ovipennis*, *pallescens*, *pallidus*, *pallipes*, *paludosus*, *papalis*, *parturius*, *parvulus*, *patruelis*, *pertyi*, *piceus*, *pinguis*, *platypterus*, *politus*, *ponticus*, *procerus*, *profundostriatus*, *pulchellus*, *pusillus*, *quadricollis*, *quadrinaculatus*, *quadristriatus*, *rivularis*, *robini*, *rotundatus*, *rotundipennis*, *rubens*, *ruficollis*, *ruficornis*, *rufulus*, *rupestris*, *scutellaris*, *secalis*, *sericeus*, *sexstriatus*, *similis*, *soledadinus*, *striatulus*, *styriacus*, *subnotatus*, *suturalis*, *tibialis*, *tristis*, *verbasci*.

Tremapterus *dregeri*.

Trematis *cancellata*, *filosa*, *hamifera*, *punctata*, *scrobiculosa*, *terminalis*.

Trematodes *carbonarius*, *pallasi*.

Trematodum *ranae*, *talpae caecae*.

Trematopsis *willughbei*.

Trematosaurus *brauni*.

Tremeropugus *typicus*.

Tremesia *patelloides*.

Tremex *columba*, *fuscicornis*, *magus*, *obsoletus*, *sericeus*, *servillei*.

Tremocoenia *pulchella*, *subornata*, *varians*.

Tremoctopus *quoyanus*, *violaceus*.

Tremospongia *sphaerica*.

Trennia *nigricornis*.

Trepang *ananas*, *edulis*, *impatiens*, *peruviana*.

Trepomonas *agilis*.

Trepsichrois *alea*, *balissima*, *diocletia*, *eleusina*, *midamis*, *mulcibra*, *thoosa*.

Treron *abyssinica*, *apicauda*, *aromatica*, *asiatica*, *australis*, *bicincta*, *calva*, *cantillans*, *capellei*, *chorigaster*, *crassirostris*, *eimensis*, *fulvicollis*, *jerdoni*, *korthalsi*, *magirostris*, *malabarica*, *militaris*, *nipalensis*, *olax*, *oxyura*, *phaenicoptera*, *psittacea*, *purpurea*, *sti thomae*, *sieboldi*, *sphenura*, *vernans*, *viridifrons*.

Tretaspis *bucklandi*, *caractaci*, *fimbriatus*, *gibbifrons*, *latus*, *radiatus*, *scyllarus*, *seticornis*.

Tretosternon *punctatum*.

Tretus *loripes*.

Triacanthus *anomalus*, *biaculeatus*, *brevirostris*, *strigilifer*.

Triacanthus *apicalis*.

Triacrinus *granulatus*, *pyriformis*.

Triacrus *dilatus*.

Triacus *clavicornis*.

Triaena (Col.) *angustata*, *depressa*, *indistincta*.

Triaena (Lep.) *cuspid*, *psi*, *teligera*, *tridens*, *tritona*.

Triaenodon *obesus*, *smithi*.

Triaenophorus *nodosus*, *nodulosus*.

Triaenopus *baileyanus*, *emmonsianus*.

Triakis *scyllum*.

Trianisites *cliffordi*.

Triarthra *albicollis*, *bicolor*, *cornuta*, *longiseta*, *mystacina*.

Triarthria *albicollis*, *bicolor*, *spinipennis*.

Triarthron *maerkeli*.

Triarthrus *becki*, *gibbosus*, *laciniatus*, *scaraboides*.

Triaatoma *gigas*.

- Triaulacias ~~tri~~quetra.
 Tribacis ~~notus~~, osseticus, regularis.
 Tribalus americanus, capensis, minimus, scaphidiformis.
 Tribolium castaneum.
 Tribolonotus novae-guineae.
 Tribon umbratile.
 Tribonophora umbratica.
 Tribonophorus desmaresti.
 Tribonyx dumortieri, ventralis.
 Tribostethes castaneus.
 Tribrachyocrinus clarki.
 Tribbranchus anguillaris.
 Tribura luteoventris.
 Tricalama plicatilis.
 Tricaster palmifer.
 Triccus cinereus.
 Tricelis fasciatus, quadripunctata.
 Tricellaria aculeata, ternata, tricythura.
 Triceras (Sp.) paradoxus.
 Triceros grayi.
 Trichas aequinoctialis, bivittatus, brachydactylus, canicapilla, concolor, delafieldi, leucoblephara, luteoviridis, macgillivrayi, marilandica, nigro-cristatus, personatus, ruficeps, superciliosus, tephrocotes, trichas, velata.
 Trichaster isidis.
 Trichastoma affine, porocephala, rostratum.
 Trichechus cooki, divergens, durong, hydrotipbecus, longidens, obesus, rostratus, siren.
 Trichechus arcticus.
 Tricheops ephippiger.
 Trichestes pilosicollis.
 Trichesthis pilosicollis.
 Trichetra isabella, sparshalli.
 Trichia (Cr.) dromiaefornis.
 Trichia (G.) circinnata, clandestina, filicina.
 Trichias philadelphia, rotundicollis, velata.
 Trichidius aurantiacus.
 Trichina (Dipt.) clavipes, crassipes, elongata, flavipes, fuscipes, rufipes, velutina.
 Trichina (Verm.) inflexa, ranae esculentae, reticulata, spiralis.
 Trichinus piger, smithi, viridulus.
 Trichiopoda lanipes, plumipes.
 Trichiosoma laterale, latreillei, lucorum, pratensis, pusillum, salicis, scalesi, sorbi, sylvaticum, tibiale, triangulum, unidentatum.
 Trichis maculata, pallida.
 Trichites nodosus, undatus.
 Trichiura crataegi.
 Trichiurus argentatus, armatus, electricus, hamrela, haumela, intermedius, lepturus-japonicus, muticus, savala.
 Trichius abbreviatus, abdominalis, aeneus, alutaceus, amoenus, apicalis, araneoides, arthriticus, assimilis, atomarius, barbatus, bi-fasciatus, bigsbyi, bilateralis, bilobus, bimaculatus, binotatus, bistriatus, bistriga, bivittatus, bombylius, bonplandi, calcarata, campicola, canaliculatus, cancrioides, capicola, capucinus, carbonarius, chiragricus, cinereus, clathratus, coriarius, costatus, crassipes, crinita, dahuricus, delta, deltoides, dentatus, denticeps, dentipes, depressus, deustus, discolor, divisus, dorsalis, dubius, eremicola, eremiticus, fasciculatus, fasciolatus, femoratus, flaveolus, fortunatarum, foveatus, fulvipes, fulviventris, fuscipes, fuscus, gagates, gallicus, gonagra, grossipes, hylax, intermedius, interruptus, irroratus, lapeyrousei, latipes, limbatus, lineatus, lynx, maculosus, magnificus, marginella, minutus, monachus, multiguttatus, nanus, obliquus, olens, ovinus, pachyglutus, pachymerus, pallidipennis, parvulus, podagricus, orologatus, pulverulentus, punctigerus, pusillus, quadratus, quadrilineatus, quadris

maculatus, retusus, ruicaudus, rufipes, rugosus, rupicola, saxicola, scaber, seticollis, setosus, sex-guttatus, sexlineatus, sexstriatus, spinipes, squamiger, squamosus, stigmaticus, subcostatus, sulcatus, sulcicollis, suturalis, swederi, thoracicus, tibialis, triangulum, tricolor, undulatus, ursula, ursus, variabilis, variegatus, villosus, viridans, viridis, vittata, vittatus, vulpes, zonatus.

Trichixos bres, pyropyga.

Trichobius parasiticus.

Trichocephalus acicularis, affinis, auricularis, cameli, capillaris, castoris, contortus, crenatus, depressusculus, dispar, echinatus, gibbosus, gracilis, lemuris, leporis, milvi, minutus, muris, nodosus, ophisauris, palaeformis, subdepressus, tenuissimus, tetricus, unguiculatus. *l'ide et Tricocephalus.*

Trichocera (Cr.) gibbosa, integra, porcellana.

Trichocera (Dipt.) annulata, barbicornis, binacula, brumalis*, communis, femorata, fuscata, gracilis, hiemalis, maculata, maculipennis, parva, pini, regelationis, scutellata.

Trichoceras erythrophthalmus.

Trichocerca bilunaris, catellus, forcipata, jobloti, longicauda, longiseta, luna, orbis, pocillum, rattus, tigris, vermicularis.

Trichocoryne striata.

Trichocyclus dumerili.

Trichoda (Inf.) aethiopica, angulata, asiatica, bicaudata, bicornis, bidens, biloba, calva, carinatum, chaetophora, comosa, cricetus, cumex, cycloidium, foeta, globulus, granulifera, histrio, jobloti, lichenorum, nasamonum, ovata, paramaecium, pura, pyrum, vestianella, vibrio, vitraea, volutator, vulgaris.

Trichoda (Lep.) neustria, triseta.

Trichodactylus (Ar.) osmiae.

Trichodactylus (Cr.) affinis, granarius, punctatus, quadrata.

Trichodectes bovis, canis, caprae, climax, cornutus, crassus, diacanthus, equi, exilis, latus, limbatus, longicornis, melis, ovis, pinguis, retusus, scalaris, similis, sphaerocephalus, subrostratus, vulpis.

Trichoderes pini.

Trichoderma (A.) muraria.

Trichoderma (P.) histrix, scapus.

Trichodes affinis, alvearius, ammos, angustus, apiarius, apivorus, aulicus, australis, axillaris, bizonatus, carceli, cerarius, corallinus, crabroniformis, cyaneus, dahl, douglasianus, fasciculatus, favarius, flavicollis, fulgens, hartwegianus, humeralis, insignis, instabilis, interruptus, lafertei, laminatus, leucopsideus, nobilis, nuthalli, nuttali, obliquatus, ochropus, olivieri, ornatus, punctatus, quadriguttatus, quadri-pustulatus, sanguineosignatus, sipylus, subtrifasciatus, syriacus, tricolor, trifasciatus, umbellatarius, umbellatarum, verticalis, viridifasciatus, zebra.

Trichodina acarus, comosa, grandinella, pediculus, stellina, tentacula, vorax.

Trichodiscus sol.

Trichodon stelleri.

Trichodura anceps.

Trichogaster fasciatus, trichopterus.

Trichoglossus aurifrons, australis, capistratus, chlorolepidotus, concinnus, cruentus, cyanogrammus, forsteni, haematodus, haematopus, matoni, multicolor, ornatus, palmarum, porphyrocephalus, porphyrocephalus, pusillus, pyrrhopterus, rubritorquis, swainsoni, taitianus, versicolor.

Trichognatha cincta, marginipennis.

Trichogomphus lunicollis, martabani, milo.

Trichogramma carina, evanescens.

Trichola crataegi.

Tricholepis niveopilosa.

Trichomaplata vittata.

Trichomma enecator, fulvidens.

Trichomonas limacis.

Trichomycterus areolatus, barbatula, gracilis, incae, inermis, maculatus, nigricans, punctulatus, rivulatus.

- Trichomyia arctica.
 Trichomyza fusca.
 Trichoneura vulgaris.
 Trichoniscus flavescens, natus, pusillus, riparius, roseus, vividus.
 Trichonotus (Col.) scropha.
 Trichonotus (P.) setiger.
 Trichonyx sulcicollis.
 Trichophora nigra.
 Trichophorus (A.) barbatus, brachypodioides, caniceps, flaveolus, flavicaudus, flaviventris, gularis, leterinus, indicus, lunatus, poliocephalus, pulverulentus, striolatus, sulphuratus, tephrogenys, virescens, xanthogaster.
 Trichophorus (Col.) chevrolati, distinctus, interrogationis, lippus, obliquus, variatus.
 Trichophthalmus albinacula, aurora, bivittata, costalis, degener, fulva, funesta, leucophaea, obscura, quadricolor, subaurata.
 Trichophya pilicornis.
 Trichophyus pilicornis.
 Trichoplus laevis.
 Trichopoda (Col.) cassidaeformis.
 Trichopoda (Dipt.) apicalis, ciliata, cilipes, flavicornis, formosa, gradata, haitensis, hirtipes, histrio, inconstans, lanipes, lateralis, luteipennis, melanopus, mexicana, pennipes, pilipes, pyrrhogaster, subulipes, umbra.
 Trichopodus (P.) bejeus, chuna, cobra, colisa, lalius, mentum, sota, trichopterus.
 Trichoprosopus urvillei.
 Trichopselaphus subiridescens.
 Trichopsidea oestracea.
 Trichoptera canescens, fuliginosa, hirta, ocellaris, palustris, phalaenoides, trifasciata, trisulcata.
 Trichopteryx (Col.) abbreviatella, abrupta, alpina, alutacea, angustula, apicalis, aptera, aspera, atomaria, attenuata, bifoveolata, boudieri, brachyptera, brevipennis, canaliculata, cephalotes, chevieri, chevrolati, clavipes, curta, depressa, discoidea, discolor, elongata, evanescens, exarata, excavata, fascicularis, fenestrata, flavicornis, foveolata, fucicola, fusca, fuscipennis, gracilis, grandicollis, gressneri, guerini, inquilina, intermedia, kunzei, laevigata, lata, limbata, littoralis, longicornis, melanaria, microscopica, minima, minuta, minutissima, montandoni, myrmecophila, nana, nitida, oblonga, obscuricornis, parallelogramma, picicornis, picipes, pulchella, pumila, pusilla, pygmaea, quadrifoveolata, ratisbonensis, rivularis, rotundatus, rugulosa, saxonica, sericans, similis, spencei, suturalis, testacea, thoracica, titan, transversale, trisulcata, vittata.
 Trichopteryx (Lep.) decolorata, hexaptera, lobulata, sexalata, viretata.
 Trichopus (Ar.) libratus.
 Trichopus (Cr.) mystacinus.
 Trichopus (P.) arabicus, goramy, monodactylus, pallasi, satyrus, striatus, trichopterus.
 Trichopygus dissimilis, nitens, pumilio, subuliformis.
 Trichoscelis (Hem.) stollii.
 Trichosoma (Lep.) algericum, baeticum, biverrucatum, corsicum, loewi, marginale, mauritanicum, parasitum, pierreti.
 Trichosoma (P.) hamiltoni, trichonoides.
 Trichosoma (Verm.) alaudae, brevicolle, canis vulpis, caprimulgi, carbonis, charadrii, columbae, corvorum, crassicauda, crotalis, crypturi, erinacei, falconum, fringillae, gracilis, hirundinis, inflexum, longicolle, muris decumani, obtusiusculum, obtusum, picorum, pica, putorii, splenaeum, turdi, vanelli, vesperilionis.
 Trichosomum aereophilum, angustum, contortum, curvicauda, dispar, entomelas, exiguum, exile, ornatum, parasitum, resectum, rigidulum, tomentosum.
 Trichosomus (P.) dracaena, trachinoides.
 Trichostegia grandis, minor, varia.
 Trichostetha albopicta, lapensis, fascicularis, natalis, prunipennis, signata, tibialis.
 Trichostola fuscipes.
 Trichostoma (A.) celebense, umbratile.

- Trichostoma (Neur.) capillatum, fuscicorne, nigricorne, picicornis, rufescens.
 Trichostomum anratum, maculatum, pallipes.
 Trichosurus (M.) cooki, viverrinus, xanthopus.
 Trichotarsia fimbriata.
 Trichothraupis quadricolor.
 Trichoton cayennense.
 Trichotria porillum.
 Trichotropis acuminata, atlantica, bicarinatus, borealis, cancellata, conica, ~~costulatus~~,
 flavida, inermis, insignis, kroyeri, pusillus, umbilicata, unicarinata.
 Trichotropus sowerbiensis.
 Trichromia capya, onytes, trigemmis.
 Trichura druryi.
 Trichuris intestinalis.
 Tricla australis, mediterranea, mediterranei, taeniobrancha, tridentata.
 Triclaria (A.) cyanogastra.
 Triclaria (Ar.) longitarsis.
 Tricocephalus acetabularis. *Vide et Trichocephalus*.
 Tricoelia variopedata.
 Tricolia brongiarti, draparnauldi, gueriui, uicaeensis, pullus, punctata, rissoi, rubra.
 Tricomonas vaginale. *Vide et Trich*→.
 Tricondyla annulicornis, aptera, atrata, chevrolati, conicicollis, coriacea, cyanea, cyanipes,
 mellyi, pulchripes, punctipennis, vanderlindeni, vicina.
 Tricondylia globicollis.
 Tricophorus crispiceps, olivaceus, striatus, strigilatus.
 Tricorynus zeae.
 Trictenotoma aenea, childreni, templetoni.
 Tricula montana.
 Tricuspidaria elegans, piscium.
 Tridacna aegyptiaca, asperella, crenulata, crocea, elongata, gigas, hippopus, maculata,
 media, mutica, punctulosa, serrifera, squamosa, wolfarti.
 Tridacne glabra, imbricata, maxima.
 Tridacnodites gigas.
 Tridacophyllia aspera, laciniata, lactuca, paeonia, symphyllodes.
 Tridactylia hirsuta, tiga, undulata.
 Tridactylus (Orth.) apicalis, marginatus, paradoxus, thoracicus, tibialis, variegatus.
 Tridactylus (R.) decreseiensis, nigricollis.
 Tridentia fulva, linearis.
 Tridonta (G.) plicata.
 Tridonta (L.) borealis.
 Tridopsis albolabris, appressa, convexa, elevata, fraterna, hirsuta, inflecta, palliata,
 personata, profunda, thyroideus, tridentata, tridonta.
 Tridymus apbidum, xylophagorum.
 Trielasmus varians.
 Trientoma varvasi.
 Triforis biplicatus, conoidalis, plicatus.
 Trifurcula immundella, pallidella, pulverosella, squamatella.
 Trigla adriatica, anzolatus, aspera, blochi, bracanthus, brandesi, buergeri, burgeri*,
 capensis, cavillone, corax, corvus, cuculus, fagianus, fasciata, filaris, garrulus, gonotus,
 grunniens, hamata, bemisticta, hyrax, japonica, laevis, lastoviza, leucoptera, lineata,
 lucerna, lyra, microlepidota, milvus, muzodurus, obtusurhynchus, palmipes, papilio,
 papilionacea, pauciradiata, pentedactyla, peroni, pbalaena, pleuracanthica, poecilop-
 tera, polyommata, pygmaea, rodinogaster, sicala, sphinx, spinosa, swainsoni, trachinus,
 turchellus, vanessa.
 Triglochis taurus.
 Triglops pingeli.
 Triglyphus primus.
 Trigon forskaeli, histrix.
 Trigona (G.) pellucida.

- Trigona* (Hym.) *amalthea*, *angustula*, *bilineata*, *compressa*, *elongata*, *favosa*, *fulviventris*, *ligata*, *orbigny*, *pallida*, *ruficrus*.
- Trigona* (L.) *angulifera*, *bicolor*, *byronensis*, *corbicula*, *donacina*, *donacoides*, *laevigata*, *radiata*, *stultorum*, *tripia*, *ventricosa*.
- Trigonalis* *aterrima*, *hahn*.
- Trigonalys* *anglicana*, *leprieuri*, *melanoleuca*, *obscura*, *pullata*, *servillei*.
- Trigonaspis* (Cr.) *cornuta*, *laevigata*.
- Trigonaspis* (Hym.) *crustalis*, *foersteri*.
- "*Trigone* *mexicanae*."
- Trigonella* *piperata*.
- Trigonellites* *antiquatus*, *communis*, *costatus*, *curvirostris*, *nodulosus*, *pes-anseris*, *politus*, *simplex*, *trigonius*, *vulgaris*.
- Trigonia* (L.) *abrupta*, *aculeata*, *affinis*, *aliformis*, *angulata*, *angulifera*, *antarctica*, *antiqua*, *archiaciana*, *arcuata*, *aspera*, *bachelieri*, *bipartita*, *boussingaulti*, *brunni*, *cardissa*, *cardissoides*, *carinata*, *cassiope*, *castor*, *caudata*, *chiron*, *cincta*, *clathrata*, *clavellata*, *clavo-costata*, *clio*, *clytia*, *concentrica*, *concinna*, *conformis*, *conjungens*, *constanti*, *coquandiana*, *corallina*, *costata*, *costellata*, *costulata*, *crassatellina*, *crenulata*, *curvirostra*, *curvirostris*, *cuspidata*, *cybele*, *daedalea*, *de buchi*, *delafosse*, *denticulata*, *disparilis*, *divaricata*, *duplicata*, *eccentrica*, *echinata*, *elongata*, *falcki*, *fasciata*, *fittoni*, *flexuosa*, *geographica*, *gibboniana*, *gibbosa*, *goldfussi*, *hanetiana*, *harpa*, *hondaana*, *humboldti*, *hybrida*, *imbricata*, *impressa*, *incerta*, *incurva*, *inflata*, *inornata*, *jonioi*, *jukesi*, *kefersteini*, *laevigata*, *lajoyei*, *lamarcki*, *lata*, *limbata*, *linearis*, *lineolata*, *literata*, *longa*, *longirostris*, *lorenti*, *lusitanica*, *magna*, *major*, *margaritacea*, *maxima*, *meriani*, *monilifera*, *navis*, *neptuni*, *nereis*, *nero*, *nodosa*, *nodulosa*, *notata*, *orientalis*, *ornata*, *orsini*, *palmata*, *papillata*, *paradoxa*, *parkinsoni*, *parvula*, *pectinata*, *pennata*, *perlata*, *pes-anseris*, *pecta*, *plicata*, *plicato-costata*, *problematica*, *proserpina*, *pulchella*, *pullus*, *pumila*, *pyrrha*, *quadrata*, *radiata*, *reticulata*, *robinaldina*, *roemer*, *rostrum*, *rudis*, *rugosa*, *rupellensis*, *scabra*, *scapha*, *semiculta*, *sexcostata*, *signata*, *similis*, *sinuata*, *sinuosa*, *smeei*, *spectabilis*, *spinifera*, *spinosa*, *spinulosa*, *striata*, *sub-costata*, *subcrenulata*, *subexcentrica*, *subliterata*, *suborbicularis*, *subpulchella*, *sulcata*, *sulcataria*, *suprajurensis*, *tenuisulcata*, *thoracica*, *tocaimana*, *trigonella*, *truncata*, *tuberculata*, *tuberculosa*, *undulata*, *uniophora*, *v-costata*, *voltzi*, *vulgaris*, *whateleyae*, *zonata*, *zwingeri*.
- Trigonia* (Lep.) *panda*.
- Trigonidium* *cicindeloides*, *desjardinsi*, *lineatocolle*, *longipenne*, *paludicola*.
- Trigonima* *amygdaloides*, *nucularis*.
- Trigonocaelia* *striata*.
- Trigonocephalus* *affinis*, *ammodytes*, *atro-fuscus*, *atrox*, *bilineatus*, *blomhoffi*, *cacodaimon*, *cantori*, *caraganus*, *cenchris*, *colombiensis*, *contortrix*, *crotalinus*, *erythrurus*, *formosus*, *gramineus*, *halys*, *holosericeus*, *hypnale*, *jararakka*, *lachesis*, *lanceolatus*, *lansbergi*, *muerosquamatus*, *nigromarginatus*, *piscivorus*, *puniceus*, *purpureo-maculatus*, *rhodostoma*, *sagittiformis*, *savianus*, *schlegeli*, *sumatranus*, *tigrinus*, *triangularis*, *trineculus*, *viridis*, *wagleri*, *zara*.
- Trigonoceps* *occipitalis*.
- Trigonocheilus* *rostratus*.
- Trigonocoelia* *acuminata*, *amygdaloides*, *angulata*, *anomala*, *aurita*, *auritoides*, *claviformis*, *complanata*, *decussata*, *deltoides*, *deshayesiana*, *emarginata*, *goldfussi*, *granulata*, *inflata*, *insolita*, *lachryma*, *lanceolata*, *linna*, *loevigata*, *miliaris*, *minuta*, *mucronata*, *multistriata*, *nana*, *nicobarica*, *nitida*, *nuculata*, *ovalis*, *ovum*, *palmae*, *pella*, *rostrata*, *scalaris*, *semi aurita*, *striata*, *sublaevigata*, *undulata*, *variabilis*, *westendorfi*.
- Trigonodactyla* (Col.) *cephalotes*, *proxima*, *punctatostriata*, *scabricollis*, *terminata*.
- Trigonodactyla* (Med.) *lutea*.
- Trigonodera* *leachi*.
- Trigonoderus* (Col.) *disopunctatus*.
- Trigonoderus* (Hym.) *affinis*, *alebion*, *amabilis*, *atrovirens*, *contemptus*, *deductor*, *dolosus*, *ductilis*, *elegans*, *figuratus*, *filatus*, *hirticornis*, *immaculatus*, *lappa*, *linearis*, *lunaris*, *obscuripennis*, *obscurus*, *polichna*, *princeps*, *pulcher*, *tarrha*, *tristis*, *vitripennis*.

- Trigonoderus** (Orth.) childreni.
Trigonodon oweni.
Trigonogaster benignus.
Trigonometopus frontalis.
Trigonopeltastes archimedes, delta, deltoideus, geometricus, ~~linea~~, quadrangulatus, triangulum.
Trigonophis iberus.
Trigonophora amethystina, chalconia, commelinae, empyrea, ~~linea~~, fragipedia, lucipara, metienlosa, scita.
Trigonophorus (Col.) angulosus, cantori, delesserti, hardwicki, myrtilloides, nepalensis.
Trigonophorus (Hym.) gracilipes, saundersi.
Trigonops rugosus.
Trigonopsis abdominalis.
Trigonopteryx punctata.
Trigonoscelis armeniaca, deplanata, echinata, gemmulata, mirabilis, nodosa, pygmaea, schrenki, seriata.
Trigonosemus elegans, lyra, rusticus.
Trigonosoma (Dipt.) perilampiformis.
Trigonosoma (Hem.) affine, albolineata, apicale, carinata, cerinthe, desfontainei, fischeri, flavolineata, gambiae, inaequalis, nigellae, nigrolineata, pagana, reticulatum, rufum, semipunctata, subfasciatum, variolosa.
Trigonostoma (Col.) discolor.
Trigonostoma (G.) angigyrum, holosericeum, obvolutum.
Trigonostomum mucrosum.
Trigonotarsus australis, calandroides.
Trigonotoma australis, bicolor, buqueti, concinna, fulgidicollis, indica, obscura, peteli, planicollis, violacea, viridicollis.
Trigonotreta acutolobata, aequali-arata, alata, aperturata, cassidea, cristata, furcatula, granulosa, jonesiana, latoplicata, lineata, multiplicatus, oblata, ostiolata, permiana, speciosa, stokesi, testudinaria, undulata, walcotti.
Trigonurus mellyi.
Trilasmis eburnea.
Trilatus blepotis, hasselti, horsfieldi, macellus, meyeri.
Trilobites acicularis, acuminatus, alatus, angustatus, armatus, asellus, attenuatus, bituminosus, bohemicus, bronni, conicophthalmus, cornigerus, decipiens, dentatus, depressus, desideratus, elegans, elliptifrons, eurycephalus, extensus, gracilis, granulata, heteroclytus, hoffi, immarginatus, intercostatus, intermedius, laevis, latus, limbatus, lindaueri, lyra, marginatus, musca, oblongatus, orbitatus, ornatus, oxyrhynchus, paradoxus, platyrhynchus, platyrus, plicatus, problematicus, pustulatus, rugosus, scaber, schroeteri, schulzeri, semilunaris, serratus, sinia, sphaericus, sternbergi, striatus, sulzeri, tentaculatus, ungula, verticalis, vulgatus, zippei.
Triloculina acuminata, affinis, anceps, angularis, angusta, antillarum, austriaca, bicarinata, bicornis, bipartita, boliviana, brongniarti, brongniartiana, carinata, chemnitziana, communis, consobrina, crassa, cretacea, cryptella, cylindrica, decipiens, deformis, dichotoma, dubia, eburnea, echinata, elegans, elongata, fichteliana, flavescens, gibba, glabra, globulus, gracilis, gualtieriana, inflata, inornata, labiosa, laevigata, linneiana, lutea, martiniana, marylandica, maurini, microdon, minuta, muensteri, nitens, nitida, nodulus, oblonga, obotritica, oculina, orbicularis, ovalis, perforata, planicina, pulchella, quadrilateralis, reticulata, reversa, rosea, rostrata, rotunda, rotundata, rugosa, scapha, schreiberiana, striata, strigilla, suborbicularis, subtriquetra, sypho, tricarinata, tricostata, trigonula, turgida, unidentata, webbiana.
Trimenodon tapirotherium.
Trimeresurus leptcephalus, viridis.
Trimerina coeruleiventris, madizans, tibialis.
Trimercephalus laevis.
Trimerorhinus rhombeatus.
Trimerus delphinocephalus, jacksoni, platypleurus.
Trimerurus albolabris, carinatus, ceylonensis, colubrinus, erythrurus, formosus, maculatus,

- mucrosquamatus, affricatus, philippensis, purpureus, strigatus, subangulatus, sumatranus.
- Trimium** brevicorne, brevipenne, caucasicum, leiocephalum.
- Trimorphus** confinis, erro, scapularis.
- Trinaton** pygmaeum.
- Trinectes** scabra.
- Trinella** pacha.
- Trinema** acinus, hyalina.
- Trineura** abdominalis, anceps, annulata, arcuata, atra, bicolor, carbonaria, cariniformis, ciliata, crassicornis, dimidiata, fasciata, femorata, flava, flavicoxa, fuscipes, gymno-phorina, humeralis, incrassata, interrupta, lutea, maculata, minor, mordellaria, notata, obscura, opaca, palpina, palposa, peregrina, pulcra, pumila, pygmaea, ruficornis, rufipes, sordida, stictica, thoracica, urbana, velutina, vulgaris, zonata.
- Tringa** acuminata, albenscens, arquata, atricapilla, auduboni, aurita, australis, bartramia, bewicki, brevipes, brevis, calidris, campestris, canadensis, canutus, cayennensis, chilensis*, chinensis, cinerea, crassirostris, cucullus, curvirostris, damacensis, dominicensis, dorsalis, douglasi, dubia, elerioda, ferruginea, fuscicollis, glottis, guttata, hardwicki, hiaticula, himantopus, indica, leucopyga, limbata, littoralis, longipes, longirostris, macroptera, macrorhynchus, macroura, macularia, maculata, melanotos, meleagris, miles, minuta, minutella, oahuensis, parvirostris, pectoralis, picta, pigmaea, platyrincha, pygmaea, pyrrhetraea, rubra, rufa, rufescens, rufus, rupestris, rutilans, sakhalini, sanderling, schinzi, semi-palmata, solitaria, subarquata, subruficollis, teminki, temminckii, tenuirostris, totanus, urvillei, variabilis, variegata, wilsoni. *Vide et Trynga.*
- Tringoides** bartramius, hypoleuca, macularia, rufescens.
- Trinodes** hirtus.
- Trinodus** agnostiformis.
- Trinoton** obscurum, squalidum.
- Trinotum** conspurcatum, lituratum, luridum.
- Trinucleus** asaphoides, barrandei, bigsbyi, brevis, bucklandi, caractaci, cataracti, clarki, concentricus, cribrosus, elegantulus, ellipticus, elongatus, fimbriatus, gibbosus, goldfussi, gracilis, granulatus, intermedius, laevis, latus, lloydi, minor, nilssonii, nudus, ornatus, otarion, pougerardi, pragensis, radiatus, scyllarus, senftenbergi, seticornis, spaskii, tessellatus, tuberculatus, wilkensi.
- Triodia** lupulina, sylvina.
- Triodon** macropterus.
- Triodonta** (Col.) albi, aquila, nitidula, noctua, tarsalis, truncata.
- Triodonta** (Inf.) kolpodina.
- Triodontus** nitidulus.
- Triodopsis** lunula.
- Triodus** sessilis.
- Triumphalia** cummingsi, globosa, pulcherrima.
- Trionix** aegyptiacus. *Vide et Trionyx* (R.).
- Trionychus** auriculatus, cribricollis, mucronatus, trituberculatus.
- Trionyx** (Hym.) deltiger.
- Trionyx** (R.) amansi, bakewelli, bartrami, carinatus, circumsulcatus, clifti, coromandelicus, cuvieri, dodoni, egyptiacus, euphraticus, ferox, gangeticus, georgianus, georgicus, granosus, henrici, hurum, impressus, incrassatus, indicus, japonicus, javanicus, labiatus, laurillardi, lockardi, manouri, marginatus, miliaris, mortoni, muticus, niloticus, ocellatus, parisiensis, partschi, planus, polyphemus, pustulatus, rivosus, schlotheimi, sinensis, spiniferus, spinosus, stellatus, subplanus, sulcatus, triunguis, tuberculatus.
- Triopa** claviger, fimbriata, lacera, nothus.
- Triopades** eupalemon, orus.
- Triophthalmus** dorsualis.
- Trioplus** cylindricus.
- Triops** cancriformis, palustris.
- Triorches** fluvialis.

- Triorchis** fluviatilis.
Triothorus mexicanus.
Trioxites rugosa.
Trioxys minutus.
Trioxa abieticola, acuticollis, albiventris, apicalis, chinabarina, ~~flavipennis~~, ~~flavipennis~~, ~~flavipennis~~, eupoda, femoralis, flavipennis, forcipata, gali, haematodes, ~~haemata~~, ~~haemata~~, munda, nigricornis, pallipes, pinicola, protensa, remota, sanguinosa, urticae, velutina, vitripennis, walkeri.
Tripanurgus leucocephala.
Tripetalocera ferruginea.
Triphaena chardignyi, comes, conseqna, fimbria, hetaera, iunuba, interjecta, jauthina, linogrisea, materna, orbona, pronuba, prosequa, subsequa.
Triphassa stalactis.
Triphlyctis oblitterata.
Triphora gemmatum.
Triphoris aemulans, affinis, alveolatus, asperrimus, bilix, cancellatus, candidus, carterensis, castus, clemens, coelebs, collaris, concinnus, concors, corrugatus, dextroversus, elegans, gemmulatus, gigas, granulatus, grayi, hilaris, marmoratus, maxillaris, metcalfei, micans, monilifer, nodiferus, ornatus, pagodus, perversus, plicatus, pyramidalis, roseus, ruber, sculptus, speciosus, suturalis, tristis, verrucosus, vitreus, vittatus, vulpinus.
Triphosa certaria, certata, dubitaria.
Triphosia cervinata, cinereata, dubitata.
Triphyllocoenia excavata.
Triphyllus bifasciatus, didesmus, fagi, ferrugineus, fumatus, obscurus, punctatus, renatus, rugosus, suturalis, variabilis.
Triphysa dohrni, tircis.
Triplatoma apicalis, macleayi, picta, sexnotata.
Triplax aenea, atriventris, bicolor, biguttata, bipustulata, brunnipes, capistrata, castanea, catenulata, clavata, collaris, cruentipennis, dentata, elongata, fasciata, festiva, flavicollis, flavicornis, gigantea, goudoti, haematosoma, haemorrhoidalis, melanocephala, melanoptera, menetriesi, nigriceps, nigripennis, omogera, pauxilla, quadriguttata, rubicunda, ruficeps, ruficollis, rufiventris, sanguinipennis, scutellaris, taeniata, thoracica, undata, violacea, vittata, westwoodi.
Triplex abortiva, cornu-cervi, cornuta, denudata, flavicunda, flexuosa, foliatus, frondosa, pinnata, ramosus, rosaria, rubicunda.
Triplodon rugosum.
Tripneustes parkinsoni, pentagonus, planus, sardicus, subcaeruleus, ventricosus.
Tripes muelleri, olivinus.
Tripsura flavifrons.
Tripsurus auritus.
Triptera astesana, columella, columnella, oryza, rosea.
Tripteronotus hautin.
Tripterus pollexfeni.
Tripterygion capito, fenestratum, forsteri, melaenocephalus, melanurus, nasus, nigripenne, varium.
Triptorhinus orthonyx, paradoxus.
Triptylus australis, cavernosa, excavatus.
Triquetra (Hem.) angustata, bos, fastidiosa, grossa, inermis, nigrocarinata, testacea, tridentata, truncaticornis, ustulata, virescens, virgata.
Triquetra (L.) aequorea, rectilinearis.
Trirachys orientalis.
Trirammatus angustatus, fulgidus.
Trirogma caerulea.
Trisidos tortuosa.
Trisis tortuosa.
Trisopterus fasciatus.
Trissodon curtus.

Trissophaes colusaria, felicia.

Tristoma cephalo, coccineum, hamatum, maculatum, molae, papillosum, squali, sturionis, tubiporum.

Tristomum blanchardi, rudolphianum.

Tristychius arcuatus, minor.

Tritaxys australis.

Triticella flava.

Tritocosmia atricilla.

Trito currus amphitridis.

Tritogenius diluvianus, diluvii.

Tritoma affinis, angulatum, atratum, basale, basalis, bicolor, bifasciatum, biguttatum, brunnea, cincta, collare, dimidiata, erythrocephala, fasciatum, flavipes, glabratum, humerale, limbata, livida, melanocephalum, minutum, nigricorne, nigripenna, piceum, piliferum, piligerum, pulchrum, punctatum, quadriguttatum, rufilabris, rufipenne, rufum, russica, striatum, thoracicum, undatum, unicolor, xanthopus.

Tritomacera aphanoides.

Tritomacrus testaceus.

Tritomegas bicolor, biguttatus.

Triton (G.) abbreviatus, acuminatus, aegrotus, affinis, alatum, amictus, angulatus, angustum, anomalus, antiquatus, anus, aquatilis, areolatum, argutus, articulare, atavus, australe, bacillum, bicinctum, bracteatus, buccinoideum, bufonium, canali-culatum, canaliferum, cancellatum, carduus, ceylonensis, chlorostomum, clandestinum, clathratus, clavator, colubrinum, concinnus, constrictus, convolutus, corrugatum, crassidens, crassum, crispus, cutaceum, cynocephalum, decapitatus, decipiens, decollatus, delafosse, deshayesi, digitale, distortum, distortus, dolarium, eburneus, egregius, elegans, elongatus, encausticus, ensatus, ermani, exaratus, exilis, eximius, expansus, fasciculatus, femorale, ficoides, fictilis, flandricum, fusiformis, gallinago, gemmatus, gibbosus, gracilis, grandimaculatus, graniferum, gyronoides, heptagonum, hissingeri, intermedium, iostoma, lacunatum, laevigatum, lampas, lativaricosus, lejeunis, leucostomoides, leucostomum, lignarius, lineatus, lineolatum, lotorium, maculosum, mediterraneus, microphyllus, miocenicum, mississippiensis, monilifer, mortinctus, multigraniferum, mundum, nitidulus, nobilis, nodiferum, nodularium, nodulosus, nubecula, obliquatum, obscurus, olearium, olodonta, pagodus, parvulum, parvus, perforatus, personatum, pfeifferianus, pictus, pileare, planicostatum, plicosum, pulchellum, pulchellum, pyramidatum, pyraster, pyriformis, pyrum, pyrum, quoyi, ranelliforme, ranelliformis, ranelloides, reticaudatum, reticulatus, reticulosum, retusum, ridens, rudis, sarcostoma, sauliae, scaber, scalariformis, scrobiculatus, sculptilis, similis, sinensis, siphonatus, sowerbyi, spengleri, spinosum, subalveatum, subdistortum, subspinosum, succinctum, tarbellianum, tereticauda, tessellatus, testudinarius, thersites, tigrinus, torosus, tortuosum, tortuosus, tranquebaricum, trifurcatus, tripus, tritonis, trochlea, truncatus, tuberosum, turbinelloides, turriculatum, tortitum, undosum, unifilium, varians, variegatum, ventricosum, verrucosus, verruculosus, vespereum, vestitus, vexillum, viperinum.

Triton (Rept.) apenninicum, aquaticus, bibroni, cristata, dorsalis, exiguus, ingens, lateralis, maculosus, marmorata, marmoratus, millepunctatus, minimus, nebulosus, niger, noachicus, nyctemerus, ocellatus, ophalinus, ophryticus, oregonense, palmata, poireti, porphyriticus, ruber, similis, taeniata, tigrinus, vittatus, vulgaris.

Tritonalia alveolatus, argutus, coronatus, cristatus, defossus, erinaceus, minax, sex-dentatus, tuberosus.

Tritonella gesneri.

Tritonia (G.) affinis, arborescens, atrofusca, auriculata, bifida, blainvillea, cervina, clavigera, coronata, costae, cyanobranchiata, decaphylla, elegans, fasciculata, felina, fimbriata, frondosa, gibbosa, glama, hombergi, lacera, lacinulata, lactea, lineata, minima, papillosa, pennata, peregrina, pinnatifida, plebeia, plumosa, pulchella, pulchra, quadrilata, quadrilineata, ramosa, reynoldsi, rubra, scyllaeoides, spallanzani, squamata, tentaculata, tetraquetra, thetydea, varicosa, velata.

Tritonia (Lep.) acuminata, eupompe.

Tritonidea aculeiformis, articularis, articulata, maculosa, torulosa, undosa.

- Tritonium** adpressus, angustum, antiquum, apenninicum, argus, argutus, baeri, bartonensis, behringi, bicornutum, bituberculare, bonannii, bracteatum, cancellatum, cancellinum, caudatum, caudisata, chemnitzii, chlorostomum, clathratum, colubrinum, contabulatum, corrugatum, crassum, cruciatum, crumena, cutaceum, declive, decussatum, distortum, doliare, eburneum, femorale, foliatum, foxi, giganteum, granulatum, gunneri, gyrioides, hemastoma, heptagonatus, heptagonum, hisingeri, incarnatum, laevigatum, lampas, leucostoma, luridum, macrodon, macrourum, maculatum, marmoratum, mediterraneum, mitrula, muensteri, multigraniferum, nanum, nodiferum, nodosum, nodularium, nodulus, ochotense, ooides, partschi, pileare, piraster, planicostatum, plumatum, pulchellum, pygmaeum, pyramidatum, pyrura, rana, ranelloides, reticulare, reticulatum, reticulosum, roseum, rotifer, rugosum, rutilum, scabrum, schantaricum, scrobiculatus, semigranosum, simplex, sitchense, spinosum, striatulum, subspinosum, sulcatum, tabulatum, tarbellianum, tenerum, tortuosum, tuberculiferum, turriculatum, turritum, undulatum, unifilum, varicosum, ventricosum, verrucosum, vespaceum, viperinum, vitreum.
- Triturus** fuscus, hypoxanthus, lutescens, miniatus, nebulosus, viridescens.
- Triungulinus** andreuetarum.
- Triura** cavernicola.
- Triurus** commersoni, microcephalus.
- Trivia** (Ar.) humilis, leucostigma, rubiginosa, vetusta.
- Trivia** (G.) angliae, aperta, avelana, barcinensis, carnea, coccinella, dimidiata, europaea, globulosa, pacifica, pediculus, pustulata, retusa, sphaerulata, testudinella.
- Trixa** alpina, amsteini, apicalis, caerulescens, dorsalis, ferruginea, grisea, imhoffi, lapponica, lateralis, liubata, montana, obscura, oestroidea, scutellata, uncana, variegata.
- Trixia** schummeli.
- Trochalia** annulata, depressa, grandis, pyramidalis, subpyramidalis, turbinata.
- Trochalonota** badia.
- Trochalopteron** melanura, phaeniceum, rufigulare, setifer, squamatum, subunicolor.
- Trochalus** bisignatus, carinatus, desjardinsi, dissimilis, fallax, javanus, meridionalis, nilotica, occidentalis, pilula, posticus, rotundatus, rugulosus, senegalensis, sphaeroides.
- Trochatella** constellata, cretaceum, elegantula, gouldiana, grayana, pulchella.
- Trocheta** trocheti.
- Trochetia** subviridis.
- Trochia** sulcata.
- Trochictis** beskei, carbonaria.
- Trochidon** canalifera, labeo, viridis.
- Trochilea** pileus.
- Trochiletes** antrinus.
- Trochilia** sigmoides.
- Trochilites** acutus, concentricus, conchyliophorus, crenularis, delphinulatus, depressus, ellipticus, globosus, granosus, granulatus, helicus, infundibuliformis, laevis, limbatus, niloticiformis, nodosus, pentagonatus, politus, priscus, pseudoperspectivus, pseudozyphinus, scheuchzeri, solarius, speciosus, telescopiiformis, umbilicatus.
- Trochilium** allantiforme, andrenaeforme, apiformis, ashtaroth, astarte, cato, chrysidiforme, crabroniformis, culiciforme, cynipiforme, denudatum, éurytion, formicaeformis, ichneumoniforme, laphriaeformis, marginatum, muscaeforme, myopaeforme, philanthiiforme, phorcus, stomoxyforme, tibiale, vespiforme.
- Trochilla** auriculata, prisca.
- Trochilus** addae, adela, aeneocauda, aglaiae, alardi, albicollis, albirostris, albiventris, alexandri, alico, allardi, amaryllis, amazilia, amethystinus, amethystocollis, amethystoides, anais, angustipennis, anna, anthophilus, antoniae, apicalis, aquila, asilus*, atala, ater, atratus, atricapillus, atrigaster, audeneti, augusta, augusti, aureliae, aureo-viridis, aurescens, auriculatus, auritus, aurogaster, aurentus, avocetta, azara, azureus, barroti, beryllinus, bilophus, boucieri, brachyrhynchus, bracteatus, brevicauda, brevisrostris, buffoni, caeligena, caeruleogaster, caeruleus, caligatus, calliope, calurus, campestris, campyllostylus, candidus, caroli, castanurus, castelnaui, caudacutus, ceciliae, cephalus, chalcotis, chalybeicaudus, chalybeus, chilensis, chimborazo,

chrysogaster, chrysorrhex, chrysobronchos, chrysogaster, chrysurus, cinereicollis, cinereus, cirrochloris, clangula, clarigula, cohuatl, collaris, conradi, conurus, conversi, cora, corallirostris, coruscans, coruscus, cristatellus, cristatus, cuculliger, cupricauda, cupreo-ventris, cupripennis, curvipennis, cuvieri, cyaneus, cyanifrons, cyanogenys, cyanopectus, cyanopogon, cyanopogos, cyanopterus, cyanotus, cyanurus, cyanus, davidianus, decorus, delalaudei, derbianus, derbyi, devillei, dilophus, doubledayi, duponti, edwardi, elegans, eliciae, eliza, emiliae, enicurus, ensipennis, erythronotus, estella, eucharis, eurynome, eurypterus, evelynae, exortis, falcatus, fallax, fannyi, fasciatus, fernandensis, ferruginatus, festivus, flabelliferus, flavescens, flavicaudatus, floresi, franciae, fulgens, fulvifrons, fulvivivcutris, furcifer, fuscicaudatus, fuscus, gayi, geoffroyi, georginae, gibsoni, giganteus, gigas, goudoti, gouldi, gracilis, erythronotus, grayi, guerini, guimeti, guttatus, gutturalis, guy, hemileucrus, herrani, hippolais*, hirundinaceus, hispidus, histrio, hypoleucus, icterocephalus, ignitus, incertus, inornata, insectivorus, insignis, intermedius, janthinotus, johannae, josephinae, labrador, lafresnayei, langsdorffi, laticaudus, latipennis, latirostris, lazulinus, lazulus, leadbeateri, leucocrotaphos, leucogaster, leucophrys, leucopleurus, leucotis, ligonicaudus, loddigesi, longirostris, longuemareus, louise, luciani, lucidus, ludovicae, lumachellus, lutetiae, maculata, maculatus, magnificus, major, malaris, mango, maria, mariae, marmoratus, matthewsi, maugaeus, maugaeus, maximus, mazeppa, medius, melanogaster, melanogenys, melanolophus, melanotis, melanotus, mesoleucus, milleri, minor, minullus, mirabilis, mitchelli, mocca, montana, montanus, mosquera, mystax, naevius, niger, nigricollis, nigrofasciata, nitens, nitidissimus, norrisi, notatus, nuna, obscurus*, ochropygus, opacus, opisthocomus, orbignyi, orthura, otero, papantzin, parirostris, pectoralis, petasophorus, phaeton, philippii, phoeopygus, pichincha, pileatus, platycercus, polionotos, popelairei, prasina, pretrei, prevosti, prunelli, pucherani, punctatus, pygmaeus, pyra, quadricolor, recurvirostris, regina, reginae, regis, regulus, riefferi, rivoli, rosae, rubinoides, rubricauda, ruckeri, rufa, ruficaudatus, ruficaudus, ruficeps, ruficollis, rufigaster, rufocaligatus, rufus, sabinae, sapphirinus, saucerottii, saul, saulae, schreibersi, scutatus, sephanoides, serrirostris, sibellans, sibillans, smaragdinus, smaragdus, smaragdus, sophiae, sparganurus, spencei, spinosus, splendidus, squalidus, squamosus, stokesi, strophianus, superbus, swainsoni, temminckii, tephrocephalus, thalassinus, topiltzin, tricolor, turneri, tyrianthinus, tzacatl, uropygialis, variegatus, versicolor, verticalis, vesper, victoriae, vieillotii, violicauda, violifer, violifrons, viridigaster, viridigula, viridipallens, viridis, vulgaris, wagleri, watertoni, williamsi, wilsoni, xicotencal, yarrelli, yucatanensis.

Trochiscus (Ar.) sobrius.

Trochiscus (G.) bidentata, dolopida, liminifera, norrisi, unidentata.

Trochita chinensis, occidentalis, pileus, radians, spiralis.

Trochites saussurei.

Trochius crassus.

Trochlea alba, nitens.

Trochoceras sandbergeri.

Trochocrinites laevis.

Trochocyathus alpinus, armatus, atalayensis, bellardi, bellingeriana, brevis, conulus, cornucopiae, cornutus, costulatus, crassus, cyanomelas, cyclotoides, elongatus, gracilis, grandis, harveyanus, impari-partitus, konigi, konincki, latero-cristatus, latero-spinosus, michelini, mitratus, obesus, plicatus, pyramidatus, pyrenaicus, raricostatus, revolutus, simplex, sinuosus, sismondae, subcristatus, sublaevis, subundus, tenuistria, thorenti, undulata, verrucosatus, verrucosus, warburtoni.

Trochogonium rotula.

Trochoidea formosum, terrestre.

Trochoideus americanus, amphora, cruciatus, daluanni, desjardinsi, hopei.

Trocholites ammonius, angustisepta, annulata, antiquissima, bisulcata, cincta, compressa, dunkeri, fasciata, inflata, laevigata, linearis, paradoxa, planorbiformis, pleurosepta, plicata, pygmaea, sagittalis, spinosa, sulcata, valida.

Trochophyllum veruelli.

Trochopora conica.

Trochopus longipes.

Trochosa intricaria, ruricola, trabalis, troglodytes, umbraticola.

Trochoseris distortum.

Trochosmia basochei, boissyanii, cernua, complanata, compressa, corniculum, crassa, cuneolus, faujasi, gervillei, irregularis, patula, saltzburgiana, sulcata, tuberosa, uricornis.

Trochotoma acuminata, affinis, carinata, conuloides, depressiuscula, funata, globulus, gradus, rota.

Trochula conica, elegans, scitula.

Trochurus speciosus.

Trochus abanteus, abbreviatus, aborus, abrodiaetus, absyrtus, acanthus, acasta, acinosus, acis, acmon, actaea, acteon, aculeus, acuminatus, acutangulus, acutangulus, acutecarinatus, acutimargo, acutus, adansonii, adelae, aegion, aegyptiaca, aequalis, aequilueatus, aeruginosus, affinis, agathensis, agglutinaus, agilis, aglietti, agrestis, ajax, alabastrum, albandus, albensis, albertinus, albidus, alligatus, alpinus, altavillensis, alternans, altus, alveolatus, amedei, amelianus, amictus, amoenus, amor, anaglypticus, anceps, anceus, andrzejowskii, anglicus, angulatoplicatus, angulatus, angulosus, angustatus, antonii, anus, apiaria, apicina, aquatilis, aratus, araucanus, arcotensis, arenosus, armatus, armillatus, armillus, articulatus, arvensis, asius, asperatus, aspersus, asperulus, aster, asteriscus, astierianus, ater, atratus, atropurpureus, attenuatus, attrahans, audebardi, auratus, aurelius, aureus, australis, baccata, badius, balaenarum, baldus, barrenensis, basteroti, bathus, baugier, beaumonti, bellardi, bellona, bellulus, belius, belus, benetti, benettiae, benzi, berosoides, berosus, biangulatus, bianor, biarmatus, biasoletti, bicanaliculatus, bicarinatus, bicariniferus, biceps, bicornatus, bicinguendus, bicingulatus, bicolor, biceratus, bidens, bifasciatus, binodosus, binodularis, bipunctatus, biserratus, bisertus, bi-striatus, bisulcatus, bixa, blainvilliei, borni, borsoni, bosnianus, bouet, bourgeosi, branderi, brasilianus, brauni, breislaki, brevispina, brevispinosus, bromius, brongniarti, bronni, brunneus, brunnipes, brutus, buchi, bucklandi, bullatus, buneli, buschi, buvigneri, byronianus, caeruleus, californicus, calix, calliferus, callosus, calyculus, calyptraeformis, campestris, canaliculatus, caucellatus, candei, caeus, caperatus, capillaceus, capillosus, capuliformis, carbonarius, carinatus, cariniferus, carneolus, cassianus, castaneus, catenatus, catenularis, catenulatus, caumonti, celinae, cerberi, chemnitzii, chierichinus, chinensis*, chionus, chlorites, chlorostomus, cicatricosus, cicier, ciliaris, cinctus, cinerascens, cinereoides, cinereus, cineroides, cingillato-serratus, cingulatus, circulatus, circumscutatus, cirroides, cirrus, clanguloides, clangulus, clathratus, claudii, clodianus, coccineus, coeruleus, cognatus, collaris, colligans, colubrinus, columellaris, complanatus, compunctor, concameratus, concava, concavus, conchyliophorus, concinnus, confusus, conicus, coniformis, conoideus, conspersus, constrictus, conuloides, conulus, conus, convexus, cooki, cordieri, cordierianus, cornutus, coronarius, corrugatus, corvus, costellifer, costifer, costulatus, couturi, cranchi, crassus, crebril-ratus, crenatus, crenularis, crenulatus, crinitus, crispulus, crispus, cruciger, cruentus, cubanus, cumingi, cumulus, cunninghami, cupido, cyanescens, cyclochalci, cyclostoma, cyclostomus, cyrnaeus, daedalus, dama, dargelasi, darius, decarinatus, declivis, decoratus, decussatus, dekinii, delia, delicatulus, delphinuloides, denticulatus, dentigerus, deperditus, depictus, depressus, deshayesi, deslongchampsii, detritus, devonicus, diadematus, dichotomus, dictyotus, digitatus, dilatatus, dimidiatus, diomedes, dirce, discoideus, discrepans, disculus, disjunctus, ditropis, dolarius, dolarius, doris, draparnaudi, drusus, dubius, dujardini, dumerilii, dunkeri, duperreyi, duplicatus, eboreus, echinatus, echinulatus, elatior, elatus, electissimus, elegans, elegantulus, elevatus, elisus, ellipticus, elongatus, empedocles, emylius, eolus, epulus, erithreus, erubescens, erythroleucus, erythrophthalmus, eucosmus, eudoxus, euomphalus, euryomphalus, eurytus, exaltatus, excavatus, exiguus, exilis, eximius, extensus, farinesi, fasciatus, fasciolatus, fastigiatus, faxoensis, feneonianus, fenestratus, fermoni, ferrugineus, festivus, fictilis, fiducia, filiosus, fimbriatus, fischeri, flagellatus, flammulatus, flavus, formosus, foveolatus, fragarioides, fragilis, fragum, fulguratus, fulvescens, fulvus, funiculatus, funiculosus, fuscus, fuscus, gabrielis, gea, gemniti, gemmatus, gemmosus, gemmulatus, genei, getus, gibberosus, gibsi, giganteus, gigas, girondinus, glaber, glabratus, globulus, glomus, gnydus, gonistomus, gracilis, gradatus, granatelli,

grandineus, grandis, granosus, granulolinearis, granulato-striatus, granulatus, granulatus, gravesi, grossi, gruneri, gualterianus, guerangeri, guildfordiae, gundlachi, gurgites, guttadauri, guttatus, guyotianus, haematragus, haeninghausianus, haineanus, halesus, hanleyanus, haraldus, hausmanni, helenus, heliacus, helicinoides, helicius, helices, helicoides, helirus, helius, hexagonus, hisingerianus, hommairei, honi, horridus, hotessierianus, hugianus, humilis, huoti, huroniensis, hyacinthinus, hylus, lysiginus, ignobilis, imbricatus, impervius, incarnatus, incrassatus, indecorus, indistinctus, inflatus, infundibuliformis, infundibulum, infuscatus, insignis, instrictus, interruptus, interstinctus, iriodon, irisodontes, irregularis, japonicus, javanicus, jennyi, jonaasi, jucundus, jurensis, jurensisimilis, jussaei, jussieui, kickxi, klippsteini, kochi, kotschyi, kraussi, labadyei, labarum, labiosus, labrosus, lacordairianus, lacteus, laetus, laevigatus, laevis, lamarcki, lamellosus, langrunensis, largillierii, lateumbilicatus, laticostatus, latispina, langieri, lehmanni, lens, lenticularis, lenticulatus, lepidosus, lepidus, leprosus, lessoni, leucophaeus, leucostigma, leymeriei, ligatus, ligeriensis, ligulatus, limacodes, limacoides, limbatus, linearis, lineatus, lineatus, lineolatus, listeri, lithophorus, littoralis, longispinus, lori, lucasianus, lucidus, luciensis, luctuosus, ludwigi, lugubris, luridus, luteus, lyaeus, lyciacus, lycius, lycus, lyneus, lyonsi, macareus, maculatus, magulus, major, majugenus, malouinus, mammillaris, mangialardi, mantelli, marcaisi, margaritaceus, margaritarii, marginatus, marginulatus, marmoratus, marollinus, marrotianus, martini, martinianus, matoni, maugeri, maxillata, maximiliani leuchtenbergensis, maximus, meandatus, mediterraneus, melaleucos, melanoloma, melanostoma, melchersi, melissus, menkeanus, merula, meruloides, mesapus, metis, meyeri, michaudi, microstomus, miliariformis, miliaris, millegranus, minimum, minimus, minutissimus, minutus, mitchelli, mitra, mitratus, modestus, moestus, monilifer, monilitectus, monoplicus, montacuti, montagui, moreanus, mortoni, morum, mosae, moutonianus, multicinctus, multicolor, multigranus, multitorquatus, muricatus, musulus, mysis, nanus, nassaviensis, nasutus, nebulosus, neptuni, nereis, nessigi, neurus, nicoletianus, niger, nilssonii, nissus, nitens, nitidissimus, nitzschi, nobilis, nocturnus, nodosus, noduliferus, normanianus, nubilus, nudus, obconicus, obscurus, obsoletus, obtusatus, obtusus, occidentalis, occultus, ochraceus, octosulcatus, oculus, odontis, oedipus, olfersi, olivaceus, olivieri, omphalum, Oncus, onustus, orichalceus, orion, ornatissimus, ornatus, ottoii, oxygonus, oxytropis, pageanus, pagodus, pallidus, pallium, paludosus, panamensis, papilla, papillatus, parisiensis, parvulus, patagonicus, patellatus, patholatus, patulus, pellis serpentis, pellucidus, peralveatus, perforatus, peroni, personatus, perspectiviunculus, perspectivus, petraeus, pfeifferi, phaseolus, philanthropus, philippii, pica, pictus, pileus, pintevillei, piperinus, pisum, planatus, planorbularis, planorbulus, planulatus, planus, plicato-carinatus, plicato-granulosus, plicatulus, plicatus, plicomphalus, podalicus, podalirius, politus, pollux, polymorphus, polyphyllus, poppelacki, prasinus, preisi, preissianus, princeps, priscus, proclus, prominens, pruninus, pseudoconuloides, pseudohelix, pseudoperspectivus, puber, pulchellus, pulcher, pulcherrimus, pullatus, pumilio, punctatus, punctulatus, puniceus, pupillus, puppeus, purpura, purpurascens, puschi, pusillus, pygmaeus, pyramidalis, pyramidatus, pyrenaeus, quadrangulus, nodulosus, quadratus, quadricarinatus, quadricinctus, quadricingulatus, quadrucostatus, quadrilineatus, quadriseriatus, quadristriatus, quadrisulcatus, quinquecinctus, quinque-lineatus, racketti, radians, radiatulus, radiatus, radula, rajah, rai-lineatus, rarus, reclusus, rectus, regalis, reichii, renierius, requienianus, reticularis, reticulatus, rhodani, rhodostomus, richardi, rigatus, ringens, robynsi, roemeri, roissyi, rollandianus, roseus, rotellaris, rotellinus, rotelloides, rotularius, rouillieri, rouyanus, rozeti, rubescens, rubiginosus, rubricatus, rubro flammulatus, ruffinii, rufipes, rugatus, rugosus, rugulosus, rupestris, saga, sagittiferus, sagus, salmoneus, sandwichiensis, sanguineus, sannio, sari, sarmates, sarthinus, sauciatus, sauleyi, saxosus, scabriculus, scacchii, scalaris, schantaricus, schayeri, schreibersianus, schuebleri, scillae, scrutarius, sculptus, sedgwicki, selectus, semicostulatus, semiglobosus, semigranularis, semigranulatus, seminigra, semipunctatus, seriatus, seripunctatus, serratus, signatus, similis, similus, simplex, sitis, smaragdinus, smithi, solaris, solarium, solidus, sowerbianus, sowerbyi, spadiceus, speciosus, sphaeroidicus, spiniger, spinulosus, spiralis, spiratus, spiritus, splendens, spratti, spurcus, squamiferus,

squamosus, squarrosus, stella, stellaris, stellatus, stenomphalus, striatissimus, striatulus, striatus, strigilatus, striolatus, struveanus, stueri, sturnus, subbisertus, subcalcar, subcanaliferus, subcancellatus, subcarinatus, subcinetus, subconcaus, subcordatus, subcostatus, subcyclostomus, subdecussatus, subdentatus, subelatus, subelegans, subexcavatus, subfragilis, subglaber, subgracilis, subhelicinoides, subimbricatus, sublaevis, sublineatus, subnodosus, subnudus, subornatus, subpulcherrimus, subpunctatus, subpyramidalis, subpyramidatus, subreticulatus, subscalaris, subsulcatus, subtricarinatus, subumbilicatus, subverrucosus, subviridis, succinctus, sulcata, sulcatus, suturalis, tabularis, taeniata, taeniatus, tampaensis, tamsi, tankervillei, tantillus, tathani, tectus, tempestivus, tentoriiformis, tentorium, tenuis, tenuispira, terebellus, terrestris, testaceus, testigerus, texturatus, thetis, thiara, thoriinus, tiara, tiaratus, tigrinus, timeus, tityrus, tollotianus, tornatus, torosus, torquatus, torulosus, trachallus, tranquebaricus, transversatus, trevelyana, triangulus, tricarinatus, tricarinerus, tricinetus, tricolor, tricostratus, trideus, trigonostomus, trigonus, trimaculatus, trimonilis, triplex, triqueter, triserialis, tristriatus, triton, triumphans, trochlea, trocheli, tuberculato-cinctus, tuberculatus, tuberculosus, tuberosus, tumidulus, tumidus, turbinatus, turbinoides, turgidulus, turricula, turri-formis, turris, turrita, turritus, umbilicatus, umbonatus, unatus, undatus, undosus, undulatus, unguis, uniangulatus, unideus, unidentatus, usocona, ustus, variabilis, varians, variegatus, venonius, venosus, venustus, vernalis, verneuili, verruca, verrucosus, versicolor, vertex, verticosus, vieilloti, villanus, villicus, viuctus, violaceus, virescens, virgineus, virgulatus, viridis, viridulus, vitiligneus, voltzi, voronejensis, voronozoi, vortex, vorticosus, vulgaris, wiseri, yvani, zebra, zebrinus, zelandicus, zinkenii, zonatus, zuccarelli, zukowcensis, zyziphinus.

Trochylus pygmaeus.

Troctes fatigidus, pulsatorius.

Troglodites troglodytes. *Vide et Troglodytes* (A.).

Troglodyta bonti.

Troglodytes (A.) aedon, albinucha, americana, arada, arundinaceus, attothorax, audax, bewicki, brevirostris, chilensis, coraya, deflexus, domesticus, europaea, fulva, fumigatus, furva, guarayana, guttatus, hiemalis, hornensis, interscapularis, latifasciatus, leucogastra, leucophrys, leucopymnus, longirostris, ludovicianus, maculosa, magellanicus, melanos, mexicanus, murarius, murinus, musculus, nipalensis, nititans, obsoleta, pallida, palustris, paradoxus, parkmani, parvulus, pincipinc, platensis, polyglottus, punctatus, rectirostris, rufulus, rutilus, spilurus, stellaris, subhemalayanus, sylvestris, tessellata, vulgaris. *Vide et Troglodites*.

Troglodytes (M.) gorilla, micrurus, niger, savagei.

Trogllops albicans, brevis, capitatus, marginatus, silo, verticalis.

Trogodendron fasciculatus, honestum.

Trogoderma elongata, elongatula, nigra, pallipes, riguum, ruficornis, subfasciata, tarsale, versicolor, villosa, villosula.

Trogodes rotundicollis.

Trogolus coriziformis.

Trogon aeneus, albicollis, albiventer, ambiguus, antisanus, ardens, assimilis, atricollis, aurantius, auratus, auriceps, capistratum, castaneus, chrysogaster, cinnamomeus, citreolus, collaris, curucui, diardi, domicellus, duvauceli, elegans, erythrocephalus, flagrans, fulgidus, gigas, gloucians, heliothrix, hodgsoni, kasumbra, lepturus, leucurus, mackloti, malabaricus, massena, melanopterus, melanurus, meridionalis, mexicanus, morgani, narina, neoxenus, oreskios, paradiseus, pavoninus, personata, peruvianus, puella, purpuratus, ramoniana, reinwardti, resplendens, rhodogaster, rosalba, roseigaster, rufus, rutilus, sulphureus, surrucura, temmincki, temnurus, variegatus, xalapensis.

Trogonophis wiegmanni.

Trogontherium werneri.

Trogophloeus affinis, angulatus, argus, bilineatus, brevipennis, caucasicus, corticinus, dilatatus, elongatulus, exiguus, ferrugineus, flavipes, foveolatus, fuliginosus, fulvipes, halophilus, incrassatus, inquilinus, mannerheimi, memnonius, morio, niloticus, nitidus, obesus, omalinus, opacus, plagiatus, planus, politus, pumilus, punctatellus,

punctipennis, *pusillus*, *pygmaeus*, *rosenhaueri*, *scrobiculatus*, *segnis*, *signatus*, *subtilis*, *tarsalis*, *tenellus*, *trogloidytes*.

Trogosita *affinis*, *africana*, *americana*, *australis*, *bimaculata*, *bipustulata*, *calcar*, *capensis*, *castanea*, *chlorodia*, *cinnamomea*, *collaris*, *corticalis*, *cyanea*, *cylindrica*, *decorata*, *dendrobia*, *dilatata*, *dubia*, *emortua*, *femorata*, *filiformis*, *ingenicula*, *koellikeri*, *limbalis*, *major*, *mandibularis*, *mauritanica*, *maxillosa*, *metallica*, *nana*, *nigricans*, *nigripennis*, *nitidula*, *opaca*, *orientalis*, *ovata*, *parallela*, *pini*, *polita*, *punctato-lineata*, *pusillima*, *pygmaea*, *quadricornis*, *quadriguttata*, *retusa*, *sepicola*, *spectabilis*, *squamosa*, *taurus*, *tenebroides*, *vacca*, *varia*, *viridicyanea*.

Trogossita *angustata*, *colossus*, *crenicollis*, *cylindrica*, *depressa*, *depressior*, *doumersi*, *ebenina*, *elongata*, *festiva*, *fulgidi-vittata*, *grandis*, *longicollis*, *major*, *marginata*, *maxillosa*, *metellica*, *mutica*, *quadridens*, *splendida*, *sublaevis*, *subnigra*, *varians*.

Trogulus *africanus*, *annulipes*, *asperatus*, *coreiformis*, *crassipes*, *lygaeiformis*, *melanotarsum*, *nepaeiformis*, *niger*, *rostratum*, *squalidus*, *squamatus*, *templetoni*, *tingiformis*, *tricarinatus*, *violaceus*.

Trogus (Col.) *lateralis*.

Trogus (Hym.) *affinis*, *alboguttatus*, *atrocaudatus*, *atropos*, *caerulator*, *caeruleator*, *dissimilator*, *exesorius*, *flavatorius*, *fuscipennis*, *gravenhorsti*, *lapidator*, *luteiventris*, *lutorius*, *nubilipennis*, *obsidianatus*, *rufescens*, *vulpinus*.

Troides *amphimedon*, *amphrysus*, *asteneus*, *helenae*, *minos*, *priamus*, *remus*.

Troilides *tros*.

Troilius *areolatus*.

Trombidium *aphidis*, *assimile*, *assiratum*, *autumnale*, *baccarum*, *barbarum*, *barbatum*, *bicolor*, *bipunctatum*, *bipustulatum*, *castaneum*, *caudatum*, *celer*, *cinereum*, *citrinum*, *coccineum*, *cordatum*, *cordiforme*, *cornigerum*, *cornutum*, *corrugatum*, *croceum*, *culcis*, *cursorium*, *curtipes*, *elongatum*, *erythrellum*, *expalpe*, *fasciatum*, *fasciculatum*, *filipes*, *flavum*, *fuliginosum*, *glabrum*, *globulus*, *grandissimum*, *hermani*, *hirsutissimum*, *hispidum*, *hortense*, *ignipes*, *inflatus*, *insectorum*, *lapidum*, *latirostre*, *latum*, *libellulae*, *longipes*, *macropus*, *major*, *miliare*, *miniaturum*, *molliculum*, *motatorius*, *murorum*, *muscarum*, *muscosum*, *ovale*, *papillosum*, *parasiticum*, *parietinum*, *pexatum*, *phalangii*, *phalangoides*, *philogeum*, *plancum*, *porrigens*, *procerum*, *pulchellum*, *puniceum*, *purpureum*, *pusillum*, *pygiacum*, *pyrrholeucum*, *quisquiliarum*, *rhodinum*, *rhombicum*, *rimosum*, *roseum*, *ruberrimus*, *rubescens*, *rupestris*, *ruvicolum*, *russatum*, *salicinum*, *sambuci*, *sanguineum*, *scabrum*, *seminigrum*, *sericeum*, *socium*, *squamatum*, *squamosum*, *sylvaticum*, *telarium*, *tenuipes*, *tiliarium*, *trigonum*, *trimaculatum*, *triste*, *villosum*.

Trompe *jaculator*.

Tropaea *luna*, *selene*.

Tropaeum *bowerbanki*.*

Trophon *altum*, *alveolatum*, *antiquum*, *banffi*, *barvicensis*, *clathratum*, *clathratus*, *consociale*, *costiferum*, *crassilabris*, *elegans*, *fabricii*, *fimbriatus*, *gracile*, *gracilius*, *gyratus*, *imperspicuum*, *magellanicus*, *muricatum*, *muricatus*, *patagonicus*, *paululum*, *scalariforme*.

Trophonia *barbata**, *goodsiri*.

Tropicoris *rufipes*, *vernalis*.

Tropidaster *pectinatus*.

Tropideres *acerbus*, *albirostris*, *albuginosus*, *asper*, *balteatus*, *bisignatus*, *caliginosus*, *cinctus*, *dorsalis*, *edgreni*, *ephippium*, *fascirostris*, *feralis*, *fuscus*, *lutatus*, *musivus*, *nasutulus*, *niveirostris*, *pallidirostris*, *puerilis*, *securus*, *sepicola*, *sparsus*, *subsignatus*, *trivialis*, *undulatus*, *variegatus*.

Tropidia *albistylum*, *dorsalis*, *fasciata*, *milesiformis*, *rufomaculata*.

Tropidocyathus *lessoni*.

Tropidoderus *childreni*, *hopaei*, *tiphon*.

Tropidodryas *serra*.

Tropidogaster *blainvillei*.

Tropidogerrhon *rudicollis*.

Tropidolaemus *wagleri*.

Tropidolepis *aculeatus*, *aeneus*, *africanus*, *belli*, *fasciatus*, *formosus*, *grammicus*, *horridus*,

microlepidotus, *pleurostictus*, *scalaris*, *seincicauda*, *spinatus*, *torquatus*, *undulatus*, *variabilis*.

Tropidolepisma *kingi*, *major*, *nitida*, *striatum*.

Tropidolepisma *dumerili*.

Tropidonotus *aestivus*, *ater*, *australis*, *barbarus*, *bipunctatus*, *ceratogaster*, *chrysargus*, *constrictor*, *crebripunctatus*, *cyanocephalus*, *dekayi*, *dimidiatus*, *fibra*, *elaphis*, *erythrogaster*, *fasciatus*, *gracilis*, *hybridus*, *hydrus*, *hypostictus*, *luteus*, *leberis*, *mairei*, *melanogaster*, *moestus*, *mortuarius*, *natrix*, *niger*, *ordinatus*, *palustris*, *persa*, *picturatus*, *plumbicolor*, *poecilostoma*, *porcatus*, *quadrivirgatus*, *quincunciatus*, *quinque*, *rhodomelas*, *rigidus*, *rufodorsatus*, *saurita*, *sauromates*, *scaber*, *schistosus*, *scutatus*, *sipidon*, *sirtalis*, *spilogaster*, *stolatus*, *striatulus*, *subminiatus*, *surgens*, *taenia*, *tantalus*, *taxispilotes*, *tessellatus*, *tigrinus*, *torquatus*, *trianguligerus*, *trivittatus*, *umbratus*, *vibakari*, *viperinus*, *vittatus*.

Tropidopeltis *strigiventris*.

Tropidophis *melanurus*, *schistosus*.

Tropidopholis *fitzingeri*.

Tropidophora *aphistris*, *articulata*, *aspera*, *calcarea*, *citrina*, *cuvierianum*, *flexilabrum*, *fulvescens*, *luisabonis*, *multifasciatum*, *obsoleta*, *pulchra*, *pyrostoma*, *rugosa*, *tricarinatum*.

Tropidophorus (R.) *coccinicensis*.

Tropidorhynchus *albipennis*, *argenteiceps*, *bouroensis*, *buceroideus*, *chrysotis*, *cineraceus*, *citreogularis*, *corniculatus*, *cyanotis*, *diemenensis*, *inornatus*, *moluccensis*, *monachus*, *sordidus*, *subcornutus*, *timoriensis*.

Tropidosaura *algira*, *burchelli*, *capensis*, *dumerelli*, *elongatus**, *montana*, *oxycephalus*, *quinquecarinatus*, *quinquevirgatus*, *sanctus*, *tressianus*, *venustissimus*.

Tropidosaurus *elongatus*, *heros*.

Tropidosoma *spencei*.

Tropidotragops *rostrata*.

Tropidurus *chilensis*, *cubensis*, *cyclurus*, *heterolepis*, *microlepidotus*, *microlophus*, *nattereri*, *nigromaculatus*, *nitidus*, *olivaceus*, *oxycephalus*, *schreibersi*, *torquatus*.

Tropinota *hirtella*, *luctuosa*, *nigrina*, *reyi*, *squalida*, *subfasciata*, *submaculata*.

Tropinotus (Orth.) *cinnamomeus*, *discoideus*, *obsoletus*, *serratus*.

Tropiorhynchus *orientis*, *podagricus*.

Tropiphorus *carinatus*, *cinereus*, *globatus*, *mercurialis*, *micans*, *ochraceosignatus*.

Tropirhinus *affaber*, *novemdecim-punctatus*.

Tropis *dimidiata*, *oculifera*.

Tropisoma *corrugatum*, *ferrugineum*, *pallipes*.

Tropisternus *ebenus*, *glaber*, *lateralis*, *lineatus*, *mergus*, *mexicanus*, *nitens*, *ovalis*, *striolatus*.

Tropistes *nitidipennis*.

Tropisurus *paradoxus*.

Tropopsis *biguttatus*, *marginicollis*.

Tropopterus *duponcheli*, *giraudyi*, *montagnei*, *nitidus*.

Troscus *adstrictor*, *clavicornis*.

Trosia *dimas*, *tricolora*.

Trothisa *haworthana*, *minuta*, *paula*.

Troticus *ovatus*.

Trox *aeger*, *aegrotus*, *aequalis*, *alternans*, *alternatus*, *arenosus*, *asiaticus*, *asper*, *austro-lasiae*, *bonariensis*, *brevicollis*, *bullatus*, *cadaverinus*, *canaliculatus*, *capillaris*, *carolinus*, *ciliatus*, *concinus*, *coriarius*, *corticalis*, *costatus*, *cribrum*, *denticulatus*, *distinctus*, *erynaceus*, *eversmanni*, *eximius*, *fascicularis*, *fasciculatus*, *gemmiferus*, *globosus*, *granulatus*, *griseus*, *hispidus*, *lachrymosus*, *lacordairei*, *leprosus*, *lutosus*, *murinus*, *oblongus*, *ordinatus*, *ovatus*, *pastillarius*, *patagonicus*, *pectinatus*, *petechialis*, *pilularius*, *pinguis*, *porcatus*, *punctatus*, *radula*, *reticulatus*, *scabrosus*, *scutellaris*, *serrulatus*, *setosus*, *silphoides*, *splendidus*, *spurius*, *striatopunctatus*, *striatulus*, *striatus*, *sulcatus*, *terrestris*, *trisulcatus*, *undulatus*, *unistriatus*, *varicosus*, *variolatus*.

Truncaria *filosa*.

Truncatella *aurantia*, *bilabiata*, *caribaeensis*, *clathrus*, *costata*, *costulata*, *cumingi*, *exilis*, *filosa*, *fusca*, *guerini*, *laevigata*, *minuta*, *modesta*, *obesa*, *porrecta*, *pulehella*, *quoyi*, *rostrata*, *scalariformis*, *scalaris*, *solida*, *striatula*, *subcylindrica*, *succinea*, *tereboralis*, *truncata*, *truncatula*, *valida*, *ventricosa*, *vitiana*.

Truncatula *filix*, *repens*, *subtruncata*, *truncata*.

Truncatulina *advena*, *arabica*, *ariminensis*, *australe*, *beaumontiana*, *boueana*, *candei*, *communis*, *contecta*, *depressa*, *dispars*, *elongata*, *infractuosa*, *laevigata*, *laevis*, *lobata*, *miqueloniensis*, *ornata*, *punctata*, *refulgens*, *sublaevis*, *tuberculata*, *variabilis*, *verruculata*.

Truncilla *granulata*, *metaplata*, *perplexa*, *triqueter*, *triquetra*, *truncata*.

Truncularia *teres*.

Trupanea *acanthi*, *albibarbis*, *apicalis*, *arcuata*, *bardanae*, *bastardi*, *berberidis*, *bifasciata*, *cafra*, *cardui*, *castanipes*, *cerasi*, *ceylanica*, *cirsii*, *clausa*, *consanguinea*, *dorsalis*, *dravauceli*, *externe testacea*, *flavibarbis*, *flavifasciata*, *fulvipes*, *fusca*, *fuscipennis*, *gracilis*, *grandis*, *heteroptera*, *hirtiventris*, *incisa*, *incisuralis*, *javana*, *latitarsata*, *leontodontis*, *leucarantlia*, *limbata*, *longipes*, *longi-terebrata*, *maculata*, *manilliensis*, *marcii*, *myodes*, *nigripes*, *onopordi*, *orientalis*, *placida*, *punctata*, *punctatostriata*, *purpurea*, *quatuorlineata*, *reticulata*, *roberti*, *rubritarsata*, *rufibarbis*, *rufimystacea*, *rufipes*, *rufesangulata*, *seminationis*, *senegalensis*, *solstitialis*, *sphaerocephali*, *sphondylii*, *spissibarbis*, *tanacetii*, *tasmanensis*, *tibialis*, *umbellatarum*, *varipes*, *vertebrata*, *vicina*, *westermanni*.

Trypialis *dohrnii*, *guianensis*, *loyca*, *militaris*, *superciliaris*.

Trutina *solenioidea*.

Truxalis *abbreviatus*, *acutipennis*, *adpersa*, *annulatus*, *bicolor*, *bilineatus*, *brasilienis*, *brevicornis*, *brunnescens*, *chinensis*, *cinereus*, *conspurcatus*, *coriacea*, *crenatus*, *crenulatus*, *dentatus*, *dorsalis*, *eximius*, *flavipes*, *fuscus*, *grandis*, *grylloides*, *interruptus*, *linearis*, *lineatus*, *marginellus*, *miniata*, *nasutus*, *nebulosus*, *notochlorus*, *obscurus*, *obsoleta*, *pellucida*, *pharaonis*, *procera*, *rhodoptila*, *rosea*, *rubripennis*, *rufescens*, *sanguineus*, *scaber*, *scalaris*, *serratus*, *tenuis*, *testaceus*, *undatus*, *unguiculata*, *unicolor*, *variabilis*, *viatica*, *viridis*, *viridulus*.

Trybliophorus *octomaculatus*.

Trycheres *mediana*.

Trychina *schueppeli*.

Trychopteryx *evanescens*.

Tryciphona *immaculata*.

Trygon (*P.*) *aiereba*, *akajei*, *aldrovandi*, *altavela*, *aquila*, *arnak*, *bennetti*, *brucco*, *cuculus*, *garrapa*, *gazzolae*, *grabatus*, *gymnura*, *halgani*, *hastata*, *hystrix*, *imbricata*, *immunis*, *labebara*, *kuhli*, *lymma*, *lymna*, *maclura*, *oblongus*, *ornatum*, *osteosticta*, *paecilurus*, *pastinaca*, *purpurea*, *russelli*, *sabina*, *sayi*, *sephen*, *stroglyopterus*, *thalassia*, *tuberculata*, *uarnak*, *variegatus*, *violacea*, *vulgaris*, *walga*, *zugei*.

Trygonobatus *altavelus*, *asperus*, *campaniformis*, *commersoni*, *crassicaudatus*, *dorsatus*, *imbricatus*, *longicaudatus*, *lymnus*, *maculatus*, *microurus*, *orbicularis*, *oxydontus*, *plumieri*, *russellianus*, *sephen*, *sindrachus*, *torpedinis*, *transversus*, *tuberculatus*, *vulgaris*.

Trygonoptera *testacea*.

Trygonorhina *fasciata*.

Trylla *spinosa*.

Trymhelia *eburnea*.

Trynga *falcinella*, *glareola*, *guinetta*, *naevia*, *tridactyla*. *Vide et* *Tringa*.

Trypana *cardui*, *cognata*.

Trypanaeus *bipustulatus*, *proboscideus*, *thoracicus*.

Trypanea *berberidis*.

Trypanidius *andicola*.

Trypanophora *semihyalina*.

Trypanosoma *sanguinis*.

Trypauchen *vagina*.

Trypeta *abrotani*, *absinthii*, *acidusa*, *acuticornis*, *adatha*, *adpersa*, *aesia*, *aestiva*, *aex*, *aira*, *alcinoe*, *alternata*, *alvea*, *angustipennis*, *antica*, *aprica*, *arctia*, *argus*, *argyro-*

cephala, cuniculae, arundinacea, artemisiae, atilia, atomaria, avala, bardanae, basilaris, bidexa, bullata, caliptera, caloptera, cancellaria, capitata, cardui, cassara, centaureae, cerasi, chalybeiventris, cincta, cinerea, cluana, cognata, colon, cometa, comina, confluent, confusa, conjuncta, connexa, continua, conura, corniculata, cornifera, cornigera, cornuta, cosyra, cribellum, cronia, crux, cuspidata, cutta, cyana, cyanogaster, daphne, debilis, delusor, dentata, dertona, dilacerata, dimidiata, dinia, discoidea, distans, diversa, doctea, donysa, duplicata, electa, elinia, elongatula, eluta, ethalea, eximia, fallax, fasciata, femoralis, flava, flaveolata, flavescens, flavicauda, flavipennis, flexa, florentinae, formosa, fossata, furcata, fuscicornis, fuscofasciata, gaedi, gagates, gemmata, gnaphalis, grata, guttata, guttata=fasciata, guttularis, heraclei, hyoscyami, hysia, intermissa, irrorata, japonica, lappae, lateralis, laticauda, latipennis, leontodontis, lichtensteini, lineata, longicauda, longipennis, longirostris, luteola, lychnidis, maculata, marginata, megacephala, meigeni, mentharum, mevarna, mexicana, modesta, multifasciata, mutyea, narytia, nebulosa, nigricans, nigricoma, nigrofemorata, obliqua, obovata, obscura, obscuripennis, obsoleta, ocellata, oeresia, octopunctata, onopordiis, pallens, pallida, pardalina, parietina, picta, placida, plantaginis, poenia, pornia, postica, praecox, proboscidea, producta, pugionata, pulchra, pulla, punctata, pupillata, pyrethri, quadrifasciata, quadrum, radiata, ramulosa, rotundiventris, ruralis, sarnia, scutellaris, scutellata, serratae, signata, simplex, socialis, solstitialis, conchi, sororcula, sparsa, speciosa, sphondylii, stella, stellata, stigma, stigmataspis, striola, stylata, succinea, tanacetii, tenera, terebrans, terminata, tessellata, toxoneura, trimaculata, tritea, truncata, tucia, tussilaginis, urticae, vaga, vespertina, viana, violacea, virens, vittata, voneda, wenigeri, wester-manni, wiedemanni, winthemi, zelleri, zoe.

Trypetes guildini, rhinoides.

Tryphaena (A.) amethystinus, amethystoides, duponti.

Tryphera delicata, flvida, fulvipes, lugubris, succincta, tessellum.

Tryphon adpropinquator, alacer, albipes, albitarsorius, albocinctus, albopictus, albivinctus, alpinus, anceps, angustator, apiarius, armillatorius, atriceps, aulicus, aurifluus, axillaris, basalis, bellator, bicolor, bidentatus, bifasciatus, bilineatus, biscalptus, braccatus, brachyacanthus, breviusculus, brunnicans, brunniventris, calcator, calceolatus, caligatus, carbonarius, caudatus, cephalotes, chrysopus, clypeator, clypeatus, collaris, colon, colorator, conspicuus, cothurnatus, cruralis, curtisi, delicatus, dorsalis, elegantulus, elongator, erythrocephalus, erythrocerus, erythropalpus, erythrozonus, excavator, exclamatoris, expers, exstirpatorius, evolans, facialis, fasciatus, flavescens, flavifrons, flavilabris, flavipes, flavocinctus, flavoguttatus, flavomaculatus, formosus, fornicator, frontator, fulvescens, fulvilabris, fulvipes, gnathoxanthus, haematodes, haemosternus, hamulus, heliophilus, holosericeus, humeralis, humilis, ictericus, immaturus, impressor, impressus, incisus, incurvator, insolens, integrator, intermedius, involutor, iratus, laevis, lateralis, laticeps, leucodactylus, leucostictus, leucostomus, lineola, lineolatus, litturatus, longipes, lucidulus, luteicornis, luteifrons, luteomarginatus, maculatus, maculicollis, marginatorius, marginellus, matricariae, melancholicus, melanocerus, melanoleucus, melanonotus, mergator, mesoleptoides, mesoxanthus, mitigosus, mollis, multicolor, murinus, mutator, mutilatus, naevius, nanus, nasutus, neustriae, niger, nigriceps, nigricollis, nigricornis, nigratarsis, nigrolineatus, nitidus, notatus, obscurus, ochrostomus, opticus, orbitalis, pachysoma, parvulus, pastoralis, petulans, phaeorhaeus, pictus, pilosellus, pimplotor, pinguis, praerogator, pratensis, procurator, proditor, propinquus, pruiosus, punctus, pusillus, quadratus, quadrilineatus, quadrisculptus, quinquecinctus, rapinator, reluctator, ridibundus, rubiginosus, rufipes, rufonotatus, rufulus, rufus, rugicollis, rutilator, sanguinicollis, scabriculus, scalaris, scapularis, scotopterus, segmentarius, segmentator, semicaligatus, sexcinctus, sexlitturatus, sexpunctatus, signator, sphaerocephalus, sponsorius, sternoxanthus, subfasciatus, subnitidus, subrufus, subspinosus, succinctus, sylvestris, tarsator, tenuicornis, testaceus, thoracicus, triangulatorius, tricolor, trisculptus, variabilis, varicornis, varitarsus, vellicans, vepretorum, vernalis, virgultorum, vittator, vulneratus, xanthostomus, zoarius, zonatus.

Trypocladius sexdentatus.

Trypodendron dispar, domesticum.

- Trypoderma* *stomatialis*, *americana*, *buccata*, *cuniculi*, *horripilum*.
Tryponaeus *bimaculatus*, *volvulus*.
Trypopitys *sericornis*.
Trypoxulon *annulare*.
Trypoxylon *albitarse*, *atratum*, *aurifrons*, *carinatus*, *clavatus*, *clavicerum*, *equestre*, *figulus*, *fugax*, *fuscipenne*, *fuscipennis*, *politus*, *pygmaeus*, *unicolor*.
Trysibius *intermedius*, *olivieri*, *punctipennis*, *tenebroides*.
Tryxalis *tereticornis*.
Tuba (G.) *alternata*, *striata*, *sulcata*.
Tuba (Verm.) *divisa*, *infundibulum*.
Tubalipora *trahens*.
Tubaria *viridis*.
Tubastraea *coccinea*.
Tubicanthus *caelatus*, *cooki*, *imbricatus*, *rugosus*, *tuber*.
Tubicen *rhynchitoides*, *tubicen*.
Tubicinella *anulata*, *balaenae*, *balaenarum*, *lamarecki*, *major*, *maxima*, *minor*, *trachealis*.
Tubicolaria *alba*, *confervicola*, *najas*, *quadriloba*, *thorti*.
Tubicularia *tuba*.
Tubifex *gentilianus*, *gracilis*, *marinus*, *rivulorum*, *serpentinus*, *simplex*, *uncinarius*.
Tubipora *acervalis*, *anastomosans*, *catenata*, *chamissonis*, *favosa*, *fimbriata*, *hemprichi*, *incrustans*, *irregularis*, *lamellosa*, *minuta*, *prismatica*, *radiatus*, *ramulosa*, *rubeola*, *striatula*, *syringa*, *testacea*.
Tubiporites *catenatus*, *fascicularis*, *favus*, *nodosus*, *radiatus*, *serpula*, *stalactiformis*, *stalactiticus*, *subulatus*, *tubulariaeformis*, *tubulatus*.
Tubolana *digitata*.
Tubulanus *defractus*, *elegans*, *polymorphus*, *pusillus*, *subulata*.
Tubularia *angulosa*, *annulata*, *arbuscula*, *arderon*, *botryoides*, *bullata*, *calyculata*, *centrifuga*, *cirrata*, *clathrata*, *clavata*, *clytioides*, *cochleaeformis*, *compressa*, *cornucopiae*, *coronata*, *crisioides*, *dichotoma*, *dumortieri*, *ehrenbergi*, *fasciculata*, *fistulosa*, *fungosa*, *gigantea*, *glandulosa*, *globulifera*, *hyalina*, *implexa*, *lamourouxii*, *laryme*, *lucifuga*, *obtusata*, *ornata*, *pilaeformis*, *pinnata*, *polyceps*, *pygmaea*, *reptans*, *rugosa*, *salicornis*, *simplicissima*, *solitaria*, *sphaeroidea*, *stellifera*, *tesselata*, *triquetra*, *umbellata*.
Tubuliclidia *spinigera*.
Tubulipora *agaricia*, *annularis*, *arborea*, *arcuata*, *brongniarti*, *clypeiformis*, *complanata*, *congesta*, *cordata*, *cornigera*, *cumulus*, *deflexa*, *diemeni*, *echinulata*, *elegans*, *fascicularis*, *fimbria*, *flabellaris*, *floriformis*, *foliacea*, *foraminulata*, *fungia*, *fungicula*, *grignonensis*, *hispida*, *hyalina*, *indigena*, *intricaria*, *irregularis*, *lobulata*, *lucernaria*, *megaera*, *miocenica*, *obelis*, *orbiculus*, *organisans*, *palmata*, *parca*, *patellata*, *patina*, *penicillata*, *phalangea*, *primigena*, *proboscidea*, *ramulosa*, *repens*, *stelliformis*, *trahens*, *transversa*, *truncata*, *verrucaria*, *verrucosa*.
Tubulites *steinheimensis*.
Tucca *impressus*.
Tudicla *spirillus*.
Tudora *similis*.
Tugali *elegans*.
Tugonia *incrassata*, *ornata*, *tugon*.
Tuliparia (G.) *nebulosa*.
Tunaria *opuntia*.
Tunga *penetrans*.
Tupaia *elliotti*, *ferruginea*, *javanica*, *tana*.
Tupha *aurea**, *coalita**, *conica**, *dichotoma**, *fluviatilis*, *hispida*, *lobata*, *oculata*, *palmata*, *perlaevis*, *ramosa*, *rigida*, *stuposa*.
Tuphassa *stalactis*.
Tuphia *lacustris*.
Tupinambis *albugularis*, *arenarius*, *bengalensis*, *bituminosa*, *bivittatus*, *cepedianus*, *elegans*, *endrachtensis*, *exanthematicus*, *griseus*, *indicus*, *lacinatus*, *maculatus*, *monitor*, *nigropunctatus*, *niloticus*, *ornatus*, *stellatus*, *variegatus*.

Turaco persa.

Turacus albocristatus, erythrolophus, giganteus, leucotis, macrorhynchus, persa, porphyreolophus, purpureus.

Turbella appendiculata, assiniilis, gibba, hystrix, lanceolata, ligulata, pisciculus, platura, schmidiana, selenops, squalus, unipunctatus.

Turbinalia kochi.

Turbinarina alveolaris, crater, cupula, escharoides, microstoma, peltata.

Turbinnella acuminata, agrestis, allioni, amplustre, angularis, angulata, aplustre, ardeola, armata, armigera, attenuata, australiensis, barclayi, basteroti, belcheri, bellardi, bilamellata, brasiliana, brevicaudata, buccinoides, caesus, callosa, cancellata, candelabrum, capitellum, carinifera, carolinae, cassidiformis, castanea, cecillii, ceramica, cerata, chlorostoma, cinerea, cingulata, cingulifera, clavata, coarctata, concentrica, cornigera, crassa, crassicastrata, craticulata, crenulata, crocea, decollata, demissa, dubia, elegans, exanthostoma, fasciata, fastigium, fenestrata, filosa, fusoides, fusus, geminata, glabra, globulus, gracilis, gravis, heteroclitia, impressa, incarnata, infundibulum, intermedia, iostoma, knorri, labellum, laevigata, lanceolata, lauta, leucozonalis, lineata, lychni, lyrata, maculata, maculigera, magna, mitis, multi-striata, muralis, muricata, muricina, napus, nassa, nassatula, nodata, ocellata, ovoidea, pacifica, parisiensis, perexilis, philberti, picta, pleurotoma, plicatula, polygona, ponderosa, praetensis, prisca, prismatica, protracta, pugillaris, pulchella, purpuroides, pyrenaica, pyruliformis, pyruloides, pyrum, racemosa, rapa, recurvirostra, rhinoceros, rigida, rindis, rustica, sanguiflua, sanguinea, scabrosa, scillae, semicostata, senticosus, spadicea, spinosa, stokesi, striata, sulcata, taitensis, tectum, teniata, tessellata, thesities, triplicata, triserialis, tritonina, tuberculata, tubifera, turrita, umbilicaris, undosa, unifasciata, ustulata, varicosa, variolaris, ventricosa, violacea, wagneri, wilsoni.

Turbinnellus affinis, bulbiformis, corona, flammeus, fusoides, baitensis, imperialis, infundibulum, lignarius, musicus, polygonus, pyrum, rhinoceros, rigidus, scolymus, spinosus, spirillus, validus, vexillulum.

Turbinia graciosa.

Turbinites alatus, angulatus, approximatus, bicarinatus, centrifugus, cerithius, cingulatus, communis, constrictus, cornu arietis, dubius, laevissimus, muriciformis, obeliscus, obvolutus, socialis, strombiformis, terebratus, torquatus, trochiformis, unguiniformis.

Turbinolia aculeata, acuminata, alata, alpina, altavillensis, amicorum, angulata, antiquata, appendiculata, arcotensis, arietina, armata, aspera, auricularia, avicula, basoehsi, bellardii, bellingheriana, berica, bilobata, boissiana, bonellii, borealis, bowerbanki, brevis, buceros, calcar, calycularis, campanula, canaliculata, capulus, carinata, caryophyllus, castellini, caulifera, celtica, centralis, cernua, clavus, complanata, compressa, concava, conica, conulus, corniculata, corniculum, corniformis, cornucopia, cornucopiae, costata, crassa, crenulata, cretacea, crispa, cuneata, cuneolus, cupula, cyathoides, cyathus, cyclolitoides, cylindrica, cymbula, cynodon, delphinus, dentalina, dentatus, deshayesi, deucalionis, didyma, dispar, dixonii, donatiana, douglasi, dubia, duforenyi, duodecimcostata, elaborata, elliptica, eminens, exarata, excavata, expansa, fastigiata, fibrosa, fimbriata, firma, flexuolaris, flexuosa, fredericiana, fungites, galeriformis, geoffroyi, gibberosa, goldfussi, granulata, granulosa, gravesii, hainei, hamosa, helianthoides, hemisphaerica, hippuritiformis, humilis, ibicina, impunctata, inauris, incisa, incrustata, inflata, intermedia, irregularis, italica, japheti, konigi, lamareki, lineata, lingula, machurei, magnevilleana, menardiana, michelottii, miliola, milletiana, minor, mitella, mitrata, mixta, muensteri, multiserialis, multisinuosa, multispina, mutica, nana, nassoides, obesa, ornata, paradoxa, patellata, patula, peltata, pharetra, phrygia, pileolus, plana, plicata, praelonga, prestwichi, priapus, punctata, pyramidalis, pyramidata, raricosta, raricostata, reticulata, rubra, rudis, rugulosa, semigranosa, septigera, sinensis, sinuosa, sismondiana, sowerbyi, stokesi, striata, stricta, sulcata, taurinensis, tecta, tenuistria, torsa, trochiformis, turbinata, turgida, undulata, unisulcata, uricornis, versicostata.

Turbinolopsis altica, bina, ochracea, pauciradialis, pluriradialis, rugosa.

Turbo abbreviatus, acastus, achatinus, acicula, acinus, aculeatus, aculeus, acutus, adamsi*, adonis, aedilis, alatus*, albearia, albertinus, albescens, albocinctus, albonaculatus, albospecularis, albutus, albus, alcyon, alpinus, alsius, alternans, alvearia, amatistinus,

aulatus, amiclei, americanus, amictus, amor, anaglypticus, anachurus, angeloti, anglicus, angulatus, angustus, anthonii, antiquissimus, antiquus, antoni, apella, apertus, apex fulva, aphareus, appropinquans, aequensis, archiaci, archimedes, arcuatus, arenarius, arenosus, argyrostoma, armatus, articulatus, ascaris, asmodei, assimilis, asterianus, augur, aurantia, aurantius, aureus, auriculatus, australis, baccatus, baelatus*, balatro, bathus, beaumonti, belia, bellona, belus, bertheloti, biangulata, bianor, bicarinatus, bincinetus, bicingulatus, bicolor, bicostatus, bicultratus, bifasciatus, bilineatus, biliratus, bilix, binodulosus, bipartitus, biplicatus, biserialis, biserratus, bisertus, bisulcatus, bixa, bloedei, boblayei, bohemiensis, boissyi, boryus, brachiatus, brandis, breve, breviculus, brevispina, bronni, brutus, bryereus, buchi, bulimoides, buvignieri, caelatus, caeruleus, calathiscus, calcar, californicus, calisto, callicratis, calliope, callipus, callirhoe, callosus, calypso, canaliculatus, canalis, cancellatus, caniculatus, capensis, caperatus, capitaneus, carinata, carinatus, carinula, carneus, carychium, cassianus, cassiope, cassianus, castor, catenulatus, centurio, charpentieri, chassyensis, chelteni, chemnitz, chemnitzianus, chrysalis, chrysostomus, cinctus, cinerarius, cinereus, cingillus, cingulatus, cinguliferus, circularis, cirrhosus, clathratus, clatroides, coarctatus, coccineus, cochlearis, coebleatus, coelatus, cognacensis, columna, compressus, concentricus, concinnus, concolor, confragosus, conicus, coniferus, conoideus, conon, contrarius, conversus, coralli, corallinus, cornea, corneus, cornu arietis, cornu pastoris, cornutus, coronatus, corrugata, corrugatus, corvus, costarius, costato-striatus, costatus, costulatus, cotteausius, crassior, crassus, craticulatus, credneri, cremenecensis, cremenensis, crenatus, creniferus, crenulatus, cretaceus, cristatus, croceus, cruentatus, crustatus, cryptogrammus, cumaniensis, curvatus, cyclostoma, cyclostomoides, cylindrus, cypris, damouri, dannenbergi, darius, davousti, decussatus, delatossi, delesserti, delphinuloides, dentata, denticulatus, deornatus, depressus, deslongchampsii, desvoidyi, devoniensis, diaphanus, digitatus, dilucula, diminutus, discors, discrepans, disjuncta, dispar, divulus, dubius, dunkeri, duplicatus, dutemplei, eburnulus, eichwaldianus, elaboratus, elegans, elegantissimus, elephantotus, ellipticus, elongatus, emylus, ephynus, epitoni, epulus, erinus, erippus, eryx, escheri, eudoxus, everetti, exasperatus, excentricus, exiguus, exilis, expansus, fabalis, fallax, fascia, fasciatus, fasciolatus, faucignyanus, fenestratus, ferrugineus, filosa, fimbriatus, fittoni, flavidus, fluctuatus, fluctuosus, fokkesi, foliaceus, forbesianus, formosus, fragarioides, francesi, fremenvilleus, fulgidus, fulvus, funatus, funiculatus, funiculosus, funis, fuscus, gemmatus, generalis, geniculatus, gerannae, geryonius, geslini, gibbosus, glaber, globatus, globosus, globularis, gnidus, goldfussi, golezianus, goupilianus, gracilis, granatum, grancostatus, granosus, granulatus, granulocostatus, granulosis, graphicus, gravesi, gregarius, gresslyanus, griseus, gruneri, guangeri, haemon, haemonius, haeninghausianus, halli, hastula, haudcarinatus, bausmanni, heliciformis, helicinaeformis, helicinoides, helcinus, belicites, hemprichi, henrici, hero, heteroditus, hilsensis, hippias, hippocastanum, histrio, homi, hyalinus, hybridus, icarus, imbricataria, imbricata, inaequatus, incarnatus, inconstans, indecisus, indistinctus, mernus, inflatus, insculptus, insectus, intercostalis, intermedius, iris, irroratus, iseus, itus, ixon, jamaicensis, janitor, japonicus, jashianus, jasiochanus, johannis austriacae, jourdani, jugosus, julia, juniperi, klipsteini, kochi, konincki, labadyei, labiata, labio, labiosus, lachesis, lacinata, lacinatus, lacordairianus, lacuna, laeneus, laetus, laevigatus, laevipes, laevis, lagonkairei, lamarccki, lamellatus, lamellosus, laminatus, laminiferus, lanceolatus, landrioti, lapidosus, lapurdensis, laqueata, leachi, leblanci, leda, lehmanni, leo, lecas, ligatus, lima, lincea, lineata, lineatus, lineola, lineolatus, linteatus, liratus, litoides, litorinaeformis, littoralis, longispina, lorieri, lucullanus, ludus, lugubris, lunulatus, luteola, lycaon, lyelli, maculatus, maculosus, madreporoides, magicus, magnificus, mailleanus, mammillatus, mancuensis, mantelli, margarita, margaritaceus, margaritifera, marginalis, marginatus, marginellus, margine-nodosus, mariae, mariani, maritimus, marollinus, mars, martinianus, martini, mavori, mediterraneus, melaleucos, melania, meleagris, melissus, menardi, menippus, menkei, meridionalis, merula, metis, meyerendorfi, meyeri, meynardi, midas, militaris, minerva, minimus, minuta, minutus, miocenicus, mirabilis, misippus, modestus, moluccensis, monus, mobiliferus, monilis, montmollini, moreausius, morpheus, muensteri, mulleti, multicarinatus, mumia, munda, munitus, murchisoni, muricatus, muricatus,

murreus, myrmecinus, myrmex, natalensis, naticoides, neri, neritiformis, neritoides,
 nicias, niger, nigricans, nilssoni, nireus, nisea, niso, nissus, nitens, nitidissimus, niveus,
 nixicosta, nobilis, nodosus, noduloso-cancellatus, nodulosus, nodulus, norini, notus,
 obligatus, obliquatus, obliquus, obscura, obscurus, obliquus, obliquus, octaria, octocarinatus,
 odius, oenus, oitonenis, olivaceus, omaliini, opis, ocellinus, orion, ornatissimus, ovatus,
 palinurus, palliatus, pallida, pallidulus, pallidus, paludinosus, paludinosus,
 paludosus, panacius, panderianus, panopae, parallelus, parietalis, parietalis,
 parvulus, parvus, patroclus, patulus, pello serpentis, pelops, pelotanus, pentagonatus,
 pentagonalis, perdix, perforatus, perlatum, perianthus, perianthus, petivianus, petivianus,
 petricola, petropolitanus, pharaonis, philemon, philemon, philemon, philemon, philemon,
 pictus, pintado, pinteillei, piscinalis, pisum, placidulus, pleurotomarius,
 pleurotomarius, plicatilis, plicato-carinatus, plicatodentatus, plicatulus, plicatus,
 polycetus, popowa, porcatus, praetor, pretiosa, princeps, principalis, princeps, proble-
 maticus, prosiliens, pryceae, pseudoscalaris, psittacinus, pulchellus, pulcher, pulcherrimus,
 pullosus, pullus, pullideus, puniceus, punctato-sulcatus, punctatus, putrescens,
 puschianus, pusillus, pusio, pustulatus, pustulosus, puteolus, pygmaeus, pyramidalis,
 pyropus, quadricarinatus, quadricinctus, quadridens, quadristriatus, quadratus,
 quadridentatus, quinquecinctus, quoyi, radiatus, raricostatus, raristriatus, rathianus,
 raulini, recterostatus, reevei, reflexus, regenfusi, regensbergensis, renauxianus,
 resupinatus, reticulatus, retiformis, retusus, reussianus, rhomboides, rhomboides,
 riolensis, rissoanus, rivulus, roemeri, roissyi, roseus, rotelliformis, rotelloides, rotun-
 datus, royanus, rubescens, rubricinctus, rudis, rufescens, rugoso-carinatus, rugosus,
 rusticus, sacleri, saevius, salinarius, salus, sandvicensis, sarmaticus, saxatilis, saxoneti,
 saxosus, scalaris, scalatus, scaphium, scobina, scopas, scrobiculatus, sculptus,
 sedgwicki, semicostatus, semiornatus, semiplicatus, semistriatus, semisulcatus,
 senator, senilis, separatista, serpuloides, sexdentatus, sculus, sigaretiformis, siluricus,
 similis, simillimus, simplex, sinensis, singularis, sirius, smaragdulus, socialis, solidus,
 speciosus, spengleri, sphaeroidea, spinosissimus, spinosus, spinulosus, spiralis, spirata,
 spiratus, splendens, splendidulus, squamatus, squamiferus, squamiger, squamosus,
 squamulosus, stellaris, stercutius, stramineus, striatellus, striato-costatus, striato-
 punctatus, striatulus, striatus, strigatus, strigillatus, subangulatus, subangulosus,
 subantiquus, subarnatus, subcalcar, subcanalis, subcancellatus, subcarinatus,
 subcinctus, subcingulatus, subclathratus, subconcinus, subcostatus, subcrenatus,
 subdecussatus, subdispar, subduplicatus, subelegans, subflavus, subfusus, subfusus,
 subgracilis, subgranulatus, subimbricatus, subinflatus, sublaevis, submarginatus, sub-
 nodosus, subnodulosus, subobtusus, subornatus, subpleurotomarius, subplicatus,
 subpunctatus, subpusillus, subpygmaeus, subpyramidalis, subreflexus, subreticulatus,
 subsculptus, subspiralis, substellatus, substriatus, subsulciferus, subtrochiformis,
 subtrochleatus, subtruncatus, subulatus, subumbilicatus, subundulatus, subvaricosus,
 sulcatus, sulcifer, sulciferus, sulcostomus, supranodosa, suturalis, symmetricus,
 tabulatus, taeniatus, taylorianus, tegulatus, tenebrosus, tentaculatus, tenuicinctus,
 terebellata, terebellum, terebratus, tessellatus, tessularius, texatus, theodori, thetis,
 thomsonianus, tiara, ticaonicus, tigerina, tisius, tornatus, torticollis, tortus, torulosus,
 transparens, tricarinatus, tricarinatus, tricincta, tricingulatus, tricolor, tricostratus,
 trimarginatus, triplicatus, triton, tritorquatus, trochiformis, trochleatus, trochoidea,
 trochoides, truncatulus, truncatus, tuber, tuberculato-cinctus, tuberculatus, tuber-
 culosus, tubulatus, tumidulus, tuustallensis, turbinoides, turcius, turgida, turris,
 thomae, turritella, turritellatus, tursicus, turtonis, umbilicatus, undulatus, unguis,
 uncarinatus, unicus, unidentatus, unifasciatus, ustulatus, variabilis, varicosus,
 variegatus, varius, ventricosus, ventrosus, venustus, vermicularis, verrucosus,
 versicolor, vertigo, vestita, vicia, vinctus, violaceus, virens, virgatus, viridis, vitreus,
 vittatus, viviparoides, viviparus, vixcarinatus, volti, volvulus, vulgaris, walferdini,
 wegmanni, williamsi, winteri, wisinganus, wurmi, yo, yonnius, zappoides, zebra, zeno,
 zetlandicus, zeuxis, ziczac, zieten, zilmae, zuhovensis.

Turboella brevis, calathiscus, hutchingsiana, punctata, ruflabris, scotica, zetlandica.

Turbona reticulata, semicostata.

Turbonilla absoluta, acicula, acuminata, albella, albula, altenburgensis, angusta, antiqua,
 armillata, bimarginata, clavula, corrugata, costaria, costata, costellata, costulata,

crassa, curvicaudata, ~~zelandiella~~, decussata, elegans, elegantior, elegantissima, filosa, gracilis, hordeola, humboldti, interrupta, kaupi, lanceolata, miliola, minuta, montagui, muensteri, nitida, nivosa, ~~occulifera~~, obliqua, ornata, oscitans, ottoei, pallida, parvula, plicata, plicatula, prisca, producta, pseudo auricula, pupa, pygmaea, reticulata, rufa, spina, spiralis, striata, strombecki, subulata, tarbelliana, terebralis, turella, varians, vitrea, zwickaviensis.

Turbulina conoidea.

Turdampelis lanioides, rufococcix.

Turdinus macrodaetylus, superciliaris.

Turdirostris capistrata, capistratoides, concreta, epilepidota, leucophrys, leucostigma, murina, poliogenys, pyca, pyrrhogenys, unbratilis.

Turdoides leucocephala.

Turdulus micropus.

Turdus aedon, aethiops, affinis, albicapillus, albicollis, albigularis, albiventer, albocinctus, albospecularis, alpinus, amaurochalinus, amaurotis, ambiguus, americanus, amoenus, analis, aquaticus, arboreus, ardosiaceus, arsinoe, asiaticus, assimilis, atriceps, atricollis, atrigularis, atrocyaneus, atrogularis, atthis, aurantirostris, aureus, aurigaster, aurigularis, aurocapillus, aureus, australasiae, australis, avensis, azureus, badius, bechsteini, betularum, bimaculatus, brachypterus, brachyurus, bresciensis, brevicaudus, cabanisi, canadensis, canorus, carbonarius, cardis, carolinensis, castaneus, catbirdt, certhiola, ceylonicus, chalybeus, chiguanco, chilensis, chochi, chrycolans, cinclus, cinerascens, cinereus, cinnamomeiventris, clamosus, collaris, coluca, coronatus, crassirostris, cristatellus, cristatus, crotopezus, cyaneus, cyanocephalus, cyanotus, cyanus, cyanurus, daulias, daunia, deflexus, densirostris, diardi, dilutus, dimidiatus, dispar, dissimilis, dubius, eliacus, erythrogaster, erythrophthalmus, erythrurus, eulripes, eunomus, explorator, falcklandi, felivor, ferrugineus, figulus, flammeus, flavipes, flavirostris, frivulus, fuliginosus, fumidus, fumigatus, fuscator, fuscatus, fuscescens, fuscifrons, gigas, gilvus, glaucinus, grayi, griseiceps, gularis, guttatus, gutturalis, gymnophthalmus, gymnopsis, haemorrhous, harmonicus, hodgsoni, hortensis, humilis, hypopyrrhus, illas, illuminus, importunus, infuscatus, innotatus, inquietus, interpres, jala, janfredic, javanicus, jocosus, juidae, juniperorum, leschenaulti, leucocillus, leucomelas, leucomelus, leucophrys, leucopterus, leucotis, l'herminieri, libonyana, lividus, longirostris, ludovicianus, lunularis, lunulatus, luridus, luzoniensis, macei, maculipennis, madagascariensis, magellanicus, major, major montanus, mandarinus, manila, martini, maxillaris, melaleucus, melanicterus, melanocephalus, melanophrys, melanops, melanotis, melanotus, melinus, melodus, melpomene, micans, micropus, mimus, minimus, minutus, modestus, mollissimus, montanus, motacilla, murinus, muscicola, mustelinus, nanus, naumanni, nigricans, nigricapillus, nigropileus, novaeboracensis, nudigensis, obscurus, occipitalis, ochrotarsus, olivaceofuscus, olivaceus, olivacinus, oreocincloudes, oriolus, ornatus, orpheus, pallasi, pallens, pallidus, peguanus, pelios, peroni, perspicax, phaeopygus, philippensis, philomelos, phoenicopterus, picaoides, piapiens, poecilopterus, poliocephalus, prasinus, pratensis, psaltes, reclamator, repescens, revocator, rocar, rubiginosus, rubripes, rubrocanus, rufigularis, rufitorques, rufiventer, rufiventris, rufopalliat, rufovariegatus, rufulus, rufus, rupestris, rupicola, saturninus, scapularis, scirpaceus, scolopaceus, serranus, seyffertitzi, silens, simillimus, smithi, solitarius, sordidulus, sordidus, sorsalus, splendens, splendendus, squameus, strepitans, striatus, striga, strigatus, subpilaris, sueuri, sulphurascens, superciliaris, superciliosus, surinamensis, swainsoni, temporo-griseus, tenebrosus, terat, terrestris, theuca, tibicen, townsendi, tricolor, triurus, unicolor, ustulatus, vanikorensis, varius, vinetorum, virens, viridis, vociferans, volitans, vulpinus, wardi, werneri, whitei, wilsoni, xanthoproctus, xanthopus, xanthopygos.

Turitellus terebratus.

Turnagra crassirostris, macularia, striata.

Turnicigralla macroura.

Turnix africanus, andalusica, atrogularis, castanotus, dussumieri, fasciatus, gibraltaricus, hottentottus, javanica, joudera, lepurana, lunatus, maculosus, meiffreni, melanogaster, nigricollis, nigrifrons, ocellata, pugnax, pyrrhothorax, rufus, scintillans, tachydromus, taigour, thoracicus, variegatus, varius, velox.

Turonia variabilis.

Turricula caronis, depressa, elata, elegans, flammea, pumilio, serrulata, thurcella, turricula.

Turritiles acuticostatus, acutus, alpius, archiacianus, astierianus, babelli, baculoides, beirensis, bergeri, birons, bituberculatus, boblayei, brazoensis, carcitaneis, catenatus, costata, costulata, cygnarti, desnoyersi, elegans, emericianus, escherianus, essensis, geinitzi, gravesianus, haania, hugardianus, mayorianus, moutonianus, obliqua, ornatus, planorbis, plicatilis, plicatus, polylocus, puzosianus, reussi, robertianus, scheuchzeriana, scheuzeriani, senequierianus, triplicatus, tuberculata, undulata, valdani, varicosa, vibrayeanus.

Turris borealis, cafra, coccinea, corrugata, digitalis, neglecta, papua, paupercula, stigmataria, vulpecula.

Turritella abbreviata, absoluta, acanthophora, acicula, acicularis, acutangula, acuticarinata, acuticostata, acutissima, adansonii, aequalis, affinis, albuli, alpina, alternans, alternata, althausi, alticostata, amalthea, ambigua, ambulacrum, andii, androcides, angulata, annulata, antiqua, archiaci, archimedis, arete-costata, armata, asperula, assimilis, astieriana, atiacina, attenuata, auriscalpis, australis, bacillum, banksi, banga, biangulata, biarmica, bicarinata, bicornuta, bicingulata, bicolor, biiformis, bigemina, bilineata, bmarginata, binodosa, bipertita, biplicata, bipunctata, bistriata, bisulca, bisulcata, bisuturalis, bolina, borsoni, brachyurus, brauniana, brevialis, brevicula, brevis, brocchii, broderipiana, bruguiera, buchiana, bucklandi, caelatura, canaliculata, cancellata, candida, capensis, capitellum, caribaea, carinata, cariuatula, carinifera, carnalliana, cathedralis, cenomaneensis, cerea, cerithium, cesticulosa, chilensis, cylindrica, cingenda, cingulata, cingulato-lineata, cingulifera, cintrana, clathrata, clathratula, clavata, cochlea, cochleata, colou, columnaris, communis, compressa, computensis, concava, congelata, conica, conoidea, conspersa, constricta, contracta, coquandiana, corbarica, cordieria, cornea, corona, corrugata, costata, costulata, crenulata, crocea, crystallina, cumingi, cylindrica, decemcincta, decheniana, declivis, decollata, decorata, decussata, deperdita, desmarestina, difficilis, disjuncta, doublieri, dufrenoyi, dupiniana, duplicatus, duvali, echinata, edita, egyptiaca, eichwaldiana, elegantissima, elongata, elongatum, encrinoides, erosa, eschrichti, exaltata, excavata, eximia, exoleta, extincta, fahrenheitii, fascialis, fasciata, fastigiata, faucignyana, ferruginea, fittoniana, flammulata, flexuosa, fluxionalis, fragilis, fuchsi, fulvocincta, funiculata, funiculosa, fusa, fuscata, fusula, gaytani, geinitzi, gemmata, georgina, germaniae, gigantea, goldfussi, gonostoma, goodalliana, gothica, gracilis, grandaeva, granosa, granulata, granulosa, gregaria, gunni, hagenoviana, hanleyana, hartmanniana, haueri, hehli, hilseana, hookeri, hugardiana, humboldti, humerosa, humilis, hybrida, imbricata, imbricataria, impressa, inaequalis, inaequicincta, incerta, incisa, incrassata, indenta, indigena, indistincta, inscripta, intermedia, interrupta, italica, jaegeri, jazikoviana, kircevia, kircevia, kircevia, knysnaensis, koninckiana, krantzi, lactea, laevigata, laevis, laeviuscula, lamarecki, lanceolata, lata, lentiginosa, leopoliensis, leucostoma, ligar, lineata, lineolata, linnaei, lommeli, longissima, longiuscula, maculata, margaritifera, marginalis, marginata, margine-nodosa, marginulata, mariorata, marticensis, megaspira, melanoides, mesal, meta, microscopica, minima, minor, minuta, mississippiensis, monilifera, moniliformis, mortoni, moutoniana, multilineata, multilirata, multistriata, multisulcata, muricata, mutabilis, nana, nautilea, nebulosa, neptuni, nerinaea, nexilis, nitidissima, nivea, nodosa, nodosoplicata, nodulosa, noeggerathiana, nuda, obliterated, obruta, obsoleta, obtusa, octonaria, olivacea, omaliusi, opalina, ornata, pagoda, pailletteana, papillosa, patagonica, patula, paupercula, pelagica, perarmata, percincta, perforata, perlaqueata, pettschorae, philippii, philipsi, plana, planispira, plebeia, plicatula, polaris, polita, pondicherriensis, ponti, portlandica, potamoides, prisca, propinqua, proto, provincialis, punctata, punctulata, punctura, pygmaea, pyramidalis, pyrenaica, quadrangulata, quadrangulo-nodosa, quadricarinata, quadricincta, quadrilineata, quadrilplicate, quadri-striata, quadrivittata, quinquecincta, quinqueudentata, quinque-lineata, radula, rauliniana, reflexa, renauxiana, renieri, replicata, requieniana, reticulata, reussiana, riepli, rigida, robineausa, roissyi, rosea, rotifera, rouyana, rubescens, sabauda, sanguinea, scalarina, scarioides, scalaris, scalaroidea, scalaroides, schohariensis, semiglabra, semi-striata, septem cincta, sepulta, seriatis-granulata,

seriata, serrata, sexlineata, similis, simillima, simplex, sinuata, sinuosa, socialis, sordidyl, spectrum, sphaerula, spinosa, spiralis, spirata, squamosa, staszycii, stranguinata, striata, striatula, strigillata, subangulata, subcanaliculata, subcarinata, sublamellosa, subornata, subpunctata, subsimplex, subtruncata, subula, sulcata, sulcifera, supracretacea, supraplecta, suturale, suturalis, taeniata, tasmanica, tenuicarinata, tenuicostata, tenuis, tenuistriata, terebellata, terebralis, teres, terstriata, tigrina, tornata, torulosa, tricarinata, trincta, tricungulata, tricostata, trilineata, triplicata, triserialis, tristriata, trisulcata, trochileata, truncata, truncatula, tuberculata, tunstallensis, turbinata, turbinata-conica, turricula, turris, uchauxiana, undulata, unguina, unguilina, uniaingularis, unica, unicarinata, unifuniculata, uniplicata, unisulcata, urii, varia, variabilis, varicosa, variegata, velata, ventricosa, vermicularis, verneuiliana, vertebroides, vetusta, vibrayeana, vindobonensis, virginiana, vitrea, vittulata, walmstedti, zeuschneri.

Turritellites scalatus.

Turritellus terebratus.

Turrites bergeri, costatus, giganteus, obliquus, scheuchzerianus, tuberculatus, varicosus.

Tursio peroni, truncatus.

Turtonia minuta.

Turtur afra, albiventris, auritus, bitorquatus, cambayensis, chalcospilus, chinensis, cinerea, douraca, dussumieri, erythrophrys, humilis, leucoptera, lophotes, lugens, meena, nrsoria, semitorquatus, senegalensis, simplex, suratensis, tigrinus, vinaceus, vitticollis, vulgaris.

Ty puteorum.

Tychaeus curvidens.

Tyche emarginata, lamellifrons.

Tychius alboguttatus, albulus, amoenus, amplicollis, ancora, aratus, aurarius, aurichalcaeus, auricollis, canescens, carinicollis, centromaculatus, ciliatus, cinerascens, corniculatus, cuprifer, elegans, elongatus, farinosus, flavicollis, fuscolineatus, genistae, haematocephalus, haematopus, hordei, intramarginalis, juncus, lautus, lineatulus, meliloti, nervosus, obesus, parvulus, pernix, picirostris, polylineatus, posticus, quinquepunctatus, rufirostris, schneideri, sculus, sorex, sparsutus, squalidus, squamifer, squammulatus, squamosus, stepheni, striatulus, strumarius, sublineatus, suturellus, thoracicus, tibialis, tomentosus, trivialis, venustus.

Tychoptera contaminata, lunata, oleracea.

Tychus castaneus, dichrous, erythropterus, longipalpis, minimus, minor, niger, ruber, serriicornis, tuberculatus.

Tydeus albellus, albofasciatus, breviculus, celeripes, croceus, cruciatus, melanchlaenus, ministralis, mutabilis, olivaceus, parabolicus, polymitis, subtilis, velox.

Tylocerus antennatus.

Tylodelphis clavatus*.

Tylodelphys clavata, rhachidis.

Tyloderes chrysops, dejeani, megerlei, spinosus.

Tyloides armadillo, armigerus, camelus, clathratus, clavatus, gayi, globosus, granulatus, granulufer, humeralis, informis, insubidus, lateralis, obesus, paedidus, rubetra, scaber, tuberculosa, uraeus, verrucosus.

Tyloidina citrina, duebeni, punctulata, rafinesquei.

Tylodon hambresi.

Tylognathus barbatulus, chitul, diocheilus, diplochilus, diplostomus, hirticeps, lamta, nanus, porcellus, quadrimaculatus, sandkohl, valenciennesi.

Tyломus cryptocephalus, gonopterus, guttatus, leonculus, palmicollis, pertusus, pollinosus, rubiginosus, sahlbergi.

Tylonotus bimaculatus.

Tyloramphus cristatellus.

Tylos (Ar.) doliaris.

Tylos (Cr.) armadillo, capensis, granulatus, latreillei.

Tylosaurus cantraine.

Tylosis maculatus, oculatus.

Tylostoma globosum, ovatum, punctatum, torrubiae.

- Tylosurus goianensis*, *imperialis*.
Tylotarsus cinctipes.
Tylotus chrysops.
Tymetes merops.
Tympanomium planci.
Tympanophora pellucida.
Tympanophorus canaliculatus.
Tympanotos iluviatilis, *granulatus*.
Tympanuchus cupido.
Tynostoma vittata.
Tynotoma abdominale.
Tyoma erythrorhyncha.
Typanus aegyptius.
Typhaea ferruginea, *fumata*, *spargani*, *testacea*, *tomentosa*;
Typhaeus vulgaris.
Typhis (Cr.) *ferus*, *monoculoides*, *ovoides*, *rapax*.
Typhis (G.) *acuticosta*, *alatus*, *arcuatus*, *belcheri*, *coronatus*, *cumingi*, *canaliculosus*,
curvirostratus, *fistulosus*, *gracilis*, *horridus*, *muticus*, *nitens*, *pinnatus*, *pungens*,
quadratus, *sowerbyi*, *tetrapterus*, *tripterus*, *tubifer*.
Typhlina (R.) *lineatus*, *septemstriatus*.
Typhlina (Rot.) *canicula*, *furca*, *viridis*.
Typhlinalis lineatum.
Typhline cuvieri.
Typhlobdella kovatsi.
Typhloblanus coeca.
Typhlobranchus spurius.
Typhlocoris semicircularis.
Typhlocyba adspersa, *aurata*, *aureola*, *chloroptana*, *cruenta*, *discicollis*, *eximia*, *fulva*,
fulveola, *hyperici*, *jucunda*, *lutea*, *mollicula*, *octonotata*, *parvula*, *picta*, *plagiata*,
pulchella, *pulvula*, *pusilla*, *quadra-signata*, *quadrinotata*, *quercus*, *rosae*, *rubi*,
scutellaris, *sexmaculata*, *signatipennis*, *stachydearum*, *stellulata*, *tenerrimi*, *ulmi*,
urticae, *vittata*, *wahlbergi*, *zetterstedti*.
Typhlolepta coeca, *retusa*.
Typhlomorphus cuvieri.
Typhilophis squamosus.
Typhilophone fulva.
Typhloplana coeca, *marina*, *polygastrum*, *sulphurea*, *variabilis*, *viridata*, *viridatum*.
Typhlopona oraniensis.
Typhlopone dahlbomi, *fulva*, *pallipes*, *shuckardi*.
Typhlops albifrons, *ascarioides*, *ater*, *bilineatus*, *braminus*, *brunneus*, *cinereus*, *crocotatus*,
cubae, *diardi*, *eschrichti*, *fasciatus*, *filiformis*, *flavescens*, *fornasinii*, *lalandei*, *leuco-*
gaster, *leucorrhæus**, *lineatus*, *lumbricalis*, *mammillaris*, *muelleri*, *multilineatus*,
nasutus, *nigricans*, *nigro-albus*, *oxyrhynchos*, *philippinus*, *platycephalus*, *poly-*
grammicus, *richardi*, *rostralis*, *russeli*, *schlegeli*, *septemstriatus*, *squamosus*, *tessellatum*,
undecimstriatus, *vermicularis*.
Typhlus fragilis, *lineatus*.
Typhochlaena caesia, *seladonia*.
Typhonia lugubris.
Typhylops schlegeli.
Typocephalus cruciatus, *dimidiatus*.
Typocerus abdominalis, *badius*, *distans*, *fugax*, *lateralis*, *lugubris*, *lunatus*, *nobilis*,
sinuatus, *zebratus*.
Typodus glaber.
Typophorus quinquemaculatus.
Typophyllum erosus.
Typopus abnormis.
Typton spongicola.
Tyranites gigas.

Tyrannula affinis, albicollis, albolimbatus, ardosiaca, ater, barbata, barbirostris, brunneo-olivaceus, caniceps, cayenensis, chrysoceps, cinchoneti, cinerascens, cinereus, cooperi, coronata, crinita, curticeps, diadema, divaricata, ferruginea, flavoventris, frontalis, fumigata, fumigatus, gossei, icterophrys, irritabilis, luteolimbatus, magnirostris, martinica, megacephala, miuima, minuta, modesta, musica, nigricans, nunciola, obscura, ornata, pallida, pallidus, phoebe, platyrhyncha, pusilla, pyrrhopterus, richardsoni, ruicauda, rupectus, saya, sayi, setophagoides, superciliosa, trailli, tristis, tschudi, tuberculifer, uropygiata, vieilloti, virens, viridiflavus.

Tyrannulus albocristatus, aureus, elatus, nigrocapillus, obsoletus, regulus, rufopectus, rutilus, ventralis, vieilloti, virescens.

Tyrannus albicollis, albogriseus, ambulans, americanus, animosus, armiger, atricapillus, atriceps, audax, aurantio-atrocristatus, bellicosus, bellulus, borealis, caesius, calcaratus, canadensis, carnivorus, carolineus, carolinus, caudifasciatus, cayanus, cayennensis, cinchoneti, cinereus, circumcinctus, cooperi, coronatus, crassirostris, crinitus, crudelis, curvirostris, dominicanus, dominicensis, ferox, flavus, forficatus, fumigatus, furcatus, griseus, gutturalis, intrepidus, irritabilis, irupero, leucococcyx, leucogaster, leucotes, longipennis, ludovicianus, magnanimus, magnirostris, matutinus, melancholicus, mexicanus, monachus, naevius, nengeta, nunciola, phoebe, pipiri, pitangua, pyrrhophaius, rixosus, roseus, rubricollis, rufescens, rufinus, rufiventris, rufus, rusticus, rutilus, savana, solitarius, suturaceus, sulfuraceus, sulphuratus, taminophiloides, titiri, torquatus, tuberculifer, tyrannus, verticalis, violentus, vociferans, vorax.

Tyria (Lep.) jacobaea, modesta.

Tyria (R.) argonauta, cloqueti, dahl, exoleta, ibiboca, kollari, linnaei, najadum, ocellata, ornata, oxycephala, poecilostoma, pullata, pyrrhopogon, quadricarinata, schreibersi.

Tyro coruigera.

Tyroglyphus bicaudatus, feculae, longior.

Tyronia villosa.

Tyrse argus, gangetica, javanica, nilotica, perocellata, rafeht.

Tyrus compar, mucronatus.

Tytyris porcia.

U saxorum.

Uarus dumerli, heraldicus, lunatus, ornatus, rudicollis. *Vide et Varanus.*

Uaru amphiacanthoides.

Uca africana, cordata, lavis, uca, una, vocans.

Udea ferrugalis.

Udonella caligorum.

Udora angulata, brevispina, cordata, rarispina.

Udorpes splendens.

Udotea cancellata, conglutinata, flabellata.

Ugyops percheroni.

Ula mollissima.

Uleiota flavipes, testacea.

Ulema megerlei.

Ulidia aenea, albidipennis, apicalis, arcuata, atro-virens, bipunctata, clausa, demandata, erythrophthalmus, megacephala, melanopsis, nigripennis, nitida, parallela, smaragdi, stigma.

Ulidium charlesworthi.

Uloborus americanus, canescens, canus, curvicaudus, filiformis, flavus, plumipes, walckenaerius, zosis.

Ulocerus immundus, laceratus, lacerosus, pannosus, squalidus, tetraurus.

Ulocyathus arcticus.

Ulodes verrucosus.

Uloma aethiops, badia, bicornis, brevifollis, brunnipes, californica, carbonaria, castanea, cavicollis, chrysomelina, confinis, cornuta, crenata, cucullatum, culinaris, curvipes,

cylindrica, diaperina, diaperoides, dimidiata, encausta, fagi, fahraei, ferruginea, filiformis, fuscipes, gibba, impressa, impressicollis, infamis, insularis, janthina, laeviuscula, laticollis, latipes, madens, major, maura, mauritanica, melanaria, nitidula, opatrinae, opatroides, orientalis, oryzae, parallela, perplexa, picea, pulla, puncticollis, quadri-cornis, retusa, rubens, ruficornis, rufipes, scarabaeoides, similis, sinuato-collis, spectabile, testacea, tricornis, vaccina, westringi.

Ulomascus caviventris.

Ulomenes hypocrita.

Ulopa decussata, ericae, ericetorum, lugens, obliqua, oblecta, reticulata, scanica, trivia.

Uloptera planata.

Ulosomus crinaceus, immundus, ptinoides, setosus.

Ulosonia hololeptoides.

Ulrícia klugi.

Ultimus gibbosus.

Ulula (A.) aedica, aluco, brachyotus, cinerea, crassirostris, fasciata, galapagoensis, hylophila, laponica, litturata, nebulosa, newarensis, otus, pagodarum, richardsoni, rufipes, stridula, teugnalmi, vulgaris.

Ulula (Neur.) microcephala, vetula.

Ulva defracta.

Umbella (G.) umbellata.

Umbellularia groenlandica, longimana.

Umbla krameri.

Umbonia amazili, ataliba, crassicornis, gladius, indicator, nigrata, orozimbo, pyramidalis, reclinata, signoreti, spinosa, turrita, venosa.

Umbonium excisum, vestiarium.

Umbra crameri, krameri.

Umbra-culum chinense.

Umbrella diluviana, disculus, indica, laevigata, lamareckiana, laudunensis, mediterranea, patelloidea.

Umbrina alburnus, arenata, auratus, barbata, broussonneti, canariensis, cirrhata, cirrhosa, coroides, dussumieri, gracilis, kuhli, martinicensis, nebulosa, ophicephala, ronchus, russeli, saxatilis, serratus, vulgaris.

Umbrosina costata, dubitata, rhamnata, undulata, vetulata.

Unca gamma, triplasia.

Uncina posidoniae.

Unciola irrorata.

Uncirostrum brelayi, cyaneum, la fresnayeii.

Uncites grypboides, gryphus.

Undaria agaricites, undata.

Undina (A.) leucocephala.

Undina (P.) kobleri, striolaris.

Ungula convexa, ovata, plana, transversa, triangularis.

Ungulina antiqua, laticola, rangi, suborbicularis, transversa.

Unibranchapertura cinerea, cucbia, immaculata, laevis, lineata.

Unicardium aceste, aleyone, aspasia, bernardinum, calliope, callirhoe, calloviense, calypso, cardioides, circulare, corbisoidum, costatum, depressum, despectum, euterpe, excentricum, globosum, hesione, heteroclytium, incertum, inflatum, inornatum, inversum, janthe, laevigatum, latecostatum, lobatum, ranvillianum, rugosum, striolatum, subalpina, sublaeve, subregularis, subtrigonum, uniforme, varicosum.

Unicellaria appendiculata, chelata, cornuta, lafoyi.

Unicornu fossilis.

Unicornus typus.

Unidens tessellatus.

Uniloculina indica.

Unio abacoides, abacus, abbreviatus, abductus, aberti, abruptus, acutissimus, acutus, aduncus, aegypticus*, aeruginosus, aesopus, agrestis, alabamensis, alaeformis, alatus, aldami, aleroni, alpina, altilis, amaeus, ambiguus, amnicus, amygdala, angulatus, angusta, angustatus, anodontina, anodontoides, ansticei, antiquatus, antiquior,

antiquus, antistropheodonta, apiculatus, approximatus, aquilinus, aradae, aratus,
 araucanus, arca, arcaeformis, arcatus, arcior, arcuata, arcula, arcus, arduasianus,
 argenteus, argyratus, asper, asperrimus, astertianus, atavus, ater, atratus, atrocostatus,
 atro-marginatus, atrovioacea, atrovirens, aucklandiae, auratus, australis, avicularis,
 arzecorum, badius, balonensis, bandinii, barnasianus, batava, bengalensis, besckeanus,
 bisulata, biangularis, biangulatus, bicolor, bigbyensis, bigerrensis, bilineatus, biloba,
 binneyi, bipennis, blandingianus, blaydsi, bonellii, bonneaudi, bosquiana, bournianus,
 boydianus, boykinensis, brevalis, brevidens, breviplicatus, brownianus, brumleyanus,
 bullata, burroughianus, caeruleus, caffer, calamitarum, calceolus, calendis, caliginosus,
 callosus, canelus, caemptodon, capax, caperatus, capigliolo, capillaris, capillus,
 capsaeformis, carbonarius, cardice, cardium, carinatus, carinifer, carinifera, carinthiacus,
 cariosus, carnea, carnifera, carniolicus, caroliniana, casaeblancae, castaneus, cataracta,
 catillus, caudatus, centralis, cerinus, charruana, childreni, chilensis, chloris, cicatri-
 ciosus, cincinnatiensis, cinereus, circulus, claborneus, clava, cliffordiana, coarctata,
 coccineus, coelatus, collinus, complanata, compressa, compressissimus, compressus,
 concinnus, confertus, confragosa, congaraeus, contradicus, consentaneus, constrictus*,
 contradeus, contrarius, convexus, cooperianus, cor, cordata, cordiformis, coriaceus,
 cornueliana, cornutus, corrianus, corrientensis, corrosus, corrugata, costatus, couperi,
 couperianus, crassidens, crassissimus, crassiusculus, crassus, crenulatus, creperus,
 crispata, crocatus, crocodilorum, cucumoides, cultelliformis, cultratus, cumber-
 landianus, cumberlandicus, cuneatus, cuneolus, cuneus, cuprea, cuprinus, cuvieri,
 cyclops, cylindricus, cyphia, cyrenoides, dactylus, dahuricus, dariensis, dawsoni,
 decanensis, decius, declivis, decorticata, decurvatus, delisces, delodonta, delphi-
 nulius, delphinus, deltoidea, delumbis, deplanata, depressa, depressus, deshayesi,
 diaphanus, dilatata, dilatatus, diluvii, diploclerina, discoides, discrepans, discus,
 distortus, divaricatus, divergens, dolabelloides, dolabraeformis, dolabratus, dombeyana,
 domoiformis, dorfeuilleianus, dorsuosus, douglasiae, draparnaldi, dromas, droueti,
 dubius, duprei, duttonianus, ebenus, edentulus, edgarianus, eichwaldianus, elegans,
 ellipsaria, ellipsiformis, ellipsis, elliptica, elongata, elongatula, elongatulus,
 emarginatus, embletoni, estabrookianus, evanescens, excultus, exiguus, exilis,
 exolescens, exoletus, explicatus, faba, fabalis, fabula, familiaris, fasciata, fasciola,
 fasciolaris, fatuus, fisherianus, flabellatus, flabelliferus, flava, flavescens, flexuosa,
 flexus, foliacei, foliatus, folliculatus, fontainiana, fontinalis, foremanianus, formosus,
 fossiculiferus, fragilis, fragosus, franciscana, fulgens, fulgidus, fuliginosus, fulmineus,
 fulvus, furvus, fuscus, galloprovincialis, gangrenosus, gardanensis, gargottae,
 gaudichaudi, geddingsianus, gericicola, generosus, geometricus, georgianus, georgina,
 gerardi, gerbidoni, gibber, gibbosa, gibbosus, giganteus, gigas, glaber, glans, glaucinus,
 globulus, globosa, gouldi, gracilis, grandis, graufiferus, graniger, granosus, granulatus,
 granuliferus, granulosa, graciosus, grayanus, greeni, griffithianus, gualteri, guaraniana,
 harayana, haleianus, haysianus, hembeli, heterodon, heyi, hians, hildrethianus,
 hippopaeus, hispanus, holstonensis, hopetonensis, humatus, hyalinus, hybrida,
 hydianus, hylaea, icterinus, impressus, incerta, incrassatus, incurvis, incurvus, inflata,
 inflatus, infucatus, intermedius, interrupta, interruptus, iridescens, iris, irroratus,
 jacquemini, javanus, jayensis, jejunus, juliani, kathariuae, keraudreni, kirtlandianus,
 labacensis, lacazi, lacrymosus, lacteolus, laevis, laevissima, lamellatus, lanceolatus, lapillus,
 largillierthi, larteti, lasnabrachys, latecostatus, lateralis, latiplicatus, latiradiatus,
 latissimus, lavateri, layuontianus, leai, lecontianus, lenovicinae, lenior, lenis, lens,
 leptodon, leueurianus, levedensis, levigata, liasinus, liebmanni, lienosus, ligamentina,
 ligula, limatulus, limosus, lineatus, lineolata, linguiformis, listeri, litoralis, littoralis,
 lividus, lobata, longedentatus, longirostris, lugubris, luteola, lutulentus, macropterus,
 maculatus, madagascariensis, maestus, manca, mandelslohi, mantelli, margaritiferum,
 marginalis, marginalis, marginatus, marmorata, martini, masoni, matoniana, maxima,
 medellinus, megaptera, melanura, melinus, membranaceus, menkei, menkianus,
 menziesi, metallicus, metaneura, metaplata, metastriatus, mexicanus, mi, michaudiana,
 minutus, mississippiensis, mneme, modiolaris, modioliformis, molinae, mongolicus,
 monodonta, montanus, moquinianus, mortoni, modiolianus, mucidus, mucronatus,
 muchfeldianus, muelleri, muensteri, multidentatus, multiplicatus, multiradiatus,
 multistriatus, murchisoni, murchisonianus, mutatus, mytiloides, nana, nanus,

napeadentus, naxivillensis, naxivillianus, nactus, natus, naxivillanus, nebulosus, nervosa, nexus, nicklinianus, nigra, nigricans, niloticus, nileseni, nitens, nodiferus, nodosus, nodulata, nodulosus, notatus, novae hollandiae, novaezeboraci, nuciformis, nucleopsis, nucleus, nuculinus, nux persicae, obesus, obliqua, obliquata, obliquua, oblonga, oblongatus, oblongum, obovalis, obscurus, obtusus, occidens, occidentalis, ochraceus, ogecheensis, olivarius, oratus, orbiculatus, orbigny, oriens, orientalis, ornatum, orthonotus, osbecki, ostreatus, ovale, ovalis, ovata, ovata, oviformis, ovoideum, pachostea, paliiatus, pallens, pallesceus, pallidus, paludicolus, paludosus, panacoensis, paphos, papyraceus, paradoxus, paraguayana, parallelopipedon, parallelus, paraneusis, parchappii, parreyssi, parvus, patagonica, patulus, paulus, pectinatus, pectorosus, pellucidus, penitus, pequotinus, perdix, peregrinus, pernodosus, perobliquus, perovalis, perovatus, perplexus, perplicatus, personatus, peruviana, petrosus, pfeifferi, phaseolus, philippii, phillipsia, pianensis, pictorum, pictus, pilaris, pileus, piscinalis, plauilateris, planulatus, planus, plateolus, platyrhynchoides, platyrhynchus, plectrophorus, plectrophorus, plenus, plexus, plicata, pliciferus, plumbarius, plumbea, polymontensis, ponderosa, ponderosus, porrectus, poulsoni, praelongus, prasinus, premorsus, pressus, priuigenius, problematicus, productus, profugus, pruinosis, psammactinus, psammoica, pulcher, pullus, pulvinulus, pumilis, pumilus, puctatus, puniceus, purpurascens, purpurata, purpureus, purpurialis, pusilla, pusillus, pustulatus, pustulosus, pyramidalus, pyramidatus, quadrula, radiata, rajahensis, rangianus, rariplicata, rarisculcata, raveneli, ravenelianus, ravistellus, recta, reflexa, regularis, reniformis, requieni, reticulata, retusa, rhindi, rhombus, rhombula, rhuacoica, ridibundus, rigidus, rimosus, riparia, rivularis, roanokensis, robustus, roemeri, roissyi, ronsii, rosaceus, rostrata, rostratus, rotunda, rotundata, rotundatus, rotundus, rousii, rubellus, rubens, rubiginosus, rubra, rudis, rugatus, rugosa, rugulosus, sageri, sandrio, sapotalensis, saxeus, saxulum, sayi, scaber, scalenia, scamnatus, schoolcraftensis, scutulatus, securiformis, securio, semigranosa, semiplicatus, semirugata, senex, shepardianus, siliquoideus, similis, simplex, simus, sintovia, sinuata, sinuatus, sinuolata, sloatianus, smaragdina, smithi, smutatus, solandri, soleniformis, solenoides, solida, solidus, solisiana, sowerbianus, sparsus, spatulatus, spheniopsis, spinosus, splendens, splendidus, spuria, stagnalis, stapes, stegana, stonensis, stramineus, striata, striatus, strictiplicatus, strigosus, subangulatus, subconstrictus, subdentatus, subglobosus, subinflatus, suborbiculatus, subovatus, subplanus, subporrectus, subrostratus, subrotunda, subrotundus, subrugosa, subsinuatus, subtentus, subtetragona, subtrapezius, subtriangularis, subtrigonus, subtruncatus, subtumidus, sulcatus, sulcidens, suprajurensis, symmetricus, symmatophorus, taeniatus, taitianus, tampicoensis, tappanianus, tavoyensis, tecomatus, tellinarius, tenebrosus, tenellus, tener, tennesseensis, tenuis, tenuissimus, teres, teretiusculus, terrenus, testudineus, tetralasmus, torsa, tortivus, torulosa, toulouzanii, trabalis, transversalis, transversus, trapezoides, triangularis, trigonus, triqueter, tristis, troostensis, truncata, truncatosa, truncatus, tuberculatus, tuberculosa, tuberosus, tumescens, tumida, tumidus, tumulatus, turgidus, turtoni, umbonatus, undatus, undulata, undulatus, unicolor, uniformis, uniopsis, urii, utratus, utriculus, valdensis, vanuxemensis, variabilis, varicosa, varicosus, vaughanianus, velum, ventricosa, ventricosus, venus, venustus, verendus, verrucosa, verrucosus, vibex, virginiana, viridis, vitreus, vittatis, voltzi, walteri, wateriensis, welwitschi, wolwichi, zelebori, zeyheri, zieglarianus, zigzag, zimermanni, zonalis.

Unionicola humerosa, lactea, lugubris, personata, proxima, symmetrica, unicolor.

Unionium hirudo.

Uniophora globifera.

Uniopsis radiata.

Upeneoides bivittatus, sulphureus, variegatus, vittatus.

Upeneus atherinoides, auriflanus, balteatus, bilineatus, bitaeniatus, bivittatus, chryserydros, cinnabarinus, crassilabris, cyclostomus, cyprinoides, flavolineatus, fraterculus, immaculatus, japonicus, luteus, maculatus, malabaricus, martinicus, mauritanus, pleurostigma, porosus, prayensis, punctatus, russeli, sulphureus, taeniopterus, tragula, vanicolensis, vittatus, vlamingi, waigiensis, zeylonicus.

Uperanodon ochrocollare, pictum.

Uperodon marmoratum, ornatum.

Uperoleia marmorata.

Upis angulatus, aries, campiliensis, capensis, cisteloides, crenata, cuprea, cylindrica, depressa, femorata, glabricollis, impressa, impressicollis, italica, lacordairei, lottini, murina, perforata, punctatostriata, punctatus, rotundicollis, saperdoides, schneideri, siuensis, sinuata, spinipes, sulcigera.

Upogebia stellata.

Uppucerthia andraecola, dumetorum, montana, nigrofumosa, rupestris, vulgaris. *Vide et Uppucerthia.*

Uptiotes anceps.

Uppucerthia antarctica, chilensis, dumetaria, phoenicura, ruficauda. *Vide et Uppucerthia.*

Upupa africana, bifasciata, brachyrhynchus, capensis, macrorhynchus, minor, monolophus, nigra, olivacea, palustris, purpurea, speciosa, varia, vulgaris.

Uracantha triangularis.

Uracanthus angustatus, bivittata, marginellus, pallens.

Uracis quadra.

Uraeus branchiostegus, elongatus, gracilis, haje, macrocephalus, macrodus, macrurus, maximus, microchirus, microlepidotus, nuchalis, pachyurus.

Uragis mitu, pauxi, tuberosus, urumutum.

Uragus (A.) sanguinolenta, sibirica.

Uragus (Col.) hamaticollis.

Uraleptus maraldi.

Uramya producta.

Urania boisduvali, empedocles, fernandinae, leilaria, leilus, lunus, orontes, patroclus, prometheus, rhipheus, sloanaria, sloanus.

Uranidea quiescens.

Uraniscodon catenata, hispida, margaritaceus, picta, plica, rhombifer, superciliosa, umbra.

Uranocentrum azureum.

Uranodon butzkopf, rostratus.

Uranophora chalybea.

Uranops angulata.

Uranoscopus affinis, anoplos, asper, be-beck, bicinctus, bufo, cirrhosus, cocius, cognatus, elongatus, filibarbis, forsteri, guttatus, indicus*, inermis, kouripua, laevis, lebecki, macropygius, maculatus, malacopterus, marmoratus, monopterygius, occidentalis, y-graecum.

Uranteris pelasgia.

Uraptera agasszi.

Urapteryx caudiferaria, crocoptera, equestraria, infuscataria, persica.

Uraster gaveyi, glacialis, hirudo, hispida, obtusus, primaevus, rubens, ruthveni, violacea.

Urastes actiniarum.

Urax tomentosa.

Urbanus dorantes, erosus, icarus, licus, malvae, mys, niveus, phalaenoides, proteus, salius, scurra, thraso, tryxus.

Urceolaria balsamo, bursata, cincta, cirrata, crateriformis, cucullus, cyclopus, discina, fritillia, fuscata, grandinella, hamata, israelitarum, limacina, lunifera, multiformis, nasuta, nigra, nigrina, ocreata, papillaris, polymorpha, rediviva, sacculus, scyphina, sphaeroidea, sputarium, stellina, truncatella, utriculata, valga, varia, versatilis, viridis.

Urda (Col.) pygmaea.

Urda (Cr.) cincta, decorata, elongata, rostrata.

Urellia calcitrapae, parisiensis, radiata.

Uresiphita alpinalis, cruentalis, elutalis, nebulalis, polygonalis, prunalis, rusticalis, squalidalis, sticticalis, villicalis.

Uria aleutica, alle, antiqua, arctica, arra, artica, atrata, brevirostris, brissoni, brunnichi, cana, carbo, cristatella, dubia, francsi, glacialis, groenlandica, intermedia, lacrymans, leucopsis, leucoptera, mandti, meisneri, minor, mystacea, nigra, norwegica, polaris, proteus, pusilla, scapularis, senicula, tetracula, townsendi, unicolor, wumizusume. *Vide et Aria.*

Urichthys lunulatus, quinque-cinctus.

Urinator arcticus, bailloni, glacialis, immer, striatus.

- Uriphaeton *microleptes*.
 Uroaetus *fucorum*.
 Urobrachya *albionotata*, *axillaris*.
 Urobrachys *flammigerus*.
 Urocalymma *longimana*.
 Urocentron *daudini*, *palluma*. *Vide et Vrocentrum*.
 Urocerus *ruber*.
 Urocerus *abdominalis*, *annulatus*, *caerulescens*, *camelus*, *dromedarius*, *emarginatus*, *fantoma*, *feisthameli*, *fuscicornis*, *juveucus*, *lefebvre*, *magus*, *nigrita*, *nitidus*, *psyllius*, *spectrum*, *tabidus*.
 Urochela *quadripunctata*.
 Urocissa *albicapillus*, *flavirostris*, *magnirostris*, *occipitalis*, *sinensis*.
 Urocoptis *abbreviata*, *blainvilliana*, *coarctata*, *cylindrus*, *glandula*, *petiverana*, *rosata*, *soluta*, *tortuosa*, *truncatula*.
 Urocrotalon *durissus*.
 Urocryptus (Hym.) *atropurpureus*, *excavatus*.
 Urocryptus (M.) *bilineatus*.
 Uroctea *quinque-maculata*.
 Urodera *chevolati*, *circumcincta*, *circumducta*, *crucifera*, *dolens*, *familiaris*, *bamatifera*, *hoepfneri*, *inflata*, *limbalis*, *parens*, *perizonata*, *pilula*, *quadrinotata*, *quadriplagiata*, *quadrisignata*, *quadriverrucata*, *quadrivulnerata*, *sobrina*, *toxogramma*, *vau*.
 Urodon *albidus*, *argentatus*, *canus*, *concolor*, *flavesceus*, *lilii*, *parallelus*, *pelliceus*, *pygmaeus*, *rotundicollis*, *rufipes*, *sericens*, *suturalis*, *vermiculatus*, *vestitus*.
 Urogallus *vulgaris*.
 Uroglena *volvox*.
 Urolabida *tenera*.
 Urolepis *cychreus*, *maritimus*.
 Uroleptes (M.) *tetradactyla*.
 Uroleptes (R.) *pseudoeryx*.
 Uroleptus *filum*, *patens*. *Vide et Vroleptus*.
 Urolestes *melanoleucus*.
 Uroleuca *cayanus*, *cyanoleuca*, *cyanopogon*, *pilcatus*.
 Urolophus *armatus*, *aurantiacus*, *cruciata*, *ephippiatus*, *torpedinis*.
 Uromastix *acanthurus*, *azureus*, *belliana*, *caeruleus*, *cyclurus*, *dispar*, *fasciatus*, *hardwicki*, *horrida*, *niger*, *spinipes*, *undulatus*.
 Uromastrix *richi*.
 Uromastyx *acanthiurus*, *belli*, *maculatus*, *ocellatus*, *ornatus*, *revesi*, *similis*.
 Uromyia *curvicauda*, *thoracica*.
 Uronais *barbata*, *decapoda*, *digitata*, *furcata*, *quadricuspidata*.
 Uronema *marina*.
 Uronemus *lobatus*.
 Uropeltis *ceylanicus*, *philippensis*.
 Urophora (Dipt.) *aenea*, *algira*, *basilaris*, *bivittata*, *cardui*, *centaureae*, *cerasorum*, *connexa*, *cuspidata*, *dejeani*, *discoidea*, *femoralis*, *interrupta*, *liturata*, *lychnidis*, *oblique fasciata*, *pugionata*, *quadrifasciata*, *quadrivittata*, *quinquemaculata*, *radiata*, *reaumuri*, *rotundiventris*, *sexmaculata*, *signata*, *solstitialis*, *sonchi*, *stylata*, *taeniata*.
 Urophora (Hem.) *hardwicki*.
 Uroplata *antennata*, *crenata*, *radula*, *rubiginosa*, *vicina*.
 Uroplates *fimbriatus*, *lineatus*.
 Uropoda *acuminata*, *cassidea*, *moneta*, *navicula*, *nitida*, *opaca*, *orbiculata*, *vegetans*.
 Uropsophus *durissus*, *triseriatus*.
 Uropterygius *concolor*.
 Uropteryx *elongatus*.
 Uropus *ulmi*.
 Urosphen *fistularis*.
 Urostheneis *australis*.
 Urostrophus *vautieri*.
 Urostyla *grandis*.

- Urostylis histrioides*, ~~pinnigera~~.
Urotheca dumerili.
Urotrichus talpoides.
Uroxiphus maculicollis.
Uroxis ujos.
Uroxys (Col.) ~~cuprescens~~.
Urrhypara urticae.
Urrua bengalensis, *cavearea*, *coromandra*, *nivicola*, *umbrata*.
Ursinus harrisi.
Ursitaxus inauritus.
Ursocoris dorsalis, *fuliginosus*, *liturus*.
Ursus albus, *alpinus*, *arctoides*, *arvernensis*, *ater*, *brasiliensis*, *candescens*, *cinereus*,
collaris, *cultridens*, *dentifricius*, *drepanodon*, *dumasi*, *etruscus*, *etueriarum*, *ferox*,
fornicatus, *fossilis*, *frugilegus*, *fusci*, *giganteus*, *griseus*, *horribilis*, *isabellinus*, *issio-*
dorensis, *labiatus*, *leodiensis*, *longirostris*, *malayanus*, *metopoleainus*, *metoposcainus*,
minutus, *myrmephagus*, *niger*, *ornatus*, *pitorrii*, *planus*, *priscus*, *richardsoni*, *saribur*,
sivalensis, *syriacus*, *thibetanus*, *torquatus*.
Urticina globulifera, *lessoni*, *ochracea*.
Urubitinga meridionalis, *unicinctus*, *urubitinga*.
Urus nostras, *priscus*.
Urva cancrivora.
Usechus lacerta.
Usia aenea, *atrata*, *aurata*, *claripennis*, *cuprea*, *floreana*, *forcipata*, *hyatipennis*, *incisa*, *lata*,
major, *manca*, *punctipennis*, *pusilla*, *versicolor*, *vestita*, *vicina*.
Usous roseus.
Usterocheirus brachypocoilion, *macropocoilion*.
Utamania pica, *torda*.
Uteria encrinella.
Uterosomus thoracicus, *verrucosus*.
Utetheisa bella, *ornatrix*, *pulchra*.
Utica gracilipes.
Utriculina utriculus.
Utriculo crenatus, *elongatus*, *geographus*, *humeralis*, *hyalina*.
Uvanilla fimbriatus, *olivaceus*, *unguis*.
Uvella bodo, *chamaemorum*, *glaucoma*, *rosacea*, *uvae*, *virescens*. *Vide et Vvella*.
Uvigerina aculeata, *asperula*, *aubermani*, *bifurcata*, *borealis*, *canariensis*, *cribrosa*, *decora*,
laevis, *nodosa*, *orbignyana*, *pigmea*, *raricosta*, *rugosa*, *semiornata*, *striata*, *tricarinata*,
trilobata, *urnula*.
Uxopoda denticulata.
- Vacuna betulae*, *coccinea*, *dryophila*.
Vaejovis asperulus, *carolinus*, *debilis*, *flavescens*, *mexicanus*, *nitidulus*, *schuberti*.
Vafrellia podacina.
Vagina recta.
Vaginalis australis.
Vaginaria brachiura, *bractea*, *cuneus et **, *cylindrica et **, *longicaudata*, *longiseta et **,
musculus, *pocillum*, *squammula*.
Vaginella strangulata, *triangularis*.
Vaginicola ampulla, *crystallina*, *decumbens*, *folliculata*, *gemella*, *ingenita*, *innata*, *inquilina*,
ovata, *socialis*, *subulata*, *tincta*, *vaginata*, *vorticella*.
Vaginipora ananas, *truncata*.
Vaginopora fissurella, *fragilis*, *geminipora*, *polystigma*, *texturata*.
Vaginula (Pter.) *daudini*.
Vaginula (Rh.) *laevigata*, *nodulosa*.
Vaginulina bacillum, *badenensis*, *caudata*, *citharina*, *costata*, *costulata*, *depressa*, *discors*,
dunkeri, *ehrenbergi*, *elegans*, *elongata*, *harpa*, *kochi*, *laevigata*, *laevis*, *legumen*, *longa*,

marginata, reticulata, striata, striato-costata, striatula, subcostata, tricarinata, undata.

Vaginulus alte, kraussi, laevigatus, longisordii, merianus, miyayami, nishizumi, natalensis, punctulatus, shani, solca, subformis, tamsai, toucasensis.

Valdivia convexiuscula, serrata.

Valenciennius annulatus.

Valencia dubia, longirostris, ornata, splendida, striata.

Valeria jaspidea, olivacea.

Valgus argillaceus, cancellatus, fasciculatus, javanicus, lapeyronnei, novae-gumetae, parvulus, penicillatus, philippensis, pictus, podialis, smithi.

Valkeria glomerata, imbricata, pustulosa, spinosa. *Vide et Walkeria.*

Vallonia cornu, exclusa, pelis serpentis, rosalia, undulata, zonaria.

Valvata annellata, antiquus, areolifera, bicarinata, bocconi, branchiata, caesiola, depressa, dilatata, fontinalis, globosa, globulina, hebraica, humeralis, inconspicua, leopoldi, lustrica, macrostoma, media, minuta, moquiniana, mucronata, mulleri, nudiformis, naticina, obtusa, persimilis, piscinalis, planata, planorbis, pygmaea, sincera, spirorbis, striata, sulcata, umbilicata, unicarinata.

Valvularia bilineata.

Valvulina auris, austriaca, columba-tortilis, cornu, deformis, excavata, gervillei, gibbosa, globularis, granulans, ignota, inaequalis, inflata, oblonga, ovoidoiana, parvula, pileolus, pupa, quadribullata, rawackensis, spicula, triangularis, tribullata.

Vampirus macrophyllum, sanguisuga.

Vampyrus bideus, cirrhosus, rotundifolius, sorcinus, spectrum.

Vandeleuria dumeticola, oleraceus.

Vandellia cirrhosa.

Vandellius lusitanicus.

Vanellus albicapillus, albiceps, apricarius, bicornis, bilobus, bononiensis, borealis, capella, cayanensis, cayenensis, chiliensis, cinctus, collaris, cristatus, cucullatus, dominicensis, fuscus, galinaceus, goensis, grallarius, gregarius, griseus, helveticus, inornatus, keptsuschka, lateralis, leucurus, lobatus, ludovicianus, melanogaster, modestus, novae-hollandiae, ptiloscelis, resplendens, rufiventer, senegalensis, senegalus, squatarola, strigillatus, tricolor, vanellus, varius, ventralis, villotaei, vulgaris.

Vanessa aglatonice, alaira, almana, amathea, amelia, amestris, anycla, anacardii, andremiaja, antiopa, aonis, arsinoe, asterie, atalanta, attavina, C album, C argenteum, C aureum, callithea, calybe, cardui, carye, caschmirensis, charonia, chorimene, chrysites, circhesia, clelia, cloantha, coelina, coenia, comma, corinna, cyanomelas, dejeani, delius, demonica, dione, drusus, egea, elymi, emma, enothrea, epaphea, epaphus, epiclelia, erigone, eudoxia, euroclia, F-album, furcillata, galami, genoveva, gonerilla, goudoti, hedonia, hierta, hippomene, huntera, hunteri, hyglaea, hypocla, hypselis, ichnusa, idamene, interrogationis, ionia, iphimedia, iphita, itea, J-album, jatrophae, jo, juliana, L-album, laodora, laomedia, larinia, lemonias, lethe, levana, limnoria, lytraea, micalia, milberti, musa, neleus, octavia, oenone, orithya, orthosia, paullus, pelargia, pelagis, pluto, polychloros, polynissa, progne, prorsa, prosopo, pyromelas, pythia, rhadama, sabina, sophia, sophonisba, sophronia, tameamea, taunmeamea, tecmessa, terea, triangulum, urticae, V-album, vulcania, xanthomelas, zabulina, zelima.

Vanga australis, chirrocephalus, cinerea, coronata, cruenta, curvirostris, destructor, flaviventris, galericulata, leucocephalus, nigrogularis, striata, xenoprostris.

Vanico souleytana.

Vappo ater.

Varanus albogularis, arenarius, argus, belli, bengalensis, bibroni, bilineatus, bivittatus, caspius, chlorostigma, cometodon, cumingi, douarrha, dracaena, elegans, exanthematicus, flavescens, gilli, guttatus, kalabeck, macrodon, nebulosus, niloticus, ocellatus, ornatus, picquoti, platyodon, punctatus, recurvidens, russeli, salvator, scincus, taraguira, terrestris, timoriensis, uncidens, varius, vittatus. *Vide et Uaranus.*

Varicorhinus beso, bobree, diplostomus.

Varigera abbreviata, carantonensis, escagnollensis, fittoni, guerangeri, ricordeana, rochetiana, toucasiana.

- Variola** ~~hypnina~~.
Variopalpis humeralis.
Varuna litterata.
Vastres agassizi, arapaima, cuvieri, mapae.
Vatellus grandis, tarsatus.
Vates (Orth.) ashmoliannus, enemidotus, macropterus, orbus.
Vedalia cardinalis, sieboldi.
Vedia erotaria.
Vediantius eristalis.
Velates conoideus, schmidelanus.
Velella antarctica, atlantica, aurora, caurina, cyanea, emarginata, indica, lata, limbosa, mutica, oblonga, oxythone, pacifica, patellaris, pocillum, pyramidalis, scaphidia, septentrionalis, sinistra, spirans, subemarginata, tentaculata, tropica, velella.
Velernesia richardsoni.
Velia aptera, armata, basalis, bicolor, brasiliensis, collaris, currens, fossularum, nana, nigricans, pulchella, pygmaea, rivulorum, stagnalis.
Velleius concolor, dilatatus, luridipennis.
Vellejus dilatatus.
Velletia lacustris.
Velutella flexilis.
Velutina canaliculata, cancellata, capuloidea, cryptospira, elongata, flexilis, haliotoides, kinderlanina, laevigata, lanigera, mulleri, otis, plicatilis, rupicola, sigaretiformis, spongiosa, striata, stylifera, undata, velutina, virgata, vulgaris, zonata.
Venericardia abbreviata, aculeata, acuticosta, anceps, angusticostata, annulata, ascia, asperula, australis, barrandei, blandingi, brongniarti, carinata, carolinensis, chamaeformis, complanata, concentrica, constanti, cor avium, corbis, crassicostata, crenata, cribraria, decorata, decussata, deltoidea, dubia, dupiniana, elegans, fimbriata, flammea, globosa, goldfussi, granulata, guerangeri, imbricata, intermedia, jouanneti, kickxi, laevicosta, laticosta, laurae, lima, megastrophia, minuta, mitis, multicostata, neoconiensis, oblonga, orbicularis, parva, pectinata, pectuncularis, perplana, pinnula, planicosta, puerpera, quadrata, quoy, rhomboidea, rotunda, rudista, scalaris, senilis, sillimani, spissa, sportella, squamigera, squamosa, subrotunda, subvicinalis, sulcata, tankervillei, tenuicosta, tenuicostata, tenuisulcatum, transversa, tridentata, trigona, tuberculata, unidentata, vicinalis, zelandica.
Venericardites costatus.
Venericardium retrostriatum.
Venerupis aradasi, brevis, brocchii, carditoides, cingulatus, corallina, coralliophaga, crenata, decussata, diemenensis, distans, divergens, eremita, exotica, faujasi, galactites, gigantea, globosa, hiantissima, italica, itus, lajonkairei, lamellosa, monstrosa, nucleus, obsoletus, oolithica, parasita, perforans, pernarum, peruviana, petiti, pullastra, reflexa, romana, ruperella, sarniensis, scalaris, striatula, substriata, subvexa, tenuistriata, virginea.
Venilia (A.) albertuli, callonotus, mentalis, miniatus, puniceus, rubiginosa.
Venilia (L.) conradi.
Venilia (Lep.) macularia, maculata, quadrimaculata, sospeta.
Venilia (Nud.) mucronifera.
Ventale agaricinum.
Ventocoris albolineatus, nigellae, pedemontanus.
Ventriculites alcyonoides, alternans, benettiae, bicomplacatus, cavatus, choniformis, decurrens, impressus, infundibuliformis, latiplicatus, mammillaris, muricatus, notatus, punctatus, quadrangularis, quadratus, quincuncialis, radiatus, reticulatus, simplex, striatus, tessellatus.
Venulites approximatus, arcarius, ascarinus, borealiformis, callosus, concentricus, crenatus, donacinus, elegans, flexuosaeformis, obliqua, octogonius, orbiculatus, proavius, rugosaeformis, similimus, subaratus, trigonatus, trigonellaris, virginalis.
Venus acutirostris, adpersa, aenea, aequorea, aethra, affinis, africana, aglaurae, agrestis, albida, allaudiensis, alope, alpaghina, alpina, alternans, alternata, alvarezi, alveata, amabilis, amatheia, amathusia, analoga, angula, angulata, angustifrons, anomala,

antiqua, antiquata, aphrodina, aphrodisioides, aphrodita, apicalis, arabica, araneosa, aratina, archiaciana, arcotensis, arctica, arctoe, argia, ascia, aspera, asperina, astartoides, astieriana, atra, auea, aurea, aurisiaca, australis, banksi, basteroti, bavaria, bella, bellovacina, berryi, bessarabica, beudanti, bicolor, bifida, biradiata, bisecta, bonnetiana, boryi, bosqueti, bottari, brevilmeata, brocchii, brongiarti, brongiartiua, brugnierei, busschaerti, calcarea, californica, californiensis, callosa, calophylla, camilla, cancellata, capax, caperata, carbonaria, cardioides, carditaeformis, carinata, carneola, casina, casinoides, casinula, castanea, catenifera, caudata, cenomanensis, centralis, cerea, chemnitzii, chia, childreni, chilensis, chionoides, chlorotica, cincta, cingenda, cingulata, circumata, clathrata, cleryana, columbiensis, complanata, compressa, compta, compunctata, concentrica, conspersa, contraria, conularis, corallina, corbis, corbulina, coreensis, coriua, cornueliana, corrugata, cortinaria, costata, costellata, costellifera, costulata, cothurnix, cottaldina, crassa, crassatellaeformis, crassiuscula, crassus, craveri, crebrisulca, crenifera, crenulata, cretacea, creusa, cribraria, cumingi, cuncimeris, cuneata, custugensis, cycladiformis, cycloides, cyprina, cyprinoides, cyrillii, czjzeki, damnonensis, danae, danaoides, danmonia, danmoniensis, decipiens, decorata, deformis, deiphobea, deltoidea, deltoides, denticulata, depressa, deshayesi, dieffenbachii, dilata, dilatata, dione, diplocardium, discina, discoidalis, discors, discrepans, disjecta, dispar, dissita, distans, distorta, dombeyi, donacina, dorsata, dubia, ducatelli, dupiniana, durningi, dysera, effossa, elegans, elegantina, elevata, elliptica, elongata, entobapta, equalis, equivoeca, eremita, erosa, erycina, erycinoides, euglypta, exalbida, exarata, excentrica, excisa, exilis, eximia, expallescens, exsularis, extincta, exuta, faba, fabacea, fasciata, faujasi, fenestrata, flammiculata, florida, floridana, floridella, fluctuosa, fluminalis, fluminea, fluvialis, foliacea, fragilis, fulva, furbellata, fusco-lineatus, galactitis, galdrina, gallina, gallinula, galloprovincialis, gemma, genei, gentilis, germari, gibba, gibbosa, gilva, glandina, globosa, globulosa, gnidia, goldfussi, grandis, granosa, granum, grata, gratiosa, gravescens, gregaria, grisea, grossa, hanetiana, haueri, hermione, herse, hians, hiantina, hiattelloides, histronica, humphreyi, hyalina, icaunensis, ignobilis, imbricata, immersa, impressa, inaequalis, incompta, inconspicua, incassata, inflata, inominata, inoceriformis, inquinata, intapurpurea, intermedia, interrupta, intuspunctata, iris, isabelleana, isabellina, islandicoides, isocardioides, iurensis, jacquemarti, jamaicensis, jucunda, juvenilis, juvenis, kelletti, kickxi, kingi, kochi, kroyeri, labadyei, labuana, lacerata, lactea, laevigata, laeviuscula, lagopus, lamarecki, lamellata, lamellifera, laminosa, largillierii, lata, laterisulca, late-sulcata, latilirata, latisulcata, lemani, lens, lenticularis, lentiformis, leucodon, liasina, ligula, lilacina, lincta, lineolata, linguatula, lirata, listeri, lithoidea, litoralis, lorenziana, lucinoides, lunularis, lupanaria, lupinoides, lupinus, lusoria, lyra, mactracea, maculosa, magnifica, maja, major, malabarica, mamurra, marginalis, mariae, marmorata, martiniana, matronensis, maura, maxima, menestrieri, menkei, meocardium, meridionalis, mesodesma, miliaris, minima, minuta, miocenica, mitis, modesta, mohegan, montacuti, montagui, moravica, morrisi, mortoni, muensteri, multicostata, multilamellosa, multiradiata, multisulcata, mutabilis, myrrha, neglecta, nimbosa, nitens, nitida, nitidula, non-scripta, notata, noueliana, nuculaeformis, nuda, numismatis, nuttali, nuttalli, obesa, obliqua, oblita, oblonga, obscura, obsoleta, obtusa, opaca, opina, orbiculata, orbigniana, ornata, ornatissima, ovalis, ovoidea, ovulaea, ovum, pachyphylla, pacifica, palei, pallida, palustris, pannosa, pantherina, paphia, papilionacea, papyracea, parallela, parva, parvula, pasini, petagonica, pauperula, payensis, pectenifera, pectinata, pectinula, pectorina, pedemontana, pellucens, penita, pennanti, pentagona, perdrix, peregrina, perforans, permagna, peroni, perovata, peruviana, petagnae, petalina, petechialis, petitiona, petunculoides, phaseolina, philippiae, philippii, philippinarum, picta, picturata, pinguis, placida, plagia, planulata, planus, plicataria, plicatula, polita, polyxena, ponderosa, portesia, poulsoni, praeparca, prideauxi, prideauxiana, prisca, procera, proserpina, proximus, puella, puellata, pulchella, pulchra, pulicaria, pullastra, pumila, punctifera, purpurata, purpurea, pusilla, pygmaea, quadrangularis, radiata, radula, rariflamma, recens, reflexa, renauxiana, renieri, rete, reticulata, reticulina, terifera, rhomboidea, rhomboides, rhotomagensis, ricordeana, rigida, rileyi, rimosa, rimularis, ringmeriensis,

robundulima, robustata, rostellaria, rodatzii, roissyi, rosahua, rostrata, rotundata, royanii, rubicunda, rubiginosa, rudis, rufa, rufescens, rugosa, rugosula, rupestris, rustetici, rustica, sarniensis, sassurii, saxatilis, scabra, scalarina, scalaris, scobinellata, scotica, semicanaliculata, semicostulata, semiradiata, semirugata, semisulcata, senilis, similis, simulans, sinuata, sinuosa, solandri, solangensis, solida, spadicea, spinifera, splendeus, spurca, squalida, squamigera, staminea, striatella, striatula, striatulus, strigosa, stutchburyi, stutzeri, subbronghiartina, subconcentrica, subcordata, subcrassa, subdepressata, subdeltoidea, subelegans, subelongata, suberycinoides, subfaba, subgibbosa, subglobosa, subimbricata, subinflexa, sublaevigata, sublaevis, sublaminosa, submersa, subnodulosa, subobliqua, suborbicularis, subovalis, subparallela, subparva, subplana, subpusilla, subpyrenaica, subrhomboidea, subrostrata, subrotunda, subrugosa, substriata, subtransversa, subtrigona, subtruncata, suburgida, succincta, suevica, sulcaria, sulcata, sulcataria, sulcatina, sulcosa, tehuelcha, tellinaeformis, tellinaria, tenella, tenera, tenorii, tenuis, tenuistria, tenuistriata, tessellata, testudinalis, tetragona, tetrica, texta, texturata, thaca, thouarsi, tiara, tigrina, toreuma, tortuosa, transversa, trapeziformis, triangularis, triangulus, tricolor, tricuspis, tridacnoides, trigona, trigonalis, trigonula, tristis, truncata, tuberculata, tumida, turgens, turgida, turgidula, umbonaria, umbratilis, undata, undatella, undulosa, unguicularis, unguiculata, uniformis, unionides, variabilis, varicosa, vassiacensis, vectensis, vendoperata, venetiana, ventricosa, vermiculosa, verneuilli, vesta, vetula, vibraycana, violacea, virago, virescens, virginea, viridis, vitaliana, vitrea, vulvina, westendorpi, yatei.

Venusia canbrica.

Verania (Ceph.) sicula.

Verania (Col.) afflicta, comma, crux, discolor, frenata, lineata, strigata, striola, trivittata, umbratosa.

Veretillum clavatum, coccieum, cynomerion, cynomorium, junceum, lutéum, mirabile, phalloides, pusillum, quadrangulare, stelliferum, tetragonum.

Verlusia quadrata, rotundiventris, sulcicornis.

Vermetus adansonii, albensis, anguis, angulatus, annulatus, annulus, arenarius, ater, bicarinatus, bognoriensis, brasiliensis, cariniferus, centiquadrus, compressus, concava, concinnus, conica, corneus, corrodens, costalis, crystallinus, dentiferus, discus, eburneus, effusus, elegans, giganteus, gigas, glomeratus, grandis, hexagonus, indicus, inopertus, intortus, irregularis, knorri, lumbricalis, margaritaceus, margaritarum, maximus, michaudi, milleti, nodosus, nodus, novae hollandiae, ovata, panamensis, pellucidus, peroni, polygonalis, poritis, quadrangulus, radiatus, reticulatus, roseus, rotula, royanus, rugosus, semisurrectus, siphon, sowerbyi, spiratus, squamosus, striatus, subcancellatus, tenuis, tonganus, triquetrus, tulipa, tumidus, turonensis, turonius, turritella, umbonata, valmundoisi, zelandicus.

Vermicularia afra, arenaria, bognoriensis, calyculata, carinata, compressa, concava, convoluta, glomerata, goerensis, intestinalis, lineolata, milesi, nodus, ovata, retusa, scabra, sowerbyi, umbonata, vermetus.

Vermicularis glomerata.

Vermiculites panderi.

Vermiculum bicarinatum, bicornis, disciforme, globosum, incurvatum, intortum, lacteum, laeve, marginatum, oblongum, perforatum, perlucidum, pervium, plexatum, retortum, simile, squamosum, striatum, subrotundum, urnae, wollastonianum.

Vermileo degeeri.

Vermilia ampullacea, angulata, armata, bicarinata, calyptrata, clavigera, concava, coronata, crassa, cristata, echinata, elongata, emarginata, eruca, flagelliformis, intricata, minuta, multicristata, muraena, obscura, obtorta, planata, pliocifera, polytrema, punctata, quadricostata, quinquelueata, rostrata, scabra, septata, serrulata, squamosa, subcrenata, supra-plana, taeniata, tricuspidata, tricuspis, trilineata, triquetra, vermicularis.

Vermivora bachmani, carbonata, celata, chrysoptera, elegans, nigrescens, peregrina, protonotarius, rubricapilla, solitaria, swainsoni, vermivora.

Verneuillina bronni, spinulosa, tricarinata.

Veronicella krausi, laevis, langsdorfi, limayana, solea.

- Veronicellus** *Loani*.
Verruca *strömii*.
Verrucospongia *armata, convoluta, osculifera, sparsum, turbinata*.
Verrulia *carunculata*.
Vertagus (Col.) *bipustulatus, buqueti, lucidulus, schoenherni*.
Vertagus (G.) *areolatus, dimidiatus, duplicatus, granularis, maculatus, retremundatus, strigilatus, subulatus, succinctus, vulgaris*.
Vertebralina *cassis, mucronata, niebulri, striata*.
Vertex *cruciatus, emarginatus, marginatus*.
Verticillipora *abnormis, anastomosans, dubia, grandipetasma*.
Verticillites *abnormis, anastomosans, cretaceus, digitata, goldfusi, grandipetasma, incrassata, truncata*.
Verticillus *algius*.
Verticordia *cardiiformis*.
Vertigo *alpestris, anglica, angustior, anti-vertigo, buettneri, curta, cylindrica, defrauxi, dupoteli, edentula, guadalupensis, hamata, heterostrophia, laevigata, lepidula, lucida, monodon, muscorum, nana, nitida, ovata, ovularis, palustris, pentodon, plicata, pupula, pygmaea, secale, similis, septemdentata, sexdentata, unidentata, venetii, vulgaris*.
Vertumnus (Cr.) *cranchi*.
Vertumnus (Verm.) *thetidicola, thetydicola*.
Vesica *ampulla, naucum*.
Vesicaria *hygrometra, lucii, suilla*.
Vesicularia *cuscuta, imbricata, pustulosa, spinosa*.
Vespa *abdominalis, aegyptiaca, africana, albilabris, angulata, apicalis, apiformis, arborea, argentata, attavina, auripectus, aurita, aurulenta, bavarica, bicincta, bimaculata, binotata, borealis, britannica, brunipes, cajennensis, campanaria, cartaria, cayana, chartaria, chartifex, coerulea, communis, concolor, crassa, crucigera, cuneata, decemmaculata, deusta, diadema, dominica, flavicincta, frontalis, geeri, geniculata, ichneumonidea, incincta, laeta, lignorum, lilacea, lugubris, lunata, lutea, marginata, mauritica, melanops, minor, mucronata, mutillata, nilotica, notata, ocreata, ornata, pallens, peltata, picipes, picta, pilosella, puncta, quadrimaculata, quinquelineata, quinquemaculata, sabulosa, scutellaris, spiniventris, squamigera, sumatrae, tessera-zonia, transversa, trilineata, trimaculata, trispinosa, uncinata, velutina, vespiformis, virginea, zonalis*.
Vespertilio *abramus, acetabulosus, adversus, aedilis, aenobarbis, akokomuli, albescens, albolimbatus, alcithoe, alcythoe, alecta, americanus, aperotus, arborea, aristippe, arquatus, arsinoe, auduboni, auripectus, barbatus, bechsteini, belangeri, blepotis, blossevillei, bonapartei, bonariensis, borbonicus, borealis, brachyotos, brachypterus, brandti, brasiliensis, brevimanus, bursa, calcaratus, californicus, caninus, capacini, capensis, capucinellus, carnatica, caroli, carolinensis, cavernarum, celsaeno, cephalotes, chiloensis, circumdatus, collaris, cornutus, coromandelicus, crassus, crepuscularis, creusa, cyanopterus, cynocephalus, dasycneme, dasykarpos, dasythrix, daubentoni, dingani, discolor, domesticus, dutertrei, emarginatus, epichrysme, erythroductylus, eschscholtzi, ferrugineus, fulvatus, formosa, fuliginosa, furia, furinalis, fuscus, georgianus, gondoti, gryphus, guianensis, hardwicki, harpia, hasselti, hesperidi, hilarii, hippocrepis, horsfieldi, hottentota, humeralis, hypothrix, imbricatus, incisivus, innoxius, insignis, irretitus, isabellinus, isidori, kamtchaticus, kuhli, labiata, lacteus, lanatus, lanosus, latipennis, leibii, leisleri, lepidus, leucippe, leucogaster, leucomelas, levis, limnophilus, macellus, macrodactylus, macrotarsus, macrotis, malayanus, marginatus, mastivus, maugei, maximiliani, maximus, megalotis, megapodius, melanotus, meyeri, minutellus, minutissimus, minutus, monachus, monticola, muricola, murina, murinus, myosotis, myotis, mystacinus, mystax, naso, nasutus, natalensis, nathusii, uattereri, nigrans, nigrescens, nigricans, nilsoni, noctulina, novae seelandiae, nudus, okeni, oreias, orsinii, osculati, pachypus, pallidiventris, pallidus, palustris, papillosus, parvulus, pellucens, pellucidus, phaiops, pipistrelloides, polythrix, porcinus, praecox, proterus, pruinosis, pulverulentus, pygmaeus, quixensis, rivalis, ruber, rubra, rueppeli, rufescens, rufo-pictus, salarii, savii, schinzi, semicaudatus, speoris,*

spixi, splendidus, subbadia, subflavus, subulatus, suillus, tannensis, temmincki, tenuis, tematanus, tessellatus, timoriensis, tralatitius, tricolor, tristis, tuberculatus, turcomanus, ursinii, ursinus, ursula, velatus, villosissimus, villosus, virginianus, vispistrellus, volgensis, wiedi.

Vespertilio sicula.

Vesperugo dingani, kuhli, leisleri, marginatus, nathusii, nilssoni, noctula, pipistrellus, scotinus, subtilis.

Vesperus (Col.) luridus, solieri, strepens, xatarti.

Vesperus (M.) alcythoe, aristippe, discolor, leucippe, nilssoni, savii, serotinus.

Vesta chevrolati, cincticollis, gratiosa.

Vestiaria akarosa, evi, heterorhynchus, hoho, vestiaria.

Vexilla picta.

Vexillaria flabellum.

Vexillum desglandi, halli, labechei.

Vianellia dorsiculata.

Vibex fluviatile, oweni, viviparum.

Vibidia duodecim-guttata.

Vibilia jeangerardi, peroni.

Vibrio acerosus, agrostis, ambiguus, amblyoxus, amblyoxys, bisocot-notata, diffluens, dongalanus, filaria, fluviatilis, graminis, humana, inflexa, lacustris, lagena, lemula, lumbrici, marinus, ministerialis, ostrearius, prolifer, punctatus, recticauda, subtilis, subula, syncyanus, synxanthus, tremulans, tritici, truncatus, turifer, vegetalis, vulgaris.

Victorina epaphus, steneles, trayja.

Vidalia impressifrons.

Videstrela regia, serena, superciliosa.

Vidia albonotata, ardens, axillaris, chrysonotus, concolor, erythrorhynchus, laticauda, lenocinia, macrocerca, macroura, panayensis, paradisea, phoenicoptera, principalis, regia, rubritorques, serena, sirena, superciliosa, verreauxi.

Vigorsia niger, vasa.

Villiersia scutigera.

Villorita cyprinoides.

Vinago abyssinica, affinis, aromatica, australis, bicincta, calva, cantillans, chlorigaster, curvirostra, giganteus, malabarica, militaris, nudirostris, oxyura, psittacea, sphenura, unicolor, vernans.

Vincularia aculeata, alternans, amphora, angularis, bella, bronni, canalifera, cenomana, circumdata, circumfossa, cretacea, defrancei, dentata, dichotoma, dubia, elegans, fragilis, gracilis, grandis, hexagona, incrustata, interpunctata, labiata, lorieri, macropora, marginata, megastoma, microstoma, multangularis, nodulosa, normaniana, oblonga, ovalis, parallela, pentagona, porosa, pustulosa, raricosta, regularis, rhombifera, rhomboidalis, ringens, spiropora, subrhombifera, sulcata, teres.

Vini coccinea, dryas.

Vioa arbestinum, clio, coccinea, dissociata, duvernoyi, duvernoysi, glomerata, nardina, pasithea, typica, typus.

Vipera acantophis, acontia, aegyptia, aegyptiaca, ammodytes, anguiforme, arietans, aspis, atra, atropoides, atropos, atrox, baetaen, berus, brachyura, brasiliana, brasiliiana, buccata, caerulescens, carinata, caudalis, cerastes, cherssea, chloris, clotho, cobia, communis, corallina, cornuta, crotalina, daboia, daboya, dipsas, dubia, echis, elegans, euphratica, flava, fulvia, fuscata, haemachata, haje, halys, holleik, hugyi, ignobilis, inflata, javanica, krait, lactea, lanceolata, latea, leberis, lebetina, lemniscata, lunnaea, loberis, lophophris, maculata, marcgravi, medica, melanis, melanura, naja, nasicornis, nasua, nexa, nigrata, nivea, ocellata, orientalis, praetextata, prester, psyche, redi, schyta, scythia, semifasciata, severa, spilotes, stolata, striatula, superba, tessellata, tigrida, torva, trigonocephala, trilinea, trimaculata, variegatus, venosa, viridis, vissena, vrens, vulgaris, weigeli.

Vipio algericus, annulipes, bicarinatus, cinctellus, coronatus, denigrator, desertor, dorsimaculatus, fasciipennis, femoralis, foveifrons, galea, maculatus, melanocephalus, melanosoma, minutator, nigro-notatus, nominator, pectoralis, punctidorsis, scaber,

- scutum, semi-striatus, sex-maculatus, tenui-striatus, tuberculatus, unifasciatus, urinator.
- Viralva** affinis, anglica, aranica, cinerica, indica, leucoparia, leucoptera, nigra, simplex, sincensis, varia.
- Vireo** agilis, altiloquus, bartramii, belli, cristatus, flavifrons, gilvus, gundlachi, longirostris, musicus, nigerrimus, noveboracensis, olivacea, solitarius, versicolor, vigorsi, virens, virescens.
- Vireolanius** melitophrys.
- Vireosylva** bartramii, olivacea.
- Vireosylva** agilis, altiloquus, virescens.
- Virgularia** alpina, australis, christi, finmarchica, incerta, juncea, mirabilis.
- Virgulina** (Inf.) brevicauda, discus, pirenula, pleuronectes.
- Virgulina** (Rh.) punctata, reussi, screibersiana, squammosa, tegulata.
- Viscaccia** americana.
- Vison** itatsi, lutreola.
- Vitiflora** aurantia, aurita, cinerea, germanica, grisea, hottentotta, leucomela, leucorrhoea, leucura, maculata, massiliensis, oenanthe, pileata, rufa, saltatrix, septentrionalis, stapazina.
- Vitrea** diaphana.
- Vitrella** fragilis.
- Vitrina** abyssinica, ampullacea, angelicae, annularis, aperta, audebardi, baccata, beckiana, beusoni, beryllina, bicolor, birmanica, brevis, caperata, cassida, ceylanica, cornea, crenularis, cuningi, cuvieri, depressa, diaphana, dillwyni, domestica, draparnaldi, elongata, fasciata, fasciolata, flammulata, freycinetti, fumosa, gigas, glacialis, grandis, gruneri, guimarasensis, gutta, habysinica, hians, lamarki, leytensis, limpida, luzonica, maravignae, marcida, margarita, margaritacea, membranacea, monticola, muelleri, musignani, natalensis, nigra, nitida, obtusa, papillata, pellicula, pellucida, peraffinis, planulata, poeppigi, politissima, praestans, pyrenaica, resiliens, rillyensis, robusta, rueppelliana, rufescens, rufovirens, ruivensis, sigaretina, smaragdulus, sowerbyana, strangei, subglobosa, sulcosa, suturalis, tecta, tenella, teneriffae, verreauxi, virens, viridis, vitrea, zebra.
- Vitrinella** belicoidea, hyalina, interrupta, megastoma, tincta.
- Vitularia** tuberculata.
- Vitulina** vitulina.
- Viverra** abyssinica, albicauda, albus, annulata, antiqua, atterima, aurata, barbara, bengalensis, binotata, binturong, bizaan, boiei, bondar, canadensis, carcharias, cblensis, civettoides, concolor, cuja, erminea, exilis, fasciata, felina, foina, furo, fusca, galera, genettoides, geoffroyi, gigantea, gracilis, gymanura, hardwicki, indica, leucopus, linsang, macrodactyla, maculata, malaccensis, martes, melanurus, mephitica, molassica, musanga, nigra, pallida, paludosa, pardina, penicillata, perdicator, piscator, primaeva, quadricolor, quiqui, rasse, ratel, richardsoni, sarmatica, senegalensis, sibirica, striata, touan, undulata, vulgaris, zibellina, zibethoides.
- Viverricula** indica, rape, rassa.
- Vivia** innominata, nipalensis.
- Vivipara** concinna, extensa, fluviorum, lenta, suboperta.
- Viviparus** ampullariformis, fluviorum, linnaei, vulgaris.
- Vociferator** europaeus, melolontha, rufo-collis.
- Volatinia** jacarina, splendens.
- Volema** carica, fuscum, granulatum, lineatum, perversum, rapa, vespertilio, vittatum.
- Voltula** ornata.
- Volucella** minuta, pygmaea.
- Volucella** abdominalis, adjuncta, alchimista, analis, apiaria, ardua, aurata, autumnalis, caesarina, campestris, caucasica, cervina, chalybescens, cornicina, cyanescens, dispar, dorsalis, dryophila, epata, esuriens, fasciata, flavipennis, fusca, fuscipennis, haemorrhoidalis, hirtipes, hocbutthi, inflata, intricaria, laponum, lata, liquida, longirostris, lugens, lurida, macula, marginata, mediatunda, metallifera, mexicana, mutata, nemorum, obesa, oenea*, oenopota, opalina, pallens, pallida, peleteri, pellucens, picta, plorans, purpurea, pusilla, quadrisquammata, radicum, ranunculi, roralis, scutellata,

scybalaria, spinigera, taurica, testacea, tibialis, trisulcata, tulerina, tympanitis, vacua, vaga, vesiculosa, violacea, vulpina, zonaria.

Volucra albella, flava.

Volupia rugosa.

Volupta jugosa.

Voluta nitida.

Voluta abbatiss, abyssicola, acuminata, acuta, affinis, alabastrina, alba, albida, albo-lineata, alta, ambigua, amphora, amphata, ampullacea, ancilla, ancyloides, anglica, angulata, anguria, angusta, anna, antiqua, aperta, arausiaca, armata, asopis, athleta, aulica, auriscati, aurisleporis, aurismustelae, aurisvirginis, aurisvulpina, aurora, australis, auvertiana, barnesi*, becki, bicorona, bidentata, bifidens, branderi, brasiliana, breviphcata, brisei, brocchii, broderipi, buccinata, buccinea, bulbula, bullaoides, bullata, caelata, caenis, caerulea, calcarata, callosa, calva, camdeo, capitata, carneolata, caroburgensis, carolinensis, cassidea, cassidula, casta, castanea, catenata, chemnitzii, chlorostoma, chrysostoma, cincta, cingulata, cithara, citharella, citharina, citrina, clandestina, clathrata, colocynthis, colorata, columellaris, concinna, coniformis, conoidea, conspicua, contracta, cooperi, corona, coronata, corrugata, costaria, costata, costellaris, crassa, crenata, crenifera, crenulata, cruenta, cucurbita, cumingi, cupressina, cyanea, cylindricornis, cymbiola, cymbium, cypraeola, cythara, dama, dargelasi, dealbata, decerta, decorata, defrancei, delessertiana, dentata, denticulata, denudata, depauperata, deperdita, depressa, deshayesiana, detrita, deusta, diadema, digitalina, digitalis, dubia, ducalis, dufresnei, eburnea, echinata, elegans, elevata, elongata, erythrostroma, exilis, exoptauda, fasciata, februlis, fenestrata, ferrugata, ferussaci, festiva, fibrata, finulina, figulina, filosa, filum, fissurata, flammea, flammula, flaveola, fluctuata, ductuosa, fuminea, fluviatilis, fragaria, fulgetrum, fuliginosa, fulminans, fulminata, fulva, furca, fusca, fusiformis, fusus, gamberoonica, gasparinii, geminata, gerginae, germari, gibbosa, glauca, globosa, goodalli, gracilis, gracilus, granulata, gravis, grumosa, gualtieri, guerangeri, guildingi, guineaica, guttata, harpa, harpula, hebstrium, hebraea, helvola, hercilia, heterochila, hians, hirta, hyalina, ignave, ignea, imperialis, inaepta, incrasa, incrasata, indica, innexa, iusculpta, interrupte-lineata, interstincta, lapidea, lunonia, labrella, labrosa, laevigata, laevis, lahaysi, lamarcki, lamberti, laodamia, lapponica, largibertiana, larva, lens, lima, lineata, lineolata, luctator, lugubris, luteo-fasciata, luteola, luteostoma, lycastes, lyra, lyrata, lyriformis, maculata, magellanica, magnifica, magorum, mamilla, mammosa, marginata, marmorea, marmorata, megaspira, melo, melongena, micans, microzonias, miletis, miltonis, minna, mitis, mitraeiformis, mitrata, mitrella, mitreola, mixta, modesta, multicostrata, multispina, multistriata, muricata, muricina, muriculata, musicalis, mutabilis, mutata, myotis, nana, nasua, nautica, nebulosa, nemesis, nitidula, nivosa, nobilis, nocturna, nodosa, nodulosa, norrisi, norrissi, notabilis, notata, nucleus, nux, obliquata, obsoleta, ochracea, oliva, olivaria, ondulata, oriola, orithia, ornata, oryza, parvula, pallida, papilio, papillaris, papulosa, parkinsoni, parva, pasithea, pattersonia, patula, pelis-serpentis, pellucida, pennata, pepe, perdicina, peruviana, petrosa, pica, picta, plicatula, pinguis, piperata, piscatoria, pisum, plicata, plicatella, plicatula, polyzonalis, ponderosa, poraria, porcina, praetexta, prevosti, prisca, proboscoidalis, protensa, pseudosambigua, pseudolyra, pulchella, pulchra, punctata, purpuriformis, puto, pustula, pyramidella, pyramis, pyriformis, pyruloides, quadruplicata, radula, rathieri, reticostata, reflexa, regia, renauxiana, requieniana, reticulata, rigida, rugosa, rubiginosa, rudis, ruffina, rugosa, rutila, samathe, sayana, scabricula, scabriculum, scafa, scalaris, schroeteri, scolyma, scrobiculata, serofa, semi-granosa, semipunctata, semipunctata, septemcostata, serpentina, sibilla, signifer, simplex, solitaria, sophia, soror, sowerbyi, spinea, spinosa, spinulosa, spiralis, spirata, spoliata, stictica, stigmataria, stragulata, striata, striatula, strigata, strigilata, striolata, strombiformis, suadela, subacuta, subdentata, subfusiformis, subglobosa, submiculata, subnodosa, subpisiformis, subspinosa, subturgidula, sulcata, suspensa, suturalis, swainsoni, taenata, tarbelliana, tenebrosa, terminata, terna, tessellata, tessulata, textilis, texturata, thiara, thiarella, tigrina, tornatilis, torulosa, torva, tribulus, tricornia, trifasciatus, trinchinopolitensis, triplicata, trisulcata, tritia, tuberculata, turbinata, turgidula, turneri, turricula, umbilicaris, undulata, undulosa, unidentatus,

unifasciata, unifasciata, uniplicata, vanuxemi, variabilis, varicosa, viticollis, variolosa, ventricosa, vespertilio, vexillum, vidua, viridescens, vittata, vitulina, vulpina, wetherelli, zebra, ziziac, zonata.

Volutella angulata, bullata, divergens, guttata, lineata, nigra, nigricans, oblonga, rubescens, sulcata.

Volutilithes bicorona, cithara, costaria, crenulata, labrella, lyra, musica, muticula, pertusa, rarispina, spinosa.

Volutites anomalus, buccinoides, coniformis, helicius, linearis, marginellus, nitidus, nodosus, spinosus.

Volva patula.

Volvaria acutiuscula, alba, albomaculata, biplicata, bulboides, canaliculata, catenata, concinna, crassa, cretacea, donovani, galba, intermedia, laevis, marginata, miliacea, miliaria, monilis, oryza, pallida, pauciplicata, pellucida, pinea, quadriplacata, regulbriensis, retusa, septemplicata, sexplicata, subcylindrica, tenera, tenuis, triticea, truncata, umbilicata.

Volverella astoma.

Volvocivora cana, fimbriatus, lugubris, melanoptera, melaschistos, sykesi.

Volvox aeneus, annulatus, arenarius, asteroides, atomus, aureus, baccatus, bicolor, bipunctatum, bivalvis, bullatus, calamus, coordinatus, crystallinus, cucullatus, ellipticus, ferox, floriferus, flosculosus, fuscus, galeratus, glaucoma, globulator, globulatus, granulatus, kolpoda, laevigatus, leus, lethacus, lunulatus, mica, nutans, ocellus, papillatus, phiala, pillularius, proteiformis, pulvisculus, radiatus, reticulatus, roseus, saturnius, scintillans, scutiferus, stellatus, tranquillus, triflorus, trilobus, trisectus, uranoides, vitreus, vorticella, zonatus.

Volvulus (Col.) aeneus, inflatus.

Volvulus (G.) bidens, muscorum, perversus.

Vomer alexandrianus, browni, longispinus, parvulus, priscus.

Voria latifrons.

Vortex (G.) angigyra, caudida, carocolla, cellaria, didonta, holosericea, lapicida, obvolvata, warreni, zonaria.

Vortex (Verm.) capitata, caudata, littoralis, picta, quadrioculata, truncatus, vittata.

Vorticella arabica, arbuscula, bidentata, brevipes, campanula, canaliculata, cavolinii, cheroti, chlorostigma, citrina, coarcta, cothurnata, cyathus, dolium, erythroptthalma, hamata, iners, infusionum, intracta, lenifera, limosa, microstoma, monadica, najas, parasitica, pentagona, picta, pigra, pila, plicatula, pulvinata, quadricornis, ramosissima, rotatoria, rotularis, sacculata, senila, sepia, spectabilis, subconica, tetrodon, umbellula, volvox.

Vorticialis ammoniformis, craticulata, crispa, marginata, mediterranea, umbilicata.

Vrocentrum turbo. *Vide et Urocentron.*

Vroleptus hospes, lamella, musculus, piscis. *Vide et Uroleptus.*

Vulpanser rutila, tadorna.

Vulpecula (G.) cafra, cinctella, filosa, plicaria, sanguisuga, vulpecula.

Vulpes alopec, americanus, argentatus, azarae, bengalensis, caama, campestris, cinereus, argentatus, cinereus, corsac, crucigera, decassatus, decussatus, denhami, famelicus, fennicus, ferriatus, flavescens, fuliginosus, fulvipes, fulvus, griseus, hodgsoni, indicus, lagopus, landi, magellanica, melanogaster, melanogaster, nepalensis, niloticus, oeningensis, pallidus, thaleb, variegatus, velox, virginianus, vulgaris, xanthura, zaarensis.

Vulsella deperdita, exogyra, falcata, hians, huegeli, lingulaeformis, lingulata, major*, margaritacea, mytilene, nuttalli, ovata, rugosa, spongiarum, turonensis.

Vulsirea ancora, nigro-rubra.

Vultur aegyptius, aegyptius, albicans, albicollis, alimoch, alpinus, ambustus, armatus, atratus, audax, aureus, auriculatus, aurentus, brasiliensis, castaneus, columbianus, condor, coprotheres, eulophus, fossilis, galericulatus, gallipennis, hierax, hypoleucus, ignobilis, imperialis, leuconota, meleagris, minor, occipitalis, persicus, pileatus, sacra, sinensis, tenuiceps, trencalos, urubu.

Vulvulina capreolus, elegans, gramen, pupa.

Vvella atomus, bodo, minuta. *Vide et Uvella.*

- Wachnja ~~caus~~tschatica, gracilis, macrocephala.
 Wagasocles dispar.
 Wagellus glacialis.
 Wagneria (Dipt.) gagatea.
 Wahlbergia melanura.
 Walckenaeria acuminata, cristata, cuspidata, depressa, fuscipes, ~~antica~~.
 Walcknaera apicata, atra, bicolor, bifrons, hardu, hiemalis, humilis, ~~gemoralis~~, parva, picina, pumula, punctata, turgida.
 Waldheimia (Br.) australis.
 Waldheimia (Hym.) orbignyana.
 Walkeria cuscuta, uva. *Vide et Valkeria*.
 Wallerites paradoxus.
 Waltonia valenciennesi.
 Webbina flexuosa, irregularis, rugosa.
 Weberia appendiculata.
 Websteria crisioides.
 Weebongia albiventer.
 Weevillum pomi.
 Westermannia superba.
 Westwoodia ruficeps.
 Wiedemannia appendiculata, borealis, compressa, juvenilis, rufiventris.
 Willsia stellata.
 Wilsonia bonapartei, minuta, mitrata, pusilla.
 Winthemia aurulenta, catocalae, ciligera, cinerea, crassicornis, flavescens, meditata, nigripalpis, nobilis, quadripustulata, variegata, viarum, vinulae.
 Wodnika striatula.
 Wolfella caternaulti.
 Wombatus fossor.

- Xaiva pulchella.
 Xanclostomus sirkee, viridirostris.
 Xancus maculatus.
 Xanemus vibrivides.
 Xantharpyia aegyptiaca, simplexicaudata, straminea.
 Xanthasia murigera.
 Xanthea agaricina.
 Xanthia argillacea, aurago, badiago, cerago, citrigo, croceago, echii, erythrago, evidens, ferrago, ferruginea, fimbriago, fulvago, luteago, miniago, ochroleuca, pallego, pulmonarius, puniceago, rubecula, ruina, silago, subflava, sulphurago, vitellina, xerampelina.
 Xanthidia delia, desjardinsi, floricola, jocunda, jucunda, lisa, nicippe, puella, pulchella, similax.
 Xanthidium claviferum, complex, crassipes, fimbriatum, globosum, malleoferum, palmaforme, palmatum, ramosum, recurvatum, simplex, spinosum, tubifera, vestitum.
 Xantho (Cr.) agassizi, asper, crenatus, cultrimanus, dehaani, denticulatus, deplanata, depressus, dia, edwardsi, eudora, florida, gaudichaudi, granulosus, hirsutissimus, hirtipes, hirtissimus, impressus, incisa, intonsus, lamarcki, lamelligera, lividus, octodentatus, orbignyi, parvulus, peroni, peuce, planus, poressa, punctatus, quinque-dentatus, radiatus, reynaudi, rhumphi, rivulosus, rotundiformis, rufopunctatus, scaber, setiger, sexdecimdentatus, spinigera, spinosa, tuberculata, vermiculatus, zonata.
 Xantho (Verm.) decapoda, hexapoda.
 Xanthocephalus perspicillatus.
 Xanthoceros fasciculatus, idoneus.
 Xanthochilus oblitteratus.
 Xanthochroa carniolica, gracilis.

- Xanthodira** dentata, flavigula.
Xantholeuca croceago.
Xantholinus affinis, aheneus, alternans, amabilis, americanus, anachoreta, analis, angulatus, ater, atratus, attenuatus, aulicus, batychnus, breviventer, brunneipennis, cadaverinus, calidus, canaliculatus, castanopterus, castigatus, cephalus, chalcopterus, chloropterus, collaris, consentaneus, cyanipennis, cyanopterus, decorus, dispilus, divisus, elegans, elongatus, emmesus, episcopalis, erythropterus, fascialis, ferrugineus, festivus, flavipennis, flavocinctus, fulgidus, fulminans, gagatinus, glaber, glabratus, gracilis, haematodes, hamatus, hesperius, hispanicus, humeralis, illucens, illyricus, impressifrons, incertus, insignis, intermedius, laevigatus, laticeps, lentus, lepidotus, limbatus, linearis, longiceps, longiventris, lubricus, lucidus, lynceus, mannerheimi, melanocephalus, meridionalis, minutus, nigriceps, obscurus, obsidianus, occidentalis, ochraceus, palliatus, parvulus, pectoralis, phaenicopterus, pilicoruis, procerus, puncticeps, punctulatus, purpuratus, pyropterus, rubricollis, rufescens, ruficollis, rufipennis, rufipes, rufus, rugicephalus, rutilus, sanguinipennis, sanguinolentus, scripticollis, speciosus, styriacus, sub-impressus, tener, tricolor, vagepunctus, vagus, volvulus.
Xanthonella lutea.
Xanthopastis dysodea, flavicincta, flavivibica, timais, xanthomista.
Xanthophaea grandis.
Xanthopygia mugimaki. *Vide et Zanthopygia*.
Xanthorhoe galliata, montanata.
Xanthornus abellei, americanus, analis, aurantia, aurantius, baltimore, bonana, bonariensis, bullocki, californicus, carunculatus, castaneus, caucasicus, cayensis, chrysater, chrysocarpus, chrysocephalus, chrysopterus, coronatus, dominicensis, flavaxilla, flavus, gasquet, gilvago, guyanensis, icterocephalus, icterus, iugularis, leucopterus, leucoramphus, linnaei, ludovicianus, melancholius, melanocephalus, mesomelas, mexicanus, minor, nidipendulus, nigrogularis, parisorum, pendulinus, phoeniceus, prothemelas, purpurascens, rufigaster, sinensis, spurius, tibialis, varius, viridis, xanthornus.
Xanthosetia anplana, chrysitana, diversana, ferrugana, hamana, inopana, zoegana.
Xanthoura guatemalensis, luxuosa, peruviana.
Xema atricilla, bonapartei, brunnecephala, caniceps, capistrata, cirrocephala, collaris, franklini, ichthyaetum, jamesoni, lambruschinii, leucophthalmum, melanocephala, minuta, pileatum, plumiceps, poiocephala, ridibundus, sabini.
Xenacanthus decheni.
Xenia caerulea, desjardiniana, elongata, esperi, florida, fuscescens, purpurea, umbellata.
Xenillus clypeator.
Xenistum valenciennesi.
Xenocarcinus tuberculatus.
Xenocerus cylindricollis, flagellatus, saperdoides.
Xenochirus saureus.
Xenodermus javanicus.
Xenodon (P.) niger.
Xenodon (R.) aeneus, bicinctus, caeruleus, inornatus, merremi, michahelles, ocellatus, purpurascens, rabdocephalus, rhadocephalus, saurocephalus, scholti, schotti, severus, typhlops, uniporus, versicolor.
Xenodorus janus.
Xenogenys azurea.
Xenomerus ergenna.
Xenomorpha australis, leptiformis.
Xenomyza myops, planiceps.
Xenopeltis concolor*, leucocephala*, unicolor.
Xenophora laevigata, meandrina, tricostrata, vulcanica.
Xenophorus caperatus.
Xenophthalmus pinnotheroides.
Xenopipo atronitens.
Xenopirostris lafresnayei.

- Xenops abeliei*, anabatoides, caniveti, dentirotis, fuscus, genibarbis, griseus, nigrocapitatus, ruicollaris, rufosuperciliaris, rufus, rutilans, rutilus, westwoodi. *Vide et Xenops.*
- Xenopus boiei.*
- Xenos pecki*, rossi, westwoodi.
- Xenopus antiquus*, cayennensis, gymnurus, intermedius, neglectus, nudicaudis, nudicaudus, squamicaudis, uncinatus.
- Xenus cinerea.*
- Xerene contaminata*, hastata, melanaria, plumbata. *Vide et Zerene.*
- Xeroderus kirbyi.*
- Xerophila (A.) leucopsis.*
- Xerophila (G.) apicina*, cespitum, conica, ericetorum, filimargo, gargottae, neglecta, pisana, pyramidata, striata, terveri, thymorum, variabilis.
- Xerophloea grisea.*
- Xerophyllum servillei.*
- Xerosoma canaliculatum.*
- Xerus rutilans*, setosus, trivittatus.
- Xestia (Col.) elegans*, lateralis, spinipennis.
- Xestia (Lep.) chloropha*, ochrojois.
- Xestomyza chrysanthemi*, costalis, culiciformis, lugubris.
- Xestorhynchus perrini.*
- Xyletinus striatus.* *Vide et Xyletinus.*
- Xilocopa brasilianorum*, morio, violacea. *Vide et Xylcopa.*
- Xiphasia setifer.*
- Xiphias imperator*, makaira, rondeleti, velifer.
- Xiphocera azureipennis*, catenaulti, emarginata, erythrogaster, gallinacea, octolineata, pierreti, serripes, tricolorata, trilineata, viridicincta.
- Xiphichthys russelli.*
- Xiphidia fasciata.*
- Xiphidicera rufipes.*
- Xiphidion (Cirr.) quadratum.*
- Xiphidion (Or.) dorsalis*, fasciatum, fusca, iris, maculatum, oceanicum.
- Xiphidiorhynchus pectoralis.*
- Xiphidium (Cirr.) angustum*, quadratum.
- Xiphidium (Or.) agile*, bilineatum, concolor, dorsale, fasciatum, fuscum, glaberrimum, thoracicum.
- Xiphirhynchus superciliaris.*
- Xiphirus capensis.*
- Xiphocera (Dipt.) percheroni*, reynaudi.
- Xiphocera (Or.) auroripennis*, australasiae, discoidea, dorsalis, obsoleta, ruricola, serrata.
- Xiphochilus spurius.*
- Xiphodon gelyense.*
- Xiphodontus antilope.*
- Xiphogonium declive*, planicauda, sculptum, sieberianum.
- Xipholena lamellipennis*, pompadora, purpurea.
- Xiphonura jeffersoniana.*
- Xiphopeza triplex.*
- Xiphophorus bimaculatus*, gracilis, helleri.
- Xiphopterus falcatus.*
- Xiphoramphus microlepis.*
- Xiphoramphus (A.) superciliaris.*
- Xiphoramphus (P.) argenteus*, falcatus, falcirostris, hepsetus, humeralis, odoe, pericoptes.
- Xiphorhina langaha.*
- Xiphorhynchus (A.) falcarius*, flavigaster, lafresnayanus, leucogaster, procurviformis, trochiliformis. *Vide et Xiphorhynchus.*
- Xiphorhynchus (R.) falcirostris*, madagascariense.
- Xiphoscelis hopei*, schuckardi.

- 69—2

- Xylographus** ~~anthracinus~~, aubei, bostrichoides, contractus, corpulentus, gibbus, hypocritus, madagascariensis, punctatus, richardi.
- Xylolaemus** fasciculatus.
- Xylomorpha** appendiculata, picea, praemorsa.
- Xylonomus** annulatus, ater, caligatus, ferrugatus, filiformis, gracilicornis, gravenhorsti, irrigator, parvulus, pilicornis, praecatorius, rufipes, scaber.
- Xylonotrogus** laticollis.
- Xylonychus** laetus, nigrescens, piligerus.
- Xylophaga** dorsalis, globosa.
- Xylophagus** americanus, ater, brunneus, canescens, cinctus, compeditus, fasciatus, illucens, latistria, maculatus, marginatus, mengeanus, nigratarsis, nitens, persequus, reflectens, rufipalpis, scutellaris, spiniger, terminalis, triangularis, varius, vittatus.
- Xylophanes** anubus, caju, drancus, gortys, lycetus.
- Xylophasia** combusta, hepatica, lateritia, polyodon, rectilinea, rurea, sublustris.
- Xylophila** crenata, oblonga, unidentata.
- Xylophilus** alni, bisbimaculatus, cruentatus, fasciatus, gigas, nigripennis, populneus.
- Xylopoda** fabriciana, nemorana, pariana, pretiosana, scintilulana, vibrana.
- Xylorhiza** fasciata, spumans, venosa.
- Xyloryctes** furcatus, jamaicensis, satyrus, telephus.
- Xylosteus** spinolae.
- Xylota** abiens, aepalius, aethusa, affinis, anthreas, badia, baton, bifasciata, bimaculata, caeruleiventris, chalybea, coarctata, communis, confinis, corbulo, crassipes, dascon, dibaphus, ejuneida, fasciata, femorata, flavifrons, flavitardis, florum, haematodes, haemorrhoidalis, ignava, indica, laphriaeformis, lateralis, latitarsata, lenta, libo, metallica, nemorum, nigripes, oarus, olivacea, pigra, pipiens, plagiata, proxima, purpurea, quadrata, rufipilus, segnis, spectabilis, sylvarum, tarda, triangularis, vagans, valgus, vara, volvulus.
- Xylotaaja** rara.
- Xyloteles** westwoodi.
- Xyloterus** (Col.) domesticus, lineatus, quinquelineatus.
- Xylotinus** flabellicornis.
- Xyloteles** bimaculatus, discordans, gracilis, laetus, lentus, lynceus, parvulus, subpinguis.
- Xylotretus** leucaspis, obscurus, reichei, scrobilatus.
- Xylotribus** heterocerus.
- Xylotrogus** brevicornis, brunneus, parallelipedus.
- Xylotrupes** attilla, dichotomus, gideon, oromedon, phorbanta, pubescens.
- Xyphorhynchus** (A.) maculi-venter, pucherani.
- Xyphorhynchus** (P.) odoe.
- Xyphosia** arvensis, cirsiarum, lappae.
- Xypteris** imperati.
- Xyrichthys** altipinnis, bimaculatus, cultratus, cyanifrons, dea, lectuse, lineatus, macrolepidotus, martinicensis, microlepidotus, pavo, pavoninus, puniceus, taeniurus, torquatus, unio-cellatus, vanikolensis, virens, vitta.
- Xysta** (Col.) angulata, gravis, rotundicollis, sulcata.
- Xysta** (Dipt.) cana, cilipes, gagatea, grisea, holosericea, latreillei, striata, striginervis.
- Xyster** fuscus.
- Xysticus** audax, bifasciatus, brevipes, cinereus, confluentus, cuneolus, depressus, fuscus, graecus, grammicus, horticola, lanio, morio, pini, praticola, pulverulentus, robustus, sabulonis, ulmi, viaticus.
- Xystocera** australasiae, globosa, nigrita, senegalensis, signata, virescens, vittata.
- Xystrolepis** punctata.
- Xystronia** caerulea.
- Xystropus** dejeani, pilosus.
- Xystus** (Col.) sanguinicollis.
- Xystus** (Hym.) apertus, brachypterus, castaneus, cinctus, circumscriptus, cursor, defectus, erythrocephalus, erythrothorax, femoralis, flavicornis, fuscicornis, heterocerus, leunisi, longicornis, longipennis, macrophadnus, melanogaster, minutus, obscuratus, posticus, rufiventris, testaceus, trapezoideus, villosus.

Yarkea leucocephala.

Yetus neptuni.

Yliotis passerini.

Ynca becki, irrorata, somneri.

Yoldia angularis, arctica, lucida.

Yolinus suffilatus.

Yphantès auricollis, baltimore, ballocki, coztototi, solitaria, spurius.

Yphthima aphnius, arctous, baldus, casse, cleo, hippia, manto, philomela.

Ypomeneuta stramentella.

Yponomeuta acanthella, albistria, ambiguelia, aurifuella, bicolorella, bifasciella, caesiella, clementella, cognitella, comptella, crataegella, curtisella, curvella, decemguttella, echiella, evonymella, flavianella, funcrella, grandis, haemorrhoidella, irrorella, leucatella, liucella, lithospermella, lutarella, mahalebella, maliuella, mendicella, ocella, ossea, padella, plumbella, prunella, pusiella, quadripunctella, rajella, reticulella, roesella, rorella, sedella, semifusca, sequella, sexpunctella, subfasciella, subocellea, tetrapodella.

Vide et Hypomeneuta et Hyponomeuta.

Ypsipetes elutaria, elutata, horridaria, impluviaria, impluviata.

Ypsistoma salpina.

Ypsolopha alpella, antennella, persicella.

Ypsolophus asperellus, atratus, bicostellus, bifasciatus, binotellus, costellus, dentellus, dolosellus, durdhamellus, ermineus, exustellus, falleniellus, fasciellus, fissellus, fissus, flaviciliatus, hamatus, harnatus, hesperidellus, hesperidis, imparellus, insignis, lanceolellus, leuniozellus, lineatellus, lutosus, marginellus, maurellus, mediopectinellus, mucronellus, ochroleucus, palpellus, palustrellus, parenthesellus, pratensis, pterodactylellus, quinquepunctatus, radiatellus, radiatus, rufimitrellus, schmidiellus, schmidtellus, separatellus, sequellus, taurellus, varians, variellus, vitellus.

Yuhina flavicollis, gularis, nigrimentum, occipitales.

Yunx cayennensis, cirrhatus, exilis, indica, japonica, minutus, pectoralis. *Vide et Lynx et Jynx.*

Zabia longipes.

Zabrus ambiguus, ammophilus, angustatus, aurichalceus, avidus, blaptoides, caucasicus, cheilosporum, cognatus, convexus, crassus, curtoides, curtus, dentipes, distinctus, elongatus, femoratus, flavangulus, fontenayi, gibbosus, gibbus, globosus, graecus, gravis, in-crassatus, inflatus, intermedius, laevigatus, madidus, marginicollis, morio, obesus, orsinii, ovipennis, piger, pinguis, propinquus, puncticollis, robustus, rotundatus, rotundicollis, rufomarginatus, silphoides, silphoides, spinipes, sublaevis, tardus, trinii, vicinus.

Zachaeus mordax.

Zacheus mordax, trinitatus.

Zacholus austriaca, girondicus, laevis, vernalis, zonatus.

Zaida agilis, crataegella, falculae.

Zaira agrestis.

Zaitha bosci, stollii.

Zale horrida.

Zalega furcifrons.

Zalochelidon pelagica.

Zamenis aesculapii, ricciola, viridiflavus.

Zammara angulosa, cuncta, erato, intricata, montezuma, plena, praxita, smaragdina, strepens, suffusa, tympanum.

Zancle hansonii.

Zanclodon crenatus, laevis.

Zanclostomus calorenchus, crawfurdi, diardi, elongatus, flavirostris, javanicus, sirkee, sirki, sumatranus, tristis, viridirostris.

Zanchlorus indicus.

Zanclus brevirostris, centrognothus, cornutus.

Zantheumia solstitialis.

- Zanthomyza phrygia*.
Zanthopsis bispinosa, *lenticili*, *nodosa*, *unispinosa*.
Zanthopygia chrysophrys, *leucophrys*. *I'ide et Xanthopygia*.
Zaphne egerioidea, *hylemyoides*.
Zaphrentis clappi.
Zaporina galinella.
Zapornia flammiceps, *minuta*, *nigrolineata*, *notata*, *porzana*, *pusilla*, *pilonota*, *thermophila*.
Zaraea fasciata.
Zaretis isidora, *polybete*.
Zatrephes crocas, *dorothea*, *hernia*, *ilus*, *nitida*, *sanguinolenta*.
Zaus spinatus.
Zeaecrinites magnoliaeformis.
Zebrapicus carolinus, *elegans*, *hypopolius*, *pucherani*, *superciliaris*.
Zebrasoma velifer.
Zebria adamsi.
Zebrina dealbatus, *falciolatus*, *illibatus*, *radiatus*.
Zebronia foederalis, *perspicalis*, *strigialis*.
Zegris eupheme, *euphene*, *menestho*, *pyrothoe*.
Zeiraphera argyrana, *corollana*, *frutetana*, *lathyrana*, *licheana*, *succedana*.
Zele albiditarsis, *atrator*, *ephippium*, *fulvifrons*, *longicauda*, *ochraceator*, *pictoralis*, *testaceator*, *thoracicus*.
Zelia analis, *apicalis*, *rostrata*, *strenua*, *velox*.
Zelica (Lep.) malachitica.
Zelima paradoxa, *pylades*.
Zelleria (Cor.) simplex.
Zelleria (Lep.) fasciapenella, *hepariella*, *insignipennella*.
Zelurus ocellatus.
Zelus aegyptius, *annulatus*, *attelaboides*, *bifidus*, *bilobus*, *bispinosus*, *ciliatus*, *cinereus*, *clavipes*, *coccineus*, *collaris*, *coronatus*, *crassicornis*, *cruentus*, *cursitans*, *diadema*, *dispar*, *dorycus*, *elevatus*, *elongatus*, *errans*, *erythrocephalus*, *erythropterus*, *fasciatus*, *femoratus*, *festinans*, *flavicans*, *fornicatus*, *heros*, *ibidus*, *ichneumoneus*, *lateralis*, *lineatus*, *longimanus*, *longipes*, *macilentus*, *marginalis*, *means*, *ochraceus*, *octospinosus*, *pedestris*, *phalangium*, *plagiatus*, *praecatorius*, *punctiger*, *quadrispinosus*, *quinquespinosus*, *recurvatus*, *rufescens*, *ruficornis*, *serratus*, *sexdens*, *sexspinosus*, *sphegeus*, *spinosus*, *taurus*, *tipuliformis*, *transversus*, *tricantharis*, *vagans*, *varipes*.
Zemba guildingi.
Zemeros allica.
Zemia collaris.
Zemina bivittata, *brullei*, *conjuncta*, *cupricollis*, *depressa*, *hirsuta*, *humeralis*, *jucundissima*, *minor*, *morosa*, *olea*, *orbigny*, *picta*, *pudibunda*, *quadrifasciata*, *quadrizonata*, *rouleti*, *rousseli*, *rubronotata*, *vittata*.
Zenaida amabilis, *aurita*, *boliviana*, *galapagoensis*, *leucoptera*, *montana*, *plumbea*, *souleyetiana*.
Zenais fera, *scula*, *silvestris*.
Zenillia ciligera, *lepida*, *libatrix*.
Zenithicola australis, *obesa*.
Zenon *vulnerata*.
Zenobia (Cr.) mediterranea, *prismatica*.
Zenophasia platyryncha.
Zenops affinis, *dentirostris*. *I'ide et Xenops*.
Zenoria linteolata, *pilosula*, *ratzeburgi*, *revestita*, *subcostalis*.
Zeonia aulestes, *chorinaeus*, *heliconides*, *lysippus*, *meliboeus*, *morissey*, *octavius*, *periander*, *tedefa*.
Zephronia castanea, *compressa*, *dorsalis*, *elongata*, *gigas*, *glabrata*, *hercules*, *heterostictica*, *hippocastanum*, *innominata*, *insignis*, *javanica*, *klugi*, *kutorgae*, *lichtensteini*, *microsticta*, *ovalis*, *punctata*, *punctulata*, *rotundata*, *rugulosa*, *testacea*.
Zephyrina pilosa.

- Zephyrus** *adonis*, *agettis*, *alceon*, *alexis*, *alsus*, *argianus*, *argiolus*, *argus*, *arion*, *battu*, *betulae*, *chryseis*, *cytiarus*, *eumedon*, *garbas*, *helle*, *hippother*, *lactus*, *flatus*, *epilete*, *phleas*, *pruni*, *quecas*, *rubi*, *virgaurei*, *Wallum*.
- Zercon** *abaculus*, *boleti*, *elhiatus*, *dimidiatus*, *elegantulus*, *festivus*, *humiliatus*, *flavulus*, *obtusulus*, *ovalis*, *pallens*, *pavidus*, *peltatus*, *similis*, *spatulatus*, *triangularis*, *vacuus*.
- Zerena** *fasciaria*.
- Zerene** *adustaria*, *adustata*, *alaudaria*, *albicillaria*, *albicillata*, *albidata*, *anthysale*, *casoma*, *cribrata*, *dilacerata*, *erate*, *fluctuata*, *grosularia*, *grosulariata*, *hyale*, *integrata*, *leopardina*, *maculata*, *marginata*, *melanaria*, *palaeno*, *pautaria*, *pautata*, *phicomone*, *plumbata*, *procellaria*, *procellata*, *rubiginaria*, *rubiginata*, *sinuata*, *stragulata*, *taminata*, *temerata*, *ulmaria*, *uluata*. *Vide et Xerene*.
- Zeritis** *alphaeus*, *lara*, *neriene*, *protumnus*, *thero*, *thyra*, *thysbe*.
- Zerynthia** *cerisyi*, *costovata*, *demnosia*, *didymaria*, *didymata*, *ferrugaria*, *fluctuata*, *honorati*, *implicata*, *latentaria*, *medesicaste*, *munitata*, *ogina*, *olivaria*, *polyxena*, *quadristasciaria*, *rumina*, *salicata*, *unidentaria*, *vauaria*, *viridaria*.
- Zerythis** *thero*, *thysbe*.
- Zesius** *chrysomallus*, *phaeomallus*.
- Zetes** *alatus*, *caespitum*, *dorsalis*, *dorsatus*, *ephippiatus*, *flavipes*, *fuscomaculatus*, *gilvulus*, *hispidus*, *laevigatus*, *latipes*, *latirostris*, *longiusculus*, *lucorum*, *morticinus*, *pallidulus*, *pilosus*, *rubens*, *satellitina*, *semirufus*.
- Zethes** *insularis*.
- Zethus** (Cr.) *hellatulus*, *uniplicatus*, *verrucosus*.
- Zethus** (Hym.) *biglumis*, *cinereus*, *coeruleopennis*, *coeruleus*, *cyanipennis*, *didymogaster*, *elongatus*, *gigas*, *globoicollis*, *guineensis*, *labiatus*, *lugubris*, *macilentus*, *pyriformis*, *ruinodus*, *zonalis*.
- Zetides** *aegistus*, *eurypylus*, *pylades*, *sarpedon*.
- Zetobora** *cicatricosa*, *conspersa*, *conspurcata*, *emarginata*, *nimbata*, *signaticollis*.
- Zetterstedtia** *cymbiciformis*.
- Zeuglodon** *brachyspondylus*, *cetoides*, *macrospendylus*.
- Zeugma** *vittata*.
- Zeugophora** *flavicollis*, *frontalis*, *scutellaris*, *subspinosa*.
- Zeugopterus** *hirtus*.
- Zeus** *argentarius*, *australis*, *bolcanus*, *capensis*, *capillaris*, *childreni*, *conclifer*, *crintus*, *geometricus*, *japonicus*, *lewisiensis*, *maculatus*, *nehulosus*, *niger*, *opah*, *platessa*, *priscus*, *pungio*, *regius*, *regleysianus*, *rhombeus*, *roseus*, *rostratus*, *scalaris*, *setapinnis*, *spinosus*, *sutor*.
- Zeuxia** *cinerea*.
- Zeuxidia** *luxeri*.
- Zeuxo** (Cr.) *westwoodiana*.
- Zeuzera** *aesculi*, *arundinis*, *minea*, *octopunctata*, *putrida*, *redtenbacheri*, *viridicans*.
- Zia** *agilis*, *melanocephala*, *paludicola*.
- Zibellina** *zibellina*.
- Zibetha** *africana*, *orientalis*.
- Zicca** *horrida*, *massulata*.
- Zicrona** *illustris*.
- Zierliana** *ziervogeli*.
- Zigaena** *mannerheimi*.
- Zilla** *acalypha*, *alhimacula*, *calophylla*, *decora*, *genistae*, *montana*, *reticulata*.
- Zingel** *asper*, *sciaenoides*.
- Zinneca** *flavidorsum*.
- Ziphius** *cavirostris*, *longirostris*, *planirostris*, *priscus*, *sechellensis*, *sowerhiensis*.
- Ziphorynchus** *bivittatus*, *procurvis*. *Vide et Xiphorhynchus* (A.).
- Ziphotheca** *tetradens*.
- Zippora** *drummondi*.
- Ziophorus** *fremynvillei*, *fronticornis*, *laevipennis*, *longicornis*, *penicillatus*, *spinosus*.
- Zisius** *gladius*, *velifer*.
- Ziziphinus** *annulatus*, *canaliculatus*, *diaphanus*, *erythroleucos*, *punctulatus*, *selectus*, *tigris*, *vulgaris*.

- Zizorhis ~~gigantea~~.
 Zoantha ~~ellii~~, sociata, thalamanthos.
 Zoanthoa ~~bertheloti~~.
 Zoanthus ~~araneus~~, coachi, digitatus, dubia, lobatus, mammosus, merterei, sociata, solandri, tuberculatus.
 Zoarces ~~blepharoides~~, imbricatus, gronovii.
 Zoarcus labrosus, viviparus.
 Zocodum striatum, tuberculatum.
 Zodion abdominalis, americanum, carceli, cinerea, conopsoides, fulvifrons, notatum, occidentis, pedicellatum.
 Zoe clavata, taurus.
 Zoa clavata, longipinna, pattersoni, pelagica.
 Zographus auleus, oculator.
 Zomorphus ocellatus.
 Zona pictipennis.
 Zonargyra virescens.
 Zonarites atrata.
 Zonarius ~~caducus~~, diadematus, fasciatus, indicus, militaris, nigrotaeniatus, nigrotibialis, peregrinus, xanthomelas, zebra.
 Zonarytes tessellata.
 Zonichthys fasciatus, sulcata.
 Zonipus punctatum.
 Zonites brevis, acutipennis, albanica, algireus, alliarius, cellarius, chiron, coma, compressa, coreia, croatica, crystallinus, ericetorum, excavata, fuscus, gemmensis, lucidus, nitidulus, nitidus, planespira, purus, pygmaeus, radiatulus, radiatus, rotundatus, sepestris, umbilicatus, verticillus, walkeri.
 Zonitis abdominalis, aeneipennis, atra, bifasciata, bilineata, bimaculatus, caucasica, ~~caucasica~~, condolor, dichroa, fasciata, humeralis, latreillei, lineata, lunata, mandibularis, melanophthalma, nigra, nigricollis, nigricornis, piezata, polita, pubescens, puncticollis, quadripunctata, rubida, rubripennis, sexmaculata, sibirica, thoracica, tricolor, triozata, vittata.
 Zonopora caespitosa, cottaldina, elegans, irregularis, laevigata, pseudo-spiralis, ramosa, rugosa, spiralis, variabilis.
 Zonopterus flavitarsis.
 Zonotrichia africana, albicollis, atricapilla, aureigula, aurocapilla, canicapilla, chlorura, cinerea, comata, dominicensis, fasciata, galapagoensis, gambeli, graminea, grammaca, guttata, iliaca, lincolni, ludoviciana, matutina, melodia, monticola, mortoni, pallida, palustris, pusilla, querula, savanna, shattucki, socialis, strigiceps, townsendi, unalaschensis.
 Zonurus capensis, cataphractus, cordylus, davyi, derbianus, griseus, microlepidotus, novae guineae, polyzonus, vertebralis.
 Zonyptilus pennifer.
 Zoobotryon arbuscula, pellucidus, verticillatum.
 Zoocladium arbusculum, niveum.
 Zoocylon levis.
 Zoodesmus moniliforme, triplex.
 Zoodiotes erythraeus.
 Zoopilus echinatus.
 Zoosperma seminale.
 Zoospermades tauri.
 Zoote caja, flavia.
 Zooteca chalybdea, exigua.
 Zoothamnia ovifera.
 Zoothamnium arbuscula, flavicans, niveum.
 Zoothera andromeda, marginata, melanoleuca, monticola.
 Zootoca chalybdea, crocea, derbiana, exigua, galloti, guerini, montana, muralis, oxycephala, pyrrogastra, quadrilineata, taeniolata, taurica, vivipara.
 Zopherus bremeri, jourdani, laevis, nodulosus, variolosus.

- Zophium bimaculatum*, inconspicuum, modestum, piceum, vittigerum.
Zophius rufopictus.
Zophobas bifasciatus, costatus.
Zophobius erotyloides.
Zophodia grossularialis, legatalis, tumidalis.
Zophomyia aenea, buccalis, chalybeata, egeus, microcera, nitida, rubripes, rufipes, scutellaris, temula, trenula.
Zophorus chilensis, mexicanus.
Zophoscomorpha mauritanica.
Zophosis abbreviata, acutus, algeriana, angolensis, angustus, barbara, bicarinata, boei, carinata, complanata, cursor, curta, delalandei, dytiscoides, errans, germari, gibb, collis, goryi, linnaei, maillei, minutus, muricatus, nitida, nitidula, nodosa, oblonga, ovata, personata, picipes, plana, plicata, punctata, punctulatus, pusillus, pygmaea, quadricostata, reaumuri, reichei, reticulata, rotundata, rugosa, scabriuscula, schoenherri, semi-lineatus, subinflata, submetallica, suborbicularis, sulcatus, testudinarius, vagans.
Zora ocreata, spinimana.
Zorca arborea.
Zoreva fasciata.
Zorilla striata, variegata.
Zosmenus anticus, laportei, maculatus, quadratus, stephensi, variabilis.
Zosmerus capitatus.
Zosterops abyssinica, albogularis, ambigua, borbonica, caerulea, capensis, chloris, chloronotus, cinerea, citrinella, conspiciata, curvirostris, dorsalis, flava, flaviceps, japonicus, javanica, lateralis, lugubris, luteus, madagascariensis, maderaspatana, maderaspatensis, meyeri, montana, nicobaricus, pallida, palpebrosus, senegalensis, tenuirostris, virens, westernalis.
Zothea meridionalis.
Zozymus aeneus, granulosus, latissimus, pubescens, rugatus, tomentosus.
Zua lubrica, boissii.
Zuphanusa smithiana.
Zuphea sparsicola.
Zuphium americanum, bicolor, bimaculatum, brunneum, caffer, chevrolati, fasciolatus, fleuriasi, fuscum, longiusculum, numidicum, olens, testaceum, unicolor, ustum.
Zura femoralis.
Zurama pulchella.
Zuzara diademi, semipunctata.
Zygaena (Lep.) achillae, aeacus, algira, ampelophaga, angelica, anthillidis, anthyllidis, aspasia, aurentula, balearica, barbara, bitorquata, brizae, buglossi, caschmirensis, cedri, centaureae, charon, cingulata, cloelia, concinna, consobrina, contamnei, coronillae, corsica, cuvieri, cynarae, dahurica, dalmatina, doris, dorycini, dystrepta, erebus, erythrus, exulans, falcatae, faustina, favonia, flaveola, fraxini, globularia, haematina, hilaris, hippocrepidis, iberica, iphimedia, ithon, janthina, japetus, jucunda, laeta, laetifica, lathyri, lewini, lonicerae, ludicra, lycastus, lyctius, medicaginis, mediterranea, meliloti, minos, montana, namaqua, olivieri, orana, oxytropis, pasiphae, peucedani, phaegaea, pilosellae, pluto, polygalae, pulchella, punctum, rhadamanthus, romeo, rubicundus, sarpedon, scabiosae, scovitzi, staechadis, stentzi, stoechadis, syracusia, syracusii, transalpina, trifolii, uralensis, valentini, vanadis, venilia, viciae, wiedemanni, xanthographa.
Zygaena (P.) blochi, denticulata, dubia, indica, laticeps, latycephala, malleus, mokarran, platycephalus, serrata, subarcuata, tiburo, tudes, vulgaris, zygaena.
Zygena (Lep.) zuleima.
Zygia flavipennis.
Zygnis bipes, chalcidica, decresiensis, pentadactyla, striata, tridactyla.
Zygobates acuminatus, lalandei, rima, rugosus, studeri, woodwardi.
Zygobatis jussieu.
Zygobothrium megacephalum.
Zygocera canosa, pruinosa.

Zygocrinus tetragonus.

Zygocystis cometa*, ephemerae.

Zygoneura sciarina.

Zygops albicollis, argus, boisduvali, buffo, cinctipes, disjunctus, furfurachis, germari, hieroglyphicus, hinnulus, histrio, jaspideus, ligatus, mexicanus, ochatinus, oculatus, operculatus, parvulus, pistior, pius, planulus, pleuronectes, quercus, rubricollis, sanctus, scenicus, scutulatus, semialbus, signativentris, sobrius, stigma, stigmaticus, strix, submaculatus, temporarius, tridentatus, vinulus, wiedi.

Zygopsaurus lucius.

Zygoselmis nebulosa.

Zygothrica dispar.

Zygothya coluber.

Zyras haworthi.

Zyxomma petiolatum.

OMISSIONS RECEIVED 1931-1933

- acetosae** *Phalaena*, Gladbach, Namen Schmett. 1783, 154 [*teste* F. G. H.].
- acuminatus** Belemnites, Schuebler in Zieten, Pétrif. Wurt. 1831, 26 [*teste* L. Bairstow].
- angulatus** Belemnites, Kefersteiu, Nat. Erdkorp. II. 1834, 424 [*err. pro* unguulatus, Schl., *teste* L. B.].
- anguliforme** Belemnites, Keferstein, Nat. Erdkorp. II. 1834, 424 [*err. pro* unguulatus, Schl., *teste* L. B.].
- angusticollis** Belemnites, Coquand, Bull. Soc. géol. France, IX. 1838, 226 [*n. n.*, *teste* L. B.].
- antiquum** Cymatotherium, J. J. Kaup, Akten d. Urwelt, 1841, 11.
- apicicurva** Belemnites, Blainville, N. Bull. Soc. Philom. Paris, 1825, 171 [*n. n.*, *teste* L. B.].
- atropos** *Phalaena*, Gladbach, Namen Schmett. 1783, 154 [*teste* F. G. H.].
- blainvillii** Belemnites (*sic*), Catullo, Ann. Stor. Nat. I. 1829, 312 [*teste* L. B.].
- bonelli** Nautilus, Catullo, Ann. Stor. Nat. I. 1829, 314 [*teste* L. B.].
- Briolophus** [*pro* **Bry**→, Ehr.] Weaver, Ann. Mag. Nat. Hist. VII. 1841, 303.
- carinata** *Natica*, Sow.; *delete* III. 1832, 419 [*n. n.*].
- cassivus** Pleuronectes, Pennant (*ex* Hanmer MS.), Brit. Zool., ed. 5, III. 1812, 325 [*teste* J. R. N.].
- cenomana** Crisina, d'Orbigny, Prodr. II. 1850, 175.
- chenipodiata** *Phalaena*, Gladbach [*non* L.], Namen Schmett. 1783, 157 [*teste* F. G. H.].
- coniformis** Belemnites, Parkinson, Org. Rem. III. 1811, 127 [*teste* L. B.].
- coniformis** Belemnites, Muenster, Verz. Verst. Bayreuth, 1833, 77 [*n. n.*, *teste* L. B.].
- conulus** Belemnites, Muenster, Verz. Verst. Bayreuth, 1833, 51 [*n. n.*, *teste* L. B.].
- cornuelianus** Belemnites, Orbigny, Pal. franç. (Crét. I.) 1842, 618 [*teste* L. B.].
- cornutus** Belemnites, Schlotheim, Syst. Verz. Petrif. 1832, 29 [*n. n.*, *teste* L. B.].
- cribraria** [*pro* **cribbaria**] Eschara, Johnston, Hist. Brit. Zooph., ed. 2, 1847, 483.
- cribrarius** Belemnites (*sic*), Catullo, Ann. Stor. Nat. I. 1829, 312 [*teste* L. B.].
- cylindraceus** Belemnites, Schlotheim, Syst. Verz. Petrif. 1832, 29 [*teste* L. B.].
- cylindriformis** Belemnites, Parkinson, Org. Rem. III. 1811, 127 [*teste* L. B.].
- cynobati** Phal. Geom., Gladbach, Namen Schmett. 1783, 138 [*teste* F. G. H.].
- digitalis** Belemnites, Blainville, N. Bull. Soc. Philom. Paris, 1825, 175 [*n. n.*]; Mém. Bélem. 1827, 88 [*teste* L. B.].
- fischeri** Ceriopora; *lege* Ceriolina.
- fusiformis** Belemnites, Parkinson, Org. Rem. III. 1811, 127 [*teste* L. B.].
- globatus** Belemnites, Schlotheim, Syst. Verz. Petrif. 1832, 29 [*n. n.*, *teste* L. B.].
- goldfusi** *Lucina*, G. P. Deshayes, Traité élém. Conch. (2) May 1850, 779.
- graminis** Phal. Noct., Gladbach [*non* Hufn.], Namen Schmett. 1783, 149 [*teste* F. G. H.].
- granulosus** Belemnites, Potiez & M., Gal. Moll. I. 1838, 22 [*err. pro* granulatulus, Deifr., *teste* L. B.].
- helveticus** Belemnites, Blainville, Mém. Bélem. 1827, 68 [*teste* L. B.].
- impressus** Belemnites, Voltz in Roemer, Verst. nordd. Oolith. 1836, 170 [*teste* L. B.].
- intermedius** Belemnites, Muenster, Verz. Verst. Bayreuth, 1833, 77 [*n. n.*, *teste* L. B.].
- interruptus** Papilio, de Villers in Linn. Ent. II. 1789, 37 [*teste* F. G. H.].
- ioides** Papilio, Ochsenheimer, Schmett. Sachs. 1805, 136 [*teste* F. G. H.].
- jarockii** Ceriopora; *lege* Ceriolina.

- lactucae** Phalaena, Gladbach, Namen Schmett. 1783, 123 [*teste* F. G. H.].
- lateralis** Belemnites, Phillips, Geol. Yorksh. I., ed. 2, 1833, 98 & 166 [*teste* L. B.].
- ligeriensis** Crisina, d'Orbigny, Prodr. II. 1850, 265.
- longiscatus** Belemnites, Orhigny, Pal. franç. (Jurass. I.) 1842, 77 [*err. pro longisulcatus*, Voltz; *teste* L. B.].
- lycaon** [Papilio], Kuehn, Naturf. III. 1774, 21 [*teste* F. G. H.].
- lysimachi** Sphinx, Gladbach, Namen Schmett. 1783, 182 [*teste* F. G. H.].
- medium** Dinotherium, Meyer, Palaeol. 1832, 78; Kaup, N. Jahrb. f. Min. 1833, 419.
- meta** Belemnites, Blainville, Mém. Bélem. 1827, 87 [*teste* L. B.].
- minutus** Lepus, Pallas, Reise Russ. I. 1773, 155 f.n. [*err. pro pusillus*, 1769 *teste* T. L. C. Musters].
- mirabilis** Plectrodus, Agassiz in Murchison, Silur. Syst. 1839, 606 & 704 [*teste* E. I. W.].
- mutica** Terehratula, Catullo, Ann. Stor. Nat. I. 1829, 316 [*teste* L. B.].
- nanus** Belemnites, Muenster, Verz. Verst. Bayreuth, 1833, 51 [*n. n.*, *teste* L. B.].
- ornithocephalus** Belemnites, F. A. Roemer, Verst. nordd. Oolith. 1836, 169 [*teste* L. B.].
- orpheus** Papilio, Ochsenheimer, Schmett. Sachs. 1805, 330 [*teste* L. G. H.].
- osterfieldensis** Belemnites, Blainville, N. Bull. Soc. Philom. Paris, 1825, 174 [*n. n.*, *teste* L. B.].
- piri** Phal. Geom., Gladbach [*non* Scop.], Namen Schmett. 1783, 157 [*teste* F. G. H.].
- pirifolii** Phalaena, Gladbach, Namen Schmett. 1783, 182 [*teste* F. G. H.].
- pleiopristis** Plectrodus, Agassiz in Murchison, Silur. Syst. 1839, 606 & 704 [*teste* E. I. W.].
- prismatica** Acamarchis, J. E. Gray in Dieffenbach, Trav. N. Z. II. 1843, 292 [*teste* S. F. H.].
- quadrangulatus** Belemnites, Schlotheim, Syst. Verz. Petrif. 1832, 29 [*n. n.*, *teste* L. B.].
- quercus** Phal. Noct., Gladbach [*non* L.], Namen Schmett. 1783, 152 [*teste* F. G. H.].
- reticulatus** Belemnites, Schlotheim, Taschenh. Min. VII. 1813, 110 [*teste* L. B.].
- sagittariae** Phalaena, Gladbach, Namen Schmett. 1783, 123 [*teste* F. G. H.].
- salicis** Papilio, Kuehn, Kurze Anleit., ed. 2, 1783, 181 [*teste* F. G. H.].
- semiconcavus** Belemnites, Schlotheim, Syst. Verz. Petrif. 1832, 30 [*teste* L. B.].
- semistriatus** Belemnites, Muenster, Bemerk. Belem. 1830, 15 [*teste* L. B.].
- spatula** Belemnites, Blainville, N. Bull. Soc. Philom. Paris, 1825, 175 [*n. n.*; *teste* L. B.].
- spiniformis** Crisid., *err. pro s-formis*, Benoit, Farfalletta, I. 1842 (1843), 173.
- studerii** Belemnites, Bronn, Index pal. 1848, 157 [*teste* L. B.].
- subcanaliculatus** Belemnites, Schuster, N. Jahrb. f. Min. 1835, 142 [*teste* L. B.].
- subtetragonus** Belemnites, Muenster, Verz. Verst. Bayreuth, 1833, 77 [*n. n.*, *teste* L. B.].
- subulatus** Belemnites, Schlotheim, Syst. Verz. Petrif. 1832, 30 [*n. n.*, *teste* L. B.].
- Tenestella** *err. pro Fenestella*, Lonsd.; J. Hall, N. H. New York (Geol. IV.) 1843, 509.
- tetragostoma** Belemnites, Blainville, N. Bull. Soc. Philom. Paris, 1825, 174 [*n. n.*, *teste* L. B.].
- tiphon** [Papilio], Kuehn, Naturf. III. 1774, 21 [*teste* F. G. H.].
- tisiphone** Papilio, Ochsenheimer, Schmett. Sachs. 1805, 259 [*teste* L. G. H.].
- trisulcus** Belemnites, Bayer, Oryct. Norica, 1758, 18 [*teste* E. v. Bülow-T.].
- uvae ursi** Coccus, Linnaeus, F. Suec., ed. 2, 1761, 260 [*teste* L. G. H.].
- vergy** Papilio, Ochsenheimer, Schmett. Europa, I. 1808, 292 [*teste* F. G. H.].
- vitis** Phal. Geom., Gladbach, Namen Schmett. 1783, 152 [*teste* F. G. H.].
- voltzii** Belemnites, Muenster, Verz. Verst. Bayreuth, 1833, 51 [*n. n.*, *teste* L. B.].





QL Sherborn, Charles Davies
354 Index animalium
S5
Sect 2
v.9

PLEASE DO NOT REMOVE
CARDS OR SLIPS FROM THIS POCKET

UNIVERSITY OF TORONTO LIBRARY

